

Q  
1  
53  
Sec. A  
vol. 63-67  
L-R  
N/C

# **Section A of Science Abstracts**

SECTION A, PHYSICS: SECTION B, ELECTRICAL ENGINEERING

*abstracts*

---

## **Physics Abstracts**

**Cumulative Author Index**

**1960-1964 : Part III**

**(VOLUMES 63-67).**

---

**Published by THE INSTITUTION OF ELECTRICAL ENGINEERS**  
**Savoy Place, London, W.C. 2**

**In association with The Institute of Physics and the Physical Society**  
**and The American Physical Society**

## FOREWORD

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written Vanvleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are approximately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given on page iv. Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

The numbers printed after the entries are the serial numbers of the abstracts, and the respective volumes are indicated by the initial number, giving the last digit of the year; thus "3=1234" means "Abstract 1234 of the 1963 volume"; "0=3456" means "Abstract 3456 of the 1960 volume".

June 1965

D. S. Hopper  
Director, Science Abstracts



# **PHYSICS ABSTRACTS**

## **CUMULATIVE AUTHOR INDEX**

for 1960-64 is published in four parts:

**Part I**      Letters A—E

**Part II**     Letters F—K

**Part III**    Letters L—R

**Part IV**    Letters S—Z

### **Erratum**

There are alphabetical errors occurring on the following pages:—

1598-99

# THE TRANSLITERATION OF RUSSIAN FOR BIBLIOGRAPHICAL PURPOSES

English Letters	Languages	Cyrillic Letters	English Letters	Languages	Cyrillic Letters
a	RSB	А а	p	RSB	П п
b	RSB	Б б	r	RSB	Р р
ch	RSB	Ч ч	s	RSB	С с
d	RSB	Д д	sh	RSB	Ш ш
e	RSB	Е е	shch	R	Щ щ
ë	R	Ё ё	sht	B	Ъ ъ
é	R	Э э	t	RSB	Т т
ê	R B	Ѣ ѣ	t'	R B	ТЬ ть
f	RSB	Ф ф	t'	S	Ѧ ѧ
g	RSB	Г г	th	R	Ө ө
i	RSB	И и	ts	RSB	Ц ц
ī	R	І і	t-s	RSB	ТС тс
ï	R B	Й й	u	RSB	У у
j	S	Ї ѥ	ū	B	Ѣ ѣ
j'	S	Ѣ ѣ	ū	B	Ѧ ѧ
k	RSB	К к	v	RSB	В в
kh	RSB	Х х	y	S	Ј ј
l	RSB	Л л	ȳ	R	Ы ы
l'	R B	Љ љ	ÿ	R	Ѧ ѧ
l'	S	Љ љ	ya	R B	Я я
m	RSB	М м	yu	R B	Ю ю
n	RSB	Н н	z	RSB	З з
n'	R B	НЬ нь	zh	RSB	Ж ж
n'	S	НЬ нь	'	R	Ѣ ѣ
o	RSB	О о	'	R B	Ѧ ѧ

The use of l', n' and t' in Russian and Bulgarian (where they are not transliterations of a single letter, but merely l, n or t followed by the soft sign) is included to emphasize the fact that they are used for single letters only in Serbian.

Shch and sht invariably represent the letter Щ in Russian and Bulgarian respectively, since the pairs of letters (ЩЧ in Russian and ШТ in Bulgarian) seem never to occur consecutively in the respective languages.

The above table is reproduced, by permission, from the pamphlet "The Transliteration of Russian, Serbian and Bulgarian for Bibliographical Purposes" published by The Royal Society, Burlington House, London, W.1 (February, 1953, price 1s.0d.). It represents the system at present in use in "Science Abstracts" for the transliteration of the names of journals and the names of authors of articles abstracted.



- Laakso, I. See Bizzarri, R., 3=6026  
 Laakso, I. See Bizzarri, R., 4=30244  
 Laakso, I. See Di Capua, E., 2=18039  
 Laan, H.R. van der. See van der Laan, H.R.  
 Laar, J. van. See van Laar, J.  
 LaBahn, R. W. and Callaway, J. Polarization effects in the elastic scattering of electrons from helium, 4=28150  
 LaBar, F. E. and Baldwin, R. L. A study by interference optics of sedimentation in short columns, 3=6933  
 Labarre, J. F. and Albarède, R. Electronic structure and Faraday effect of some unsaturated aliphatic  $\alpha$ -nitriles, 4=17307  
 Labarre, J. F. See Pascal, P., 1=14074  
 Labartkava, E. K. An ultrasonic receiver based on a semi-conducting thermistor, 1=9455  
 Labat, J. and Pacault, A. Method for measuring the magnetic susceptibility of the constituents of a heterogeneous medium, 4=28756  
 Labat, J. See Barrault, M. R., 3=24299  
 Labat, J. See Barrault, M. R., 4=21524  
 LaBate, E. E. See Crowell, C. R., 2=22251  
 Labău, V. and Nicolae, M. Study of the loading of certain nuclear emulsions with boron and lithium, 1=415  
 Labău, V. See Ausländer, J. S., 1=179  
 Labău, V. See Nicolae, M., 2=17661  
 Labău, V. See Nicolae, M., 3=5165  
 Labău, V. See Spacu, P., 3=19992  
 Labău, V. See Spacu, P., 4=1273  
 La Baw, K. B. See Olsen, A. L., 4=20443  
 Labaw, L. W. Striations in superposed diffraction images from organic single crystals, 3=18405  
 Labaw, L. W. Multiple Bragg reflection areas in single crystals determined by image fringes, 4=7589  
 Labbe, C. See Elston, J., 2=4337  
 Laberrig-Frolova [Laberrig-Frolow, J. V.], Balandin, M. P. and Otvinovskii, S. Z. Absorption of  $\pi^+$  mesons with an energy of about 50 MeV by carbon nuclei, 0=9694  
 Laberrigie, A. Scattering of electrons by thermal motion of atoms in a crystal, 0=3204  
 Laberrigie-Frolow, J., Balandine, M. P. and Orvinovski, S. Z. Absorption of  $\pi^+$  mesons with energies of about 50 MeV in carbon nuclei, 1=7281  
 Laberrigie-Frolow, J. See Alitti, J., 2=16229  
 Laberrigie-Frolow, J. See Alitti, J., 2=18156  
 Laberrigie-Frolow, J. See Berthelot, A., 1=19281  
 Laberrigie-Frolow, J. V. See Laberrig-Frolova, J. V.  
 Laberrigie-Frolow, J. See Yuasa, T., 0=7527  
 Laberrigie-Frolow, J. See Yuasa, T., 0=7528  
 Labes, M. B. See Kronick, P. L., 2=14509  
 Labes, M. M., Sehr, R. and Bose, M. Organic semiconductors. I. Some characteristics of the  $\beta$ -phenylenediamine-chloranil complex, 0=13621  
 Labes, M. M., Sehr, R. and Bose, M. Organic semiconductors. II. The electrical resistivity of organic molecular complexes, 0=15969  
 Labes, M., Sehr, R. and Bose, M. Semiconductor properties of organic molecular complexes, 2=23305  
 Labes, M. M. See Kronick, P. L., 1=19887  
 Labes, M. M. See Kronick, P. L., 3=10873  
 Labes, M. M. See Kronick, P. L., 4=13062  
 Labes, M. M. See Kronick, P. L., 4=22728  
 Labes, M. M. See Mainthia, S. B., 3=4936  
 Labes, M. M. See Ruecroft, P. J., 4=10101  
 Labeyrie, J. Use of solid-state detectors as energy spectrometers for cosmic high-energy particles, 4=25222  
 Labeyrie, J. and Lambert, G. Existence of a diffusion barrier between the tropospheres of the north and south hemisphere, 3=25874  
 Labeyrie, J. See Debiesse, J., 4=12914  
 Labeyrie, J. See Jehanno, C., 0=21325  
 Labhart, H. See Wagnière, G., 4=6547  
 Labin, E. See Aries, R., 0=14809  
 Labkovskii, Ya. M. See Mokhov, N. V., 3=21322  
 Labkovskii, Ya. M. See Mokhov, N. V., 4=24169  
 Labno, L., Dąbek, W. and Byszewski, W. Neutron sensitive boron coated thermopile, 2=3362  
 Labno, L. See Byśhevski, V., 2=3675  
 Labois, E. See Chonex, A., 0=2412  
 LaBonte, A. E. See Muckenhirn, O. W., 0=11866  
 Laboragine, I. See Caforio, A., 1=5780  
 Laboragine, I. See Quarenì, G., 1=13518  
 Laborde, G. A study of the photosphere and sunspots using molecular band spectra, 1=15454  
 Laborde, G. See Michard, R., 0=18768  
 Laborie, P. and Blanc, D. Practical consequences of the influence of the charging resistance on the "corona" effect in spark detectors of wire-plane type, 2=11825  
 Laborie, P. and Blanc, D. Theoretical and experimental study of the influence of the auxiliary circuit on the pulse shape and resolution time of Rosenblum-type spark counters, 3=24544  
 Laborie, P. and Maurel, J. Effect of the presence of a beta-ray source on the counting characteristic of alpha-particles of a scintillation counter of the plane filament type, 4=27916  
 Laborie, P. See Blanc, D., 1=19057  
 Laborie, P. See Blanc, D., 2=3199  
 Laborie, P. See Blanc, D., 2=20187  
 LaBotz, R. J. and Mason, D. R. The thermal conductivities of  $Mg_2Si$  and  $Mg_2Ge$ , 3=12931  
 LaBotz, R. J., Mason, D. R. and O'Kane, D. F. The thermoelectric properties of mixed crystals of  $Mg_2Ge_xSi_{1-x}$ , 3=13142  
 Labro, M. See van Itterbeek, A., 2=21291  
 Labro, M. See Van Itterbeek, A., 4=10250  
 Labrouste, Y., Kunetz, G. and Richard, H. Reduction of instrumental distortions on short period seismograms, 4=30916  
 Labrum, N. R. The radio brightness of the quiet sun at 21 cm wavelength near sunspot maximum, 1=8024  
 Labrum, N. R., Harting, E., Krishnan, T. and Payten, W. J. A compound interferometer with a 1.5 minute of arc fan beam, 4=4931  
 Labrum, N. R., Krishnan, T., Payten, W. J. and Harting, E. Fan-beam observations of radio sources at 21 cm wavelength, 4=30988  
 Labrum, N. R. See Krishnan, T., 1=18165  
 Labs, D. and Neckel, H. Absolute intensities in the visible part of the solar spectrum, 2=15333  
 Labs, D. and Neckel, H. Absolute radiation intensity of the sun's centre in the spectral region  $4010 \leq \lambda \leq 6569$  Å, 2=21711  
 Labs, D. and Neckel, H. Absolute radiation intensity at the centre of the solar disk in the spectral region  $6389 \leq \lambda \leq 12480$  Å, 3=21106  
 Labs, D. and Neckel, H. Absolute intensities of the center of the solar disk in the spectral range from 6389 to 12480 Å, 4=2422  
 Labsow, B. A. See Vladimírsky, K. V., 4=752  
 Labuda, A. A. See Nekrashevich, I. G., 3=25845  
 Labuda, E. F. and Gordon, E. I. Microwave determination of average electron energy and density in He-Ne discharges [positive column], 4=18738  
 Labuda, E. F. and LeCraw, R. C. New technique for measurement of microwave dielectric constants, 1=7015  
 Labuda, E. F. See Gordon, E. I., 4=21677  
 LaBudde, C. D. and Sahni, R. C. Study of molecular integrals. II. Three-center one-electron and two-electron integrals, 0=20674  
 LaBudde, C. D. See Sahni, R. C., 0=20673  
 Labuntsov, D. A. Critical thermal load in the boiling of subcooled water under non-stationary thermal conditions, 2=9455  
 Labuntsov, D. A. Mechanism of bubble growth at a heating surface, 3=23863  
 Lăbușcă, E. and Andreescu, N. Specific magnetic properties of ferrites used in automation, 2=10674  
 Lăbușcă, E., Andreescu, N. and Motoc, C. Effect of neutron irradiation on the structure and magnetic properties of high-permeability manganese and lithium ferrites, 4=13242  
 Lăbușcă, E., Andreescu, N. and Teodorescu, I. Electron microscope studies of the structure of ferrites with large permeability and the study of the variation of certain specific properties, 2=23935  
 Lăbușcă, E. and Constantinescu, F. Variation of magnetic properties of mixed ferrites, Cu + Ni, as a function of the ratio of copper ferrite to nickel ferrite, 1=6361  
 Lăbușcă, E., Teodorescu, I. and Mirion, I. Electron-microscopic investigations of the crystallization process in ferrites and the influence of the structure on their magnetic properties, 1=3914  
 Lăbușcă, E., Teodorescu, I. and Mirion, I. The study of carbon black graphitization, 2=6763  
 Labusch, R. "Activation length" for the thermal displacement of dislocations over obstacles on the slip plane, 2=10393  
 Labusch, R. Electrical resistivity of zone-hardened Al-Ag and Al-Zn, 3=10717  
 Labusch, R. Residual resistance of aluminium alloys at unmixing, 3=25321  
 Laby, J. E. See Hopper, V. D., 1=413  
 Laby, J. E. See Hopper, V. D., 4=3500  
 Laby, J. E. See Lim, Y. K., 0=9246



- Labzin, V.A. and Likhtman, V.I. Creep in single crystals of zinc in the presence of a surface-active low melting-point metallic melt, 0=6311
- Labzin, V.A. See Bazhenov, V.V., 3=5088
- Labzov, B.A. See Vladimirovskii, K.V., 2=20170
- Labzov, B.A. See Vladimirovskii, K.V., 3=14794
- Labzov, B.A. See Vladimirovskii, K.V., 2=5495
- Labzovskii, L.N. See Veselov, M.G., 4=19922
- Lacam, A. and Lallemand, M. Effect of pressure on the electrical conductivity of solids, 4=22658
- Lacam, A. See Legrand, M., 0=6188
- LaCasce, E.O., Jr. Some notes on the reflection of sound from a rigid corrugated surface, 2=2835
- LaCasce, E.O., Jr., McCombe, B.D. and Thomas, R.L. Measurements of sound reflection from a rigid corrugated surface, 2=2834
- LaCasce, E.O., Jr., Stone, R.G. and Mintzer, D. Frequency dependence of acoustic fluctuations in a randomly inhomogeneous medium, 2=19652
- Lacasta, J. See Casas, J., 2=5145
- Lacasta, J. See Casas, J., 2=17586
- Lacaze, A. See Bon Mardion, G., 3=3957
- Lacaze, A. See Bon Mardion, G., 4=11474
- Lacaze, A. See Dreyfus, B., 2=2051
- Lacaze, A. See Dreyfus, B., 2=16614
- Lacaze, A. See Dreyfus, B., 3=10614
- Lacaze, A. See Dreyfus, B., 4=6748
- Lacaze, A. See Mardion, G. Bon, 4=11749
- Lacaze, J. See Dargent, R., 3=11387
- Lacaze, J. See Fontan, J., 3=9052
- Lacey, A.R. See Alexander, P.W., 1=14644
- Lach, J. See Auerbach, L.B., 2=20393
- Lach, J. See Wiegand, C.E., 2=11962
- Lach, J.T. See Auerbach, L.B., 3=22160
- LaChapelle, E. See Giddings, J.C., 2=19194
- La Chapelle, T. J. and Heller, H. B. Phosphorus nitride as a diffusion source for silicon, 4=22625
- LaChapelle, T. J. See Wilcox, W. R., 4=6878
- Lachâtre, J. See Decaux, B., 1=16588
- Lachaux, R. See Eschenbrenner, S., 1=1582
- Lachenaud, M. The possibilities of realizing optical systems for the medium and far infrared with artificial synthetic single crystals, 1=1814
- Lachinov, V.M. High-speed storage-type scalars, 3=24183
- Lachinov, V.M. See Andreev, E.M., 2=18041
- Lachinov, V.M. See Andrejev, E.M., 2=3229
- Lachkar, J. See Barjon, R., 2=11573
- Lachkar, J. See Barjon, R., 3=19145
- Lachman, J.C. and Kuether, F.W. Stability of rhenium/tungsten thermocouples in hydrogen atmospheres, 0=14955
- Lachman, J.C. See Kuether, F.W., 0=19516
- Lachmann, J. A simple and accurate arrangement for refill of liquefied gases, 4=8540
- Lachmann, K. See Gobrecht, H., 2=14736
- Lachowicz, H.K. See Hoffman, G.R., 3=23157
- Lacina, J. On the calculation of the thermal utilization of neutrons in a plate lattice, 2=8028
- Lacina, J. A solution of the motion of a charged particle in magnetic mirror systems, 3=24435
- Lacina, J. The Hamiltonian of the guiding centre in the electro-magnetic field, 4=14865
- Lacina, J.L. See Scott, D.W., 2=3732
- Lackmann, F. Electrical resistivity due to twinning in mono-valent metals, 4=22686
- Lackman, S.R. See Denney, J.M., 2=13195
- Lacmann, R. Heterogeneous systems of small dimensions. I. Crystal nuclei formation in small drops, 3=5081
- Lacmann, R. Heterogeneous systems of small dimensions. II. Nuclear formation in water drops, 3=5082
- Lacmann, R. Interpretation of the equilibrium and growth shape of arsenolite in the vapour phase, 4=10468
- Lacombat, M. See Raoult, G., 3=25567
- Lacombe, E. See Magnac-Valette, D., 1=7289
- Lacombe, M. Relations in proton-proton scattering between the experimental quantities and the coefficients of Wolfenstein's matrix  $m$ , 1=2054
- Lacombe, P. See Ambrosio de Libanati, N., 4=2116
- Lacombe, P. See André, J.P., 2=12856
- Lacombe, P. See Aucouturier, M., 3=1257
- Lacombe, P. See Calais, D., 0=10260
- Lacombe, P. See Coulomb, P., 0=17970
- Lacombe, P. See Desmarescaux, P., 3=25831
- Lacombe, P. See Desmarescaux, P., 4=29227
- Lacombe, P. See Grenier, P., 4=23224
- Lacombe, P. See Guiraldenq, P., 2=6368
- Lacombe, P. See Guiraldenq, P., 3=13494
- Lacombe, P. See Lemogne, A., 2=23756
- Lacombe, P. See Lemogne, A., 3=15989
- Lacombe, P. See Lemogne, A., 4=4492
- Lacombe, P. See Lemogne, A., 4=7462
- Lacombe, P. See Lemogne, A., 4=13449
- Lacombe, P. See Lloyd, L.T., 2=6325
- Lacombe, P. See Mondon, J., 3=6528
- Lacombe, P. See Pascal, J., 3=22899
- Lacombe, P. See Penelle, R., 3=13359
- Lacombe, P. See Wyon, G., 1=9109
- Lacomme, P. Influence of the number of grating lines on the precision of transmission factor measurements, 1=16063
- Lacomme, P. Deformed [optical] surfaces and field curvature, 2=5144
- Lacoste, F. and Bishop, G.R. Experimental study of the charge distribution of  $O^{16}$  and  $O^{18}$  by electron scattering, 1=17280
- Lacoste, F. and Bishop, G.R. Electron scattering on  $O^{16}$  and  $O^{18}$ , 2=435
- Lacoste, F. and Leiss, J. A fast scaler for pulsed accelerators, 2=2981
- LaCoste, L. See Nettleton, L.L., 0=8346
- LaCoste, L.J.B. and Harrison, J.C. Some theoretical considerations in the measurement of gravity at sea, 1=20792
- LaCoste, L.J.B. See Nettleton, L.L., 3=8996
- Lacoste, R. and Paillère, P. The validity of the concept of specific surface resistance and its measurement, 0=7058
- Lacoste, R. and Rayward, J. Methods for determining the specific resistance of a surface, 2=9490
- Lacoste, R. See Ai, B., 4=11561
- Lacoste, R. See Blanc, D., 1=8287
- Lacoste, R. See Blanc, D., 1=16205
- Lacoste, R. See Blanc, D., 2=1346
- Lacoste, R. See Couget, A., 2=10552
- Lacoste, R. See Gautier, P., 2=11597
- Lacour, J. and Raievski, V. Control of a nuclear reactor in the sub-critical region, 1=2265
- Lacour, J. See Droulers, Y., 0=7364
- Lacroix, R. Cubic crystal field splitting of the  $Gd^{3+}$  ion, 1=7517
- Lacroix, R. Charge transfer and the spin-Hamiltonian for the  $Cr^{3+}$  ion, 1=9052
- Lacroix, R. Theory of the absorption spectrum of the gadolinium salts, 2=12593
- Lacroix, R. and Emch, G. Covalency and paramagnetic resonance, 3=8705
- Lacroix, R. See Emch, G., 0=13869
- Lacroix, R. See Emch, G., 1=11476
- Lacroix, R. See Gainon, D., 2=12818
- Lacroix, R. See Germanier, A.M., 2=10700
- Lacroix, R. See Germanier, A.M., 3=2695
- Lacroix, R. See Sierro, J., 0=10226
- Lacroix, R. See Sierro, J., 1=14796
- Lacroute, M.P. and Timores, M.M. Abundances of isotopes synthesized [in stars] by a rapid neutron capture process ( $70 < A < 110$ ), 3=21113
- la Cuadra, M.de. 'See de la Cuadra, M.
- Lacy, E.D. Aluminium in glasses and in melts, 4=10627
- Lad, R.A. The theory and mechanism of diffusion in solids, 1=12399
- Lada, W. and Tomczak, Z. Measurement of the flux of thermal and fast neutrons in the EWA reactor, 2=14180
- Ladányi, I. Thermoelectric thermostat, 3=285
- Ladányi, K. Second-order four-component wave equation in the symmetrical theory, with pseudoscalar coupling, 0=5514
- Ladányi, K. On the statistical approximation of the many-body problem of quantum mechanics. I, 0=7305
- Ladányi, K. On the statistical approximation to the wave-mechanical many-body problem. II, 0=11118
- Ladányi, K. Variational method for the solution of the quantum-mechanical many-body problem, 1=789
- Ladányi, K. On the Bethe-Salpeter method in the thirring model, 1=13268
- Ladányi, K. Non-linear spinor theory of elementary particles, 2=1655
- Ladányi, K. Non-linear spinor theory of elementary particles, 2=20243
- Ladányi, K. On the nonlinear spinor theory, 4=11897
- Ladányi, K. Broken symmetries in nonlinear spinor theories, 4=21741



- Ladányi, K. and Szépfalussy, P. An approximate solution of a generalized statistical model, 1=18307
- Ladányi, K. See Gombás, P., 0=7693
- Ladányi, K. See Gombás, P., 0=9742
- Ladányi, K. See Gombás, P., 0=9745
- Ladányi, K. See Gombás, P., 0=9747
- Laddell, J. and Parrish, W. Determination of spectral contamination of X-ray tubes, 0=2524
- Laddha, G.S. See Chandramouli, V.V., 3=23841
- Lade, R.W. and Jordan, A.G. On the static characteristics of high-low junction devices, 2=21165
- Lade, R.W. and Jordan, A.G. On the dynamic behaviour of high-low junction devices, 3=4931
- Lade, R.W. See Jordan, A.G., 3=20347
- Ladefoged, P. and McKinney, N.P. Loudness, sound pressure, and subglottal pressure in speech, 3=13945
- Ladefoged, P. See Broadbent, D.E., 0=4823
- Ladell, J. Interpretation of diffractometer line profiles distortion due to the diffraction process, 1=20473
- Ladell, J. Transfer of aligned crystal from eulerian-cradle orienter to conventional two-circle goniometer head, 4=4585
- Ladell, J. and Lowitzsch, K. Automatic single crystal diffractometer. I. The kinematic problem, 0=8177
- Ladell, J. and Spielberg, N. Laue spectrometer for multichannel X-ray spectrochemical analysis, 0=3338
- Ladell, J. and Spielberg, N. On minimum receiving apertures in single crystal diffractometry, 4=4582
- Ladell, J. See Spielberg, N., 0=16296
- Ladell, J. See Spielberg, N., 4=4726
- Ladenbauer, I.M. Sodium-24 excitation function for lithium-6 ions on aluminium, 1=5942
- Ladenbauer, I.M., Preiss, I.L. and Anderson, C.E. Excitation functions for lithium-6 induced reactions on aluminum-27, 1=12223
- Ladenbauer, I.M. and Winsberg, L. Interaction of high-energy protons and alpha particles with iodine-127, 0=15572
- Ladenbauer-Bellis, I. See Anderson, C.E., 3=19888
- Ladenbauer-Bellis, I.M., Preiss, I.L. and Anderson, C.E. Excitation functions for heavy-ion-induced reactions on aluminum-27, 2=3627
- Ladenbauer-Bellis, I.M. See Read, J.B.J., 2=20679
- Laderman, A.J. and Oppenheim, A.K. Influence of wave reflections on the development of detonation, 1=11623
- Laderman, A.J., Urtiew, P.A. and Oppenheim, A.K. On the generation of a shock wave by flame in an explosive gas, 4=5294
- Laderman, A.J. See Hecht, G.J., 0=18436
- Laderman, A.J. See Stern, R.A., 0=3680
- Ladesteyn, D. van. See van Ladesteyn, D.
- Ladik, J. The ground state of the hydrogen molecule on the basis of the relativistic quantum mechanics with the aid of the Wang wave function. I. Breit equation of the hydrogen molecule, calculation of the relativistic correction terms of the kinetic energy, 0=5961
- Ladik, J. A half-empirical method for the determination of the bond energy of the hydrogen molecule's ground state on the basis of the molecular orbital method, 1=860
- Ladik, J. The ground state of the hydrogen molecule on the basis of relativistic quantum mechanics with the aid of the wing wave function. II. The relativistic correction energy terms, 1=17325
- Ladik, J. Approximate determination of the most important radiation correction energy terms for the ground state of the hydrogen molecule, 1=17326
- Ladik, J. A note on the nucleic acid-protein coding problem, 2=10292
- Ladik, J. Some remarks on the energy band structure of protein, 3=12886
- Ladik, J. and Appel, K. Energy band structure of polynucleotides in the Hückel approximation, 4=20140
- Ladik, J. See Beleznyay, F., 4=28520
- Ladik, J. See Biczó, G., 4=3894
- Ladik, J. See Náray-Szabó, I., 0=21137
- Ladik, J. See Náray-Szabó, I., 1=2544
- Ladik, J. See Rein, R., 4=20086
- Ladikov, Yu.P. Properties of plane and axisymmetrical stationary flows in magnetohydrodynamics, 3=19434
- Ladnar, I. See Gusa, V., 0=706
- Ladner, W.R. and Stacey, A.E. Measurement of moisture in a moving coal feed, 2=7089
- Lado, F. Perturbation correction to the radial distribution function, 4=27135
- Ladonchamps, J.R.L. de. See de Ladonchamps, J.R.L.
- Ladu, M., Pelliccioni, M. and Rotondi, E. On the response to fast neutrons of a BF<sub>3</sub> counter in a paraffin spherical-hollow moderator, 3=24749
- Ladu, M., Pelliccioni, M., Rotondi, E. and Siwicki, R. Measurements of fast neutrons by a BF<sub>3</sub> counter in a paraffin spherical-hollow moderator, 4=19535
- Ladu, M. See Corazza, M.L., 3=12368
- Ladyzhenskii, M.D. Analysis of the equations of hypersonic flow and the solution of the Cauchy problem, 3=16645
- Ladyzhenskii, M.D. Magnetohydrodynamic hypersonic flow past a wedge, 3=24451
- Ladyzhenskii, M.D. On the efflux of a viscous gas into a vacuum, 4=2716
- Ladyzhenskii, M.D. See Galkin, V.S., 4=16076
- Laendle, K.W. See Alt, L.L., 4=2118
- Laegreid, N. and Wehner, G.K. Sputtering yields of metals for Ar<sup>+</sup> and Ne<sup>+</sup> ions with energies from 50 to 600 eV, 1=4669
- Laet, C. De. See De Laet, C.
- Laevastu, T. and Mellis, O. Size and mass distribution of cosmic dust, 1=18020
- Lafauciere, J. See Bastard, C., 1=7098
- Laff, R.A., Dumke, W.P., Dill, F.H. Jr and Burns, G. Directionality effects of GaAs light-emitting diodes. II, 4=5867
- Laff, R.A. and Fan, H.Y. Carrier lifetime in indium antimonide, 1=1076
- Laff, R.A. See Burns, G., 4=5866
- Lafferty, D.L. and Lamborn, B.N.A. Particle trajectories in a static mirror field, 4=667
- Lafferty, D.L. and Lamborn, B.N.A. Nonadiabatic injection into a static mirror field, 4=5650
- Lafferty, D.L. See Lamborn, B.N.A., 4=11676
- Lafferty, D.L. See Luce, J.C., 4=19061
- Lafferty, D.L. See Stetson, R.F., 3=9855
- Lafferty, J.M. Hot-cathode magnetron ionization gauge for the measurement of ultra high vacua, 1=4386
- Lafferty, J.M. Hot-cathode magnetron ionization gauge with an electron multiplier ion detector for the measurement of extreme ultra-high vacua, 3=14227
- Lafferty, W.J., Maki, A.G. and Plyler, E.K. High-resolution infrared determination of the structure of carbon suboxide, 4=12478
- Lafferty, W.J. and Plyler, E.K. Molecular parameters of ethane, 3=4766
- Lafferty, W.J. and Plyler, E.K. Infrared spectrum of the  $\nu_2 + \nu_3$  band of C<sup>13</sup>C<sup>12</sup>H<sub>6</sub>, 3=20007
- Lafferty, W.J., Plyler, E.K. and Tidwell, E.D. Infrared spectrum of acetylene-d<sub>4</sub>, 3=2637
- Lafferty, W.J. and Robinson, D.W. Far infrared spectra of solid methyl halides, 2=4150
- Lafferty, W.J. See Danti, A., 0=17755
- Laffineur, M. Radio astronomy, 1=4212
- Laffineur, M. The problem of radio sources, 4=20932
- Laffineur, M., Bloch, M. and Bretz, M. A procedure for photographing the solar corona during total eclipses, 1=9271
- Laffitte, A. See Fert, C., 1=16414
- Laffitte, E., Mace, N. and Pujols, C. Study of transfer of excitation between fluorescent pigments in solid solution in perspex, 2=1464
- Laffitte, E., Mace, N. and Pujols, C. The polarization of the fluorescence and the form of the oscillator in the case of triphenylmethane dye derivatives, 2=6630
- Laffitte, E. and Pujols, C. Variation of the degree of polarization along the fluorescence spectrum of several dyes in solid solution; effect of concentration, 1=7723
- Laffitte, P. Thermal geochronology, 2=12991
- Laffon, J.L., Servoz-Gavin, P. and Uchida, T. A heterodyne spectrometer for electron paramagnetic resonance with homodyne detection, 3=19468
- LaFlamme, P.M. Electrical conductivity cell for organic semiconductors, 4=28577
- Lafleur, M.S., Kahana, S., Morris, T.F. and Yaffe, L. Back-scattering and self-absorption of  $\beta^-$ -particles, 3=24693
- Lafon, J.C. Phonetic recognition and its measurement, 0=6494
- Lafond, Y.G. de. See de Lafond, Y.G.
- Lafont, R. Contribution to the study by the Raman effect of crystalline sulphates of the magnesium series, MSO<sub>4</sub>.7H<sub>2</sub>O [M = Mg or Zn], 0=4422
- La Force, R.C. Spectrometer for the frequency range 100 to 300 Mc/s, 2=1610
- La Force, R.C., Ravitz, S.F. and Day, G.F. Effect of dilute solid solutions of iron and of nickel on the nuclear resonance of Co<sup>59</sup>, 1=7800



- La Force, R.C., Ravitz, S. and Kendall, W.B. Device for the precise measurement of small temperature changes, 4=18464
- La Force, R.C., Toth, L.E. and Ravitz, S.F. The temperature dependence of the nuclear magnetic resonance of  $\text{Co}^{59}$ , 3=18150
- La Force, R.C. See Budnick, J.I., 3=23258
- La Force, R.C. See Streever, R.L., 3=3199
- La Force, R.C. See Streever, R.L., 3=15967
- La Force, R.C. See Toth, L.E., 4=12770
- Laforce, R.P. See Mackenzie, J.D., 3=8919
- Lafore, P. See de Gennes, P.G., 0=3268
- Lafore, P. See de Gennes, P.G., 0=18404
- Laforge, A. A cybernetic view of quantization, 0=10598
- Laforge, A. The variation of dipole moment with interatomic distance, 0=11542
- Laforge-Kantzer, D. See Chao-Ortega, F., 0=14612
- Lafoucrière, J. and El-Baz, E. The application of a time-dependent formalism to the theory of nuclear reactions, 4=1055
- Lafoucrière, J. and Tournissou, B. Analytical determination of the polar profile of the magnet of a synchrocyclotron for a fixed induction gradient, 4=19144
- Lafoucrière, J. See Bastard, C., 0=19756
- Lafoucrière, J. See Bastard, C., 2=5715
- Lafoucrière, J. See Elbaz, E., 3=6286
- Lafoucrière, J. See Kouloumdjian, J., 3=19399
- Lafoucrière, J. See Le Pipe, C., 3=20068
- Lafoucrière, J. See Lucenet, G., 3=19614
- Lafoucrière, J. See Lucenet, G., 4=648
- Lafouchrière, J. See Maguin, C., 3=14658
- Lafoucrière, J. See Massot, J.N., 4=1087
- Lafoucrière, J. See Pigeon, J., 4=25428
- Lafourcade, L., Larroque, P. and Nguyen Quat Ti. Formation of twins by condensation of a metallic vapour on the (111) face of a single crystal of copper. I. Deposition of copper, 0=733
- Lafourcade, L., Larroque, P. and Nguyen Quat Ti. Formation of twins by condensation of a metallic vapour on a (111) face of a single crystal of copper. Gold deposition, 0=734
- Lafourcade, L. See Couderc, J.J., 0=4595
- Lafourcade, L. See Couderc, J.J., 0=8157
- Lafourcade, L. See Garigue, J., 0=13999
- Lagarde, A. Application of the method of harmonic excitation to the measurement of the mechanical and photoelastic characteristics of a plastic material, 0=12063
- Lagarde, A. On the problem of the photoelastic response of a viscoelastic material in the dynamic region, 1=3821
- Lagarde, A. and Jacquesson, R. Measurement of the mechanical and photoelastic characteristics of a plastic material submitted to sinusoidal forces at low frequency (less than 50 c/s), 0=8109
- Lagarde, D. and Lennuier, R. Observation of the dissymmetric broadening of the 2537 Å absorption line of the vapour of monobar mercury and low pressures, 2=5071
- Lagarde, D. See Lennuier, R., 1=236
- Lagarde, D. See Lennuier, R., 1=2283
- Lagarde, F., Vinh Tuong, N.P., Courtel, R. and Sorin, P. Temporary viscosity change of lubricants exposed to shearing stresses of as much as  $10^8$  dyn/cm<sup>2</sup>, 3=9422
- Lagar'kov, A.N. and Yakubov, I.T. Effect of radiation on the state of a gas ahead of a shock-wave front, 3=14243
- Lagarkov, A.N. See Biberman, L.M., 4=21330
- Lagarigue, A. The proton synchrotron "Saturne". Heavy liquid bubble chamber of the Physics Laboratory of Ecole Polytechnique, 0=2412
- Lagarigue, A. See Aubert, B., 2=18187
- Lagarigue, A. See Aubert, B., 2=22647
- Lagarigue, A. See Baglin, C., 1=9764
- Lagarigue, A. See Bellini, G., 2=22573
- Lagarigue, A. See Bellini, G., 3=7899
- Lagarigue, A. See Bloch, M., 2=1640
- Lagarigue, A. See Di Corato, M., 2=22627
- Lagarigue, A. See Fretter, W.B., 3=2301
- Lagarigue, A. See Rousset, A., 0=1099
- Lagarigue, A. See Veillet, J.J., 3=10163
- Lagarigue, A. See Veillet, J.J., 3=17313
- LaGasse, A. See Remaut, G., 4=17667
- LaGasse, A. See Remaut, G., 4=30809
- Lagasse, J. and Mira, C. A non-linear study of the parallel integrator [circuit] using a first-order [algebraic] approximation, 1=5404
- Lagasse, J. See Blanc, D., 1=8287
- Lagasse, J. See Blanc, D., 1=16205
- Lagasse, J. See Blanc, D., 2=1346
- Lagasse, J. See Clot, J., 2=22154
- Lagemann, R.T. and Knowles, C.H. Velocity of compressional waves in liquid hydrogen fluoride and some thermodynamic properties derived therefrom, 0=3524
- Lagerberg, G. Phase transformations in a uranium-zirconium alloy containing 2 weight per cent zirconium, 4=7516
- Lagercrantz, C. Homodyne detector for reproduction of periodic wave forms, 0=5399
- Lagerqvist, A. and Lazarova-Girsamof, V. Rotational analysis of some copper chloride [CuCl] bands, 1=14004
- Lagerqvist, A. and Lazarova-Girsamof, V. Rotational analysis of the band systems BX and CX of CuCl, 2=1984
- Lagerqvist, A. and Miescher, E. Absorption spectrum of the NO molecule. II. New fine-structure analyses below 1600 Å, 2=10263
- Lagerqvist, A., Neuhaus, H. and Scullman, R. Spectra of PdH and PdD, 4=15342
- Lagerqvist, A., Nilsson, N.E.L. and Wigartz, K. Rotational analysis of the  $A^1\Pi-X^1\Sigma$  system of SnO, 0=9800
- Lagerqvist, A. See Andersen, E., 3=25103
- Lagerqvist, A. See Barrow, R.F., 1=6003
- Lagerqvist, A. See Barrow, R.F., 2=6145
- Lagerqvist, A. See Gausset, L., 4=6613
- Lagerstrom, P.A. and Kevorkian, J. Matched-conic approximation to the two fixed force-center problem, 3=11493
- Lagerstrom, P.A. and Kevorkian, J. Earth-to-moon trajectories in the restricted three-body problem, 3=25991
- Lagerwall, T. Diffusion of argon-41 in calcium fluoride, 2=18596
- Lagin, S.P. See Kleopov, I.F., 4=14799
- la Ginestra, A. See Bettinali, C., 4=2073
- Lagnaux, J.B. See Jones, B.D., 2=16241
- Lagnaux, J.P. Interactions of 800 MeV/c  $K^-$  mesons in emulsion, 2=22631
- Lagnaux, J.P., Lemonne, J., Sacton, J., Bishara, L., Davis, D.H. Hussain, M.A. Production of hyperfragments from the interactions of 50-300 MeV/c  $K^-$  mesons with emulsion nuclei, 3=17489
- Lagnaux, J.P. See Davis, D.H., 1=5782
- Lagnaux, J.P. See Jones, B.D., 1=8500
- Lagnaux, J.P. See Jones, B.D., 1=19502
- Lagnaux, J.P. See Jones, B.D., 2=22834
- Lagorsse, J. See Rüfenacht, J., 0=12787
- Lagos, A. See Goldfarb, J., 3=3417
- Lagos, P. The airglow 6300 Å [OI] emission, The luminosity profile with varying scale height, 4=17924
- Lagos, P., Bellew, W. and Silverman, S.M. The airglow 6300 Å [OI] emission: Theoretical considerations on the luminosity profile, 4=4786
- Lagow, H.E., Horowitz, R. and Ainsworth, J. Arctic atmospheric structure to 250 km, 1=7927
- LaGow, H.E. See Ainsworth, J.E., 2=2496
- LaGow, H.E. See Alexander, W.M., 2=6986
- LaGow, H.E. See Horowitz, R., 0=12196
- Łagowski, J. Local changes of the work function of germanium and silicon due to dislocations, 4=21553
- Lagrange, J.M. See Basile, R., 2=20037
- Lagrange, J.M. See Basile, R., 3=19365
- Lagrange, J.M. See Basile, R., 4=27494
- LaGrange, L.D. See Dixon, J.M., 3=20376
- Lagrenaudie, J. Optical and electrical properties of bismuth telluride  $\text{Bi}_2\text{Te}_3$ , 0=4353
- Lagu, R.G. and Thosar, B.V. Fluorescence and scintillation spectra of CsI (Tl) crystal, 2=4171
- la Guillaume, C. Benoit à. See Benoit à la Guillaume, C.
- Lagunova, T.S. See Emel'yanenko, O.V., 0=13612
- Lagunova, T.S. See Emel'yanenko, O.V., 1=9503
- Lagunova, T.S. See Emel'yanenko, O.V., 1=14467
- Lagunova, T.S. See Zotova, N.V., 4=10057
- Lagutin, M.F. See Kashcheev, B.L., 2=4843
- Lah, F. See Belic, A., 4=21580
- La Harpe, A.de. See de La Harpe, A.
- La Harpe, G.de. See de La Harpe, G.
- Lahaye, E. Some properties of the terrestrial magnetic field, 4=10767
- Lahaye, E. and De Vuyst, A. Absolute measurement of the horizontal component of the earth's magnetic field with the Ad. Schmidt theodolite, 2=13065
- Lahiri, A. See Mukherjee, P.N., 3=19164
- Lahiri, J. See Ghosh, S.K., 1=20261
- Lahiri, J. See Sengupta, A.K., 0=17501
- Lahiri, J. See Sinha, S.K., 3=8732
- Lahmani, A. See Fiquet-Fayard, F., 3=12069
- Lähteenkorva, E.E. Dynamical characteristics of rapid phase changes, 2=4451



- Lähteenkorva, E.E. Morphological observations of martensitic structures, 2=4468
- Lahti, L. See Inkinen, O., 4=23427
- Lahti, L. See Inkinen, O., 4=23428
- Lai, D.Y.F. See Borg, R.J., 3=22810
- Lai, D.Y.F. See Borg, R.J., 3=22811
- Lai, K. See Jones, L.W., 1=3101
- Lai, K.W., Jones, L.W. and Perl, M.L. Negative pion-proton elastic scattering at 1.51, 2.01 and 2.53 BeV/c outside the diffraction peak, 1=16870
- Lai, K.W. See Barnes, V.E., 4=16969
- Lai, K.W. See Bertanza, L., 3=12507
- Lai, K.W. See Connolly, P.L., 3=17330
- Lai, K.W. See Goldberg, M., 4=21909
- Laible, R.C. See Kubát, J., 4=20681
- Laibowitz, R.B. See Dreyfus, R.W., 4=28983
- Laidlaw, W.G. On the general SCF theory, 4=20022
- Laidler, J.B. See Watt, D.E., 2=10152
- Laidler, J.J. See Mastel, B., 4=10014
- Laidler, K.J. See Gill, E.K., 0=8302
- Laidler, K.J. See Gill, E.K., 0=9798
- Laidler, K.J. See Sacher, E., 3=14178
- Laidler, K.J. See Steel, C., 1=10292
- Laikhtman, B.D. Determination of the phonon spectrum from the cross-section for incoherent neutron scattering in a crystal, 4=6701
- Laikhtman, B.D. See Gurevich, V.L., 4=17356
- Laikin, M. Automatic computation of dielectric films, 0=10779
- Laikin, M. Optical properties of synthetic quartz, 1=8979
- Laikin, M. An unusual property of  $\text{MgF}_2$  films in the infrared, 3=9601
- Laikin, M. New double-beam fluorometer, 3=21013
- Lailheugue, J. See Durante, C., 0=7189
- Lainé, D.C. A proposal for a tunable source of radiation for the far infrared using beats between optical masers, 2=693
- Lainé, D.C., Srivastava, R.C., Smith, A.L.S. and Ingram, D.J.E. The ammonia maser oscillator as a detector of stimulated emission in the far infrared, 4=19253
- Lainé, D.C. See Smith, M.J.A., 4=26408
- Lainer, D.I. and Krupnikova-Perlina, E.I. On the problem of the mechanism of formation of recrystallization textures in metals and alloys, 1=1425
- Lainer, D.I., Petrushevich, R.L. and Shil'shtein, S.Sh. Theory of the two-crystal spectrometer, 4=20773
- Lainer, D.I., Petrushevich, R.L. and Sollertinskaya, E.S. The effect of small zinc additions on the preferred orientation of aluminium crystals grown out of a melt, 1=1375
- Lainer, D.I. and Tsypin, M.I. The structure of a scale on titanium, 1=12661
- Lainer, D.I., Tsypin, M.I. and Bai, A.S. The structural relationships between the metal and its oxide during the oxidation of titanium, 4=15808
- Lainer, L.V. See Mil'vidskii, M.G., 1=7837
- Lainer, L.V. See Mil'vidskii, M.G., 2=803
- Lainer, L.V. See Mil'vidskii, M.G., 2=8755
- Lainer, L.V. See Mil'vidskii, M.G., 2=21028
- Lainer, L.V. See Turovskii, B.M., 4=30811
- Laing, E.W., Roberts, S.J. and Whipple, R.T.P. Equilibrium configurations of a toroidal plasma, 1=9588
- Laing, E.W. and Robson, A.E. Non-adiabatic magnetic traps, 1=9600
- Laing, R.A. and Rorschach, H.E., Jr. Hydrodynamic drag on spheres moving in liquid helium, 1=6992
- Laing, T.F. See Findlay, J.R., 3=10427
- Laird, C. and Smith, G.C. Crack propagation in high stress fatigue, 2=23789
- Laird, C. and Smith, G.C. Initial stages of damage in high stress fatigue in some pure metals, 4=7394
- Laird, M.J. Magneto-hydrostatics of stellar atmosphere. I. The stability of the axially symmetric case, 0=18853
- Laird, M.J. Magneto-hydrostatics of stellar atmospheres. III. The axially symmetric equilibrium configurations (Continued), 0=18855
- Laird, M.J. See Sonnerup, B.U.Ö., 3=11464
- Laisaar, A.I. See Kirs, Ya.Ya., 2=23588
- Laitai, A. Scintillation detector of fast neutrons with high resolution, 3=14990
- Laitinen, H.A. and Morinaga, K. Double layer capacity studies of adsorption at mercury-solution interfaces. Effects of expanding and receding surfaces. Stability of oriented Langmuir monolayers, 3=1380
- Laity, R.W. Diffusion of ions in an electric field, 3=21000
- Laity, R.W. and Miller, M.P. Diaphragm-cell method for constant mass diffusion measurements. Interionic diffusion and friction coefficients in molten silver nitrate-sodium nitrate mixtures, 4=29617
- Laius, L.A. and Kuvshinskii, E.V. Structure and mechanical properties of "oriented" amorphous linear polymers, 4=7734
- Laizan, V. and Vitol, A. Peculiarities of the e.p.r. spectra of  $\text{Mn}^{2+}$  in NaCl crystals with  $\text{Ca}^{2+}$  and  $\text{Cd}^{2+}$  admixtures, 4=28877
- Lajtai, A. See Dési, S., 3=6307
- Lajtai, A. See Dési, S., 3=12711
- Lajzerowicz, J. Inequalities between structure factors, 2=12907
- Lajzerowicz, J. Short range dipole-dipole interactions dielectric relaxation, 3=8542
- Lajzerowicz, J. Dielectric relaxation and dipolar coupling: ferroelectricity and antiferroelectricity, 4=1642
- Lajzerowicz, J. Ferro- and antiferroelectric coupling and dielectric relaxation, 4=10104
- Lajzerowicz, J., Ducros, P. and Deville-Cavellin, J. Dielectric admittance of adsorbed water on lithium fluoride, 3=10880
- Lajzerowicz, J. and Lajzerowicz, J. Information theory and the determination of crystal structures, 0=18338
- Lajzerowicz, J. See Lajzerowicz, J., 0=18338
- Lajzerowicz, M.J. Dielectric relaxation and coupling between dipoles; ferro- or antiferroelectric transitions, 1=17830
- Lakatos, B. See Szabó, Z.G., 3=7386
- Lakatos, G. and Bitó, J. On moving striations of low-pressure mercury discharges, 1=18798
- Lakatos, G. and Bitó, J. The influence of external resistance on the moving striations of the positive column, 1=18799
- Lakatos, G. and Bitó, J. Evaporation rate of the oxide coated cathode, 4=8802
- Lakatos, G. and Bitó, J. On the role of the auxiliary electrode applied beside the cathode in a.c. discharges, 4=24602
- Lakatos, G. and Szemző, E. Cathode sputtering by ignition of a low-pressure discharge, 3=7654
- Lakatos, G. See Lakatos, G.
- Lakatos, G. and Bitó, J. [Lakatos, G. and Bitó, J.]. The influence of external resistance on the moving striations of the positive column, 3=12094
- Lake, G.J., Lindley, P.B. and Thomas, A.G. High vacuum sliding seal, 3=7256
- Lakh, V.I., Stadnyk, B.I. and Kuz'ma, Yu. B. Thermoelectric stability of thermocouples made of tungsten-rhenium alloys at high temperatures, 4=24417
- Lakin, L.R. See Fuller, H.W., 3=15833
- Lakomkin, Yu.A. See Litvin, V.F., 3=4220
- Lakrzeski, J. See Gajewski, W., 4=30346
- Lakshman, S.V.J. Rotational analysis of the B-X band system of the  $\text{SbO}$  molecule, 0=7759
- Lakshman, S.V.J. The band system of  $\text{SbO}$ : a new doublet system, 0=7773
- Lakshman, S.V.J. and Tiruvenganna Rao, P. Ultraviolet band spectra of  $\text{AsO}$  and  $\text{AsO}^+$ , 1=14051
- Lakshman, S.V.J. See Venkataramanaiah, M., 4=30423
- Lakshmana Rao, S.K. Addition of axially symmetric motions of viscous liquids, 0=2150
- Lakshmana Rao, S.K. Some special solutions in viscous fluid motion, 2=13310
- Lakshmana Rao, S.K. Axisymmetric solutions of the equations of motion of non-linear viscous flows, 3=5408
- Lakshmana Rao, S.K. Comment on "non-Newtonian fluids and the second law of thermodynamics", 3=11769
- Lakshmana Rao, S.K. See Bhatnagar, P.L., 0=2149
- Lakshmanan, T.K. Optical and electrical properties of semi-conducting cadmium oxide films, 3=25359
- Lakshmanan, T.K. and Mitchell, J.M. Some properties of sputtered sulphide films, 4=20810
- Lakshmi Bai, C. Application of the generalized magneto-ionic theory to the propagation of radio waves at the magnetic dip-poles of the earth, 0=296
- Lakshminarayan, K.N. Short term "time" characteristics of impulsive atmospheric noise, 3=3472
- Lakshminarayan, R. See Venkoba Rao, H.N., 4=1695
- Lakshminarayana, B. Dielectric dispersion of polar liquids. I. Ethyl benzoate, amyl benzoate and ethyl cinnamate, 1=1748
- Lakshminarayana, B. Dielectric dispersion of polar liquids. II. Ethyl lactate and isoamyl lactate, 1=1749
- Lakshminarayana, B. Dielectric dispersion of polar liquids. III. Asymmetric dispersion in glycerol, 1=1750
- Lakshminarayana, G. and Kesava Rao, B. An exact solution in finite strain, 1=9355



- Lakshminarayana, V. and Jnanananda, S. Interaction of gamma radiation with matter, 1=7226
- Lakshminarayana, V. and Jnanananda, S. Scattering cross-sections of gamma radiation, 1=8695
- Lakshminarayana, V. See Rama Rao, J., 2=4431
- Lakshminarayana, V. See Rama Rao, J., 3=12655
- Lakshminarayana, V. See Rama Rao, J., 4=888
- Lakshminarayana, V. See Rama Rao, J., 4=3392
- Lakshminarayana, V. See Sastry, V. V. G., 4=27993
- Lakshminarayana, V. See Seshagiri Rao, A., 4=3632
- Lakshminarayana, V. See Seshagiri Rao, A., 4=12154
- Lakshminarayana, V. See Seshagiri Rao, A., 4=22037
- Lakshminarayana, V. See Visweswara Rao, V., 4=6263
- Lakshminarayana, V. See Visweswara Rao, V., 4=15189
- Lakshminarayana, V. See Visweswara Rao, V., 4=17061
- Lal, A. See Arnika, H. J., 1=13818
- Lal, C. Solar corpuscular activity and ionization density to the F2 layer of the ionosphere, 4=15892
- Lal, D., Arnold, J. R. and Honda, M. Cosmic-ray production rates of  $\text{Be}^7$  in oxygen and  $\text{P}^{32}$ ,  $\text{P}^{33}$ ,  $\text{S}^{35}$  in argon at mountain altitudes, 0=11282
- Lal, D., Goldberg, E. D. and Koide, M. Cosmic-ray-produced  $\text{Si}^{32}$  in nature, 0=430
- Lal, D., Malhotra, P. K. and Peters, B. On the production of radioisotopes in the atmosphere by cosmic radiation and their application to meteorology, 0=2041
- Lal, D., Rama and Zutshi, P. K. Radioisotopes  $\text{P}^{32}$ ,  $\text{Be}^7$ , and  $\text{S}^{35}$  in the atmosphere, 0=14321
- Lal, D. and Schink, D. R. Low background thin-wall flow counters for measuring beta activity of solids, 0=7241
- Lal, D. See Arnold, J. R., 2=2527
- Lal, D. See Craig, H., 1=12688
- Lal, D. See Honda, M., 0=11407
- Lal, D. See Honda, M., 4=15216
- Lal, H. B. and Singh, Y. D. Apparent dielectric constant of rutile at various field strengths, 4=17522
- Lal, H. B. and Srivastava, K. G. Electrical conduction in reduced oxides, 4=22702
- Lal, K. See Gallot, J., 4=17765
- Lal, K. B. Einstein's connections. II. Degenerate cases of the first class, 2=13257
- Lal, K. B. Einstein's connections. III. Degenerate cases of the first class, 4=14044
- Lal, K. C. and Petch, H. E. Quadrupole coupling tensor for  $\text{Bi}^{11}$  in danburite, 4=20628
- Lal, K. C. and Srivastava, H. N. Calculation of relaxation times of polar molecules in solutions, 3=1708
- Lal, K. C. See Srivastava, H. N., 2=11381
- Lal, M. See Griffiths, G. M., 3=15045
- Lal, P. Stability of the nuclear ferromagnetic state, 4=7234
- Lal, P. and Bhatnagar, P. L. Shock relations in a Fermi-Dirac gas, 0=8693
- Lal, R. B. See Neogy, D., 2=11746
- Lal, S., Pal, Y. and Raghavan, R. Nuclear interactions at 20 to 150 GeV in carbon, 2=9890
- Lal, S., Pal, Y. and Raghavan, R. A study of nuclear interactions at 20 to 150 GeV in carbon, 3=4533
- Lal, S., Raghavan, R., Streekantan, B. V., Subrahmanian, A. and Verma, S. D. Characteristics of high-energy nuclear interactions, 3=17200
- Lal, S. and Subrahmanian, A. On the growth and decay of electron-photon showers in materials of high atomic number, 3=6104
- LaLancette, E. A. See Jones, M. T., 4=25726
- Lalau-Keraly, F. and Nivière, P. A study of the infrared spectra of some chromone derivatives of patulin, 4=30466
- Laletin, N. I. The effect of a cylindrical channel on neutron diffusion, 1=19564
- Laletin, N. I. Differential equations for the thermalization of neutrons in infinite homogeneous media, 4=3425
- Laletin, N. I. Slow neutron spectra in water containing absorbers, 4=25112
- Laletin, N. I. See Pradyuk, N. F., 4=1168
- Lalevic, B. Criteria for the choice of a superconducting bolometer, 0=12528
- Lalevic, B. Carbon resistor as a bolometer for low power r.f. signals, 2=5469
- Lalevic, B. Fluctuations of the resistance and resistance levels in the intermediate state of superconductors, 3=1889
- Lalevic, B. Metastable resistance states in the intermediate region of superconductors, 4=24492
- Laliepce, B., Colombani, A. and Thureau, P. Variation of resistance of a thin metal film deposited on a deformable substrate, 1=8924
- Lall, P. C. and Schecter, L. Gamma-gamma directional correlation in  $\text{Ti}^{46}$ , 2=16332
- Lall Sehgal, M. Branching ratio for slow neutrons, 0=5795
- Lallemant, A., Duchesne, M. and Walker, M. F. The electronic camera, its installation, and results obtained with the 120-inch reflector of the Lick Observatory, 1=2591
- Lallemant, A., Duchesne, M., Wlerick, G., Augard, R. and Dupre, M. F. The actual possibilities of electronic photography, 0=18591
- Lallemant, M. See Lacam, A., 4=22658
- Lallemant, P. See Authier, A., 2=23147
- Lallemant, P. See Authier, A., 4=1544
- Lallemant, C. See Hugolin, L., 1=13054
- Lallement, R. Measurement of the Young's modulus of  $\alpha$ -plutonium at low temperatures, 3=20691
- Lallement, R. Examination of the crystal structure of  $\alpha$ -plutonium at low temperature, 3=20833
- Lallement, R. Dilatation and thermoelectric power of  $\alpha$ -plutonium at low temperature, 4=15435
- Lallement, R. Resistivity of  $\alpha$ -plutonium under pressure at low temperature, 4=15522
- Lallement, R. See Costa, P., 4=4175
- Lallement, R. See Costa, P., 4=28416
- Lally, J. S. and Partridge, P. G. Observations in thin foils of quenched magnesium, 3=17751
- Lally, J. S. See Hirsch, P. B., 3=17732
- Lal Narchal, M. and Barker, W. A. Overhauser and Jeffries-Abragam effect in a four-level system, 3=22490
- Laloë, F. See Haubert, A., 3=23624
- LaLonde, L. M. See Gordon, W. E., 1=8015
- Lalos, G. T. Laboratory production in hot dense gases, 2=7235
- Lalos, G. T. and Hammond, G. L. Emission spectra of hot dense gases, 2=13450
- Laloux, R. See Dumont, S., 2=17271
- Lalović, B. [Edited by]. Lectures on nuclear interactions. Volumes I and II, 4=27930
- Lalovic, B. See Ajdacic, V., 2=12263
- Lalović, B. See Kulišić, P., 4=22155
- Lalovic, B. See Reid, J. M., 1=675
- Lam, D. G., Jr. See Wachtman, J. B., Jr., 0=13899
- Lam, D. G., Jr. See Wachtman, J. B., Jr., 1=10204
- Lam, D. G., Jr. See Wachtman, J. B., Jr., 3=6772
- Lam, J. J., Van Ostenburg, D. O., Nevitt, M. V., Trapp, H. D. and Pracht, D. W. Magnetic susceptibilities and nuclear magnetic resonance measurements in V-Fe alloys, 3=23141
- Lam, D. J., Van Ostenburg, D. O. and Pracht, D. W. Magnetic susceptibilities of Mo-Tc binary alloys, 4=13119
- Lam, D. J. See Van Ostenburg, D. O., 2=12836
- Lam, D. J. See Van Ostenburg, D. O., 3=3204
- Lam, D. J. See Van Ostenburg, D. O., 4=7357
- Lam, D. J. See Van Ostenburg, D. O., 4=26455
- Lam, S. H. See Su, C. H., 4=526
- LaMacchia, J. T. See McDuffie, G. E., Jr., 4=195
- Lamain, H. See Brachet, C., 2=20140
- Lamain, H. See Doucet, H., 4=18898
- Lamar, D. L. Comments on paper by W. H. Munk and G. J. F. MacDonald, "Continentality and the gravitational field of the earth", 3=9001
- Lamar, D. L. and Kern, J. W. Stability of the earth's axis of rotation and phase changes, 3=9008
- La Mar, G. N., Horrocks, W. DeW., Jr. and Allen, L. C. Isotropic proton resonance shifts of some bis-(triarylphosphine) complexes of cobalt (II) and nickel (II) dihalides, 4=30477
- LaMarca, L. G. See Seraphin, B. O., 4=19272
- Lamarche, G. See Gaudet, G., 0=17999
- Lamarsh, J. R. See Ravets, J. M., 1=17194
- Lamb, D. M. and Porter, J. L. Horizontal zone purification of silicon in non-reactive crucibles, 4=29059
- Lamb, E. F. and Tompkins, F. C. Semi-conductivity and thermoelectric power of cadmium oxide, 2=21150
- Lamb, G. L., Jr. Input impedance of a beam coupled to a plate, 1=6918
- Lamb, G. L., Jr. The attenuation of waves in a dispersive medium, 3=7093
- Lamb, G. L., Jr. Time dependence of the two-particle correlation function in a one-component plasma, 4=5596
- Lamb, G. L., Jr. and Burdick, B. Exact solution of the differential equation for the nondivergent correlation function in a one-component plasma, 4=24631
- Lamb, H. J. See Blade, J. C., 1=15157
- Lamb, J. Ultrasonic relaxation due to rotational isomers, 0=19126
- Lamb, J. See Andreae, J. H., 0=16790
- Lamb, J. See Barlow, A. J., 0=8597



- Lamb, J. See Harrison, G., 4=24190  
 Lamb, J. See Taskoprullu, N.S., 1=5277  
 Lamb, P. See Benbow, J.J., 4=14112  
 Lamb, R.C. See Lawrence, R.S., 1=10397  
 Lamb, W.A.S. Design features of high-current pulsed electron accelerator, 2=11733  
 Lamb, W.A.S. See Christofilos, N.C., 4=21604  
 Lamb, W.A.S. See Hester, R.E., 1=2211  
 Lamb, W.E. and Wilcox, L. The application of density matrix techniques to some problems of double resonance, 0=16167  
 Lamb, W.E., Jr. Theory of an optical maser, 4=19256  
 Lamb, W.E., Jr. and Sanders, T.M., Jr. Fine structure of short-lived states of hydrogen by a microwave-optical method. I, 0=17708  
 Lamb, W.E., Jr. See Kroll, N.M., 3=12357  
 Lamb, W.E., Jr. See McFarlane, R.A., 3=17092  
 Lamb, W.E., Jr. See Wilcox, L.R., 0=17709  
 Lamb, W.R., Rhoads, F.A. and Applebaum, P.S. A shutter for use between source and work during vacuum evaporations, 1=9432  
 Lambe, E.D. See Fowler, J.M., 3=4201  
 Lambe, J. Radioactive preparation of defects in solids, 0=20855  
 Lambe, J., Baker, J. and Kikuchi, C. Photosensitive spin resonance in CdS, 0=536  
 Lambe, J. and Kikuchi, C. Spin resonance of  $V^{2+}$ ,  $V^{3+}$ ,  $V^{4+}$  in  $\alpha$ - $Al_2O_3$ , 0=10238  
 Lambe, J. and Kikuchi, C. Paramagnetic resonance of CdTe:Mn and CdS:Mn, 0=13872  
 Lambe, J. and Klick, C.C. Electronic processes in cadmium sulphide, 0=20914  
 Lambe, J., Laurance, N., McIrvine, E.C. and Terhune, R.W. Mechanisms of double resonance in solids, 1=9067  
 Lambe, J., Silver, A.H., Mercereau, J.E. and Jaklevic, R.C. Microwave observation of quantum interference effects in superconductors, 4=24498  
 Lambe, J. See Ager, R., 4=19211  
 Lambe, J. See Coles, B.R., 2=3998  
 Lambe, J. See Cole, T., 1=10184  
 Lambe, J. See Jaklevic, R.C., 3=15719  
 Lambe, J. See Jaklevic, R.C., 4=16333  
 Lambe, J. See Laurance, N., 2=14842  
 Lambe, J. See Laurance, N., 4=3959  
 Lambe, J. See McIrvine, E.C., 2=13697  
 Lambe, J. See Makhov, G., 0=9197  
 Lambe, J. See Silver, A.H., 2=6700  
 Lambe, J. See Terhune, R.W., 0=8092  
 Lambe, J. See Terhune, R.W., 1=11490  
 Lambe, J.J. See Jaklevic, R.C., 4=18531  
 Lambeck, M. Optical investigations on ferromagnetic layers, 3=18092  
 Lambeck, M. Observation of magnetization structure with the Faraday and Kerr effects, 4=20535  
 Lambeck, M., Michel, L. and Waldschmidt, M. Measurements on the Faraday effect in gadolinium, 4=4257  
 Lambeck, M. See Boersch, H., 0=4494  
 Lambeck, M. See Boersch, H., 0=13794  
 Lambeck, M. See Boersch, H., 2=6668  
 Lambeck, M. See Boersch, H., 2=7378  
 Lambeck, M. See Boersch, H., 3=15806  
 Lambeck, M. See Boersch, H., 4=7239  
 Lambert, B.W. See Wood, G.C., 4=7711  
 Lambert, C.A. See Porto, S.P.S., 2=18453  
 Lambert, G. On the discontinuous nature of transfer between the stratosphere and troposphere, 3=21032  
 Lambert, G. and Polian, G. On the diffusion at low altitude of continental and oceanic air masses in each hemisphere, 3=21034  
 Lambert, G. See Fontan, J., 3=21042  
 Lambert, G. See Labeyrie, J., 3=25874  
 Lambert, J.B., Binsch, G. and Roberts, J.D. Nitrogen-15 magnetic resonance spectroscopy. I. Chemical shifts, 4=30479  
 Lambert, J.C. See Amato, G., 3=19141  
 Lambert, J.D., Clarke, J.S., Duke, J.F., Hicks, C.L., Lawrence, S.D., Morris, D.M. and Shone, M.G.T. The second virial coefficients of mixed polar vapours, 0=8701  
 Lambert, J.D., Edwards, A.J., Pemberton, D. and Stretton, J.L. Intermolecular transfer of vibrational energy, 3=6434  
 Lambert, J.D. and Salter, R. Vibrational relaxation in gases, 0=9789  
 Lambert, J.D. See Blythe, A.R., 0=6839  
 Lambert, J.M., Madansky, L. and Owen, G.E. Deuteron polarization in the  $Be^9(p,d)Be^8$  reaction, 2=1890  
 Lambert, J.M. See Bardwick, J., 3=5744  
 Lambert, L.M. Growing heavily compensated germanium crystals of known impurity concentrations, 2=10791  
 Lambert, L.M. Impact ionization of impurities in heavily compensated germanium, 3=2890  
 Lambert, M. Excess properties of  $H_2$ - $D_2$  liquid mixtures, 0=14638  
 Lambert, M., Berge, P., Mazieres, C. and Guinier, A. New proofs of the precipitation of metallic lithium in the salts of lithium irradiated with thermal neutrons, 0=4728  
 Lambert, M. and Guinier, A. Structure and properties of LiF after neutron irradiation at low temperature, 4=1541  
 Lambert, M., Lefebvre, S. and Guinier, A. Study, by X-ray diffraction, of defects formed in a single crystal of lithium fluoride irradiated by thermal neutrons at  $-195^\circ C$ , 2=20988  
 Lambert, M., Lefebvre, S. and Guinier, A. Comparison between the effects of neutron irradiation at  $-195^\circ C$  and at  $100^\circ C$  on LiF crystals, 3=22870  
 Lambert, M., Mazieres, C. and Guinier, A. Lithium precipitation in single crystals of lithium fluoride irradiated by thermal neutrons, 1=19820  
 Lambert, M., Quittet, A.M., Taupin, C. and Guinier, A. Crystallographic study of domains in barium titanate, 4=26694  
 Lambert, M. and Simon, M. Excess thermodynamic properties of the liquid systems  $A-CH_4$  and  $CO-CH_4$ , 3=1682  
 Lambert, M. See Barjon, R., 0=9630  
 Lambert, M. See Barjon, R., 1=725  
 Lambert, M. See Barjon, R., 1=13856  
 Lambert, M. See Berthier, J., 1=2188  
 Lambert, M. See Bousquet, C., 3=25660  
 Lambert, M. See Cohen-Ganouna, J., 2=442  
 Lambert, M. See Cohen-Ganouna, J., 3=7988  
 Lambert, M. See Cohen-Ganouna, J., 3=7991  
 Lambert, M. See Cohen-Ganouna, J., 3=12582  
 Lambert, M. See Farge, Y., 4=28694  
 Lambert, M.H. Nuclear spin ordering in adsorbed  $He^3$ , 4=14506  
 Lambert, M.H. See Phillips, N.E., 4=18585  
 Lambert, M.L. See Levelut, A.M., 2=19122  
 Lambert, R.B., Karlsson, S.K.F. and Snyder, H.A. Measurement of the velocity of secondary flow in Taylor's stability problem, 4=18144  
 Lambert, R.F. See Holte, J.E., 2=15685  
 Lambert, R.F. See Ziemer, R.F., 2=17547  
 Lambert, R.F. Space-time correlations of random noise above a reflecting plane, 4=18362  
 Lambert, R.F. See Eichler, E.G., 0=14720  
 Lambert, R.F. See Holte, J.E., 1=5325  
 Lambert, R.F. See Holte, J.E., 1=16028  
 Lambert, R.F. See Park, G.L., 3=5477  
 Lambert, R.F. See Smith, D.A., 1=1778  
 Lambert, R.F. See Smith, M.W., 0=6894  
 Lambert, R.F. See Smith, M.W., 0=12463  
 Lambert, R.F. See Smits, T.L., 3=5479  
 Lambert, R.F. See Tack, D.H., 1=8147  
 Lambert, R.H. and Pipkin, F.M. Hyperfine structure of atomic phosphorus, 2=22911  
 Lambert, R.H. and Pipkin, F.M. Pressure shifts of the hyperfine structure of atomic nitrogen, 3=8188  
 Lambert, R.H. See Pipkin, F.M., 2=18407  
 Lamden, R.J. A random pulse generator with provision for excursions, 2=5280  
 Lambert, R.S.J. See Giletti, B.J., 0=3341  
 Lambert, T.H. See Snell, C., 4=4472  
 Lambert, V.L. and Weik, H. Internal fields in  $SrTiO_3$  electrets, 4=22780  
 Lambert, V.L. See Weik, H., 3=10652  
 Lambert, W.D. Note on the paper of A.H.Cook, "The external gravity field of a rotating spheroid to the order of  $e^3$ ", 0=21304  
 Lamberts, R.L. Device for maintaining the flat-field relation in a finite-conjugate lens bench, 0=8779  
 Lamberts, R.L. Sine-wave response techniques in photographic printing, 1=11847  
 Lamberts, R.L. The production and use of variable-transmittance sinusoidal test objects, 3=18966  
 Lamberts, R.L. See Higgins, G.C., 0=19397  
 Lambertson, G.R. See Armenteros, R., 0=17338  
 Lambie, R. Improved smoke density recorder, 0=8329  
 Lambie, J.H. and Dahmouch, E.S. Photoelastic properties of plasticised polymethyl methacrylate in the glassy state, 0=4398  
 Lamborizio, C. See Castagnoli, C., 1=12088  
 Lamborizio, C. See Castagnoli, C., 3=17262  
 Lamborizio, C. See Ciurlo, S., 3=8120  
 Lamborizio, C. See Dascola, G., 0=15525  
 Lamborizio, C. See Gainotti, A., 4=3446



- Lamborizio, C. See Galtieri, A.B., 1=12089
- Lamborn, B. N. A. and Lafferty, D. L. Electrostatic waves in beam-plasma systems, 4=11676
- Lamborn, B. N. A. See Lafferty, D. L., 4=5650
- Lamborn, B. N. A. See Stetson, R. F., 3=9855
- Lambra, Yu. Ya. Approximate formulae for  $Q_{\alpha, r}$  in a cyclotron sector, 4=14784
- Lambrecht, H. On the possibility of rejuvenation of stars by accretion, 1=18117
- Lamd, R. C. and McEllistrem, M. T. Spin assignments in  $Mn^{55}$  via inelastic neutron scattering, 3=22302
- Lamden, R. J. See Vincent, C. H., 2=10189
- Lameau, J. Cauchy's problem and propagation of discontinuity waves in the electromagnetic theory of Born-Infeld, 2=7133
- Lameau, J. The connection between electromagnetic field and induction in special relativity, 2=11256
- La Mer, V. K. and Aylmore, L. A. G. Evaporation resistance as a sensitive measure of the purity and molecular structure of monolayers, 2=13491
- La Mer, V. K., Aylmore, L. A. G. and Healy, T. W. The ideal surface behaviour of mixed monolayers of long-chain n-paraffinic alcohols, 4=8518
- La Mer, V. K. See Edwards, G. R., 3=8806
- La Mer, V. K. See Healy, T. W., 3=6891
- La Mer, V. K. See Robbins, M. L., 0=29371
- Lami, H. See Pfeffer, G., 2=7357
- Lami, H. See Pfeffer, G., 4=774
- Lami, H. See Pfeffer, G., 3=18979
- Lamikhov, L. K. and Samsonov, G. V. On the modification of aluminium using the transition metals, 4=23241
- Lamkin, J. C. See Hubbell, J. H., 0=16916
- Lamkin, J. C. See Temkin, A., 1=2298
- Lamm, O. Diffusion coefficient and friction in a general two-component fluid, 1=15852
- Lamm, O. Elements of a macro-dynamical theory of transport by diffusion and sedimentation, for fluid systems, including a weak gel character, 3=9377
- Lämmermann, H. Shift of absorption lines of single crystals on transition to small film thicknesses, 0=2942
- Lämmermann, H. Zeeman effect of the  $Sm^{++} {}^6H_{5/2} \rightarrow {}^6F_{11/2}$  transition in hexagonal  $Sm(C_4H_9SO_4) \cdot 9H_2O$ , 1=6207
- Lämmermann, H. and Conway, J. G. Absorption spectrum of  $Pu^{++}$  in lanthanum trichloride and lanthanum ethylsulfate, 3=8601
- Lammermann, H. and Stapleton, H. J. Optical and paramagnetic resonance spectra of trivalent  $Pu^{2+}$  in the trichloride and ethylsulfate, 2=4267
- Lämmermann, H. See Bonrath, H., 2=8580
- Lämmermann, H. See Friederich, A., 0=10047
- Lämmermann, H. See Friederich, A., 1=2443
- Lämmermann, H. See Hellwege, K. H., 2=2241
- Lämmermann, H. See Hellwege, K. H., 2=4156
- Lamond, T. G. and Marsh, H. The surface properties of carbon. II. The effect of capillary condensation at low relative pressures upon the determination of surface area, 4=23552
- Lamond, T. G. and Marsh, H. The surface properties of carbon. III. The process of activation of carbons, 4=23553
- Lamoral, R. The acoustics of large halls, 0=5115
- Lamoral, R. Measurement of [acoustic] diffusion and application to the acoustics of rooms, 0=16811
- La Mori, P. N. See Kennedy, G. C., 2=10778
- Lamorte, M. F. Calculation of concentration profiles and surface concentration profiles and surface concentration from sheet-conductance measurements of diffused layers, 2=8279
- Lamorte, M. F. See Gobat, A. R., 2=11603
- Lamotte, M. De. See De Lamotte, M.
- Lampa, E. See Johansson, E., 1=15448
- Lampariello, G. Reflections on the electromagnetic universal constant  $\gamma$ , 2=11756
- Lampe, F. W. See Hoyland, J. R., 2=20850
- Lampel, G. and Solomon, I. Determination of the density of the conduction electrons at the position of the nuclei in slightly doped silicon, 4=20244
- Lampert, M. A. A simplified theory of two-carrier, space-charge-limited current flow in solids, 0=2863
- Lampert, M. A. Double injection in insulators, 2=4083
- Lampert, M. A. The role of injecting contacts in photoconductors, 2=8410
- Lampert, M. A. Injection currents in insulators, 2=21206
- Lampert, M. A. Volume-controlled current injection in insulators, 4=26097
- Lampert, M. A., Many, A. and Mark, P. Space-charge-limited currents injected from a point contact, 4=28546
- Lampert, M. A. and Rose, A. Volume-controlled, two-carrier currents in solids: the injected plasma case, 1=1036
- Lampert, M. A. and Rose, A. Volume-controlled, two-carrier currents in solids, 2=23228
- Lampert, M. A. See Ando, K., 3=25334
- Lampert, M. A. See Hirota, R., 3=17838
- Lampert, M. A. See Steele, M. C., 3=8535
- Lampert, M., Šranko, Š., Šurka, Š. and Tírpák, A. Measurement of relaxation times by the spin-echo method, 4=756
- Lamphere, R. W. Fission cross-section and fragment angular distribution for fast neutron-induced fission of  $U^{235}$ , 3=2505
- Lamport, J. E. and Petraitis, L. J. The University of Chicago measurements in space of cosmic rays at energies above 0.5 MeV, 2=5756
- Lamure, C. See Josse, R., 4=27274
- Lancaster, B. J. See Huey, R. M., 0=8969
- Lancaster, G. and Schneider, E. E. Conduction electron resonance in semiconductors, 2=23706
- Lancaster, G., Van Wyk, J. A. and Schneider, E. E. Spin-lattice relaxation of conduction electrons in silicon, 4=23056
- Lancaster, J. K. The influence of the conditions of sliding on the wear of electrographitic brushes, 2=21451
- Lancaster, J. K. Elastic deformation and the wear of electro-graphite, 3=6806
- Lancaster, J. K. The formation of surface films at the transition between mild and severe metallic wear, 3=16011
- Lancaster, J. K. The relationship between the wear of carbon brush materials and their elastic moduli, 3=20761
- Lancaster, J. K. and Stanley, I. W. The effect of current on the friction of carbon brush materials, 4=7415
- Lancaster, J. K. See Hirst, W., 1=14928
- Lance, G. N. and Rogers, M. H. The axially symmetric flow of a viscous fluid between two infinite rotating disks, 2=4990
- Lancia, F. N. and McGervey, J. D. Apparatus for measurement of Peltier coefficients, 4=30668
- Lancman, H. See Ambroży, B., 1=16595
- Lancman, H. See Ambroży, B., 2=1821
- Lancman, H. See Chojnacki, S., 1=670
- Lancman, H. See Chojnacki, S., 1=2195
- Lancman, H. See Jasinski, A., 3=10310
- Lanczos, C. Linear differential operators, 1=17980
- Lanczos, C. The splitting of the Riemann tensor, 3=5353
- Lanczos, C. Undulatory Riemannian spaces, 3=18719
- Lanczos, C. Signal propagation in a positive definite Riemannian space, 4=16023
- Land, C. C. See Ellinger, F. H., 4=29015
- Land, C. E., Smith, G. W. and Westgate, C. R. The dependence of the small-signal parameters of ferroelectric ceramic resonators upon state of polarization, 4=28629
- Land, E. H. Color vision and the natural image. I, 0=3372
- Land, E. H. Color vision and the natural image. II, 0=3373
- Land, E. H. Experiments in color vision, 0=3374
- Land, E. H. Experiments in color vision, 0=3376
- Land, E. H. Some comments on Dr. Judd's paper, 0=6523
- Land, E. H. and Daw, N. W. Binocular combination of projected images, 3=3691
- Land, E. H. and Daw, N. W. Colors seen in a flash of light, 3=7075
- Land, G. A. See Dietz, L. A., 3=22337
- Land, R. I. See Emmons, H. W., 3=7587
- Landa, P. S. Losses of electrons in synchrotrons due to the quantum character of the radiation, 1=18961
- Landahl, H. D. Discrimination and learning in terms of neural net models, 3=3640
- Landahl, H. D. Applications of neural net theory to the problem of colour vision, 3=3694
- Landahl, H. D. Mathematical models for the representation of neural interaction, 3=3638
- Landahl, H. D. Miscellaneous applications of neural net theory to psychological phenomena, 3=3639
- Landahl, H. D. Some mathematical models for pharmacological systems, 3=3641
- Landahl, H. D. Some aspects of the role of diffusion in biological phenomena, 3=3642
- Landahl, H. D. On the retention of air-borne particles in the human respiratory tract, 3=3643
- Landau, A. and Rumer, Y. Miniature time machine, 3=11659
- Landau, A. See Jaffe, J. H., 2=12320
- Landau, A. I. Oscillatory character of the distribution of an impurity along the length of a growing single crystal, 0=1882
- Landau, A. I. The problem of the friction force acting on a moving dislocation, 3=17728
- Landau, A. I. See Palatnik, L. S., 0=4706
- Landau, A. I. See Pariiskii, V. B., 3=20201



- Landau, A.I. See Pariiskii, V.B., 4=9957
- Landau, C.S. Some aspects of the rheology of milk gel, 0=4746
- Landau, H.G. See Bonilla, C.F., 2=6004
- Landau, L. See Begun, G.M., 1=12324
- Landau, L. See Begun, G.M., 2=9526
- Landau, L. See Palko, A.A., 2=19137
- Landau, L.D. On analytic properties of vertex parts in quantum field theory, 0=5469
- Landau, L.D. The analytic properties of vertex parts in quantum field theory, 0=9254
- Landau, L.D. Small binding energies in quantum field theory, 1=4767
- Landau, L.D. and Lifshitz, E.M. Fluid mechanics, 0=915
- Landau, L.D. and Lifschits, E.M. Textbook of Theoretical Physics. I. Mechanics, 3=1642
- Landau, L.D. and Lifschiz, E.M. Textbook of theoretical physics, Vol. II. The [classical] theory of fields. [Ledrbuch der theoretischen Physik. II. Feldtheorie], 4=8037
- Landaud, G. Calculation of a correlation function for the study of the dead-time of a detector, 3=14832
- Landaud, G. Analysis of a correlation function and measurement of mean lives of unstable states of radio [active] elements in the millisecond range, 4=17018
- Landaud, G. and Mabboux, C. The application of a random function  $X(t) = \pm 1$  to the study of the laws of disintegration of decay chains of radio-elements, 0=13167
- Landaud, G. and Mabboux, C. Analysis of the correlation coefficient of the uncertainty function  $X(t) = \pm 1$ . Application to the study of the disintegration laws of radioelements, 1=19376
- Landauer, G. Magnetic field dependence of microwave radiation in a He gas discharge, 3=4031
- Landauer, G. Generation of harmonics of the electron-gyrofrequency in a penning discharge, 3=7465
- Landauer, R. Parametric amplification along nonlinear transmission lines, 0=7214
- Landauer, R. Pyroelectric effect in the cubic ZnS structure, 0=13663
- Landauer, R. Fluctuations in bistable tunnel diode circuits, 2=15871
- Landauer, R. Velocity modulation of propagating waves, 3=16981
- Landauer, R. and Swanson, J.A. Frequency factors in the thermally activated process, 1=4266
- Landauer, R. See Drougard, M.E., 0=1699
- Landé, A. Derivation of the quantum law from non-quantum principles, 1=8051
- Landé, A. Unitary interpretation of quantum theory, 1=10416
- Landé, A. Why do probabilities interfere? 1=18276
- Landé, A. Interpretation of quantum physics, 2=15478
- Landé, A. and Block, B. Multiparticle excitations in the intermediate compound state, 4=19762
- Landé, K., Mann, A.K., Reibel, K. and White, D.H. Present status of image intensifier systems, 1=3102
- Landé, K., Mann, A.K. and White, D.H. Triggered film advance system, 2=20191
- Landé, K., Mann, A.K. and White, D.H. A simple optical system for using standard magnets with spark chambers, 3=17147
- Landé, K., Mann, A.K. and White, D.H. Range measurement and particle identification in a plate-loaded filamentary chamber, 3=17331
- Landé, K. See Dobbs, J.M., 2=11995
- Landecker, K. and Findlay, A.W. Study of the fast transient behaviour of peltier junctions, 2=16762
- Landecker, K. and Imrie, K.S. A novel type of high power pulse transmitter, 1=8385
- Landecker, K. See Idnurm, M., 3=15639
- Landel, R.F. and Stedry, P.J. Stress as a reduced variable: Stress relaxation of SBR rubber at large strains, 0=18244
- Landensperger, W. and Stark, D. Total optical emissivity of rhenium, rhodium, palladium and titanium, 4=28702
- Lander, J.J. Recent work on surface properties of II-VI semiconductors, 1=14461
- Lander, J.J. Reactions of lithium as a donor and an acceptor in ZnO, 1=17764
- Lander, J.J. Chemisorption and ordered surface structures, 4=30886
- Lander, J.J., Gobell, G.W. and Morrison, J. Structural properties of cleaved silicon and germanium surfaces, 3=23383
- Lander, J.J. and Morrison, J. Low voltage electron diffraction study of the oxidation and reduction of silicon, 2=15141
- Lander, J.J. and Morrison, J. Low-energy electron diffraction study of silicon surface structures, 2=19106
- Lander, J.J. and Morrison, J. Structure of clean surfaces of germanium and silicon. I, 3=13554
- Lander, J.J. and Morrison, J. Low-energy electron-diffraction study of the surface reactions of germanium with oxygen and with iodine. II, 3=13555
- Lander, J.J. and Morrison, J. Scattering factors and other properties of low-energy diffraction, 4=7663
- Lander, J.J., Morrison, J. and Unterwald, F. Improved design and method of operation of low energy electron diffraction equipment, 2=19128
- Lander, J.J., Schreiber, H., Jr, Buck, T.M. and Mathews, J.R. Microscopy of internal crystal imperfections in Si p-n junction diodes by use of electron beams, 4=7657
- Lander, J.J. See Lynch, R.T., 0=710
- Lander, R.L. Test of mass spectra, 3=24596
- Lander, R.L., Powell, W.M. and White, H.S. Parity conservation in hyperon production by 1.15 BeV/c  $K^-$  mesons on propane, 0=383
- Lander, R.L. See Abolins, M., 4=6128
- Lander, R.L. See Agnew, L.E., Jr., 0=11172
- Lander, R.L. See Carmony, D.D., 4=16959
- Lander, R.L. See Xuong, N., 4=6107
- Landergard, O. See Persson, R., 0=4140
- Landesman, A. A study of the relaxation of a paramagnetic ion by observation of nuclear resonance signals, 0=16713
- Landesman, A. The dynamic polarization of protons on paradichlorobenzene in a low field, 1=11497
- Landesman, A. Dynamic polarization in low fields of protons in paradichlorobenzene, 1=20273
- Landesman, A. and Abragam, A. A study of the relaxation [behaviour] of a paramagnetic ion by means of dynamic polarization, 1=2769
- Landesman, A. See Garwin, R.L., 4=11453
- Landesman, A. See Goldman, M., 1=7797
- Landesman, A. See Goldman, M., 4=1344
- Landesman, A.M. See Garwin, R.L., 4=14505
- Landesman, H. See Shapiro, I., 0=21271
- Landgraf, W.C. See Plette, L.H., 0=8314
- Landhäuser, E. General lorentz transformations of the Dirac equation, 1=10421
- Landi, V.R. See Heidt, L.J., 4=23646
- Landim, E., Hamburger, E.W. and Dietzsch, O. Efficiency of a long counter as a function of the direction and locus of incidence of the neutron, 2=18138
- Landis, C. See Lloyd, V.V., 0=6518
- Landis, H.M. Experimental experiments in the elementary physics laboratory, 4=27008
- Landisman, M. See Satô, Y., 4=258
- Landman, A. and Novick, R. Level crossing determination of  $\tau(^4P_1)$  and  $\tau(^2P_1)$  in zinc and the h.f.s. on  $Zn^{65}$  and  $Zn^{67}$ , 4=15295
- Landmark, B. The fading of radio waves reflected from the E layer, 0=1221
- Landmark, B. and Lied, F. Observations of the D-region from a study of ionospheric cross modulation, 3=6982
- Landmark, B. See Aarons, J., 2=4618
- Landmark, B. See Bjelland, B., 0=4796
- Landmark, B. See Brown, R.R., 1=15349
- Landmark, B. See Eriksen, K.W., 1=1544
- Landmark, B. See Eriksen, K.W., 1=20954
- Landmark, B. See Holt, C., 3=5878
- Landmark, B. See Holt, O., 3=6978
- Landmark, B. See Jespersen, M., 4=26856
- Landmark, B. See Ortnier, J., 3=9135
- Landon, A.J. See Stevenson, M.J., 3=9588
- Landon, D.O. Use of platinum or gold grating surface at grazing incidence, 3=20943
- Landon, D.O. A new grazing incidence spectrometric mounting, 4=8424
- Landovitz, L. and Marshall, L. Effect of pion-pion resonances on  $\pi^- p$  interactions, 0=13021
- Landovitz, L. and Marshall, L.  $\Lambda^0$  magnetic moment in the Goldhaber model, 2=16246
- Landovitz, L. and Marshall, L. Stimulated electron spin-flip transition as the source of 18 megacycle radiation on Jupiter, 3=7046
- Landovitz, L. See Behrends, R.E., 0=3941
- Landovitz, L.F. and Margolis, B. Strong-coupling theory of the  $S = -1$  hyperons: the  $\Lambda^0$  as a bound state, 0=1313
- Landovitz, L.F. and Marshall, L. Parity of the second pion resonance, 0=1302
- Landovitz, L.F. and Marshall, L. Gravitational red shift of hydrogen 21-cm. Radiation as a method to measure galactic gravitational potential, 0=18911



- Landovitz, L. F. See Behrends, R. E., 4=3323  
 Landovitz, L. F. See Durand, L., III, 0=15379  
 Landovitz, L. F. See Durand, L., III, 3=12404  
 Landovitz, L. F. See Goldberg, I., 0=17420  
 Landovitz, L. F. See Goldberg, I., 2=5697  
 Landovitz, L. F. See Haller, K., 3=17161  
 Landré, J. K. Time resolution of streak cameras equipped with rotating mirrors of beryllium, 4=21325  
 Landrock, P. See Hauser, I., 0=15496  
 Landry, P. and Stevenson, R. The effects of pressure on the paramagnetic-antiferromagnetic transition of dysprosium, 3=20552  
 Landsberg, A. A simple remotely operated quartz spring recording balance, 4=18018  
 Landsberg, E. G. The influence of geometrical dimensions of samples in measurements of the diffusion length using the photomagnetic method, 0=15906  
 Landsberg, E. G. and Kalashnikov, S. G. The electron capture cross-section for atomic manganese in germanium, 1=17687  
 Landsberg, E. G. and Kalashnikov, S. G. Recombination properties of manganese in germanium, 3=17853  
 Landsberg, E. G. See Alexeeva, V. G., 2=8398  
 Landsberg, L. G. See Alikhanov, A. I., 3=6024  
 Landsberg, L. G. See Babaev, A. I., 2=18147  
 Landsberg, L. G. See Babaev, A. I., 3=6025  
 Landsberg, L. G. See Babaev, A. I., 3=17298  
 Landsberg, L. G. See Babaev, A. I., 4=16744  
 Landsberg, L. G. See Balats, M. Ya., 0=20567  
 Landsberg, L. G. See Balatz, M. Ya., 1=4919  
 Landsberg, L. G. See Belonogov, A. V., 1=3097  
 Landsberg, P. T. The entropy of a non-equilibrium ideal quantum gas, 0=6703  
 Landsberg, P. T. Reaction-kinetic problems in the case of recombination by electron collisions, 1=6081  
 Landsberg, P. T. The relativistic theory of the fresnel drag coefficient, 1=10410  
 Landsberg, P. T. Definition of the perfect gas, 1=12921  
 Landsberg, P. T. Quantum statistical ergodic and H-theorems for incompletely specified systems, 1=15715  
 Landsberg, P. T. On suggested simplifications of Carathéodory's thermodynamics, 2=1319  
 Landsberg, P. T. On a simple class of combinatorial problems, 2=13239  
 Landsberg, P. T. A note on logarithmic rate laws, 2=14891  
 Landsberg, P. T. Supplementary remarks to the paper on intermediate statistics by Guénault and Macdonald, 3=18741  
 Landsberg, P. T. A deduction of Carathéodory's principle from Kelvin's principle, 4=27395  
 Landsberg, P. T. and Evands, D. A. A unified statistical approach to recombination-generation noise in semiconductors, 2=8311  
 Landsberg, P. T., Evans, D. A. and Rhys-Roberts, C. Auger effect involving recombination centres, 4=9890  
 Landsberg, P. T. See Antončík, E., 3=22684  
 Landsberg, P. T. See Beattie, A. R., 0=2869  
 Landsberg, P. T. See Beattie, A. R., 1=1038  
 Landsberg, P. T. See Beattie, A. R., 2=23283  
 Landsberg, P. T. See Evans, D. A., 2=12509  
 Landsberg, P. T. See Evans, D. A., 3=13090  
 Landsberg, P. T. See Hearn, C. J., 3=10749  
 Landsberg, R. Heat and mass transfer on the surfaces of cold liquids, 0=5211  
 Landsberg, R., Nitzsche, R. and Geissler, W. The galvanostatic measurement of the adsorption of iodine on graphite, 3=20940  
 Landseer-Jones, B. C. Viscous damping of hydromagnetic waves in the corona, 1=12753  
 Landshoff, P. V. A discussion of dual diagrams in perturbation theory, 1=2020  
 Landshoff, P. V. Anomalous singularities in physical regions, 3=5953  
 Landshoff, P. V. Poles and thresholds and unstable particles, 3=12394  
 Landshoff, P. V., Polkinghorne, J. C. and Taylor, J. C. A proof of the Mandelstam representation in perturbation theory, 1=7212  
 Landshoff, P. V. and Treiman, S. B. Analytic properties of production amplitudes, 1=8431  
 Landshoff, P. V. and Treiman, S. B. Some experimental consequences of triangle singularities in production processes, 2=18068  
 Landshoff, P. V. See Branson, D., 4=849  
 Landshoff, P. V. See Eden, R. J., 1=7213  
 Landshoff, P. V. See Eden, R. J., 1=16696  
 Landshoff, P. V. See Fairlie, D. B., 2=19424  
 Landshoff, P. V. See Fairlie, D. B., 3=4351  
 Landshoff, P. V. See Fowler, M., 0=20080  
 Landshoff, P. V. See Islam, J. N., 3=17203  
 Landshoff, R. K. M. See Churchill, D. R., 4=15327  
 Landshoff, R. K. M. See Mitchner, M., 4=18140  
 Landsman, A. P. See Gliberman, A. Ya., 0=20938  
 Landsman, A. P. See Golovin, B. M., 4=28648  
 Landsman, A. P. See Subashiev, V. K., 1=3687  
 Landsman, A. P. See Vavilov, V. S., 2=11211  
 Landstrom, D. K. Voltage reference sources in electron microscopy, 3=20956  
 Landstrom, D. K. Zener diodes as voltage reference sources in electron microscopy, 4=3048  
 Landstrom, D. K. See Beu, K. E., 4=23399  
 Landwehr, G. Piezoresistive effect in silicon, 3=2965  
 Landwehr, G. Interpretation of the electric conductivity of grain boundaries in germanium bicrystals, 3=8508  
 Landwehr, G. Negative magnetoresistance in a germanium bicrystal, 3=10774  
 Landwehr, G. Transport phenomena path-length effects in the space-charge zone of a germanium, 4=17488  
 Landwehr, G. and Handler, P. Galvanomagnetic properties of grain boundaries in germanium bicrystals from 1.25 to 240°K, 2=18677  
 Landwehr, G. See Auch, K., 4=6947  
 Landwehr, G. See Koppelman, J., 0=1844  
 Landwehr, R. Micro-interference as an aid to testing the shape of aspherical surfaces, 0=60  
 Landy, B. and Squires, E. J. The effect of correlations in nucleon-alpha scattering, 2=13788  
 Lane, A. M. Reduced widths of individual nuclear energy levels, 0=20346  
 Lane, A. M. The role in nuclear physics of models and methods from atomic and molecular physics, 2=13939  
 Lane, A. M. Isobaric spin dependence of the optical potential and quasi-elastic (p,n) reactions, 2=16285  
 Lane, A. M. New term in the nuclear optical potential: implications for (p,n) mirror state reactions, 2=22810  
 Lane, A. M. and Lynn, J. E. Theory of radiative capture in the resonance region, 0=17570  
 Lane, A. M. and Lynn, J. E. Anomalous radiative capture in the neutron resonance region: Analysis of the experimental data on electric dipole transitions, 0=17571  
 Lane, A. M. and Parker, K. The nuclear surface in an excited nucleus, 0=11309  
 Lane, A. M. and Pendlebury, E. D. On the existence of octupole vibrations in nuclei, 0=5660  
 Lane, A. M. and Soper, J. M. Persistence of isobaric correspondence between nuclear states in mass regions where isotopic spin is not a good quantum number, 2=5789  
 Lane, A. M. and Soper, J. M. Isotopic spin purity in heavy nuclei and its unimportance, 2=13967  
 Lane, A. M. and Soper, J. M. The width of isobaric states observed in (p,n) reactions, 2=16295  
 Lane, A. M. and Soper, J. M. Interpretation of groups observed in the neutron spectra of direct (p,n) reactions, 2=22809  
 Lane, A. M. and Soper, J. M. Isobaric spin purity and isobaric correspondence between nuclear states in the heavier nuclei, 3=633  
 Lane, A. M. Nuclear theory, 4=16991  
 Lane, C. T. See Depatie, D., 4=16323  
 Lane, C. T. See Reppe, J. D., 1=4528  
 Lane, C. T. See Williams, W. L., 4=19156  
 Lane, G. H. and Everhart, E. Calculations of total cross sections for scattering from Coulomb potentials with exponential screening, 0=5865  
 Lane, G. H. and Everhart, E. Ion-atom potential energy functions obtained from keV scattering data, 1=818  
 Lane, G. S., Huglin, A. S. and Stringer, J. Hall-effect studies in zinc cadmium, 4=28538  
 Lane, H. Foreign accent and speech distortion, 3=13949  
 Lane, H. See Schneider, B., 4=10962  
 Lane, H. L., Catania, A. C. and Stevens, S. S. Voice level: autophonic scale, perceived loudness, and effects of sidetone, 1=4142  
 Lane, J. A. The radio refractive index gradient over the British Isles, 1=20935  
 Lane, J. A. and Bean, B. R. A radiometeorological study. I. Existing radiometeorological parameters, 4=3181  
 Lane, J. A. and Meadows, R. W. Simultaneous radar and refractometer soundings of the troposphere, 3=9051  
 Lane, J. A. and Pearson, J. E. Standardization of strong electromagnetic fields, 1=5579



- Lane, J. A. See Bean, B. R., 4=3182  
 Lane, J. A. See Bean, B. R., 4=3183  
 Lane, J. A. See Flavell, R. G., 2=5482  
 Lane, J. A. See Saxton, J. A., 4=17909  
 Lane, J. E. and Kirkaldy, J. S. Diffusion in multicomponent metallic systems. VIII. A kinetic calculation of the Onsager L coefficients in substitutional solid solutions, 4=28475  
 Lane, J. E. See Kirkaldy, J. S., 4=6864  
 Lane, J. W. See Dimeff, J., 2=19506  
 Lane, J. W. See Dimeff, J., 4=18636  
 Lane, N. F. and Lin, C. C. A semiempirical method for the calculation of the Slater-Condon parameters, 3=2552  
 Lane, N. F. and Lin, C. C. Inelastic electron-atom collisions under near-resonance conditions: analysis of transitions involving strong coupling, 4=9666  
 Lane, R. D. G. See Hendra, P. J., 3=21543  
 Lane, R. K., Nordheim, L. W. and Sampson, J. B. Resonance absorption in materials with grain structure, 3=6263  
 Lane, R. N. and Mikeska, E. E. Problems of field measurement of transmission loss as illustrated by data on lightweight partitions used in music buildings, 1=18543  
 Lane, R. O., Elwyn, A. J. and Langsdorf, A., Jr. Polarization and differential cross section for neutron scattering from silicon, 2=12198  
 Lane, R. O., Elwyn, A. J. and Langsdorf, A., Jr. Polarization and differential cross section of neutrons scattered from  $\text{Be}^0$ : parities of the 7.37- and 7.54 MeV states  $\text{Be}^{10}$ , 4=9519  
 Lane, R. O., Langsdorf, A. S., Jr., Monahan, J. E. and Elwyn, A. J. The angular distributions of neutrons scattered from various nuclei, 1=7380  
 Lane, R. O. and Miller, W. F. Energy-dependent multiple scattering of neutrons in thin plates, 2=20343  
 Lane, R. O. and Monahan, J. E. Differential cross sections for neutron resonance scattering from  $\text{Na}^{23}$ , 0=9681  
 Lane, R. O., Morehouse, N. F., Jr. and Phillips, D. L. The correction of resonance peaks for experimental resolution, 1=17982  
 Lane, R. O. See Elwyn, A. J., 2=10101  
 Lane, R. O. See Elwyn, A. J., 3=587  
 Lane, R. O. See Elwyn, A. J., 4=9521  
 Lane, R. O. See Huddleston, C. M., 0=5791  
 Lane, W. R. See Edwards, J., 1=227  
 Lanenkin, V. K. See Vavilin, E. I., 1=5431  
 Lanford, O. E., III. See Green, T. A., 0=16605  
 Lang, A. R. Studies of individual dislocations in crystals by X-ray diffraction microradiography, 0=1587  
 Lang, A. R. Recent studies of lattice defects by X-ray diffraction topography, 3=22782  
 Lang, A. R. Applications of "limited projection topographs" and "direct beam topographs" in diffraction topography, 4=7658  
 Lang, A. R. Dislocations in diamond and the origin of trigons, 4=12752  
 Lang, A. R. and Meyrick, G. Dislocation structures observed in high-purity recrystallized aluminium by X-ray diffraction, 0=20804  
 Lang, A. R. See Authier, A., 4=22597  
 Lang, A. R. See Hart, M., 1=20489  
 Lang, A. R. See Polcarová, M., 3=5011  
 Lang, A. R. See Takagi, M., 4=28683  
 Lang, B. See Allen, P. G. W., 4=2741  
 Lang, B. See Goldsztaub, S., 4=4638  
 Lang, B. See Goldsztaub, S., 4=15781  
 Lang, C. E. See Rack, E. P., 3=11359  
 Lang, C. T. On diffraction losses in laser interferometers, 3=24045  
 Lang, D. See Rajewsky, B., 1=10873  
 Lang, D. D. See Zama, W. A., 1=1325  
 Lang, D. W. Coulomb barrier in a highly excited nucleus, 1=10948  
 Lang, D. W. Analysis of recent measurement of nuclear level density parameters, 1=13646  
 Lang, D. W. Nucleon correlations and nuclear level densities, 3=12550  
 Lang, D. W. Statistical model study of prompt neutrons from spontaneous fission of  $\text{Cf}^{252}$ , 4=19838  
 Lang, D. W. High angular momentum cutoff in nuclear level densities, 4=22210  
 Lang, D. W. Isolated eigenvalue of a random matrix, 4=27065  
 Lang, D. W. and Le Couteur, K. J. Pairing energy effects in excited nuclei, 0=5662  
 Lang, D. W. See Le Couteur, K. J., 0=5736  
 Lang, F. M. and Magnier, P. Study of the gases adsorbed on the surface of the closed pores of nuclear graphites, 3=13569  
 Lang, G. Measurement technique and instrumental problems of X-ray fluorescence analysis, 3=13633  
 Lang, G. Interpretation of experimental Mössbauer spectrum areas, 4=9815  
 Lang, G. See DeBenedetti, S., 1=6261  
 Lang, G. See Jha, S., 2=22744  
 Lang, G. See Jha, S., 3=2367  
 Lang, H. A. Two verifications of the Karal-Keller theory of wave propagation, 2=13407  
 Lang, I. G. The role of two-phonon processes in scattering of conduction electrons in ionic crystals, 0=15824  
 Lang, I. G. Use of the density-matrix method in dealing with conduction electrons interacting with lattice vibrations, 1=2377  
 Lang, I. G. Use of the density-matrix method in dealing with conduction electrons interacting with lattice vibrations, 1=4965  
 Lang, I. G. Investigation of two-phonon processes using the density matrix method, 1=19709  
 Lang, I. G. and Firsov, Yu. A. Kinetic theory of semiconductors with a low mobility, 3=15557  
 Lang, I. G. and Firsov, Yu. A. Mobility of small-radius polarons at low temperatures, 4=6807  
 Lang, I. G. and Firsov, Yu. A. The mobility of small-radius polarons at low temperatures, 4=9924  
 Lang, I. G. See Ansel'm, A. I., 0=528  
 Lang, I. G. See Ansel'm, A. I., 1=6083  
 Lang, I. G. See Gurevich, V. L., 2=21235  
 Lang, I. G. See Gurevich, V. L., 2=23542  
 Lang, J. The properties of PbSe films, with Ag doping in an atmosphere of air, 1=8956  
 Lang, J., Müller, R. and Wölfl, W. Measurement of the polarization of photoneutrons from  $\text{Be}^9$ , 2=5888  
 Lang, J. See Bösch, R., 2=14074  
 Lang, J. See Bösch, R., 2=20585  
 Lang, J. See Bösch, R., 2=22782  
 Lang, J. See Bösch, R., 2=22784  
 Lang, J. See Bösch, R., 4=6055  
 Lang, J. See Bösch, R., 4=6316  
 Lang, J. See Bösch, R., 4=6321  
 Lang, J. See Bösch, R., 4=9230  
 Lang, J. See Bösch, R., 4=15109  
 Lang, J. See de Carvalho, H. G., 2=18367  
 Lang, J. See Gombay, L., 0=15900  
 Lang, J. See Gombay, L., 3=17892  
 Lang, J. See Gyulai, J., 1=11289  
 Lang, J. See Jarczyk, L., 2=5939  
 Lang, J. See Jarczyk, L., 2=5612  
 Lang, J. See Jarczyk, L., 2=7795  
 Lang, J. See Jarczyk, L., 2=12212  
 Lang, J. See Jarczyk, L., 3=6670  
 Lang, J. See Jarczyk, L. J., 2=3591  
 Lang, K. R. and Barnes, F. S. Shock waves in xenon flashtubes and tube deterioration, 4=8662  
 Lang, L. G., DeBenedetti, S. and Ingalls, R. I. Interaction between  $\text{Fe}^{57}$  and its crystalline surroundings, 3=996  
 Lang, L. G., DeBenedetti, S. and Ingalls, R. I. Interaction between  $\text{Fe}^{57}$  and its crystalline surroundings, 4=12587  
 Lang, P. H. Nucleonics data sheet No. 44. Heat transfer. Calculating heat transfer across small gas-filled gaps, 2=5201  
 Lang, R. J. Ultrasonic atomization of liquids, 2=2695  
 Lang, R. P. See Tsubomura, H., 2=14674  
 Lang, S. M. See Franklin, E. W., 4=10514  
 Lang, W. and Herrmann, R. Burner for flame photometric absorption measurements, 2=21601  
 Lang, W. and Herrmann, R. Signal-to-noise ratio for flame photometric absorption measurements, 3=21548  
 Lang, W. and Herrmann, R. Quantities flowing through pneumatic annular atomizers for flame photometers, 3=21549  
 Lang, W., Rüdiger, K. and Herrmann, R. An atomizing burner containing three suction capillaries for flame spectro-photometry, 4=24371  
 Lang, W. See Herrmann, R., 2=11003  
 Lang, W. W. and Nordby, K. S. Reverberation chamber power level measurements on sound sources, 4=8358  
 Langbein, D. Electrical conduction phenomena in anisotropic media. I. Strongly convergent solutions of linear operator equations, in particular of the Bloch integral equation, 1=11249  
 Langbein, D. Electrical conduction phenomena in anisotropic media. II. The electrical resistance of elliptically anisotropic models, 2=6403



- Langbein, D. Electric conduction phenomena in anisotropic media. III. Magnetoelectric effects, 2=12492
- Langbein, D. Electric conduction phenomena in anisotropic media. IV. Further model for the electron-phonon interaction matrix element, 2=12493
- Langbein, D. A prior [anschauliche] discussion of the qualitative properties of magnetoelectric coefficients, 3=10713
- Langberg, E., Naylor, M. and Heckscher, H. An image-forming, resonance scatter filter, 3=16780
- Langberg, E. See Baldwin, K.M., 2=4885
- Langdon, F. and Frazer, B.C. Automatic control and programming system for single crystal diffractometry, 0=3196
- Langdon, W. M. and Fochtman, E. G. Backstreaming in baffled systems, 4=18260
- Lange, E. Basic conceptions of electro-chemical kinetics, 2=12975
- Lange, E. Definitions of the diffusion layer and of passivity, 2=21590
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. I, 1=18720
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. II, 1=18721
- Lange, F. Investigation of superconducting Nb<sub>3</sub>Sn preparations. III, 2=5239
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. IV, 2=11564
- Lange, F. Investigations of superconducting Nb<sub>3</sub>Sn, 3=14458
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. V, 3=19116
- Lange, F. and Lippold, H. A simple adsorption leak detector, 3=14228
- Lange, F. F. Simple determination of the angular deviation between a prepared crystal surface and the crystal plane, 4=29035
- Lange, F. K. A method for preparing a superconducting compound Nb<sub>3</sub>Sn, 2=7514
- Lange, F. K. A method for preparing a superconducting compound Nb<sub>3</sub>Sn, 3=5590
- Lange, F. K. See Bevilacqua, L. L., 4=16311
- Lange, F. K. See Dettmann, F. F., 4=27431
- Lange, H. Investigations on the magnetic properties of thin layers of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> when submitted to magnetizing fields for short times, 3=13256
- Lange, H. and Kohlhaas, R. The true specific heats of iron, nickel and chromium at high temperatures. New methods for the measurement of the true specific heats of metals at high temperatures, 0=9853
- Lange, H. and Müller, E. Procedure to determine the constant and variable field magnetization of small samples. Investigations on the nickel-zinc ferrite system, 2=15981
- Lange, H. and van Kempen, H. Theory and application of integrating amplifiers for purposes of magnetic measurements, 4=8597
- Lange, H. See Böer, K. W., 0=1768
- Lange, H. See Böer, K. W., 2=2158
- Lange, H. See Böhme, G., 4=10597
- Lange, H. See Gutsch, E., 3=11007
- Lange, H. See Gutsch, E., 3=8632
- Lange, H. See Gutsch, E., 4=13024
- Lange, H. See Hellwege, K. H., 2=16893
- Lange, H. See In der Smitten, F. J., 2=12761
- Lange, H. See Kohlhaas, R., 3=13244
- Lange, H. See Kohlhaas, R., 4=27610
- Lange, H. See Müller, S., 4=26322
- Lange, J. Method for Hall mobility and resistivity measurements on thin layers, 4=28552
- Lange, J. N. See Biesterfeldt, H. J., 0=10707
- Lange, J. N., Jr. Bending wave propagation in rods and plates, 3=9531
- Lange, K. R. Adsorption isotherms by a rapid flow method, 3=11325
- Lange, N. See Witt, G., 4=29285
- Lange, P. W. de. See de Lange, P. W.
- Lange, T. I. See Lange, V. N., 4=1943
- Lange, T. I. See Lange, V. N., 4=20646
- Lange, V. N. and Lange, T. I. Results of an investigation of the microhardness anisotropy of indium antimonide by the scratch method, 4=1943
- Lange, V. N. and Lange, T. I. Anisotropy of the microhardness of beryllium, 4=20646
- Lange, V. N. and Regel, A. R. Features of the dependence of energy gap and carrier mobility on composition of tellurium-selenium and tellurium-sulphur solid solutions, 1=1086
- Lange, W. and Bergner, D. Measurement of grain boundary self-diffusion in polycrystalline tin, 3=2830
- Lange, W., Hässner, A. and Berthold, I. Measurement of volume self-diffusion in polycrystalline tin, 2=3947
- Lange, W., Hässner, A. and Mischer, G. Measurement of the grain boundary diffusion of nickel-63 in nickel and  $\gamma$ -iron, 4=20301
- Lange, W. and Häussler, G. Measurements of the residual resistance ratio in pure copper, 2=18632
- Lange, W., Pippel, W. and Bendel, F. The self-diffusion in liquid zinc, 0=5008
- Lange, W., Pippel, W. and Oppermann, H. Determination of the coefficient of self-diffusion of metal melts by radioactivity measurements during the diffusion process, 2=21900
- Lange, W., Pippel, W. and Schönherr, M. Application of double tracing method for determining self diffusion coefficients in liquid metals, 3=5432
- Lange, W. See Malinowska, A., 4=2962
- Lange, W. J. See Riemersma, H., 1=15977
- Lange-Hesse, G. Southerly extension of the Aurora Borealis as shown by German land and sea-observations during the I. G. Y., 1=1564
- Lange-Hesse, G. Long-range propagation of v.h.f. waves over central Europe by backscattering at aurorae, 3=9080
- Lange-Hesse, G. Effect of solar cosmic rays of low energy in the polar ionosphere from observations in the I. G. Y. and in earlier years. Meaning of the geophysical observations from 27th February to 12 March 1942, 4=4807
- Langel, R. A. See Stamm, G. L., 1=20804
- Langelaar, J. See Aten, A. H. W., Jr, 3=24680
- Langeland, T. See Holtsmark, T. W., 2=13452
- Langenberg, D. N. and Bok, J. Helicon-phonon interaction in solids, 4=12706
- Langenberg, D. N. and Moore, T. W. Cyclotron resonance in copper, 0=539
- Langenberg, D. N., Quinn, J. J. and Rodriguez, S. Giant quantum oscillations of the attenuation of transverse acoustic waves in a longitudinal magnetic field in metals, 4=12631
- Langenberg, D. N. See Burstein, E., 3=785
- Langenberg, D. N. See Burstein, E., 1=5400
- Langendorff, H. See Hagen, U., 1=15361
- Langenberg, D. N. See Kip, A. F., 1=17489
- Langenberg, D. N. See Stiles, P. J., 1=12516
- Langenberg, D. N. See Stiles, P. J., 1=17830
- Langenberg, D. N. See Burstein, E., 3=10638
- Langenberg, D. N. See Marcus, S. M., 3=15553
- Langenberg, D. N. See Stiles, P. J., 3=784
- Langenberg, D. N. See Stiles, P. J., 3=10831
- Langendorff, H. Contribution on the problem of radiation risk, 2=7051
- Langenecker, B. Work-softening of metal crystals by alternating the rate of glide strain, 2=2328
- Langenecker, B. Piezoelectric device for measuring dynamic and static forces, 2=2671
- Langenecker, B. and Frandsen, W. H. The influence of sound waves on the growth of zinc single crystals, 3=6828
- Langenbucher, F., Schmid, E. D. and Mecke, R. Chemical shifts of the meta protons of some 2,4,6-trideuterated mono-derivatives of benzene, 4=3908
- Langenecker, B. Zinc single crystals with hexagonal geometry grown in macrosonic fields, 4=23351
- Langenecker, J. A. M. and Ray, D. B. Exo-electron emission due to ultrasonic irradiation, 4=27560
- Langer, D. The effect of pressure on the edge emission and the conductivity in CdS, 3=931
- Langer, D. and Warschauer, D. M. Notes on a high pressure gas apparatus, 1=4166
- Langer, D. See Ibuki, S., 4=13089
- Langer, D. See Ibuki, S., 4=22903
- Langer, D. W. Solidification of helium at 77°K, 2=9474
- Langer, D. W. See Ibuki, S., 3=13210
- Langer, G. Calculation of the resolving power of photographic films, 2=13465
- Langer, G. and Radnik, J. L. Development and preliminary testing of a device for electrostatic classification of sub-micron airborne particles, 1=7921
- Langer, G., Radnik, J. and Templeton, L. Development of a simple, high-resolution mobility analyser for small, charged particles, 2=4570
- Langer, J. Some exact solutions of the Plebański and Pellegrini tetradic gravitational equations, 4=14031
- Langer, J. See Kuchaf, K., 3=21210
- Langer, J. S. Theory of impurity resistance in metals, 0=17985



- Langer, J.S. Frequency spectrum of a disordered one-dimensional lattice, 1=11153
- Langer, J.S. Theory of impurity resistance in metals. II, 1=17599
- Langer, J.S. Some considerations of analyticity in the many-fermion problem, 1=18310
- Langer, J.S. Evaluation of Kubo's formula for the impurity resistance of an interacting electron gas, 2=16636
- Langer, J.S. Thermal conductivity of a system of interacting electrons, 2=23091
- Langer, J.S. Perturbation expansions and functional integrals in the theory of superconductivity, 4=16327
- Langer, J.S. and Ambegaokar, V. Friedel sum rule for a system of interacting electrons, 1=3617
- Langer, J.S. and Vosko, S.H. The shielding of a fixed charge in a high-density electron gas, 0=4275
- Langer, J.S. See Balian, R., 4=2917
- Langer, J.S. See Brown, G.E., 0=9730
- Langer, J.S. See Davies, R.W., 3=17638
- Langer, J.S. See Suhl, H., 2=19812
- Langer, L.M. and Smith, D.R. Shape of beta spectra of once forbidden transitions in the decays of  $Ga^{72}$ ,  $La^{140}$ ,  $Eu^{152}$ ,  $Eu^{154}$ , and  $Sb^{124}$ , 0=15546
- Langer, L.M., Spejewski, E.H. and Wortman, D.E. Beta spectrum of  $Ca^{47}$ , 4=6277
- Langer, L.M., Spejewski, E.H. and Wortman, D.E. Shape of the positron spectrum of  $Rb^{84}$ , 4=12183
- Langer, L.M., Spejewski, E.H. and Wortman, D.E. Precise shape measurements of beta spectra of  $Y^{90}$  and  $Y^{91}$ , 4=25349
- Langer, L.M. and Wortman, D.E. Radioactive decay of  $Nb^{95}$ , 4=1044
- Langer, L.M. See Camp, D.C., 1=10981
- Langer, L.M. See Camp, D.C., 3=8046
- Langer, L.M. See Hamilton, J.H., 0=13195
- Langer, L.M. See Hamilton, J.H., 1=10984
- Langer, L.M. See Hamilton, J.H., 2=20550
- Langer, L.M. See Howe, D.A., 1=17028
- Langer, L.M. See Howe, D.A., 2=22746
- Langer, L.M. See Howe, D.A., 3=4592
- Langer, L.M. See Wortman, D.E., 3=17430
- Langer, R.E. [Ed.]. Frontiers of numerical mathematics, 0=12232
- Langer, R.E. [Ed.]. Partial differential equations and continuum mechanics, 1=7966
- Langer, R.E. [Ed.]. Frontiers of numerical mathematics, 1=4169
- Langer, R.E. [Ed.]. Electromagnetic waves, 2=3150
- Langer, R.E. [Ed.]. Electromagnetic waves, 2=9706
- Langer, R.E. [Ed.]. Nonlinear problems, 3=7084
- Langer, S. See Wood, S.E., 0=10668
- Langereis, C. See Gomes de Mesquita, A.H., 4=13599
- Langeron, J.P. The properties of zone-melted zirconium, 4=17790
- Langeron, J.P. See Renucci, L., 0=562
- Langerwall, T. Argon diffusion in calcium fluoride as a model process for fission gas transport in uranium dioxide, 4=25466
- Langeseth, B. See Giesch, M., 3=17243
- Langevin, A. New method for the production of aqueous aerosol carriers of negative oxygen ions which permit the study of the action of large synthetic Langevin ions upon living beings, 2=15167
- Langevin, M. A study of the excitation and auto-ionization of an electron cloud accompanying the K-capture of  $Ge^{71}$ , 0=9738
- Langevin, M. and Bussière de Nercy, A. A study of the resonant scattering of photons by magnesium, 1=2203
- Langevin, M. See Bussière de Nercy, A., 0=7533
- Langevin, M. See Bussière de Nercy, A., 1=13632
- Langevin, M. See Bussière de Nercy, A., 1=13763
- Langevin, H. See Marty, N., 1=8723
- Langevin, M. and Loiseaux, J.M. Study of the resonant scattering of bremsstrahlung by magnesium, 3=6166
- Langevin, M. and Loiseaux, J.M. Study of giant resonances in heavy nuclei by elastic scattering of bremsstrahlung, 4=19745
- Langevin, M., Loiseaux, J.M. and Maison, J.M. Study of the giant resonance of heavy nuclei by bremsstrahlung scattering, 4=22104
- Langevin, M. See Bernas, H., 4=20169
- Langevin-Joliot, H. and Marty, N. Longitudinal polarization of  $\beta$ -rays. A study of  $Sr^{90}$  and  $S^{35}$ , 0=9564
- Langevin-Joliot, H., Marty, N. and de Bouard, M.X. The pp'v reactions produced by 155 MeV protons in the case of giant resonance, 1=13784
- Langevin-Joliot, H. See Bergamaschi, C., 1=16462
- Langevin-Joliot, H. See De Bouard, X., 2=438
- Langevin-Joliot, H. See De Bouard, X., 2=3566
- Langevin-Joliot, H. See Kowalski, L., 3=10400
- Langford, D. See Narin, F., 1=773
- Langford, J.I. Counter diffractometer—the effect of axial divergence on the breadth of powder lines, 2=23932
- Langford, J.I., Pike, E.R. and Beu, K.E. Precise and accurate lattice parameters by film powder methods. IV. Theoretical calculation of axial (vertical) divergence profiles, centroid shifts, and variances for cylindrical powder diffraction cameras, 4=23398
- Langford, J.I. and Wilson, A.J.C. Counter diffractometer: the effect of specimen transparency on the intensity, position and breadth of X-ray powder diffraction lines, 3=8817
- Langford, J.I. and Wilson, A.J.C. On variance as a measure of line broadening in diffractometry: some preliminary measurements on annealed aluminium and nickel and on cold-worked nickel, 4=23382
- Langhaar, H.L. See Liu, C.K., 4=8295
- Langham, E.J. Magnetostriction of polycrystalline silicon iron sheet, 3=8679
- Langham, E.J. and Mason, B.J. The heterogeneous and homogeneous nucleation of supercooled water, 0=8153
- Langhoff, H. Linear polarization of the annihilation radiation of positrons, 0=17312
- Langhoff, H. Resonance fluorescence in  $Re^{187}$ , 4=22046
- Langhoff, H. and Hennies, H.H. Experimental demonstration of double quantum emission in the  $0^+ \rightarrow 0^+$  transition of  $Zr^{90}$ , 1=17002
- Langhoff, H., Kilian, P. and Flammersfeld, A.  $K/\beta^+$  ratio in the decay  $I^{128} \rightarrow Te^{128}$ , 2=1841
- Langhoff, H., Kilian, P. and Flammersfeld, A. Coefficients of internal pair formation in the  $\gamma$ -transitions  $Co^{60} \rightarrow Ni^{60}$  and  $Pr^{142} \rightarrow Nd^{142}$ , 2=1850
- Langhoff, H., Weigmann, H. and Flammersfeld, A. Single-quantum annihilation of positrons, 3=12445
- Langhoff, H. See Kilian, P., 2=18301
- Langhoff, H. See Metzger, F.R., 4=3574
- Langhoff, J. See Herr, W., 0=12273
- Langier, J. See Dautreppe, D., 3=11056
- Langill, F.E. See Hodgson, J.H., 2=21614
- Langill, F.E. See Hodgson, J.H., 2=23993
- Langille, R.C. D.R.B. topside sounder satellite, 2=13194
- Langkau, K. Particle distinction by means of scintillation counters and application to the measurement of proton spectra from neutron reactions at 12 to 22 MeV with the nuclei  $K^{39}$ ,  $I^{127}$  and  $Cs^{133}$ , 4=3244
- Langkau, R. The scintillation behaviour of some inorganic phosphors at low temperature, 0=10078
- Langkau, R., Neuert, H. and Walter, H. Particle discrimination with  $KI(Tl)$  scintillators, 2=20193
- Langkau, R. See Bormann, M., 1=11022
- Langkau, R. See Bormann, M., 1=19490
- Langkau, R. See Bormann, M., 2=467
- Langkau, R. See Bormann, M., 2=7993
- Langkau, R. See Bormann, M., 2=9739
- Langkau, R. See Klinger, D., 3=24551
- Langlands, R.C. A stable copper resistance thermometer for field use, 4=21342
- Langleben, M.P. Some physical properties of sea ice. II, 0=1975
- Langley, R.A. See Martin, D.W., 4=24569
- Langmann, H.J. A relative measurement of the cross-section for bremsstrahlung production for 14.5 MeV electrons in gold, tantalum and silver, 0=20102
- Langmann, H.J. Shielding against high energy neutrons from a relativistic synchrocyclotron, 2=7868
- Langmuir, R.V. Scattering of laser light, 3=14372
- Langner, G. Information theory applied to microscopy with X-rays, 1=20698
- Langner, G. Investigations regarding the measurement of the modulation transfer function and possibilities for its designation by a numerical value, 3=21577
- Langner, G. See Klein, E., 2=17662
- Langouet, L. See Monod-Herzen, G., 4=30694
- Langpape, R. See Bohdansky, J., 4=19108
- Langpape, R. See Klages, G., 1=4353
- Langpape, R. See Klages, G., 1=12896
- Langreth, D. See Koehler, J.S., 3=798
- Langreth, D.C. and Kadanoff, L.P. Perturbation theoretic calculation of polaron mobility, 4=9923
- Langsdorf, A.Jr. See Elwyn, A.J., 3=587
- Langsdorf, A.Jr. See Elwyn, A.J., 4=9521
- Langsdorf, A.S., Jr. See Lane, R.O., 1=7380
- Langsdorf, A., Jr. See Lane, R.O., 2=12198



- Langsdorf, A., Jr. See Lane, R.O., 4=9519  
 Langsdorf, A. See Bowen, P.H., 2=1691  
 Langsdorf, A. See Bowen, P.H., 2=7987  
 Langsdorf, A. See Bowen, P.H., 2=13810  
 Langsdorf, A. See Bowen, P.H., 3=2278  
 Langsdorf, A. See Bowen, P.H., 3=8105  
 Langsdorf, A. See Bowen, P.H., 3=10349  
 Langsdorf, A. See Scanlon, J.P., 3=10120  
 Langston, S.A. and Lewis, B. Compounds with the C33 tetradymite-type structure, 4=10527  
 Langstroth, G.F.O. See Bradford, H.M., 0=253  
 Langton, N.H. and Brown, P.P. The performance of a Geiger-Muller tube at low temperatures, 2=7786  
 Langton, N.H. and Matthews, D. Permittivity of mixtures of zinc oxide and rubber, 0=6151  
 Langton, N.H. and Matthews, D. The dielectric constant of zinc oxide over a range of frequencies, 0=7973  
 Langton, N.H. and Vaughan, P. Cavitation and the ultrasonic degradation of high polymers, 2=19558  
 Langton, N.H. and Vaughan, P. Ultrasonic cavitation in polymer solutions, 3=23878  
 Langton, N.H. See Borgstedt, H.U., 4=21104  
 Langue, P. The form of stress-strain curves and their development in the case of alloys subject to structural hardening, 4=17714  
 Langway, C.C., Jr. See Wright, F.W., 4=4894  
 Laniece, B. See Colombani, A., 0=21253  
 Laniece, B. See Colombani, A., 2=6415  
 Laniece, B. See Goureaux, G., 2=14494  
 Laniece, B. See Thureau, P., 4=20355  
 Laniesse, J., Englander, M. and Meriel, P. Neutron study of the texture of drawn uranium rods in the  $\alpha$ -phase, 0=6394  
 Laniesse, J., Meriel, P. and Englander, M. Neutron [diffraction] study of the crystalline texture of uranium bars, 0=18416  
 Laniewski, D.D. See Green, J.R., 2=9957  
 Laning, J.H., Jr. See Battin, R.H., 2=11183  
 Lanius, K. Inelastic  $\pi^-$ -nucleon interactions at 7 GeV, 4=25136  
 Lanius, K. and Meier, H.W. On the direct production of an electron pair by a high energy  $\alpha$ -particle, 0=354  
 Lanius, K. and Meier, H.W. The direct electron-positron pair production by a highly energetic  $\alpha$ -particle, 3=6111  
 Lanius, K., Meier, H., Perneg, J. and Suk, M. Description of a cosmic ray jet in terms of the two-centre model, 3=4485  
 Lanius, K. See Aderholz, M., 4=21914  
 Lanius, K. See Aderholz, M., 4=21919  
 Lanius, K. See Aderholz, M., 4=25151  
 Lanius, K. See Bartsch, J., 4=30264  
 Lanius, K. See Bartsch, J., 4=21920  
 Lanius, K. See Bozoki, G., 0=2603  
 Lanius, K. See Grote, C., 0=1312  
 Lanius, K. See Grote, C., 2=16222  
 Lanius, K. See Grote, C., 2=16223  
 Lanius, K. See Grote, C., 2=16224  
 Lanius, K. See Grote, C., 2=16225  
 Lanius, K. See Grote, C., 4=25166  
 Lanius, K. See Grote, L.C., 1=9760  
 Lanius, K. See Hauser, I., 0=15496  
 Lanius, K. See Hauser, I., 2=13715  
 Lanius, K. See Hauser, I., 2=20210  
 Lanius, K. See Kundt, U., 0=5606  
 Lankard, J.R. See Sorokin, P.P., 2=16815  
 Lankard, J.R. See Sorokin, P.P., 3=23052  
 Lankard, J.R. See Sorokin, P.P., 4=19304  
 Lankard, J.R. See Stevenson, M.J., 4=3226  
 Lankard, J.R. See Title, R.S., 2=23708  
 Lanning, D.D. See Donahue, D.J., 0=13326  
 Lanning, W.D. Application of the spherical harmonics technique to problems in gamma transport, 3=12736  
 Lanning, D.D. See Donahue, D.J., 1=13820  
 Lannoy, F.G. and Nuyts, J. Some consequences of "conserved" and "partially conserved" currents, 2=22411  
 Lannutti, J.E. See Button, J., 0=13067  
 Lannutti, J.E. See Button, J., 1=5727  
 Lannutti, J.E. See Lynch, G.R., 3=19634  
 Lanore, J.C., Combes, J.M. and Schuttler, R. Development of defects introduced by neutron irradiation of a silicon p-i-n junction, 4=1627  
 Lanore, J.C. and Schuttler, R. Measurement of the recombination time of minority carriers in a semiconductor in the light of neutron measurements in connection with the Wigner effect, 3=17905  
 Lanore, J.C. See Dulieu, P., 3=10423  
 Lanou, R.E., Jr. See Birge, R.W., 0=17159  
 Lanou, R.E., Jr. See Bulos, F., 3=17130  
 Lanou, R.E., Jr. See Chretien, M., 2=22610  
 Lanou, R.E., Jr. See Chretien, M., 3=24787  
 Lanou, R.E., Jr. See King, R.C., 1=10928  
 Lanou, R.E., Jr. See Whitehead, M.N., 0=9433  
 Lahovoi, V.N. and Men', A.V. Tunable standard noise generator, 3=24162  
 Lanshina, L.V. and Shakhparonov, M.I. The fine structure of the Rayleigh scattering of light in solutions and the dispersion of hypersonic vibrations, 1=4341  
 Lanshina, L.V. See Shakhparonov, M.I., 3=21354  
 Lansiaart, A. and Jeanmaire, L. Gamma spectrograph for the study of the radioactivity of the human body, 1=7951  
 Lansiaart, A. and Jeanmaire, L. A device for the measurement of radioactivity in the human body, 1=9819  
 Lansiaart, A. and Morucci, J.P. Gaseous amplification in a proportional counter, 2=20183  
 Lansiaart, A. See Julliot, C., 1=2259  
 Lansing, D.L. See Maglieri, D.J., 3=16693  
 Lansraux, G. A representation of instrumental diffraction, 3=265  
 Lansraux, G. and Boivin, G. Maximum of the factor of encircled energy, 1=2882  
 Lansraux, G. and Delisle, C. Iterative diffraction of the figure  $\sin X/X$  by an infinite reseau, 3=266  
 Lantelme, F. and Chemla, M. Diffusion coefficients of  $\text{Li}^6$ ,  $\text{Na}^{23}$  and  $\text{K}^{41}$  in the molten systems  $\text{KNO}_3$ - $\text{LiNO}_3$ , 4=16103  
 Lantelme, F. and Pauly, J. A study of the allotropic transformation of  $\text{CsCl}$  by measuring the speed of release of  $\text{S}^{35}$  produced by neutron irradiation, 0=3171  
 Lanter, R.J. and Bannerman, D.E. A nearly-four-pi liquid scintillation counter for burst of fast neutrons, 2=18136  
 Lanthrop, J.L., Lundy, R.A., Telegdi, V.L., Winston, R. and Yavvanovitch, D.D. Measurements on muon disappearance rates versus time in C, Mg, Al, Si and P, 1=1700  
 Lanting, S.S. and Waterman, H.A. An apparatus for the measurement of Young's modulus and internal friction of metals, 4=30746  
 Lantsburg, E.Ya. See Kompaneets, A.S., 2=2913  
 Lantsburg, E.Ya. See Kompaneets, A.S., 2=19763  
 Lantsburg, E.Ya. See Kompaneets, A.S., 3=1855  
 Lantsburg, E.Ya. See Kompaneets, A.S., 3=7382  
 Lantsov, M.N. See Dubovskii, B.G., 1=17245  
 Lantwaard, L.J. A simple method for the time recording of photographic satellite observations, 3=21142  
 Lantz, P.M. Thermal neutron capture cross-section and resonance capture integral of  $\text{Ce}^{144}$ , 2=18335  
 Lantz, P.M. See Smith, E.C., 0=1444  
 Lanyon, H.P.D. Electrical and optical properties of vitreous selenium, 3=13081  
 Lanyon, H.P.D. Optical and electrical properties of selenium-tellurium alloys, 4=20470  
 Lanyon, H.P.D. and Spear, W.E. Space charge limited current flow and deep trapping in selenium, 1=11509  
 Lanyon, H.P.D. See Spear, W.E., 2=2969  
 Lanyon, H.P.D. See Spear, W.E., 3=873  
 Lanz, L. On the energy conservation for the motion of a radiating electron with particular reference to the hyperbolic motion, 2=7808  
 Lanz, L. and Prosperi, G.M. Asymptotic behaviour of a function expressed through a dispersion integral, 4=25041  
 Lanz, S., Lochte-Holtgreven, W. and Traving, G. Spectroscopic investigation of a plasma jet in helium at atmospheric pressure, 4=5618  
 Lanza, C. Measurement of tunnel diode capacitance VS. voltage by switching techniques, 4=30639  
 Lanza, C. See Cheroif, G., 4=3213  
 Lanza, C. See Konnerth, K., 4=19305  
 Lanzafame, F.M. See Blann, M., 4=9574  
 Lanzel, E. See Balcarczyk, L., 2=20718  
 Lanzel, E. See Balcarczyk, L., 4=4755  
 Lanzel, E. See Balcarczyk, L., 4=4756  
 Lanzel, E. See Balcarczyk, L., 4=6266  
 Lanzel, E. See Balcarczyk, L., 4=29269  
 Lanzerotti, L.J. See Blumenthal, R.B., 4=9473  
 Lanzi, G., Siragusa, G. and Zanotti, L. Hyperfine structure of e.s.r. signals in phenothiazine perchlorate (semiquinone) and phenothiazine perbromide (quinone), 0=17774  
 Lanzi, G., Siragusa, G. and Zanotti, L. Preliminary results on two new free radicals in solution, 1=15905  
 Lanzi, G. See Bonera, G., 0=1226  
 Lanzi, G. See Bonera, G., 0=16718  
 Lanzi, G. See Bonera, G., 1=6560  
 Lanzi, G. See Bonera, G., 1=12900



- Lanzl, F. Calculation of the surface of nuclear matter by means of special single-particle wave functions, 2=20493
- La Padula, A.R. See Bartholomew, C.Y., 0=9003
- La Padula, A.R. See Bartholomew, C.Y., 2=5323
- La Padula, A.R. See Bartholomew, C.Y., 4=27581
- La Paglia, S.R. On the near ultraviolet absorption bands of nitric oxide solutions, 2=19561
- La Paglia, S.R. Theory of Rydberg series in polyatomic molecules:  $H_2O$ , 4=28217
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectrum of phosgene, 1=3548
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectrum and dipole moment of nitrogen trifluoride, 1=6024
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectra of hexafluoroacetone and hexachloroacetone, 1=8846
- Lapasset, J. See Falgueirettes, J., 4=20754
- LaPaz, L. Magnetic damping of rotation of the Vanguard I satellite, 0=4910
- LaPaz, L. On the magnetic damping of rotation of artificial satellites of the earth, 1=2670
- LaPelle, R.R. Education in vacuum: a practical industrial approach, 4=18255
- Laperashvili, L.V. and Matinyan, S.G. Single-meson contribution to the photoproduction of  $\pi^-$ -mesons on protons, 1=19234
- Laperashvili, L.V. and Matinyan, S.G. Single-meson contribution to the photoproduction of  $\pi^-$ -mesons on protons, 2=22564
- Lapeyre, R. Numerical integration of the equation of motion of a particle in an electromagnetic field, 1=4645
- Lapeyre, R. Study of errors in the numerical integration of paraxial trajectories in electron optics for rotationally symmetric systems, 1=16407
- Lapeyre, R. Contribution to the study of the error in the numerical integration of paraxial trajectories in electron optics for systems of revolution, 2=3084
- Lapeyre, R. Majoration of the error in numerical integration of paraxial trajectories in the electron optics of systems of revolution by the Runge-Kutta method, 2=5382
- Lapeyre, R. Numerical determination of the axis-intersection points of magnetic axisymmetrical systems in electron optics, 2=22265
- Lapeyre, R. and Laudet, M. Numerical integration of the paraxial ray equation in electron optics, 0=19742
- Lapeyre, R. and Laudet, M. Numerical integration of marginal rays in electron optics, 1=1914
- Lapeyre, R. and Laudet, M. A method of numerical integration of marginal trajectories in electron optics, 1=4644
- Lapeyre, R. and Laudet, M. Investigation of the error due to imprecision in the data in the numerical integration of paraxial trajectories in electron optics, 2=3085
- Lapeyre, R. and Laudet, M. Choice of step in the numerical integration of trajectories in the electron optics of systems of revolution, 2=13597
- Lapicque, G. See Blaquière, A., 2=1945
- Lapidus, A. See Rotenberg, A., 0=15615
- Lapidus, I.R. and Pietenpol, J.L. Classical interaction of an electric charge with a magnetic monopole, 0=29
- Lapidus, L.I. On the problem of testing the invariance of an interaction under time reversal, 0=2488
- Lapidus, L.I. Threshold singularities in exchange pion-nucleon scattering, 3=2316
- Lapidus, L.I. Scattering of gamma-quanta and polarizability of nuclei and nucleons, 3=15170
- Lapidus, L.I. Effect of inelastic processes on the scattering of electrons by positrons and electrons, 3=24697
- Lapidus, L.I. On the interpretation of an experiment with high-energy neutrinos, 4=880
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-chao] Scattering of gamma quanta by nucleons near the meson production threshold, 0=5533
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-chao]. Dispersion relations for scattering of  $\gamma$ -quanta on nucleons, 0=7319
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. The problem of investigating the interaction between  $\pi$ -mesons and hyperons, 0=9394
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. Dispersion relations and the analysis of the cross-section dependence near the thresholds of new reactions, 0=20077
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. Inelastic interactions in the final state and near-threshold peculiarities, 1=2025
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-chao]. The low energy limit of the  $\gamma$ -N scattering amplitude and crossing symmetry, 1=16734
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. The elastic scattering of  $\gamma$ -rays by deuterons below the pion-production threshold, 1=19289
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. Elastic scattering of gamma quanta by nuclei, 1=19435
- Lipidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The role of the single-meson pole diagram in scattering of  $\gamma$ -quanta by protons, 2=271
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The  $K + N \rightarrow \Lambda (\Sigma) + \gamma$  process, 2=318
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. On scattering of  $\gamma$ -quanta by nucleons, 2=3300
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The role of the single-meson pole diagram in scattering  $\gamma$ -quanta by protons, 2=22468
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The low energy limit of the  $\gamma$ -N scattering amplitude and crossing symmetry, 2=22470
- Lapidus, L.I. and Chzhou Guan-'chzhao [Chou Kuang-chao]. The  $K + N \rightarrow \Lambda (\Sigma) + \gamma$  process, 3=607
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. On scattering of  $\gamma$ -quanta by nucleons, 3=2240
- Lapidus, M.E. See Tolstoi, N.A., 3=20510
- Lapin, A.D. The scattering of sound waves in irregular waveguides, 0=133
- Lapin, A.D. Sound propagation in a waveguide having [one or two] rectangular grooves in the walls, 1=16017
- Lapin, A.D. Propagation of sound in a waveguide having side branch resonators, 2=2820
- Lapin, A.D. Sound propagation in a waveguide with side branches and volume resonators in the walls, 2=5106
- Lapin, A.D. Influence of motion of the medium on the propagation of sound in a waveguide with volume resonators in the walls, 2=15686
- Lapin, A.D. Reflection of normal modes at the closed end of a waveguide, 3=14266
- Lapin, A.D. Note on the scattering of a plane wave on a periodically uneven surface, 3=16711
- Lapin, A.D. Note on the reflection of normal waves from the closed end of a waveguide, 3=19449
- Lapin, A.D. The scattering of a plane wave at a serrated surface, 4=284
- Lapin, A.D. Reflection of normal modes from the tapered end of a rectangular waveguide, 4=2790
- Lapin, V.I. and Shats, S.Ya. A generator of nanosecond pulses of rectangular shape, 2=22145
- Lapin, Yu.V. Friction and heat exchange in a compressible turbulent boundary layer at the surface of a plate with matter being injected, 0=19181
- Lapin, Yu.V. Friction and heat exchange in a compressible turbulent boundary layer at [the surface of] a plate with matter being injected, 1=4368
- Lapin, Yu.V. Friction and heat exchange in compressible turbulent boundary layers during a chemical reaction due to admission of a different substance, 1=4369
- Lapin, Yu.V. Mass and heat transfer in turbulent compressible flow with the addition of foreign material, 2=19741
- Lapin, Yu.V. The turbulent boundary layer in a dissociating gas, 3=3819
- Lapin, Yu.V. Turbulent heat and mass transfer on a plate by sublimation and porous feeding of different gases, 4=21333
- Lapina, A.V. See Adrianova, I.I., 1=2879
- Lapina, M.I. and Strakhov, V.N. New methods of computing elements of the magnetic field in the upper halfspace according to an assigned (on surface) distribution of vertical component, 2=21675
- Lapina, M.I. and Strakhov, V.N. A new method for calculating vertical derivatives of potential fields in an upper half-space, 4=645
- Lapinski, N.P. See Beyer, N.S., 2=5427
- Lapinski, W.L. See Kaufman, S., 1=11804
- Lapir, E.S. See Gorbacheva, N.A., 2=14713
- Lapir, G.M. See Berkovich, S.Ya., 3=24140
- Lapitskii, A.V. See Gélétseanu, I., 4=22370
- Lapitskii, Yu.Ya. and Slivkov, I.N. A device for controlling the beam at the output of an accelerator, 4=16568
- Lapitskii, Yu.Ya. See Malyshev, I.F., 4=14800
- Lapitskii, Yu.Ya. See Vladimirovskii, V.V., 4=14840
- Lapitskii, Yu.Ya. See Vladimirovskii, V.V., 4=16600
- Lapkin, N.I., Bukhvostova, N.G. and Falaleev, G.A. The effect of heat treatment on magnetic properties of nickel-zinc ferrites, 1=6359
- Lapkin, N.I. See Falaleev, G.A., 2=23674



- Lapkin, N.I. See Krasnoperov, G.V., 1=6270
- La Placa, S., Noonan, D. and Post, B. Ytterbium and terbium dodecaborides, 4=7649
- Laplaca, S. and Post, B. Thermal expansion of ice, 1=17426
- La Placa, S. and Post, B. The crystal structure of rhenium diboride, 2=10881
- Laplaca, S. See Talley, C.P., 0=10310
- Lapluye, G. and Abello, L. Preparation and structural study of the thiospinels  $\text{Fe}_x\text{Cd}_{1-x}\text{Cr}_2\text{S}_4$ , 4=29115
- Lapluye, G., Morinet, G. and Palla, P. The properties of barium titanates of nearly stoichiometric composition, 0=4381
- Lapluye, G., Morinet, G. and Palla, P. Effects on the properties of a barium titanate of adding metallic oxides, 0=6156
- Lapluye, G., Morinet, G. and Palla, P. The effect of the addition of  $\text{Fe}_2\text{O}_3$ ,  $\text{V}_2\text{O}_5$  and  $\text{SnO}_2$  on the dielectric properties of ceramic barium titanate, 0=7982
- La Pointe, M. See Gaebler, J., 2=12073
- Lapointe, S.M. and Rose, D.C. The effective directional sensitivity of cosmic-ray neutron monitors, 1=8529
- Lapointe, S.M. and Rose, D.C. A statistical analysis of the barometer coefficients for cosmic-ray intensities, 2=16270
- Lapointe, S.M. See Rose, D.C., 1=3371
- Laponsky, A.B. Electron ejection from tantalum by singly ionized helium, 3=21862
- Laponsky, A.B. and Whetten, N.R. Dependence of secondary electron emission on crystal orientation, 0=1154
- Laponsky, A.B. and Whetten, N.R. Dependence of secondary electron emission from MgO single crystals on angle of incidence, 0=19730
- Laporte, M. and Godart, J. Comparison of the starting levels in a microwave switching tube operating with cold electrodes or with a hot cathode, 3=7490
- Laporte, O. and Wilkerson, T.D. Hydrodynamic aspects of shock tube spectroscopy, 1=170
- Laporte, O. See Tien Sun Chang, 4=29690
- Lapostolle, P. See Barbier, M., 3=5778
- Lapostolle, P. See Fer, F., 3=24399
- Lapovok, B.L. See Gendeleev, S.Sh., 4=7311
- Lapp, M. Shock-tube measurements of the f-number for the (0, 0)-band of the  $\text{OH}^2\Sigma \rightarrow \Pi$  transitions, 2=3754
- Lapp, M. Estimates of shock-tube precursor infrared excitation, 4=28160
- Lapp, M. and Harris, L.P. Influence of alkali-vapor atmospheres on pyrometrically determined temperatures: cesium and potassium, 4=5429
- Lapp, M. and Rich, J.A. Electrical conductivities of seeded flame plasmas in strong electric fields, 3=19241
- Lapp, P.A. and Kerr, H.S. Sunseeker for high-altitude infrared solar spectra, 2=9073
- Lapp, T.W. and Burr, J.G. Radiolysis of binary mixtures of cyclohexane and cyclohexane- $\text{d}_{12}$  with benzene and benzene- $\text{d}_6$ , 4=23677
- Lappe, F. The energy of electron-positron pair formation by X-rays in  $\text{PbO}$ , 2=2066
- Lappe, F. Some physical properties of sputtered  $\text{PbO}_2$  films, 3=2919
- Lappe, U.O. and Davidson, B. On the range of validity of Taylor's hypothesis and the Kolmogoroff spectral law, 4=10707
- Lapsley, A.C. Precipitator monitor detects fuel failures, 1=13904
- Lapson, L. See Goldie, H., 4=27538
- Lapte, D.A. and Cherkashin, V.S. Effect of ultrasonic vibration and alternating magnetic fields on the domain structure of silicon steel, 3=11069
- Lapte, D.A. Kirenskii, L.V., 1=10148
- Lapte, D.A. See Vlasov, A.Ya., 3=11953
- Lapteva, F.S. See Ershler, V., 0=5812
- Laptii, C.V. See Skubenko, A.F., 2=18786
- Laputina, I.P. See Narbutt, K.I., 3=23558
- Lapworth, K.C. Stark broadening of the spectrum line 4603 Å of lithium, 2=1960
- Lapworth, K.C. See Pusey, P.S., 3=21752
- Laquer, H.L. An electrical flux pump for powering superconducting magnet coils, 3=14463
- Larach, S. and Shrader, E. Electroluminescence of polycrystallites, 0=2969
- Larach, S. See Goldsmith, G.J., 3=25496
- Laranjeira, M.F. An elementary theory of thermal and pressure diffusion in gaseous binary and complex mixtures. I. General theory, 1=6891
- Laranjeira, M.F. An elementary theory of thermal and pressure diffusion in gaseous binary and complex mixtures. II. Binary mixtures with experimental comparison, 1=6892
- Laranjeira, M.F. and Kistemaker, J. Experimental and theoretical thermal diffusion factors in gaseous mixtures. III. Ternary mixtures, 1=6893
- Laranjeira, M.F. See de Vries, A.E., 0=14690
- Larbre, J. and Pons, L. On the phenomenon of the reduction of wear produced by compounds with polar groups, 2=19019
- Larcher, G. See Thureau, P., 2=7436
- Lardinois, J. Nuclear shape effect on isomeric shift, 0=7721
- Lardinois, J. Nuclear shape effect on isomeric shift [in  $\text{In}^{115}$  III and  $\text{Hg}^{197}$ ], 1=13691
- Lardinois, J. See Demeur, M., 0=17630
- Lardner, R.W. Unitarity and the Mandelstam representation, 1=5678
- Lardner, R.W. Unitarity and the Mandelstam representation. II, 1=13336
- Lardner, R.W. Analytically of the general unitarity term, 2=7824
- Lardner, R.W. The general unitarity term, 2=13719
- Lardner, R.W. Complex Yukawa potentials, 3=4339
- Lardner, R.W. Scattering in two dimensions, 3=19563
- Lardner, R.W. The general solution of the low equation for  $K\Lambda$ -scattering, 4=953
- Lardner, R.W. See Ching-Kung Woo, 3=17170
- Lardner, R.W. See Fowler, M., 0=20080
- Larenz, R.W. On the mean free path in plasma, 1=9539
- Larenz, R.W. Nyquist formula, Debye length and microfield in a plasma, 3=7525
- Larenz, R.W. Self-interaction of longitudinal plasma oscillations with generation of electro-magnetic radiation. Application to the narrow-band radio bursts of the sun, 4=554
- Larenz, R.W. Divergence problem of the partition function and lowering of the ionization potential in a plasma, 4=11571
- Larenz, R.W. See Burkhardt, G., 1=2986
- Larenz, R.W. See Hunger, K., 1=16312
- Larenz, R.W. See Hunger, K., 2=2875
- Larenz, R.W. See Hunger, K., 4=518
- Large, L.N. The effect of absorbed gases on proton induced electron emission from titanium, 3=4183
- Large, L.N. Secondary electron emission from a clean tungsten surface bombarded by various positive ions, 3=24346
- Large, L.N. and Whitlock, W.S. Secondary electron emission from clean metal surfaces bombarded by fast hydrogen ions, 2=3077
- Large, M.I. The radio interference produced by corona discharge, 0=252
- Large, M.I., Mathewson, D.S. and Haslam, C.G.T. A radio survey of the galactic plane at a frequency of 408 Mc/s. I. The discrete sources, 2=4854
- Large, M.I., Mathewson, D.S. and Haslam, C.G.T. A radio survey of the galactic plane at a frequency of 408 Mc/s. II. The continuum emission from the galactic disk, 2=4855
- Large, M.I. and Pierce, E.T. The dependence of point-discharge currents on wind as examined by a new experimental approach, 0=1116
- Large, M.I. See Haslam, C.G.T., 2=24166
- Large, M.I. See Haslam, C.G.T., 4=20946
- Large, M.I. See Mathewson, D.S., 0=18665
- Large, R.S. See O'Connor, L.P., 3=22110
- Larichev, A.V., Osanov, D.P. and Popov, V.I. Special occupation of the  $\gamma$ -radiation from homogeneous cylindrical sources, 2=22474
- Larichev, V.N. See Zolotarev, V.F., 0=20934
- Larikov, L.N. The determination of metal recrystallization temperatures, 1=11584
- Larikov, L.N. The mobility of atoms in metals in the region of recrystallization temperatures, 1=11585
- Larikov, L.N. Mechanism of ageing of lead alloys, 1=15151
- Larikov, L.N. and Zasyrchuk, O.E. Effect of molybdenum and tantalum admixtures on the rate of grain growth in nickel, 3=20904
- Larikov, L.N., Zasyrchuk, O.E. and Shkirov, V.S. Effect of small carbon additions on the kinetics of recovery and recrystallization of  $\alpha$ -iron, 3=23484
- Larikov, L.N. See Danilenko, V.M., 1=2359
- Larikov, L.N. See Dubovits'ka, N.V., 3=20794
- Larikov, L.N. See Gertsriken, S.D., 1=978
- Larikov, L.N. See Hertzriken, S.D., 2=8733
- Larikov, L.N. See Zasyrchuk, O.E., 2=19100
- Larikov, L.N. See Zasyrchuk, Ye.E., 2=8855
- Larin, L.A. See Burshtein, R.Kh., 0=9059
- Larin, L.A. See Burshtein, R.Kh., 0=10368
- Larin, L.A. See Burshtein, R.Kh., 0=16395
- Larin, L.A. See Burshtein, R.Kh., 4=20795
- Larin, V.L. See Perkal'skis, B.S., 4=8449



- Larionov, B.A. See Glukhikh, V.A., 1=4617  
 Larionov, B.A. See Glukhikh, V.A., 1=5477  
 Larionov, B.A. See Glukhikh, V.A., 1=9258  
 Larionov, B.A. See Glukhikh, V.A., 1=9603  
 Larionov, I.M. See Bronnikova, E.G., 2=17946  
 Larionov, M.M. Investigation of noise radiation by a hot plasma in the centimetre and millimetre wavelength range, 4=8702  
 Larionov, M.M. See Galaktionov, B.V., 4=29955  
 Larionov, O.V. See Bashilov, A.A., 2=16413  
 Larionov, O.V. See Berlovich, E.E., 0=9586  
 Larionov, O.V. See Berlovich, E.E., 2=18258  
 Larionov, O.V. See Grigor'ev, E.P., 2=14012  
 Larionov, O.V. See Grigor'ev, E.P., 2=14065  
 Larionova, V.G. See Adamovich, M.I., 0=13046  
 Larionova, V.G. See Adamovich, M.I., 2=5713  
 Larionova, V.G. See Adamovich, M.I., 3=4428  
 Larish, E. A possible non-stationary thermonuclear reactor, 1=10728  
 Larisse, J. and Braffort, P. Stochastic differential equations governing neutron density evolution in a multiplying medium, 2=3655  
 Lark, N. See Stephens, F.S., 4=17011  
 Lark, N.L., Goudsmit, P.F.A., Jansen, J.F.W., Oberski, J.E.J. and Wapstra, A.H. Excited states of  $\text{Ag}^{107}$ , 2=16330  
 Lark, N.L. and Perlman, M.L. K-electron excitation accompanying K capture in  $\text{Cs}^{131}$ , 0=17539  
 Lark, N.L. See Schaeffer, O.A., 1=13681  
 Larkin, A.I. Passage of particles through a plasma, 0=10906  
 Larkin, A.I. Thermodynamic functions of a low-temperature plasma, 1=4590  
 Larkin, A.I. Solution of the Bethe-Salpeter equation for the Fermi-Yang model [of a nucleon and an antinucleon], 3=17260  
 Larkin, A.I. Effect of collective excitations on the electro-dynamics of superconductors, 4=27415  
 Larkin, A.I. and Migdal, A.B. Theory of a superconducting Fermi fluid. Application to the nucleus, 3=23795  
 Larkin, A.I. See Baz', A.I., 2=22589  
 Larkin, A.I. See Baz', A.I., 3=2320  
 Larkin, A.I. See Baz', A.I., 3=7912  
 Larkin, A.I. See Gurevich, V.L., 2=11552  
 Larkin, A.I. See Gurevich, V.L., 2=13502  
 Larkin, A.I. See Migdal, A.B., 4=6196  
 Larkin, A.I. See Migdal, A.B., 4=15121  
 Larkin, A.I. See Vaks, V.G., 1=13316  
 Larkin, A.I. See Vaks, V.G., 1=19107  
 Larkin, A.I. See Vaks, V.G., 2=2952  
 Larkin, A.I. See Vaks, V.G., 2=15498  
 Larkin, A.I. See Vaks, V.G., 3=1897  
 Larkin, A.I. See Vaks, V.G., 3=4330  
 Larkin, A.I. See Vaks, V.G., 3=5383  
 Larkin, A.I. See Vaks, V.G., 4=3349  
 Larkin, A.I. See Vaks, V.G., 4=5970  
 Larkin, A.I. See Vedenov, A.A., 0=10895  
 Larkin, B.K. See Bailey, H.R., 0=14106  
 Larkin, D.M. and Gordy, W. Stark effect and dipole moment of methyl fluoride, 3=17601  
 Larkin, F.S. and Thrush, B.A. Heterogeneous recombination of free atoms, 3=8224  
 Larmore, L. Infrared photography, 0=8812  
 Larmore, L. Range equation for passive-infrared devices, 0=8842  
 Larmore, L. A note on the teaching of gyroscopic precession, 4=27007  
 Larner, K. See Eckhardt, D., 4=13771  
 LaRocca, A.J. and Zissis, G.J. Spurious resolution in infrared scanners, 2=7458  
 Laroia, K.K. A new ferrite of magnetoplumbite structure, 4=7292  
 Laroia, K.K. and Sinha, A.P.B. Silver lanthanum ferrite - A new ferromagnetic material, 4=1844  
 Laroia, K.K. and Sinha, A.P.B. Effect of impurities on magnetic properties of hard ferrites, 4=20554  
 Larrabee, J.C. See Huffman, R.E., 2=16473  
 Larrabee, J.C. See Huffman, R.E., 3=7462  
 Larrabee, J.C. See Huffman, R.E., 3=14220  
 Larrabee, J.C. See Huffman, R.E., 3=16782  
 Larrabee, J.C. See Huffman, R.E., 3=23934  
 Larrabee, J.C. See Huffman, R.E., 3=25056  
 Larrabee, J.C. See Huffman, R.E., 3=25101  
 Larrabee, J.C. See Huffman, R.E., 4=9723  
 Larrabee, J.C. See Huffman, R.E., 4=11345  
 Larrabee, J.C. See Huffman, R.E., 4=20038  
 Larrabee, J.C. See Tanaka, Y., 3=7246  
 Larrabee, J.F. See de Pagter, J.K., 4=25371  
 Larrabee, R.D. High-field effect in boron-doped silicon, 0=1655  
 Larrabee, R.D. Current-voltage characteristics of forward biased long p-i-n structures, 1=1037  
 Larrabee, R.D. Majority carrier magnetosurface effect, 1=14405  
 Larrabee, R.D. Conditions existing at the onset of oscillator action, 3=10758  
 Larrabee, R.D. and Steele, M.C. The oscillator - new type of semiconductor oscillator, 0=18057  
 Larrabee, R.D. and Steele, M.C. Magneto-surface properties of an electron-hole plasma in semiconductors, 2=23282  
 Larrimore, J.A. See Mason, E.A., 2=6063  
 Larroque, P. Calculation of the interference function of Debye-Scherrer diagrams produced by very small homoatomic crystals of cubic form, crystallizing in the F.C.C. system, 1=2533  
 Larroque, P. The observation of antiphase domains in alloys, 4=7472  
 Larroque, P. and Baylac, P. Electron diffraction in the study of superficial contraction of a crystalline lattice, 3=16057  
 Larroque, P. and Nguyen Quat Ti. Theoretical study of the effect on Debye-Scherrer diagrams of interchange faults in small homogeneous face-centred-cubic crystals, 1=15056  
 Larroque, P. See Lafourcade, L., 0=733  
 Larroque, P. See Lafourcade, L., 0=734  
 Larroque, P. See Le Lann, A., 3=16026  
 Larsen, A. See Ore, A., 4=19337  
 Larsen, C. See Lassen, N.O., 3=12700  
 Larsen, C. See Lassen, N.O., 4=28064  
 Larsen, D.M. Binary mixtures of dilute Bose gases with repulsive interactions at low temperature, 4=5098  
 Larsen, D.M. Polarons in an electric field, 4=9922  
 Larsen, D.M. Energy levels of polarons in a magnetic field, 4=25912  
 Larsen, D.W. and Wahl, A.C. Nuclear magnetic resonance contact shifts and electron transfer rates for methyl-substituted Tris (1, 10-phenanthroline) iron (II) and (III) ions, 4=30478  
 Larsen, N.T. Low-level low-frequency detection system, 3=3980  
 Larsen, N.T. See Case, W.E., 3=24172  
 Larsen, R. See Bacastow, R., 3=17307  
 Larsen, R.E., Dienes, G. J. and Damask, A. C. Flux dependence of neutron enhanced diffusion in  $\alpha$ -brass, 4=28479  
 Larsen, R.N. See Porges, K. G. A., 4=30322  
 Larsen, R.N. See Whalen, J. F., 4=19321  
 Larsen, R.R. Neutron-proton scattering and the determination of the pion-nucleon coupling constant, 1=7247  
 Larsen, R.R. See Altenmueller, O.H., 4=14775  
 Larsen, S.H.H. On the scattering of ultraviolet solar radiation in the atmosphere with the ozone absorption considered, 0=18518  
 Larsen, S.H.H. Measurements of atmospheric ozone at Spitzbergen (78° N) and Tromsø (70° N) during the winter season, 0=18527  
 Larsen, S.H.H. Interferometric measurements of the 5200/02 Å [NI]-doublet in the aurora, 3=9105  
 Larsen, S.Y. Quantum-mechanical calculation of the third virial coefficient of  $\text{He}^4$ , 3=14206  
 Larsen, S.Y. See Blatt, J.M., 3=25109  
 Larsen, T. The E-field and H-field losses around antennas with a radial ground wire system, 2=16039  
 Larsen, T. Numerical investigation of the equivalent impedance of a wire grid parallel to the interface between two media, 2=16057  
 Larsen, T. A survey of the theory of wire grids, 2=17959  
 Larsen, T. See Hansen, J., 2=16040  
 Larsen, T. L. The effect of Cu impurities on infrared electroluminescence in GaAs p-n junctions, 4=7184  
 Larsen, W.L. See Kirkpatrick, M.E., 2=21528  
 Larsen, W.L. See McMasters, O.D., 3=8896  
 Larsh, A. See Perlman, I., 2=18268  
 Larsh, A.E., Gordon, G.E. and Sikkeland, T. Use of silicon p-n junction detectors in studies of nuclear reactions induced by heavy ions, 0=20508  
 Larsh, A.E. See Ghiorso, A., 1=13700  
 Larsh, A.E. See Gordon, G.E., 0=13306  
 Larsh, A.E. See Gordon, G.E., 0=20516  
 Larsh, A.E. See Sikkeland, T., 1=13870  
 Larson, A.C. and Cromer, D.T. The crystal structure of  $\text{Ce}_{24}\text{Co}_{11}$ , 3=8844



- Larson, A. C., Cromer, D. T. and Roof, R. B., Jr. The crystal structure of  $\text{Pu}_2\text{Co}$ , 4=4620
- Larson, A. C., Roof, R. B., Jr and Cromer, D. T. The crystal structure of  $\text{UF}_6$ , 4=23495
- Larson, A.C. See Boyd, R.G., 3=8194
- Larson, A.C. See Cromer, D.T., 0=4638
- Larson, A.C. See Cromer, D.T., 1=20544
- Larson, A.C. See Cromer, D. T., 4=13608
- Larson, A.C. See Cromer, D. T., 4=26628
- Larson, A. C. See Cromer, D. T., 4=26669
- Larson, A. C. See McDonald, R. R., 4=29138
- Larson, A. C. See Roof, R. B., Jr, 4=23498
- Larson, C.L. Heat transfer in a cross flow nuclear reactor, 0=13357
- Larson, D. See Gardner, J.H., 3=24492
- Larson, D.A. See Walsh, P.J., 3=21749
- Larson, D. C. and Chalmers, B. Recrystallization of single crystals of aluminum, 4=23325
- Larson, E.A. See Griffiths, G.M., 2=9848
- Larson, E.G., Arnott, R.J. and Wickham, D.G. Preparation, semi-conduction and low-temperature magnetization of the system  $\text{Ni}_{1-x}\text{Mn}_{1+x}\text{O}_4$ , 3=13078
- Larson, F.R. See Nunes, J., 3=6789
- Larson, F.R. See Nunes, J., 4=13418
- Larson, G. S. See Carnevale, E. H., 4=30745
- Larson, H.V. and Myers, I.T. Precision capacitor divider method for measuring high voltages, 0=2295
- Larson, H.V., Myers, I.T. and Le Blanc, W.H. Method of linearizing thermistor thermometer data in calorimetry, 1=16168
- Larson, H.V. See Myers, I.T., 2=3109
- Larson, J. D. and Spear, R. H. Gamma radiation from the alpha particle bombardment of  $\text{C}^{12}$ , 4=30356
- Larson, J.D. See Spear, R.H., 3=10390
- Larson, J.G. See Kuppermann, A., 1=1469
- Larson, O.W. See Reynolds, D.C., 1=17912
- Larson, R. B. and Demarque, P. R. An application of Henyey's approach to the integration of the equations of stellar structure, 4=29369
- Larssen, P. See Weinberg, I., 2=2298
- Larsson, B. See Eriksson, K. E., 4=9234
- Larsson, E. See Rundqvist, S., 0=18347
- Larsson, E.I. See McCall, R.C., 2=7783
- Larsson, K. A set of crystallographic programmes for the Saab D21 computer. 4. Fourier synthesis with location of maxima in the Fourier space, 4=30831
- Larsson, K.E. Present status of neutron source calibrations, 0=7382
- Larsson, K.E. and Dahlborg, U. Some vibrational properties of solid and liquid  $\text{H}_2\text{O}$  and  $\text{D}_2\text{O}$  derived from differential cross-section measurements, 2=10321
- Larsson, K. E. and Dahlborg, U. Proton motion in some hydrogenous liquids studied by cold neutron scattering, 4=27165
- Larsson, K.E., Dahlborg, U. and Holmryd, S. A study of some temperature effects on the phonons in aluminium by use of cold neutrons, 1=4966
- Larsson, K.E., Dahlborg, U., Holmryd, S., Otnes, K. and Stedman, R. The slow chopper and time of flight spectrometer in theory and experiment, 0=7387
- Larsson, K.E. and Otnes, K. A study of the temperature dependence of the elementary excitations in helium II by the use of cold neutrons, 0=7021
- Larsson, K.E. and Otnes, K. A study of the excitations in liquid helium by use of slow neutrons, 0=8918
- Larsson, K.E. and Singwi, K.S. Cold neutron scattering and diffusive motions in hydrogen bonded liquids, 3=5428
- Larsson, K.E., Stedman, R. and Palevsky, H. Slow-neutron spectrum measurements from the Swedish heavy-water reactor, R1, 0=7654
- Larsson, K.E. See Holmryd, S., 2=5691
- Larsson, K. E. See Kroo, N., 4=27171
- Larsson, L.E. See Borelius, G., 2=2409
- Larsson, L.E. See Borelius, G., 2=10915
- Larsson, T. and Neuhaus, H. On the band spectrum of  $\text{TiH}$ , 3=8270
- Larsson, T. and Neuhaus, H. Magnetic effects in the spectrum of indium hydride and their relevance for the coupling problem, 4=30436
- La Rubia, J. De. See De La Rubia, J.
- La Rue, R. E. De. See De La Rue, R. E.
- La Russa, J. See Shenker, M., 2=17596
- Lary, E. C., Meyerand, R. G., Jr. and Salz, F. Fluctuations in a gyro-dominated plasma, 4=19034
- Lary, E.C. See Meyerand, R.G., Jr., 3=4120
- Lary, E.C. See Olson, R.A., 3=5677
- Lary, E.C. See Salz, F., 1=13088
- Lar'kov, L.N. See Hertsriken, S.D., 3=20885
- Larzillière, H. See Eschenbrenner, S., 1=1582
- Las, R.A. See Stearns, C.A., 0=6306
- LaSalle, R. A., Cramer, J. G., Jr. and Eidson, W. W. Correlation studies of the  $\alpha$ -particle breakup of the 9.6 MeV  $3^-$  state in  $\text{C}^{12}$  induced by  $(\alpha, \alpha')$  scattering, 4=3562
- Lasch, J.E. See Schmitt, R.A., 0=14402
- Lascombe, J., Le Calvé, J. and Forel, M. T. Valence vibrations,  $\nu(\text{CH})$ , of addition compounds of boron trifluoride with dimethyl and diethyl ether, 4=25695
- Lascombe, J., van Huong, P. and Josien, M.L. Vibrational-rotational structure in the spectra of some simple molecules in solution, 0=4199
- Lascombe, J. See Saumagne, P., 1=18413
- Lasek, A. and Collins, R. On the functioning of a plasma "gun", 3=9808
- Lasek, A. See Cloupeau, M., 2=7245
- Lašek, J. Resistometric confirmation of the existence of a metastable miscibility gap in Al-Ag alloys, 4=7474
- Lašek, J. Resistometric investigation on the coherent phase equilibrium in the miscibility gap of Al-Zn alloys, 4=26544
- Lashas, A. V. Static 50 to 300 cycle frequency converter, 4=14557
- Lasheen, M.A. The magnetic susceptibilities and the paramagnetic relaxation of a  $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$  single crystal, 0=10230
- Lasheen, M. A. Diamagnetic anisotropy of some organic molecules, 4=28774
- Lasheen, M.A., van den Broek, J. and Gorter, C.J. The magnetic susceptibility and relaxation of a  $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$  single crystals in the paramagnetic and antiferromagnetic states, 0=10095
- Lasher, D.R. and Redhead, D.L. High-current operation of RCA type 2059 photomultiplier tubes, 3=9840
- Lasher, G. and Stern, F. Spontaneous and stimulated recombination radiation in semiconductors, 4=6777
- Lasher, G. See Nathan, M.I., 3=7735
- Lasher, G. J. Threshold relations and diffraction loss for injection lasers, 4=3225
- Lasher, G. J. Analysis of a proposed bistable injection laser, 4=30082
- Lasher, G.J. and Nethercot, A.H., Jr. Theory of optical frequency mixing in bulk photoconductors, 3=20397
- Lasher, G.J. See Smith, W.V., 0=1832
- Lasher, G.J. See Sorokin, P.P., 0=10224
- Lashinsky, H. Universal instability in a fully ionized inhomogeneous plasma, 4=14722
- Lashkarev, V.E. The kinetics of the "quasi-monopolar" photoconductivity in semiconductors, 2=10525
- Lashkarev, V. E. Effect of an additional fast recombination centre on the phenomenological photocurrent yield, 4=1673
- Lashkarev, V.E., Bondarenko, R.N., Dobrovolski, V.N., Zubrin, G.P., Litovchenko, V.G. and Strikha, V.I. Electrical and recombination properties of germanium with beryllium impurity, 0=15927
- Lashkarev, V. E., Gol'ynnaya, G. I. and Sheinkman, M. K. A fast recombination mechanism at the surface of CdS single crystals, 4=26144
- Lashkarev, V.E., Miselyuk, E.G. and Glinchuk, K.D. The effect of annealing on the state of some impurities in germanium, 0=15863
- Lashkarev, V.E., Sal'kov, E.A. and Sheinkman, M.K. Investigation of photoactivation of the photo-current yield in CdS mono-crystals, 2=10526
- Lashkar'ov, V. Ye., Bondarenko, R.M., Dobrovolskiy, V.M., Zurin, H.P., Litovchenko, V.G. and Strikha, V.I. Properties of germanium with a beryllium addition, 1=14453
- Lashko, A.S. See Romanova, A.V., 3=21308
- Lashko, N.F. A ternary phase of the alpha-manganese structural type in alloys of the Fe-Ni-Cr-Ti system, 3=3314
- Lashko, N. F. See Gusev, E. V., 4=28537
- Lashko, O.S. and Romanova, O.V. The structure of some metallic liquid alloys, 1=12861
- Lashuk, A.I. See Androsenko, A.L., 0=2682
- Lashuk, A.I. See Androsenko, A.L., 2=1898
- Lashuk, A.I. See Broder, D.L., 2=8045
- Lashuk, A. I. See Kardashev, D. A., 4=1018
- Lasic, V. See Belic, A., 4=21580
- Lasich, W.B. See K<sup>-</sup> collaboration, 0=1308
- Lasich, W.B. See K<sup>-</sup> Collaboration, 0=15430



- Lasich, W.B. A simple finder attachment to a microscope. Useful in the examination of grid-backed nuclear emulsion plates, or glass slides, 0=15209
- Lasich, W.B. See Burton, C.H., 4=239
- Lasich, W.B. See Burton, C.H., 4=20089
- Lasich, W.B. See Evans, D., 1=19267
- Lasich, W.B. See Jones, B.D., 1=8500
- Lasinio, G.J. See De Tollis, B., 1=5887
- Lasitter, H.A. See Eldred, R.A., 4=30055
- Laskar, A. A study of diffusion through dislocations, 2=14457
- Laskar, A. See Tucker, R., 3=10687
- Laskar, A. See Tucker, R., 3=22817
- Laskar, A.K. See Ghosh, S.K., 4=22541
- Laskar, A.L. On the determination of activation energy of diffusion through dislocations, 3=2827
- Laskar, A.L. and Pande, K.C. Colour change in alloys under plastic deformation, 4=1719
- Laskar, A.L. and Roy, C.L. On the electronic energy states of edge dislocations, 4=12753
- Laskar, A.L. See Ghosh, S.K., 3=25238
- Laskar, W. Few-nucleon reactions with central forces, 2=1859
- Laskar, W. Few-nucleon reactions with central forces, 2=9933
- Laskar, W., Tate, C., Pardoe, B. and Burke, P.G. Two channel five nucleon reactions with central forces, 1=9739
- Laskar, W. See Alexandra, G., 2=3411
- Laskar, W. See Burke, P.G., 1=3171
- Laskar, W. See Wolf, S.E., 1=16890
- Laškarev, V.E. A study on the mechanisms of photoconductivity in semiconductors, 2=23460
- Lasker, B.M. Wet adiabatic model atmospheres for Jupiter, 4=4885
- Lasker, W. See Amblard, B., 4=21770
- Laski, W.R. and Tice, W.K. Determination of the surface population of copper oxide whiskers by electron microscopy techniques, 3=13581
- Lasko, K.I. Combination of beta-spectrometer and controlled cloud chamber for investigating upper limits of beta-spectra, 4=16878
- Lasko, W.R. and Tice, W.K. An electron optical study of the effect of temperature and environment on the growth of oxide whiskers on cold-rolled and annealed copper, 2=10803
- Lasko, W.R. and Tice, W.K. Electron microscope investigation of extinction line contours in copper oxide whiskers, 2=14960
- Lasko, W.R., Tice, W.K. and Thayer, M.M. Oxide whisker formations on copper, 3=18280
- Laslett, L.J. Field of a linear electrostatic multipole, 0=5250
- Laslett, L.J., Neil, V.K. and Sessler, A.M. Coherent electromagnetic effects in high current particle accelerators. III. Electromagnetic coupling instabilities in a coasting beam, 1=8366
- Laslett, L.J. and Sessler, A.M. Coupling resonances in spiral-sector accelerators, 2=1542
- Laslett, L.J. and Zaffarano, D.J. Photonuclear conference at Karlsruhe, 1=13765
- Laslett, L.J. See Daniel, H., 0=19759
- Laslett, L.J. See Daniel, H., 2=3317
- Laslett, L.J. See Hammer, C.L., 1=4681
- Laslett, L.J. See Kerst, D.W., 0=19837
- Laslett, L.J. See Neil, V.K., 1=8365
- Lasry, J. See Faugeras, P.E., 4=21548
- Lass, H. Accelerating frame of reference and the clock paradox, 3=9334
- Lassen, K. Existence of an inner auroral zone, 0=4809
- Lassen, K. Diurnal variation of high-latitude auroral frequency on magnetically quiet and disturbed days, 2=2512
- Lassen, L. A simple generator for the production of monodisperse aerosols in the dimensional range 0.15 - 0.7  $\mu$  (particle radius), 0=10364
- Lassen, L. The attachment of the decay products of radon and thoron to electrically charged aerosol particles, 1=15247
- Lassen, L. and Rau, G. The deposition of radioactive atoms on aerosols, 1=628
- Lassen, L. and Weicksel, H. The attachment of radioactive atoms on aerosols (suspended chemical agents) in the size range 0.7-5  $\mu$  (radius), 1=2179
- Lassen, N.O. Angular distribution of carbon nuclei from  $\alpha$ -induced fission of neon 20, 2=14153
- Lassen, N.O. Resonances in the  $\alpha$ -induced fission of neon 20, 2=16444
- Lassen, N.O.  $\alpha$ -induced fission of neon 20, 3=2507
- Lassen, N.O. and Larsen, C. The reaction  $\text{Ca}^{40}(\alpha, p)\text{Sc}^{43}$  with  $\alpha$ -particles of maximum energy 20 MeV, 3=12700
- Lassen, N.O. and Larsen, C. ( $\alpha, p$ ) and ( $\alpha, \alpha'$ ) reactions in argon, 4=28064
- Lassen, N.O. and Olsen, J.S. The reaction  $\text{Ne}^{20}(\alpha, \text{C}^{13})\text{C}^{13}$ , 3=24975
- Lassen, N.O., Poulsen, N.O., Roy, S., Sidenius, G. and Vistisen, L. Stopping of 50 keV ions in gases, 4=24752
- Lassen, N.O. and Sidorov, V.A. ( $\alpha, p$ ) reactions in medium weight elements, 1=730
- Lassen, N.O. and Sørensen, G. Search for  $\alpha$ -induced fission of silicon 28, 3=2508
- Lassen, N.O. See Bryde, L., 2=14136
- Lassetre, E.N., Berman, A.S., Silverman, S.M. and Krasnow, M.E. Electron spectrometer for the study of inelastic electronic collision cross sections, 4=11714
- Lassetre, E.N. and Francis, S.A. Inelastic scattering of 390-V electrons by helium, hydrogen, methane, ethane, cyclohexane, ethylene, and water, 4=12394
- Lassetre, E.N. and Jones, E.A. Determination of generalized oscillator strengths for molecular hydrogen by electron impact, 4=12450
- Lassetre, E.N. and Jones, E.A. Theoretical calculation of electron collision cross sections for the  $1^1\text{S} \rightarrow 2^1\text{P}$  transition in helium, 4=12395
- Lassetre, E.N. and Krasnow, M.E. Collision cross-section study of two transitions in nitrogen, 4=12462
- Lassetre, E.N., Krasnow, M.E. and Silverman, S. Inelastic scattering of electrons by helium, 4=12396
- Lassetre, E.N. and Peek, J.M. One-electron potential function for  $\text{H}_2$ , 3=17575
- Lassetre, E.N., Silverman, S.M. and Krasnow, M.E. Electronic collision cross sections and oscillator strengths for oxygen in the Schumann-Runge region, 4=12467
- Lassetre, E.N. and Silverman, S.M. Inelastic collision cross sections of carbon monoxide, 4=12445
- Lassetre, E.N. See Peek, J.M., 1=3559
- Lassetre, E.N. See Peek, J.M., 3=17573
- Lassetre, E.N. See Peek, J.M., 3=17574
- Lassetre, E.N. See Silverman, S.M., 4=12397
- Lassetre, E.N. See Silverman, S.M., 4=20057
- Lassetre, E.N. See Skerbele, A.M., 4=12354
- Lassetre, E.N. See White, D., 0=3329
- Lassila, A. See Kelly, A., 0=21133
- Lassila, K. See Breit, G., 0=11157
- Lassila, K. See Breit, G., 1=7217
- Lassila, K.E. Interference of K-capture, gamma transitions through a virtual state, and inner Bremsstrahlung transitions, 3=19816
- Lassila, K.E. Relation of crossing and anticrossing effects in optical resonance fluorescence, 4=28106
- Lassila, K.E., Hull, M.H., Jr., Ruppel, H.M., McDonald, F.A. and Breit, G. Note on a nucleon-nucleon potential, 2=11895
- Lassila, K.E. See Breit, G., 1=499
- Lassila, K.E. See Breit, G., 1=5138
- Lassila, K.E. See Breit, G., 1=4807
- Lassila, K.E. See Breit, G., 1=19181
- Lassila, K.E. See Breit, G., 3=584
- Lassila, K.E. See Huli, M.H., 1=8461
- Lassila, K.E. See Hull, M.H., Jr., 3=585
- Lassmann, G. Cryostat system for irradiation at low temperatures, 4=11441
- Lassmann, G. and Damerau, W. E.S.R. investigations on the autoradiolysis of tritium marked amino- and dicarboxylic acids, 4=29234
- Last, G.A. See Fraser, M.C., 0=14070
- Laster, H. Galactic and extragalactic propagation of cosmic rays, 4=29352
- Laster, H., Lenck, A.M. and Singer, S.F. Forbush decreases produced by diffusive deceleration mechanism in interplanetary space, 2=22690
- Laster, H. See Singer, S.F., 2=12058
- Laster, S.J. See Gilbert, F., 2=11441
- Laster, S.J. See Gilbert, F., 2=11443
- Laster, S.J. See Gilbert, F., 3=1416
- Lastovka, J.B. and Carome, E.F. Experimental study of dispersion in ultrasonic waveguides, 3=18925
- Lastovka, J.B. See Carome, E.F., 3=14263
- László, A. Systematization of dimensionless quantities by group theory, 4=18012
- László, Z. Alternating current electro-osmosis, 0=2313
- Lataiko, P.A. See Kurdyumov, G.V., 0=728
- Latal, H. and Urban, P. Final state interactions in inelastic electron-deuteron scattering, 4=30215
- Latafa, F.G. Thermonuclear reactors, 2=10191
- Latham, D.C., Lindholm, F.A. and Hamilton, D.J. Low-frequency operation of four-terminal field-effect transistors, 4=26085



- Latham, J. The generation of electricity in thunderstorms, 2=13005
- Latham, J. Some ice electrification processes, 2=19204
- Latham, J. Electrification produced by the asymmetric rubbing of ice on ice, 3=19158
- Latham, J. The electrification of frost deposits, 3=21040
- Latham, J. Symposium on Ice Crystals and Ice Nucleation, Berkeley, California, August 1963, 4=7559
- Latham, J. The electrification of snowstorms and sandstorms, 4=10726
- Latham, J. Charge transfer associated with temperature gradients in ice, 4=20436
- Latham, J. Charge transfer associated with temperature gradients in ionic solutions, 4=21154
- Latham, J.; Hutchinson, W. C. A. The electrification of freezing water drops, 4=23768
- Latham, J. and Mason, B. J. Electric charge transfer associated with temperature gradients in ice, 1=20834
- Latham, J. and Mason, B. J. Generation of electric charge associated with the formation of soft hail in thunderclouds, 1=20835
- Latham, J. and Mason, B. J. Electrical charging of hail pellets in a polarizing electric field, 2=6912
- Latham, J. and Stow, C. D. A hygrometer for use at low temperatures, 4=23731
- Latham, J. and Stow, C. D. Electrification of snowstorms, 4=29278
- Larkins, J. See Ballinger, E. R., 3=21151
- Latham, J. See Mason, B. J., 3=6957
- Latham, R. Thermonuclear research in Great Britain, 0=1458
- Latham, R. and Nation, J. A. Report on linear pinch devices, 0=19659
- Latham, R., Nation, J. A., Curzon, F. L. and Folkierski, A. Growth of surface instabilities in a linear pinched discharge, 0=15012
- Latham, R. See Curzon, F. L., 0=19655
- Latham, R. See Folkierski, A., 3=12170
- Latham, R. See Folkierski, A., 4=11649
- Latham, R. See Folkierski, A., 4=18836
- Latham, R. V. See Burfoot, J. C., 4=7041
- Latham, V. See Jennison, R. C., 0=16530
- Lathrop, J., Lundy, R. A., Penman, S., Telegdi, V. L., Winston, R., Yovanovitch, D. D. and Bearden, A. J. Measurement of the muon mass by critical mesic X-ray absorption. II. Proportional counter spectrometry, 0=20173
- Lathrop, J., Lundy, R. A., Telegdi, V. L., Winston, R. and Yovanovitch, D. D. Measurement of the muon mass by critical mesic X-ray absorption. I. Scintillation spectrometry, 0=20172
- Lathrop, J. F., Lundy, R. A., Swanson, R. A., Telegdi, V. L. and Yovanovitch, D. D. Further experimental evidence concerning the Fermi-Teller "Z-law", 0=15375
- Lathrop, J. F. See Culligan, G., 2=5949
- Lathrop, J. L., Lundy, R. A., Tegledi, V. L. and Winston, R. X-ray yields in the K and L-series of  $\mu$ -mesonic atoms, 2=1975
- Lathrop, K. A. See Harper, P. V., 4=15971
- Latière, H. J. and Michaud, R. Discontinuous displacement of the boundaries of large crystals by prolonged annealing, 3=6809
- Latière, H. J. and Michaud, R. The structure of enlarged filamentary whiskers of copper, 4=17793
- Latière, H. J., Michaud, R. and Danoy, M. Structural rearrangement prior to the appearance of a second slip system in a deformed single crystal, 2=12858
- Latière, H. J. See Trompette, J., 0=8189
- Latimer, P. Anomalous dispersion of  $\text{CS}_2$  and  $\text{CHCl}_3$  - theoretical predictions, 1=2757
- Latimer, P. See Allen, W. B., 2=2720
- Latimer, P. See MacRae, R. A., 1=21112
- Latimer, R. See Perlman, I., 2=18268
- Latimer, R. M. See Ghiorso, A., 1=13700
- Latimer, R. M. See Thomas, T. D., 2=14141
- Latmirel, G., Franceschetti, G. and Vinciguerra, R. Analysis and synthesis of nonuniform transmission lines or stratified layers, 3=19451
- Latmirel, G., Franceschetti, G. and Vinciguerra, R. Analysis and synthesis of nonuniform transmission lines or stratified layers, 4=3155
- Latmirel, G. and Sposito, A. Radar corner reflectors for linear or circular polarization, 2=16034
- Latmirel, G. See Gerosa, G., 1=13154
- Latner, N., Graveson, R. T. and Cassidy, M. E. A variable coincidence unit HASL type TL-9, 3=24199
- Latner, N., Graveson, R. T. and Cassidy, M. E. Variable coincidence unit HASL type TL-9, 4=3256
- Latorre, V., Young, F. C. and Armstrong, J. C. A simple charged-particle detector for magnetic analyzers, 3=19508
- Latorre, V. R. See Barker, B. A., 3=21154
- Latos, E. J. See Katz, S., 0=12606
- Latour, P. L. Visual threshold during eye movements, 3=1571
- LaTourette, J. T., Jacobs, S. F. and Rabinowitz, P. Improved laser angular brightness through diffraction coupling, 4=30085
- Latourette, J. T. See Gould, G., 4=18430
- LaTourette, J. T. See Steinberg, H. A., 4=24730
- Latrémolière, C. Electromagnetic induction in general relativity, 0=16583
- Latrémolière, C. Pure radiation in the presence of electromagnetic induction, 0=18931
- Latrémolière, C. High-order equations of a gravitational field, 4=11032
- Latsh, V. V., Minaev, N. G. and Somin, B. Kh. Application of the CoK  $\alpha$  radiation in an X-ray investigation of the constitution of Ni-Zn ferrites, 0=16326
- Latsh, V. V., Minaev, N. G., Somin, B. Kh. and Stepina, N. É. Solubility of excess ferric oxide in NiZn ferrites, 0=21232
- Latsh, V. V., Minaev, N. G., Somin, B. Kh. and Stepina, N. É. Solubility of excess ferric oxide in NiZn ferrites, 1=6487
- Lats'ko, E. M. See Zykov, V. G., 3=14724
- Latta, G. E. See Brenner, J. L., 0=18876
- Latter, R. and LeLevier, R. E. Detection of ionization effects from nuclear explosions in space, 3=13727
- Latter, R. See Karzas, W. J., 2=14158
- Latter, R. See Karzas, W. J., 3=7717
- Lattes, C. M. G., Orsini, C. Q., Pacca, I. G., Da Cruz, M. T., Okuno, E., Fujimoto, Y., Hasegawa, S. and Yokoi, K., 4=25231
- Lattes, C. M. G., Orsini, C. Q., Pacca, I. G., Da Cruz, M. T., Okuno, E., Fujimoto, Y. and Yokoi, K. Observation on extremely-high energy nuclear events with emulsion chambers exposed on Mt. Chacaltaya. I, 3=15058
- Latty, J. E. and Clark, W. C. Forces between titanium dioxide pigment particles, 0=1874
- Latvala, E. K. and Anderson, T. P. Studies of the spreading rocket exhaust jets at high altitudes, 2=4872
- Latynina, L. A. Differences in the course of displacements at near points on the earth's surface, 3=3441
- Latypov, Z. Z., Kuprianov, S. E. and Tunitsky, N. N. Ionization encounters of electrons with ions and atoms, 4=16433
- Latynov, Z. Z. See Kupriyanov, S. E., 4=5560
- Latypov, Z. Z. See Kupriyanov, S. E., 4=25492
- Latypov, Z. Z. See Kupriyanov, S. E., 4=25514
- Latysh, V. G. The equilibrium shape of atomic nuclei, 2=13963
- Latysh, V. G. The equilibrium shape of atomic nuclei, 3=6138
- Latyshev, G. D. See Firsov, E. P., 4=637
- Latyshev, G. D. See Kovrigin, O. D., 2=20032
- Latyshev, G. D. See Kovrigin, O. D., 4=1026
- Latyshev, G. D. See Val'ter, A. K., 4=1093
- Latyshev, G. D. See Zhernovoi, A. I., 2=1548
- Latyshev, G. D. See Zhernovoi, A. I., 2=1549
- Latyshev, V. K. See Vasichev, B. N., 4=16867
- Latysheva, V. M. See Ksendzov, Ya. M., 3=20337
- Latysheva, Z. I. See Bresker, R. I., 2=5172
- Lau, A. The emission spectrum from quartz vapour, 0=1525
- Lau, E. Sensitometric measurements with double exposure (using equi-density lines), 0=5190
- Lau, E. Over compensation of perspective distortion of shape and size, 0=14349
- Lau, E. The double microscope for visible light, 1=18589
- Lau, E. The optical double microscope, 2=102
- Lau, E. Remarks on the paper by J. Camus "The accuracy of the dupligran method of testing photographic objectives", 2=7419
- Lau, E. Test objects for the double microscope, 2=13444
- Lau, E. An attempt to establish a new theory of light and colour perception, 3=16461
- Lau, E. Phase object studies with the double microscope, 3=21525
- Lau, E. and Gehrman, E. Photomechanical effects, 1=4425
- Lau, E. and Hess, G. Photographic photometry of large areas, 1=18560
- Lau, E. and Hess, G. Photographic photometry of large areas [of images], 2=22071
- Lau, E. and Rienitz, J. Further development of the optical microscope, 1=2850
- Lau, E. and Weide, H. G. Ring illumination in the optical microscope and its influence on resolving power, 4=16216



- Lau, E. See Hodam, F., 0=3601  
 Lau, E. See Kankelwitz, B., 2=7415  
 Lau, E. See Kankelwitz, B., 2=22072  
 Lau, E. See Kind, E.G., 2=5193  
 Lau, E. See Rosenhauer, K., 3=14319  
 Lau, J. Electrical conductivity of inert gases—seed combination in shock tubes, 4=20679  
 Lauber, A. See Konijn, J., 4=3677  
 Lauber, R. Nonlinear stability investigation of reactors and reactor control systems, 2=10166  
 Lauber, R. See Schweizer, G., 2=6002  
 Laubitz, M.J. Design of gradientless furnaces, 0=818  
 Laubitz, M.J. Thermal and electrical properties of Armco iron at high temperatures, 0=13498  
 Laubitz, M.J. Mathematical treatment of a four-component furnace, 1=13005  
 Laubitz, M.J. On measurement of thermal conductivity at high temperatures, 1=18640  
 Laubitz, M.J. The unmatched guard method of measuring thermal conductivity at high temperatures, 4=341  
 Laubitz, M.J. and Cotnam, K.D. Thermal and electrical properties of Inconel 702 at high temperatures, 4=8473  
 L  uchli, P. ALGOL programme for simulation of neutron scattering in a liquid scintillator by the Monte Carlo method, 4=9212  
 Lauckner, H. See Hempel, H.P., 2=16731  
 Laud, B.B. On the relation between dissociation energy and molecular constants, 3=12871  
 Laudet, M. Method of calculating the flux density and its derivatives on the axis of a magnetic electron lens with axial symmetry, 0=7156  
 Laudet, M. See Durandeau, P., 0=19745  
 Laudet, M. See Lapeyre, R., 0=19742  
 Laudet, M. See Lapeyre, R., 1=1914  
 Laudet, M. See Lapeyre, R., 1=4644  
 Laudet, M. See Lapeyre, R., 2=3085  
 Laudet, M. See Lapeyre, R., 2=13597  
 Laudise, R.A. Growing oxide crystals, 3=18247  
 Laudise, R.A., Crockett, J.H. and Ballman, A.A. The hydrothermal crystallization of yttrium iron garnet and yttrium gallium garnet and a part of the crystallization diagram  $Y_2O_3-Fe_2O_3-H_2O-Na_2CO_3$ , 1=14966  
 Laudise, R.A., Kolb, E.D. and Caporaso, A.J. Hydrothermal growth of large sound crystals of zinc oxide, 4=20737  
 Laudise, R.A., Linares, R.C. and Dearborn, E.F. Growth of yttrium iron garnet on a seed from a molten salt solution, 2=12743  
 Laudise, R.A. See King, J.C., 2=21481  
 Laudon, T.S. See Behrendt, J.C., 2=15172  
 Laudy, J.H.A. and de Wolff, P.M. X-ray investigation of the  $\gamma$ - $\beta$  transformation of  $MnO_2$ , 3=23376  
 Laue, M.von. See von Laue, M.  
 Lauer, E.J. See Gibson, G., 0=7123  
 Lauer, E.J. See Gibson, G., 0=7197  
 Lauer, E.J. See Gibson, G., 0=19654  
 Lauer, E.J. See Gibson, G., 3=7567  
 Lauer, E.J. See Gibson, G., 3=7568  
 Lauer, E.J. See Gibson, G., 3=12199  
 Lauer, J.C. Absolute temperature coefficient of an electrode in any solvent, 4=10644  
 Lauer, K.F. and Verdingh, V. Preparation by electro-spraying of thin uranium, plutonium and boron samples for neutron cross-section measurements in  $4\pi$  geometry, 3=11321  
 Lauer, W.E. See Trurnit, H.J., 0=2162  
 Laufer, A.H. and Sturm, J.E. Direct photolysis of ethane at low conversions, 4=13740  
 Laufer, J. Some statistical properties of the pressure field radiated by a turbulent boundary layer, 4=29657  
 Lauger, P. See Kuhn, W., 4=29235  
 Lauger, P. See Th  rkauf, M., 3=23529  
 Laughlin, C.D. See O'Brien, B.J., 2=11087  
 Laughlin, C.D. See O'Brien, B.J., 2=17200  
 Laughlin, C.D. See O'Brien, B.J., 3=1472  
 Laughlin, C.D. See O'Brien, B.J., 3=5224  
 Laughlin, C.D. See Pizzella, G., 2=24052  
 Laughlin, C.D. See Rosser, W.G.V., 3=9115  
 Laughlin, J.S. See Barr, N.F., 1=5707  
 Laughlin, J.S. See Geisselsoder, J., 4=5898  
 Laughlin, J.S. See Woodley, R.G., 0=7250  
 Laughlin, R.D. Needle temperature measurement by infrared pyrometry, 3=14403  
 Laughridge, F.I. See Gibbons, M.G., 1=9187  
 Laughridge, F.I. See Gibbons, M.G., 2=2487  
 Laugier, J., Pauleve, J. and Pauthenet, R. The magnetic properties of a single crystal of the alloy Fe-Ni ordered in a magnetic field by irradiation with neutrons, 4=10272  
 Laugier, J. See Bonnier, E., 4=25865  
 Laugier, J. See Fleury, J., 1=13534  
 Laugier, J. See N  el, L., 4=13207  
 Laugier, J. See Paulev  , J., 2=6830  
 Laugier, J. See Paulev  , J., 3=8900  
 Lauginie, P. See Taurel, L., 2=4094  
 Laukien, G. and Noack, F. A comparison of the magnetic interactions of protons and deuterons, 0=14666  
 Laukien, G. and Vernickel, H. Studies on gas adsorption in the field emission microscope in dependence on current and voltage, 4=3024  
 Laukien, G. See K  hnlein, D., 4=3023  
 Laukonis, J.V. Electron diffraction and microscopy of thin film iron oxides, 4=4668  
 Laukonis, J.V. and Coleman, R.V. Iron whisker surface rearrangements resulting from the hydrogen reduction of oxides and from thermal etching, 1=4030  
 Laulich, I., Pinchas, S., Sadeh, D. and Samuel, D. Effect of  $^{18}O$  on the infrared absorption intensity of the phosphorus oxychloride symmetrical vibrations, 4=25680  
 Laun, D.D. Second spectrum of tungsten (W II), 4=22309  
 Launay, J.de. See de Launay, J.  
 Launay, L. and Beccaria, M. Magnetic and telluric perturbations recorded at Tamanrasset following the nuclear high altitude explosions called "Experiment Argus" (August-September 1958), 1=1583  
 Launay, L., Touitou, J. and Grenet, G. Electrical conductivity of the outer mantle, 3=23573  
 Laune, J. Neutron counting and boron dosage by detection of the  $\gamma$ -rays of de-excitation of the  $Li^*$  nucleus produced by the nuclear reaction  $B^{10}(n, \alpha)Li^{7*}$ , 2=16207  
 Launghhunn, D.J. See Feltner, C.E., 2=16651  
 Launois, D. See Biquard, P., 3=10592  
 Laurance, N. Transport number in solid cesium bromide, 0=9948  
 Laurance, N. Self-diffusion of the chloride ion in sodium chloride, 0=17974  
 Laurance, N. and Lambe, J. Quadrupole interactions of vanadium and manganese in corundum, 4=3959  
 Laurance, N., McIrvine, E.C. and Lambe, J. Aluminium hyperfine interactions in ruby, 2=14842  
 Laurance, N. See Coles, B.R., 2=3998  
 Laurance, N. See Lambe, J., 1=9067  
 Laurance, N. See McIrvine, E.C., 2=13697  
 Laurat, M. See Cabe, J., 4=3675  
 Laurat, M. See Cabe, J., 4=17149  
 Laurat, M. See Cabe, J., 4=19796  
 Laurence, D.J.R. See Butler, J.A.V., 0=7822  
 Laurence, G.C. Reactor safety in Canada, 1=2253  
 Laurenceau, P. See Goudet, G., 1=17859  
 Laurencin, R. Absorption experiments in an ammonia cell near 23.86 Gc/s, 3=3837  
 Laurenson, L. See Elsworth, L., 1=183  
 Laurenson, L. See Holden, J., 0=5064  
 Laurenson, L. See Holland, L., 0=977  
 Laurenson, L. See Holland, L., 0=16742  
 Laurenson, L. See Holland, L., 3=14229  
 Laurenson, L. See Holland, L., 4=3037  
 Laurenson, L. See Holland, L., 4=3038  
 Laurenson, L. See Holland, L., 4=21566  
 Laurent, A., R  rat, B. and R  rat, C. Use of the electronic computer CAB 500 for crystallographic calculations, 2=2380  
 Laurent, B. See Halpern, L., 4=24030  
 Laurent, B.E. On a generally covariant quantum theory, 0=4943  
 Laurent, B.E. Remarks on the functional integration quantization of gravitation, 0=6651  
 Laurent, B.E. A variational principle and conservation theorems in connection with the generally relativistic Dirac equation, 0=6652  
 Laurent, B.E. Equations for a mixed tensor field, 0=6678  
 Laurent, B.E. See Brulin, O., 2=3413  
 Laurent, J.P. Magneto-optic study of the bond between boron and the radicals NHR and  $NH_2$ , 4=15343  
 Laurent, J.P. Magneto-optical study of the boron-sulphur bond, 4=15344  
 Laurenti, F. Relationships between Huyghens principle and geometrical optics, 3=16496  
 Laures, P. Variation of the 6328 Å gas laser output power with mirror transmission, 4=21676



- Laures, P., Dana, L. and Frapard, C. New laser transitions in the region 0.43-0.52  $\mu$  obtained in the spectrum of ionized krypton, 4=30084
- Laurie, P.S. and Finch, H.F. Solar activity and geomagnetic storms, 1959, 1=1643
- Laurie, V.W. Microwave spectrum and internal rotation of ethyl cyanide, 0=4211
- Laurie, V.W. Microwave spectrum of trans-crotononitrile, 0=13438
- Laurie, V.W. Microwave spectrum of cis-difluoroethylene. Structures and dipole moments of fluoroethylenes, 1=3538
- Laurie, V.W. Microwave spectrum of isobutylene. Dipole moment, internal barrier, equilibrium conformation, and structure, 1=8832
- Laurie, V.W. Internal rotation and coriolis coupling in symmetric top molecules, 4=28167
- Laurie, V.W. and Herschbach, D.R. Influence of vibrations on molecular structure determinations. II. Average structures derived from spectroscopic data, 3=2597
- Laurie, V.W. and Lide, D.R., Jr. Microwave spectrum and internal rotation of 1-chloro-2-butyne, 0=1528
- Laurie, V.W. and Pence, D.T. Microwave spectrum of  $F_2CO$ : excited vibrational states and Coriolis coupling, 3=12836
- Laurie, V.W. and Pence, D.T. Microwave spectra and structures of difluoroethylenes, 3=17595
- Laurie, V.W., Pence, D.T. and Jackson, R.H. Microwave spectrum, structure, and dipole moment of carbonyl fluoride, 3=6410
- Laurie, V.W. See Herschbach, D.R., 1=12273
- Laurie, V.W. See Herschbach, D.R., 3=2596
- Laurie, V.W. See Herschbach, D.R., 4=22338
- Laurie, V.W. See LeBlanc, O.H., Jr., 0=15738
- Laurie, V.W. See Muentz, J.S., 3=25132
- Laurie, V.W. See Norris, J.A., 0=13431
- Laurie, V.W. See Norris, J.A., 0=20604
- Laurie, V.W. See Scharpen, L.H., 4=1297
- Lauriente, M. and Bagrowski, J. Anisotropy sources for electro-deposited Permalloy films, 2=12655
- Lauriente, M., Higby, R.F., Bagrowski, J. and McNally, F.X. Sophisticated detector design for increased infrared sensitivity, 2=19764
- Lauriente, M. and Lynn, G.E. Characteristics of supermendur at 500°C, 0=10109
- Lauriente, M., Winter, J. M. and Bagrowski, J. Infrared heater for substrates of vacuum deposited films, 4=26707
- Lauriente, M. See Bagrowski, J., 3=20602
- Laurikainen, K.V. A table of "hard core integrals"
- $$\int_a^\infty \frac{e^{-ax}(1 - e^{-x})^p}{x^q + 1(x + x_0)^r} dx \text{ for central potentials, } 0=325$$
- Laurikainen, K.V., Hämäläinen, R.M.K. and Peltola, E.I. Nucleon core and low energy phenomena, 4=11981
- Laurikainen, K.V., Lyytikäinen, S. and Perko, A. Two-nucleon interaction at low energies and the nucleon core, 3=4383
- Laurikainen, K.V. See Hämäläinen, R.M.K., 2=13891
- Laurila, E. The influence of radioactive decay energy of fission products on the automatic control of nuclear power plants, 0=17643
- Laurila, E. On the behaviour of magnetic powder in a rotating magnetic field, 0=18193
- Laurila, E. On the magnetic permeability of mixtures containing ferromagnetic particles and porous ferromagnetic materials, 1=14724
- Laurila, E. The balanced Ross filter chopper as d.c.-d.c. converter and its use in X-ray measurements, 2=11590
- Laurita, W.G. and Koski, W.S. Nuclear quadrupole resonance spectra of boron-iodine compounds, 2=14860
- Lauritzen, J.I., Jr and Hoffman, J.D. Formation of polymer crystals with folded chains from dilute solutions, 0=8160
- Lauritzen, J.I., Jr and Hoffman, J.D. Theory of formation of polymer crystals with folded chains in dilute solution, 0=8161
- Lauritzen, P.O. and Gibbons, J.F. 1/f Noise on surface-doped germanium filaments, 2=8333
- Laush, G. See Gardner, D.G., 0=821
- Laustriat, G. and Coche, A. Effect of oxygen on liquid scintillators, 1=10516
- Laustriat, G. and Coche, A. Effect of oxygen on liquid scintillators. Influence of temperature, 1=10517
- Laustriat, G. and Coche, A. Influence of temperature on liquid scintillators, 1=18418
- Laustriat, G., Klein, J. and Coche, A. Effect of  $\gamma$ -radiation on the characteristics of liquid scintillators, 3=9470
- Laustriat, G. See Coche, A., 1=1908
- Laustriat, G. See Heisel, F., 4=11852
- Laustriat, G. See Pfeffer, G., 2=5266
- Laustriat, G. See Pfeffer, G., 2=7357
- Laustriat, G. See Pfeffer, G., 3=18979
- Laustriat, G. See Pfeffer, G., 4=774
- Laustriat, G. See Urban, F., 2=17470
- Laustriat, G. See Voltz, R., 4=185
- Lautenschlager, E.P. See Brown, B.E., 2=23838
- Lautenschlager, E.P. See Revolinsky, E., 4=27429
- Lauter, E.A. Effects of the July event in the lower ionosphere as deduced from long wave propagation in medium latitudes, 1=20914
- Lauter, E.A. Excessive ionization in the lower ionosphere and instabilities in the outer radiation belt, 1=20867
- Lauter, E.A. See Sprenger, K., 3=6979
- Lauterbach, U. See Kaul, W., 0=16971
- Lauterbur, P.C.  $C^{13}$  nuclear magnetic resonance spectroscopy. III. Iodobenzene and methyl iodobenzenes, 3=10543
- Lauterbur, P.C.  $C^{13}$  nuclear magnetic resonance spectroscopy. IV. Aniline, N,N-dimethylaniline, and their methyl derivatives: steric inhibition of conjugation, 3=10544
- Lauterbur, P.C.  $C^{13}$  nuclear magnetic resonance spectroscopy. V. Nitrobenzene and methyl nitrobenzenes: steric inhibition of conjugation, 3=10545
- Lauterbur, P.C. See Ettinger, R., 1=2350
- Lauterjung, K.H. and Gruhle, W. An apparatus for the rapid recording of distributed radiation, 0=20363
- Lauterjung, K.H., Pokar, J., Schimmer, B. and Stäudner, R. Boundary-layer counter for position and energy determination, 3=14828
- Lauterjung, K.H. and Vater, O. The spreading of discharges in quenched counter tubes, 0=1228
- Lauterjung, K.H. See Lorenz, W., 2=245
- Lauterbur, P.C. See Tiers, G.V.D., 4=1314
- Lauterjung, K.H. See Ball, W., 0=1292
- Lauterjung, K.H. See Gruhle, W., 3=12619
- Lauterjung, K.H. See Ostertag, H., 3=353
- Lautman, D. See Colombo, G., 3=11743
- Lautout-Magat, M. and Kieffer, F. Emission of light by vitreous quartz previously irradiated by  $\gamma$ -rays, 4=26246
- Lautman, R.G. See Stein, M.N., 1=17822
- Lautz, G. The technical exploitation of the thermal energy of metals and semiconductors, 1=2427
- Lautz, G. and Pilkuhn, M. Noise measurement in germanium single crystals in the region of the collision ionization effect between 5° and 10°K, 0=11684
- Lautz, G. and Pilkuhn, M. On recombination noise in germanium in the range of impurity semiconductor, 1=1054
- Lautz, G. and Pilkuhn, M. Fluctuations in the formation of impulse ionization avalanches in Ge single crystals between 5° and 10°K, 3=853
- Lautz, G. and Schneider, D. Superconductivity in the tungsten carbides W<sub>2</sub>C and WC, 2=7521
- Lautz, G. and Schneider, D. Superconductivity of tantalum carbide and tantalum carbide with added cobalt, 2=11568
- Lautz, G. See Blänsford, K., 2=14591
- Lauver, M.R. Shock-tube thermal conductivity, 4=18327
- Lauver, M.R. See Belles, F.E., 4=13705
- Lauvstad, V. and Tjøtta, S. Problem of sound scattered by sound, 2=17565
- Lauvstad, V. and Tjøtta, S. Nonlinear interaction of two soundbeams, 3=18932
- Lauwerier, H.A. The surface charge of a semi-infinite cylinder due to an axial point charge, 1=16238
- Lauwers, A. See Ruysen, R., 2=15168
- Lauwers, R.R. and Ruysen, R. Foam formation and foam stability, 0=4747
- Lavakare, P.J. and Sudarshan, E.C.G. The study of spurious scattering in nuclear emulsions and the effect of higher order differences in scattering measurements, 3=14843
- Lavakare, P.J. See Appa Rao, M.V.K., 3=2335
- Lavakare, P.J. See Appa Rao, M.V.K., 3=24808
- Lavakare, P.J. See Biswas, S., 0=9489
- Lavakare, P.J. See Biswas, S., 0=15468
- Lavakare, P.J. See Biswas, S., 1=3318
- Lavakare, P.J. See Daniel, R.R., 0=20258
- Laval, C. See Raoult, G., 2=11750
- Laval, G. and Pellat, R. The structure of limited layers of plasma confined by magnetic fields, 4=533
- Laval, G. and Pellat, R. Movement of a helical plasma segment in a magnetic configuration at a zero-point field, 4=18946
- Laval, G. and Pellat, R. Instabilities of stationary systems due to coupling between two normal modes, 4=19040



- Laval, G. and Pellat, R. Kinetic equations for the one-particle distribution function of a stable or weakly unstable plasma, 4=27510
- Laval, G., Pellat, R., Cotsaftis, M. and Trocheris, M. Marginal stability condition for stationary non-dissipative motions, 4=19031
- Laval, G., Pellat, R. and Rebut, P. H. Branching equilibria and hydromagnetic stability, 4=5779
- Laval, J. Properties of restoring forces extended on the atoms of a crystal. (Statics of the crystalline medium), 0=9837
- Laval, J. Thermal agitation of atoms in a crystalline medium. II, 0=13487
- Laval, J. Thermal stresses in the crystalline medium, 0=17889
- Laval, J. Thermal dilation in crystalline media. I. Dilation factors, 1=17427
- Laval, J. The thermal expansion of crystalline material. The expansion coefficient, 2=6288
- Laval, J. Thermal expansion of crystalline material. III. Thermal expansion and specific heat at constant volume. Grüneisen's law, 2=6289
- Laval, J. Thermal expansion of crystalline material. IV. Elastic coefficients, strains and thermal expansion, 2=10334
- Laval, J. Elasticity of the crystalline medium and of metallic crystals of cubic symmetry, 3=13322
- Laval, J. On Grüneisen's constant in relation to the cubic crystals formed by metals, 3=15446
- Laval, J. Thermal stress in metallic crystals of cubic symmetry and the thermal expansion of these crystals, 3=20112
- Laval, J. The Grüneisen parameter and the frequencies of the thermal oscillations in cubic crystals formed by metals, 4=1406
- Laval, J. [Thermal] expansion at low temperatures of crystals of diamond type, 4=12652
- Laval, J. The elasticity of metallic crystals of cubic symmetry, 4=23085
- Lavallard, P. See Benoit à la Guillaume, C., 3=10825
- Lavallard, P. See Benoit à la Guillaume, C., 4=8991
- Lavatelli, L. See Bergia, S., 0=15402
- Lavats'kiĭ, D. Yu. H., Kortnyev, A. V. and Kutenko, A. M. Effect of a high-voltage pulsed discharge on the crystallization process, 4=15756
- Lavelle, J. E. See Coenraads, C. N., 2=19639
- Lavergne, J. See Duchene, J., 0=3882
- Lavergne, M. and Chauveau, J. Transfer coefficients of piezoelectric emitters and receivers for seismic models, 2=2818
- Laverrière, R. Study of a method of approximation for the calculation of phase-space integrals, 2=7828
- Laverrière, R. Calculation of the multiple production of particles in  $\pi^-$ -p interactions at 5 GeV, 2=9894
- Laverrière, R. and Philibert, G. Particle production in  $\pi^-$ -p reactions at 5 GeV. II. Discussion of results, 3=12487
- Laves, F. Factors governing the structure of intermetallic phases, 4=10417
- Laves, F. See Brown, W. L., 3=16019
- Laves, F. See Brun, E., 1=1286
- Laves, F. See Brun, E., 2=4298
- Laves, F. See Brunner, G., 0=4416
- Laves, F. See Brunner, G. O., 2=6320
- Laves, F. See Bucher, E., 4=14528
- Laves, F. See Pfenninger, H. H., 0=13551
- Laves, F. See Pfenninger, H. H., 1=10092
- Laves, F. See Pfenninger, H. H., 1=11212
- Laves, F. See Von Philipsborn, H., 4=13606
- Laves, M. M. See Scott, H., 3=11228
- Laves, P., Schindler, P. and Weaver, H. E. Properties of electrolytically produced colour centres in quartz crystals, 2=12468
- Lavie, A. See Lindeman, H., 1=16172
- LaVier, E. C. See Sloan, E. L., III, 4=16675
- Lavik, M. T., Daniel, T. B. and Abbott, A. N. Friction of molybdenum diselenide, 1=14931
- Lavik, M. T. See James, P. B., 4=7626
- Lavik, M. T. See Shaw, G., 3=18423
- LaVilla, R. E. and Bauer, S. H. Molecular structure of iodine heptafluoride, 0=15775
- LaVilla, R. E. and Bauer, S. H. The structure of gaseous copper (II) nitrate as determined by electron diffraction, 4=6590
- LaVilla, R. and Mendlowitz, H. Optical constants of aluminium in vacuum ultraviolet, 3=914
- Lavilla, R. E. and Mendlowitz, H. Optical constants of thin films from the characteristic electron energy losses, 4=22821
- Laville, G. A new ultrasonic interferometer of the Fabry-Perot type, 1=16040
- Laville, G. and Maillet, J. Measurement of the sound velocity in thin films of plastic materials. Utilisation in the interferometric determination of the velocity of sound in liquids, 0=6859
- Laville, G. and Vogel, T. Wave impedance and specific impedance in acoustics, 0=6871
- Laville-Saint-Martin, B. See Perny, G., 4=23572
- Lavine, M. C. See Gatos, H. C., 1=14284
- Lavin, M. L. and Haviland, J. K. Application of a moment method to heat transfer in rarefied gases, 2=7426
- Lavin, M. L. See Haviland, J. K., 3=1730
- Lavine, J. M. Extraordinary Hall-effect measurements on Ni, some Ni alloys, and ferrites, 1=11265
- Lavine, J. M. The Mark II spacistor, 2=8393
- Lavine, J. M. and Iannini, A. A. Current gain in metal-interface amplifiers, 2=18724
- Lavine, J. M. and Iannini, A. A. Experiments on the metal-interface amplifier, 3=888
- Lavine, J. M., Steele, S. R., Iannini, A. A. and Adler, E. Cold cathode electron emitter, 4=8805
- Lavine, J. M. See Rindner, W., 1=14956
- Lavine, J. M. See Rindner, W., 2=16749
- Lavine, J. M. See Schaufele, R. F., 3=25458
- Lavine, J. M. See Statz, H., 4=27693
- Lavine, M. C., Gatos, H. C. and Finn, M. C. Characteristics of the {111} surfaces of the III-V intermetallic compounds. III. The effects of surface active agents in InSb and the identification of antimony edge dislocations, 2=8777
- Lavine, M. C. See Banus, M. D., 2=17729
- Lavine, M. C. See Gatos, H. C., 0=3175
- Lavine, M. C. See Gatos, H. C., 0=10291
- Lavine, M. C. See Gatos, H. C., 0=11624
- Lavine, M. C. See Gatos, H. C., 0=11996
- Lavine, M. C. See Gatos, H. C., 1=1367
- Lavine, M. C. See Gatos, H. C., 1=17519
- Lavine, M. C. See Gatos, H. C., 1=20657
- Lavine, M. C. See Gatos, H. C., 2=23764
- Lavine, M. C. See Kafalas, J. A., 3=3253
- Lavine, M. C. See Moody, P. L., 0=18312
- Lavine, M. C. See Warekois, E. P., 0=13941
- Lavine, M. C. See Warekois, E. P., 2=6791
- Lavney, J. See Colombani, A., 1=16480
- Lavrenchik, V. N. and Sofiev, G. N. The intensity and spectrum composition of ocean water gamma radiation, 2=23997
- Lavrenchik, V. N. See Kurchatov, B. V., 4=2212
- Lavrenchik, Y. N. See Spivak, P. E., 0=4133
- Lavrenchik, V. N. See Spivak, P. E., 0=4134
- Lavrenchuk, V. N., Samoilov, L. N., Chulkov, P. M. and Gorbunov, V. F. Concentration of Be<sup>+</sup> in the Atmosphere above the Atlantic Ocean, 3=1454
- Lavrenkov, V. D. and Rychev, A. S. A sound indicator for estimating the intensity of radioactive radiation, 3=2169
- Lavrenko, V. A. and Frantzevich, I. N. The elementary stages in the process of recombination of hydrogen atoms on the surface of aluminium, heat of atomic absorption, 3=25780
- Lavrenko, V. A. and Frantzevich, I. N. Elementary stages of the processes of hydrogen atom recombination on aluminium surfaces, 4=13721
- Lavrenko, V. A. See Frantzevich, I. N., 1=1334
- Lavrenko, V. A. See Frantzevich, I. N., 3=20987
- Lavrent'ev, F. F. and Salita, O. P. Pyramidal slip in crystals of zinc, 4=4493
- Lavrent'ev, F. F. and Soifer, L. M. A chamber for high temperature investigations, 4=16281
- Lavrent'ev, F. F., Soifer, L. M. and Startsev, V. I. Thermal etching and annealing of twin layers in crystals of antimony, 1=12617
- Lavrent'ev, F. F. See Bengus, V. Z., 1=3668
- Lavrent'ev, F. F. See Startsev, V. I., 0=12000
- Lavrent'ev, F. F. See Startsev, V. I., 1=14285
- Lavrent'ev, V. V. See Bartenev, G. M., 2=2666
- Lavrent'ev, V. V. See Bartenev, G. M., 2=9222
- Lavrent'yev, F. F. and Startsev, V. I. Structure of the accommodation region in zinc and bismuth single crystals, 3=8801
- Lavrentyev, O. O. Electrostatic plasma confinement. I, 3=19272
- Lavrentyev, O. O. The reflection of a plasma by a magnetic field layer. II, 3=19273



- Lavrentyev, O.O., Ovcharenko, L.I., Safronov, B.H., Sýdorkin, V.O. and Nemashkalo, B.O. Energy and density of ions in an electro-magnetic trap. IV, 3=19274
- Lavrov, A.V. ZbS:Ag phosphors with boron as a coactivator, 2=10625
- Lavrov, A.V. See Blazhevich, A.I., 0=16106
- Lavrov, I. A. See Shakhovskoi, G. P., 4=148
- Lavrov, V.A. See Neporent, B.S., 3=1703
- Lavrov, V.P. See Abroyan, I.A., 3=16978
- Lavrov, V.V. The load-deformation of ice, 2=21391
- Lavrov, V.V. See Ugai, Ya.A., 3=15597
- Lavrov, V.V. See Ugai, Ya.A., 3=22956
- Lavrovskaya, G.K. See Tal'roze, V.L., 4=16563
- Lavrukhina, A.K. On the question of  $(p, \pi^+)$  reactions, 0=7558
- Lavrukhina, A.K. and Kolesov, G.M. New neutron deficient isotopes of the rare earth elements of the cerium group, 3=15153
- Lavrukhina, A.K., Kolesov, G.M. and Tan Syao-en [T'ang Hsiao-en]. Neutron-deficient isotopes of rare earth elements of the cerium group (spallation products of europium bombardment with 660 MeV protons), 2=14096
- Lavrukhina, A.K. and Krasavina, L.D. Fission of heavy nuclei by high-energy particles, 0=7633
- Lavrukhina, A.K., Moskaleva, L.P., Krasavina, L.D. and Grechishcheva, I.M. The formation of  $^{24}\text{Na}$  and  $^{32}\text{P}$  by the interaction of high energy protons with complex nuclei, 0=7569
- Lavrukhina, A.K., Moskaleva, L.P., Malýshev and Satarova, L.M. Production of light nuclei by bombarding heavy elements with 660 MeV protons, 2=20689
- Lavrukhina, A.K., Moskaleva, L.P., Malýshev, V.V. and Satarova, L.M. Production of light nuclei by bombarding heavy elements with 660 MeV protons, 3=8150
- Lavrukhina, A.K. and Pozdnyakov, A.A. Disintegration of hafnium by 660 MeV protons, 0=4095
- Lavrukhina, A.K. and Pozdnyakov, A.A. Disintegration of hafnium by 600 MeV protons, 2=1894
- Lavrukhina, A.K., Rakovskii, É.E., Su Khun-Gui [Su Hung-Kuei] and Khoinsatskii, S. Fission of antimony by high-energy protons, 1=17176
- Lavrukhina, A.K., Revina, L.D., Malýshev, V.V. and Satarova, L.M. Spallation of Fe nuclei induced by 150 MeV protons, 3=24940
- Lavrukhina, A.K. See Malýsheva, T.V., 2=14054
- Lavrukhina, A.K. See Pavlotskaya, F.I., 0=5805
- Lavrukhina, A.K. See Surkov, Yu.A., 2=14044
- Lavrukhina, A.K., Moskaleva, L.P., Malýshev, V.A., Satarova, L.M., Su Khun-Gui [Su Hung-Kuei]. Angular distribution of  $\text{Na}^{24}$  nuclei and decay fragments in the interaction of high-energy protons with gold and uranium, 0=13298
- Law, A. and Lindsay, R. B. Ultrasonic attenuation and velocity in heavy water vapor, 4=14214
- Law, C.A. See Craig, D.N., 0=19582
- Law, J. The ionisation of the atmosphere near the ground in fair weather, 3=11390
- Law, J.M. and Richards, W.C. Cell and thermoelectric effects of tantalum electrolytic capacitors, 2=11598
- Law, J.T. Surface properties of vacuum cleaned silicon, 1=1066
- Law, J.T. Some experiments using a vacuum-cleaned silicon p-n junction, 1=7659
- Law, J.T. Surface electrical changes caused by the adsorption of hydrogen and oxygen on silicon, 1=8948
- Law, J.T. See Allen, F.G., 0=9967
- Law, L. K., DeLaurier, J., Andersen, F. and Whitham, K. Investigations during 1962 of the alert anomaly in geomagnetic variations, 4=4824
- Law, M. See McGuire, J.H., 0=6998
- Law, M.E. See Artna, A., 1=640
- Law, M.E. See Burke, D.G., 3=8042
- Law, M.E. See Chretien, M., 2=22610
- Law, M.E. See Chretien, M., 3=24787
- Law, P. F. and Fannin, B.M. Radiation from a current filament above a homogeneous earth, with application to micropulsations, 1=20902
- Law, T. J. See Edeleanu, C., 2=23784
- Lawande, S.V. See Jain, R.D., 2=7859
- Lawden, D.F. An introduction to tensor calculus and relativity, 3=31
- Lawden, M.D. See King, G.A.M., 2=6946
- Lawden, M.D. See King, G.A.M., 2=24038
- Lawergren, B. T. The low-lying levels of  $\text{Al}^{27}$ . II. The 3 MeV doublet levels, 4=19681
- Lawergren, B.T. and Ophel, T.R. The 2.21 MeV level of  $\text{Al}^{27}$ , 3=4567
- Lawergren, B.T. and Phel, T.R. The de-excitation of the 3 MeV doublet in  $^{27}\text{Al}$ , 2=12132
- Lawergren, B.T. See Ophel, T.R., 2=7982
- Lawergren, B.T. See Ophel, T.R., 2=20618
- Lawergren, B.T. See Ophel, T.R., 3=24892
- Lawergren, B.T. See Ophel, T.R., 4=17043
- Lawless, G. W. See Faust, P. L., 4=2745
- Lawless, K. R. and Garmon, L. B. Transmission electron microscopy of electrodeposits of copper on nickel, 4=2108
- Lawless, K.R. See Catlin, A., 1=4009
- Lawless, W. N. Energy equipartition: a restatement, 4=27093
- Lawless, W. N. and DeVries, R. C. Accurate determination of the ordinary-ray refractive index in  $\text{BaTiO}_3$ , 4=28669
- Lawless, W. N. and DeVries, R. C. Refinement of the Duc de Chaulnes' image displacement method of measuring refractive index, 4=30673
- Lawless, W. N. and DeVries, R. C. Oxygen polarizability and point-dipole theory in the carbonate minerals, 4=30678
- Lawley, A. and Cahn, R.W. A high temperature X-ray study of ordering in iron-aluminium alloys, 2=2398
- Lawley, A. and Gaigher, H.L. Dislocations at isolated grains in a single-crystal matrix of molybdenum, 3=6529
- Lawley, A. and Gaigher, H.L. Dislocation uncertainty in relation to observations on b.c.c. molybdenum, 3=20174
- Lawley, A. and Gaigher, H.L. Dislocation arrangements in deformed single crystal molybdenum, 3=22772
- Lawley, A. and Gaigher, H. L. Observations on prismatic and grown-in dislocations in zone-melted molybdenum, 4=4055
- Lawley, A., Liebmann, W. and Maddin, R. Effect of hydrogen on the yielding behavior of molybdenum, 2=6737
- Lawley, A. and Schuster, S. Preparation and tensile testing of thin metal foils of rolled material, 3=5073
- Lawley, A. and Schuster, S. Tensile and work-hardening behavior of copper foils prepared from rolled material, 3=23353
- Lawley, A. and Schuster, S. Tensile behavior of copper foils prepared from rolled material, 4=15704
- Lawley, A., Van den Sype, J. and Maddin, R. Tensile properties of zone-refined molybdenum in the temperature range  $4.2^\circ\text{--}373^\circ\text{K}$ , 3=1236
- Lawley, K.P. and Smith, E.B. Contribution of off-centre dipoles to the second virial coefficients of polar gases, 3=14204
- Lawley, K. P. and Sutton, L. E. Molecular association in some gas mixtures by the pressure dependence of the dielectric constant and density, 4=11258
- Lawley, K.P. See Buckingham, A.D., 1=13926
- Lawn, B.R. Thermal expansion of silver halides, 4=3999
- Lawn, B. R. On the weighing of reflexions in least-squares calculation of non-cubic unit-cell dimensions, 4=10447
- Lawrance, R. Cadmium sulphide photoconductive layers, 0=9989
- Lawrence, A.G. See Meadows, B.J., 3=6869
- Lawrence, D. J., Stewart, A.T. and Guptill, E.W. Thermal conductivity of solid argon at  $80^\circ\text{K}$ , 0=1576
- Lawrence, G.P. See Deuchars, W.M., 1=19495
- Lawrence, G.P. See Deuchars, W.M., 2=7997
- Lawrence, G.P. See Quinton, A.R., 2=20518
- Lawrence, H. and Warner, R.M., Jr. Diffused junction depletion layer calculations, 0=11696
- Lawrence, J.D., Jr., Alexander, J.K., Jr and Martin, J.D. On the distribution of ionospheric irregularities producing scintillation of signals from earth satellites, 3=23617
- Lawrence, J. H. See D'Angio, G.J., 4=7995
- Lawrence, J.J. and Stuart, W.I. Cryostat for use in the temperature range  $150^\circ\text{--}250^\circ\text{K}$ , 2=9440
- Lawrence, L. G. Energy levels of  $\text{Na}^{23}$  from the  $\text{Mg}^{25} (p, \alpha) \text{Na}^{22}$  reaction, 4=22019
- Lawrence, L.G. and Hay, H.J. The  $\text{Mg}^{26} (p, \alpha) \text{Na}^{23}$  reaction, 2=16410
- Lawrence, L.G. and Hay, H.J. Excitation functions and angular distributions of  $\alpha$  particles from proton bombardment of  $^{26}\text{Mg}$ , 3=17467
- Lawrence, L.G. See Dearnaley, G., 0=12235
- Lawrence, L.G. See Hay, H.J., 3=4478
- Lawrence, M. Middle-ear mechanics and surgery for deafness, 3=3666
- Lawrence, M., Wolsk, D. and Schmidt, P. Inner ear response to high level sounds, 2=4895
- Lawrence, P.E. See Jacobs, I.S., 0=13841
- Lawrence, P.E. See Jacobs, I.S., 3=1003
- Lawrence, P.E. See Jacobs, I.S., 4=13269
- Lawrence, P.E. See Luborsky, F.E., 1=6308
- Lawrence, P.E. See Rodbell, D.S., 0=11798



- Lawrence, R.S., Jespersen, J.L. and Lamb, R.C. Amplitude and angular scintillations of the radio source Cygnus-A observed at Boulder, Colorado, 1=10397
- Lawrence, R.S., Little, C.G. and Chivers, H.J.A. A survey of ionospheric effects upon earth-space radio propagation, 4=15886
- Lawrence, R.S., Posakony, D.J., Garriott, O.K. and Hall, S.C. The total electron content of the ionosphere at middle latitudes near the peak of the solar cycle, 3=18526
- Lawrence, R.S. See Little, C.G., 0=14224
- Lawrence, R.S. See Merrill, R.G., 4=7909
- Lawrence, R.S. See Storey, L.R.O., 0=834
- Lawrence, S.D. See Lambert, J.D., 0=8701
- Lawrence, T.R., Anderson, C.H. and Ramsey, N.F. Rotational magnetic moments of lithium hydride and deuteride, 3=15337
- Lawrence, T.R. See Edwards, D.H., 3=198
- Lawrence, T.R. See Edwards, D.H., 4=29703
- Lawrence, T.R. Lasers, 3=14799
- Lawrence, T.R. See Morokuma, Y., 3=9608
- Lawrence, W.C. Novel insert for the Varian B-4331A NMR probe, 4=27673
- Lawrenson, I.J. See Bernheim, R.A., 1=4362
- Lawrenson, I.J. See Gutowsky, H.S., 1=8138
- Lawrenson, I.J. See Kusumoto, H., 0=5998
- Lawrie, J. Rapid fluctuations during magnetic disturbance, 0=14177
- Lawrie, J.A. The spatial distribution of rapid geomagnetic fluctuations, 3=1487
- Lawrie, J.A. The spatial distribution of rapid geomagnetic fluctuations. II, 3=13837
- Lawrie, J.A. Sudden local conductivity changes in the ionosphere, 4=23798
- Lawrie, J.A., Gerard, V.B. and Gill, P.J. Magnetic effects resulting from two high-altitude nuclear explosions, 0=4770
- Lawrie, J.A. and Price, A.T. Motion of current systems in the ionosphere, 3=13836
- Lawruk, B. A hinged thin shallow spherical shell rectangular in the horizontal projection, 1=1714
- Laws, D.A. Primary distortion of an extended image by a plane grating, 2=7328
- Laws, K.L. PbO solid electrolyte voltaic cell, 4=2162
- Lawson, A.W. Relation between the Eyring and Doolittle diffusion equations, 0=554
- Lawson, A.W. Diffusion of impurities in amorphous polymers, 0=3264
- Lawson, A.W. Defect structures and transport of matter in AgBr, 2=3952
- Lawson, A.W., Rice, S.A., Corneliussen, R.D. and Nachtrieb, N.N. On the dynamical theory of diffusion in crystals. III. Some model calculations and relation to continuum theory, 0=4304
- Lawson, A.W. and Smith, G.E. High-pressure microwave window, 0=2445
- Lawson, A.W. See Bloomfield, P., 1=6066
- Lawson, A.W. See Eckstein, Y., 0=16199
- Lawson, A.W. See Everett, G., 1=12469
- Lawson, A.W. See Hughes, A.J., 2=14918
- Lawson, A.W. See Jamieson, J.C., 0=3195
- Lawson, A.W. See Jamieson, J.C., 2=8811
- Lawson, A.W. See Mase, S., 2=18642
- Lawson, A.W. See Neuman, C.H., 4=28576
- Lawson, A.W. See Payne, R.T., 1=12357
- Lawson, A.W. See Saunders, G.A., 4=27435
- Lawson, A.W. Weil, R., 3=8794
- Lawson, A.W. See Weil, R., 4=26105
- Lawson, D.F. Practical aspects of photomicrography, 2=19692
- Lawson, E.M. See Leith, D.W.G.S., 4=16930
- Lawson, E.M. See Lewis, G.M., 3=7889
- Lawson, G.J. See Ebben, G.J., 3=18426
- Lawson, J., Lawson, W. and Seaton, M.J. The calculation of Born partial wave integrals for some transitions in H produced by electron impact, 1=3508
- Lawson, J. See Bugg, C., 4=23503
- Lawson, J. See Cody, W.J., 4=17258
- Lawson, J.D. On the classification of electron streams, 1=9637
- Lawson, J.D. Studies for a 70 inch versatile cyclotron, 3=5746
- Lawson, J.D., Lord, D.H. and Russell, F.M. Pendulum analogues to illustrate the particle motion in spiral ridge accelerators, 1=9664
- Lawson, J.D. See Crawford, F.W., 1=16326
- Lawson, J.R. See Dillard, C.R., 1=843
- Lawson, K.D., Sauer, J.A. and Woodward, A.E. Low-temperature internal friction in nylon-4, 4=1959
- Lawson, K.D. See Brey, W.S., Jr., 4=26728
- Lawson, K.E. See Freeman, J.J., 4=30698
- Lawson, R.D. Properties of nuclei with neutrons and protons in the  $1f_{7/2}$  shell, 2=346
- Lawson, R.D. and Goepfert-Mayer, M. Harmonic oscillator wave functions in nuclear spectroscopy, 0=4025
- Lawson, R.D. and Rotenberg, M. Branching ratios for the decay of p-shell  $\Lambda$ -hypernuclei, 0=17510
- Lawson, R.D. and MacFarlane, M.H. A rotational model for  $Fe^{57}$ , 1=8561
- Lawson, R.D. and Zeidman, B. Seniority mixing in  $1f_{7/2}$  nuclei, 3=626
- Lawson, R.D. See Cohen, S., 4=19678
- Lawson, R.D. See Cohen, S., 4=21985
- Lawson, R.D. See Cohen, S., 4=25311
- Lawson, R.D. See Kerman, A.K., 1=16954
- Lawson, R.D. See Kurath, D., 1=5836
- Lawson, R.D. See Kurath, D., 1=8585
- Lawson, R.W. Degassing properties of nickel, 2=5088
- Lawson, R.W. An omegatron for quantitative partial pressure measurement below 1 microtorr, 2=13386
- Lawson, R.W. The outgassing properties of mica with particular reference to the life performance of thermionic valves, 2=21960
- Lawson, R.W. The influence of anode material on the cathode emission of low-voltage valves having passive cathode cores, 4=21577
- Lawson, W. See Lawson, J., 1=3508
- Lawson, W.D., Smith, F.A. and Young, A.S. Influence of crystal size on the spectral response limit of evaporated PbTe and PbSe photoconductive cells, 0=11727
- Lawson, W.D. See Coates, D.G., 2=8447
- Lawther, J.M. See Rockwell, T.H., 4=27240
- Lawton, E.J., Balwit, J.S. and Powell, R.S. Paramagnetic-resonance studies of irradiated high-density polyethylene. I. Radical species and the effect of environment on their behavior, 0=16176
- Lawton, E.J., Balwit, J.S. and Powell, R.S. Paramagnetic-resonance studies of irradiated high-density polyethylene. II. Effect of irradiation dose on the radical species trapped at room temperature, 0=16177
- Lawton, J. and Weinberg, F.J. Maximum ion currents from flames and the maximum practical effects of applied electric fields, 4=13727
- Lax, B. Pulsed magnetic fields, 0=9145
- Lax, B. [111] direct transition exciton and magneto-reflection in germanium, 0=13527
- Lax, B. Magnetoplasma effects in solids, 1=7564
- Lax, B. Cyclotron resonance, 2=6307
- Lax, B. High magnetic field research, 2=13627
- Lax, B. Magneto-spectroscopy in semiconductors, 2=23128
- Lax, B. Semiconductor lasers, 4=11833
- Lax, B. Semiconductor masers, 4=19251
- Lax, B. Cyclotron resonance and magneto-optical effects in semiconductors, 4=25916
- Lax, B. and Mavroides, J.G. Solid-state devices other than semiconductors, 2=16586
- Lax, B., Mavroides, J.G. and Edwards, D.F. Non-linear interband and plasma effects in solids, 2=16637
- Lax, B., Mavroides, J.G. and Kolodziejczak, J. Dispersion theory interband and plasma effects, 3=10744
- Lax, B., Mavroides, J.G., Zeiger, H.J. and Keyes, R.J. Infrared magnetoreflexion in bismuth. I. High fields, 0=20968
- Lax, B., Mavroides, J.G., Zeiger, H.J. and Keyes, R.J. Cyclotron resonance in indium antimonide at high magnetic fields, 1=7570
- Lax, B. and Nishina, Y. Theory of interband Faraday rotation in semiconductors, 1=11356
- Lax, B. and Nishina, Y. Interband Faraday rotation in III-V compounds, 1=17740
- Lax, B. and Wright, G.B. Magnetoplasma reflection in solids, 0=4392
- Lax, B. and Zwerdling, S. Magneto-optical phenomena in semiconductors, 1=6203
- Lax, B. See Brown, R.N., 0=20969
- Lax, B. See Brown, R.N., 1=17488
- Lax, B. See Brown, R.N., 3=8581
- Lax, B. See Calawa, A.R., 0=18047
- Lax, B. See Halpern, J., 4=13011
- Lax, B. See Kolodziejczak, J., 3=4963
- Lax, B. See McWhorter, A.L., 3=12351
- Lax, B. See Mavroides, J.G., 3=8402
- Lax, B. See Nishina, Y., 2=21230
- Lax, B. See Phelan, R.J., 4=8990
- Lax, B. See Quist, T.M., 3=9971
- Lax, B. See Shapira, Y., 4=6732



- Lax, B. See Shapira, Y., 4=17355  
 Lax, B. See Vrehen, Q. H. F., 4=20456  
 Lax, B. See Wright, G. B., 1=17871  
 Lax, B. See Zwerdling, S., 0=7933  
 Lax, B. See Zwerdling, S., 0=11765  
 Lax, E. Acoustic attenuation in aluminum due to electron-lattice interaction, 0=1569  
 Lax, M. Fluctuations from the non-equilibrium steady-state, 0=6692  
 Lax, M. Cascade capture of electrons in solids, 0=15917  
 Lax, M. Present status of semiconductor surface physics, 2=23328  
 Lax, M. Formal theory of quantum fluctuations from a driven state, 3=9360  
 Lax, M. Influence of time reversal on selection rules connecting different points in the Brillouin zone, 3=10745  
 Lax, M. Quantum relaxation, the shape of lattice absorption and inelastic neutron scattering lines, 4=22472  
 Lax, M. and Hopfield, J. J. Selection rules connecting different points in the Brillouin zone, 1=14217  
 Lax, M. and Mengert, P. Influence of trapping, diffusion and recombination on carrier concentration fluctuations, 1=1035  
 Lax, P. D. Development of singularities of solutions of non-linear hyperbolic partial differential equations, 4=18028  
 Lay, K. See Cohen, J. B., 2=21023  
 Layer, H., Miller, M. G. and Slifkin, L. Effects of quenching and annealing on ionic conductivity and on dislocation decorability in silver chloride, 2=3982  
 Layer, H. and Slifkin, L. Studies of point defects in silver chloride, 3=12966  
 Layman, R. W. See Halbach, K., 3=4157  
 Layson, W. M. Modification of the Chew-Low formula for the  $(\frac{3}{2}, \frac{3}{2})\pi$ -N resonance, 1=13488  
 Layson, W. M. Interpretation of pion-nucleon scattering results in the resonance region, 3=7908  
 Layson, W. M., Malos, J. and Millar, D. D. Angular selectivity of a Geiger telescope arrangement for cosmic ray air showers, 1=578  
 Layton, E. M., Jr. See Ruedenberg, K., 1=9944  
 Layton, J. K. See Mahadevan, P., 3=4185  
 Layton, J. K. See Mahadevan, P., 3=22511  
 Layton, J. K. See Medved, D. B., 3=9842  
 Layton, L. H., Sheppard, G. A. and Bennett, S. J. Determination of the dynamic shear modulus of a composite solid propellant, 4=7370  
 Layton, R. G. and Harris, F. S., Jr. Nucleation of ice on mica, 3=16037  
 Layton, R. G. See Harris, F. S., Jr., 3=16038  
 Layzell, M. J. See Staveley, L. A. K., 3=12927  
 Layzer, A. New logarithmic radiative corrections to the hyperfine splitting in hydrogenic atoms, 4=30373  
 Layzer, A. J. New theoretical values for the Lamb shift, 0=15647  
 Layzer, A. J. Free propagator expansion in the evaluation of the Lamb shift. I, 1=7425  
 Layzer, A. J. Free propagator expansion in the evaluation of the Lamb shift. II, 1=7426  
 Layzer, A. J. Single-particle excitations in a dense electron gas containing a positive point charge, 2=5386  
 Layzer, A. J. Properties of the one-particle Green's function for nonuniform many-fermion systems, 3=5385  
 Layzer, D. Proof of Moszkowski's formula for the variance of term energies in an electronic configuration of the form  $I^n$ , 6454  
 Layzer, D. On a screening theory of atomic spectra, 0=5873  
 Layzer, D. Theoretical transition probabilities: Introductory  
 Layzer, D. Galaxy clusters and cosmology, 2=19272  
 Layzer, D. On the fragmentation of self-gravitating gas clouds, 3=11498  
 Layzer, D. A preface to cosmogony. I. The energy equation and the virial theorem for cosmic distributions, 3=25967  
 Layzer, D. Z expansion of Hartree-Fock wave functions, 4=1198  
 Layzer, D. and Bahcall, J. Relativistic Z-dependent theory of many electron atoms, 2=8056  
 Layzer, D., Horák, Z., Lewis, M. N. and Thompson, D. P. Second-order Z-dependent theory of many-electron atoms, 4=30367  
 Lazar, N. H. See Bell, P. R., 3=12203  
 Lazar, N. H. See Kelley, G. G., 2=3089  
 Lazare, F. See Durivault, J., 2=11385  
 Lazare, L. Reaction kinetics of a long chain molecule, 3=25817  
 Lazarev, A. I. See Kiselev, K. A., 0=16905  
 Lazarev, A. N. Vibrational spectra of silicates. I. Infrared spectra of silicates with anions of the  $[\text{Si}_2\text{O}_7]^{4-}$  type, 1=2327  
 Lazarev, A. N. and Tenisheva, T. F. Vibrational spectra of silicates. II. The infrared absorption spectra of silicates and germanates with chain anions, 1=14610  
 Lazarev, A. N. and Tenisheva, T. F. Vibrational spectra of silicates. V. Silicates with anions in ribbon form, 2=16837  
 Lazarev, A. N. and Tenisheva, T. F. Vibrational spectra of mixed crystals in the  $\text{Li}_2\text{SiO}_3$ - $\text{Li}_2\text{GeO}_3$  system, 3=10579  
 Lazarev, A. N., Tenisheva, T. F. and Grebenshchikov, R. G. The structure of barium silicates, 1=20551  
 Lazarev, A. N., Tenisheva, T. F. and Grebenshchikov, R. G. The structure of barium silicates, 2=8834  
 Lazarev, A. N. and Zaitseva, A. S. Valence vibrations of hydroxyl in ferroelectric crystals of  $\text{KH}_2\text{PO}_4$  and  $\text{KD}_2\text{PO}_4$ , 1=5037  
 Lazarev, B. Cr., Semenenko, E. E. and Sudovtsov, A. I. On the critical magnetic fields of superconducting beryllium films, 4=5514  
 Lazarev, B. G. and Fedorova, M. F. A vacuum adsorption pump, 0=8721  
 Lazarev, B. G. and Fedorova, M. F. A high-capacity vacuum adsorption pump, 0=16741  
 Lazarev, B. G. and Fedorova, M. F. A high-capacity vacuum adsorption pump, 1=4384  
 Lazarev, B. G. and Fedorova, M. F. High-vacuum adsorption pump for the evacuation of hydrogen, 2=5079  
 Lazarev, B. G., Khorenko, B. K., Kornienko, L. A., Krivko, A. I., Matsakova, A. A. and Ovcharenko, O. N. On the layered-filamentary structure of superconducting Nb-Zr and Nb-Ti alloys, 4=13649  
 Lazarev, B. G., Lazareva, L. S. and Makarov, V. I. Some singularities of the behaviour of the superconducting transition temperature of thallium under pressure, 3=21668  
 Lazarev, B. G., Lazareva, L. S., Makarov, V. I. and Ignatyeva, T. A. Effect of impurities on the superconducting transition temperature in thallium, 4=16367  
 Lazarev, B. G., Lazareva, L. S., Ovcharenko, O. N. and Matsakova, A. A. The effect of hydrostatic compression on the superconducting transition temperature of Nb<sub>3</sub>Sn, 3=16874  
 Lazarev, B. G., Lazareva, L. S., Sudovtsov, A. I. and Aliev, Yu. F. The jump in the thermal expansion coefficient of Nb<sub>3</sub>Sn at the superconducting transition, 3=16875  
 Lazarev, B. G., Semenenko, E. E. and Sudovtsov, A. I. Polymorphic transformations of lithium, sodium and potassium in films condensed on a cold substrate, 0=21252  
 Lazarev, B. G., Semenenko, E. E. and Sudovtsov, A. I. Modifications of beryllium and iron in films condensed on to cold substrates, 1=15179  
 Lazarev, B. G., Sudovtsov, A. I. and Semenenko, E. E. Superconductivity of beryllium and its low temperature polymorphism, 0=10846  
 Lazarev, B. G., Sudovtsov, A. I. and Smirnov, A. P. An apparatus for measuring changes in length of iron at the  $\gamma$ - $\alpha$  change-point, 0=14572  
 Lazarev, B. G. See Borovik, E. S., 2=2787  
 Lazarev, B. G. See Borovik, E. S., 3=182  
 Lazarev, B. G. See Borovik, E. S., 4=14226  
 Lazarev, B. G. See Bulatova, R. F., 1=4043  
 Lazarev, B. G. See Dyakov, I. G., 4=16354  
 Lazarev, B. G. See Esel'son, B. N., 2=19791  
 Lazarev, B. G. See Esel'son, B. N., 3=3936  
 Lazarev, B. G. See Esel'son, B. N., 4=2910  
 Lazarev, B. G. See Garber, R. I., 0=13950  
 Lazarev, B. G. See Gindin, I. A., 0=3170  
 Lazarev, B. G. See Gindin, I. A., 1=11508  
 Lazarev, B. G. See Gindin, I. A., 1=12594  
 Lazarev, B. G. See Gindin, I. A., 2=21543  
 Lazarev, B. G. See Gindin, I. A., 3=3224  
 Lazarev, B. G. See Gindin, I. A., 4=10430  
 Lazarev, B. G. See Gindin, I. A., 4=10431  
 Lazarev, B. G. See Kan, L. S., 1=18723  
 Lazarev, B. G. See Kogan, V. S., 0=21187  
 Lazarev, B. G. See Kogan, V. S., 1=11865  
 Lazarev, B. G. See Kogan, V. S., 1=15070  
 Lazarev, B. G. See Kogan, V. S., 1=20528  
 Lazarev, B. G. See Kogan, V. S., 3=21612  
 Lazarev, B. G. See Kogan, V. S., 4=13498  
 Lazarev, G. B. See Ozerov, R. P., 3=1319  
 Lazarev, F. V. See Vladimirovskii, V. V., 4=16600  
 Lazarev, L. M. Angular correlations near the threshold of formation of an unstable particle, 4=11953  
 Lazarev, N. V. See Kleopov, I. F., 4=14799



- Lazarev, N. V. See Kleopov, I. V., 4=14831  
 Lazarev, S. D. See Kikoin, I. K., 1=3718  
 Lazarev, S. D. See Kikoin, I. K., 1=5030  
 Lazarev, S. D. See Kikoin, I. K., 2=2194  
 Lazarev, S. D. See Kikoin, I. K., 2=23481  
 Lazarev, V. B. and Pershikov, A. V. Experimental determination of the surface tension of molten neodymium, 3=5425  
 Lazarev, V. B. and Pugachevich, P. P. Temperature dependence of the surface tension of Ge, 0=19089  
 Lazarev, V. B. See Pugashevich, P. P., 4=8184  
 Lazarev, V. G., Lazareva, L. S. and Makarov, V. I. On the difference between the effects of impurity and plastic deformation on the temperature of the superconducting transition of a metal, 3=19125  
 Lazarev, V. G. See Bulatova, R. F., 0=12099  
 Lazarev, V. P. See Toporov, Yu. P., 0=4573  
 Lazarev, Yu. A. Line broadening in rotational and rotation-vibrational Raman spectra of gases, 3=7247  
 Lazarev, Yu. A. See Bazhulin, P. A., 0=17746  
 Lazareva, L. E. and Tulupov, B. A. Method for investigating optical anisotropy and shape of the surface of atomic nuclei, 3=15087  
 Lazareva, L. E. See Bogdankevich, O. V., 1=19436  
 Lazareva, L. E. See Bogdankevich, O. V., 2=1862  
 Lazareva, L. E. See Bogdankevich, O. V., 4=6315  
 Lazareva, L. E. See Burgov, N. A., 0=11431  
 Lazareva, L. E. See Burgov, N. A., 2=20594  
 Lazareva, L. E. See Burgov, N. A., 3=8077  
 Lazareva, L. E. See Burgov, N. A., 4=9476  
 Lazareva, L. E. See Zatsepina, G., 4=1066  
 Lazareva, L. S., Kantor, P. B. and Kandyba, V. V. Enthalpy and specific heat of molybdenum at temperatures 1200-2500° K, 2=8173  
 Lazareva, L. S., Kantor, P. B. and Kandyba, V. V. Enthalpy and thermal capacity of molybdenum in the temperature range 1200° to 2500° K, 2=23074  
 Lazareva, L. S. See Kogan, V. S., 4=13498  
 Lazareva, L. S. See Lazarev, B. G., 3=16874  
 Lazareva, L. S. See Lazarev, B. G., 3=16875  
 Lazareva, L. S. See Lazarev, B. G., 4=16367  
 Lazareva, L. S. See Lazarev, V. G., 3=19125  
 Lazareva, L. V. and Filippova, T. F. Some characteristics of carbon and silica replicas made from polished surfaces, 3=3375  
 Lazareva, L. V. and Spivak, G. V. Electron-microscopic observation of magnetic microfields by means of replicas, 3=2075  
 Lazareva, L. V. See Spivak, G. V., 3=2034  
 Lazareva, M. B. See Gindin, I. A., 3=3224  
 Lazareva, T. P. and Usik, P. A. Interaction of high-energy nucleons with complex nuclei, 1=3259  
 Lazarević, D. See Pupezin, J., 2=23985  
 Lazarević, D. See Vidoz, A. E., 3=23352  
 Lazarević, D. P. See Vidoz, A. E., 3=8775  
 Lazarević, V. See Boreli, F., 4=9616  
 Lazarevskii, V. S., Stankevich, K. S. and Troitskii, V. S. Precise absolute measurements of the flux density of the Crab and Orion nebulae at 3.2 cm, 3=11607  
 Lazarova, L. S. See Lazarev, B. G., 3=21668  
 Lazarova-Girsamof, V. See Lagerqvist, A., 1=14004  
 Lazarova-Girsamof, V. See Lagerqvist, A., 2=1984  
 Lazarovich, K. See Asavineĭ, I., 4=9006  
 Lazarovici, C. See Grigorescu, L., 3=7822  
 Lazarovici, C. See Toĭia, H., 0=7386  
 Lazarovici, C. See Toĭia, H., 1=2068  
 Lazarow, D. See Bliznakow, G., 4=7713  
 Lazarre, F. See Durivault, J., 3=11352  
 Lazarus, A. J. See Bonetti, A., 3=25993  
 Lazarus, A. J. See Bridge, H. S., 2=12055  
 Lazarus, D. Diffusion studies of vacancies and impurities, 3=8456  
 Lazarus, D. High pressure studies of point defects, 3=22716  
 Lazarus, D. See Bass, J., 3=20234  
 Lazarus, D. See Neuman, C. H., 2=10408  
 Lazarus, D. See Tichelaar, G. W., 1=2396  
 Lazarus, M. J. Diamagnetic resonant electronic excitation of microwaves, 4=27636  
 Lazarus, R. B. Heat flow in connected media of different temperature-dependent conductivities, 4=2864  
 Lazaryeva, L. S. See Kantor, P. B., 2=18529  
 Lazazzera, V. J. See Edwards, D. F., 0=18119  
 Lazazzera, V. J. See Edwards, D. F., 2=23528  
 Lazdins, D., Kern, C. W. and Karplus, M. Chemical shifts in xenon fluorides, 4=9769  
 Lazdins, D. See Karplus, M., 4=23069  
 Lazeeva, G. S. See Kondrat'eva, E. V., 0=10674  
 Lazeeva, G. S. See Zaidel', A. N., 2=10616  
 Lazeeva, G. S., See Zaidel', A. N., 3=10988  
 Lazenby, R. See Cooke, A. H., 0=8068  
 Lazerges, M. See Devaux, P., 4=10137  
 Lazeyras, P. See Bouyer, P., 0=19234  
 Lazeyras, P. See Cassagnol, C., 0=19782  
 Laziev, E. U. See Alikhanyan, A. L., 3=17242  
 Láznicka, M. and Roubínek, F. Remark on the problem of chemoemission from copper, 3=2012  
 Lazorenko-Manevich, R. M., Aladzhahlova, N. A. and Veselovskii, V. I. Electrochemical and photoelectrochemical processes on p- and n-Ge in the range of cathodic polarization, 0=21281  
 Lazorenko-Manevich, R. M. and Izidinov, S. O. Kinetics of cathodic processes on semiconductor electrodes with the participation of valence-band electrons, 1=20746  
 Lazorina, S. M. See Kolomoitsev, F. I., 4=7190  
 Lazukin, V. N. Oscillations of a plasma in a magnetic field at frequencies close to the cyclotron frequency, 0=10925  
 Lazukin, V. N. Determination of the g-factor from the comparison of the frequencies of the paramagnetic and cyclotron resonances of electrons, 0=11923  
 Lazukin, V. N. Splitting of paramagnetic resonance lines in inhomogeneous fields, 1=14786  
 Lazukin, V. N. See Kravtsov, N. V., 3=25559  
 Lazukov, N. A., Chelnokov, I. E. and Ivanov, V. P. A study of the experimental nuclear reactor VVR-S, 1=750  
 Lazurkin, Yu. S. See Vasil'ev, G. Ya., 0=1759  
 Lbov, A. A. and Naumova, I. I. 14 MeV neutron activation analysis, 2=867  
 Lbov, A. A. See Antropov, G. P., 1=3454  
 Lbov, A. A. See Vlasov, V. A., 4=12293  
 Lbov, A. A. See Zisin, Y. A., 2=12209  
 Lbov, A. A. See Zisin, Yu. A., 3=12714  
 Le Dang Khoi and Buyle-Bodin, M. Nuclear magnetic resonance of Fe<sup>57</sup> in local fields of rare-earth iron garnets, 3=23260  
 Le Dang Khoi. See Buyle-Bodin, M., 3=3196  
 Lê Phat Vinh, A. See Trombe, F., 4=29288  
 Lê Phat Vinh, M. See Trombe, F., 4=29288  
 Le-Thanh-Phong. Poynting vector in general relativity, 0=6661  
 Le-Thanh-Phong. The asymptotic behaviour of a class of metrics of type II, 0=16585  
 Le Thanh-Phong. The permanence of the Petrov classification, 2=9168  
 Lea, A. T. See Donnachie, A., 4=25143  
 Lea, J. D. See Hanson, H. P., 4=26627  
 Lea, K. R., Leask, M. J. M. and Wolf, W. P. The raising of angular momentum degeneracy of f-electron terms by cubic crystal fields, 3=2749  
 Lea, K. R. See Harvey, J. S. M., 1=3932  
 Lea, K. R. See Smith, E. B., 3=23925  
 Lea, R. M. and Vittitoe, C. Bubble density measurements for particle identification, 2=11841  
 Lea, R. M. See Bertanza, L., 3=12507  
 Lea, R. M. See Brown, H. N., 2=12013  
 Lea, R. M. See Ferbel, T., 3=4395  
 Lea, R. M. See Louttit, R. I., 1=12127  
 Lea, R. M. See Samios, N. P., 2=20392  
 Leach, D. F. A statistical analyser for random waveforms and its application to yarn mass analysis, 2=17336  
 Leach, D. F. and Neilson, J. M. M. Design of a single electrode capacitor for use with moisture meters and similar apparatus, 0=8976  
 Leach, J. S. L. Some properties of surface oxide films on metals, 2=23912  
 Leach, J. S. L. On the structure of a phase formed in copper-aluminium alloys at low temperatures, 4=7617  
 Leach, J. S. L. See Bradhurst, D. H., 4=23128  
 Leach, J. S. L. See Howlett, B. W., 2=15796  
 Leach, S. See Horani, M., 2=8138  
 Leach, S. See Horani, M., 4=12474  
 Leach, S. See Marx, R., 4=1325  
 Leach, S. See Vermeil, C., 4=27189  
 Leachman, R. B. and Ford, G. P. Fore-aft yields of fragments from 14 MeV neutron-induced fission, 1=2250  
 Leachman, R. B. and Sanmann, E. E. Analysis of spin-dependent fission anisotropy, 2=14147  
 Leachman, R. B. and Schmitt, H. W. The cross-section for U<sup>238</sup> fission by fission neutrons, 0=2695  
 Leachman, R. B. See Blumberg, L., 0=1456  
 Leachmann, R. B. See Borggreen, J., 4=22223  
 Leacock, J. A. See Chu, C. M., 4=14089  
 Leadabrand, R. L. Radar astronomy symposium report, 0=14382  
 Leadabrand, R. L. A note on the disposition of daytime auroral ionization in space, 1=15318  
 Leadabrand, R. L. Radio studies of the aurora, 2=17189



- Leadabrand, R.L., Dyce, R.B., Fredriksen, A., Presnell, R.I. and Schlobohm, J.G. Radio frequency scattering from the surface of the moon, 0=16526
- Leadabrand, R.L., Dyce, R.B., Fredriksen, A., Presnell, R.I. and Schlobohm, J.C. Evidence that the moon is a rough scatterer at radio frequencies, 1=15556
- Leadabrand, R.L., Jaye, W.E. and Dyce, R.B. A note on 106.1-Mc/s auroral echoes detected at Stanford following the solar event of November 12, 1960, 1=21062
- Leadabrand, R.L., Presnell, R.I., Berg, M.R. and Dyce, R.B. Doppler investigations of the radar aurora at 400 Mc, 0=10442
- Leadabrand, R.L. See Dyce, R.B., 0=10443
- Leadabrand, R.L. See Jaye, W.E., 1=5302
- Leadabrand, R.L. See Presnell, R.I., 0=10440
- Leadabrand, R.L. See Schlobohm, J.C., 0=10441
- Leadbetter, A.J. and Morrison, J.A. The low-temperature heat capacities of different forms of  $\text{SiO}_2$ , 4=6749
- Leadbetter, A.J. See Barron, T.H.K., 4=17366
- Leadbetter, A.J. See Barron, T.H.K., 4=20222
- Leadbetter, A.J. See Flubacher, P., 0=11581
- Leadbetter, A.J. See Flubacher, P., 0=15812
- Leadbeater, A.J. See Flubacher, P., 0=17892
- Leadbetter, A.J. See Flubacher, P., 1=2379
- Leadbetter, A.J. See Flubacher, P., 2=6269
- Leader, E. The optical model in  $\pi$ -nuclear scattering, 1=13831
- Leader, E. The "photon-spurion" and dispersion theory, 2=7819
- Leader, E. Diffraction peaks and high energy cross sections, 3=19584
- Leader, E. See Ahmadzadeh, A., 4=19502
- Leader, E. See Amati, D., 0=15341
- Leader, E. See Amati, D., 1=5717
- Leader, E. See Amati, D., 1=5718
- Leader, E. See Amati, D., 2=1681
- Leader, E. See Amati, D., 3=12453
- Leader, E. See Hearn, A.C., 2=11917
- Leaderman, H. See Overberg, R.J., 2=4984
- Leaf, B. On the relativistic motion of two charged particles in classical electrodynamics, 2=5440
- Leaf, B. Dissipative potentials and the motion of a classical charge, 2=20108
- Leaf, B. Dissipative potentials and the motion of a classical charge. II, 4=3109
- Leaf, B. and Schieve, W.C. Reversibility of the Liouville equation and the approach to equilibrium, 4=24103
- Leaf, B. See Prigogine, L., 0=19882
- Leaf, B. See Prigogine, L., 1=18983
- Leaf, B. See Résibois, P., 0=18963
- Leaf, G.A.V. and Bromley, R.H. A deformed elastica, 2=19475
- Leak, G.M. Grain boundary damping. I. Pure iron, 2=4313
- Leak, G.M. Grain boundaries and surface properties of metals, 4=13622
- Leak, G.M. See Barrand, P., 3=13333
- Leak, G.M. See Barrand, P., 3=23300
- Leak, G.M. See Barrand, P., 4=28962
- Leak, G.M. See Miles, G.W., 2=4314
- Leak, V.G. and Swalin, R.A. Diffusion of silver and tin in liquid silver, 4=24196
- Leake, J.A. The refinement of the crystal structure of the intermetallic phase  $\text{Al}_3\text{Mo}$ , 4=23417
- Leal, M. See Coulson, C.A., 3=22753
- Leal Ferreira, J. and Katayama, Y. On a non-local electromagnetic model for electron and muon masses, 1=3164
- Leal Ferreira, P. See Bund, G.W., 1=3228
- Leal Ferreira, P. See Castilho Alcarás, J.A., 4=15123
- Lean, J.B. A low temperature yield instability in iron, 1=1319
- Leane, J.B., Richards, R.E. and Schaefer, T.P. High-resolution nuclear resonance apparatus, 0=3866
- Leang, C.-F. Determination of the energies of intense groups of  $\alpha$  particles emitted by plutonium 238, 239, 240 nuclei and by americium 241, 3=15161
- Leang Chin-Fan. Removal of surface blemishes of nuclear emulsions, 4=9036
- Leang, C.F. See Bastin-Scoffier, G., 4=17075
- Leardini, M. See Aubert, B., 4=25175
- Learn, A.J. and Spriggs, R.S. Vapor sources for vacuum deposition of superconductive thin-film circuitry, 3=9525
- Learn, A.J. and Spriggs, R.S. Behaviour of film conductance during vacuum deposition, 3=25327
- Learn, A.J. See Schmidlin, F.W., 2=5238
- Learner, A. and Robson, B.A. Irregular Coulomb wave functions, 0=6685
- Learner, R.C.M. The influence of vibration-rotation interaction on intensities in the electronic spectra of diatomic molecules. I. The hydroxyl radical, 2=20819
- Learner, R.C.M. The influence of vibration-rotation interaction on intensities in the electronic spectra of diatomic molecules. II. The silver hydride molecule, 2=20820
- Learson, J.M. The nuclear matrix element ratio in the  $0^- \rightarrow 0^+$  beta transition of  $\text{Pr}^{144}$ , 0=5701
- Leary, G.A. See Sorsby, A., 2=13226
- Leask, M.J.M., Orbach, R., Powell, M.J.D. and Wolf, W.P. Crystalline-field splittings in cerous magnesium nitrate, 3=8333
- Leask, M.J.M., Orbach, R., Powell, M.J.D. and Wolf, W.P. Crystalline field splittings in cerium magnesium nitrate, 4=26381
- Leask, M.J.M., Osborne, D.W. and Wolf, W.P. Magnetic properties of uranium tetrafluoride, 1=11412
- Leask, M.J.M. and Wolf, W.P. Structural information from magnetic measurements on lanthanum cobalt nitrate, 3=8867
- Leask, M.J.M., Wolf, W.P. and Wyatt, A.F.G. The thermal properties of gadolinium trichloride near its Curie point, 4=17363
- Leask, M.J.M. See Ball, M., 1=6365
- Leask, M.J.M. See Ball, M., 3=15436
- Leask, M.J.M. See Ball, M., 4=20566
- Leask, M.J.M. See Garton, G., 3=15803
- Leask, M.J.M. See Lea, K.R., 3=2749
- Leask, M.J.M. See Wolf, W.P., 3=1052
- Leask, M.J.M. See Wolf, W.P., 3=1057
- Leavenworth, H.W., Jr. See Bunn, P.M., 2=23738
- Leaver, K.D. Dependence of the anisotropy axis dispersion on thickness of thin nickel-iron-cobalt films, 3=8675
- Leaver, K.D. and Prutton, M. Inhomogeneous coherent magnetization rotation in thin magnetic films, 2=12650
- Leaver, K.D. and Prutton, M. The effect of applied field inhomogeneity on the reversal behaviour of thin magnetic fields, 3=23171
- Leaver, K.D. See Green, A., 4=13157
- Leaver, K.D. See Prutton, M., 4=1828
- Leaver, V.M. See Hall, J.A., 0=5220
- Leaver, V.M. See Hall, J.A., 1=6981
- Leavitt, C.P. High energy gamma ray satellite experiment, 2=18199
- Leavitt, J.A., Baker, M.R., Nelson, H.M. and Ramsey, N.F. Proton radio-frequency spectrum of  $\text{HCl}^{35}$ , 1=19661
- Leavitt, J.A. See Baker, M.R., 1=2347
- Leavitt, J.A. See Nelson, H.M., 1=7492
- Leavy, J.F. See Cutler, M., 3=10628
- Leavy, J.F. See Cutler, M., 4=10047
- Leavy, J.F. See Cutler, M., 4=10048
- Le Bary, R.C. and Barrow, R.F. An infra-red band system of  $\text{PbTe}$ , 3=22543
- Le Bary, R.C. See Barrow, R.F., 3=10511
- Le Bary, R.C. See Barrow, R.F., 4=20061
- Le Bas, J. Extensometric coefficient of continuous thin [metal] films, 4=25997
- Le Bas, J. and Guerinot, R. Interpretation of experimental results obtained with thin bismuth films, 2=8289
- Lebeau, A. A feature of nocturnal magnetic activity at the Dumont D'Urville Station (Adelie Land), 1=21092
- Lebeau, A. and Bitoun, J. On the daily magnetic activity in high latitude regions and a property of the solar wind, 3=7003
- Lebeau, A. and Schlich, R. A property of the diurnal variation of magnetic activity at high latitudes (Charcot and Dumont d'Urville stations), 2=17214
- Lebeau, A. See Eschenbrenner, S., 1=1582
- Lebed', B.M. and Abarenkova, S.G. Magnetic spectra of polycrystalline garnets of yttrium-aluminum and yttrium-gadolinium ferrites, 4=30724
- Lebed', B.M. and Mukha, L.Ya. Ferrimagnetic resonance in single-crystal yttrium iron garnet with magnetic structure, 4=7314
- Lebed', B.M. and Yakovlev, Yu.M. Investigation of the temperature and frequency dependences of the resonance curve width in polycrystalline ferrites, 2=21354
- Lebed', B.M. and Yakovlev, Yu.M. Investigation of the temperature and frequency dependences of the resonance curve width in polycrystalline ferrites, 3=6743
- Lebed', B.M. and Yakovlev, Yu.M. A method for measuring the frequency and temperature dependence of ferromagnetic resonance parameters, 3=24502
- Lebed', B.M. See Yakovlev, Yu.M., 3=23210
- Lebed', G.G. See Gavrilenko, L.M., 3=3979
- Lebedeff, S.A. Determination of the Lennard-Jones parameters from total scattering cross-section measurements, 4=20131
- Lebedeff, S.A. See Glassgold, A.E., 4=25586



- Lebedev, A.A. See Efremov, A.I., 2=19297  
 Lebedev, A.A. See Efremov, A.I., 3=9189  
 Lebedev, A.E. and Petrun'kin, V.A. The production of  $\pi$ -mesons in  $\pi$  N-collisions, 0=15418  
 Lebedev, A.G. See Zhukovskii, V.M., 3=25371  
 Lebedev, A.G. See Zhukovskii, V.M., 4=6991  
 Lebedev, A.I. Level widths of  $\pi$ -mesic atoms, 0=2719  
 Lebedev, A.I. See Baldin, A.M., 3=2298  
 Lebedev, A.I. See Baldin, A.M., 3=7890  
 Lebedev, A.I. See Gerasimov, S.B., 3=15204  
 Lebedev, A.I. See Govorkov, B.B., 3=24763  
 Lebedev, A.L. See Baldin, A.M., 2=5712  
 Lebedev, A.M., Slavatskii, S.A. and Tolkahev, B.V. On the interaction cross section and fraction of energy conserved by nucleons in collisions with complex nuclei, 4=28021  
 Lebedev, A.M. See Dobrotin, N.A., 2=13786  
 Lebedev, A.M. See Guseva, V.U., 3=6100  
 Lebedev, A.M. See Guseva, V.V., 3=19618  
 Lebedev, A.M. See Guseva, V.V., 4=27835  
 Lebedev, A.N. Theory of injection in high-current orbital accelerators, 0=10992  
 Lebedev, A.N. High frequency beam stacking by a cyclic accelerator, 1=16448  
 Lebedev, A.N. Phase stability in amplifiers with arbitrary high-frequency field configurations, 3=2060  
 Lebedev, A.N. Bessel [force-free] current distributions, 4=21633  
 Lebedev, A.N. See Kolomenskii, A.A., 0=17058  
 Lebedev, A.N. See Kolomenskii, A.A., 1=9656  
 Lebedev, A.N. See Kolomenskii, A.A., 1=13140  
 Lebedev, A.N. See Kolomenskii, A.A., 1=13142  
 Lebedev, A.N. See Kolomenskii, A.A., 3=7681  
 Lebedev, A.N. See Kolomenskii, A.A., 3=14697  
 Lebedev, A.N. See Kolomenskii, A.A., 3=21943  
 Lebedev, A.N. See Kovrizhnykh, L.M., 0=9130  
 Lebedev, A.V. See Belonogov, A.V., 1=3097  
 Lebedev, A.V. See Kolganov, V.Z., 2=3225  
 Lebedev, A.V. See Kolganov, V.Z., 1=3096  
 Lebedev, B.P. and Tikhomirov, V.G. Experimental investigation of the combustion of two-phase mixtures in a turbulent stream, 0=18437  
 Lebedev, B.P. and Tikhomirov, V.G. Experimental investigation of the combustion of two-phase mixtures in a turbulent stream, 1=4094  
 Lebedev, D.G. See Konorova, E.A., 2=1372  
 Lebedev, D.S. and Levitin, L.B. Maximum quantity of information carried by electromagnetic fields, 4=2528  
 Lebedev, G.A. and Kuvshinskii, E.B. Peculiarities of the structure of "silver" cracks in films of polymethylmethacrylate, 2=6847  
 Lebedev, G.A. and Kuvshinskii, E.B. Peculiarities of the structure of "silver" cracks in films of polymethylmethacrylate, 2=8878  
 Lebedev, G.A. and Kuvshinskii, E.V. Mechanism of deformation in solid amorphous polymethylmethacrylate and polyvinylacetate on cold drawing, 0=8117  
 Lebedev, I.V. See Lebedeva, V.V., 4=8975  
 Lebedev, L.A. See Lemazhikhin, B.K., 4=14842  
 Lebedev, M.A. See Gus'kov, Yu.K., 4=29900  
 Lebedev, N. See Abdumalikov, A., 3=22345  
 Lebedev, N.A. See Božek, E., 3=24905  
 Lebedev, N.A. See Gromov, K.Ya., 4=1027  
 Lebedev, N.A. See Murin, A.N., 1=989  
 Lebedev, N.N. and Model', I.Sh. Electronic photographic recorder, 4=337  
 Lebedev, N.N. and Skal'skaya, I.P. A new method for solving the problem of the diffraction of electromagnetic waves by a thin ideally conducting disk, 0=7226  
 Lebedev, N.N. and Skal'skaya, I.P. Distribution of current densities on the edges of an ideally conducting rectangular wedge placed in the field of a plane electromagnetic wave, 0=9207  
 Lebedev, N.N. and Skal'skaya, I.P. Electrostatic field of an electron lens consisting of two coaxial cylinders, 0=15075  
 Lebedev, N.N. and Skal'skaya, I.P. Force acting on a conducting sphere in the field of a parallel-plate capacitor, 3=1924  
 Lebedev, N.N. and Skal'skaya, I.P. A new method for solving the problems of a diffraction of electromagnetic waves by a wedge with finite conductivity, 3=14771  
 Lebedev, N.N. and Skal'skaya, I.P. Some problems in the theory of the thermal conductivity of wedge-shaped bodies. I., 4=21337  
 Lebedev, N.N. See Kuznetsov, F.O., 2=21935  
 Lebedev, O.V. and Timofeev, V.V. A universal counting unit, 3=1915  
 Lebedev, O.V. See Bezmenov, O.M., 4=16863  
 Lebedev, P.I. See Balats, M.Ya., 0=9493  
 Lebedev, P.I. See Balats, M.Ya., 0=20567  
 Lebedev, P.I. See Balatz, M.Ya., 1=4919  
 Lebedev, P.I. See Vladimirskii, V.V., 4=14840  
 Lebedev, P.I. See Vodop'yanov, F.A., 4=14810  
 Lebedev, P.N. See Georgobiani, A.N., 3=11006  
 Lebedev, P.P., Zisin, Yu.A., Klintsov, Yu.S. and Stsiborskii, B.D. Neutron yield from 14 MeV non-elastic interactions and the (n,2n) cross-section, 0=20486  
 Lebedev, R.M. See Barashenkov, V.S., 0=3966  
 Lebedev, R.M. See Barashenkov, V.S., 0=4088  
 Lebedev, R.M. See Barashenkov, V.S., 2=1869  
 Lebedev, R.M. See Belyakov, V.A., 1=19244  
 Lebedev, R.M. See Belonogov, A.V., 3=17127  
 Lebedev, R.M. See Bogachev, N.P., 0=11400  
 Lebedev, R.M. See Van Shu-fen., 1=19182  
 Lebedev, R.M. See Van-Shu-Fen., 2=18043  
 Lebedev, S.L. On the question of influence of gravitational settling of cloud drops on the water content of clouds, 4=15868  
 Lebedev, S.V., Mandel'shtam, S.L. and Rodin, G.M. Shortwave radiation from a vacuum spark, 0=9010  
 Lebedev, S.V. See Il'in, V.E., 3=9746  
 Lebedev, S.Ya., Smavisskii, Yu.Ya., Bondarenko, I.I., Maev, S.A., Stakhanov, I.P. and Stumbar, E.A. Plasma oscillations during ion beam neutralization, 2=20005  
 Lebedev, S.Ya. and Stavisskii, Yu.Ya. Measurement of the pressure of alkali metal vapours in the range from  $10^{-5}$  to  $10^{-2}$  mm Hg, 4=373  
 Lebedev, S.Ya. and Stavisskii, Yu.Ya. Adsorption energy of caesium ions on a metal surface, 4=29196  
 Lebedev, S.Ya. and Stavisskii, Yu.Ya. Surface ionization of caesium in diffusion of caesium vapour through porous nickel, 4=30576  
 Lebedev, S.Ya., Stavisskii, Yu.Ya. and Shut'ko, Yu.V. Surface ionization of caesium in diffusion of caesium vapour through porous molybdenum, 2=11623  
 Lebedev, S.Ya., Stavisskii, Yu.Ya. and Shut'lko, Yu.V. Cathode sputtering under the action of caesium ions, 4=24753  
 Lebedev, S.Ya. See Stavisskii, Yu.Ya., 0=12644  
 Lebedev, S.Ya. See Stavisskii, Yu.Ya., 1=4569  
 Lebedev, V.I. and Kalashnikova, V.I. The average number of neutrons from the thermal fission of  $\text{Am}^{241}$ , 1=3477  
 Lebedev, V.I. See Apalin, V.F., 2=20693  
 Lebedev, V.I. See Apalin, V.F., 3=2509  
 Lebedev, V.I. See Apalin, V.F., 3=8151  
 Lebedev, V.I. See Apalin, V.F., 3=10401  
 Lebedev, V.I. See Apalin, V.F., 3=17502  
 Lebedev, V.I. See Apalin, V.F., 4=19853  
 Lebedev, V.I. See Apalin, V.F., 4=25442  
 Lebedev, V.I. See Danilov, G.S., 3=24737  
 Lebedev, V.I. See Kalashnikov, V.I., 0=2693  
 Lebedev, V.I. See Kalashnikova, V.I., 0=7645  
 Lebedev, V.N. and Rumyanstev, B.N. Variational problem in the flight between two points in the central field, 4=15965  
 Lebedev, V.N. See Zolin, L.S., 4=915  
 Lebedev, V.S. See Zaidel', R.M., 1=2779  
 Lebedev, V.V. Determination of the coefficient of heat conductivity of metals in the high temperature range, 1=9988  
 Lebedev, V.V. The problem of measuring the thermal conductivity of metals at high temperatures, 2=22076  
 Lebedev, V.V. See Gumenyuk, V.S., 2=8182  
 Lebedev, V.V. See Gumenyuk, V.S., 2=20953  
 Lebedev, V.V. See Gumenyuk, V.S., 4=342  
 Lebedev, V.V. See Ivanov, V.E., 3=12930  
 Lebedev, Yu.N. See Ignatov, D.V., 4=17854  
 Lebedev, Krasin, Yu.M., Gutner, B.M., Pisarevskii, V.E., Temkin, A.S., Barabash, L.Z., Kuryshv, V.S. and Moiseev, A.I. Accelerating elements of a proton synchrotron and their high-frequency supply system, 4=14809  
 Lebedev, Krasin, Yu.M. See Rubchinskii, S.M., 4=14797  
 Lebedeva, F.V. See Shamina, O.G., 3=3433  
 Lebedeva, I.V. A study of the reverberation chamber in the Department of Acoustics of Moscow State University, 1=4419  
 Lebedeva, I.V. Reverberation chamber techniques in the measurement of acoustic absorption coefficient, 3=14279  
 Lebedeva, N.S. See Zubov, Yu.G., 4=12242  
 Lebedeva, V.V. and Lebedev, I.V. Properties of transmission-type quantum amplifiers, 4=8975



- Lebedew, W.P. See Kobosew, N.I., 2=12967
- Lebedinets, V.N. The density of meteoric matter in the vicinity of the earth's orbit from radio observations of meteors, 4=4943
- Lebedinets, V.N. See Kashcheev, B.L., 0=18718
- Lebedinets, V.N. See Kashcheev, B.L., 0=18719
- Lebedinets, V.N. See Kashcheev, B.L., 2=4843
- Lebedinskii, A.I. and Salova, G.I. The amount of water in a free state on Mars, 2=24098
- Lebedinskii, A.I. and Salova, G.I. The amount of water in a free state on Mars, 3=3549
- Lebedinsky, A.I. See Feldstein, J.I., 2=15256
- Lebedinsky, A.I. See Vernov, S.N., 1=3309
- Lebedjew, L.A. See Lemajichin, B.K., 2=7694
- Lebedyev, A.V. See Guzhavin, V.M., 4=19551
- Lebedyev, M.A. and Zhuk, V.K. Change in the fluorescent yield during photochemical sensitized reactions, 2=19163
- Lebedyev, N.A. See Alfimenkov, V.P., 4=17068
- Lebedyev, V.V. Measurement of thermal conductivity of metals at high temperatures, 2=9417
- Lebègue, G. [Gousseland]. Nearly-free electron approximation in the study of copper. Determination of the Fermi surface and study of electron spatial distribution, 4=9903
- Le Bellac, M. Hyperfine structure of  $\mu$ -mesic atoms, 3=10208
- Le Bellac, M., Renard, F.M. and Tran Thanh Van, J. A covariant theory of the photodisintegration of the deuteron. I, 4=25203
- Leber, S. and Hehemann, R.F. Homogenization kinetics of a sintered columbium alloy, 4=15810
- Lebey, O. See Cremieu-Alcan, E. [Eds.], 2=3291
- Lebey, O. See Cremieu-Alcan, E. [Eds.], 2=3292
- Le Beyec, Y., Lefort, M. and Tarrago, X. Energy distribution of protons received on an internal target in a synchro-cyclotron, 4=8878
- Le Bihan, M.T. and Petiau, J. A contribution to the study of the structure of lead sulphur arsenides in the Binn strata. Crystalline structure of rathite III, 1=4050
- Le Bihan, M.T. Structure of rathite II. Comparison of the various known structures of sulphides of arsenic and lead, 2=12913
- Le Bihan, M.T. Contribution to the study of structures of arsenic and lead sulphides. Structure of baumhauerite  $[Pb_2As_2S_{18}]$ , 2=12912
- Le Bihan, M.T. Structural study of a few natural sulphides of lead and arsenic, from Binn strata, 2=19080
- Lebitskii, S.M. See Karpyuk, K.S., 4=29915
- Lébl, M. See Bohun, A., 1=4958
- Lébl, M. See Bohun, A., 1=17584
- Lébl, M. See Bohun, A., 3=813
- Lébl, M. See Bohun, A., 3=4985
- Lébl, M. See Bohun, A., 3=18008
- Lébl, M. See Dolejší, J., 2=6607
- Lébl, M. See Trnka, J., 1=20011
- LeBlanc, M.A.R. Anomalous resistive transitions and new phenomena in hard superconductors, 2=1337
- LeBlanc, M.A.R. Anomalous resistive transitions and new phenomena in hard superconductors, 2=7513
- LeBlanc, F. See Jursa, A.S., 1=6556
- LeBlanc, F.J. See Tanaka, Y., 0=7779
- LeBlanc, F.J. See Tanaka, Y., 0=7780
- LeBlanc, F.J. See Tanaka, Y., 1=6021
- LeBlanc, F.J. Electronic states of Hopfield's oxygen emission bands, 3=8267
- Leblanc, J.M., Coté, R.E. and Bollinger, L.M. On the splitting of the peak in the neutron strength function near  $A = 55$ , 0=5649
- Le Blanc, J.M. See Ashby, V.J., 3=8112
- LeBlanc, J.M. See Catron, H.C., 1=11023
- Le Blanc, J.M. See Goldberg, M.D., 0=17428
- Le Blanc, J.M. See Goldberg, M.D., 1=7291
- LeBlanc, L.J., Farrell, J.S. and Juenker, D.W. Far-ultra-violet reflectance of several transition metals, 4=22877
- LeBlanc, M.A.R. Influence of transport current on the magnetization of a hard superconductor, 4=409
- LeBlanc, M.A.R. Behaviour of the magnetization and transport current in NbZr wire, 4=410
- LeBlanc, M.A.R. Critical transport current behaviour in a semi-reversible type II superconductor, 4=14527
- LeBlanc, M.A.R. Magnetic behaviour of a semi-reversible type II superconductor, 4=16353
- LeBlanc, M.A.R. Transverse paramagnetic effect in an irreversible type II superconductor, 4=29843
- Leblanc, M.A.R. and Sommer, W.T. Nuclear orientation in holmium and terbium metal, 4=17332
- LeBlanc, M.A.R. See Daniels, J.M., 0=4285
- LeBlanc, M.A.R. See Daniels, J.M., 1=3585
- LeBlanc, O.H., Jr. Hole and electron drift mobilities in anthracene, 0=15997
- LeBlanc, O.H., Jr. Band structure and transport of holes and electrons in anthracene, 1=17451
- LeBlanc, O.H., Jr. Erratum: Band structure and transport of holes and electrons in anthracene, 2=8186
- LeBlanc, O.H., Jr. Electronic transport in crystalline and liquid pyrene, 2=23256
- LeBlanc, O.H., Jr. Band theory and the Hall effect in organic crystals, 4=6993
- LeBlanc, O.H., Jr. Electronic transport in anthracene and other organic systems, 4=22529
- LeBlanc, O.H., Jr. and Devins, J.C. Townsend ionization constants in n-alkanes, 1=1890
- LeBlanc, O.H., Jr., Laurie, V.W. and Gwinn, W.D. Microwave spectrum, structure, and dipole moment of formyl fluoride, 0=15738
- LeBlanc, R.E. See Adamsky, R.F., 4=20743
- Le Blanc, W.H. See Larson, H.V., 1=16168
- Le Blanc, W.H. See Myers, I.T., 1=13379
- Lebon, G. See Humblet, J., 4=17014
- Le Borgne, E. Effect of fire on the magnetic properties of soil and on those of schist and granite, 1=1209
- Le Borgne, E. Experimental study of magnetic susceptibility in the case of an ensemble of very fine magnetic grains dispersed in a nonmagnetic substance, 1=14725
- Le Bot, J. The Debye absorption of electromagnetic waves in cement, 0=7227
- Le Bot, J. Dielectric studies of samples of hydrated alumina, 3=4938
- LeBot, J. and Dang Tran Quan. Observation of the phenomenon of dipolar relaxation in manganese sulphide, 2=4087
- Le Bot, J., Riopel, A. and Boyer, P. Dipolar relaxation of water in the hydrated aluminates of calcium in aluminium cement, 2=4088
- Le Bot, Jean, Blanchard, M.L., Baron, A., Colin, Y., Dang Tran Quan, Grosvald, G. and Le Bot, Jac. Dipolar absorption. I. Non-stoichiometric oxides and sulphides. II. Adsorption of water on various mineral substances. III. Double arsenate of ammonium and thallium, 1=14535
- Le Bot, Jac. See Le Bot, Jean, 1=14535
- Le Bourgeois, A. See Fortini, A., 3=9691
- Leboutet, H. Linear electron accelerators, 2=7683
- Lebovitz, N.R. The equilibrium stability of a system of disk dynamos, 0=11023
- Lebovitz, N.R. On the principle of the exchange of stabilities. I. The Roche ellipsoids, 4=10783
- Lebovitz, N.R. See Chandrasekhar, S., 1=18999
- Lebovitz, N.R. See Chandrasekhar, S., 2=2604
- Lebovitz, N.R. See Chandrasekhar, S., 2=4794
- Lebovitz, N.R. See Chandrasekhar, S., 3=1592
- Lebovitz, N.R. See Chandrasekhar, S., 3=1593
- Lebovitz, N.R. See Chandrasekhar, S., 3=3591
- Lebovitz, N.R. See Chandrasekhar, S., 3=3592
- Lebovitz, N.R. See Chandrasekhar, S., 3=3593
- Lebovitz, N.R. See Chandrasekhar, S., 3=16681
- Lebovitz, N.R. See Chandrasekhar, S., 3=16682
- Lebovitz, N.R. See Chandrasekhar, S., 3=16683
- Lebovitz, N.R. See Chandrasekhar, S., 3=25968
- Lebovitz, J.L. Asymptotic value of the pair distribution near a wall, 0=3510
- Lebowitz, J.L. Exact solution of generalized Percus-Yevick equation for a mixture of hard spheres, 4=8096
- Lebowitz, J.L., Frisch, H.L. and Helfand, E. Nonequilibrium distribution functions in a fluid, 0=10650
- Lebowitz, J.L. and Penrose, O. Convergence of virial expansions, 4=24094
- Lebowitz, J.L. and Percus, J.K. Long-range correlations in a closed system with applications to nonuniform fluids, 1=9545
- Lebowitz, J.L. and Percus, J.K. Thermodynamic properties of small systems, 2=1074
- Lebowitz, J.L. and Percus, J.K. Statistical thermodynamics of nonuniform fluids, 3=7135
- Lebowitz, J.L. and Percus, J.K. Asymptotic behavior of the radial distribution function, 3=11722
- Lebowitz, J.L. and Percus, J.K. Integral equations and inequalities in the theory of fluids, 4=11109
- Lebowitz, J.L. and Praestgaard, E. Average density approximation for the radial distribution function of a fluid, 4=18094
- Lebowitz, J.L. and Rowlinson, J.S. Thermodynamic properties of mixtures of hard spheres, 4=24090
- Lebowitz, J.L. and Rubin, E. Dynamical study of Brownian motion, 3=23772



- Lebowitz, J.L. and Shimony, A. Statistical mechanics of open systems, 3=1625
- Lebowitz, J.L. See Aharonov, Y., 4=21035
- Lebowitz, J.L. See Bak, T.A., 3=6422
- Lebowitz, J.L. See Bak, T.A., 3=20027
- Lebowitz, J.M. See Engelke, C.E., 3=4399
- Lebowitz, J.L. See Frisch, H.L., 1=12413
- Lebowitz, J.L. See Helfand, E., 0=19095
- Lebowitz, J.L. See Helfand, E., 1=5220
- Lebowitz, J.L. See Reiss, H., 0=3507
- Lebowski, F. See Steubing, W., 0=476
- Leboy, E. See Selove, W., 2=5539
- Leboy, E. See Selove, W., 2=22578
- Lebrun, A., Constant, E., Moriametz, M., Liebaert, R. and Risbourg, A. The rapid tracing of radiofrequency spectra of dielectrics from 1 to 10 000 Mc/s, 1=10796
- Lebrun, A., Fontaine, J. and Risbourg, A. Anomalous microwave and dipolar spectra of silica gels and zeolites, 3=22984
- Lebrun, A. and Louage, F. An automatic wide-band apparatus for the measurement of the complex permittivity of dielectrics, 2=2992
- Lebrun, A. See Constant, E., 1=12894
- Lebrun, A. See Liebaert, R., 2=2729
- Lebrun, A. See Moriametz, M., 1=12893
- Lebrun, A. See Moriametz, M., 4=29611
- le Calvé, J. See Lascombe, J., 4=25695
- le Calvez, O. See Monod-Herzen, G., 2=18857
- Lecar, H. See Thaddeus, P., 0=5921
- Lecar, H. and Okaya, A. A maser paramagnetic resonance spectrometer, 4=24865
- Lecegard, J. See Bariaud, A., 3=9800
- Lecerf, A. and Villers, G. Preparation and ferrimagnetic properties of a spinel with a MnTi base, 4=2032
- Lecerf, A. See Rault, M., 4=26339
- Lecerf, A. See Villers, G., 4=4384
- Lechekhele, V.R. See Vetshtein, V.E., 2=20058
- Leciejewicz, J. On the crystal structure of tetragonal (red) PbO, 2=4413
- Leciejewicz, J. A note on the structure of tungsten carbide, 2=10866
- Leciejewicz, J. and Padlo, I. Note on the oxygen parameter in tetragonal PbO<sub>2</sub>, 3=1329
- Leciejewicz, J. See Andresen, A. F., 4=28816
- Leciejewicz, J. See Buras, B., 4=7598
- Leciejewicz, J. See Buras, B., 4=13577
- Leck, G.W. Simple method of registering evaporation masks, 2=19642
- Leck, J.H. See Burtt, R.B., 1=20690
- Leck, J.H. See Carter, G., 0=5061
- Leck, J.H. See Carter, G., 1=20677
- Leck, J.H. See Carter, G., 2=7677
- Leck, J.H. See Carter, G., 2=21957
- Leck, J.H. See Cobic, B., 1=10552
- Leck, J.H. See Cobic, B., 2=9325
- Leck, J. H. See James, L. H., 4=23593
- Leck, J. H. See Nield, M. W., 4=7001
- Leck, J. H. See Smeaton, G. P., 4=8262
- Leck, J. H. See Smeaton, G. P., 4=21205
- Leckenby, R. E., Robbins, E. J. and Trevallion, P. A. Condensation embryos in an expanding gas beam, 4=25794
- Leckey, R. C. G., Coulter, A. G., Higginson, G. S. and Webb, T. G. Electron concentrations in the cathode region of low voltage arc discharges, 4=5586
- Leckey, R. C. G., Higginson, G. S. and Emeleus, K. G. Electron distribution in low voltage arcs, 4=2964
- Leckey, R. C. G. See Coulter, A. G., 4=18784
- Leckie, F. and Pestel, E. Transfer-matrix fundamentals, 1=5317
- Le Claire, A.D. On the theory of impurity diffusion in metals, 2=6360
- Le Claire, A.D. Conference on Diffusion and Mass Transport in Solids, Reading, April 1962, 2=21051
- Le Claire, A.D. The analysis of grain boundary diffusion measurements, 3=15504
- LeClaire, A.D. See Mortlock, A.J., 0=20846
- Lecler, D. See Barrat, J. P., 4=9639
- Leclerc, J. Method of determining Poisson's ratio from the longitudinal resonances of a test piece immersed in a liquid, 4=17710
- Leclipteur, J. Preparation of a scintillation mixture for the determination of the tritium activity of benzene (tritiated) synthesized from water, 3=4292
- Lecocq, A. Experimental determination of the equations of state of argon up to 1000°C and 1000 kg/cm<sup>2</sup>, 0=16733
- Lecocq, A. See Baur, A., 4=2146
- Lecocq, A. See Guillemaut, A., 4=7475
- Lecocq, A. See Saurel, J., 0=14910
- Lecocq, P. Orders of magnitude in magnetohydrodynamic turbulence, 2=13664
- Lecocq, P. Decay of turbulence. Final stage. Energy spectrum, 2=15993
- Lecocz, P. and Michel, A. The influence of germanium on the Curie point of nickel, 2=734
- Lecoin, M., Robert, J. and Picq, M. Microcalorimetric measurements of  $\gamma$ -radiation, 3=10078
- Lecomte, C. See Cunningham, R.L., 0=8173
- Lecomte, C. See Haymann, P., 1=9966
- Lecomte, J., Boullé, A., Dorémieux-Morin, C. and Lelong, B. Molecular structure of cubic P<sub>2</sub>O<sub>5</sub>, SiO<sub>2</sub> and P<sub>2</sub>O<sub>6</sub>. GeO<sub>2</sub>, 4=15353
- Lecomte, J., Boullé, A., Dorémieux-Morin, C. and Lelong, B. Study, by infrared spectroscopy, of compounds of the systems P<sub>2</sub>O<sub>5</sub>-SiO<sub>2</sub>-H<sub>2</sub>O and P<sub>2</sub>O<sub>5</sub>-GeO<sub>2</sub>-H<sub>2</sub>O, 4=17814
- Lecomte, J., Duval, C. and Franck, R. Infrared absorption spectra, vibrational modes and structure of metallic tetra-thionates, 4=1716
- Lecomte, J., Le Gardeur, R.J. and Tillet, J. The proton synchrotron "Saturne". Accelerating cavity, 0=2412
- Lecomte, J. See Dagai, M., 0=2412
- Lecomte, J. See Dupuis, T., 4=10196
- Lecomte, J. See Duval, C., 0=20625
- Lecomte, J. See Goodman, B. B., 4=14529
- Lecomte, J. See Vincent-Geisse, J., 0=14802
- Lecomte, J. See Vincent-Geisse, J., 0=14803
- Lecomte, J. See Vincent-Geisse, J., 1=16064
- Lecomte, J. See Vincent-Geisse, J., 2=21999
- Lecomte, J. See Vincent-Geisse, J., 3=10905
- Lecomte, J. See Vincent-Geisse, J., 4=18202
- Lecomte, J. See Wadier, C., 4=10169
- Lecomte, J. L. Estimation of random coincidences in "slow-fast" coincidence circuits, 4=9023
- Lecomte, M. Study of the crystalline anisotropy of artificial graphite by neutron diffraction, 3=5101
- Lecomte, M. See Mayer, G., 1=9082
- Lecomte, M. See Mayer, G., 1=17592
- Lecoq, P. and Michel, A. A new ferromagnetic compound, the germanide of iron, Fe<sub>2</sub>Ge, 2=4215
- Lecordier, J.C. See Colombani, A., 1=16480
- Le Corre, Y. Determination of crystalline potential with the aid of fine structure in electron diffraction, 0=3205
- Le Corre, Y. Optical and dielectric study of boracite, 0=4377
- Le Corre, Y. Density couples and pseudo-rotations in the theory of elasticity of Laval, 0=11962
- Le Corre, Y. Variation of Raman frequencies as a function of the direction of the elastic wave vector, 4=10155
- Lecoustey, P. The transmission of a plasma jet through a magnetic [mirror] barrier, 4=14698
- Lecoustey, P. See Bariaud, A., 3=9800
- Le Couteur, K.J. Integral representation of a double commutator, 0=15237
- Le Couteur, K.J. The vertical motion of particles through the regenerative beam extractor of a synchrocyclotron, 0=19857
- Le Couteur, K.J. The structure of a non-relativistic S-matrix, 0=20070
- LeCouteur, K. J. Fluctuations in nuclear cross sections, 4=28809
- Le Couteur, K.J. and Lang, D.W. Neutron evaporation and level densities in excited nuclei, 0=5736
- Le Couteur, K. J. and Roy, M. K. Approximations to the Dirac density matrix, 4=12347
- Le Couteur, K.J. See Kumar, K., 3=15074
- Le Couteur, K.J. See Lang, D.W., 0=5662
- Lecoy, G. See Bordure, G., 4=9875
- LeCraw, R.C., Fletcher, R.C. and Spencer, E.G. Electron spin relaxation in ferromagnetic insulators, 0=10220
- LeCraw, R.C. and Kasuya, T. Long-wavelength collective excitations in ferromagnetic insulators. I. Strong coupling of acoustic modes to spin wave modes, 3=11043
- LeCraw, R.C. and Kasuya, T. Magnetoelastic coupling constants of terbium and europium iron garnets, 3=15886
- LeCraw, R. C., Nilsen, W. G., Remeika, J. P. and Van Vleck, J. H. Ferromagnetic relaxation in europium iron garnet, 4=10306
- LeCraw, R.C. and Spencer, E.G. Surface-independent spin-wave relaxation in ferromagnetic resonance of yttrium iron garnet, 0=3113
- LeCraw, R.C. and Spencer, E.G. Intrinsic relaxation of the uniform precession in ferromagnetic resonance of yttrium iron garnet, 3=1163



- LeCraw, R.C., Spencer, E.G. and Gordon, E.I. Extremely low loss acoustic resonance in single-crystal garnet spheres, 1=14171
- LeCraw, R.C., Spencer, E.G. and Gordon, E.I. Acoustic losses in ferromagnetic insulators, 2=12688
- LeCraw, R.C. and Walker, L.R. Temperature dependence of the spin-wave spectrum of yttrium iron garnet, 1=6353
- LeCraw, R.C. See Comstock, R.L., 3=18096
- LeCraw, R.C. See Comstock, R.L., 3=23958
- LeCraw, R.C. See Fletcher, R.C., 0=6258
- LeCraw, R.C. See Fraser, D.B., 4=28911
- LeCraw, R.C. See Kasuya, T., 1=7781
- LeCraw, R.C. See Labuda, E.F., 1=7015
- Lecraw, R.C. See Matthews, H., 2=16602
- LeCraw, R.C. See Pincus, P., 1=17970
- LeCraw, R.C. See Spencer, E.G., 0=3090
- LeCraw, R.C. See Spencer, E.G., 0=6260
- LeCraw, R.C. See Spencer, E.G., 1=14777
- LeCraw, R.C. See Van Uitert, L.G., 0=3072
- LeCroy, W. and Rosen, J. Viewing probe for high voltage pulses, 1=5520
- Le Dang Khoi and Bertaut, F. Nuclear magnetic resonance of the nuclei of  $\text{Fe}^{57}$  in  $\alpha\text{Fe}_2\text{O}_3$ , 2=10723
- Le Dang Khoi and Bertaut, F. The nuclear magnetic resonance of  $\text{Fe}^{57}$  in the hyperfine field of ordered lithium ferrite, 3=1204
- Le Dang Khoi and Buyle-Bodin, M. Nuclear magnetic resonance of nuclei of  $\text{Fe}^{57}$  in the local fields of dysprosium iron garnet, 2=4285
- Le Dang Khoi and Buyle-Bodin, M. Nuclear magnetic resonance of nuclei of  $\text{Fe}^{57}$  in the local fields of several garnets of iron and the rare earths, 2=6703
- Leddicotte, G. W. See Reynolds, S. A., 4=7804
- Leder, L. B. and Suddeth, J. A. Characteristic energy losses of electrons in carbon, 0=15332
- Leder, L. B. See Klein, R., 1=18909
- Leder, L. B. See Klein, R., 1=18910
- Leder, L. B. See Klein, R., 3=14622
- Leder, L. B. See Klein, R., 3=14623
- Lederer, M. See Björnholm, S., 3=15129
- Lederer, S. The Fermat principle in the five-dimensional theory, 1=7141
- Lederer, S. The five-dimensional representation of particles of spin 2, 1 and 0, 1=18255
- Lederer, S. Quantization in five-dimensional theory (linear approximation), 2=11281
- Lederer, S. Study of quantization of a five-dimensional unitary theory, 2=20234
- Lederer, S. On identities deduced from an action-integral and their application to the Euclidean theory of gravitation, 3=9329
- Lederer, S. Equations of motion and laws of conservation, deduced from a Lagrangian, in scalar, vectorial and tensorial forms. Application to a Euclidean theory of gravitation, 4=11134
- Lederer, S. See Tonnelat, M. A., 3=9330
- Lederhandler, S. R. Infrared studies of birefringence in silicon, 0=1723
- Lederman, L. See Bleser, E., 2=16218
- Lederman, L. See Bleser, E., 2=18504
- Lederman, L. M. Electromagnetic properties of electrons and muons, 1=8446
- Lederman, L. M. Neutral K-mesons, 1=8499
- Lederman, L. M. Report on spark chamber work at Nevis Laboratory, 1=10823
- Lederman, L. M. See Bleser, E. J., 4=6675
- Lederman, L. M. See Charpak, G., 0=17366
- Lederman, L. M. See Danby, G., 2=20308
- Lederman, L. M. See Danby, G., 3=14952
- Lederman, L. M. See Devons, S., 1=517
- Lederman, L. M. See Meyer, S. L., 4=6089
- Lederman, L. M. See Rosen, J. L., 4=6365
- Lederman, L. M. See Rothberg, J. E., 4=6090
- Lederman, L. M. See Shapiro, G., 2=3366
- Lederrer, C. M. See Björnholm, S., 2=19148
- Ledersteger, K. Normal spheroid of the earth as a two-part equilibrium figure and the mean depth of the lithosphere, 2=6904
- Ledinegg, E. Representation of the electromagnetic field in a half-space, 4=24797
- Ledinegg, E. and Breitenhuber, L. On the theory of a waveguide of arbitrary cross-section, 4=3167
- Ledinegg, E. and Breitenhuber, L. On the theory of the tri-angular waveguide, 4=3168
- Ledinegg, E. and Breitenhuber, L. The radiation field of the deformed circular cylindrical waveguide, 4=3169
- Ledinegg, M. Approximate method of calculating the surface leakage in reactors, 0=4145
- Ledingham, K. W. D. See Dougan, P. W., 2=22771
- Ledley, B. See Booth, N. E., 0=17358
- Ledley, B. See Crewe, A. V., 0=1277
- Ledley, B. See Crewe, A. V., 0=9355
- Le Donche, L. and de la Fouchardière, A. Contribution to the study of the system  $\text{P}_2\text{O}_5 \cdot \text{Ti}_2\text{O}_3 \cdot \text{H}_2\text{O}$  at 25°C, 4=15725
- Le Donche, L. and Le Montagner, S. New apparatus for the laboratory production of monocrystals, 2=19055
- Le Donche, L. and Le Montagner, S. A new ferroelectric: Ammonium thallium arsenate or "atlas"  $(\text{NH}_4)_4\text{Ti}_3(\text{H}_2\text{AsO}_4)_7$ , 4=1660
- Ledoux, P. Asymptotic form of the adiabatic radial pulsations of a star. I, 2=24139
- Ledoux, P. Asymptotic form of adiabatic radial pulsations of a star. II. Asymptotic behaviour of the amplitudes, 4=4853
- Ledoux, P. and Boury, A. Vibrational stability of stars of originally pure hydrogen, 1=18108
- Ledoux, P., Schwarzschild, M. and Spiegel, E. A. On the spectrum of turbulent convection, 1=2633
- Ledoux, P. The Cepheids, 4=20891
- Ledoux, P. See Boury, A., 4=23854
- Leduc, B. See Bernard, M., 0=13594
- Leduc, P. A broad self-sustaining permalloy source for the evaporation of ferromagnetic films, 4=29182
- Lee, A. P. See Davidson, T. E., 4=30795
- Lee, A. R. and Gilbody, H. B. Positive ion stripping studies in the energy range 100-450 keV, 4=16427
- Lee, A. R. and Gilbody, H. B. Positive ion stripping and neutralization studies in the energy range 100-450 keV, 4=24568
- Lee, A. R. and Hasted, J. B. Ionization of atoms by protons, 2=10224
- Lee, A. R. See Gilbody, H. B., 4=16426
- Lee, A. R. See Gilbody, H. B., 3=19185
- Lee, A. R. See Gilbody, H. B., 3=21698
- Lee, A. R. See Hasted, J. B., 2=9531
- Lee, A. R. See Hasted, J. B., 4=24597
- Lee, B. See Wilson, D. J., 1=6907
- Lee, B. E. and Snyder, D. D. Reflecting prism for an optical bench screen, 3=243
- Lee, B. E. See Snyder, D. D., 4=16002
- Lee, B. W.  $\text{K}\pi$  interaction in the double dispersion representation, 0=20229
- Lee, B. W. Two-pion exchange mechanism in  $\text{K}^+ \text{N}$  scattering, 1=4809
- Lee, B. W. Theorem on crossing relations and its application to  $\text{KN}$  and  $\text{KN}$  scattering processes, 2=9919
- Lee, B. W. Transformation properties of nonleptonic weak interactions, 4=15014
- Lee, B. W. and Cho, K. S. Modified static equations for the  $\text{K}\pi$ -interaction. Effect of pion-pion resonance, 1=12113
- Lee, B. W. and Klein, A. Does spontaneous breakdown of symmetry imply zero-mass particles? 4=16802
- Lee, B. W., Mahanthappa, K. T., Gerstein, I. S. and Whippman, M. L. On the equivalence of elementary and composite particles, 4=27754
- Lee, B. W., Okubo, S. and Schecter, J. Possible existence of a boson icosuplet, 4=21759
- Lee, B. W. and Sawyer, R. F. Regge poles and high-energy limits in field theory, 2=20261
- Lee, B. W. and Sawyer, R. F. Leading Regge trajectory in the  $\lambda\phi^4$  theory, 2=20262
- Lee, B. W. and Swift, A. R. On the mathematical structure of the multiperipheral equation, 3=12415
- Lee, B. W. and Vaughn, M. T. P-wave resonance in pion-pion scattering, 0=13031
- Lee, B. W. See Aaron, R., 1=427
- Lee, B. W. See Baker, M., 4=9084
- Lee, B. W. See Behrends, R. E., 2=11876
- Lee, B. W. See Brown, L., 3=24636
- Lee, B. W. See Cook, L. F., Jr., 2=16168
- Lee, B. W. See Cook, L. F., Jr., 2=16169
- Lee, B. W. See Dreitlein, J., 2=322
- Lee, B. W. See Swift, A. R., 3=22086
- Lee, B. W. See Swift, A. R., 4=25024
- Lee, C. A. and Kaminsky, G. Investigation of the temperature variation of noise in diode and transistor structures, 0=1636



- Lee, C.A. and Kaminsky, G. Preparation and electrical properties of alloyed p-n junctions of InSb, 0=6122
- Lee, C.A. and Kaminsky, G. Anomalous barrier capacitance in p-n junctions of InSb, 0=18045
- Lee, C.A., Logan, R.A., Batdorf, R.L., Kleimack, J.J. and Wiegmann, W. Ionization rates of holes and electrons in silicon, 4=17395
- Lee, C.A. See Chynoweth, A.G., 0=9961
- Lee, C.H. Nuclear potential in quantum field theory, 3=15069
- Lee, C.H. Nuclear potential in axiomatic quantum field theory, 4=15122
- Lee, C.H. and Maddin, R. Effect of torsional deformation on self-diffusion in silver, 1=14321
- Lee, D. Modified Bayard-Alpert gauge with X-ray suppression, 3=21458
- Lee, D.F. See Kinloch, C.D., 3=13339
- Lee, D.H. and Roberts, D.H. New infra-red detectors for the 1 to 7 micron region, 0=19499
- Lee, D.M. and Fairbank, H.A. Density and expansion coefficient of liquid He<sup>3</sup> below 1°K, 0=225
- Lee, D.M. and Fairbank, H.A. Heat transport in liquid He<sup>3</sup>, 0=3701
- Lee, D.M., Fairbank, H.A. and Walker, E.J. Dielectric constant, density, expansion coefficient, and entropy of liquid He<sup>3</sup> under pressure below 1°K, 1=4524
- Lee, D.M. See Tedrow, P.M., 4=18508
- Lee, D.M. See Weinstock, H., 3=315
- Lee, D.M. See Weinstock, H., 4=14486
- Lee, D.M. See Weinstock, H., 4=16316
- Lee, D.W. Debye-Scherrer photograms of mixtures of compounds, 4=28996
- Lee, D.W. See Hayasi, T., 4=28708
- Lee, D.Y. See Zagorites, H.A., 4=17506
- Lee, E.K.C. and Rowland, F.S. Decomposition of excited alkyl radicals in the liquid phase, 2=4562
- Lee, E.T.P. and Ma, S.T. Relativistic Doppler effect, 2=7126
- Lee, E.L. and Gutmacher, R.G. The absorption spectrum of manganese atoms in solid argon at 4°K, 3=23074
- Lee, E.W. A study of ferromagnetic domains in Perminvar possessing a rectangular hysteresis loop, 0=13799
- Lee, E.W. A note on the magnetostriction of holmium, 3=18118
- Lee, E.W. and Ackers, J.K. A note on the demagnetizing energy of a uniformly magnetized cube, 3=9899
- Lee, E.W. and Alberts, L. The magnetostriction of dysprosium metal, 2=10665
- Lee, E.W. and Birss, R.R. The magnetostriction of lithium-chromium ferrite in the neighbourhood of its compensation point, 1=3907
- Lee, E.W. and Birss, R.R. The magnetoelastic constants of nickel, 1=17969
- Lee, E.W. and Lynch, A.C. Soft magnetic materials, 0=11879
- Lee, E.W. See Alberts, L., 2=759
- Lee, E.W. See Alberts, L., 4=7236
- Lee, E.W. See Birss, R.R., 0=11876
- Lee, E.W. See Birss, R.R., 1=1225
- Lee, E.W. See Birss, R.R., 1=20105
- Lee, E.W. See Bishop, J.E.L., 3=831
- Lee, E.W. See Bishop, J.E.L., 4=7235
- Lee, E.W. See Jackson, R.C., 0=8039
- Lee, E.W. See Swindell, W., 4=7238
- Lee, H.J. See Cooper, L.N., 4=18536
- Lee, H.S. and Bowhill, S.A. A statistical study of apparent horizontal ionospheric movements using 300 kc/s radio waves, 4=7923
- Lee, H.S. See Ferraro, A.J., 3=16269
- Lee, H.W. See Brown, B.S., 3=16741
- Lee, I.K. The application of the vibrating wire measuring principle to the measurement of earth pressure, 0=12399
- Lee, J. and Brodkey, R.S. On Broszko's relations for turbulent flow, 3=116
- Lee, J. and Brodkey, R.S. Light probe for the measurement of turbulent concentration fluctuations, 4=2638
- Lee, J. and Samios, N.P. Search for rare decay modes of the  $\mu^+$  meson, 0=9390
- Lee, J. and Seliger, H.H. Quantum yield of the ferrioxalate actinometer, 4=10649
- Lee, J. and Walsh, A.D. The vacuum ultra-violet absorption spectra of the halogen molecules. I. Chlorine, 0=497
- Lee, J. See Brandon, M., 1=12093
- Lee, J. See Bardon, M., 2=13833
- Lee, J. See Li, Dzh., 2=21510
- Lee, J.A., Evans, J.P., Hall, R.O.A. and King, E. Some physical properties of neptunium metal. III. The electrical resistivity and thermoelectric power of neptunium metal in the range 300-900°K, 0=11657
- Lee, J.A., Mardon, P.G., Pearce, J.H. and Hall, R.O.A. Some physical properties of neptunium metal. II. A study of the allotropic transformations in neptunium, 0=12056
- Lee, J.A. and Meaden, G.T. Electronic properties of the actinide metals, 4=17542
- Lee, J.A., Meaden, G.T. and Mendelssohn, K. Low temperature resistivity of plutonium and neptunium, 0=1084
- Lee, J.A., Mendelssohn, K. and Wigley, D.A. Accumulation of radiation damage in plutonium, 2=12456
- Lee, J.A., Mendelssohn, K. and Wigley, D.A. Effect of self-irradiation on the resistivity of plutonium, 2=23238
- Lee, J.A., Mendelssohn, K. and Wigley, D.A. Accumulation of self-damage in plutonium, 3=22856
- Lee, J.A. See King, E., 4=6930
- Lee, J.A. See King, E., 4=12834
- Lee, J.A. See Marples, J.A.C., 1=20530
- Lee, J.A. See Meaden, G.T., 2=12552
- Lee, J.B. See Odencrantz, F.K., 3=9096
- Lee, J.H. See Barach, J.P., 4=29918
- Lee, J.K., Musgrave, B. and Rowland, F.S. Intermolecular isotope effect in recoil tritium reactions with hydrogen, 0=10347
- Lee, J.K.P. See Kavanagh, T.M., 4=28029
- Lee, J.P. See Ashburn, E.V., 3=23650
- Lee, J.R. Liquidus-solidus relations in the system iron-aluminium, 0=6383
- Lee, K. and Inglis, D.R. Nuclear deformation in the spheroidal shell model, 0=20318
- Lee, K., Portis, A.M. and Witt, G.L. Magnetic properties of the hexagonal antiferromagnet CsMnF<sub>3</sub>, 4=1851
- Lee, K. See Zalkin, A., 2=19078
- Lee, K.P. See Shields, F.D., 4=12466
- Lee, K.S.H. and Papas, C.H. Doppler effects in inhomogeneous anisotropic ionized gases, 4=8712
- Lee, K.S.H. See Papas, C.H., 3=7702
- Lee, Kun Pal. See Kun Pal Lee, 3=9506
- Lee, L. and Farnell, G.W. Phase singularities for microwave lenses with aberrations, 1=4720
- Lee, L. See Chandrasekhar, S., 2=2684
- Lee, L. See Reed-Hill, R.E., 4=30813
- Lee, L.L., Jr., Marinov, A. and Schiffer, J.P. Isovaric-analogue states in Cu<sup>65</sup>, 4=15160
- Lee, L.L., Jr., Meyer-Schutzmeister, L., Schiffer, J.P. and Vincent, D. Nuclear resonance absorption of gamma rays at low temperatures, 0=412
- Lee, L.L., Jr. and Mooring, F.P. Resonance detection of neutron energy groups from the Mn<sup>55</sup>(p,n)Fe<sup>55</sup> reaction, 0=433
- Lee, L.L., Jr. and Schiffer, J.P. A test of the statistical nature of fluctuations in nuclear cross-sections, 3=22370
- Lee, L.L., Jr. and Schiffer, J.P. Experimental evidence for J dependence of the angular distribution from (d, p) reactions, 4=15234
- Lee, L.L., Jr. and Schiffer, J.P. Studies of elastic scattering of protons, deuterons, and alpha particles from isotopes of Cu, Ni, and Fe, 4=19772
- Lee, L.L., Jr., Schiffer, J.P. and Gemmell, D.S. Measurement of spins of some states in Ca<sup>41</sup>, 3=19777
- Lee, L.L., Jr. See Coté, R.E., 4=22024
- Lee, L.L., Jr. See Hintz, N.M., 1=19370
- Lee, L.L., Jr. See Huddleston, C.M., 0=5791
- Lee, L.L., Jr. See Reay, N.W., 3=17464
- Lee, L.L., Jr. See Schiffer, J.P., 0=1416
- Lee, L.L., Jr. See Weinman, J.A., 4=9399
- Lee, M. See Goldburg, W.I., 4=4419
- Lee, M.A. Variation with temperature of the distribution coefficient of indium in germanium, 1=3781
- Lee, M.R. See Crawford, J.M., 0=8351
- Lee, O.S. Effect of an internal wave on sound in the ocean, 1=6932
- Lee, P.K. See Gingerich, K.A., 4=21364
- Lee, P.M. See Pincherle, L., 2=2063
- Lee, P.M. See Pincherle, L., 2=20963
- Lee, P.M. See Pincherle, L., 2=23104
- Lee, P.M. Electronic structure of magnesium silicide and magnesium germanide, 4=28411
- Lee, P.M. and March, N.H. Strain scattering by vacancies and impurities in metals, 0=9904
- Lee, P.M. and Pincherle, L. The electronic band structure of bismuth telluride, 3=10627



- Lee, P.M. See Ramdas, A.K., 4=4127
- Lee, R. Properties of reset cores in radar pulse transformers, 2=14795
- Lee, R.H. and Warwick, J.W. A spectrographic interferometer, 4=26964
- Lee, R.H. See Boischoit, A., 0=6556
- Lee, R.M. and Loftus, T.P. Correction factors for the calibration of encapsulated radium sources, 2=14007
- Lee, R.W. Diffusion of hydrogen in natural and synthetic fused quartz, 3=8452
- Lee, R.W. On the rôle of hydroxyl in the diffusion of hydrogen in fused silica, 4=20304
- Lee, R.W., Frank, R.C. and Swets, D.E. Diffusion of hydrogen and deuterium in fused quartz, 2=6366
- Lee, R.W. See Frank, R.C., 1=17558
- Lee, R.W. See Fry, D.L., 1=1475
- Lee, R.W. See Swets, D.E., 1=5685
- Lee, R.W. See Swets, D.E., 1=11783
- Lee, R.Y. See Rowe, J.E., 2=1589
- Lee, S. and Bray, P.J. Electron spin resonance studies of irradiated glasses containing boron, 4=7319
- Lee, S. and Bray, P.J. E.S.R. studies of irradiated alkali borate glasses with high alkali oxide content, 4=20582
- Lee, S.C. See Dlubac, J.J., 4=1626
- Lee, S.C. See Suzuki, T., 2=9367
- Lee Sai-Kwing. See Kivelson, D., 4=30468
- Lee, S.M. See Nugent, L.J., 4=28753
- Lee Sang Soo. Ageing effect in evaporated films of zinc sulphide, 0=3638
- Lee Sang Soo. Photoelectric double-slit interferometer for investigation of transparent thin solid films, 0=3641
- Lee, S.W. See Wanick, R.W., 1=13095
- Lee, Shun-Yi. On the dual integral equation, 4=24016
- Lee Sook. See Sook Lee,
- Lee, T.D. Elementary particles, 0=20088
- Lee, T.D. Application of  $\xi$ -limiting process to intermediate bosons, 3=553
- Lee, T.D. Lepton physics, 3=4359
- Lee, T.D. Speculations concerning the  $\Delta S = -\Delta Q$  reactions and the intermediate boson structures in weak interactions, 4=9109
- Lee, T.D. Radiative corrections to electromagnetic moments and leptonic decays of the intermediate boson  $W$ , 4=21885
- Lee, T.D., Markstein, P. and Yang, C.N. Production cross section of intermediate bosons by neutrinos in the Coulomb field of protons and iron, 2=3312
- Lee, T.D. and Nauenberg, M. Degenerate systems and mass singularities, 4=11067
- Lee, T.D., Robinson, H., Schwartz, M. and Cool, R. Intensity of upward muon flux due to cosmic-ray neutrinos produced in the atmosphere, 4=3519
- Lee, T.D. and Sirlin, A. Possible method of determining the amount of charge of  $\nu_e$ , 4=21833
- Lee, T.D. and Yang, C.N. Many-body problem in quantum statistical mechanics. II. Virial expansion for hard-sphere gas, 0=897
- Lee, T.D. and Yang, C.N. Many-body problem in quantum statistical mechanics. III. Zero-temperature limit for dilute hard spheres, 0=3457
- Lee, T.D. and Yang, C.N. Many-body problem in quantum statistical mechanics. IV. Formulation in terms of average occupation number in momentum space, 0=3458
- Lee, T.D. and Yang, C.N. Many-body problem in quantum statistical mechanics. V. Degenerate phase in Bose-Einstein condensation, 0=4948
- Lee, T.D. and Yang, C.N. Theoretical discussions on possible high-energy neutrino experiments, 0=9332
- Lee, T.D. and Yang, C.N. Implications of the intermediate boson basis of the weak interactions: existence of a quartet of intermediate bosons and their dual isotopic spin transformation properties, 0=15252
- Lee, T.D. and Yang, C.N. Some consideration on global symmetry, 1=9729
- Lee, T.D. and Yang, C.N. High-energy neutrino reactions without production of intermediate bosons, 2=16145
- Lee, T.D. and Yang, C.N. Theory of charged vector mesons interacting with the electromagnetic field, 3=552
- Lee, T.D. See Bernstein, J., 4=9167
- Lee, T.D. See Danby, G., 3=14952
- Lee, T.D. See Gürsey, F., 3=14882
- Lee, T.D. See Gürsey, F., 4=25013
- Lee, T.H. Energy distribution and cooling effect of electrons emitted from an arc cathode, 0=9069
- Lee, T.H. and Greenwood, A. Theory for the cathode mechanism in metal vapor arcs, 1=7041
- Lee, T.H. and Greenwood, A.N. Motion of ions in the cathode sheath of an arc, 4=11559
- Lee, T.H., Kurtz, D.R. and Veras, D.J. Problems in detecting leaks with long time constants in long-life vacuum devices with sealed glass envelopes, 3=21453
- Lee, T.-M. Method of determining dynamic properties of viscoelastic solids employing forced vibration, 3=13371
- Lee, T.M. Vibration of sphere for determining the dilatational constants of viscoelastic materials, 3=21476
- Lee, T.M. Dilatation constants and complex ratio from forced vibration of a free viscoelastic sphere, 4=15686
- Lee, Tun-Chien and Hwang, Jenn-Lin. Force constants of the graphite lattice from specific heat data, 4=20185
- Lee, V.J. and Parravano, G. Sintering reactions of zinc oxide, 0=1958
- Lee, V.J. and Mason, D.R. Analytical formulation of incremental electrical conductivity in semiconductors arising from an accumulation space-charge layer, 4=20347
- Lee, W. See Chinowsky, W., 3=4457
- Lee, W. See Goldhaber, G., 0=17339
- Lee, W. See Goldhaber, G., 1=16791
- Lee, W. See Goldhaber, S., 2=22635
- Lee, W. See Goldhaber, G., 3=24791
- Lee, W. See Slater, W., 2=3403
- Lee, W.H. See Allam, D.S., 1=18407
- Lee, W.-M. See Sen, K.K., 2=2545
- Lee, W.S. See Pai, H.-L., 2=7870
- Lee, W.T., Sen, D.C., Ho, T.H., Chen, J.M. and Tzo, H.Y. The mean life time ratio of  $K^+$ -meson and hyperons and their branching ratios of different decay modes, 0=5602
- Lee, Y.C. and Tzoar, N. Frequency-dependent relaxation time of electron-phonon systems in a homogeneous magnetic field, 4=28664
- Lee, Y.C. See Ferrell, R.A., 0=9396
- Lee, Y.J. See Allen, J.E., 0=20185
- Lee, Y.J. See Allen, J.E., 1=17136
- Lee Yang-kou. See Yü Min, 0=1350
- Lee, Y.K., Mo, L.W. and Wu, C.S. Experimental test of the conserved vector current theory on the beta spectra of  $B^{12}$  and  $N^{12}$ , 3=15137
- Lee, Y.K., Mo, L.W. and Wu, C.S. Observation of the internal conversion line from the 6.052 MeV level in  $O^{18}$ , 3=15140
- Lee, Y.K. and Wu, C.S. Lifetime of the second excited levels in  $Ni^{60}$  and  $Ti^{46}$ , 4=3602
- Lee, Y.K. See Wu, C.S., 1=603
- Lee, Y.W. Statistical filtering and prediction, 0=2126
- Lee, Y.Y. On the temperature dependence of paramagnetic resonance in the case of the Ising model, 1=20191
- Lee, Y.Y., Moebs, W.D.C., Jr, Rose, B.P., Sinclair, D. and Vander Velde, J.C. Search for  $\phi$ -meson production in 3.7-GeV/C  $\pi^-p$  collisions, 4=15098
- Lee, Y.Y., Roe, B.P., Sinclair, D. and Vander Velde, J.C. Determination of the spin of the  $f'$  resonance, 4=19576
- Lee, Z.Y., Wang, M.Y. and Pan, Q.M. Theory of the Klumb-Schwarz type radiometer gauge, 4=252
- Lee-Whiting, G.E. A Compton-electron  $\gamma$ -spectrometer with two-directional focusing, 0=11135
- Lee-Whiting, G.E. Focusing of charged particles in a cylindrically symmetric magnetic field, proportional to  $r^{-1}$ , 3=9865
- Lee-Whiting, G.E. See Bartholomew, G.A., 1=2030
- Leeb, M. See Kirchmayr, H., 4=10510
- Leebeek, H.J. See Walraven, P.L., 2=17330
- Leebeek, H.J. See Walraven, P.L., 3=16456
- Leebeek, H.J. See Walraven, P.L., 4=10984
- Leech, F.J., Brown, L.C. and Gaines, J.R. Anomalous line-width transition in  $Na^{23}$ , 4=1907
- Leech, J.W. Anharmonic forces and the Einstein model of a crystal, 0=1555
- Leech, J.W. and MacDonald, D.K.C. Some remarks on thermoelectricity, 0=1687
- Leech, J.W. and Newman, D.J. (Transl.). Elements of tensor calculus, 3=5318
- Leech, J.W., Peechey, C.J. and Reissland, J.A. Thermal expansion of inert gas solids in the harmonic approximation, 4=22502
- Leech, J.W. and Reissland, J.A. Three parameter potentials in solid argon, 4=17360
- Leech, J.W. See Horton, G.K., 4=6712
- Leed, R.D. See Kostkowski, H.J., 2=15791
- Leeden, P., v.d. See v.d. Leeden, P.,
- Leedham, C.D. See Potter, D.S., 4=27077



- Leefe, S. and Liebson, N. Leveling system for liquid nitrogen, 1=2582
- Leen, M.W., Sugai, I. and Clavier, P.A. Physical basis for electro-magnetic theory, 2=13657
- Leenhouts, H.P., Endt, P.M. The spins of the second, third and fourth excited states in  $\text{Ca}^{40}$ , 3=19776
- Leenhouts, J.I. See Gomes de Mesquita, A.H., 4=13599
- Lees, A. See Jason, A.C., 0=5219
- Lees, A. See Jason, A.C., 2=11231
- Lees, D.J. and Rusbridge, M.G. Magnetic field diffusion in Zeta, 1=9611
- Lees, D.J. See Rusbridge, M.G., 1=9633
- Lees, D.J. See Rusbridge, M.G., 4=8774
- Lees, J., Muller, B.H. and Noble, J.D. Degassing of liquids for nuclear spin-lattice relaxation studies, 1=8136
- Lees, J. See Ashcroft, K., 4=4441
- Lees, J. See Pugh, H.L.D., 1=20436
- Lees, J.K. See Hinman, G.W., 4=22458
- Lees, J.K. See Hinnian, G.W., 4=22463
- Lees, J.K. See Hoy, G.R., 3=22718
- Lees, L. and Liu, C.-Y. Kinetic-theory description of conductive heat transfer from a fine wire, 3=1848
- Lees, L. See Chung-Yen Lui, 2=2738
- Lees, R.B. See Neubert, T.J., 0=11649
- Leese, J.A. The role of advection in the formation of vortex cloud patterns, 3=6959
- Leeser, D.O. See Billington, D.S., 0=20849
- Leet, L.D. The detection of underground explosions, 3=1418
- Leeuwen, J.M.J.van. See van Leeuwen, J.M.J.
- Le Febre, V. See Gabrysh, A.F., 3=3072
- Lefebvre, C. and Guisset, J. Excess free energy of solid solutions of  $\text{Kr}-\text{CH}_4$  mixtures at  $90-67^\circ\text{K}$ , 2=574
- Lefebvre, C. See Heastie, R., 1=1848
- Lefebvre, R. A method of determining self-consistent molecular orbitals, 0=9824
- Lefebvre, R. Estimation of force constants from the electronic energy, 0=11513
- Lefebvre, R. Paramagnetic electron resonance of organic radicals in solution, 0=13447
- Lefebvre, R. Electron spin resonance line shape of a polycrystalline CH radical, 1=3939
- Lefebvre, R. Proton resonance line shape for a polycrystalline aromatic radical, 1=11129
- Lefebvre, R. Calculation of the electron spin resonance line shape for a polycrystalline radical with anisotropic g tensor and proton hyperfine interactions, 1=17341
- Lefebvre, R., Dearman, H.H. and McConnell, H.M. Spin densities in odd alternant hydrocarbon radicals, 0=4233
- Lefebvre, R., Maruani, J. and Marx, R. Electron spin resonance evidence of a distortion of diphenylpicrylhydrazyl in a crystalline medium, 4=28336
- Lefebvre, R. See Dearman, H.H., 1=3560
- Lefebvre, R. See Kottis, P., 3=25135
- Lefebvre, R. See Kottis, P., 4=25719
- Lefebvre, R. See McLachlan, A.D., 0=15680
- Lefebvre, S. See Lambert, M., 2=20988
- Lefebvre, S. See Lambert, M., 3=22870
- Lefebvre-Brion, H. and Moser, C.M. Calculation of the magnetic hyperfine structure coupling constants of NO, 0=9628
- Lefebvre-Brion, H., Moser, C.M. and Nesbet, R.K. The  $^1\Sigma^+$  excited states of carbon monoxide, 0=17764
- Lefebvre-Brion, H., Moser, C.M. and Nesbet, R.K. A calculation of the potential energy curves for some electronic states of carbon monoxide, 1=9947
- Lefebvre-Brion, H., Moser, C. and Nesbet, R.K. Ultraviolet spectra of carbon monoxide, 1=19643
- Lefebvre-Brion, H., Moser, C.M. and Nesbet, R.K. Rydberg levels in carbon monoxide, 4=30425
- Lefebvre-Brion, H., Moser, C., Nesbet, R.K. and Yamazaki, M. Electric-field gradient at the oxygen nucleus in CO and the dipole moment of CO, 3=19977
- Lefebvre-Brion, H. See Bessis, N., 2=522
- Lefebvre-Brion, H. See Bessis, N., 2=22898
- Lefebvre-Brion, H. See Bessis, N., 3=12760
- Lefebvre-Brion, H. See Bessis, N., 4=12117
- Lefebvre-Brion, H. See Bessis, N., 4=25507
- Lefebvre-Brion, H. See Bessis, N., 4=28112
- Lefebvre-Brion, H. See Bessis-Mazloum, N., 0=20550
- Lefebvre-Brion, H. See Lorquet, J.C., 0=7789
- Lefeld-Sosnowska, M. and Zielińska-Rohozińska, E. Dynamical effects of X-ray interference in silicon single crystals, 2=15015
- Lefevre, S. and Matheau, J.C. Variation of the power absorbed at very high frequencies by a quadrupole, as a function of the locking dipole, 4=21651
- Lefevre, S. See Baudrand, H., 4=19197
- Lefever, R.A. Twinned cubes of nickel, 3=5078
- Lefever, R.A. Flame fusion growth of C-type rare-earth oxides, 3=8805
- Lefever, R.A. and Chase, A.B. Substitutional incorporation of divalent iron in yttrium iron garnet, 0=13836
- Lefever, R.A. and Chase, A.B. Growth spirals on synthetic magnetoplumbite crystals, 1=9113
- Lefever, R.A., Chase, A.B. and Wickersheim, K.A. Influence of crystal growth on domain behavior in yttrium iron garnet, 2=14800
- Lefever, R.A. and Clark, G.W. Multiple-tube flame fusion burner for the growth of oxide single crystals, 2=19056
- Lefever, R.A., Torpy, J.W. and Chase, A.B. Growth of single crystals of yttrium aluminium garnet from lead oxide-lead fluoride melts, 1=10235
- Lefever, R.A. See Wickersheim, K.A., 0=2941
- Lefever, R.A. See Wickersheim, K.A., 0=16033
- Lefever, R.A. See Wickersheim, K.A., 1=14568
- Lefever, R.A. See Wickersheim, K.A., 2=6569
- Lefever, R.A. See Wickersheim, K.A., 4=10221
- Le Fevre, E. L. and Rose, J.W. Heat-transfer measurements during dropwise condensation of steam, 4=16298
- Lefèvre, F. and Authier, A. Influence of dislocations on the integrated intensities of X-ray reflections by germanium crystals, 0=21186
- Lefèvre, H. Derivation of a formula of Townes-Dailey type for the calculation of the electric field gradient at the nucleus, including overlap, 0=4220
- Lefevre, H.W. Demonstration of the zeros of a Fourier transform, 3=9320
- Lefevre, H.W., Borchers, R.R. and Poppe, C.H. Neutrons from deuteron breakup on D, T, and  $\text{He}^4$ , 3=2327
- Lefevre, H.W., Borchers, R.R. and Poppe, C.H. Fast neutron time-of-flight spectrometer, 3=4413
- Lefevre, J. and Pecker, J.C. Deviation from equilibrium and abundances in solar and stellar photopheres. VI. The variation of central intensities of metallic lines between the centre and the limb of the sun, 1=15453
- Lefèvre, J. See Cuny, Y., 2=4776
- Lefevre, R. Calculation of the electron resonance spectrum of the CH radical in the polycrystalline state, 1=11116
- Leff, H.S. Class of ensembles in the statistical theory of energy-level spectra, 4=18085
- Leff, H.S. Statistical thermodynamics of incompletely specified systems, 4=24080
- Leff, H.S. Systematic characterization of mth-order energy-level spacing distributions, 4=18084
- Leffert, C.B. See Garabedian, H.L., 0=13352
- Leffler, R.G. and Montgomery, D.J. Effect of isotopic composition on electrical resistance of lithium, 2=10434
- Lefkowitz, I. Radiation-induced changes in the ferroelectric properties of some barium titanate-type materials, 0=4384
- Lefkowitz, I. Comments on the neutron spectrum of ferroelectric and paraelectric  $\text{BaTiO}_3$ , 3=898
- Lefkowitz, I. Radiation and acoustic excitation of anomalous layers on perovskite ferroelectrics, 3=22993
- Lefkowitz, I. and Megaw, H.D. A device for taking X-ray photographs of single crystals at high temperatures, 3=18287
- Le Floch, G. Study of the phenomena of dielectric absorption by a thermal method, 3=14468
- Le Floch, G., Le Montagner, S. and Rousselot, M.M. New apparatus for differential thermal analysis, 4=13760
- Lefort, M. Nuclear reactions induced by heavy ions: points of interest and various applications, 1=13860
- Lefort, M. Excitation function of the  $\text{U}^{238}(\text{p}, \text{3n})\text{Np}^{236}$  reaction from 30 to 150 MeV, 2=3578
- Lefort, M., Simonoff, G. and Tarrago, X. Cross-sections for production of Astatine isotopes 206 to 211 by secondary ( $\alpha, \text{xn}$ ) reactions following 150 MeV proton bombardment of bismuth, 0=7580
- LeFort, M., Simonoff, G. and Tarrago, X. Secondary reactions of spallation, 0=20437
- Lefort, M., Simonoff, G.N. and Tarrago, X. Spallation reactions in thorium due to 150 and 82 MeV protons, 1=12200
- Lefort, M., Simonoff, G. and Tarrago, X. The secondary reactions of formation and energy distribution of alpha fragments produced by 150 MeV protons on bismuth, 1=13802
- Lefort, M., Simonoff, G. and Tarrago, X. Fission-spallation competition in thorium targets bombarded by 155 MeV protons, 1=13871



- Lefort, M., Simonoff, G.N. and Tarrago, X. Comparison between the cross-sections for the reactions (p, n) and (p, pn) in thorium induced by protons between 30 and 150 MeV, 2=12190
- Lefort, M., Simonoff, G. and Tarrago, X. De-excitation of dysprosium nuclei obtained from the bombardment of terbium by protons, 4=17137
- Lefort, M., Simonoff, G., Tarrago, X. and Bibron, R. Production of tritium in thorium by 135 MeV protons, 0=17595
- LeFort, M. and Tarrago, X. Radiation dosimetry using plastic materials. I, 0=20367
- Lefort, M. and Tarrago, X.  $\alpha$ -particles produced by bombarding Bi by protons of 240-600 MeV, 3=22385
- LeFort, M., Tarrago, X. and Viaux, M. Installation of an irradiation arrangement for one kilocurie of radiocobalt, 0=20368
- Lefort, M. See Boussières, G., 1=2215
- Lefort, M. See Briand, J. P., 4=22081
- Lefort, M. See Deutsch, C., 0=15570
- Lefort, M. See Dubost, H., 4=19785
- Lefort, M. See Duquesne, M., 1=4744
- Lefort, M. See Gauvin, H., 3=6251
- Lefort, M. See Gauvin, H., 3=17381
- Lefort, M. See Gauvin, H., 4=6178
- Lefort, M. See Le Beyec, Y., 4=8878
- Lefort, M. See Brun, C., 2=12191
- Lefort, M. See Brun, C., 2=18112
- Lefrançois, J. Duty cycle improvement on the Harvard synchrocyclotron, 1=16465
- Lefrançois, J., Hoffman, R.A., Thorndike, E.H. and Wilson, R. Quasifree proton-neutron and proton-proton scattering at 140 MeV, 3=22126
- Lefrançois, J. See Bizot, J. C., 4=9171
- Lefrançois, J. See Delcourt, B., 4=6122
- Lefrançois, J. See Hoffman, R.A., 3=22127
- Lefrançois, J. See Thorndike, E.H., 1=498
- Leftin, H.P. Optical cell for u.v. and i.r. spectra of adsorbed species and solids, 2=1268
- Le Fur, B. Transformation of the laminar boundary layer equations for variable physical properties with arbitrary distributions of pressure and wall temperature, 1=6830
- Le Fur, B. Convection of heat in a fluid with constant physical properties under laminar conditions with any pressure gradient and wall temperature, 1=16143
- Le Gall, H. Transitory growth of spin-waves due to longitudinal pumping, 4=13227
- Legallais, V. See Chance, B., 4=7800
- Le Gallic, Y., Legrand, J. and Grinberg, B. Rapid method of identification of  $\beta$ -ray emitters and of  $\beta$ -radioactive impurity dosage, 2=5825
- Le Gallic, Y. See Grinberg, B., 2=5820
- Legan, R. L. See Rinehart, E. A., 4=8928
- Legar, F. See Kazarinov, Yu. M., 3=22081
- Le Gardeur, R. See Clement, M., 4=18913
- Legardeur, R. See Consoli, T., 1=2969
- Le Gardeur, R. See Consoli, T., 2=1466
- Le Gardeur, R. See Consoli, T., 2=13567
- Le Gardeur, R. See Consoli, T., 2=17841
- Le Gardeur, R. See Consoli, T., 3=4042
- Le Gardeur, R. See Consoli, T., 3=14589
- Le Gardeur, R. See Consoli, T., 3=14590
- Le Gardeur, R. See Consoli, T., 3=21794
- Le Gardeur, R. See Consoli, T., 3=21795
- Le Gardeur, R. J. See Lecomte, J., 0=2412
- Legatowicz, A. Behaviour of plasma in a rotating magnetic field, 2=180
- Legatowicz, A. A method of solution of non-stationary motions of a plasma in an electromagnetic field, 3=12135
- Legatowicz, A. Heating of plasma in a circularly polarized electromagnetic wave, 3=21786
- Legault, R. R. and Riordan, J. F. An algorithm for optimizing a spectral filter, 4=24354
- Legay, F. Intensities of lines in a vibration-rotation band, 0=11519
- Legay, F. Analysis of the (1, 0) band of the  $^3\Pi_1-^3\Sigma^-$  system of PH, 0=11520
- Legay, F. and Barchewitz, P. Measurement of the refractive indices of gases in the infrared using a Michelson interferometer, 0=16820
- Legay, F. and Barchewitz, P. Infrared emission of carbon dioxide and nitrous oxide initiated by active nitrogen, 3=25108
- Legay, F. and Legay-Sommaire, N. Infrared luminescence of carbon monoxide excited by active nitrogen, 4=9701
- Legay, F. and Legay-Sommaire, N. The possibility of obtaining an optical maser using vibrational energy of gases excited by active nitrogen, 4=27685
- Legay, F. See Alamichel, C., 3=14345
- Legay, F. See Durie, R. A., 0=5947
- Legay, F. See Legay-Sommaire, N., 2=6139
- Legay-Sommaire, N. and Legay, F. Intensities of vibration-rotation lines for linear molecules of the type X-Y-Z, 2=6139
- Legay-Sommaire, N. See Legay, F., 4=9701
- Legay-Sommaire, N. See Legay, F., 4=27685
- Legendre, R. A hydraulic analogue for studying supersonic flow, 0=16725
- Legendre, R. Flow around a slender body, 1=15795
- Legendre, R. Flow profile with respect to circular obstacles, 2=7173
- Legendre, R. See Roy, M., 3=14102
- Legendy, C. See Bowers, R., 1=19837
- Legény, C. R. Macroscopic theory of helicons, 4=28427
- Legen'kov, A. P. Plane free oscillations of a perfect uniform liquid in an infinite canal of variable cross section, 0=922
- Legen'kov, A. P. Sverdrup Waves, 2=19526
- Legentil, M. and Delcroix, J. L. Ion source with several holes, 3=7648
- Le Gentil, M. C. and Morand, M. The theory of the latent image produced by charged particles and the effect of fluctuations of the specific energy loss on the grain formation in the region of minimum ionization, 0=12780
- Le Gentil, M. C. See Morand, M., 0=2716
- Leger, C. and Tamers, M. A. The counting of naturally occurring radiocarbon in the form of benzene in a liquid scintillation counter, 3=12615
- Léger, C. See Bibron, R., 1=8629
- Leger, E. G., Nyberg, D., Graf, K. and Tardif, L. Zig-Zag oscilloscope presentation of millimicrosecond accuracy for microsecond time intervals, 1=2727
- Legg, C. R. E. See Nixon, W. C., 3=19330
- Legg, J. C. (p, d) and (p, t) reactions on  $B^{11}$ ,  $C^{14}$ ,  $O^{16}$  and  $O^{18}$ , 3=4636
- Legg, J. C. and Rost, E. (p, d) reactions on nuclei from V to Ni, 4=19781
- Legg, V. E. See Alley, R. E. Jr., 0=10166
- Legge, G. J. F. A search for fine structure in the reactions  $B^{10}(d, \alpha)Be^8$  and  $B^{10}(d, \alpha)B^{8*}$ , 1=17141
- Legge, G. J. F. and Bubb, I. F.  $C^{13}$  level structure in the excitation region of 20.5-28.5 MeV, 1=16981
- Legge, G. J. F. A stable 0.1% beam current integrator for the range 0.1 to 20  $\mu$ A, 2=2989
- Legge, R. See Hunter, A. N., 2=73
- Legget, R. D. See Bierlein, T. K., 3=22457
- Legget, R. F. and Northwood, T. D. Noise surveys of cocktail parties, 0=2217
- Leggett, A. G. and ter Haar, D. On the theory of  $He^4$  impurities in  $He^3$ , 4=27406
- Legler, L. See Bothe, H. K., 3=3225
- Legler, R. See Schmitten, A., 3=18042
- Legler, W. The statistics of electron avalanches in electro-negative gases, at high field intensities and at large gas amplification, 1=8311
- Legler, W. Modified Wien filter as electron monochromator, 3=4195
- Legler, W. Excitation of u.v. radiation in nitrogen and hydrogen by an electron swarm, 3=10515
- Legler, W. Carrier number statistics in series of electron avalanches, 4=18742
- Legoux, J. P. Changes in the cochlear microphonic of the guinea pig produced by mechanical factors in the inner ear, 3=3685
- Legoux, J. P. and Tarab, S. Experimental study of bone conduction in ears with mechanical impairment of the ossicles, 0=2046
- Legoupil, J. Two theorems for the study of regression and correlation of a random variable in terms of functions of such a variable, 3=5326
- Legoux, Y. See Boussières, G., 1=2215
- Legoux, Y. See Briand, C., 4=30331
- Legoux, Y. See Gusakov, M., 0=15571
- Legowski, S. Calculation of the shape of the mercury resonance line broadened by argon, based on the theory of Jablonski, 1=13935
- Legowski, S. Relaxation of optically pumped cesium atoms by different buffer gases, 4=28142



- Legrand, A.P., Auvray, J. and Uebersfeld, J. Study of the transient regimes of dynamic polarization in liquids, 3=21406
- Legrand, A. P., Auvray, J. and Uebersfeld, J. Dynamic polarization of liquids by means of porous paramagnetic surfaces, 4=27198
- Legrand, C., Navez, M. and Merx, H. Utilization of fluorescence of X-rays for examination of surface composition of glass, 2=4477
- LeGrand, D.G. and Erhardt, P.F. Rhe-optical properties of polymers. III. Dynamic polarized light scattering, 3-10914
- Legrand, E. and Plumier, R. Neutron diffraction investigation of antiferromagnetic  $K_2NiF_4$ , 2=12799
- Legrand, E. and Plumier, R. Note on the magnetic structure of  $CrBr_3$ , 2=18916
- Legrand, E. and Verschueren, M. Magnetic interaction in the structure of  $K_2NiF_4$ , 4=28858
- Legrand, E. See Plumier, R., 3=3138
- Legrand, J. See Le Gallic, Y., 2=5825
- Legrand, J.P. The predecrease of cosmic rays in periods of maximum solar activity (April 1957 - December 1958), 1=580
- Legrand, J.P. The cosmic rays "predecrease" (prebaisse) in the maximum solar activity period (April 1957-December 1958), 1=3350
- Legrand, J.P. and Helary, A. Local increase of intensity of cosmic radiation, 0=17448
- Legrand, J.P. See Bonpas, M., 0=7496
- Legrand, J.P. See Corcuff, Y., 2=21658
- Legrand, J.P. See de Feiter, L.D., 2=5764
- Legrand, J.P. See de Feiter, L.D., 2=16251
- Legrand, P. See Choumoff, S., 2=13383
- Legrand, J.P. See Fréon, A., 0=9481
- Legrand, J.P. See Lepechinsky, D., 3=5873
- Legrand, M., Lacam, A. and Grosjean, M. Simple apparatus for the measurement of the emission of luminescent powders, excitable by u.v., 0=6188
- Legrand, M. See Grosjean, M., 1=2894
- Le Grand, Y. The optical maser, 2=16023
- Le Grand, Y. A new binocular interaction effect, 4=7999
- Le Grand, Y. See Joyal, M., 1=21134
- le Grives, E., Moulin, T. and Robert, E. Basic measurements in a rail type plasma gun, 4=14735
- Legros, M. See Amaldi, U., 2=22516
- Legros, M. See Amaldi, U., Jr., 3=24717
- Legros, M. See Amaldi, U., Jr., 4=6054
- Legros, M. See Cocconi, V.T., 0=17582
- Legros, G. See Depraz, J., 1=13795
- Legros, G. See Depraz, J., 1=13814
- Legros, M. See Cocconi, V.T., 1=19241
- Legros, M. See Rose, P. H., 4=30399
- le Guiller, J., Tournier, R. and Weil, L. Magnetic properties of diluted copper-cobalt and gold-cobalt alloys at very low temperatures, 4=20540
- Legvold, S., Alstad, J. and Rhyne, J. Giant magnetostriction in dysprosium and holmium single crystals, 3=20550
- Legvold, S. See Alstad, J.K., 1=5003
- Legvold, S. See Alstad, J.K., 1=11261
- Legvold, S. See Alstad, J., 4=22986
- Legvold, S. See Amme, R.C., 0=15787
- Legvold, S. See Born, H.J., 2=2198
- Legvold, S. See Colvino, R.V., 0=18002
- Legvold, S. See Curry, M.A., 0=6080
- Legvold, S. See Green, R.W., 1=7774
- Legvold, S. See Hall, P.M., 0=2843
- Legvold, S. See Hall, P.M., 0=6079
- Legvold, S. See Hegland, D.E., 3=18113
- Legvold, S. See Liu, S.H., 0=2981
- Legvold, S. See Nelson, D.T., 1=11414
- Legvold, S. See Nigh, H.E., 4=4358
- Legvold, S. See Olson, J.R., 2=15650
- Legvold, S. See Olson, J.R., 4=5246
- Legvold, S. See Strandburg, D.L., 2=21098
- Legvold, S. See Valley, L.M., 0=17737
- Legvold, S. See Valley, L.M., 0=19208
- Legvold, S. See Valley, L.M., 2=2773
- Lehane, J. See Brisbout, F.A., 1=16844
- Lehane, J.A. See Brennan, M.H., 3=24306
- Lehar, F., Palečková, J., Skřivánek, J. and Veselá, M. Excitation of levels by inelastic neutron scattering, 1=13651
- Lehar, F., Skřivánek, J. and Veselá, M. Excitation of Fe, Mn and Mg levels by inelastic neutron scattering, 1=9865
- Lehar, F. See Legar, F.
- le Hazif, R. See Donze, G., 2=12455
- Le Hazif, R. See Donze, G., 2=19088
- Lehembre, M. Contribution to the study of the angular oscillations of a cylinder in a viscous fluid, 0=8598
- Le Héricy, J. Recrystallization of high purity copper and zone-melted copper, 2=2362
- le Héricy, J. Metallographic study of the polygonization of copper of different purities, 3=20897
- Le Héricy, J., Bourelrier, F. and Montuelle, J. On the tendency to polygonization in copper purified by zone melting, 1=4012
- Lehiste, I. and Peterson, G.E. Transitions, glides, and diphthongs, 1=6662
- Lehiste, I. and Peterson, G.E. Some basic considerations in the analysis of intonation, 1=7952
- Lehiste, I. See Peterson, G.E., 0=12218
- Lehman, C. See Hefferlin, R., 0=15666
- Lehman, G.W. Effect of spin-orbit coupling on the energy levels in the 6d band for actinide metals, 0=2803
- Lehman, G.W. Statistical potential for actinide metal energy band calculations, 0=7869
- Lehman, G.W. Temperature distribution in a hollow cylindrical cup with a stem, 2=7443
- Lehman, G.W. and De Wames, R.E. Comments on observing virtual localized modes using the Mössbauer effect, 3=4806
- Lehman, G.W. and De Wames, R.E. Dynamical motion and gamma-ray cross section of an impurity nucleus in a crystal. I. Isolated impurities in germanium and aluminum, 3=20063
- Lehman, G.W. and Shapiro, K.A. Approximate analytic approach to the classical scattering problem, 0=17686
- Lehman, G.W., Wolfram, T. and De Wames, R.E. Axially symmetric model for lattice dynamics of metals with application to Cu, Al, and  $ZrH_2$ , 3=2711
- Lehman, G.W. See Cape, J.A., 3=16819
- Lehman, G.W. See Cape, J.A., 4=6754
- Lehman, G.W. See De Wames, R.E., 3=20082
- Lehman, G.W. See De Wames, R.E., 3=20083
- Lehman, G.W. See De Wames, R.E., 4=22482
- Lehman, G.W. See Meechan, C.J., 2=7444
- Lehman, G.W. See Wolfram, T., 3=8346
- Lehman, K. See Zneimer, J.E., 4=13245
- Lehman, P.R. Harmonic structure of the tone of the bassoon, 4=29712
- Lehmann, C. Defect cascades in a crystal produced by energetic-particle collisions, 2=12422
- Lehmann, C. and Leibfried, G. Focusing 110 collision chains in face-centred crystals at small angles, 1=7604
- Lehmann, C. and Leibfried, G. Higher order momentum approximations in classical collision theory, 3=11677
- Lehmann, C. and Leibfried, G. Long-range channeling effects in irradiated crystals, 3=22874
- Lehmann, C. and Robinson, M.T. Truncated matching potentials in the classical theory of elastic atomic scattering, 4=12818
- Lehmann, G. An explanation of the yield stress effect in deformation of face-centred-cubic substitutional mixed crystals, 4=10359
- Lehmann, G. See Berger, H., 3=8924
- Lehmann, H. Scattering matrix and fields operators, 0=3912
- Lehmann, H. On the high-energy limit of ordinary dispersion relations, 2=5584
- Lehmann, H. W. and Gunthard, H. H. Luminescence and absorption studies on sapphire with flash light excitation, 4=30696
- Lehmann, I. Velocities of longitudinal waves in the upper part of the earth's mantle, 0=4776
- Lehmann, I. The travel times of the longitudinal waves of the Logan and Blanca atomic explosions and their velocities in the upper mantle, 2=19185
- Lehmann, I. Recent studies of body waves in the mantle of the earth, 3=16191
- Lehmann, J. Monoclinic phases in uranium-molybdenum alloys, 2=4454
- Lehmann, J. Shape of the spectrum for the 965 keV beta transition in  $Au^{198}$ , 4=25360
- Lehmann, J. and Azam, N. Nucleation of band  $\alpha$  phases in uranium-molybdenum alloys, 4=7518
- Lehmann, J. and Decours, J. Morphology of alpha pseudo-grains of U-Mo alloys in a near-equilibrium state, 4=29167
- Lehmann, J. and Hills, R.F. Proposed nomenclature for the phases of uranium alloys, 1=20587
- Lehmann, J. See Azam, M.N., 3=5154
- Lehmann, J. See Bayley, R.T., 1=6227
- Lehmann, J. See Grenacs, L., 4=17101



- Lehmann, J. C. and Barbe, R. Measurement of the ratio of the nuclear magnetic moments of  $\text{Hg}^{199}$  and  $\text{Hg}^{201}$ , 4=9359
- Lehmann, J. C. and Brossel, J. On the production of nuclear orientation in  $\text{Zn}^{67}$ ,  $\text{Cd}^{111}$  and  $\text{Cd}^{113}$  by optical pumping, 4=15296
- Lehmann, J. C. and Cohen-Tannoudji, C. Optical pumping in a weak magnetic field, 4=28140
- Lehmann, K. See Borrmann, G., 4=23378
- Lehmann, L. See Deutsch, J. P., 2=407
- Lehmann, P., Lévêque, Barloutaud, R. and Grjebine, T. Collective description of  $\text{Ne}^{19}$  and  $\text{F}^{17}$ , 0=9502
- Lehmann, P., Taylor, R. and Wilson, R. Electron-proton scattering at low momentum transfer, 2=11933
- Lehmann, P., Taylor, R. and Wilson, R. Electron-proton scattering at low transfer momentum, 2=22486
- Lehmann, P. See Barloutaud, R., 0=9536
- Lehmann, P. See Barloutaud, R., 0=13145
- Lehmann, P. See Dudelzak, B., 3=2243
- Lehmann, P. See Dudelzak, B., 3=12455
- Lehmann, P. See Dudelzak, B., 3=14980
- Lehmann, P. See Gaillard, J. M., 0=1298
- Lehmann, P. See Gard, F., 2=22513
- Lehmann, P. See Gard, F., 2=1715
- Lehmann, R. See Görlich, P., 2=4110
- Lehmann, R. See Görlich, P., 2=4111
- Lehmann, P. See Grossetete, B., 3=5985
- Lehmann, P. See Grossetete, B., 3=14959
- Lehmann, P. See Grossetete, B., 3=19612
- Lehmann, R. The influence of the method of presentation of stimuli on the masking of speech by a white noise, 3=9296
- Lehmann, R. Audibility of acoustic safety signals aboard ship, 4=5300
- Lehmann, R. and Brun, P. A study of the acoustic field in anechoic rooms, 0=19331
- Lehmann, R. and Pecastaings, J. Effect of acoustic coupling on the electrical impedances of receivers, 3=3653
- Lehmann, R. and Pecastaings, J. Concerning subjective comparison of listeners, 4=26987
- Lehmann, R. See Bruch, H., 4=12787
- Lehmann, R. See Burgeat, M., 4=13993
- Lehmann, R. See Burgeat, M., 4=13994
- Lehmann, R. See Chavasse, P., 0=6885
- Lehmann, R. See Görlich, P., 3=6541
- Lehmann, R. See Görlich, P., 3=20470
- Lehmann, R. See Görlich, P., 4=27696
- Lehmann, R. See Klebe, J., 4=24346
- Lehman, R. C. See Billings, D. E., 2=19313
- Lehmann, W. Voltage dependence and particle size distribution of electroluminescent phosphors, 0=2967
- Lehmann, W. Microscopic observations on electroluminescent  $\text{ZnS:Cu}$  phosphors, 1=1188
- Lehmann, W. Emission spectra of  $(\text{Zn}, \text{Cd})\text{S}$  phosphors, 4=1781
- Lehmann, W. Electroluminescent  $(\text{Zn}, \text{Cd})\text{S:Cu}$  phosphors, 4=1783
- Lehmann, W. J. The average rule compared with the complete isotopic rule for vibrational frequencies, 1=13996
- Lehmann, W. J. The average rule for stretching frequencies of related molecules, 2=6137
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of trimethylborane- $d_3$  and triethylborane- $d_{15}$ , 0=1532
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of alkylboranes. I. Monomethylboranes, 0=7760
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of alkylboranes. II, 0=15732
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of alkylboranes. III. 1,2-dimethyl- and 1,2-diethylboranes, 0=20634
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of alkylboranes. IV. 1,1-dimethyl- and 1,1-diethylboranes, 1=6013
- Lehmann, W. J., Wilson, C. O., Jr and Shapiro, I. Infrared spectra of alkylboranes. V. Tri- and tetramethyl- and ethylboranes, 1=6014
- Lehmberg, R. H. Axiomatic development of the laws of vacuum electrodynamics, 1=13156
- Lehmpfuhl, G. Measurement of the line [grating] resolving power of a photographic emulsion for electrons, 2=850
- Lehmpfuhl, G. and Molière, K. Interference division effects on transmission through macroscopic crystal wedges, 1=20503
- Lehmpfuhl, G. and Molière, K. Study on the absorption of electron wave fields in ideal crystals by interference double refraction experiments, 3=1284
- Lehn, J. M. and Riehl, J. J. Nuclear spin-spin interactions. II. Spin-spin coupling in some substituted epoxides, 4=28262
- Lehner, F. E. Brief description of ranger lunar seismograph, 3=5241
- Lehner, F. E., Witt, E. O., Miller, W. and Gurney, R. D. A seismograph for lunar experiments, 3=9168
- Lehner, G. The dynamic effect of the tubular pinch effect, 1=18881
- Lehner, G. Hydromagnetic instability of a hollow pinch effect, 1=18882
- Lehner, G. See Fünfer, E., 0=1140
- Lehner, G. See Fünfer, E., 0=16999
- Lehner, G. See Fünfer, E., 2=15907
- Lehner, G. See Fünfer, E., 4=2970
- Lehnert, B. A note on the confinement of charged particles by a magnetic field, 0=255
- Lehnert, B. Plasma physics on cosmical and laboratory scale, 0=2358
- Lehnert, B. Confinement and energy balance in a rotating plasma, 0=19667
- Lehnert, B. The energy balance and confinement of a magnetized plasma, 1=5459
- Lehnert, B. Energy balance and confinement of a magnetized plasma, 1=7080
- Lehnert, B. Stability of an inhomogeneous plasma in a magnetic field, 1=9548
- Lehnert, B. On the confinement of charged particles in a magnetic field, 1=9587
- Lehnert, B. Stability of a plasma boundary in a magnetic field, 1=10711
- Lehnert, B. Stability of a plasma with a continuous density distribution, 1=13090
- Lehnert, B. Voltage characteristics of a rotating plasma, 1=18825
- Lehnert, B. Gravitation instability of a magnetized plasma, 2=7619
- Lehnert, B. Plasma stability in an inhomogeneous magnetic field, 2=9579
- Lehnert, B. Stabilization of flute disturbances by the Coriolis force, 2=15927
- Lehnert, B. Stability of a plasma in an inhomogeneous magnetic field, 2=19964
- Lehnert, B. Stability of an inhomogeneous plasma in a magnetic field, 3=12120
- Lehnert, B. Screw and flute instabilities in a low-pressure plasma, 4=565
- Lehnert, B. Heat and momentum balance of a plasma slab, 4=18810
- Lehnert, B. Plasmas—Laboratory scale, 4=21493
- Lehnert, B. and Sjögren, G. Stability of a hollow mercury jet, 1=5554
- Lehnert, B. and Sjögren, G. A liquid conductor model of the hollow pinch, 1=9678
- Lehnert, B. See Bergström, J., 1=11940
- Lehnert, B. See Bergström, J., 3=9798
- Lehnert, B. See Bergström, J., 3=12172
- Lehnert, B. See Bergström, J., 4=566
- Lehnert, B. See Bonnevier, B., 0=5315
- Lehnert, B. See Ekman, C., 0=19668
- Lehnert, B. See Hoh, F. C., 0=15023
- Lehnert, B. See Hoh, F. C., 1=13080
- Lehovec, K. Thermodynamics of binary semiconductor-metal alloys, 2=16687
- Lehovec, K. A mechanism causing supersaturation of impurities during semiconductor crystal growth, 4=30816
- Lehovec, K. and Shirn, G. A. Conductivity injection and extraction in polycrystalline barium titanate, 2=14640
- Lehovec, K. and Slobodskoy, A. Sub-eutectic solubilities of impurities in germanium and silicon, 3=20315
- Lehovec, K. and Slobodskoy, A. Antimony concentration in germanium in equilibrium with the vapor from a bismuth-antimony alloy, 4=1513
- Lehovec, K. and Slobodskoy, A. Impurity content of germanium crystallized from the liquid ternary alloy  $\text{Ge-In-Sb}$ , 4=12737
- Lehovec, K. and Slobodskoy, A. Impedance of semiconductor-insulator-metal capacitors, 4=12950
- Lehovec, K., Slobodskoy, A. and Sprague, J. L. Field effect-capacitance analysis of surface states on silicon, 3=10801
- Lehr, C. G., Lotus, J. W., Silberman, I. and Gunther, R. C. Electron trajectories in a magnetron, 3=430
- Lehr, P. See Demars, H., 2=4363
- Lehr, P. See Demars, H., 2=10746



- Lehr, P. See Devaud, J., 4=1486  
 Lehr, P. See Renucci, L., 0=562  
 Lehrner, F.A. and Reiss, H. Details of ion drift in an n-p junction, 2=14469  
 Lehrner, S.S. Rotatable anisotropy in negative magnetostriction Ni-Fe films, 3=15843  
 Leherer-Ilamed, Y. See Goldberg, H., 3=14874  
 Lehrle, R.S., Robb, J.C. and Thomas, D.W. A modified time-of-flight mass spectrometer for studying ion-molecule or neutral particle-molecule interactions, 2=20053  
 Lehti, R. See Kustaanheimo, P., 3=21221  
 Lehti, R. See Kustaanheimo, P., 3=23739  
 Lehtinen, A. and Salokangas, J. Ultrasonics in the examination of cast iron with spheroidal graphite in the liquid state and during freezing, 2=23899  
 Lehtinen, A. See Salokangas, J., 3=23473  
 Lei Wei. See Wei Lai.  
 Leib, K. G. See Wohlers, M. R., 4=27278  
 Leiba, E. See Blachier, B., 4=19244  
 Leibenberg, D.H. See Anderson, O.T., 0=3697  
 Leibenhaut, B. See Iles, P.A., 2=23208  
 Leibfried, G. Defects in dislocations produced by focusing collisions in f.c.c. lattices, 0=1585  
 Leibfried, G. A remark on neutron thermalization theory, 0=12987  
 Leibfried, G. Calculation of averages for primary recoil distributions, 2=14478  
 Leibfried, G. Higher order averages of primary recoil distributions, 3=4893  
 Leibfried, G. Radiation damage theory, 4=30589  
 Leibfried, G. and Ludwig, W. Equilibrium conditions in lattice theory, 0=17881  
 Leibfried, G. and Ludwig, W. Adiabatics of sound propagation in crystals, 1=3601  
 Leibfried, G. and Oen, O.S. A simple approximation for classical scattering at large angles, 2=15458  
 Leibfried, G. See Dederichs, P.H., 3=2844  
 Leibfried, G. See Holmes, D.K., 0=9922  
 Leibfried, G. See Koehler, J.S., 3=22755  
 Leibfried, G. See Lehmann, C., 1=7604  
 Leibfried, G. See Lehmann, C., 3=11677  
 Leibfried, G. See Lehmann, C., 3=22874  
 Leibler, C. On the dielectric properties of dispersions of ferroelectric materials, 4=4211  
 Leibler, K. Dielectric properties of disperse systems: solid dielectrics-conductors, 0=3722  
 Leibler, K. The possibility of obtaining anisotropic artificial dielectrics, 1=14544  
 Leibler, K. and Brański, W. Two-phase ferroelectric systems. I. Barium titanate-metal, 1=17845  
 Leibler, K. and Brański, W. Two-phase ferroelectric systems. II. Ferroelectrics-silver, 3=13109  
 Leibler, K. and Konopka, J. On the microwave behaviour of dielectric constants of dielectric-metal mixtures, 3=10868  
 Leibler, K. and Konopka, J. Properties of heterogeneous dielectric-metal mixtures in the microwave region, 3=22986  
 Leibler, K. See Bensasson, R., 1=14107  
 Leibovici, I. and Grecescu, M. On the principle of ionometric methods in X- and  $\gamma$ -ray metrology, 3=21279  
 Leibovici, I. See Burea, V., 3=17009  
 Leibovici, I. See Ciorăscu, F., 2=20084  
 Leibovici, I. See Haltrich, S., 4=30005  
 Leibovici, I. See Iliescu, C., 2=22294  
 Leibovici, I. See Iliescu, C., 4=631  
 Leibovitz, C. and Peres, A. Energy balance of uniformly accelerated charge, 4=8904  
 Leibovitz, M. See Halperin, A., 3=3917  
 Leibowitz, J. R. Ultrasonic shear wave attenuation in superconducting tin, 4=9845  
 Leibowitz, J. R. Interaction of transverse acoustic waves [ $\hbar\omega \ll \epsilon_0(0)$ ] with real Fermi surfaces in superconductors, 4=29827  
 Leibowitz, M.A. Moments of the neutron time-energy distribution and the use of random functionals, 3=12468  
 Leibowitz, M.A. Statistical behavior of linear systems with randomly varying parameters, 3=16492  
 Leiby, C.C., Jr and Chen, C.L. Diffusion coefficients, solubilities, and permeabilities for He, Ne, H<sub>2</sub>, and N<sub>2</sub> in Vycor glass, 0=5051  
 Leiby, C. C., Jr and McBee, W. D. Narrow-band noise resonances in afterglow plasmas, 4=18847  
 Leiby, C.C. See Chen, C.L., 1=4562  
 Leicknam, J.P. See Ceccaldi, M., 3=18999  
 Leide, G. An investigation on latent image fading in Ilford K.5 emulsions, 2=11842  
 Leidel, O. See Oertel, G., 4=20776  
 Leidenfrost, W. An attempt to measure the thermal conductivity of liquids, gases, and vapors with a high degree of accuracy over wide ranges of temperature (-180 to 500°C) and pressure (vacuum to 500 atm), 4=18448  
 Leidenfrost, W. See Kestin, J., 0=8673  
 Leidenfrost, W. See Kestin, J., 0=8676  
 Leidenfrost, W. See Kestin, J., 0=16722  
 Leidenfrost, W. See Kestin, J., 0=16723  
 Leidenfrost, W. See Schmidt, E.O., 2=15794  
 Leider, M. See Nathans, M.W., 3=5554  
 Leidheiser, H., Jr. Coefficients for the diffusion of lead, tin and copper into single crystals of gold in boiling 2M HCl, 3=4888  
 Leidigh, W. J. See Preist, D. H., 4=29978  
 Leies, G. M. Vibrational energy levels for an s.c.f. wave-leifer, A. See LuValle, J.E., 3=11950  
 Leifer, I., Spencer, C.J.D., Welford, W.T. and Richmond, C.N. Grainless screens for projection microscopy, 2=99  
 Leifer, R. See Fabricand, B. P., 4=18217  
 Leifson, O.S. and Jeffries, C.D. Dynamic polarization of nuclei by electron-nuclear dipolar coupling in crystals, 1=10185  
 Leiga, A. G. and Taylor, H. A. Far-ultraviolet photolysis of acetone, 4=29231  
 Leigh, D.C. Non-Newtonian fluids and the second law of thermodynamics, 2=9244  
 Leigh, J.J. Stripping analysis of the Be<sup>9</sup>(Li<sup>6</sup>,  $\alpha$ )B<sup>11</sup> reaction, 1=13864  
 Leigh, J.J. and Blair, J.M. Differential cross sections of the Be<sup>9</sup>(Li<sup>6</sup>,  $\alpha$ )B<sup>11</sup> reaction, 1=738  
 Leigh, J.J. See Blair, J.M., 0=9632  
 Leighly, H.P., Jr. Apparatus for the study of recrystallization rates, 0=13945  
 Leighly, H. P., Jr, Perkins, F. C. and McCune, R. A. Competition between recrystallization and polygonization during annealing of cold work in aluminium single crystals, 4=23327  
 Leighton, R.B., Noyes, R.W. and Simon, G.W. Velocity fields in the solar atmosphere. I. Preliminary report, 2=15330  
 Leighton, R.B. See Neher, H.V., 3=9383  
 Leighton, R. B. See Noyes, R.W., 4=10900  
 Leijzers Vis, W. and Makkink, J.H. The 2.5 MeV Van de Graaff generator of the Electrical Engineering Laboratory of the Technological University at Delft, 1=5505  
 Leikin, A.Ya. A maser time and frequency standard, 0=18892  
 Leikin, A.Ya. See Brýzzhev, L.D., 2=1582  
 Leikin, E.M. See Grushin, V.F., 4=16855  
 Leikin, E.M. See Zapevalov, V.A., 3=19156  
 Leikin, G.A. A probe for the measurement of density and temperature during supersonic motion in a highly rarified medium, 0=951  
 Leikis, D.I. See Kascheev, V.D., 3=13611  
 Leimdörfer, M. On the use of Monte Carlo methods for calculating the deep penetration of neutrons in shields, 4=21875  
 Leimdörfer, M. On the transformation of the transport equation for solving deep penetration problems by the Monte Carlo method, 4=24109  
 Leimdörfer, M. See Fráki, R., 3=24539  
 Leimdörfer, M. The backscattering of fast neutrons from plane and spherical reflectors, 4=21860  
 Leinbach, H. and Basler, R. P. Ionospheric absorption of cosmic radio noise at magnetically conjugate auroral zone stations, 4=2272  
 Leinbach, H. and Reid, G.C. Polar cap absorption during the solar cosmic ray outbursts of July 1959, 2=886  
 Leinbach, H. See Basler, R.P., 3=16267  
 Leinbach, H. See Brown, R.R., 1=15349  
 Leinbach, H. See Campbell, W.H., 1=15262  
 Leinbach, H. See Ortnier, J., 1=20946  
 Leinbach, H. See Ortnier, J., 2=15284  
 Leinbach, H. See Ortnier, J., 3=9135  
 Leinbach, H. See Reid, G.C., 0=9479  
 Leinbach, H. See Reid, G.C., 3=5877  
 Leinbach, H. See Reid, G.C., 4=17937  
 Leinhos, R. Age dependence of the pupillary diameter, 0=4830  
 Leinhos, R. The measurement of chromatic difference of magnification in telescopes, 2=13442  
 Leipnik, R. See Green, H.S., 0=8559  
 Leipold, H. The principle of parallel subdivision of the pupil, with examples from cine and television techniques, 2=22002



- Leipold, H. The application of the tandem principle to the construction of copy lenses, 3=11958  
 Leipold, M. H. See Nielsen, T. H., 4=22510  
 Leipp, E. Elastic modulus and density: significant parameters of the spectrum of an isolated harmonic string, 0=134  
 Leipp, E. The modulus of rigidity and the tension per unit area of cross section, essential parameters controlling the musical response of a vibrating harmonic string, 0=1010  
 Leipp, E. Humidity of the ambient air: an important factor in the response of a gut string, 0=5111  
 Leipp, E. The "octave vibration", sensitive parameter in the spectrum of stringed instruments, 0=5112  
 Leipp, E. Acoustic study of the Jew's harp, 4=5326  
 Leipp, E. The Buccol cavity, element responsible for the sound spectrum of wind instruments, 4=8348  
 Leipp, E. and Moles, A. A. The use of the "sonograph" in the determination of the quality of stringed instruments, 0=2215  
 Leipuner, L. See Crittenden, R., 4=21939  
 Leipuner, L. B., Chinowsky, W., Crittenden, R., Adair, R., Musgrave, B. and Shively, F. T. Anomalous regeneration of  $K_1^0$  mesons from  $K_2^0$  mesons, 4=6131  
 Leipuner, L. B. See Haas, R., 0=2684  
 Leipuner, L. B. See Martin, H. J., 1=8514  
 Leipunskii, O. I. Radioactive hazard resulting from the explosions of a "clean" hydrogen bomb and of a conventional fission bomb, 0=10455  
 Leipunskii, O. I. On the danger from radioactivity arising from an unbroken series of atomic bomb trials, 0=10457  
 Leipunskii, O. I. Possibility of a magnetic effect of high-altitude explosions of atom bombs, 0=12143  
 Leipunskii, O. I.  $\gamma$ -rays from a nuclear explosion, 1=16727  
 Leipunskii, O. I. See Kimel', L. P., 2=13758  
 Leipunskii, O. I., Kimel', L. R. and Panchenko, A. M. Gamma-radiation field of point mono-directional  $Cs^{137}$  and  $Co^{60}$  sources in iron, 4=6009  
 Leipunskii, O. I. and Sakharov, V. N. Propagation of the radiation from  $Co^{60}$  in air above the earth, 1=4117  
 Leipziger, F. D. and Altamari, L. A. An apparatus for measurement of the surface area of irradiated coarse powders, 1=20645  
 Leiser, M. See Barut, A. O., 1=64  
 Leisi, H. J., Brunner, J. H., Perdrisat, C. F. and Scherrer, P. Monoenergetic positrons, 1=9832  
 Leisi, H. J. and Deck, R. T. Angular correlation perturbed by an anisotropic hyperfine interaction, 3=10245  
 Leisi, H. J. See Brunner, J. H., 2=10050  
 Leisi, H. J. See Perdrisat, C. F., 2=10052  
 Leisi, H. J. See Perdrisat, C. F., 2=10053  
 Leisi, H. J. See Perdrisat, C. F., 2=16356  
 Leisre, R. See Aderholz, M., 4=21919  
 Leiss, G. M. Theoretical vibrational energy levels of  $H_2$  associated with various combinations of molecular-orbital configurations, 2=22966  
 Leiss, J. See Lacoste, F., 2=2981  
 Leiss, J. E. See Schrack, R. A., 0=15412  
 Leiss, J. E. See Schrack, R. A., 2=20597  
 Leiss, W. J. and Trufant, R. F. Improved bathythermograph and the measurement of ocean temperature, 4=2184  
 Leiste, R. See Aderholz, M., 4=21914  
 Leiste, R. See Aderholz, M., 4=25151  
 Leiste, R. See Bartsch, J., 4=21920  
 Leiste, R. See Bartsch, J., 4=30264  
 Leistiko, O., Jr. See Grove, A. S., 4=28572  
 Leistiko, O., Jr. See Grove, A. S., 4=30578  
 Leistner, M. Flow counter operating in the discharge region with technical purity argon, 3=5898  
 Leistner, M. and Dietrich, M. Absolute determination of the activity of  $C^{14}O_2$  in a gas counter with subdivided counter wire, 3=24535  
 Leite, R. C. C., Moore, R. S. and Porto, S. P. S. Use of gas laser in studies of the depolarization of the Rayleigh scattering from simple liquids, 4=24210  
 Leite, R. C. C. and Porto, S. P. S. Continuous photoelectric recording of the Raman effect in liquids excited by the He-Ne red laser, 4=27179  
 Leite, R. C. C., Sarace, J. C. and Yarov, A. Phonon assisted and phonon free radiative transitions in sulphur doped GaAs diffused junctions, 4=13078  
 Leite, R. C. C. and Tai, C. T. First-order theory for oblate and prolate anisotropic artificial dielectrics, 4=26094  
 Leite, R. C. C. and Yarov, A. Breakdown and hysteresis in forward biased p-n GaAs luminescent junctions, 4=20380  
 Leite, R. C. C. See Archer, R. J., 3=20543  
 Leite, R. C. C. See Bond, W. L., 3=10852  
 Leite, R. C. C. See Yarov, A., 3=10851  
 Leite, R. C. C. See Yarov, A., 4=12329  
 Leiteizen, L. G. See Glukhovskoi, B. M., 4=8814  
 Leiter, D. Possible existence of a heavy photon ( $\Gamma^0$ ), 4=5922  
 Leites, I. L. See Brodyanskii, V. M., 2=17493  
 Leith, D. W. G. See Lynch, G. R., 4=25181  
 Leith, D. W. G. See Ronne, B., 4=19458  
 Leith, D. W. G. S., Little, R. and Lawson, E. M.  $\pi$  photoproduction at constant pion energy and the ( $\gamma\pi p$ ) coupling, 4=16930  
 Leith, D. W. G. S. A wedge-shaped scintillation counter with high spatial resolution, 4=14965  
 Leith, D. W. G. S. See Lewis, G. M., 2=3378  
 Leith, D. W. G. S. See Lewis, G. M., 3=7889  
 Leith, E. N. and Upatnieks, J. Reconstructed wavefronts and communication theory, 2=19725  
 Leith, E. N. and Upatnieks, J. Wavefront reconstruction with continuous-tone objects, 4=5393  
 Leitman, G. Maximum range for a rocket in horizontal flight, 4=10934  
 Leitmann, G. On some optimum rocket trajectories, 3=3778  
 Leitnaker, J. M., Bowman, M. G. and Gilles, P. W. High-temperature evaporation and thermodynamics properties of zirconium diboride, 2=2936  
 Leitnaker, J. M. and Witterman, W. G. Dissociation pressure of uranium dicarbide, 2=7471  
 Leitner, J., Gray, L., Harth, E., Lichtman, S., Westgard, J., Block, M., Brucker, B., Engler, A., Gessaroli, R., Kovacs, A., Kikuchi, T., Meltzer, C., Cohn, H. O., Bugg, W., Pevsner, A., Schlein, P., Meer, M., Grinellini, N. T., Lendinara, L., Monari, L. and Puppi, G. Helicity of the proton from  $\Lambda$  decay, 1=16901  
 Leitner, J. and Lichtman, S. Pion-momentum spectrum from  $K^-$  absorption in helium, 0=15410  
 Leitner, J., Moneti, G. and Samios, N. P. Performance of the A.G.S. separated beam with high-energy kaons, 3=17000  
 Leitner, J., Nordin, P., Jr., Rosenfeld, A. H., Solmitz, F. T. and Tripp, R. D. Sigma spin and parity conservation in  $K^- + p \rightarrow \Sigma^+ + \pi^-$ , 0=384  
 Leitner, J. and Rhee, Y. I. Evidence for low rates for  $\beta$  decay of  $\Sigma^-$  and  $\Lambda$  hyperons, 1=12121  
 Leitner, J. See Barnes, V. E., 4=16969  
 Leitner, J. See Becker, W., 4=9271  
 Leitner, J. See Bertanza, L., 2=20424  
 Leitner, J. See Bertanza, L., 2=22652  
 Leitner, J. See Bertanza, L., 3=7935  
 Leitner, J. See Block, M. M., 0=1372  
 Leitner, J. See Block, M. M., 0=17416  
 Leitner, J. See Block, M. M., 1=13500  
 Leitner, J. See Connolly, P. L., 3=17330  
 Leitner, J. See Fairbank, W. M., 0=315  
 Leitner, J. See Goldberg, M., 4=21909  
 Leitner, J. See Gray, L., 3=15042  
 Leitner, J. See Iwao, S., 2=3407  
 Leitz, C. See Diehl, J., 3=23340  
 Leitz, C. See Mader, S., 4=4478  
 Leivo, W. See Johnson, C., 4=28642  
 Leizerzon, M. S. See Zevin, L. S., 0=18362  
 Lejay, P. Ionospheric irregularities, 0=21342  
 Lejeune, G. Limitations of solar stills of green-house type and possible improvement of its output by separation of operations, 3=5555  
 Lejeune, G. See Morand, G., 4=2796  
 Lejeune, G. See Morand, G., 4=2797  
 Lejeune, J. See Garron, R., 3=9835  
 Lekakh, N. B. See Galinker, I. S., 4=21126  
 Lekh Vir and Gill, P. S. Latitude-dependence of a Forbush type decrease, 1=13579  
 Lekh Vir and Gill, P. S. Latitude dependence of nucleonic intensity during August 24-September 20, 1957, 1=13580  
 Lekh Vir Sud and Gill, P. S. Altitude-dependence of relative amplitude during Forbush decreases at different latitudes, 2=12094  
 Lekhtsier, V. S. See Peschansky, V. G., 4=17410  
 Lekkerkerker, J. G. On the problem of prescribed displacements of a circular part of the boundary of an elastic half-space, 2=17382  
 Leksin, G. A. See Arefyev, A. V., 4=6109  
 Leksin, G. A. See Balats, M. Ya., 2=16863  
 Leksin, G. A. See Bayukov, Yu. D., 0=15399  
 Leksin, G. A. See Bayukov, Yu. D., 1=19257  
 Leksin, G. A. See Bayukov, Yu. D., 2=311  
 Leksin, G. A. See Bayukov, Yu. D., 2=5722  
 Leksin, G. A. See Bayukov, Yu. D., 2=5726  
 Leksin, G. A. See Bayukov, Yu. D., 2=20188



- Leksin, G.A. See Bayukov, Yu.D., 2=22591  
 Leksin, G.A. See Bayukov, Yu.D., 2=22600  
 Leksin, G.A. See Bayukov, Yu.D., 3=4440  
 Leksin, G.A. See Bayukov, Yu.D., 3=4443  
 Leksin, G.A. See Bayukov, Yu.D., 3=7911  
 Leksin, G.A. See Bayukov, Yu.D., 3=24541  
 Leksin, G.A. See Bayukov, Yu.D., 3=24563  
 Leksin, G.A. See Daion, M.I., 4=14958  
 Leksin, G.A. See Krivitskii, V.V., 2=7791  
 Leksina, I.E. and Novikova, S.I. Thermal expansion of Fluoreplast IV between -190 and 325°C, 0=6376  
 Leksina, I.E. and Novikova, S.I. Investigation of thermal expansion of copper, silver and gold in a wide range of temperatures, 3=17663  
 Leksina, I.E. and Penkina, N.V. Optical constants of dilute palladium-silver solid solutions, 2=8478  
 Leksina, I.E. and Penkina, N.V. Optical properties of dilute palladium-silver solid solutions, 3=2991  
 Leksina, I.E. and Penkina, N.V. Optical properties of dilute solid solutions of rhodium-platinum, 3=13153  
 Leksina, I.E. See Gurov, K.P., 3=15467  
 Leksovskii, A.M. See Regel', V.R., 2=19007  
 Leland, T. W. See Canfield, F. B., 4=11233  
 Leland, W. See Nagle, D.E., 0=462  
 Leland, W. T. See Bryant, H. C., 4=19824  
 Leland, W. T. See Rosen, L., 2=14085  
 Le Lann, A., Garigue, J. and Larroque, P. Observation of twinning in zinc induced by plastic deformation, 3=16026  
 Le Lann, A., Lesbats, P. and Montuelle, J. Effect of the degree of development of a polygonized structure in aluminium on its capacity for recrystallization by boundary migration, 4=23326  
 Lele, C.G. and Yatirajam, V. Sensitivities of hafnium lines in graphite matrix under intermittent a.c. arc excitation, 2=6096  
 Lele, P.P. Irradiation of plastics with focused ultra sound; a simple method for evaluation of dosage factors for neurological applications, 2=11213  
 Lele, S. and Anantharaman, T. R. X-ray line broadening in cold-worked magnesium, 4=25951  
 Lelek, V. and Úlehla, I. Single-nucleon model of nucleus. II, 3=19744  
 Lelek, V. and Úlehla, I.  $\pi$ -meson scattering on nucleons. II, 4=19562  
 Lelekov, V.S. See Zheludev, I.S., 3=23008  
 Leloux, F., Kozłowski, Z., Azou, P. and Bastien, P. Ultrasonic absorption by stacked glass balls with an interstitial liquid, 4=29711  
 LeLievier, R.E. See Latter, R., 3=13727  
 Leliaert, G. See De Soete, D., 1=17297  
 Leliak, P. Manipulation of cesium, 0=8458  
 Leliakov, I. and Friedlaender, F.J. An improved model for flux reversal in Ni-Fe cores, 1=7751  
 Lell, E. Radiation effects in doped fused silica, 2=16832  
 Lell, E. See Weeks, R.A., 4=17515  
 Lell, E. See Weeks, R.A., 4=22951  
 Lella, L.di. See di Lella, L.  
 Lellouche, G. See Chernick, J., 2=6015  
 Lellouche, G.S. Space dependent xenon oscillations, 2=12251  
 Lellouche, G.S. Reactor size sufficient for stability against spatial xenon oscillations, 2=14167  
 Lelong, B. See Lecomte, J., 4=15353  
 Lelong, B. See Lecomte, J., 4=17814  
 Lelong, P., Dosdat, J., Boghen, J. and Herenguel, J. Micrographic observations on the Mg-0.6% wt Zr alloy, heated in hydrogen, 2=4515  
 Leloup, C. See Jacquinet, J., 4=18800  
 Leloup, C. See Waelbroeck, F., 3=12207  
 Lelyakov, A.V. See Moskalenko, S.A., 3=20142  
 Lelyuk, L. G., Shklyarevskii, I. N. and Yarovaya, R. G. Optical properties of liquid mercury and gallium in the visible and near infrared regions of the spectrum, 4=24213  
 Lemaigre-Voreaux, P. A contribution to the study of the effect of the electrode material on two basic parameters relating to low-pressure rare-gas discharges, 2=5321  
 Lemaigre-Voreaux, M. P. Studies of the potential gradient in the positive column of discharge lamps, 4=472  
 Lemaire, A. Rayleigh-Taylor instability under the effect of electromagnetic fields, 4=19174  
 Lemaire, B. See Courtois, L., 3=20612  
 Lemaire, H.P. and Croft, W.J. Ferrite thin films, 1=6351  
 Lemaire, J. Note on some consequences of the Alfvén conditions for interpreting the Van Allen belts and the displacements, together with the azimuthal currents at large distances, 2=17205  
 Lemaire, J., Bernard, J.L., Cibois, E. and Weisz, M. The effects of irradiation on the mechanical properties of zircaloy-2, 3=11170  
 Lemaire, J., Cibois, E. and Weisz, M. A study of neutron-irradiation induced embrittlement of weldable manganese-molybdenum steels, 3=11182  
 Lemaire, N.A. See Flynn, G.P., 3=7223  
 Lemaire, R. See James, W., 3=8682  
 Lemaitre, G. Exchange of galaxies between clusters and field, 2=11147  
 Lemaître, G. See Grégoire, G., 4=30111  
 Lemajichin, B.K. and Lebedev, L.A. Construction of a demountable microfocus X-ray tube with variable focal spot, 2=7694  
 Leman, G. Influence of boundary conditions on the electron density in a periodic lattice, 0=15830  
 Leman, G. Electronic structure of metallic impurities in the tight-binding approximation, 2=3910  
 Leman, G. Study of covalent structures of the cubic diamond type using a simplified strong-coupling method, 3=10618  
 Leman, G. and Friedel, J. On the description of covalent bonds in diamond lattice structures by a simplified tight-binding approximation, 2=3868  
 Leman, G. and Friedel, J. On the description of covalent bonds in diamond lattice structures by a simplified tight-binding approximation, 3=22622  
 Leman, G. See Friedel, J., 1=7738  
 Leman, G. See Friedel, J., 4=28412  
 Leman, G. See Gousseland, G., 1=14205  
 Lemanceau, B., Lussan, C. and Souty, N. Nuclear magnetic resonance and hydrogen bonding, 2=10283  
 Lemanceau, B., Lussan, C. and Souty, N. Nuclear magnetic resonance and the hydrogen bond, 4=1251  
 Lemanov, V.V. Second-order quadrupole effects in sodium nitrate, 0=21092  
 Lemanov, V.V. Nuclear magnetic resonance in elastically deformed rock salt, 2=786  
 Lemanov, V.V. A radiospectroscope for the study of nuclear magnetic resonance in solids, 2=7775  
 Lemanov, V.V. and Smirnov, I.A. Thermal conductivity of NaCl single crystals containing Ca impurities, 3=20120  
 Lemanov, V.V. See Devyatkov, E.D., 3=10584  
 Lemanov, V.V. See Kornfel'd, M.I., 0=21086  
 Lemanov, V.V. See Kornfel'd, M.I., 0=21091  
 Lemanov, V.V. See Kornfel'd, M.I., 2=3915  
 Lemanov, V.V. See Kornfel'd, M.I., 3=2791  
 Lemanov, V.V. See Kornfel'd, M.I., 3=17713  
 Lemay, C.Z. Constitutional supercooling and facet formation of GaAs, 3=12980  
 LeMay, C.Z. See Rupprecht, H., 4=22615  
 Lemazhikhin, B.K. and Lebedev, L.A. Construction of a micro-focusing, demountable X-ray tube with changeable focus, 4=14842  
 Lemberg, I.K. See Afonin, O.F., 3=15098  
 Lemberg, I.Kh. See Afonin, O.F., 3=17409  
 Lemberg, I.Kh. See Alkhazov, D.G., 0=2567  
 Lemberg, I.Kh. See Alkhazov, D.G., 0=2622  
 Lemberg, I.Kh. See Alkhazov, D.G., 0=7587  
 Lemberg, I.Kh. See Alkhazov, D.G., 4=11856  
 Lemberg, I.Kh. See Andreev, D.S., 2=13982  
 Lemberg, I.Kh. See Andreev, D.S., 2=13993  
 Lemberg, I.Kh. See Andreev, D.S., 2=16334  
 Lemberg, I.Kh. See Andreev, D.S., 2=18267  
 Lemberg, I.Kh. See Andreev, D.S., 3=10237  
 Lemberg, I.Kh. See Andreyev, D.S., 1=2243  
 Lemberg, I.Kh. See Erokhina, K.I., 3=10260  
 Lemberg, I.Kh. See Gangrskii, Yu.P., 2=13979  
 Lemberg, I.Kh. See Gangrskii, Yu.P., 2=16359  
 Lemberg, I.Kh. See Gangrskii, Yu.P., 3=6160  
 Lemberg, I.Kh. See Gangrskii, Yu.P., 3=10261  
 Lemberg, I. Kh. See Gangrskii, Yu. P., 4=1003  
 Lemberg, I. Kh. See Gangrskii, Yu. P., 4=1025  
 Lemberg, I. Kh. See Gusinskii, G. M., 4=1016  
 Lemberg, I. Kh. See Vasil'ev, V. D., 4=1002  
 Lemberg, I. Kh. See Vasil'ev, V. D., 4=1015  
 Lemberg, I. Kh. See Vasil'ev, V. D., 4=1021  
 Lembik, L.N. See Korsunskii, M.I., 2=19633  
 Lembra, Yu.Ya. Design of a regenerative deflector, 0=10994



- Lembra, Yu. Ya. Evaluation of the change of amplitude of vertical betatron oscillations in high-current accelerators with the help of a regenerative deflector, 0=15098
- Lembra, Yu. Ya. Methods for extracting a beam from synchrocyclotron, 3=21917
- Lembra, Yu. Ya. On the radial motion of particle inserts in accelerators with beam extraction by means of a regenerative deflector, 4=16594
- le Mée, J. See Martin, A. V. J., 1=17783
- le Mée, J. See Martin, A. V. J., 1=17784
- Le Mee, J. See Martin, A. V. J., 2=10521
- Le Mee, J. See Martin, A. V. J., 3=10865
- Le Méhauté, B. A theoretical study of waves breaking at an angle with a short line, 1=15813
- Lemeille, C., Manesse, D., Marquez, L., Saunier, N. and Quebert, J. L. Observation of nuclear reactions produced by  $\text{Li}^6$  ions at 5 MeV, 4=17203
- Lemeille, C., Marquez, L. and Saunier, N. Mechanism of the reaction  $\text{Li}^6 + \text{Be}^9 = \text{Li}^7$  (1st excited state) +  $2\alpha$ , 2=501
- Lemeille, C., Marquez, L. and Saunier, N. Possibility of the existence of a nuclear molecule with structure  $\text{Li}^6 + \text{Li}^6$ , 3=22431
- Lemeille, C., Marquez, L., Saunier, N. and Coste, M. The reactions of  $\text{Li}^6$  ions on beryllium, 1=13863
- Lemeille, C. See Coste, M., 1=19532
- Lemeille, C. See Coste, M., 2=500
- Lemeille, C. See Garin, A., 3=8137
- Lemeille, C. See Garin, A., 4=30358
- Lemeille, C. See Karadeniz, C., 4=17205
- Lemeille, C. See Manesse, D., 4=25440
- LeMeilleur, F. See Bauny, A., 4=27729
- le Mezec, J. See Camus, M., 4=720
- Lemière, B. See Thureau, P., 2=7168
- Lemke, B. J. See Tannenbaum, I. R., 2=4408
- Lemke, C. E. See Charnes, A., 0=8575
- Lemke, H. Space charge limited hole injection and trap effects in p-silicon, 4=6988
- Lemke, H. See Eckart, F., 3=18275
- Lemke, J. Large capacity thin film evaporation source, 4=20548
- Lemke, J. S. Effect of substrate cleanness on permalloy thin films, 2=12651
- Lemkey, F. D. and Kraft, R. W. Tensile testing techniques for submicron specimens, 2=18976
- Lemlich, R. See Crawford, L., 3=11978
- Lemm, K. See Bonart, R., 2=9371
- Lemm, K. See Hosemann, R., 4=23614
- Lemmens, M. L. Continuous emission spectra and series limits of caesium and mercury, 3=25050
- Lemmer, H. R. See Friedland, E., 3=19796
- Lemmer, R. H. Single particle motion in a deformed, nonlocal potential well, 0=7444
- Lemmer, R. H. Classical description of deuteron stripping in a Coulomb field, 3=6287
- Lemmer, R. H. Effects of particle-hole excitations in nuclear scattering, 3=22360
- Lemmer, R. H., de Shalit, A. and Wall, N. S. Excitations of two-phonon surface vibrations in nuclei, 2=357
- Lemmer, R. H. and Green, A. E. S. Single-particle states in deformed nonlocal diffuse boundary potentials, 0=13108
- Lemmer, R. H. and Shakin, C. M. Resonance reactions and the nuclear shell model. I, 4=17146
- Lemmer, R. H., Tang, Y. C. and Frahn, W. E. Scattering of high-energy nucleons by a nonlocal potential, 0=9295
- Lemmer, R. H. and Weisskopf, V. F. On the preponderance of prolate deformations in nuclei, 1=13629
- Lemmer, R. H. See Tang, Y. C., 0=1344
- Lemmerich, J. and Raith, W. Optical pumping with sodium vapour without buffer-gas, 2=14226
- Lemmlein, G. G., Dukova, E. D. and Chernov, A. A. Growth of crystals from vapour near the ternary point, 1=14975
- Lemmon, A. W., Jr. See Walling, J. F., 4=24460
- Lemmon, K. T. See Chrzanowski, P., 2=4595
- Lemmon, K. T. See Chrzanowski, P., 2=13078
- Lemmon, R. M. See Strohmeier, W., 0=1505
- Lemmon, R. M. See Strohmeier, W., 0=1506
- Lemogne, A. and Lacombe, P. Plastic deformation and fracture of single crystals of uranium in tension at  $-196^\circ\text{C}$ , 2=23756
- Lemogne, A. and Lacombe, P. Plastic deformation and fracture of uranium single crystals by tension at  $-196^\circ\text{C}$ , 3=15989
- Lemogne, A., Morin, J. and Lacombe, P. Plastic behaviour of polycrystalline uranium between  $20^\circ\text{C}$  and  $-196^\circ\text{C}$ , 4=4492
- Lemogne, A., Morin, J. and Lacombe, P. Application of the Petch relation to  $\alpha$ -uranium: effect of grain size on plastic deformation, 4=7462
- Lemogne, A., Morin, J. and Lacombe, P. Influence of the pre-work hardening at  $20^\circ\text{C}$  on the plastic deformation of polycrystalline uranium at  $-196^\circ\text{C}$ , 4=13449
- Lemon, E. H. See Talbot, J. H., Jr., 1=2262
- Lemonick, A. See Chamberlain, O., 2=7902
- Lemonick, A. See Frankel, S., 2=13831
- Lemonne, J. See Danysz, M., 3=22276
- Lemonne, J. See Danysz, M., 4=9364
- Lemonne, J. See Davis, D. H., 3=6147
- Lemonne, J. See Fletcher, E. R., 3=10232
- Lemonne, J. See Lagnaux, J. P., 3=17489
- Lemonnier, J. C., Priol, M., Quemerais, A. and Robin, S. Comparative study of sodium salicylate and terphenyl in thick and thin films as fluorescent materials for spectroscopy in the extreme u.v., 4=29756
- Lemonnier, J. C., Priol, M. and Robin, S. Transmission and reflecting power in the far ultraviolet of single crystal specimens of corundum and ruby as a function of cutting angle, chromium content and temperature, 4=7126
- Lemonnier, P. E. See Ducasse, M., 3=7224
- Lemons, J. F. See Jackson, J. A., 0=3546
- Lemons, J. F. See Jackson, J. A., 3=9481
- Lemons, J. F. See Lewis, W. B., 2=5029
- Le Montagner, S. Experimental study of the variations of dielectric constant associated with a phase change, 0=11738
- Le Montagner, S. Measurements of the permittivity of solids as a function of temperature. Interpretation of experimental curves in different cases, 1=14542
- Le Montagner, S. Dipolar relaxation phenomena as a function of temperature, 1=14543
- Le Montagner, S. and Rousselot, M. M. On some dielectric properties of methyl ammonium alum, 1=11337
- Le Montagner, S. See Goulpeau, L., 3=2956
- Le Montagner, S. See Le Donche, L., 2=19055
- Le Montagner, S. See Le Donche, L., 4=1660
- Le Montagner, S. See Le Floch, G., 4=13760
- Le Montagner, S. See Le Traon, F., 3=894
- Le Montagner, S. See Le Traon, A., 3=10877
- Le Montagner, S. See Querrou, M., 4=22776
- Le Mouél, J. See Jobert, G., 4=23699
- Lempicki, A. The reflection spectrum of CdS, 0=6185
- Lempicki, A. Polarization of luminescence in ZnS and CdS single crystals, 0=11782
- Lempicki, A., Birman, J., Samelson, H. and Neumark, G. Polarization of luminescence and its application to the study of centres in CdS and ZnS crystals, 2=23591
- Lempicki, A. and Martin, R. L. A method for determining the threshold of laser materials, 4=16689
- Lempicki, A. and Samelson, H. Optical maser action in europium benzoylacetate, 3=17084
- Lempicki, A. and Samelson, H. Stimulated processes in organic compounds, 3=23886
- Lempicki, A. and Samelson, H. Laser action in a solution of a europium chelate, 4=19281
- Lempicki, A., Samelson, H. and Brecher, C. Laser phenomena in europium chelates. IV. Characteristics of the europium benzoylacetate laser, 4=27698
- Lempicki, A., Samelson, H. and Brown, A. Slit-width error in the measurement of absorption constants, 1=2867
- Lempicki, A. See Birman, J. L., 1=10090
- Lempicki, A. See Brecher, C., 4=29150
- Lempicki, A. See Samelson, H., 2=4178
- Lempicki, A. See Samelson, H., 3=20513
- Lempicki, A. See Samelson, H., 4=20082
- Lempicki, A. See Samelson, H., 4=20083
- Lempriere, B. M. Oscillations in tensile testing, 2=14901
- Lems, W. The change of Young's modulus of copper and silver after deformation at low temperature and its recovery, 2=10744
- Lems, W. Young's modulus of some metals after deformation at low temperature and its recovery, 4=15703
- Lems, W. The contribution of dislocations containing geometrical kinks to the non-elastic strain, 4=28463
- Lenander, C. J. Parametrized Slater modified Hartree-Fock method applied to actinide ions, 3=12767
- Lenander, C. J. and Wong, E. Y. Crystal-field shielding in  $\text{PrCl}_3$ , 3=17629
- Lenard, A. On Bogoliubov's kinetic equation for a spatially homogeneous plasma, 0=15018



- Lenard, A. Exact statistical mechanics of a one-dimensional system with coulomb forces, 1=15704
- Lenard, A. Exact statistical mechanics of a one-dimensional system with Coulomb forces. III. Statistics of the electric field, 3=11713
- Lenard, A. Momentum distribution in the ground state of the one-dimensional system of impenetrable bosons, 4=24097
- Lenard, A. See Backus, G., 1=16410
- Lenard, A. See Edwards, S.F., 1=19445
- Lenchek, A.M. On the anomalous component of low-energy geomagnetically trapped protons, 2=19253
- Lenchek, A.M. The solar H II region and the radio-spectrum of the non-thermal radiation of the galaxy, 4=29422
- Lenchek, A.M. and Singer, S.F. Injection of trapped protons from solar flare particles, 2=13056
- Lenchek, A.M. and Singer, S.F. Geomagnetically trapped protons from cosmic-ray albedo neutrons, 2=17203
- Lenchek, A.M. and Singer, S.F. Effects of the finite gyroradii of geomagnetically trapped protons, 3=16292
- Lenchek, A.M. and Singer, S.F. The albedo neutron theory of geomagnetically trapped protons, 4=7902
- Lenchek, A.M., Singer, S.F. and Wentworth, R.C. Geomagnetically trapped electrons from cosmic ray albedo neutrons, 2=4629
- Lenchek, A.M. See Laster, H., 2=22690
- Lenchek, A.M. See Liwshitz, M., 4=2249
- Lenchek, A.M. See Singer, S.F., 2=12058
- Lenchenko, V.M. Coulomb collisions of fast electrons in a polarizing medium, 3=24371
- Lend'el, V.I., Lomsadze, Yu.M. and Ernst, B.M. A more exact determination of parameters of the effective radius theory by using the Mandelstam dispersion relations, 3=2265
- Lend'el, V.I. See Isaev, P.S., 4=3456
- Lend'el, V.I. See Lomsadze, Yu.M., 0=9349
- Lend'el, V.I. See Lomsadze, Yu.M., 1=16871
- Lendinara, L. See Block, M.M., 1=13500
- Lendinara, L. See Block, M.M., 3=12508
- Lendinara, L. See Block, M.M., 3=12570
- Lendinara, L. See Bortolali, M.V., 2=18157
- Lendinara, L. See Gray, L., 3=15042
- Lendinara, L. See Leitner, J., 1=16901
- Lendvai, E., Shanda, J. and Veisburg, Ya. Some remarks on the d.c. and a.c. electroluminescence of ZnS:Cu:Mn, 1=20032
- Lendvay, E. Luminescence of adsorbed fluorescein, 1=20022
- Lendvay, E. The role of surface hydroxyls of  $\text{Al}_2\text{O}_3 \cdot x \text{H}_2\text{O}$  in the luminescence of adsorbed fluorescein molecules, 2=4183
- Lendvay, E. Luminescence of fluorescein activated layer phosphors, 2=4184
- Lendvay, E. On the luminescence of Sn activated alkaline earth orthophosphate phosphors, 2=12615
- Lendvay, E. Theory of fluorescein-activated  $\text{Al}_2\text{O}_3 \cdot x \text{H}_2\text{O}$  layer phosphors, 3=3036
- Lendvay, E. and Schanda, J. The luminescence of manganous phthalate, 2=8583
- Lendvay, E., Schanda, J., Richter, K., Kovács, P. and Somogyi, M. Luminescent properties of ZnS phosphors prepared at room temperature, 3=4989
- Lendvay, E., Schanda, J., Richter, K., Kovács, P. and Somogyi, M. On the luminescent properties of ZnS phosphors prepared at room temperature, 3=10997
- Lendyel, V.I. and Ernst, B.M. Use of analytical properties of proton-proton scattering amplitude for the determination of the nucleon-meson coupling constant, 3=19625
- Lendyel, V.I. and Mathews, J. Some remarks about a second Pomeranchuk trajectory, 3=19576
- Lend'yeI, V.I. See Lomsadze, Yu.M., 1=13428
- Lend'yeI, V.I. See Lomsadze, Yu.M., 2=7880
- Le Neindre, B., Johannin, P. and Vodar, B. Thermal conductivity of liquid water up to the critical point, 4=18194
- Lenel, F.V. and Ansell, G.S. Metals, ceramics, polymers. Interdisciplinary aspects of sintering and plastic deformation, 4=7380
- Lenel, F.V., Hausner, H.H., Roman, O.V. and Ansell, G.S. The influence of gravity in sintering, 4=7689
- Lenel, F.V. See Ansell, G.S., 1=3970
- Lenfestey, A.G. Low-temperature heat exchangers, 1=18683
- Leng, J. See Oman, R.A., 4=21169
- Leng, M. and Benoit, H. A study of the interactions at long distance in macromolecular chains, 3=4793
- Leng, M., Strazielle, C. and Benoit, H. Study of a characteristic behaviour of a sequence copolymer observed by scattering of light, 3=18443
- Leng, M. See Gallot, Y., 2=12937
- Leng, M. See Gallot, Y., 3=11791
- Leng, W.B. See Hickman, G.D., 2=11958
- Leng Zhung-ang. See Zhao Yu-zhi, 3=25549
- Lengeler, B. and Ludwig, W. Localized vibration states of point defects in simple cubic lattices, 3=2784
- Lengeler, H., Deutschmann, M. and Tejessy, W. Measurements of electron cascades in copper and lead at energies up to 400 MeV, 3=22369
- Lengeler, H., Tejessy, W. and Deutschmann, M. Measurement of electron showers in lead or copper with a bubble cham chamber, 3=22242
- Lengeler, H. See Aderholz, M., 4=21914
- Lengeler, H. See Aderholz, M., 4=21919
- Lengeler, H. See Aderholz, M., 4=25151
- Lengeler, H. See Bartsch, J., 4=21920
- Lenglart, P. See Friedel, J., 4=28412
- Lengyel, B. and Boksay, Z. Electrical conductivity of glass. IV. Glasses with two different divalent cations, 2=21110
- Lengyel, B. and Boksay, Z. Electrical conductivity of glass. VI. The temperature dependence of the conductivity of mixed glasses, 4=10095
- Lengyel, B., Boksay, Z. and Dobos, S. Electrical conductivity of glass. VII. Transport numbers in mixed glasses, 4=10096
- Lengyel, B.A. and Mitzner, K.M. Electromagnetic surface waves on a plane interface, 1=13180
- Lengyel, B.A. See Buddenhagen, D.A., 2=5154
- Lengyel, B.A. See Wagner, W.G., 3=17082
- Lengyel, L.L. The magnetic torque exerted on a finite cylindrical conductor slab by a "rotating" magnetic field, 3=7679
- Lenham, A.P. The optical constants of gallium, 4=7134
- Lenham, A.P. and Franz, O.G. Astrometric investigations of galactic clusters. I. NGC 129, 1=4208
- Lenham, A.P. and Treherne, D.M. The optical constants of single crystals of cadmium and zinc, 4=20450
- Lenhart, R.E. See Banerjee, B.R., 2=12703
- Lenhart, R.E. Grain size effects in silicon steels upon the a.c. core loss components, 4=12864
- Lenin, S.S., Shashkina, N.N. and Shashkin, V.L. Application of alpha-scintillation counters for the determination of the emanation of radium isotopes, 2=20442
- Lenior, M. On the motion of a particle in the theory of the spin gravitational field, 1=2682
- Lenk, A. A convenient classification of the electromechanical transducer with regard to its design and its electrical and mechanical characteristics, 0=16783
- Lenk, A. See Reichardt, W., 1=2722
- Lenk, H. The gradient of the positive column in a mercury vapour discharge in the middle pressure range, 3=19210
- Lenk, H. See Gerhardt, U., 4=14344
- Lenk, P.A. and Slobodrian, R.J. Excitation function for the  $\text{Al}^{27}(\text{d}, \alpha \text{p})\text{Na}^{24}$  reaction between 0 and 28.1 MeV, 0=2667
- Lenk, R. Rotating model nuclei, 2=7924
- Lenk, R. Dependence of e.p.r. spectra of free radical species in polymethylmethacrylate on  $\gamma$ -irradiation dose, 2=8123
- Lenk, R. Spin densities in three-electron binding systems, 3=12791
- Lenk, R. Changes in e.p.r. spectrum of free radical species in  $\gamma$ -irradiated polyformaldehyde, 3=12858
- Lenk, R. Spin densities in  $\text{CH}_3-(\text{CH})_2=\text{CH}_2$  radical, 3=15393
- Lenk, R. The variation with radiation dose of e.p.r. spectra of free radical species in polymethylmethacrylate, 3=25563
- Lenk, R. On interpretation of e.p.r. spectrum of free radicals in  $\gamma$ -irradiated methanol, 4=15379
- Lenk, R. and Santar, I. Angular dependence of spin densities on protons of  $\text{CH}_2$  group, 4=25758
- Lenk, R. See Diener, G., 4=4035
- Lenk, R. See Heinrich, D., 3=12959
- Lenk, R. See Macke, W., 2=7923
- Lenkeit, S. and Ebert, H.G. Average energy loss per ion pair in liquids, 4=24252
- Lenker, E.S. See Van Hook, H.J., 3=16120
- Lenkova, G.A. See Koronkevich, V.P., 2=5184
- Lenkova, G.A. See Koronkevich, V.P., 4=29763
- Lenné, H. See Dehne, K., 4=8657
- Lennon, C.J. See Blanco, V.M., 1=18112
- Lennon, J.J. and Mulcahy, M.J. Microwave measurement of attachment in oxygen-nitrogen mixtures, 2=5301
- Lennon, J.J. and Sexton, M.C. Recombination in xenon and krypton afterglows, 0=2345
- Lennon, J.J. See Hackam, R., 4=18936
- Lennon, J.J. See Hackam, R., 4=21482
- Lennon, J.J. See Mulcahy, M.J., 2=22186
- Lennon, J.J. See Mulcahy, M.J., 3=4064



- Lennon, J.J. See Sexton, M.C., 0=5295
- Lennox, C.G. See Davis, H.L., 2=717
- Lennuier, M.R. See Tardy, O., 0=10884
- Lennuier, R. Construction of interferometric mirrors for the U.V. range ( $\lambda > 2500 \text{ \AA}$ ), 0=16882
- Lennuier, R. See Lagarde, D., 2=5071
- Lennuier, R. and Lagarde, D. Apparatus for spectral analysis at high resolution in the ultraviolet. Application to the measurement of hyperfine intervals of the  $6^3\text{P}_1$  level of  $\text{Hg}^{199}$  and  $\text{Hg}^{201}$ , 1=2283
- Lennuier, R., Lagarde, D. and Filippi, F. Optical properties of thin Al films between 2537 and 5460 Å, 1=236
- Lennuier, R. See Cassagnol, C., 3=22484
- Lenoble, J. On the distribution of light in a diffusing medium illuminated by a point source, 0=10783
- Lenoble, J. Study of the ultraviolet radiation of the sky. I. Spectrophotometer with polarimeter for the zenith sky, 0=21387
- Lenoble, J. Application of the method of spherical harmonics to anisotropic diffusion of light, 1=10604
- Lenoble, J. Application of the method of spherical harmonics to the study of the state of polarization of scattered radiation, 1=16117
- Lenoble, J. Attempt at a general method of introducing the functions X and Y of Chandrasekhar in the case of anisotropic diffusion, 4=709
- Lenoble, J., Arceduc, J.P., Clos, and Coquelle, J.M. Study of ultraviolet radiation from the sky. II. Radiation from the zenith sky, 4=4772
- Lenoble, J. See Blouin, F., 3=11941
- Lenoble, J. See Isacchi, S., 1=244
- Lenoir, M. On the spherically symmetric solutions of the unified field theory, 0=6672
- Lenoir, M. The equations of motion in unified field theory, 1=6778
- Lenoir, M. See Costa de Beauregard, O., 3=36
- Lent, E.M. See Ankenbrandt, C.M., 3=19507
- Lertz, T. and Miyata, J. Automatic magneto-optic rotation tester, 1=10608
- Lenz, F. [Note]. Transmission of slow electrons through thin films, 1=7102
- Lenz, F. Extension of the Cornu diagram to the case of a partially transparent and phase-shifting half-plane, 1=18616
- Lenz, F. Scale and resolving power on an electron diffraction pattern, 2=817
- Lenz, F. Phase shift of electron waves in field-free space by potentials, 2=11712
- Lenz, F. The variation of the phase of electron waves in field free space by means of potentials, 2=22261
- Lenz, F. Zone plate for correction of spherical aberrations [Öffnungsfehler] and for contrast enhancement, 3=8863
- Lenz, F. Dimensions and arrangement of Hoppe and contrast plates in strong magnetic lenses, 4=29971
- Lenz, F. and Krimmel, E. The general intensity distribution in the neighbourhood of a caustic surface coherently illuminated, 1=16404
- Lenz, F. and Krimmel, E. Images of local surface charges in the electron mirror microscope, 3=24368
- Lenz, F. and Krimmel, E. Wave-optics intensity distribution in the line focus of spectrometers for charged particles, 4=602
- Lenz, F. See Möllenstedt, G., 3=439
- Lenz, F. See Noven, H., 0=2390
- Lenz, J. and Mollwo, E. Optical investigations of Si diodes, 4=10083
- Lenz, K. Experimental investigations of the performance of prism monochromators, 1=2861
- Lenz, K. Measurement of spectral energy distribution of light from the sky, 2=4599
- Lenz, K. The scattered spectrum of the atmosphere, 3=1448
- Lenz, K. Specific qualities of monochromators, 3=14352
- Lenz, K. See Foitzik, L., 1=20839
- Lenz, K. See Foitzik, L., 2=877
- Lenz, K. See Foitzik, L., 3=1447
- Lenz, K. See Hertz, J.H., 4=19267
- Lenzo, P.V. Low frequency ferromagnetic resonance spectrometer, 4=7302
- Lenzo, P.V. See Spencer, E.G., 3=25547
- Lenzo, P.V. See Spencer, E.G., 4=26362
- Leo, W. Mirror double-monochromator with compensation of the image defects, 2=7355
- Leo, W. See Böhm, H., 4=26551
- Leon, B.J. See Vogl, T.P., 2=19765
- Leon, Ch.B. Infrared spectrophotometers, 2=5167
- Léon, J. Montes Ponce de. See Montes Ponce de Léon, J.
- Leon, M. and Bethe, H.A. Negative mesons absorption in liquid hydrogen, 2=18168
- Leon, M. See Cutkosky, R.E., 4=27787
- Leonard, A. and Mullikin, T.W. Spectral analysis of the anisotropic neutron transport kernel in slab geometry with applications, 4=12012
- Leonard, A. See Ferziger, J.H., 3=6013
- Leonard, A. See Ferziger, J.H., 3=15258
- Léonard, A. See Piret-Meunier, J., 3=16086
- Léonard, A. See Van Meerse, M., 0=3254
- Leonard, B.E. See Waltner, A.W., 0=20518
- Leonard, B.P. See Mimura, Y., 4=3120
- Leonard, B.R., Jr., Seppi, E.J. and Friesen, W.J. The width of the 1 eV resonance in plutonium-240, 0=13282
- Leonard, J. See Walker, P.M.B., 3=9595
- Leonard, J.H. and Houghton, G. Effect of mass transfer on the velocity of rise of bubbles in water, 1=12857
- Leonard, J.L. See Klumpp, R.G., 4=2795
- Leonard, L. Energy radiated by a point charge in hyperbolic motion, 0=19886
- Leonard, R.S. Distribution of radar auroras over Alaska, 2=13051
- Leonard, R.S. Measurements of localized distortions in the earth's magnetic field near the auroral zone, 2=13073
- Leonard, R.S. Evidence of low-frequency amplitude fluctuations in radar auroral echoes, 2=19245
- Leonard, R.S. Selection of a model of the earth's magnetic field, 4=13857
- Leonard, R.W., Rudnick, I. and Delsasso, L.P. The new acoustic facilities at UCLA, 4=14311
- Leonard, S.L. See Heflinger, L.O., 1=5464
- Leonas, V.B. Detection of neutral molecular beams, 3=4789
- Leonas, V.B. Present state and some new results in the molecular beam method, 4=20136
- Leonas, V.B. and Rubtsov, V.K. A selector for studying molecular velocities, 4=17326
- Leonhard, F., Cook, C.F., Jr. and Anderson, F.R. Full and partial particle replication technique for electron microscopy, 0=21262
- Leonhardt, R., Richter, H. and Rossteutscher, W. Electron diffraction investigations of the structure of thin non-crystalline films, 2=837
- Leonidova, G.G. Ferroelectric properties of thiourea under high pressures, 4=26130
- Leonidova, G.G. and Polandov, I.N. Transition of barium titanate to the paraelectric state at high pressures, 3=22994
- Leonidova, G.G. and Polandov, I.N. Measurement of high pressures by means of wire transducers, 4=18022
- Leonidova, G.G., Polandov, I.N. and Golestovskaya, I.P. Effect of hydrostatic pressure on the phase-transition temperature of triglycine sulphate, 3=17938
- Leonov, A.I. and Vinogradov, G.V. Rheology of polymers. Theory of thixotropy, 4=30754
- Leonov, A.I. See Ioffe, V.A., 2=21207
- Leonov, G.S. See Zaitsev, A.A., 0=10921
- Leonov, L.F. See Deryagin, B.V., 4=5463
- Leonov, L.F. See Deryagin, B.V., 4=16764
- Leonov, L.F. See Prokhorov, P.S., 1=11633
- Leonov, A.I. See Ioffe, V.A., 3=6617
- Leonov, Yu.S. A new phosphor  $2\text{Li}_2\text{O} \cdot \text{WO}_3$ , 1=2456
- Leonov, Yu.S. Uranium-activated lithium magnesium tungstate, 2=2250
- Leonov, Yu.S. The effect of grinding on the luminescent properties of tungstate luminors, 2=16879
- Leont'ev, A.K. A simple method for determining the temperature of a heat-transfer surface, 3=19034
- Leont'ev, A.K. On the steady distribution of temperature in a flat wall heated by electric current, 3=21596
- Leontev, B.A. On the theory of transformation of under-cooled austenite, 4=20708
- Leont'ev, N.I. and Udovichenko, Yu.K. Additional focusing of resonance ions in omegatrons, 2=20060
- Leont'ev, N.I. A field-strength meter for weak magnetic fields, 4=14852
- Leont'ev, N.I. Resonance magnetic-field intensity meter, 4=16609
- Leont'ev, N.I. and Kuril'nikov, S.V. A magnetic field meter with a magnetodielectric data transmitter, 4=16611
- Leont'ev, N.I. and Udovichenko, Yu.K. Indication of resonance from absorbed energy in omegatron, 4=16561
- Leont'ev, N.I., Udovichenko, Yu.K. and Kuril'nikov, S.V. A panoramic-display omegatron, 4=16559



- Leont'ev, N. I., Udovichenko, Yu. K. and Maksimov, M. Z.  
Omegatron with nonuniform magnetic field, 4=16560
- Leont'ev, N. I. See Demirkhanov, R. A., 2=9584
- Leont'ev, N. I. See Demirkhanov, R. A., 2=19911
- Leont'ev, N. I. See Demirkhanov, R. A., 3=5670
- Leont'ev, N. I. See Demirkhanov, R. A., 3=14579
- Leont'ev, N. I. See Demirkhanov, R. A., 3=14585
- Leont'eva, T. P. See Vulis, L. A., 2=15624
- Leontic, B. See Barbier, M., 3=17002
- Leontic, B. See Dowell, J. D., 2=13890
- Leontic, B. See Dowell, J. D., 2=22641
- Leontic, B. See Dowell, J. D., 3=17110
- Leontic, B. See Fischer, J., 0=1291
- Leontic, B. See Meunier, R., 3=2163
- Leontic, B. See Meunier, R., 3=2164
- Leontovich, A. K. See Vil'yams, A. P., 2=9512
- Leontovich, A. M. and Veduta, A. P. Mode excitation and an explanation of the divergency of the radiation from a ruby laser, 4=11835
- Leontovich, A. M. See Galanin, M. D., 2=22021
- Leontovich, A. M. See Galanin, M. D., 3=7739
- Leontovich, A. M. See Galanin, M. D., 3=19487
- Leontovich, A. M. See Korobkin, V. V., 4=3221
- Leontovich, M. Generalization of the Kramers-Kronig formulae to media with spatial dispersion, 1=18984
- Leontovich, M. A. Some investigations on the physics of a heated plasma and its containment, 1=9575
- Leontovich, M. A. and Osovetz, S. M. On the mechanism of current constriction in high-current gas discharges, 0=5302
- Leont'yev, A. I. See Romanenko, P. N., 3=14100
- Leovy, C. Radiative equilibrium of the mesosphere, 4=23775
- Leovy, C. Simple models of thermally driven mesospheric circulation, 4=29272
- LePage, J., Garber, M. and Blatt, F. J. Magnetothermal oscillations in beryllium, 4=28759
- Le Pair, C., Taconis, K. W., Das, P. and de Bruyn Ouboter, R. The phase diagram of freezing helium 3-helium 4 mixtures, 4=8550
- Le Pair, C., Taconis, K. W., de Bruyn Ouboter, R. and Das, P. Freezing and lambda curves of  $^3\text{He}$ - $^4\text{He}$  mixtures, 2=13497
- Le Pair, C., Taconis, K. W., de Bruyn Ouboter, R. and Das, P. A direct measurement of the minimum in the melting curve of  $^4\text{He}$ , 4=382
- le Pair, C., Taconis, K. W., de Bruyn Ouboter, R. and Das, P. Freezing and lambda curves of  $\text{He}^3$ - $\text{He}^4$  mixtures, 4=14485
- le Pair, C. See de Bruyn Ouboter, R., 0=19543
- le Pair, C. See de Bruyn Ouboter, R., 1=8272
- Le Pair, C. See van den Meijdenberg, C. J. N., 1=8274
- Le Pape, M. See Gratot, I., 0=5689
- Le Pape, M. See Olkowsky, J., 1=5913
- Le Pape, M. See Olkowsky, J., 1=8731
- Le Pape, M. See Olkowsky, J., 1=13794
- Lepard, D. W., Sweeney, D. M. C. and Welsh, H. L. The Raman spectrum of ethane- $d_6$ , 3=4765
- Lepechinski, D. See Consoli, T., 0=10913
- Lepechinski, D. See Consoli, T., 0=12616
- Lepechinski, D. See Consoli, T., 3=4145
- Lepechinsky, D., Cartron, S., Freon, A. and Legrand, J. P. Ionospheric blackouts observed at Terre Adélie in 1957 and 1958, 3=5873
- Lepechinsky, D. and Parlange, F. Some results of calculation of dispersion curves with collisions, 4=18977
- Lepechinsky, D. and Rolland, P. Study of ionic plasma oscillations. Their role in the mechanism responsible for ionospheric winds, 2=24032
- Lepechinsky, D. and Rolland, P. On plasma instabilities and their probable role in ionospheric phenomena, 4=10755
- Lepechinsky, D. and Taieb, C. True height determinations of ionization at high latitudes, 0=16436
- Lepechinsky, D. See Consoli, T., 4=18981
- Le Peintre, M. See Ecker, J., 2=2915
- Lepekhin, F. G. and Makarov, M. M. Search for angular correlations in stars with fragments produced by 9 GeV protons, 3=22388
- Lepekhin, F. G. See Berkovich, I. B., 0=9539
- Lepekhin, F. G. See Berkovich, I. B., 0=9540
- Lepekhin, F. G. See Berkovich, I. B., 2=353
- Lepekhin, F. G. See Berkovich, I. B., 2=22719
- Lepekhin, F. G. See Berkovich, I. B., 3=24848
- Leper, D. P. Octupole vibrations of deformed even-mass nuclei, 4=9381
- Lepeshinskaya, V. N. and Belogurov, V. N. Change of work function of molybdenum by deposition of thin layers of sodium and caesium, 0=9062
- Lepeshinskaya, V. N. and Stuchinskii, G. B. Inelastic scattering of electrons and secondary electron emission of activated Cu-Al-Mg alloy in the primary electron energy-range 0.5 to 20 keV, 0=15060
- Lepeshinskaya, V. N. See Spivak, G. V., 0=15063
- Lepestkin, A. I. See Zatssepina, G., 4=1066
- Le Petit, J. P. Measurement of the dielectric anisotropy of blocks of paper with oriented fibres at 3000 Mc/s, 3=22990
- Le Petit, J. P. Contribution to the microwave study of the adsorption of water on cellulose, 4=1656
- Le Phat Vinh, A. Distribution of solar energy at the focus of a parabolic mirror. Calculations and experimental study, 2=11472
- Lepie, M. P. See Belforti, D. A., 3=16598
- Lepie, M. P. See Kingery, W. D., 0=10261
- Lepie, M. P. See Klein, C. A., 4=21343
- Lepilin, V. A. See Bredov, M. M., 1=17771
- Lepinskikh, B. M. See Manakov, A. I., 2=14564
- Le Pipec, C. and Lafourriere, J. Use of correlation functions in the study of neutron capture in crystals, 3=20068
- Le Pipec, C., Michaudon, A. and Ribon, P. Measurement of the Doppler effect in resonant interaction of slow neutrons with a crystal structure at low temperature, 3=4801
- Le Pipec, C. See Michaudon, A., 3=6259
- Leplae, L. and Umezawa, H. Inequivalent representations and superconductivity, 4=24483
- Lepnev, G. P. See Baranov, A. I., 3=25773
- Le Poittevin, G. See Julien, J., 4=28036
- Lepore, D. A. See Neilsen, J. W., 2=14819
- Lepore, D. A. See Zneimer, J. E., 4=13245
- Lepore, J. V. Commutation relations of quantum mechanics, 0=14513
- Lepore, J. V. and Ridell, R. J., Jr. Essential singularity of a partial-wave amplitude, 3=22077
- Lepore, J. V. See Cook, L. F., Jr., 0=20217
- Le Postollec, M., Mathieu, J. P. and Poulet, H. Vibration spectra and structure of coordinated nitrites, 4=15351
- Lepoutre, G. See Berns, D. S., 2=1142
- Leppert, G. See Jordan, D. P., 0=13359
- Leppert, G. See Jordan, D. P., 2=19781
- Lepri, F. See Castagnoli, C., 0=17164
- LePrince-Pinguet, F. See Galtier, F., 3=7590
- Leproux, G. See Glaude, V., 0=2412
- Lepson, B. See Beach, L. A., 0=12960
- Lequeux, J. Interferometric observations of the radio-galaxy M 82 at 1420 Mc/s, and a comparison with similar objects, 3=3627
- Lequex, J. High resolution interferometric measurements of the diameter and structure of the principal radio sources at 1420 Mc/s, 3=11600
- Lequeux, J. Origin of cosmic radiation and of relativistic galactic electrons, 4=4877
- Lequeux, J. and Heidmann, J. Interferometer measurements of extragalactic radiosources at 1420 Mc/s in the east-west direction, 1=18205
- Lequeux, J., Le Roux, E. and Vinokur, M. Variable spacing two aerial interferometer of the radio-astronomy station of Nancay, 0=826
- Lequeux, J. See Barat, J., 1=4221
- Lequeux, J. See Blum, E. J., 4=4919
- Lequeux, J. See Heidmann, J., 1=15561
- Le Quinio, R. See Armand, G., 0=2412
- Le Quinio, R. See Consoli, T., 0=19769
- le Quinto, R. See Prevot, F., 1=350
- Leray, J. The verification of the theory of the orientation of rigid particles by birefringence during flow, 1=15875
- Leray, J. Particles and singularities of waves, 2=9189
- Leray, J. and Gramain, P. Modulation of the state of polarization of light by a rotating inclined isotropic film. Application to photoelectric measurement of the Maxwell effect, 4=8458
- Leray, J. and Scheibling, G. Photoelectric determination of the position of the neutral lines and the phase difference of a weakly birefringent medium, 0=19454
- Leray, J. and Scheibling, G. Photoelectric polarimeter with a rotating phase plate, 1=2893
- Leray, J. and Scheibling, G. Composition of birefringences: case of feebly optically anisotropic media, 2=17655
- Leray, J., Scheibling, G. and Gramain, P. Construction of an apparatus for the photo-electric measurement of the Maxwell flow birefringence effect, 4=14164



- Leray, J., Scheibling, G. and Sadron, C. Laws of combination of birefringence; application to the Maxwell effect in poly-dispersed systems, 1=9488
- Le Ray, M. Study of the 9 metre spectrograph of the Paris-Meudon observatory, 1=16080
- Leray, T. See Crozon, M., 3=24960
- Lerche, M. See Gobrecht, H., 3=20304
- Lerfeld, G. and Scheibe, P. Method of studying travel time anomalies of high frequency radio waves, 1=3070
- Lerfeld, G.M. See Little, C.G., 3=5881
- Lerfeld, G.M. See Little, C.G., 4=26849
- Lerfeld, G.M. See Parthasarathy, R., 4=2274
- Lerinman, R.M., Shchegoleva, T.V., Kushakevich, S.A. and Selitskaya, S.I. Electron microscope investigation of the structural transformations in the titanium-manganese and titanium-chromium alloys, 1=1416
- Lerjefors, C.A., Matthias, E. and Karlsson, E. The gyro-magnetic ratio of the 137 keV rotational level in  $\text{Os}^{186}$ , 1=12157
- Lerjefors, C.A. See Karlsson, A., 1=12156
- Lerjefors, C.A. See Karlsson, B.E., 2=12127
- Lerjefors, C.A. See Matthias, E., 2=10014
- Lerman, N. See Sitte, K., 0=11241
- Lerner, E. and Daunt, J.G. Magnetoresistance effect in advance and Evanohm wires at low temperatures in fields up to 50 kG, 4=30609
- Lerner, E., Moscati, G., Silva, E. and Goldemberg, J. Measurement of the circular polarization of high-energy collimated  $\gamma$ -ray beam, 3=5976
- Lerner, E., Wilson, M.F., Gaines, J.R. and Daunt, J.G. Magnetic properties of Cupron wire at low temperatures, 4=15643
- Lerner, E. See Jeronymo, J.M.F., 2=12215
- Lerner, E. See Pandorf, R.C., 4=30608
- Lerner, J. See Fields, P.R., 3=19825
- Lerner, L.S. Shubnikov-de Haas effect in bismuth, 2=21104
- Lerner, L.S. Inexpensive, highly linear Hall magnetometer, 3=5806
- Lerner, L.S. Shubnikov-de Haas effect in bismuth. II, 3=15586
- Lerner, L.S. and Eastman, P.C. The Shubnikov-De Haas effect in antimony, 4=4138
- Lerner, M.M. See Tareev, B.M., 1=3730
- Lerner, S. See Robbins, M., 3=18222
- Leroi, G.E., Ewing, G.E. and Pimentel, G.C. Infrared spectra of carbon monoxide in an argon matrix, 4=20039
- Leroi, G.E., James, T.C., Hougen, J.T. and Klemperer, W. Infrared spectra of gaseous transition-metal dihalides, 2=14274
- Leroi, G.E. and Klemperer, W. Infrared spectra of sodium and potassium cyanide, 1=14028
- Leroi, G.E. See Hougen, J.T., 1=8848
- Lerond, P. and Thulin, A. Sensitive recording magnetic fluxmeter, 0=3825
- Lerond, P. See Chonez, A., 0=2412
- Leroux, B. and Gourdon, C. Study of the ion trajectories in a magnetic mirror configuration. II. Experimental study of the trajectories using an electron analogue model, 2=19988
- Le Roux, E. Classical theory of the absorption of radiation by particles, 1=3058
- Le Roux, E. Classical theory of the absorption of radiation energy by particles, 1=15754
- Le Roux, E. Theoretical study of synchrotron radiation from radio sources, 1=18200
- LeRoux, E. See Barat, J., 1=4221
- Le Roux, E. See Lequeux, J., 0=826
- Leroux, J.P. Experimental study of the photoluminescent emissions of two ZnS samples excited by radiation intensity-modulated at 100 c/s, 4=4307
- Leroux, J.P. and Thureau, P. On a pyrometric application of the photoluminescence of a zinc cadmium sulphide activated by manganese and gold, 0=1062
- Leroux, J.P. See Fauré, J., 0=14870
- Leroux, J.P. See Thureau, P., 0=16095
- Leroux-Hugon, P. Study of  $\text{InAs-CdSnAs}_2$  alloys, 3=2915
- Leroux-Hugon, P. Properties of some ternary semiconductor compounds, 3=8518
- Leroux-Hugon, P. Thermal conductivity of the compounds  $\text{CdSnAs}_2$ ,  $\text{CdGeAs}_2$ ,  $\text{ZnSnAs}_2$ , and  $\text{ZnGeAs}_2$ , 3=20118
- Leroux-Hugon, P., Rodot, M. and Suchet, J. Relation between the ionicity of interatomic binding and the lattice thermal conductivity, 2=16613
- Leroux-Hugon, P. and Weill, G. Measurement of thermal diffusivity at acoustic frequencies, 3=11976
- Leroy, C.C., Parkes, D.J. and Sirovich, E.M. Some acoustical characteristics of underwater explosions of hydrogen-oxygen mixtures, 3=9552
- Le Roy, D.J. See Kimbell, G.H., 2=14201
- Leroy, G. Critical study of the validity of the Pariser-Parr approximations in the study of polyatomic conjugated molecules, 4=15323
- Leroy, G., Van Meerssche, M. and Germain, G. Theoretical study of the electronic structure of some nitroso-compounds, 4=15373
- LeRoy, J. Symmetric and antisymmetric tensors of the second order and their functions, 1=9243
- Leroy, J. Mean nucleus of prompt neutrons emitted in the fission of  $^{235}\text{U}$ ,  $^{239}\text{Pu}$ ,  $^{232}\text{Th}$ , 1=13869
- Leroy, J. See Blaise, S., 0=9708
- Leroy, J. See Consoli, T., 4=18876
- Leroy, J. See Dupas, L., 4=8742
- Leroy, J. See Sher, R., 1=17172
- Leroy, J.L. Polarization of the light from sunspots, 0=4893
- Leroy, J.L. Observations of a persistent coronal jet, 0=14425
- Leroy, J.L. Interpretation of the polarization of [monochromatic] light from sunspots, 1=2615
- Leroy, J.L. Contributions to the study of the polarization of sunlight, 2=17272
- Leroy, J.L., Barkan, S., Dumazert, M. and Jousseau, C. Diffusion cloud-chamber to measure the polarization of fast neutrons, 3=19654
- Leroy, J.L., Berthelot, F.C. and Pomelas, E. Measurement of total cross-sections of Na, Th, U for neutron energies between 2 and 10 MeV, 4=17147
- Leroy, J.L. See Cheynier, B., 1=16434
- Leroy, J.L. See Dollfus, A., 0=4894
- Leroy, J.L. See Dollfus, A., 1=15483
- Leroy, Y. See Liebaert, R., 2=2729
- Leroy, Y. See Liebaert, R., 3=21395
- Lertes, K. See Hahn, D., 0=1761
- Lertes, K. See Hahn, D., 2=21268
- Leruste, P. Quantization of the motion of the Nakano rotator, 0=3451
- Leruste, P. Lagrangian representation of a perfect fluid, 0=8646
- Leruste, P. See Andrade e Silva, J., 1=2705
- Leruste, P. See Andrade e Silva, J., 2=11243
- Leruste, P. Possible manifestation of charge-exchange-less Fermi interactions, 4=3321
- Leruste, P. See Andrade e Silva, J., 1=5214
- Leruste, P. See Andrade e Silva, J., 1=5215
- Leruste, P. See Andrade e Silva, J., 1=15690
- Lertes, K. See Hahn, D., 3=3047
- Leś, F. Nuclear electric quadrupole moments of  $^{121}\text{Sb}$  and  $^{123}\text{Sb}$ , 2=3467
- Leś, F. and Leś, Z. Metallic-dielectric mirrors with high reflectivity in the near ultra-violet for the Fabry-Perot interferometer, 3=3889
- Leś, F. and Leś, Z. Isotope shift in the ultraviolet lines of Zn II, 3=19949
- Les, F. See Gable, L., 3=11315
- Leś, F. See Leś, Z., 2=18415
- Leś, F. See Leś, Z., 3=9576
- Leś, Z. and Leś, F. Isotope shifts in the Cd II lines  $\gamma$  3535 Å and  $\gamma$  3250 Å, 2=18415
- Leś, Z., Leś, F. and Gabla, L. Semitransparent metallic-dielectric mirrors with low absorption coefficient in the ultra-violet region of the spectrum (3200-2400 Å), 3=9576
- Leś, Z. and Niewodniczański, H. Intensity ratios of spectral lines in Cd I triplets at different conditions of excitation, 0=17703
- Lés, Z. and Niewodniczański, H. Intensity ratios of spectral lines in the sharp series triplets of atoms of the second column of the periodic table, 1=13952
- Leś, Z. See Leś, F., 3=3889
- Leś, Z. See Leś, F., 3=19949
- Le Saos, F., Toupin, J. and Thureau, P. Dynamic study of photoluminescence of  $\text{ZnS:Cu}$  excited by modulated ultraviolet light, 4=17610
- Lesauskis, V., Kolobkov, V. and Ambrasas, V. Stabilized power supply for a nuclear magnetic resonance magnet, 4=8962
- Lesauskis, V.P. and Baršauskas, K. Autodyne detectors of nuclear magnetic resonance with automatic amplitude control, 4=749
- Lesauskis, V.P. and Baršauskas, K.N. Interaction of nuclear magnetic moments with self-oscillating system having two degrees of freedom, 4=758
- Lesbats, P. Study of the evolution of the polygonization substructure of aluminium, 3=10670



- Lesbats, P. and Montuelle, J. Existence of a critical temperature for the development of polygonization substructure in aluminium, 2=6356
- Lesbats, P. See Le Lann, A., 4=23326
- Leschen, J.G. Digest of literature on dielectrics. Ceramic insulation, 0=2300
- Lescroel, Y. See Delyon, G., 0=2412
- Lesensky, L. and Neurath, P.W. NbZr superconducting critical current dependence on  $dl/dt$ , 3=12034
- Lesensky, L. See Vaughn, J., 2=7642
- Lesensky, L. See Wade, G., 2=8376
- Lesikar, A. V. Effect of a substituent on the  $^{57}\text{Fe}$  Mössbauer spectrum of certain ferrocene derivatives, 4=22466
- Lesk, I.A. The diffused shot-melting technique for making germanium and silicon p-n junction devices, 0=11695
- Lesk, I.A. and Jensen, H.A. Germanium p-n-junction-tunnel-junction combination devices, 2=8378
- Leskov, L.V. and Savin, F.A. The relaxation of non-equilibrium gas systems, 2=11416
- Lesky, P. See Cap, F., 2=24075
- Leslie, B. C. See Kegley, T. M., Jr, 4=13400
- Leslie, C. B. Underwater noise produced by bullet entry, 4=21130
- Leslie, C.B. and Sorensen, N.R. Integral solution of the shallow water sound field, 1=5326
- Leslie, C.B. See Jones, J. L., 4=10689
- Leslie, D.C. Some series occurring in the theory of the square lattice cell, 2=3647
- Leslie, D.C. The weighting of diffusion coefficients in cell calculations, 2=12254
- Leslie, D.C. The calculation of removal cross sections between overlapping thermal groups, 3=2530
- Leslie, D.C. The "spectrox" method for thermal spectra in lattice cells, 4=1137
- Leslie, D.C. The introduction of radial streaming into Galanin's method, 4=6424
- Leslie, D.C.M. See King-Hele, D.G., 1=1667
- Leslie, D.H. See Berlincourt, T.G., 1=11878
- Leslie, D.H. See Hake, R.R., 2=2115
- Leslie, D.H. See Hake, R.R., 2=7519
- Leslie, D.H. See Hake, R.R., 2=15854
- Leslie, D.H. See Hake, R.R., 3=9686
- Leslie, D.H. See Hake, R.R., 4=16338
- Leslie, F.E. See Murcray, D.G., 1=6590
- Leslie, F.E. See Murcray, D.G., 1=15226
- Leslie, J. D., Capelletti, R. L., Ginsberg, D. M., Finnemore, D. K., Spedding, F. H. and Beaudry, B. J. Far-infrared absorption in superconducting lanthanum, 4=14522
- Leslie, J. D. and Ginsberg, D. M. Far infrared absorption in superconducting lead alloys, 4=8569
- Leslie, J.D. See Ginsburg, D.M., 2=7511
- Leslie, J.D. See Ginsberg, D. M., 4=24505
- Leslie, J.D. See Rupprecht, G., 2=13462
- Leslie, P.R.R. A shell source of radio emission, 1=2663
- Leslie, P.R.R. Radio emission from normal galaxies, 1=10399
- Leslie, P.R.R. An investigation of the clustering of radio stars, 1=15562
- Leslie, P.R.R. and Elsmore, B. Radio emission from the Perseus cluster, 1=9293
- Leslie, P.R.R. See Baldwin, J.E., 0=18664
- Leslie, P.R.R. See Elsmore, B., 0=830
- Leslie, R.T. See Thwaite, E.G., 3=8390
- Leslie, R.T. See Thwaite, E.G., 3=25770
- Leslie, W.C. The quench-aging of low-carbon-iron and iron-manganese alloys. An electron transmission study, 2=2410
- Leslie, W.C., Fisher, R.M. and Sen, N. Morphology and crystal structure of carbides precipitated from solid solution in alpha iron, 0=16325
- Leslie, W.C., Hornbogen, E. and Dieter, G.E. The structure of shock-hardened iron before and after annealing, 2=23846
- Leslie, W.C. and Keh, A.S. An electron transmission study of the strain ageing of iron, 3=3232
- Lesnevskaya, L.S. See Tsiklis, D.S., 4=7418
- Lesnik, A.G. Magnetic reversal loop of a film with alternating plane stresses, 4=15641
- Lesnik, N. D. See Eremenko, V. N., 4=8144
- Le Squeren, A.-M. Study of solar radio storms at 169 Mc/s by means of the cross-interferometer at Nancay, 3=18650
- Le Squeren, C. See Blun, E.J., 2=7032
- Le Squeren, Malinge, A.M. See Avignon, Y., 2=9080
- Lessin, I., Golden, D.E. and Fisher, L.H. Transient breakdown studies in hydrogen at low values of  $E/p$ , 1=18811
- Lessing, H. See Kaiser, W., 3=19485
- Lessing, H. See Kaiser, W., 4=8998
- Lessing, I.J. See Meyer, M.A., 2=12097
- Lessing, I.J. See Meyer, M.A., 2=13920
- Lessing, I.J. See Meyer, M.A., 3=24543
- Lessing, N.v.d.W., Thin lens aberrations of anamorphic telescopes, 2=7325
- Lessing, N.v.d.W., Thin lens aberrations of four-lens anamorphic telescopes, 3=7309
- Lessing, N.v.d.W. Consideration on thin lens design of anamorphic telescopes, 3=21529
- Lessing, N. v. d. W. Design of achromatic anamorphic telescopes, 4=8404
- Lessing, N. v. d. W. Selection of glasses of achromatic anamorphic telescopes, 4=21288
- Lessing, N. v. d. W. See Hugo, T. J., 4=18384
- Lessler, R.M. and Michel, M.C. Isotopes  $\text{Np}^{240}$  and  $\text{Np}^{241}$ , 0=9603
- Lessman, W. See Comes, F. J., 4=27484
- Lessmann, W. See Comes, F.J., 2=3730
- Lessmann, W. See Comes, F.J., 2=10200
- Lessmann, W. See Comes, F.J., 2=22176
- Lessmann, W. See Comes, F.J., 4=16434
- Lessoff, H. and Greifer, A.P. Perminvar characteristics of nickel-cadmium ferrites with small additions of cobalt and molybdenum, 2=12692
- Lessoff, H., Kersey, Y. and Horne, R.A. Thermoelectric properties of some mixed oxides, 0=2914
- Lessoff, H. See Greifer, A.P., 1=6369
- Lester, G.R. Contact angles of liquids at deformable solid surfaces, 2=1124
- Lester, G.R. Theory of mass spectra, 3=19375
- Lester, G.R. See Beynon, J.H., 2=5302
- Lester, W. A., Jr and Krauss, M. Gaussian correlation functions: two-electron systems, 4=28100
- Lester, W.G.S. Some convergence problems in the numerical solution of the Navier-Stokes equations, 2=9235
- Lester, W.G.S. The flow past a Pitot tube at low Reynolds numbers. I. The numerical solution of the Navier-Stokes equations for steady viscous axi-symmetric flow, 2=13308
- Lester, W.G.S. The flow past a Pitot tube at low Reynolds numbers. II. The effects of viscosity and orifice size on a Pitot tube at low Reynolds numbers, 2=13309
- Lester, W.W. On the theory of the propagation of plane, finite amplitude waves in a dissipative fluid, 1=12852
- Lester, W.W. and Hiedemann, E.A. Optical measurement of the sound-pressure amplitude and waveform of ultrasonic pulses, 2=7307
- Lester, W.W. See Breazeale, M.A., 2=2821
- Lestienne, R. See Bruyant, F., 4=21915
- Lestrade, J.C. and Epelboin, I. Study at 9500 Mc/s of the gyro-magnetic resonance of  $\gamma\text{-Fe}_2\text{O}_3$ , 3=23201
- Le Strat, J. See Bayle, P., 4=26741
- Lestz, S.S. A method for measuring the sound wavelength in gases, 3=5502
- Lestz, S.S. Acoustic isotherms for nitrogen, argon, and krypton, 3=16659
- Lesueur, R. See Koch, L., 0=9234
- Lesunovskii, V. P. See Il'ichev, V. I., 4=291
- Letcher, S.V. and Beyer, R. T. Measurement of magnetically induced sound absorption in liquid sodium and potassium, 4=14283
- Letcher, S. V. and Beyer, R. T. Measurement of ultrasonic attenuation in liquid sodium and potassium, 4=2676
- Letessier, J. A final state interaction model for the photo-disintegration of the  $\text{C}^{12}$  into three  $\alpha$ -particles, 4=22111
- Leteurtre, J. A dislocation reaction in  $\alpha$ -uranium, 3=2794
- Leteurte, J. and Brebec, G. Electron microscope study of uranium containing krypton, 4=2115
- Lefus, V. Note on the temperature determination of the iron arc and the derivation of  $f$  values, 1=16083
- Le-Thanh-Phong. On the field of null vectors satisfying the Robinson equation, 2=4927
- Leto, J. R. See Halverson, F., 4=20085
- Leto, J. R. See Halverson, F., 4=24224
- LeTourneau, B.W. See Grimble, R.E., 0=13358
- Le Tourneux, J. See Blin-Stoyle, R.J., 1=10983
- Le Tourneux, J. See Blin-Stoyle, R.J., 2=12161
- Le Traon, A., Le Traon, F. and Le Montagner, S. On the existence of dipoles of low activation energy in the ferroelectric structure of  $\text{BaTiO}_3$ , 3=10877
- Le Traon, A. See Le Traon, F., 3=894



- Le Traon, F., Le Traon, A. and Le Montagner, S. Dielectric absorption in the rhombohedral phase of barium titanate, 3=894
- Le Traon, F. See Le Traon, A., 3=10877
- Letson, G.M. See Hoesterey, D.C., 4=15448
- Letson, G.M. See Hoesterey, D.C., 4=26154
- Lettau, H.H. A theoretical model of temperature variations at the surface of an orbiting satellite, 2=4870
- Lettington, A.H. Band structure of copper from photo-emission experiment, 4=20242
- Leturcq, P. Some peculiarities of the conduction current in a silicone varnish, 4=20413
- Leuenberger, F. Boron redistribution in silicon by thermal oxidation, 2=21071
- Leun, C. van der. See van der Leun, C.
- Leung, Yan-chok. A note on the signatures of the dominant Regge trajectories, 4=25048
- Leupold, D. Treatment of polymethine chains by the LCAO-MO method, 4=6636
- Leupold, D. See Dähne, S., 4=6639
- Leupold, H. See Boorse, H.A., 0=19565
- Leupold, H.A. and Boorse, H.A. Superconducting and normal specific heats of a single crystal of niobium, 4=18593
- Leupold, H.A. See Hirshfield, A.T., 2=19817
- Leupunskii, O.I. Physics of shielding, 2=14176
- Leushin, A.M. Acoustic paramagnetic resonance in crystals with ions in the S-state, 2=20922
- Leushin, A.M. Acoustic paramagnetic resonance in crystals with ions in the S-state, 3=2725
- Leushin, A.M. Theory of paramagnetic spin-lattice relaxation in crystals with ions in the S-state. Raman scattering of phonons, 3=25562
- Leushin, A.M. Theory of the paramagnetic spin-lattice relaxation in crystals with ions in the S-state. One-phonon processes, 4=1867
- Leushin, A.M. g-Factors of ions in the s-state in crystals, 4=25825
- Leushin, A.M. See Al'tshuler, S.A., 2=767
- Leushin, A.M. See Al'tshuler, S.A., 3=20097
- Leushin, L.A. Splitting of the ground state of  $Mn^{2+}$  and  $Fe^{3+}$  ions in low-symmetry crystal fields, 4=1353
- Leuta, T.M. See Vovk, V.N., 3=25849
- Leutwyler, H. On a modified five-dimensional theory avoiding certain difficulties in the Jordan-Thiry theory, 1=2694
- Leutwyler, H. The static spherically symmetric solution in five dimensional theory, 1=15657
- Leutwyler, H. Generalized gauge invariance and identification with boson fields, 2=21819
- Leutwyler, H. Generally covariant Dirac equation and associated boson fields, 3=5930
- Leutwyler, H. Gravitational field: Equivalence of Feynman quantization and canonical quantization, 4=18037
- Leutwyler, H. and Schaer, J. On five-dimensional unitary field theory: the Klein statement of the periodic field, 2=21818
- Leutwyler, H. See Klauder, J.R., 2=9773
- Leutz, H. Decay of  $Gd^{153}$ , 0=17543
- Leutz, H. The  $\beta^+$ -spectrum of  $Na^{22}$ , 1=17030
- Leutz, H., Wenninger, H. and Ziegler, K. Half-life of  $Rb^{87}$ , 2=20545
- Leutz, H. and Ziegler, K. Half-life, electron-capture ratio and beta-spectrum of  $Tl^{204}$ , 2=7941
- Leutz, H. and Ziegler, K. The electron capture ratio in the decay of  $I^{125}$ , 4=12185
- Leutz, H. See Egelkraut, K., 0=17534
- Leutz, H. See Egelkraut, K., 1=642
- Leuven, P. Van. See Van Leuven, P.
- Lev, D. See Barakat, R., 3=5512
- Lev, E. Ya. See Brach, B. Ya., 1=17813
- Lev, E. Ya. See Kolomoets, N. V., 4=6975
- Levanone, I. See Chavet, I., 3=926
- Levanyuk, A.P. Theory of phase transitions of the second kind, 4=1974
- Levanyuk, A.P. See Ginzburg, V.L., 0=20974
- Levashev, A.E. and Ivanitskaya, O.S. Generalized tetrad formulation of general relativity theory, 3=21226
- Levashev, A.E. and Vorontsov, V.I. The orientability of the physical tetrad in relativistic electrodynamics, 3=21227
- Levasseur, M. and de Fouquet, J. On the torsional deformation of metals showing an upper elastic limit, 4=13375
- Levatich, J.L. See Vergara, W.C., 1=4732
- Levchenko, A.A., Mityushov, V.A., Adakhovskii, A.P. and Palatnik, L.S. Spark-discharge-induced structural changes in platinum-silver alloys, 0=16352
- Levchenko, A.A. See Palatnik, L.S., 0=16985
- Levchenko, A.A. See Palatnik, L.S., 1=14282
- Levchenko, A.A. See Palatnik, L.S., 1=17531
- Levchenko, A.A. See Palatnik, L.S., 2=8204
- Levchenko, A.A. See Palatnik, L.S., 2=10378
- Levchenko, A.A. See Palatnik, L.S., 3=12969
- Levchenko, D.G. and Kotyuk, A.F. Induction pickups for measuring weak magnetic audio-frequency fields, 4=16612
- Levchenko, D.G. and Kotyuk, A.F. Induction pickups of prescribed dimensions for measuring weak audio-frequency magnetic fields, 4=30015
- Levchenko, M.A. See Semenova, O.P., 3=12096
- Levchenko, M.A. See Semenova, O.P., 3=24269
- Levchenko, M.T. See Kuz'min, A.D., 2=1021
- Levchenko, S.I. See Kel'man, V.M., 4=14791
- Levchenko, V.G. See Zhokovskii, M.K., 0=3548
- Levchenko, Yu.Z. See Fogel', Ya.M., 0=12579
- Levchenko, Yu.Z. See Fogel', Ya.M., 1=4558
- Levchenko, Yu.Z. See Fogel', Ya.M., 1=16269
- Levchuk, M.S. See Vasil'ev, V.I., 2=5157
- Levdik, V.A. See Bykov, V.N., 0=3041
- Levdik, V.A. See Bykov, V.N., 2=3363
- Levee, R.D. and Hilton, P.L. On the evolution of pure hydrogen stars, 2=990
- Levee, R.D. See Pratt, R.H., 4=17254
- Levee, R.D. See Pratt, R.H., 4=17255
- Levell, R.W. See Fowler, E.P., 4=27868
- Levelt, J.M.H. Some aspects of molecular physics, 0=3555
- Levelt, J.M.H. The reduced equation of state, internal energy and entropy of argon and xenon, 1=6886
- Levelt, J.H.M. The validity of the law of corresponding states, 1=18465
- Levelt, J.M.H. and Hurst, R.P. Quantum mechanical cell model of the liquid state. I., 0=3506
- Levelt, J.M.H. See Hurst, R.P., 1=3603
- Levelt, J.M.H. See Michels, A., 0=6838
- Levelt, W.J.M. See Plomb, R., 4=15978
- Levelut, A. See Geurmeur, R., 4=26361
- Levelut, A.M. Apparatus for the study of point defects by X-ray scattering, 4=1459
- Levelut, A.M., Lambert, M.L. and Guinier, A. Arrangement which permits the study of point defects in solid by X-ray scattering, 2=19122
- Leven, R. Non-linear theory of longitudinal electron oscillations in a plasma, 4=14703
- Leven-Fisher, N.P. See Dmitriev, A.B., 1=4167
- Leven-Fisher, N.P. See Dmitriev, A.B., 2=19637
- Levenberg, I., Pokrovskii, V. and Yutlandov, I. Simple nuclear reactions on  $Ca^{48}$  induced by high energy protons, 3=15201
- Levenberg, I., Pokrovsky, V., De-Hou, Rhen, Tarasova, L. and Yutlandov, I. The (p, pn) and (p, n) reactions on  $Sc^{45}$  induced by high-energy protons, 4=15215
- Levenberg, I., Pokrovsky, V. and Yutlandov, I. Simple nuclear reactions on  $Ca^{48}$  induced by high energy protons, 3=10351
- Levenberg, I. See Abdurazakov, A., 1=646
- Levenberg, I. See Zhen', De'-khov, 4=22136
- Levenberg, I.Yu. See Dalkhsuren, B., 3=8048
- Levenberg, I.Yu. See Zaitseva, N.G., 2=14001
- Levengood, W.C. Defect mechanisms in a noncrystalline solid, 2=2418
- Levengood, W.C. Systematics of defect structures in glasses with ionic substitutions, 3=22768
- Levengood, W.C. and Vong, T.S. Dislocation type defects in glass, 0=1924
- Levengood, W.C. and Vong, T.S. Spiral dislocations on glass fracture surfaces, 0=13541
- Levenson, G.I.P. The development of a silver halide grain, 3=11954
- Levenson, L.L. See Bevans, J.T., 0=2184
- Levenson, L.L. See Davis, D.H., 2=5033
- Levenson, L.L. See Davis, D.H., 4=11222
- Levenson, M. See Hummel, H.H., 3=22458
- Levenstein, H. See MacRae, A.U., 0=11683
- Leventhal, M. See Bray, P.J., 3=18148
- Lévêque, A. See Barloutaud, R., 0=9536
- Lévêque, A. See Barloutaud, R., 0=13145
- Lévêque, A. See Barloutaud, R., 2=5711
- Lévêque, A. See Barloutaud, R., 2=9893
- Lévêque, A. See Barloutaud, R., 2=16231
- Lévêque, A. See Barloutaud, R., 2=22560
- Lévêque, A. See Barloutaud, R., 3=7888
- Lévêque, A. See Barloutaud, R., 3=7904
- Lévêque, A. See Gaillard, J.M., 0=1298



- Levéque, A. See Grard, F., 2=1715  
 Levêque, A. See Grard, F., 2=22513  
 Lévéque, A. See Lehmann, P., 0=9502  
 Leveque, P., Martinelli, P. and Tanguy, J.C. Applications of radioactive elements using new apparatus, 1=13664  
 Lever, R.C. See Yamartino, E.J., 0=3038  
 Lever, R.F. Multiple reaction vapor transport of solids, 2=21474  
 Lever, R.F. Transport of solid through the gas phase using a single heterogeneous equilibrium, 2=23948  
 Lever, R.F. and Jona, F. Epitaxial growth of germanium using water vapour, 4=4561  
 Lever, R.F. and Mandel, G. Diffusion and the vapor transport of solids, 2=15823  
 Lever, R.F., Powers, J.K., Richards, J.L. and Sirgo, H.V. Simple apparatus for the growth of germanium dendrites, 1=2530  
 Lever, R.F. See Jona, F., 4=26596  
 Levesque, D. and Verlet, L. Integral equation for classical fluids and the lattice gas, 4=27132  
 Levesque, D. See Verlet, L., 3=5417  
 Levesque, R.J.A. and Hornyak, W.F. A wide pulse height dynamic range coincidence circuit for slow phosphors, 1=4539  
 Levesque, R.J.A., Swann, C.P. and Rasmussen, V.K. Mean lives of the first two excited states of  $P^{31}$ , 4=3599  
 Levesque, R.J.A. See Marion, J.B., 1=16820  
 Levetin, L.B. See Lebedev, D.S., 4=2528  
 Levey, H.C. The back effect of a wall on a jet, 0=19077  
 Levi, A. The angle of divergence of pairs produced by photons in a crystal, 1=19760  
 Levi, A. See Boato, G., 2=22092  
 Levi, A. See Boato, G., 4=18187  
 Levi, A. See Casanova, G., 4=21090  
 Levi, A.C. See Catino, A., 0=6929  
 Levi, C. and Papineau, L. New experimental data (obtained from radioactivity and nuclear reactions) on molybdenum isotopes. An attempt to interpret certain excited levels, 0=9533  
 Lévi, C. See Ballini, R., 1=695  
 Levi, C. See Cassagnou, Y., 2=1887  
 Levi, C. See Cassagnou, Y., 2=22845  
 Levi, C. See Cassagnou, Y., 4=3694  
 Levi, C. See Cassagnou, Y., 4=6374  
 Levi, C. See Cassagnou, Y., 4=15233  
 Levi, C. See Cassagnou, Y., 4=17135  
 Levi, C. See Cassagnou, Y., 4=17188  
 Levi, C. See Cassagnou, Y., 4=22098  
 Levi, E. and Sandler, M. Hydromagnetic flow, 3=24458  
 Levi, F.A. Mechanical properties of irradiated solids, 0=4545  
 Levi, F.A. Some experimental results on transmission electron microscope observation of dislocation and precipitation in Si and Ge, 3=22784  
 Levi, F.A. See Desalvo, A., 4=12865  
 Levi, F.P. Permanent magnets obtained by drawing compacts of parallel iron wires, 0=15107  
 Levi, G. See Jouve, P., 4=29630  
 Levi, H., Rogers, A.W., Bentzon, M.W. and Nielsen, A. On the quantitative evaluation of autoradiograms, 3=17158  
 Levi, L. Response of a loaded idealized piezoelectric plate to an electric signal, 0=12460  
 Levi, L. Photographic emulsions as computer storage media — especially with c.r.t. readout, 3=11962  
 Levi, L. and Arias, D. Continuous current conductivity of ice doped with various hydracids, 4=26107  
 Levi, L., de Micheli, S.M. and Lubart, L. Thermal etching on ice crystals, 4=10461  
 Levi, L. and Lubart, L. Electrical conductivity of ice doped with  $NH_4OH$ , 2=6426  
 Levi, L., Milman, O. and Suraski, E. Electrical conductivity and dissociation constants in ice doped with HF and  $NH_3$  in different ratios, 4=4203  
 Levi, L. See Cassagnou, Y., 2=452  
 Levi, L. See De Achával, E.M., 4=23317  
 Levi, L. See Jaccard, C., 1=17518  
 Levi, M. See Garin, A., 1=13256  
 Levi, M. See Poivilliers, J., 3=4300  
 Levi, M.W., Sapp, R.C. and Culvahouse, J.W. Influence of magnetic interaction on nuclear orientation of cobalt-60 in rare-earth double nitrates, 1=3586  
 Levi, P. See Engلمان, R., 3=8345  
 Levi, R. See Rittner, E.S., 2=15943  
 Levi Setti, R. and Skjeggstad, O. Properties of a stack of thick nuclear emulsions processed without glass backing, 3=14842  
 Levi Setti, R. and Slater, W.E. A possible experimental method for the production and detection of heavy hyper-fragments, 0=5672  
 Levi Setti, R. See Abraham, F., 3=17379  
 Levi Setti, R. See Ammar, R., 0=415  
 Levi Setti, R. See Ammar, R., 0=13154  
 Levi Setti, R. See Ammar, R.G., 1=607  
 Levi Setti, R. See Ammar, R.G., 1=5832  
 Levi-Setti, R. See Ammar, R.G., 3=10229  
 Levi Setti, R. See Beniston, M.J., 4=17006  
 Levi Setti, R. See Crayton, N., 2=22718  
 Levi Setti, R. See Davis, D.H., 3=6147  
 Levi-Setti, R. See Davis, D.H., 3=10230  
 Levioldi, A. and Guercigh, E. Definition by the aid of magnetic fields of the potential barriers responsible for the electroluminescence of  $ZnS:Cu$ , 4=4308  
 Levioldi, A. and Schoijet, M. On rejuvenation of a  $Ba_{0.98}Sr_{0.02}TiO_3$  ceramic, 3=8561  
 Levioldi, A. and Spinolo, G. Cu-doping in thermal treatment of some alkali halide single crystals, 3=6667  
 Levioldi, A. See Arduino, H.A., 0=4453  
 Levioldi, A. See Arduino, H.A., 1=14639  
 Levioldi, A. See Asti, G., 4=28832  
 Levioldi, A. See Bancie-Grillot, M., 2=6621  
 Levioldi, A. See Ciarrapico, J.O., 2=14637  
 Lévioldi, A. See Graham, C.R., 2=19881  
 Levioldi, A. See Güerci, J., 4=26112  
 Levich, V.G. and Dogonadze, R.R. The adiabatic theory of electron [transfer] processes in solutions, 0=19171  
 Levich, V.G. and Golovin, A.M. Theory of heavy rain, 3=11388  
 Levich, V.G. and Grafov, B.M. Alternating current in a binary electrolyte, 3=13610  
 Levich, V.G. and Grafov, B.M. Effect of the irreversibility of a reaction on the Faraday impedance in a binary electrolyte, 3=16174  
 Levich, V.G. and Grafov, B.M. The rectification effect of an ideally-polarizable electrode, 3=16179  
 Levich, V.G. and Gurevich, Yu.Ya. Effect of a magnetic field on [the propagation] of surface waves in conducting liquid, 2=13316  
 Levich, V.G. and Kuznetsov, A.M. Movement of drops in liquids, caused by surface-active substances, 3=5426  
 Levich, V.G. and Krylov, V.S. The absorption isotherm in the model of the discrete electrical double layer, 2=12968  
 Levick, W.R. Modification of a 256-channel scaler for neurophysiological time analysis, 2=17756  
 Levikov, E.A. Notes on correction for secondary extinction in polycrystals, 4=13624  
 Levikov, S.I. and Shishatskaya, L.P. Hydrogen and mercury-helium lamps for SF-4 spectrophotometers, 0=161  
 Levikov, S.I. and Shishatskaya, L.P. Comparison of spectral intensities of the hydrogen and deuterium radiation, 2=11485  
 Levikov, S.I. and Shishatskaya, L.P. New deuterium discharge tubes, 3=24232  
 Levin, A.A. The possibilities of structural analysis of crystals, 0=12031  
 Levin, A.A. The determination of the parameters of the anisotropic temperature factor, 0=13981  
 Levin, A.A. On the classification and splitting of levels in the external field, 3=15276  
 Levin, A.A. and Porai-Koshits, M.A. X-ray structure calculations on the "Strela" universal computer, 0=12034  
 Levin, B. Fragmentation of meteor bodies, 3=5251  
 Levin, B.A., Marchenko, E.V. and Timoshuk, D.V. The effect of neutron inelastic scattering on the slowing down length in water, 3=2275  
 Levin, B.J. Comparative analysis of the internal constitution and development of planets, 3=16336  
 Levin, B.J. and Majeva, S.V. On the thermal history of the earth, 2=869  
 Levin, B.R. The energy spectrum of the indefinite integral of a stationary random process, 0=14522  
 Levin, B.Ya. See Zhurkov, S.N., 0=21135  
 Levin, B.Ya. See Zhurkov, S.N., 1=12600  
 Levin, B.Yu. The structure of icy cometary nuclei, 3=5250  
 Levin, B.Yu. Fragmentation of meteoric bodies, 3=16364  
 Levin, B.Yu. and Maeva, S.V. Some calculations on the thermal history of the moon, 0=14396  
 Levin, B.Yu. and Maeva, S.V. Some calculations on the thermal history of the moon, 1=5134  
 Levin, E. See Barakat, R., 3=5511  
 Levin, E. See Barakat, R., 4=27647  
 Levin, E.M. and Roth, R.S. Polymorphism of bismuth sesquioxide. I. Pure  $Bi_2O_3$ , 4=23252



- Levin, E. M. and Roth, R. S. Polymorphism of bismuth sesquioxide. II. Effect of oxide additions on the polymorphism of  $\text{Bi}_2\text{O}_3$ , 4=23253
- Levin, E. M. See Robbins, C. R., 1=15096
- Levin, E. R. and Offenbacher, E. L. Theory of dielectric constants of  $\text{LiF}$ , 0=10011
- Levin, F. K. and Ingram, J. D. Head waves from a bed of finite thickness, 3=6945
- Levin, F. S. Back angle peaking and exchange effects in (d,p) and (d,n) reactions, 2=18348
- Levin, F. S. Inclusion of exchange effects in collision theory, 4=3625
- Levin, G. E. and Prudkovskii, G. P. Trajectory graphs—Automatic devices for calculation and plotting of trajectories of charged particles, 4=610
- Levin, G. E. See Ergakov, V. A., 2=20196
- Levin, G. L., Markov, A. A., Plakhov, A. G., Smolkin, G. E., Sofiev, C. N., Stepanov, G. N. and Shapkin, V. V. A generator for the linear and frame sweep in electron-optical light amplifiers, 3=24361
- Levin, G. M. Determination of thermal conductivity coefficients of gases with a universal plane bialorimeter, 1=10550
- Levin, G. V. and Carriker, A. W. Life on Mars, 3=21102
- Levin, H. I. See Polot'skiy, I. H., 1=14853
- Levin, I. W. and King, W. T. Infrared intensities of silane, 2=22982
- Levin, J. S. See Cranberg, L., 4=3536
- Levin, J. S. See Thomson, D. B., 2=10112
- Levin, M. L. Thermal shock behaviour of brittle materials, 1=11172
- Levin, M. L. On the stability of plasma bunches in a waveguide, 1=18883
- Levin, M. L. On the solution of a problem in quasi-stationary electrodynamics by the method of images, 4=16469
- Levin, M. L. and Rabinovich, M. S. Strong focusing technique for stabilization of linear and toroidal discharges, 3=24295
- Levin, M. L. and Tsytovich, V. N. Inertia effects in interactions between currents, 2=9690
- Levin, M. L. See Askar'yan, G. A., 3=12174
- Levin, S. B. Geophysical factors in electromagnetic propagation through the lithosphere, 4=30919
- Levin, V. V. See Broder, D. L., 0=3971
- Levin, V. V. See Broder, D. L., 1=19213
- Levin, V. V. See Broder, D. L., 2=20357
- Levin, V. V. See Broder, D. L., 3=17515
- Levin, Ya. N. and Ivantson, G. I. Determination of the interphase energies in the copper-iron system, 4=20789
- Levina, D. A. See Dekhtyar, I. Ya., 2=23657
- Levina, D. A. See Dekhtyar, I. Ya., 3=3097
- Levina, D. A. See Dekhtyar, I. Ya., 3=6699
- Levina, D. A. See Dekhtyar, I. Ya., 3=8668
- Levina, D. A. See Dekhtyar, I. Ya., 4=10261
- Levina, D. A. See Dekhtyar, I. Ya., 4=28434
- Levina, M. E. See Koptsik, V. A., 2=14916
- Levina, S. S., Novogrudskii, V. N. and Fakidov, I. G. Galvanomagnetic properties of the ferromagnetic compound  $\text{Mn}_5\text{Ge}_2$ , 3=13028
- Levina, S. S., Novogrudskii, V. N. and Fakidov, I. G. Magnetic properties of the intermetallic compound  $\text{Mn}_5\text{Ge}_2$ , 3=15775
- Levina, S. S., Novogrudskii, V. N. and Fakidov, I. G. Odd component of the galvanomagnetic effect in the ferromagnetic compound  $\text{Mn}_5\text{Ge}_2$ , 4=4119
- Levine, A. D. A note concerning the spin of the phonon, 2=23049
- Levine, D. Angular variation of exposure for a Lambertian source, 0=3597
- Levine, D. Unresolved fine structure of the nitric oxide  $\gamma$  0-0 band for the determination of temperature, 3=10516
- Levine, D. and Meijer, P. H. E. Solution of two master equations
- Levine, D. and Monser, G. J. Polarization, ghost, and shading effects in dichroic beam splitters, 1=10583
- Levine, D. B. See Jackson, J. L., 2=5334
- Levine, E. and Cadoff, I. B. The effect of precipitation on fracture path in a mercury-embrittled Cu-4 Pct. Ag alloy, 4=30774
- Levine, E. and Cadoff, I. B. Mercury-induced crack formation and propagation in Cu-4 Pct. Ag alloy, 4=30775
- Levine, E., Solomon, H. and Cadoff, I. Fracture characteristics of polycrystalline AgCl wet with aqueous solutions, 4=28980
- Levine, E. D., Kaufman, D. F. and Aronin, L. R. Prismatic slip in zone-refined beryllium, 4=20647
- Levine, E. P. See Peiser, H. S., 4=10506
- Levine, E. P. See Wachtmann, J. B., Jr., 3=25614
- Levine, G. S. See Swartz, C. E., 4=9200
- Levine, H. Diffraction by an infinite slit, 0=1207
- Levine, H. A corner effect in plane diffusion theory, 0=6694
- Levine, F. B. Diagram expansions in quantum statistics, 0=8567
- Levine, H. B. Classification of diagrams for a plasma equation-of-state, 1=9545
- Levine, H. B. Chemical equilibrium in complex mixtures, 2=15124
- Levine, H. B., Geller, M. and Taylor, H. S. Spin properties of pair-correlated atomic and molecular singlet wavefunctions, 4=9618
- Levine, H. B. and Taylor, H. S. Time-dependent perturbation theory of the Hartree-Fock wavefunction of atomic and molecular systems, 4=28099
- Levine, H. S. and MacCallum, C. J. Grain boundary and lattice diffusion in polycrystalline bodies, 0=7901
- Levine, H. S. See Cook, J. C., 0=19523
- Levine, I. See Daniel, E. D., 0=2222
- Levine, I. See Daniel, E. D., 0=3592
- Levine, I. N. Structure of formaldehyde, 3=17598
- Levine, I. N. Comment on united atom expansions, 4=22345
- Levine, I. N. United atom treatment of  $\text{H}_2^+$ , 4=30434
- Levine, J. and Sanders, T. M., Jr. Anomalous electrons mobility and complex negative ion formation in lower temperature helium vapour, 2=15885
- Levine, J. D. and Gyftopoulos, E. P. Adsorption physics of metallic surfaces partially covered by metallic particles. I. Atom and ion desorption energies, 4=30887
- Levine, J. D. See Gyftopoulos, E. P., 2=1474
- Levine, L. and Lichtman, D. Analysis of gas evolution from a titanium hydride gas generator, 0=12440
- Levine, L. P. and Berry, H. W.  $\text{H}_2^+$  production by hydrogen positive ion bombardment of a tungsten surface, 0=8986
- Levine, L. P. and Johnson, R. G. Inclusion of the rate of manifold outgassing in the vacuum pumping equation, 4=18257
- Levine, L. P. See Targ, R., 1=8387
- Levine, M. A., Combes, L. S. and Gallagher, C. C. "Crowbar" triggering for high power pulse circuits, 4=18648
- Levine, M. A. and Hegarty, J. C. Shadowgraph of self-luminous objects, 3=9579
- Levine, M. A. and Rubin, A. G. Very low pressure gas breakdown using secondary electrons, 3=4090
- Levine, M. A. See Chace, W. G., 0=12530
- Levine, M. A. See Chace, W. G., 4=18352
- Levine, M. A. See Furth, H. P., 2=7524
- Levine, M. A. See Gallagher, C. C., 2=22225
- Levine, M. A. See Hand, G. L., 2=20096
- Levine, M. A. See Rubin, A. G., 3=2066
- Levine, M. M. Breeding ratio in  $\text{U}^{235}$  and  $\text{Pu}^{239}$  fueled reactors, 1=17198
- Levine, M. M. Generalized resonance integral representation [for absorption], 1=17240
- Levine, M. M. Equal charge displacement rule in fission product poisoning, 2=5986
- Levine, M. M. Resonance integral calculations for  $\text{U}^{238}$  lattices, 4=1127
- Levine, M. M., Roach, K. E., Wehmeyer, D. B. and Zweifel, P. F. The slowing down of neutrons by deuterium, 1=13436
- Levine, M. W. See Kamal, A. K., 4=28735
- Levine, N. E. and Uman, M. A. Experimental determination of the drift velocity of low-energy electrons in  $\text{Ar}$ ,  $\text{N}_2$ ,  $\text{CO}_2$ , several  $\text{Ar}-\text{N}_2$  mixtures, and several  $\text{Ar}-\text{CO}_2$  mixtures, 4=27479
- Levine, P. H. Thermoelectric phenomena associated with electron-field emission, 2=7556
- Levine, P. H. Quantum and exchange corrections to plasma kinetic theory, 4=11563
- Levine, P. H., Tollestrup, A. V. and Webb, F. H., Jr. Electrical conduction in rapidly exploded wires, 3=8488
- Levine, P. H. and von Roos, O. Plasma theory of the many-electron atom, 2=3683
- Levine, R. C. DeForest's "diffraction microphone" — optical detection of sound in air, 1=18529
- Levine, S., Bell, G. M. and Fethica, B. A. Counter-ion penetration in ionized monolayers at a dielectric interface, 4=18186
- Levine, S. and Kerker, M. Scattering of electromagnetic waves from two concentric spheres, when outer shell has a variable refractive index, 4=14393
- Levine, S. See Bell, G. M., 2=17429
- Levinger, B. and Frankl, D. R. Power-induced shifts of cyclotron resonances in the valence band of germanium, 0=17917
- Levinger, B. W. and Frankl, D. R. Cyclotron resonance measurements of the energy band parameters of germanium, 2=2147



- Levinger, B.W. See Conwell E.M., 3=10741
- Levinger, J.S. Can the nuclear many-body problem be solved by using perturbation theory 1=2155
- Levinger, J.S. Theories of giant dipole resonances, 1=8685
- Levinger, J.S. Magnetic moments of hyperons, 2=12006
- Levinger, J.S. An analysis of electron-proton scattering, 3=2244
- Levinger, J.S. Analysis of electron-He<sup>3</sup> scattering, 3=24695
- Levinger, J.S. and Kirson, M.W. An analysis of electron-nucleon scattering, 4=21845
- Levinger, J.S. and Peierls, R.F. Extrapolation of proton electromagnetic form factor, 4=21847
- Levinger, J.S., Razavy, M., Rojo, O. and Webre, N. Perturbation theory applied to the nuclear many-body problem, 0=12886
- Levinger, J.S. and Simmons, L.M. Neutron gas, 1=19204
- Levinger, J.S. See Kirson, M.W., 3=14957
- Levinger, J.S. See Paranjape, B.V., 0=18012
- Levinger, J.S. See Piech, K.R., 4=25544
- Levinger, J.S. See Razavy, M., 1=8539
- Levinger, J.S. See Razavy, M., 2=3451
- Levinger, J.S. See Rojo, O., 1=13526
- Levinger, J.S. See Rustgi, M.I., 0=11236
- Levinson, C. Nuclear physics, 4=9340
- Levinson, C.A. Moments of inertia and the shell model, 4=6199
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Experimental tests of unitary symmetry, 2=11873
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Unitary symmetry of strong interactions, 2=13823
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Unitary symmetry and nucleon-antinucleon annihilation, 3=582
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Unitary symmetry in photoproduction and other electromagnetic interactions, 4=5962
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. A unitary symmetry selection rule and its application to new resonances, 4=21753
- Levinson, C.A., Lipkin, H.J., Meshkov, S., Salam, A. and Munir, R. A reaction forbidden by the Sakata model of unitary symmetry, 2=13797
- Levinson, C.A. See Banerjee, M.K., 3=12552
- Levinson, C.A. See Banerjee, M.K., 3=12553
- Levinson, C.A. See Flamm, E., 3=4553
- Levinson, C.A. See Kelson, I., 4=16994
- Levinson, C.A. See Lipkin, H.J., 4=6137
- Levinson, C.A. See Meshkov, S., 3=14927
- Levinson, I.B. Exciton models in the tight binding approximation, 1=942
- Levinson, I.B. Energy criterion for comparing the molecular orbital method with the localized valence bond method, 4=1248
- Levinson, I.B., Fel, S.S. and Fridberg, P.Sh. Integral equation for the aperture field in the case of electromagnetic coupling of two volumes, 4=8945
- Levinson, I.B. and Plavina, I.Z. The mechanism of the formation of latent electrophotographic images in layers of zinc oxide, 2=15756
- Levinson, I.B. and Plavina, I.Z. The mechanism of the formation of latent electrophotographic images in layers of zinc oxide, 2=19733
- Levinson, I.B. See Gutman, A.M., 0=20582
- Levinson, J. Fusion of complex flicker II, 0=14345
- Levinson, J. See Harmon, L.D., 4=10958
- Levinson, J. See Many, A., 2=8422
- Levinson, L.S. High temperature drop calorimeter, 2=15797
- Levinson, L.S. Heat content of uranium dicarbide from 1484° to 2581°K, 3=15438
- Levinson, L.S. High-temperature heat content of niobium carbide and tantalum carbide, 4=1397
- Levinson, L.S. High-temperature heat content of tungsten carbide and hafnium carbide, 4=12650
- Levinson, L.S. Heat content of molten uranium, 4=21127
- Levinson, S. and Savet, P.H. Averaging scattered radiation, 4=16252
- Levinstein, H. Impurity photoconductivity in germanium, 0=7960
- Levinstein, H. See Borrello, S.R., 2=23340
- Levinstein, H. See Bratt, P., 2=7454
- Levinstein, H. See Engeler, W., 1=12461
- Levinstein, H. See Engeler, W., 2=8418
- Levinstein, H. See Johnson, L., 0=6140
- Levinstein, H. See Stocker, H.J., 4=17531
- Levinstein, H.[Ed.]. Proceedings of the 1961 International Conference of Photoconductivity, New York, August 21-24, 2=6486
- Levinstein, H.J., Loiacono, G.M. and Nassau, K. Calcium tungstate. II. Observation of dislocations, 4=6838
- Levinstein, H.J. and Robinson, W.H. Etch pits at dislocations in silver single crystals, 3=806
- Levinstein, H.J. and Robinson, W.H. Dislocation configurations in deformed silver single crystals, 4=26527
- Levintov, I.I. Polarization and charge exchange interaction in the high energy  $\pi$ -p scattering, 2=7890
- Levintov, I.I. Polarization and charge exchange interaction in the high energy  $\pi$ -p scattering, 3=6054
- Levintov, I.I. Calculation of the real part of the scattering amplitude when the imaginary part of the asymptotics has fractional power, 4=5966
- Levintov, I.I. Calculation of the real part of scattering amplitude when the imaginary part is approximated by a power, 4=9142
- Levintov, I.I., Miller, A.V. and Shamshev, V.N. Measurement of the polarization of (D + T)-neutrons at deuteron energies of 1800 keV, 0=2549
- Levintov, I.I., Okorokov, V.V., Smotryaev, V.A., Tolchenkov, D.L. and Trostin, I.S. Gross structure of the neutron energy spectrum and polarization in (d,n) reactions on intermediate mass nuclei, 3=24963
- Levintov, I.I. and Pavlovskii, F.A. An attempt to detect the polarization of recoil nuclei in stripping reactions, 3=24964
- Levintov, I.I. and Trostin, I.S. Neutron polarization in the reaction. C<sup>12</sup>(d,n)N<sup>13</sup>, 1=19521
- Levintov, I.I. and Trostin, I.S. Neutron polarization in the reaction C<sup>12</sup>(d,n)N<sup>13</sup>, 3=4666
- Levintov, I.I. See Atlaskin, N.N., 2=20075
- Levintov, I.I. See Kanavets, V.P., 1=19258
- Levintov, I.I. See Kanavets, V.P., 2=22601
- Levintov, I.I. See Kanavetz, V.P., 3=14983
- Levintov, I.I. See Kanavets, V.P., 4=3461
- Levintov, I.I. See Kanavetz, V.P., 4=6047
- Levintov, I.I. See Kanavets, V.P., 4=9195
- Levintov, I.I. See Trostin, I.S., 1=19291
- Levintov, I.I. See Trostin, I.S., 2=22656
- Levi Setti, R. See Abeledo, D., 2=5791
- Levi Setti, R. See Crayton, N., 2=3472
- Levi Setti, R. See Davis, D.H., 2=18191
- Levitan, E.S. Forced oscillation of a spring-mass system having combined Coulomb viscous damping, 0=19243
- Levitas, F.I. See Dneprovskaya, I.A., 3=16232
- Levitin, R.Z. Apparatus for measuring the moduli of elasticity and internal friction by the "combined oscillator" method, 2=16941
- Levitin, R.Z. and Nikitin, S.A. Magnetoelastic and elastic properties of dysprosium, 2=8646
- Levitin, R.Z. and Nikitin, S.A. The magneto-elastic and elastic properties of dysprosium, 3=6711
- Levitin, R.Z. See Belov, K.P., 0=10256
- Levitin, R.Z. See Belov, K.P., 0=11918
- Levitin, R.Z. See Belov, K.P., 0=11971
- Levitin, R.Z. See Belov, K.P., 2=744
- Levitin, R.Z. See Belov, K.P., 3=5017
- Levitin, R.Z. See Belov, K.P., 3=11091
- Levitin, R.Z. See Belov, K.P., 4=23200
- Levitin, R.Z. See Belov, K.P., 4=28847
- Levitin, R.Z. See Evtushenko, L.A., 3=6774
- Levitin, R.Z. See Goryaga, A.N., 3=5061
- Levitin, R.Z. See Zakharov, A.I., 4=26314
- Levitina, E.I. Metal mirrors with high reflection coefficients, 1=9472
- Levitov, V.I., Lyapin, A.G. and Popkov, V.I. Probe investigations of the field of an a.c. corona, 0=7100
- Levitskaya, M.A. and Kuznetsova, E.A. X-ray investigation of stresses of the second type in thin vacuum-deposited films of sodium chloride and aluminium, 1=1451
- Levitskaya, M.A. and Vodop'yanova, N.A. X-ray determination of diffusion coefficients by the use of thin double metal layers, 2=21053
- Levitskii, B.M. See Konobeevskii, S.T., 0=10332
- Levitski, B.M. See Konobeevski, S.T., 2=12926
- Levitskii, C.M. See Morgulis, N.D., 3=24207
- Levitskii, L.S. See Dvoryashin, A.S., 1=18093
- Levitskii, L.S. See Dvoryashin, A.S., 2=24124
- Levitskii, L.S. See Dvoryashin, A.S., 3=3579
- Levitskii, S.M. and Gvozdetkii, V.S. Effect of constant electrical field upon the formation of a superhigh frequency pulse discharge in gas, 3=19215
- Levitskii, S.M. and Plyatsok, Z.A. Oscillographic method for measurement of parameters in gaseous discharge plasma, 2=19982



- Levitskii, S.M. and Shashurin, I.P. Checking the applicability of the probe method to the measurement of the charge concentration in a high-frequency discharge, 0=1111
- Levitskii, S.M. and Shashurin, I.P. Measurement of the concentration of charges in a plasma by the method of a s.h.f. probe, 0=15028
- Levitskii, S.M. and Shashurin, I.P. Resonant microwave probe for measuring charge density in a plasma, 2=200
- Levitskiy, B.M. See Durbovin, K.P., 2=23769
- Levitt, B. and Hornig, D.F. Structure of detonation waves in gases, 2=1184
- Levitt, B. See Hansen, K., 2=2753
- Levitt, B.P. Thermal emission from nitrogen dioxide, 3=726
- Levitt, B.P. Energy distribution amongst reacting molecules: dissociation of electronically excited nitrogen dioxide, 3=12872
- Levitt, B. P. and Sheen, D. B. Thermal emission from sulfur dioxide, 4=26747
- Levitt, L.S. Extreme pressures. II. Volume-temperature relationship for gases, 1=6903
- Levitt, L.S. The viscosity of liquids from the half-time of rise in a fine vertical capillary, 3=1662
- Levitt, R. See Honig, A., 0=18035
- Levitt, R.S. and Honig, A. Low temperature electron trapping lifetimes an extrinsic photoconductivity in n-type silicon doped with shallow impurities, 2=8421
- Levitt, R.S. See Weiser, K., 3=19493
- Levitt, R.S. See Burns, G., 4=14947
- Levitt, R. S. See Burns, G., 4=16702
- Levitt, R.S. See Weiser, K., 4=24921
- Levitt, R. S. See Weiser, K., 4=26079
- Levkin, A.P. See Shevchenko, V.G., 3=24923
- Levkov, A.N. and Noskov, M.M. Magneto-optical rotation in alloys of nickel with palladium, 0=4400
- Levochkin, F. K. and Sokolov, Yu. Ya. Z-dependence of the yields of beta-rays from thick sources and the beta-ray back-scattering coefficients, 4=9174
- Levoy, M. Uranium isotope separation by nozzles, 0=13397
- Levoy, M.M. and Newgard, J.J. Nuclear rockets for terrestrial and space missions, 2=4873
- Levoy, M.M. See Newgard, J.J., 1=17181
- Levkovskii, V. N. Empirical behaviour of the (n, p) cross-section for 14-15 MeV neutrons, 4=3670
- Levkovtseva, L.V. See Mikho, V.V., 3=1395
- Levshenkova, L.A. See Kesaev, I.G., 0=16987
- Levshenkova, L.A. See Kesaev, I.G., 1=4585
- Levshin, V.L. Notes on the concepts of "yield", "mean life-time", and "decay law" and their use in luminescence, 2=6632
- Levshin, V.L. Energy migration in solutions and the association theory of luminescence quenching, 3=9466
- Levshin, V.L. Opening address [to Tenth All-Union Conference of Luminescence], 3=10978
- Levshin, V.L. Excitation energy storage and transfer in crystal phosphors, 3=15699
- Levshin, V.L. The significance of luminescence research in light of the decisions of the twenty-second Communist Party Congress, 3=15701
- Levshin, V.L. The development of S.I. Vavilov's ideas in the field of luminescence, 3=16481
- Levshin, V.L. and Faizi, N.Kh. Investigation of the thermal activation energy of a luminescence flash and the localization levels in CaS-based phosphors, 0=16077
- Levshin, V.L., Gutan, V.B. and Karzhavina, E.N. On the possibility of recombination processes in luminescence of tungstates and uranyl compounds, 0=1753
- Levshin, V.L. and Krotova, L.V. The associative nature of the concentration quenching of the luminescence of Na-fluorescein in aqueous and glycerin solutions, 3=14173
- Levshin, V.L. and Mamedov, Kh.I. The fluorescence and absorption spectra of stilbene in octane at low temperatures, 2=23609
- Levshin, V.L. and Orlov, B.M. Investigation of the energy of thermal activation of the optical flash in ZnS:Cu:Pb phosphors, 0=10089
- Levshin, V.L. and Orlov, B.M. Investigation of the thermal activation energy for optical quenching of some crystal phosphors, 2=16855
- Levshin, V.L. and Pipinis, P.A. The exoelectronic emission method for investigating trapping levels in crystal phosphors and its application to the study of trapping levels in CaS, SrS phosphors, 2=16846
- Levshin, V.L. and Pipinis, P.A. Investigation of trapping levels in CaS phosphors by the methods of exoelectronic emission and thermo-stimulated luminescence, 2=16877
- Levshin, V. L. and Pipinis, P. A. Thermally-stimulated electron emission from crystal phosphors made from zinc sulphide, 4=570
- Levshin, V.L. and Rebane, V.N. A comparative study of light-sum storage and temperature quenching in a ZnS:Ag phosphor excited with  $\beta$ -rays and light, 0=4461
- Levshin, V.L. and Ryzhikov, B.D. Formation and action of localization levels in ZnS:Mn phosphors, 0=4455
- Levshin, V.L. and Ryzhikov, B.D. Dependence of yield and other optical properties of zinc sulphide phosphors on the size of uncrushed crystals, 2=718
- Levshin, V.L. and Ryzhikov, B.D. Causes of the decrease in luminescence intensity caused by the mechanical crushing of zinc sulfide phosphors. II. 2=18868
- Levshin, V.L. and Ryzhikov, B.D. Effect of the size of natural and crushed crystals on the luminescence of zinc sulphide phosphors, 3=954
- Levshin, V.L., Terenin, A.N. and Frank, I.M. The development of S.I. Vavilov's work in physics, 3=16479
- Levshin, V.L. and Tunitskaya, V.F. Thermoluminescence and localization levels of ZnS:Mn phosphors, 0=16118
- Levshin, V.L. and Tunitskaya, V.F. Luminescence and its kinetics during excitation of ZnS : Mn phosphors, 1=2457
- Levshin, V.L., Voronov, Yu.V., Gutan, V.B., Fridman, S.A., and Shaenko, V.V. Investigation of the effect of double activation by silver and samarium on trapping levels in and the luminescence of zinc sulphide phosphors, 3=3057
- Levshin, V.L. See Drozd, L., 2=716
- Levshin, V.L. See Drozd, L., 2=10626
- Levshin, V.L. See Zhukova, N.V., 2=16856
- Levskii, L. K. See Dobronravova, A. N., 4=6401
- Levskii, L.K. See Gerling, E.K., 0=6579
- Levstek, I. See Blinc, R., 0=11957
- Levstek, I. See Blinc, R., 2=2208
- Lévy, A. Fourth order finite difference equation for the Helmholtz equation for systems of revolution, 1=2838
- Levy, A. The accuracy of the bubble meter method for gas flow measurements, 4=21163
- Levy, A. See Alexander, C.A., 4=5474
- Levy, A. See Kircher, J.F., 0=18440
- Lévy, B. See Benoist-Gueutal, P., 4=19774
- Levy, B. See Fritsch, A.R., 0=13373
- Levy, B. See Glaude, V., 0=2412
- Levy, B.R. and Keller, J.B. Diffraction by a spheroid, 0=2442
- Levy, B.R. and Keller, J.B. Low-energy expansion of scattering phase shifts for long-range potentials, 3=7793
- Levy, B.R. See Keller, J. B., 4=19226
- Lévy, C. and Picot, P. New data on iridium-osmium alloys. Existence osmium, 2=2397
- Levy, D. See Lust, R., 1=10707
- Levy, D. H. and Myers, R. J. Electron spin resonance spectrum of the radical anion of 1, 3-Butadiene in liquid ammonia, 4=28254
- Levy, E. See Mayer, I., 4=26647
- Levy, F. See Alitti, 2=16229
- Levy, F. See Berley, D., 2=22633
- Lévy, F. See Berthelot, A., 0=4090
- Lévy, F. See Berthelot, A., 1=19281
- Lévy, F. See Bidan, U., 2=11988
- Levy, F. See Boldt, E., 4=9276
- Lévy, F. See Duboc, J., 4=12060
- Levy, G. F. See Kelton, G., 4=358
- Levy, G.S. and Schuster, D. Venusian and lunar radar depolarization experiments, 2=19350
- Levy, G.S. and Schuster, D. Further Venus radar depolarization experiments, 4=13951
- Levy, G.S. See Schuster, D., 4=13953
- Levy, H. and Robinson, W. J. The rotating body problem, 4=24028
- Levy, H.A., Agron, P.A. and Danford, M.D. X-ray diffractometry with slightly absorbing samples, 0=3193
- Levy, H.A., Danford, M.D. and Agron, P.A. X-ray diffraction study of bismuth polymer in aqueous perchlorate solution, 0=4247
- Levy, F.A. and Ellison, R.D. The polarization correction for upper level geometry using crystal monochromatized radiation, 0=10298
- Levy, H. A. See Brown, G. M., 4=29086
- Levy, H. A. See Brown, G. M., 4=29147
- Levy, H.A. See Burns, J.H., 3=12844



- Levy, H. A. See Burns, J. H., 4=4628
- Levy, H. A. See Busing, W. R., 4=10495
- Levy, H. A. See Busing, W. R., 4=29089
- Levy, H. A. See Danford, M. D., 3=9444
- Levy, H. A. See Smith, H. G., 3=8857
- Levy, H. B., Hicks, H. G., Nervik, W. E., Stevenson, P. C., Niday, J. B. and Armstrong, J. C., Jr. Radiochemical studies of neutron-induced fission of  $U^{235}$  and  $U^{238}$  and the two-mode fission hypothesis, 1=17167
- Levy, H. B. See Hicks, H. G., 3=688
- Levy, H. H. and Agron, P. A. The crystal and molecular structure of xenon difluoride by neutron diffraction, 3=16074
- Lévy, J. Positional astronomy and general relativity, 0=10469
- Lévy, J. A modified version of Einstein's unified field theory, 0=18933
- Levy, J. Explicit solution of the inhomogeneous transport equations in a modified version of Einstein's theory, 1=6773
- Levy, J. Trajectories in the unified field theory, 1=18253
- Lévy, J. Harmonic condition in the theory of unified field, 2=4930
- Lévy, J. The fundamental constant and the trajectories in unified theory, 2=11272
- Levy, J. See Carr, T. D., 4=29473
- Levy, J. C. and Bărdy, I. I. A set of creep curves from a single test using a tapered specimen, 4=30752
- Lévy, M. On the validity of the exponential law for the decay of an unstable particle, 0=1287
- Lévy, M. Range of proton-antiproton annihilation, 1=3186
- Lévy, M. Interaction range and high-energy scattering, 2=16160
- Lévy, M. Electromagnetic radiative corrections and the elementary nature of the photon, 2=20287
- Levy, M. High-energy behavior of scattering amplitudes in quantum electrodynamics, 3=12390
- Levy, M. Ultrasonic attenuation in superconductors for  $q\ell < 1$ , 3=21654
- Lévy, M. Non-local quantum electrodynamics, 4=5924
- Lévy, M. Non-local quantum electrodynamics, 4=27746
- Levy, M., Kagiwada, R. and Rudnick, I. Ultrasonic attenuation of transverse waves in V, Nb, and Ta for  $q\ell < 1$ , 4=6729
- Levy, M., Kagiwada, R. and Rudnick, I. Ultrasonic measurements in three superconducting transition metals, 4=16355
- Levy, M. and Rudnick, I. Ultrasonic bonds for use at liquid-helium temperatures, 2=11232
- Levy, M. and Rudnick, I. Ultrasonic determination of the superconducting energy gap in tantalum, 4=2922
- Levy, M., Rudnick, I. and Stern, R. Simple modification of attenuation equipment to measure velocity, 3=3858
- Levy, M. See Brewster, J. L., 4=2924
- Lévy, M. See Gell-Mann, M., 0=15380
- Levy, M. See Olsen, J. L., 4=21420
- Levy, M. See Stern, R., 3=12040
- Lévy, M. [Ed.]. 1962 Cargèse Lectures in Theoretical Physics, 4=5001
- Lévy, P. and Bonnel. The absolute measurement with a coincidence telescope of the effective cross-sections of (n, p) and (n, d) reactions, 1=17108
- Lévy, P. and Bonnel, C. Use of a coincidence telescope on the study of nuclear reactions due to 14 MeV neutrons, 2=5932
- Lévy, P. See Bonnel, C., 1=9816
- Lévy, P. See Bonnel, C., 1=19286
- Levy, P. M. The magnetic behavior of gadolinium trichloride hexahydrate at low temperatures, 4=17670
- Levy, P. M. Rare-earth-iron exchange interaction in the garnets. I. Hamiltonian for anisotropic exchange interaction, 4=22469
- Levy, P. W. Method for obtaining a component of approximately collimated fast neutrons in a reactor, 0=15622
- Levy, P. W. Reactor and gamma-ray induced coloring of corning fused silica, 0=16073
- Levy, P. W. Color centers and radiation-induced defects in  $Al_2O_3$ , 1=11230
- Levy, P. W. Annealing of the defects and colour centres in unirradiated and in reactor irradiated  $Al_2O_3$ , 2=12463
- Levy, P. W. Radiation effects in glass and other materials, 3=6549
- Levy, P. W. Direct measurement of the vacancies produced in sodium chloride by fast reactor neutrons, 3=8427
- Levy, P. W. See Gamble, F. T., 1=17676
- Levy, P. W. See Shuskus, A. J., 0=17919
- Levy, P. W. See Wylie, D. W., 2=4266
- Levy, R. A. Resonant spin-spin interaction between donors and acceptors in silicon, 1=1273
- Levy, R. H. Exact solutions to a class of linearized magneto-hydrodynamic flow problems, 3=2103
- Levy, R. H. Interaction of a streaming plasma with the magnetic field of a two-dimensional dipole, 4=18819
- Levy, R. H. and Petschek, H. E. Magneto-hydrodynamically supported hypersonic shock layer, 3=18901
- Levy, R. M. and Shirley, D. A. The g-factor of the  $2\cdot083$  MeV  $4^+$  state of  $Ce^{140}$ , 3=4574
- Levy, R. M. and Shirley, D. A. Erratum: the g-factor of the  $2\cdot083$  MeV  $4^+$  state of  $Ce^{140}$ , 3=15115
- Levy, S. Form of analytical expressions for mechanical impedance and mobility, 3=7459
- Levy, S. and Folman, M. Surface conductivity of high surface area adsorbent due to the presence of adsorbed molecules, 3=25318
- Levy, S. See Conrad, M. A., 1=16374
- Levy, S. E. and Carlisle, R. W. Generation of intense audio sound fields utilizing arrays of multiple-driver horns, 1=10563
- Lévy, V. See Brebec, G., 2=11230
- Levy-Leblond, J.-M. Galilei group and nonrelativistic quantum mechanics, 3=16523
- Lévy-Leblond, J. M. and Guordin, M. Scattering with charge exchange:  $K^+$ -deuterium, 4=9278
- Lévy-Leblond, J. M. See Bouchiat, C., 4=25917
- Levy-Mandel, R., Maillet, R. and Winter, S. D. The proton synchrotron "Saturne". Introduction, 0=2412
- Levy-Mandel, R. See Gendreau, G., 1=16460
- Lew, H. Internuclear distance of  $RbF$ , 4=20060
- Lew, H. and Title, R. S. Note on the hyperfine structure of the  $2s^2 2p^2 P_{1/2}$  state of boron 10 and 11, 0=13411
- Lew, H. See Bauer, R. K., 3=22550
- Lew, H. See Bauer, R. K., 4=22367
- Lew, H. See Green, G. W., 0=5914
- Lew, H. See Ritchie, R. K., 4=9727
- Lew, J. S. Drift rate in a dipole field, 1=18987
- Lew, J. S. Stability of a simplified geocyclotron model, 2=8994
- Lew, M. S. See Bubernak, J., 2=11925
- Lewandowski, A. See Poppebaum, C., 3=8104
- Lewandowski, S. J. Ferrite ellipsoid in parallel field, 4=11800
- Lewandowski, Z. Superconductivity of the  $U^{238}$  nucleus. A possible explanation of the measured nuclear temperature, 4=3530
- Lewandowski, Z., Huber, P. and Wagner, R. Measurement of the neutron spectrum of a Pu-Be source, 2=5645
- Lewandowski, Z., Makowska-Rzesutko, M. and Wróbel, Z. Fading of tracks of alpha-particles in nuclear emulsions and a method for the correction of the visibility of alpha-particle tracks in the gamma background, 1=3100
- Lewandowski, Z. See Huber, P., 2=5925
- Lewandowski, Z. See Huber, P., 2=9867
- Lewandowski, Z. See Huber, P., 3=10131
- Lewandowski, Z. See Kolonko, N., 3=10376
- Lewandowski, Z. See Wagner, R., 2=19845
- Lewartowicz, E. See Bonnemay, M., 3=8969
- Lewellen, W. S. Comment on "Flow of an incompressible fluid in an hydromagnetic capacitor", 3=7687
- Lewin, B. H. See Fessler, H., 0=12385
- Lewin, C. See Alitti, J., 2=16229
- Lewin, C. See Alitti, J., 2=18156
- Lewin, C. See Berthelot, A., 1=19281
- Lewin, C. See Daudin, A., 4=6125
- Lewin, C. See Daudin, A., 4=30260
- Lewin, G. Electron image amplifier for applications in astronomy, 1=5123
- Lewin, G. and Martin, G. Fast ion gauge for the measurement of neutral gas density in the presence of magnetically confined plasma, 2=9594
- Lewin, G. and Martin, G. Fast ion gauge with modulated emission for the measurement of neutral gas density near a magnetically confined plasma, 3=24297
- Lewin, G. and Mullaney, D. A fast acting ultra-high vacuum gas inlet valve and its use in the production of special non-stationary pressure distributions in the C stellarator, 4=18302
- Lewin, G. See Apgar, E., 2=19629
- Lewin, G. F. Electronic and mutual components of stimulated emission in lasers, 4=8972
- Lewin, I. See Cilliers, W. A., 4=5637
- Lewin, J. D. A cryogenic liquid level detector employing thermistors, 4=376
- Lewin, J. D. and Smith, P. F. Production of very high magnetic fields by flux compression, 4=19157



- Lewin, K. See Grote, C., 0=1312  
 Lewin, K. See Kundt, U., 0=5606  
 Lewin, L. Reflection at the junction of an inhomogeneously loaded waveguide—a quasistatic approach, 4=716  
 Lewin, M. The effect of vertical barriers on progressing waves, 4=18160  
 Lewin, R., Simpson, P. G. and Lipscomb, W. N. Molecular and crystal structure of  $C_2H_5NH_2B_3H_{11}NHC_2H_5$ , 4=2096  
 Lewin, W. H. G., Van Nooijen, B., Van Eijk, C. W. E. and Wapstra, A. H. The K-conversion coefficient of the 412 keV E2 transition in  $^{198}Hg$ , 4=3583  
 Lewin, W. H. G., van Nooijen, B. and Wapstra, H. A. The K-conversion coefficient of the 368 keV E2 transition in  $^{200}Hg$ , 2=1847  
 Lewins, J. The use of the generation time in reactor kinetics, 1=13884  
 Lewins, J. The time-dependent importance of neutrons and precursors, 1=17188  
 Lewins, J. Variational representations in reactor physics derived from a physical principle, 1=17189  
 Lewins, J. Surface perturbation theory, 1=17190  
 Lewins, J. The approximate separation of kinetics problems into time and space functions by a variational principle, 1=18336  
 Lewins, J. A derivation of the time-dependent adjoint equations for neutron importance in the transport, continuous slowing-down and diffusion models, 1=19210  
 Lewins, J. The reduction of the time-dependent equations for nuclear reactors to a set of ordinary differential equations, 2=6007  
 Lewins, J. A variational principle for nonlinear systems, 2=6030  
 Lewins, J. The weighting functions of reactor physics, 3=22443  
 Lewis, A. and Young, I. R. Use of radial gratings in a small inclinometer, 0=4983  
 Lewis, A. R. See Kraner, H. W., 4=30329  
 Lewis, B. The permalloy problem and magnetic annealing in bulk nickel-iron alloys, 4=15649  
 Lewis, B. The permalloy problem and anisotropy in nickel-iron magnetic films, 4=17658  
 Lewis, B. See Brown, A., 3=3343  
 Lewis, B. See Delves, R. T., 3=13543  
 Lewis, B. See Langston, S. A., 4=10527  
 Lewis, C. H. Magnetogasdynamic scaling laws for a perfect gas, 4=3121  
 Lewis, C. H., Kelly, H. C., Giusto, M. B. and Johnson, S. Preparation of high-purity silicon from silane, 2=7091  
 Lewis, C. T. Photometric observations from the southern hemisphere of 5577 Å emission from the aurora on October 28, 1961, 3=13802  
 Lewis, C. T. A search for rapid fluctuations in the air-glow, 3=25932  
 Lewis, C. W.  $Be^6(Li^7, Li^8)Be^8$  reaction in a Coulomb distorted-wave approximation, 3=24980  
 Lewis, C. W. See Hobbie, R. K., 2=503  
 Lewis, C. W. See Maskalik, N. J., 4=20812  
 Lewis, C. W. See Young, I. G., 4=20329  
 Lewis, D. X-ray microbeam study of deformation bands in aluminium, 0=6393  
 Lewis, D. and Pearson, H. Parameter changes with cold work in lithium fluoride, 3=8838  
 Lewis, D. and Pearson, H. X-ray line broadening in the alkali halides, 3=8934  
 Lewis, D. and Pearson, H. X-ray line broadening in calcium fluoride, 4=23523  
 Lewis, D. C., Jr. and Taussky, O. Some remarks concerning the real and imaginary parts of the characteristic roots of a finite matrix, 0=12234  
 Lewis, D. H. See Wallace, J. D., 1=12705  
 Lewis, D. W. See Hirayama, C., 4=20485  
 Lewis, E. A., Harvey, R. B. and Rasmussen, J. E. Hyperbolic direction finding with sferics of transatlantic origin, 0=16484  
 Lewis, E. A. and Rasmussen, J. E. Relative phase and amplitude shift of v.l.f. signals received on two paths almost parallel with the sunrise line, 3=9946  
 Lewis, F. A. A note on specific heat anomalies in the Pd-H and Pd-D systems, 2=12385  
 Lewis, F. A. and Schurter, W. H. Absorption of hydrogen by palladium silver alloys, 0=12117  
 Lewis, F. A. See Barton, J. C., 3=22896  
 Lewis, F. A. See Carson, A. W., 0=236  
 Lewis, F. H., Jr. Electromagnetic structure of the giant resonance in oxygen 16, 4=17033  
 Lewis, F. H., Jr. and Walecka, J. D. Electromagnetic structure of the giant dipole resonance, 4=12128  
 Lewis, F. H., Jr., Walecka, J. D., Goldemberg, J. and Barber, W. C. Electromagnetic structure of the giant dipole resonance, 3=19769  
 Lewis, F. H., Jr. See Goldemberg, J., 4=19760  
 Lewis, F. R. Jr. See Carver, T. R., 1=11075  
 Lewis, G. I. See Brown, A. R. G., 3=11132  
 Lewis, G. I. See Clark, D., 3=13502  
 Lewis, G. M. The tensile strength of liquids in Berthelot tubes, 1=11771  
 Lewis, G. M. Neutrino and antineutrino losses in nuclear processes, 2=22485  
 Lewis, G. M. and Azuma, R. E. On the measurement of  $\pi^+$  meson photoproduction from hydrogen near threshold, 0=3996  
 Lewis, G. M., Azuma, R. E., Gabathuler, E., Leith, D. W. G. S. and Hogg, W. R. Photoproduction of positive pions from hydrogen near threshold, 2=3378  
 Lewis, G. M., Gabathuler, E. and Azuma, R. E. On the separation of  $\pi^+$  mesons by a time of flight method, 1=5771  
 Lewis, G. M., Leith, D. W. G. S., Thomas, D. L., Little, R. and Lawson, E. M. The angular distribution of the photoproduction of positive pions from hydrogen by 187 MeV  $\gamma$ -rays, 3=7889  
 Lewis, G. M. See Currie, W. M., 2=5277  
 Lewis, G. M. See Joshi, B. R., 1=2193  
 Lewis, G. M. See Joshi, B. R., 2=3519  
 Lewis, G. M. See Joshi, B. R., 3=24547  
 Lewis, G. P. and Ruetschi, P. The dependence of the electrolytic hydrogen-deuterium separation factor on the electrode potential, 2=23964  
 Lewis, G. P. and Tegart, W. J. M. The deformation of polycrystalline zinc by hot torsion, 4=28990  
 Lewis, H. A. See Koh, P. K., 0=3275  
 Lewis, H. R. and Albers, J. R. Polarization of conversion electrons following beta decay, 0=5706  
 Lewis, H. R., Cochran, J. F., Frauenfelder, H., Mapother, D. E. and Peacock, R. N. A method for measuring magnetic fields in superconductors, 0=5232  
 Lewis, H. R. and Sabisky, E. S. Paramagnetic resonance of divalent holmium in calcium fluoride, 3=13301  
 Lewis, H. R. See Gerritsen, H. J., 0=9196  
 Lewis, H. R. See Gerritsen, H. J., 0=13879  
 Lewis, H. R. See Gerritsen, H. J., 0=16180  
 Lewis, H. R. See Kiss, Z. J., 3=17088  
 Lewis, H. R., Jr., Naumann, R. A., Prospero, J. M. and Thomas, D. Study of the  $Pt^{189} \rightarrow Ir^{189} \rightarrow Os^{189}$  decay chain, 4=17104  
 Lewis, H. W. Superconductivity: a solved problem? 0=1072  
 Lewis, H. W. Straggling effects on resonant yields, 2=3545  
 Lewis, H. W., Bevington, P. R., Rolland, W. W., Rummel, R. L. and Wilenzick, R. M. Twofold pulsing of Van de Graaff beams for time-of-flight measurements, 0=2476  
 Lewis, H. W. and Reitz, J. R. "Open-circuit" voltages in the plasma thermocouple, 0=2311  
 Lewis, H. W. and Reitz, J. R. Efficiency of the plasma thermocouple, 0=9040  
 Lewis, H. W. See Bevington, P. R., 1=2212  
 Lewis, H. W. See Goldberger, M. L., 4=5999  
 Lewis, H. W. See Olness, R. J., 4=16302  
 Lewis, H. W. See Vorona, J., 0=4032  
 Lewis, H. W. See Wilenzick, R. M., 1=3449  
 Lewis, J. and Huang, S. High temperature furnace with a sharp temperature gradient, 3=11988  
 Lewis, J. See Figgis, B. N., 0=21022  
 Lewis, J. A. Generalized thermal resistance, 1=18653  
 Lewis, J. A. The small-field theory of the Joule and Wiedemann effects, 2=12785  
 Lewis, J. A. and Pollak, H. O. Photoelastic calculations by a complex variable method, 2=1094  
 Lewis, J. C., Neumayer, H. R. J. and Ward, R. G. The stabilization of liquid metal during levitation melting, 2=24234  
 Lewis, J. C., Redfern, B. and Coward, F. C. Vitreous carbon as a crucible material for semiconductors, 3=21181  
 Lewis, J. C. See Dearnaley, G., 4=14969  
 Lewis, J. T. See Arthurs, A. M., 3=51  
 Lewis, J. T. See Judge, D., 3=18735  
 Lewis, J. W. L. and Shields, F. D. Sound absorption and velocity in water vapor, 4=27220  
 Lewis, M. Stark broadening of spectral lines by high-velocity charged particles, 1=2286  
 Lewis, M. B. Time-reversed motion in kinetic theory, 4=18106  
 Lewis, M. F., Phillips, T. G. and Rosenberg, H. M. Excitation and detection of spin-wave resonance in nickel using phonons at microwave frequencies, 2=18913



- Lewis, M. F., Phillips, T. G. and Rosenberg, H. M. The detection of spin waves in nickel using ultrasonics at microwave frequencies, 4=23035
- Lewis, M. H. and Martin, J. W. The morphology of some oxide phases in copper examined by transmission electron microscopy, 3=18221
- Lewis, M. H. and Martin, J. W. Reply to discussion on "yielding and work-hardening in internally oxidised copper alloys", 4=26510
- Lewis, M. N. See Layzer, D., 4=30367
- Lewis, N. See Halperin, A., 0=13720
- Lewis, N. W. Line-spread functions of photographic emulsions, 1=13004
- Lewis, N. W. Characteristics of photographic films, 2=17657
- Lewis, N. W. and Hauser, T. V. Microcontrast and blur in imaging systems, 2=11955
- Lewis, P. H. Perturbations of the nickel metal K X-ray absorption edge due to small crystal size and hydrogen chemisorption, 2=6587
- Lewis, P. H. The effect of crystal size and gas adsorption on the  $L_{\alpha}$  X-ray absorption edge of alumina-supported platinum, 4=7152
- Lewis, P. S. See Waddell, C. N., 1=19460
- Lewis, R. B. and Carver, T. R. Conduction electron spin transmission in lithium, 4=26203
- Lewis, R. C. See O'Reilly, B. D., 4=19468
- Lewis, R. M. Solution of the equations of statistical mechanics, 1=4268
- Lewis, R. M. Quantum statistics and the Boltzmann equation, 3=5375
- Lewis, R. M. and Keller, J. B. Solution of the functional differential equation for the statistical equilibrium of a crystal, 1=3590
- Lewis, R. M. and Keller, J. B. Conductivity tensor and dispersion equation for a plasma, 3=1962
- Lewis, R. R. Discussion of electron optics limit of optically pumped alkali vapor, 3=12771
- Lewis, R. R. See Colegrove, F. D., 0=2732
- Lewis, R. T. Microwave magnet impedance of superconducting tin, 4=14535
- Lewis, T. B. See Hunter, J. L., 3=11793
- Lewis, T. G. See Dewey, M. A. P., 3=20933
- Lewis, T. J. Molecular structure and the electrical strength of liquid hydrocarbons, 0=12424
- Lewis, T. J. and Secker, P. E. Influence of the cathode surface on arc velocity, 1=2954
- Lewis, T. J. and Ward, B. W. A statistical interpretation of the electrical breakdown of liquid dielectrics, 2=19577
- Lewis, T. J. See Gallagher, T. J., 4=16121
- Lewis, T. J. See Guile, A. E., 4=18774
- Lewis, T. J. See Heylen, A. E. D., 3=5628
- Lewis, T. J. See Sletten, A. M., 4=5201
- Lewis, T. J. See Swan, D. W., 0=12423
- Lewis, T. J. See Swan, D. W., 1=18424
- Lewis, T. J. See Ward, B. W., 0=12425
- Lewis, T. J. See Ward, B. W., 3=14180
- Lewis, W. B. and Goin, R. W. Safer packages for shipping fuel, 0=20530
- Lewis, W. B., Jackson, J. A., Lemons, J. F. and Taube, H. N.M.R. shifts in aqueous solutions of rare-earth ions, 2=5029
- Lewis, W. B. and Pretzel, F. E. Properties of lithium hydride. III. Paramagnetic resonance of color centers, 1=19811
- Lewis, W. B. See Pretzel, F. E., 2=14473
- Lewis, W. B. See Pretzel, F. E., 2=21000
- Lewisch, R. Simple calibration method for intensity measurements with an X-ray diffractometer, 2=17006
- Lewisch, R. See Escoubès, B., 3=19630
- Lewowski, L. and Sujak, B. Ultraviolet luminescence of an aluminium oxide layer during its electrolytic formation, 3=8615
- Lewowski, T. Excitation of photostimulated co-exo-electron emission by anodic oxidation of aluminium, 0=9065
- Lewowski, T. Photo-stimulated emission of exo-electrons from anode-oxidized layers of aluminium, 1=16375
- Lewowski, T. Effect of temperature and air humidity on the photo-stimulated exoelectron emission from oxide films on aluminium, 2=17869
- Lewowski, T. Luminescence of aluminium electrodes in the process of a.c. electrolytic oxidation, 3=10983
- Lewowski, T. and Sujak, B. Molybdenum oxide filament formation, 0=6332
- Lewowski, T. and Sujak, B. The influence of liquids on the tribo-stimulation of aluminium leading to photo-stimulated exo-electron emission, 1=16356
- Lewowski, T. and Sujak, B. Behaviour of open air point counters at high temperatures, 0=17130
- Ley, R. See Boeckh, R. v., 4=22369
- Ley, R. P. See Weiher, R. L., 3=20111
- Leycuras, Y. Transitions between the glow and arc regimes, 1=7034
- Leycuras, Y. Transitions between the glow and arc regimes, 2=1409
- Leycuras, Y. Stark broadening of helium lines in an arc under variable pressure, 4=1201
- Leycuras, Y. An electrical and spectroscopic study of d.c. discharges in helium at high pressure, 4=11539
- Leycuras, Y. High pressure glow discharge and recombination coefficient, 4=14591
- Leycuras, Y. Violet "satellite" bands considered as frequency additions, 4=25494
- Leyenaar, A. See Kaufman, L., 1=6531
- Leyendecker, H. See Koppelman, G., 1=16100
- Leyer, J. C. and Manson, N. On the running of resonating burners, 2=1296
- Leyer, J. C. See Brochet, C., 1=18456
- Leymonie, C. See Coulomb, P., 0=17970
- Leyniers, R. See Thomas, E., 1=4583
- Lezheiko, L. V. See Goldobin, A. N., 2=4105
- Lezheiko, L. V. See Goldobin, A. N., 2=8473
- Lezhnev, N. B. See Berdyev, A. A., 4=2673
- Lezius, D. K. See Stoloff, N. S., 4=4484
- Lhermitte, R. M. Note on wind variability with Doppler radar, 3=1433
- Lhost, A. See Danguy, L., 1=9749
- Lhôte, G., Motchane, J. L. and Théobald, J. G. Behaviour of an electronic spin system in the presence of a strong radio-frequency field, 4=3190
- Lhôte, G., Motchane, J. L. and Théobald, J. G. Determination of spin interactions in a paramagnetic sample, 4=19246
- Lhôte, G., Motchane, J. L. and Théobald, J. G. Spin temperature in a rotating frame of reference in electronic resonance, 4=17674
- Lhote, G. and Théobald, J. G. The harmonic analysis of electron magnetic resonance signals in strong fields, 3=14787
- Li, A. C. and Schwarzschild, A. Lifetimes of  $4+$  and  $2+$  states in the rotational nuclei  $Dy^{160}$ ,  $Dy^{168}$ ,  $Er^{168}$ , and  $Hf^{180}$ , 3=10267
- Li, A. C. See Bolotin, H. H., 1=16997
- Li, A. C. See Chu, Y. Y., 4=12184
- Li, A. C. See Crittenden, R., 4=21939
- Li, A. C. See Kistner, O. C., 4=3579
- Li, A. C. See Schmorak, M., 3=12593
- Li, C. H. Epitaxial growth of silicon, 3=16046
- Li, C. H. See Bonfield, W., 3=20190
- Li, C. H. See Bonfield, W., 4=7412
- Li, C. H. See Bonfield, W., 4=17726
- Li, C. H. See Johnston, T. L., 0=21145
- Li, C. H. See Johnston, T. L., 2=6754
- Li, C. H. See Liu, T. S., 4=23204
- Li, C. H. See Speersneider, C. J., 2=12938
- Li, C. H. See Speersneider, C. J., 3=25800
- Li, C. H. See Stokes, R. J., 0=21143
- Li, C. H. See Stokes, R. J., 1=1342
- Li, C. H. See Stokes, R. J., 1=5896
- Li, C. H. See Stokes, R. J., 1=20365
- Li, C. H. See Stokes, R. J., 2=2335
- Li, C. H. See Stokes, R. J., 2=14925
- Li, C. H. See Stokes, R. J., 4=13425
- Li, C. H. See Stokes, R. J., 4=30789
- Li, C. Y. See Miller, G. R., 3=13500
- Li, Che-Yu, Ruoff, A. L. and Spencer, C. W. Effect of pressure on the energy gap of  $Bi_2Te_3$ , 1=14209
- Li, Che-Yu. See Knight, R. J., 3=16107
- Li, Che-Yu. See Pinnow, D. A., 2=4080
- Li, Che-Yu. See Steidel, C. A., 4=15483
- Li Chi. See Fong Duan., 4=1492
- Li Chi. See Fong Duan., 4=1493
- Li Chi. See Fong Duan., 4=25947
- Li Chi. See Ming Nay-ben, 4=2030
- Li Chih-Tsien. See Li Chzhi-tszyan', 0=604
- Li Chih-Tsien. See Li Chzhi-tszyan', 0=605
- Li Chzhi-tszyan' [Li Chih-Tsien]. Investigation of the inter-crystal energy barriers in thin CdS layers by means of bombardment with low-energy electrons, 0=604



- Li Chzhi-tszyan' [Li Chih-Tsien]. Electron energy dependence of induced conductivity of cadmium sulphide and cadmium selenide films bombarded with slow electrons, 0=605
- Li Don Khva. See Vernov, S.N., 2=13936
- Li Don Khva. See Vernov, S.N., 3=6118
- Li, Dzh. See Marpls, Dzh., 2=21510
- Li Fan-Khua [Li Fang-Hua]. An empirical relation between electron diffraction intensities and structure amplitudes, and its application in structure analysis, 4=10521
- Li Ga En [Li Ka Yen], Osentinski, G.M., Sodnom, N., Govorov, A.M., Sizon, I.V. and Salatskii, V.I. Investigation of the  $\text{He}^3 + \text{H}^3$  reaction, 1=555
- Li Ga En. See Govorov, A.M., 1=19292
- Li Ga En. See Govorov, A.M., 2=22659
- Li Ga En. See Govorov, A.M., 3=6091
- Li, Guo-dong and Tan, Feng-shu. Effect of heat treatment on the ferromagnetic resonance of lutetium iron garnet and manganese ferrite single crystals, 4=20573
- Li Guo-Dong, Zhai Ching-Yong, Guo De-quan and Li Jing-Yuan. Study of the magnetic properties and ferromagnetic resonance of the yttrium-lanthanum iron garnet system, 4=1847
- Li Ho-Nian. See Wang Ao., 3=17255
- Li Hsien-Shu, Yü yung-an and Kao Ts'ao-Lang. Molecular analysis for Raman spectra, 3=17553
- Li Hsuang-Ming. See Egorov, L.B., 1=17298
- Li Hua-lin. See Chen Chi, 4=10208
- Li, J.C.M. The interaction of parallel edge dislocations with a simple tilt dislocation wall, 0=15840
- Li, J.C.M. Some elastic properties of an edge dislocation wall, 1=3665
- Li, J.C.M. High-angle tilt boundary—a dislocation core model, 1=6108
- Li, J.C.M. Cross slip and cross climb of dislocations induced by a locked dislocation, 1=8907
- Li, J.C.M. Energy of a crossed grid of screw dislocations, 1=14265
- Li, J.C.M. The stress field of an infinite edge dislocation wall, 1=17528
- Li, J.C.M. Thermodynamics for nonequilibrium systems. The principle of macroscopic separability and the thermokinetic potential, 2=7142
- Li, J.C.M., Persistency, pseudo-entropy, and the thermokinetic potential, 2=19448
- Li, J.C.M. Carathéodory's principle and the thermokinetic potential in irreversible thermodynamics, 2=19788
- Li, J.C.M. Possibility of subgrain rotation during recrystallization, 2=23828
- Li, J.C.M. Stable steady state and the thermokinetic potential, 3=1878
- Li, J.C.M. The interaction of parallel edge dislocations with a simple tilt dislocation wall. II. Nonparallel burgers vectors, 3=17726
- Li, J.C.M. Petch relation and grain boundary sources, 3=17777
- Li, J.C.M. Dislocation mechanism of transition creep, 4=4445
- Li, J.C.M. and Chalmers, B. Energy of a wall of extended dislocations, 3=10656
- Li, J.C.M. and Kiang, H.S. Thermodynamic inequalities for elastic solids, 0=13906
- Li, J.C.M. and Needham, C.D. Some elastic properties of a screw dislocation wall, 0=13533
- Li, J.C.M. See Keh, A.S., 0=17932
- Li, J.C.M. See Rao, R.V.G., 0=6780
- Li Jing-Yuan. See Li Guo-Dong, 4=1847
- Li, K.K.Y. See Stroke, H.H., 1=8229
- Li Ka Yen. See Govorov, A.M., 3=6091
- Li Men Kha [Li Meng Ha]. Cherenkov radiation of a particle possessing a charge and intrinsic magnetic moment, 0=12903
- Li Meng Ha. See Li Men Kha, 0=12903
- Li, P.C. Preparation of single-crystal graphite from melts, 2=2357
- Li Pen. See Khu Chi, 4=4233
- Li Pen. See Syui Shen., 4=4227
- Li Pêng. See Li Pen.
- Li Sen-Dzhun [Li Seng-jung] and Pinsker, Z.G. An electron diffraction study of the Ag-Sb system in thin films, 1=4081
- Li Seng-jung. See Li Sen-Dzhun, 1=4081
- Li Syuang-Ming. See Egorov, L.B., 1=5988
- Li Syuan-Min. See Egorov, L.B., 1=17298
- Li, S.M. See Ignatenko, A.E., 2=14232
- Li, S.U. See Freeman, M.P., 2=18980
- Li, T. and Sims, S.D. A calorimeter for energy measurements of optical masers, 2=13481
- Li, T. See Fox, A.G., 1=7143
- Li, T. See Boyd, G.D., 4=5848
- Li, T.Y. See Nagamatsu, H.T., 0=5045
- Li, W. I. See Pu, C. Y., 4=30945
- Li Yin-yoan, Xu Zheng-yi and Liu Da-qian. Theory of parametrically coupled oscillations in ferrite, 3=17047
- Li Yin-Yuan. Raman effect of the multiple radiation process and its applications in spectroscopy, 4=17272
- Li Yin-yuan, Fang Li-zhi and Gu Shi-jie. Effect of imperfections of spin waves in ferromagnets, 4=4336
- Li Yin-yuan and Zhu Yan-qing. Localized modes of spin waves in cubic ferromagnetics, 4=10253
- Li, Yuan and Martin, M. B. Angular correlations in the vector-meson exchange model for resonance production, 4=25190
- Li Zheng-wu. Injection and accumulation of high energy particles in a magnetic mirror system, 4=541
- Li Zheng-wu. See Yeh Ming-han, 4=623
- Liaghati, G. A. "Acoustic goniometer", 4=14310
- Lian, Go-chan. See Grochulski, W., 4=22236
- Liander, H. and Lundblad, E. Some observations on the synthesis of diamonds, 1=5092
- Liang, C. Y. and Scalco, E. G. Photoconductivities of  $\alpha$  and  $\beta$  forms of metal-free phthalocyanine, 4=1691
- Liang, C. Y. and Scalco, E. G. Electrical conduction of a high polymerized sample of sodium salt of deoxyribonucleic acid, 4=12840
- Liang, C. Y., Scalco, E. G. and Oneal, G., Jr. Temperature dependence of photoconductivity of metal-free phthalocyanine, 2=21197
- Liang Chih-an. See Lyan Chzhi-an', 1=1605
- Liang Chin-K'uei. Heat of formation, specific heat and magnetic susceptibility in the Cr-Si system, 4=1802
- Liang, E. T. See Tourin, R. H., 1=11070
- Liang, K. See Gabrysh, A. F., 2=15539
- Liang Kun-Miao and Liu Chang-fu. High-current superconductivity, 4=385
- Liang Tseng Fan and Chong Hui Chang. Note on the Onsager reciprocal principle, 4=24107
- Liang, Tung-ch'ai [Lyan Dun-chai]. See Lu, Hui-ch'uing [Lu Khué-tsyun], 4=23371
- Liang Wên-hsüeh. See Lyan Vén'-syue,
- Lias, S. See Ausloos, P., 2=17097
- Lias, S. G. and Ausloos, P. Vapor-phase radiolysis of propane- $d_3$  in the presence of other hydrocarbons, 2=19166
- Lias, S. G. See Ausloos, P. J., 3=16182
- Lias, S. G. See Ausloos, P., 4=7774
- Lias, S. G. See Ausloos, P., 4=17870
- Lias, S. G. See Ausloos, P., 4=23622
- Libanati, C. M. and Dymont, F. Self-diffusion of  $\alpha$ -titanium, 4=1518
- Libanati, C. M. See Murarka, S. P., 4=30579
- Libby, D. and Ormerod, M. G. Electron spin resonance spectrum of stretched polyethylene, 1=20227
- Libby, W. F. Optical transparency and resistance to flash heating, 0=19487
- Libby, W. F. Radiocarbon dating, 1=5849
- Libby, W. F. Chemistry of positive ions. I. General theory particularly for the radiation induced cross linkage of polymers and polymerization of saturated hydrocarbons, 1=20766
- Libby, W. F. Isotope size effect in van der Waals radii and the barrier to rotation around the carbon-carbon single bond, 2=1978
- Libby, W. F. Tritium geophysics, 2=4613
- Libby, W. F. Electron transfer among the transition elements; the controlling role of the Franck-Condon principle on rates, 3=8943
- Libby, W. F. and Palmer, C. E. Stratospheric mixing from radioactive fallout, 2=873
- Libby, W. F. and Palmer, C. E. Authors' reply to the preceding discussion, 2=875
- Libby, W. F. Theory of metallic diamond, 3=12895
- Libby, W. F. Moratorium tritium geophysics, 4=2213
- Libby, W. F. See Bömmel, H. E., 3=12031
- Libby, W. F. See Bömmel, H. E., 4=8568
- Libby, W. F. See Darnell, A. J., 3=13517
- Libby, W. F. See Darnell, A. J., 4=10428
- Libby, W. F. See Darnell, A. J., 4=29114
- Libby, W. F. See Jensen, C. A., 4=27305
- Libby, W. F. See Joy, H. W., 0=21265
- Libby, W. F. See Kevan, L., 3=6927
- Libby, W. F. See Kevan, L., 3=25838



- Libby, W. F. See Tittmann, B. R., 4=27420
- Libchaber, A. and Veilex, R. Wave propagation in a gyromagnetic solid conductor: Helicon waves, 2=20160
- Libchaber, A. and Veilex, R. Helicon wave propagation in indium antimonide at room temperature, 3=10827
- Libelo, L. See Greenberg, J. M., 4=701
- Libelo, L. F. See Hirschel, L. R., 1=12907
- Libelo, L. F. See Greenberg, J. M., 4=15915
- Libelo, L. F. See Hirschel, L. R., 2=13354
- Liben, W. and Twigg, L. A., Jr. A variable ultrasonic electro-optical delay line and a new ultrasonic-optical effect in fused quartz, 2=2718
- Liberman, A. See Green, M., 3=3365
- Liberman, A. M., Ingemann, F., Lisker, L., Delattre, P. and Cooper, F. S. Minimal rules for synthesizing speech, 0=810
- Liberman, I. See Frerichs, R., 0=1766
- Liberman, I. See Frerichs, R., 1=3765
- Liberman, I. A. See Green, M., 2=23918
- Liberman, M. See Garron, R., 2=22242
- Liberman, M. See Garron, R., 3=6626
- Liberman, M. See Garron, R., 4=22837
- Liberov, Yu. P. See Oding, I. A., 3=23347
- Libert, R. See Franeau, J., 0=11070
- Libin, I. Sh. An exhaust tube for sealing off vessels under high
- Libman, G. See Blokhintseva, T. D., 2=16227
- Libman, G. See Blokhintseva, T. D., 3=6044
- Libman, G. See Blokhintseva, T. D., 3=22176
- Libman, G. See Blokhintseva, T. D., 3=22177
- Libman, G. See Blokhintseva, T. D., 3=24558
- Libman, G. See Blokhintseva, T. D., 4=11863
- Liboff, R. L. Long-wavelength phenomena in a plasma, 2=19962
- Liboff, R. L. Linearized three-component magneto-hydrodynamics, 3=9923
- Liboff, R. L. Errata: Long wavelength phenomena in a plasma, 3=12139
- Liboff, R. L. Relaxation phenomena in plasmas, 3=21757
- Liboff, R. L. A note on gravitational instability, 3=23742
- Liboff, R. L. Kinetic approach to condensation, 3=24115
- Liboff, R. L. The influence of momentum exchange on the propagation of disturbances in a multi-component fluid, 4=172
- Liboff, R. L. Propagation of plasma waves in a "spoke-wheel" magnetic field, 4=11617
- Liboff, R. L. Collective sound mode in a two-component fluid, 4=18248
- Liboff, R. L. Vibrations in a cold electroactive dipole lattice, 4=15408
- Libov, N. S. See Bakhshiev, N. G., 3=23884
- Libov, V. S. and Bakhshiev, N. G. A quantitative investigation of the absorption and dispersion of  $\text{CHCl}_3$  and  $\text{CCl}_4$  in the region of strong infrared absorption bands, 4=22397
- Libov, V. S., Bakhshiev, N. G. and Girin, O. P. Relationship between the observed and true absorption spectra of molecules in a condensed medium, 4=30455
- Libov, V. S. See Bakhshiev, N. G., 3=18986
- Libov, V. S. See Bakhshiev, N. G., 3=19958
- Libov, V. S. See Bakhshiev, N. G., 3=25077
- Libov, V. S. See Bakhshiev, N. G., 4=3831
- Libovický, S. and Šesták, B. Influence of the silicon content on the crystallography of slip in iron-silicon alloy single crystals, 4=7431
- Libovický, S. See Šesták, B., 1=17529
- Libovický, S. See Šesták, B., 1=20363
- Libovický, S. See Šesták, B., 2=10386
- Libovický, S. See Šesták, B., 2=14436
- Libovický, S. See Šesták, B., 3=20176
- Libovický, S. See Šesták, B., 4=4471
- Libovický, S. See Šesták, B., 4=26516
- Libowitz, G. G. Nonstoichiometry and lattice defects in transition metal hydrides, 2=3898
- Librovich, V. B. See Istratov, A. G., 4=8316
- Licaret, C. See Gaspar, E., 2=4523
- Lichnerowicz, A. Quantization of the gravitational field, 0=10563
- Lichnerowicz, A. Propagators and commutators in general relativity, 1=15633
- Lichnerowicz, A. The anticommutator of the spinor field in general relativity, 1=15635
- Lichnerowicz, A. Anticommutator for the field corresponding to spin- $\frac{1}{2}$  in an Einstein space, 1=16646
- Lichnerowicz, A. Petiau-Duffin-Kemmer theory in general relativity, 1=18251
- Lichnerowicz, A. Propagators and commutators in general relativity, 3=3733
- Lichnerowicz, A. Elements of tensor calculus, 3=5318
- Lichnerowicz, A. and Moret-Bailly, F. Theory of the neutrino and  $C, P, T$ -transformations in a curved space-time, 4=9166
- Licht, A. L. Properties of the solar wind during sunspot minimum, 0=14418
- Licht, A. L. The drag on a charged satellite, 1=19224
- Licht, A. L. Regge fields, 4=2561
- Licht, A. L. Strict localization, 4=9041
- Licht, A. L. and Toll, J. S. Two-point function and generalized free fields, 1=16643
- Licht, A. L. See Frank, W. M., 4=21726
- Licht, A. L. See Greenberg, O. W., 3=14846
- Licht, J. See Bandeen, W. R., 2=2574
- Licht, S. B and L 505 spectrophotometer modifications for measuring spectral response of photodetectors, 4=24370
- Licht, S. See Zajac, A., 1=12996
- Licht, W. See Kaparthi, R., 3=7196
- Lichten, W. Metastable hydrogen molecules, 0=20645
- Lichten, W. Angular distribution of lyman- $\alpha$  radiation emitted by H(2S) atoms in weak electric fields, 1=2282
- Lichten, W. Metastable hydrogen molecules. II. Fine structure of parahydrogen, 2=12309
- Lichten, W. Some new metastable states of molecules, 3=4742
- Lichten, W. Resonant charge exchange in atomic collisions, 3=16909
- Lichten, W. and Schultz, S. Cross sections for the excitation of the metastable 2s state of atomic hydrogen by electron collision, 0=2717
- Lichten, W. See Faust, W., 0=17664
- Lichten, W. L. See McDermott, M. N., 0=13413
- Lichtenberg, A. J. Calculation of beam loading in linear traveling wave electron accelerators, 2=11736
- Lichtenberg, A. J. and Woodyard, J. R. Plasma waveguides as low loss structures, 2=13685
- Lichtenberg, A. J. Optimization of particle injection into a synchrotron, 4=3072
- Lichtenberg, A. J. Thermal velocity limit to current density in a beam, 4=11706
- Lichtenberg, A. J. The quasi-static approximation for moving and finite temperature plasmas, 4=14634
- Lichtenberg, A. J. The change in the action integral for nearly adiabatic systems, 4=16066
- Lichtenberg, A. J. Longitudinal phase space transformations, 4=21603
- Lichtenberg, A. J. See Birdsall, C. K., 0=1135
- Lichtenberg, D. B. Effects of two additional particles on the symmetries in strong interactions, 0=7280
- Lichtenberg, D. B. Possible relations among the meson-baryon coupling constants, 1=7207
- Lichtenberg, D. B. Low-energy predictions of modified Yukawa potentials between two nucleons, 1=7208
- Lichtenberg, D. B. On the observability of the signs of the strong interaction coupling constants, 1=8422
- Lichtenberg, D. B. Nucleon-nucleon interaction and the quantum numbers of the  $\zeta$ -meson, 2=20327
- Lichtenberg, D. B. and Summerfield, G. C. G parity and the interactions of heavy mesons, 2=20414
- Lichtenberg, D. B. Classification of mesons in a compound model, 3=7871
- Lichtenberg, D. B. A possible method to obtain evidence on the spins and parities of excited baryons, 3=19597
- Lichtenberg, D. B. See Feld, B. T., 2=3401
- Lichtenberg, D. B. See Boyer, R. H., 4=5031
- Lichtensteiger, M. See Beun, J. A., 1=10066
- Lichtensteiger, M. See Beun, J. A., 1=11321
- Lichtensteiger, M. See Nitsche, R., 2=6773
- Lichtenstein, M. Spatio-temporal factors in cessation of smooth apparent motion, 3=11633
- Lichtenstein, M. and Boucher, R. Minimum detectable dark interval between trains of perceptually fused flashes, 0=8453
- Lichtenstein, M., Gallagher, J. J. and Cupp, R. E. Millimeter spectrometer using a Fabry-Perot interferometer, 3=21984
- Lichtenstein, M., Gallagher, J. J. and Derr, V. E. Spectroscopic investigations of the deuterio-ammonias in the millimeter region, 4=12479
- Lichtenstein, M. and White, C. T. Relative visual latency as a function of retinal locus, 1=15380
- Lichtenstein, P. G. See Gardner, M. E., 0=17066
- Lichter, B. D. Electrical properties of  $\text{Mg}_2\text{Sn}$  crystals grown from nonstoichiometric melts, 3=2922



- Lichtin, N.N. See Sang Up Choi, 0=14133
- Lichtman, D. Use of the omegatron in the determination of parameters affecting limiting pressures in vacuum devices, 0=12436
- Lichtman, D. and Oswald, R. Short-length in-line all-metal valve, 4=2744
- Lichtman, D. and Ready, J.F. Laser beam induced electron emission, 3=19304
- Lichtman, D. See Levine, L., 0=12440
- Lichtman, S. See Becker, W., 4=9271
- Lichtman, S. See Bertanza, L., 2=22652
- Lichtman, S. See Bertanza, L., 3=7935
- Lichtman, S. See Connolly, P.L., 3=17330
- Lichtman, S. See Goldberg, M., 4=21909
- Lichtman, S. See Leitner, J., 0=15410
- Lichtman, S. See Leitner, J., 1=16901
- Lichtman, S.W. and Andersen, E.J. Ionospheric effects of nuclear detonations in the atmosphere, 3=13762
- Licklider, J.C.R. See Green, D.M., 0=814
- Lide, D.R., Jr. Microwave spectrum, structure, and dipole moment of propane, 0=20688
- Lide, D.R., Jr. Structure of the isobutane molecule; change of dipole moment on isotopic substitution, 0=20689
- Lide, D.R., Jr. Dipole moments of hydrocarbons, 1=4954
- Lide, D.R., Jr. Microwave studies of butadiene derivatives, 3=2641
- Lide, D.R., Jr. Microwave spectrum and structure of difluoramine, 3=8274
- Lide, D.R., Jr. Microwave spectrum of aluminium monofluoride, 3=19973
- Lide, D.R., Jr. Versatile Stark waveguide for microwave spectroscopy, 4=30069
- Lide, D.R., Jr. Cahill, P. and Gold, L.P. Microwave spectrum of lithium chloride, 4=12459
- Lide, D.R., Jr. and Christensen, D. Molecular structure of propene, 1=17371
- Lide, D.R., Jr. and Jen, M. Microwave spectrum of tertiary butyl chloride. A comparison of tertiary butyl structures, 3=12849
- Lide, D.R., Jr. and Jen, M. Microwave studies of butadiene derivatives. II. Isoprene, 4=15371
- Lide, D.R., Jr. and Mann, D.E. Microwave spectrum and structure of  $N_2F_4$ , 0=2752
- Lide, D.R., Jr. See Comeford, J.J., 3=8275
- Lide, D.R., Jr. See Forman, R.A., 4=3873
- Lide, D.R., Jr. See Harmony, M.D., 1=17519
- Lide, D.R., Jr. See Jen, M., 2=16542
- Lide, D.R., Jr. See Kivelson, D., 0=4236
- Lide, D.R., Jr. See Laurie, V.W., 0=1528
- Lide, D.R., Jr. See Mann, D.E., 1=4932
- Lide, D.R., Jr. See Nugent, L.V., 2=6127
- Lide, D.R., Jr. See Powell, F.X., 4=28203
- Lidén, B. On the Ohlin structure of the continuous X-ray spectrum, 4=4242
- Lidén, B. and Auleytner, J. Displacement of the short wave limit of the continuous X-ray spectrum in semiconductors, 3=4919
- Lidén, B. See Auleytner, J., 3=8611
- Lidén, K.F. See McCall, R., 3=8021
- Lider, K.F. and Solov'ev, L.E. Optical and photoelectric properties of GeS and GeS<sub>2</sub>, 2=21244
- Lider, K.F. and Solov'ev, L.E. Optical and photoelectric properties of GeS and GeS<sub>2</sub>, 3=2990
- Lider, K.F. See Gross, E.F., 2=18738
- Lider, K.F. See Gross, E.F., 2=23455
- Lider, V.V., Berezhkova, G.V. and Rozhanskii, V.N. Luminescent sodium chloride whisker crystals, 3=20518
- Lidiard, A.B. Anion diffusion in alkali halide crystals, 0=1603
- Lidiard, A.B. The influence of solutes on self-diffusion in metals, 0=20840
- Lidiard, A.B. and Tharmalingam, K. Diffusion processes at low temperatures, 1=2391
- Lidiard, A.B. Reactions among point defects in alkali halides, 2=3959
- Lidiard, A.B. See Boswarva, I.M., 2=18797
- Lidiard, A.B. See Boswarva, I.M., 3=16772
- Lidiard, A.B. See Boswarva, I.M., 4=17565
- Lidiard, A.B. See Foreman, A.J.E., 3=8364
- Lidiard, A.B. See Howard, R.E., 3=28803
- Lidiard, A.B. See Howard, R.E., 4=25955
- Lidiard, A.B. See Tharmalingam, K., 0=20839
- Lidiard, A.B. See Tharmalingam, K., 1=19765
- Lidsky, L.M. and Rose, D.J. Design and construction of high magnetic field traveling wave lines, 4=5743
- Lidofsky, L.J. The utilization of multiparameter analysers in nuclear physics, 3=24187
- Lidofsky, L.J. Low energy nuclear physics applications of multiparameter analyzers, 4=21692
- Lidofsky, L.J. [Ed.]. Proceedings of the conference on the utilization of multiparameter analyzers in nuclear physics, 4=11842
- Lidofsky, L.J. See Benenson, R.E., 1=7398
- Lidofsky, L.J. See Benenson, R.E., 1=10972
- Lidofsky, L.J. See Kruse, T.H., 0=13206
- Lidofsky, L.J. See Nikolic, N., 4=6331
- Lidofsky, L.J. See Weinberg, R.B., 4=12268
- Lidov, M.L. Evolution of the orbits of artificial satellites of planets under the action of gravitational perturbations due to external bodies, 2=11177
- Lidov, M.L. Determination of the density of the atmosphere from the observed drag on the first artificial earth satellites, 2=13013
- Lidov, M.L. Evolution of the orbits of artificial satellites of planets under the action of gravitational perturbations due to external bodies, 3=3629
- Lidsky, L.M. Orbit stability in a helically perturbed magnetic field, 4=29996
- Lidsky, L.M., Rothleder, S.D., Rose, D.J., Yoshikawa, S., Michelson, C. and Mackin, R.J., Jr. Highly ionized hollow cathode discharge, 2=17794
- Lidwell, O.M. Impaction sampler for size grading air-borne bacteria-carrying particles, 0=4742
- Lieb, B. See Lin, T.H., 2=6741
- Lieb, D.P., Jackson, B.D. and Root, C.D. Abrupt junction diode theory, 2=14568
- Lieb, E. Hard sphere Bose gas: an exact momentum space formulation, 0=16629
- Lieb, E. Operator formalism in statistical mechanics, 1=6798
- Lieb, E. New method in the theory of imperfect gases and liquids, 3=14208
- Lieb, E. and Koppe, H. Mathematical analysis of a simple model related to the stripping reaction, 0=1255
- Lieb, E. and Mattis, D. Theory of ferromagnetism and the ordering of electronic energy levels, 2=4213
- Lieb, E. and Mattis, D. Ordering energy levels of interacting spin systems, 2=21342
- Lieb, E., Schultz, T. and Mattis, D. Two soluble models of an antiferromagnetic chain, 2=2290
- Lieb, E. See Mattis, D., 1=10638
- Lieb, E.H. Exact analysis of an interacting Bose gas. II. The excitation spectrum, 3=14065
- Lieb, E.H. Simplified approach to the ground-state energy of an imperfect Bose gas, 3=16552
- Lieb, E.H. and Liniger, W. Exact analysis of an interacting Bose gas. I. The general solution and the ground state, 3=14064
- Lieb, E.H. and Liniger, W. Simplified approach to the ground-state energy of an imperfect Bose gas. III. Application to the one-dimensional model, 4=14078
- Lieb, E.H. and Sakakura, A.Y. Simplified approach to the ground-state energy of an imperfect Bose gas. II. Charged Bose gas at high density, 4=8104
- Lieb, K.P. See Paul, P., 4=19668
- Liebaert, R., Lebrun, A. and Leroy, Y. Determination of types of intermolecular association by the study of the polarization and the radio spectra of dilute solutions, 2=2729
- Liebaert, R. and Leroy, Y. Effect of solvent on intermolecular association of normal saturated alcohols, 3=21395
- Liebaert, R. See Lebrun, A., 1=10796
- Liebau, F. Studies of the magnitude of the Si—O—Si bond angle, 2=10897
- Liebenberg, D.H. See Anderson, O.T., 0=3697
- Lieber, A. The design of a scattering chamber for solid state detectors, 4=16588
- Lieber, A. and Whitten, C.A. Inelastic proton scattering on holmium-165 and gadolinium-156, 4=6332
- Lieber, A.J., Schmidt, F.H. and Gerhart, J.B. Proton angular distributions for ( $\alpha$ , p) reactions on  $C^{12}$ ,  $Al^{27}$ , and  $P^{31}$ , 2=12224
- Lieber, E. Investigation of the natural tone positions (frequencies) of metal wind instruments, 0=14762
- Lieberman, A. and Rosinski, J. Behavior of an aerosol cloud in a plastic chamber, 3=8986
- Lieberman, D.S. and Lüscher, E. The Mössbauer effect. A conference report, 1=600
- Lieberman, D.S. See Gelman, J.J., 0=21146



- Lieberman, P. Some acoustic correlates of word stress in American English, 0=6497
- Lieberman, P. Perturbations in vocal pitch, 1=7955
- Lieberman, P. Some acoustic measures of the fundamental periodicity of normal and pathologic larynges, 3=11621
- Lieberman, P. and Michaels, S.B. Some aspects of fundamental frequency and envelope amplitude as related to the emotional content of speech, 2=21751
- Lieberman, R.M. See Yeniscavich, W., 0=8332
- Liebermann, L.N. Analysis of rough surfaces by scattering, 3=18374
- Liebermann, L.N. and Rasmussen, R.A. Propagation of displacement waves in the sea, 4=23716
- Lieberoth, J. An improved diffusion approximation of the transport equation for plane problems, 2=10178
- Lieberoth, J. and Wagner, M. Method of solution of the transport equation for plane cell, 2=8033
- Liebertz, J. See Recker, K., 3=3003
- Liebes, S., Jr. Gravitational lenses, 4=10806
- Liebes, S., Jr and Franken, P. Magnetic moment of the proton in units of the Bohr magneton; the magnetic moment of the electron, 0=2537
- Liebhaufsky, H.A. The fuel cell and the Carnot cycle, 0=3695
- Liebhaufsky, H.A. See Douglas, D.L., 0=14126
- Liebl, H. Particle spectrographs of high intensity: dispersion and resolving power, 0=1168
- Liebl, H. and Ewald, H. Point-focusing aberration-free mass-spectrometer, 0=1167
- Liebl, H. and Wachsmuth, H. Earthing of one side of the deflection condenser in mass spectrometers, 0=1170
- Liebl, H. See Samson, J.A.R., 3=5525
- Liebl, H. See Wachsmuth, H., 0=1169
- Liebl, H.J. and Herzog, R.F.K. Sputtering ion source for solids, 3=21894
- Liebman, I. See Cassel, H.M., 1=8261
- Liebmann, B. See Howe, S., 1=14905
- Liebmann, G. Solution of some nuclear reactor problems by the resistance-network analogue method. II. Representation of two velocity groups, 0=7655
- Liebmann, W. See Lawley, A., 2=6737
- Liebmann, W.K. and Miller, E.A. Preparation, phase-boundary energies, and thermoelectric properties of InSb-Sb eutectic alloys with ordered microstructures, 3=23401
- Liebmann, W.K. See Abrahams, M.S., 3=1223
- Liebold, R. An observation concerning Bohr's atomic model, 2=6082
- Liebold, R. Determination of the modulus of elasticity by means of a double pendulum, 4=7363
- Liebscher, D. See Eichenauer, W., 2=14459
- Liebscher, E. See Kreisel, E., 4=2529
- Liebson, M. Directed glow discharge, 0=113
- Liebson, M. Sealing molybdenum leads to aluminosilicate glass, 1=6687
- Liebson, N. See Leefe, S., 1=2582
- Lied, F. Quantitative measurements of absorption in the auroral zone, 0=2037
- Lied, F. See Bjelland, B., 0=4796
- Lied, F. See Holt, C., 3=5878
- Lied, F. See Holt, O., 3=6978
- Lied, F. See Landmark, B., 3=6982
- Lieder, R.M. See Bodenstedt, E., 4=3568
- Liedler, R. See Deubner, F.L., 1=15402
- Lieh, J.W. See Young, O.B., 4=12086
- Liehr, A.D. Semiempirical theory of vibronic interactions in some simple conjugated hydrocarbons, 0=17841
- Liehr, A.D. "Ionic radii," spin-orbit coupling and the geometrical stability of inorganic complexes, 1=3554
- Liehr, A.D. Interaction of the vibrational and electronic motions in some simple conjugated hydrocarbons. III. A semiempirical formulation, 1=17309
- Liehr, A.D. Topological aspects of the conformational stability problem. I. Degenerate electronic states, 3=19955
- Liehr, A.D. Topological aspects of the conformational stability problem. II. Non-degenerate electronic states, 3=19956
- Liehr, A.D. The three electron (or hole) cubic ligand field spectrum, 3=25166
- Liehr, A.D. Interaction of electromagnetic radiation with matter. I. Theory of optical rotatory power: topic A. Trigonal dihedral compounds<sup>1a</sup>, 4=25622
- Lielausis, O., Tsinober, A. and Shtern, A. Effect of transverse magnetic field on the character of laminar flow of liquid metal, 4=24816
- Lielausis, O. See Branover, G., 1=7137
- Lielausis, O. See Branover, G., 1=16526
- Lielpeter, Ya. The thermal processes in electromagnetic induction pumps, 0=10792
- Lielpeter, Ya., [Lielpeteris, J.]. The turbulent regime of operation of an electromagnetic induction pump, 0=17079
- Lielpeter, Ya., [Lielpeteris, J.]. Unsteady flow of liquid metal in an electromagnetic induction pump, 0=19896
- Lielpeteris, J. See Lielpeter, Ya., 0=19896
- Liemohn, H. The outer radiation belt and aurorae, 1=1567
- Liemohn, H. The lifetime of radiation belt protons with energies between 1 keV and 1 MeV, 2=4684
- Liemohn, H. See Kellogg, P.J., 0=3777
- Liemohn, H.B. and Scarf, F.L. Exospheric electron temperatures from nose whistler attenuation, 2=17198
- Liemohn, H.B. and Scarf, F.L. Whistler attenuation by electrons with an  $E^{-2.5}$  distribution, 3=9050
- Liemohn, H.B. and Scarf, F.L. Dispersion function for a plasma with a Cauchy equilibrium distribution, 3=9794
- Liemohn, H.B. and Scarf, F.L. First- and second-order perturbations of plasmas with Cauchy equilibrium distributions, 3=12222
- Lien Chih-ch'ao. See Lyan' Chzhi-chao, 0=15958
- Lien Chih-Ch'ao. See Lyan' Chzhi-Chao., 1=11305
- Lien Chih-Ch'ao. See Lyan' Chzhi-Chao, 1=17737
- Lien Chih-ch'ao, See Lyan, Chzhi-chao, 1=17739
- Lien, H. Probability density measurement with an electrode mounted in the face of a cathode-ray tube, 0=2386
- Lien, W.H. and Phillips, N.E. Heat capacity of sodium and potassium at temperatures below 1°K, 0=9858
- Lien, W.E. and Phillips, N.E. Heat capacity anomaly in solid air, 1=7537
- Lien, W.H. and Phillips, N.E. Low-temperature heat capacities of potassium, rubidium, and cesium, 4=12643
- Lienard, G. See Coekelbergs, R., 3=23544
- Lienard, P. Abacs for the calculation of the [low frequency] acoustic absorption of perforated walls, 0=14774
- Lienard, P. Experimental study of acoustic absorption by perforated panels, 1=207
- Lienard, P. Automatic analysis of transient responses, 4=5328
- Lienard, P., Hay, J. and Planchais, M. Study of microphones for very high [sound] levels. Calibration by means of a shock tube and the mechano-graphical analysis of the results, 4=14305
- Lienhard, J.H. A semi-rational nucleate boiling heat flux correlation, 3=14419
- Lienhard, J.H. Some generalizations of the stability of liquid-gas-vapor systems, 4=24150
- Lienesch, J.H. See Wark, D.Q., 3=1411
- Liepmann, H.W., Narasimha, R. and Chahine, M.T. Structure of a plane shock layer, 3=1754
- Liepmann, H.W., Roshko, A., Coles, D. and Sturtevant, B. A 17 inch diameter shock tube for studies in rarefied gas-dynamics, 2=15632
- Liepmann, H.W. and Vlasses, G. Magnetically driven cylindrical shock waves, 1=12914
- Lierde, W.Van. See Van Lierde, W.
- Liesem, H. See Clerc, H.G., 4=14777
- Lieshout, R.Van. See Van Lieshout, R.
- Liesk, W. Magnetic structures in thin films observed by electron microscope, 2=12752
- Liesk, W. Electron microscope measurements on evaporated barium titanate films, 4=2124
- Liesk, W. See Feldtkeller, E., 2=12782
- Liesk, W. See Fuchs, E., 2=20102
- Liesk, W. See Fuchs, E., 4=28628
- Liesk, W. See Pfisterer, H., 2=14642
- Liess, M. See Bilwes, R., 0=17055
- Liess, M. See Magnac-Valette, D., 0=9113
- Lietz, G.P. See Behof, A.F., 3=19637
- Lietz, G.P. See Kelsey, C.A., 3=6243
- Lietz, G.P. See Mann, H.M., 1=13230
- Lietzke, A.F. See Rom, F.E., 3=16434
- Lietzke, M.H. See McCarroll, B., 0=10671
- Lietzke, M.P. See Stoughton, R.W., 1=507
- Lieu, F.Y. See Topol, L.E., 4=24239
- Liewers, P. and Huttel, G. Examinations of the degree of purity of graphite by means of the pile-oscillator method, 4=3757
- Lifanov, I.I. and Strelkov, P.G. A dilatometer for the investigation of porous materials under variable temperature and humidity conditions, 4=17833
- Lifschits, E.M. See Landau, L.D., 3=1642
- Lifschitz, E.M. See Landau, L.D., 4=8037
- Lifshitz, I.M. Contribution to the theory of diffusion-viscous flow in polycrystalline bodies, 3=25288



- Lifshits, E.M. and Khalatnikov, I.M. The singularities of cosmological solutions of the gravitational equations. II, 1=4244
- Lifshits, E.M. See Dzyaloshinskii, I.E., 2=6243
- Lifshits, E.V. The possibility of the spectroscopic observation of electron beam melting, 4=16294
- Lifshits, I.M. Quantized cyclotron resonance in metals, 2=3883
- Lifshits, I.M. Kinetics of ordering during phase transitions of the second kind, 2=17048
- Lifshits, I.M. Kinetics of ordering during phase transitions of the second kind, 3=6864
- Lifshits, I.M. Structure of the energy spectrum of impurity bands in disordered solid solutions, 3=25242
- Lifshits, I.M. and Kaganov, M.I. Electron resonance in crossed electric and magnetic fields, 0=11596
- Lifshits, I.M., Kaganov, M.I. and Tanatarov, L.V. On the theory of radiation-induced changes in metals, 1=19816
- Lifshits, I.M. and Slezov, V.V. Theory of coalescence of solid solutions, 0=4687
- Lifshits, I.M. and Slezov, V.V. The dynamical equilibrium of a cloud of mist over the surface of a liquid, 3=5556
- Lifshits, I.M., Slutskin, A.A. and Nabutovskii, V.M. Peculiarities of motion of charged quasiparticles in a variable and inhomogeneous electromagnetic field, 1=18990
- Lifshits, I.M., Slutskin, A.A. and Nabutovskii, V.M. Peculiarities of motion of charged quasi-particles in a variable and inhomogeneous electromagnetic field, 2=22305
- Lifshits, I.M. and Tanatarov, L.V. Elastic interaction of impurity atoms in a crystal, 3=2704
- Lifshits, I.M. See Aleksandrov, B.N., 0=1883
- Lifshits, I.M. See Geguzin, Ya.E., 2=18566
- Lifshits, I.M. See Geguzin, Ya.E., 2=23148
- Lifshits, I.M. See Kaganov, M.I., 4=6915
- Lifshits, T.M., Kogan, Sh.M., Vystavkin, A.N. and Melnik, P.G. Some phenomena induced in n-type indium antimonide by radio-frequency radiation, 2=14583
- Lifshits, T.M., Kogan, Sh.M., Vystavkin, A.N. and Melnik, P.G. Some phenomena induced in n-type indium antimonide by radiofrequency radiation, 3=6634
- Lifshits, T.M. See Kogan, Sh.M., 4=15569
- Lifshits', Ye.V., Verko, V.F., Buhaiova, N.I. and Mosiva, L.M. Spectro-chemical analysis of some pure metals, 2=19177
- Lifshits, Ye.V., Yegorov, A.M. and Zagorodnov, O.G. High-frequency field-strength measurements in plasma by means of the Stark effect, 2=19984
- Lifshits', Ye.V. See Yerko, V.F., 2=19175
- Lifshitz, A., Bauer, S.H. and Resler, E.L., Jr. Studies with a single-pulse shock tube. I. The cis-trans isomerization of butenes-2, 3=16160
- Lifshitz, A., Carroll, H.F. and Bauer, S.H. Studies with a single-pulse shock tube. II. The thermal decomposition of perfluorocyclobutane, 4=1318
- Lifshitz, E.M. and Khalatnikov, I.M. Singularities of cosmological solutions of the gravitational equations. I, 0=18914
- Lifshitz, E.M. and Khalatnikov, I.M. Investigations in relativistic cosmology, 3=23661
- Lifshitz, E.M., Sudakov, V.V., Khalatnikov, I.M. The singularities of cosmological solutions of gravitational equations. III, 2=12
- Lifshitz, E.M., Sudakov, V.V. and Khalatnikov, I.M. The singularities of cosmological solutions of gravitational equations. III, 3=3724
- Lifshitz, E.M. See Dzyaloshinskii, I.E., 0=8641
- Lifshitz, E.M. See Dzyaloshinskii, I.E., 1=15706
- Lifshitz, E.M. See Khalatnikov, I.M., 1=7976
- Lifshitz, E.M. See Landau, L.D., 0=915
- Lifshitz, I.M. High-pressure anomalies of electron properties of a metal, 0=20764
- Lifshitz, I.M., Azbel', M.Ya. and Slutskin, A.A. Theory of quantum cyclotron resonance in metals, 3=15477
- Lifshitz, I.M. and Kaganov, M.I. Some problems of the electron theory of metals. I. Classical and quantum theory of electrons in metals, 1=3633
- Lifshitz, I.M. and Kaganov, M.I. Some problems of the electron theory of metals. II. Statistical mechanics and thermodynamics of electrons in metals, 3=25218
- Lifshitz, I.M. and Slyozov, V.V. The kinetics of precipitation from supersaturated solid solutions, 1=20619
- Lifshitz, J. See Gall, R., 0=13078
- Lifshitz, J. See Gall, B., 1=3312
- Lifshitz, J. See Gall, R., 1=13546
- Lifshitz, J.M. and Kolsky, H. Some experiments on anelastic rebound, 4=13366
- Lifshitz, E. V., Krivulya, S.S. and Us, V.S. High-frequency field strength measurements in a plasma by means of the stark effect. II., 4=11625
- Lifson, H. See Pekeris, C.L., 2=12285
- Lifson, S. Partition functions of linear-chain molecules, 4=21103
- Lifson, S. and Jackson, J.L. On the self-diffusion of ions in a poly-electrolyte solution, 2=13331
- Lifson, S. and Oppenheim, I. Neighbor interactions and internal rotations in polymer molecules. IV. Solvent effect on internal rotations, 0=15790
- Lifson, S. and Roig, A. On the theory of helix-coil transition in polypeptides, 1=9961
- Ligasova, V.D. See Strukov, B.A., 2=16784
- Ligasova, V.D. See Strukov, B.A., 2=23499
- Ligda, M.G.H. The radar observation of lightning, 0=803
- Ligda, M.G.H. Radar observation of lightning, 1=1516
- Ligeon, E. See Longueue, J.P., 3=11319
- Ligeon, M. See Coumes, A., 4=19202
- Liggett, W.S., Jr. and Jacobson, M.J. Covariance of noise in attenuating media, 4=21257
- Light, G.C. Magnetic insulation experiments with a traveling magnetic piston plasma accelerator, 4=19055
- Light, J.C. Dissociation of gaseous diatomic molecules: classical adiabatic scattering approach, 2=6227
- Light, J.C. Phase-space theory of chemical kinetics, 4=23627
- Light, J.C. Conversion of phenomenological to microscopic cross-sections for ion-molecule reactions, 4=25775
- Light, J.C. and Arnstein, R. Dissociation of gaseous diatomic molecules. II. Effect of anharmonicities, 3=2667
- Light, J.C. and Shuler, K.E. On ionic catalysis of hydrogen-atom recombination, 3=16164
- Light, T.B. and Wolfstirn, K.B. Direct observation of lithium precipitation at dislocations in GaAs, 4=22587
- Lightfoot, D.A. See Stanton, L., 2=16095
- Lighthill, M.J. Shock waves, 0=2202
- Lighthill, M.J. Studies on magneto-hydrodynamic waves and other anisotropic wave motions, 1=8382
- Lightle, R.E. Criticality of MTR-type fuel elements, 1=2268
- Lighthill, M.J. The Bakerian lecture 1961, Sound generated aerodynamically, 2=11451
- Lighty, P.E., Shanefield, D., Weissmann, S. and Shrier, A. X-ray studies of epitaxial copper electrocrystallization, 3=23415
- Ligon, J.T., Johnson, H.P. and Kirkham, D. Unsteady-state drainage of fluid from a vertical column of porous material, 3=7191
- Ligou, J. and Mignot, C. Tridimensional theory of heterogeneous reactors, 4=19891
- Ligtenberg, F.K. An example of stress analysis without strain measurements, 1=11719
- Liguori, M. Determinations of the right ascensions of the planets Jupiter and Saturn in 1961, 2=17256
- Lihl, F. and Donat, K. Investigations of the wavelength dependence of the integral line half-width of X-ray back-reflection measurements on a steel surface deformed by machining, 2=15112
- Liidja, G.G. See Luščik, Č.B., 2=23211
- Liid'ya, G.G. See Lushchik, Ch.B., 0=20996
- Liid'ya, G.G. See Lushchik, Ch.B., 1=17909
- Liid'ya, G.G. See Lushchik, Ch.B., 2=16848
- Liid'ya, G.G. See Yaék, I.V., 0=11771
- Liigant, M. and Einasto, Ya. The theory of automatic satellite tracking telescopes, 1=18230
- Likeš, J. On the problem of particle number and size determination in opaque bodies, 3=23367
- Likhachev, A.I. The diurnal sunlit component of F2 layer ionization during the first half of the day, 0=21378
- Likhachev, M.F., Stavinskii, V.S., Syui Yuin-chan [Hsu Yun-ch'ang] and Chzhan Nai-sen [Chang Nai-sen]. Total cross-sections for the interaction of 4.75 and 3.7 BeV/c K<sup>+</sup> and  $\pi^+$ -mesons with protons and nuclei, 1=19265
- Likhachev, M.F., Stavinskii, V.S., Syui Yuin-chan [Hsu Yun-ch'ang] and Chzhan Nai-sen [Chang Nai-sen]. Total cross-sections for the interaction of 4.75 and 3.7 BeV/c k<sup>+</sup> and  $\pi^+$ -mesons with protons and nuclei, 2=22581
- Likhachev, M.F. See Barkov, L.M., 3=6080
- Likhachev, M.F. See Vovenko, A.S., 3=14826
- Likhachev, M.F. See Vovenko, A.S., 4=27716
- Likhachev, V.A. Microstructural strains due to thermal anisotropy, 2=2088
- Likhachev, V.A. The equation of state of a real (inhomogeneous) solid, 2=3851



- Likhachev, V.A. The equation of state of a real (inhomogeneous) solid, 2=8178
- Likhachev, V.A. Textural thermal stresses, 3=2736
- Likhachev, V.A. and Assur, K.P. Changes in the shape of binary alloy specimens, 4=28376
- Likhachev, V.A. and Mal'ugin, G.A. An investigation of irreversible changes in bismuth, 2=8728
- Likhachev, V.A. and Mal'ugin, G.A. Variation in the density of zinc under thermal cycling, 3=6868
- Likhachev, V.A. and Mal'ugin, G.A. The thermal after-effect in zinc, 4=10405
- Likhachev, V.A. and Mal'ugin, G.A. The temperature after-effect in metals, 4=23086
- Likhachev, V.A., Mal'ugin, G.A., Nikiforov, A.V. and Vladimirova, G.V. Creep of thermally cycled zinc, 4=13452
- Likhachev, V.A. and Moskvina, A.I. The change in density of aluminium during thermal changes, 2=10772
- Likhachev, V.A. and Vladimirov, V.I. Vacancy mechanisms of the temperature after-effect, 4=26475
- Likhachev, V.A. See Davidenkov, N.N., 2=20939
- Likhachev, V.A. See Davidenkov, N.N., 1=1440
- Likhachev, V.M. See Aleksandrov, Yu.A., 4=14988
- Likhachev, V.M. See Aleksandrov, Yu.A., 4=16768
- Likhachev, V.M. See Aleksandrov, Yu.A., 4=16771
- Likhacheva, Yu.S. See Shuvalov, L.A., 2=16797
- Likhachev, M.F. and Stavinsky, V.S. Angular gas Cherenkov counter, 3=17107
- Likht, M.K. and Kuz'minskaya, S.B. Solidification of binary alloys over a range of temperatures, 2=7480
- Likht, M.K. and Kuz'minskaya, S.B. The temperature range for the solidification of binary alloys, 2=21552
- Likhter, A.I. Dependence of the Hall effect on pressure in p-germanium of 50 ohm cm resistivity, 0=585
- Likhter, A.I. An apparatus for studying galvanomagnetic phenomena under pressures up to 30 000 atm, 4=15514
- Likhter, A.I. Plant for electrical measurements at low temperatures and pressures up to 10 000 atm, 4=16394
- Likhter, A.I. and D'yakonova, T.S. Determination of the pressure (up to 10 000 kg/cm<sup>2</sup>) dependence of the Hall effect in n-type germanium, 0=584
- Likhter, A.I. and Kechin, V.V. Investigation of the dependence of the galvanomagnetic effects in graphite on temperature and pressure, 4=6926
- Likhter, Ya.I., Prozumenshchikov, S.M. and Sobolev, Ya.P. A spectral analyser of variable-frequency signals, 2=7543
- Likhter, A.I. and Venttsel', V.A. Hall effect in cerium during the phase transition of the first kind, 2=18640
- Likhter, A.I. See Arkhipov, R.G., 4=1562
- Likhter, A.I. See Sekoyan, S.S., 0=20913
- Likhtman, I.V. See Kochanova, L.A., 4=10363
- Likhtman, V.I., Bryukhanova, L.S. and Andreeva, I.A. The long-term strength of metals, 1=14907
- Likhtman, V.I., Bryukhanova, L.S. and Andreeva, I.A. The long-term strength of metals, 1=20370
- Likhtman, V.I. See Bryukhanova, L.S., 0=6316
- Likhtman, V.I. See Bryukhanova, L.S., 1=20383
- Likhtman, V.I. See Bryukhanova, L.S., 2=6751
- Likhtman, V.I. See Chaevskii, M.I., 2=14899
- Likhtman, V.I. See Chaevskii, M.I., 2=19004
- Likhtman, V.I. See Kochanova, L.A., 0=16239
- Likhtman, V.I. See Kochanova, L.A., 2=2334
- Likhtman, V.I. See Kochanova, L.A., 1=6478
- Likhtman, V.I. See Labzin, V.A., 0=6311
- Likhtman, V.I. See Shchukin, E.D., 0=689
- Likhtman, V.I. See Shchukin, E.D., 1=6471
- Likhtman, V.I. See Troitskii, O.A., 3=8781
- Likhtman, V.I. See Troitskii, O.A., 3=18174
- Likhtman, V.I. See Troitskii, O.A., 3=20178
- Likhtman, V.I. See Troitskii, O.A., 4=10404
- Likhtman, V.I. See Troitskii, O.A., 4=23227
- Likhtman, V.I. See Troitskii, O.A., 4=23229
- Likhtman, V.I. See Troitskii, O.A., 4=28989
- Likin, O.B. A high-speed amplitude analyser with a "grey wedge", 1=4543
- Likin, O.B. and Kovrizhnykh, O.M. Time analyzer with a "gray wedge", 2=17755
- Likin, O.B. See Kovrizhnykh, O.M., 4=16527
- Liksonov, A. Differential method of measuring the Curie point, 2=7700
- Liley, B.S. The circuit dynamics of plasma, 0=5303
- Liley, B.S. A generalization of a sufficient condition for hydromagnetic stability, 3=1975
- Liley, B.S. See Allen, N.L., 3=7596
- Liley, B.S. See Allen, N.L., 4=5685
- Liley, B.S. See Herdan, R., 1=5450
- Lilga, K.T. See Box, H.C., 3=15942
- Lilja, R. and Stubb, T. A study on dielectric constant and resistivity of amorphous polycrystalline and monocrystalline selenium at 24 GHz, 4=26057
- Liljeblad, R. Some comments on statistical thermodynamics, 1=9337
- Liljeblad, R. Neutron flux flattening in thermal reactors, 3=4686
- Liljegrén, G., Lindgren, I., Sanner, L. and Adérol, K.E. Nuclear ground-state spin and magnetic moment of Au<sup>190</sup>, 4=990
- Liljegrén, G. See Axensten, S., 2=3461
- Liljegrén, G. See Olsmats, C.M., 2=523
- Liljencrants, J. See Fant, G., 4=4968
- Liljenzin, J.O., Reinhardt, H., Wirries, H. and Lindner, R. Complex formation in molten salts studied by distribution methods. II. Cd-chloro complexes in K-Li-NO<sub>3</sub>, 4=2143
- Liljenzin, J.O. See Lindner, R., 0=16389
- Liljenzin, J.O. See Lindner, R., 1=15208
- Lill, G. Spin waves in liquid He<sup>3</sup>, 4=11451
- Lille, Dzh.S. [Lilley, J.J.] See Fremlin, Dzh.G. [J.H.], 0=13248
- Lillegraven, A.L. Gamma-ray response of simple slit-collimated detectors, 4=24949
- Lillegraven, A. See Hvinden, T., 1=9823
- Liller, W. The nature of the grains in the tails of comets 1956h and 1957d, 1=2604
- Liller, W. Report on the effects of Project West Ford on optical astronomy, 1=6726
- Liller, W. Photoelectric photometry of comets, 1=18047
- Liller, W. Solar ultraviolet and X-ray experiments from artificial satellites, 2=13128
- Liller, W. Concave gratings for astronomical spectrographs and spectrometers, 3=9147
- Liller, W. The Harvard solar satellite project, 3=9286
- Liller, W. Optical brightness of the West Ford experiment, 4=20960
- Liller, W. and Aller, L.H. Photoelectric spectrophotometry of planetary nebulae, 3=21122
- Lillethun, E. Production of charged pions in collisions of 450 MeV protons with various nuclei, 2=3577
- Lillethun, E. See Cocconi, G., 1=7243
- Lillethun, E. See Cocconi, G., 2=5639
- Lillethun, E. See Cocconi, G., 2=10095
- Lillethun, E. See Cocconi, G., 2=22503
- Lillethun, E. See Cocconi, G., 4=6041
- Lillethun, E. See Cocconi, G., 4=15095
- Lillethun, E. See Crewe, A.V., 0=1277
- Lillethun, E. See Crewe, A.V., 0=9355
- Lillethun, E. See Diddens, A.N., 2=20331
- Lillethun, E. See Diddens, A.N., 2=20335
- Lillethun, E. See Diddens, A.N., 2=20336
- Lillethun, E. See Diddens, A.N., 4=11989
- Lilley, A.E. Radio properties of an orbiting scattering medium, 1=6727
- Lilley, A.E. Radio-astronomical measurements pertinent to cosmology, 4=13940
- Lilley, A.E. See Barath, F.T., 3=18618
- Lilley, A.E. See Barath, F.T., 4=13954
- Lilley, A.E. See Meeks, M.L., 3=13679
- Lilley, J.S. The emission of charged particles from the bombardment of silver with nitrogen ions, 1=8786
- Lilley, J.S. See Craig, R.M., 3=8085
- Lilley, J.S. See Greenlees, G.W., 1=8774
- Lillicrap, S.C., Wills, R.D. and Turver, K.E. The distribution of energy in the electron-photon component of extensive air showers, 3=19734
- Lilliequist, C.G. See Billings, D.E., 3=9210
- Lilly, A.C., Jr., Weismann, T.J. and Lowitz, D.A. Numerical determination of ion paths in nonhomogeneous magnetic fields, 3=9874
- Lilly, C.M. See Johler, J.R., 2=2459
- Lilly, D.K. On the numerical simulation of buoyant convection, 2=17134
- Lilly, D.K. Numerical solutions for the shape-preserving two-dimensional thermal convection element, 4=16272
- Lilly, D.K. See Turner, J.S., 4=10705
- Lilly, E.H. See Foreman, H., 1=19377
- Lim, E.C. Radiationless transitions and radiative lifetime of <sup>3</sup>B<sub>1u</sub> state of benzene, 2=20845
- Lim, E.C. and Kowalski, V.L. Effect of oxygen on the ultraviolet spectra of benzene, 2=12333
- Lim, E.C. and Swenson, G.W. Delayed fluorescence of acriflavine in rigid media, 2=2255



- Lim, E. C. and Wen, Wen-Yang. Delayed fluorescence and possible one-electron photo-ionization of dyes in rigid media, 4=1789
- Lim, K. L. and McCarthy, I. E. (p, 2p) angular correlations in the distorted-wave Born approximation, 3=19841
- Lim, K. L. and McCarthy, I. E. Analysis of (p, 2p) angular correlation experiments, 4=15206
- Lim, R. See Wu, K. K. M., 4=15116
- Lim, T. G. and Bosgra, S. J. Nuclear potential for the  $K^+$  - meson, 1=5774
- Lim, T. G. and van Breeman, P. G. Sign of the nuclear potential for the  $K^+$ -meson, 0=20232
- Lim, Y. K. Meson production in the interactions of 26.7 GeV/c protons with emulsion nuclei, 3=6249
- Lim, Y. K. "Effective target-mass" in inelastic interactions of 26.7 GeV/c protons with nucleons, 3=19627
- Lim, Y. K. A method for efficiency determination in area scanning, 4=9038
- Lim, Y. K., Laby, J. E. and Hopper, V. D. Efficiency in area-scanning for events in nuclear emulsions, 0=9246
- Limar', A. G. and Litvinenko, Yu. A. The theory of similarity in multiple-turn pulse coils, 4=14854
- Limar, A. G. See Borovik, E. S., 2=9680
- Limar', A. G. See Borovik, E. S., 3=17026
- Limareva, L. A. See Sveshnikov, B. Ya., 1=2763
- Limareva, L. A. See Sveshnikov, B. Ya., 1=4350
- Limb, H. R. Cleavage fracture in cast molybdenum of high purity, 4=28967
- Limber, D. N. The universality of the initial luminosity function, 0=6612
- Limber, D. N. The analysis of spherically symmetric distributions of matter, 1=15409
- Limber, D. N. Virial theorem and the stability of clusters of galaxies, 2=9101
- Limber, D. N. Surface forms and mass loss for the components of close binaries—general case of non-synchronous rotation, 4=10840
- Limber, D. N. The Wolf-Rayet phenomenon, 4=23865
- Limber, D. N. Of stars, WR stars, and emission-line central stars of planetary nebulae, 4=29379
- Limentani, S. See Ammar, R., 0=415
- Limentani, S. See Ammar, R., 0=13154
- Limentani, S. See Ammar, R. G., 1=5832
- Limentani, S. See Bellière, J., 3=24775
- Limentani, S. See Bellini, G., 2=22573
- Limentani, S. See Chadwick, G. B., 2=22522
- Limentani, S. See Chadwick, G. B., 3=10117
- Limentani, S. See Chadwick, G. B., 4=6135
- Limentani, S. See Di Corato, M., 2=22627
- Limentani, S. See Lynch, G. R., 3=19633
- Limić, N. Theory of scattering on highly singular potentials, 3=2206
- Limić, N. On the existence of the scattering operator, 3=16536
- Limin, B. E. See Galushko, V. P., 4=13729
- Limon, P. J. and Webb, R. H. A magnetic resonance experiment for the undergraduate laboratory, 4=19245
- Limovchenko, V. G. See Primachenko, V. E., 3=20415
- Lin, C. C. Theory of the fine structure of the microwave spectrum of  $\text{NO}_2$ , 0=2761
- Lin, C. C. On the interactions of nuclear spin with electrons in neighboring molecules, 0=7455
- Lin, C. C. Hyperfine structure of the microwave spectra of the NO molecule and the nuclear quadrupole moment of nitrogen, 0=13443
- Lin, C. C. On a theory of dispersion by continuous movements, 0=14539
- Lin, C. C. On a theory of dispersion by continuous movements. II. Stationary anisotropic processes, 0=19000
- Lin, C. C. Hydrodynamics of helium II, 4=24473
- Lin, C. C. and Fowler, R. G. Theory of collision transfer of excitation in helium, 1=19597
- Lin, C. C., Hijikata, K. and Sakamoto, M. Electronic structure and hyperfine structure constants of NO molecule, 0=17800
- Lin, C. C. and Shu, F. H. On the spiral structure of disk galaxies, 4=29413
- Lin, C. C. and St. John, R. M. Collisional excitation transfer to the  $4^1\text{D}$  state in helium by multiple state mechanism, 3=2550
- Lin, C. C. and Swalen, J. D. Internal rotation and microwave spectroscopy, 0=5913
- Lin, C. C. See Denney, D. J., 0=14600
- Lin, C. C. See Brumage, W. H., 3=20548
- Lin C. C. See Brumage, W. H., 4=1846
- Lin, C. C. See Brumage, W. H., 4=10248
- Lin, C. C. See Brumage, W. H., 4=13124
- Lin, C. C. See Brumage, W. H., 4=17616
- Lin, C. C. See Dorman, F., 4=15352
- Lin, C. C. See Hijikata, K., 2=8110
- Lin, C. C. See Kojima, T., 2=1992
- Lin, C. C. See Lane, N. F., 3=2552
- Lin, C. C. See Lane, N. F., 4=9666
- Lin, C. C. See Mires, R. W., 4=15274
- Lin, C. C. See Quade, C. R., 3=8288
- Lin, C. C. See Quade, C. R., 4=1801
- Lin, C. C. See Rinehart, E. A., 1=5603
- Lin, C. C. See Rinehart, E. A., 1=9692
- Lin, C. C. See St. John, R. M., 3=2575
- Lin, C. C. See St. John, R. M., 4=17253
- Lin, C. C. See St. John, R. M., 4=25530
- Lin, C. C. See St. John, R. M., 4=25535
- Lin, C. C. See Yamazaki, M., 1=9958
- Lin, C. J. Behavior of ferro- or ferrimagnetic very fine particles, 1=6309
- Lin, C. J. and Neaves, A. Ferromagnetic resonance in very fine particle ferrites, 3=1161
- Lin, C. L. See Yoshida, H., 3=6177
- Lin Chang-ta. See Belov, K. P., 2=623
- Lin Chang-ta. See Lin' Chzhan-da.
- Lin Chang-Ta. See Lin' Chzhan-da., 1=20130
- Lin Chün-t'ing. See Lin' Tszyun'-tin, 0=15996
- Lin' Chzhan-da. See Goryaga, A. N., 1=20130
- Lin' Chzhan-da. See Goryaga, A. N., 2=23681
- Lin Chzhan-Da [Ling Chang-Ta]. See Belov, K. P., 0=13830
- Lin' Chzhan-da [Ling Changta]. See Goryaga, A. N., 3=5061
- Lin, C. R. See Hsieh, S. H., 0=454
- Lin, D. L. and Masso, J. F. Third order reorientation effect in heavy ion Coulomb excitation, 4=21999
- Lin Dzon-Mou. See Filipczyński, L., 4=4442
- Lin, E. K. and Cohen, B. L. Nuclear structure studies in the zinc isotopes with stripping reactions, 4=6227
- Lin, E. K. See Jolly, R. K., 3=6281
- Lin, E. K. See Jolly, R. K., 3=15220
- Lin Fu-sheng. See Tolstoi, D. M., 4=10367
- Lin, H. E. See Corinaldesi, E., 3=15336
- Lin, H. E. See Corinaldesi, E., 3=17540
- Lin, I. and Toyoda, T. Induced radioactivity in iron by high energy protons, 2=22817
- Lin, S. See Hughes, R. H., 3=15278
- Lin, S. C. Limiting velocity for a rotating plasma, 1=16329
- Lin, S. C. Rate of ionization behind shock waves in air, 2=3006
- Lin, S.-C. Low density shock tube studies of reaction rates related to the high altitude hypersonic flight problem, 2=2746
- Lin, S. C. Radio echoes from a manned satellite during re-entry, 3=11613
- Lin, S. C. and Fyfe, W. I. Low-density shock tube for chemical kinetics studies, 1=2783
- Lin, S.-C., Neal, R. A. and Fyfe, W. I. Rate of ionization behind shock waves in air, 3=7431
- Lin, S. C. and Teare, J. D. Rate of ionization behind shock waves in air. II. Theoretical interpretations, 3=12074
- Lin, Shao-Chi and Theofilos, G. P. Hydrodynamic effects produced by pulse microwave discharges, 4=477
- Lin, S. H. and Eyring, H. Improved calculation of quasiequilibrium reaction rate constants, 4=62
- Lin, S. H. See Sparrow, E. M., 4=14104
- Lin, S. R. Elastic electron scattering by screened nuclei, 4=9667
- Lin, S. T. Some new magnetic phenomena of hematite single crystal, 0=3018
- Lin, S. T. Magnetic properties of hematite single crystals. I. Magnetization isotherms, antiferromagnetic susceptibility, and weak ferromagnetism of a natural crystal, 0=3019
- Lin, S. T. Magnetic behavior in the transition region of a hematite single crystal, 0=11845
- Lin, S. T. Remanent magnetization of a synthetic hematite single crystal, 1=6291
- Lin, S. T. Magnetic properties of  $\alpha\text{Fe}_2\text{O}_3$  single crystals, 3=1019
- Lin, S. T. and Ogilvie, R. E. Ferromagnetism of  $\text{UFe}_2$  and comparison with the ferromagnetic theories, 3=15791
- Lin, T. H. On the associated flow rule of plasticity based on crystal slips, 1=1321
- Lin, T. H. and Lieb, B. Rotation of crystals under axial strain, 2=6741
- Lin, T. H. and Uchiyama, S. Stress field caused by a slid crystal at a free surface, 4=1918



- Lin, T.H., Uchiyama, S. and Martin, D. Stress field in metals at initial stage of plastic deformation, 1=14875
- Lin Tian-nan. See Fong Duan., 4=1492
- Lin' Tszyun'-tin [Lin Chün-t'ing]. See Kolomiets, B.T., 0=15996
- Lin, W. C. and McDowell, C. A. Molecular orbital calculations of spin densities in the Diketopiperazyl radical, 4=1289
- Lin, W. C. and McDowell, C. A. Electron spin resonance of an X-ray irradiated single crystal of disodium hydrogen arsenate,  $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$ , 4=10316
- Lin, W.C., McDowell, C.A. and Rowlands, J.R. Electron spin resonance of X-ray irradiated single crystals of glutamic acid hydrochloride, 1=14797
- Lin, W. C., Venkatesan, D. and Van Allen, J. A. Latitude survey of cosmic-ray intensity by explorer 7, October 1959 to February, 1961, 4=972
- Lin, W.C. See Akasofu, S.-I., 3=13810
- Lin, W.C. See Akasofu, S.I., 4=3516
- Lin, Wei-guan. Step and taper waveguide sections with rounded corners, 0=7231
- Lin Wei-guan. Properties of ridge coaxial waveguides, 3=17059
- Lin Wei-guan. Number of propagating modes in a large waveguide, 4=3174
- Lin Wei-guan and Chung Shiong-lee. Current carrying conductor of some particular cross-sectional form in a uniform magnetic field, 4=30022
- Lin Wei-guan and Lin Yen-wu. Determination by direct integration of the field inside an elliptic cylinder carrying direct current, 4=30023
- Lin, Y.K. Nonstationary response of continuous structures to random loading, 3=9534
- Lin, Y. K. Nonstationary shot noise, 4=8080
- Lin Yen-wu. See Lin Wei-guan, 4=30023
- Linacres, J. K. See Taylor, N. K., 4=30239
- Linarès, C., Gaume-Mahn, F. and Janin, J. Preparation and optical properties of oxyfluorine compounds of antimony, niobium and tantalum, 4=26237
- Linares, R.C. The growth of barium titanate single crystals from molten barium fluoride, 1=14993
- Linares, R.C. Growth of refractory oxide single crystals, 2=12893
- Linares, R.C. Growth of single-crystal garnets by a modified pulling technique, 4=13549
- Linares, R.C., Ballman, A.A. and Van Uitert, L.G. Growth of beryl single crystals for microwave applications, 3=1264
- Linares, R.C. and Mills, A.D. Growth of  $7\text{ZnO} \cdot \text{Sb}_2\text{O}_3$  spinel crystals, 3=3274
- Linares, R.C. See Laudise, R.A., 2=12743
- Linares, R.C. See Spencer, E.G., 3=25547
- Linares, R.C. See Van Uitert, L.G., 2=6609
- Linares, R.C. See Van Uitert, L.G., 2=10618
- Linares, R.C., Jr. See Pappalardo, R., 1=17887
- Linares, R.C., Jr. See Pappalardo, R., 2=4142
- Linares, R.C., Jr. See Spencer, E.G., 1=14777
- Linck, J., Nicolas, I., Bilwes, R. and Magnac-Valette, D. Study of the reactions  $\text{Li}^7(\text{He}^3, \alpha)\text{Li}^4$  at about 5 MeV, 2=495
- Linck, J., Nicolas-Linck, I., Bilwes, R. and Magnac-Valette, D. Study of the lower levels of  $\text{Li}^6$  from the  $\text{Li}^7(\text{He}^3, \alpha)\text{Li}^4$  reaction, 4=17199
- Linck, J. See Bilwes, R., 1=13701
- Lincke, R. and Wilkerson, T.D. New detector for the vacuum ultraviolet, 2=19696
- Lincke, R. See Berg, H.F., 2=3700
- Lincoln, K.A. Automatic recording electromagnetic balance, 0=8588
- Lincoln, K.A. Thermal radiation characteristics of xenon flashtubes, 4=14442
- Lincoln, J. V. The listing of sudden ionospheric disturbances, 4=26844
- Lincoln, J.V. See Hakura, Y., 3=16303
- Lind, A. See Greenberg, J.M., 4=701
- Lind, A.C. See Greenberg, J.M., 4=15915
- Lind, D.A. and Day, R.B. Studies of gamma rays from neutron inelastic scattering, 1=7381
- Lind, D.A., Kraushaar, J.J., Smythe, R. and Rickey, M.E. General design features of the University of Colorado 52-inch cyclotron, 3=5735
- Lind, D.A., Rickey, M.E. and Bardin, B.M. Magnetic field design and measurement for the Colorado 52 inch cyclotron, 3=5749
- Lind, D.L. See Cence, R.J., 3=24724
- Lind, D. L. See Mead, G.D., 4=19473
- Lind, E.L. and Bube, R.H. Photoconductivity in cubic cadmium sulphide, 3=6631
- Lind, E.L. See Bube, R.H., 0=1681
- Lind, E.L. See Bube, R.H., 0=15989
- Lind, E.L. See Bube, R.H., 3=906
- Lind, S.C. See Rudolph, P.S., 0=12108
- Lind, S.C. See Rudolph, P.S., 0=16384
- Lind, S.C. See Rudolph, P.S., 2=6893
- Lind, S. C. See Rudolph, P. S., 4=23678
- Lind, V. G., Binford, T. O., Good, M. L. and Stern, D. Experimental investigation of V-A in leptonic lambda decay, 4=27902
- Lind, V.G. See Good, M.L., 3=17342
- Lind, V.G. See Stern, D., 4=25174
- Lind, W. See Gorge, V., 1=604
- Lindahl, G. See Hellstrand, E., 2=6035
- Lindberg, B. See Jacobson, B., 4=30009
- Lindberg, L. and Danielsson, L. Magneto-acoustic oscillations in a cylindrical plasma column, 3=16966
- Lindberg, L. and Jacobsen, C. On the amplification of the poloidal magnetic flux in a plasma, 1=8334
- Lindberg, L., Witalis, E. and Jacobsen, C.T. Experiments with plasma rings, 0=7115
- Lindberg, L. See Alfven, H., 1=9612
- Lindberg, M.L. and Christ, C.L. Crystal structures of the isostructural minerals lazulite, scorzalite and barboselite, 0=3230
- Lindberger, K.H. See Brix, P., 2=1866
- Lindblad, B. On the formation of dispersion rings in the central layer of a galaxy, 2=9107
- Lindblad, B. On the possibility of a quasi-stationary spiral structure in galaxies, 3=23700
- Lindblad, B.A. The radiant and orbit of a bright fireball, 1=15433
- Lindblad, N.R. and Semonin, R.G. Collision efficiency of cloud droplets in electric fields, 3=13677
- Lindblad, N.R. See Sartor, J.D., 4=4767
- Lindblad, O. Gravitational resonance effects and the formation of spiral structure, 2=1003
- Lindblad, P.O. On tidal interaction between galaxies, 0=18824
- Lindblad, P.O. The development of spiral structure in a galaxy approached by numerical computations, 0=18825
- Lindblad, P.O. Gravitational resonance effects in the central layer of a galaxy, 4=10848
- Lindblad, P.O. See Elvius, A., 0=10473
- Lindblom, B. Spectrographic study of vowel reduction, 4=4970
- Lindblom, B. See Fant, G., 4=4968
- Lindblom, G. Determination of concentration of Caesium-137 in precipitation and ground-level air in Sweden, 2=17149
- Linde, H. Cellular free interfacial convection for mass transfer at fluid boundaries in narrow capillary slits, 3=21587
- Linde, H. and Loeschke, K. Free interfacial convection for heat transfer at fluid boundaries, 3=21586
- Linde, H., Pfaff, S. and Zirkel, C. Flow investigations of the hydrodynamic instability of liquid-gas interfaces using the method of capillary separation, 4=21083
- Linde, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. I. Free interfacial cellular convection; isolated convection cells, 2=13475
- Linde, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. II. Free interfacial cellular convection; polygonal convection cell assembly with only slightly agitated cell boundaries, or "turbulence" at the boundaries such as a convection cell assembly subjected to oscillations, 2=13476
- Linde, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. III. Effect of the density gradient on the size of the convection cells, 2=13477
- Linde, H. and Schwarz, E. Investigations on the character of free interface convection during material transfer at liquid boundaries, 4=27146
- Linde, H. and Thiessen, D. Dynamic behaviour of the liquid phase boundary under the conditions of material transfer, 3=3800
- Linde, H. and Winkler, K. Demonstration and study of the effect of hydrodynamic stability on mass transport across a fluid phase boundary, 4=24193
- Linde, J.O. Electrical resistivity properties of noble metal alloys, 0=7908
- Linde, J. O. The effective mass of the conduction electrons in metals and the theory of superconductivity, 4=27413
- Linde, J.O. See Giansoldati, A., 0=4483
- Linde, L. van der. See van der Linde, L.
- Linde, P.F. and Manning, J.S. On the critical properties of dimethyl oxalate, 3=306



- Linde, V.P. See Kushnerev, M.Ya., 1=14557  
 Linde, V.R. See Vainshtein, E.E., 4=6691  
 Lindell, B. and Reizenstein, P. A Swedish building material for low-radioactivity laboratories, 4=19708  
 Lindell, S. See Hultqvist, B., 2=6960  
 Lindeman, H. and Lavie, A. Instrument for the measurement of the heat of vaporization of water, 1=16172  
 Lindeman, H. and Mornel, E. Time interval and resolving time measurements using scaling circuits, 3=7175  
 Lindeman, H. and Mornel, E. Resolving time of g. m. counters and its relation to input rate, 4=21696  
 Lindeman, H., Mornel, E. and Galil, U. Measurement of time intervals for time correlated radioactive decay, 1=7329  
 Lindeman, H. See Bar-Avraham, E., 3=12531  
 Lindemann, G. See Drost, H., 4=8848  
 Lindemann, W.W. and Mueller, R.K. Grain-boundary photoresponse, 0=18063  
 Linden, B.R., Schenkel, F.W., Jr and Snell, P.A. The development of photomultipliers for scintillation counting, 1=2995  
 Linden, B.R. See McPherson, P.M., 1=10589  
 Lindén, E. See Brogren, G., 2=23845  
 Lindén, H. See Elvius, T., 4=10801  
 Linden, R.J. Method of determining the dynamic constants of liquid-containing membrane manometer systems, 0=5042  
 Lindenbaum, S. See Foley, K., 4=9202  
 Lindenbaum, S.J. A counter hodoscope system with digital data handler and on-line computer for elastic scattering and other experiments at Brookhaven A.G.S., 3=19506  
 Lindenbaum, S.J., Love, W.A., Niederer, J.A., Ozaki, S., Russell, J.J., and Yuan, L.C.L. Antiproton-proton and proton-proton total cross-section from 4 to 20 BeV/c, 1=16789  
 Lindenbaum, S.J., Love, W.A., Niederer, J.A., Ozaki, S., Russell, J.J. and Yuan, L.C.L.  $\pi^+ + p$  and  $\pi^- + p$  total cross-sections from 8 to 20 BeV/c, 2=1713  
 Lindenbaum, S.J., Love, W., Ozaki, S., Russell, J. and Yuan, L.C.L. Focusing gaseous Cherenkov counters for particle identification at the Brookhaven A.G.S., 3=17106  
 Lindenbaum, S.J. and Sternheimer, R.M. Extension of the isobaric nucleon model for pion production in pion-nucleon and nucleon-nucleon collisions, 0=17403  
 Lindenbaum, S.J. See Baker, W.F., 2=20627  
 Lindenbaum, S.J. See Foley, K.J., 3=17323  
 Lindenbaum, S.J. See Foley, K.J., 3=19688  
 Lindenbaum, S.J. See Foley, K.J., 4=9194  
 Lindenbaum, S.J. See Mellissinos, A.C., 2=5710  
 Lindenbaum, S.J. See Mellissinos, A.C., 3=6034  
 Lindenbaum, S.J. See Sternheimer, R.M., 1=10904  
 Lindenberger, K.H. and Scheer, J.A. Relative measurement of the integrated effective cross-sections for the nuclear photo-effect: reactions on  $\text{Ca}^{40}$ , 0=2678  
 Lindenberger, K.H. See Dosch, H.G., 0=20475  
 Lindenberger, K.H. See v. Faber du Faur, C., 2=20512  
 Lindenberger, K.H. See Finckh, E., 3=17451  
 Lindenberger, K.H. See Finckh, E., 4=6147  
 Lindenberger, K.H. See Fuchs, H., 1=644  
 Lindenberger, K.H. See Fuchs, H., 3=662  
 Lindenblad, N.E. See Rosi, F.D., 1=8967  
 Lindenfeld, P. Tests and comparisons of carbon and germanium thermometers, 1=2909  
 Lindenfeld, P. Thermal conductivity of normal and superconducting lead alloys, 1=12360  
 Lindenfeld, P. and Pennebaker, W.B. Lattice conductivity of copper alloys, 2=20948  
 Lindenfeld, P. and Pennebaker, W.B. Lattice thermal conductivity of copper alloys, 4=17362  
 Lindenfeld, P. See Dubeck, L., 3=12032  
 Lindenfeld, P. See Dubeck, L., 4=18572  
 Lindenmeyer, P. H. and Holland, V. F. Relationship between molecular weight, radial-growth rate, and the width of the extinction bands in polyethylene spherulites, 4=7683  
 Lindenmeyer, P. H. and Hosemann, R. Application of the theory of paracrystals to the crystal structure analysis of polyacrylonitrile, 3=11276  
 Linder, A. See Hjalmar, S., 3=21208  
 Linder, B. Continuum-model treatment of long-range intermolecular forces. I. Pure substances, 0=16687  
 Linder, B. Energy and free energy of cohesion, 1=11750  
 Linder, B. Generalized form for dispersion interaction, 2=20887  
 Linder, B. Van Der Waals interaction potential between polar molecules. Pair potential and (nonadditive) triple potential, 4=17325  
 Linder, B. and Hoernschemeyer, D. Many-body aspects of intermolecular forces, 4=11107  
 Linder, B. and Zucker, A. Radiative capture of  $\text{N}^{14}$  on  $\text{P}^{31}$ , 2=18363  
 Linder, B. See Carter-Waschek, C., 1=19374  
 Linder, B. See Howard, B.B., 2=3780  
 Linder, B. See Konowalow, D.D., 0=3565  
 Linder, B. See Need, J.L., 3=8092  
 Linder, B. See Riley, C., 4=17197  
 Linder, B. See Riley, C., 4=28065  
 Linderberg, J. Perturbation treatment of Hartree-Fock equations, 1=2272  
 Linderberg, J. Study of atoms by perturbation theory, 2=20732  
 Linderberg, J. On dispersion forces, 2=20898  
 Linderberg, J. Doubly excited states and natural orbitals in the study of atoms by perturbation theory, 4=15264  
 Linderberg, J. Dispersion energy and electronic correlation in molecular crystals, 4=28300  
 Linderberg, J. and Bystrand, F. W. Cohesive energy of solid neon, 4=28301  
 Linderberg, J. and Shull, H. Electronic correlation energy in 3- and 4-electron atoms, 0=17651  
 Lindern, L.v. See v. Lindern, L.  
 Lindgren, A. See Öhman, Y., 3=9222  
 Lindgren, B. See Edvinsson, G., 4=1258  
 Lindgren, B. See Pettersson, A.V., 1=11098  
 Lindgren, B. See Pettersson, A.V., 2=22975  
 Lindgren, E.R. Liquid flow in tubes. I. The transition process under highly disturbed entrance flow conditions, 0=8621  
 Lindgren, E.R. Liquid flow in tubes. II. The transition process under less disturbed inlet flow conditions, 0=8622  
 Lindgren, E.R. Liquid flow in tubes. III. Characteristic data of the transition process, 0=8623  
 Lindgren, E.R. Liquid flow in tubes. IV. The transition process and turbulent flow related to tube diameter and microscopic surface properties, 1=5257  
 Lindgren, E.R. Liquid flow in tubes. V. Effects of lateral tube deflections on some turbulent transition quantities, 1=5258  
 Lindgren, E.R. Liquid flow in tubes. VI. Viscosity data on flows of distilled water through cylindrical pipes, 3=108  
 Lindgren, E.R. Liquid flow in tubes. VII. Momentum perturbation and breakdown of steady flow in relation to wall roughness, 3=5420  
 Lindgren, E.R. Liquid flow in tubes. VIII. Influence of roughness upon the transition process, 3=14119  
 Lindgren, I. Investigation of a beta-ray spectrometer with a triangular field, 0=2396  
 Lindgren, I. Atomic beam resonance apparatus with sixpole magnets for radioactive isotopes, 0=17685  
 Lindgren, I. Nuclear magnetic moments in the rare earth region, 2=12119  
 Lindgren, I. and Johansson, C.M. Nuclear magnetic dipole and electric quadrupole moments of radioactive bismuth isotopes, 0=7457  
 Lindgren, I., Olsen, B., Pettersson, G. and Schneider, W. A Monte-Carlo technique for investigations of the focusing properties of long magnetic lenses, 3=19342  
 Lindgren, I., Pettersson, G. and Schneider, W. The focusing properties of long magnetic lenses. II, 3=14674  
 Lindgren, I. and Schneider, W. The focusing properties of long magnetic lenses. I, 3=14673  
 Lindgren, I. See Axensten, S., 0=5652  
 Lindgren, I. See Axensten, S., 2=3461  
 Lindgren, I. See Cabezas, A.Y., 0=20328  
 Lindgren, I. See Cabezas, A., 1=2150  
 Lindgren, I. See Cabezas, A.Y., 1=9900  
 Lindgren, I. See Judd, B.R., 1=9901  
 Lindgren, I. See Liljégren, G., 4=990  
 Lindgren, I.P.K. See Cabezas, A.Y., 2=12295  
 Lindgren, S. On the pressure dependence of the cosmic ray intensity recorded by the standard neutron monitor, 2=9970  
 Lindgren, S. Atmospheric effects on the sea level Cosmic ray intensity, 2=13912  
 Lindgren, S. and Lindholm, F. Atmospheric effects on the meson intensity recorded by the international standard cube at a high latitude station, 2=1750  
 Lindgren, S. See Drying, E., 2=16282  
 Lindgren, S. See Sandström, A.E., 0=5635  
 Lindgren, S. See Sandström, A.E., 0=20289  
 Lindgren, S. See Sandström, A.E., 1=3373  
 Lindgren, S. See Sandström, A.E., 2=9968  
 Lindgren, S. See Sandström, A.E., 2=13909



- Lindgren, U. See Öhman, Y., 3=9222
- Lindh, G. Transmission of a transient spherical wave at a plane interface, 2=15689
- Lindh, G. The transmission of a spherical transient wave through a liquid layer, 4=5310
- Lindhard, J. and Nielsen, V. Nuclear collisions and ionisation fluctuations in charged particle detectors, 2=22354
- Lindhard, J. and Scharff, M. Energy dissipation by ions in the keV region, 1=16441
- Lindhard, J., Scharff, M. and Schiøtt, H. E. Range concepts and heavy ion ranges. Notes on atomic collisions. II, 4=25438
- Lindhard, J. and Thomsen, P. V. Sharing of energy dissipation between electronic and atomic motion, 3=8463
- Lindhard, J. and Winther, A. Stopping power of electron gas and equipartition rule, 4=27572
- Lindholm, E., Szabo, I. and Wilmenius, P. Dissociation of acetylene molecule ions formed in charge exchange collisions with positive ions. Ion-molecule reactions of acetylene, 4=12523
- Lindholm, E. See Chupka, W. A., 4=9779
- Lindholm, E. See Gustafsson, E., 1=7029
- Lindholm, E. See Pettersson, E., 3=10549
- Lindholm, E. See Sjögren, H., 3=14520
- Lindholm, E. See Wilmenius, P., 2=6870
- Lindholm, F. See Lindgren, S., 2=1750
- Lindholm, F. A. See Hamilton, D. J., 4=26086
- Lindholm, F. A. See Latham, D. C., 4=26085
- Lindley, B. C. and McNab, I. R. Microwave diagnostics for helium-cesium plasmas, 3=4135
- Lindley, D. H. and Banbury, P. C. Recombination relaxation effects in germanium surfaces, 0=4345
- Lindley, D. H. and Banbury, P. C. Surface relaxation effects in germanium at reduced temperatures, 1=1052
- Lindley, D. H. and Banbury, P. C. The trapping of injected carriers at the surface of germanium, 3=22925
- Lindley, G. An evaluation of specular reflectance techniques in infrared spectrophotometry, 4=8417
- Lindley, P. B. See Gent, A. N., 0=3159
- Lindley, P. B. See Lake, G. J., 3=7256
- Lindley, T. C. and Smallman, R. E. The plastic deformation of polycrystalline vanadium at low temperatures, 3=13351
- Lindley, T. C. and Smallman, R. E. The determination of the yield stress parameters  $K_y$  and  $\sigma_i$  by grain-size and extrapolation methods, 3=23312
- Lindley, T. C. See Edington, J. W., 4=29021
- Lindman, R. See Ekman, G., 2=24225
- Lindmayer, J. Power gain of transistors at high frequencies, 2=21178
- Lindmayer, J. Surface charge and surface potential in arbitrarily doped crystals, 3=13049
- Lindmayer, J. and Kutsko, M. Reflection of microwaves from semiconductors, 3=23043
- Lindmayer, J., Reynolds, J. and Wrigley, C. One-carrier space-charge-limited current in solids, 3=10709
- Lindmayer, J. and Slobodskoy, A. Two-carrier space-charge-limited current in solids and the dielectric capacitor, 4=1644
- Lindmayer, J. and Wrigley, C. A simplified approach to transistor admittances, 2=10516
- Lindmayer, J. and Wrigley, C. Some generalities of the transit-time mode for two-barrier devices, 3=431
- Lindmayer, J. and Wrigley, C. A new aspect of the semiconductor diode, 3=13092
- Lindmayer, J. and Wrigley, C. Determining the injection efficiency of metal-semiconductor contacts, 3=22961
- Lindmayer, J., Wrigley, C. and Schoeni, K. Equilibrium charge, field and potential distributions in semiconductors 3=10757
- Lindner, A. Statistical theory of nuclear reactions, 4=9472
- Lindner, A. See Meldner, H., 4=30337
- Lindner, C. N. See Berg, R. A., 1=13385
- Lindner, H. See Boersch, H., 4=19292
- Lindner, H. See Boersch, H., 4=27681
- Lindner, H. See Herziger, G., 4=18410
- Lindner, H. See Kessler, J., 4=30392
- Lindner, J. On non-linear field theory, 1=11692
- Lindner, J. Classical particle model with variable gravitation coefficient, 2=19393
- Lindner, J. See Bechert, K., 1=5638
- Lindner, J. W. The scientific results of the pioneer V space probe, 4=13976
- Lindner, M. and Turkevich, A. Competition between fission and neutron emission in excited heavy nuclei, 0=15607
- Lindner, M. See Miskel, J. A., 3=4651
- Lindner, R. Semiconductor surface varactor, 2=12537
- Lindner, R., Liljenzin, J. O. and Reinhardt, H. Radiometric sedimentation analysis, 1=15208
- Lindner, R. and Matzke, H. The diffusion of Xe-133 in uranium oxides of different oxygen contents, 0=1607
- Lindner, R. and Matzke, H. Diffusion of radioactive noble gases in uranium oxides and uranium monocarbide, 0=4308
- Lindner, R. and Matzke, H. Diffusion of radon in oxides by recoil labelling, 1=17563
- Lindner, R., Reinhardt, H. and Liljenzin, J. O. Determination of the particle size of polonium radiocolloids, 0=16389
- Lindner, R. and Schmitz, F. Diffusion of uranium 233 in uranium oxide, 2=8249
- Lindner, R. See Liljenzin, J. O., 4=2143
- Lindner, R. See Matzke, H., 0=15874
- Lindner, R. See Matzke, H., 2=6362
- Lindner, R. See Schmitz, F., 2=6377
- Lindner, U. and Pfeifer, H. Proton relaxation in concentrated aqueous solutions of magnesium sulphate, 4=209
- Lindner, W. See Fanslau, G., 4=8887
- Lindqvist, L. See Claesson, S., 4=26761
- Lindqvist, D. L. See Prescott, J. R., 1=16388
- Lindqvist, R. See Riedler, W., 4=3188
- Lindqvist, R. E. and Ewald, A. W. Optical constants from reflectance ratios by a geometric construction, 3=6640
- Lindqvist, R. E. and Ewald, A. W. Optical constants of single-crystal gray tin in the infrared, 4=22898
- Lindqvist, R. H. See Howard, D. G., 3=13297
- Lindqvist, R. W. Initial-value problem of Einstein-Rosen manifolds, 3=18705
- Lindqvist, R. W. See Brill, D. R., 3=16518
- Lindqvist, K. and Lundén, A. Thermal diffusion of the Li isotope in solid lithium sulphate, 1=19803
- Lindqvist, L. High voltage flash photolysis lamp, 4=24357
- Lindqvist, T. See El-Nesr, M. S., 2=3522
- Lindqvist, T. See Gerholm, T. R., 0=17142
- Lindqvist, T. See Matthias, E., 2=5821
- Lindqvist, T. See Matthias, E., 3=10224
- Lindqvist, T. See Salomon, M., 3=20069
- Lindqvist, T. See Salomon, M., 4=3570
- Lindqvist, T. See Salomon, M., 4=20156
- Lindqvist, T. See Schneider, W., 2=5619
- Lindroth, H. See Westermarck, T., 0=15527
- Lindroth, H. See Westermarck, T., 1=19400
- Lindsay, E. M. A new catalogue of emission-line stars and planetary nebulae in the small magellanic cloud, 1=6721
- Lindsay, J. B. A fast linear gate, 3=19151
- Lindsay, J. C. The solar extreme ultraviolet radiation (1-400 Å), 4=26934
- Lindsay, P. A. General steady-state theory of cylindrical magnetrons, 2=5378
- Lindsay, P. A. Velocity and potential distribution in a linear, smooth anode magnetron (magnetic diode), 3=429
- Lindsay, P. A. The problem of electron velocity distribution, 4=11693
- Lindsay, P. A. General steady-state theory of linear magnetrons. II, 4=29980
- Lindsay, P. A. and Parker, F. W. Potential distribution between two plane emitting electrodes, 0=7152
- Lindsay, P. A. and Parker, F. W. Potential distribution between two plane emitting electrodes. II. Thermionic engines, 0=19732
- Lindsay, P. A. and Sims, G. D. Electron "temperature" in crossed fields, 3=14046
- Lindsay, R. See Baniewicz, J. J., 0=4471
- Lindsay, R. See Siksnas, R., 0=7164
- Lindsay, R. B. Influence of the environment on the wave transmission of energy: resonance and relaxation, 0=121
- Lindsay, R. B. See Fujii, Y., 3=18857
- Lindsay, R. B. See Fujii, Y., 4=5245
- Lindsay, R. B. See Law, A., 4=14214
- Lindsay, R. E. and Carr, R. J. He-ion induced reactions of aluminum and magnesium, 0=11425
- Lindsay, R. H. and Carr, R. J. (He<sup>+</sup>, Be<sup>+</sup>) reaction in magnesium, aluminum, titanium, cobalt, and copper from threshold to 42 MeV, 1=729
- Lindsay, R. H. and Neuzil, E. F. (p, Be<sup>+</sup>) reaction in Al and Mg from 27 to 31.7 MeV, 2=18323
- Lindsay, R. H. See Neuzil, E. F., 3=22383
- Lindsay, R. W. See Benford, J. G., 3=16112
- Lindsay, R. W. See Graham, A. H., 3=13450
- Lindsay, W. T., Jr and Pement, F. W. Electrical resistance of alpha hydrogen-palladium, 2=6410



- Lindsey, J.P. Elimination of seismic ghost reflections by means of a linear filter, 0=8352
- Lindsey, J.S. See Kalbfleisch, G.R., 4=27891
- Lindsey, K. Notes on experimental technique and apparatus. A simple mounting system for X-ray cameras, 4=23402
- Lindskog, J., Bashandy, E. and Gerholm, T.R. Determination of a  $7 \times 10^{-11}$  sec half-life for the first excited state in thallium 201, 0=11387
- Lindskog, J. and Sundström, T. Improved experimental methods for measurements of nuclear lifetimes down to  $10^{-11}$  seconds, 3=12605
- Lindskog, J., Sundström, T., Lindström, J.O. and Sparrman, P. Determination of the electromagnetic transition probabilities in the ground state decay of Au 199, 3=12642
- Lindskog, J., Sundström, T. and Sparrman, P. Delayed coincidence measurement of the lifetime of the 129-ke V level in Ir 191, 3=2394
- Lindskog, J., Sundström, T. and Sparrman, P. Experimental studies of the electromagnetic transitions from the first excited states in  $\text{Hf}^{177}$ ,  $\text{Lu}^{176}$  and  $\text{Lu}^{177}$ , 3=6178
- Lindskog, J. See Aasa, E., 4=19737
- Lindskog, J. See Bäckström, G., 0=5712
- Lindskog, J. See Bäckström, G., 0=7523
- Lindskog, J. See Bäckström, G., 3=6170
- Lindskog, J. See Bashandy, E., 0=7478
- Lindskog, J. See Bashandy, E., 0=15539
- Lindskog, J. See Gerholm, T.R., 3=14962
- Lindskog, J. See Sundström, T., 4=1050
- Lindskog, J. See Sundström, T., 4=19697
- Lindskog, J. See Sundström, T., 4=19698
- Lindskog, J. See Sundström, T., 4=19699
- Lindström, I.S. See Grigorova, V.S., 3=25851
- Lindström, I.S. See Markov, M.N., 0=10027
- Lindström, I.S. See Markov, M.N., 0=11660
- Lindström, B. and Marklund, I. Gamma intensities in the decay of  $\text{Ir}^{192}$ , 4=9458
- Lindström, B. See Bergvall, P., 3=12640
- Lindström, B. See Grabowski, Z., 2=20561
- Lindström, B. See Marklund, I., 3=8004
- Lindström, G. See Atterling, H., 0=9122
- Lindström, G. See Bormann, M., 2=9739
- Lindström, J.O. See Bäckström, G., 3=6170
- Lindström, J.O. See Lindskog, J., 3=12642
- Lindström, J.O. See Sundström, T., 4=1050
- Lindström, J.O. See Sundström, T., 4=19697
- Lindström, J.O. See Sundström, T., 4=19698
- Lindström, J.O. See Sundström, T., 4=19699
- Lindt, W. See Debrunner, H., 0=17445
- Lindt, W. See Debrunner, H., 1=3372
- Lindt, W. See Gorgé, V., 1=4829
- Lindt, W. See Steinriss, F., 4=21849
- Lindveit, T., Peguin, P. and Gobin, P. A method for the automatic measurement of internal friction by a torsion pendulum, 4=28913
- Lineberger, W. C. and Hooper, J. W. Noninterrupting method for measuring pulsed charged particle beam currents, 4=3054
- Línek, A. The atomic coordination of the complex anion in  $\text{Na}_2\text{H}_4[\text{Mn}^{\text{IV}}(\text{IO}_6)_2] \cdot 17 \text{H}_2\text{O}$ , 3=23460
- Línek, A. and Novák, C. Structure factor computing machine, 1=15028
- Línek, A. and Novák, C. Spatial representation of the atomic distribution in a crystal lattice from a limited number of X-ray diffraction data, 3=6836
- Línek, A. See Hadinec, I., 2=824
- Línek, A. See Hadinec, I., 2=825
- Línek, A. See Hadinec, I., 2=23856
- Linenberger, G.A., Orndoff, J.D. and Paxton, H.C. Enriched-uranium hydride critical assemblies, 1=13898
- Lines, A.W. Performance, control and guidance of satellite vehicles, 0=12342
- Lines, M.E. Antiferromagnetism in the face-centred cubic lattice by a spin-wave method, 3=5333
- Lines, M.E. Antiferromagnetism in a layer structure by Green function techniques, 3=20625
- Lines, M.E. Magnetic properties of  $\text{CoCl}_2$  and  $\text{NiCl}_2$ , 3=20626
- Lines, M.E. Curie temperatures for layer structures, 4=10254
- Lines, M.E. Green functions in the theory of antiferromagnetism, 4=28853
- Lines, M.E. See Harris, F.A., 4=26403
- Lines, M.E. See ter Haar, D., 2=6665
- Lines, M.E. See ter Haar, D., 2=23688
- Lines, R.A.G. See Cameron, J.A., 3=17636
- Lines, R.A.G. See Cameron, J.A., 4=3967
- Linev, A.F. See Indreash, G., 3=24419
- Linev, A.F. See Kirsanov, V.M., 4=14788
- Linev, A.F. See Kondrashev, L.F., 1=3194
- Linev, A.F. See Kurashov, A.A., 1=514
- Linevsky, M.J. Infrared spectrum of lithium fluoride monomer by matrix isolation, 1=4935
- Linevsky, M.J. Infrared absorption spectra of  $\text{LiF}$  and  $\text{Li}_2\text{F}_2$  in solid argon, krypton, and xenon matrices, 3=8261
- Linevsky, M.J., White, D. and Mann, D.E. Infrared spectrum and structure of gaseous  $\text{Al}_2\text{O}$ , 4=25666
- Linevsky, M.J. See Sommer, A., 3=8272
- Linevsky, M.J. See Wachman, H.Y., 2=3037
- Linevsky, M.J. See White, D., 4=3862
- Lineweaver, J.L. Oxygen outgassing caused by electron bombardment of glass, 3=16124
- Lineweaver, J.L. Oxygen outgassing caused by electron bombardment of glass, 4=21204
- Lineweaver, J.L. See Todd, B.J., 0=979
- Linfield, R.F. See Hefley, G., 1=6592
- Linfoot, E.H. Informational considerations in the design of astronomical spectrographs, 0=18585
- Linfoot, E.H. Contrast transmission functions at low spatial frequencies, 0=19366
- Linfoot, E.H. Contrast transmission and the image evaluation problem, 0=19367
- Linfoot, E.H. Wave-theoretic and ray-theoretic contrast transmission functions, 1=1806
- Linfoot, E.H. Focal tolerances and best focal setting for model photographic images with primary spherical aberration, 1=16130
- Linfoot, E.H. Convolved spot-diagrams and the quality evaluation of photographic images, 2=7416
- Linfoot, E.H. On the best fine-correction of photographic lenses with 2-term spherical aberration, 3=7363
- Linfoot, E.H. Optics and space research, 4=13973
- Ling Chang-Ta. See Lin Chzhan-Da., 0=13830
- Ling La'Ts'ao. See Din Da-Tsao, 4=3483
- Ling, S.C. See Tan, H.S., 4=5226
- Ling Shu-len, Huang Chaang and Shu Bieng-hua. Measurement of the impurity distribution of diffused layers in silicon by the four-point probe and the anodic oxidation technique, 4=28448
- Lingafelter, E.C. and Stewart, J.M. Unidirectional integrating mechanism for the Buerger precession camera, 0=8182
- Lingafelter, E.C. See Lyle, F.K.C., 0=3247
- Lingafelter, E.C. See Montgomery, H., 4=30857
- Lingafelter, E.C. See Morosin, B., 0=3243
- Lingafelter, E.C. See Stewart, J.M., 0=4653
- Lingafelter, E.C. See Tracy, J.W., 2=10871
- Lingafelter, E.C. See Tracy, J.W., 2=15023
- Lingafelter, E.C. See Tracy, J.W., 2=15025
- Lingappa, N., Kondalah, E., Badrinathan, C., Deshpande, M.D. and Balakrishnan, M. Width of the first excited state of  $\text{Sn}^{116}$ , 3=639
- Lingar, W.E. See Behr, B.C., 2=7537
- Lingelbach, R. and Vogt, E. On the magnetic behaviour of aluminium and aluminium solid solutions, 0=16125
- Lingeman, E.W.A., Löbner, K.E.G., Nijgh, G.J. and Wapstra, A.H. The neutron transition in  $^{196}\text{Au}$ , 2=12166
- Lingenfelter, R.E. Criticality calculations of BeO-moderated enriched uranium systems, 1=17236
- Lingenfelter, R.E. Production of carbon 14 by cosmic-ray neutrons, 3=17378
- Lingenfelter, R.E. The cosmic-ray neutron leakage flux, 4=6173
- Lingenfelter, R.E., Canfield, E.H. and Hess, W.N. The lunar neutron flux, 1=18033
- Lingenfelter, R.E. and Flamm, E.J. Production of carbon 14 by solar protons, 4=23769
- Lingenfelter, R.E., Hess, W.N. and Canfield, E.H. Neutron leakage flux and the nitrogen abundance of Venus, 2=19284
- Lingenfelter, R.E. See Flamm, E.J., 4=26813
- Lingenfelter, R.E. See Hess, W.N., 1=15593
- Lingenfelter, R.E. See Killeen, J., 4=4793
- Lingensjo, J. See Oberg, P., 0=3481
- Linhard, J., Nielsen, V., Scharff, M. and Thomsen, P.V. Integral equations governing radiation effects (notes on atomic collisions. III), 3=25305
- Linhard, F. and Oberst, H. Temperature dependence of oscillation-damping materials, 2=5127
- Linhard, W. Acoustic coupling of organ pipes, 2=2839



- Linhardt, W. See Lottermoser, W., 0=14759  
 Linhart, J.G. Plasma confinement by external magnetic fields, 0=3763  
 Linhart, J.G. Accelerated self-constricted electron streams in plasma, 0=9027  
 Linhart, J.G. Theory of fusion reactions in an unconfined plasma, 0=20532  
 Linhart, J.G. Dynamic stability of a conducting cylindrical shell in a magnetic field, 1=4709  
 Linhart, J.G. Experiments on interaction of plasmas and microwaves, 1=5572  
 Linhart, J.G. A simplified analysis of the dynamics of plasma guns, 1=18824  
 Linhart, J. G. Nuclear fusion and its role as an energy source, 4=21545  
 Linhart, J.G., Knoepfel, H. and Gourlan, C. Amplification of magnetic fields and heating of plasma by a collapsing metallic shell, 3=12173  
 Linhart, J.G. and Schoch, A. Relativistic electron beam devices for fusion, 0=19670  
 Linhart, J.G. See Maisonnier, C., 3=11219  
 Linhart, J.G. See Somon, J.P., 3=12218  
 Linhart, S. G. See Schenk, G., 4=18351  
 Liniger, W. The solution of a transition problem in a superconducting strip, 2=15843  
 Liniger, W. and Odeh, F. Susceptibilities and critical fields of superconducting films, 3=9680  
 Liniger, W. and Odeh, F. Susceptibilities and critical fields of superconducting films, 4=5500  
 Liniger, W. See Lieb, E.H., 3=14064  
 Liniger, W. See Lieb, E.H., 4=14078  
 Link, F. The ionospheres of planets, 0=18624  
 Link, F. A possible test for the existence of the Chapman corona in radio astronomy, 1=15535  
 Link, F. Four-century cycle in solar activity, 3=9202  
 Link, F. The Martian atmospheric boundary, 3=18605  
 Link, F. Manifestations of solar activity in the historical past, 4=26932  
 Link, G.L. Motion of c domain centers in  $\text{BaTiO}_3$ , 2=2210  
 Link, L.E. See Hummel, H.H., 3=22458  
 Link, R. Electrical behaviour of purified tellurium single crystals, 3=17898  
 Link, R. Charge-carrier scattering in tellurium containing dislocations, 4=17397  
 Link, R. and Seiwert, R. The temperature dependence of the luminescence of CdS crystals. I. Crystals without foreign without foreign activators, 0=4438  
 Link, R. and Seiwert, R. The temperature dependence of luminescence of CdS crystals without foreign activators, 2=8552  
 Link, R. See Fritz, G., 2=2113  
 Link, S. See Gruber, H.E., 3=11628  
 Link, W. T. See Barton, R., 4=6275  
 Link, W. T. See Kavanagh, T. M., 4=28029  
 Linke, K.H. See Fehér, F., 3=3300  
 Linkoaho, M. See Korhonen, U., 4=20765  
 Linkova, N.V., Osokina, R.M., Ratner, B.S., Amirov, R.Sh. and Akindinov, V.V. Photoprotons from  $\text{Cu}^{65}$ , 0=13263  
 Lin'kova, T.I. Some results of paleomagnetic investigations of Devonian sedimentary rocks, 3=21078  
 Linlor, W.I. Plasma production by traveling resonant perturbations, 1=16332  
 Linlor, W.I. Fusion plasma injection, 2=13570  
 Linlor, W.I. Angular momentum relations for plasmas in magnetic fields, 2=19936  
 Linlor, W.I. Ion energies produced by laser giant pulse, 4=8843  
 Linlor, W.I. Some properties of plasma produced by laser giant pulse, 4=18881  
 Linn, D.F. See Geschwind, S., 0=13861  
 Linn, H.J. Determination of the initial distribution of the field for beam injection into periodic magnetic fields, 3=5707  
 Linnartz, E. See Müller, A., 4=6420  
 Linnell, A.P. Eclipsing binary extinction errors, 2=17283  
 Linnell, R.H. Near-ultraviolet solution spectra of pyridazine, 1=8123  
 Linnell, R.H., Aldo, M. and Raab, F. Hydrogen-bonding self-association of pyrrolidine in  $\text{CCl}_4$ , 2=10961  
 Linnenbom, V.J. See Cheek, C.H., 1=11656  
 Linner, L.R., George, R.I. and McQuistan, R.B. Automatic vacuum control in the 760 to  $1 \times 10^{-8}$  torr range, 0=12442  
 Linnett, J.W. A general discussion on ions of the transition elements. General introduction, 0=20727  
 Linnett, J.W. and Sovers, O. Wave functions of excited states. Allyl cation, radical and anion, 4=6610  
 Linnett, J.W. See Barber, M., 3=21441  
 Linnett, J.W. See Barber, M., 3=21902  
 Linnett, J.W. See Bowen, H.C., 3=19982  
 Linnett, J.W. See Bowen, H.C., 4=25675  
 Linnett, J.W. See Chong, D. P., 4=30451  
 Linnett, J.W. See Dickens, P.G., 0=21272  
 Linnett, J.W. See Dickens, P.G., 3=6433  
 Linnett, J.W. See Gould, R.D., 3=22571  
 Linnett, J.W. See Greaves, J.C., 0=510  
 Linnett, J.W. See Greaves, J.C., 0=511  
 Linnett, J.W. See Greaves, J.C., 0=512  
 Linnett, J.W. See Green, M., 1=2338  
 Linnett, J.W. See Green, M., 1=2339  
 Linnett, J.W. See Heckingbottom, R., 2=15029  
 Linnett, J.W. See Jennings, K.R., 1=13942  
 Lins, S. J. and Paul, M. C. Solid-state electric field generator for the monopole gas analyzer, 4=27588  
 Linschitz, H. See Blauer, G., 0=18434  
 Linschitz, H. See Eloranta, J., 3=16180  
 Linschitz, H. See Ottolenghi, M., 4=21156  
 Linscott, I., Hemenway, C. L. and Witt, G. Calcium film indicator of moisture associated with noctilucent cloud particles, 4=29286  
 Linsley, J. Remarks on cosmic-ray composition, 2=22663  
 Linsley, J. Evidence for a primary cosmic-ray particle with energy  $10^{20}$  eV, 4=25232  
 Linsley, J. and Scarsi, L. Cosmic-ray composition at  $10^{11}$ - $10^{18}$  eV, 2=22662  
 Linsley, J. and Scarsi, L. Arrival times of air shower particles at large distances from the axis, 3=6106  
 Linsley, J., Scarsi, L., Eccles, P.J. and Rossi, B.B. Isotropy of cosmic radiation, 2=13930  
 Linsley, J., Scarsi, L. and Rossi, B. Extremely energetic cosmic-ray event, 1=10944  
 Linsley, J., Scarsi, L. and Rossi, B. Energy spectrum and structure of large air showers, 2=20459  
 Linsley, J. See Clark, G.W., 1=7297  
 Lintner, K. The effect of irradiation on the plasticity of metal crystals, 4=1914  
 Linton, M. See Barker, J.A., 3=14205  
 Lintz, A. See Naiman, C. S., 4=20466  
 Lintz, A. Jr. and Newnham, R.E. Ultraviolet absorption spectra in ruby, 1=11371  
 Linzen, D. See Haubenreisser, W., 2=2294  
 Linzen, D. See Haubenreisser, W., 2=14815  
 Linzen, D. See Haubenreisser, W., 3=3160  
 Linzen, D. See Haubenreisser, W., 3=6742  
 Linzen, D. See Haubenreisser, W., 3=18121  
 Linzer, M. and Hornig, D. F. Structure of shock fronts in argon and nitrogen, 4=5282  
 Linzer, M. See Hansen, K., 2=2753  
 Linzer, M. See Radford, H.E., 3=19988  
 Liobimov, G.A. On the form of Ohm's law in magnetohydrodynamics, 2=22312  
 Liodec, N. See Debras-Guédon, J., 4=16239  
 Lion, K.S. Nonlinear twin-t network for capacitive transducers, 4=16407  
 Lions, J.L. See Gårding, L., 0=3912  
 Liot, R. See Jean, R., 0=2407  
 Liotta, R.S. Remarks on the covariant Hamiltonian formalism for vectorial fields, 0=2480  
 Liotta, R.S. On the quantum conditions in field theory. IV, 0=20009  
 Liotta, R.S. See De Tollis, B., 1=5887  
 Liou De-sen. See Chen Shih-kang, 3=25230  
 Lipaeva, G.A. Temperature dependence of the complex permittivity of some titanates between 20 and 100°C, 2=21219  
 Lipaeva, G.A. Temperature dependence of the complex permittivity of some titanates between 20 and 1000°C, 3=2953  
 Lipaeva, G.A. and Skanavi, G.I. The temperature dependences of  $\epsilon'$  and  $\epsilon''$  of strontium-bismuth titanate and of barium titanate at 9400 Mc/s, 0=18025  
 Lipas, P.O. Perturbation corrections to energies of collective states in deformed even nuclei, 3=6154  
 Lipas, P.O. Vibrational E1, E2 and E3 transitions in deformed even nuclei, 3=10241  
 Lipas, P.O. Nonexistence of collective M1 transitions, 4=17012  
 Lipas, P.O. and Davidson, J.P. Octupole vibrations of deformed even nuclei, 1=13643  
 Lipatova, V. A. See Gel'd, P. V., 4=1854



- Lipetrovskii, V.A. Anisotropic propagation of longitudinal electroacoustical waves in a drifting plasma, 1=18863
- Lipis, L.V. See Korovin, Yu.I., 0=1971
- Lipkin, A.A. Binding and decay of a Mott exciton taking into account the exact Coulomb functions, 0=20778
- Lipkin, B.S. Monocular Flicker discrimination as a function of the luminance and area of contralateral steady light. I. Luminance, 2=24218
- Lipkin, B.S. Monocular Flicker discrimination as a function of the luminance and area of contralateral steady light. II. Area, 2=24219
- Lipkin, D.M. Note on the modified gravitational equations  $g^2 R_{ik} = 0$ , 1=6769
- Lipkin, D.M. Existence of a new conservation law in electromagnetic theory, 4=19161
- Lipkin, H.J. Collective motion in many-particle systems. I. The violation of conservation laws, 0=7310
- Lipkin, H.J. Some simple features of the Mössbauer effect, 0=7451
- Lipkin, H.J. Collective motion in many-particle systems. II. Treatment of coupled systems, 1=8080
- Lipkin, H.J. Debye-Waller factor in Mössbauer interference experiments, 1=11146
- Lipkin, H.J. Pairing and quadrupole forces in a two-dimensional soluble model, 1=13605
- Lipkin, H.J. Simple models of many particle systems, 2=1764
- Lipkin, H.J. Some simple features of the Mössbauer effect. II. Sum rules and the moments of the energy spectrum, 2=14364
- Lipkin, H.J. On the possibility of strangeness-violating  $\Delta S = 4$  transitions in strong interactions, 2=16149
- Lipkin, H.J. Some simple features of the Mössbauer effect. III. The f-factor for an impurity source in a crystal, 3=20058
- Lipkin, H.J. Boson couplings and higher symmetries, 4=9090
- Lipkin, H.J. A possible higher symmetry scheme for strongly interacting particles, 4=19381
- Lipkin, H.J. Some simple aspects of the theory of the Mössbauer effect, 4=20161
- Lipkin, H.J. Relaxation effects in a simple Mössbauer model, 4=12578
- Lipkin, H.J., Levinson, C.A. and Meshkov, S. On the production of the  $Z'(\Omega^-)$  baryon, 4=6137
- Lipkin, H.J., Peshkin, M. and Tassie, L.J. Flux quantization and the current-carrying state in a superconducting cylinder, 2=9477
- Lipkin, H.J. See Bhattacharjee, S.K., 3=4603
- Lipkin, H.J. See Blake, B., 2=22773
- Lipkin, H.J. See Glick, A., 2=1767
- Lipkin, H.J. See Katz, A., 4=6129
- Lipkin, H.J. See Kaufman, B., 2=14365
- Lipkin, H.J. See Levinson, C.A., 2=11873
- Lipkin, H.J. See Levinson, C.A., 2=13797
- Lipkin, H.J. See Levinson, C.A., 2=13823
- Lipkin, H.J. See Levinson, C.A., 3=582
- Lipkin, H.J. See Levinson, C.A., 4=5962
- Lipkin, H.J. See Levinson, C.A., 4=21753
- Lipkin, H.J. See Meshkov, S., 3=14927
- Lipkin, H.J. See Ullman, J.D., 1=7225
- Lipkin, J., Schechter, B., Shtrikman, S. and Treves, D. Inexpensive automatic recording Mössbauer spectrometer, 4=30303
- Lipkin, N.H. See Culligan, G., 2=22928
- Lipman, N.H. See Ashkin, J., 0=13005
- Lipman, N.H. See Ashkin, J., 0=15389
- Lipman, N.H. See Astbury, A., 4=28052
- Lipman, N.H. See Auerbach, L.B., 3=22160
- Lipman, N.H. See Cocconi, V.T., 0=17582
- Lipman, N.H. See Cocconi, V.T., 1=19241
- Lipman, N.H. See Culligan, G., 0=19993
- Lipman, N.H. See Culligan, G., 1=8477
- Lipman, N.H. See Fabiani, F.K., 2=20319
- Lipman, N.H. See Fabiani, F., 2=22491
- Lipmanov, E.M. Two types of neutrino, lepton isotopic spin and universal four-fermion interaction, 0=11102
- Lipmanov, E.M. Analogy between weak and electromagnetic interactions, 0=12834
- Lipmanov, E.M. Hypothesis of conserved vector current and global symmetry of weak interactions, 2=3268
- Lipmanov, E.M. A model of universal weak interaction, 3=2198
- Lipmanov, E.M. On  $\gamma_5$ -symmetry in weak interactions and decays with  $\Delta S = -\Delta C$ , 3=24626
- Lipmanov, E.M. One lepton charge or two lepton charges? 4=19421
- Lipmanov, E.M. On the problem of the possible existence of a heavy charged lepton, 4=21812
- Lipmanov, E.M. Broken isotopic symmetry of weak interactions, 4=25002
- Lipnik, A.A. The dissociation of an exciton by phonons in atomic semiconductors, 0=532
- Lipnik, A.A. Formation and decomposition of Mott excitons, 0=15835
- Lipnik, A.A. Binding and decay of a Mott exciton taking into account the exact Coulomb functions, 1=4980
- Lipnik, A.A. Binding and decay of the Mott exciton at phonons and impurity centers, 4=12703
- Lipnik, P., Deutsch, J.P., Grenacs, L. and Macq, P.C. Polarization of high-energy  $\beta$ -rays from  $B^{12}$ , 2=7943
- Lipnik, P. and Sunier, J.W. Nuclear matrix elements of the first-forbidden beta transitions of the type  $3^-(\beta)2^+$ . I. Analysis of the experimental data in the beta decay of  $Sb^{124}$ ,  $Eu^{152}$ ,  $Eu^{154}$ ,  $Ga^{72}$ , and  $La^{140}$ , 4=19728
- Lipnik, P. and Sunier, J.W. Second forbidden beta decay and the ground state transition of  $Cl^{36}$ , 4=3600
- Lipnik, P. and Sunier, J.W. Some considerations of the ft values on the first-forbidden beta transitions, 4=27990
- Lipnik, P. See Colard, J., 1=13662
- Lipnik, P. See de Croës, M., 1=13726
- Lipnik, P. See Delabaye, M., 2=5858
- Lipnik, P. See Delabaye, M., 2=16372
- Lipnik, P. See Delabaye, M., 4=17095
- Lipnik, P. See Deutsch, J.P., 0=2655
- Lipnik, P. See Deutsch, J.P., 1=8647
- Lipnik, P. See Deutsch, J.P., 1=9835
- Lipnik, P. See Deutsch, J.P., 1=17036
- Lipnik, P. See Deutsch, J.P., 2=407
- Lipnik, P. See Deutsch, J.P., 2=408
- Lipnik, P. See Deutsch, J.P., 2=5859
- Lipnik, P. See Deutsch, J.P., 3=22309
- Lipnik, P. See Deutsch, J.P., 4=9449
- Lipnik, P. See Deutsch, J.P., 4=17086
- Lipnik, P. See Hess, R., 3=22270
- Lipnik, P. See Hess, R., 4=22074
- Lipovskii, A.A. See Vdovenko, V.M., 4=22386
- Lipp, J. See Schafer, E.U., 4=1872
- Lippens, B.C. and de Boer, J.H. Study of phase transformations during calcination of aluminum hydroxides by selected area electron diffraction, 4=30844
- Lipperheide, R. On the theory of nuclear reactions, 2=5877
- Lipperheide, R. and Saxon, D.S. Determination of the forward scattering amplitude from the optical-model potential in the high-energy limit, 0=20428
- Lippert, E. Hydrogen bond and proton magnetic resonance, 3=25140
- Lippert, W. Thermally induced changes in thin films in the electron microscope, 1=1466
- Lippert, W. The dependence of contrast in the electron microscope on the atomic number of the irradiated substance, 1=20704
- Lippert, W. Mass-thickness changes of plastic films in the electron microscope, 2=12945
- Lippert, W. Applicability of the Born approximation in calculating electron scattering in the conditions of electron microscopy, 3=16150
- Lippert, W. Ratio of inelastic to elastic scattering total cross-sections for electrons in the operating conditions of electron microscopy, 3=20974
- Lippert, W. and Friese, W. The representation of contrast with the aid of the Lenz theory, 3=21884
- Lippert, W.K.R. Sound propagation in ducts with side branches, 0=16857
- Lippert, W.K.R. A property of multi-terminal acoustical junctions, 0=14724
- Lippert, W.K.R. Measurement of sound transmission through an orifice in a duct with an application to a resonator, 0=16761
- Lippert, W.K.R. Criterion and new method of classification for symmetrical filters with losses, 0=16796
- Lippert, W.K.R. Method of determining the propagation parameters of wave motion in acoustical material, 1=197
- Lippert, W.K.R. Method of measuring and analysing wave motion, 2=19661
- Lippincott, E.R., Schroeder, R. and Steele, D. Dissociation energies of diatomic molecules, 1=9556
- Lippincott, E.R., Steele, D. and Caldwell, P. General relation between potential energy and internuclear distance for diatomic molecules. III. Excited states, 1=12271



- Lippincott, E.R., Weir, C.E. and van Valkenburg, A. Infrared studies of dense forms of ice, 0=6178
- Lippincott, E.R., Welsh, F.E. and Weir, C.E. Microtechnique for the infrared study of solids. Diamonds and sapphires as cell materials, 1=1817
- Lippincott, E.R. See Creighton, J.A., 4=25661
- Lippincott, E.R. See Duecker, H.C., 4=27320
- Lippincott, E.R. See Powell, F.X., 0=17754
- Lippincott, E.R. See Powell, F.X., 3=7350
- Lippincott, E.R. See Schroeder, R.A., 2=16835
- Lippincott, E.R. See Schroeder, R.A., 3=746
- Lippincott, E.R. See Shorb, A.M., 2=21822
- Lippincott, E.R. See Steele, D., 0=20626
- Lippincott, E.R. See Steele, D., 2=1979
- Lippincott, E.R. See Steele, D., 2=20769
- Lippincott, E.R. See Stutman, J.M., 3=22524
- Lippincott, E.R. See Vanderslice, J.T., 0=17734
- Lippincott, E.R. See Whatley, L.S., 4=28658
- Lippincott, S.L. Astrometric analysis of Lalande 21185, 0=18788
- Lippincott, S.L. Parallax and orbital motion of Hu 575 = ADS 9352 from photographs taken with the 24-inch Sproul refractor, 0=18806
- Lippincott, S.L. Parallax and orbital motion of 42 Comae = ADS 8804 from plates taken with the 24-inch Sproul refractor, 1=11681
- Lippmann, B.A., Mittleman, H. and Watson, K.M. Scattering of electrons by neutral atoms, 0=2724
- Lippmann, B.A. and Schey, H.M. Optical-model analysis of low-energy electron-hydrogen scattering, 1=3520
- Lippmann, B.A. See Bjorklund, F.E., 2=5896
- Lippmann, B.A. See Bjorklund, F.E., 3=12419
- Lippmann, B.A. See Johnson, M.H., 0=15136
- Lippmann, B.A. See Killeen, J., 0=16998
- Lippmann, F. Preparation and crystallographic data of  $\text{CaCO}_3 \cdot \text{H}_2\text{O}$ , 0=1907
- Lippmann, H. Principal line theory of axially-symmetric plastic deformation, 2=10751
- Lippmann, H. and Johnson, W. Temperature development based on technological analysis: fast rolling as an example, 0=13910
- Lippmann, H.J. See Braunsreuther, E., 1=1077
- Lippold, H. See Bewilogua, L., 3=19079
- Lippold, H. See Lange, F., 3=14228
- Lippold, H.J. See Gentner, W., 2=11009
- Lipps, F.B. Stability of jets in a divergent barotropic fluid, 3=16216
- Lipps, F.W. A Farside-type rocket experiment for the measurement of the gravitational time effect, 0=16581
- Lipps, H. Calculation of rotationally symmetric jet flows, 2=47
- Lipschultz, F.P. See Weinstock, H., 3=315
- Lipschultz, F.P. See Weinstock, H., 4=14486
- Lipschutz, M.E. Mössbauer effect for surface atoms: iron-57 at the surface of  $\eta$   $\text{Al}_2\text{O}_3$ , 4=25816
- Lipschutz, M.E. and Anders, E. On the mechanism of diamond formation, 2=6775
- Lipscomb, W.N. and Britton, D. Valence structure of the higher borides, 0=13515
- Lipscomb, W.N. See Dickens, B., 3=2643
- Lipscomb, W.N. See Dobrott, R.D., 3=3303
- Lipscomb, W.N. See Dobrott, R.D., 4=13583
- Lipscomb, W.N. See Friedman, L.B., 4=7748
- Lipscomb, W.N. See Hoffmann, R., 2=14310
- Lipscomb, W.N. See Hoffmann, R., 2=16526
- Lipscomb, W.N. See Hoffmann, R., 2=19134
- Lipscomb, W.N. See Hoffmann, R., 3=6396
- Lipscomb, W.N. See Jordan, T.H., 4=23441
- Lipscomb, W.N. See Jordan, T.H., 4=26648
- Lipscomb, W.N. See Jordan, T.H., 4=26662
- Lipscomb, W.N. See Kainuma, Y., 1=15051
- Lipscomb, W.N. See Kern, C.W., 1=12318
- Lipscomb, W.N. See Kern, C.W., 2=18437
- Lipscomb, W.N. See Kern, C.W., 2=18461
- Lipscomb, W.N. See Lewin, R., 4=2096
- Lipscomb, W.N. See Lohr, L.L., 3=13163
- Lipscomb, W.N. See Lohr, L.L., Jr., 2=19077
- Lipscomb, W.N. See Lohr, L.L., Jr., 3=15355
- Lipscomb, W.N. See Moore, E.B., Jr., 1=17335
- Lipscomb, W.N. See Pitzer, R.M., 2=18440
- Lipscomb, W.N. See Pitzer, R.M., 4=1293
- Lipscomb, W.N. See Raman, S., 4=23369
- Lipscomb, W.N. See Simpson, P.G., 1=20550
- Lipscomb, W.N. See Simpson, P.G., 3=5109
- Lipscomb, W.N. See Simpson, P.G., 3=19990
- Lipscomb, W.N. See Simpson, P.G., 4=4602
- Lipscomb, W.N. See Stevens, R.M., 2=18462
- Lipscomb, W.N. See Stevens, R.M., 3=2560
- Lipscomb, W.N. See Streib, W.E., 2=19066
- Lipscomb, W.N. See Streib, W.E., 3=6839
- Lipscomb, W.N. See Wang, F.E., 1=20549
- Lipsett, F.R. Four-specimen liquid-helium cryostat for fluorescence, 1=11838
- Lipsett, F.R. and Horita, R. Photomultiplier cryostat, 3=19316
- Lipsett, F.R. See Reed, C.W., 4=1792
- Lipsett, F.R. See Rolfe, J., 0=2300
- Lipsett, F.R. See Rolfe, J., 1=11363
- Lipsett, F.R. See Singh, S., 4=28750
- Lipsett, F.R. See Szabo, A., 3=521
- Lipsett, M.S. and Mandel, L. Quasi-continuous output from a ruby optical maser, 3=9988
- Lipsett, M.S. and Mandel, L. Coherence time measurements of light from ruby optical masers, 4=5874
- Lipsett, M.S. and Mandel, L. The determination of optical bandwidth from photoelectric mixing experiments with ruby lasers, 4=19315
- Lipsett, M.S. and Strandberg, M.W.P. Mode control in ruby optical masers by means of elastic deformation, 2=16017
- Lipshultz, F.P. See Weinstock, H., 4=16316
- Lipsicas, M. N.M.R. measurements of self-diffusion in normal hydrogen gas from 55° to 90°K, 2=7246
- Lipsicas, M. and Bloom, M. Nuclear magnetic resonance measurements in hydrogen gas, 1=15965
- Lipsicas, M., Bloom, M. and Muller, B.H. N.M.R. measurement of gas compressibility, 1=8146
- Lipsicas, M. and Hartland, A. Nuclear spin-spin relaxation, 2=11431
- Lipsicas, M. and Hartland, A. Nuclear spin-lattice relaxation in hydrogen gas, 3=20023
- Lipsicas, M. See Bloom, M., 1=18476
- Lipsicas, M. See Hartland, A., 3=8312
- Lipsicas, M. See Hartland, A., 4=8245
- Lipsitt, H.A. See Garrett, H.J., 1=13145
- Lipsitt, H.A. See Marcinkowski, M.J., 1=10024
- Lipsitt, H.A. See Marcinkowski, M.J., 2=8717
- Lipskaya, N.V. See Tikhonov, A.N., 1=20798
- Lipskey, S. See Kato, S., 2=19569
- Lipskii, Yu.N. The photography of the reverse side of the moon - techniques and preliminary results, 1=18031
- Lipskii, Yu.N. Results of studies of the first photographs of the reverse side of the moon, 2=17244
- Lipskii, Yu.N. Results of studies of the first photographs of the reverse side of the moon, 2=24095
- Lipskii, Yu.N. See Barabashov, N.P., 0=6568
- Lipsky, S. Evidence for triplet-triplet transfer from benzene to biacetyl in cyclohexane solution, 3=18820
- Lipsky, S. and Burton, M. Comparison of high-energy and ultraviolet-radiation induced luminescence in liquid systems, 0=2176
- Lipsky, S. See Braun, C.L., 4=1286
- Lipsky, S.R. See Shahin, M.M., 4=30486
- Lipson, H. The application of optical diffraction methods to crystal structure problems, 0=12036
- Lipson, H. X-ray crystallography—a meeting place of the sciences, 2=23829
- Lipson, H. Diffraction, 3=1834
- Lipson, H. G. and Kahan, A. Infrared absorption of magnesium stannide, 4=10179
- Lipson, J. See Corfield, W., 0=19793
- Lipson, S.G. See Denton, M.J., 1=5264
- Liptay, W. Determination of complex-equilibrium constants from spectrophotometric absorption measurements, 2=8940
- Liptay, W. The influence of an external electric field on the fluorescence of molecules. I. Theory, 4=192
- Liptay, W. and Czekalla, J. The absolute determination of the direction of the transition moment and dipole moment of excited molecules by the measurement of electric dichroism. I. Theory, 1=14118
- Liptay, W. and Czekalla, J. The influence of an external electric field on optical molecular absorption. Extended theory, 2=8101
- Liptay, W. See Czekalla, J., 3=22528
- Liptay, W. See Czekalla, J., 4=13101
- Lipworth, E., Garvin, H.L. and Green, T.M. Atomic-beam measurement of the hyperfine structure and nuclear moments of iodine-131, 0=17484



- Lipworth, E., Green, T. M., Garvin, H. L. and Nierenberg, W. A. Hyperfine structure and nuclear moments of 17 hr bromine-76, 0=13120
- Lipworth, E. See Alpert, S. S., 2=3465
- Lipworth, E. See Cabezas, A., 0=9514
- Lipworth, E. See Cabezas, A., 1=2159
- Lipworth, E. See Garvin, H. L., 0=1352
- Lipworth, E. See Garvin, H. L., 0=17480
- Liquori, A. M. See D'Alagni, M., 4=23659
- Liquori, A. M. See De Santis, P., 3=3351
- Liren, W. Some applications of an ultrasonic light modulator, 2=17599
- Lisenko, H. M. See Kislyak, H. M., 3=23113
- Lisenko, H. M. See Kislyak, H. M., 3=23116
- Lisgarten, N. D. See Blackman, M., 0=287
- Lisgarten, N. D. See Blackman, M., 0=8051
- Lisgarten, N. D. See Blackman, M., 3=9138
- Lishanskii, G. Ya. Electronically controlled source unit for emission analysis, 3=25842
- Lishenko, L. G. See Bondar, A. D., 2=17978
- Lishenko, L. G. See Bondar, A. D., 4=16715
- Lishenko, L. V. See Bondar, A. D., 4=16716
- Lishin, I. V. See Kotelnikov, V. A., 4=2459
- Lisicki, E. The influence of the "initial shock" on the polarisation of photoluminescence, 4=8215
- Lisina, G. A. See Shefov, A. S., 4=8815
- Lisitano, G. Microwave polar interferometer for plasma [electron] density measurements, 3=4148
- Lisitano, G. A microwave-dual-interferometer for plasma diagnostic, 4=18902
- Lisitano, G. and Tutter, M. Microwave measurements on a high frequency gas discharge, 1=19023
- Lisitano, L. See von Gierke, G., 3=4030
- Lisitsa, M. P. A polarization-photometric method of measuring the refractive indices of transparent semiconductors, 4=17545
- Lisitsa, M. P. and Khalimonova, I. N. Dispersion of crystalline tolane in the infrared region of the spectrum, 4=4282
- Lisitsa, M. P. and Kholodar', G. A. The infrared absorption and the energy band structure of cuprous oxide, 1=2446
- Lisitsa, M. P. and Kholodar', G. A. The infrared absorption and the energy-band structure of cuprous oxide, 1=6205
- Lisitsa, M. P. and Maevskii, V. M. Semi-empirical method of determination of the thickness along a thin wedge-shaped layer, 0=3483
- Lisitsa, M. P., Maevskii, V. M. and Tselv'kh, N. G. Thin-layer optics. III. The properties of selenium, 0=7992
- Lisitsa, M. P. and Strizhevskii, V. L. The temperature dependence of the vibrational absorption band intensities of gases, 1=12928
- Lisitsa, M. P. and Strizhevs'kii, V. L. Fermi resonance in the case of carbon tetrachloride, 1=19629
- Lisitsa, M. P. and Tselv'kh, N. G. Optics of thin films. II. Properties of tellurium, 0=4396
- Lisitsa, M. P. and Tselv'kh, N. G. Thin-layer optics. IV. The properties of germanium, 0=7993
- Lisitsa, M. P. and Tselv'kh, N. G. Thin-layer optics. V. Properties of silicon, 0=20975
- Lisitsa, M. P. and Tsyashchenko, Yu. P. Measurement of dispersion in regions of intense infrared absorption, 2=1152
- Lisitsa, M. P. See Kirei, G. G., 2=17467
- Lisitsa, M. P. See Kirei, G. G., 3=14169
- Lisitsa, M. P. See Korsunskii, V. M., 1=5048
- Lisitsa, M. P. See Vlasenko, N. A., 4=22873
- Lisitsya, M. P. and Valakh, M. Ya. Infrared absorption and structure of CdS bands, 4=13025
- Lisitsya, M. P., Khalimonova, I. M. and Kharchenko, N. P. Frequencies and intensities in the infrared spectrum of stilbene, 4=15607
- Lisitsya, M. P., Strizhevs'kii, V. L. and Khalimonova, I. M. Temperature dependence of the intensities of vibration absorption bands of molecular liquids, 3=21376
- Lisitsyn, L. M. See Basov, N. G., 2=652
- Lisitsyn, L. M. See Basov, N. G., 2=23474
- Lisitsyn, L. M. See Basov, N. G., 3=20538
- Liska, E. See Bauer, H. J., 4=14213
- Lisker, I. S. A non-stationary method for measurement of thermoelectric and thermal properties of semiconductors, 2=16693
- Lisker, I. S. See Kaganov, M. A., 2=5197
- Lisker, I. S. See Kaganov, M. A., 0=1688
- Lisker, I. S. See Kaganov, M. A., 4=5428
- Lisker, I. S. See Kaganov, M. A., 4=24413
- Lisker, K. E. See Aleksandrov, L. A., 0=13645
- Lisker, L. See Liberman, A. M., 0=810
- Liskien, H. See Cranberg, L., 3=15225
- Liskien, H. See Paulsen, A., 4=30278
- Liskovich, O. B. See Vishnevs'kii, V. N., 2=6540
- Liskovich, O. B. See Vishnevs'kii, V. N., 3=23107
- Lisle, J. C., Newton, J. O., Phillips, W. R. and Read, F. H. The  $C^{13}(d,p)C^{14}$  reaction, 3=24969
- Lisle, J. C. and Shaw, P. F. D. Gamma-radiation following resonant proton capture by chlorine, 1=653
- Lisle, J. C. See Pilicarp, A. J. P. L., 1=19534
- Lisle, J. C. See Baston, A. H., 2=3596
- Lisn'k, A. H. Nature of magnetic anisotropy of ferromagnetic films, 2=21328
- Lisn'k, A. H., Lytovchenko, S. H., Ursul, D. A. and Savchenko, N. A. Investigation of the effect of short-range order on the electrical resistance of certain binary alloys, 1=14354
- Lisnyak, S. S. See Belikov, A. M., 3=16081
- Lisnyanskii, L. I. and Vuks, M. F. Light scattering in solution and its relation to diffusion and ultrasonic wave absorption, 3=21368
- Lisnyanskii, L. I. See Vuks, M. F., 4=173
- Lisnyanskii, L. I. See Vuks, M. F., 4=24214
- Lisovenko, A. T. and Mikhelev, A. A. An automatic set-up for the simultaneous recording of weight and temperatures, 2=9231
- Lisovenko, V. A. See Morozov, V. P., 4=15347
- Lissayou, J. Measurements of the permittivities of different solid substances in the 8 mm band, 3=22973
- Lissayou, M. J. Measurement of the permittivities of various liquids in the 8 mm band, 4=2700
- Lissberger, P. H. Vacuum sluice valve of large aperture, 1=5310
- Lissberger, P. H. Kerr magneto-optic effect in nickel-ion films. I. Experimental, 1=11357
- Lissberger, P. H. Kerr magneto-optic effect in nickel-iron films. II. Theoretical, 1=11358
- Lissberger, P. H. Modification of the longitudinal Kerr magneto-optic effect by dielectric layers, 4=18436
- List, B. H. See Green, A. W., Jr., 3=13821
- List, G. On two forms of the bushel discharge originating in the breakdown of positive point corona in atmospheric air, 0=1122
- List, G. A spark gap for very high gas pressures, 0=2340
- List, G. Corona discharges in atmospheric air, 1=9530
- List, G. On the electrical breakdown of argon at high pressure, 1=13074
- List, R. Influences on the growth of hailstones, 3=1443
- List, R. General heat and mass exchange of spherical hailstones, 3=18506
- List, R. See Joss, J., 4=8951
- List, R. J. See Machta, L., 2=16340
- Listengarten, M. A. The Auger effect (a review), 2=14052
- Listengarten, M. A. Calculation of the probability of the Auger effect, 3=8198
- Listengarten, M. A. Calculations of the Auger effect probability for heavy elements, 3=10467
- Listengarten, M. A. Influence of nuclear structure on internal conversion coefficients, 4=12132
- Lister, M. W. and Marson, R. Diamagnetic susceptibilities of some compounds containing oxygen linked to nitrogen or phosphorus, 4=30460
- Lister, M. W. and Marson, R. Magnetic susceptibilities of some compounds of silicon, 4=30467
- Lister, M. W. See Robinson, E. A., 4=9696
- Liszka, L. A type of variation of the signal strength from 1958  $\delta$  2 (Sputnik 3), 0=19
- Liszka, L. Dropout phenomenon observed in the satellite 1958  $\delta$  3 transmissions, 1=18232
- Liszka, L. Local electron densities deduced from the Faraday fading of satellite transmissions using measurements during two consecutive transits, 2=4643
- Liszka, L. Satellite scintillation observed in the auroral zone, 3=12325
- Liszka, L. A study of ionospheric irregularities using satellite transmissions at 54 Mc/s, 3=13725
- Liszka, L. On the large prominence of April 12-14, 1963, 4=13939
- Liszka, L. Dependence of auroral zone satellite scintillation on geomagnetic activity, 4=30943
- Liszka, L. The geographical distribution of satellite scintillation activity above northern Scandinavia, 4=30955
- Liszka, L. Auroral zone Faraday rotation studies, 4=30961
- Liszka, L. and Hultqvist, B. Investigations of radio transmissions from 1958  $\delta$  2 (Sputnik III) made at Kiruna geophysical observatory, 2=7047



- Liszka, L. and Niewodniczański, H. Intensity ratio in the "forbidden" doublet  $\lambda 2958$  and  $\lambda 2972$  Å. U. in the spectrum of atomic oxygen, 0=15663
- Liszka, L. See Aarons, J., 2=4618
- Lit, A. Magnitude of the Pulfrich stereophenomenon as a function of target thickness, 0=6516
- Lit, A. Effect of target velocity in a frontal plane on binocular spatial localization at photopic retinal illuminance levels, 0=18563
- Lit, A. Equidistance settings at photopic retinal-illuminance levels as a function of target velocity in a frontal plane, 4=10981
- Litchfield, E. L. Freely expanding gaseous detonation waves initiated by electrical discharges, 2=4541
- Litchfield, E. L. See Bruszak, A. E., 3=21290
- Literat, R., Meitert, S., Oncescu, M. and Petriu, I. Continuous measurement of  $\beta$ -radioactivity in the atmosphere, 2=4617
- Literat, R. See Blănuș, D., 2=7937
- Litovchenko, N. M. See Glinchuk, K. D., 4=10065
- Litherland, A. E. The interpretation of angular distributions and angular correlations from the reaction  $C^{12}(\alpha, \gamma)Ne^{20}$ , 2=3624
- Litherland, A. E., Batchelor, R., Ferguson, A. J. and Gove, H. E. Excited states of  $O^{18}$  studied by the reaction  $H^2(O_{++}^{18}, p)O^{18}$ , 1=3465
- Litherland, A. E. and Bromley, D. A. A two-dimensional pulse-height analyser, 1=1868
- Litherland, A. E., Clark, M. A. and Broude, C. E3 Coulomb excitation of  $F^{19}$ , 4=12139
- Litherland, A. E., Clark, M. A. and Gove, H. E. A 7.02 MeV level in  $Ne^{20}$ , 1=16989
- Litherland, A. E., Clark, M. A. and Gove, H. E. A 7.02 MeV level in  $Ne^{20}$ , 2=1810
- Litherland, A. E. and Ferguson, A. J. Gamma-ray angular correlations from aligned nuclei produced by nuclear reactions, 1=9846
- Litherland, A. E. and Gove, H. E. Linearly polarized gamma rays from nuclear reactions, 1=9740
- Litherland, A. E., Kuehner, J. A., Gove, H. E., Clark, M. A. and Almqvist, E. Rotational bands in  $Ne^{20}$ , 1=13660
- Litherland, A. E., Kuehner, J. A., Gove, H. E., Clark, M. A. and Almqvist, E. A. Rotational bands in  $Ne^{20}$ , 2=1812
- Litherland, A. E. and McCallum, G. J. An illustration of a type of triple correlation measurement which can be easily interpreted, 0=15583
- Litherland, A. E., Yates, M. J. L., Hinds, B. M. and Eccleshall, D. Lifetimes of the low-lying levels of  $O^{18}$  and  $F^{18}$ , 3=17402
- Litherland, A. E. See Alexander, T. K., 4=19677
- Litherland, A. E. See Almqvist, E., 0=20347
- Litherland, A. E. See Almqvist, E., 2=17906
- Litherland, A. E. See Batchelor, R., 0=11383
- Litherland, A. E. See Bromley, D. A., 0=1398
- Litherland, A. E. See Broude, C., 3=6165
- Litherland, A. E. See Clark, M. A., 1=16990
- Litherland, A. E. See Clark, M. A., 2=1811
- Litherland, A. E. See Eswaran, M. A., 4=15139
- Litherland, A. E. See Evans, J. E., 3=19771
- Litherland, A. E. See Ferguson, A. J., 1=8756
- Litherland, A. E. See Gove, H. E., 1=13792
- Litherland, A. E. See Gove, H. E., 2=997
- Litherland, A. E. See Gove, H. E., 2=1808
- Litherland, A. E. See Gove, H. E., 2=1814
- Litherland, A. E. See Gove, H. E., 2=1933
- Litherland, A. E. See Gove, H. E., 3=10255
- Litherland, A. E. See Hinds, S., 1=7343
- Litherland, A. E. See Hinds, S., 1=8581
- Litherland, A. E. See Hinds, S., 1=8582
- Litherland, A. E. See Hinds, S., 1=8623
- Litherland, A. E. See Hinds, S., 1=13657
- Litherland, A. E. See Hinds, S., 2=1913
- Litherland, A. E. See Pullen, D. J., 2=18232
- Litherland, A. E. See Simpson, J. J., 2=16319
- Litnetskii, I. B. The achievement of M. V. Lomonosov in the field of automation of measurements, 3=16485
- Litov, E. See Russell, A. M., 3=8509
- Litovchenko, N. M. See Glinchuk, K. D., 4=1604
- Litovchenko, N. M. See Glinchuk, K. D., 4=1609
- Litovchenko, N. M. See Glinchuk, K. D., 4=4170
- Litovchenko, N. M. See Glinchuk, K. D., 4=6986
- Litovchenko, P. G. and Ust'yanov, V. I. Gamma- and photoelectric properties of cadmium sulphide, 2=16752
- Litovchenko, P. G. and Ust'yanov, V. I. Gamma- and photoelectric properties of cadmium sulphide, 2=18736
- Litovchenko, P. G. and Ust'yanov, V. I. Kinetics of gamma-conductivity in cadmium sulphide crystals, 2=23457
- Litovchenko, P. G. and Ust'yanov, V. I. Kinetics of gamma-conductivity in cadmium sulphide crystals, 3=6629
- Litovchenko, S. G. See Dekhtyar, I. Ya., 3=17694
- Litovchenko, S. H. See Dekhtyar, I. Ya., 2=6404
- Litovchenko, T. A. See Milner, A. S., 3=24424
- Litovchenko, T. T. See Palatnik, L. S., 4=23239
- Litovchenko, V. G. An investigation of fast surface states of silicon, 1=6155
- Litovchenko, V. G. Kinetics of monopolar nonequilibrium conductivity in the space charge region, 4=12838
- Litovchenko, V. G., Frolov, O. S. and Bao Shchi-mao [Pao Shih-mao]. Investigation of long-time changes of the electrical properties of germanium surfaces, 2=21132
- Litovchenko, V. G. and Lyashenko, V. I. An investigation of fast surface states in germanium, 0=1639
- Litovchenko, V. G. and Lyashenko, V. I. A study of the kinetics of fast surface states of germanium, 0=18021
- Litovchenko, V. G. and Lyashenko, V. I. An investigation of the properties of germanium surfaces at various temperatures. I. Amplitude characteristics, 1=14433
- Litovchenko, V. G. and Lyashenko, V. I. An investigation of the properties of germanium surfaces at various temperatures. II. Kinetics of surface processes, 1=14434
- Litovchenko, V. G. and Lyashenko, V. I. Trapping of nonequilibrium carriers on the surface of germanium, 3=15569
- Litovchenko, V. G. and Lyashenko, V. I. Investigation of the electrical properties of a real silicon surface at various temperatures, 4=10066
- Litovchenko, V. G. and Lyashenko, V. I. Effect of heating on recombination surface levels of silicon, 4=12702
- Litovchenko, V. G., Lyashenko, V. I. and Frolov, O. S. Investigation of the electrical properties of a germanium surface, 4=22715
- Litovchenko, V. G. and Snitko, O. V. The surface properties of silicon, 0=15938
- Litovchenko, V. G. and Snitko, O. V. Long-term variations of the field effect in silicon, 0=15939
- Litovchenko, V. G. See Dobrovolskii, V. N., 1=6144
- Litovchenko, V. G. See Lashkarev, V. E., 0=15927
- Litovchenko, V. G. See Lyashenko, V. I., 2=23351
- Litovchenko, V. G. See Primachenko, V. E., 2=6454
- Litovitz, T. See Cerceo, M., 2=9274
- Litovitz, T. See Meister, R., 0=8651
- Litovitz, T. A. and McDuffie, G. E., Jr. Comparison of dielectric and mechanical relaxation in associated liquids, 3=21390
- Litovitz, T. A. See Clark, A. E., 0=17736
- Litovitz, T. A. See Davies, C. M., Jr., 4=14159
- Litovitz, T. A. See Gruber, G. J., 4=11176
- Litovitz, T. A. See Higgs, R. W., 0=16696
- Litovitz, T. A. See Jarzynski, J., 4=27173
- Litovitz, T. A. See Madigosky, W. M., 1=4338
- Litovitz, T. A. See McDuffie, G. E., Jr., 2=19574
- Litovitz, T. A. See McDuffie, G. E., 3=1704
- Litovitz, T. A. See Marchessault, J. G., 2=13321
- Litovitz, T. A. See O'Brien, E. J., 4=6728
- Litovitz, T. A. See Slie, W. M., 1=15867
- Litovitz, T. A. See Slie, W. M., 4=178
- Litshits, I. M. and Peschanskii, V. G. Galvanomagnetic properties of metals with open Fermi surfaces. II, 0=6076
- Litster, J. D. and Benedek, G. B. Observation of the nuclear resonance in ferromagnetic iron to 65 000 atmospheres, 3=11123
- Litt, M. See Friedlander, S. K., 0=6397
- Littauer, R. See DeWire, J. W., 2=1671
- Littauer, R. and Tepper, L. An eight-dimensional pulse-height analyzer, 4=21708
- Littauer, R. M., Schopper, H. F. and Wilson, R. R. Scattering of BeV electrons by hydrogen and deuterium, 1=13394
- Littauer, R. M., Schopper, H. F. and Wilson, R. R. Structure of the proton and neutron, 2=1680
- Littauer, R. M. and Walcott, C. Pulse-height analyzer for neuro-physiological applications, 0=3362
- Littauer, R. M. See Berkelman, K., 3=14958
- Littauer, R. M. See Jackson, H. E., 0=15415
- Littauer, R. M. See Feldman, M., 1=2092
- Litting, C. N. W. The physics of computer elements, 1=6690
- Little, A. C. Evaluation of single-number expressions of color difference, 3=5509



- Little, A.G. Observations at 9.1 cm of Taurus A, the Orion Nebula, Virgo A, Centaurus A, Sagittarius A, and the Omega Nebula, with 2'.3 fan beam, 3=9278
- Little, A.G. See Mills, B.Y., 4=4932
- Little, A.G. See Twiss, R.Q., 0=12468
- Little, A.G. See Twiss, R.Q., 0=18663
- Little, A.G. See Twiss, R.Q., 3=3626
- Little, C.G. and Lawrence, R.S. The use of polarization fading of satellite signals to study the electron content and irregularities in the ionosphere, 0=14224
- Little, C.G., Lerfald, G.M. and Parthasarathy, R. Some observations of 2.89 Mc/s equivalent antenna temperatures at the auroral zone, 3=5881
- Little, C.G., Lerfald, G.M. and Parthasarathy, R. Extension of cosmic noise absorption measurements to lower frequencies, using polarized antennas, 4=26849
- Little, C.G., Reid, G.C., Stiltner, E. and Merritt, R.P. An experimental investigation of the scintillation of radio stars observed at frequencies of 223 and 456 megacycles per second from a location close to the auroral zone, 2=17160
- Little, C.G. See Chapman, S., 0=309
- Little, C.G. See Garriott, O.K., 0=16427
- Little, C.G. See Lawrence, R.S., 4=15886
- Little, C.G. See Ortner, J., 2=15284
- Little, C.G. See Parthasarathy, R., 4=2274
- Little, E.M., Marshall, J., Quinn, W.E. and Stratton, T.F. Injected magnetic compression experiment, 2=5351
- Little, E.M. and Quinn, W.E. Effects of added hexapole magnetic fields and preionization in theta pinch experiments, 3=19266
- Little, E.M., Quinn, W.E. and Ribe, F.L. Effects of ionization and magnetic initial conditions on a magnetically compressed plasma (Scylla), 1=10721
- Little, E.M., Quinn, W.E., Ribe, F.L. and Sawyer, G.A. Studies of stability and heating in the Scylla magnetic compression experiment, 3=12206
- Little, E.M. See Boyer, K., 0=13385
- Little, E.M. See Jahoda, F.C., 0=13386
- Little, E.M. See Jahoda, F.C., 4=24678
- Little, K. Investigation of nylon "texture" by X-ray diffraction, 0=8250
- Little, K. Preparation of stereoscopic electron microscope photographs, 2=15117
- Little, L.H.  $\nu_2$  vibration of adsorbed ethylene, 1=7467
- Little, L.H. and Amberg, C.H. Infrared spectra of carbon monoxide and carbon dioxide adsorbed on chromia-alumina and on alumina, 3=3359
- Little, L.H. See Cant, N.W., 4=20817
- Little, P.F. Observations on an expanding plasma, 2=7604
- Little, P.F. Ion waves in a bounded plasma, 2=19997
- Little, P.F. Acoustic waves in a plasma, 3=7548
- Little, R. See Leith, D.W.G.S., 4=16930
- Little, R. See Lewis, G.M., 3=7889
- Little, R.C., Carpenter, F.G. and Deitz, V.R. Heat transfer in intensively outgassed powders, 3=3907
- Little, R.N. See Norwood, J.M., 3=24740
- Little, R.P. and Whitney, W.T. Electron emission preceding electrical breakdown in vacuum, 3=21850
- Little, R.P. and Whitney, W.T. Local anode heating preceding electrical breakdown in vacuum, 4=2961
- Little, S. See Aller, L.H., 4=29441
- Little, V.I. Electrometer for measuring the variation with concentration of the low frequency dielectric constant of aqueous ionic solutions, 0=5258
- Little, W.A. Kapitza [thermal] resistance between helium and metals in the normal and superconducting states, 1=10618
- Little, W.A. Unimportance of surface roughness upon the Kapitza resistance, 1=13036
- Little, W.A. The Kapitza resistance of metals in the normal and superconducting states, 2=8165
- Little, W.A. Quantum periodicity in the transition temperature of a rotating Bose-Einstein gas, 3=14067
- Little, W.A. Long-range correlations in superconductivity, 4=18540
- Little, W.A. Possibility of synthesizing an organic superconductor, 4=18541
- Little, W.A. and Parks, R.D. Observation of quantum periodicity in the transition temperature of a superconducting cylinder, 2=22124
- Little, W.A. and Parks, R.D. Quantum periodicity in the transition temperature of multiply-connected conductors in a magnetic field, 4=18542
- Little, W.A. See Johnson, R.C., 3=12017
- Little, W.A. See Meyers, L.C., 4=413
- Little, W.A. See Parks, R.D., 1=11415
- Little, W.A. See Parks, R.D., 4=8556
- Little, W.J. and McCarthy, K.A. On the observation of macroscopic spirals on gallium arsenide surfaces, 0=13958
- Little, W.J. See Neuringer, L.J., 3=10795
- Littlefield, T.A. and Rowley, W.R.C. Interferometric wavelength measurements in the spectrum of argon between 1 and 2  $\mu$ m, 4=6467
- Littlefield, T.A. See Hands, R.A., 1=5343
- Littlejohn, C. See Hanna, S.S., 0=5663
- Littlejohn, C. See Hanna, S.S., 0=7463
- Littlejohn, C. See Perlow, G.J., 0=7466
- Littlejohn, C.S. and Morrison, G.C. Coulomb excitation of nuclei by  $\text{Li}^6$  and  $\text{Li}^7$  projectiles, 0=4107
- Littler, D.J. The rate of emission of spontaneous fission neutrons by natural uranium, 1=3469
- Littler, D.J. [Ed.]. Properties of reactor materials and the effects of radiation damage, 3=12716
- Littler, D.J. See Aitken, K.L., 0=4125
- Littlewood, A.B. Compensated Wheatstone's bridge circuit for gas-chromatographic catharometry, 0=10379
- Littlewood, J.E. Lorentz's pendulum problem, 3=11744
- Littlewood, J.E. On Van Der Pol's equation with large K, 3=18689
- Littlewood, J.E. Celestial mechanics over a very long time, 3=23656
- Littlewood, J.E. Adiabatic invariance. II. Elliptic motion about a slowly varying center of force, 4=11133
- Littlewood, J.E. Adiabatic invariance III: The equation  $\dot{x} = -V_x(x, \omega)$ , 4=29510
- Littlewood, J.E. Adiabatic in IV: Note on a new method for Lorentz's pendulum problem, 4=29511
- Littman, H. A clarification of the theoretical upper bound on the thermoelectric "figure of merit" derived from irreversible thermodynamics, 2=19892
- Littman, H. and Davidson, B. Theoretical bound on the thermoelectric figure of merit from irreversible thermodynamics, 1=5032
- Littmann, M.F., Harris, E.S. and Ward, C.E. Grain-size effects in oriented 48% nickel-iron cores at 400 cycles, 2=12706
- Littmann, M.F. and Ward, C.E. Progress in ultrathin Mo-permalloy tapes with square hysteresis loops, 0=3276
- Littmann, W. See Hansen, N., 4=7697
- Litton, C.W. and Reynolds, D.C. Edge mission in CdS crystals that show mechanically excited emission, 2=4196
- Litton, C.W. and Reynolds, D.C. Double-carrier injection and negative resistance in CdS, 4=12887
- Litton, C.W. See Reynolds, D.C., 4=4293
- Litvai, E. Dimensionless characteristics of thermistors and their application, 2=16747
- Litvak, J. See Alitti, J., 2=16229
- Litvak, J. See Alitti, J., 2=18156
- Litvak, M.M. See Bindari, A.E.L., 4=18621
- Litvak, M.M. See Camac, M., 3=12216
- Litvak, M.M. See El Bindari, A., 4=5521
- Litvak-Gorskaya, L.B. See Gershenzon, E.M., 3=20278
- Litvak-Gorskaya, L.B. See Gershenzon, E.M., 3=20301
- Litvan, G. and McIntosh, R. Phase transitions of water and xenon adsorbed in porous Vycor glass, 4=10630
- Litvin, B.N. See Dem'yanets, L.N., 4=26602
- Litvin, B.N. See Kus'mina, I.P., 4=15766
- Litvin, B.N. See Varich, N.I., 4=20694
- Litvin, D.F. Construction of a lead crystal monochromator for neutron diffraction studies, 0=13976
- Litvin, D.F. and Ponyatovskii, E.G. The influence of pressure on the antiferromagnetic transition temperature of chromium, 4=26349
- Litvin, D.F. See Abov, Yu.G., 4=17829
- Litvin, D.F. See Goman'kov, V.I., 3=20608
- Litvin, D.F. See Goman'kov, V.I., 3=23195
- Litvin, D.F. See Goman'kov, V.I., 3=23478
- Litvin, D.F. See Goman'kov, V.I., 4=1994
- Litvin, D.F. See Goman'kov, V.I., 4=2000
- Litvin, D.F. See Lyashchenko, B.G., 3=13506
- Litvin, D.F. See Lyashenko, B.G., 3=1355
- Litvin, F.F. and Personov, R.I. Fine structure in the absorption and fluorescence spectra of certain pigments at 77°K, 1=7707
- Litvin, F.F. and Personov, R.I. Fine structure in the absorption and fluorescence spectra of certain pigments at 77°K, 1=11361
- Litvin, F.F., Vladimirov, Yu.A. and Krasnovskii, A.A. The chemiluminescence of chlorophyll in photochemical reactions, 1=3872



- Litvin, V.F. Electrostatic analyser for studying angular distributions of charged particles of nuclear reactions, 1=4748
- Litvin, V.F. Possibility of using a wide-band spectrograph with double focusing, 3=19500
- Litvin, V.F. Double focusing in a wide energy interval using sector-shaped uniform magnetic fields, 2=17898
- Litvin, V.F. and Lakomkin, Yu.A. Double focusing in wide energy intervals, 3=4220
- Litvin, V.F. See Alekseev, N.V., 1=17144
- Litvin, V.F. See Blinov, V.A., 3=531
- Litvin, V.F. See Bochin, V.P., 4=12269
- Litvin, V.F. See Guseva, M.I., 3=24971
- Litvin, V.F. See Nemilov, Yu.A., 4=16844
- Litvin, V.F. See Zherebtsova, K.I., 2=5962
- Litvin, V.F. See Zherebtsova, K.I., 2=22849
- Litvin, V.F. See Zherebtsova, K.I., 3=4667
- Litvin, V.F. See Zherebtsova, K.I., 3=8128
- Litvin-Sedoi, M.Z. The equations of motion of the fundamental body of a system of rigid bodies of variable composition, 2=9223
- Litvinenko, A.S. See Grishaev, I.A., 0=11146
- Litvinenko, I. V. Interaction of anions and cations with solvent molecules and the volumetric effects of hydration, 4=21102
- Litvinenko, Yu. A. See Limar', A.G., 4=14854
- Litvinenko, Yu. G. See Palatnik, L. S., 4=23568
- Litvinov, R. O. and Hsü Tung-liang. Effect of the surface state in silicon p-n junctions on the reverse currents and drift, 4=20386
- Litvinov, R.O. and Syui Dun-Lyan [Hsu Tun-liang]. A study of excess reverse currents and the effect of a field on silicon p-n junctions, 3=22960
- Litvinov, R.O. See Koshelev, O.N., 2=6481
- Litvinov, V. S., Mirzoev, D. A. and Shklyar, R. S. A study of some crystal-structure defects in austenitic nickel-and manganese bearing alloys, 4=20286
- Litvinov, V. S. See Bogachev, I. N., 4=20669
- Litvinova, L.B. See Korsunskii, M.I., 1=17904
- Litvinova, P.S., Rabotkina, L.R. and Ramazanov, P.E. Investigation of initial stages in the onset of electroluminescence of a ZnS:Cu:Al phosphor, 2=6646
- Litwin, J. X-ray examination of the binary system CdTe-CdSe, 4=23424
- Litwinski, J. On a certain problem of stochastic bodies with discontinuously non-homogeneous properties, 1=1703
- Litwinski, J. The expected value of the coordinates of the subsidence trough in a granular body, 3=14073
- Litwinski, J. On a certain problem of diffusion with simultaneous linear accumulation, 4=2606
- Litwinski, J. The model of a random walk of particles adapted to researches on problems of mechanics of loose media, 4=18068
- Litwinski, J. and Smolarski, A.Z. On a certain solution of the equation  $\Psi(\tau) \nabla^2 \tau(x, \tau) = \Delta \nabla^2 \tau(x, \tau) + f[v(x, \tau)]v(x, \tau)^2$  and its application to the problems of mechanics of loose media, 2=15445
- Litzén, U. The SiI-spectrum in the PbS-region, 4=28136
- Litzman, O. Moments of frequency spectrum and thermodynamic functions of crystals with defects, 0=2785
- Litzman, O. On the calculation of the Debye-Waller factor of alloys, 4=6699
- Litzman, O. and Celý, J. Approximate calculation of frequencies of localized vibrations, 1=17396
- Litzman, O. and Klvaná, F. Combinatorial method for calculation of the frequency moments of alloys, 2=6252
- Litzman, O. and Rózsa, P. General treatment of simple ideal and non-ideal crystal lattices with application to the theory of hypermatrices, 2=6251
- Liu, C.-H. Number of images produced by multiple reflection, 2=9364
- Liu, C. K. and Langhaar, H. L. Dilatationless circumferential modes of vibration of a ring, 4=8295
- Liu, C.S. and Cambel, A.B. One-dimensional magnetogasdynamic flow with wall friction, 3=19431
- Liu, C. S. and Cambel, A. B. One-dimensional magnetogasdynamic flow with heat transfer, 4=16645
- Liu, C.Y. See Kestin, J., 0=16722
- Liu, C.-Y. See Lees, L., 3=1848
- Liu Chang-fu. See Liang Kun-Miao, 4=385
- Liu Chen-pon. Mass spectrum of baryons, 4=3297
- Liu Chih-Yüan. See Lyu Chih-Yan.
- Liu Cho. Use of the theory of multiterminal networks in determining the boundary conditions in electrical models, 4=18638
- Liu, D.C. and Roberts, W.K. Positronium lifetime in condensed hydrogen, 2=22494
- Liu, D.C. and Roberts, W.K. Positron annihilation in condensed gases, 3=17254
- Liu, D. C. and Roberts, W. K. Free-positron annihilation mean life in diatomic and rare gases in liquid and solid states, 4=4031
- Liu, D.C. See Blue, J.W., 2=17999
- Liu Da-qian. See Li Yin-yao, 3=17047
- Liu, D.T. Wave propagation in a liquid layer, 0=6764
- Liu, F. See Browman, A., 4=16879
- Liu, F.F. and Loeffler, F.J. Transistorized linear gate for photomultiplier pulses, 2=2988
- Liu, F.F., Loeffler, F.J., Palfrey, T.R. and Kim, Y.S. Polarization of high-energy photoprotons from light elements, 3=4624
- Liu, F.F. See Kim, Y.S., 3=8079
- Liu Han-chou. Kinematical properties of deformed nuclei and the Hill-Wheeler integrals. I. The first approximation of the  $g_p$  factor, 3=12546
- Liu Han-chou. On the shape parameters and the moments of inertia of non-axial nuclei, 4=21986
- Liu Han-Chou. Kinematical properties of deformed nuclei and the hill-wheeler integrals. II. The E2 moment and gamma transitions within a band, 4=30307
- Liu Han-Chou and Yang Kuo-Shen. On the deformability of nuclear cores and the electric quadrupole moment of nuclei with closed shells plus (or minus) a single nucleon, 2=1780
- Liu, I.D. Spectra associated with high-speed projectiles in rarefied air obtained with a large-aperture slitless spectrograph, 3=7335
- Liu Jo-Yang. The process  $\Sigma^0 \rightarrow \Lambda + \gamma$  and parity conservation, 3=22213
- Liu, L. Valence spin-orbit splitting and conduction g tensor in Si, 1=12441
- Liu, L. Effects of spin-orbit coupling in Si and Ge, 2=12520
- Liu, L., Lu Sun Liu and Wong, K.W. Hard-sphere approach to the excitation spectrum in liquid helium II, 4=27403
- Liu, L. and Wong, K.W. Bose system of hard spheres, 4=2593
- Liu, L. See Bassani, F., 4=6791
- Liu, L. See Dalitz, R.H., 0=2629
- Liu Lu Sun. See Lu Sun Liu.
- Liu, L. See Phillips, J.C., 2=14537
- Liu, M. See Hornyak, W. J., 4=19770
- Liu, M. See Jacmart, J.C., 4=15203
- Liu, M. See Ruhla, C., 4=1080
- Liu, M. See Ruhla, C., 4=22135
- Liu, S.H. Exchange interaction between conduction electrons and magnetic shell electrons in rare-earth metals, 1=936
- Liu, S.H. Indirect exchange model for ferromagnetic metals, 1=11420
- Liu, S.H. Theory of superconductivity, 2=5234
- Liu, S.H. Pressure dependence of the Curie temperature of ferromagnetic metals, 2=21290
- Liu, S.H. Spin ordering in the superconducting state, 3=12023
- Liu, S.H. Effect of short-range spin correlation on the electrical resistivity of dilute magnetic alloys, 4=1554
- Liu, S.H. Theory of electrical resistivity of ferromagnetic metals, 4=12843
- Liu, S.H., Behrendt, D.R., Legvold, S. and Good, R.H., Jr. Interpretation of magnetic properties of dysprosium, 0=2981
- Liu, S.H., Nishina, Y. and Good, R.H., Jr. Microwave measurement of mobility: analysis of apparatus, 1=11291
- Liu, S. H. See Merriam, M. F., 4=29834
- Liu, S.W. Hartunian, R.A., 3=9488
- Liu Shun-fu. See Lyu Shun'-fu, 1=6233
- Liu Shun-Fu. See Lyu Shun'-fu, 3=20509
- Liu Shun-fu. See Lyu Shun'-fu
- Liu Shun-Fu. See Tolstoi, N.A., 3=20512
- Liu Sun Lu. See Lu Sun Liu.
- Liu, T. See Hori, G., 3=16421
- Liu, T. S., Stokes, R. J. and Li, C. H. Cold work and the ductile-brittle transition of silver chloride, 4=23204
- Liu Tê-Shên. See Hao Pai-Lin, 3=20035
- Liu, V.C. On "The transitional aerodynamic drag of meteorites", 3=13776
- Liu Vi-Cheng. On the motion of a projectile in the atmosphere, 0=14566
- Liu, Y. C. The intersections of {112} twins in b.c.c. crystals, 4=10452
- Liu, Y.S. and A-u-Zaman. On the  $\rho$  particle contribution to pion-nucleon scattering, 2=18164
- Liu, Y.S. See Bondar, L., 4=944



- Liu Yi-Cheng and Todorov, I. T. Singularities of some Feynman graphs, 4=9130
- Liu Yüan. See Lyu Yuan'.
- Liu Yüan. See Lyu Yuan', 2=16307
- Liu Yung-hsiu. Study on the brittleness of an iron-aluminum-molybdenum-silicon alloy, 4=13383
- Liubimov, G. A. See Baranov, V. B., 2=22311
- Liubimov, G. A. Magnetohydrodynamic boundary layer in a medium with anisotropic conductivity for small magnetic Reynolds numbers, 4=3122
- Liubimov, G. A. See Baranov, V. B., 4=8919
- Liubimov, V. A. See Kaftanov, V. S., 3=17148
- Livanov, V. A., Gorokhov, V. P., Golofaev, T. I. and Malyavkina, M. P. Analysis of aluminium alloys by means of the applied research laboratories multichannel spectrometer, 3=25850
- Liventsov, A. V., Markov, M. N., Merson, Ya. I. and Shamilev, M. R. Experimental determination of the radiation leaving the earth, 3=3437
- Liventsov, A. V. See Aver'yanov, I. R., 3=23566
- Liverios, D. T. See Androulakis, J. G., 3=17125
- Livesey, D. J. The variation with temperature of Young's modulus for some uranium alloys and for thorium, vanadium and niobium, 1=2504
- Livesey, D. L. The Kepler and Rutherford problems: a geometrical treatment, 2=19386
- Livesey, J. L. Inertia effects in viscous flows, 1=5251
- Livey, D. T. See Bellamy, B., 2=17019
- Livey, D. T. See O'Neill, J. S., 2=4480
- Livey, D. T. See Williams, L. S., 0=6533
- Livi, F. P. See Zawislak, F. C., 4=9388
- Livingston, A. See Slutsky, L. J., 0=6017
- Livingston, J. D. Etch pits at dislocations in copper, 0=12013
- Livingston, J. D. The density and distribution of dislocations in deformed copper crystals, 2=8228
- Livingston, J. D. Magnetic properties of superconducting lead base alloys, 3=9684
- Livingston, J. D. Superconductivity in lead-base solid solution alloys, 3=14449
- Livingston, J. D. Precipitation and superconductivity in lead-tin and lead-cadmium alloys, 3=24145
- Livingston, J. D. Defects and magnetic hysteresis in type II superconductors, 4=18583
- Livingston, J. D. Precipitation and superconductivity in lead-antimony alloys, 4=5520
- Livingston, J. D. and Bean, C. P. Anisotropy of superparamagnetic particles as measured by torque and resonance, 0=2999
- Livingston, J. D. and Bean, C. P. Specific heat of superparamagnetic particles, 1=14178
- Livingston, J. D. See Bean, C. P., 0=4470
- Livingston, J. D. See Bean, C. P., 0=13809
- Livingston, J. D. See Bean, C. P., 4=11469
- Livingston, J. D. See Hilliard, J. E., 1=14273
- Livingston, J. D. See Phillips, V. A., 3=1222
- Livingston, L. G. See Albrecht, H. O., 0=2177
- Livingston, M. S. Early development of particle accelerators, 0=284
- Livingston, M. S. History of the cyclotron. I, 0=5368
- Livingston, M. S. and Shurcliff, W. A. The Cambridge electron accelerator, 2=1538
- Livingston, P. M. Response of parallel-plate ion chambers to radiation pulses, 4=24940
- Livingston, P. M. and Curtiss, C. F. Kinetic theory of non-spherical molecules. IV. Angular momentum transport coefficient, 0=3558
- Livingston, P. M. and Curtiss, C. F. Kinetic theory of moderately dense, rigid-sphere gases, 1=10546
- Livingston, R. and Ware, W. R. Viscosity dependence of the first-order decay of the triplet state of anthracene and related molecules, 4=3884
- Livingston, R. and Weinberger, A. J. Atomic and molecular hydrogen yields from irradiated acids, 0=14137
- Livingston, R. See Holmberg, R. W., 0=13881
- Livingston, R. See Jackson, G., 2=1159
- Livingston, R. See Zeldes, H., 0=6257
- Livingston, R. See Zeldes, H., 1=3655
- Livingston, R. See Zeldes, H., 1=12561
- Livingston, R. See Zeldes, H., 3=11116
- Livingston, R. S. and Howard, F. T. [Ed.]. The Oak Ridge relativistic isochronous cyclotron. I. Development of the isochronous cyclotron, 1=1937
- Livingston, R. S., Hudson, E. D., Jones, R. J., Lord, R. S., Mann, J. E., Martin, J. A., Russell, F. M., Ziegler, N. F. and Zucker, A. Concepts of an Me<sup>2</sup> cyclotron, 3=5779
- Livingston, R. S. See Boom, R. W., 3=19409
- Livingston, R. S. See Jones, R. J., 3=5734
- Livneh, M. See Shklar'sky, E., 2=10762
- Livschitz, M. A. Energy balance in the transition region between the chromosphere and corona, 4=26949
- Livschitz, M. A. and Nikolsky, G. M. The  $n_e$  and T relation in the transition region between the chromosphere and corona, 4=13935
- Livschitz, M. A. and Pikel'ner, S. B. The diamagnetic ejection of gas condensations from sunspot regions, 4=26947
- Livshits, A. I. See Gross, E. F., 3=25467
- Livshits, B. G., Eliseev, S. A., Samarin, B. A. and Somenkov, V. A. Phase equilibrium in the Fe<sub>2</sub>O<sub>3</sub>-BaO system, 3=6812
- Livshits, B. G. and Novikov, V. Yu. Problem of secondary recrystallization "nuclei", 4=2114
- Livshits, B. G. and Rymashevskii, G. A. K state and binding forces of single-phase Ni-base solid solutions, 3=5114
- Livshits, B. G. See Avraamov, Yu. S., 0=1933
- Livshits, B. G. See Gorbunov, V. I., 2=21532
- Livshits, B. G. See Gorbunov, V. I., 2=21533
- Livshits, B. G. See Kekalo, I. B., 2=23740
- Livshits, B. G. See Kekalo, I. B., 3=3216
- Livshits, B. G. See Kekalo, I. B., 3=3217
- Livshits, B. G. See Kekalo, I. B., 3=11090
- Livshits, B. G. See Kekalo, I. B., 3=11141
- Livshits, B. G. See Kekalo, I. B., 3=15977
- Livshits, B. G. See Kekalo, I. B., 4=4476
- Livshits, B. G. See Kekalo, I. B., 4=17713
- Livshits, B. G. See Krivososova, E. G., 3=20578
- Livshits, B. G. See Krivososova, E. G., 4=22993
- Livshits, B. G. See Kunakov, Ya. N., 4=10582
- Livshits, B. G. See Kunakov, Ya. N., 4=13221
- Livshits, B. L. Speeding up Mayants' method of making the roots of secular [characteristic] equations more precise, 0=18570
- Livshits, B. L. The method of perturbations for an operator of simple structure, 0=18571
- Livshits, B. L. The method of perturbations for an operator of simple structure, 1=5198
- Livshits, B. L. Effect of free rotation in molecules on the normal vibration frequencies, 1=14003
- Livshits, B. L. and Chumakovskii, N. A. Analysis of the vibrations of monodeuteromethane and the planar vibrations of ethylene by the perturbation method, 4=25709
- Livshits, I. A. See Gertsiger, L. N., 2=22148
- Livshits, L. D. and Genshaft, Yu. S. Nonlinear dependence of the temperature of the ferromagnetic transformation of two invar alloys on uniform pressure, 4=17652
- Livshits, L. D., Genshaft, Yu. S. and Markov, V. K. Phase diagram of cerium in the range 20-350°C up to pressures of  $80 \times 10^3$  kg/cm<sup>2</sup>, 3=16014
- Livshits, L. D., Genshaft, Yu. S. and Ryabinin, Yu. N. Polymorphic transformation of cerium under pressure, 1=10226
- Livshits, L. D., Ryabinin, Yu. N., Beresnev, B. I. and Mart'nov, E. D. A new form of the dependence of limiting plasticity on pressure, 4=13445
- Livshits, L. D. See Ryabinin, Yu. N., 0=1856
- Livshits, L. D. See Ryabinin, Yu. N., 0=10459
- Livshits, L. D. See Ryabinin, Yu. N., 1=6685
- Livshits, M. A. A facula model, 3=11535
- Livshits, M. S. On a mathematical problem connected with the theory of longitudinally polarized particles, 0=15260
- Livshits, M. S. Intermediate systems in quantum electrodynamics, 0=20019
- Livshitz, B. G. and Rymashevskii, G. A. Changes in the debye characteristic temperature (elastic) in the ordering of type A<sub>3</sub>B alloys, 4=1982
- Livshitz, M. and Lenchek, A. M. Impulsive injection of electrons into the earth's inner trapping region from solar cosmic-ray events, 4=2249
- Livshits, M. P. See Anderson, J. C., 1=15557
- Lizurei, G. See Grinkevich, A. Z., 4=28328
- Lizurei, H. See Bara, J., 3=575
- Ljolje, K. and Šips, V. Point-particle interaction in metals, 4=1443
- Ljunggren, B. See Elvius, T., 4=10801
- Ljunggren, S. Comments on the theories of isothermal multi-component diffusion, 2=2656
- Ljunggren, S. On the light distribution in the image plane in schlieren and related methods as a function of the refractive index distribution, 4=18383
- Ljunggren, S. See Bryngdahl, O., 2=1254



- Llanwyn-Jones, D. See Chapman, F.W., 4=26850
- Lleó, A. See Catalá, J., 1=17150
- Lleó, A. See Catalá, J., 1=19542
- Lleó, A. See Catalá, J., 2=3612
- Lleó, A. See Catalá, J., 2=8008
- Lleó, A. See Catalá, J., 3=24716
- Lleó, A. See Catalá, J., 4=21853
- Llewellyn, J.P. and Smith, T. The magnetic susceptibility of iron ditelluride I, 0=4481
- Llewellyn, J.P. See Andrew, E.R., 1=10197
- Llewellyn, J.P. See Finlayson, D.M., 0=4482
- Llewellyn, J.P. See Poulis, J.A., 3=24497
- Llewellyn, P.M., Whittlestone, P.R. and Williams, J.M. A superheterodyne paramagnetic resonance pulse spectrometer, 3=7725
- Llewellyn, P.M. See Fry, D.J.L., 2=4278
- Llewellyn, R.A. A simple method for vacuum sealing radioactive sources, 4=12172
- Llewellyn, R.A. and Steffen, R.M. Transverse polarization of the K-conversion electrons following the beta decay of  $\text{Hg}^{203}$ , 4=1053
- Llewellyn-Jones, D.T., Brown, S.C. and Bekefi, C. Far infrared density measurements, 4=18909
- Llewellyn Jones, F., Hopkins, M.R. and Jones, C.R. Measurement of metal transfer in electrical contacts by the radioactive isotope method, 1=16295
- Llewellyn Jones, F. and Nicholas, D.J. Mechanism of field induced emission from cold electrodes in gases, 3=7628
- Llewellyn-Jones, F. See Davies, P.G., 3=7437
- Llewellyn-Jones, F. See Davies, D.K., 4=18679
- Llewellyn-Jones, F. See Davies, D.K., 4=24570
- Llewellyn-Jones, F. See Davies, P.G., 4=24591
- Llewellyn Jones, F. See Dutton, J., 1=18757
- Llewellyn Jones, F. See Dutton, J., 3=4017
- Llewellyn-Jones, F. See Dutton, J., 3=19174
- Llewellyn Jones, F. See Dutton, J., 3=24215
- Llewellyn-Jones, F. See Dutton, J., 4=14576
- Llewellyn-Jones, F. See Dutton, J., 4=18672
- Llewellyn-Jones, F. See Dutton, J., 4=24560
- Llewellyn-Jones, F. See also Jones, F. Llewellyn.
- Llewellyn-Jones, F. See Owen, W.D., 4=18753
- Lliboutry, L. Sub-glacial "supercavitation" as a cause of the rapid advance of glaciers, 4=23709
- Lloret, A., Bezaguet, A., Bloch, M., Drijard, D., Morellet, D., Orkin-Lecourtois, A., Rousset, A. and Veillet, J.J. Pion-nucleon cross-section for absorption and strange particle production at 6.1, 11.6 and 18.1 GeV/c. 4=12036
- Lloret, A. See Astier, A., 2=22614
- Llosá, R. See Catalá, J., 3=24716
- Llosá, R. See Catalá, J., 4=3400
- Lloyd, D.A. and Madden, M. A portable sulphur dioxide recorder, 4=30928
- Lloyd, D.G. See Charlesby, A., 0=3322
- Lloyd, J.C. and Segmüller, A. The X-ray fluorescence analysis of thin alloy films, 2=4584
- Lloyd, J.C. and Smith, R.S. Relation of coercive force to structural properties of electroplated films, 2=10663
- Lloyd, E.A. See Freeman, F.E., 4=14302
- Lloyd, E.A. See Schweitzer, G.K., 3=14831
- Lloyd, J.A. See Anthony, A., 0=806
- Lloyd, J.C. and Kuptsis, J.D. X-ray spectrographic analysis of rare earths in yttrium-iron garnet powders, 4=10677
- Lloyd, J.C. and Smith, R.S. Structural and magnetic properties of permalloy films, 0=3052
- Lloyd, J.L. On the efficiency of the neon flash tube. 0=9240
- Lloyd, J.L. and Wolfendale, A.W. Large-angle scattering of fast  $\mu$  mesons, 0=3982
- Lloyd, J.L. See Barnes, V.E., 4=16969
- Lloyd, J.L. See Brooke, G., 2=20469
- Lloyd, K.H. See Johnson, E.R., 4=10737
- Lloyd, K.H. See Sheppard, L.M., 4=23772
- Lloyd, L.J. See Alexander, G., 2=3411
- Lloyd, L.J. See Crawford, F.S., Jr., 3=19691
- Lloyd, L.J. See Crawford, F.S., Jr., 4=9258
- Lloyd, L.J. See Fowler, E.C., 3=12496
- Lloyd, L.J. See Gavin, M.R., 3=12253
- Lloyd, L.J. See Wolf, S.E., 1=16890
- Lloyd, L.T. Recrystallization of deformed alpha-uranium single crystals, 1=20430
- Lloyd, L.T. Thermal expansion of alpha-uranium single crystals, 2=2057
- Lloyd, L.T., Lacombe, P., Calais, D. and Simenel, N. Temperature dependence of the slip direction for  $\{110\}$  slip in  $\alpha$ -uranium, 2=6325
- Lloyd, L.T. and Nowicki, L.J. Crystallographic angles for alpha plutonium, 4=7533
- Lloyd, P. Anharmonic contributions to the vibratory free energy of a lattice, 4=30506
- Lloyd, P. and O'Dwyer, J.J. The thermal expansion of an almost linear chain, 3=17665
- Lloyd, P. and O'Dwyer, J.J. A quantum mechanical correction to the statistics of the almost one-dimensional chain, 3=23773
- Lloyd, P. and O'Dwyer, J.J. Quantum mechanical formulation of constant pressure partition functions, 4=2579
- Lloyd, R.A. and Adams, E.H. Recording micro-densitometer employing beta-radiation from a carbon-14 radio-isotope source, 1=18338
- Lloyd, R.C., Clayton, E.D. and Richey, C.R. Variation of graphite diffusion length with temperature, 0=12958
- Lloyd, S.P. See Frisch, H.L., 0=20773
- Lloyd, V.V. and Landis, C. Role of the light-dark ratio as a determinant of the flicker-fusion threshold, 0=6518
- Lloyd, W.G. See Alfrey, T., Jr., 3=8949
- Lo Ch'un-Hsun. See Wang Shu-Fen, 4=934
- Lo Leau-fu. See Lu Tan, 4=19483
- Lo Liau-fu and Shue Sin.  $K^+-N$  elastic scattering, 3=24795
- Lo Méi-Lun. See Chzhou De-Syan., 4=13567
- Lo, Y.T. On the theoretical limitation of a radio telescope in determining the sky temperature distribution, 1=18143
- Lo, Y.T. See Swenson, G.W., 1=8014
- Loader, B.E. See Bauer, S.H., 1=13933
- Loasby, R.G. A simple volumometer, 1=19466
- Loasby, R.G. and Taylor, J.C. Hall effect in plutonium, 2=625
- Loasby, R.G. See Kay, A.E., 4=9849
- Löb, H. Energy distribution of argon- and hydrogen ions from a high frequency ion source, 1=18939
- Löb, H. and Peyerimhoff, S. Angular distribution of hydrogen and argon ions from a high frequency ion source, 2=20042
- Lobachev, A.N. and Vainshtein, B.K. Electron diffraction study of urea- $\text{CO}(\text{NH}_2)_2$ , 3=3310
- Lobachev, A.N. See Vainshtein, B.K., 0=14036
- Lobachev, A.N. See Vainshtein, B.K., 3=18293
- Lobachev, M.V. See Berkovich, S.L., 0=3633
- Lobanov, A.M. See Mikhailov, G.P., 4=1333
- Lobanov, V.F. See Grasiuk, A.Z., 4=20908
- Lobanov, Yu.N. See Kolotov, O.S., 2=17757
- Lobanov, Yu.A. See Parfenov, V.V., 4=7250
- Lobanov, Yu.N. See Kolotov, O.S., 2=19870
- Lobanov, Yu.N. and Tulinova, N.I. The behaviour of an electron beam in a betatron during the injection period, 1=5521
- Lobanov, Yu.N. and Tulinova, N.I. The behaviour of an electron beam in a betatron during the injection period, 1=11993
- Lobanov, Yu.N. See Kolotov, O.S., 0=11005
- Lobanov, Yu.N. See Kolotov, O.S., 4=16414
- Lobanov, Yu.N. See Volodichev, N.N., 2=17919
- Lobanov, Yu.V. See Druin, V.A., 0=9712
- Lobanov, Yu.V. See Indreash, G., 3=24419
- Lobanov, Yu.V. See Oganessian, Yu.Ts., 3=24986
- Lobanova, T.N. See Petrusevich, V.A., 2=10538
- Lobashev, V.M., Nazarenko, V.A. and Rusinov, L.I. Polarizational  $\beta$ - $\gamma$  correlation in the  $\beta$ -decay of  $\text{Co}^{60}$ , 0=13200
- Lobashov, V.M. and Nazarenko, V.A. A  $\beta$ - $\gamma$ -correlation investigation of  $\text{Pr}^{144}$  decay, 2=3526
- Lobashov, V.M. and Nazarenko, V.A. Investigation of the dependence of  $\beta$ - $\gamma$  correlation on electron velocity in the  $\beta$ -decay of  $\text{Co}^{60}$  and  $\text{Au}^{198}$ , 2=10040
- Lobashov, V.M. and Nazarenko, V.A.  $\beta$ - $\gamma$  correlation in  $\beta$ -decays of  $\text{Mn}^{56}$  and  $\text{F}^{20}$ , 2=10048
- Lobashov, V.M. and Nazarenko, V.A. A  $\beta$ - $\gamma$ -correlation investigation of  $\text{Pr}^{144}$  decay, 3=2410
- Lobashov, V.M. and Nazarenko, V.A.  $\beta$ - $\gamma$ -correlation in  $\beta$ -decays of  $\text{Mn}^{56}$  and  $\text{F}^{20}$ , 3=6203
- Lobashov, V.M. and Nazarenko, V.A. Investigation of the dependence of  $\beta$ - $\gamma$ -correlation on electron velocity in the  $\beta$ -decay of  $\text{Co}^{60}$  and  $\text{Au}^{198}$ , 3=6204
- Lobashov, V.M., Nazarenko, V.A. and Rusinov, L.I.  $\beta$ - $\gamma$  polarization correlation in the  $\beta$  decay of  $\text{Sc}^{46}$ , 1=13727
- Lobashov, V.M., Nazarenko, V.A. and Saenko, L.F. Determination of the spin of  $\text{Eu}^{152\text{m}}$ , 3=15085
- Lobastov, Yu.P. See Parfenov, V.V., 4=22992
- Lobastov, Yu.S. See Bazhenova, T.V., 4=448
- Lobastov, Yu.S. See Bazhenova, T.V., 4=11291
- Lobayashi, T. See Kato, H., 3=18276
- Lobdell, A.J., Shinopoulos, G.F. and Fillio, D.N. An instrument to measure transverse strain, 4=13365
- Löber, G. The measurement of absorption and fluorescence spectra at lower temperatures, 4=8428



- Lobikov, E.A. and Nastyukha, A.I. Energy distribution of electrons and ions in a strong toroidal discharge, 3=14541
- Lobikov, E.A. and Nastyukha, A.I. Energy spectrum of the electrons in the toroidal discharge device beta, 3=21817
- Lobikov, E.A. See Averin, V.G., 4=24683
- Lobikov, E.A. See Gorelik, L.L., 1=5474
- Lobikov, E.A. See Gorelik, L.L., 1=11550
- Lobikov, E.A. See Sokol'skii, V.V., 2=17796
- Lobikov, E.A. See Zubov, Yu.G., 4=8790
- Lobko, A.S. See Nazarov, N.I., 3=7622
- Lobko, A.S. See Nazarov, N.I., 4=8780
- Lobkowitz, B. and Marmier, P. (p,n) reactions in some medium-weight nuclei, 1=9862
- Lobkowitz, F. and Thorndike, E.H. Resonant depolarization of a beam of polarized protons during acceleration in a synchrocyclotron, 2=9847
- Lobkowitz, F. See Gotow, K., 2=20338
- Lobkowitz, F. See Gotow, K., 4=21608
- Löblich, K.R. Semitheoretical consideration on scaling laws in flame stabilization, 4=5424
- Löbner, K.E.G. See Hamilton, J.H., 4=30323
- Löbner, K.E.G. See Lingeman, E.W.A., 2=12166
- Lobo, P.W. See Van Meerssche, M., 3=6852
- Lobo, P.W. See Van Meerssche, M., 3=8848
- Lobo, P.W. See Van Meerssche, M., 3=8859
- Lobodyuk, V.A. and Khמדros, L.G. Re-orientation of the lattice in a martensitic phase on transition, 4=13483
- Lobodyuk, V.A. See Kurdyumov, G.V., 2=2396
- Lobov, G.A. Polarization of internal-conversion electrons and positrons emitted after  $\beta$ -decay of a nucleus, 1=3424
- Lobov, G.A. Radiative capture of  $\mu^-$  mesons by nuclei, 3=17488
- Lobov, G.A. Radiative capture of  $\mu^-$  mesons in hydrogen, 4=3824
- Lobov, G.A. and Shapiro, I.S. Radiative capture of  $\mu^-$ -meson by a proton, 3=14996
- Lobov, S.I. and Kanunov, M.A. Controlled double-trigger spark gap, 3=1920
- Lobov, S.I., Tsukerman, V.A. and Eig, L.S. Controllable low-pressure discharger, 4=14585
- Loch, L.D. The semiconducting nature of stannic oxide, 4=6990
- Lochak, G. On the non-linear theory of waves, 0=10595
- Lochak, G. A model non-linear equation which admits a plane-wave solution, 0=12358
- Lochak, G. Second law of thermodynamics and asymptotic stability in the sense of Liapunov, 2=19787
- Lochak, G. Non-linear theory of quantum transitions, 3=16531
- Lochak, G. See Andrade e Silva, J., 1=2705
- Lochak, G. See Andrade e Silva, J., 1=5214
- Lochak, G. See Andrade e Silva, J., 1=5215
- Lochak, G. See Andrade e Silva, J., 1=15690
- Lochak, G. See Andrade e Silva, J., 2=11243
- Lochak, G. See Andrade e Silva, J., 2=17369
- Lochak, G. See Andrade e Silva, J., 3=14691
- Lochak, G. See Andrade e Silva, J., 3=24408
- Lochak, G. See Andrade e Silva, J., 4=16580
- Locher, M. See Gorge, V., 3=7777
- Locher, M.P. Bremsstrahlung, radiative corrections and pion production in muon-proton scattering, 4=21889
- Locher, P.R. and Geschwind, S. Electron nuclear double resonance of  $\text{Ni}^{61}$  in  $\text{Al}_2\text{O}_3$  and variation of H.F.S. through an inhomogeneous line due to random crystal fields, 4=7334
- Locher, P.R. and Gorter, C.J. Spin-spin relaxations and magnetic resonance in a series of hydrated paramagnetic salts, 2=21381
- Locher, P.R. and Gorter, C.J.; appendix by Caspers, W.J. Spin-spin relaxation and magnetic resonances in two copper Tutton salts, 2=4273
- Löcherer, K.H. An observation on the paper "theoretical probability treatment of anode current variations in electron tubes", 0=15071
- Lochet, R. and Nouchi, G. Experimental arrangement for measuring  $T^* \leftarrow T$  absorptions, 4=10149
- Lochet, R. and Rousset, Y. Revolving frame for a spectrograph with catadioptric objective, 3=21553
- Lochet, R. See Cadas, J.P., 2=12592
- Lochet, R. See Courpron, C., 0=11774
- Lochet, R. See Dupuy, F., 4=30700
- Lochkob, B. See Dolgoshein, B., 3=4521
- Lochner, J.P.A. and Burger, J.F. The intelligibility of re-inforced speech, 0=18531
- Lochner, J.P.A. and Burger, J.F. The subjective masking of short time delayed echoes by their primary sounds and their contribution to the intelligibility of speech, 0=14330
- Lochner, J.P.A. and Burger, J.F. Optimum reverberation time for speech rooms based on hearing characteristics, 1=16046
- Lochner, J.P.A. and Burger, J.F. The intelligibility of speech under reverberant conditions, 2=2578
- Lochner, J.P.A. and Burger, J.F. The binaural summation of speech signals, 2=7054
- Lochner, J.P.A. and Burger, J.F. Form of the loudness function in the presence of masking noise, 2=7055
- Lochner, J.P.A. and Burger, J.F. Pure-tone loudness relations, 2=13216
- Lochner, J.P.A. and Burger, J.F. Pulse tests in acoustic models, 4=5339
- Lochner, J.P.A. and Burger, J.F. The influence of reflections and auditorium acoustics, 4=29725
- Lochner, J.P.A. and Keet, W. De V. Stereophonic and quasi-stereophonic reproduction, 0=6506
- Lochner, J.P.A. and Meffert, P. Sound energy integrator with an electrostatic squaring device, 0=3591
- Lochner, J.P.A. and Meffert, P. Analysis of reflection patterns in auditoria, 3=23990
- Lochte-Holtgreven, W. See Lanz, S., 4=5618
- Lochte-Holtgreven, W. See Maginski, H.P., 2=15915
- Löchtermann, E. Thermal conductivity of liquid neon, 3=18802
- Lock, C.J.L. See Davidge, P.C., 0=7665
- Lock, C.M. and Stevens, P.J. Connexion between micro-pulsations and the ionosphere, 1=21096
- Lock, J.M. Towards superconductive computers, 2=7526
- Lock, J.M. Superconductive switching, 2=13518
- Lock, J.M. Application of low temperature phenomena: a survey, 4=18624
- Lock, J.M., Parkinson, D.H. and Roberts, L.M. A proposal for a fast random-access computer store based on the superconducting device known as the Crowe cell, 3=340
- Lock, J.M. and Roberts, L.M. Thermal propagation of a boundary between the normal and superconducting phases in a thin evaporated film of tin, 3=16877
- Lock, M.H. Axially symmetric elastic waves in an unbounded inhomogeneous medium with exponentially varying properties, 3=16685
- Lock, M. See McCracken, A.K., 2=22540
- Lock, W.O. High energy nuclear physics, 1=12095
- Lock, W.O. See Baldassarre, F., 1=18862
- Lock, W.O. See Baldassarre, F., 2=22562
- Lock, W.O. See Cvijanovich, G., 1=16778
- Lock, W.O. See Dahl-Jensen, E., 2=5553
- Lock, W.O. See de Carvalho, H.G., 3=8146
- Locke, D.J. See Garfinkel, M., 4=24909
- Locke, G. See Bagge, V.E., 4=1139
- Locke, J.L., Galt, J.A. and Costain, C.H. Neutral hydrogen in the anticenter region, 4=23875
- Locke, S. See Reiss, E.L., 2=2661
- Locke, V.G. Feasibility of raising the initial total conversion factors of critical natural uranium-heavy water systems, 4=1142
- Löckenhoff, D. See Hahn, A., 4=22949
- Locker, D. See Dorain, P.B., 3=13295
- Lockett, A.M. See Brueckner, K.A., 1=589
- Lockett, A.M. See Masterson, K.S., Jr., 3=6129
- Lockett, A.M. See Smith, D.B., 3=7939
- Lockett, E.E. See Aitken, K.L., 0=4125
- Lockett, F.J. Interpretation of mathematical solutions in viscoelasticity theory illustrated by a dynamic spherical cavity problem, 1=20338
- Lockett, F.J. The reflection and refraction of waves at an interface between viscoelastic materials, 2=7277
- Lockhart, L.B. Jr. Atmospheric radioactivity levels at Yokosuka, Japan, 1954-1958, 0=10449
- Lockhart, L.B. Jr., Baus, R.A., Patterson, R.L., Jr. and Saunders, A.W., Jr. Radiochemical analysis of fission debris in the air along the 80th Meridian, West, 0=14322
- Lockwood, G.E.K. Spin rate of the satellite Echo I as determined by a tracking radar, 1=2672
- Lockwood, G.E.K. Determination of radar auroral heights with the Prince Albert radar, 2=2515
- Lockwood, G.E.K. Plasma and cyclotron spike phenomena observed in top-side ionograms, 3=11430
- Lockwood, G.E.K. A ray-tracing investigation of ionospheric Z-mode propagation, 3=23615
- Lockwood, G.E.K. and Petrie, L.E. Low-latitude field-aligned ionization observed by the alouette topside sounder, 3=25926
- Lockwood, G.E.K. See James, J.C., 0=8408
- Lockwood, G.J. and Everhart, E. Resonant electron capture in violent proton-hydrogen atom collision, 2=3715



- Lockwood, G. J., Helbig, H. F. and Everhart, E. Measurements of resonant electron capture in  $\text{He}^+$  on He collisions, 4=5563
- Lockwood, G. J. See Ziemba, F. P., 0=13407
- Lockwood, G. J. See Everhart, E., 4=24573
- Lockwood, H. See Black, J., 3=10853
- Lockwood, H. F. Peak current behavior in Ge Esaki junctions 2=4045
- Lockwood, H. F. Polarization in junction luminescence, 3=23120
- Lockwood, J. A. On the long-term variation in the cosmic radiation, 0=11277
- Lockwood, J. A. An investigation of the Forbush decreases in the cosmic radiation, 1=13584
- Lockwood, J. A. Intensity-time variations of the cosmic radiation, 2=1748
- Lockwood, J. A. and Calawa, A. R. On the barometric pressure coefficient for cosmic-ray neutrons, 0=394
- Lockwood, J. A. and Razdan, H. Asymmetries in the Forbush decreases of the cosmic radiation. I. Differences in onset times, 3=15063
- Lockwood, J. A. and Razdan, H. Asymmetries in the Forbush decreases of the cosmic radiation. II. Superimposed intensity variations during a Forbush decrease, 3=15064
- Lockwood, J. A. and Shea, M. A. Variations of the cosmic radiation in November 1960, 2=3440
- Lockwood, J. A. and Shea, M. A. Increase of the cosmic-ray nucleonic intensity in November, 1960, 2=13898
- Lockwood, J. A. See Henkel, J. E., 0=9487
- Lockwood, J. A. See Webber, W. R., 3=10192
- Lockwood, W. H. See Bovey, L., 3=698
- Lockwood, W. H. See Davis, H. M., 0=10753
- Lockyer, R. and Hames, G. E. Atomic absorption spectroscopy, 2=23980
- Locque, R. See Debraine, P., 0=2412
- Loctionov, A. A. and Takibaev, J. S. Showers formed by nuclei with energy of  $\geq 5 \cdot 10^{10}$  eV/nucleon, 2=12082
- Loctionov, A. A. See Takibayev, Zh. S., 0=9449
- Lodding, A. The temperature dependence of the isotope effect of current flow in liquid alkali metals, 0=5858
- Lodding, A. New measurements of the Haefner effect in Rb, K and In, 2=10229
- Lodding, A. and Klemm, A. Effective diffusion in liquid metals by isotope transfer, 3=21330
- Lodding, A. See Lundén, A., 0=1959
- Lodding, A. See Lundén, A., 0=11495
- Lodding, A. See Rohlin, J., 3=16610
- Lodding, A. R. E. Isotope transport phenomena in liquid metals, 2=11362
- Lodding, W. and Hammell, L. High-temperature pressure-vacuum furnace, 0=2062
- Loden, K. A study of tangential velocities for 1,319 stars in 19 selected areas, 3=11555
- Lodén, L. O. On some different methods for photographic measurements of stellar polarization, 0=6548
- Lodén, L. O. On the properties of light after transit through several media with arbitrary plane-polarising properties, 2=1281
- Lodén, L. O. A polarimetric investigation of 1300 stars, 2=4820
- Lodén, L. O. Contribution to the discussion of interstellar polarisation, 2=4821
- Lodge, A. S. Low-compliance diaphragm-capacitance gauge for measurement of liquid pressures of the order of 1 in. water, 0=19042
- Lodge, J., Anderson, F., Brucker, E. B., Pevsner, A. and Strand, R. The mass of the  $\Lambda^0$  hyperon, 0=20241
- Lodi, E. A. and Crowther, D. L. Some new results from low-energy proton irradiation of silicon solar cells, 3=14508
- Lodi, E. A. See Day, R. P., 2=9448
- Loeb, A. L. A modular algebra for the description of crystal structures, 2=10803
- Loeb, A. L. The subdivision of the hexagonal net and the systematic generation of crystal structures, 4=10491
- Loeb, A. L. and Pearsall, G. W. Moduledra crystal modules. A teaching and research aid in solid-state physics, 3=11653
- Loeb, H. W. The calculation of space-charge layer widths, maximum field and junction capacitance of p-n junctions with arbitrary impurity profiles, 2=4047
- Loeb, H. W. An analogue method for the determination of potential distributions in semiconductor systems, 3=17907
- Loeb, L. B. Static electrification. I, 2=19873
- Loeb, L. B. Static electrification. II, 4=436
- Loeb, L. B. A tentative explanation of the electrical field effect on the freezing of supercooled water drops, 4=11403
- Loeb, L. B. High voltage and high pressure discharges 4=18750
- Loeb, L. B. and El-Bakkal, J. M. Breakdown of argon in glass cells with external electrodes at steady and 60-cycle alternating potentials, 3=4092
- Loeb, L. B., Westberg, R. G. and Huang, H. C. Streamer mechanism in filamentary spark breakdown in argon by fast photomultiplier techniques, 1=10679
- Loeb, L. B. See El-Bakkal, J. M., 2=9554
- Loeb, L. B. See Herreman, H. M., 4=3237
- Loeb, L. B. See Hudson, G. G., 1=10678
- Loeb, L. B. See Nasser, E., 4=2955
- Loeb, M. and Binford, J. R. Some factors influencing the effective auditory intensive difference limen, 3=18675
- Loeb, M. and Dickson, C. Factors influencing the practice effect for auditory thresholds, 1=11660
- Loeb, M. and Fletcher, J. L. Contralateral threshold shift and reduction in temporary threshold shift as indices of acoustic reflex action, 1=21119
- Loeb, M. and Hawkes, G. R. Auditory intensity discrimination as a function of stimulus presentation method, 3=1559
- Loeb, M. and Riopelle, A. J. Influence of loud contralateral stimulation on the threshold and perceived loudness of low-frequency tones, 0=8442
- Loeb, M. See Fletcher, J. L., 3=1557
- Loebenstein, H. M. and Sprinzak, A. The third-order aberrations of an electric strong focusing doublet, 4=11724
- Loebenstein, H. M. See Dar, Y., 4=27712
- Loebenstein, H. M. See Goldring, G., 2=20514
- Loebenstein, M. See Rosner, B., 3=14966
- Loebenstein, W. V. Batch adsorption from solution, 3=6895
- Loebenstein, W. V. Adsorption, desorption, resorption, 4=10616
- Loebich, O. and Steudel, A. Hyperfine structure of the forbidden Hg II line  $\lambda$  2815 Å and the isotope shift constants of mercury, 2=3702
- Loebl, E. M. Quantum theory and specific heats, 0=219
- Loebner, E. E. Solid-state optoelectronics, 0=2929
- Loebner, E. E. See Archer, R. J., 4=22848
- Loebner, E. E. See Hegyi, I. J., 3=16072
- Loedel Palumbo, E. The clock paradox, 0=12353
- Loef, J. J. van. See van Loef, J. J.
- Loeffel, J. J. Some properties of Minkowski space over the complex numbers, 4=2549
- Loeffel, J. J. See Kinoshita, T., 3=17221
- Loeffel, J. J. See Kinoshita, T., 4=27810
- Loeffler, A. L. Jr. Heat transfer in fully developed flow between parallel plates with variable heat sources, 0=12517
- Loeffler, F. J. See Liu, F. F., 2=2988
- Loeffler, F. J., Palfrey, T. R., Jr. and White, T. O., Jr. Polarization of protons from the high-energy photodisintegration of deuterium, 3=22217
- Loeffler, F. J. See Kim, Y. S., 3=8079
- Loeffler, F. J. See Liu, F. F., 3=4624
- Loeffler, F. J. See Palfrey, T. R., 1=8482
- Loehlin, J. H. See Waugh, J. S., 0=5911
- Loeliger, H. See Brun, E., 3=25571
- Loeschke, K. See Linde, H., 3=21586
- Loeser, R. See Avrett, E. H., 4=14
- Loew, G. A. See Altenmueller, O. H., 4=14775
- Loewe, W. E. See Brown, H. D., 0=13333
- Loewenstein, A. See Sasson, M., 3=9958
- Loewenstein, E. V. Optical properties of sapphire in the far infrared, 1=2438
- Loewenstein, E. V. On the correction of phase errors in interferograms, 3=14363
- Loewenstein, J. C. See Gaulard, M. L., 3=16621
- Loewenstein, K. L. Studies in the composition and structure of glasses possessing high Young's moduli. II. The effect of changes in the configuration temperature, 2=17061
- Loewenstein, K. L. Studies in the composition and structure of glasses possessing high Young's moduli. I. The composition of high Young's modulus glasses and the function of individual ions in the glass structure, 1=20635
- Loewenstein, V. Interferometric spectra of ammonia and carbon monoxide in the far infrared, 1=841
- Loewenstein, W. B. See Meneghetti, D., 0=12952
- Loewenstein, W. B. See Meneghetti, D., 0=13276
- Loferski, J. J. See Flicker, H., 3=6551
- Loferski, J. J. See Flicker, H., 3=22858
- Löffler, K. H. See Boersch, H., 0=5355
- Löfgren, T. A simple and accurate technique for the correction of X-ray intensities for angle factors in the equi-inclination method, 0=6348



- Löfgren, T. An assessment of the power of the non-negativity criterion as used in X-ray crystal structure determinations, 1=20482
- Löfgren, T. A simple precision method for the determination of cell parameters, 1=20507
- Löfgren, T. Remarks on a non-statistical approach to the F phase problem, 2=6806
- Löfgren, T. A non-statistical derivation of some intensity laws. The unpredictability of P (E), N(z), etc., 2=6807
- Löfgren, T. A reinforced non-negativity criterion [in crystal symmetry], 2=10810
- Lofquist, K. Flow and stress near an interface between stratified liquids, 0=8609
- Lofquist, K. Rotational micromanometers, 3=3782
- Lofthus, A. A new predissociation in nitrogen, 0=13435
- Lofthus, A. A determination of the electronegativity parameter in molecular orbital calculations on heteronuclear molecules containing nitrogen, 0=20682
- Lofthus, A. Molecular two-centre hybrid and exchange integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals, 1=14068
- Lofthus, A. Molecular two-centre integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals. II. Coulomb integrals, 1=14069
- Lofthus, A. Molecular two-centre integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals. III. Penetration integrals, 1=19650
- Lofthus, A. Molecular two-centre integrals. I. Overlap integrals, 2=12340
- Lofthus, A. Molecular two-centre integrals. II. Some one-electron integrals, 3=12792
- Lofthus, A. and Miescher, E. Absorption spectrum of the NO molecule. IV. The  $G^2\Sigma^- - X^2\Pi$  system, 4=20055
- Lofthus, T. P. See Lee, R. M., 2=14007
- Logachev, J. L. See Vernov, S. N., 1=5797
- Logachev, V. I. See Dragun, G. S., 2=17314
- Logachev, V. I. See Ginzburg, V. L., 2=15266
- Logachev, V. I. See Ginzburg, V. L., 2=19249
- Logachev, V. I. See Ginzburg, V. L., 3=9119
- Logachev, V. I. See Ginzburg, V. L., 4=6153
- Logachev, V. I. See Kurnosova, L. V., 2=9947
- Logachev, V. I. See Kurnosova, L. V., 2=11085
- Logachev, V. I. See Kurnosova, L. V., 2=21674
- Logachev, V. I. See Kurnosova, L. V., 3=2343
- Logachev, V. I. See Kurnosova, L. V., 3=22229
- Logachev, Yu. I. See Vakulov, P. V., 4=7900
- Logachev, Yu. I. See Vernov, S. N., 0=395
- Logachev, Yu. I. See Vernov, S. N., 0=10397
- Logachev, Yu. I. See Vernov, S. N., 1=4815
- Logachev, Yu. I. See Vernov, S. N., 1=10939
- Logachev, Yu. I. See Vernov, S. N., 2=9029
- Logachev, Yu. I. See Vernov, S. N., 2=12087
- Logachev, Yu. I. See Vernov, S. N., 2=12089
- Logachev, Yu. I. See Vernov, S. N., 2=16256
- Logan, J. G. Hydrodynamic analog of the classical field equations, 2=19514
- Logan, J. K. See van Dijk, H., 0=7036
- Logan, J. K. See van Dijk, H., 0=8878
- Logan, N. A. Early history of the Mie solution, 2=7405
- Logan, N. A. and Yee, K. S. A mathematical model for diffraction by convex surfaces, 2=7744
- Logan, R. A., Augustyniak, W. M. and Gilbert, J. F. Electron bombardment damage in silicon esaki diodes, 1=10054
- Logan, R. A. and Chynoweth, A. G. Charge multiplication in GaP p-n junctions, 2=12527
- Logan, R. A. and Chynoweth, A. G. Effect of degenerate semiconductor band structure on current-voltage characteristics of silicon tunnel diodes, 3=17679
- Logan, R. A., Chynoweth, A. G. and Cohen, B. G. Avalanche breakdown in gallium arsenide p-n junctions, 3=6574
- Logan, R. A., Gilbert, J. F. and Trumbore, F. A. Electron mobilities and tunneling currents in silicon, 1=3757
- Logan, R. A. and Peters, A. J. Diffusion of oxygen in silicon, 0=1601
- Logan, R. A. and Peters, A. J. Impurity effects upon mobility in silicon, 0=1652
- Logan, R. A., White, H. G., Foy, P. W. and Frosch, C. J. Two-carrier space-charge-limited current in GaF, 4=22741
- Logan, R. A. See Chynoweth, A. G., 0=9961
- Logan, R. A. See Chynoweth, A. G., 0=11715
- Logan, R. A. See Chynoweth, A. G., 0=18048
- Logan, R. A. See Chynoweth, A. G., 1=2413
- Logan, R. A. See Chynoweth, A. G., 1=3779
- Logan, R. A. See Chynoweth, A. G., 2=4050
- Logan, R. A. See Chynoweth, A. G., 2=23419
- Logan, R. A. See Gershenzon, M., 4=13077
- Logan, R. A. See Lee, C. A., 4=17395
- Logan, R. A. See Spitzer, W. G., 1=14441
- Logan, R. A. See Trumbore, F. A., 1=14456
- Logan, R. A. See Trumbore, F. A., 3=3342
- Logan, R. A. See Trumbore, F. A., 4=28999
- Logan, R. A. See White, H. G., 3=17912
- Logan, T. H. Teaching significant figures, 4=14005
- Logar, K. and Urban, P. Bremsstrahlung in high-energy electron-electron scattering with reference to the structure of the collision particles, 4=3380
- Logar, K. and Urban, P. Bremsstrahlung in high-energy electron-electron scattering with allowance for electron structure, 4=3386
- Logar, K. and Urban, P. The Weizsäcker-Williams method for particles with extended charge, 4=29533
- Loges, F. An approximate solution for the diffraction of a plane monochromatic wave at a slit, 0=12493
- Loges, F. Calculation of the transmission factor in the diffraction at a slit of a p-polarized plane [electromagnetic] wave, by an approximation method, 1=18614
- Loges, F. Calculation of the transmission factor for diffraction at a slit of a p-polarized plane electromagnetic wave; an approximate solution, 2=22334
- Loges, F. Concluding notes on the theory of diffraction at a slit, 3=267
- Logie, H. J., Jackson, J., Anderson, J. C. and Nabarro, F. R. N. Effect of plastic deformation on resistivity of gold-palladium alloys, 1=14360
- Logie, H. J. See Urlau, R. R., 1=14210
- Loginov, G. M. See Bogdanova, N. I., 2=12757
- Loginov, G. M. See Bogdanova, N. I., 2=14765
- Loginov, P. P. Possible influence of lateral refraction on observational results, 4=10803
- Loginov, V. A. Determination of molecular constants from band spectra using the method of parabolic interpolation, 0=492
- Loginov, V. A. Accuracy of determination of wavelengths with various interpolation formulae for work with a diffraction-grating spectrograph DFS-3, 0=1035
- Loginov, V. A. An estimate of the error in interpolation along the normals of the spectrum intervals lying on Rowland's circle, 0=14831
- Loginov, V. A. The production of electronic band spectra by the exploding wire method, 4=25635
- Logothetis, E. See Hartman, P. L., 4=11339
- Logunov, A. A., Hieu, N. V., Todorov, I. T. and Khurstalev, O. A. Asymptotic relations between cross-sections in local field theory, 4=5947
- Logunov, A. A., Hieu, N. V., Todorov, I. T. and Khurstalev, O. A. Asymptotic properties of the neutral K-meson scattering amplitude, 4=5948
- Logunov, A. A., Meshcheryakov, V. A. and Tavkhelidze, A. N. The approximate  $\gamma_5$ -invariance of a theory of strong interactions, 2=9775
- Logunov, A. A., Meshcheryakov, V. A. and Tavkhelidze, A. N. The approximate  $\gamma_5$ -invariance of a theory of strong interactions, 2=20246
- Logunov, A. A., Nguyen-Van-Hieu and Hsien Ting-Chang. Higher symmetries of strong interactions and asymptotic relations between meson-baryon scattering cross-sections, 4=21793
- Logunov, A. A., Nguyen Van Hieu and Hsien Ting-chang. Higher symmetries of strong interactions and asymptotic relations between meson-baryon scattering cross-sections, 4=30180
- Logunov, A. A., Nguyen Van-Hieu, Tavkhelidze, A. N. and Khurstalev, O. A. Regge poles and perturbation theory, 4=9145
- Logunov, A. A., Nguen Van Kh'eu, Todorov, I. T. and Khurstalev, O. A. Asymptotic relations between cross-sections in local field theory, 4=16829
- Logunov, A. A. and Tavkhelidze, A. N. Quasi-optical approach in quantum field theory, 3=24577
- Logunov, A. A., Tavkhelidze, A. N. and Khurstalev, O. A. Quasi-potential character of the Mandelstam representation, 3=19560
- Logunov, A. A., Tavkhelidze, A. N., Todorov, I. T. and Chernikov, N. A. Majorization of Feynman diagrams, 1=3124
- Logunov, A. A., Tavkhelidze, A. N., Todorov, I. T. and Chernikov, N. A. Majorization of Feynman diagrams, 1=8727
- Logunov, A. A., Tavkhelidze, A. N., Todorov, I. T. and Khurstalev, O. A. Quasi-potential character of the scattering amplitude, 4=3336
- Logunov, A. A., Todorov, I. T. and Chernikov, N. A. Generalization of Symanzik's theorem on majorization of Feynman diagrams, 2=16134



- Logunov, A.A., Todorov, I.T. and Chernikov, N.A. Generalization of Symanzik's theorem on majorization of Feynman diagrams, 3=5958
- Logunov, A.A., Van Hieu, N. and Khrustalev, O.A. Quasi-optical method and asymptotic behaviour of many-channel amplitudes, 4=9131
- Logunov, A.A., van Hieu, N., Tavkhelidze, A.N. and Khrustalev, O.A. Regge poles in quantum electrodynamics, 3=17202
- Logunov, A.A. See Arbuzov, B.A., 2=22450
- Logunov, A.A. See Arbuzov, B.A., 3=4347
- Logunov, A.A. See Arbuzov, B.A., 3=14891
- Logunov, A.A. See Arbuzov, B.A., 3=22087
- Logunov, A.A. See Arbuzov, B.A., 4=11909
- Logunov, A.A. See Arbuzov, B.A., 4=19434
- Logunov, A.A. See Bogolyubov, N.N., 0=9258
- Logunov, V.N. and Semenov, S.S. On internal injection of electrons in the betatron, 1=4682
- Logunov, V.N. and Semenov, S.S. Contractor for betatron, 2=5419
- Logunov, V.N. and Semenov, S.S. The effect of focusing in the injector on the intensity of gamma-rays from a betatron, 3=24417
- Logvinov, V.V. See Demirkhanov, R.A., 3=14585
- Loh, Chyuan-kong. On electromagnetic instabilities of plasma, 4=24702
- Loh, E. Reverse-bias-dependence of spectral photoresponse of Si and GaAs shallow p-n junctions near the band edge, 3=10848
- Loh, E. Spectral photo response of Si, GaAs and Ge shallow junctions in the region 1-5 eV, 3=13134
- Loh, E. and Newman, R. Infrared properties of flame-fused MnO crystals, 1=6215
- Loh, E. and Newman, R. The absorption edge of zinc telluride, 2=8529
- Loh, E. and Phillips, J.C. Band structure effects in photoconductivity of semiconductors, 3=13135
- Loh, E. See Ozaki, S., 0=13292
- Loh, E. See Stiening, R.F., 3=19601
- Loh, E.C. See Boyarski, A.M., 3=6065
- Loh, S.C. The radiation characteristics of a sinuate antenna, 0=2452
- Loh, S.C. Uncharged conducting toroidal ring in a uniform electric field, 1=18743
- Loh, S.C. See Carter, G.W., 4=24798
- Loh, W.H.T. Hydraulic analogue for one dimensional unsteady gas dynamics, 0=8678
- Loh, W.H.T. Dynamics and thermodynamics of re-entry, 2=4864
- Lohr, W. See Busnel, R.G., 2=1031
- Lohff, J. and Raether, H. Electron emission during the oxidation of metal surfaces, 0=260
- Lohff, J. Characteristic energy losses in the scattering of medium energy electrons at aluminium surfaces, 3=4858
- Lohmänder, U. Treatment of data from capillary measurements on non-Newtonian liquids, 0=12402
- Lohmann, A. Active contrast-transfer theory, 1=229
- Lohmann, A. Contrast and image quality measured by the double star method, 1=9468
- Lohmann, A. Grating diffraction spectra as coherent light sources for two- or three-beam interferometry, 2=7387
- Lohmann, A. The Fresnel Zone plate [F.Z.P.] as test object, 2=7396
- Lohmann, A. Information theory in optics, 2=11460
- Lohmann, A. A new Fourier-spectrometer consisting of a two-gratings-interferometer, 3=16770
- Lohmann, A. and Morgenstern, B. Azimuth modulation in optics, 4=8453
- Lohmann, A. See Fleischmann, R., 0=14814
- Lohmann, A. See Gärtner, W., 3=14322
- Lohmann, A.W. and Paris, D.P. Superresolution for non-birefringent objects, 4=29734
- Lohmann, W. Apparatus for the development of nuclear emulsion plates, 0=19986
- Lohmann, W. Luminosity distributions in 16 globular clusters, 2=7016
- Lohmann, W. Recalculation of the mass of the galaxy, 2=11149
- Lohmann, W. On the statistics and the structure of globular star clusters, 3=23701
- Lohmann, W. The influence of interstellar absorption on the colour index of globular clusters, 4=4869
- Lohmann, W. Proton relaxation and hydration in aqueous solutions of diamagnetic salts, 4=27199
- Lohmann, W. Density distribution and mean stellar velocities in star clusters, 4=30969
- Lohmann, W. and Perkins, W.H. Stabilization of the counting rate by irradiation of the liquid scintillation counting solutions with UV-light, 2=5523
- Lohr, L.L., Jr and Allen, L.C. Erratum; Wave functions and correlation energies for F, F<sup>-</sup> and Ne, 4=3789
- Lohr, L.L., Jr and Lipscomb, W.N. Molecular symmetry of IF<sub>7</sub>, 2=19077
- Lohr, L.L., Jr. and Lipscomb, W.N. Molecular orbital theory of spectra of Cr<sup>3+</sup> ions in crystals, 3=13163
- Lohr, L.L., Jr. and Lipscomb, W.N. Molecular symmetry of XeF<sub>2</sub> and XeF<sub>4</sub>, 3=15355
- Lohr, L.L., Jr. See Moore, E.B., Jr, 1=17335
- Lohrengel, J. Optical amplitude filters, 2=1257
- Lohrmann, E. Investigation of bremsstrahlung and pair production at energies > 10<sup>11</sup> eV, 1=9744
- Lohrmann, E., Meyer, H. and Wüster, H.D. Angular correlations for the pion photoproduction on <sup>4</sup>He, 4=3443
- Lohrmann, E., Teucher, M.W. and Schein, M. Nuclear interactions and mean free paths of protons, neutrons, and alpha particles at energies around 250 BeV/nucleon, 1=7240
- Lohrmann, E. and Teucher, M.W. Meson production on heavy target, nuclei at energies > 10<sup>11</sup> eV, 2=20377
- Lohrmann, E. See Aderholz, M., 4=21919
- Lohrmann, E. See Aderholz, M., 4=25151
- Lohrmann, E. See Aizu, H., 2=20452
- Lohrmann, E. See Barkow, A.G., 1=7238
- Lohrmann, E. See Bondar, L., 4=944
- Lohrmann, E. See Ciok, P., 3=8084
- Lohrman, E. See Cuevas, J., 4=3545
- Lohrmann, E. See Dehne, H.C., 4=19518
- Lohrmann, E. See Escoubès, B., 3=19630
- Lohrmann, E. See Gierula, J., 1=7239
- Lohrmann, E. See Haskin, D.M., 1=571
- Lohrmann, E. See Haskin, D.M., 1=3322
- Lohrmann, E. See Koshiba, M., 3=24815
- Lohrmann, E. See Meyer, H., 3=19628
- Lohrmann, E. See Schein, M., 0=2559
- Lohrmann, E. See Schein, M., 0=9448
- Lohrmann, E. See Teucher, M.W., 1=3256
- Lohse, J.M. A visible latent image in photopolymer, 3=5538
- Lohse, P. See Becker, E.W., 0=20709
- Lohse, P. See Becker, E.W., 2=10291
- Lohse, P. See Becker, E.W., 3=2678
- Lohse, P. See Klingelhöfer, R., 4=15389
- Lohvynenko, A.A. See Kaplan, S.A., 1=13167
- Loiacono, G.M. See Levinstein, H.J., 4=6838
- Loiacono, G.M. See Nassau, K., 4=15474
- Loinger, A. Galilei group and Liouville equation, 3=15
- Loinger, A. New concept of presentation of a Lie algebra, 3=21194
- Loinger, A. Symmetry groups and equations of motion, 3=23730
- Loinger, A. See Albertoni, S., 0=16615
- Loinger, A. See Bocchieri, P., 3=1612
- Loinger, A. See Bocchieri, P., 4=89
- Loinger, A. See Daneri, A., 2=17357
- Loiseaux, J.M. See Langevin, M., 3=6166
- Loiseaux, J.M. See Langevin, M., 4=19745
- Loiseaux, J.M. See Langevin, M., 4=22104
- Loitsyanskii, L.G. The hypothesis of localness in the turbulent motion of a viscous fluid, 1=8100
- Lojko, M.S. See Wang, H.S.C., 4=514
- Lojkin, O.V. See Perfilov, N.A., 0=12736
- Lokan, K.H., Hogg, G.R., Cannington, P.H. and Stewart, R.J.J. The reaction Si<sup>28</sup>( $\gamma$ , p)Al<sup>27</sup>, 4=28020
- Lokan, K.H. See Cuninghame, J.G., 3=19895
- Lokan, K.H. See Firk, F.W.K., 2=14078
- Lokan, K.H. See Firk, F.W.K., 3=19655
- Lokan, K.H. See Katz, L., 2=5625
- Lokanadham, B. See Botley, C.M., 4=29432
- Lokanadham, B. See Rao, M.S., 3=9184
- Lokanadham, B. See Rao, M.S., 3=16365
- Lokanadham, B. See Srirama Rao, M., 4=17890
- Lokanathan, S., Robinson, D.K. and St. Lorant, S.J. Hypernucleus studies. I. Mesonically decaying hypernuclei, 0=7484
- Lokanathan, S. See Goodhead, D.T., 4=25272
- Lokanathan, S. See Ismail, A.Z.M., 2=18247
- Lokanathan, S. See Ismail, A.Z.M., 3=10228
- Lokanathan, S. See Ismail, A.Z.M., 3=22274
- Lokanathan, S. See Ismail, A.Z.M., 4=3546
- Lokanathan, S. See Ismail, A.Z.M., 4=25194
- Lokanathan, S. See Kenyon, I.R., 3=17270
- Lokanathan, S. See Kenyon, I.R., 4=9363



- Lokanathan, S. See Key, A. W., 4=21992  
 Lokanathan, S. See St. Lorant, S. J., 2=20500  
 Lokanathan, S. See Wilkinson, D. H., 0=418  
 Loken, J. G. and Derrick, M. Some low-energy proton-antiproton cross-sections, 3=10110  
 Loken, M. K. See Marvin, J. F., 0=21402  
 Lokhin, V. V. System of determining parameters characterizing geometrical properties of anisotropic media, 3=20765  
 Lokhin, V. V. General expressions for relating tensor fields in an anisotropic continuous medium whose properties can be described by vectors, tensors of the second rank and by antisymmetrical tensors of the third rank, 3=22619  
 Lokhmatov, A. I. See Koronkevich, V. P., 2=5184  
 Lokken, J. E., Shand, J. A. and Wright, C. S. A note on the classification of geomagnetic signals below 30 cycles per second, 2=19257  
 Lokken, J. E., Shand, J. A., Wright, C. S., Martin, L. H., Brice, N. M. and Helliwell, R. A. Stanford-Pacific Naval Laboratory conjugate point experiment, 2=4692  
 Lokken, J. E. See Jacobs, J. A., 4=2325  
 Loktionov, A. A. and Semenov, A. Z. Determination of charge of relativistic nuclei by the method of delta-electron counting, 4=16779  
 Loktionov, A. A. and Takibaev, Zh. S. Production of pions by high-energy cosmic-ray alpha particles, 0=11281  
 Loktionov, A. A. and Takibaev, Zh. S. Showers produced by nuclei with energies  $\geq 5 \times 10^{10}$  eV per nucleon, 3=19727  
 Loladze, Ts. D. and Tsintsadze, N. L. Nonlinear vibrations of a two-component plasma in a magnetic field, 2=15940  
 Loladze, Ts. D. and Tsintsadze, N. L. Reflection and refraction of magnetohydrodynamic waves at the boundary between two anisotropic plasma media, 4=14646  
 Loladze, Ts. D. and Tsintsadze, N. L. Wave conversion on the boundary between two plasma media, 4=29945  
 Loladze, Ts. D. See Tsintsadze, N. L., 4=24808  
 Lolić, B. See Popović, D., 0=20520  
 Lomaglio, C. The spin Hamiltonian appropriate to a single crystal belonging to the orthorhombic system, 1=20211  
 Lomaglio, G. and Uebersfeld, J. Electron paramagnetic resonance in a gamma-irradiated single crystal of glycine, 1=20210  
 Lomaglio, G. The production of paramagnetic centres in irradiated sugars, 2=12823  
 Lomakin, S. S. See Ponomarev-Stepnoi, N. N., 4=17230  
 Lomakin, V. A. Statistical description of stress conditions in a deforming body, 4=21067  
 Lomakin, Yu. F. See Budagov, Yu. A., 3=17131  
 Lomakina, G. A. and Vodakov, Yu. A. Effect of phonon drag in  $\alpha$ -SiC crystals, 2=16764  
 Lomakina, G. A. and Vodakov, Yu. A. Effect of phonon drag in  $\alpha$ -SiC crystals, 2=18758  
 Lomakina, G. A. See Vodakov, Yu. A., 0=7937  
 Lomakina, G. A. See Vodakov, Yu. A., 0=11723  
 Lomakina, G. A. See Vodakov, Yu. A., 0=15948  
 Lomakina, Z. D. See Kopylov, G. I., 0=15298  
 Lomakina, Z. D. See Tikhonov, A. N., 1=20798  
 Loman, D. (Transl.). An electromagnet isotope separator with small magnetic field volume, 3=12786  
 Lomanov, M. F. and Shchegolev, V. A. A hydrogen-containing liquid in a bubble camera for operation at room temperature, 1=12037  
 Lomanov, M. F. See Blinov, G. A., 1=3098  
 Lomardi, J. R., Raymond, J. W. and Albrecht, A. C. Rotational relaxation in rigid media by polarized photo-selection, 4=14167  
 Lomask, M. and Frassetto, R. Acoustic measurements in deep water using the Bathyscaph, 0=14755  
 Lomask, M. R. and Saenger, R. A. Ambient noise in a deep inland lake, 1=9457  
 Lomax, R. J. Exact electrodes for the formation of a curved space-charge beam. II, 0=17034  
 Lomax, R. J. Transient space-charge flow, 0=19733  
 Lomax, R. J. An analogue method of determining electrode shapes of electron guns having curved trajectories, 3=24349  
 Lomax, R. J. See Dolph, C. L., 4=21646  
 Lomazov, D. B. 2=6041  
 Lombard, D. B. and Blanchard, C. H. Fission-to-indium age in water, 1=16805  
 Lombard, F. J. and Martin, F. Statistics of electron multiplication, 1=4636  
 Lombard, P. See Villers, G., 4=7650  
 Lombard, R. Nuclear structure effects in internal pair formation, 4=17016  
 Lombard, R., Kossanyi, P. and Bishop, G. B. Scattering of high-energy electrons by  $P^{31}$ , 4=17121  
 Lombard, R. and Rys, F. Mono-energetic positron formation coefficient in the case of E1 transitions, 2=10051  
 Lombard, R. See Berthier, J., 1=2188  
 Lombard, R. See Berthier, J., 1=7348  
 Lombard, R. See Brunner, J. H., 2=10050  
 Lombard, R. J. Internal conversion in  $Tl^{203}$ , 4=19736  
 Lombard, R. J. Octupole vibrations in spherical nuclei, 4=21979  
 Lombard, R. J. and Børs, A. Born approximation in the internal-pair formation, 4=3560  
 Lombardi, E. and Sogo, P. B. NMR study of acetaldehyde-water mixtures, 0=6819  
 Lombardi, E. See Jansen, L., 4=17745  
 Lombardi, E. See Strohmeier, W., 0=1505  
 Lombardo, J. J. See Graves, H. W., Jr., 3=6336  
 Lomelin, J. M. and Neubert, T. J. Electrical conductivity of potassium thiocyanate, 3=22983  
 Lomer, J. N. The effect of electron irradiation on the internal friction of copper between  $10^\circ K$  and  $80^\circ K$ , 3=18169  
 Lomer, J. N. and Hiblett, D. H. Some effects of electron irradiation on the internal friction of copper, 3=1218  
 Lomer, J. N., Mitchell, E. W. J. and Niblett, D. H. Some effects of electron irradiation on the internal friction of copper, 3=8758  
 Lomer, J. N. and Rosenberg, H. M. The measurement of dislocation densities from the lattice heat conductivity of copper-zinc alloys, 0=1579  
 Lomer, J. N. and Rosenberg, H. M. The lattice heat conductivity of copper-zinc alloys, 0=9865  
 Lomer, J. N. and Rosenberg, H. M. The detection of dislocations by low temperature heat conductivity measurements, 0=20801  
 Lomer, J. N. See Faulkner, E. A., 3=6746  
 Lomer, P. D., Wood, J. D. L. H. and Bottomley, R. C. A pulsed neutron source for reactor measurements, 4=16906  
 Lomer, W. M. Solid state physics, 0=6003  
 Lomer, W. M. Susceptibility of chromium-based alloys of transition elements, 1=1246  
 Lomer, W. M. Magnetism in transition metal alloys, 1=20039  
 Lomer, W. M. Atomic collisions and the properties of defects in metals, 2=12415  
 Lomer, W. M. Electronic structure of chromium group metals, 2=18547  
 Lomer, W. M. Atomic collisions and the properties of defects in metals, 2=18564  
 Lomer, W. M. Transition metal alloys, 3=8393  
 Lomer, W. M. Seminar and conference on neutron beam research, London, September 1962, 3=10128  
 Lomer, W. M. The  $\alpha$ - $\delta$  transformation in plutonium, 4=4511  
 Lomer, W. M. Point defects in non-metallic solids, 4=20264  
 Lomer, W. M. Fermi surface in molybdenum, 4=25906  
 Lomer, W. M. See Denbigh, J. S., 3=20561  
 Lominadze, D. G. and Stepanov, K. N. Charged particle current excitation of low-frequency oscillations in a plasma containing a magnetic field, 4=18989  
 Lominadze, D. G. See Pataraya, A. D., 2=22239  
 Lominadze, D. G. See Tsintsadze, N. L., 2=9574  
 Lomize, L. G. Comparative features of Cherenkov radiation, transition radiation and Bremsstrahlung in the microwave region, 2=3306  
 Lomize, L. G. and Kurbanov, O. M. Effect of electron velocity spread on the radiation produced by uniform motion of electron bunches in a waveguide, 2=11780  
 Lomkatsi, G. S. Polarization of hydrogen nuclei in a free radical, 0=15773  
 Lomkatsi, G. S. See Veselov, M. A., 4=14833  
 Lommel, J. M. Rotational hysteresis in tungsten steel and in hysteresis motors, 4=13223  
 Lommel, J. M. and Graham, C. D., Jr. Rotatable anisotropy in composite films, 2=12676  
 Lommel, J. M. See Barrett, C. S., 0=21156  
 Lommel, J. M. See Graham, C. D., Jr., 1=6319  
 Lommel, J. M. See Graham, C. D., Jr., 3=1072  
 Lommel, J. M. See Hilliard, J. E., 1=14273  
 Lomnev, S. P. Calculation of the phase trajectories of charged particles taking into account the Coulomb interaction in the buncher of the linear electron accelerator, 1=4674  
 Lomnev, S. P. Calculation of the phase trajectories of charged particles taking into account the coulomb interaction in the buncher of the linear electron accelerator, 1=10747



- Lomnev, S.P. A method of solving the many-body problem by means of high-speed computers in the case of charged particles, 2=5441
- Lomnev, S.P. A method of solving the many-body problem by means of high-speed computers in the case of charged particles, 2=11757
- Lomnev, S.P. Method of mean density for the calculation of the movement of charged particles [as performed on] an electronic computer, 2=15964
- Lomnev, S.P. Method of mean density for the calculation of the movement of charged particles [as performed on] an electronic computer, 2=20044
- Lomnev, S.P. Solution of the problem concerning the motion of interacting charged particles of one sign in a "magnetic bottle" by means of an electronic computer, 4=2994
- Lomnev, S.P. Solution on electronic calculating machines of the problem of the motion of charged particles of various signs and masses in the field of a "magnetic bottle", 4=8743
- Lomnev, S.P. Calculation with the aid of an electronic computer of particle capture in a betatron, 4=16595
- Lomnev, S.P. See Belyaev, V.B., 0=7828
- Lomnitz, C. On thermodynamics of planets, 1=15424
- Lomon, E., Morris, S., Irwin, E.J., Jr and Troung, T. The pion-pion interaction in  $\tau$ -decay, 1=12111
- Lomon, E. See Feshbach, H., 1=12086
- Lomon, E.L. The boundary condition model of nuclear forces, 1=19329
- Lomon, E.L. The nuclear many body problem in the boundary condition model, 1=19330
- Lomon, E. L., Goldberg, H., Au, W. W. S. and Yen-Liu, C. N. New applications of the boundary condition model of strong interactions, 4=25134
- Lomon, E. L. and McMillan, M. The nuclear many-body problem using the boundary condition model, 4=9341
- Lomon, E.L. and Nauenberg, M. The  $^4\text{S}_0$  nucleon interaction in the boundary condition model, 1=8454
- Lomon, E.L. See Au, W.W.S., 3=19676
- Lomon, E. L. See Au, W. W. S., 4=9245
- Lomon, E. L. See Feshbach, H., 4=30179
- Lomon, E.L. See Goldberg, H., 3=19685
- Lomon, E.L. See Goldberg, H., 4=16936
- Lomon, E.L. See Goldberg, H., 4=16945
- Lomon, E.L. See Stabler, R.C., 0=15351
- Lomonosov, I.I. and Nemilov, Yu.A. Effect of an electric field on the scintillation process in CsI(Tl), 2=4188
- Lomonosov, I.I., Pisarevskii, A.N. and Soshin, L.D. On the scintillation conversion efficiency of NaI:Tl crystals, 2=5522
- Lomonosov, V. V. See Devyatko, Yu. N., 4=27934
- Lomont, J.S. Decomposition of direct products of representations of the inhomogeneous Lorentz group, 0=12807
- Lomont, J.S. Note on the Albertoni-Bocchieri-Loinger theorem of classical statistical mechanics, 2=37
- Lomont, J.S. Conformal invariance of massless Dirac-like wave equations, 2=1652
- Lomont, J.S. and Moses, H.E. Dirac-like wave equations for particles of nonzero rest mass, and their quantization, 0=9270
- Lomont, J.S. and Moses, H.E. Uniqueness of the orbital angular momentum operators, 0=14518
- Lomont, J.S. and Moses, H.E. Reply to Dr. Shewell's criticism, 1=15694
- Lomont, J.S. and Moses, H.E. Simple realizations of the infinitesimal generators of the proper orthochronous inhomogeneous Lorentz group for mass zero, 2=15447
- Lomont, J. S. and Moses, H. E. Exponential representation of complex Lorentz matrices, 4=15
- Lomont, J.S. and Moses, H. E. The assignment of wave functions to energy densities and probability densities, 4=5020
- Lomont, J.S. and Moses, H. E. The representations of the inhomogeneous Lorentz group in terms of an angular momentum basis, 4=11895
- Lomont, J.S., Moses, H.E. and Kwang Yu. Equivalence and anti-equivalence of irreducible sets of operators. I. Finite dimensional spaces, 3=11697
- Lomsadze, Yu.M. Does a pseudospinor exist? 0=6657
- Lomsadze, Yu.M. Concerning a "strong" coupling method in the quantized field theory, 1=8410
- Lomsadze, Yu.M. Relativistically invariant formulation of the theory of quantized probability amplitude field, 2=22389
- Lomsadze, Yu.M., Krivsky, I.Yu. and Khimitch, I.V. On a possible generalization of modern quantized field theory, 2=20219
- Lomsadze, Yu.M., Krivsky, I.Yu. and Khimitch, I.V. A consistently relativistically invariant formulation of the quantized probability-amplitude field theory, 3=5361
- Lomsadze, Yu.M., Krivsky, I.Yu. and Khimitch, I.V. A possible experimental determination of the universal constant  $I$  in the quantized probability amplitude field theory, 3=14019
- Lomsadze, Yu. M., Kriv's'kii, I. Yu. and Romanko, H.D. Possibility of a specific interaction between the E-states of quantized probability amplitude field theory, 4=11874
- Lomsadze, Yu.M., Lend'el, V.I. and Ernst, B.M. The anomalous magnetic moment of nucleons in Chew's method, 0=9349
- Lomsadze, Yu.M., Lend'el, V.I. and Ernst, B.M. The behaviour of the total cross-sections for  $\pi p$ -scattering at high energies, 1=16871
- Lomsadze, Yu.M., Lend'yel, V.I. and Ernst, B.M. A parity doublet of  $\pi$ -mesons and Chew's approximation method, 2=7880
- Lomsadze, Yu.M., Lend'yel, V.I. and Kriv's'kii, I.Yu. Neutron scattering on protons from the viewpoint of the  $\pi$ -meson pair doublet, 1=13428
- Lomsadze, Yu.M. See Khimich, I.V., 3=19588
- Lomsadze, Yu.M. See Kriv's'kii, I.Y., 2=7879
- Lomsadze, Yu.M. See Kushtan, V.I., 2=22380
- Lomsadze, Yu.M. See Lend'el, V.I., 3=2265
- Lonati, R.D. The presence of long life alpha emitters in the air, 1=12692
- Lonati, R.D. and Skoff, G. Plastic scintillators in dosimetry of intense  $\gamma$  radiation beams, 1=7227
- Lonchamp, J. See Pfohl, R., 0=20470
- Lonchamp, J.P. and Gegauff, C. Identification of tracks by measurement of their width, 0=200
- Lonchamp, J.P. See Gegauff, C., 0=15205
- Lonchamp, J.P. See Gegauff, C., 1=2001
- Lonchamp, J.P. See Pfohl, R., 1=8409
- Lonchamp, J.P. See Pfohl, R., 2=505
- Lonchamp, J. P. See Pfohl, R., 4=17207
- Lonchamp, J. P. See Pfohl, R., 4=22232
- Loncke, P. Theoretical study of triplet scattering and depolarization parameters in elastic proton-nucleus collisions, 0=20448
- Loncke, P. Angular correlations and polarization in  $(p, p'\gamma)$  reactions, 3=15191
- London, C.W. See Barnes, V.E., 4=16969
- London, G. See Connolly, P.L., 3=17330
- London, G. See Goldberg, M., 4=21909
- London, H. Alternating current losses in superconductors of the second kind, 4=384
- London, H. and Clarke, G.R. Superconductivity of thin films of niobium, 4=21422
- London, H., Clarke, G.R. and Mendoza, E. Osmotic pressure of  $\text{He}^3$  in liquid  $\text{He}^4$ , with proposals for a refrigerator to work below  $1^\circ\text{K}$ , 3=5565
- London, H., Mendoza, E. and Clarke, G.R. Thermodynamic properties of superfluid  $^3\text{He}$ - $^4\text{He}$  solutions, 0=8888
- London, J. and Haurwitz, M.W. Ozone and sunspots, 3=13658
- London, J. and Matsushita, S. Periodicities of the geomagnetic variation field at Huancayo, Peru, 3=16301
- London, J., Ruff, I. and Tick, L.J. The relationship between geomagnetic variations and the circulation at 100 mb, 0=10393
- Lonergan, G.A. See Doyle, W.P., 0=20977
- Long, A.R. The distribution of electrons in the night-time ionosphere, 2=13038
- Long, A.R. and Thomas, J.O. Titteridge coefficients for the polynomial method of deducing electron density profiles from ionograms, 3=9081
- Long, A.R. See Thomas, J.O., 4=2308
- Long, C., Brushenko, A. and Pontarelli, D. A. The fiber-optics hypodermic microscope, 4=29743
- Long, C.A. Digest of literature on dielectrics. Engineering applications, 0=2300
- Long, C.D. See Fruin, J., 4=21969
- Long, C.D. See White, J., 1=13389
- Long, D. Scattering of conduction electrons by lattice vibrations in silicon, 1=1069
- Long, D. Stress dependence of the piezoresistance effect, 1=17787
- Long, D. Energy bands in semiconductors, 2=12502
- Long, D. See Blakemore, J.S., 2=16732
- Long, D. Ionized-impurity scattering mobility of electrons in silicon, 3=10800
- Long, D. and Myers, J. Ionized-impurity scattering mobility of electrons in silicon, 0=1653



- Long, D. and Myers, J. Hall effect and impurity levels in phosphorus-doped silicon, 0=1654
- Long, D. and Myers, J. Scattering anisotropies in n-type silicon, 0=18034
- Long, D. See Chapman, P.W., 4=4171
- Long, D. See Neuringer, L.J., 4=26058
- Long, D. See Nussbaum, A., 3=835
- Long, D. See Tufte, O.N., 3=887
- Long, D. See Tufte, O.N., 3=22969
- Long, D.A. and Bailey, R.T. Spectroscopic studies of solvent systems. I. Solutions of  $AlCl_3$  in  $SOCl_2$ , 3=14170
- Long, D.A., Carrington, R.A.G. and Gravenor, R.B. Vibrational spectra and structure of the tricyanomethanide ion  $(C/CN)_3^-$ , 3=6407
- Long, D.A. and Chau, J.Y.H. Root mean square amplitudes of vibration in some group 4 tetrahalides. II. Calculation of normal coordinate transformations and force constants, 3=6376
- Long, D.A. and Chau, J.Y.H. Vibrational frequencies and force constants in the mercuri-iodide ion  $HgI_4^{2-}$ , 3=6402
- Long, D.A., Gravenor, R.B. and Milner, D.C. Intensities in Raman spectra. VIII. Intensity measurements in  $CHCl_3$  and  $CdCl_2$ , 3=20006
- Long, D.A. and Jones, D.T.L. Force constant calculations. V. In-plane vibrations of chlorine trifluoride  $ClF_3$ , 3=15344
- Long, D.A. and Jones, D.T.L. Force constant calculations. VI. In-plane vibrations of thiophosgene,  $SCl_2$ , 3=19998
- Long, D.A. and Jones, D.T.L. Force constant studies. VII. In-plane vibrations of  $NH_3CN$ ,  $ND_3CN$  and  $NHDCN$ , 3=22570
- Long, D.A. and Thomas, E.L. Raman intensities. IX. Vibrational intensities for spherically symmetric modes of  $CH_4$ ,  $CD_4$ ,  $CF_4$ ,  $SiF_4$ ,  $SF_6$ ,  $SeF_6$  and  $TeF_6$ , 3=22559
- Long, F.A. See Bernecker, R.R., 3=25822
- Long, F.A. See McDougall, A.O., 2=10276
- Long, F.A. See Pyper, J.W., 4=30894
- Long, G., Stanaway, W.P. and Davies, D. Experiments relating to the mechanism of the diffusion of xenon-133 in uranium dioxide, 4=15496
- Long, G. See Davies, D., 3=22440
- Long, G. See Davies, D., 3=22441
- Long, H.M. and Di Paolo, F.S. Condensed phase diagram of the system: argon-nitrogen, 0=8845
- Long, L.T. and Conger, R.L. Argon tube pumped laser, 4=14955
- Long, M.W. Detectors for microwave spectrometers, 1=1981
- Long, M.W. and Butterworth, J.C. New technique for microwave radiometry, 4=19206
- Long, R. See Anderson, C.E., 1=733
- Long, R.A. See Dyce, R.B., 0=10443
- Long, R.E. and Marsh, R.E. A reinvestigation of the crystal structure of silver nitrite, 2=10893
- Long, R.J. and Elsmore, B. Radio emission from Jupiter at 408 Mc/s, 0=18639
- Long, R.J., Haseler, J.B. and Elsmore, B. A survey of radio sources at 408 Mc/s, 3=13931
- Long, R.J. and Marks, D.R. The relation between the optical and radio magnitudes of galaxies, 1=12786
- Long, R.J. and Shuter, W.L.H. Observations of sources of low flux density at 1400 and 612 Mc/s, 4=15959
- Long, R.J. See Conway, R.G., 3=13930
- Long, R.J. See Kellermann, K.L., 3=1541
- Long, R.K. and Nottage, H.B. The effect of neutron irradiation upon the electrical conductivity of thin vacuum-deposited germanium films, 4=15538
- Long, R.L. See Bennett, E.F., 4=17232
- Long, R.L. See Eaton, J.R., 2=5996
- Long, R.R. The motion of fluids with density stratification, 0=12154
- Long, R.R. The use of the governing equations in dimensional analysis, 3=16578
- Long, S.A. and McGee, T.D. Effect of grain boundaries on plastic deformation of sodium chloride, 4=23209
- Long, T.R. Electrodeposited memory elements for a non-destructive memory, 0=9138
- Long, T.R. See Schwenker, K.E., 2=12652
- Long, W. See Friedman, I., 4=11189
- Long, W.L. Simplified observation of photomultiplier pulses with a sampling oscilloscope, 3=24340
- Long, W.M., Williams, Q. and Weatherly, T.L. Microwave spectrum of  $CFCl_3$ , 0=15737
- Longaker, P.R. and Roberts, C.S. Propagation constants for TE and TM surface waves of an anisotropic dielectric cylinder, 4=8932
- Longaker, P.R. See Carbone, R.J., 4=15609
- Longchamp, J.P. See Gegauff, C., 0=12778
- Longe, P. See Pirenne, J., 4=12687
- Longequeue, J.P. Scintillation pair spectrometer for  $\gamma$ -rays of energy up to 20 MeV, 0=12894
- Longequeue, J.P., Longequeue, N. and Beaumevielle, H. Disintegration ( $\alpha$ -Be<sup>8</sup>) of 16.11 MeV ( $2^+$ ) level of  $C^{12}$ , 4=22064
- Longequeue, J.P., Longequeue, N., Beaumevielle, H., Ligeon, E., Demartiny, F. and Fontenille, J. Preparation of thin boron films (several  $\mu g/cm^2$ ) on thin carbon backings, 3=11319
- Longequeue, J.P. See Beaumevielle, H., 3=2452
- Longequeue, J.P. See Beaumevielle, H., 3=12664
- Longequeue, N. Study of the lifetime of positrons in metals, 1=489
- Longequeue, N. See Beaumevielle, H., 3=2452
- Longequeue, N. See Beaumevielle, H., 3=12664
- Longequeue, N. See Longequeue, J.P., 3=11319
- Longequeue, N. See Longequeue, J.P., 4=22064
- Longerinas, C. See Escande, L., 0=6763
- Longin, P. Luminescence of some aliphatic aldehydes and ketones in the vapour phase and in dilute solution crystallized at 77°K, 1=6908
- Longin, P. Luminescence of some aromatic aldehydes and ketones in the vapour phase and in crystalline solutions at 77°K, 3=961
- Longini, R.L. The tunnelling p-n junction, 2=10504
- Longini, R.L. Rapid zinc diffusion in gallium arsenide, 2=21066
- Longini, R.L., Bennett, A.I. and Smith, W.J. Growth of atomically flat surfaces on germanium dendrites, 0=12010
- Longini, R.L. See Bennett, A.I., 0=1891
- Longini, R.L. See McKelvey, J.P., 1=11279
- Longinotti, L.D. See Sarachik, M.P., 4=28530
- Longman, I.M. Solution of an integral equation occurring in the study of certain wave-propagation problems in layered media, 1=10569
- Longman, I.M. The interpolation of earth-tide records, 1=20793
- Longman, I.M. A Green's function for determining the deformation of the earth under surface mass loads. I. Theory, 2=8945
- Longman, I.M. A Green's function for determining the deformation of the earth under surface mass loads. II. Computations and numerical results, 3=13635
- Longman, I.M. See Harrison, J.C., 3=13637
- Longmire, C.L. The use of plasma for propulsion of interplanetary rockets, 1=16340
- Longmire, M.S. See Amdur, I., 1=14124
- Longmire, C.L. See Mjølness, R.C., 4=5677
- Longmore, J. and Petherbridge, P. Munsell value/surface reflectance relationships, 1=10610
- Longo, D. See Zeliger, D., 4=6359
- Longo, J. and Ward, R. Magnetic compounds of hexavalent rhenium with the perovskite-type structure, 1=14694
- Longo, J. See Konitzer, J., 2=6399
- Longo, L. See Ward, R., 1=6376
- Longo, M.J., Helland, J.A., Hess, W.N., Moyer, B.J. and Perez-Mendez, V. High energy total cross sections for positive pions and protons on hydrogen, 0=3984
- Longo, M.J. and Moyer, B.J. Nucleon and nuclear cross sections for positive pions and protons above 1.4 BeV/c, 2=3387
- Longo, M.J. and Moyer, B.J. Total cross-sections of negative pions in the momentum range 2 to 5 BeV/c, 3=6049
- Longo, M.J., Moyer, B.J., and Perez-Mendez, V.  $\pi^-$ -p elastic scattering at 550, 600, 720, 900 and 1020 MeV, 1=10921
- Longo, M.J. See Helland, J.A., 3=10161
- Longo, M.J. See Helland, J.A., 4=19566
- Longo, M.J. See Helland, J.A., 4=19567
- Longoni, A.M. See Bottino, A., 2=9798
- Longoni, A.M. See Bottino, A., 2=11884
- Longoni, A.M. See Freund, P.G.O., 1=13479
- Longstaff, J.V.L. and Singer, K. Gaussian wave functions for the hydrogen molecule, 0=15751
- Longstaff, J.V.L. and Singer, K. The use of Gaussian (exponential quadratic) wave-functions in molecular problems. II. Wave-functions for the ground states of the hydrogen atom and of the hydrogen molecule, 0=20655
- Longsworth, L.G. The mutual diffusion of light and heavy water, 1=2752
- Longuet-Higgins, H.C. The statistical thermodynamics of transport processes, 3=7151
- Longuet-Higgins, H.C. The symmetry groups of non-rigid molecules, 3=22518
- Longuet-Higgins, H.C. General survey of intermolecular forces, 4=24156



- Longuet-Higgins, H.C. and Salem, L. The alternation of bond lengths in long conjugated chain molecules, 0=9835
- Longuet-Higgins, H.C. and Salem, L. The forces between polyatomic molecules. I. Long-range forces, 1=14132
- Longuet-Higgins, H.C. See Golden, S., 0=18975
- Longuet-Higgins, H.C. See Herzberg, G., 4=6516
- Longuet-Higgins, M.S. The focusing of radiation by a random surface when the source is at a finite distance, 0=8769
- Longuet-Higgins, M.S. Reflection and refraction at a random moving surface. I. Pattern and paths of specular points, 0=14788
- Longuet-Higgins, M.S. Reflection and refraction at a random moving surface. II. Number of specular points in a Gaussian surface, 0=14789
- Longuet-Higgins, M.S. Reflection and refraction at a random moving surface. III. Frequency of twinkling in a Gaussian surface, 0=14790
- Longuet-Higgins, M.S. Planetary waves on a rotating sphere, 4=24138
- Longuet-Higgins, H.C. See Carrington, A., 2=20859
- Longuet-Higgins, H.C. See Child, M.S., 2=3725
- Longuet-Higgins, H.C. See Jordan, P.C.H., 2=12336
- Longwell, A.P. See Muraca, R.F., 3=14130
- Longworth, G. See Black, P.J., 4=20165
- Longworth, G. See Black, P.J., 4=20167
- Lönnqvist, O. On the diurnal variation of surface temperature, 2=8943
- Lönnqvist, O. Further aspects on the diurnal temperature variation at the surface of the earth, 3=16189
- Lönnqvist, O. A window radiation chart for estimating surface temperature from satellite observations, 4=23733
- Lonsdale, K. Intermolecular distances and diamagnetic anisotropy in crystals as measures of the polarity of benzene and borazole substituents, 0=3256
- Lonsdale, K. The structure of ice, 0=8206
- Lonsdale, K. Experimental studies of atomic vibrations in crystals and of their relationship to thermal expansion, 0=13482
- Lonsdale, K. Restless atoms in solids, 2=14346
- Lonsdale, K. Thermal movements of atoms in solids, 2=16587
- Lonsdale, K. Further comments on attempts by H. Moissan, J.B. Hannay and Sir Charles Parsons to make diamonds in the laboratory, 3=5080
- Lonsdale, K. General spot-size correction for inclined incident beam: Weissenberg method, 4=15775
- Lonsdale, K. and Milledge, H.J. An X-ray study of rigid-body and internal vibrations of organic molecules, 0=4622
- Lonsdale, K. and Milledge, J. Analysis of thermal vibrations in crystals: a warning, 1=19697
- Lonsdale, K., Milledge, H.J. and Krishna Rao, K.V. Studies of the structure, thermal expansion and molecular vibrations of di-p-xylylene,  $C_{16}H_{16}$ , at 93 and 291°K, 0=8248
- Lonsdale, K. and Toor, E.W. Diamagnetic anisotropy of symm.  $C_6H_5Br_3$ ,  $C_6H_5Cl_3$  and of  $B-B_3N_3H_3Cl_3$ , 0=2978
- Lønsmø, O. The decay of  $^{29}P$ , 2=20556
- Lønsmø, O. Resonances for proton capture in  $^{28}Si$  and  $^{32}S$  between 500 keV and 1900 keV, 2=20613
- Lønsmø, O. See Andersen, S.L., 0=5744
- Lønsmø, O. See Andersen, S.L., 2=20612
- Lønsmø, O. See Borgi, A.W., 3=2453
- Lonskii, E. S. See Kaminskii, A. K., 4=16861
- Lonsky, E. S. and Shirokov, Yu. M. New types of connections between local operators and the scattering matrix, 4=25037
- Lontie, G. See Luyckx, A., 2=14504
- Lontie, G. See Luyckx, A., 2=14586
- Lontie, G. See Luyckx, A., 4=26038
- Lontie-Bailliez, M. and Meessen, A. Effect of temperature on photomultipliers, 0=2380
- Lontz, R. and Gordy, W. Fluorine hyperfine interaction in the E. S. R. of irradiated organic single crystals, 4=26395
- Lontz, R.J. and Gordy, W. Electron spin resonance of a  $\gamma$ -irradiated single crystal of trifluoroacetamide, 2=23707
- Loof, H.W. and van der Sande, G.A.F. New field of application for the Moiré method, 1=11718
- Loomer, E.I. Record of observations at Resolute Bay Magnetic Observatory 1957-1958. With a summary of earlier observations, 2=9038
- Loomer, E.I. and Andersen, F. Record of observations at Baker Lake magnetic observatory 1957-1958. With a summary of earlier observations, 2=9039
- Loomer, E.I. See Dawson, E., 4=15895
- Loomis, B.A. and Pracht, D.W. Swelling of uranium on post-irradiation annealing, 4=12835
- Loomis, J.S., Myers, I.T., Larson, H.V. and Wisheart, D.E. Ozone hazards incurred by electron Van de Graaff operation, 2=20063
- Looms, J.S.T. See Barber, P.B., 2=9555
- Looms, J.S.T. See Barber, P.B., 4=11555
- Looms, J.S.T. See Barber, P.B., 4=21478
- Looms, J.S.T. See Boylett, F.D.A., 3=4046
- Looms, J.S.T. See Boylett, F.D.A., 4=5585
- Looney, D.H. Recent advances in magnetic devices for computers, 0=2418
- Loopstra, B.O. Neutron diffraction investigation of  $U_3O_8$ , 4=23497
- Loopstra, B.O. Neutron diffraction investigation of  $U_3O_8$ , 4=29144
- Loopstra, B.O. See Bergsma, J., 2=10870
- Loor, G.P. de See de Loor, G.P.
- Loos, H.G. Spin connection in general relativity, 4=2538
- Loos, H.G. Spin connection in terms of Dirac operators, 4=9057
- Loos, J. Theory of ferromagnetic resonance line shape in insulators, 1=20173
- Loos, J. Influence of inhomogeneities in magnetic crystal on ferromagnetic resonance line shape, 1=20174
- Loos, J. A contribution to the theory of ferromagnetic resonance at high power levels, 1=20175
- Loos, J. On the theory of saturation effects in ferromagnetic resonance, 3=15916
- Loos, J.S. See Jarmie, N., 3=15047
- Loos, K.R. Far-infrared spectrum of  $Fe(CO)_5$ , 4=26201
- Loosemore, W.R. Gas ionisation detectors, 1=8400
- Looyenga, H. Direct calculation of the bond order matrix in the molecular orbital theory of conjugated systems, 3=8237
- Lopatin, I.V. See Komar, A.P., 3=5977
- Lopatin, I.V. See Komar, A.P., 4=6013
- Lopatin, I.V. See Komar, A.P., 4=11966
- Lopatin, I.V. See Komar, A.P., 4=16850
- Lopatin, I.V. Kruglov, S.P., 0=11131
- Lopatin, I.V. See Kruglov, S.P., 0=15324
- Lopatin, I.V. See Kruglov, S.P., 2=5886
- Lopatin, I.V. See Kruglov, S.P., 3=14950
- Lopatin, I.V. See Kruglov, S.P., 4=16864
- Lopes Cardozo, B. See Schouten, J.F., 3=3670
- Lopez, A. and Anderson, R. L. Photocurrent spectra of Ge-GaAs heterojunctions, 4=28586
- López, C. A. and Saavedra, I. Analyticity of the Jost functions for the Coulomb potential in the complex angular momentum plane, 4=18076
- López, E.O. de. See de López, E.O.
- Lopez, F. See Culshaw, W., 3=2145
- Lopez, F.O. See Bloom, A.L., 4=24905
- López, G. and Almén, O.  $Q_0$  values in the C-Ne region for the precise determination of nuclear masses, 2=5907
- López, G. See Jáidar, A., 2=5800
- López, G. See Tejera, A., 2=5881
- Lopez, L. See Mathis, R., 4=25714
- López, M. See Beyster, J.R., 2=5648
- Lopez, W.M. and Beyster, J.R. Measurement of neutron diffusion parameters in water by the pulsed neutron method, 2=7860
- Lopez-Alonso, J.R. See Gonzalo, J.A., 4=17523
- López Arroyo, M. On the distribution of sunspots in heliographic longitude, 2=4765
- Lopez-Campillo, M.A. The overvoltage of hydrogen, 0=8308
- Łopuszański, J. On the modification of the Feynman's "integral-over-all-paths" method, 0=14368
- Łopuszański, J. The Ruijgrok-Van Hove model of field theory in terms of "dressed" operators, 0=15238
- Łopuszański, J. The Ruijgrok-Van Hove model expressed in terms of "dressed" operators, 1=436
- Łopuszański, J. A criterion for the free character of fields, 2=250
- Łopuszański, J. A criterion for the free character of fields. II, 3=4307
- Łopuszański, J.T. On the functional formalism of the S-matrix, 3=24646
- Łopuszański, J.T. A solvable model of an interacting relativistic field, 4=11880
- Lopyrev, V.A. and Nikolaev, L.V. A mica window for demountable vacuum devices, 2=21959
- Lorang, R. See Perny, G., 0=9951
- Lorang, R. See Perny, G., 2=689
- Loranger, W.F. A suggested approach to the teaching of X-ray spectroscopy, 4=14845



- Lorber, H.W. Theory of high-impedance radio-frequency-force plasma devices, 2=19989
- Lorber, H.W. See Swartz, G.A., 1=305
- Lorch, H.O. See Burnett, T.B., 1=18751
- Lorch, S. Measurement of water content in soil with a neutron probe, 4=7807
- Lord, D.H. See Lawson, J.D., 1=9664
- Lord, G.E. Variance of the bearing angle of a discrete linear-difference array in a random transmission medium, 4=27267
- Lord, G.E. and Murphy, S.R. Reception characteristics of a linear array in a random transmission medium, 4=21237
- Lord, H. and Parker, R. Electrical resistivity of nickel ferrite, 1=1082
- Lord, H. See Gordon, R.L., 1=18788
- Lord, H. See Parker, R., 0=7945
- Lord, H. See Parker, R., 2=6471
- Lord, J.J. See Blue, M.H., 1=8456
- Lord, J.J. See Blue, M.H., 2=5637
- Lord, J.J. See Kerlee, D.D., 0=11264
- Lord, N.W. Precise calibration of sea-going velocimeters, 3=3860
- Lord, N.W. and Blinder, S.M. Isotropic and anisotropic hyperfine interactions in hydrazyl and carbazyl, 1=8860
- Lord, N.W. See Blinder, S.M., 2=3778
- Lord, P. and Pithey, E.R. Mechanical internal energy losses at audio frequencies in high polymer solids related to cross-link density, 4=13396
- Lord, P., Pithey, E.R. and Wetton, R.E. Improved instrument for the continuous determination of dynamic mechanical properties of high polymer solids, 2=4300
- Lord, P. and Wetton, R.E. Instrument for the continuous determination of the mechanical internal energy losses in high-polymer solids over a wide range of temperature and frequency, 1=20283
- Lord, R.C. and Nakagawa, I. Normal vibrations, potential constants, and vibration-rotation interaction constants in cyclobutane and cyclobutane- $d_8$ , 4=6614
- Lord, R.C. and Stoiceff, B.P. High resolution Raman spectroscopy of gases, XV. Rotational spectrum and molecular structure of cyclobutane, 2=16543
- Lord, R.C. See Aronson, J.R., 0=20635
- Lord, R.S. See Cohen, B.L., 1=1938
- Lord, R.C. See Danti, A., 0=17755
- Lord, R.C. See Durig, J.R., 2=23536
- Lord, R.S. See Hudson, E.D., 3=5752
- Lord, R.S. See Jones, R.J., 3=5734
- Lord, R.S. See Livingston, R.S., 3=5779
- Lord, S.S., Jr. See Beukelman, T.E., 0=8338
- Lorente, G. Contact electroluminescence in zinc sulphide powders, 4=28745
- Lorente, M. Contribution to the study of musical acoustics. Fundamental physics of tonality and consonance, 4=27265
- Lorents, D.C. See Cook, C.J., 2=17897
- Lorenz, A. A new design of mechanical vacuum pump, 0=3569
- Lorenz, D. Photographic measurements of the intensity distribution of skylight using wide-angle objectives, 4=10722
- Lorenz, E. See von Ardenne, M., 2=15656
- Lorenz, E. See Westmeyer, H., 0=18425
- Lorenz, E.N. Deterministic nonperiodic flow, 3=14108
- Lorenz, E.N. The mechanics of vacillation, 4=7830
- Lorenz, F.R. See Goodwin, J.G., 0=15635
- Lorenz, M.R. Phase equilibria in the system Cd-Te, 2=19089
- Lorenz, M.R. Preparation of CdTe crystals from near stoichiometric and Cd-rich melt compositions under constant Cd pressure, 3=1267
- Lorenz, M.R. The solid-vapor equilibrium of CdTe, 3=1877
- Lorenz, M.R., Aven, M. and Woodbury, H.H. Correlation between irradiation and thermally induced defects in II-VI compounds, 3=25268
- Lorenz, M.R. and Binkowski, B.B. Preparation, stability, and luminescence of gallium nitride, 2=8589
- Lorenz, M.R. and Segall, B. Shallow and deep acceptor states in CdTe, 4=4145
- Lorenz, M.R., Segall, B. and Woodbury, H.H. Some properties of a double acceptor center in CdTe, 4=17420
- Lorenz, M.R. and Woodbury, H.H. Double acceptor defect in CdTe, 3=17874
- Lorenz, M.R. See Halsted, R.E., 2=8573
- Lorenz, M.R. See Janz, G.J., 0=2161
- Lorenz, M.R. See Janz, G.J., 1=4535
- Lorenz, M.R. See Ludwig, G.W., 3=20646
- Lorenz, M.R. See Segall, B., 3=8519
- Lorenz, P.B. Tortuosity in porous media, 1=7882
- Lorenz, P.J. Air-ion densities in a smoke-filled room, 2=11619
- Lorenz, T. See Daniel, H., 4=28001
- Lorenz, W. General theory of the impedance spectrum of potentially dependent phase boundary reactions, 2=12956
- Lorenz, W. Application of the Gibbs adsorption thermodynamics to adsorption reactions with partial charge transfer, 3=5168
- Lorenz, W. and Lauterjung, K.H. Investigation of a gas scintillation counter, 2=245
- Lorenz, W., Mayer-Böricke, C., Santo, R. and Schmidt-Rohr, U. Elastic and inelastic scattering of deuterons from silicon and sulphur at 11.8, 10.9 and 10.0 MeV, 3=19873
- Lorenz, W. and Salié, G. Mechanism of the electrochemical phase boundary reaction, 2=12976
- Lorenz, W., Schmidt-Rohr, U. and Vater, O. Elastic and inelastic scattering of deuterons on Sr, Zr, Nb, Pd and Ag at 11.8 MeV, 3=17490
- Lorenz, W. See Igo, G., 2=478
- Lorenz, W. See Igo, G., 2=10132
- Lorenz, W. See Richter, J., 2=15105
- Lorenzelli, M.V. Substances transparent in the far infrared and their application to spectrometry, 2=17628
- Lorenzelli, V. Force constants of phosphorus trichloride, 1=13980
- Lorenzelli, V. High-resolution spectrometer for the far infrared (20-180), 2=7353
- Lorenzelli, V. Far infrared absorption spectrum of phosphorus trichloride vapour: force constants and thermodynamic functions, 2=12329
- Lorenzelli, V. Study of the hydrogen bond in organic substances by spectrometry in the far infrared. Preliminary considerations, 3=6378
- Lorenzelli, V. Spectrometer for the far infrared (40-170  $\mu$ ), 3=21545
- Lorenzelli, V. Some experimental results of the fundamental vibration of the  $I_2$  molecule in solution in organic liquids, 4=28193
- Lorenzelli, V. and Delorme, P. Spectrum of crystalline potassium ferrocyanide in the far infrared (45-140  $\mu$ ), 1=14598
- Lorenzelli, V. and Gesmundo, F. The study of  $K[Cu(CN)_2]$  in the crystalline state by infrared spectroscopy, 4=26212
- Lorenzelli, V. See Delorme, P., 3=3879
- Lorenzen, K. and König, D. A method for the determination of the energy dependence of the cross-section for the reaction  $O^{16}(t, n)F^{18}$ , 2=3632
- Lorenzi, H. and Cohen, B.L. Centre-of-mass corrections in nuclear reaction experiments, 2=7963
- Loretto, M.H. See Clarebrough, L.M., 1=1418
- Loretto, M.H. See Clarebrough, L.M., 1=1419
- Loretto, M.H. See Clarebrough, L.M., 1=1420
- Loretto, M.H. See Clarebrough, L.M., 1=6453
- Loretto, M.H. See Clarebrough, L.M., 1=17508
- Loretto, M.H. See Clarebrough, L.M., 1=17506
- Loretto, M.H. See Clarebrough, L.M., 1=20591
- Loretto, M.H. See Clarebrough, L.M., 2=6338
- Loretto, M.H. See Clarebrough, L.M., 4=12734
- Loretto, M.H. See Hargreaves, M.E., 4=28944
- Loria, A., Mittner, P., Santangelo, R., Scotoni, I., Zago, G., Aubert, B., Brenner, A., Goldschmidt-Clermont, Y., Grand, F., MacLeod, G.R., Minguzzi Ranzì, A. and Montanet, L. The scattering of positive 120 MeV pions on protons, 2=1714
- Loria, A. See Bellière, J., 3=24775
- Loria, A. See Carrara, R., 2=22559
- Loria, A. See Chadwick, G.B., 2=22522
- Loria, A. See Di Corato, M., 2=22627
- Loric, G. See Epelboin, I., 1=12679
- Loriers, J. and Villers, G. Preparation, and study of some properties, of mixed yttrium and rare earth garnets, 1=10171
- Loriers, J. See Berteaud, A.J., 0=13859
- Loriers, J. See Grosvald, G., 3=8552
- Loriers, J. See Villers, G., 0=13827
- Loriers, J. See Villers, G., 1=11453
- Loriers, J. See Villiers, G., 2=8650
- Loriers, J. See Villers, G., 3=3124
- Loriers, J. See Villers, G., 3=3125
- Loriers, J. See Villers, G., 4=7650
- Lorigny, J. See Harms, J., 4=21044
- Lorikyan, M.P. See Alikhanian, A.I., 4=20261
- Lorikyan, M.P. See Alikhanian, A.I., 4=3389
- Lörinczy, A., Nemth, T. and Szebeni, P. Observations on germanium-metal contacts used as probes for injected carriers, 2=18723



- Lőrinczy, A., Németh, T. and Szebeni, P. Micro-inhomogeneities in Ge single crystals, 3=22786
- Lőrinczy, A. and Pataki, G. On the reverse characteristics of germanium junction diodes, 1=14478
- Lorinczy, A. and Pataki, G. On the reverse characteristics of silicon diodes, 3=10858
- Lőrinczy, A. and Szebeni, P. On the magnetoresistance of germanium, 0=13599
- Loro, A. See Rosenbaum, S.D., 4=4192
- Lorquet, J.C. Ionization potential of ammonia — some implications concerning Koopman's theorem, 0=17828
- Lorquet, J.C. Study of the electron-molecule interaction: electronic transitions induced by bombardment, 1=3549
- Lorquet, J.C., ElKomoss, S.G. and Magee, J.L. Energy-transfer phenomena and dissociation processes in electronically excited molecules, 3=2664
- Lorquet, J.C. and Lefebvre-Brion, H. The electronic structure of the  $\text{NH}_3^+$  ion, 0=7789
- Lorrain, P. See St Pierre, C., 0=457
- Lortie, Y. Absorption and fluorescence spectra of radicals obtained by high frequency discharge in some aromatic vapours, and fixed at low temperature, 0=6199
- Lory, J. The formation of excitons in  $\text{AgBr}$  by the passage of an ionizing particle, 0=14861
- Lory, J. and Desprez-Rebaud, S. Determination of radial wavefunctions for the ion  $\text{Br}^+$ , 4=3785
- Lory, M.L. See Blamont, J.E., 1=10319
- Lory, M.L. See Blamont, J., 1=15254
- Lory, M.L. See Blamont, J.E., 4=2216
- Lory, M.L. See Blamont, J.E., 4=26842
- Lory, M.L. See Donahue, T.M., 2=4625
- Los, F.S. On the phase of the scattered wave (a reply to V.V. Malyarov), 0=15297
- Los, J. The separative power of short countercurrent columns, 4=15309
- Los, J. See de Wet, W.J., 4=25598
- Los, J. See de Wet, W.J., 4=25599
- Los, J. See Ghozlan, A.I., 3=21431
- Los Alamos Radiochemistry Group. See Cowan, G.A., 1=8799
- Loscoe, C. See Gartner, W.W., 2=14523
- Loscoe, C. See Mette, H., 0=7969
- Losenický, Z. The dependence of the thermal conductivity of gases and liquids on the pressure and temperature, 0=6981
- Losenický, Z. Application of the principle of corresponding states to the thermal conductivity of the gaseous state, 0=10694
- Losev, N.F. Use of the method of external standards in fluorescent X-ray spectroscopic analysis, 2=15170
- Losev, S.A. and Generalov, N.A. Measurement of the gas temperature behind a shock wave, 0=10727
- Losev, S.A. and Generalov, N.A. The non-equilibrium state behind a shock wave in air, 1=2778
- Losev, S.A. and Generalov, N.A. Investigation of phenomena of the excitation of oscillations and of the dissociation of oxygen molecules at high temperatures, 2=12350
- Losev, S.A. and Generalov, N.A. Investigation of phenomena of the excitation of oscillations and of the dissociation of oxygen molecules at high temperatures, 2=14334
- Losev, S.A., Generalov, N.A. and Terebenina, L.B. Absorption of ultraviolet radiation behind a shock wave in air, 0=19211
- Losev, S.A. and Osipov, A.I. The study of nonequilibrium phenomena in shock waves, 3=16695
- Losev, S.A. See Generalov, N.A., 3=12881
- Losev, S.A. See Generalov, N.A., 4=5249
- Losev, S.A. See Generalov, N.A., 4=30438
- Loshack, S. See Sandler, S.R., 0=19969
- Loshaek, S. See Sandler, S.R., 1=5281
- Loshaek, S. See Sandler, S.R., 1=6236
- Loshak, Zh. Characteristic functions for the betatron oscillations in a ring synchrotron, 0=9127
- Loshmanov, A.A. See Doroshenko, A.V., 3=5019
- Loshmanov, A.A. See Goman'kov, V.I., 3=20608
- Loshmanov, A.A. See Goman'kov, V.I., 3=23195
- Loshmanov, A.A. See Goman'kov, V.I., 3=23478
- Loshmanov, A.A. See Goman'kov, V.I., 4=1994
- Loshmanov, A.A. See Goman'kov, V.I., 4=2000
- Loshmanov, A.A. See Goman'kov, V.I., 4=17805
- Loshmanov, A.A. See Goman'kov, V.J., 3=18110
- Loshmanov, A.A. See Ozerov, R.P., 1=11551
- Losievskaya, S.A. See Kuz'min, R.N., 1=4049
- Loskevich, E.S. See Babayan, Kh.P., 3=19595
- Loskevich, E.S. See Babetski, S.Yu., 1=19314
- Loskevich, E.S. See Babetski, Ya.S., 2=331
- Loskevich, E.S. See Babetski, Ya.S., 2=22675
- Loskevich, E.S. See Babetski, S.Yu., 3=4487
- Łoskiewicz, J., Massalski, J., Nizioł, B. and Oles, A. Analysis of the integral spectrum of ionization pulses caused by nuclear active particles at mountain altitudes, 3=7956
- Łoskiewicz, J. See Babayan, H.P., 3=6103
- Łoskiewicz, J. See Czyżewski, O., 3=2483
- Łoskiewicz, J. See Czyżewski, O., 3=7892
- Łoskiewicz, J. See Grigorov, N.L., 2=16254
- Łoskiewicz, J. See Grigorov, N.L., 3=10197
- Loskutov, J.M. See also Loskutov, Yu.M.
- Loskutov, J.M. See Sokolov, A.A., 0=3919
- Loskutov, Yu. and Popov, Yu. The theory of vector particles with oriented spins, 2=20244
- Loskutov, Yu. and Popov, Yu. The theory of vector particles with spins, 3=7774
- Loskutov, Yu.M. See Sokolov, A.A., 0=1267
- Loskutov, Yu.M. See Sokolov, A.A., 0=2492
- Loskutov, Yu.M. See Sokolov, A.A., 2=3135
- Loskutov, Yu.M. See Ternov, I.M., 2=214
- Loskutov, Yu.M. See Ternov, I.M., 3=437
- Losovskii, B.Ya. See Salomonovich, A.E., 3=9266
- Losovskii, S.N. See Berezin, Yu.A., 4=16478
- Loss, F.J., Weinstein, A.S. and Zorowski, C.F. Elastic behaviour in cold strip rolling at the onset of plasticity, 4=7377
- Lössner, V. See Schmidt, G., 3=20389
- Lostis, P. The study, production and control of thin films giving a chosen path difference between perpendicularly polarized components, 1=5350
- Lostis, P. Determination and study of the optical properties of thin films of palladium, 4=22881
- Lostis, P. See Elias, C., 0=14824
- Losty, J. See Culhane, L., 1=2097
- Losty, J. See Culhane, L., 4=21933
- Lo Surdo, C. The use of the spherical harmonics method in the use of the spherical harmonics method in the group study of the transport equation, 0=4955
- Lo Surdo, C. Approximate iterative methods applied to "non-separable" multiplying systems in the fundamental symmetries, 3=10122
- Lotgering, F.K. Topotactically crystal-oriented ferromagnetics, 0=6336
- Lotgering, F.K. Paramagnetic susceptibilities of  $\text{Fe}^{2+}$  and  $\text{Ni}^{2+}$  ions at tetrahedral or octahedral sites of oxides, 2=18892
- Lotgering, F.K. Semiconduction and cation valencies in manganese ferrites, 4=12905
- Lotgering, F.K., Enz, U. and Smit, J. Influence of  $\text{Co}^{2+}$  ions on the magnetic anisotropy of ferrimagnetic oxides having hexagonal crystal structures, 2=8658
- Lotgering, F.K. See Smit, J., 0=10179
- Lotgering, F.K. See Smit, J., 3=1028
- Lothe, J. The elastic constants of alkali halide crystals at absolute zero. A review and discussion, 0=696
- Lothe, J. Acoustic radiation force on a uniformly moving smooth body, to the first order in the velocity, 0=2212
- Lothe, J. Bordoni relaxation — a critique of Donth's theory, 0=2838
- Lothe, J. Aspects of the theories of dislocation mobility and internal friction, 0=4289
- Lothe, J. Theory of dislocation climb in metals, 0=9896
- Lothe, J. Lorentz force on screw dislocations and related problems, 1=7582
- Lothe, J. The effect of temperature on dislocations with condensed impurity atmospheres. Theory of dislocation motion and dislocation break-away, 2=14439
- Lothe, J. Theory of dislocation mobility in pure slip, 2=14446
- Lothe, J. and Pound, G.M. Reconsiderations of nucleation theory, 2=13488
- Lothe, J. See Jøssang, T., 4=25937
- Lothrop, J. See Louis, J.F., 4=14565
- Lothrop, R.P. Diffusion of phosphorous in silicon from the azeotrope of phosphorus pentoxide and water, 2=18602
- Lothrop, R.P. See Hansen, W.L., 3=22042
- Lotkin, M. The calculation of heat flow in melting solids, 0=12516
- Lotkova, E.N. and Fradkov, A.B. Metal cryostat for optical studies of solids at low temperatures, 2=7484
- Lotkova, E.N. and Shustov, A.M. Illumination device for a two-beam infrared spectrometer for use with semiconductor crystals at low temperatures, 3=24038
- Lotkova, E.N. and Shustov, A.M. Illumination attachment to a two beam infra-red spectrometer for studying semiconductor crystals at low temperatures, 4=14362



- Lotkova, E.N., Vavilov, V.S. and Sobolev, N.N. Infrared absorption spectrum of silicon irradiated by fast neutrons, 3=3018
- Lotkova, E.N. See Sobolev, N.N., 0=8854
- Lotkova, E.N. See Vavilov, V.S., 2=8396
- Lotman, M. See Coulson, K.L., 4=7979
- Lotova, M. Estimating the angle of scattering of radio waves, 0=19932
- Lott, K.A.K. See Carrington, A., 0=21069
- Lott, M. See Bethery, M., 4=16601
- Lott, M. See Bok, J., 2=5686
- Lott, R.J. and Critchley, J.K. Equilibrium diagram for the nickel-cadmium system, 4=16291
- Lott, S.A. See de Morton, M.E., 3=20697
- Lotte, B., Bon, M. and Romand, J. Study of the spatial distribution of the continuous emission spectrum in the far ultraviolet afforded by a spark of a particular type in vacuum, 3=24249
- Lottermoser, W. The equalization relation of violins and its relation to the resonance curve, 0=14760
- Lottermoser, W. and Linhardt, W. Part of the acoustic testing of violins and violas, 0=14759
- Lottermoser, W. and Meyer, F.J. Masking effect in organ spectra, 0=19326
- Lottermoser, W. and Meyer, F.J. Frequency measurements in sung chords, 1=9213
- Lottermoser, W. and Meyer, J. Controllable electrical key traction for organs, 2=1235
- Lottermoser, W. See Meyer, J., 2=2838
- Lotthammer, R., Polke, M. and Stockmann, F. Saturated alternating photocurrent in hexagonal selenium, 4=10133
- Lottin, A. See Michaudon, A., 3=15241
- Lotus, J.W. See Lehr, C.G., 3=430
- Lotz, W. and Sittkus, A. High stability electronic equipment for registering the nucleon component of cosmic rays, 1=2116
- Lotz, W., Sittkus, A. and Hassler, W. Investigation of an arrangement for the measurement of the nucleon component of cosmic rays, 1=568
- Lotz, W. See Grossmann-Doerth, U., 3=7569
- Lou, F.E. See Khuang, K., 4=16826
- Louage, F. Automatic bridge with wide frequency band for the study of dielectrics, 3=24155
- Louage, F. See Lebrun, A., 2=2992
- Louat, L. See Warrington, D.H., 4=4067
- Louat, N. The Peierls-Nabarro force and the deformation of iron and steel, 1=1316
- Louat, N. Solution of boundary value problems in plane strain, 3=7160
- Louat, N. The distribution of dislocations in stacked linear arrays, 3=20186
- Louat, N. and Johnson, C.A. The behaviour of jogs in dislocations, 3=6521
- Louat, N. See Chou, Y.T., 3=795
- Louat, N. See Gillin, L.M., 3=6870
- Louat, N. See Hutchison, M.M., 2=10756
- Loubser, J. See Thaddeus, P., 0=4213
- Loubser, J. See Thaddeus, P., 0=5921
- Loubser, J.H.N. Microwave spectrum and structure of trichlorofluoromethane, 2=14271
- Loubser, J.H.N. See Thaddeus, P., 4=9733
- Louchard, G. Stochastic study of the history of neutron in a moderator, 0=20152
- Louchard, G. Stochastic study of the history of neutrons in a moderator, 1=2059
- Louchard, G. Statistical tests and Monte Carlo methods, 4=27075
- Louck, J.D. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. II. The n-fold degenerate oscillator, 0=9786
- Louck, J.D. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. III. Radial integrals, 0=9787
- Louck, J.D. Exact normal modes of oscillation of a linear chain of identical particles, 2=17390
- Louck, J.D. Special nature of orbital angular momentum, 3=11689
- Louck, J.D. Trace formulas for a rigid asymmetric rotator-type Hamiltonian, 3=14029
- Louck, J.D. and Shaffer, W.H. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. I. The twofold degenerate oscillator, 0=9785
- Louckes, F.I. See Stiller, B., 0=12788
- Loucks, T.L. Further results on the Fermi surface of beryllium, 4=20246
- Loucks, T.L. and Cutler, P.H. Band structure and Fermi surface of beryllium, 4=9900
- Loucks, T.L. and Cutler, P.H. The effect of correlation on the surface potential of a free electron metal, 4=12701
- Loude, J.F. See Heym, A., 2=17896
- Loude, J.F. See Joseph, C., 3=2266
- Loude, J.F. See Vaucher, B., 2=20375
- Louden, M. See Dämmig, P., 2=2849
- Loudette, J. See Bernard, M., 4=5864
- Loudon, L. See Keffer, F., 1=6266
- Loudon, R. One-dimensional hydrogen atom, 0=463
- Loudon, R. Broadening of spin-phonon resonance lines by exchange and magnetic dipole interactions, 0=13509
- Loudon, R. Theory of non-linear optical processes in semiconductors and insulators, 3=927
- Loudon, R. Theory of stimulated Raman scattering from lattice vibrations, 3=23060
- Loudon, R. Theory of the first-order Raman effect in crystals, 3=25448
- Loudon, R. Selection rules for defect-activated lattice bands and vibronic transitions in face-centred cubic, diamond and zinc blende lattices, 4=28356
- Loudon, R. and Pincus, P. Effect of dipolar fields on the anti-ferromagnetic spin-wave spectrum, 4=1850
- Loudon, R. See Elliott, R.J., 1=17382
- Loudon, R. See Elliott, R.J., 1=19985
- Loudon, R. See Elliott, R.J., 3=8588
- Loudon, R. See Johnson, F.A., 4=28355
- Loudon, R. See Judd, B.R., 0=7686
- Loudon, R. See McLean, T.P., 0=11607
- Loudon, R. See Sparks, M., 1=7761
- Louedec, C. See Barloutaud, R., 3=7888
- Louedec, C. See Barloutaud, R., 3=7904
- Lougher, E.H. See Simon, R., 1=1838
- Loughhead, R.E. and Bray, R.J. Observations of faculae bordering small sunspots near the limb, 0=6587
- Loughhead, R.E. and Bray, R.J. The lifetime and cell size of the granulation in sunspot umbrae, 0=18739
- Loughhead, R.E. and Bray, R.J. Granulation near the extreme solar limb, 1=11679
- Loughhead, R.E. and Bray, R.J. Phenomena accompanying the birth of sunspot pores, 1=18072
- Loughhead, R.E. See Bray, R.J., 0=4891
- Loughhead, R.E. See Bray, R.J., 0=6586
- Loughhead, R.E. See Bray, R.J., 1=7986
- Loughhead, R.E. See Bray, R.J., 3=13883
- Loughnan, C.J. Motion of geomagnetic field lines, 0=12137
- Loughnan, C.J. Motion of geomagnetic field lines, 1=7944
- Loughnan, C.J. Longitudinal dependence of radiation-belt scattering, and primary auroral particles, 2=6959
- Loughnan, C.J. See Gadsen, M., 1=1562
- Loughran, E.D. and Mader, C. Appearance potential study of tetrafluorohydrazine, 0=13427
- Louie, J. See Elliott, R.O., 2=21094
- Louis, J.F., Lothrop, J. and Brogan, T.R. Fluid dynamic studies with a magnetohydrodynamic generator, 4=14565
- Louis, J.F. See Kantrowitz, A.R., 2=11607
- Louisell, W.H. Correspondence between Pierce's coupled mode amplitudes and quantum operators, 2=17337
- Louisell, W.H. Amplitude and phase uncertainty relations, 4=5054
- Louisell, W.H., Yariv, A. and Siegman, A.E. Quantum fluctuations and noise in parametric processes. I, 2=1046
- Louisell, W.H. See Gordon, J.P., 3=4264
- Louisell, W.H. See Gordon, J.P., 3=12356
- Louisell, W.H. See Yariv, A., 2=2638
- Louisnard, N. Utilization and choice of an infrared receiver in spectrometry problems, 2=15800
- Louisnard, N. and Girard, A. Measurements on some photoconductive cells in the infrared, 1=1107
- Lounasmaa, O.V. Application of Ehrenfest equations to liquid-vapor and liquid-solid mixtures of He<sup>3</sup>, 0=14914
- Lounasmaa, O.V. Specific heat of samarium metal between 0.4 and 4°K, 2=12387
- Lounasmaa, O.V. The parameters of the Benedict-Webb-Rubin equation of state for helium-4, 0=16932
- Lounasmaa, O.V. Spontaneous vibrations of helium gas in a 0.3 mm tube at temperature between 10 and 20°K, 0=19203
- Lounasmaa, O.V. Specific heat of holmium metal between 0.38 and 4.2°K, 3=2730
- Lounasmaa, O.V. Specific heat of gadolinium and ytterbium metals between 0.4 and 4°K, 3=8368
- Lounasmaa, O.V. Pressure coefficient and compressibility of liquid He<sup>4</sup> very close to the  $\lambda$  curve, 3=12018
- Lounasmaa, O.V. Specific heat of praseodymium and neodymium metals between 0.4 and 4°K, 4=9853



- Lounasmaa, O. V. Specific heat of lutetium metal between 0.38 and 4°K, 4=9854
- Lounasmaa, O. V. Specific heat of cerium and europium metals between 0.4 and 4°K, 4=12642
- Lounasmaa, O. V. The specific heat of six rare earth metals between 0.4° and 4°K, 4=15429
- Lounasmaa, O. V. Specific heat of thulium metal between 0.38 and 3.9°K, 4=20216
- Lounasmaa, O. V., Cheng, C. H. and Beck, P. A. Nuclear magnetic specific heat of ferromagnetic iron alloys with Sb and Re, 3=6479
- Lounasmaa, O. V. and Guenther, R. A. Specific heat of dysprosium metal between 0.4 and 4°K, 2=12388
- Lounasmaa, O. V. and Kaunisto, L. Direct measurements of  $(\partial p/\partial T)_V$  of liquid helium near the  $\lambda$ -curve, 0=16933
- Lounasmaa, O. V. and Kojo, E. The specific heat  $C_V$  of liquid helium near the  $\lambda$ -curve at various densities, 0=5228
- Lounasmaa, O. V. and Roach, P. R. Specific heat of terbium metal between 0°37 and 4°2°K, 3=771
- Lounasmaa, O. V. See Hill, R. W., 0=19532
- Lounasmaa, O. V. See Hill, R. W., 0=20749
- Lounsbury, M. See Davies, J. A., 0=19804
- Loup, M. P. See Aythassorho, M. C., 4=21468
- Loupas, G., Sirugue, M. and Trotin, J. C. A scheme for strong interactions based on the group  $B_3$ , 3=12397
- Lourens, J. A. J. See Baker, J. M., 1=9046
- Lourens, J. A. J. See Baker, J. M., 3=1055
- Lourens, W. See Hazewindus, N., 3=19775
- Loutsik, V. A. See Asfour, F., 4=22174
- Loutsik, V. A. See El-Behay, A. Z., 4=28057
- Louttit, R. I., Morris, T. W., Rahm, D. C., Rau, R. R., Thorndike, A. M., Willis, W. J. and Lea, R. M. Production of strange particles in  $p$ - $p$  collisions at 2.85 BeV, 1=12127
- Louttit, R. I. See Androulakis, J. G., 3=17125
- Louttit, R. I. See Baltay, C., 3=22209
- Louttit, R. I. See Baltay, C., 3=24805
- Louttit, R. I. See Balty, C., 4=3484
- Louttit, R. I. See Brown, H. N., 2=12013
- Louttit, R. I. See Hart, E. L., 2=9889
- Louttit, R. I. See Hart, E. L., 2=22607
- Louwerse, P. See Michels, A., 0=6838
- Louwerse, P. See Michels, A., 1=6879
- Louwrier, P. See Ythier, C., 4=17074
- Lovas, I. Annihilation of polarized positrons in magnetized material, 0=17316
- Lovas, I. and Zámori, Z. Gamma-gamma angular correlations in the  $Cl^{35}(n,\gamma)Cl^{36}$  and  $Mo^{96}(n,\gamma)Mo^{97}$  reactions, 3=6268
- Lovas, I. See Kardon, B., 1=8651
- Lovash, I. Interference between direct and resonance capture of slow neutrons, 2=468
- Lovash, I. Interference between direct and resonance capture of slow neutrons, 2=22828
- Lovat-Gavarini, A. See Gaume-Mahn, F., 4=1774
- Lovberg, R. H. The use of magnetic probes in plasma diagnostics, 0=3760
- Lovberg, R. H. The measurement of plasma density in a rail accelerator by means of Schlieren photography, 4=14734
- Lovberg, R. H. Acceleration of plasma by displacement currents resulting from ionization, 4=19053
- Lovberg, R. H. See Burkhardt, L. C., 2=7630
- Lovchikova, G. N. Angular distribution of elastically scattered neutrons, 0=20503
- Lovchikova, G. N. Elastic neutron scattering on titanium and calcium, 2=18327
- Lovchikova, G. N. Scattering of fast neutrons by nuclei, 3=2463
- Lovchikova, G. N. and Sal'nikov, O. A. Inelastic scattering cross-sections for 2.5 MeV neutrons, 4=12235
- Lovchikova, G. N. See Ostavnov, P. S., 4=9211
- Love, D. L. See Greendale, A. E., 3=24885
- Love, G. and Shewmon, P. G. Self-diffusivity of silver in twist boundaries, 3=22820
- Love, G. R. Dislocation pipe diffusion, 4=22579
- Love, H. M. and Dyer, G. L. Work function of the (311) plane of tungsten, 3=7626
- Love, H. M. and McCracken, G. M. The diffusion of lithium in tungsten, 3=8455
- Love, H. M. See McCracken, G. M., 0=17976
- Love, P. Pure quadrupole resonance spectra of trialkylboranes, 4=6645
- Love, R. E. and Shaw, R. W. Ultrasonic attenuation in superconducting lead, 4=18580
- Love, R. W. See Behrndt, K. H., 2=12946
- Love, T. A. and Murray, R. B. The use of surface-barrier diodes for fast-neutron spectroscopy, 1=3193
- Love, T. A. See Peelle, R. W., 0=7244
- Love, W. See Lindenbaum, S. J., 3=17106
- Love, W. A. See Baker, W. F., 2=20627
- Love, W. A. See Fidecaro, M., 1=5518
- Love, W. A. See Foley, K. J., 3=17323
- Love, W. A. See Foley, K. J., 3=19688
- Love, W. A. See Foley, K. J., 4=9194
- Love, W. A. See Foley, K., 4=9202
- Love, W. A. See Gatti, G., 1=13228
- Love, W. A. See Lindenbaum, S. J., 1=16789
- Love, W. A. See Lindenbaum, S. J., 2=1713
- Love, W. F. and Wei, W. F. Longitudinal magnetoresistance in  $n$ -type germanium: experimental, 1=11293
- Love, W. F. See Arp, V. D., 1=9513
- Love, W. F. See Bender, P. A., 0=13580
- Love, W. F. See Diesel, T. J., 1=17698
- Love, W. F. See Phelan, R. J., Jr, 4=10058
- Love, W. F. See Wei, W. F., 2=23316
- Lovegrove, E. See Michell, D., 0=21124
- Lovegrove, P. C. See Hewitt, G. F., 2=21888
- Lovejoy, C. A., Rasmussen, J. O. and Shirley, D. A. Nuclear orientation of  $Pm^{143}$ , 1=10959
- Lovejoy, C. A. and Shirley, D. A. Nuclear orientation of  $Tb^{156}$ , 2=7922
- Lovejoy, C. A. See Judd, B. R., 3=3173
- Lovejoy, D. R. Sensitive diaphragm type pressure transducer, 1=4300
- Lovejoy, D. R. Absorbing filters and high-temperature optical pyrometry, 0=10812
- Lovejoy, D. R. Detection limits in radiation and optical pyrometry, 3=1859
- Lovejoy, D. R. Some boiling and triple points below 0°C, 3=9659
- Lovejoy, D. R. See Berry, R. J., 3=5551
- Lovejoy, R. W., Colwell, J. H., Eggers, D. F., Jr and Halsey, G. D., Jr. Infrared spectrum and thermodynamic properties of gaseous sulfur trioxide, 2=6161
- Lovejoy, R. W. and Wagner, E. L. Infrared spectra of hypophosphorous acid and its salts, 4=22870
- Lovelace, C. On the existence of solutions of the pion-pion dispersion equations. I, 1=13355
- Lovelace, C. On the existence of solutions of the pion-pion dispersion equations. II, 2=263
- Lovelace, C. Diffraction scattering and Mandelstam representation, 2=20396
- Lovelace, C. Erratum: diffraction scattering and Mandelstam representation, 2=22437
- Lovelace, C. Practical theory of three-particle states. I. Nonrelativistic, 4=27770
- Lovelace, C. and Masson, D. Calculation of Regge poles by continued fractions. I, 3=2204
- Lovelace, C. and Percival, I. C. Unstable particles and three-body systems, 4=25028
- Lovelace, C. See Auvil, P., 4=25149
- Lovell, A. C. B. Concluding lecture [Part I—moon and planets], 0=18627
- Lovell, A. C. B. Investigation of the universe by radio astronomy, 1=41
- Lovell, A. C. B. The physical basis of the research programmes at Jodrell Bank, 3=11587
- Lovell, A. C. B. and Wells, H. W. The spectrum of the Cygnus (19N4A) and Cassiopeia (23N5A) radio sources below 30 Mc/s, 0=18667
- Lovell, A. C. B., Whipple, F. L. and Solomon, L. H. Radio emission from flare stars, 3=18659
- Lovell, A. C. B., Whipple, F. L. and Solomon, L. H. Observation of a solar type radio burst from a flare star, 4=26969
- Lovell, A. C. B. See Davies, J. G., 0=3428
- Lovell, A. C. D. Radioastronomical measurements from earth satellites, 0=10543
- Lovell, B., Whipple, F. L. and Solomon, L. H. Relative velocity of light and radio waves in space, 4=21269
- Lovell, B. W. and Epstein, D. J. Dynamic squareness in polycrystalline garnets, 3=15868
- Lovell, D. J. See Rosenberg, N. W., 2=8982
- Lovell, L. See Benson, G., 4=25155
- Lovell, R. J. and Herget, W. F. Lorentz parameters and vibration-rotation interaction constants for the fundamental band of HF, 3=2617
- Lovell, R. J. See Eldreth, L. F., 4=20045
- Lovell, R. J. See Herget, W. F., 1=853
- Lovell, R. J. See Herget, W. F., 2=20809
- Lovell, R. J. See Herndon, J. A., 2=20808
- Lovell, W. S. See Vaughan, W. E., 2=2726
- Lovell, W. S. See Vaughan, W. E., 2=5026



- Lovelock, D. Classical relativistic dynamics of "spin" particles, 4=3284
- Lovelock, D. A new formulation of the relativistic wave equations, 4=11069
- Lovelock, J.E. An ionization detector for permanent gases, 0=14156
- Lovelock, J.E. Free electrons with thermal energy: their generation for chemical use, 2=20022
- Loveluck, G.D. See Davies, M., 0=14656
- Lovera, G. Density of single grains along nuclear emulsion tracks, 2=7804
- Lovera, G. See Aliverti, G., 0=429
- Lovera, G. See Barbetta, M.G., 1=5804
- Lovera, G. See Demichelis, F., 0=17513
- Loveridge, D.J. See Kobak, J., 0=14139
- Loveridge, W.D. See Standil, S., 0=2459
- Lovering, E.G. See Buckingham, A.D., 3=6419
- Lovering, J.F. Micrometeorite impacts to an altitude of 135 km, 1=5259
- Lovering, J.F. See Greenland, L.P., 3=9015
- Lovering, J.F. See Stacey, F.D., 1=18061
- Lovering, J.F. See Stacey, F.D., 2=11119
- Lovetskii, E.E. and Rukhadze, A.A. Hydrodynamics of a nonisothermal plasma, 2=5337
- Lovetskii, E.E. and Rukhadze, A.A. Hydrodynamics of a non-isothermal plasma, 3=4126
- Lovetskii, E.E. and Rukhadze, A.A. Oscillations of a cold inhomogeneous plasma in a gravity field, 4=8763
- Lovetskii, E.E. and Rukhadze, A.A. Convective instability of an inhomogeneous plasma in a gravity field, 4=8764
- Lovetskii, E.E. See Kovrizhnykh, L.M., 3=19288
- Lovett, J.R. Comment on errors due to temperature and read-out systems for sing-around velocimeters, 3=14281
- Lovett, S. Automatic range-changing of a linear ratemeter, 0=17175
- Lovins, G.H. High-precision pointing interferometer, 4=24384
- Lovitch, L. The charge dependence of nuclear forces and the decay of  $O^{14}$ , 4=3522
- Lovitch, L. The charge dependence of nuclear forces and the energy separation of the isobaric triplet  $A = 14$ , 4=19630
- Lovitch, L. and Rosati, S. Isobaric spin purity in heavy nuclei, 3=10223
- Lovitch, L. and Tomozawa, Y. The spectral representation of the two-point function and local commutativity, 2=18066
- Lovlya, S.A. See Evdokimov, G.S., 2=15673
- Lovreček, B. and Bockris, J.O'M. The potential of the semiconductor-solution interface in the absence of net current flow: germanium, 0=14124
- Lovreček, B. and Kunst, B. Electrolytic junction with amplifying properties, 1=9520
- Løvseth, J. On the angular distribution of the Brook-Haven 1962 neutrino experiment, 3=19610
- Løvseth, J. The scattering of slow neutrons by diatomic molecules, 3=25074
- Løvseth, J. Positronium formation and dynamics in aluminium oxide, 3=25264
- Løvseth, J. See Bell, J.S., 4=19803
- Lovtsov, V.M. and Smirnov, A.S. An oscillographic investigation of the secondary emission of dielectric films, 0=3794
- Lovtysus, G.P. See Starik, I.E., 1=18
- Lovvorn, J.L. Reactor power monitor utilizing Cerenkov radiation, 2=8052
- Low, B. Low-temperature specific heat anomaly in manganese ferrites, 3=15435
- Low, B.W. and Shoemaker, C.B. Insulin...preliminary X-ray studies of two types of sulphate crystals, 0=4663
- Low, C.A., Jr. See Martin, J.P., 0=17604
- Low, D.I.R. and Mowlwyn-Hughes, E.A. The heat capacities of acetone, methyl iodide and mixtures thereof in the liquid state, 2=11356
- Low, F.E. A Lagrangian formulation of the Boltzmann-Vlasov equation for plasmas, 0=1138
- Low, F.E. Proposal for measuring the  $\pi^0$  lifetime by  $\pi^0$  production in electron-electron or electron-positron collisions, 0=17375
- Low, F.E. Correspondence principle approach to radiation theory, 1=5624
- Low, F.E. Persistence of stability in Lagrangian systems, 1=10442
- Low, F.E. Bound states and elementary particles, 2=20235
- Low, F.E. See Bronzan, J.B., 4=19402
- Low, F.E. See Greenberg, O.W., 2=1656
- Low, F.E. See Gell-Mann, M., 3=14862
- Low, F.E. See Gell-Mann, M., 4=9146
- Low, F.E. See Gell-Mann, M., 4=9147
- Low, F.E. See Gell-Mann, M., 4=19371
- Low, F.J. Low-temperature germanium bolometer, 1=16186
- Low, F.J. and Hoffman, A.R. The detectivity of cryogenic bolometers, 4=8495
- Low, F.J. and Johnson, H.L. Stellar photometry at  $10 \mu$ , 4=23860
- Low, F.J. and Rorschach, H.E. Nuclear spin relaxation in liquid helium 3, 0=19541
- Low, F.J. See Savage, W.R., 4=21557
- Low, F.J. See Squire, C.F., 0=9842
- Low, F.J. See Wisseman, W.R., 4=27427
- Low, G.G. Application of spin wave theory to three magnetic salts, 4=7254
- Low, G.G., Okazaki, A., Stevenson, R. W. H. and Turberfield, K. C. A measurement of spin-wave dispersion in  $MnF_2$  at 4.2°K, 4=13272
- Low, G.G. See Collins, M.F., 4=28817
- Low, G.G.E. Spin waves and neutron scattering in hexagonal cobalt, 2=8648
- Low, G.G.E. Some measurements of phonon dispersion relations in iron, 2=10325
- Low, G.G.E. and Collins, M.F. Magnetic moment distributions in dilute nickel alloys, 3=15858
- Low, G.G.E. and Okazaki, A. On measuring the neutron scattering form factors associated with spin waves, 3=17288
- Low, J.J. See Hambleton, K.G., 0=7951
- Low, J.R., Jr and Turkalo, A.M. Slip band structure and dislocation multiplication in silicon-iron crystals, 2=8226
- Low, J.R., Jr. See Stein, D.F., 0=6042
- Low, J.R., Jr. See Stein, D.F., 4=1944
- Löw, K. Dead time corrections on measurements of shortlived activities, 4=22057
- Löw, K. A computer method for analysing gamma ray scintillation spectra, 4=27960
- Löw, K. See Edvarson, K., 0=7650
- Low, M.J.D. The influence of temperature on the kinetics of chemisorption of hydrogen on zinc oxide, 0=750
- Low, M.J.D. and Taylor, H.A. The rates of adsorption of water and carbon monoxide by zinc oxide, 0=752
- Low, W. Optical spectra of  $Eu^{2+}$  and  $Gd^{3+}$  in  $CaF_2$ , 0=18126
- Low, W. Paramagnetic and optical spectra of ytterbium in the cubic field of calcium fluoride, 0=11938
- Low, W. Absorption lines of  $Cr^{3+}$  in ruby, 0=20979
- Low, W. Paramagnetic resonance spectrum of dysprosium in the cubic field of calcium fluoride, 1=3933
- Low, W. Absorption spectrum of ytterbium in single crystal of calcium fluoride, 2=16828
- Low, W. Paramagnetic resonance spectra of rare earth ions in the crystal field of calcium fluoride, 3=3172
- Low, W. Electron spin resonance studies with superconducting magnets: the spectrum of  $Dy^{3+}$  and  $Sm^{3+}$  in  $CaF_2$ , 4=20590
- Low, W. [Ed.]. Paramagnetic resonance. Vol. 1 and 2, 4=23040
- Low, W. and Ranon, U. E.S.R. of rare earth ions in irradiated and thermally treated  $CaF_2$ , 4=26425
- Low, W. and Rosenberger, U. Paramagnetic resonance of S-state ions in strontium chloride, 0=3132
- Low, W. and Rosenberger, U. A new paramagnetic resonance spectrum of rare earth ions in calcium fluoride, 2=10696
- Low, W. and Rosengarten, G. The optical spectrum and ground-state splitting of  $Mn^{2+}$  and  $Fe^{3+}$  ions in the crystal field of cubic symmetry, 4=20463
- Low, W. and Rosengarten, G. The ground state splitting and optical spectra of  $d^5$  configuration in cubic crystalline fields, 4=25827
- Low, W. and Rubins, R.S. Electron spin resonance in the cubic crystalline field of calcium oxide, 3=3181
- Low, W. and Rubins, R.S. Evidence for covalent bonding from electron spin resonance spectra of some rare-earth ions in single crystals of calcium oxide, 3=25576
- Low, W. and Rubins, R.S. Paramagnetic resonance of iron group and rare earth impurities in calcium oxide, 4=26405
- Low, W. and Suss, J.T. Paramagnetic resonance spectrum of manganese in corundum, 0=11942
- Low, W. and Suss, J.T. Jahn-Teller effect of  $Ni^{2+}$  and  $Cu^{2+}$  in single crystals of calcium oxide, 4=13327
- Low, W. and Suss, J.T. Paramagnetic resonance spectra in single crystals of strontium oxide, 4=28886
- Low, W. and Weger, M. Paramagnetic resonance and optical spectra of divalent iron in cubic fields. I. Theory, 0=10228



- Low, W. and Weger, M. Paramagnetic resonance and optical spectra of divalent iron in cubic fields. II. Experimental results, 0=10229
- Low, W. and Zusman, A. Paramagnetic resonance spectrum of gadolinium in  $\text{La AlO}_3$ , 3=11112
- Low, W. See Dvir, M., 0=11937
- Low, W. See Dvir, M., 0=16169
- Low, W. See Dvir, M., 4=16173
- Low, W. See Dvir, M., 4=18333
- Low, W. See Foner, S., 1=1270
- Low, W. See Friedman, E., 0=18220
- Low, W. See Friedman, E., 1=1259
- Low, W. See Kiro, D., 4=26386
- Low, W. See Mahlab, E., 3=20658
- Low, W. See Makovsky, J., 3=953
- Low, W. See Ranon, U., 4=4403
- Low, W. See Rubins, R. S., 4=26417
- Low, W. See Shaltiel, D., 1=20212
- Low, W. See Stahl-Brada, R., 0=3131
- Low, W. See Stahl-Brada, R., 0=11038
- Low, W. See Vincow, G., 1=9055
- Lowan, A. N. On the propagation of round-off errors in the numerical integration of the heat equation, 0=12508
- Lowan, A. N. On the numerical treatment of heat conduction problems with mixed boundary conditions, 0=14863
- Lowde, R. D. and Umakanta, N. Neutron small-angle scattering by spin waves in iron, 0=13805
- Lowde, R. D. and Wheeler, D. A. A technique for measuring the magnetic disorder scattering of neutrons, 3=1101
- Lowde, R. D. See Calder, R. S., 2=15021
- Lowde, R. D. See Collins, M. F., 3=1106
- Lowde, R. D. See Hatherly, M., 4=13199
- Lowde, R. D. See Hatherly, M., 4=22990
- Lowder, R. S. and Hoh, F. C. Fast gas valve for plasma research, 3=4158
- Lowder, R. S. and Waniek, R. W. Megampere, high vacuum, low inductance current feedthrough, 4=27459
- Lowder, W. M. See O'Brien, K., 0=12892
- Löwdin, P. O. Expansion theorems for the total wave function and extended Hartree-Fock schemes, 0=17832
- Löwdin, P. O. Note on the separability theorem for electron pairs, 1=11107
- Löwdin, P. O. Band theory, valence bond, and tight-binding calculations, 2=3867
- Löwdin, P. O. Exchange, correlation and spin effects in molecular and solid-state theory, 2=14319
- Löwdin, P. O. Studies in perturbation theory. IV. Solution of eigenvalue problem by projection operation formalism, 3=44
- Löwdin, P. O. The normal constants of motion in quantum mechanics treated by projection technique, 3=3748
- Löwdin, P. O. Studies in perturbation theory. V. Some aspects on the exact self-consistent field theory, 3=6340
- Löwdin, P. O. Studies in perturbation theory. I. An elementary iteration-variation procedure for solving the Schrödinger equation by partitioning technique, 3=7115
- Löwdin, P. O. Wave and reaction operators in the quantum theory of many-particle systems, 4=11110
- Löwdin, P. O. Proton tunneling in DNA and its biological implications, 4=12547
- Löwdin, P. O. Studies in perturbation theory. II. Generalization of the Brillouin-Wigner formalism. III. Solution of the Schrödinger equation under a variation of a parameter, 4=27061
- Löwdin, P. O., Pauncz, R. and de Heer, J. On the calculation of the inverse of the overlap matrix in cyclic systems, 1=4173
- Löwdin, P. O. See Calais, J. L., 2=12277
- Löwdin, P. O. See Fröman, A., 2=12362
- Löwdin, P. O. See Hirschfelder, J. O., 0=20687
- Löwdin, P. O. See Pauncz, R., 2=14306
- Löwdin, P. O. See Pauncz, R., 2=14307
- Lowe, D. S. See Kelton, G., 4=358
- Lowe, D. S. See Mundie, L. G., 1=1841
- Löwe, G. See Junge, C., 0=171
- Lowe, H., Topper, T. and Turner, P. The measurement of cyclic plastic deformations in metals, 3=13347
- Lowe, I. J. and Barnaal, D. E. Radio-frequency bridge for pulsed nuclear magnetic resonance, 3=9961
- Lowe, I. J. and Howard, R. L. Digital transistor circuit for generation of timing pulses for pulsed N.M.R., 2=5496
- Lowe, I. J. See Barnaal, D., 4=4420
- Lowe, J. and McClelland, C. L. Lifetime measurements on the first excited states of  $\text{O}^+$  and  $\text{F}^{18}$ , 4=1012
- Lowe, J., McClelland, C. L. and Kane, J. V. Lifetimes of the first excited states of  $\text{C}^{15}$  and  $\text{B}^{10}$ , 2=13981
- Lowe, J. See Greenlees, G. W., 1=712
- Lowe, J. See McClelland, C. L., 3=12585
- Lowe, J. P. Horizontal and vertical correlation in  $\pi$ -electron systems, 4=25619
- Lowe, J. P. See Frost, A. A., 4=24061
- Lowe, J. T. and Flygare, W. H. Calculation of the field gradient at the deuteron in formaldehyde, 4=30462
- Lowe, L. F., Jimenez, C. and Burke, E. A. Equipment and techniques for low temperature electron irradiations, 4=8542
- Lowe, L. F. See Burke, E. A., 1=505
- Lowe, L. F. See Burke, E. A., 4=3742
- Lowe, L. F. See Cali, J. P., 0=5690
- Lowell, C. E. and Williams, W. S. High-temperature calorimeter for the determination of heats of formation of refractory compounds, 1=16170
- Lowell, J. and Mendelssohn, K. Time effects in superconductivity, 4=16375
- Lowen, J. and Rediker, R. H. Gallium-arsenide diffused diodes, 0=2895
- Lowen, R. W. Ionospheric refraction. I. Analytic solution for and ionosphere almost spherically stratified, 2=17971
- Lowenstein, E. V. Correction of phase errors in interferograms, 4=27328
- Lowenthal, G. C. and Harper, A. F. A. Resistance-temperature relationship of platinum at low temperatures and its influence on precision thermometry, 0=7002
- Lowenthal, G. C., Kemp, W. R. G. and Harper, A. F. A. A temperature scale down to  $20^\circ\text{K}$  using platinum resistance thermometers, 0=214
- Lowenthal, G. C. The specific heat of metals between  $1200^\circ\text{K}$  and  $2400^\circ\text{K}$ , 3=10596
- Lowenthal, G. C. See Klemens, P. G., 1=19830
- Lowenthal, S. and Tournois, P. Radiation impedance of membranes and plates: Their acoustic coupling with the propagating medium, 3=23982
- Lowenthal, S. See Tournois, P., 2=11437
- Lower, S. K. See Hochstrasser, R. M., 2=18816
- Lower, S. K. See Hochstrasser, R. M., 4=13096
- Lower, S. K. See Hochstrasser, R. M., 4=28749
- Lowes, F. J. See Herzenberg, A., 0=18459
- Lowes, F. J. See Roberts, P. H., 1=20803
- Lowitz, D. A. See Lilly, A. C. Jr., 3=9874
- Lowitzsch, K. See Ladell, J., 0=8177
- Lowke, J. J. Errors due to diffusion in drift velocity measurements, 2=9536
- Lowke, J. J. The drift velocity of electrons in hydrogen and nitrogen, 3=9729
- Lowke, J. J. and Rees, J. A. The drift velocities of free and attached electrons in water vapour, 4=8624
- Lowman, K. M. and Billings, D. E. Study of the flare-surge event of September 7, 1958, 1=1644
- Lowrie, P. H., Jr. Oil baths for saturated standard cells, 3=19055
- Lowrie, R. Elastic constants of polycrystalline  $\text{MgO}$ , 4=7434
- Lowrie, R. and Shish, F. Differential volumometer for measuring minute volume changes in solids, 1=10465
- Lowry, B. A., Davis, H. T. and Rice, S. A. Perturbation calculation of mixed pair correlation functions, 4=14076
- Lowry, B. A., Rice, S. A. and Gray, P. On the kinetic theory of dense fluids. XVII. The shear viscosity, 4=21108
- Lowry, E. M. and DePalma, J. J. Sine-wave response of the visual system. I. The Mach phenomenon, 1=10354
- Lowry, E. M. See DePalma, J. J., 2=7085
- Lowry, E. S. Geometrical representation of the Maxwell field in Minkowski space, 0=7196
- Lowry, E. S. The clock paradox, 3=5339
- Lowry, E. S. Geometrical model of electromagnetic fields, 4=657
- Lowry, R. A. See Phipps, J. A., 4=21459
- Lowthian, C. S. Transient temperatures in a uranium rod, 1=772
- Lowys, J. P. See Aubert, B., 4=21930
- Lowys, J. P. See Bellière, J., 3=24775
- Lox, F. E. M. and Van Der Kelen, G. P. Study of the phenomenon of deterioration of self-quenching Geiger-Müller counters, 0=19963
- Loxham, J. G. and Hellawell, A. Constitution and microstructure of some binary alkali halide mixtures, 4=23520
- Loy, B. See Hawley, R., 3=12236
- Loy, B. R. See Doorenbos, H. E., 4=6654
- Loyd, C. M. See Coon, J. B., 2=14298
- Loyd, C. M. See Coon, J. B., 4=6588
- Loye, D. P. and Maxfield, J. P. Sound in the motion picture industry. I. Some historical recollections, 4=287



- Lozano, J., Perelló, M., Sánchez del Río, C. and Vigón, M.A. Experiments on low temperature plasmas, 2=3047
- Lozano, J.M. and Moshinsky, M. Dispersion relations and the causality concept, 1=8458
- Lozavaya, E. A. See Hahovych, M. D., 4=2988
- Lozgachev, V.I. Determination of solid angles, 1=6244
- Lozgachev, V.I. The theory of molecular flow at low pressures, I. The flow of rarefied gases through tubes with diaphragm ends, 3=9502
- Lozgachev, V.I. Distribution of molecular flow on a surface during evaporation in vacuum, 3=12011
- Lozgachev, V.I. The theory of molecular flow. II. Passage through ducts of arbitrary form, 3=18852
- Lozhkin, O.V., Perfilov, N.A., Rimskii-Korsakov, A.A. and Fremlin, Dzh[J]. Nuclear disintegrations in a photographic emulsion produced by 930 MeV protons, 0=20434
- Lozhkin, O. V., Perfilov, N. A. and Yakovlev, Yu. P. Some characteristic features in the formation of  $\text{Li}^8$  when 660 MeV protons interact with  $\text{C}^{12}$  nuclei, 4=1081
- Lozhkin, O. V. and Rimskii-Korsakov, A.A. Possible observation of the nucleus  $\text{He}^8$ , 2=328
- Lozhkin, O. V. and Rimskii-Korsakov, A.A. Possible observation of the nucleus  $\text{He}^8$ , 3=4475
- Lozhkin, O. V. and Yakovlev, Yu. P. Some features of the production of fast residual nuclei in the  $\text{Be}^9(\text{p}, 2\text{N}\alpha\pi)\text{Li}^8$  reaction, 4=25395
- Lozhkin, O. V. See Bogatin, V.I., 4=12219
- Lozhkin, C.V. See Bogatin, V.I., 4=17132
- Lozhkin, O.V. See Gorichev, P.A., 1=17177
- Lozhkin, O.V. See Gorichev, P.A., 2=448
- Lozhkin, O.V. See Gorichev, P.A., 2=22814
- Lozhkin, O.V. See Gorichev, P.A., 2=22860
- Lozhkin, O.V. See Gorichev, P.A., 3=24573
- Lozhkin, O.V. See Gorichev, P.A., 4=6307
- Lozhkin, O. V. See Gorichev, P.A., 4=9502
- Lozhkin, O. V. See Gorichev, P.A., 4=22132
- Lozhkin, O.V. See Gorichev, P.A., 2=14151
- Lozhkin, O.V. See Perfilov, N.A., 0=9622
- Lozhkin, O.V. See Perfilov, N.A., 1=3468
- Lozhkin, O.V. See Rimskii-Korsakov, A.A., 4=16780
- Lozier, W. W. See Null, M.R., 2=19762
- Lozinskaya, T.A. and Kardashev, N.S. The thickness of the gas disk of the Galaxy from observations at 21 cm, 3=13915
- Lozinskaya, T.A. and Kardashev, N.S. Deformation of the gas disk of the galaxy, 3=23712
- Lozinskaya, T. A. See Kardashev, N. S., 4=29483
- Lozinskaya, T.A. See Vitkevich, V.V., 0=18641
- Lozinskii, M.G., Antipova, E.I., Assonova, E.A. and Nikitina, I.I. The influence of the special structural state caused by high temperature thermomechanical treatment on the strength of nickel at normal and elevated temperatures, 2=23777
- Lozinskii, M.G., Antipova, E.I., Assonova, E.A. and Nikitina, I.I. The influence of the special structural state caused by high temperature thermomechanical treatment on the strength of nickel at normal and elevated temperatures, 3=3234
- Lozinskii, M. G. and Ferenets, V. Ya. Experimental determination of the grain-boundary component of the total deformation of platinum extended at a constant strain rate in the 20-1000°C temperature interval, 4=23195
- Lozinskii, M. G., Mirotvorski, V. S. and Rakhshadt, A. G. The effect of tensile stresses upon the ageing of beryllium bronze, 4=23148
- Lozinskii, M.G., Sokolov, E.N., Varli, K.V. and Skakov, Yu. A. Effect of high temperature thermomechanical treatment on the fine crystal structure of austenitic steel and alloys, 2=23885
- Lozinsky, M.G. Grain boundary adsorption and "superhigh plasticity", 1=14883
- Loznanu, E. See Jeverdan, G. T., 4=12346
- Lozovaya, E.A. See Gabovich, M.D., 2=9575
- Lozovaya, E.A. See Gabovich, M.D., 4=19064
- Lozovik, V.G. New method of determining the surface diffusion coefficient, 1=14296
- Lozovskii, V.N. Relaxation polarization and losses in alkali halide single crystals, 0=20959
- Lozovskii, V.N. The distribution of relaxation times in thermal ionic polarization, 1=1126
- Łożykowski, H. Electroluminescence of  $\text{ZnSe:Cu}$  with a  $\text{Cu}_2\text{Se}$  layer in an a.c. and d.c. field, 1=6215
- Łożykowski, H. and Męczyńska, H. Electroluminescence of alkaline earth sulphide phosphors, 1=6240
- Łożykowski, H. and Męczyńska, H. An attempt to obtain electroluminescence of organophosphors, 1=14660
- Lozykowski, H. Electroluminescence at p-n junctions in  $\text{ZnSe}$ , 3=11011
- Łożykowski, H. and Rozwadowski, M. The influence of ultrasonics on the electroluminescence of  $\text{ZnS:Cu}$ , 1=1189
- Łożykowski, H. See Gutsze, A., 3=12965
- Łożyński, E. and Niewodniczański, H. Some experiments on the electric monopole transition in  $^{234}\text{U}$ , 2=22745
- Łożyński, E. See Grochulski, W., 4=22236
- Lu An-Hau. See Wang Shou-Yih, 4=30500
- Lü Ch'ên-fa. Cherenkov radiation from charged particles with oriented spin, 4=19480
- Lu, C.S. and Carr, E. Electrostatic quadrupole lens pair for mass spectrometers, 2=20057
- Lu, D.C. Accurate method for measuring internal conversion coefficients, 0=13202
- Lu, D.C. and Dingus, R.S. E2 internal conversion coefficients for rotational transitions, 3=4586
- Lu, D.C. See Blanpied, W.A., 4=9475
- Lu, D.C. See Holloway, J.T., 0=4037
- Lu, D.C. See Stewart, M.G., 0=5667
- Lu, Hui-ch'uing [Lu Khué-tsyun] and Liang, Tung-ch'ai [Lyan Dun-chai]. Standard programme system for the structure analysis of crystals for the calculating machine 104, 4=23371
- Lu Khué-tsyun. See Lu Hui-ch'uing.
- Lu King and Wang Ta-Cheng. Some problems of photo-multiplier tubes, 3=16976
- Lü Min. Mean free path of nuclear interaction in Pb and Al of secondary particles of cosmic ray showers, 0=5640
- Lü Min [Lyni Min] and Prokoshkin, Yu.D. Angular distributions of pions produced in nucleon-nucleon collisions and the isotopic invariance hypothesis, 3=15006
- Lu, M.T. See Chuang, L.S., 3=22433
- Lu Ne-Chuan. See Danilov, V.I., 1=344
- Lu Pao. See Pao Lu.
- Lu Sun Liu. Vertex function, coupling constant, and composite particle, 2=3263
- Lu Sun Liu and Singer, P. Vector-meson production in meson-baryon collisions, 4=27784
- Lu Sun Liu and Tanaka, K. Regge trajectory in field theory, 3=7759
- Lu Sun Liu. See Liu, L., 4=27403
- Lu Tan. Mean-value theorem in the problem of the Mössbauer effect, 4=1340
- Lu Tan, Yang Kuo-shen and Lo Leau-fu. The mass of the muonic neutrino, 4=19483
- Lu Ting. Boundary layer over a flat plate in presence of shear flow, 0=3498
- Lu Ting. On the diffraction of an arbitrary pulse by a wedge or a cone, 0=15144
- Lu Yang. See Lyu Yuian', 1=19359
- Lubach, B. See van Elst, H.C., 3=5010
- Luban, Kh.L. See Gel'perin, B.B., 4=16596
- Luban, M. Statistical mechanics of a nonideal boson gas: pair Hamiltonian model, 3=78
- Lubart, L. See De De Micheli, S. M., 4=23316
- Lubart, L. See Levi, L., 2=6426
- Lubart, L. See Levi, L., 4=10461
- Lubat, F. See Gouskov, L., 3=20305
- Lubbers, J. See Fuiskamp, W.J., 4=18306
- Lubbers, D. W. See Niesel, W., 4=18404
- Lubbers, J. See Duffy, W. T., Jr., 4=20560
- Lubberts, G. See Rossmann, K., 4=11379
- Lübbig, H. and Päsler, M. The theory of Hermite's differential equation, 4=27016
- Lubbinge, K. See Rautenbach, W.L., 3=17008
- Lubchenko, A.F. The connection between the polarization and the strength of the electromagnetic field in the region of exciton absorption, 0=531
- Lubchenko, A.F. On optical characteristics of molecular crystals in the exciton absorption region, 0=1716
- Lubchenko, A.F. Theory of the Faraday effect in the region of exciton absorption of light by molecular crystals, 0=10033
- Lubchenko, A.F. Theory of the linear Kerr effect in the region of exciton absorption of light by molecular crystals, 0=10034
- Lubchenko, A.F. Electromagnetic wave propagation in molecular crystals with weak exciton-phonon interaction.



- I. Absorption dispersion of electromagnetic waves, 1=11347
- Lubchenko, A.F. Propagation of electromagnetic waves in molecular crystals with weak exciton-photon interaction. II. Natural optical activity, 1=11348
- Lubchenko, A.F. Propagation of electromagnetic waves in molecular crystals with weak exciton-phonon interaction. III. Magneto-optical effects, 1=11349
- Lubchenko, A.F. Correlation of collective motion with motion of "extra" nucleons [in nuclei], 1=19335
- Lubchenko, A.F. Cotton-Mouton effect in the region of the impurity absorption of light, 2=123
- Lubchenko, A.F. Magnetic rotation of the plane of polarization of light in the impurity absorption region, 2=683
- Lubchenko, A.F. Characteristics of light absorption and luminescence in low-concentration solid binary solutions, 2=710
- Lubchenko, A. F. Effect of anharmonicity of atomic vibrations on phototransitions in impurity centres in solids, 4=28452
- Lubchenko, A.F. and Pavlik, B.M. Raman and Rayleigh scattering of light by impurity centres in a solid, 3=20464
- Lubchenko, A. F. See Brodin, M.S., 0=4263
- Lubchenko, A.F. See Déyub, I.P., 2=23539
- Lubchenko, A.F. See Dzyub, I.P., 1=3389
- Lubchenko, A.F. See Dzyub, I.P., 1=17393
- Lubchenko, A.F. See Dzyub, I.P., 2=3821
- Lubchenko, A.F. See Dzyub, I.P., 2=8493
- Lubchenko, A.F. See Dzyub, I.P., 2=14699
- Lubchenko, A.F. See Dzyub, I.P., 2=23040
- Lubchenko, A.F. See Dzyub, I.P., 3=8337
- Lubchenko, A.F. See Dzyub, I.P., 3=8338
- Lubchenko, A.F. See Dzyub, I.P., 3=8339
- Lubchenko, A.F. See Dzyub, I.P., 3=15414
- Lubchenko, A.F. See Dzyub, I.P., 3=25173
- Lubchenko, A. F. See Dzyub, I.P., 4=28322
- Lübcke, E. Evaluation of noises, 0=10740
- Lübcke, E. Frequency evaluation of noise spectra, 1=216
- Lübcke, E. Research on noise measurement, 1=4422
- Lübcke, E. Remarks on the work of W.Reichardt "Should the sound-power output or the sound pressure level be used for machinery noise", 3=7298
- Lübcke, E., Mittag, G. and Port, E. Subjective and objective evaluation of machine noise, 4=14312
- Lube, E. L. and Kheiker, D.M. An automatic X-ray diffractometer with point counting and programmed operation for the study of polycrystalline samples, 4=10516
- Lubelfeld, J. See Purnhagen, T.G., 4=24890
- Lubell, M. S. and Chandrasekhar, B. S. Wide range magnetic field measurements at 4.2°K, 4=24784
- Lubell, M. S., Chandrasekhar, B. S. and Mallick, G. T. Degradation and flux jumping in solenoids of heat-treated Nb-25% Zr wire, 4=405
- Lubell, M. S. and Mallick, G. T. "Training" and flux jumping in superconducting solenoids of Nb-Zr and Nb-Ti, 4=24509
- Lubell, M. S., Mallick, G. T. and Chandrasekhar, B. S. Flux jumping in Nb +25% Zr wire, 4=11477
- Lubell, M.S. and Mazelsky, R. Carrier compensation in germanium telluride, 3=25365
- Lubell, M.S. See Mazelsky, R., 2=17055
- Lubell, M.S. See Mazelsky, R., 2=23858
- Lübelsmeyer, K. See Freitag, C., 3=22164
- Lubenets, S.V. and Kostin, N.F. The selective etching of potassium halides, 3=18242
- Lubenets, S.V. See Kostin, N.F., 3=13408
- Lubimov, A.L. See Viryasov, N.M., 0=9364
- Lubimov, V.B. See Bogachev, N.P., 0=11400
- Lubin, M. J. Nanosecond pulse technique for multiple front studies in shock tubes, 4=8313
- Lubitz, K. See Böer, K.W., 0=6117
- Lubitz, K. See Böer, K.W., 2=18725
- Lübke, H. J. See Martin, H., 4=20035
- Lubkin, E. Depolarization of a muon by hyperfine interaction, 0=13423
- Lubkin, E. TCP as a space reflection, 0=15223
- Lubkin, E. Angular distributions, 0=15310
- Lubkin, E. Neutrons from the capture of a polarized mu meson, 1=4873
- Lubkin, E. Geometric definition of gauge invariance, 4=13
- Lubkin, E. A critique of the space-time variables in physical theory, 4=16018
- Lubkin, E. See Charap, J.M., 3=7842
- Lublin, P. An X-ray study of the structure of the alkaline earth oxide cathode, 4=10524
- Lublin, P. See Black, J., 4=26045
- Lublimer, J. Cylindrical wave in a viscoelastic solid, 3=1748
- Lubomirsky, W. Approximate calculation of Fermi-Dirac integrals, 4=21056
- Lubomirsky, W. Method for determination of the critical points of a band, 4=22537
- Luborsky, F.E. Development of elongated particle magnets, 1=6341
- Luborsky, F.E. Comparison of the size of spherical particles of iron, cobalt, and alloys of iron-cobalt in mercury as determined by various methods, 2=15529
- Luborsky, F.E. Adsorption of tin on iron and cobalt particles in mercury, 2=15614
- Luborsky, F.E. Effect of cobalt content on the properties of elongated iron particles, 3=15850
- Luborsky, F. E. and Koch, E. F. The magnetic field on a sample in the electron microscope, 4=4642
- Luborsky, F.E., Koch, E.F. and Morelock, C.R. Crystallographic orientation and oxidation of submicron whiskers of iron, iron-cobalt, and cobalt, 3=23412
- Luborsky, F.E. and Lawrence, P.E. Saturation magnetization and size of iron particles less than 100 Å in diameter, 1=6308
- Luborsky, F.E. and Mendelsohn, L.I. Shape anisotropy in a wide-range gaussmeter, 0=2415
- Luborsky, F. E. and Morelock, C. R. Magnetization reversal of almost perfect whiskers, 4=22987
- Luborsky, F.E. and Opie, J.D. Adsorption of metals on iron particles in mercury, 3=15773
- Luborsky, F.E. and Paine, T.O. Angular variation of the magnetic properties of elongated single domain iron particles, 0=10122
- Luborsky, F.E. and Paine, T.O. Coercive force and remanence of 25-Å to 2000-Å diameter cobalt, iron, and iron-cobalt alloy, 0=10133
- Luborsky, F.E. See Kneller, E.F., 3=11088
- Luborsky, F.E. See Paine, T.O., 0=10117
- Luborsky, F. E. See Roth, W. L., 4=13230
- Lubowe, A.G. and Mindlin, R.D. Extensional vibrations of thin quartz disks, 3=5482
- Luc, H. See Bariaud, A., 3=9800
- Luc, H. See Bariaud, A., 4=29956
- Luca, E. and Ilescu, G. The problem of determination of best filters in X-ray techniques, 4=5731
- Luca, E., Luca, I. and Visiliu, A. Action of ultrasound on several dielectric liquids and heterogeneous mixtures: Ferrite-paraffin oil, glycerine-paraffin oil, and monochlorobenzene-paraffin oil, 3=9471
- Luca, I. See Luca, E., 3=9471
- Lucarain, M. See Geller, R., 2=1465
- Lucas, B. T., Cosper, S. W. and Johnson, O. E. Scattering of 18.4-MeV alpha particles by beryllium, 4=12274
- Lucas, B. T., Cosper, S. W. and Johnson, O. E. Alpha-particle scattering by P<sup>31</sup> at 18.2 MeV, 4=22182
- Lucas, B. T. See Robinson, E.L., 1=7347
- Lucas, C.B. See Heddle, D.W.O., 3=4719
- Lucas, D.H. See Cross, P.A.E., 1=1623
- Lucas, G., Phillips, R. and Teare, P.W. A precision goniometer stage for the electron microscope, 3=8936
- Lucas, G.J. See Ogier, W.T., 4=17593
- Lucas, H. F., Jr and Woodward, D. A. Effect of long decay chains on the counting statistics in the analysis of radium<sup>224</sup> and radon<sup>222</sup>, 4=12192
- Lucas, H.F., Jr See Machta, L., 2=8979
- Lucas, H.F., Jr. See Moses, H., 0=14320
- Lucas, J. An analytical solution for the effect of space charge in cold cathode gas discharges, 2=1402
- Lucas, J. A theoretical and experimental study of short duration breakdown times in low pressure gases, 3=4089
- Lucas, J. An electrostatically compensated, null deflection electron beam probe for the measurement of discharge electric fields, 3=24154
- Lucas, J. The electric field distribution during the transition from Townsend to glow discharge in low pressure argon gas, 3=24242
- Lucas, J. The amplification and transit time of an electron avalanche traversing a uniform electric field gap, 4=29885
- Lucas, J. See Decaux, B., 1=16588
- Lucas, J.H. See Agar, A.W., 3=25793
- Lucas, J.H. See Phillips, R., 1=21157
- Lucas, J.H. See Phillips, R., 2=2373
- Lucas, J.H. See Phillips, R., 2=11235



- Lucas, L.D. Density of silver, copper, palladium and platinum in the liquid state, 2=2701
- Lucas, L.D. and Urbain, G. Density of silicon, germanium, antimony and bismuth in the liquid state, 3=3793
- Lucas, L.D. and Urbain, G. Density of tellurium in the liquid state, 3=9436
- Lucas, L.D. and Urbain, G. Specific volume of liquid selenium as a function of temperature, 4=27160
- Lucas, L.D. See Übelacker, E., 2=9255
- Lucas, L.R. and Hernandez, H.P. Inflatable gasket for the 72 inch bubble chamber, 1=410
- Lucas, M.S.P. Surface scattering of conduction electrons in gold films, 4=12856
- Lucas, M.S.P. and Meyer, D.T. Production of superconducting niobium films by vacuum-arc deposition, 2=19816
- Lucas, M.S.P., Owen, H.A., Jr., Stewart, W.C. and Vail, C.R. Vacuum-arc evaporation of refractory metals, 1=6688
- Lucas, M.S.P. See Vail, C.R., 2=1341
- Lucas, M.W. and Mitchell, E.W.J. The threshold curve for the displacement of atoms in graphite: experiments on the resistivity changes produced in single crystals by fast electron irradiation at 15°K, 4=22647
- Lucas, R. The propagation of heat in solids, 1=7541
- Lucas, R. On the distribution of temperatures in solids under a flux of heat, 1=18656
- Lucas, R. and Pauthier-Camier, S. The measurement, by means of polarized ultrasonic waves, of the variation of the elastic constants of a solid subjected to stress, 1=20282
- Lucas, R.C. See Archer, R.J., 4=22848
- Lucas-Tooth, H.J. See Kuhn, H.G., 0=16878
- Lucassen-Reynders, E.H. Contact angles and adsorption on solids, 3=23519
- Lucasson, A. Contribution to the study of zinc, gallium, germanium and alloys of copper by X-ray spectrography, 0=13469
- Lucasson, A., Lucasson, P. and Walker, R.M. The production of atomic displacements near threshold in iron and copper. I. The threshold determination in polycrystals, 2=23168
- Lucasson, A. See Budin, C., 3=15481
- Lucasson, A. See Budin, C., 4=30606
- Lucasson, A. See Lucasson, P., 4=1338
- Lucasson, A. See Lucasson, P., 4=1455
- Lucasson, P. Low-temperature irradiation of transition metals in an atomic pile, 0=2831
- Lucasson, P. Lattice defects produced by fast electrons in metals, 4=1474
- Lucasson, P. and Lucasson, A. Interatomic potential functions deduced from displacement threshold energies, 4=1338
- Lucasson, P., Lucasson, A., Budin, C. and Denayrou, F. Point defects quenched and annealed in copper, 4=1455
- Lucasson, P. See Budin, C., 3=15481
- Lucasson, P. See Budin, C., 4=30606
- Lucasson, P. See Cusson, Y., 2=23169
- Lucasson, P. See Lucasson, A., 2=23168
- Lucasson, P.G. and Walker, R.M. Energy dependence of electron-induced atomic displacements in Al, Ag, Cu, Fe, and Ni, 2=12476
- Lucasson, P.G. and Walker, R.M. Production and recovery of electron-induced radiation damage in a number of metals, 2=16678
- Lucasson, P.G. and Walker, R.M. Variation of radiation damage parameters in metals, 2=18624
- Lucatu, E. Quenching of the fluorescence of solutions by tensioactivity [interfacial tension], 2=9283
- Lucca, L.B.De. See De Lucca, L.B.,
- Lucchesi, P.J. See Yates, D.J.C., 1=11601
- Lucchini, M. See Amar, V., 2=7900
- Lucchini, M. See Amar, V., 3=12398
- Luccio, A., Pavanati, G., Resmini, F., Succi, C. and Tagliaferri, G. Relativistic cyclotron for the University of Milan, 3=5738
- Luce, J.C., Detko, J.F., Gates, D.C. and Lafferty, D.L. An intense highly ionized plasma source, 4=19061
- Luce, J.S. and Hilton, J.L. Massive conversion of 750 keV ions to neutrals of quantum levels  $>7$ , 4=11515
- Lucenet, G. and Lafoucriere, J. A method of calculating the polepiece forms to provide magnetic induction of predetermined topography, 4=648
- Lucenet, G., Riche, T. and Lafoucriere, J. Theoretical study and realisation of the model of a  $\beta$  spectrograph having a large luminosity, 3=19614
- Lucero, S.C. See Denton, E.H., 3=9453
- Lucey, J.A. See Brimble, R.V., 0=5940
- Luchak, G. See Maron, I., 2=4842
- Luchanskaya, N.M. See Kir'yashkina, Z.I., 4=22709
- Luchanskaya, N.M. See Kir'yashkina, Z.I., 3=25363
- Lucharov, N.N. See Val'ter, A.K., 3=17457
- Luchkov, B. See Dolgoshein, B., 2=13933
- Luchkov, B. See Dolgoshein, B., 3=6116
- Luchkov, B. See Dolgoshein, B., 4=27731
- Luchkov, B.I. See Borisov, A.A., 3=17151
- Luchkov, B.I. See Borisov, A.A., 4=785
- Luchkov, B.I. See Dolgoshein, B.A., 3=24823
- Luchkov, B.I. See Dolgoshein, B.A., 4=963
- Luchkov, B.I. See Dolgoshein, B.A., 4=14957
- Luchkov, B.I. See Dolgoshein, B.A., 4=14993
- Luchkov, B.I. See Dolgoshein, B.A., 4=24956
- Luchner, K. and Dietl, J. Nuclear resonance absorption and the luminescence properties of  $\text{Fe}^{57}$  in ZnS phosphors, 4=7351
- Luchner, K. See Brown, F.H., 2=2253
- Luchner, K. See Kallmann, H., 1=14641
- Luchner, K. See Schön, M., 2=2190
- Luchner, K.M., Kallmann, H.P., Kramer, B. and Wachter, P. Infrared light stimulation and quenching in ZnS phosphors, 3=6677
- Luchsinger, E.B. See Blander, M., 4=14136
- Luchsinger, E.B. See Yosim, S.J., 3=23904
- Luciat-Labry, J. See Orr, R.L., 1=2541
- Lucioni, D. See Colli, L., 3=19865
- Luciw, W. See Matcovich, T.J., 4=11751
- Luck, G. Influence of crystal form on the energy and time resolution of a scintillation apparatus, 1=5613
- Luck, G. The effect of target thickness on the spectral distribution of the bremsstrahlung from an electron accelerator, 1=9662
- Luck, G. Secondary-electron-multiplier for the investigation of nuclear photographic tracks, 2=3234
- Luck, G. Exchange areas using three-mass heat-exchangers, 2=15771
- Luck, G. Evaporated films of bismuth showing large temperature coefficients of electrical resistance, 4=12883
- Lück, G. and Sizmann, R. The radiation annealing of Frenkel defects. An approach based on a simple statistical model, 4=22564
- Lück, G. and Sizmann, R. Defect structure at high Frenkel defect densities, 4=25926
- Lück, R. See Köster, W., 4=4334
- Luck, W., Klier, M. and Wesslau, H. Bragg reflections with visible light on monodisperse plastics lattices. I, 3=13622
- Luck, W., Klier, M. and Wesslau, H. Bragg reflections with visible light on monodisperse plastics lattices. II, 3=13623
- Lücke, K. Ultrasonic measurements of interaction between dislocations and point imperfections, 3=23326
- Lücke, K. and Bühler, S. High temperature plasticity of face-centred cubic single crystals, 4=28921
- Lücke, K. See Benze, F., 4=1924
- Lücke, K. See Bühler, S.E., 3=15501
- Lücke, K. See Gonser, U., 2=5404
- Lücke, K. See Granato, A.V., 4=28461
- Lücke, K. See Howe, S., 1=14905
- Lücke, K. See Teutonico, L.J., 2=21020
- Lücke, K. See Teutonico, L.J., 4=12748
- Lucke, O. Dynamic equations of the magnetosphere plasma, 2=24051
- Lucke, O. Artificial injection of fast electrons into the outer atmosphere as an aid to geophysical research, 3=16238
- Lucke, O. and Wagner, C.U. Theory of electric currents in the magnetosphere, 2=4687
- Lucke, O. See Kautzleben, H., 3=18892
- Lucken, E.A.C. Electronic environment of the nitrogen-atom in pyridine, 2=3687
- Lucken, E.A.C. Zeeman effect on the  $^{35}\text{Cl}$  nuclear quadrupole resonance of trimeric phosphonitrile chloride  $(\text{PNCl}_2)_3$ , 3=23264
- Lucken, J.A. and Turner, C.W. An experimental study of passive parametric interactions between transverse electron beam waves, 4=3135
- Lucky, D. An approximate lens for high energy particles, 0=7157
- Lucky, D. The use of electrostatic generators as injectors for electron synchrotrons, 0=19818
- Lucky, D. See Alvarez, R., 4=25161
- Lucky, D. See Alvarez, R., 4=25162
- Lucky, D. See Gorenstein, P., 3=11896
- Lucky, G.W. The effects of halogen gases on the electrical conductivities of silver bromide and silver chloride, 1=3727
- Lucky, P.D., Osborne, L.S. and Russell, J.J. Photoproduction of neutral mesons from hydrogen near threshold, 0=373
- Luckhurst, G.R. See Carrington, A., 4=29646



- Luckhurst, G.R. See Francis, P.G., 3=14211
- Lucovsky, G. Photoeffects in nonuniformly irradiated p-n junctions, 0=11721
- Lucovsky, G. Electrical characteristics of diffused InAs p-n junctions, 1=14479
- Lucovsky, G. Absorption edge measurements in compensated GaAs, 4=30681
- Lucovsky, G. and Cholet, P.H. GaAs, A sensitive photodiode for the visible, 0=16830
- Lucovsky, G. and Repper, C. J. Radiative recombination through impurity levels in GaAs p-n junctions, 4=4299
- Lucovsky, G., Schwarz, R. F. and Emmons, R. B. Transit-time considerations in P-I-N diodes, 4=12935
- Ludbrook, C.A. See Gorsuch, T.T., 4=9427
- Ludeke, C.A. Guidance and collimation of sputtered tungsten particles, 2=9647
- Ludema, K. C. See Frederick, J. R., 4=10596
- Ludemann, C. A. See Hornyak, W. F., 4=12135
- Ludemann, C.A. See Marion, J.B., 1=16820
- Lüders, G. Moments of inertia according to Inglis and the Bohr-Van Leeuwen theorem, 0=15510
- Lüders, G. Translationally invariant oscillator potential, 1=6783
- Lüders, G. Symmetry properties of strong and weak interactions, 1=8420
- Lüders, G. Kinematic analysis of the ground state in superconductivity theory, 2=7504
- Lüders, G. Nuclear matter, 2=9983
- Lüders, G. Trapping of magnetic flux by superconducting toroids, 2=13510
- Luders, G. and Schmidt-Ott, W.D. The existence of two types of neutrino, 3=24687
- Luders, G. See Grawert, G., 0=321
- Lüders, G. See Krause, I.Y., 1=10411
- Lüders, G. See Krause, I.Y., 1=10960
- Lüders, K. See Hasse, J., 3=12036
- Lüder, K. A simplified formula for calculating the heat transfer coefficient, 2=13473
- Ludford, G.S.S. Inviscid flow past a body at low magnetic Reynolds number, 1=5574
- Ludford, G.S.S. and Murray, J.D. On the flow of a conducting fluid past a magnetized sphere, 1=7130
- Ludford, G.S.S. and Singh, M.P. The motion of a non-conducting sphere through a conducting fluid in a magnetic cross-field, 3=19429
- Ludford, G.S.S. and Singh, M.P. On the motion of a sphere through a conducting fluid in the presence of a magnetic field, 3=19430
- Ludford, G. S. S. and Singh, M. P. The hydromagnetics of an ellipsoid moving in a cross-field, 4=24820
- Lüdi, F. Basic analysis of shot noise and plasma noise in a gaseous discharge, 2=19947
- Lüdi, F. Plasma physics, 2=22197
- Ludington, C.E. See Bloom, J.H., 2=5087
- Ludington, C. E. See Bloom, J. H., 4=21594
- Lüdke, W. See Görlich, P., 3=8593
- Ludlam, F.H. See Atlas, D., 2=2479
- Ludlam, F.H. See Browning, K.A., 2=13000
- Ludlam, F.H. See Browning, K.A., 3=11400
- Ludloff, H.F. See Fillers, L., 1=18356
- Ludloff, H.F. See Reiche, F., 1=7155
- Ludlow, J.H. See Harding, G.N., 1=9574
- Ludman, J.E. Analysis of transients and stability in an idealized two-level laser system, 3=24511
- Ludvigh, E. See Miller, J.W., 1=6670
- Ludwick, J.D. High geometry gas cell proportional counter, 3=5900
- Ludwick, J. D. Liquid scintillation counting of promethium-147, bioassay procedure, 4=25353
- Ludwig, C. B. See Ferriso, C. C., 4=12483
- Ludwig, C.B. See Ferriso, C.C., 4=17280
- Ludwig, C. B. See Ferriso, C. C., 4=28219
- Ludwig, C.B. See Penner, S.S., 2=10256
- Ludwig, G. An equation for description of fluctuation phenomena and turbulence in gases, 2=21945
- Ludwig, G. Explanation of thermodynamics on the basis of quantum mechanics, 3=11715
- Ludwig, G. Thermodynamics based on quantum mechanics, 3=18739
- Ludwig, G., Müller, W. J. C. and Schröter, J. A derivation of Boltzmann's equation with an assumption of determinacy. I, 4=14086
- Ludwig, G.H. and Whelpley, W.A. Corpuscular radiation experiment of Satellite 1959 Iota (Explorer VII), 0=15465
- Ludwig, G.H. See Bryant, D.A., 2=18197
- Ludwig, G.H. See O'Brien, B.J., 1=15328
- Ludwig, G.H. See Scull, W.E., 3=5176
- Ludwig, G.H. See Van Allen, J.A., 0=10428
- Ludwig, G.H. See Yoshida, S., 0=14265
- Ludwig, G.W. Electron spin resonance, 2=10461
- Ludwig, G.W. and Ham, F.S. Electrically induced transitions between spin levels, 2=21367
- Ludwig, G.W. and Ham, F. S. Electric field effects in paramagnetic resonance, 4=26369
- Ludwig, G.W. and Lorenz, M.R. Paramagnetic resonance of chromium in CdTe, 3=20646
- Ludwig, G.W. and Woodbury, H.H. Magnetic moment of  $\text{Fe}^{57}$ , 0=7458
- Ludwig, G.W. and Woodbury, H.H. Electronic structure of transition metal ions in a tetrahedral lattice, 0=17960
- Ludwig, G.W. and Woodbury, H.H. Splitting of electron spin resonance lines by an applied electric field, 1=20214
- Ludwig, G.W. and Woodbury, H.H. Interactions between impurities in silicon, 2=23360
- Ludwig, G.W. See Ham, F.S., 1=3934
- Ludwig, G. W. See Ham, F. S., 4=25903
- Ludwig, G.W. See Segall, B., 2=23700
- Ludwig, G.W. See Woodbury, H.H., 0=4514
- Ludwig, G.W. See Woodbury, H.H., 0=7459
- Ludwig, G.W. See Woodbury, H.H., 0=17959
- Ludwig, G.W. See Woodbury, H.H., 1=20233
- Ludwig, G.W. See Woodbury, H.H., 2=10705
- Ludwig, H. See Van Allen, J.A., 0=8398
- Ludwig, O.G. and Parr, R.G. On the introduction of arbitrary angular peakedness into atomic orbitals, 1=12302
- Ludwig, O.G. See Celler, M., 2=8117
- Ludwig, P. and Adams, R.N. Exchange interaction with electrolytically generated benzonitrile negative ion, 2=19136
- Ludwig, P. See von Stackelberg, M., 4=17444
- Ludwig, P. K. See D'Alessio, J. T., 4=24358
- Ludwig, R. See Seibt, W., 4=17265
- Ludwig, R. See Urbach, W., 2=20761
- Ludwig, W. Dielectric studies on polycrystalline selenium, 0=10012
- Ludwig, W. Dielectric investigation of polycrystalline selenium, 1=17818
- Ludwig, W. A purely harmonic theory of the elastic instability of crystal, 2=561
- Ludwig, W. Kinetics of the space charge arising in an extrinsic semiconductor due to ground photoexcitation, 2=6441
- Ludwig, W. Photo e.m.f. in single crystals of CdS, 3=2974
- Ludwig, W. Photovoltaic effects in CdS single crystals, 4=1680
- Ludwig, W. Dynamics of crystals with point effects, 4=22470
- Ludwig, W. and Eckart, F. Dielectric relaxation phenomena in selenium, 1=10073
- Ludwig, W. See Dettman, K., 4=17344
- Ludwig, W. See Eckart, F., 2=6516
- Ludwig, W. See Eckart, F., 2=12559
- Ludwig, W. See Hahn, H., 1=2372
- Ludwig, W. See Krispin, P., 4=22808
- Ludwig, W. See Leibfried, G., 0=17881
- Ludwig, W. See Leibfried, G., 1=3601
- Ludwig, W. See Lengeler, B., 3=2784
- Ludwig, W. See Mecke, R., 2=17770
- Ludziejewski, J. See Ambrozy, B., 1=16995
- Ludziejewski, J. See Ambrozy, B., 2=1821
- Ludziejewski, J. See Jasinski, A., 3=10310
- Luebke, E.A. See Sampson, J.B., 0=13315
- Luebke, W.R. See Dunn, D.A., 0=3801
- Luedicke, E., Cope, A. D. and Flory, L. E. Astronomical image-integration system using a television camera tube, 4=23834
- Luers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S.  $\text{K}_2^0$  decays and interactions, 1=16883
- Luers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S.  $\text{K}^0$  decays, 2=22615
- Luers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S.  $\text{K}^0$  interactions, 2=22629
- Luers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S. Errata:  $\text{K}_2^0$  decays and interactions, 2=1720
- Luers, D., Mittra, I. S., Willis, W. J. and Yamamoto, S. S.  $\text{K}_2^0$  decay, 4=12064
- Lüers, D. See Alderholz, M., 4=21919
- Lüers, D. See Baker, W.F., 2=20627
- Lüers, D. See Bartsch, J., 4=30264
- Lüers, D. See Biswas, N.N., 3=4434
- Lüers, D. See Biswas, N.N., 3=17133
- Lüers, D. See Bondar, L., 3=19678
- Lüers, D. See Bondar, L., 4=944



- Lüers, D. See Harigel, G., 1=10819  
 Luers, D. See Hart, E.L., 2=9889  
 Luetchford, B.S. See Bellière, P., 4=3493  
 Lufburrow, R.A. Inverse-square law experiment, 5803  
 Lufburrow, R.A. Classes of Carnot cycles, 3=21639  
 Luft, K.F. See Gade, M., 0=3337  
 Luga, M.L. Ternary fission of  $U^{235}$  induced by thermal neutrons, 4=3712  
 Lugovoi, V.V. Cyclotron resonance in a varying magnetic field, 2=3882  
 Lugovoi, V.N. Cyclotron resonance in a varying magnetic field, 3=2776  
 Lugovoi, V.N. Maser with several natural frequencies of resonator within width of radiation line, 4=769  
 Lugscheider, W. Direct recording of spectra, 4=18405  
 Lugt, H. J. and Uginčius, P. Acoustic rays in an ocean with heat source or thermal-mixing zone, 4=23713  
 Lugt, H. J. See Schwiderski, E.W., 4=8141  
 Lugt, H. J. See Schwiderski, E.W., 4=18141  
 Lugt, W. van der. See van der Lugt, W.  
 Luh Yu. See Yu Luh.  
 Luhman, W. See Galligan, J.M., 1=1309  
 Luhman, W.J. and Gorum, A.E. The effect of impurities on the strength of silver chloride, 0=21097  
 Luhmann, S. Slot absorbers for centimetre electromagnetic waves, 3=24474  
 Luhrs, G. and Mayer-Borick, C. Conversion line spectrum of  $Po^{214}$  (RaC'), 1=657  
 Lührs, G. See Daniel, H., 4=3607  
 Luhrs, G. See Mayer-Böricke, C., 0=7476  
 Luhrs, H.N. and Spence, H.R. Influence of shock-machine loading on shock spectra, 3=201  
 Luhrs, H.N. See Spence, H.R., 1=8171  
 Luhrs, H.N. See Spence, H.R., 1=12585  
 Luhrs, H.N. See Spence, H.R., 2=17525  
 Lui Chung-Yen and Lees, L. Kinetic theory description of plane compressible Couette flow, 2=2738  
 Luibimov, G. A. See Kulikovskii, A. G., 4=11293  
 Luibimov, V.A. See Alikhanov, A.I., 0=4050  
 Luikov, A.V. Application of methods of thermodynamics of irreversible processes to investigation of heat and mass transfer in a boundary layer, 2=7470  
 Luikov, A.V. Heat transfer bibliography — Russian works, 3=11972  
 Luikov, A. V. Heat transfer bibliography—Russian works, 4=14418  
 Luiten, A. L. and Staas, F.A. Superconducting magnets, 4=8896  
 Luizova, L. A. Determination of the concentration of charged particles in a low-pressure discharge from  $H_p$  line broadening, 4=21480  
 Luizova, L. A. See Kagan, Yu. M., 4=14598  
 Luizzo, F. See Alexander, W.A., 3=13982  
 Lukáč, P. See Boček, M., 2=2318  
 Lukáč, P. See Boček, M., 2=10764  
 Lukáč, P. See Boček, M., 2=23745  
 Lukáč, P. See Boček, M., 4=13454  
 Lukáč, P. See Kratochvíl, P., 0=18303  
 Lukanina, I.G. See Bagaryatskii, Yu. A., 3=20909  
 Lukantsever, Yu. L. and Zaitov, F.N. The possibility of thermal activation of current carrier trapping in crystal phosphors, 2=16878  
 Lukantsever, Yu. L. See Chernenko, V. P., 4=7188  
 Lukantsever, Yu. L. See Sidlyarenko, V.I., 3=4890  
 Lukas, I.R. See Magda, M. T., 4=9409  
 Lukashenko, L.I. See Korsunskii, M.I., 3=23095  
 Lukashev, A.A. Investigation of the emission characteristics of a pulsed X-ray tube, 2=15978  
 Lukashev, V.N. A sensitive magnetometer with a balanced coil, 2=7702  
 Lukashev, V.N. Analysis of electron trajectories in an axial beta-spectrometer with a central source, 2=20033  
 Lukashev, A.A. See Tarasov, D.M., 4=16602  
 Lukashevich, I.I. See Apalin, V. V., 2=11932  
 Lukashevich, I.I. See Sklyarevsky, V. V., 4=1348  
 Lukashevich, I.I. See Spivak, P.E., 2=429  
 Lukashevich, I.I. See Spivak, P.E., 2=22799  
 Lukasik, S.J., Rogers, K.C., Zepko, G.W. and Brucker, G.J. The capture of electrons into stable betatron orbits, 4=8874  
 Lukasik, S.J. See Grosch, C.E., 0=14603  
 Lukasik, S.J. See Grosch, C.E., 4=16084  
 Lukasik, S.J. See Jameson, R. L., 4=14267  
 Lukaszek, T.J. See Bechmann, R., 2=21393  
 Lukaszewski, J.S. and Elliott, D.N. Auditory threshold as a function of forced-choice technique, feedback, and motivation, 2=7064  
 Lukaszewski, G.M. See O'Donnell, A., 3=6943  
 Lukaszewski, G.M. See O'Donnell, E.A., 3=16065  
 Lukaszewicz, K. See Damm, J. Z., 4=1741  
 Łukaszewicz, M. See Dudziak, E., 4=16518  
 Łukaszuk, L. Note on symmetry of strong interactions, 0=9263  
 Łukaszuk, L. On the mass spectrum of baryons, 1=462  
 Łukaszuk, L. The influence of  $\pi$ - $\pi$  resonance upon weak interactions, 2=18061  
 Lukatskaya, I.A. The measurement of the density of vapour in a vacuum arc, 4=18776  
 Luke, C.L. See Trumbore, F.A., 3=3342  
 Luke, C. L. See Trumbore, F.A., 4=28999  
 Luke, K.P. and Jamerson, F.E. Low-frequency oscillations in a filamentary cathode cesium diode converter, 1=8347  
 Lukens, H.R., Jr. The relationship between fluorescence intensity and counting efficiency with liquid scintillators, 2=5513  
 Lukens, H.R., Jr. Meisenheimer, R.G. and Wilson, J.N. An isotopic exchange method for measuring the surface area of supported transition metal sulfides, 2=9225  
 Lukens, H.R., Jr. Otvos, J.W. and Wagner, C.D. Formation of metastable isomers by photoactivation with the Van de Graaff accelerator, 2=5889  
 Lukens, H.R. Jr. Film thickness determination with a scintillation counter, 3=96  
 Lukens, H.R., Jr. See Otvos, J.W., 2=5891  
 Luker, J.A. and Adler, L.B. Effect of reactor length on the formation of denatation in saturated Knallgas-steam mixtures, 2=4538  
 Lukeš, F. A new method of measuring the reflection coefficient, 0=10754  
 Lukeš, F. Optical constants of thin germanium films, 0=13668  
 Lukeš, F. The temperature dependence of the refractive index of silicon, 0=16032  
 Lukeš, F. The temperature dependence of the refractive index of silicon, 1=11353  
 Lukeš, F. The temperature dependence of the refractive index of germanium, 1=17867  
 Lukeš, F. Optical constants of germanium, 4=7135  
 Lukes, F. and Schmidt, E. The temperature dependence of the optical constants of germanium in visible and near infrared, 2=23511  
 Lukeš, F. and Schmidt, E. Fine structure of the reflectivity spectrum of Ge and GaSb in the near ultra-violet, 3=4961  
 Lukeš, F. and Schmidt, E. The fine structure and the temperature dependence of the reflectivity and optical constants of Ge, Si and III-V compounds, 3=10909  
 Lukes, T. Fluctuations and the electrical conductivity of metals, 1=10661  
 Lukes, T. The statistical properties of sequences of stochastic pulses, 1=15394  
 Lukes, T. Space correlation and energy levels in an Einstein solid, 2=557  
 Lukierski, J. On the interpretation of isovector components, 1=419  
 Lukierski, J. The isorepresentation of leptons, 1=2006  
 Lukierski, J. The global symmetry in weak interactions, 1=13318  
 Lukierski, J. The generalization of Dirac's equation. I, 1=15680  
 Lukierski, J. The generalization of Dirac's equation. II, 1=15681  
 Lukierski, J. On the antilinearization of the Klein-Gordon equation for 4-spinor, 2=3248  
 Lukierski, J. The spinor space as an Euclidean complex space, 2=11862  
 Lukierski, J. The natural coordinate system in Minkowski's isospace for 1/2 spin-particle, 2=11869  
 Lukierski, J. Gauge transformations in quantum field theory, 4=3269  
 Lukin, Yu. T., Takibaev, Zh.S. and Shalagina, E.V. The energy spectrum of mesons from nuclear disintegrations produced 9 BeV protons, 0=13042  
 Lukin, Yu. T. See Kobzev, V.A., 1=19196  
 Lukin, Yu. T. See Kobzev, V.A., 2=22510  
 Lukirski, A. P., Zimkina, T. M. and Brytov, I. A. Study of X-ray spectra in the region of wavelengths greater than 15 Å using a spectrometer with a gold-covered diffraction grating, 4=30008  
 Lukirskii, A.P. Use of X-ray bremsstrahlung for investigation of absorption spectra in the ultrasoft region, 3=4232



- Lukirskii, A. P. Spectrometer of ultrasoft X-ray radiation with combined detection by means of secondary electron multipliers and Geiger counter, 3=9895
- Lukirskii, A. P. and Bryt'ov, I. A. Investigation of the energy structure of Be and BeO by ultra-soft X-ray spectroscopy, 4=30544
- Lukirskii, A. P. and Karpovich, I. A. Determination of the absolute sensitivity of some photographic materials to ultra-soft X-radiation, 0=8815
- Lukirskii, A. P. and Omel'chenko, Yu. A. Use of the "total external reflection" phenomenon in filtering of the continuous spectrum in the ultra-soft X-ray region, 0=17293
- Lukirskii, A. P. and Rumsh, M. A. Efficiency of X-ray radiation recording by means of industrial geiger counters, 2=20085
- Lukirskii, A. P., Rumsh, M. A. and Karpovich, I. A. Measurement of the photoelectric emission yield of 1.54-13.3 A X-rays, 1=13109
- Lukirskii, A. P., Rumsh, M. A. and Smirnov, L. A. A monochromator for very soft X-rays which can count the absolute number of quanta, 1=3029
- Lukirskii, A. P. and Savinov, E. P. Use of diffraction gratings and echelettes in the ultrasoft X-ray region. (Echelettes is term used for diffraction gratings having a special stria profile and providing a concentration of radiation), 3=14705
- Lukirskii, A. P. and Savinov, E. P. Reflection of ultrasoft X-radiation from glass and titanated surfaces, 3=14706
- Lukirskii, A. P. and Savinov, E. P. Monochromator with a rotating diffraction grating for ultrasoft X-radiation, 4=635
- Lukirskii, A. P., Savinov, E. P., Ershov, O. A. and Shepelev, Yu. F. Reflection coefficients of radiation in the wavelength range from 23.6 to 113 for a number of elements and substances and the determination of the refractive index and absorption coefficient, 4=22846
- Lukirskii, A. P., Savinov, E. P. and Shepelev, Yu. F. Behavior of gold and titanium coated echelettes in the 23.6-113 A region, 4=11736
- Lukirskii, A. P. See Bryt'ov, I. A., 4=26176
- Lukirskii, A. P. See Rumsh, M. A., 1=4634
- Lukirskii, A. P. See Rumsh, M. A., 1=10730
- Lukirskii, A. P. See Rumsh, M. A., 3=3902
- Lukirskii, A. P. See Rumsh, M. A., 3=5802
- Lukirskii, A. P. See Rumsh, M. A., 4=16606
- Lukirskii, D. P. See Vitovskii, N. A., 2=18688
- Lukirskii, D. P. See Vitovskii, N. A., 2=21145
- Lukirskii, D. P. See Vitovskii, N. A., 2=23362
- Lukirskii, L. P., Rumsh, M. A. and Smirnov, K. A. Measurement of the yield of photoelectrons emitted under the action of very soft X-rays, 1=2990
- Lukiyano, A. T. See Zheryatyeb, I. G., 4=29785
- Lukman, F. J. See Stumpf, F. B., 0=19289
- Lukomskaya, A. I. An approximate analysis of stressed conditions in rubber samples tested for tearing by different methods, 0=1864
- Lukomskaya, A. I. Compression of elasto-viscous cylindrical bodies in plastometers with plane parallel plates, 2=12852
- Lukomskaya, A. I. Compression of elasto-viscous cylindrical bodies in plastometers with plane parallel plates, 2=17418
- Lukomskaya, A. I. See Reznikovskii, M. M., 0=1865
- Lukosz, W. Properties of linear low-pass filters for non-negative signals, 2=17589
- Lukosz, W. Transmission of non-negative signals through linear filters, 3=3892
- Lukosz, W. Effect of aberrations on the optical transmission function for low spatial frequencies, 3=7308
- Lukocz, W. A method for optical image formation with a resolving power exceeding the classical resolution limit, 4=2818
- Lukocz, W. and Marchand, M. Optical image formation beyond the limits set by diffraction resolving power, 4=5366
- Lukovtsev, P. D. See Bardina, N. G., 1=20747
- Lukovtsev, P. D. See Slaidin', G. Ya., 2=14462
- Luk'yanchikova, N. B. See Sheinkman, M. K., 2=21186
- Luk'yanchikova, N. B. See Sheinkman, M. K., 2=23448
- Luk'yanch'yova, N. B. See Sheinkman, M. K., 4=12981
- Luk'yanov, A. A. See Kremnev, V. A., 4=3424
- Luk'yanov, A. A. See Kremnev, V. A., 4=22265
- Luk'yanov, A. V., Orlov, Yu. V. and Turovtsev, V. V. Optical model of a nucleus with a polynomial potential, 2=3458
- Lukyanov, A. V., Orlov, Yu. V. and Turovtsev, V. V. Optical model with polynomial potential, 2=13945
- Luk'yanov, A. V., Orlov, Yu. V. and Turovtsev, V. V. Optical model of a nucleus with a polynomial potential, 3=2354
- Luk'yanov, K. I. Problems of errors in modelling when using a vibrating charged probe, 2=17763
- Lukyanov, S. Yu. and Podgornyi, I. M. Hard X-rays accompanying a gas discharge, 0=5540
- Luk'yanov, S. Yu. and Podgornyi, I. M. A magnetic trap with field increasing towards the periphery, 0=15009
- Luk'yanov, S. Yu. and Podgornyi, I. M. Cusped geometry magnetic traps, 2=15923
- Luk'yanov, S. Yu., Podgornyi, I. M. and Chuvatin, S. A. Electrodynamic acceleration of plasmoids. III, Coaxial system, 2=9603
- Luk'yanov, S. Yu., Podgornyi, I. M. and Sumarov, V. N. Plasma confinement in a trap with a magnetic field that increases toward the periphery, 1=18884
- Lukyanov, S. Yu. and Sinitsyn, V. I. Spectroscopic studies of a high-power pulsed discharge in hydrogen, 0=5318
- Luk'yanov, S. Yu. and Sinitsyn, V. I. Spectroscopic investigation of an intense pulsed discharge in hydrogen. III. Determination of the parameters of a high-temperature plasma, 0=10914
- Lukyanov, S. Yu. See Artsimovich, L. A., 0=5317
- Luk'yanov, S. Yu. See Kovalskii, N. G., 3=12148
- Luk'yanov, V. K. Energies of rotational states of non-axial nuclei with  $J = 10$  and  $J = 12$ , 1=19354
- Lukyanov, V. K. On the transfer of charged particles in reactions with heavy ions, 3=6286
- Luk'yanov, V. K. Reduced widths in stripping reactions on nonaxial nuclei, 4=1104
- Lukyanov, V. K. and Petkov, I. Z. Alpha particle transfer reactions in collisions of complex nuclei, 4=9570
- Lulka, V. See Ivanenko, D., 0=17508
- Lul'ka, V. A. See Elagin, Yu. P., 1=19485
- Lul'ka, V. A. See Elagin, Yu. P., 2=22825
- Lulla, K. See Brown, H. H., Jr., 4=25597
- Lumb, D. R. and Augason, G. C. Some aspects of noise analysis of interferometer spectrometers, 4=27312
- Lumb, F. E. The influence of cloud on hourly amounts of total solar radiation at the sea surface, 4=10723
- Lumb, M. D. See Birks, J. B., 3=9464
- Lumb, M. D. See Birks, J. B., 4=14173
- Lumb, R. F. See Walker, D. C. B., 4=19721
- Lumbroso, H. and Rossetti, P. Description of an apparatus for the precise measurement of dielectric constants of liquids, 0=6799
- Lumbroso, R. See Petit, J., 0=21302
- Lumbroso, N. See Poquet, E., 1=6254
- Luming, M. See Kohn, W., 3=20556
- Lumley, E. A method of making a Ronchi test on an aspheric mirror, 1=11830
- Lumley, J. L. An approach to the Eulerian-Lagrangian problem, 2=11326
- Lumley, J. L. Spectral energy budget in wall turbulence, 4=11154
- Lumley, J. L. Turbulence in non-Newtonian fluids, 4=14115
- Lumley, J. L. The spectrum of nearly inertial turbulence in a stably stratified fluid, 4=16137
- Lumley, J. L. See Nestlerode, J. A., 3=21952
- Lunc, M., Nowak, H. and Smoleński, D. Self-induction in detonation wave propagation, 4=2775
- Lund, I. A. A method for estimating conditional probabilities, 0=14186
- Lund, L. H. X-ray scattering by a cell-model liquid, 0=19116
- Lund, N. See Hansen, O., 4=12267
- Lund, N. See Kappallo, W., 3=25154
- Lundbak, A. Some simple formulas for latitude effects and lifetimes of satellites, 1=9298
- Lundberg, C. W. See James, R. H., 1=7121
- Lundberg, J. L. and Nelson, L. S. Initiation of thermal reactions by the flash illumination of absorbing bodies, 0=1962
- Lundberg, J. L., Wilk, M. B. and Huyett, M. J. Solubilities and diffusivities of nitrogen in polyethylene, 0=12066
- Lundberg, J. L. See Hefele, J. R., 3=3863
- Lundblad, E. See Liander, H., 1=5092
- Lundborg, N. Lowering of boiling-point of explosives on thermal decomposition, 2=2450
- Lundborg, N. Front and mass velocity at detonation in evacuated chambers, 4=14265
- Lundby, A. The Cern Symposium 1956. III, 0=19813
- Lundby, A. See Barbier, M., 3=17002
- Lundby, A. See Dowell, J. D., 2=22641
- Lundby, A. See Dowell, J. D., 3=17110
- Lundby, A. See Fischer, J., 0=1291
- Lundby, A. See Fischer, J., 0=2471
- Lundby, A. See Meunier, R., 3=2163
- Lundby, A. See Meunier, R., 3=2164



- Lunde, J.E. Burn-up of composite control-rod materials in a nuclear reactor, 3=4695
- Lundell, O.R. See Stephenson, C.C., 2=16604
- Lundell, O.R. See Stephenson, C.C., 4=12645
- Lundén, A. A comparison of the results of two methods of measuring the isotope effect by electromigration in molten nitrates, 0=4717
- Lundén, A. The isotope effect in the electrolytic transport of lithium ions in solid lithium sulphate, 0=11496
- Lundén, A. Self-diffusion and the structure of molten salts, 1=11755
- Lundén, A. A note on the transport phenomena of pure fused nitrates, 1=15199
- Lundén, A. Isotope transport, external transfer and self-diffusion of Li in solid  $\text{Li}_2\text{SO}_4$  at 600-790°C., 2=19150
- Lundén, A. On the concept of activation energy for transport processes in molten and solid salts, 4=24191
- Lundén, A. and Blomqvist, G. The isotope effect in the electrolytic transport of lead ions in molten lead bromide, 1=15198
- Lundén, A., Christofferson, S. and Lodding, A. The isotopic effect of lithium ions in counter-current electromigration in molten lithium bromide and iodide, 0=1959
- Lundén, A. and Lodding, A. Isotope enrichment with bromine by electrolytic conduction in molten zinc bromide, 0=11495
- Lundén, A. See Almén, O., 0=19795
- Lundén, A. See Gustafsson, S., 2=21902
- Lundén, A. See Gustafsson, S., 3=131
- Lundén, A. See Lindqvist, K., 1=19803
- Lundén, A. See Ott, A., 4=24195
- Lundergan, C.D. and Herrmann, W. Equation of state of 6061-T6 aluminum at low pressures, 3=17667
- Lundergan, C.D. See Barker, L.M., 4=15700
- Lundgren, G. See Aronsson, B., 0=18359
- Lundgren, G. See Hellstrand, E., 2=6035
- Lundgren, G. See Hellstrand, E., 2=12203
- Lundgren, G. See Hellstrand, E., 3=17484
- Lundgren, T.S. Hamilton's variational principle for a perfectly conducting plasma continuum, 3=19234
- Lundgren, T.S. Equations of motion of a current-carrying plasma filament, 3=21796
- Lundgren, T.S., Atabek, B.H. and Chang, C.C. Transient magnetohydrodynamic duct flow, 1=12008
- Lundgren, T.S. and Chang, C.C. Equilibrium solutions of a plane electron beam in a plasma, 2=17822
- Lundgren, T.S. See Chang, C.C., 0=1199
- Lundgren, T.S. See Chang, C.C., 0=3552
- Lundgren, T.S. See Chang, C.C., 2=5463
- Lundgren, T.S. See Chang, C.C., 3=7688
- Lundgren, T.S. See Sparrow, E.M., 4=14104
- Lundholm, D.V. See Seitz, W.S., 4=15312
- Lundin, A.G. and Gabuda, S.P. Temperature dependence of the electric field gradient in the ferroelectric  $\text{NaNO}_2$ , 4=1663
- Lundin, A.G. and Mikhailov, G.M. Spectrometer for studying nuclear magnetic resonance in crystals, 4=17689
- Lundin, A.G., Mikhailov, G.M. and Gabuda, S.P. Investigation of reorientation of the guanidinium ion in the ferroelectric  $\text{C}(\text{NH}_2)_3\text{Al}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$  by the nuclear magnetic resonance method, 1=19923
- Lundin, A.G., Mikhailov, G.M. and Gabuda, S.P. Investigation of reorientation of the guanidinium ion in the ferroelectric  $\text{C}(\text{NH}_2)_3\text{Al}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$  by the nuclear magnetic resonance method, 3=4941
- Lundin, A.G. See Aleksandrov, K.S., 1=4059
- Lundin, A.G. See Gabuda, S.P., 4=10552
- Lundin, A.G. See Mikhailov, G.M., 2=4284
- Lundin, A.G. See Mikhailov, G.M., 3=3194
- Lundin, C.E. See Pool, M.J., 4=24175
- Lundin, S.T. Microstructure of porcelain, 4=26699
- Lundquist, N. and Myers, H.P. Strain gauge balance for ferromagnetic and paramagnetic measurements, 2=9672
- Lundquist, C.A., Naumann, R.J. and Weber, A.H. Directional flux densities and mirror-point distributions of trapped particles from satellite 1958c measurements, 3=9111
- Lundquist, N. On the electronic structure of MnB, 3=6488
- Lundquist, N. and Myers, H.P. The saturation magnetisation of the monoborides of Mn, Fe and Co, 1=20063
- Lundquist, N., Myers, H.P. and Westin, R. The paramagnetic properties of the monoborides of V, Cr, Mn, Fe, Co and Ni, 3=1124
- Lundquist, P.G. See Flock, A., 3=3656
- Lundquist, S. and Weissglas, P. A method for determination of spatial stability, 3=15256
- Lundqvist, S. and Sjölander, A. On polarization waves in Van der Waal's crystals, 4=15442
- Lundqvist, S. See Brandt, W., 3=10470
- Lundqvist, S. See Brandt, W., 4=6496
- Lundqvist, S.O. Cluster development of the density matrices in the Jastrow method for many-fermion systems, 0=7308
- Lundqvist, S.O. Remarks on the lattice dynamics of alkali halide crystals, 1=19689
- Lundqvist, S.O., Lundström, V., Tenerz, E. and Waller, I. On the lattice vibrations and specific heat of KCl and NaCl at low temperatures, 0=4261
- Lundqvist, S.O. See Berggren, T., 0=7344
- Lundqvist, S.O. See Egardt, L., 0=7564
- Lundqvist, S.O. See Westin, A., 2=14989
- Lundsten, R.H. See Pasnak, M., 0=2989
- Lundström, T. and Klimecki, V. Analogue computer for the summation of Fourier series with digital recording of the results, 1=17984
- Lundström, V. See Lundqvist, S.O., 0=4261
- Lundy, R.A. Precision measurement of the  $\mu^+$  life-time, 2=5701
- Lundy, R.A. 100-Mc digitron—a digital time analyzer, 3=9407
- Lundy, R.A., Cramer, W.A., Culligan, G., Telegdi, V.L. and Winston, R. Observation of the hyperfine effect in muon capture by  $^{19}\text{F}$  via the time-dependence of the decay electron rate, 2=20659
- Lundy, R.A. See Cramer, W.A., 2=13840
- Lundy, R.A. See Culligan, G., 2=5949
- Lundy, R.A. See Lathrop, J.F., 0=15375
- Lundy, R.A. See Lathrop, J., 0=20172
- Lundy, R.A. See Lathrop, J., 0=20173
- Lundy, R.A. See Lathrop, J.L., 2=1975
- Lundy, R.A. See Lanthrop, J.L., 1=17306
- Lundy, T.S. See Biermann, W., 4=12800
- Lundy, T.S. See Federer, J.L., 4=6881
- Lundy, T.S. See Murdock, J.F., 4=28492
- Lundy, T.S. See Pawel, R.E., 4=12804
- Lundy, T.S. and Murdock, J.F. Diffusion of  $\text{Al}^{26}$  and  $\text{Mn}^{54}$  in aluminum, 2=12448
- Lunel, M. Effect of temperature on the response of a lead sulphide cell, 0=7965
- Lunel, M. Stellar infrared photometric studies by means of a lead sulphide photocell, 1=36
- Luner, C. and Murray, M.V. Factors affecting the morphology and growth of  $\text{FeS}_2$ , 4=26600
- Lunev, V.V. Application of a method of small perturbations to problems of laminar boundary layer, 1=2773
- Luneva, L.K. See Mýl'nikov, V.S., 2=23371
- Lung Ch'i-Wei and Wang Kuei-Win. An analysis of interatomic bond strength of metals as a function of electronic structure, 3=20045
- Lungu, S.N. Equilibrium diagram and masses from silicon dioxide uranium dioxide melts, 4=5446
- Lungu, S.N. Effect of irradiation on the volume and on the mechanical strength of ceramic bodies obtained from silicate melts, 4=10374
- Lungu, S.N., Popescu Khash, D., Teodorescu, I. and Martalogu, N. Selective crystallization of glasses arising in the system  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-Li}_2\text{O}$  and volume hysteresis of some of the microcrystalline substances obtained from these glasses, 2=6783
- Luniev, V.V. Hypersonic flows around thin blunted power-law shapes, 3=16644
- Lunke, C., See Nussbaum, C., 3=10130
- Lun'kin, Yu.P. Boundary-layer equations and their boundary conditions in the case of supersonic motion in a moderately rarefied gas, 1=2772
- Lun'kin, Yu.P. Change in gas parameters during non-equilibrium dissociation behind a shock wave, 1=2777
- Lun'kin, Yu.P. Measurement of entropy in the relaxation of a gas mixture behind a shock wave, 2=9301
- Lun'kin, Yu.P. and Popov, F.D. The nonequilibrium dissociation of a mixture of gases behind a shock wave, 2=14336
- Lun'kin, Yu.P. and Popov, F.D. The effect of an impurity on the non-equilibrium dissociation of a diatomic gas behind a shockwave, 4=30482
- Lun'kin, Yu.P. The parameters of a gas beyond a shock wave, 0=8740
- Lun'kin, Yu.P. Shock waves in real gases, 0=12454
- Lun'kin, Yu.P. See Bao-Khan'-Lin', 3=23969
- Lun'kin, Yu.P. See Gubanov, A.I., 0=19651



- Lun'kin, Yu. P. See Krivtsova, N. V., 2=21933
- Lunn, B. See Fochs, P. D., 3=16041
- Lunn, G. H. A dynamic photometer. I. Technique, 2=11465
- Lunn, G. H. and Tweedie, B. J. A dynamic photometer. II. Characteristic curves of emulsion-developer combinations at sub-microsecond exposures, 2=11510
- Lunsford, J. H. A study of irradiation-induced active sites on magnesium oxide using electron paramagnetic resonance, 4=30901
- Lunt, R., Mahon-Smith, D., Tuffy, E. P. and Corrigan, S. J. B. Experimental evidence on the deactivation by collision with molecules in the ground state of molecules in electronically excited states, 4=25770
- Lunter, S. G. See Karapetyan, G. O., 3=25483
- Luo, H. L. and Duwez, P. Metastable amorphous phases in tellurium base alloys, 3=20877
- Luo, H. L., Merriam, M. F. and Hamilton, D. C. Superconducting metastable compounds, 4=29833
- Luo, H. L. See Chao, C. C., 3=18336
- Luo, H. L. See Chao, C. C., 4=10559
- Luo Huey-Lin and Duwez, P. Face-centered cubic cobalt-rich solid solutions in binary alloys with aluminum, gallium, silicon, germanium, and tin, 3=16121
- Luo Huey-Lin and Klement, W., Jr. Metastable simple cubic structures in gold-tellurium and silver-tellurium alloys, 2=10903
- Luova, P. See Kantola, M., 0=16323
- Lupan, Yu. A. See Ptushyn'skiy, Yu. H., 1=14452
- Lupashko, E. A. and Sklyarevskii, I. N. Multilayer dielectric antireflection coatings, 4=24377
- Lupinski, J. H. See Bennema, P., 0=21290
- Lupinski, J. H. See van der Hoek, J. A., 1=17718
- Lupton, R. A. See Nier, A. O., 3=1407
- Lupton, W. H. Fast triggered spark switches for a two megajoule capacitor bank, 3=7471
- Lupton, W. H., McLean, E. A. and Phillips, D. T. Plasma temperatures and densities in the early stages of magnetic compression experiment, 3=7563
- Lupton, W. H. See Gandy, H. W., 4=8409
- Lupton, W. H. See Griem, H. R., 3=12158
- Lupton, W. H. See Hintz, E., 4=14694
- Lupton, W. H. See Kolb, A. C., 3=12159
- Lupu, C. See Bircă-Gălăţeanu, D., 1=6017
- Lurcat, F. and Mazur, P. Statistical mechanical evaluation of phase-space integrals, 4=9068
- Lurcat, F. and Michel, L. On the relations between charges and spin, 1=16661
- Lurcat, F. and Michel, L. The relation between charge and spin, 2=22462
- Lur'e, A. I. The equations for disturbed motion in the Kepler problem, 2=9048
- Lur'e, A. I. and Cheremkhin, M. E. The motion of a particle in the central gravitational field with slight transversal thrusts, 4=15964
- Lur'e, B. G., Murin, A. N. and Brigeovich, R. F. Diffusion and electrolytic migration of manganese ions in mixed NaCl + MnCl<sub>2</sub> crystals, 2=21070
- Lur'e, B. G., Murin, A. N. and Brigeovich, R. F. Diffusion and electrolytic migration of manganese ions in mixed NaCl + MnCl<sub>2</sub> crystals, 3=6535
- Lur'e, B. G. See Banasevich, S. N., 0=6062
- Lur'e, B. G. See Makarov, L. L., 0=6063
- Lur'e, B. G. See Murin, A. N., 1=989
- Lur'e, B. G. See Murin, A. N., 1=14314
- Lur'e, B. G. See Murin, A. N., 2=18605
- Lur'e, K. A. Diffraction of a plane electromagnetic wave by a perfectly conducting disk, 0=11051
- Lur'e, K. A. A class of plane problems of magneto-hydrodynamics, 0=19891
- Lur'e, K. A. Two-dimensional problem of an incompressible fluid of finite electrical conductivity flowing past solid bodies in the presence of a magnetic field perpendicular to the flow, 1=3043
- Lur'e, K. A. Solution of the equation of one-dimensional motion for a compressible gas of finite conductivity in transverse electric and magnetic fields (stationary case), 2=3149
- Lur'e, K. A. Propagation of disturbances in systems with non-linear boundary conditions, 4=257
- Lur'e, K. A. Propagation of small excitations in a gas with finite conductivity in a magnetic field, 4=11782
- Lur'e, K. A. See Vandakurov, Yu. V., 0=10911
- Lur'e, M. S. Thin ferroelectric films of Pb(Ti,Zr,Sn)O<sub>3</sub>, 0=2919
- Lur'e, M. S. and Ignat'eva, I. V. The effect of a surface charge layer on polarization of polycrystalline barium titanate, 0=16013
- Lur'e, M. S., Vasil'eva, E. I. and Ignat'eva, I. V. Ferroelectric films with a rectangular hysteresis loop, 2=16789
- Luria, S. M. Absolute visual threshold and age, 0=2058
- Luria, S. M. Accommodation and scotopic visual acuity, 1=6672
- Luria, S. M. and Schwartz, I. Effect of differential binocular adaptation on scotopic acuity, 0=3381
- Luria, S. M. and Schwartz, I. Effect of red vs white adaptation and target illumination on the temporal course of scotopic acuity, 0=18559
- Luria, S. M. and Sperling, H. G. Phase relations in flicker fusion, 2=21766
- Lurié, D. On the Pauli group, 0=15268
- Lurié, D. and Macfarlane, A. J. Matrix elements of the octet operator of SU<sub>3</sub>, 4=19383
- Lurié, D. and Power, E. A. Parity non-conservation in pion production, 0=5593
- Lurié, D. See Aly, H. H., 4=6048
- Lurié, D. See Bowcock, J., 0=15408
- Lurié, D. See Bowcock, J., 1=5764
- Lurié, D. See Bowcock, J., 1=2088
- Lurié, D. See Gourdin, M., 1=5753
- Lurié, D. See Nambu, Y., 2=5574
- Lurie, F. M. and Slichter, C. P. Spin temperature in nuclear double resonance, 3=20664
- Lurie, F. M. and Slichter, C. P. Spin temperature in nuclear double resonance, 4=10339
- Lurié, M. Linear recording ohmmeter  $\pm \frac{1}{2}\%$ , 2=22127
- Lurio, A. Hyperfine structure of the <sup>3</sup>P states of Zn<sup>67</sup> and Mg<sup>25</sup>, 2=14189
- Lurio, A., deZafra, R. L. and Goshen, J. Lifetime of the first <sup>1</sup>P<sub>1</sub> state of zinc, calcium and strontium, 4=19968
- Lurio, A., Mandel, M. and Novick, R. Second-order hyperfine and Zeeman corrections for an (s<sup>l</sup>) configuration, 2=14188
- Lurio, A. and Novick, R. Lifetime and h. f. s. of the (5s5p)<sup>1</sup>P<sub>1</sub> state of cadmium, 4=17244
- Lurio, A. and Stern, E. Dielectric behavior of single crystals of tri-glycine sulfate (TGS) from 1 kc to 2500 Mc. 0=16011
- Lurio, A. and Stern, E. Measurements of the dielectric constant of BaTiO<sub>3</sub> single crystals in the paraelectric region at X band, 0=18101
- Lurio, A., Weinreich, G., Drake, C. W., Hughes, V. W. and White, J. A. Atomic g<sub>J</sub> values for neon and argon in their metastable <sup>3</sup>P<sub>2</sub> states; evidence for zero spin of <sup>10</sup>Ne<sup>20</sup>, 0=17669
- Lurio, A. See Gallagher, A., 3=8201
- Lurio, A. See Gallagher, A., 4=30384
- Lurio, A. See Stern, E., 1=11341
- Lüscher, E. See Böhmer, H., 3=21900
- Lüscher, E. See Franz, F. A., 3=19941
- Lüscher, E. See Franz, F. A., 4=6498
- Lüscher, E. See Franz, F. A., 4=25537
- Lüscher, E. See Holloway, W. W., Jr., 1=12256
- Lüscher, E. See Holloway, W. W., Jr., 2=14202
- Lüscher, E. See Lieberman, D. S., 1=600
- Lüscher, E. See Propst, F., 3=14619
- Lüscher, E. See Propst, F. M., 4=3039
- Lüscher, E. See Sherwin, C. W., 0=10569
- Lüscher, E. See von Goeler, E., 3=5149
- Lüscher, E. See von Goeler, E., 4=2130
- Luščik, Č. B., Liidja, G. G. and Jaek, I. V. The mechanism of formation of color centres in ionic crystals by ultraviolet irradiation, 2=23211
- Lush, G. J., Griffith, T. C. and Imrie, D. C. A polarisation analyser for protons with energies between 15 and 30 MeV, 4=25099
- Lush, G. J. See Cairns, D. J., 2=3224
- Lush, G. J. See Esten, M. J., 1=19192
- Lush, G. J. See Griffith, T. C., 3=17275
- Lushchekin, G. A. See Gul', V. E., 3=20388
- Lushchekin, G. A. See Gul', V. E., 3=25409
- Lushchik, Ch. See Klement, E., 1=2360
- Lushchik, C. B. On luminescence mechanism of alkali-halide crystals activated by ions Ga<sup>+</sup>, Ge<sup>2+</sup>, In<sup>+</sup>, Sn<sup>2+</sup>, Tl<sup>+</sup>, Pb<sup>2+</sup>, 2=6594
- Lushchik, Ch. B. International Conference on Physics of Semiconductors, 1=6131
- Lushchik, Ch. B., Liid'ya, G. G., Lushchik, N. E., Shvarts, K. K. and Yaék, I. V. Physical processes in alkali halide crystal phosphors, activated by mercury-like ions, 1=17909
- Lushchik, Ch. B., Liid'ya, G. G., Yaek, I. V. and Tiisler, E. S. The mechanism of the recombination luminescence of activated alkali halide crystals, 0=20996



- Lushchik, Ch.B., Liid'ya, G.G. and Yaek, I.V. Mechanism of energy storage by crystal phosphors, 2=16848
- Lushchik, Ch.B., Lushchik, N.E. and Shvarts, K.K. Electron-vibrational processes in luminescence centres of ionic crystals, 1=2452
- Lushchik, Ch.B., Lushchik, N.E. and Yaek, I.V. Electronic-vibrational processes in luminescence centres of ionic crystals, 3=20501
- Lushchik, Ch.B. See Kark, V.Ya., 0=10072
- Lushchik, Ch.B. See Lushchik, N.E., 0=16104
- Lushchik, Ch.B. See Zazubovich, S.G., 4=9998
- Lushchik, N.E. and Lushchik, Ch.B. Spectroscopy of the luminescence centres in alkali-halide crystals activated with homologous series of ions, 0=16104
- Lushchik, N.E. See Lushchik, Ch.B., 1=2452
- Lushchik, N.E. See Lushchik, Ch.B., 1=17909
- Lushchik, N.E. See Lushchik, Ch.B., 3=20501
- Lushchik, N.E. See Zazubovich, S.G., 4=9998
- Lushchikhin, A.M. See Keirim-Markus, I.B., 2=20190
- Lushchikhin, A.M. See Keirim-Markus, I.B., 4=16740
- Lushchikov, V.I., Manenkov, A.A. and Taran, Yu.V. Dynamic polarization of protons in lanthanum-magnesium double nitrate, 3=20065
- Lushchikov, V.I. See Aksenov, S.I., 1=13633
- Lushchikov, V.I. See Kessenikh, A.V., 3=20064
- Lushchikov, V.I. See Kessenikh, A.V., 4=1899
- Lusignan, B. Cosmic noise absorption measurements at Stanford, California, and Pullman, Washington, 1=15279
- Lusignan, B. Cosmic noise absorption measurements, 3=7723
- Lusignan, B.B. Detection of solar particle streams by high-frequency radio waves, 4=10892
- Lussan, C. N.M.R. of a proton in molecular association, 4=3912
- Lussan, C. See Lemanceau, B., 2=10283
- Lussan, C. See Lemanceau, B., 4=1251
- Lüst, R. Some theoretical aspects of magneto-hydrodynamics and thermonuclear fusion, 0=3757
- Lüst, R. Notes on some theoretical investigations of the physics of high temperature plasmas, 0=19665
- Lüst, R. The propagation of waves in a plasma, 1=315
- Lüst, R. Activity of comets' tails during periods of geomagnetic inactivity, 1=7981
- Lüst, R. Magneto-fluid dynamic shock waves, 1=10779
- Lüst, R. Movement and form of structures in the tail of comet Mrkos 1957d, 2=11115
- Lüst, R. Some theoretical aspects of interplanetary plasma, 2=15302
- Lüst, R. Observations of the comet Abell 1953g in connection with the solar wind, 3=18625
- Lüst, R. Mass and energy balance in the solar system, 4=2389
- Lüst, R. Cosmic rays near the sun, 4=9326
- Lüst, R. Dynamics of cosmic rays, 4=15906
- Lüst, R. and Martensen, E. Many-valued nature of the scalar magnetic potential in the hydromagnetic stability problem of a plasma, 0=17012
- Lüst, R., Martensen, E. and Suydam, B.R. Stability of a plasma torus against disturbances not dependent on the azimuth, 2=9580
- Lüst, R., Meyer, F., Trefftz, E. and Biermann, L. Temperature of the solar corona, 2=13131
- Lüst, R. and Pfirsch, D. Light pressure on a diffracting edge, 1=10603
- Lüst, R., Suydam, B.R., Richtmyer, R.D., Rotenberg, A. and Levy, D. Hydromagnetic stability of a toroidal gas discharge, 1=10707
- Lüst, R. and Zirin, H. Condensation of prominences from the corona, 0=6593
- Lüst, R. See Biermann, L., 2=4728
- Lüst, R. See Hain, K., 1=5484
- Lüst, R. See Biermann, L., 0=2078
- Lüst, R. See Biermann, L., 2=4728
- Lustig, C.D. Microwave noise resonances from a plasma column, 4=21473
- Lustig, C.D. High-intensity microwave noise resonances from active rare-gas discharges, 4=21474
- Lustig, C.D., McBee, W.D. and Kalisky, A. Wide-range microwave spectroscopy of noise radiation from magneto-plasmas, 4=21505
- Lustig, C.D. See Bowers, K.D., 0=9821
- Lustig, C.D. See Motley, R., 1=9620
- Lustig, E. Relative signs of proton spin-spin coupling constants, 3=8296
- Lustig, E.N. B.A.Andreev's article entitled "Faye's gravity anomalies and isotasy", 2=23991
- Lustig, H. Extension of the Blatt-Biedenharn formalism for resonance reactions, 0=7543
- Lustig, H. Resonance reactions with generalized one-level approximation, 0=17569
- Lustig, H. The Mössbauer effect, 1=599
- Lustig, H. Gravitational and inertial mass, 1=1679
- Lustman, B. See Cohen, I., 2=3860
- Luszczynski, K., Kail, J.A.E. and Powles, J.G. Molecular motion in liquid glycerol by proton magnetic relaxation, 0=6779
- Luszczynski, K., Norberg, R.E. and Opfer, J.E. Nuclear magnetic resonance in gaseous  $^3\text{He}$ , 3=178
- Luszczynski, K., Norberg, R.E. and Opfer, J.E. Nuclear magnetic resonance in gaseous  $^3\text{He}$ , 4=16152
- Luszczynski, K. and Powles, J.G. Proton magnetic resonance in liquid iso-butyl bromide, 0=5039
- Luszczynski, K. and Powles, J.G. Nuclear spin pulse apparatus, 0=5430
- Luszczynski, K. See Gaines, J.R., 3=19085
- Luszczynski, K. See Gaines, J.R., 4=16317
- Luszczynski, K. See Powles, J.G., 0=7810
- Lutes, O.S. Superconductive temperature controller, 3=1880
- Lutes, O.S. and Schmit, J.L. Magnetic remanence in Cu(Mn) alloys, 2=4223
- Lutes, O.S. and Schmit, J.L. Low-temperature magnetic transitions in dilute Au-based alloys with Cr, Mn and Fe, 4=17650
- Lütgemeier, H. On the frequency response of Barkhausen noise, 4=1822
- Lütgemeier, H. Magnetization processes in the completely unmagnetized state which occur as the result of a temperature change, 4=1825
- Lütgemeier, H. See Bittel, H., 4=20538
- Luther, H. See Germershausen, R., 3=16662
- Luther, L.C. and Moore, W.J. Diffusion of helium in silicon, germanium and diamond, 4=28490
- Lüthi, B. Magnetoresistance of metals in high magnetic fields, 0=9936
- Lüthi, B. Variation of the resistance of metals in high magnetic fields, 0=11663
- Lüthi, B. Propagation of spin waves, 2=4233
- Lüthi, B. Thermal conductivity of yttrium iron garnet, 2=10344
- Lüthi, B. Ferro-acoustic resonance in yttrium iron garnet, 3=11129
- Lüthi, B. Ferroacoustic resonance, 3=23151
- Lüthi, B. and Grüneisen, F. Electron spinwave scattering in rare earth metals, 4=22673
- Lüthi, B. and Grüneisen, F. Erratum: electron spinwave scattering in rare earth metals, 4=22674
- Lüthi, B. and Oertle, F. Transverse ferroacoustic resonance, 4=9846
- Lüthi, B. and Wyder, P. A Monte-Carlo calculation for a size effect problem, 1=1008
- Lüthi, B. See Andres, K., 3=15852
- Luthra, B.R. Possible similarity solutions of unsteady boundary layer equations in certain three-dimensional orthogonal curvilinear coordinates, 4=27137
- Luthra, J.M. and Padmanabhan, V.M. X-ray study of neutron irradiated barite ( $\text{BaSO}_4$ ), 1=9130
- Lütjens, G. and Steinberger, J. Compilation of results on the two-pion decay of the  $\omega$ , 4=19579
- Lutjens, G. See Biswas, N.N., 3=4434
- Lütjens, G. See Biswas, N.N., 3=17133
- Lütjens, G. See Bondar, L., 4=944
- Lütjens, G. See Gelfand, N., 4=25154
- Lütken, H. and Winther, A. Coulomb excitation in deformed nuclei, 4=17010
- Lütken, H. and Winther, A. Multiple Coulomb excitation in deformed nuclei, 4=22000
- Lutsch, A. Ultrasonic barium titanate adhesion and paste transducers, 0=8749
- Lutsch, A. An apparatus for measuring and recording the velocity of sound and temperature versus depth in sea water, 0=16765
- Lutsch, A. Solid mixtures with specified impedances and high attenuation for ultrasonic waves, 2=2832
- Lutsch, A. and Kühn, G.J. Generation and reception of elastic waves via a plane boundary, 4=14250
- Lutsch, A. See Kühn, G.J., 1=10560
- Lutsch, A.G. See Ryan, R.P., 2=2848
- Lutsenko, E.A. See Kharchenko, I.F., 2=11665
- Lutsenko, E.A. See Kharchenko, I.F., 0=12619
- Lutsenko, E.I. See Kharchenko, I.F., 4=8782



- Lutsenko, V.N. Excited levels of even-mass nuclei of the transitional region  $82 < N < 92$ , 3=24853
- Lutsenko, V.N. See Groshev, L.V., 0=4115
- Lutsenko, V.N. See Groshev, L.V., 0=7628
- Lutsenko, V.N. See Groshev, L.V., 0=9674
- Lutsenko, V.N. See Groshev, L.V., 2=5799
- Lutsenko, V.N. See Groshev, L.V., 2=7930
- Lutsenko, V.N. See Groshev, L.V., 2=13766
- Lutsenko, V.N. See Groshev, L.V., 2=14113
- Lutsenko, V.N. See Groshev, L.V., 3=15118
- Lutsenko, V.N. See Groshev, L.V., 3=24959
- Lutsenko, V.N. See Groshev, L.V., 4=6239
- Lutsik, V.A. See Val'ter, A.K., 0=20431
- Lutsik, V.A. See Val'ter, A.K., 2=443
- Lutsik, V.A. See Val'ter, A.K., 2=22805
- Lutsik, V.A. See Val'ter, A.K., 3=12589
- Lutsik, V.A. See Val'ter, A.K., 3=17457
- Lutsiv, R.V. See Pashkovs'kij, M.V., 2=8797
- Lutskii, A.E. and Mikhailenko, S.A. Hydrogen bond and static dielectric constant of organic liquids, 3=21385
- Lutskii, A.E. and Panova, A.N. The hydrogen bond and the propagation velocity of sound in liquids, 1=2755
- Lutskii, A.E. and Solon'ko, V.N. The hydrogen bond and the thermal capacity of liquids, 4=21121
- Lutsyk, V.P. See Val'ter, A.K., 2=12167
- Luttik, C. See Schuringa, A., 0=14653
- Luttinger, J.M. Fermi surface and some simple equilibrium properties of a system of interacting fermions, 0=14538
- Luttinger, J.M. Analytic properties of single-particle propagators for many-fermion systems, 1=4282
- Luttinger, J.M. Theory of the de Haas-van Alphen effect for a system of interacting fermions, 1=6256
- Luttinger, J.M. Theory of the Fermi surface, 1=17452
- Luttinger, J.M. An exactly soluble model of a many-fermion system, 3=23799
- Luttinger, J.M. Theory of thermal transport coefficients, 4=27347
- Luttinger, J.M. and Nozières, P. Derivation of the Landau theory of Fermi liquids. II. Equilibrium properties and transport equation, 2=19458
- Luttinger, J.M. and Stiles, P.J. Theory of the magnetic susceptibility of holes in germanium, 1=20044
- Luttinger, J.M. and Thomas, R.B., Jr. Variational method for studying the motion of classical vibrating systems, 0=16614
- Luttinger, J.M. and Ward, J.C. Ground-state energy of a many-fermion system. II, 0=10607
- Luttinger, J.M. See Hebborn, J.E., 4=26261
- Luttinger, J.M. See Kohn, W., 0=8568
- Luttinger, J.M. See Nozières, P., 2=19457
- Lutts, A. The X-ray investigation of preprecipitation in supersaturated solid solutions, 4=10567
- Lüty, F. Higher excited states of colour centres, 0=17965
- Lüty, F. Colour-centre associates with (100) symmetry (A and B-centres), 2=607
- Lüty, F. Nature of the  $V_3$ -centres in radiation-coloured KCl, 2=16671
- Lüty, F. and Gebhardt, W. Electron-lattice processes at point defects and their representation in the configurational coordinate diagram. I. Undisturbed F-centres in KCl, 2=23219
- Lüty, F. and Mort, J. Faraday rotation for the F band in KCl, 4=13052
- Lüty, F. and Pick, H. Interaction between electronic and vibrational states of F- and  $F_A$ -centers in KCl, 3=22839
- Lüty, F. See Bauser, H., 2=2078
- Lüty, F. See Fedders, H., 2=10535
- Lüty, F. See Fritz, B., 3=18005
- Lüty, F. See Härtel, H., 4=10004
- Lutz, E. See Hardt, H.J., 3=22028
- Lutz, G.J. and Voigt, A.F. A radioactive tracer dew point method for measuring vapor pressures of binary alloys. The zinc-aluminum system, 4=11412
- Lutz, H. and Sizmann, R. Super ranges of fast ions in copper single crystals, 3=20251
- Lutz, H. See Eberhardt, P., 2=4750
- Lutz, H.F. and Karvelis, M.D. Numerical calculation of Coulomb wave functions for repulsive Coulomb fields, 3=14924
- Lutz, H.F. and Mason, J.B. Some effects of form-factor distortion in the nuclear optical model, 3=22261
- Lutz, H.F., Mason, J.B. and Eccles, S.F. The shape of the imaginary nuclear optical potential, 4=9351
- Lutz, H.F., Mason, J.B. and Karvelis, M.D. Optical-model analysis of scattering of 14 MeV neutrons by light nuclei, 4=1085
- Lutz, H.F., Mason, J.B. and Paulson, C.T. The scattering of alpha-particles by carbon, oxygen, magnesium and gold, 3=17497
- Lutz, H.R. and Meier, R.W. Measurement of the diffusion length in  $D_2O$ , 2=22529
- Lutz, J. See Armand, G., 0=2412
- Lutz, K. Flow measurement with suspended-body flowmeters, 0=6767
- Lutz, M.A. See Knauer, W., 3=21730
- Lutz, O. Thermo-gas dynamics of flow in a cylindrical tube, 0=5044
- Lutz, O. Thermodynamics of the rocket combustion chamber: unequal distribution of the mixture in the combustion chamber, 2=15825
- Lutze, E. and Bösnecker, D. Hyperfine structure of dissolved copper ions in paramagnetic resonance, 0=3544
- Lutze, E. See Bösnecker, D., 0=16714
- Lutzýk, V.P. See Val'ter, K., 1=13616
- Lutzýk, V.P. See Val'ter, A.K., 1=13649
- Lutzýk, V.P. See Val'ter, A.K., 1=13663
- Luukkala, M. Electrically induced population inversion of the nuclear magnetic resonance of  $Na^{23}$  in  $NaClO_3$ , 4=23077
- Luukkala, M. See Hovi, V., 4=20623
- Luukkala, M. See Hovi, V., 4=23078
- LuValle, J.E., Leifer, A., Dougherty, P.H. and Koral, M. Investigation of spectral sensitization. I. Some properties of sensitizing and desensitizing dyes, 3=11950
- Lux, B. See Petermann, L.A., 2=23920
- Lux, B. See Petermann, L.A., 3=16147
- Lux, E. See Happ, H., 2=8537
- Luxton, R.E. and Young, A.D. Generalized methods for the calculation of the laminar compressible boundary-layer characteristics with heat transfer and non-uniform pressure distribution, 2=9298
- Luy, H. See Fleischmann, H., 4=4239
- Luyckx, A., Issi, J.P. and Lontie, G. Thermomagnetolectric (T.M.E.) effect in laminar bismuth metal contacts, 2=14504
- Luyckx, A. and Lontie, G. Electrical polarization of CdS single crystals and photomagnetolectric effects, 4=26038
- Luyckx, A., Lontie, G. and Issi, J.P. Photomagnetolectric (P.M.E.) effect in laminar bismuth, 2=14586
- Luyten, J.R., Rood, H.P.C. and Tolhoek, H.A. On the theory of muon capture by complex nuclei. I. 3=10371
- Luyten, W. On the completion of the Carte Du Ciel, 0=12305
- Luyten, W. The luminosity function, 0=12306
- Luyten, W.J. Astrometric problems in the southern hemisphere, desiderata on parallaxes and proper motions, 0=12299
- Luz, Z. Nuclear magnetic resonance and optical spectroscopy of  $[Co(MeOH)_6Cl]^+$  in methanol and the kinetics of methanol exchange of the solvation shell, 4=27200
- Luz, Z. Nuclear magnetic resonance study of cobalt-chlorine complexes in methanol, 4=27201
- Luz, Z. and Meiboom, S. Nuclear magnetic resonance study of the protolysis of trimethylammonium ion in aqueous solution—order of the reaction with respect to solvent, 3=25812
- Luz, Z. and Meiboom, S. Nuclear magnetic resonance study of the solvation of  $Co^{++}$  in methanol and methanol-water mixtures, 4=14189
- Luz, Z. and Meiboom, S. Nuclear magnetic resonance study of the solvation of  $Ni^{++}$  in methanol and methanol-water mixtures, 4=14190
- Luz, Z. and Meiboom, S. Proton relaxation in dilute solutions of cobalt (II) and nickel (II) ions in methanol and the rate of methanol exchange of the solvation sphere, 4=18219
- Luzhinskaya, M.G. Determination of the character of the magnetic anisotropy of alloys with single domain structure from their residual magnetization, 3=18074
- Luzhinskaya, M.G., Fremderman, L.O. and Shur, Ya.S. On the dependence of the effect of thermomagnetic treatment on the initial properties of permalloy, 0=18187
- Luzhinskaya, M.G. and Shur, Ya.S. Effect of elastic stresses and thermomechanical treatment on the magnetic properties of some hard magnetic materials, 1=9032
- Luzhinskaya, M.G. and Shur, Ya.S. The nature of the magnetic anisotropy in Vikalloy, 2=23650
- Luzhinskaya, M.G., Shur, Ya.S. and Serikov, V.V. Features of the magnetic structure of Vikalloy, 3=3115
- Luzhinskaya, M.G. See Mogat, L.M., 3=5113
- Luzin, V.N., Radkevich, I.A. and Sokolovskii, V.V. Device for the continuous measurement and recording of slowly varying magnetic fields [in the 7 BeV proton synchrotron], 4=14828



- Luzin, V. N., Radkevich, I. A. and Sokolovskii, V. V. Variation of the magnetic field in the C-magnets of the proton synchrotron after the completion of a cycle, 4=14829
- Luzin, V. N. See Barmin, V. V., 4=14835
- Luzin, V. N. See Sokolovskii, V. V., 4=14838
- Luzyanin, I. D. See Kel'man, V. M., 0=10959
- Luzyanin, I. D. See Kel'man, V. M., 4=14791
- Luzzati, A. See Ter Minassian-Saraga, L., 2=17453
- Luzzati, V. Interpretation of absolute measurements of X-ray central scattering in point and linear collimation; solutions of globular and rod-like particles, 1=15839
- Luzzati, V. Small-angle X-ray scattering on an absolute scale, 4=30863
- Luzzati, V. and Baro, R. Description of a small-angle X-ray diffraction camera with linear collimation, 2=5425
- Luzzati, V. and Benoit, H. Central scattering of X-ray by filamentary particles, 1=20485
- Luzzati, V., Witz, J. and Baro, R. Description of an X-ray small-angle scattering apparatus used to measure the intensities on an absolute scale, 4=10515
- Luzzatto, G. See Beltrametti, E. G., 4=3329
- Luzzi, T. E. and Gross, R. A. Magnetogasdynamic boundary conditions at a conducting wall, 4=30043
- Luzzi-Ferro, M., Alston, M. H., Rosenfeld, A. H. and Wojcicki, S. G. Upper limit for the nonleptonic  $\Delta S = 2$  decay mode of  $\Xi^-$ , 3=15043
- L'vov, A. N. See Antuf'ev, Yu. P., 2=10104
- L'vov, A. N. See Antuf'ev, Yu. P., 2=16320
- L'vov, A. N. See Antuf'ev, Yu. N., 3=7746
- L'vov, A. N. See Antuf'ev, Yu. P., 3=6246
- L'vov, A. N. See Antuf'ev, Yu. P., 3=8087
- L'vov, A. N. See Tutakin, P. M., 0=7567
- L'vov, A. N. See Val'ter, A. K., 2=3576
- L'vov, A. N. See Val'ter, A. K., 2=13997
- L'vov, A. N. See Val'ter, A. K., 3=2456
- L'vov, A. N. See Val'ter, A. K., 3=12586
- L'vov, A. N. See Val'ter, A. K., 4=3565
- L'vov, S. N., Nemchenko, V. F., Kosolapova, T. Ya. and Samsonov, G. V. Electrical properties of chromium carbides, 2=8296
- L'vov, S. N., Nemchenko, V. F., Kosolapov, T. Ya. and Samsonov, G. V. The electrical properties of chromium carbides, 2=23378
- L'vov, S. N., Nemchenko, V. F. and Marchenko, V. I. Method of measuring the Hall coefficient and electrical resistivity of solid high-melting compounds, 2=19825
- L'vov, S. N., Nemchenko, V. F. and Paderno, Yu. B. Thermal conductivities of the alkali and rare-earth metal hexaborides, 3=25210
- L'vov, S. N., Nemchenko, V. F. and Samsonov, G. V. Some regularities of the electrical properties of the borides, carbides and nitrides of the transition metals of groups IV-VI of the periodic system, 1=3707
- L'vov, S. M., Nyemchenko, V. F. and Samsonov, H. V. Electrical properties of titanium carbide-titanium nitride alloys, 2=18649
- L'vov, S. M., Nyemchenko, V. F., Samsonov, H. V. and Verkhoglyadova, T. S. Semiconductor conductivity of refractory nitrides, 4=12906
- L'vov, S. N. See Neshpor, V. S., 2=8305
- L'vov, S. N. See Verkhoglyadova, T. S., 3=865
- L'vova, E. Yu. Kinetics of CdS luminescence, 4=4292
- L'vova, E. Yu. Influence of cadmium on the probability of electron recombination in germanium, 4=6962
- L'vova, E. Yu. See Georgobiani, A. N., 3=8630
- L'vova, E. Yu. See Georgobiani, A. N., 4=7173
- L'vova, E. Yu. See Georgobiani, A. N., 4=7174
- Ly-Don-Khva. See Vernov, S. N., 3=4500
- Lyagin, I. V. and Ginzburg, E. Kh. On  $\Sigma^+ \rightarrow p + e^+ + e^-$  and  $\Sigma^+ \rightarrow p + \mu^+ + \mu^-$  decays, 1=19278
- Lyagin, I. V. and Ginzburg, E. Kh. On  $\Sigma^+ \rightarrow p + e^+ + e^-$  and  $\Sigma^+ \rightarrow p + \mu^+ + \mu^-$  decays, 2=22649
- Lyagin, I. V. and Tsukerman, I. S. Photoproduction of charged vector meson pairs in the Coulomb field of nuclei, 2=16213
- Lyagin, I. V. and Tsukerman, I. S. Photoproduction of charged vector meson pairs in the Coulomb field of nuclei, 3=6020
- Lyagin, I. V. See Kolkunov, V. A., 4=9273
- Lyagushchenko, R. I. See Kagan, Yu. M., 2=168
- Lyagushchenko, R. I. See Kagan, Yu. M., 2=19909
- Lyagushchenko, R. I. See Kagan, Yu. M., 3=7250
- Lyagushchenko, R. I. See Kagan, Yu. M., 3=21746
- Lyagushchenko, R. I. See Kagan, Yu. M., 3=24238
- Lyagushchenko, R. I. See Kagan, Yu. M., 4=5570
- Lyagushchenko, R. I. See Kagan, Yu. M., 4=14598
- Lyagushchenko, R. I. See Kagan, Yu. M., 4=21485
- Lyagushchenko, R. I. See Vorob'eva, M. A., 4=14599
- Lyakhova, L. N. Variability of F2 layer critical frequencies during ionospheric disturbances, 2=15235
- Lyalin, G. N. and Kobyshev, G. I. The luminescence of a uranyl complex with phthalocyanine, 3=20534
- Lyalin, G. N. and Kobyshev, G. I. Luminescence and intra-complex energy transfer of uranyl phthalocyanine, 4=5199
- Lyalin, G. N. See Kobyshev, G. I., 4=22935
- Lyall, E. See Hewitt, G. F., 1=21166
- Lyamichev, I. Ya. and Orlov, I. N. The effect of electrical pre-history of an electroluminescence phosphor on the characteristics of its emission when excited with short voltage pulses, 0=10086
- Lyamichev, I. Ya., Orlov, I. N., Pershin, G. G. and Taborko, N. I. Experimental investigation of the possibility of realizing multiple component electroluminescent devices employing ferroelectric materials, 2=16871
- Lyamshev, L. M. Theory of sound radiation by thin elastic shells and plates, 0=19281
- Lyamshev, L. M. Calculation of acoustic radiation emitted by a turbulent aerodynamic stream, 1=4402
- Lyamshev, L. M. Some integral equations in the acoustics of a moving medium, 1=16009
- Lyamshev, L. M. The acoustic radiation of turbulent flow in the presence of elastic boundaries, 1=16010
- Lyamshev, L. M. Sound radiation from elastic shells excited by turbulent aerodynamic flow, 1=16011
- Lyamshev, L. M. Reflection of sound from a moving thin plate, 1=18522
- Lyamshev, L. M. Aeolian tones, 2=21967
- Lyamshev, L. M. Diffraction theory of noise generated by turbulent flows and boundary layers, 4=5299
- Lyamshev, L. M. Sound radiation from a cylindrical shell in a moving medium, 4=8324
- Lyamshev, L. M. Reflection of sound by a cylindrical shell in a moving medium, 4=11308
- Lyamshev, L. M. Reflection of sound from a moving elastic rod, 4=24323
- Lyamshev, L. M. and Rudakov, S. N. Experimental investigation of non-specular reflection of sound by thin finite rods in water, 0=1001
- Lyamshev, L. M. and Rudakov, S. N. Radiation of sound by plates and shells in water, 1=18508
- Lyamshev, L. M. and Rudakov, S. N. Radiation of sound by plates and shells in water, 2=7285
- Lyan Chzhi-an' [Liang Chih-an] and Chistovich, L. A. Frequency-difference limens as a function of tonal duration, 1=1605
- Lyan' Chzhi-chao [Lien Chih-ch'ao] and Nasledov, D. N. The influence of electric fields on the electrical conductivity, Hall coefficient and magnetoresistance of n-type InSb at low temperatures, 0=15958
- Lyan' Chzhi-Chao [Lien Chih-Ch'ao] and Nasledov, D. N. Electrical and galvanomagnetic properties of crystalline p-type indium antimonide at low temperatures, 1=11305
- Lyan' Chzhi-Chao [Lien Chih-Ch'ao] and Nasledov, D. N. Electrical and galvanomagnetic properties of crystalline p-type indium antimonide at low temperatures, 1=17737
- Lyan, Chzhi-chao [Lien Chih-ch'ao] and Nasledov, D. N. Electrical and galvanomagnetic properties of n-type InSb at low temperatures, 1=17739
- Lyan Vén-syue. See Chzhou Dé-lin, 2=10097
- Lyapidevskii, V. D. and Obodovskii, M. M. Diffusion cloud chamber controlled by a photoelectric multiplier, 3=2171
- Lyapidevskii, V. K. Diffusion cloud chambers, 0=3895
- Lyapidevskii, V. K. The convection chamber - A new instrument for the observation of tracks of charged particles, 2=1633
- Lyapidevskii, V. K. The operation of a low-pressure diffusion chamber, 2=1637
- Lyapidevskii, V. K. and Falomkin, I. V. The influence of ultrasonics on directed crystallization, 3=16044
- Lyapidevskii, V. K. and Obodovskii, I. M. Convection chamber with a cellular bottom, 4=784
- Lyapidevskii, V. K. See Krongauz, A. N., 0=15988
- Lyapin, A. G. Measurement of ion mobility in the field of a unipolar transient corona, 4=2963
- Lyapin, A. G. See Levitov, V. I., 0=7100
- Lyapkalov, Yu. M. See Berezin, A. K., 2=15952
- Lyapkalov, Yu. M. See Berezin, A. K., 3=14649
- Lyašenko, V. I., Snito, O. V. and Litovčenko, V. G. A study of electron states on Si and Ge surface, 2=23351
- Lyashchenko, B. G. "Null matrix" in neutron diffraction, 3=13585
- Lyashchenko, B. G. See Goman'kov, V. I., 3=20608
- Lyashchenko, A. B. See Mel'nichuk, P. I., 1=11500



- Lyashchenko, B.G., Litvin, D.F. and Abov, Yu.B. Neutron diffraction study of iron-cobalt alloys. I, 3=13506
- Lyashchenko, B. G. and Sorokin, L. M. Determination of the position of carbon in cementite by the neutron diffraction method, 4=10537
- Lyashchenko, B.G. See Chernoplekov, N.A., 3=25185
- Lyashchenko, B.G. See Goman'kov, V.I., 3=23195
- Lvashchenko, B.G. See Goman'kov, V.I., 3=23478
- Lyashchenko, B. G. See Goman'kov, V.I., 4=2000
- Lyashchenko, B. G. See Kelarev, V. V., 4=26352
- Lyashchenko, N.Ya. See Strutinskii, V.M., 3=2355
- Lyashchenko, N. Ya. See Strutinsky, V.M., 4=9342
- Lyashchenko, V.A. See Yatsuk, K.P., 3=21675
- Lyashenko, B.G. To the problem of the influence of the spontaneous magnetization of the crystal structure and the phase state of alloys, 3=1350
- Lyashenko, B.G., Litvin, D.F., Puzey, I.M. and Abov, J.G. Neutron diffraction investigation of order-disorder in the alloys "Ferrum-Nickel" and "Ferrum-Cobalt", 3=1355
- Lyashenko, B. G. See Goman'kov, V.I., 4=1994
- Lyashenko, L.V. See Holinna, H.I., 2=6496
- Lyashenko, N.I. See Deryugin, I.A., 3=20631
- Lyashenko, S.P. See Miloslavskii, V.K., 0=16036
- Lyashenko, V.I. and Chernaya, N.S. The nature of relaxation processes in the field effect, 0=6094
- Lyashenko, V.I. and Chernaya, N.S. The energy distribution of electron states on a germanium surface at various temperatures, 0=15926
- Lyashenko, V.I., Chernaya, N.S. and Gerasimov, A.B. Investigation of the energy distribution of surface electron states in cleaned germanium surface and with adsorption of oxygen, 1=1045
- Lyashenko, V.I. and Chornaya, N.S. Electron levels on a pure germanium surface, 2=6455
- Lyashenko, V.I., Lytovchenko, V.G. and Sambur, I.H. Investigation of the [fast] surface states of germanium, 1=14436
- Lyashenko, V.I. and Skubenko, A.F. The influence of impurities on the properties of  $Sb_2S_3$ , 1=19898
- Lyashenko, V.I. and Skubenko, A.F. The influence of impurities on the properties of  $Sb_2S_3$ , 2=4058
- Lyashenko, V.I. and Skubenko, A.F. Rise of electrical conductivity of antimony sulphide with time, 2=6425
- Lyashenko, V.I., Snitko, O.V. and Sytenko, T.N. Combined investigation of the surface properties of germanium. I. The effect of an external electric field on the electrical conductivity, Hall constant and magnetoresistance of germanium, 0=15923
- Lyashenko, V.I., Snitko, O.V. and Sytenko, T.N. Combined investigation of the surface properties of germanium. II. The effect of an external electric field on the photoconductivity, minority-carrier lifetime and capacitor photo-e.m.f., 0=15924
- Lyashenko, V.I. and Sytenko, T.N. Conductivity of a Ge surface, 1=11296
- Lyashenko, V.I. See Brodoviy, V.A., 2=8351
- Lyashenko, V.I. See Brodoviy, V.A., 2=8352
- Lyashenko, V.I. See Brodoviy, V.A., 2=18732
- Lyashenko, V.I. See Brodoviy, V.A., 3=20398
- Lyashenko, V.I. See Dobrovol'skii, V.N., 2=4012
- Lyashenko, V.I. See Dobrovol'skii, V.N., 2=6432
- Lyashenko, V.I. See Dobrovol'skii, V.N., 2=21115
- Lyashenko, V.I. See Litovchenko, V.G., 0=1639
- Lyashenko, V.I. See Litovchenko, V.G., 0=18021
- Lyashenko, V.I. See Litovchenko, V.G., 1=14433
- Lyashenko, V.I. See Litovchenko, V.G., 1=14434
- Lyashenko, V.I. See Litovchenko, V.G., 3=15569
- Lyashenko, V.I. See Litovchenko, V.G., 4=10066
- Lyashenko, V.I. See Litovchenko, V.G., 4=12702
- Lyashenko, V.I. See Lytovchenko, V.G., 4=12913
- Lyashenko, V.I. See Litovchenko, V.G., 4=22715
- Lyashenko, V.I. See Primachenko, V.E., 2=6454
- Lyashenko, V.I. See Primachenko, V.E., 3=20415
- Lyashenko, V.S., Bykov, V.N. and Pavlinov, L.V. Self-diffusion of zirconium in some binary and ternary alloys based on zirconium, 1=6115
- Lyashenko, V.S., Bykov, V.N. and Pavlinov, L.V. The effect of iron and nickel impurities on self-diffusion in  $\alpha$ -zirconium, 1=6116
- Lyashenko, V.S. See Boronin, I.M., 2=10430
- Lyashenko, V.S. See Ibragimov, Sh.Sh., 1=10021
- Lyashenko, V.S. See Ibragimov, S.S., 2=12489
- Lyast, I.Ts. The polarization of ionic crystals containing relaxing defects, 0=16022
- Lyast, I.Ts. Interaction of ions in a perovskite lattice, 0=16023
- Lyast, I.Ts. The question of the relaxational polarization in crystals with the rutile and perovskite structure. I., 0=18098
- Lyast, I.Ts. Octupole interaction of polarized atoms in crystals, 2=12555
- Lyast, I.Ts. Octupole interaction of polarized atoms in crystals, 2=14595
- Lyatovskaya, N.M. See Gorshkov, G.V., 0=16404
- Lýbarskii, G.Ya. See Krein, M.G., 2=17962
- Lybchenko, A.P. and Ermolaev, V.N. Effect of cerium on the self-diffusion of iron, 3=22813
- Lyddane, R.H. Small eccentricities or inclinations in the Brouwer theory of the artificial satellite, 4=4962
- Lyddane, R.H. and Cohen, C.J. Numerical comparison between Brouwer's theory and solution by Cowell's method for the orbit of an artificial satellite, 2=11190
- Lyden, H.A. Measurement of the conductivity effective mass in semiconductors using infrared reflection, 4=17390
- Lyden, H. A. Temperature dependence of the effective masses in PbTe, 4=25886
- Lýgin, V.I. See Davýdov, V.Ya., 3=8922
- Lykens, A.A. Cooling rate effect on initial permeability of 4-79 molybdenum Permalloy, 2=12708
- Lykken, G.I. See Mitchell, E.N., 2=12681
- Lykken, G.I. See Mitchell, E.N., 3=11084
- Lyklema, J. Ionic components of charge in the electrical double layer in reversible systems, 3=18454
- Lyklema, J. and Overbeek, J.T.G. On the interpretation of electrokinetic potentials, 2=2997
- Lykos, P. See Arai, T., 3=22576
- Lykos, P.G. On the electron spin resonance spectra of hydrocarbon radicals, 0=5969
- Lykos, P.G. The present status of  $\pi$ -electron calculations, 3=12813
- Lykos, P.G. and Schmeising, H.N. Maximum overlap atomic and molecular orbitals, 1=11057
- Lykos, P.G. See Adams, O.W., 1=9935
- Lykos, P. G. See Adams, O.W., 4=25627
- Lykos, P.G. See Geller, M., 2=14315
- Lykos, P.G. See Gilbert, T.L., 1=11106
- Lykos, P.G. See Houser, T.J., 3=8255
- Lykos, P.G. See Miller, R.L., 1=17332
- Lykos, P.G. See Miller, R.L., 2=20776
- Lykoudis, P.S. Transition from laminar to turbulent flow in magneto-fluid mechanic channels, 1=5551
- Lykoudis, P.S. Natural convection of an electrically conducting fluid in the presence of a magnetic field, 2=9697
- Lykoudis, P. S. Magnetofluidmechanic blast waves in a medium with finite electrical conductivity, 4=30038
- Lykoudis, P. S. and Yu, C. P. The influence of electrostrictive forces in natural thermal convection, 4=347
- Lykoudis, P.S. See Barthel, J.R., 2=3142
- Lykoudis, P.S. See Brouillette, E. C., 4=19178
- Lykow, A.W. The heat and mass transfer bases for the theory of drying, 3=1866
- Lyk'yanchykova, N.B. See Sheinkman, M.K., 2=18730
- Lyle, F.K.C., Morosin, B. and Lingafelter, E.C. Anhydrous bis-salicylaldehydeato-nickel, 0=3247
- Lyle, J.W. Refractive index of strontium molybdate synthetic single crystal, 3=13150
- Lyle, O.W., Jr. See Bartlett, A.A., 4=11956
- Lýl'ka, V.A. Some isotopic relations for reactions involving four particles in the final state, 3=24617
- Lynbimov, V.B. See Bannik, B.P., 0=7546
- Lynch, A.C. See Lee, E.W., 0=11879
- Lynch, C. T. See Vahldiek, F. W., 4=10443
- Lynch, D.W. Diffusion and ionic conductivity in cesium bromide and cesium iodide, 0=9917
- Lynch, D.W. Midwest Solid-State Physics Conference, 0=20713
- Lynch, D.W. Color centers in additively colored CsBr., 2=21080
- Lynch, D.W. See Chairrotti, G., 1=993
- Lynch, D.W. See Christian, J.M., 4=12654
- Lynch, D.W. See Forbes, H. L., III, 4=28618
- Lynch, D.W. See Koenig, P., 2=4152
- Lynch, D.W. See McWilliams, D., 3=8576
- Lynch, D.W. See McWilliams, D., 3=15653
- Lynch, F. J. and Baumgardner, J. B. Transducer for Mössbauer experiments, 4=12595
- Lynch, F.J., Holland, R.E. and Hammermesh, M. Time dependence of resonantly filtered gamma rays from  $Fe^{57}$ , 0=17488
- Lynch, F.J. See Holland, R.E., 0=7464
- Lynch, F.J. See Holland, R.E., 1=4841
- Lynch, G.J.E. See Singleton, D.G., 1=5601



- Lynch, G.J.E. See Singleton, D.G., 2=11056  
 Lynch, G.J.E. See Singleton, D.G., 2=11057  
 Lynch, G.R. Final state of the antiproton-proton system, 1=16790  
 Lynch, G.R. Experimental data on new resonances, 2=16214  
 Lynch, G.R., Eberhard, P., Kalbfleisch, G.R., Lannutti, J.E., Maglić, B.C., Shafer, J.B., Stevenson, M.L. and Nguyen-Huu Xuong. Two-meson annihilations of 1.61-BeV/c anti-protons in hydrogen, 3=19634  
 Lynch, G.R., Ferro-Luzzi, M., George, R., Goldschmidt-Clermont, Y., Henri, V.P., Jongejans, B., Leith, D.W.G., Muller, F. and Perreau, J.M. The production mechanism for the reaction  $K^+p \rightarrow K^+p$  at 3 GeV/c, 4=25181  
 Lynch, G.R., Foulks, R.E., Kalbfleisch, G.R., Limentani, S., Shafer, J.B., Stevenson, M.L. and Nguyen-Huu Xuong. Interactions of 1.61-BeV/c antiprotons in hydrogen involving two outgoing charged particles, 3=19633  
 Lynch, G.R., Orear, J. and Rosendorff, S. Muon decay in nuclear emulsion at 25 000 gauss, 0=9388  
 Lynch, G.R. See Almeida, S.P., 4=21934  
 Lynch, G.R. See Button, J., 0=13067  
 Lynch, G.R. See Button, J., 1=5727  
 Lynch, G.R. See Button, J., 2=13802  
 Lynch, G.R. See Nguyen Huu Xuong, 1=16788  
 Lynch, G.R. See Nguyen Huu Xuong, 2=1705  
 Lynch, G.R. See Nguyen Huu Xuong, 2=20410  
 Lynch, G.R. See Szymanski, H.A., 1=1460  
 Lynch, G.R. See Xuong Nguyen-huu, 3=2258  
 Lynch, H.L. See Coward, D.H., 3=22094  
 Lynch, J. See Bell, W.E., 1=10585  
 Lynch, J.G. See Robertson, J.C., 1=9009  
 Lynch, J.G. See Robertson, J.C., 2=2257  
 Lynch, P.J. Backscatter from inhomogeneous media, 3=11676  
 Lynch, P.J. and Altschuler, S. Scattering theory for finite-beam incidence, 2=20154  
 Lynch, P.J. and Carlson, B.C. Theory of high-energy potential scattering, 2=13737  
 Lynch, P.J. See Wagner, R.J., 3=17055  
 Lynch, R.T. Vapor growth of cadmium telluride single crystals, 2=6769  
 Lynch, R.T. and Lander, J.J. Growth of single crystals of BaO, 0=710  
 Lynch, R.T., Thomas, D.G. and Dietz, R.E. Growth and decoration of ZnTe crystals, 3=16049  
 Lynden-Bell, D. Can spherical clusters rotate? 0=18816  
 Lynden-Bell, D. Stellar dynamics. Exact solution of the self-gravitation equation, 2=11140  
 Lynden-Bell, D. Stellar dynamics. Only isolating integrals should be used in Jeans' theorem, 2=17286  
 Lynden-Bell, D. Stellar dynamics. Potentials with isolating integrals, 2=21733  
 Lynden-Bell, D. The stability and vibrations of a gas of stars, 2=24160  
 Lynden-Bell, D. On the gravitational collapse of a cold rotating gas cloud, 3=7018  
 Lynden-Bell, D. On large-scale instabilities during gravitational collapse and the evolution of shrinking Maclaurin spheroids, 4=23841  
 Lynden-Bell, D. See Eggen, O.J., 3=3607  
 Lynden-Bell, R. See McConnell, H.M., 2=14413  
 Lynden-Bell, R.M. High resolution nuclear magnetic resonance spectra of diphosphine and monophosphine, 1=12570  
 Lynden-Bell, R.M. The n.m.r. spectra of the  $A_3^*A_3^*X_2$  and the  $A_4X_2$  systems, 4=3914  
 Lynden-Bell, R.M. The line shapes of the E.S.R. spectrum of a system of interacting triplets, 4=23041  
 Lynden-Bell, R.M. and McConnell, H.M. Theory of paramagnetic excitons in solid free radicals, 2=20975  
 Lynds, L. and Bass, C.D. Infrared spectrum of  $\nu_2$  of dichloroborane and dichloroborane-d, 4=17302  
 Lynds, L. See Bass, C.D., 4=22372  
 Lyness, J.N. A method for calculating scattering phase shifts, 0=20063  
 Lyness, J.N. See Blatt, J.M., 3=25109  
 Lyness, J.N. See Delves, L.M., 3=19638  
 Lyness, J.N. See Delves, L.M., 4=21856  
 Lyngå, G. On some southern galactic clusters, 3=1533  
 Lynn, G.E. See Lauriente, M., 0=10109  
 Lynn, J.E. Computational methods for analysis of resonance transmission data for S-wave neutrons, 1=19208  
 Lynn, J.E. Average neutron transmission in the KeV region, 4=6344  
 Lynn, J.E. and Rae, E.R. The analysis of neutron spectrometer resonance data, 0=5571  
 Lynn, J.E. See Firk, F.W.K., 1=8741  
 Lynn, J.E. See Firk, F.W.K., 3=10357  
 Lynn, J.E. See Firk, F.W.K., 3=17486  
 Lynn, J.E. See Firk, F.W.K., 3=24955  
 Lynn, J.E. See Jackson, H.E., 2=18520  
 Lynn, J.E. See Lane, A.M., 0=17570  
 Lynn, J.E. See Lane, A.M., 0=17571  
 Lynn, L.L. See Bonilla, C.F., 2=6004  
 Lynn, N. See Bates, D.R., 0=8997  
 Lynn, R.L. See Kreger, W.E., 1=5869  
 Lynn, V.L., Meeks, M.L. and Sohigian, M.D. Observations of Venus, the region of Taurus A, and the moon at 8.5-millimeter wavelength, 4=13957  
 Lynn, Y.M. Characteristic locus in magneto-fluid dynamics, 2=13667  
 Lynnnworth, L.C. See Carnevale, E.H., 4=30745  
 Lynton, E.A. Superconductivity, 0=19547  
 Lynton, E.A. Superconductivity, 3=325  
 Lynton, E.A. and McLachlan, D. Boundary scattering effects on the superconducting transition temperature of indium, 2=9484  
 Lynton, E.A. and Serin, B. The effect of impurities on the critical temperature of aluminum and indium, 0=8957  
 Lynton, E.A. See Dubeck, L., 3=12032  
 Lynton, E.A. See Dubeck, L., 4=18572  
 Lynton, E.A. See Gayley, R.I., Jr., 2=10330  
 Lynton, E.A. See Kinsel, T., 3=3954  
 Lynton, E.A. See Kinsel, T., 4=18571  
 Lynton, H. See Fleming, J.E., 1=15090  
 Lyon, A.G. See Sims, A.L., 3=16755  
 Lyon, A.J. The geomagnetic anomaly, 3=13758  
 Lyon, A.J. Diffusion of ionization in a dipole field, 3=23607  
 Lyon, A.J., Rishbeth, H. Horizontal diffusion and the geomagnetic anomaly in the equatorial F region, 2=4654  
 Lyon, A.J. and Skinner, N.J. Equatorial spread-F and F-layer heights, 1=4127  
 Lyon, A.J., Skinner, N.J. and Wright, R.W. Equatorial spread-F at Ibadan, Nigeria, 1=21010  
 Lyon, A.J., Skinner, N.J. and Wright, R.W.H. The belt of equatorial spread-F, 1=1538  
 Lyon, A.J. and Thomas, L. The F2-region equatorial anomaly in the African, American and East Asian sectors during sunspot maximum, 3=25928  
 Lyon, A.J. See Appleton, E., 0=766  
 Lyon, A.J. See Appleton, E., 1=20973  
 Lyon, A.J. See Rishbeth, H., 4=2304  
 Lyon, A.J. See Skinner, N.J., 3=13719  
 Lyon, D.N. See Giaque, W.F., 0=7192  
 Lyon, D.N. See Giaque, W.F., 2=23069  
 Lyon, D.N. and Hopkins, T.E. The magnetic susceptibility of silicon bronze (everdur 1010) in high fields, 1=6293  
 Lyon, D.N. See Hornung, E.W., 1=10625  
 Lyon, D.N. See Smith, B.H., 4=16618  
 Lyon, E.F. See Bridge, H.S., 1=15583  
 Lyon, E.F. See Bridge, H.S., 2=12055  
 Lyon, G.F. The association of visible auroral forms with radar echoes, 0=6478  
 Lyon, G.F. The effect of absorption and multiple scattering on radio-auroral observations, 2=17190  
 Lyon, G.F. and Forsyth, P.A. Radio-auroral reflection mechanisms, 2=17191  
 Lyon, R.H. On the prediction of forced-choice and phenomenal-report thresholds by statistical detection theory, 0=8441  
 Lyon, R.H. On the vibration statistics of a randomly excited hard-spring oscillator, 0=10711  
 Lyon, R.H. Response of a nonlinear string to random excitation, 0=14704  
 Lyon, R.H. Equivalent linearization of the hard spring oscillator, 0=16757  
 Lyon, R.H. Effect of membrane strain on fatigue damage rate. Asymptotic calculation, 1=9433  
 Lyon, R.H. On the vibration statistics of a randomly excited hard-sprung oscillator. II, 1=15995  
 Lyon, R.H. Direct and reverberant field amplitude distributions in nearly hard rooms, 2=2852  
 Lyon, R.H. Sound radiation from a beam attached to a plate, 2=21975  
 Lyon, R.H. Empirical evidence for nonlinearity and directions for future work, 4=2753  
 Lyon, R.H. Noise reduction of rectangular enclosures with one flexible wall, 4=2802



- Lyon, R. H. and Eichler, E. Random vibration of connected structures, 4=24282
- Lyon, R. H., Heckl, M. and Hazelgrove, C. B. Response of hard-spring oscillator to narrow-band excitation, 1=15996
- Lyon, R. H. and Maidanik, G. Power flow between linearly coupled oscillators, 2=13389
- Lyon, R. H. See Maidanik, G., 1=18539
- Lyon, R. J. P. See Burns, E. A., 3=5240
- Lyon, R. K. Effect of strong electrical fields on the boiling points of some alcohols, 2=7472
- Lyon, R. K. and Kydd, P. H. Gaseous detonations. XIV. The CH radical in acetylene oxygen detonations, 1=12677
- Lyon, R. K. See Kistiakowsky, G. B., 1=20739
- Lyon, W. S. Isotopic analysis: cerium-141 and cerium-144, 0=13166
- Lyon, W. S. Reactor neutron activation cross-sections for a number of elements, 1=17115
- Lyon, W. S. Gamma branching in Kr<sup>85</sup>, 2=5847
- Lyon, W. S., Eldridge, J. S. and Bate, L. C. 3.1 hour Y<sup>90m</sup>, 1=12185
- Lyon, W. S. See Eldridge, J. S., 1=5878
- Lyon, W. S. See Goldstein, G., 4=14964
- Lyon, W. S. See Hahn, R. L., 3=12643
- Lyon, W. S. See Macklin, R. L., 1=17163
- Lyon, W. S. See Macklin, R. L., 3=2504
- Lyon, W. S. See Weston, L. W., 1=11024
- Lyon, W. S. See Wright, H. W., 0=13178
- Lyons, B. J. See Black, R. M., 0=10359
- Lyons, D. See Kaplan, T. A., 1=6349
- Lyons, D. See Menyuk, N., 2=21341
- Lyons, D. H. Note on critical concentrations in magnetism, 3=6690
- Lyons, D. H. Magnetic spirals in the molecular field approximation, 4=1794
- Lyons, D. H. and Kaplan, T. A. Method for determining ground-state spin configurations, 1=935
- Lyons, D. H. and Kaplan, T. A. A cluster method for finding minimum energy spin states, 4=26277
- Lyons, D. H., Kaplan, T. A., Dwight, K. and Menyuk, N. Classical theory of the ground spin-state in cubic spinels, 3=11100
- Lyons, D. H. See Kaplan, T. A., 3=10642
- Lyons, H. See Bhaumik, M. L., 3=11001
- Lyons, L., Lys, J. E. A. and Hopkins, H. W. K. Deuteron-deuteron scattering at 20-70 MeV, 3=12517
- Lyons, L. See Davison, M., 3=12516
- Lyons, L. See Davison, M., 3=22129
- Lyons, L. See Hopkins, H. W. K., 2=5541
- Lyons, L. A. and Platter, S. Effect of cutoff configuration on pure tones generated by small centrifugal blowers, 3=23978
- Lyons, L. E. and Mackie, J. C. Comment on a paper by Choi and Rice, 4=22770
- Lyons, L. E. See Alexander, P. W., 1=14644
- Lyons, L. E. See Craig, D. P., 1=14592
- Lyons, V. J. See Silvey, G. A., 1=14462
- Lys, J. E. A. and Runciman, W. A. The luminescence of uranium-activated fluorides, 1=2455
- Lys, J. E. A. See Lyons, L., 3=12517
- Lysak, L. I. and Nikolin, B. I. A martensitic phase with a multi-layer structure, 4=13494
- Lysak, L. I. and Tikhonov, L. V. Imperfections of the crystal structure of heavily deformed niobium, 0=13529
- Lysanov, Yu. P. The problem of surface resonance on a sinusoidal surface, 0=19305
- Lysanov, Yu. P. The field of a point radiator in a layered inhomogeneous medium bounded by a rough surface, 2=2819
- Lysanov, Yu. P. The field of a point radiator in layered inhomogeneous medium bounded by a rough surface, 2=7288
- Lysanov, Yu. P. See Glotov, V. P., 4=5297
- Lysenko, G. M. See Kislyak, G. M., 4=7204
- Lysenko, G. M. See Kyslyak, G. M., 4=1763
- Lysenko, H. M. and Kyslyak, H. M. The phosphorescence of organic phosphors with two metastable levels, 4=17590
- Lysenko, I. A. Air currents in the meteor zone radio echo observations, 3=11520
- Lysikov, Yu. A. See Korotkov, K. A., 3=22327
- Lyskovich, A. B. See Belikovich, B. A., 1=4025
- Lyskovykh, O. B., Vaidanykh, V. I. and Huseva, N. K. Study of the absorption spectra of NaI crystals in their dependence on TI concentration at various temperatures, 3=20490
- Lyskovykh, O. B. See Belikovich, B. O., 1=11542
- Lyskovykh, O. B. See Vaidanykh, V. I., 2=8579
- Lyskovykh, O. B. See Vyshevs'kii, V. N., 3=20519
- Lyskovykh, O. B. See Vyshevs'kii, V. N., 3=20520
- Lysov, A. V. See Malyshev, I. F., 4=14800
- Lysov, B. A. Polarization effects in the direct transition of  $\mu + \mu^-$  into an electron-positron pair, 0=11191
- Lysov, B. A., Belova, L. P. and Korovina, L. I. The polarization of recombination, 1=17277
- Lysov, B. A. See Sokolov, A. A., 3=5819
- Lyst, J. O. and Babilon, C. F. Detecting fatigue cracks in notched fatigue specimens by changes in electrical resistance, 2=21448
- Lysytsya, M. P. and Malynko, V. M. Temperature dependence of the infrared absorption [band intensities] of carbon tetrachloride in a gaseous state, 1=11791
- Lysytsya, M. P. and Malynko, V. M. The effect of an aggregate state on the intensity and structure of certain absorption bands of carbon tetrachloride in the presence of Fermi resonance, 1=14031
- Lysytsya, M. P. See Verlan, E. M., 1=13987
- Lytkina, V. M. See Ivanov, A. A., 2=19859
- Lytkowski, J. See Grzywacz, J., 4=22416
- Lytle, E. A. and Hampson, J. Observation of the OH dayglow, 4=23780
- Lytle, E. A. and Hunten, D. M. Dawn enhancement of auroral N<sub>2</sub> emission, 0=6473
- Lytle, E. A. and Hunten, D. M. The ratio of sodium to potassium in the upper atmosphere, 0=14194
- Lytle, E. A. and Hunten, D. M. Observations of N<sub>2</sub> twilight and sunlit aurora, 2=24045
- Lytle, F. W. X-ray absorption fine-structure investigations at cryogenic temperatures, 4=10154
- Lytle, F. W. X-ray diffractometry of low-temperature phase transformations in strontium titanate, 4=23293
- Lytovchenko, N. M. See Hlynchuk, K. D., 2=18683
- Lytovchenko, N. M. See Hlynchuk, K. D., 2=21144
- Lytovchenko, P. H. See Hlynchuk, K. D., 2=19099
- Lytovchenko, S. H. See Dekhtyar, I. Ya., 1=15128
- Lytovchenko, S. H. See Lisnyk, A. H., 1=14354
- Lytovchenko, V. G. Calculation of the surface recombination rate and the bulk lifetime of carriers under nonsymmetrical boundary conditions, 1=14416
- Lytovchenko, V. G. and Lyashenko, V. I. Electric properties of the silicon surface at various temperatures, 4=12913
- Lytovchenko, V. G. See Bondarenko, V. M., 4=11684
- Lytovchenko, V. G. See Lashkar'ov, V. Ye., 1=14453
- Lytovchenko, V. G. See Lyashenko, V. I., 1=14436
- Lytovchenko, V. H. Plots of functions for calculating the surface charge and surface conductivity, 2=23300
- Lyttle, S. B. See Burke, J. E., 4=30053
- Lyttleton, R. A. Dynamical calculations relating to the origin of the solar system, 1=12739
- Lyttleton, R. A. An accretion hypothesis for the origin of the solar system, 1=15416
- Lyttleton, R. A. A cometary mechanism for the formation of tektites, 3=11522
- Lyttleton, R. A. On the origin of mountains, 3=25860
- Lyttleton, R. A. and Bondi, H. On the physical consequences of a general excess of charge, 0=3406
- Lyttleton, R. A. and Bondi, H. On the formation of spiral arms of galaxies, 4=29414
- Lyttleton, R. A. and Hammersley, J. M. The loss of long-period comets from the solar system, 4=20910
- Lyttleton, R. A. See Bondi, H., 0=5522
- Lytton, J. L. Influence of ferromagnetic elastic modulus relaxation on the determination of magnetic specific heat of Fe, Ni and Co, 4=25856
- Lytvyenko, H. V. and Radchenko, I. V. The thermal conductivity of aqueous solutions of electrolytes as a structural-sensitive property, 2=21898
- Lytvyenko, V. V. Interaction of light with impurity centres in the case of intermediate coupling, 1=11350
- Lyu Chzao-yuen. See Zherebtsova, K. I., 2=5962
- Lyu Chzhao-yuen. See Zherebtsova, K. I., 3=4667
- Lyu Chzhi-Yan'. See Kho Yu-Pin, 4=4126
- Lyu I-Chen' and Todorov, I. T. Integral representation of vertex parts in perturbation theory, 3=14889
- Lyu Shun'-fu. See Tolstoi, N. A., 1=6233
- Lyu Shun'-fu. See Tolstoi, N. A., 3=13201
- Lyu Shun'-Fu [Liu Shun-Fu]. See Tolstoi, N. A., 3=15707
- Lyu Shun'fu. See Tolstoi, N. A., 3=20509
- Lyu Shun'-fu. See Tolstoi, N. A., 3=20510
- Lyu Shun'-fu. See Tolstoi, N. A., 3=20511



- Lyu Yuan' [Liu Yuan] and Chu Lyan-yuan [Ch'u Liang-yuan]. The individual particle motion in the strongly deformed nuclei, 2=16307
- Lyu Yuan' [Liu Yuan] and Chu Lyan-yuan [Ch'u Liang-yuan]. The individual particle motion in strongly deformed nuclei, 3=6156
- Lyu Yuan' [Liu Yuan], Solov'ev, V. G. and Korneichuk, A. A. Energy of quadrupole states of strongly deformed even-even nuclei, 4=25276
- Lyu Yuan' [Lu Yang], Pyatov, N.I., Solov'ev, V.G., Silin, I.N. and Furman, V.I. The properties of some strongly deformed nuclei, 1=19359
- Lyu Yuan' [Lu Yang], Pyatov, N.I., Solov'ev, V.G., Silin, I.N. and Furman, V.I. The properties of some strongly deformed nuclei, 3=4561
- Lyubanskii, G.B. See Zaika, N.I., 4=16761
- Lyubarskii, G.Ya. The kinetic theory of shock waves, 1=18452
- Lyubarskii, G.Ya. The structure of shock waves, 2=19594
- Lyubarskii, G. Ya. Existence of shock waves of small intensity, 4=267
- Lyubarskii, G. Ya. and Kovalev, O.V. Second-order phase transitions in crystals of symmetry  $T_h$ , 0=18343
- Lyubarskii, G. Ya., Nekrashevich, A.M. and Rozentsveih, L.N. [Rosenzweig]. Semi-empirical method for calculating the accelerating system of a linear proton accelerator with a standing wave, 2=5398
- Lyubarskii, G. Ya. and Polovin, R.V. A problem about a piston in magnetohydrodynamics, 0=1190
- Lyubarskii, G. Ya. and Polovin, R.V. The splitting of a small discontinuity in magnetohydrodynamics, 0=2433
- Lyubarskii, G. Ya. and Polovin, R.V. The disintegration of unstable shock waves in magnetohydrodynamics, 0=9177
- Lyubarskii, G. Ya. and Povzner, A. Ya. Theory of wave propagation in variable cross-section waveguides, 0=7230
- Lyubarskii, G. Ya. See Akhiezer, A.I., 0=9164
- Lyubarskii, G. Ya. See Akhiezer, A.I., 1=18818
- Lyubars'kii, H. Ya. and Polovin, R.V. Simple magnetosonic waves, 1=12012
- Lyubars'kii, H. Ya. See Akhiezer, A.Y., 1=13168
- Lyubars'kii, H. Ya. See Polovin, R.V., 1=12013
- Lyubavin, Yu. P. and Gubanov, V.G. Improvement of the operational stability of FEU-35 photomultipliers, 3=2019
- Lyubchenko, A. See Bakakin, G.N., 3=1247
- Lyubchenko, A. P. and Mozharov, M.V. Diffusion and microdistribution of cerium in iron, 3=20229
- Lyubchenko, A. P. and Sherman, D. G. On the adsorption nature of the change in the crystal habit of ammonium chloride caused by the action of nickel chloride, 4=29027
- Lyubchenko, A. P., Sherman, D. G. and Kuz'minov, G.S. Dependence of the self-diffusion of iron on its cerium content, 4=12793
- Lyubchenko, A. P., Sherman, D. G. and Tananko, I. A. Using transparent crystals for simulating the process of modification of cast irons, 4=23273
- Lyubchenko, A. P., Sherman, D. G. and Udovikov, V.I. The effect of small magnesium additions upon self-diffusion of iron, 4=15490
- Lyubchenko, A.V. See Pilat, I.M., 2=20949
- Lyubchenko, A.V. See Pilat, I.M., 3=2740
- Lyubchenko, L.S. See Chetverikov, A. G., 4=26437
- Lyubimov, A.L. Remarks on  $\pi$ - $\Lambda$  resonance, 2=309
- Lyubimov, A.L. Remarks on  $\pi$ - $\Lambda$  resonance, 3=4437
- Lyubimov, A.L. See Belyakov, A.N., 1=10815
- Lyubimov, A.L. See Vovenko, A.S., 2=13855
- Lyubimov, A.L. See Vovenko, A.S., 3=6042
- Lyubimov, A.L. See Vovenko, A.S., 3=14826
- Lyubimov, A.L. See Vovenko, A.S., 4=16742
- Lyubimov, G.A. The structure of magnetohydrodynamic shock waves in a gas with anisotropic conductivity, 2=19598
- Lyubimov, G. A. Solution of certain problems in magnetohydrodynamics with anisotropic conductivity, 4=670
- Lyubimov, G. A. Formulation of the problem of the magnetohydrodynamic boundary layer, 4=674
- Lyubimov, G.A. See Kulikovskii, A.G., 0=1197
- Lyubimov, G.A. See Kulikovskii, A.G., 0=3842
- Lyubimov, G.A. See Kulikovskii, A.G., 1=361
- Lyubimov, G.A. See Kulikovskii, A.G., 1=5570
- Lyubimov, G.A. See Kulikovskii, A.G., 2=16003
- Lyubimov, M.L., Shakhov, K.P. and Yukhvidin, Ya. A. Experience in designing and manufacturing all-metal vacuum systems, 1=9429
- Lyubimov, V.A. Present state of beta-decay theory, 2=22760
- Lyubimov, V.A. and Alikhanov, A.I. The influence of a magnetic field on the resonance absorption of  $\gamma$ -rays, 0=15519
- Lyubimov, V.A. and Alikhanov, A.I. Influence of magnetic field on resonance absorption of gamma-rays, 2=13972
- Lyubimov, V. A. and Pavlovskii, F. A. Measurement of the ionising power of particles in a spark chamber, 4=19339
- Lyubimov, V.A. and Vishnevskii, M.E. Measurement of the polarization of internal conversion electrons, 0=2649
- Lyubimov, V.A. See Alikhanov, A.I., 0=2644
- Lyubimov, V.A. See Alikhanov, A.I., 0=13010
- Lyubimov, V.A. See Alikhanov, A.I., 0=20176
- Lyubimov, V.A. See Alikhanov, A.I., 1=3411
- Lyubimov, V.A. See Alkanov, A.I., 2=11969
- Lyubimov, V.A. See Alikhanov, A.I., 3=6024
- Lyubimov, V.A. See Babaev, A.I., 2=18147
- Lyubimov, V.A. See Babaev, A.I., 3=6025
- Lyubimov, V.A. See Babaev, A.I., 3=17298
- Lyubimov, V.A. See Vishnevsky, M.E., 0=17545
- Lyubimov, V.A. See Vishnevsky, M.E., 0=20399
- Lyubimov, V.B., Markov, P.K., Tsyanov, E.N., Chzhen Pu-In [Cheng P'u-Ying] and Shafranov, M.G. Elastic scattering of 8.5 BeV protons on protons, 0=11167
- Lyubimov, V. B., Mu Chun, Podgoretskii, M. I., Portnova, S. I., Strel'tsov, V. N. and Trka, Z. Gamma-quantum production in the interaction between 7 BeV negative pions and nucleons, 4=937
- Lyubimov, V.B., Mu Jun, Podgoretsky, M.I., Portnova, S.I., Strel'tsov, V.N. and Trka, Z.  $\gamma$ -quanta production in the interaction of 7 GeV  $\pi$ -mesons with nuclei, 3=7901
- Lyubimov, V.B. See Birger, N.G., 2=3391
- Lyubimov, V.B. See Bogachev, N.P., 0=9354
- Lyubimov, V.B. See Gramenitskii, I.M., 0=1401
- Lyubimov, V. B. See Kopylova, D. K., 4=27842
- Lyubimov, V. B. See Van Gan-ghan [Wang Kang-ch'ang], 3=2302
- Lyubimov, V. N. Space symmetry of electric and magnetic dipole structures, 4=7579, 20746
- Lyubimov, V.N. and Venetsev, Yu.N. On the calculation of potentials in superlattices, 2=20904
- Lyubimov, V.N. and Venetsev, Yu.N. On the calculation of potentials in superlattices, 2=23031
- Lyubimov, V.N. and Venetsev, Yu.N. Origin of dipole configurations in some structures with special dielectric properties, 3=25394
- Lyubimov, V.N., Venetsev, Yu.N. and Koiranskaya, E.Yu. Calculation of electric-field gradients in ionic crystals, 3=22992
- Lyubimov, V.N., Venetsev, Yu.N., Solov'ev, S.P., Zhdanov, G.S. and Bakushinskii, A.B. Dipole structure and internal electric fields in  $PbZrO_3$ , 3=22997
- Lyubimov, V.N., Venetsev, Yu.N. and Zhdanov, G.S. Internal electric fields in crystals of  $NaTaO_3$  and  $CdTiO_3$ , 3=12903
- Lyubimov, V.N., Venetsev, Yu.N. and Zhdanov, G.S. Calculation of electric fields in complex dipole structures, 3=15409
- Lyubimov, V.N., Venetsev, Yu.N. and Zhdanov, G.S. Ferroelectricity and antiferroelectricity in polar crystals, 3=15615
- Lyubimov, V. N. and Zheludev, I. S. Crystal structures with and without dipoles, 4=10492
- Lyubimov, V. N. See Zheludev, I. S., 4=10116
- Lyubimov, V.V. See Vanyukov, M.P., 3=25444
- Lyubimov, V. V. See Vanyukov, M. P., 4=772
- Lyubimov, Yu.I. See Zlobin, L.I., 4=16737
- Lyubimova, A. K. See Tal'roze, V. L., 4=16563
- Lyubimova, E.A. Distribution of thermoelastic stresses within the earth and their rate of accumulation, 3=23563
- Lyubin, V.M. Measurement of the resistance and surface potential of the layers of a semiconductor, 2=2187
- Lyubin, V.M. and Fedorova, G.A. On the question of high-voltage photo-electromotive forces in thin semiconductor layers, 1=6178
- Lyubin, V.M. and Fedorova, G.A. High-voltage photo-e.m.f.'s in layers of antimony triselenide, 3=15629
- Lyubin, V. M. and Fomina, V. I. Photoelectret and cathodoelectret states in  $Tl_2Se \cdot As_2Se_3$  layers, 4=26133
- Lyubin, V.M. See Kolomiets, B.T., 0=599
- Lyubin, V.M. See Kolomiets, B.T., 0=601
- Lyubin, V.M. See Kolomiets, B.T., 0=6136
- Lyubin, V.M. See Kolomiets, B.T., 0=15949
- Lyubin, V.M. See Kolomiets, B.T., 2=18692
- Lyubits, K. See Konorov, P. P., 4=30662
- Lyubimirova, K.S. Certain features of the attenuation of solar radiation in an ice layer, 3=3439
- Lyuboshits, V.L. Polarization phenomena in radiative collisions of two electrons, 0=7338
- Lyuboshits, V.L. Multipole expansions in decay processes, 3=24625



- Lyuboshits, V. L. and Podgoretskii, M. I. On a possible method for determining the magnetic moment of the  $\Sigma^+$ -hyperon, 4=27903
- Lyuboshits, V. L. and Smorodinskii, Ya. A. Covariant expansion of the electromagnetic field, 2=13655
- Lyuboshits, V. L. and Smorodinskii, Ya. A. Covariant expansion of the electromagnetic field, 3=5818
- Lyubov, B. Ya. Solution of some kinetic equations in dislocation theory, 4=9956
- Lyubov, B. Ya. and Fastov, N. S. Diffusion in a plastically deformed medium, 1=14293
- Lyubov, B. Ya. and Razorenov, V. M. The influence of "drift" upon the kinetics of diffusion-controlled phase transformations, 4=10412
- Lyubov, B. Ya. and Roitburg, A. L. Temperature conditions on the surface of a growing martensite crystal, 0=13940
- Lyubov, B. Ya. See Aleksandrov, L. N., 3=20907
- Lyubov, B. Ya. See Garkusha, I. P., 2=23897
- Lyubov, B. Ya. See Garkusha, I. P., 3=5127
- Lyubov, B. Ya. See Garkusha, I. P., 4=18488
- Lyubov, B. Ya. See Krasko, G. L., 2=8860
- Lyubov, B. Ya. See Krasko, G. L., 2=12427
- Lyubov, B. Ya. See Krasko, G. L., 2=14435
- Lyubov, B. Ya. See Krasko, G. L., 2=23891
- Lyubov, B. Ya. See Krasko, G. L., 3=20177
- Lyubetskaya, L. V. Stability of plane-parallel flow of a viscous fluid under the action of a steady tangential stress and of inclined force of gravity, 4=14099
- Lyudvigov, R. B. See Kazarov, R. E., 0=5634
- Lyudzevski, E. and Byalkovski, Ya. Coincidence spectrometer with energy summing for low energy  $\gamma$ -rays, 4=21829
- Lyui Min' [Lü Min], Shabalin, E. P. and Yazvitskii, Yu. S. Experimental investigation of fluctuations in a reactor (power) excursion, 4=12324
- Lyuibimov, V. B. See Kopylova, D. K., 3=24774
- Lyuit'yi, A. I., Nesterko, N. A., Rossikhin, V. S. and Ts'ykora, I. L. Study of physical and chemical processes in the equilibrium
- Lyul'ka, V. A.  $\pi^-$ -meson decays of the  $H^+$  hyperfragment, 0=20360
- Lyul'ka, V. A. Energy and angular distributions in hyper-nuclear decays, 0=20361
- Lyul'ka, V. A. Isotopic invariance in processes involving antihyperons, 1=13514
- Lyul'ka, V. A. Decay of hypernuclei, 2=16304
- Lyul'ka, V. A. Decay of hypernuclei, 3=6148
- Lyul'ka, V. A. Lepton decays of hypernuclei, 4=3547
- Lyul'ka, V. A. and Filimonov, V. A. Contribution of three-particle forces to the binding energy of hyper-nuclei, 0=9538
- Lyul'ka, V. A. and Startzev, A. A. Contributions of  $\rho^-$  and  $\omega^-$  mesons to K-N scattering at low energies, 3=15034
- Lyul'ka, V. A. and Startzev, A. A. Some remarks on lepton decays of hyperons, 4=9283
- Lyul'ka, V. A. See Ivanenko, D. D., 1=2165
- Lyusternik, V. E. An automatic calorimeter for the quantitative thermal analysis of heat-resistance steels, 2=1303
- Lyusternik, V. E. Specific heat of stainless chromium steels, 2=8175
- Lyusternik, V. E. Heat capacity of chromium stainless steels, 2=23078
- Lyusternik, V. E. Reproducibility of the calibration of platinum-rhodium thermocouples over a wide temperature range, 4=18467
- Lyusternik, V. E. See Kogan, V. A., 2=6271
- Lyusternik, V. E. See Neimark, B. E., 4=15424
- Lyutomskii, V. A. See Brodskii, V. B., 3=24302
- Lyutsau, G. V. See Rovinskii, B. M., 3=3288
- Lyuttsau, V. G. and Rovinskii, B. M. The relationship between substructure and concentration nonuniformity in alloys, 4=20780
- Lyuttsau, V. G. See Novikov, I. I., 4=26690
- Lyuttsau, V. G. See Rovinskii, B. M., 2=8713
- Lyuttsau, V. G. See Rovinskii, B. M., 2=23744
- Lyuttsay, V. G. See Rovinskii, B. M., 3=11187
- Lyutyi, A. I., Nesterko, N. A., Rossikhin, V. S. and Ts'ykora, I. L. A case of deviation from thermodynamic equilibrium in the outer cone of a flame, 2=17679
- Lyutyi, A. I., Nesterko, N. A., Rossikhin, V. S. and Ts'ykora, I. L. Study of physical and chemical processes in the reaction zone of an acetylene flame, 3=23543
- Lyutyi, A. I. See Zhitkevich, V. F., 3=19925
- Lyutyi, A. I. See Zhitkevich, V. F., 4=9658
- Lyuze, L. L. See Kataev, G. A., 4=20399
- Lyuze, L. L. See Presnov, V. A., 4=20364
- Lyyjynen, A. See Nurmia, M., 1=13714
- Lyytikäinen, S. See Laurikainen, K. V., 3=4383



- Ma, C.H. and Makris, J. X-ray irradiation effects on potassium iodide, 3=13024
- Ma, C.H. and Swalin, R.A. A study of solute diffusion in liquid tin, 1=141
- Ma, C.H. and Swalin, R.A. Self-diffusion in liquid tin, 2=13329
- Ma, C.H. See Makris, J.S., 4=30568
- Ma En-tse and Chu Chuan-chen. Seismic waves in an elastic medium underlying an unconsolidated surface layer, 4=30917
- Ma, J.T.S. and Wang, P.K.C. Effect of initial air content on the dynamics of bubbles in liquids, 3=14135
- Ma, P.Y. See Pai, H.L., 2=7870
- Ma, S.M. See Gabrvsh, A.F., 2=15539
- Ma, S.T. See Lee, E.T.P., 2=7126
- Ma, Y. L. and Kê, T. S. Internal friction peaks associated with the coherency of the decomposition products of high-carbon and low-carbon martensite, 4=20685
- Maa Dah-You. Frequency and directional distribution of normal modes of vibration in a rectangular room, 0=144
- Maak, J. See Grimmeiss, H.G., 1=3861
- Maartense, I. and Hunte, D.M. A note on  $N_2^+$  twilight and sunlit aurora, 4=4789
- Maas, A. Contrast increasing methods for electron microscopical investigation of the micro-morphology of transmission crystals, 4=29159
- Maas, A. See Vogt, K.J., 2=12147
- Maas, A. See Vogt, K.J., 3=5205
- Maas, R.W. See Ney, E.P., 1=2589
- Maass, O. See Graham, G.D., 1=1768
- Maass, O. See Miller, C.G., 0=19137
- Mabaret de Bast, W. Study of ion exchange of colloidal suspensions of the lamellar type application to clays, 3=11364
- Mabboux, C. See Dumas, J.C., 1=7174
- Mabboux, C. See Landaud, G., 0=13167
- Mabboux, C. See Landaud, G., 1=19376
- Mabboux, C. See Robin, J., 0=14684
- Mabie, H.H. and Rogers, C.B. Transverse vibrations of tapered cantilever beams with end loads, 4=14237
- Mabis, A.J. Structure of mesomorphic phases, 3=128
- Mable, S.E.R. See Hill, D.W., 2=11001
- Mabuchi, I. Natural convection of an electrically conducting fluid from a vertical plate in the presence of a magnetic field, 4=27358
- MacAdam, D.L. Small-field chromaticity discrimination, 0=185
- MacAdam, D.L. Do oxygen and water vapour fluoresce? 3=9513
- MacAdam, D.L. Nonlinear relations of psychometric scale values to chromaticity differences, 3=13976
- MacAdam, D.L. Chromatic adaptation. II. Nonlinear hypothesis, 4=10982
- MacAdam, D.L. Analytical approximations for color metric coefficients. II. Friele approximation, 4=11326
- MacAdam, D.L. Analytical approximations for color metric coefficients. III. Optimization of parameters in Friele's formulas, 4=27285
- MacAdam, D.L. and Altman, J.H. Simple method for photographic photometry, 3=18959
- MacAdam, D.L. See Judd, D.B., 4=29294
- MacAdam, W.B. See Edge, D.O., 0=829
- MacAdam, W.B. See Mills, B.Y., 4=4932
- McAdams, D.R. Observations in proton N.M.R. spectra of long-range coupling between protons and C-13 in natural abundance, 2=18969
- McAdams, R.E., Eakins, G.W. and Hatch, E.N. The half-life of the 8.4 keV level in  $^{189}\text{Tm}$ , 4=3615
- McAdams, R.E. See Nichols, R.T., 1=7346
- McAfee, C. See Mandelkern, J., 2=10543
- McAfee, K.B. and Edelson, D. Drift velocities of atomic and molecular ions in nitrogen, 4=11535
- McAfee, K.B., Jr. and Edelson, D. Identification and mobility of ions in a Townsend discharge by time-resolved mass spectrometry, 3=16905
- McAfee, K.B., Jr. See Edelson, D., 2=22178
- McAfee, K.B., Jr. See Edelson, D., 4=8615
- McAfee, K.B., Jr. See Edelson, D., 4=24604
- Macagno, E. See Frank, L.A., 4=2246
- McAleer, W.J., Barkemeyer, H.R. and Pollak, P.I. Vapor phase growth of gallium arsenide crystals, 2=10793
- McAleer, W.J. See Kallmann, H., 1=6181
- McAleer, W.J. See Monchamp, R.R., 3=13404
- McAlexander, J.C. See Alexander, E.J., 2=13640
- McAlister, A.J. and Stern, E.A. Plasma resonance absorption in thin metal films, 4=4246
- McAlister, E.D. Infrared-optical techniques applied to oceanography I. Measurement of total heat flow from the sea surface, 4=23722
- McAllister, G.T. See Garfinkel, B., 4=30994
- McAllister, R.W. See Stein, P., 3=4397
- McAlloren, J.T. A reproducible magnesium oxide standard for reflectance measurement from 0.3 to 2.6  $\mu$ , 3=1786
- McAlpin, J.J. and Pierotti, R.A. Significant structure theory of physical adsorption, 4=23592
- McAlpin, W. Design of a third axis for the chalk river crystal neutron spectrometer, 4=15076
- McAlpine, J.L. See Hartz, T.R., 3=6976
- McArdle, J.J. Effect of cooled apertures on PbS detectors, 2=7456
- MacArthur, D., Goodman, R., Artna, A. and Johns, M.W. The decay of  $\text{Co}^6$ , 3=649
- MacArthur, J.D. See Johns, M.W., 0=4018
- McAulay, I.R. See Cummins, D.O., 1=1984
- McAulay, I.R. See Delaney, C.F.G., 1=2178
- McAvoy, B.R., Feldman, D.W., Castle, J.G.Jr. and Warren, R.W. Optical saturation of F-centre spin resonance, 1=14533
- McAvoy, B.R. See Feldman, D.W., 1=4547
- McAvoy, N., Filipescu, N., Kagan, M. R. and Serafin, F. A. Spectra and quantum states of europium  $\beta$ -diketone chelates in polymethylmethacrylate, 4=22906
- McAvoy, N. See Filipescu, N., 3=4990
- McAvoy, N. See Moorjani, K., 4=1356
- McAvoy, T.C. See Marley, J.A., 2=2358
- McBee, W.D. See Gruber, S., 4=16500
- McBee, W.D. See Leiby, C.C., Jr., 4=18847
- McBee, W.D. See Lustig, C.D., 4=21505
- McBeth, R.L. See Carnall, W.T., 3=9462
- McBeth, R.V. See Thompson, B., 4=29789
- McBlain, D.A. See Schoolman, S.A., 2=11422
- McBreen, J. See Green, M., 3=17689
- McBride, B.J. and Gordon, S. Thermodynamic functions of several triatomic molecules in the ideal gas state, 2=1207
- McBride, C.H. See Ferguson, L.A., 2=4582
- McBride, P.I. See Wulfeck, J.W., 0=8451
- McBride, S.L. See Hutchison, T.S., 2=21017
- McBride, S.L. See Hutchison, T.S., 2=23773
- McBride, W.R. See Bennett, H.E., 4=27304
- McBride, W.R. See Hills, M.E., 4=17575
- McBride, W.R. See Olsen, A.L., 3=20480
- McCaa, D. and Williams, D. Infrared fluorescence in gases, 4=29677
- McCaa, D.J. and Shaw, J.H. Absorption by ozone in the 4.75-micron region of the solar spectrum, 3=18549
- McCaa, D.J. and Williams, D. Infrared fluorescence of carbon monoxide, 4=15331
- McCaa, R.C. See Kaufman, S., 1=11804
- McCaig, D.A. See Vonnegut, B., 0=16492
- McCaig, M. Recent developments in permanent magnetism, 4=11745
- McCaig, M. and Wright, W. Variation of permanent-magnet properties with crystal orientation in columnar crystal alloys, 0=11822
- McCain, C.E. See Schröder, K., 4=22668
- McCalden, J.O. Interaction between arsenic and aluminum in germanium, 0=1640
- McCaldin, J.O. Solubility of zinc in gallium arsenide, 3=16122
- McCaldin, J.O. and Harada, R. Influence of arsenic pressure on the doping of gallium arsenide with germanium, 0=20915
- McCaldin, J.O. and Widmer, A.E. Silicon heavily doped by energetic cesium ions, 3=25349
- McCaldin, J.O. and Widmer, A.E. Differing results obtained in the doping of semiconductors by energetic ions, 4=28558
- McCaldin, J.O. and Wittry, D.B. Germanium saturated with gallium antimonide, 1=3752
- McCall, D.W. and Anderson, E.W. Dielectric properties of linear polyamides, 0=4246
- McCall, D.W., Anderson, E.W. and Huggins, C.M. Self-diffusion in linear dimethylsiloxanes, 1=5273
- McCall, D.W. and Douglass, D.C. Self-diffusion in the primary alcohols, 0=14632
- McCall, D.W. and Douglass, D.C. Nuclear magnetic resonance in solid adamantane, 0=16192
- McCall, D.W. and Douglass, D.C. Self-diffusion of n-paraffins in dilute solution, 3=16606
- McCall, D.W., Douglass, D.C. and Anderson, E.W. Diffusion in liquids, 0=3513
- McCall, D.W., Douglass, D.C. and Anderson, E.W. Erratum: self-diffusion in liquids: paraffin hydrocarbons, 1=4331



- McCall, D.W., Douglass, D.C. and Anderson, E.W. Self-diffusion in liquid ammonia, 1=15855
- McCall, D.W., Douglass, D.C. and Anderson, E.W. Self-diffusion studies by means of nuclear magnetic resonance spin-echo techniques, 3=24499
- McCall, D.W. and Hamming, R.W. Nuclear magnetic resonance in crystals, 4=4416
- McCall, D.W. See Douglass, D.C., 1=4330
- McCall, D.W. See Gutowsky, H.S., 0=4540
- McCall, G. See Bady, L., 1=6396
- McCall, G.J.H. Distribution and origin of lunar craters, 3=11514
- McCall, G.J.H. and Warner, B. Tensional stress and lunar patterns, 3=5239
- McCall, R. and Liden, K. Standardization of point and distributed  $\gamma$ -ray sources, 3=8021
- McCall, R.C. and Larsson, E.I. A low priced automatic printout system for the Hutchinson-Scarrott analyser, 2=7783
- McCall, S.L. and Davis, L.W. Observation of continuous-wave optical harmonics, 4=8366
- McCall, S.L. See Davis, L.W., 4=27277
- MacCallum, C. Kinetic integral solutions of the Boltzmann equation, 4=95
- MacCallum, C. See Truby, F.K., 3=6416
- MacCallum, C.J. Comment on dynamical theory of electro-sedimentation, 1=144
- MacCallum, C.J. See Levine, H.S., 0=7901
- MacCallum, F.L. See Muirhead, J.C., 0=189
- MacCallum, G.J. The neutron total cross-sections of uranium-234 and uranium-236, 0=7646
- MacCallum, G.J. Determination of M1-E2 mixing amplitudes in  $\text{Mg}^{26}$ ,  $\text{Al}^{27}$ ,  $\text{Si}^{28}$ , and  $\text{P}^{31}$ , 1=10993
- MacCallum, G.J. The spin of the 3.70-MeV level in  $\text{Al}^{25}$ , 3=19772
- MacCallum, G.J., Bromley, D.A. and Kuehner, J.A. A search for double dipole de-excitation in  $\text{C}^{12}$ , 1=2187
- MacCallum, G.J., Ferguson, A.T.G. and Mani, G.S. A study of energy levels in  $\text{Sc}^{45}$ ,  $\text{Ti}^{46}$ ,  $\text{V}^{47}$ ,  $\text{V}^{49}$ ,  $\text{V}^{50}$  and  $\text{Zn}^{65}$ , 0=17504
- MacCallum, G.J., Mani, G.S. and Ferguson, A.T.G. Neutron total cross-sections in the 12 to 21 MeV region, 0=11440
- MacCallum, G.J. See Litherland, A.E., 0=15583
- MacCallum, G.J. See Mani, G.S., 1=701
- McCammon, R.D. and White, G.K. Thermal expansion of germanium, 3=15443
- McCammon, R.D. See Carr, R.H., 4=25862
- McCammon, R.D. See Chon, H., 2=8889
- McCammon, R.D. See Crissman, J.M., 3=3211
- McCammon, R.D. See MacCrone, R.K., 0=18283
- McCamy, K., Meyer, R.P. and Smith, T.J. Generally applicable solutions of Zoeppritz amplitude equations, 3=1417
- McCamy, R.C. See Heins, A.E., 0=19303
- McCann, A.P., Smith, F., Jr., Smith, J.A.S. and Thwaites, J.D. Adjustment of the homogeneity of a permanent magnet for high-resolution nuclear magnetic resonance, 2=15987
- McCann, D.R. See Hirthe, W.M., 4=13441
- McCann, J.D. and Rogers, F. Difficulties in obtaining uniform dose distribution through electron-irradiated plastic mouldings, 4=17456
- McCann, W. See Goldberg, N., 4=13246
- McCargo, M., Brown, F. and Davies, J.A. A reinvestigation of the range of  $\text{Na}^{24}$  ions of keV energies in aluminum, 3=24385
- McCargo, M., Davies, J.A. and Brown, F. Range of  $\text{Xe}^{133}$  and  $\text{Ar}^{41}$  ions of keV energies in tungsten, 3=22878
- McCargo, M. See Davies, J.A., 3=19372
- McCargo, M. See Domeij, B., 4=27580
- McCargo, M. See Piercy, G.R., 3=15521
- McCargo, M. See Piercy, G.R., 4=22642
- McCarroll, B. Trapping and energy transfer in atomic collisions with a crystal surface. II. Impurities, 3=25769
- McCarroll, B. and Ehrlich, G. Trapping and energy transfer in atomic collisions with a crystal surface, 3=8923
- McCarroll, B. and Lietzke, M.H. Indium sulfate: Raman spectra and incomplete dissociation, 0=10671
- McCarroll, B. See Irish, D.E., 4=5184
- McCarroll, R. Resonance charge transfer between H(1s) and  $\text{H}^+$  calculated by means of an approximation based on an expansion in atomic eigenfunctions, 1=19608
- McCarroll, R. Electron scattering by the helium positive ion in the 1s, 2s or 2p state, 4=15301
- McCarroll, R. and McElroy, M.B. Electron capture by  $\alpha$ -particles in hydrogen, 2=6107
- McCarroll, R. See Bates, D.R., 2=12277
- McCarroll, R. See Burke, P.G., 2=18409
- McCarroll, R. See Burke, V.M., 2=18410
- McCarroll, W.E. Phases in the photoelectric sodium-potassium-antimony system, 1=7077
- McCarroll, W.H. Crystal structure of photoelectric films
- McCarroll, W.H. and Simon, R.E. Simple electron diffraction camera for the examination of alkali antimonide photoelectric films, 4=15785
- McCarroll, W.H. See Bube, R.H., 0=7961
- McCarron, R.L. See Belton, G.R., 4=27387
- McCarter, R.S. See Boxer, A.S., 2=13678
- McCarthy, A.L. See Cohen, B.L., 2=10017
- McCarthy, A.L. See Cohen, B.L., 2=20487
- McCarthy, A.L. See Cohen, B.L., 3=19762
- McCarthy, A.L. See Fulmer, R.H., 3=2390
- McCarthy, A.L. See Fulmer, R.H., 3=24833
- McCarthy, A.L. See Fulmer, R.H., 4=12270
- McCarthy, D.E. Response characteristics of a radiation thermocouple at various pressures, 1=11853
- McCarthy, D.E. The reflection and transmission of infrared materials. I. Spectra from 2-50 microns, 3=16749
- McCarthy, D.E. The reflection and transmission of infrared materials. II. Bibliography, 3=16750
- McCarthy, I.E. Information obtained from reactions at extreme angles, 2=1854
- McCarthy, I.E. Optical model in the interior of the nucleus, 3=2425
- McCarthy, I.E. Phases of partial matrix elements and the parity rule for inelastic scattering, 4=22085
- McCarthy, I.E. and Prowse, D.J. Question of nucleon clusters in the nuclear surface, 0=11294
- McCarthy, I.E. and Prowse, D.J. A model for the interpretation of  $\text{K}^-$ -meson captures at rest in complex nuclei, 0=20507
- McCarthy, I.E. and Pursey, D.L. Simple realistic treatment of nuclear direct-interaction processes, 1=7363
- McCarthy, I.E. and Pursey, D.L. A simple treatment of nuclear direct interaction processes, 1=8675
- McCarthy, I.E. See Amos, K.A., 4=6187
- McCarthy, I.E. See Baker, G.A., Jr., 0=17470
- McCarthy, I.E. See Dodd, L.R., 4=18072
- McCarthy, I.E. See Dodd, L.R., 4=19743
- McCarthy, I.E. See Kromminga, A.J., 0=11404
- McCarthy, I.E. See Kromminga, A.J., 1=5904
- McCarthy, I.E. See Kromminga, A.J., 1=8681
- McCarthy, I.E. See Kromminga, A.J., 2=12184
- McCarthy, I.E. See Lim, K.L., 3=19841
- McCarthy, I.E. See Lim, K.L., 4=15206
- McCarthy, K.A. and Ballard, S.S. Thermal conductivity of eight halide crystals in the temperature range 220°K to 390°K, 15822
- McCarthy, K.A. See Little, W.J., 0=13958
- McCarthy, K.A. See Sampson, J.L., 3=11218
- McCarthy, K.A. See Sastry, P.V., 4=28711
- McCarthy, R.L. and MacLachlan, A. Observation of free radical kinetics in the cyclohexane-oxygen system, 1=20727
- McCartin, P.J. See Stevens, B., 1=15962
- Macartney, E. See Metson, G.H., 0=263
- Macartney, E. See Metson, G.H., 0=7138
- Macartney, J.T. and Ergun, S. Refractive index and thickness of ultrathin sections of coals and graphite by interferometry, 2=4115
- Macartney, J.T. See Ergun, S., 0=20992
- McCarty, F.G., Hersh, L.S. and Kleppa, O.J. Note on the heats of mixing in charge-unsymmetrical fused salt solutions, 4=29622
- McCarty, K.P. and Mason, F.A. Kirkendall effect in gaseous diffusion, 1=176
- McCarty, L.V. Electrical properties of high-purity silicon made from silicon tetraiodide, 0=4349
- McCarty, M., Jr. and Robinson, G.W. Environmental perturbations on foreign atoms and molecules in solid argon, krypton and xenon, 0=20661
- McCarty, M., Jr. See Kummier, R.H., 4=24623
- McCarty, R.D., Stewart, R.B. and Timmerhaus, K.D.  $P$ - $\rho$ - $T$  values for neon from 27° to 300°K for pressures to 200 ATM using corresponding states theory, 4=14205
- McCauley, D.G. See Seraphin, B.O., 4=19272
- McCauley, G.P. Parity, 1=3103
- McCauley, J.W. and Hough, W.S. A relationship between the lower ionosphere and the [OI] 5577 nightglow emission, 0=12201
- McCauley, J.W., Roach, F.E. and Matsushita, S. A study of local geomagnetic influence on the [O I] 5577 nightglow emission at Fritz Peak, 0=14293



- McCaulley, J.W. See Roach, F.E., 0=14294
- MacChesney, J. B. and Johnson, G. E. Room-temperature dielectric properties of fast-neutron-irradiated fused silica and  $\alpha$  alumina, 4=28620
- McChesney, M. Shock tube  $\beta$ -ray densitometer, 2=64
- McChesney, M. Vibrational relaxation in dissociating diatomic gases, 3=15388
- McChesney, M. and Coltman, M. The design and construction of a rotating mirror smear camera for arc discharge studies, 2=17665
- McChesney, M., McNeill, P.C. and Matthews, J.J. Studies of the low pressure argon arc in a magnetic field, 1=2953
- McChesney, M. See Al-Attar, Z., 4=27225
- McChesney, M. See Jones, N.R., 3=23973
- McClain, E.F., Nichols, J.H. and Waak, J.A. Investigation of variations in the decimeter-wave emission from Jupiter, 3=7047
- McClain, E.F. and Sloanaker, R.M. Preliminary observations at 10 cm wavelength using the N.R.L. 84 foot radio telescope, 0=18625
- McClain, E.F., Jr. The 600-foot radio telescope, 2=15398
- McClain, W.C. See Rinehart, J.S., 0=19260
- McClary, J. F. and Eisele, J. A. An improved scintillation beta spectrometer, 4=30217
- McClary, J. F. See Eisele, J. A., 4=30106
- McClay, D.B. and Johnson, H.M. Measurement of magnetic susceptibilities by the Quincke method, 3=17016
- McClees, H.C. See Paik, S.F., 3=12091
- McClellan, A.L. On twisted organic crystals, 0=8148
- McClellan, L.W. See Brugger, R.M., 0=12940
- McClellan, M.E. See Small, A.M., Jr., 3=21166
- McClelland, C.L. and Lowe, J. Lifetimes of the first excited states of  $Mg^{25}$  and  $Al^{27}$ , 3=12585
- McClelland, C.L. See Lowe, J., 2=13981
- McClelland, C. L. See Lowe, J., 4=1012
- McClelland, D.H. and Stephens, C.W. Development of lightweight metallic optical elements, 2=11470
- McClelland, J.D. and Whitney, D.L. Effect of pressures on the density of compacted tin powders, 3=6875
- McClelland, J.D. See Rasor, N.S., 0=12531
- McClelland, J.D. See Rasor, N.S., 1=17416
- McClelland, W.M. Photoproduction of charged  $\pi$  mesons from nuclei, 1=12098
- M'Clements Lambie, M. B. A three-dimensional track simulator, 4=30132
- McCliment, E. See Barger, V., 4=19558
- McCliment, E.R. and Nishijima, K. Dynamical approach to the selection rule  $|\Delta| = \frac{1}{2}$ , 3=2197
- McClin, R. See Facetti, J., 2=20540
- McClintock, F.A. Contribution of interface couples to the energy of a dislocation, 0=17935
- McClintock, F.A. and Sukhatme, S.P. Travelling cracks in elastic materials under longitudinal shear, 0=19029
- McClintock, R. See Carr, C.W., 2=11612
- McClintock, R.M. and Gibbons, H.P. Mechanical properties of structural materials at low temperatures. A compilation from the literature, 0=16206
- McClintock, R. M. See Hall, J. L., 4=7199
- McCloud, G.H. See Stuepegia, D.C., 2=5946
- McClung, F.J. and Hellwarth, R.W. Giant optical pulsations from ruby, 2=8511
- McClung, F.J. and Hellwarth, R.W. Giant optical pulsations from ruby, 3=9968
- McClung, F.J., Schwarz, S.E. and Meyers, F.J.  $R_2$  line optical maser action in ruby, 2=23545
- McClung, F.J. and Weiner, D. Measurement of Raman scattering cross sections for use in calculating stimulated Raman scattering effects, 4=17300
- McClung, F.J. See Buddenhagen, D.A., 2=5154
- McClung, F.J. See Eckhardt, G., 3=5445
- McClung, R. W. Techniques for low-voltage radiography, 3=2073
- McClure, B.T. Current buildup in neon gas discharges at small overvoltages, 2=3023
- McClure, B.T. Statistics of particle diffusion in spherical geometry, 3=14199
- McClure, B.T. See Bills, D.G., 2=1448
- McClure, D.S. Optical spectra of transition-metal ions in corundum, 2=14677
- McClure, D.S. Comparison of the crystal fields and optical spectra of  $Cr_2O_3$  and ruby, 3=15575
- McClure, D. S. Optical spectra of exchange coupled Mn ion pairs in  $ZnS:MnS$ , 4=7162
- McClure, D. S. Energy exchange processes, 4=9879
- McClure, D.S. and Kiss, Z. Survey of the spectra of the divalent rare-earth ions in cubic crystals, 4=7153
- McClure, D. S. and Kiss, Z. Survey of the spectra of the divalent rare earth ions in cubic crystals, 4=20465
- McClure, D.S. See Dyck, R.H., 2=14675
- McClure, D.S. See Weakliem, H.A., 2=3908
- McClure, F.T., Fart, R.W. and Bird, J.F. Acoustic resonance in solid propellant rockets, 0=8735
- McClure, F.T. See Bird, J.F., 0=10808
- McClure, F.T. See Bird, J.F., 0=19251
- McClure, F.T. See Cantrell, R.H., 3=11864
- McClure, G.W. Similitude and anode material effects in  $H_2$  and  $D_2$  discharges below the critical pressure, 0=9020
- McClure, G.W. High-voltage glow discharges in  $D_2$  gas. I. Diagnostic measurements, 1=18804
- McClure, G.W. Charge exchange and dissociation of  $H^+$ ,  $H_2^+$ , and  $H_3^+$  ions incident on  $H_2$  gas, 3=15350
- McClure, G. W. Double-electron capture by protons in  $H_2$  gas, 4=2949
- McClure, G. W. Charge exchange and dissociation of  $H^+$ ,  $H_2^+$  and  $H_3^+$  ions incident on  $H_2$  gas, 4=11529
- McClure, G. W. Low-pressure glow discharge, 4=18721
- McClure, G. W. Ionization and dissociation of fast  $H_2$  molecules incident on  $H_2$  gas, 4=20114
- McClure, G.W. and Granzow, K.D. High-voltage glow discharges in  $D_2$  gas. II. Cathode fall theory, 2=3014
- McClure, G.W. See Granzow, K.D., 2=9549
- McClure, J. See Anderson, J.D., 2=18272
- McClure, J.A. See MacRae, R.A., 1=21112
- McClure, J.J. See Ecker, G., 2=22214
- McClure, J.J. See Ecker, G., 3=7573
- McClure, J.W. Theory of diamagnetism of graphite, 0=13730
- McClure, J.W. Electronic structure and magnetic properties of monocrystalline graphite, 1=5880
- McClure, J.W. The electronic structure of rare earth monosulfides, 3=20131
- McClure, J.W., See Anderson, J.D., 0=458
- McClure, J.W. See Anderson, J.D., 2=13940
- McClure, J.W. See Anderson, J.D., 3=10347
- McClure, J.W. See Broudy, R.M., 0=18005
- McClure, J.W. See Soule, D.E., 4=15519
- McClure, J.W. See Wong, C., 0=1276
- McClure, J.W. See Wong, C., 1=11010
- McClure, J.W. See Wong, C., 2=18328
- McClure, J.W. See Wong, C., 3=6255
- McClure, N.R. See Herzberger, M., 3=16737
- McCluskey, G.E., Jr. See Wood, F.B., 1=18103
- McColgin, F.H. Movement thresholds in peripheral vision, 0=14344
- McCollum, D.C., Jr. and Callaway, J. Spin-wave contribution to the specific heat of  $EuS$ , 3=2729
- McCollum, D.C., Jr. and Silsbee, H.B. Specific heats of rubidium and cesium between 1.3 and 13°K, 2=16608
- McCollum, D.C. See Callaway, J., 3=15781
- McColm, D.W. See Hughes, V.V., 0=17365
- McComas, R.S. See Bortfeld, D.F., 4=24932
- McCombe, B.D. See LaCasce, E.O., Jr., 2=2834
- McCombie, C.W. Fluctuations in photon streams, 0=5123
- McCombie, C.W., Matthew, J.A.D. and Murray, A.M. Modification of lattice vibrations by an imperfection, 2=3823
- McCombie, C.W. See Karo, A.M., 0=13554
- MacConaill, A. See Armitage, W. K., 4=23517
- McCone, A., Jr. See Hirschfelder, J.O., 0=210
- McConkey, E.A.G. See Barker, R.S., 0=16074
- McConkey, E.A.G. See Barker, R.S., 1=6119
- McConkey, G. See Prock, A., 0=3520
- McConkey, J. W., Burns, D. J. and Emeleus, K. G. Forbidden auroral radiation from gas mixtures, 4=18708
- McConnell, H.M. Theory of singlet-triplet splittings in large biradicals, 0=15771
- McConnell, H.M. Spin-orbit coupling in orbitally degenerate states of aromatic ions, 1=4947
- McConnell, H.M. The biradical paradox, 1=6026
- McConnell, H.M. Intramolecular charge transfer in aromatic free radicals, 1=12322
- McConnell, H.M. Antiparallel spin polarization in triplet states, 2=2006
- McConnell, H.M. Ferromagnetism in solid free radicals, 4=6657
- McConnell, H.M. and Fessenden, R. W. Carbon-13 hyperfine splitting in  $Cl(COOH)_2$ , 0=5968
- McConnell, H.M. and Giuliano, C.R.  $CH_2(COOH)$  in malonic acid, 2=6892



- McConnell, H.M., Griffith, H.O. and Pooley, D. Spin exchange between excitons and free radicals, 2=16634
- McConnell, H.M., Heller, C., Cole, T. and Fessenden, R.W. Radiation damage in organic crystals. I.  $\text{CH}(\text{COOH})_2$  in malonic acid, 0=13571
- McConnell, H.M. and Lynden-Bell, R. Paramagnetic excitons in solid free radicals, 2=14413
- McConnell, H.M. and McLachlan, A.D. Nuclear hyperfine interactions in orbitally degenerate states of aromatic ions, 1=4943
- McConnell, H.M. and Montgomery, C.G. Quantum states of a triplet exciton gas, 3=25252
- McConnell, H.M. and Soos, Z. Phonon-coupled interactions between paramagnetic excitons, 4=9917
- McConnell, H.M. See Cole, T., 0=503
- McConnell, H.M. See Dearman, H.H., 1=6055
- McConnell, H.M. See Dearman, H.H., 1=9058
- McConnell, H.M. See Halford, D., 4=28878
- McConnell, H.M. See Hanna, M.W., 2=18495
- McConnell, H.M. See Heller, C., 0=13572
- McConnell, H.M. See Lefebvre, R., 0=4233
- McConnell, H.M. See Lynden-Bell, R.M., 2=20975
- McConnell, H.M. See Sternlicht, H., 0=16101
- McConnell, H.M. See Sternlicht, H., 1=20194
- McConnell, H.M. See Thomas, D.D., 4=4415
- McConnell, H.M. See Thomas, D.D., 4=20584
- McConnell, H.M. See Wood, D.E., 3=1184
- McConnell, J. and Shapiro, J. Covariant statistical treatment of antiproton annihilation, 3=19632
- McConnell, J.D.C. See Rickson, K.O., 3=20813
- McConnell, J.R. See Anderson, D.W., 3=17453
- McConville, T. and Serin, B. Thermal and magnetic properties of second-kind superconductors. III. Specific heat of Nb in a magnetic field, 4=18573
- McCool, W.J. and Otis, D.R. Calibration of ORNL lid-tank fission plates, 0=13342
- McCool, W.J., Robinson, R.A., Schrader, E.W. and Weiss, S.H. SM-2 flexible critical experiments, 2=3644
- McCormack, J.D. See McCormick, R.D., 2=5408
- McCormack, K. See Baker, D.D., 3=14257
- McCormack, K. See Diercks, K.J., 3=5483
- McCormack, P.D. See Crane, L., 4=21084
- McCormick, B.H. and Narasimhan, R. Design of a pattern recognition digital computer with application to the automatic scanning of bubble chamber negatives, 3=19521
- McCormick, B.H. See Klein, A., 0=17321
- McCormick, J.L. and Baer, E. On the mechanism of heat transfer in dropwise condensation, 3=12009
- McCormick, R.D. and McCormack, J.D. Hydrogen and carbon target preparation for a positive ion accelerator, 2=5408
- McCormick, W.D. See Careri, G., 2=22108
- McCormick, W.D. See Careri, G., 4=14499
- McCormick, W.D. See Tough, J.T., 4=5495
- McCormick, W.D. See Tough, J.T., 4=29600
- McCormick, W.W. See Jones, H.W., 1=10683
- McCory, L.D., Paule, R.C. and Margrave, J.L. Infrared spectra of gaseous  $\text{AlF}_3$ ,  $\text{LiAlF}_4$ , and  $\text{NaAlF}_4$ , 3=22553
- McCoubrey, A.O. See Phelps, A.V., 0=13394
- McCoubrey, J.C., Milward, R.C. and Ubbelohde, A.R. Energy transfer in polyatomic molecules. II. Relative catalytic efficiency for energy transfer to different vibrations to the same molecule, 1=19676
- McCoubrey, J.C., Milward, R.C. and Ubbelohde, A.R. Relative efficiencies of  $\text{H}_2\text{O}$  and  $\text{D}_2\text{O}$  as catalysts for transfer of vibrational energy, 2=23015
- McCoubrey, J.C. and Singh, N.M. Intermolecular forces in quasi-spherical molecules. II, 0=2753
- McCoubrey, J.C. See Arnold, J.W., 0=7817
- McCoubrey, J.C. See Hudson, G.H., 1=19675
- McCourt, F.R. See Snider, R.F., 3=18846
- McCowan, J.D. and McIntosh, R. The complex dielectric constant at low microwave frequencies of ethyl chloride adsorbed on porous Vycor glass, 1=9423
- McCoy, B. See Bandy, A., 4=27181
- McCoy, H.E., Jr. See Stephenson, R.L., 2=4311
- McCoy, J.J. See Kaul, R.K., 4=18309
- McCoy, G.C. and Milford, S.N. Born cross sections for inelastic scattering of electrons by hydrogen atoms. IV. Approximate values for allowed transitions up to  $n = 10$ , 3=10473
- McCoy, G.C., Milford, S.N. and Wahl, J.J. Born cross sections for inelastic scattering of electrons by hydrogen atoms. I. 3s, 3p, 3d states, 0=13403
- McCracken, A.K., Jowitt, R. and Lock, M. The use of  $\text{Sn}^{32}(\text{n}, \text{p})\text{P}^{32}$  reaction for the measurement of fast neutron flux in regions of low intensity, 2=22540
- McCracken, C.W., Alexander, W.M. and Dubin, M. Direct measurement of interplanetary dust particles in the vicinity of the earth, 2=24085
- McCracken, C.W. See Alexander, W.M., 2=6986
- McCracken, C.W. See Dubin, M., 2=17235
- McCracken, G.M. and Love, H.M. Diffusion of lithium through tungsten, 0=17976
- McCracken, G.M. See Love, H.M., 3=8455
- McCracken, J.G. See Hickman, B.S., 4=4092
- McCracken, K.G. The production of cosmic radiation by a solar flare on August 31, 1956, 0=391
- McCracken, K.G. A correlation between the emission of white light and cosmic radiation by a solar flare, 0=392
- McCracken, K.G. Energy dependence of transient changes in the primary cosmic-ray spectrum, 0=7435
- McCracken, K.G. The cosmic-ray flare effect. I. Some new methods of analysis, 2=9963
- McCracken, K.G. The cosmic ray flare effect. I. The flare effects of May 4, November 12, and November 15, 1960, 2=9964
- McCracken, K.G. The cosmic-ray flare. III. Deductions regarding the interplanetary magnetic field, 2=9965
- McCracken, K.G. The propagation of cosmic rays through interplanetary space on May 4, 1960 and during November, 1960, 2=13899
- McCracken, K.G. and Freon, A. Asymptotic directions and cut-off rigidities in the geomagnetic field, 2=16253
- McCracken, K.G. and Palmeira, R.A.R. Comparison of solar cosmic rays injection including July 17, 1959, and May 4, 1960, 1=13582
- McCracken, K.G. and Palmeira, R.A.R. The magnetic fields in interplanetary space as derived from observations of the cosmic ray solar flare effects, 1=18017
- McCracken, K.G. See Freon, A., 2=12100
- McCracken, K.G. See Palmeira, R.A.R., 0=17451
- McCracken, K.G. See Steljes, J.F., 1=16935
- MacCracken, L.G. Reflection of plane waves by random cylindrical surfaces, 1=16561
- McCrackin, F.L., Passaglia, E., Stromberg, R.R. and Steinberg, H.L. Measurement of the thickness and refractive index of very thin films and the optical properties of surfaces by ellipsometry, 3=24062
- McCrary, J.H. See Ashe, J.B., 1=9705
- McCray, J.A. Elastic scattering of protons from  $\text{Li}^6$  nuclei, 3=15188
- McCrea, D. and McKirgan, T.V.M. Electron excitation of atomic hydrogen in the 2p-level, 0=5852
- McCrea, W.H. The interpretation of cosmology, 0=16522
- McCrea, W.H. The formation of population I stars. I. Gravitational contractions, 0=18864
- McCrea, W.H. The origin of the solar system, 1=14
- McCrea, W.H. Star formation with special reference to stellar clusters, 1=12757
- McCrea, W.H. Formation of stars from interstellar matter, 2=941
- McCrea, W.H. Evidences of evolution in astronomy, 2=21727
- McCrea, W.H. Release of gravitational energy in general relativity, 4=18054
- McCrea, W.H. Why are all electrons alike?, 4=23826
- McCrea, W.H. Extended main-sequence of some stellar clusters, 4=29403
- McCrea, W.H. Continual creation, 4=30962
- McCrea, W.H. and McNally, D. The formation of population I stars. II. The formation of molecular hydrogen in interstellar matter, 0=18865
- McCrea, W.H. See Agacy, R.L., 2=9051
- McCrea, W.H. See Bondi, H., 0=16570
- McCrea, W.H. See Crampin, J., 0=14497
- McCrea, W.H. See Davidson, W., 0=18606
- MacCready, P.B., Jr. Turbulence measurements by sail-plane, 2=11015
- MacCready, P.B., Jr. The inertial subrange of atmospheric turbulence, 2=11016
- McCree, K.J. Colour confusion produced by voluntary fixation, 1=1620
- McCree, K.J. The saturation of spectral colours viewed in a small field, 1=6677
- McCree, K.J. Small-field tritanopia and the effects of voluntary fixation, 1=6678
- MacCrone, R.K. Apparatus for obtaining X-ray extinction micrographs of single crystals, 3=5094



- MacCrone, R.K., McCammon, R.D. and Rosenberg, H.M. The fatigue of metals at 1.7°K, 0=18283
- MacCrone, R.K. and Nabarro, F.R.N. Behaviour of broadcast frequency waves at oblique incidence during an annular eclipse, 1=16592
- MacCrone, R.K., Thornton, P.H. and Kuhlmann-Wilsdorf, D. Tensile machine for small specimens, 4=17715
- McCrosky, R.E. and Posen, A. Orbital elements of photographic meteors, 2=19289
- McCrum, N.G. and Morris, E.L. On the measurement of the activation energy for creep in anelastic solids, 3=8769
- McCrum, N.G. and Morris, E.L. On the measurement of the activation energies for creep and stress relaxation, 4=28922
- McCubbin, T.K., Grosso, R.P. and Mangus, J.D. A high-resolution grating-prism spectrometer for the infrared, 2=17609
- McCubbin, T.K., Jr. A double-pass spectrometer, 1=10592
- McCubbin, T.K., Jr. Methods of far infrared spectroscopy, 4=14352
- McCubbin, T.K., Jr and Grosso, R.P. A white-type multiple-pass absorption cell of simple construction, 3=24022
- McCubbin, T.K., Jr. See Gordon, H.R., 4=28221
- McCubbin, T.K., Jr. See Grosso, R.P., 4=25676
- McCubbin, T.K., Jr. See Rank, D.H., 0=155
- McCubbin, T.K., Jr. See Rank, D.H., 0=17710
- McCue, J.C. Soft gamma radiography with minimum hazard radioisotope, 3=12280
- McCue, J.C. See Ziegler, C.A., 2=4575
- McCue, J. J. G. and Bertolini, A. A portable receiver for ultrasonic waves in air, 4=29716
- McCullagh, G.C. A simple plasma oscillator, 1=5482
- McCullagh, G.C. See Mahaffey, D.W., 2=1464
- McCullen, J.D., Bayman, B.F. and Zamick, L. Spectroscopy in the nuclear  $1f_{7/2}$  shell, 4=16998
- McCullen, J.D. and Kraushaar, J.J. Decay of  $K^{42}$  and  $Sc^{44}$ , 1=7356
- McCullen, J.D. See Bayman, S.F., 4=6270
- McCullen, J.D. See Dillman, L.T., 3=12623
- McCullen, J.D. See Harris, D.L., 4=988
- McCullen, J.D. See Wilson, R.R., 2=7929
- McCulley, L. See Beyer, R.B., 4=8491
- McCulley, L. See Evans, M.W., 4=23656
- McCulloch, D.B. See Ingram, G., 1=766
- McCulloch, D.S. Vacuole disappearance temperatures of laboratory-grown hopper halite crystals, 0=8149
- McCulloch, P.M. See Ellis, G.R.A., 3=18658
- McCulloch, P.M. See Ellis, G.R.A., 3=25981
- McCullough, C.M. See Muraca, R.F., 3=14130
- McCullough, H. See Corfield, W., 0=19793
- McCullough, J.D. The crystal structure of tetramethylammonium perchlorate, 4=26682
- McCullough, J.D., Chao, G.Y. and Zuccaro, D.E. The structure of the compounds of iodine with 1,4 diselenane and 1,4 dithiane, 0=3245
- McCullough, J.P. See Douslin, D.R., 1=15952
- McCullough, J.P. See Guthrie, G.B., 2=8764
- McCullough, J.P. See Scott, D.W., 1=13985
- McCullough, J.P. See Scott, D.W., 2=3732
- McCullough, J.P. See Scott, D.W., 2=15822
- McCullough, J.P. See Scott, D.W., 2=20847
- McCullough, J.P. See Scott, D.W., 3=8291
- McCullough, J.P. See Scott, D.W., 4=28225
- McCullough, J.R. A photoelectric search for ultra-short-period variable stars, 4=17980
- McCullough, R.A. See Skibitzke, H.E., 1=15830
- McCullough, T.P. and Bolland, J.W. Observations of Venus at 2.07 cm., 4=13958
- McCullough, T.P. See Mayer, C.H., 2=19352
- McCullough, T.P. See Mayer, C.H., 3=18653
- McCullough, T.P. See Mayer, C.H., 4=10926
- McCumber, D.E. Generalized self-consistent-field and random-phase approximations for multiphase systems, 1=15728
- McCumber, D.E. Quantum-mechanical many-particle treatment of sound propagation, 1=15743
- McCumber, D.E. Theory of cavity masers, 3=12355
- McCumber, D.E. Comments on spin-lattice relaxation, 3=15428
- McCumber, D.E. Width of the narrow "no-phonon" lines in the optical spectra of impurities in solids, 4=10150
- McCumber, D.E. Theory of phonon-terminated optical masers, 4=14939
- McCumber, D.E. Theory of vibrational structure in optical spectra. Impurities in solids. II. Multiplets, 4=17546
- McCumber, D.E. Effects of dynamic perturbations on optical spectra of impurities in insulators, 4=28348
- McCumber, D.E. Theory of vibrational structure in optical spectra of impurities in solids. I. Singlets, 4=13006
- McCumber, D.E. and Platzman, P.M. Stimulated-emission effects in hot plasmas, 4=509
- McCumber, D.E. and Sturge, M.D. Linewidth and temperature shift of the R-lines in ruby, 3=15690
- McCumber, D.E. See Imbusch, G.F., 4=10216
- McCune, J.E. On the superkinetic equation for spatially-homogeneous plasmas, 4=11564
- McCune, J.E. Master equation for plasmas, 4=29904
- McCune, J.E. See Resler, E.L., Jr., 1=5557
- McCune, R.A. Helium path diffractometry and its application to determination of retained austenite and macrostress in steel, 4=13628
- McCune, R.A. See Leighly, H.P., Jr., 4=23327
- Macurdy, L.B. Response of highly precise balances to thermal gradients, 4=29504
- Macurdy, L.B. See Almer, H.E., 4=29505
- MacCurley, E.P. and Blake, C. Simple null-indicating saturable-core magnetometer for the detection of static magnetic fields, 0=7186
- McCurley, E.P. See Blake, C., 3=24462
- McCurry, R.E. and Schaffert, R.M. Space-charge-limited currents in resin films, 1=1023
- McCusker, C.B.A. Measurement of primary directions in extensive air showers, 0=1330
- McCusker, C.B.A. Extensive air shower work in Australia, 2=20465
- McCusker, C.B.A., Malos, J. and Poole, P.C. An experiment to check an apparent north-south asymmetry in arrival direction of cosmic ray air shower  $10^8$  particles, 1=2134
- McCusker, C.B.A., Page, D.E. and Reid, R.J. Directional properties of an extensive air shower array, 0=1331
- McCusker, C.B.A., Page, D.E. and Reid, R.J. The solar variation in rate of extensive air showers, 1=2152
- McCusker, C.B.A. and Peak, L.S. The meson multiplicity in nucleon-nucleon collisions at 3000 GeV, 4=11983
- McCusker, C.B.A. and Winn, M.M. A new method of recording large cosmic-ray air showers, 3=12526
- McCusker, C.B.A. See Bray, A.D., 4=19617
- McCusker, C.B.A. See Brisbout, F.A., 1=2111
- McCusker, C.B.A. See Brisbout, F.A., 1=13562
- McCusker, C.B.A. See Brisbout, F.A., 1=16844
- McCusker, C.B.A. See Brisbout, F.A., 3=6109
- McCusker, C.B.A. See Day, G., 3=7849
- McCusker, C.B.A. See Farrow, E., 3=19724
- McCusker, C.B.A. See Gould, C.F., 3=17367
- McCusker, C.B.A. See Reid, R.J., 1=12138
- McCusker, C.B.A. See Reid, R.J., 3=4504
- McCusker, C.B.A. See Ueda, A., 1=13561
- McCusker, C.B.A. See Ueda, A., 2=9958
- McCutchen, C.W. TIM; a brushless generating magnetometer, 0=3827
- McCutchen, C.W. Refractometer microscope, 2=15724
- McCutchen, C.W. Generalized aperture and the three-dimensional diffraction image, 4=11331
- McCutchen, C.W. Optical systems for observing surface topography by frustrated total internal reflection and by interference, 4=30876
- McDade, P.J. See Ingham, H.S., Jr., 0=17938
- McDanel, D.L. See Jech, R.W., 4=17719
- McDaniel, B.D., Joos, P., McLeod, D., Richert, S. and Zipoy, D. Polarization of  $\Lambda^0$  from photoproduction in hydrogen, 0=5616
- McDaniel, B.D., Silverman, A., Wilson, R.R. and Cortellessa, G. Photoproduction of  $K^+$  mesons, 0=382
- McDaniel, B.D. See Anderson, R.L., 2=22625
- McDaniel, B.D. See Anderson, R.L., 3=12051
- McDaniel, B.D. See Sadoff, A.J., 4=12198
- McDaniel, B.D. See Stein, P., 3=4397
- McDaniel, B.D. See Thom, H., 4=9296
- McDaniel, E.W., Hooper, J.W., Martin, D.W. and Harmer, D.S. The ionization by  $H^+$  ions in the energy range 0.15 - 1.1 MeV, 3=4006
- McDaniel, E.W., Martin, D.W. and Barnes, W.S. Drift tube-mass spectrometer for studies of low-energy ion-molecule reactions, 2=3101
- McDaniel, E.W. See Hooper, J.W., 1=4555
- McDaniel, E.W. See Hooper, J.W., 2=9529
- McDaniel, E.W. See Martin, D.W., 2=6984
- McDaniel, E.W. See Martin, D.W., 4=11536
- McDaniel, E.W. See Martin, D.W., 4=24569



- McDaniel, G.W. and DiMattia, A.P. Inspecting infrared optical materials and systems by means of the evaporograph, 2=19687
- McDaniel, G.W. and Robinson, D.Z. Thermal imaging by means of the evaporograph, 2=15726
- McDaniel, J.B. Collodion technique of mirror cleaning, 4=16205
- McDaniel, M.L., Babb, S.E., Jr. and Scott, G.J. Melting curves of five metals under high pressure, 2=19777
- McDaniel, R.E. See Alumkal, A., 0=17575
- McDaniel, R.E. See Kane, G., 3=7946
- McDaniels, D. See Beurtey, R., 3=10374
- McDaniels, D.K., Blair, J.S., Chen, S.W. and Farwell, G.W. Alpha-particle excitation of quadrupole and octupole surface modes in Ti, Fe, Ni, Zn and Sr, 0=20469
- McDaniels, D.K., Brandenberg, W., Farwell, G.W. and Hendrie, D.L. A magnetic analysis of 42 MeV cyclotron alpha particles, 2=9938
- McDaniels, D.K., Hendrie, D.L., Bassel, R.H. and Satchler, G.R. Alpha-gamma angular correlations and the distorted-wave theory, 2=22850
- McDaniels, D.K. See Blair, J.S., 0=17608
- McDaniels, D.K. See Naqib, I., 1=7111
- McDavid, W. L. See Callan, E. J., 4=25477
- McDermott, L.C., Jones, K.W., Smotrich, H. and Benenson, R.E. Elastic scattering of alpha particles by  $O^{16}$ , 0=9645
- McDermott, L.C. See Smotrich, H., 1=7404
- McDermott, M. See Faust, W., 0=17664
- McDermott, M.N. and Lichten, W.L. Hyperfine structure of the  $6^3P_2$  state of  $^{199}Hg$  and  $^{201}Hg$ . Properties of metastable states of mercury, 0=13413
- McDermott, M.N. and Novick, R. Large-aperture polarizers and retardation plates for use in the far ultraviolet, 1=11846
- McDermott, M.N., and Novick, R. Optical double resonance in radioactive atoms: spin and nuclear moments of the ground state of  $Cd^{109}$ , 3=19931
- McDermott, M.N., Perry, B.W. and Saloman, E.B. Spin and nuclear moments of 2,3-day  $Cd^{115}$  and of 43-day  $Cd^{115m}$ , 4=15162
- McDermott, M.N. See Byron, F.W., Jr., 4=3537
- McDermott, M.N. See Byron, F.W., Jr., 4=15294
- McDermott, M.N. See Byron, F.W., Jr., 4=17245
- McDermott, M.N. See Faust, W.L., 1=11065
- McDermott, M.N. See Thaddeus, P., 4=3788
- McDermott, P.S., Powell, R.L. and Stack, E.R. Infrared measurement of the optical constants of the low melting temperature glass system of 30% arsenic-34% sulfur-36% thallium, 2=8479
- McDermott, P.S. See Alexander, F.B., 4=12933
- MacDiarmid, A. G. See Yarma, R., 4=6605
- MacDiarmid, I.B. Search for 550me particles in the sea-level cosmic radiation, 0=390
- MacDiarmid, I. B. and Burrows, J. R. High-latitude boundary of the outer radiation zone at 1000 km, 4=23793
- MacDiarmid, I. B. and Burrows, J. R. Diurnal intensity variations in the outer radiation zone at 1000 km, 4=23794
- MacDiarmid, I.B., Burrows, J.R., Budzinski, E.E. and Rose, D.C. Satellite measurements in the "Starfish" artificial radiation zone, 3=23635
- MacDiarmid, I. B., Burrows, J. R., Budzinski, E. E. and Wilson, M. D. Some average properties of the outer radiation zone at 1000 km, 4=7899
- MacDiarmid, I.B. and Rose, D.C. High-altitude cosmic ray measurements at Fort Churchill, 0=9485
- MacDiarmid, I.B., Rose, D.C. and Budzinski, E. Direct measurement of charged particles associated with auroral zone radio adsorption, 2=4641
- MacDiarmid, I.B. and Wilson, M.D. The production of high-energy knock-on electrons and bremsstrahlung by  $\mu$ -mesons, 2=16217
- MacDiarmid, I. B. See Burrows, J. R., 4=29321
- MacDiarmid, I.B. See Wilson, M.D., 2=1746
- MacDiarmid, I.B. See Wilson, M.D., 2=12092
- McDonald, A. Electronic theodolite, 4=18015
- McDonald, A.D., Gaskell, D.U. and Gitterman, H.N. Microwave breakdown in air, oxygen, and nitrogen, 3=14560
- Macdonald, A.D. See Bradford, H.M., 0=253
- MacDonald, A.D. See Whitmer, R.F., 2=4884
- MacDonald, A.L. See Hemmat, N., 1=10241
- MacDonald, A.L. See Hemmat, N., 2=10477
- MacDonald, B. and Goetzberger, A. Measurement of the depth of diffused layers in silicon by the grooving method, 2=8384
- McDonald, B. See Goetzberger, A., 3=15600
- McDonald, C. C. E. P. S. spectra of SH, SD, and SO radicals in the gaseous state, 4=3905
- McDonald, C.C. Multiple-quantum transitions in e.p.r. spectra of atomic oxygen, 4=6481
- McDonald, D.F., Dunn, B.J. and Braddock, J.V. Rise-time characteristics of organic solution scintillators, 1=2765
- McDonald, D.F. See Braddock, J.V., 1=13454
- McDonald, D. G., Haeberli, V. and Morrow, L. W. Polarization and cross section of protons scattered by  $He^3$  from 4 to 13 MeV, 4=12003
- MacDonald, D.K.C. Some remarks on lattice thermal conductivity, 0=15818
- Macdonald, D.K.C. Electrical resistance in liquid metals and the change on melting, 1=150
- MacDonald, D.K.C. Some remarks on the Boltzmann and anti-Boltzmann equations, 2=1073
- MacDonald, D.K.C. On Brownian movement and irreversibility, 2=9199
- MacDonald, D.K.C., Mooser, E., Pearson, W.B., Templeton, I.M. and Woods, S.B. On the possibility of thermoelectric refrigeration at very low temperatures, 0=19569
- MacDonald, D.K.C. and Pearson, W.B. Thermoelectricity in metals at normal temperatures — a query, 1=17806
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at low temperatures. VII. Thermo-electricity of the alkali metals between 2 and 20°K, 0=2916
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at very low temperatures, 0=10003
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Measurements of thermoelectricity below 1°K. III., 0=18076
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at low temperatures. VIII. Thermoelectricity of the alkali metals below 2°K, 1=1114
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Measurements of thermoelectricity below 1°K. IV. 1=3796
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at low temperatures. IX. The transition metals as solute and solvent, 2=6508
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity of lithium alloys at very low temperatures, 2=6509
- MacDonald, D.K.C. and Templeton, I.M. Some comments on thermoelectric refrigeration at low temperatures, 2=22105
- MacDonald, D.K.C. See Alkemade, C.T.J., 3=5369
- MacDonald, D.K.C. See Barron, T.H.K., 0=9935
- MacDonald, D.K.C. See Gold, A.V., 0=20945
- MacDonald, D.K.C. See Guénault, A.M., 1=17814
- MacDonald, D.K.C. See Guénault, A.M., 2=654
- MacDonald, D.K.C. See Guénault, A.M., 2=21842
- MacDonald, D.K.C. See Guénault, A.M., 3=23027
- MacDonald, D.K.C. See Guénault, A.M., 3=23771
- MacDonald, D.K.C. See Guénault, A.M., 3=23805
- MacDonald, D. K. C. See Guénault, A. M., 4=2576
- MacDonald, D. K. C. See Guénault, A. M., 4=11123
- MacDonald, D.K.C. See Hughes, D.G., 1=12247
- MacDonald, D.K.C. See Leech, J.W., 0=1687
- McDonald, D.L. Low-temperature irradiation of beryllium oxide, 3=20255
- McDonald, D.L. See Coltman, R.R., Jr., 3=2847
- McDonald, F.A. See Huli, M.H., 1=8461
- McDonald, F.A. See Hull, M.H., Jr., 2=18121
- McDonald, F.A. See Hull, M.H., Jr., 3=585
- McDonald, F.A. See Lassila, K.E., 2=11895
- McDonald, F.B. Primary cosmic-ray intensity near solar maximum, 0=1335
- McDonald, F.B. Cerenkov scintillation counter measurements of the light, medium, and heavy nuclei in the primary cosmic radiation from sunspot minimum to sunspot maximum, 2=18204
- McDonald, F.B. and Webber, W.R. Changes in the low-rigidity primary cosmic radiation during the large Forbush decrease of May 12, 1959, 0=15483
- McDonald, F.B. and Webber, W.R. A study of the rigidity and charge dependence of primary cosmic ray temporal variations, 2=12042
- McDonald, F.B. See Bryant, D.A., 2=18197
- McDonald, F.B. See Bryant, D.A., 3=7953
- McDonald, F.B. See Bryant, D.A., 4=2413
- MacDonald, G.J.F. Interior of the moon, 1=6698
- MacDonald, G.J.F. Stress history of the moon, 1=9253
- MacDonald, G.J.F. Surface heat flow from a differentiated earth, 1=20795
- MacDonald, G.J.F. The earth's free oscillations, 2=4586



- MacDonald, G.J.F. Discussion of paper by W. Barclay Kamb, "The thermodynamic theory of nonhydrostatically stressed solids", 2=6719
- MacDonald, G.J.F. Spectrum of hydromagnetic waves in the exosphere, 2=9025
- MacDonald, G.J.F. On the internal constitution of the inner planets, 3=1514
- MacDonald, G.J.F. Circulation and tides in the high atmosphere, 3=13697
- MacDonald, G.J.F. The escape of helium from the earth's atmosphere, 4=2221
- MacDonald, G.J.F. The interiors of the planets, 4=7972
- MacDonald, G.J.F. See Knopoff, L., 0=8353
- MacDonald, G.J.F. See Knopoff, L., 0=16758
- MacDonald, G.J.F. See Munk, W.H., 0=16555
- MacDonald, H.E. and Bube, R.H. Apparatus for measuring the temperature dependence of photo Hall effects in high-resistivity photoconductors, 2=17739
- MacDonald, H.E. See Blanc, J., 1=12446
- MacDonald, H.E. See Bube, R.H., 1=2421
- MacDonald, H.E. See Bube, R.H., 2=8408
- MacDonald, H.E. See Bube, R.H., 3=6632
- MacDonald, H.E. See Bube, R.H., 3=6633
- MacDonald, I.R. See Clough, S., 3=20674
- MacDonald, J.E. Direct absorption of solar radiation by atmospheric water vapor, 0=14409
- MacDonald, J.E. Large-sphere limit of the radar back-scattering coefficient, 2=11793
- MacDonald, J.E. A note on anomalous adiabatic cooling rates in clouds, 2=24019
- MacDonald, J.E. Homogeneous nucleation of vapor condensation. I. Thermodynamic aspects, 3=3931
- MacDonald, J.E. Homogeneous nucleation of vapor condensation. II. Kinetic aspects, 3=3932
- MacDonald, J.E. Caustic of the primary rainbow, 3=9577
- MacDonald, J.E. Stratospheric cloud over Northern Arizona, 3=16220
- MacDonald, J.E. Intermolecular attractions and saturation vapor pressure, 3=18495
- MacDonald, J.E. Use of the electrostatic analogy in studies of ice crystal growth, 4=13541
- MacDonald, J.E. Cloud nucleation on insoluble particles, 4=17885
- MacDonald, J.E. The saturation adjustment in numerical modelling of fog, 4=17888
- MacDonald, J.E. On a criterion governing the mode of cloud formation in planetary atmospheres, 4=17991
- MacDonald, J.E. A thermodynamic relation in the theory of homogeneous nucleation of supercooled droplets, 4=27376
- MacDonald, J.E. and Cobble, J.W. The heats of combustion of  $\text{Re}_2\text{S}_7$  and  $\text{Re}_2\text{S}_7$  and the thermodynamic functions for transition metal sulphides, 2=17084
- MacDonald, J.E. and Orville, H.D. Effect of momentum-exchange of the full velocity of an accreting hydrometer, 2=21634
- MacDonald, J.E. See Mattox, D.M., 3=23505
- Macdonald, J.R. Theory and application of a superposition model of internal friction and creep, 1=20314
- Macdonald, J.R. Restriction on the form of relaxation-time distribution functions for a thermally activated process, 2=2597
- MacDonald, J.R. Accurate solution of an idealized one-carrier metal-semiconductor junction problem, 2=8387
- MacDonald, J.R. Some statistical aspects of relaxation-time distributions, 2=11250
- MacDonald, J.R. Photocapacitance effects in additively coloured alkali halide crystals, 2=12560
- Macdonald, J.R. Transient and temperature response of a distributed, thermally activated system, 3=9327
- Macdonald, J.R. Thermal activation relations, 4=16062
- Macdonald, J.R. Distribution of space charge in homogeneous metal oxide films and semiconductors, 4=22689
- MacDonald, J.R. and Barlow, C.A., Jr. Theory of double-layer differential capacitance in electrolytes, 2=15154
- Macdonald, J.R. and Barlow, C.A., Jr. Work function change on monolayer adsorption, 3=24328
- Macdonald, J.R. and Barlow, C.A., Jr. Relaxation, retardation, and superposition, 4=14559
- Macdonald, J.R. See Barlow, C.A., Jr., 4=15829
- MacDonald, J.R. See Erdman, K.L., 4=5491
- MacDonald, J.R. See Erdman, K.L., 4=14224
- MacDonald, J.R. See Erdman, K.L., 4=21164
- Macdonald, J.R. See Warren, J.B., 4=3496
- MacDonald, J.R. See White, B.L., 3=4208
- McDonald, J.S. and Connolly, T.J. Investigation of natural convection heat transfer in liquid helium, 1=18658
- McDonald, K.L. Diffraction of spherical scalar and vector waves at axial points of a circular aperture and disk, 2=13691
- McDonald, M.P. and Ward, I.M. A nuclear magnetic resonance investigation of polypropylene, 3=3200
- Macdonald, N. Even nuclei without an axis of symmetry, 0=4029
- MacDonald, N. The effect of multiple scattering in the photoproduction of charged mesons at deuterium, 0=17395
- MacDonald, N. Variation of nuclear moments of inertia with deformation, 1=8553
- MacDonald, N. The  $(2I + 1)$  rule and the statistical compound nucleus theory, 2=14130
- MacDonald, N. Statistical properties of the eigenvalues and eigenvectors of a nuclear model, 3=22262
- MacDonald, N. A model of vibrational even nuclei, 4=6181
- Macdonald, N. Second order Coulomb excitation via the giant dipole resonance, 4=25283
- Macdonald, N. and Douglas, A.C. The magnetic spectrograph data on level densities of light nuclei, 1=9813
- Macdonald, N. See Douglas, A.C., 0=4084
- MacDonald, N. See Eccleshall, D., 2=22740
- MacDonald, N.J. and Knecht, R.W. A statistical study of lower atmospheric-ionospheric coupling, 2=2499
- Macdonald, N.J. and Roberts, W.O. Further evidence of a solar corpuscular influence on large-scale circulation at 300 mb, 0=14187
- Macdonald, N.J. and Ward, F. The prediction of geomagnetic disturbance indices. I. The elimination of internally predictable variations, 3=25952
- McDonald, R.A. See Oetting, F.L., 4=9860
- McDonald, R.K. and Deltenre, R.W. Cirrus infrared reflection measurements, 3=16219
- MacDonald, R.N. and Baucom, H.H., Jr. Nuclear data for reactor studies, 3=17510
- McDonald, R.R., Larson, A.C. and Cromer, D.T. The crystal structure of sodium pentafluorodistannate (II),  $\text{NaSn}_2\text{F}_8$ , 4=29138
- McDonald, R.S. See Corbett, J.W., 1=3657
- McDonald, R.S. See Corbett, J.W., 4=25485
- McDonald, R.S. See Corbett, J.W., 4=28707
- McDonald, R.R. See Gschneidner, K.A., Jr., 1=7551
- McDonald, R.R. See Gschneidner, K.A., Jr., 2=17041
- McDonald, R.R. See Gschneidner, K.A., Jr., 2=23878
- McDonald, R.R. See Gschneidner, K.A., Jr., 2=23879
- McDonald, R.S. See Mackenzie, J.D., 1=5346
- McDonald, R.S. See Vedder, W., 3=13164
- MacDonald, S.G.G. A rapid method of obtaining the third set of coordinates in a crystal structure analysis, 3=8832
- Macdonald, T.H. Bouguer's law and heterochromatic radiation, 2=11534
- McDonald, T.R.R. The electron density distribution in ammonium bifluoride, 0=8205
- MacDonald, W. See Gunn, W.F., 4=19080
- McDonald, W.B. See Bettis, E.S., 4=12313
- McDonald, W.J., Buchholz, E. and Haslam, R.N.H. Note on the reaction  $\text{P}^{31}(\gamma, n)\text{P}^{30}$ , 3=10323
- McDonald, W.J. See Adams, R.J., 4=28984
- McDonald, W.J. See King, J.D., 0=17620
- McDonald, W.J. See King, J.D., 0=20480
- McDonald, W.J. See Thompson, J.C., 3=25211
- MacDonald, W.M. A unified nuclear reaction theory for phenomenological analyses, 4=22090
- MacDonald, W.M. and Walt, M. Distribution function of magnetically confined electrons in a scattering atmosphere, 1=21066
- MacDonald, W.M. and Walt, M. Diffusion of electrons in the Van Allen radiation belt. II. Particles with mirroring points at low altitude, 3=9113
- MacDonald, W.M. See Altman, A., 2=14082
- Macdonald, W.M. See Altman, A., 2=16284
- MacDonald, W.M. See Walt, M., 1=21071
- MacDonald, W.M. See Walt, M., 3=9112
- MacDonald, W.M. See Walt, M., 3=11461
- MacDonald, W.R. Simple amplifier for use with metal-film thermometers in timing applications, 2=5259
- McDonald, W.R. Kinetics of structural changes during beta transformation of uranium, 2=10911
- McDonnell, J.A., Sargood, D.G., Moroney, J.R. and Prescott, J.R. Measurements of  $n$ - $\gamma$  coincidences in the reaction  $^{10}\text{B}(d, n)^{11}\text{C}$ , 0=20455
- McDonnell, J.A. M. See Jennison, R.C., 4=26931



- McDonnell, W.R. See Sturcken, E.F., 3=4898
- McDougall, A.O. and Long, F.A. Relative hydrogen bonding of deuterium. II. Acid ionization constants in  $\text{H}_2\text{O}$  and  $\text{D}_2\text{O}$ , 2=10276
- McDougall, I. and Tarling, D.H. Dating geomagnetic polarity zones, 4=23812
- McDougall, J., Butler, R., Kronberg, P. and Sandqvist, A. A comparison of terrestrial and universal expansion, 4=4838
- Macdougall, J.D. See Barber, R.C., 4=12413
- Macdougall, J.D. See Barber, R.C., 4=25257
- Macdougall, J.D. See Bishop, R.L., 4=3535
- Macdougall, J.D. See Buckler, A.N., 4=6425
- Macdougall, J.D. See McLatchie, W., 4=19638
- MacDowall, J. Some observations at Halley Bay [Antarctica] in seismology, glaciology and meteorology, 1=1497
- MacDowall, J. Geomagnetic observations at Halley Bay [Antarctica], 1=1572
- McDowell, C.A. Spin resonance and hyperfine interaction, 4=9763
- McDowell, C.A. Inelastic electron-molecule collisions, 4=25760
- McDowell, C.A. See Farmer, J.B., 1=7502
- McDowell, C.A. See Frost, D.C., 0=7739
- McDowell, C.A. See Frost, D.C., 2=15882
- McDowell, C.A. See Gilson, D.F.R., 4=1901
- McDowell, C.A. See Lin, W.C., 1=14797
- McDowell, C.A. See Lin, W.C., 4=1289
- McDowell, C.A. See Lin, W.C., 4=10316
- McDowell, M.C.R. and Williamson, J.H. Electron detachment from  $\text{H}^-$  by electrons, 3=14521
- McDowell, M.R.C. Electron capture in fast collisions. I. Capture by fast protons in atomic hydrogen, 1=17284
- McDowell, M.R.C. On the formation of  $\text{H}_2$  in H I regions, 2=6985
- McDowell, M.R.C. [Ed.]. Atomic collision processes, 4=25545
- McDowell, M.R.C. and Peach, G. Electron loss from fast negative ions of atomic hydrogen passing through atomic hydrogen, 0=5278
- McDowell, M.R.C. and Peach, G. Ionization of lithium by fast protons and electrons, 1=4556
- McDowell, M.R.C. and Peach, G. Quantal study of diffusion and viscosity cross sections for a screened Coulomb potential, 1=18769
- McDowell, M.R.C. See Bates, D.R., 0=775
- McDowell, M.R.C. See Bates, D.R., 0=782
- McDowell, M.R.C. See Bates, D.R., 0=18503
- McDowell, M.R.C. See Coleman, J., 4=18691
- McDowell, M.R.C. See Coleman, J., 4=27487
- McDowell, M.R.C. See Myerscough, V.P., 4=12387
- McDowell, M.R.C. See Myerscough, V.P., 4=25571
- McDowell, M.R.C. See Myerscough, V.P., 4=30379
- McDowell, M.R.C. See Peach, G., 4=24585
- McDowell, M.R.C. See Stauffer, A.D., 4=12388
- McDowell, R.S. Coupled anharmonic vibrations and spectral band broadening, 1=8828
- McDowell, R.S. Centrifugal distortion corrections to calculated thermodynamic functions, 3=22522
- McDowell, R.S. Effect of coriolis interaction on the thermodynamic functions of symmetric top molecules, 4=12426
- McDowell, R.S. and Asprey, L.B. Infrared spectrum of bromine pentafluoride, 2=16523
- McDowell, R.S., Horrocks, W.D., Jr and Yates, J.T. Infrared spectrum of  $\text{Co}(\text{CO})_5\text{NO}$ , 1=4933
- McDowell, R.S. and Jones, L.H. Low-frequency fundamentals of some metal carbonyls, 2=16530
- McDowell, R.S. and Jones, L.H. Pure rotational spectrum of  $\text{NT}_3$ , 2=22980
- McDowell, R.S. See Jones, L.H., 0=5898
- McDowell, R.S. See Narahari Rao, K., 2=6163
- MacDowell, S.W. Form factors in  $K\mu$  and  $K_e$  decay, 0=2590
- MacDowell, S.W. Analytic properties of partial amplitudes in meson-nucleon scattering, 0=2554
- MacDowell, S.W. Coupled integral equations of the Omnès-Muskhelishvili type, 1=7205
- MacDowell, S.W.  $K_3$  and  $K_3$  decay and the nature of strangeness violating weak interactions, 2=13871
- MacDowell, S.W. High-energy behavior of the scattering amplitude for negative momentum transfer, 4=27809
- MacDowell, S.W. and Martin, A. Unitarity bounds of the scattering amplitude and the diffraction peak, 4=27807
- MacDowell, S.W., Videira, A.L.L. and Zagury, N. Production and spin of the  $K^*$  resonance, 2=9917
- MacDowell, S.W., Videira, A.L.L. and Zagury, N. Angular distribution and polarization of  $\Lambda$  particles in  $\pi$ -p collisions, 2=11983
- MacDowell, S.W. See Acioli, J.L., 2=13872
- MacDowell, S.W. See Blankenbecler, R., 1=10855
- MacDowell, S.W. See Goldberger, M.L., 1=495
- Macduffee, C.C. Arc lengths in special relativity, 0=10576
- McDuffie, G.E., Jr, Cunningham, J.R. Jr, and Anderson, E.E. Initial permeability characteristics of mixed yttrium-gadolinium iron garnets, 0=10137
- McDuffie, G.E., Jr, LaMacchia, J.T. and Conord, A.E. Distribution of dielectric relaxation times in glycerol- and butanediol 1,3-n-propanol mixtures, 4=195
- McDuffie, G.E., Jr, and Litovitz, T.A. Dielectric relaxation in associated liquids, 3=1704
- McDuffie, G.E., Jr, Quinn, R.G. and Litovitz, T.A. Dielectric properties of glycerol-water mixtures, 2=19574
- McDuffie, G.E. See Anderson, E.E., 0=3089
- McDuffie, G.E. Jr. See Anderson, E.E., 3=1048
- McDuffie, G.E., Jr. See Litovitz, T.A., 3=21390
- McDuffie, R.E. See Knecht, R.W., 2=13036
- McDuffie, R.E. See Wright, J.W., 2=4652
- Mace, D. and Thomas, L.H. An extrapolation formula for stepping the calculation of the orbit of an artificial satellite several revolutions ahead at a time, 0=14471
- Mace, N. See Laffitte, E., 2=4164
- Mace, N. See Laffitte, E., 2=6630
- Mace, R. See Viswanathan, S.P., 3=17300
- McEachran, R.P. and Fraser, P.A. d-wave contribution to electron-hydrogen atom scattering, 0=7335
- McEachran, R.P. and Fraser, P.A. Effect of virtual excitation of the 2s and 2p states on the elastic scattering of electrons by atomic hydrogen, 4=6503
- McEachran, R.P. See Nicholls, R.W., 0=11518
- McEachran, R.P. See Smith, K., 2=3713
- Macedo, A.M.M. Diffraction of a pulse by a half-plane, treated by the Fourier method, 3=24470
- Macefield, B.E.F., Middleton, R. and Pullen, D.J. The mechanism of the reaction  $\text{Se}^{76}(\text{d}, \text{p})\text{Se}^{77}$ , 3=17495
- Macefield, B.E.F. and Towle, J.H. Energy levels of  $^{39}\text{P}$ ,  $^{33}\text{Cl}$  and  $^{41}\text{Sc}$  from (d,n) reactions, 1=619
- Macefield, B.E.F., Towle, J.H. and Gilboy, W.B. A study of the reaction  $^{40}\text{Ca}(\text{d}, \text{n})^{41}\text{Sc}$ , 1=9874
- Macefield, B.E.F. See Barry, J.F., 1=19293
- Macefield, B.E.F. See Towle, J.H., 1=5940
- Macefield, B.E.F. See Towle, J.H., 1=13857
- Macek, J.H. and Duffey, G.H. Bonding in icosahedral complexes, 1=3564
- Macek, J.H. and Duffey, G.H. Bonding in cubic complexes, 1=4946
- Macek, J.H. See McKinley, W.A., 4=21784
- Macek, W.M. and Davis, D.T.M., Jr. Rotation rate sensing with traveling-wave ring lasers, 3=9401
- Macek, W.M., Davis, D.T.M., Jr, Olthuis, R.W., Schneider, J.R. and White, G.R. Ring laser rotation rate sensor, 4=21007
- Macek, W.M., Schneider, J.R. and Salamon, R.M. Measurement of Fresnel drag with ring laser, 4=27280
- McElhinny, M.W. Temperature variations in the region of the ionosphere during the solar eclipse of 25 December, 1954, 0=2004
- McElhinny, M.W. Some further analyses of E-layer measurements in South Africa during the solar eclipse of 25 December, 1954, 0=6456
- McElligott, P.E., Roberts, R.W. and Jernakoff, G. An ultra-high vacuum beam chopper, 4=6668
- McElligott, P.E. See Roberts, R.W., 4=10481
- McElligott, P.E. See Roberts, R.W., 4=19132
- McEllistrem, M.T. See Biggerstaff, J.A., 2=3210
- McEllistrem, M.T. See Biggerstaff, J.A., 2=20667
- McEllistrem, M.T. See Boring, J.W., 2=459
- McEllistrem, M.T. See Lamd, R.C., 3=22302
- McElroy, J. See Kirk, J., 4=12029
- McElroy, M.B. Electron capture by fast protons and  $\alpha$ -particles in hydrogen, 3=9732
- McElroy, M.B. and Hirschfelder, J.O. Hypervirial theorem for collisions between electrons and atoms, 3=22500
- McElroy, M.B. See Dalgarno, A., 3=25920
- McElroy, M.B. See Dalgarno, A., 3=25931
- McElroy, M.B. See McCarroll, R., 2=6107
- McEvily, A.J., Jr. and Boettner, R.C. On fatigue crack propagation in f.c.c. metals, 3=20743
- McEvoy, J.P., Jr and Decell, R.F. Accurate low magnetic field measurements on superconducting coils, 3=21923



- McEvoy, J. P. and Decell, R. F. Magnetization of superconducting niobium-zirconium alloys, 4=11479
- McEvoy, J. P., Jr., Decell, R. F. and Novak, R. L. Effect of neutron irradiation on critical currents in hard superconductors ( $\text{Nb}_3\text{Sn}$  and  $\text{NbZr}$ ), 4=11475
- McEvoy, J. P., Jr. See Cody, G. D., 4=18596
- McEvoy, J. P., Jr. See Cullen, G. W., 4=407
- MacEwan, D. M. C. and Sutherland, H. H. Two-dimensional Fourier transform technique for analysing random structures, 1=9133
- MacEwan, J. Representation of particle states in quantum field theory, 4=5932
- MacEwan, J. R., MacEwan, J. U. and Yaffe, L. Self-diffusion in polycrystalline nickel, 0=2826
- MacEwan, J. R., MacEwan, J. U. and Yaffe, L. Diffusion of  $\text{Ni}^{63}$  in iron, cobalt, nickel, and two iron-nickel alloys, 0=2827
- MacEwan, J. R. and Stevens, W. H. Xenon diffusion in  $\text{UO}_2$ : some complicating factors, 4=12805
- MacEwan, J. R. See Robertson, J. A. L., 3=10432
- MacEwan, J. U. See MacEwan, J. R., 0=2826
- MacEwan, J. U. See MacEwan, J. R., 0=2827
- McEwan, R. J. See Gibson, J. E., 0=18621
- McEwan, W. S. See Mallory, H. D., 1=20588
- McEwen, D. J. See Montalbetti, R., 1=10328
- McEwen, D. J. See Montalbetti, R., 2=17186
- McEwen, G. J. See Weil, R., 2=18037
- McEwen, J. E. See Dickey, D. E., 0=9723
- McEwen, J. G. Nuclear interactions at energies over 1000 BeV, 0=1342
- McEwen, J. G. and Hebert, J. Use of a microscope with a scanning beam in the analysis of nuclear emulsions, 0=12790
- McEwen, J. G. See Connolly, P. L., 1=10899
- McEwen, J. G. See Gibson, W. M., 0=201
- McEwen, J. G. See Kotelchuck, D., 3=6028
- McEwen, J. G. See Malamud, E., 2=5626
- McEwen, J. G. See Van Heerden, I. J., 0=19983
- McEwen, K. L. Electronic structures and spectra of nitromethane and nitrogen dioxide, 0=15712
- McEwen, K. L. Electronic structures and spectra of some nitrogen-oxygen compounds, 1=4941
- McFadden, P. W. and Grassmann, P. The relation between bubble frequency and diameter during nucleate pool boiling, 2=15814
- Macfadyen, K. A. and Helliwell, G. C. Electrical conduction in liquid dielectrics under pulse conditions, 0=3527
- McFarland, R. H. Cause of the observed polarization of electron-induced radiation from helium, 3=17543
- McFarland, R. H. Cause of the observed polarization of electron-induced radiation from helium, 4=9660
- McFarland, R. H. The cause of the observed polarization of electron-induced radiation from helium, 4=25484
- McFarland, R. H. and Soltysik, E. A. Polarization of light resulting from the excitation of helium by electrons, 2=20742
- McFarland, R. H. and Soltysik, E. A. Polarization of the  $\gamma = 5876 \text{ \AA}$  and  $\gamma = 6679 \text{ \AA}$  lines in helium excited by electrons, 3=2581
- McFarland, R. H. and Soltysik, E. A. Magnetic field dependence of polarized helium light excited by electrons, 5=6362
- McFarland, R. H. and Soltysik, E. A. Alternate method of measurement of the polarization of light emitted by helium atoms excited by energetic electrons, 3=8209
- McFarland, R. H. and Tobey, W. Stability and improvement of Hoshino-Yoshida filters, 3=1823
- McFarland, R. H. See Anderson, R. A., 0=15660
- MacFarlane, A. J. Unitarity conditions for binary processes involving particles of arbitrary spin, 0=20055
- Macfarlane, A. J. Relativistic partial wave analysis, 2=13733
- Macfarlane, A. J. Invariant angular functions for a production reaction involving spinless particles, 3=2208
- Macfarlane, A. J. On the restricted Lorentz group and groups homomorphically related to it, 3=5320
- MacFarlane, A. J. Kinematics of the relativistic two-particle system, 3=11674
- Macfarlane, A. J., Mukunda, N. and Sudarshan, E. C. G. Electromagnetic and decay properties of  $G$  multiplets, 4=9074
- MacFarlane, A. J., Mukunda, N. and Sudarshan, E. C. G. Generalized Shmushkevich method: proof of basic results, 4=19426
- Macfarlane, A. J. and Sudarshan, E. C. G. Electromagnetic properties of stable particles and resonances according to the unitary symmetry theory, 4=15001
- MacFarlane, A. J., Sudarshan, E. C. G. and Dullemond, C. Weyl reflections in the unitary symmetry theory of strong interactions, 4=9114
- MacFarlane, A. J. See Dullemond, C., 3=22073
- Macfarlane, A. J. See Hagen, C. R., 4=24983
- Macfarlane, A. J. See Jordan, T. F., 4=8077
- Macfarlane, A. J. See Lurié, D., 4=19383
- Macfarlane, M. H. and French, J. B. Stripping reactions and the structure of light and intermediate nuclei, 0=20454
- Macfarlane, M. H., Raz, B. J., Yntema, J. L. and Zeidman, B. Studies of (d,t) reactions on the isotopes of nickel, 2=1914
- Macfarlane, M. H., Raz, B. J., Yntema, J. L. and Zeidman, B. (d,t) reaction studies on iron and nickel, 2=16432
- Macfarlane, M. H. See Cohen, S., 4=19678
- MacFarlane, M. H. See Cohen, S., 4=21985
- Macfarlane, M. H. See Cohen, S., 4=25311
- Macfarlane, M. H. See French, J. B., 1=13619
- Macfarlane, M. H. See French, J. B., 3=677
- Macfarlane, M. H. See Kerman, A. K., 1=16954
- MacFarlane, M. H. See Lawson, R. D., 1=8561
- Macfarlane, M. H. See Rietjens, L. H. T., 0=17605
- McFarlane, R. A. The finite beam space-charge limited diode as a noise transducer, 1=8352
- McFarlane, R. A. Microwave noise in accelerated electron streams, 1=8353
- McFarlane, R. A. Frequency pushing and frequency pulling in a He-Ne gas optical maser, 4=24901
- McFarlane, R. A., Bennett, W. R., Jr. and Lamb, W. E., Jr. Single mode tuning dip in the power output of an He-Ne optical maser, 3=17092
- McFarlane, R. A., Faust, W. L. and Patel, C. K. N. Oscillation of f-d transitions in neon in a gas optical maser, 3=14806
- McFarlane, R. A., Faust, W. L., Patel, C. K. N. and Garrett, C. G. B. Neon gas maser lines at  $68.329 \mu$  and  $85.047 \mu$ , 4=27689
- McFarlane, R. A., Patel, C. K. N., Bennett, W. R., Jr. and Faust, W. L. New helium-neon optical maser transitions, 3=6358
- McFarlane, R. A. See Bennett, W. R., Jr., 2=22908
- McFarlane, R. A. See Faust, W. L., 3=17075
- McFarlane, R. A. See Faust, W. L., 4=11820
- McFarlane, R. A. See Faust, W. L., 4=27676
- McFarlane, R. A. See Patel, C. K. N., 3=9507
- McFarlane, R. A. See Patel, C. K. N., 3=17074
- McFarlane, R. A. See Patel, C. K. N., 4=11823
- McFarlane, R. A. See Patel, C. K. N., 4=11828
- McFarlane, R. A. See Patel, C. K. N., 4=30086
- Macfarlane, R. D. Natural occurrence of samarium-146, 1=5987
- McFarlane, R. D. Alpha-emitting isomeric state of  $\text{Tb}^{149}$ , 2=10036
- MacFarlane, R. D. and Almodovar, I. Study of the  $\text{Sm}^{149}(n,\alpha)\text{Nd}^{146}$  reaction with thermal neutrons, 2=20652
- Macfarlane, R. D. and Griffioen, R. D. Alpha decay properties of some holmium isotopes near the 82-neutron closed shell, 3=12637
- Macfarlane, R. D. and Griffioen, R. D. Alpha-decay properties of some erbium isotopes near the 82-neutron closed shell, 3=24907
- Macfarlane, R. D. and Griffioen, R. D. A system for studying accelerator-produced short-lived alpha emitters, 4=9430
- Macfarlane, R. D. and Kohman, T. P. Natural radioactivity in medium-heavy elements, 1=4842
- MacFarlane, R. D. and Seegmiller, D. W. Alpha-decay properties of some terbium and dysprosium isotopes near the 82-neutron closed shell, 4=19733
- MacFarlane, R. D. See Griffioen, R. D., 4=12191
- Macfarlane, R. M. Analysis of the spectrum of  $d^3$  ions in trigonal crystal fields, 4=7096
- Macfarlane, R. M. Optical and magnetic properties of trivalent vanadium complexes, 4=10247
- Macfarlane, R. M. and Runciman, W. A. The absorption spectrum of trivalent chromium in guanidine aluminium sulphate hexahydrate, 3=936
- McFarlane, W. See Atkinson, J. R., 0=17286
- McFarlane, W. K., Homer, R. J., O'Dell, A. W., Sacharidis, E. J. and Eaton, G. H. Absolute differential cross-section for elastic proton-proton scattering at  $0.97 \text{ GeV}$ , 3=17276
- McFarlane, W. K. See Homer, R. J., 0=17334
- McFarlane, W. K. See Homer, R. J., 2=9844
- McFarlane, W. K. See Homer, R. J., 4=16933
- McFarling, J. L. See Kircher, J. F., 0=18440
- McFee, J. H., Marcus, P. M. and Estermann, I. Possible application of molecular beam techniques to the measurement of surface temperatures, 0=19521
- McFee, J. H. Ultrasonic amplification and non-ohmic behavior in CdS and ZnO, 3=12919
- McFee, J. H. See Hutson, A. R., 2=3833



- McFee, R. See Stone, F. T., 2=4101
- McFee, R. H. Infrared search system design considerations, 0=14810
- McFee, R. H. Electrical and optical techniques in the operation of infra-red detectors, 0=19498
- McGann, D. W. Development of a low loss, high precision permeameter for the evaluation of high energy permanent magnets, 3=14719
- McGarry, E. D. See Gunst, S. B., 1=17191
- McGarvey, B. R. E.S.R. and optical spectrum of potassium perchromate, 3=3166
- McGarvey, B. R. Electron spin resonance of titanium (III) acetylacetonate, 3=8715
- McGarvey, B. R. Anisotropic hyperfine interaction of  $\text{Cr}^{53}$  in chromium (III) acetylacetonate, 4=13338
- McGarvey, B. R. Spin Hamiltonian of chromium (III) in a cubic field, 4=20588
- McGarvey, F. X. See Kunin, R., 2=17079
- McGarvey, J. J. and McGrath, W. D. Kinetic spectroscopy in the vacuum ultraviolet region. I. The dissociation energy of SO and the combustion of hydrogen sulphide, carbon disulphide and carbonyl sulphide, 4=17861
- McGarvey, J. J. See Kane, R. A., 3=25818
- McGarvey, J. J. See McGrath, W. D., 3=2625
- McGarvey, J. J. See McGrath, W. D., 4=22435
- McGaw, B. L. and Ibers, J. A. Nature of the hydrogen bond in sodium acid fluoride, 4=4623
- McGeagh, J. See Hedley, J. A., 3=25787
- McGee, J. D. Photoelectronic image intensifiers, 1=16389
- McGee, J. D. Some problems in photoelectronic image intensifiers for use in high-energy physics, 2=9622
- McGee, J. D. and Wheeler, B. E. Single stage photoelectronic image intensifiers, 1=16390
- McGee, J. D. See Mims, W. B., 0=13885
- McGee, J. D. See Mims, W. B., 1=14792
- McGee, K. E. and Hunt, W. W., Jr. Digital readout of oscilloscope sweep delay times, 4=27449
- McGee, K. E. See Hunt, W. W., Jr., 4=8863
- McGee, R. A. An analytical infrared radiation model of the earth, 2=21612
- McGee, R. X. and Milton, J. A. A sky survey of neutral hydrogen at  $\lambda$  21 cm. III. Gas at higher radial velocities, 4=20948
- McGee, R. X. and Murray, J. D. Neutral hydrogen gas in the Taurus-Orion region observed with multichannel 21 cm line receiver, 0=4906
- McGee, R. X. and Murray, J. D. A sky survey of neutral hydrogen at  $\lambda$  21 cm. I. The general distribution and motions of the local gas, 1=18201
- McGee, R. X. and Murray, J. D. A multi-channel hydrogen line ( $\lambda$  21 cm) receiver, 4=4934
- McGee, R. X., Murray, J. D. and Milton, J. A. A sky survey of neutral hydrogen at  $\lambda$  21 cm. II. The detailed distribution of low velocity, 3=11505
- McGee, R. X., Murray, J. D. and Pawsey, J. L. Streaming of interstellar hydrogen in the vicinity of the sun, 1=10372
- McGee, R. X. See Hindman, J. V., 4=10919
- McGee, R. X. See Hindman, J. V., 4=10920
- McGee, R. X. See Howard, W. E., III., 4=10861
- McGee, T. D. See Long, S. A., 4=23209
- McGervey, J. D. A pulse resolver using tunnel diodes, 2=17752
- McGervey, J. D. Student measurement of Fermi energy by positron annihilation, 3=25263
- McGervey, J. D., Horstman, H. and DeBenedetti, S. Mean lives of positrons in oxidizing solutions, 1=18436
- McGervey, J. D. and Walters, V. F. Detection of pulse pile-ups with tunnel diodes, 4=14979
- McGervey, J. D. See Jackson, J. E., 3=8955
- McGervey, J. D. See Lancia, F. N., 4=30668
- McGill, I. S., Menzies, D. C. and Price, M. R. The unit of neutron flux. I, 1=7248
- McGill, R. E. See Rosenstock, H. B., 2=3825
- McGill, R. E. See Rosenstock, H. B., 3=22638
- MacGillavry, C. H. See Eichhorn, E. L., 0=4654
- MacGillavry, C. H. See Mijlhoff, F. C., 2=15024
- MacGillavry, C. H. See Stam, C. H., 3=8870
- McGille, C. D. and Miller, B. P. Lunar surface roughness from crater statistics, 3=9169
- McGille, C. D. and Miller, B. P. Reply to paper by J. W. Salisbury, 3=21095
- McGillvray, J. P. The reflection coefficient of the night-time ionospheric F region, 3=18538
- McGinn, C. J. Heats of hydrogenation as a function of hybridization, 2=545
- McGinn, J. H. A new type arc for producing high temperature, high purity plasma jets, 3=4156
- McGinn, J. H. and MacWaters, J. T. Ballistic particle size separator, 0=10363
- McGinn, J. H. See Wachmann, H. Y., 2=3937
- McGinnies, R. T. X-ray attenuation coefficients from 10 keV to MeV, 0=20106
- McGinnis, E. A. See Weber, A., 0=7763
- McGinnis, G. A. See Rockwood, C. C., 4=21012
- McGinty, G. K. See Davies, J. B., 4=24768
- McGlamery, R. M. and Harban, A. A. Two instruments for measuring the low-shear viscosity of polymer melts, 4=5135
- McGlamery, R. M. See Harban, A. A., 4=7381
- McGlashan, M. L. and Potter, D. J. B. An apparatus for the measurement of the second virial coefficients of vapours; the second virial coefficients of some n-alkanes and some mixtures of n-alkanes, 2=11415
- McGlashan, M. L. See Guggenheim, E. A., 0=20580
- McGlashan, M. L. See Guggenheim, E. A., 1=14145
- McGlashan, M. L. See Guggenheim, E. A., 1=16178
- McGlashan, M. L. See Guggenheim, E. A., 2=2039
- McGlashan, M. L. See Guggenheim, E. A., 2=21841
- McGlashan, M. L. See Peña, M. D., 0=12400
- McGlinn, W. D. Annihilation of polarized positrons in magnetized iron, 1=19753
- McGlinn, W. D. Problem of combining interaction symmetries and Lorentz invariance, 4=19386
- McGlinn, W. D. and Albright, C. H. S-matrix and T-matrix zeros in two static models, 3=7790
- McGlinn, W. D. See Albright, C. H., 2=18075
- McGlinn, W. D. See Coester, F., 4=24979
- McGlynn, S. P., Azumi, T. and Kasha, M. External heavy-atom spin-orbital coupling effect. V. Absorption studies of triplet states, 4=8214
- McGlynn, S. P., Boggus, J. D. and Elder, E. Energy transfer in molecular complexes. II. The anthracene-sym-trinitrobenzene complex, 0=4434
- McGlynn, S. P., Daigre, J. and Smith, F. J. External heavy-atom spin-orbital coupling effect. IV. Intersystem crossing, 4=10231
- McGlynn, S. P., Smith, J. K. and Neely, W. C. Electronic structure, spectra, and magnetic properties of oxyanions. III. Ligand effects on the infrared spectrum of the uranyl ion, 1=11104
- McGlynn, S. P., Sunseri, R. and Christodouleas, N. External heavy-atom spin-orbital coupling effect. I. The nature of the interaction, 3=2608
- McGlynn, S. P. See Azumi, T., 3=3062
- McGlynn, S. P. See Azumi, T., 3=20535
- McGlynn, S. P. See Azumi, T., 4=4318
- McGlynn, S. P. See Azumi, T., 4=10234
- McGlynn, S. P. See Christodouleas, N., 4=13100
- McGlynn, S. P. See Kleiner, M., 3=3060
- McGlynn, S. P. See Kleiner, M., 3=4951
- McGlynn, S. P. See Kleiner, M., 4=22810
- McGlynn, S. P. See Nag-Chaudhuri, J., 3=15359
- McGlynn, S. P. See Ortolano, T. R., 4=22901
- McGlynn, S. P. See Raman, R., 4=9888
- McGlynn, S. P. See Smith, F. J., 3=5518
- McGonigal, P. J. A generalized relation between reduced density and temperature for liquids with special reference to liquid metals, 3=130
- McGonigal, P. J. and Grosse, A. V. The density of liquid arsenic and the density of its saturated vapor, 3=23838
- McGonigal, P. J., Kirshenbaum, A. D. and Grosse, A. V. The liquid temperature range, density and critical constants of magnesium, 2=15572
- McGonigal, P. J. See Grosse, A. V., 4=18183
- McGonigal, P. J. See Sandler, S. R., 2=6626
- McGonnagle, W. J. See Stanford, E. G., 4=13621
- McGowan, F. K. and Stelson, P. H. Coulomb excitation of states in  $\text{Pt}^{195}$ , 0=1407
- McGowan, F. K. and Stelson, P. H. Coulomb excitation of states in  $\text{Th}^{232}$  and  $\text{U}^{238}$ , 1=624
- McGowan, F. K. and Stelson, P. H. Coulomb excitation of the second  $2+$  states in W, Os, and Pt nuclei, 1=8725
- McGowan, F. K. and Stelson, P. H. Decay of  $\text{Rh}^{102} \rightarrow \text{Ru}^{102}$ , 1=13755
- McGowan, F. K. and Stelson, P. H. Coulomb excitation of second  $2+$  states in  $\text{Ge}^{74}$ ,  $\text{Ge}^{76}$ ,  $\text{Se}^{76}$ ,  $\text{Se}^{78}$ , and  $\text{Se}^{80}$ , 2=10141
- McGowan, F. K., Stelson, P. H. and Smith, W. G. Cross sections for the  $\text{Ni}^{58}(\alpha, p)$ ,  $\text{Ni}^{58}(\alpha, \gamma)$ , and  $\text{Co}^{59}(\alpha, n)$  reactions, 4=12280
- McGowan, F. K. See Ritter, R. C., 3=6297
- McGowan, F. K. See Robinson, R. L., 0=15563



- McGowan, F.K. See Robinson, R.L., 2=5970  
 McGowan, F.K. See Robinson, R.L., 4=17055  
 McGowan, F.K. See Stelson, P.H., 0=1394  
 McGowan, F.K. See Stelson, P.H., 0=11428  
 McGowan, F.K. See Stelson, P.H., 1=609  
 McGowan, F.K. See Stelson, P.H., 2=13994  
 McGowan, F.K. See Stelson, P.H., 4=12272  
 McGowan, J., III. See Thaxter, J.B., 1=12016  
 McGowan, J. W. and Kerwin, L. The effect of vibrational excitation of  $H_2^+$  on its collision-induced dissociation, 4=20115  
 McGowan, J. W. and Kerwin, L. Metastable  $Ar^+$  ions near the  $Ar^{++}$  threshold, 4=1222  
 McGowan, J. W., Marmet, P. and Kerwin, L. Concerning the measurement of charge transfer reaction cross sections at thermal energies, 4=24555  
 McGowan, N.H. See Sloan, G.J., 3=8809  
 McGowan, W. and Kerwin, L. Some sensitivities of ion gauges, 0=8722  
 McGowan, W. and Kerwin, L. Some oxygen ions formed at high pressures in a mass spectrometer, 0=10875  
 McGowan, W. and Kerwin, L. On the application of Aston bands and appearance potential measurements to ion collision studies, 3=7439  
 McGowan, W. and Kerwin, L. Some charge exchange and dissociation collisions of  $N_2^{2+}$  ions, 3=21719  
 McGowan, W. and Kerwin, L. Comparative mass spectra using carbon and tungsten filaments, 3=24391  
 McGowan, W. See Kerwin, L., 3=4020  
 McGrath, I.A. and Croft, V. Flux measurements in a 150 cm double parabolic arc image furnace, 2=17682  
 McGrath, I.A. See Fraidenreich, N., 4=5544  
 McGrath, I.A. See Sidall, R.G., 4=8478  
 McGrath, J.T., Buchanan, J.G. and Thurston, R.C.A. A study of fatigue and impact fractures with the scanning electron microscope, 3=3244  
 McGrath, J.T. and Craig, G.B. The formation of striation-type substructure in aluminum, 2=16982  
 McGrath, J. T. and Thurston, R. C. A. The effect of cross slip on the fatigue behavior of copper and copper-zinc alloys, 4=7421  
 McGrath, J. T. and Waldron, G. W. J. An electron microscope study of dislocation arrangements in fatigued Al + 1% Mg crystals, 4=12759  
 McGrath, J.W. and Silvidi, A.A. Proton-magnetic-resonance study of barium bromide monohydrate, 0=16190  
 McGrath, J. W. and Silvidi, A.A. Structure of the water molecule in solid hydrated compounds, 1=4055  
 McGrath, J.W. and Silvidi, A.A. Erratum: proton magnetic resonance study of barium bromide monohydrate, 2=6709  
 McGrath, J.W. and Silvidi, A.A. Quadrupolar study of barium in barium bromide dihydrate by proton magnetic resonance, 2=8693  
 McGrath, J.W. and Silvidi, A.A. Protonic spin-lattice relaxation in barium bromide dihydrate, 2=18970  
 McGrath, J. W. and Silvidi, A. A. Motion of the  $H_2O$  molecule in barium chlorate monohydrate, 4=6692  
 McGrath, J.W., Silvidi, A.A. and Carroll, J.C. Proton magnetic resonance study of lithium sulfate monohydrate, 0=4536  
 McGrath, J.W. See Silvidi, A.A., 0=6281  
 McGrath, J.W. See Silvidi, A.A., 1=3931  
 McGrath, J. W. See Silvidi, A. A., 4=23071  
 McGrath, J.W. See Williams, R.M., 2=16302  
 McGrath, R.L. Population ratios of  $Be^7$ ,  $Li^7$ , and  $B^{10}$  states from  $Li^6$  on  $Li^6$  and  $Be^9$  as functions of bombarding energy, 2=60681  
 McGrath, W.D. The production of vibrationally excited  $S_2$  in the isothermal flash photolysis of  $S_2Cl_2$ , 0=16382  
 McGrath, W.D. and McGarvey, J. J. Absorption spectrum and dissociation energy of the SO radical, 3=2625  
 McGrath, W. D. and McGarvey, J. J. Ultraviolet absorption spectrum of the  $CH_3O$ -radical, 4=22435  
 McGrath, W.D. and Norrish, R.G.W. Studies of the reaction of excited oxygen atoms and molecules produced in the flash photolysis of ozone, 0=8319  
 McGrath, W.D. See McGarvey, J.J., 4=17861  
 McGrath, W.D. See Kane, R.A., 3=25818  
 McGrattan, G. J. See Jarrett, A. H., 4=7877  
 McGrattan, G. J. See Jarrett, A. H., 4=7879  
 McGray, H. See Purcell, R. B., 4=5896  
 McGregor, A. T., Nicholls, R. W. and Jarman, W. R. Frank-Condon factors and R-centroids for some bands of the  $SiO$  A  ${}^1\Pi-X^1\Sigma^+$  band system, 1=17308  
 McGregor, D. D. See P. A. Sweet, 4=29402  
 MacGregor, M. See Ball, W.P., 0=17141  
 MacGregor, M.H. Neutron-proton phase-shift analysis at 95 MeV, 1=13427  
 MacGregor, M. H. Unitarity corrections to Born amplitudes for nucleon-nucleon scattering, 4=19501  
 MacGregor, M. H., Arndt, R. A. and Dubow, A. A. Determination of the nucleon-nucleon elastic scattering matrix. I. Phase-shift analysis of experiments near 140 MeV, 4=25079  
 MacGregor, M.H., Booth, R. and Ball, W.P. Nonelastic neutron cross-section measurements on  $Li^6$ ,  $Li^7$ ,  $U^{235}$ ,  $U^{238}$  and  $Pu^{239}$  at 8.1, 11.9, and 14.1 MeV, 3=12683  
 MacGregor, M.H. and Moravcsik, M.J. Modified analysis of nucleon-nucleon scattering p-p phase shifts at 210 MeV, 0=12931  
 MacGregor, M.H., Moravcsik, M.J. and Noyes, H.P. Modified analysis of nucleon-nucleon scattering. IV. p-p scattering between 9.68 and 98 MeV, 1=16771  
 MacGregor, M.H., Moravcsik, M.J. and Stapp, H.P. Modified analysis of nucleon-nucleon scattering. II. Completed analysis of p-p scattering at 310 MeV, 0=2543  
 McGregor, R.R. Transistor cup anemometer, 0=10398  
 McGregor, W. K. and Brewer, L. E. Re-examination of the criteria for thermal equilibrium in electrical discharges, 4=11541  
 McGregor, W.K. See Brewer, L.E., 2=17845  
 McGregor, W.K. See Brewer, L.E., 3=8263  
 McGregor, W.K. See Brewer, L.E., 4=6573  
 McGregor, W.K. See Brewer, L.E., 4=11609  
 McGroddy, J. C. See Stern, E. A., 4=28667  
 McGuckin, J.P. The pressure gradient in positive columns, 3=19208  
 McGuire, A.D. See Craig, P.P., 0=411  
 McGuire, A.D. See Reines, F., 0=3955  
 McGuire, D.J. The Iowa State University 1.5 MeV undergraduate cyclotron, 2=11740  
 McGuire, E.J. See Peterson, T.J., Jr., 3=6350  
 McGuire, J. B. Study of exactly soluble one-dimensional N-body problems, 4=18086  
 McGuire, J.B., Spangler, E.R. and Wong, L. The size of the solar system, 2=17239  
 McGuire, J.B. See Blitzer, L., 3=18665  
 McGuire, J.C. and Kempter, C.P. Preparation and properties of scandium dihydride, 0=21270  
 McGuire, J.H. An absolute thermal radiation calorimeter, 1=18663  
 McGuire, J.H. and Law, M. The performance of spark guards, 0=6998  
 McGuire, J.H. and Wraight, H. Radiometer for field use, 0=8835  
 McGuire, J.M. See Baker, C.E., 3=4012  
 McGuire, T.R., Argyle, B.E., Schafer, M.W. and Smart, J.S. Ferromagnetism in divalent europium salts, 3=3080  
 McGuire, T.R., Argyle, B.E., Schafer, M.W. and Smart, J.S. Magnetic properties of some divalent europium compounds, 3=15743  
 McGuire, T.R. and Crapo, W.A. Magnetic susceptibility and magnetostriction of  $CoO$ ,  $MnO$ , and  $NiO$ , 2=12717  
 McGuire, T.R. and Ferebee, F.S. Magnetic properties of lithium-substituted manganese ferrite, 3=15891  
 McGuire, T.R. and Happel, R.J., Jr. The magnetic susceptibility of an  $MnO$  single crystal, 0=13850  
 McGuire, T.R. and Heikes, R.R. Magnetic properties of the  $Li_{1-x}Mn_xSe$  system, 0=11832  
 McGuire, T.R. and Pickart, S.J. Ferrimagnetism of manganese ferrite-chromite, 4=15653  
 McGuire, T.R. and Shafer, M.W. Ferromagnetic Europium compounds, 4=13176  
 McGuire, T.R. See Heikes, R.R., 1=2466  
 McGuire, T.R. See Holtzberg, F., 4=13181  
 McGuire, T.R. See Shafer, M.W., 4=4356  
 McGurn, J. See Kidson, G., 1=17567  
 McGurn, J.F. See Howe, L.M., 2=21039  
 McGurn, J. F. See Howe, L. M., 4=20285  
 Machacek, M. and Scherr, C.W. Simple configuration interaction wave functions. III. Three-electron atomic system: an analytic study, 0=15643  
 Machacek, M. and Scherr, C. W. Isotope shifts in the  $2^1P$  and  $2^3P$  states of the He and  $Li^+$  systems, 4=6464  
 Machado, R. D. See Zocher, H., 4=8403  
 Machado, W.M. and Schützer, W. Bopp's formulation of quantum mechanics and the Einstein-Podolsky-Rosen paradox, 4=49  
 Machado, W.M. See Redondo, D.M., 2=13965  
 Machairas, G. Crystalline growth and distribution of trace elements in a triglyph pyrite, 4=30822



- Machali, F. See Antoufiev, Y., 4=1074  
 Machali, F. See Antuf'iev, Yu.P., 4=17128  
 Machali, F. See Asfour, F., 4=22174  
 McHargue, C.J. Deformation stacking faults in face-centered cubic thorium and cerium, 2=6353  
 McHargue, C.J. and Yakel, H.L., Jr. Phase transformations in cerium, 1=2518  
 McHargue, C.J. See Bolling, G.F., 1=12395  
 McHargue, C.J. See Dunn, C.G., 0=18291  
 McHargue, C.J. See Stiegler, J.O., 3=12991  
 McHargue, C.J. See Stiegler, J.O., 3=22780  
 McHargue, C.J. See Stiegler, J.O., 4=13518  
 McHargue, C.J. See Wilkinson, M.K., 1=9135  
 MacHattie, L.E. Temperature measurement of textile fabrics under intense thermal irradiation, 3=11982  
 Macherauch, E., Kolb, K. and Christian, H. A yield point and Macherauch, E., Mayr, P. and Vöhringer, O. On the validity of the Cottrell-Stokes law for polycrystals, 4=23203  
 Macherauch, E. and Müller, P.  $\sin^2 \Psi$  method of X-ray stress measurement, 2=6712  
 Macherauch, E. and Munz, D. Induced glide near grain boundaries in aluminium polycrystals, 3=5069  
 Macherauch, E. and Munz, D. Surfaces studies on plastically deformed aluminium polycrystals, 4=7386  
 Macherauch, E. and Vöhringer, O. The effect of purity on the temperature dependence of the yield point of nickel, 3=5966  
 Macherauch, E. and Vöhringer, O. Strain ageing of nickel, 3=13350  
 Macherauch, E. and Vöhringer, O. Work-hardening behaviour of polycrystalline nickel, 4=28969  
 Macherauch, E. See Hartmann, R.J., 2=21500  
 Macherauch, E. See Hartmann, R.J., 3=6524  
 Macherauch, E. See Kolb, K., 0=6307  
 Macherauch, E. See Kolb, K., 1=9089  
 Macherauch, E. See Kolb, K., 1=10256  
 Macherauch, E. See Kolb, K., 2=8730  
 Macherauch, E. See Kolb, K., 4=4462  
 Macherauch, E. See Knöll, H., 3=3230  
 Machery, R.E. See Hummel, H.H., 3=22458  
 Machida, K. Modified sum rule for the vibrational frequencies of symmetrical isotopic molecules, 3=10493  
 Machida, K. See Sakurai, Y., 4=15259  
 Machida, M. See Yasaki, T., 1=3225  
 Machida, S. Pion-nucleon scattering and the structure of the pion, 0=11209  
 Machida, S. Intermediate Boson theory of weak interactions with parity clash, 3=19552  
 Machida, S. See Furuichi, S., 1=8455  
 Machida, S. See Goto, S., 0=12917  
 Machida, S. See Goto, J., 1=10865  
 Machida, S. See Goto, S., 1=4899  
 Machida, S. See Hoshizaki, N., 1=10864  
 Machida, S. See Hoshizaki, N., 2=3287  
 Machida, S. See Hoshizaki, N., 2=11938  
 Machida, S. See Hoshizaki, N., 3=10060  
 Machida, S. See Hoshizaki, N., 3=10113  
 Machida, S. See Hoshizaki, N., 4=11992  
 Machida, S. See Kawarabayashi, K., 1=10881  
 Machida, S. See Taketani, M., 1=10863  
 Machin, K.E. See Beament, J.W.L., 0=5221  
 Machin, W.D. and Ross, S. On physical adsorption. XVII. Experimental verification of the two-dimensional van der Waals equation of state above and below the critical temperature, 2=4498  
 Maching, O. and Küster, R. A method for the solution of the non-stationary, many-region heat conduction and diffusion problem with given boundary conditions, 3=5546  
 Machino, H. See Okada, J., 4=7062  
 Machlin, E.S. See Cuddy, L.J., 2=23152  
 Machlin, E.S. See Intrater, J., 1=20361  
 Machlin, E.S. See Jeannotte, D., 4=6829  
 Machlup, S. and Christopher, M.E. Piezoelectricity of quartz for finite strain, 1=10083  
 Machlin, S. and Murray, G.T. Effect of atmosphere conditions on the brittleness of NaCl, 0=1872  
 Machlup, S. and Nixon, J.D. High fields in shadow regions on photoconductors, 2=23454  
 Machlup, S. See Finfgeld, C., 0=5227  
 Machlup, S. See Fröhlich, H., 4=1643  
 Machnig, O. and Handge, P. Effect of voids between the core and the reflector on the criticality or reactivity of a reactor, 2=8027  
 Machnig, O. and Kuster, R. Dependence of the gas outlet temperature on the output taken from gas-cooled reactors, 2=10173  
 Machonis, A. A. and Cadoff, I. B. Investigation of alloys of the system PbTe-SnTe, 4=23275  
 Machta, L. Discussion of paper by W.F. Libby and C.E. Palmer, "Stratospheric mixing from radioactive fallout", 2=874  
 Machta, L. Radon and other radioisotopes in the atmosphere, 3=25900  
 Machta, L., List, R.J. and Telegadas, K. A survey of radioactive fallout from nuclear tests, 2=16340  
 Machta, L. and Lucas, H.F., Jr. Radon in the upper atmosphere, 2=8979  
 Machta, L. See Friedman, I., 3=294  
 Machta, L. See Hagemann, F., 0=1980  
 McHugh, J. A. and Sheffield, J. C. Secondary positive ion emission from a tantalum surface, 4=11719  
 McHugh, J. P., Tiller, A. W., Haszko, S. E. and Wernick, J. H. Phase diagram for the pseudobinary system  $\text{Ag}_2\text{Te}-\text{Sb}_2\text{Te}_3$ , 1=20584  
 McHugh, J. P. See Cosgrove, G. J., 1=8969  
 McHugh, J. P. See Schultz, J. M., 2=18697  
 McHugo, J. W. See Penny, F. D., 0=4840  
 Machwe, M. K. Scattering of 14 MeV neutrons from molybdenum, 3=673  
 Machwe, M. K. See St Pierre, C., 0=457  
 Maciag, R. J. See Hirschhorn, J. S., 3=1373  
 Maciel, A. See Brandão, D. E., 4=27975  
 Maciel, A. See Matthias, E., 3=10224  
 McIldowie, J. E. G. See Meads, R. E., 0=5697  
 McIldowie, J. E. G. See Meads, R. E., 0=5730  
 McIldowie, J. E. G. See Meads, R. E., 2=16313  
 McIlhagger, D. S. See Girvan, S. B., 0=5244  
 McIlraith, A. H. A soft X-ray spectrometer with pulsed source, and synchronous phosphor-photomultiplier detector, 2=22291  
 McIlraith, A. H. A Moiré fringe interpolator of high resolution, 4=8443  
 McIlwain, C. See Rothwell, P., 0=1323  
 McIlwain, C. See Rothwell, P., 1=3305  
 McIlwain, C. E. Scintillation counters in rockets and satellites, 1=1982  
 McIlwain, C. E. Direct measurement of particles producing visible auroras, 1=15304  
 McIlwain, C. E. The radiation belts, natural and artificial, 4=13830  
 McIlwain, C. E. and Pizzella, G. On the energy spectrum of protons trapped in the earth's inner Van Allen zone, 3=18563  
 McIlwain, C. E. See Fillius, R. W., 4=29320  
 McIlwain, C. E. See Forbush, S. E., 1=21073  
 McIlwain, C. E. See Pizzella, G., 2=17206  
 McIlwain, C. E. See Pizzella, G., 3=11460  
 McIlwain, C. E. See Rosen, A., 0=9490  
 McIlwain, C. E. See Rothwell, P., 0=14264  
 McIlwain, C. E. See Van Allen, J. A., 0=8398  
 McIlwain, C. E. See Van Allen, J. A., 0=10428  
 McIlwain, R. L., Deahl, K. J., Derrick, M., Fetkovich, J. G. and Fields, T. H. Reaction  $p + p \rightarrow \pi^+ + p + n$  at 405 MeV, 2=16190  
 McIlwain, R. L. See Engels, E., Jr., 3=7852  
 McIlwain, R. L. See Fetkovich, J. G., 0=9695  
 McIlwraith, N. See Ogilvie, K. W., 4=20965  
 McInally, M. Variation of air viscosity with temperature, 4=5216  
 Macinante, J. A. and Waldersee, J. A vibration isolating mounting for a sensitive balance, 3=9397  
 Macinante, J. A. and Waldersee, J. The vibration isolation of knife-edge balances, 4=8010  
 McInerney, J. J. Some aspects of neutron slowing-down distributions in homogeneous media, 4=17218  
 Macinko, J. See Miller, C. E., 3=7183  
 McInnes, B. and Robertson, K. A. Latitude distribution and seasonal variation of aurora over the British Isles during 1957 and 1958, 0=18505  
 McInnes, B. A. A study of ionospherics at Macquarie Island, 1=20848  
 McInnes, B. A. See Thomas, J. A., 4=7894  
 MacInnes, D. A. and Pray, A. R. A redetermination of the value of the Faraday with the iodine coulometer (progress report), 0=21278  
 McInnes, P. A. See Cullen, A. L., 4=11801  
 McInter, B. B. and Reisfeld, M. J. Thermal-diffusion-column shape factors for the Lennard-Jones (12-6) potential, 0=14689



- McInteer, B.B. and Reisfeld, M.J. Erratum: thermal-diffusion-column shape factors for the Lennard-Jones(12-6) potential, 1=8157
- McIntosh, A.B. and Grainger, L. Plutonium fuel and nuclear power, 2=10188
- McIntosh, A.B. and Heal, T.J. [Eds.]. Materials for nuclear engineers, 1=4884
- McIntosh, B.A. Analysis of a type of rough-trail meteor echo, 1=5170
- McIntosh, B.A. The meteoric head echo, 2=11164
- McIntosh, B.A. Experimental study of the amplitude of radar meteor-head echoes, 3=9273
- McIntosh, D.H. Meteorological glossary, 4=10696
- McIntosh, H.C. On matrices which anticommute with a Hamiltonian, 2=12274
- McIntosh, H.V. On accidental degeneracy in classical and quantum mechanics, 0=43
- McIntosh, H.V. Symmetry-adapted functions belonging to the symmetric groups, 1=4175
- McIntosh, H.V. Towards a theory of the crystallographic point groups, 1=6506
- McIntosh, H.V. Symmetry adapted functions belonging to the crystallographic groups, 3=8797
- McIntosh, H.V. Virtual symmetry, 4=22471
- McIntosh, J.S., Park, S.C. and Rawitscher, G.H. Nucleus-nucleus long-range interaction potential in elastic scattering, 4=19830
- McIntosh, J.S., Park, S.C. and Turner, J.E. Elastic scattering of heavy nuclei, 0=7586
- McIntosh, J.S. See Rawitscher, G.H., 4=22199
- McIntosh, P.S. See Smith, E.P., 2=13167
- McIntosh, R. See Chapman, I.D., 2=2779
- McIntosh, R. See Hodgson, C., 0=12118
- McIntosh, R. See Litvan, G., 4=10630
- McIntosh, R. See McCowan, J.D., 1=9423
- McIntosh, R.A. Features of the lunar crater Aristarchus, 2=4734
- McIntyre, D. An absolute light scattering photometer: II. Direct determination of scattered light from solutions, 4=14330
- McIntyre, D., Wims, A. and Green, M.S. Critical opalescence of polystyrene solutions, 3=9459
- McIntyre, D. See O'Mara, J.H., 0=14658
- McIntyre, D.J. See Parker, R.G., 4=26982
- McIntyre, H.A.J. See Allison, D.C.S., 2=1966
- McIntyre, J.A., Baker, S.D. and Wang, K.H. Investigation of the nuclear surface by means of the elastic scattering of heavy ions, 2=3621
- McIntyre, J.A., Baker, S.D. and Watts, T.L. Elastic scattering of  $O^{16}$  from nuclei, 0=2671
- McIntyre, J.A., Jobes, F.C. and Watts, T.L. A detection system for heavy ions, 2=9748
- McIntyre, J.A. and Tandon, G.K. A variable energy gamma ray beam for nuclear structure studies, 3=14938
- McIntyre, J.A., Wang, K.H. and Becker, L.C. Analysis of alpha-particle elastic scattering experiments, 0=7579
- McIntyre, J.A., Wang, K.H. and Baker, S.D. Determination of nuclear surface parameters by means of the elastic scattering of light nuclei, 1=8545
- McIntyre, J.A., Watts, T.L. and Jobes, F.C. Neutron transfer and the tunneling mechanism in the bombardment of gold by nitrogen, 0=15584
- McIntyre, J.A., Watts, T.L. and Jobes, F.C. Characteristics of a [radioactive] heavy-ion detection system, 3=12609
- McIntyre, J.A. See Becker, L.C., 4=22227
- McIntyre, J.A. See Jobes, F.C., 3=12610
- McIntyre, J.A. See Jobes, F.C., 4=12283
- McIntyre, J.A. See Wang, K.H., 2=16438
- McIntyre, J.A. See Wang, K.H., 4=22204
- McIntyre, J.A. See Watts, T.L., 2=1935
- McIntyre, J.A. See Watts, T.L., 4=22238
- McIntyre, J.D. See Davies, J.A., 0=19804
- McIntyre, J.D. See Davies, J.A., 2=22276
- McIntyre, K.G. See Baxter, A.M., 4=17124
- McIntyre, L.C. See Seiler, F., 4=19606
- McIntyre, R.G. Extended space-charge theory in low-pressure thermionic converters, 2=17777
- McIntyre, R.G. and Fowler, R.G. The diffusion of resonance excitation through a gas, 1=8086
- McIntyre, R.J. Theory of microplasma instability in silicon, 1=11300
- McIntyre, R.J. A note on the method of determining ionization coefficients for electrons and holes in silicon, 1=14488
- Macintyre, W.M. A note on the absolute scaling of intensities by Kartha's method, 3=20823
- Macintyre, W.M. and Werkema, M.S. Charge-transfer self-complex formed in potassium squarate monohydrate, 4=23509
- Macintyre, W.M. See Cowan, J.P., 3=11244
- McIrvine, E.C. Quantum-mechanical approach to thermal transport phenomena in metals, 0=1537
- McIrvine, E.C. Screened impurity potentials in metals, 1=11193
- McIrvine, E.C. Phenomenology of impurity conduction in semiconductors, 1=19769
- McIrvine, E.C., Lambe, J., Laurance, N. and Cole, R. Double nuclear resonance and nuclear relaxation, 2=13697
- McIrvine, E.C. and Overhauser, A.W. New quantum-mechanical representation, 0=1536
- McIrvine, E.C. See Lambe, J., 1=9067
- McIrvine, E.C. See Laurance, N., 2=14842
- MacIver, D.S. See Poole, C.P., Jr., 4=29174
- McIver, G.W. See Gobat, A.R., 2=11603
- McIvor, I.D. See Hull, D., 4=28985
- Mack, C.L., Jr and Reiffen, B. R.f. characteristics of thin dipoles, 4=30052
- Mack, D.A. See Baker, S.C., 1=2936
- Mack, D.A. See Baker, S.C., 2=2986
- Mack, D.A. See Baker, S.C., 2=2987
- Mack, D.J. See Jewett, R.P., 4=4506
- Mack, D.J. See Wahlén, H.B., 0=20723
- Mack, J.E., McNutt, D.P., Roesler, F.L. and Chabbal, R. The Pepsios purely interferometric high-resolution scanning spectrometer. I. The pilot model, 3=24020
- Mack, J.E. See Chamberlain, J.W., 0=2029
- Mack, J.E. See Handrup, M.B., 4=25512
- Mack, J.E. See Hirschberg, J.G., 0=16841
- Mack, J.E. See McNutt, D.P., 4=2226
- Mack, J.E. See Ring, J., 4=23903
- Mack, J.E. See Roesler, F.L., 4=22299
- Mack, J.E. See Schroeder, D.J., 1=5974
- Mack, J.G. and Hansen, N.R. Calibration of X-ray film used in the detection of soft X-rays from the C.T.R. device spectre, 3=2068
- Mack, L.M. See Wegener, P.P., 0=2269
- Mack, L.R. Periodic, finite-amplitude, axisymmetric gravity waves, 2=8942
- Mack, M., Parrish, W. and Taylor, J. Methods of determining centroid X-ray wavelengths: Cu K $\alpha$  and Fe K $\alpha$ , 4=15771
- Mack, M. See Parrish, W., 3=23426
- Mack, M. See Taylor, J., 4=7585
- Mack, M. See Taylor, J., 4=30833
- Mack, R.J. and Zweifel, P.F. Greuling-Goertzel calculations in heavy water, 1=13438
- McKae, H.B., Dean, R.C., Jr and Pytte, A. On cooled anodes in contact with a laminar arc-heated flow, 4=14732
- Mackavey, W.R., Bartley, S.H. and Casella, C. Disinhibition in the human visual system, 2=2584
- MacKay, A.G. See Fielding, P.E., 3=20495
- MacKay, A.J. See Kaiser, W.C., 2=18000
- Mackay, A.L. A dense non-crystallographic packing of equal spheres, 2=23832
- Mackay, A.L. The micro-morphology of  $\beta$ -FeOOH, 3=1333
- Mackay, A.L. An axial retigraph, 0=8178
- Mackay, A.L. and Pawley, G.S. Bravais lattices in four-dimensional space, 3=8815
- Mackay, A.L. See Bullen, G.J., 0=16287
- Mackay, A.L. See Dasgupta, D.R., 0=21198
- Mackay, B.H. See Algie, J.E., 0=11655
- Mackay, B.H. See Downes, J.G., 1=21154
- Mackay, C.A. and Robins, D.A. Determination of iron-tin compound by X-ray diffraction, 4=23690
- McKay, C.D. Neutron flux distributions in cylinders by a variational method, 3=4402
- Mackay, D.M. Monocular "rivalry" between stabilized and unstabilized retinal images, 0=10458
- Mackay, D.M. See Verheijen, F.J., 4=4987
- MacKay, G.D., Suzuki, M. and Mason, S.G. Approach of a solid sphere to a rigid plane interface. II, 3=13620
- MacKay, G.D.M. and Mason, S.G. Approach of a solid sphere to a rigid plane interface, 2=4567
- MacKay, G.D.M. and Mason, S.G. Some effects of interfacial diffusion on the gravity coalescence of liquid drops, 4=145
- MacKay, I. Organic-cooled deuterium moderator reactors, 1=2254
- MacKay, J.W. and Klontz, E.E. The role of carriers in the displacement process in germanium, 4=9945



- MacKay, J.W. See Klontz, E.E., 3=22724  
 McKay, K.G. See Chynoweth, A.G., 0=1648  
 Mackay, K.J.H. and Hill, N.A. Lattice parameter and hardness measurements on high-purity beryllium, 4=4599  
 Mackay, K.J.H. See Ferrier, R.P., 0=8243  
 MaKay, M.H. Resonance absorption in  $^{239}\text{Pu}$  and its effect on the temperature coefficient of irradiated uranium rods, 2=3638  
 McKay, M.H. and Keane, A. A correction to the effective resonance integral in heterogeneous nuclear reactors to allow for fuel geometry, 0=13316  
 McKay, M.H. and Pollard, J.P. Effect of temperature variation on "intermediate-resonance" formulas, 3=22147  
 McKay, M.H. See Keane, A., 0=20151  
 McKay, R.W. Reversible component of magnetization, 0=3086  
 McKay, R.W. and Gravelle, W.E. The Hall effect and resistivity of tellurium, 1=8958  
 McKay, R.W. and Smith, K.C. Effect of previous history on switching rate in ferrites, 0=10173  
 McKay, S. F. Expansion of annealed pyrolytic graphite, 4=25863  
 Macke, W. Nuclear models and the tensor of inertia, 2=1765  
 Macke, W. and Lenk, R. Variational principle for rotations of nuclei, 2=7923  
 Macke, W., Pietrass, B. and Ziesche, P. Note on the perturbation calculation of the correlation energy of the electron gas of high density, 3=21768  
 Macke, W. and Rennert, P. Discussion of a normalized WKB-like wave-function, 4=8070  
 Macke, W. and Rennert, P. The quantum mechanical treatment of a many-particle system in a W.K.B.-like approximation, 4=16041  
 Macke, W., Rennert, P., Rieger, F. and Voss, K. On the figure and gravity field of the earth, 4=13765  
 Macke, W. and Ziesche, P. General properties of the electron gas, 4=16057  
 Macke, W. and Ziesche, P. Connected graph representation of the S-operator in the quantum mechanical many-body problem, 4=25040  
 Macke, W. See Haussmann, K., 4=21045  
 McKeag, A.H. Some aspects of the activation of phosphors by tetravalent manganese, 3=3043  
 McKeag, A.H. See Hunt, B.E., 0=4444  
 McKeague, R. See England, J.B.A., 0=11419  
 McKean, H.P., Jr. A Hölder condition for Brownian local time, 2=21839  
 McKean, H. P., Jr. Kramers-Wannier duality for the 2-dimensional Ising model as an instance of Poisson's summation formula, 4=18079  
 McKean, R.S., Jr. Vector mesons and nucleon-nucleon potentials, 2=5632  
 McKee, J.S.C. Symposium on High Energy Nuclear Physics, London, March 1962, 2=16377  
 McKee, J.S.C. See Aguilar, J., 0=7583  
 McKee, J.S.C. See Aguilar, J., 0=20463  
 McKee, J.S.C. See Bredin, D.J., 0=9447  
 McKee, J.S.C. See Bredin, D.J., 0=20250  
 McKee, J.S.C. See Homer, R.J., 4=16933  
 McKee, R. J. See Baker, G. A., Jr., 4=27107  
 McKeever, R. and Yokosawa, A. Study of a focused beam from the duoplasmatron proton source, 2=20047  
 McKell, H.D. See Shaw, D., 3=13068  
 McKellar, A. Isotopes in stellar atmospheres, 2=4801  
 McKellar, A.D. Prediction of thermal-neutron fluxes in the bulk shielding facility from lid tank shielding facility data, 2=6012  
 McKellar, A.D. See Gammel, J.L., 4=12080  
 McKellar, A.M. Some topics in molecular astronomy, 0=14378  
 McKellar, B. H. J. Velocity-dependent potentials and the shell model of oxygen-18, 4=21980  
 McKellar, J.F. See Allen, J.H., 3=16759  
 McKelvey, J.P. Recombination of excess carriers at twin structures in germanium, 1=5017  
 McKelvey, J.P. Analysis of semiconductor p-n junctions and junction devices by a flux method, 2=8383  
 McKelvey, J.P., Longini, R.L. and Brody, T.P. Alternative approach to the solution of added carrier transport problems in semiconductors, 1=11279  
 McKelvey, J. P. and Pulver, E. F. Fermi statistics of two-dimensional free-electron systems, 4=29564  
 McKendry, M. A. See Kabara, J. J., 4=15179  
 McKenna, J. Analytic regularization in relativistic quantum field theory, 2=9185  
 McKenna, J. The focusing of light by a dielectric rod, 3=18967  
 McKenna, J. and Blatt, J.M. The expectation value of a many-body Hamiltonian in the quasi-chemical equilibrium theory, 2=11298  
 McKenna, J. and Klauder, J. R. Continuous-representation theory. IV. Structure of a class of function spaces arising from quantum mechanics, 4=24065  
 McKenna, J. and Platzman, P.M. Nonlinear interaction of light in a vacuum, 3=9573  
 McKenna, J. See Cooke, C. H., 4=28704  
 McKenna, J. See Devlin, G.E., 2=6560  
 McKenna, N. J. See Jones, P. M. S., 4=6876  
 McKenna, S.M.P. See Ellison, M.A., 0=18764  
 McKenna, S.M.P. See Ellison, M.A., 0=18765  
 McKenna, S.M.P. See Ellison, M.A., 1=7996  
 McKenna, S.M.P. See Ellison, M.A., 1=7997  
 McKenna, S.M.P. See Ellison, M.A., 1=15479  
 McKenna, S.M.P. See Ellison, M.A., 2=9962  
 McKenna, S.M.P. See Ellison, M.A., 2=24126  
 McKenna, V.R., Baxter, A.M. and Shute, G.G. Energy levels in  $^{15}\text{N}$ , 1=10970  
 McKenna, V.R. and Shute, G.G. Inelastic scattering of protons on  $\text{C}^{12}$ , 1=19453  
 McKenna, V.R. See Shute, G.G., 3=635  
 McKennell, R. The influence of viscometer design on non-Newtonian measurements, 0=19044  
 Mackenzie, A.C. See Walsh, J.B., 0=12392  
 McKenzie, A.S.V., Cole, J.F.I. and Jacob, L. Shock-excited dark discharge, 1=16278  
 MacKenzie, C. R. See Baird, J. D., 4=23161  
 MacKenzie, D.R. See Connor, R.D., 1=19419  
 MacKenzie, D.R. See Ewan, G.T., 0=2647  
 Mackenzie, D. R. See Hamilton, W. C., 4=4629  
 McKenzie, J. See Anderson, D.W., 2=5545  
 Mackenzie, J.D. Structure of glass forming halides. I. Liquid beryllium fluoride, 0=6777  
 Mackenzie, J.D. High pressure effects on oxide glasses. I. Densification in rigid state, 4=13408  
 Mackenzie, J. D. High-pressure effects on oxide glasses. II. Subsequent heat treatment, 4=13409  
 Mackenzie, J.D. and Cormia, R.L. Melting of gallium and bismuth, 3=24109  
 Mackenzie, J.D. and Laforce, R.P. High-pressure densification of glass and the effects of shear, 3=8919  
 Mackenzie, J.D., McDonald, R.S. and Murphy, W.K. Infrared spectroscopy of melts and hygroscopic glasses, 1=5346  
 Mackenzie, J.D. and Murphy, W.K. Structure of glass-forming halides. II. Liquid zinc chloride, 0=14626  
 Mackenzie, J.D. See Cormia, R.L., 3=21311  
 Mackenzie, J.D. See Cormia, R.L., 3=23420  
 Mackenzie, J. D. See Hagel, W. C., 4=28610  
 Mackenzie, J.D. See Kaskan, W.E., 1=4937  
 McKenzie, J. F. Čerenkov radiation in a magneto-ionic medium (with application to the generation of low-frequency electromagnetic radiation in the exosphere by the passage of charged corpuscular streams), 4=4791  
 McKenzie, J. F. Electromagnetic radiation generated by a current source in an anisotropic medium, 4=27634  
 Mackenzie, J.K. Sequential filling of a line by intervals placed at random and its application to linear adsorption, 2=19374  
 Mackenzie, J.K. The estimation of an orientation relationship from traces of known planes, 3=1255  
 Mackenzie, J. K. The distribution of rotation axes in a random aggregate of cubic crystals, 4=10574  
 Mackenzie, J.K., Moore, A.J.W. and Nicholas, J.F. Bonds broken at atomically flat crystal surfaces. I. Face-centred and body-centred cubic crystals, 2=14931  
 Mackenzie, J.K. and Nicholas, J.F. Bonds broken at atomically flat crystal surfaces. II. Crystals containing many atoms in a primitive unit cell, 2=14932  
 Mackenzie, J.K. See Bowles, J.S., 2=15056  
 McKenzie, J.M. and Bromley, D.A. Gold-germanium junctions as particle spectrometers, 0=1234  
 McKenzie, J.M. and Ewan, G.T. Semiconductor electron detectors, 1=3166  
 McKenzie, J.M. and Waugh, J.B.S. Silicon junctions as particle spectrometers, 1=3083  
 Mackenzie, J.S. See Holmes, J.R., 3=10540  
 Mackenzie, K.R., Plunkett, S. and Petersen, E.L. Characteristics of the U.C.L.A. cyclotron radiofrequency system, 3=5754  
 Mackenzie, K.R. See Clark, D.J., 2=9662  
 MacKenzie, K. R. See Cole, F. T., 4=14793  
 Mackenzie, K.R. See Hansen, L.H., 2=15906  
 Mackenzie, K. R. See Nakano, G. H., 4=902  
 Mackenzie, K.V. Formulas for the computation of sound speed in sea water, 0=989  
 Mackenzie, K.V. Reflection of sound from coastal bottoms, 0=2207



- Mackenzie, K.V. Sound-speed measurements utilizing the bathyscaph Trieste, 1=12685
- Mackenzie, K.V. Long-range shallow-water transmission, 1=18519
- Mackenzie, K.V. Bottom reverberation for 530 and 1030 c/s sound in deep water, 1=18525
- Mackenzie, K.V. Long-range shallow-water bottom reverberation, 2=2830
- Mackenzie, K.V. Long-range shallow-water signal-level fluctuations and frequency spreading, 2=2831
- Mackenzie, K.V. Further remarks on "Long-range shallow-water transmission", 2=19656
- Mackenzie, K.V. Further remarks on sound-speed measurements aboard the "Trieste", 2=21980
- MacKenzie, L.A. See Giori, F., 3=21857
- McKenzie, R.M. Front faced aluminium mirrors in spectroscopy, 4=21299
- McKeown, D. New method for measuring sputtering in the region near threshold, 1=4671
- McKeown, D. and Cabezas, A. Neutral beam detection, 4=6667
- McKeown, K. See Ashton, F., 4=970
- McKeown, M. See Emery, G.T., 3=10313
- McKeown, M. See Kane, W.R., 0=17564
- McKeown, M. See Scharff-Goldhaber, G., 1=12171
- McKeown, P.J.A. Controlled chemical etching in the production of semiconductor [germanium] dice, 2=10475
- Mackereith, F.J.H. An improved galvanic cell for determination of oxygen concentrations in fluids, 4=7806
- McKerrell, H. See Andon, R.J.L., 4=9858
- McKerrow, C.A. Some measurements of atmospheric noise levels at low and very low frequencies in Canada, 0=16486
- Mackey, G.W. Mathematical foundations of quantum mechanics, 4=16032
- Mackey, H.J. See Zebouni, N.H., 4=6923
- Mackey, J.H., Jr. An e.p.r. study of impurity-related color centers in germanium-doped quartz, 3=20239
- Mackey, M.B. See Bolton, J.G., 4=2466
- Mackey, M.B. See Bolton, J.G., 4=30989
- Mackey, M.B. See Hazard, C., 3=13937
- Mackey, M.B. See Hazard, C., 4=26973
- McKey, M.J. See Green, D.M., 0=814
- Mackey, R.C. Oscilloscope waveform recorder, 4=21441
- Mackey, R.C. and Pollack, S.A. Electronic chopper for spectral lamps, 3=21554
- McKibben, C. See Ke, B., 4=16234
- McKibbin, D.D. A direct measurement of charge density in the  $F_2$  region, 3=13767
- McKibbin, D.D. See Hanson, W.B., 1=20999
- McKibbin, D.D. See Sharp, G.W., 2=15207
- McKibbin, K. See Smith, M.C., 4=20659
- Mackie, A.G. Applications of the theory of the general hodograph equation. I. Kirchhoff-Helmholtz flow past a wedge, 2=21871
- Mackie, A.G. Applications of the theory of the general hodograph equation. II. The non-symmetric flow at sonic speed past a flat plate, 2=21872
- Mackie, A.G. and Weir, D.G. The propagation of shock waves of constant strength, 0=6861
- Mackie, J.C. See Lyons, L.E., 4=22770
- McKiernan, M.A. and Wessely, H.W. A method of inferring single-path band transmission factors from double-path measurements, 3=14338
- McKim, F.R. Magnetic susceptibility measurements on type A myoglobin crystals, 1=14673
- McKim, F.R. See Cooke, A.H., 0=8068
- McKim, F.R. See Cooke, A.H., 0=13734
- Mackin, R.J., Jr. Plasma accumulation in a device fed by energetic-ion trapping, 1=18892
- Mackin, R.J., Jr. and Bell, P.R. High energy injection for controlled fusion, 3=15270
- Mackin, R.J., Jr. See Bell, P.R., 3=12203
- Mackin, R.J., Jr. See Gauster, W.F., 3=12154
- Mackin, R.J., Jr. See Gibbons, R.A., 3=7498
- Mackin, R.J., Jr. See Lidsky, L.M., 2=17794
- McKinley, D.W.R. and Webb, E.L.R. Reduction of meteor velocities from continuous-wave radio records, 1=9257
- McKinley, D.W.R. See McNamara, A.G., 0=14388
- McKinley, J.D. Mass-spectrometric investigation of the nickel-bromine surface reaction, 4=10636
- McKinley, J.D. Mass-spectrometric investigation of the high-temperature reaction between nickel and chlorine, 4=13723
- McKinley, J.M. Interpolative formulas for pion-nucleon scattering phase shifts, 4=15093
- McKinley, J.M. See Robinson, C.S., 3=4421
- McKinley, W.A. Search for a fundamental length in microscopic physics, 0=862
- McKinley, W.A. and Macek, J.H. Truncation bounds on the phase and K-matrix in scattering theory, 4=21784
- McKinley, W.A. See Scarfone, L.M., 0=20039
- McKinney, C.M. and Anderson, C.D. Measurements of backscattering of sound from the ocean bottom, 4=10690
- McKinney, C.M. See Baird, D.L., 3=206
- McKinney, C.M. See Barnard, G.R., 1=4413
- McKinney, C.M. See Hampton, L.D., 1=6936
- McKinney, E.J. See Giori, F., 3=21857
- McKinney, J.E. and Bowyer, C.S. Determination of piezoelectric properties as a function of pressure and temperature, 0=1714
- McKinney, N.P. See Ladefoged, P., 3=13945
- McKinney, R.A. See Huth, G.C., 4=28589
- Mackinnon, D.J. See Swanson, M.L., 3=6554
- Mackinnon, J.A. See Dowell, T.M., 0=8101
- Mackinnon, J.A. See Dowell, T.M., 0=16197
- Mackinnon, L. and Daniel, M.R. Parallel-field magnetoacoustic effect in cadmium, 2=20926
- Mackinnon, L. and Daniel, M.R. Parallel field magnetoacoustic effect in cadmium and zinc, 4=15422
- Mackinnon, L. and Myers, A. Ultrasonic absorption in superconducting and normal mercury, 0=8954
- Mackinnon, L., Myers, A. and Taylor, M.T. The effect of the direction of a transverse magnetic field on the electronic component of ultrasonic absorption in a lead single crystal, 0=9849
- Mackinnon, L. and Taylor, M.T. The possible relation between the shape of the Fermi surface and the magnetic-field rotation diagrams of ultrasonic attenuation, 1=19742
- Mackinnon, L., Taylor, M.T. and Daniel, M.R. Magnetoacoustic effects with a parallel magnetic field in lead and cadmium, 2=12377
- Mackinnon, L. See Daniel, M.R., 3=22686
- Mackinnon, L. See Daniel, M.R., 4=15421
- Mackinnon, N.L. See Sarkes, L.A., 0=11388
- McKinsey, C.R. and Faulring, G.M. A new intermediate phase in the niobium-aluminium system, 0=3221
- Mackintosh, A.R. Magnetoacoustic effects in lead and tin, 1=17459
- Mackintosh, A.R. Magnetic ordering and the electronic structure of rare-earth metals, 2=23114
- Mackintosh, A.R. Ultrasonic attenuation in lead, 3=4819
- Mackintosh, A.R. Model for the electronic structure of metal tungsten bronzes, 3=15461
- Mackintosh, A.R. Magnetoacoustic effects in longitudinal fields, 3=25192
- Mackintosh, A.R. Energy gaps in spin-wave spectra, 3=25525
- Mackintosh, A.R. Superconductivity in lanthanum alloys, 4=16346
- Mackintosh, A.R. and Sill, L. The thermoelectric power in chromium and vanadium, 3=13140
- Mackintosh, A.R. and Smidt, F.A., Jr. Scattering of conduction electrons by localised moments in metals, 2=23239
- Mackintosh, A.R., Spaniel, L.E. and Young, R.C. Magneto-resistance and Fermi surface topology of thallium, 3=17826
- Mackintosh, A.R. See Gustafson, D.R., 3=12954
- Mackintosh, A.R. See Gustafson, D.R., 3=21306
- Mackintosh, A.R. See Gustafson, D.R., 4=17413
- Mackintosh, I.M. The diffusion of phosphorus in silicon, 2=18601
- Mackintosh, I.M. See Miller, G.L., 1=3082
- McKirgan, T.V.M., 0=5852
- Mackie, H. and Mayrick, R.G. A plastic capsule technique for the combustion calorimetry of volatile or chemically reactive compounds: the heat of combustion of polythene, 1=6986
- Mackie, H. and O'Hare, P.A.G. Thermodynamic properties of six sulphur-containing molecules, 3=14210
- Mackie, H. and O'Hare, P.A.G. A high-precision aneroid semi-micro combustion calorimeter, 4=8494
- Mackie, H. and O'Hare, P.A.G. Thermodynamic properties of sulphur-containing molecules. Isothiocyanic and deuterio-isothiocyanic acids, 4=18246
- Macklen, E.D. Investigation of the electrical contact properties of granular carbon aggregates, 1=17633
- Macklen, E.D. Electrical contact properties of granular carbon aggregates. III. Effects of prolonged air oxidation, 3=8545
- Macklen, E.D. and Hodgson, B. Electrical contact properties in granular carbon aggregates. II. Correlation between contact resistance and oxygen content, 2=8285
- Mackliet, C.A. and Schindler, A.I. Heat capacity of Ni-Pd alloys, 4=15428
- Macklin, R.L. Graphite sphere neutron detector, 0=17356



- Macklin, R. L. Resonance self-shielding in neutron capture cross section measurements, 4=22150
- Macklin, R. L., Gibbons, J. H. and Inada, T. Neutron capture in the samarium isotopes and the formation of the elements of the solar system, 3=10354
- Macklin, R. L., Gibbons, J. H. and Inada, T. Average radiative capture cross sections for 30- and 65-keV neutrons, 3=10364
- Macklin, R. L., Gibbons, J. H. and Inada, T. Neutron capture cross-sections near 30 keV using a moxon- $\alpha$  detector, 3=17478
- Macklin, R. L., DeSaussure, G., Kington, J. D. and Lyon, W. S. Manganese bath measurements of  $\eta$  of  $U^{233}$  and  $U^{235}$ , 1=17163
- Macklin, R. L., de Saussure, G., Kington, J. D. and Lyon, W. S. Manganese bath measurements of  $\eta$  of  $Pu^{239}$ , 3=2504
- Macklin, R. L., Inada, T. and Gibbons, J. H. Neutron capture in tin isotopes at stellar temperatures, 2=24082
- Macklin, R. L. See Gibbons, J. H., 1=7384
- Macklin, W. C. The density and structure of ice formed by accretion, 2=12892
- Macklin, W. C. Heat transfer from hailstones, 4=2195
- Macklin, W. C. Factors affecting the heat transfer from hailstones, 4=10716
- Macklin, W. C. and Ryan, B. F. On the formation of spongy ice, 3=3928
- Macklin, W. C. See Browning, K. A., 3=11400
- McKnight, J. A. See Bishop, J., 1=5986
- McKnight, R. V. and Möller, K. D. Far-infrared spectrum of polypropylene, high-density polyethylene, and quartz-crystal plates, 4=10207
- McKnight, R. V. See Möller, K. D., 3=16775
- Mackor, E. L. and MacLean, C. The influence of localized charges on the magnetic shielding of protons in aromatic carbonium ions, 1=11119
- Mackor, E. L. See de Boer, E., 2=20861
- Mackor, E. L. See de Boer, E., 3=15384
- Mackor, E. L. See de Boer, E., 3=22590
- Mackor, E. L. See MacLean, C., 1=11126
- Mackor, E. L. See MacLean, C., 1=11767
- Mackor, E. L. See MacLean, C., 3=22600
- Mackowiak, J. See Allen, C., 4=1515
- McKoy, V. and Sinanoğlu, O. Theory of dissociation pressures of some gas hydrates, 3=17618
- McKracken, K. G. See Rao, U. R., 3=10196
- Mackworth, N. H. and Thomas, E. L. Head-mounted eye-marker camera, 2=13218
- MacLachlan, A. See McCarthy, R. L., 1=20727
- MacLachlan, A. D. Spin densities in dimethylmethyl, 0=11541
- MacLachlan, A. D. Valence-bond resonance structures for a triplet state, 0=17790
- MacLachlan, A. D. Dangers of the "average energy approximation" in perturbation theory, 0=17797
- MacLachlan, A. D. The pairing of electronic states in alternant hydrocarbons, 0=20649
- MacLachlan, A. D. Electrons and holes in alternant hydrocarbons, 1=14071
- MacLachlan, A. D. Self-consistent field theory of the electron spin distribution in  $\pi$ -electron radicals, 1=14108
- MacLachlan, A. D. The wave functions of electronically degenerate states, 1=19652
- MacLachlan, A. D. Spin density and spin correlation in triplet states, 2=6189
- MacLachlan, A. D. Retarded dispersion forces between molecules, 3=6437
- MacLachlan, A. D. Spin-spin coupling Hamiltonian in spin multiplets, 3=19968
- MacLachlan, A. D. Three-body dispersion forces, 3=20032
- MacLachlan, A. D. Retarded dispersion forces in dielectrics at finite temperatures, 3=20368
- MacLachlan, A. D. Van der Waals forces between an atom and a surface, 4=12411
- MacLachlan, A. D. A variational solution of the time-dependent Schrödinger equation, 4=24063
- MacLachlan, A. D. Line widths of electron resonance spectra in solution, 4=25720
- MacLachlan, A. D. and Baker, M. R. A hydrodynamic model for diamagnetic induced currents in molecules, 1=19651
- MacLachlan, A. D. and Ball, M. A. Time-dependent Hartree-Fock theory for molecules, 4=30406
- MacLachlan, A. D., Dearman, H. H. and Lefebvre, R. Theory of hyperfine interactions in aromatic radicals, 0=15680
- MacLachlan, A. D., Gregory, R. D. and Ball, M. A. Molecular interactions by the time-dependent Hartree method, 4=9791
- McLachlan, A. D. and Harris, R. A. Mayer's ensembles of maximum entropy, 1=9339
- McLachlan, A. D. and Snyder, L. C. Spin density fluctuations in the cyclooctatetraene negative ion, 2=6187
- McLachlan, A. D. See Ball, M. A., 4=20026
- McLachlan, A. D. See Chapman, D., 4=9801
- McLachlan, A. D. See Hanna, M. W., 2=18495
- McLachlan, A. D. See Hobey, W. D., 1=2337
- McLachlan, A. D. See McConnell, H. M., 1=4943
- McLachlan, D., Jr. Similarity function for pattern recognition, 1=15389
- McLachlan, D., Jr. The role of optics in applying correlation functions to pattern recognition, 2=7114
- McLachlan, D., Jr. The direct instrumentation of phase-determining techniques, 4=23364
- McLachlan, D. Jr. and Chamberlain, L. L. Geometrical approach to the theory of probability, 1=10366
- McLachlan, D., Jr. and Chamberlain, L. L. Atomic vibrations and the melting process in metals, 4=17378
- McLachlan, Jr. D. Extreme focal depth in microscopy, 4=29741
- McLachlan, L. A. The thermoluminescent emission spectra of X-ray irradiated alkali halides, 3=3073
- McLachlan, D. See Lynton, E. A., 2=9484
- McLain, J. See Cottrell, T. L., 4=17289
- McLain, W. H. See Rabinovitch, B. S., 0=4711
- McLane, S. B., Müller, E. W. and Nishikawa, O. Field ion microscopy with an external image intensifier, 4=29997
- McLaren, A. C. See Brown, R. N., 2=6762
- McLaren, A. C. See Brown, R. N., 3=1252
- McLaren, A. C. See Brown, R. N., 3=1253
- McLaren, E. H. and Murdock, E. G. The freezing points of high purity metals as precision temperature standards. V. Thermal analyses on 10 samples of tin with purities greater than 99.99%, 0=2271
- McLaren, E. H. and Murdock, E. G. The freezing points of high purity metals as precision temperature standards VI. Thermal analyses on five samples of lead with purities greater than 99.999%, 0=10803
- McLaren, E. H. and Murdock, E. G. The freezing points of high-purity metals as precision temperature standards. VII. Thermal analyses of seven samples of bismuth with purities greater than 99.999%, 3=9642
- McLaren, E. H. and Weinberg, F. Zn:Tl phase diagram at very low thallium concentrations, 1=9147
- McLaren, E. H. See Weinberg, F., 3=16838
- McLaren, G. A. See Parker, D. J., 0=16716
- McLaren, J. R. See Baldock, P., 2=12923
- McLaren, K. G. and Tabor, D. The frictional properties of lignum vitae, 1=4004
- McLaren, K. G. and Tabor, D. Friction of polymers: influence of speed and temperature, 3=16012
- McLaren, L. See Knox, J. H., 4=24269
- McLaren, T. I., Fox, J. N. and Hobson, R. M. Double probe measurements of electron temperatures in a shock tube, 4=2773
- McLaren, T. I., Fox, J. N. and Hobson, R. M. The interaction of a high velocity ionized plasma with a transverse magnetic field, 4=18823
- McLaren, T. I., Fox, J. N. and Hobson, R. M. Measurements of electron concentration and electron temperature during the attainment of equilibrium in shock ionized argon, 4=18896
- McLatchie, R. C. F. See Barnard, E., 4=12016
- McLatchie, W., Barber, R. C., Bishop, R. L., Duckworth, H. E., Hogg, B. G., Macdougall, J. D. and Van Rookhuyzen, P. Some new neutron separation energies for isotopes of Hg, Tl, Pb, and Bi, 4=19638
- McLatchie, W., Barber, R. C., Duckworth, H. E. and Van Rookhuyzen, P. Direct determinations of the  $Sm^{144}$  -  $Nd^{144}$  and  $Nd^{150}$  -  $Sm^{150}$ , 4=25258
- McLatchie, W. See Barber, R. C., 3=714
- McLatchie, W. See Barber, R. C., 3=12627
- McLatchie, W. See Barber, R. C., 3=22336
- McLatchie, W. See Barber, R. C., 4=12413
- McLatchie, W. See Barber, R. C., 4=25257
- McLatchie, W. See Bishop, R. L., 4=3535
- MacLatchy, C. S. See Magarvey, R. H., 4=18146
- MacLatchy, C. S. See Magarvey, R. H., 4=18147
- McLauchin, K. A. See Cohen, A. D., 4=5838
- McLauchlan, E. C. Noise suppression in pulse receivers, 1=11686
- McLauchlan, E. C. See Hunten, D. M., 4=10742
- McLauchlan, K. A. The determination of the relative signs of proton-proton spin coupling constants, 3=21996



- McLaughlan, K.A. See Back, R.A., 2=19164  
 McLaughlan, K.A. See Freeman, R., 3=736  
 McLaughlan, S.D. See Jolley, D.G., 4=14950  
 McLaughlin, D.B. Neon absorption lines in a Nova spectrum, 0=14460  
 McLaughlin, D.B. Visual photometric observations of  $\omega$  Serpentis, 1=12767  
 McLaughlin, E. Transport coefficient ratios for isotopically substituted molecules in the liquid phase and the transport mechanism, 1=10498  
 McLaughlin, E., Shakespeare, M. A. and Ubbelohde, A. R. Pre-freezing phenomena in relation to liquid-crystal formation, 4=11181  
 McLaughlin, E. and Ubbelohde, A.R. Pre-freezing phenomena in molten metals, 1=15844  
 McLaughlin, E. See Horrocks, J.K., 1=15849  
 McLaughlin, E. See Horrocks, J.K., 2=21905  
 McLaughlin, E. See Horrocks, J.K., 4=170  
 McLaughlin, E. See Kamal, I., 4=18193  
 McLaughlin, E.F. See Mehr, D.L., 3=7396  
 McLaughlin, I. L. Molecular theory of dissipative processes in gases, 4=21172  
 McLaughlin, R. Spectrum of  $UCl_4$ , 2=14676  
 McLaughlin, R. Absorption spectrum of astatine, 4=28118  
 McLaughlin, R.D. and Conway, J.G. Anion effects on the  $Pr^{3+}$  spectrum, 3=13181  
 McLaughlin, W.L. Megaröntgen dosimetry employing photographic film without processing, 1=400  
 McLaughlin, W.L. See Ehrlich, M., 1=16129  
 McLaughlin, W. L. See Ehrlich, M., 4=11378  
 McLay, A.B. See Pieczonka, W.A., 1=2495  
 McLay, D.B. The microwave spectrum of dichloro-fluoromethane, 4=20080  
 McLay, D.B. and Mann, C.R. The microwave spectrum and molecular structure of  $CHF_3$ , 2=3788  
 MacLay, G.J. and Babrov, H.J. Errors in spectral absorption measurements due to absorbing species in the atmosphere, 4=17895  
 MacLay, G.J. See Malkmus, W., 4=17282  
 Maclean, A. See Rowlands, J.L., 3=14  
 McLean, A.D. LCAO-MO-SCF ground state calculations on  $C_2H_2$  and  $CO_2$ , 0=13450  
 McLean, A.D. Structure of the ground state of HCN, 2=20834  
 McLean, A.D. Extended basis-set LCSTO-MO-SCF calculations on the ground state of carbon dioxide, 3=10528  
 McLean, A.D. Optimized single-configuration wavefunction for the ground state of lithium fluoride, 4=3863  
 McLean, A.D. Accuracy of computed spectroscopic constants from Hartree-Fock wavefunctions for diatomic molecules, 4=15326  
 McLean, A.D. Optimization of molecular wavefunctions by scaling, 4=20027  
 McLean, A.D., Ransil, B.J. and Mulliken, R.S. Charge distribution, hybridization and bonding in acetylene and carbon dioxide, 0=17802  
 McLean, A.D., Weiss, A.W. and Yoshimine, M. Configuration interaction in the hydrogen molecule — the ground state, 0=17812  
 McLean, A.D. See Clementi, E., 2=2014  
 McLean, A.D. See Clementi, E., 2=6199  
 McLean, A.D. See Clementi, E., 2=6201  
 McLean, A.D. See Clementi, E., 3=25110  
 McLean, A.D. See Clementi, E., 4=9643  
 McLean, A.D. See Clementi, E., 4=12377  
 Maclean, C. and Mackor, E.L. Proton exchange in carbonium ions of methyl-substituted benzenes, 1=11126  
 MacLean, C. and Mackor, E.L. Nuclear magnetic resonance of proton complexes of weak bases, 1=11767  
 MacLean, C. and Mackor, E.L. Nuclear magnetic relaxation in hydrogen fluoride, 3=22600  
 MacLean, C. See Mackor, E.L., 1=11119  
 McLean, D. On the absence of Landau damping in the non-linear treatment, 2=22234  
 McLean, D. Magnetic field in a fluid of infinite conductivity in a uniform gravitational field, 4=30020  
 McLean, D. and Hale, K.F. Dislocation-free precipitates, 0=18389  
 McLean, D. See Carrington, W., 1=14272  
 McLean, D. See Denisse, J.F., 2=19993  
 McLean, D. See Hale, K.F., 3=20903  
 McLean, D. See Hale, K. F., 4=23518  
 McLean, D. See Inman, M.C., 3=16096  
 McLean, D.J. Solar radio emission of spectral type IV and its association with geomagnetic storms, 0=8475  
 McLean, D.J. The improvement of imagines obtained with annular apertures, 2=1253  
 McLean, D.J. and Wild, J.P. Systems for simultaneous image formation with radio telescope, 2=4833  
 McLean, D.J. See Boorman, J.A., 2=2559  
 McLean, E.A. Measurement of neon transition probabilities using an electromagnetic shock tube, 4=19961  
 McLean, E.A., Faneuff, C.E., Kolb, A.C. and Griem, H.R. spectroscopic study of helium plasmas produced by magnetically driven shock, 1=291  
 McLean, E.A., Kolb, A.C. and Griem, H.R. Visible precursor radiation in an electro-magnetic shock tube, 1=12917  
 McLean, E.A. See Bronfin, B.R., 2=5134  
 McLean, E.A. See Kolb, A.C., 3=12159  
 McLean, E.A. See Lupton, W.H., 3=7563  
 McLean, E.A. See Ramsden, S.A., 2=19980  
 McLean, M. and Mykura, H. The orientation dependence of surface tension for face-centered-cubic iron, 4=13673  
 McLean, M. See Rhead, G.E., 4=15816  
 McLean, S., Meleka, A.H. and Barr, W. An autoradiographic effect, 1=18635  
 McLean, T.P. The absorption edge spectrum of semiconductors, 1=6210  
 McLean, T.P. The effective-mass approximation, 4=25872  
 McLean, T.P. and Loudon, R. Exciton energy levels in germanium and silicon, 0=11607  
 McLean, T.P. and Paige, E.G.S. A theory of the effects of carrier-carrier scattering on mobility in semiconductors, 1=17664  
 McLean, T.P. and Paige, E.G.S. Electron-hole scattering and minority carrier mobility in germanium, 1=19853  
 McLean, T.P. and Paige, E.G.S. Optical absorption edge broadening in germanium, 2=16829  
 McLean, T.P. and Paige, E.G.S. The effects of carrier-carrier scattering on mobility, 3=2857  
 McLean, T.P. and Paige, E.G.S. Optical absorption edge broadening in germanium, 3=10951  
 McLean, T.P. See Butcher, P.N., 3=8484  
 McLean, T.P. See Butcher, P.N., 4=15512  
 McLean, W.L. Superconducting penetration depth measurement in aluminium at 175 Mc/s, 2=9481  
 Macleay, R.Q. and Holroyd, L.V. Space-time analysis of the sonoluminescence emitted by cavitated water, 1=4346  
 McLeish, C.W. See Burtynk, N., 3=5215  
 McLellan, A. See Beard, D.B., 3=24834  
 McLellan, A.G. Selection rules for spin-orbit matrix elements for the configuration  $f^n$ , 1=3497  
 McLellan, A.G. Eigenfunctions for integer and half-odd integer values of J symmetrized according to the icosahedral group and the group  $C_{3v}$ , 1=7515  
 McLellan, A. G. Hole theory of fluids and the quasichemical approximation, 4=8142  
 McLellan, A.G. Quasichemical approximation and hole theory of a one-dimensional fluid, 4=18070  
 McLellan, A. G. Application of the hole theory of Baer to a one-dimensional fluid of hard spheres, 4=18089  
 McLellan, R.B. and Shuttleworth, R. The determination of the vibrational entropies of solute atoms in dilute copper solid solutions by the measurement of vapour pressures, 3=12922  
 McLennan, J.A., Jr. Statistical mechanics of the steady state, 0=891  
 McLennan, J.A., Jr. Statistical mechanics of transport in fluids, 0=14548  
 McLennan, J.A.Jr. Nonlinear effects in transport theory, 1=18322  
 McLennan, J. A., Jr. Comment on the theory of transport coefficients, 4=8110  
 McLennan, J. A., Jr. Theory of transport in moderately dense gases, 4=8239  
 McLennan, J. A. Entropy production for a medium with memory, 4=29546  
 McLennan, J. A., Jr. and Swenson, R. J. Theory of transport coefficients in low-density gases, 4=5235  
 McLennan, W. D. See Brownell, R. B., 4=29181  
 McLeod, D., Richert, S. and Silverman, A. Evidence for a pion-pion resonance from photoproduction of pion pairs, 2=5709  
 McLeod, D. See Berkelman, K., 3=7914  
 McLeod, D. See McDaniel, B.D., 0=5616  
 McLeod, D., Jr. See Weltner, W., 4=12473  
 McLeod, D., Jr. See Weltner, W., Jr., 4=25681  
 Macleod, D.B. A theory of Helium II, 3=24129  
 MacLeod, D.E. See Van Ostenburg, D.O., 3=3204  
 Macleod, G. See Gard, F., 2=1715



- MacLeod, G.R. The development of data analysis systems for bubble chambers, for spark chambers and for counter experiments, 3=19519
- MacLeod, G.R. See Bartke, J., 1=8515
- MacLeod, G.R. See Bartke, J., 2=13883
- MacLeod, G.R. See Grard, F., 2=22513
- MacLeod, G.R. See Loria, A., 2=1714
- McLeod, J. and Werbrouck, A.E. Mechanical equivalent of heat apparatus, 1=1852
- McLeod, J.H. Axicons and their uses, 0=2232
- MacLeod, M.A. and Waniek, R.W. Injection of high velocity charged particles into strong magnetic fields, 3=14653
- McLeod, N.B. See Benedict, M., 2=6067
- MacLeod, R.M. See Hawley, S.A., 3=20036
- McLeod, R.R. See Tendam, D.J., 2=13233
- McLeod, R.R. See Tendam, D.J., 2=17335
- McLernon, F.D. See Bay, Z., 2=5754
- McLeroy, E.G. Complex image theory of low-frequency sound propagation in shallow water, 1=11811
- McLeroy, E.G. In situ measurements of the attenuation of high-frequency sonar pulses in sea water, 3=21029
- McLeroy, E.G. See Spitznogle, F.R., 4=2762
- McLinden, H.G. See Aronson, J.R., 4=26197
- MacLusky, G.J.R. Automatic control of a research reactor, 1=2263
- McMahon, D.H. Paramagnetic resonance line shapes of  $\text{Fe}^{++}$  in  $\text{MgO}$ , 4=13320
- McMahon, D.H. and Silsbee, R.H. Virtual phonon effects in the paramagnetic resonance of  $\text{MgO}:\text{Fe}^{+}$ , 4=23046
- McMahon, G.B. and Downes, J.G. Propagation of temperature and moisture changes during forced convective flow of air through a mass of hygroscopic fibres, 2=15625
- McMahon, G.B. and Downes, J.G. A note on the equation of adiabatic saturation, 2=22094
- McMahon, G.W. Measurement of Poisson's ratio in poled ferroelectric ceramic disks, 4=7364
- McMahon, G.W. Experimental study of the vibrations of solid, isotropic, elastic cylinders, 4=8297
- McMahon, G.W. Performance of open ferroelectric ceramic cylinders in underwater transducers, 4=14274
- McMahon, G.W. Sensitivity of liquid-filled, end-capped, cylindrical, ceramic hydrophones, 4=18360
- McMahon, G.W. See Brown, R.F., 2=14610
- McMahon, H.O. and Gifford, W.E. Closed-cycle helium refrigeration, 2=5224
- McMahon, H.O. See Miles, J.L., 1=11320
- MacMahon, J.P. A 100 channel pulse analyzer utilizing dual step conversion, 1=2933
- McMahon, J.P. Argonne three dimensional analyzer, 1=11892
- McMahon, P.E. See Gutowsky, H.S., 2=16562
- McMahon, P.E. See Schug, J.C., 0=17784
- McMahon, R.E. See Tancrill, R.H., 0=11006
- McManigal, P.G. See Barish, B.C., 1=8486
- McManus, G.M. Elastic properties of  $\beta\text{-CuZn}$ , 3=8752
- McManus, G.M. See Flinn, P.A., 1=11165
- McManus, G.M. See Flinn, P.A., 1=20294
- McManus, G.M. See Flinn, P.A., 1=20590
- McManus, G.M. See Flinn, P.A., 4=6706
- McManus, H. The interaction of fast neutrons with nuclei, 2=1871
- McManus, H. See Haybron, R.M., 4=17131
- McManus, H. See Kerman, A.K., 0=5739
- McManus, H. See Vogt, E., 0=13252
- McMaster, W.H. Polarization phenomena for positron annihilation-in-flight, 0=17311
- McMaster, W.H. Matrix representation of polarization, 1=8428
- McMasters, O.D., Palmer, P.E. and Larsen, W.L. Thorium-molybdenum phase diagram, 3=8896
- McMath, R.R., Mohler, O.C. and Dodson, H.W. Solar features associated with Ellerman's solar hydrogen bomb, 0=8496
- McMillan, B. A descriptive introduction to the statistical theory of communication, 0=2119
- MacMillan, D.B. and Storm, M.L. Kinetics of low source reactor startups. III, 3=25005
- MacMillan, D.B. See Hurwitz, H., Jr., 3=12734
- MacMillan, D.B. See Hurwitz, H., Jr., 3=12735
- McMillan, D.E. See Gaertner, E.R., 0=13302
- McMillan, E.M. History of the cyclotron. II, 0=5368
- McMillan, F.N. See Hock, D.C., 0=12334
- McMillan, J.A. Paramagnetism: A key to the knowledge of chemical bonding, 1=3881
- McMillan, J.A., Matheson, M.S. and Smaller, B. Paramagnetic resonance of gamma-irradiated single crystals of ice at 77°K, 0=16168
- McMillan, J.A. and Smaller, B. Paramagnetic resonance of some copper complex compounds, 1=14795
- McMillan, J.A. and Smaller, B. Paramagnetic resonance of some silver (II) compounds, 2=1166
- McMillan, M. Separable nonlocal potentials and Regge poles, 4=3330
- McMillan, M. Regge cuts in a nonrelativistic three-body problem involving separable potentials, 4=19454
- McMillan, M. and Opechowski, W. On the temperature dependence of the shape of paramagnetic resonance lines, 0=16156
- McMillan, M. and Opechowski, W. The temperature dependence of the shape of paramagnetic resonance lines, 2=762
- McMillan, M. and Predazzi, E. Electromagnetic form factors in the Regge representation, 2=20323
- McMillan, M. See Bertocchi, L., 4=15003
- McMillan, M. See Lomon, E.L., 4=9341
- McMillan, R.C. Electron spin resonance of potassium colloids in  $\text{KN}_3$ , 4=26422
- McMillan, R.C., King, G.J., Miller, B.S. and Carlson, F.F. Temperature dependence of the electron spin resonance in colloidal sodium, 3=3418
- McMillan, R.C. See King, G.J., 0=8083
- McMillan, R.C. See King, G.J., 1=8921
- McMillan, R.C. See King, G.J., 1=17579
- Macmillan, R.S., Rusch, W.V.T. and Golden, R.M. A new antenna to eliminate ground wave interference in ionospheric sounding experiments, 0=2003
- McMillan, W.G. See Nash, C.P., 1=10693
- McMillan, W.G. See Porter, R.A., 0=5718
- McMillan, W.R. X-ray line scanner for the Philips diffractometer, 3=6830
- McMillen, J.H. Research programs in non-Ph.D. granting institutions, 1=2676
- McMorris, M.N. See Horne, R.W., 3=1268
- McMorrow, E.W. See Wallace, J.D., 1=2829
- McMullan, J.T. and Hurst, R.P. Magnetic susceptibility of  $2^3\text{S}_1$  state of helium and some like ions, 4=28113
- McMullan, R. and Jeffrey, G.A. Hydrates of the tetra-n-butyl and tetra-i-amyl quaternary ammonium salts, 0=3255
- McMullan, R.K., Bonamico, M. and Jeffrey, G.A. Polyhedral clathrate hydrates. V. Structure of the tetra-n-butyl ammonium fluoride hydrate, 4=7655
- McMullan, R.K. See Beurskens, G., 4=7656
- McMullan, R.K. See Bonamico, M., 3=3308
- McMullan, R.K. See Jeffrey, G.A., 3=3309
- McMullen, A.I. See Kinloch, C.D., 0=3713
- McMullen, C.W. Transistorized distributed amplifier, 0=2299
- McMullen, J.G. See Norton, J.F., 4=8842
- McMullin, P.G. Precise wavelength measurement of infrared optical maser lines, 4=21680
- McMullin, P.G. See Cohen, R.L., 3=19514
- McMurry, H.L. Coordinates for the group vibration method for calculating molecular frequencies, 1=13993
- McMurry, H.L. Calculation of partial differential scattering cross-sections for slow neutrons, 3=17282
- McMurry, H.L., Cazier, G.A. and Goin, R.W. Calculation of MTR fuel loadings, 0=13368
- McMurry, H.L., Gannon, L.J. and Hestir, W.A. Evaluation of techniques for computing partial differential scattering cross-sections, 3=17283
- McMurry, H.L. See Brugger, R.M., 4=30464
- McMurtry, B.J. Investigation of ruby optical maser characteristics using microwave phototubes, 3=22012
- McMurtry, B.J. and Siegman, A.E. Photomixing experiments with a ruby optical maser and a travelling-wave microwave phototube, 2=7345
- McMurtry, B.J. and Siegman, A.E. Photomixing experiments with a ruby optical maser and a traveling-wave microwave phototube, 3=7320
- McMurtry, B.J. See Caddes, D.E., 4=18371
- McMurtry, B.J. See Harris, S.E., 3=5535
- McMurtry, B.J. See Siegman, A.E., 4=19276
- McMurtry, B.J. See Targ, R., 4=18372
- McMurtry, W.M. See Muirhead, J.C., 3=7169
- McNab, I.R. See Lindley, B.C., 3=4135
- McNab, I.R. See Robinson, C.A., 4=24562
- McNabb, A. and Foster, P.K. A new analysis of the diffusion of hydrogen in iron and ferritic steels, 4=6873
- McNair, A. The half-life of vanadium-50, 1=12180
- McNair, A. The half-life of long-lived lutetium-176, 1=17011



- McNair, A. and Wilson, H.W. The half-life of rubidium-87, 1=12162
- MacNair, D. See Tien, P.K., 4=11829
- McNally, D. The equilibrium of CH and CH<sup>+</sup> in interstellar space, 2=21689
- McNally, D. Recent advances in science-astronomy. The magnetic field of the Galaxy. I, 3=11583
- McNally, D. The magnetic field of the galaxy. II, 3=18646
- McNally, D. Recent advances in science: astronomy, 4=2397
- McNally, D. The sun-granulation, 4=23907
- McNally, D. See Crampin, J., 0=14497
- McNally, D. See McCrea, W.H., 0=18865
- McNally, F.X. See Lauriente, M., 2=19764
- McNally, J.R., Jr and Kessler, K.G. Supplementary Zeeman data for the first spectrum of ruthenium (Ru I), 0=7730
- McNally, J.R., Jr and Skidmore, M.R. Spectroscopic line-profile studies of long magnetically confined high-current, steady-state vacuum arcs, 3=19930
- McNally, J.R., Jr, Skidmore, M.R., Francis, J.E., Jenkins, P.M. and Griffin, D.A. Preliminary spectroscopic results on a very long, high-current, magnetically confined, vacuum carbon arc, 3=14556
- McNally, R. N. See Alper, A. M., 4=20713
- McNamara, A.G. An analysis of some statistical properties of auroral radar reflections and their relationships to the detection capabilities of the radar, 0=6479
- McNamara, A.G. and McKinley, D.W.R. The effect of trail irregularities on the interpretation of meteor echoes, 0=14388
- McNamara, A.G. Auroral radar observations at 48 Mc/s during the period of the 12 November 1960 solar event, 1=21059
- McNamara, A.G. Semiconductor diodes and transistors as electrical thermometers, 2=9438
- McNamara, D.H. The dependence of hydrogen line intensities on rotational velocities in B-type stars, 3=9241
- McNamara, J.E. See Robertson, H.M., 2=21863
- McNamee, J.M. See Butcher, A.C., 0=1422
- McNamee, J.M. See Cohen, M., 2=22881
- McNamee, J.M. See Dalgarno, A., 1=9805
- McNamee, J.M. See Dalgarno, A., 2=1954
- McNarry, L.R. Distribution of flares on the solar disk associated with noise, 0=4899
- McNarry, L.R. The observation of a solar event in white light from Resolute, N.W.T., on August 30, 1957, 1=2617
- McNarry, L.R. Forward scatter of radio signals via meteor trails and short-lived solar radio bursts, 2=13179
- McNarry, L.R. See Bhonsle, R. V., 4=15952
- McNarry, L.R. See Bhonsle, R. V., 4=23942
- McNarry, L.R. See Covington, A.E., 1=10393
- McNaught, R.A. See Alexander, T.K., 2=9495
- McNaught, R.A. See Goulding, F.S., 1=18731
- McNaull, J. See Blair, D.T.A., 3=4085
- McNeal, R.J. Disorientation cross sections in optical pumping, 3=8200
- McNeal, R.J. Spin relaxation of optically pumped rubidium atoms in molecular buffer gases, 4=15308
- McNeal, R.J., Bernheim, R.A., Bersohn, R. and Dorfman, M. Optical pumping and chemical reactions, 4=17853
- McNeely, D.R. See Forst, H., 1=19716
- McNeely, D.R. See Spence, R.D., 3=1205
- McNeil, E.B. Physics teaching: An anthropological angle, 3=23724
- McNeil, G. See Murphy, A. P., 4=10572
- MacNeillage, P.F. Electromyographic and acoustic study of the production of certain final clusters, 3=13946
- MacNeill, C. Infrared transmittance of rhombic sulfur, 3=8603
- McNeill, D. A. See Kahalas, S. L., 4=29912
- McNeill, D. B. See Jerrard, H.G., 4=5004
- McNeill, D.J. Measurement of the thermal diffusivity of thermoelectric materials, 2=7420
- McNeill, D.J. Measurement of thermal conductivity using the Peltier effect, 3=5547
- McNeill, D.J. Angstrom's experiment, 4=30526
- McNeill, D.J. See Curry, C., 1=3514
- McNeill, D. J. See Ware, R. M., 4=12998
- McNeill, F. A. See Crombie, D. D., 4=13809
- McNeill, K.G. Interrelationship of physical quantities, 0=4924
- McNeill, K.G. Further comment on the interrelationship of physical quantities, 1=1672
- McNeill, K.G. and Davis, L.D. An anticoincidence ring for a whole-body counter, 2=15422
- McNeill, K.G. and Green, R.M. Scintillation spectra from thick sources, 2=1628
- McNeill, K.G. and Prentice, J.D. The 1.2 MeV beta decay of <sup>128</sup>I, 2=402
- McNeill, K.G., Trojan, O.A.D. and Dawson, D.J. Gamma-active fall-out in Ontario 1958-60, 1=17007
- McNeill, K.G. See Baker, R.G., 1=8688
- McNeill, K.G. See Baker, R.G., 1=17073
- McNeill, K.G. See Green, R.M., 2=15421
- McNeill, K.G. See Mitchell, O.M.M., 3=19830
- McNeill, K.G. See Mitchell, O.M.M., 3=24734
- McNeill, K.G. See Mohindra, V.K., 3=23604
- McNeill, K.G. See Prentice, J.D., 2=1837
- McNeill, K.G. See Storey, R.S., 0=425
- McNeill, K.G. See Taagepera, R., 1=17853
- McNeill, K.G. See Trojan, O.A.D., 2=12151
- McNeill, P.C. See McChesney, M., 1=2953
- McNeill, W. and Conroy, L.E. Electrical properties of some dilute cubic sodium tungsten bronzes, 2=2116
- McNeilly, C. E. The electrical properties of plutonium oxides, 4=12908
- McNeilly, C. E. See Chikalla, T. D., 4=29016
- McNeirney, J. and Slavin, W. A wavelength standard for ultraviolet-visible-near infrared spectrophotometry, 2=15735
- McNesby, J. See Scheer, M.D., 2=19154
- McNesby, J.R. and Jackson, W.M. On the isomerization of isobutyl radicals, 3=8948
- McNesby, J.R., Scheer, M.D. and Klein, R. Isotope effect in the hydrogen atom-formaldehyde reaction, 0=14114
- McNesby, J.R., Tanaka, I. and Okabe, H. Vacuum ultraviolet photochemistry. III. Primary processes in the vacuum ultraviolet photolysis of water and ammonia, 2=4550
- McNesby, J.R. See Gordon, A.S., 0=746
- McNesby, J.R. See Gordon, A.S., 1=6570
- McNesby, J.R. See Jackson, W.M., 2=14236
- McNesby, J.R. See Jackson, W.M., 3=3384
- McNesby, J.R. See Jackson, W.M., 3=3390
- McNesby, J.R. See Okabe, H., 1=6573
- McNesby, J.R. See Okabe, H., 2=4549
- McNesby, J.R. See Okabe, H., 2=23969
- McNesby, J.R. See Tanaka, I., 2=17096
- Macnichol, E.F. An analog computer to simulate systems of coupled bimolecular reactions, 0=6410
- MacNichol, E.F., Jr. See Wagner, H.G., 3=5291
- McNichol, J.J. See Sobol, H., 2=9471
- McNicol, R. W. E. and Mainstone, J. S. General characteristics of pc-type pulsations, 4=10770
- McNicol, R.W.E., Mainstone, J.S. and Wilkie, J.R. Micropulsation studies at Brisbane, Queensland. II. Pulsations of the Pc and Pt type, 3=13834
- McNicol, R.W.E. and Thomas, J.A. Measurements of changes in the phase path of radio waves reflected from the ionosphere at normal incidence, 0=19941
- McNicol, R.W.E. See Mainstone, J.S., 3=13833
- McNicol, R.W.E. See Thomas, J.A., 0=18495
- McNicol, R.W.E. See Thomas, J.A., 0=19942
- McNicol, R.W.E. See Wilkie, J.R., 2=21678
- McNiff, E.J., Jr. and Shapiro, S. Nuclear magnetic resonance in metal hexaborides, 3=20677
- McNish, A.G. Geomagnetic effects of high-altitude nuclear explosions, 0=12142
- McNish, A.G. Nomenclature for standards of radioactivity, 1=13665
- McNish, A.G. The speed of light, 3=11878
- McNish, A.G. See Huntoon, R.D., 1=1676
- McNiven, H.D. Extensional waves in a semi-infinite elastic rod, 1=2809
- McNiven, H.D. and Perry, D.C. Axially symmetric waves in finite, elastic rods, 2=9333
- McNiven, H. D., Sackman, J. L. and Shah, A. H. Dispersion of axially symmetric waves in composite, elastic rods, 4=2757
- McNulty, J., Silver, M. and Witte, R.S. Production of alkali halide single crystal filaments and points, 0=18315
- McNulty, J. See Funk, E.G., Jr, 3=6183
- McNulty, J. F., Funk, E. G., Jr and Mihelich, J. W. A re-investigation of the decay of Eu<sup>147</sup> to Sm<sup>147</sup>, 4=27997
- McNulty, J.S. See Kircher, J.F., 0=18440
- McNutt, D. P. and Mack, J. E. Telluric absorption, residual intensities, and shifts in the Fraunhofer D lines, 4=2226
- McNutt, D.P. See Mack, J.E., 3=24020
- McNutt, J.D. See Zimmerman, J.E., 2=9470
- Macovei, M., Ivanov, E. and Vilcov, N. A simple method for obtention of the zero pulse at the cyclotron, 2=20078
- Macovei, M. See Grigoriu, A., 1=5513



- Macoy, H.M. See Boley, F.I., 2=1741
- McPartland, J.O. A high-temperature stage for transmission electron microscopy, 3=25794
- Macphail, I. See Hodkin, E.N., 4=23243
- McPhail, M.K. See Buckholz, E.E., 0=6489
- MacPhee, J. The kinetics of circulating fuel reactors, 0=13329
- Macpherson, A.C. See Day, H.M., 4=12929
- McPherson, A.I. and Forbes, V.M. The absorption of cosmic rays in lead measured with nuclear emulsions, 0=13090
- McPherson, D. See Almqvist, E., 4=22224
- McPherson, D.A. See Gates, D.C., 0=9243
- McPherson, D.H. and Jones, A.V. A study of the latitude dependence of OH rotational temperatures for Canadian stations, 0=14284
- McPherson, D.H. See Jones, A.V., 0=2032
- MacPherson, J.D. Some under-ice acoustic ambient noise measurements, 2=19192
- Macpherson, J.D. and Fothergill, N.O. Study of low-frequency sound propagation in the Hartlen Point region of the Scotian Shelf, 2=17557
- Macpherson, P.A. and Thrasher, D.B. High-frequency calibration of an ADP crystal microphone, 0=14751
- McPherson, P.M., Sclar, N., Linden, B.R., Brouwer, W. and Stair, A.T. Jr. Photodetecting instrument with flat wave-length response, 1=10589
- McPherson, R., Hardy, J. C. and Bell, R. E. Delayed proton emission following the decay of  $\text{Ne}^{17}$ , 4=25343
- McPherson, R. See Barton, R., 4=6275
- McPherson, R. See Taylor, H.W., 1=1878
- McPherson, R. See Taylor, H.W., 1=19420
- McPherson, R. See Taylor, H.W., 3=10295
- McPherson, R. See Taylor, H.W., 3=12590
- McPike, A. L. See Marsh, A. H., 4=293
- Macq, P. See Deconninck, G., 2=465
- Macq, P. C. See Bloom, S., 4=15081
- Macq, P. C. See Demortier, G., 1=13841
- Macq, P. C. See Demortier, G., 2=477
- Macq, P. C. See Gonze, A., 0=15094
- Macq, P. C. See Grégoire, G., 4=17193
- Macq, P. C. See Jodogne, J. C., 3=2494
- Macq, P. C. See Lipnik, P., 2=7943
- Macq, P. C. See Vervier, J. F., 0=17143
- McQuaid, R.W. Electro-optic properties of zinc selenide, 3=15657
- McQuaid, R.W. The Pockels effect of hexamethylene-tetramine, 3=23049
- McQuarrie, D.A. Theory of fused salts, 2=19542
- McQuarrie, D.A. On the stochastic theory of chromatography, 3=8963
- McQuarrie, D.A. Kinetics of small systems. I, 3=8964
- McQuarrie, D.A. On the surface tension of fused salts, 4=143
- McQuarrie, D. A. Virial coefficients and the classical theory of fluids for the square-well potential, 4=21088
- McQuarrie, D. A. Classical theory of fluids and the square-well potential, 4=27134
- McQuarrie, D. A., Jachimowski, C. J. and Russell, M. E. Kinetics of small systems. II, 4=23629
- McQuarrie, D.A. See Robinson, D.W., 0=4194
- McQueen, R.G., Fritz, J.N. and Marsh, S.P. On the equation of state of stishovite, 3=17666
- McQueen, R.G. and Marsh, S.P. Equation of state for nineteen metallic elements from shock-wave measurements to two megabars, 0=11548
- MacQueen, R.G. and Marsh, S.P. Ultimate yield strength of copper, 2=6746
- MacQueen, R.M. See Taylor, J. H., 4=10899
- Macqueron, J. L., Nouailhat, A. and Davoine, F. Calorimetric arrangement designed for the measurement of radiant energy, 4=14449
- Macqueron, J. L. See Davoine, F., 4=14954
- McQuillan, A.D. See Jones, D.W., 1=10130
- McQuillan, A.D. See Jones, D.W., 3=3084
- McQuillan, M.K. A study of the titanium-silver system, 1=15162
- McQuistan, R. B. Calculation of the potential distribution at the surface of an intrinsic semiconductor, 4=10039
- McQuistan, R. B. and Schultz, J. W. Modulation of infrared by free carrier absorption, 4=15589
- McQuistan, R. B. See George, R. I., 1=11670
- McQuistan, R. B. See Linner, L. R., 0=12442
- MacRae, A. See Bratt, P., 2=7454
- MacRae, A.U. 1/f noise from vacuum-cleaned silicon, 2=16708
- Macrae, A.U. The epitaxial growth of NiO on a (111) nickel surface, 3=11240
- Macrae, A.U. Low-energy electron diffraction, 3=13579
- MacRae, A.U. and Germer, L.H. Thermal vibrations of surface atoms, 2=19127
- Mac Rae, A. U. and Gobeli, G. W. Low-energy electron-diffraction study of the cleaved (110) surfaces of InSb, InAs, GaAs, and GaSb, 4=23555
- MacRae, A.U. and Levenstein, H. Surface-dependent 1/f noise in germanium, 0=11683
- MacRae, A.U. See Germer, L.H., 1=20658
- MacRae, A.U. See Germer, L.H., 2=8894
- MacRae, A.U. See Germer, L.H., 2=21558
- MacRae, A.U. See Germer, L.H., 2=23921
- MacRae, A.U. See Germer, L.H., 2=23922
- MacRae, A.U. See Germer, L.H., 3=1378
- McRae, E.G. A vibrational effect on the polarization of molecular crystal fluorescence, 0=18133
- McRae, E. G. Vibronic interactions in the exciton theory for molecular crystals, 4=6806
- McRae, E. G. and Siebrand, W. Vibronic coupling criteria in molecular crystals, 4=28335
- Macrae, J.C. and Gray, W.A. Significance of the properties of materials in the packing of real spherical particles, 1=6552
- MacRae, R.A., McClure, J.A. and Latimer, P. Spectral transmission and scattering properties of red blood cells, 1=21112
- MacRae, R. A. See Carter, J. G., 4=8422
- MacRae, T. P. See Fraser, R. D. B., 4=23232
- Macraakis, M.S. A possible long-range communications link between ground and low-orbiting satellites, 1=1546
- Macraakis, M.S. Theoretical and experimental study of the backscattering cross section of an infinite ribbon, 1=1973
- Macraakis, M.S. Nonlinear effects in a plasma, 4=19002
- McReynolds, A.W. and Riste, T. Critical scattering of neutrons from CoO, 0=13806
- McRickard, S.B. See Chow, J.G.Y., 3=8759
- McRickard, S. B. See Chow, J. G. Y., 4=10387
- Macris, C. See Godoli, G., 4=7985
- Macris, C.J. Spicules and their contribution to the formation of the solar chromosphere, 1=4201
- Macris, C.J. Studies on the flocculi of the solar chromosphere. I. Life time of the flocculi, 2=17278
- Macris, C.J. and Prokakis, T.J. On a difference in the dimensions of photospheric granules in the neighbourhood and at a distance from the penumbra of sunspots, 3=5259
- McShane, J.E. See Johnson, W., 0=6713
- McSkimin, H.J. Performance of high-frequency barium titanate transducers for generating ultrasonic waves in liquids, 0=129
- McSkimin, H.J. Empirical study of the effect of diffraction on velocity of propagation of high-frequency ultrasonic waves, 0=19298
- McSkimin, H.J. Pulse superposition method for measuring ultrasonic wave velocities in solids, 1=2819
- McSkimin, H.J. Effect of diffraction on velocity of sound, 1=6933
- McSkimin, H.J. Notes and references for the measurement of elastic moduli by means of ultrasonic waves, 1=7809
- McSkimin, H.J. Measurement of ultrasonic wave velocities for solids in the frequency range 100 to 500 Mc, 2=9353
- McSkimin, H.J. Measurement of the 25°C zero-field elastic moduli of quartz by high-frequency plane-wave propagation, 2=23727
- McSkimin, H.J. and Andreatch, P. Analysis of the pulse superposition method for measuring ultrasonic wave velocities as a function of temperature and pressure, 2=13416
- McSkimin, H.J. and Andreatch, P. Jr. Elastic moduli of germanium versus hydrostatic pressure at 25.0°C and -195.8°C, 3=11133
- McSkimin, H. J. and Andreatch, P., Jr. Elastic moduli of silicon VS hydrostatic pressure at 25.0°C and -195.8°C, 4=23202
- McSkimin, H.J. and Fisher, E.S. Temperature dependence of the adiabatic elastic moduli of single-crystal alpha uranium, 0=16204
- McSkimin, H.J. and Thomas, D.G. Elastic moduli of cadmium telluride, 2=2313
- McSkimin, H.J. See Bateman, T., 1=7810
- McSkimin, H.J. See Fisher, E.S., 1=15135
- McSkimin, H. J. See Mason, W. P., 4=6724
- McSwain, B.D., Borrelli, N.F. and Gouq-Jen Su. The effect of composition and temperature on the ultra-violet absorption of glass, 3=13173
- McSwain, B.D. See Borrelli, N.F., 3=13174
- MacSwain, A.M. See Campbell, D.S., 1=6920
- McTaggart, M.H. The absorption of neutrons by the  $\text{O}^{16}(n, \alpha)^{13}\text{C}$  reaction in an extended water moderator, 2=5942



- McTaggart, M. H. and Goodfellow, H. Measurements at 14 MeV neutron energy of the (n, 2n) cross section of beryllium and the (n, 3n) cross section of thorium, 4=12241
- McTaggart, M. H. See Moat, A., 2=3640
- McTaggart, M. H. See Weale, J. W., 2=3671
- Macur, G. J. See Raziunas, V., 3=25093
- Macurdy, L. B. See Almer, H. E., 2=9228
- Macurdy, L. B. See Bowman, H. A., 0=3486
- Macurdy, L. B. See Bowman, H. A., 1=102
- Macurdy, W. B. See Bliss, J. C., 1=21129
- McVehil, G. E. Wind and temperature profiles near the ground in stable stratification, 4=23744
- McVicar, D. D. See Burke, P. G., 4=12356
- McVicar, D. D. See Burke, P. G., 4=15300
- McVicar, D. D. See Burke, P. G., 4=25532
- McVicar, D. D. See Smith, R. D., 0=5810
- McVickers, R. C. See Dugdale, R. A., 2=17804
- McVickers, R. C. See Dugdale, R. A., 2=23782
- McVickers, R. C. See Dugdale, R. A., 4=30779
- McVickers, R. C. See Maskrey, J. T., 1=16293
- McVittie, G. C. Remarks on cosmology, 2=2521
- McVittie, G. C. Photon density and the gamma-ray flux at a point in an expanding universe, 3=5233
- McVittie, G. C. Gravitational collapse to a small volume, 4=29356
- McVittie, G. C. See Bonnor, W. B., 1=15410
- McVittie, G. C. See Roeder, R. C., 4=7957
- McVoy, K. W. Effects of a nuclear octupole moment on neutron scattering, 0=11305
- McVoy, K. W. Neutron-neutron scattering length, 1=4800
- McVoy, K. W. Electron-nucleus scattering and two-nucleon correlations, 1=19444
- McVoy, K. W. and Fano, U. Bremsstrahlung and the photoelectric effect as inverse processes, 0=2516
- McVoy, K. W. and Van Hove, L. Inelastic electron-nucleus scattering and nucleon-nucleon correlations, 2=3555
- McVoy, K. W. See Fano, U., 0=2513
- McVoy, K. W. See Fano, U., 0=2515
- McVoy, K. W. See Van Hove, L., 2=17374
- MacWaters, J. T. See McGinn, J. H., 0=10363
- McWeeny, R. The density matrix in many-electron quantum mechanics. I. Generalized product functions. Factorization and physical interpretation of the density matrices, 0=9728
- McWeeny, R. Some recent advances in density matrix theory, 0=17833
- McWeeny, R. Zero-field splitting of molecular Zeeman levels, 1=4939
- McWeeny, R. Comment on the calculation of zero-field splittings, 1=12361
- McWeeny, R. Perturbation theory for the Fock-Dirac density matrix, 2=12275
- McWeeny, R. and Mizuno, Y. The density matrix in many-electron quantum mechanics. II. Separation of space and spin variables; spin coupling problems, 1=13911
- McWeeny, R. and Ohno, K. A. A quantum-mechanical study of the water molecule, 0=7786
- McWeeny, R. and Sutcliffe, B. T. The density matrix in many-electron quantum mechanics. III. Generalized product functions for beryllium and four-electron ions, 3=10449
- McWeeny, R. and Sutcliffe, B. T. Spin polarization effects in paramagnetic molecules. Calculations on the  $\text{NH}_2$  radical, 3=22568
- McWeeny, R. See Maddox, I. J., 2=14297
- McWeeny, R. See Peacock, T. E., 0=4277
- McWhan, D. B. and Bond, W. L. Simple high pressure X-ray powder camera, 4=23400
- McWhan, D. B. and Jayaraman, A. Crystal structure of strontium metal above 35 kbar and its relation to ytterbium, 4=4624
- McWhan, D., Montgomery, P. W., Stromberg, H. D. and Jura, G. Pressure-temperature-resistance properties of lanthanum, bismuth, neptunium, plutonium, and americium to 450° and 30 KB, 4=7500
- McWhan, D. B. See Geller, S., 3=19110
- McWhirter, R. W. P. Ionization times of impurities in hydrogen plasmas, 0=10902
- McWhirter, R. W. P. Rates of recombination in hydrogenic plasmas, 2=19935
- McWhirter, R. W. P. Ionization rates and impurity radiation losses in  $\theta$ -pinches, 4=18958
- McWhirter, R. W. P. and Hearn, A. G. A calculation of the instantaneous population densities of the excited levels of hydrogen-like ions in a plasma, 4=2971
- McWhirter, R. W. P., Palit, P. and Bellamy, E. H. Distinguishing between  $\text{He}^3$  and  $\text{He}^4$  particles by 'dE/dx' and 'E' measurements, 0=2456
- McWhirter, R. W. P. See Allen, T. K., 3=12147
- McWhirter, R. W. P. See Bates, D. R., 2=11620
- McWhirter, R. W. P. See Bates, D. R., 3=364
- McWhirter, R. W. P. See Griffin, W. G., 3=13767
- McWhirter, R. W. P. See Hobbs, G. D., 3=7463
- McWhirter, R. W. P. See Jahoda, F. C., 4=19963
- McWhirter, R. W. P. See Kolb, A. C., 4=16494
- McWhorter, A. L. Electromagnetic theory of the semiconductor junction laser, 4=3216
- McWhorter, A. L. and Rediker, R. H. Impact localization of impurities in compensated germanium, 2=23315
- McWhorter, A. L., Zeiger, H. J. and Lax, B. Theory of semiconductor maser of GaAs, 3=12351
- McWhorter, A. L. See Calawa, A. R., 0=18047
- McWhorter, A. L. See Hamann, D. R., 4=12674
- McWhorter, A. L. See Hurwitz, C. E., 3=8504
- McWhorter, A. L. See Hurwitz, C. E., 4=17406
- McWhorter, A. L. See Quist, T. M., 3=9971
- McWilliams, A. S. See Edwards, D. O., 2=15834
- McWilliams, A. S. See Edwards, D. O., 2=17719
- McWilliams, A. S. See Edwards, D. O., 3=323
- McWilliams, A. S. See Edwards, D. O., 4=14504
- McWilliams, D. and Lynch, D. W. Indexes of refraction of  $\text{Mg}_2\text{Si}$ ,  $\text{Mg}_2\text{Ge}$ , and  $\text{Mg}_2\text{Sn}$ , 3=8576
- McWilliams, D. and Lynch, D. W. Infrared reflectivities of magnesium silicide, germanide, and stannide, 3=15653
- McWilliams, J. A. See Dunn, P. D., 2=19886
- McWilliams, J. A. See Dunn, P. D., 4=5548
- McWilliams, P., Hall, W. S. and Wegner, H. E. Multichannel analyzer data analysis by a least squares computer program, 2=2592
- Macwood, G. E. and Boddicker, K. W. Endothermic conversion of para-hydrogen to adsorbed equilibrium hydrogen below 20° K, 3=20994
- Maczuk, J. See Schwan, H. P., 0=3316
- Maczuk, J. See Schwan, H. P., 3=13627
- Maczyński, J. and Krzyszton, D. Characteristic functions and the strain tensor in a compressible sand mass motion, 2=11316
- Madaiah, N. and Graham, G. M. The thermal expansion of Cd and In, 4=12655
- Madan, M. P. Spin-lattice relaxation time of  $\text{Fe}^{3+}$  ion, 4=20594
- Madan, M. P. See Bahadur, J., 1=14130
- Madan, M. P. See Sahoo, H. K., 2=7249
- Madan, M. P. See Sharma, M. N., 2=8144
- Madan, M. P. See Sharma, M. N., 2=12361
- Madansky, L. See Culligan, G., 1=8477
- Madansky, L. See Dick, L., 2=22490
- Madansky, L. See Dick, L., 3=10100
- Madansky, L. See Lambert, J. M., 2=1890
- Madansky, L. See Pevsner, A., 1=7450
- Madansky, L. See Tilley, D. R., 0=1389
- Madansky, L. See Zdanis, R., 1=3459
- Madansky, L. See Zdanis, R. A., 2=1920
- Madár, J. A contribution to the crystal structure of  $\text{KHSeO}_4$ , 1=9141
- Madár, J. See Karavičová, M., 1=9140
- Madatova, E. G. See Dekhtyar, I. Ya., 2=8644
- Madatova, E. G. See Dekhtyar, I. Ya., 2=23671
- Madatova, E. G. See Dekhtyar, I. Ya., 3=11059
- Madatova, E. G. See Hertsricken, S. D., 1=20625
- Madatova, E. H. See Dekhtyar, I. Ya., 1=11429
- Madaule, F. See Bishop, G. R., 0=9604
- Madden, H. H. and Farnsworth, H. E. Tests for chemisorption of nitrogen on a clean (100) nickel surface, 1=6563
- Madden, H. H. Jr. See Farnsworth, H. E., 1=20687
- Madden, M. See Lloyd, D. A., 4=30928
- Madden, R. P. A high-resolution study of  $\text{CO}_2$  absorption spectra between 15 and 18 microns, 2=1997
- Madden, R. P. and Canfield, L. R. Apparatus for the measurement of vacuum ultraviolet optical properties of freshly evaporated films before exposure to air, 1=11836
- Madden, R. P., Canfield, L. R. and Hass, G. On the vacuum-ultraviolet reflectance of evaporated aluminum before and during oxidation, 3=11883
- Madden, R. P. and Codling, K. New autoionizing atomic energy levels in He, Ne and Ar, 3=19927
- Madden, R. P. and Codling, K. Autoionization in helium using a synchrotron light source, 4=12355



- Madden, R.P. and Codling, K. Recently discovered auto-ionizing states of Krypton and Xenon in the  $\lambda$  380-600 Å region, 4=15280
- Madden, R.P. and Kessler, K.G. The absolute measurement of intensity and wavelength in the far ultraviolet, 3=9591
- Madden, R.P. See Berning, P.H., 0=8797
- Madden, R.P. See Codling, K., 4=17247
- Madden, R.P. See Jacobus, G.F., 3=19005
- Madden, T. See Eckhardt, D., 4=13771
- Madden, T.C. and Gibson, W.M. Silicon dioxide passivation of p-n junction particle detectors, 3=7749
- Maddever, R.S. See Jones, O.C., 0=4784
- Maddever, R.S. See Jones, O.C., 0=14957
- Maddin, R. See Kimura, A., 4=29055
- Maddin, R. See Kimura, H., 3=20203
- Maddin, R. See Kimura, H., 4=28443
- Maddin, R. See Lawley, A., 2=6737
- Maddin, R. See Lawley, A., 3=1236
- Maddin, R. See Lee, C.H., 1=14321
- Maddin, R. See Ogawa, K., 3=22781
- Maddin, R. See Ogawa, K., 4=23308
- Maddin, R. See Ogawa, K., 4=29013
- Maddin, R. See Westdorp, W., 3=22798
- Maddin, R. See Westdorp, W., 4=17435
- Maddison, R. C., Gozna, C. F. and Davies, D. E. Some effects of cathode material and surface nature on work functions and sparking potentials in hydrogen, 4=21554
- Maddison, R.N. Optical model analysis of the elastic scattering of low energy deuterons, 2=5952
- Maddison, R.N. Optical model analysis of the elastic scattering of 1 MeV neutrons, 4=22144
- Maddison, R.N. See Andrews, P. T., 4=30348
- Maddison, R.N. See Buck, B., 0=20427
- Maddix, H. S. and Allen, M. A. Activated sorption of inert gases in an electrodeless discharge, 4=20821
- Maddix, H.S. See Allen, M.A., 3=21735
- Maddix, H. S. See Allen, M. A., 4=19199
- Maddock, A.G., Treloar, F.E. and Vargas, J.I. Chemical effects of radiative thermal neutron capture. X. Influence of crystal defects on the retention, 3=22871
- Maddock, A.G. See Andersen, T., 3=25311
- Maddock, A. G. See Andersen, T., 4=6892
- Maddock, A.G. See Claridge, R.F.C., 3=22872
- Maddock, A.J. Design of scales for industrial instruments, 1=4164
- Maddocks, F.S. See Behrnt, K.H., 0=3060
- Maddox, I.J. and McWeeny, R. Ring current in aromatic molecules, 2=14297
- Maddox, J. P. See Ory, H. A., 4=9719
- Madejski, J. Combined laminar flow forced and natural convection in vertical round tubes, 3=103
- Madejski, J. Radiative heat transfer between moving surfaces, 4=5411
- Madella, G.B. On the class of "Reciprocity Methods", 0=3588
- Madella, G.B. Plane condenser electrostatic actuators, 1=10574
- Madella, G.B. Analysis of plane-condenser actuators for the absolute calibration of certain microphones, 2=77
- Madelung, O. Hall effect in semiconductors with p-n transitions, 0=4336
- Madelung, O. The theory of zone drawing of semiconductors in the presence of a gas phase, 1=15002
- Mader, C. See Loughran, E.D., 0=13427
- Mader, C.L. Shock and hot spot initiation of homogeneous explosives, 3=11348
- Mader, C.L. See Pretzel, F.E., 1=7697
- Mader, C.L. See Zinn, J., 0=5200
- Mader, D. L. See Scott, G. D., 4=24160
- Mader, H.J. Electrical conduction and structure of thin technically formed aluminium oxide layers on aluminium, 2=23258
- Mader, J. Some external influences on the photo-stimulated exo-electron emission from stretched aluminium foil, 3=7627
- Mader, J. and Sujak, B. On the possibility of the determination of plastic deformation with the help of a Geiger point counter, 1=12590
- Mader, S., Seeger, A. and Leitz, C. Work hardening and dislocation arrangement of f.c.c. single crystals. I. Plastic deformation and slip line studies of nickel single crystals, 4=4478
- Mader, S., Seeger, A. and Thieringer, H.M. Work hardening and dislocation arrangement of f.c.c. single crystals. II. Electron microscope transmission studies of Ni-Co single crystals and relation to work-hardening theory, 4=4479
- Mader, S. and Seiger, A. On the slip line pattern of face-centered cubic metal crystals, 1=2511
- Mader, S. and Thieringer, H.-M. Dislocations in Ni and Ni-Co single crystals, 3=17744
- Mader, S., Widmer, H., d'Heurle, F.M. and Nowick, A. S. Metastable alloys of Cu-Co and Cu-Ag thin films deposited in vacuum, 4=10422
- Mader, S. See Alexander, H., 2=21040
- Mader, S. See Czjzek, G., 2=14450
- Mader, S. See Seeger, A., 1=12598
- Mader, S. See Seeger, A., 2=6343
- Madey, R. Shielding against space radiation, 3=21139
- Madey, R. and Barge, D.A. Anti-coincidence circuit for use in the milli-microsecond region, 0=15218
- Madey, T. E. See Barnaby, B. E., 4=23611
- Madhav Rao, L. See Begum, R.J., 3=12911
- Madhavan, N. See Venugoplan, M., 2=19917
- Madhov Rao, L. See Cribier, D., 4=18591
- Madhusudana Rao, K. and Tiruvenganna Rao, P. Rotational analysis of the visible emission bands of the PbF molecule, 4=20051
- Madigan, J.R. Dependence of the thermoelectric figure of merit on orientation in uniaxial crystals, 3=2981
- Madigan, J. R. A hybrid Peltier-Ettingshausen cooler for cryogenic temperatures, 4=27397
- Madigan, J.R. See Arai, T.T., 1=8301
- Madigan, J.R. See Reich, A.D., 1=2902
- Madigan, J.R. See Reich, A.D., 2=149
- Madigan, J. R. See Varga, B., 4=7089
- Madigosky, W. M. Vibrational relaxation in high-density methane, 4=2731
- Madigosky, W.M. and Litovitz, T.A. Mean free path and ultrasonic vibrational relaxation in liquids and dense gases, 1=4338
- Madikyan, R.A. See Geguzin, Ya.E., 1=4024
- Madjid, A.H. See Busch, G., 3=12232
- Madlow, M. The determination of temperature and pressure distribution in the outer photosphere from continuum measurements of changes in thermodynamic equilibrium, 2=15350
- Madlow, M. Determination of the temperature distribution in the outermost layers of the solar photosphere from measurements of the intensity gradient in the continuum, 3=16374
- Madonna, L.A., Sciulli, C.M., Canjar, L.N. and Pound, G.M. Low-temperature cloud-chamber studies on water vapour, 2=1313
- Madorskii, A.Ya. See Rakhman, B.M., 1=6462
- Madsen, A. C. See Halpert, G., 4=26774
- Madsen, A.W. See Morrey, J.R., 1=10595
- Madsen, B. S. and Vedelsby, M. The low-lying levels of  $^9\text{Be}$ , 4=25287
- Madsen, B.S. See Hansen, O., 4=12267
- Madsen, K.D. A 235 MW rock vessel reactor power plant, 3=4684
- Madsen, P.E. See Johnson, C.E., 1=10135
- Madsen, V.A. and Henley, E.M. The photodeuteron reaction, 2=14073
- Madsen, V.A. See Bilhorn, D.E., 4=16033
- Madsen, V.H. See Giamati, C.C., 3=24729
- Maduev, V.L. See Kurepin, A.B., 2=22355
- Maechler, P. See Forrer, R., 3=9803
- Maecker, H. On the characteristics of cylindrical arcs, 0=5289
- Maecker, H. The measurement and interpretation of arc characteristics ( $\text{Ar}$ ,  $\text{N}_2$ ), 0=9013
- Maecker, H. [Ed.]. Proceedings of the fifth international conference on ionization phenomena in gases. Vol. I and II (Munich, 28 August - 1 September 1961), 3=1928
- Maecker, H. Progress in arc physics, 3=7482
- Maecker, H., Steinberger, S. and Urban, M. A cascade arc chamber for very high outputs, 3=21751
- Maecker, H. See Frie, W., 1=9416
- Maecker, H. See Frie, W., 1=13071
- Maecker, H. See Frie, W., 2=12958
- Maeda, H. Geomagnetic disturbances due to nuclear explosion, 0=12141
- Maeda, H. Geomagnetic distortion of the F2 region on the magnetic equator. II, 0=14256
- Maeda, H. Horizontal winds and ionization drifts in the ionosphere, 0=21340
- Maeda, H. World-wide pattern of ionization drifts in the ionospheric F-region as deduced from geomagnetic variations, 3=13763
- Maeda, H. and Ondoh, T. Evidence of quasi-perpendicular propagation of hydromagnetic waves caused by nuclear explosions over Johnston Island, 1=6658
- Maeda, H., Sakurai, K., Ondoh, U. and Yamamoto, M. Solar-terrestrial relationships during the IGY and IGC, 2=17218



- Maeda, H., Sakurai, K., Ondoh, T. and Yamamoto, M. A study of solar-terrestrial relationships during the I.G.Y. and I.G.C., 3=11475
- Maeda, H. and Yamamoto, M. A note on daytime enhancement of the amplitude of geomagnetic-storm sudden commencements in the equatorial region, 1=1592
- Maeda, H. and Yamamoto, M. Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region, 1=4134
- Maeda, H. and Yamamoto, M. Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region, 2=6962
- Maeda, H. See Miyazawa, H., 2=23318
- Maeda, H. See Hirono, M., 0=8378
- Maeda, H. See Maeda, K., 4=7925
- Maeda, H. See Maeda, K., 4=13850
- Maeda, H. See Miyazawa, H., 1=12436
- Maeda, H. See Miyazawa, H., 3=25236
- Maeda, H. See Ondoh, T., 3=1491
- Maeda, H. See Sakurai, K., 1=18168
- Maeda, H. See Shirgaokar, A.J., 3=21074
- Maeda, H. See Uyeda, H., 0=16412
- Maeda, H. See Yamamoto, M., 1=15350
- Maeda, H. See Yasuhara, M., 1=21094
- Maeda, H. See Yonemitsu, H., 1=14384
- Maeda, K. Distortion of the magnetic field in the outer atmosphere due to the rotation of the earth, 0=14180
- Maeda, K. Origin of local high electric field in electroluminescence, 0=16108
- Maeda, K. Directional dependence of atmospheric temperature effects on cosmic-ray muons at sea-level, 1=2115
- Maeda, K. Electroluminescence of insulated particles. II, 1=12507
- Maeda, K. Production of atmospheric neutrons by solar  $\gamma$ -rays, 1=21081
- Maeda, K. Power supply for the ion source of mass spectrometer at the electrotechnical laboratory [Tokyo], 2=11728
- Maeda, K. Transmission of hydromagnetic wave to the earth, 2=11778
- Maeda, K. Whistlers and v.l.f. emissions in connection with the earth storms, 2=13009
- Maeda, K. Auroral dissociation of molecular oxygen in the polar mesosphere, 3=11450
- Maeda, K. and Hiaro, K. A review of upper atmosphere rocket research in Japan, 2=19207
- Maeda, K., Kato, S. and Tsuda, T. A theory of ionospheric radio wave scattering under the influences of ion production and recombination, 0=2011
- Maeda, K. and Kawashima, T. Power supply for ion source of mass spectrometer in electrotechnical laboratory, 3=12261
- Maeda, K. and Kimura, I. Calculation of the propagation path of whistling atmospherics, 0=8428
- Maeda, K. and Kimura, I. Amplification of the v.l.f. electromagnetic waves by a proton beam through the exosphere, 2=13008
- Maeda, K., Kimura, I. and Takakura, T. Observation of low frequency radio waves in the ionosphere, 4=23795
- Maeda, K. and Matsumoto, H. Conductivity of the ionosphere and current system, 3=11428
- Maeda, K. and Matsumoto, H. Conductivity of the ionosphere and the dynamo current system, 3=13709
- Maeda, K., Matsumoto, H., Takeya, Y. and Okumoto, T. Measurement of atmospheric temperature and wind velocity by kappa rockets, 2=4593
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on cosmic rays and the earth storm. I. Earth storm, 2=9939
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on Cosmic Rays and the Earth Storm. Kyoto, 4-15 September 1961. II. Joint Sessions, 2=9940
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on Cosmic Rays and The Earth Storm. Kyoto, 4-15 September 1961. III. Cosmic Rays, 2=9941
- Maeda, K. and Oya, H. A calculation of the penetration of v.l.f. radiowave energy through the ionosphere, 3=16259
- Maeda, K. and Oya, H. Penetration of v.l.f. radio waves through the ionosphere, 3=23613
- Maeda, K. and Patel, V.L. Seasonal variations of cosmic-ray intensity in polar regions, 1=16946
- Maeda, K. and Patel, V.L. A note on solar flare cosmic rays, 2=337
- Maeda, K., Patel, V.L. and Singer, S.F. Solar flare cosmic-ray event of May 4, 1960, 1=16933
- Maeda, K. and Singer, S.F. Energy dissipation of spiralling particles in the polar atmosphere, 1=20959
- Maeda, K. and Suzuki, K. Microplasmas in silicon p-n junctions, 3=2929
- Maeda, K., Tsuda, T. and Maeda, H. Theoretical interpretation of the equatorial sporadic E layers, 4=7925
- Maeda, K., Tsuda, T. and Maeda, H. Theoretical interpretation of the equatorial sporadic E layers, 4=13850
- Maeda, K. and Watanabe, T. Pulsating aurorae and infrasonic waves in the polar atmosphere, 4=17928
- Maeda, K. See Anderson, J.C., 2=12022
- Maeda, K. See Chasson, R.L., 1=3348
- Maeda, K. See Hayashi, T., 0=13882
- Maeda, K. See Patel, V.L., 2=341
- Maeda, M., Goto, F. and Miyata, K. Hollow crystal of wurzite type CdS, 4=29047
- Maeda, R. See Fukushima, N., 1=1595
- Maeda, S. The sub-structure in single crystals of nickel, 2=6859
- Maeda, S. and Schatz, P.N. Absolute infrared intensity measurements in thin films, 2=1270
- Maeda, S. and Schatz, P.N. On the determination of absolute intensities from refractive index data, 2=5072
- Maeda, S., Thyagarajan, G. and Schatz, P.N. Absolute infrared intensity measurements in thin films. II. Solids deposited on halide plates, 4=7106
- Maeda, S. See Mikami, I., 0=21040
- Maeda, S. See Sato, K., 3=1004
- Maeda, S. See Schatz, P.N., 1=4343
- Maeda, S. See Schatz, P.N., 3=16790
- Maeda, T. See Kameda, T., 1=2126
- Maeda, T. See Kameda, T., 1=10941
- Maeda, T. See Kameda, T., 1=12137
- Maeda, T. See Kameda, T., 3=4512
- Maeda, T. See Tino, Y., 3=25607
- Maeda, Y. On the heavy primary cosmic ray interactions in nuclear emulsions, 3=24817
- Maeder, D. Photographic recording methods in nuclear pulse spectrometry, 0=17182
- Maeder, D. High-resolution cathode ray tubes for investigation of nuclear track photographs, 3=12242
- Maeder, D. Scanning patterns for automatic track and event recognition, 3=19516
- Maeder, D. See Anders, H., 3=19528
- Maeder, D.G. Electronics for handling random events, 1=5407
- Maeder, P.F. See Kestin, J., 2=7425
- Maehlum, B. The sporadic E auroral zone, 2=24034
- Maehlum, B. Small scale structure and drift in the sporadic E layer as observed in the auroral zone, 2=24035
- Maehlum, B. and O'Brien, B.J. Solar cosmic rays of July 1961 and their ionospheric effects, 2=22687
- Maehlum, B. and O'Brien, B.J. Study of energetic electrons and their relationship to auroral absorption of radio waves, 3=13812
- Maehlum, B. See Becken, J., 0=14237
- Maekaw, S. Crystalline fields anomalies of diluted  $(\text{NH}_4)_2\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$  at low temperatures, 2=23033
- Maekawa, S. Electron spin resonance of diluted  $(\text{NH}_4)_2\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ , 2=4262
- Maekawa, S. Diffusion of phosphorus into silicon, 3=2832
- Maekawa, S. Electron spin resonance of  $\text{Fe}^{3+}$  ion in  $\text{NH}_4\text{-Al}$  alum single crystal (I), 4=13321
- Maekawa, S. and Oshida, T. Diffusion of boron into silicon, 4=20303
- Maekawa, S. See Edagawa, H., 1=17776
- Maekawa, S. See Edagawa, H., 4=7564
- Maekawa, S. See Edagawa, H., 4=12911
- Maekawa, S. See Sakudo, T., 4=10324
- Maekawa, T. See Ikeda, M., 4=815
- Maekawa, T. See Ikeda, M., 4=3299
- Maekawa, T. See Ikeda, M., 4=19392
- Maeland, A. and Flanagan, T.B. Lattice constants and thermodynamic parameters of the hydrogen-platinum-palladium and deuterium-platinum-palladium systems, 4=26720
- Maeland, A.J. Investigation of the vanadium-hydrogen system by X-ray diffraction techniques, 4=30856
- Maenhout, A.G. Contributions to the knowledge of the atmospheric refractive index for very short radiowaves over Belgium, 2=13006
- Maenhout, A.G. and Struylaert, W. Computation of the refractive index of air for very short radiowaves, 4=26804



- Maenhout-van Der Vorst, W. Luminescence of pure and silver-activated alkali-halides, 0=8010
- Maenhout-Van der Vorst, W. and Van Craeynest, F. The charging of ZnO in function of pressure and nature of surrounding gas, 4=18443
- Maennig, H. G., Müller, W. J. C. and Schröter, J. The classical scattering formula for a Coulomb potential which is cut off at radius D, 4=12407
- Maenz, H., Tiedeken, R. and Wanke, R. Improved cine projection objectives for new film projection systems, 1=8247
- Maes, S. Third-order corrections to the vibration-rotation energy of polyatomic molecules, 1=7458
- Maes, S. On some third-order corrections to the rotation-vibration energies of polyatomic molecules, 2=22933
- Maes, S. See Grenier-Besson, M. L., 1=17504
- Maestro, M. See Bonaccorsi, R., 4=28178
- Maestro, M. See Guidotti, C., 3=8225
- Maestro, M. See Guidotti, C., 4=1255
- Maestro, M. See Guidotti, C., 4=6549
- Maestro, M. See Morandi, M. C., 3=22532
- Maestro, M. See Scrocco, E., 0=1508
- Maeta, H. See Kino, T., 4=12772
- Maeta, H. See Yoshida, S., 3=22891
- Maev, S. A. Potential distribution in a thermionic energy converter, 4=21453
- Maev, S. A. See Lebedev, S. Ya., 2=20005
- Maeva, S. V. See Levin, B. Yu., 0=14396
- Maeva, S. V. See Yu Levin, B., 1=5134
- Maevskii, V. M. See Lisitsa, M. P., 0=3483
- Maevskii, V. M. See Lisitsa, M. P., 0=7992
- Maeyer, L. de. See de Maeyer, L.
- Maezawa, K. Magnetohydrodynamic oscillations of a compressible gaseous cylinder, 4=11662
- Maffei, P. Observation of comets. I. Photographic observation of the Arend-Roland (1956 h) comet, 1=19054
- Maffei, P. Observation of comets. II. Photographic observation of comet Mrkos (1957 d), 1=18055
- Maffitt, K. N. and Mueller, R. K. InSb diodes under controlled surface conditions, 4=20391
- Maffitt, K. N. See Mueller, R. K., 4=17490
- Magat, M. and Bro, K. [Brot, C.]. Dielectric polarization of some aliphatic alcohols, 0=19140
- Magalinskii, V. B. The evaluation of coordinate probabilities for nonlinear systems by Gibbs' method, 0=10610
- Magalinskii, V. B. Dynamical model in the theory of Brownian motion, 0=10612
- Magalinskii, V. B. and Terletskii, Ya. P. An equation for the diffusion in phase space for nonlinear systems, 0=10613
- Magalinskii, V. B. and Terletskii, Ja. P. On the statistical theory of nonequilibrium processes, 0=6687
- Magari, S. and Hotta, K. Storage tube type mass spectrometer recorder, 2=7678
- Magari, S. and Hotta, K. Electron-bombardment ion source for a mass spectrometer, 4=21598
- Magari, S. and Hotta, K. New recording method of mass spectrum, 4=24761
- Magarshack, J. M. See Axson, M., 0=8591
- Magarvey, R. H. and Bishop, R. L. The wake of a moving drop, 1=4319
- Magarvey, R. H. and Bishop, R. L. Wakes in liquid-liquid systems, 1=10482
- Magarvey, R. H. and Bishop, R. L. Transition ranges for three-dimensional wakes, 1=18374
- Magarvey, R. H., Bishop, R. L. and Blackford, B. L. Time interval in the Clement and Désormes experiment, 1=6987
- Magarvey, R. H. and Blackford, B. L. Experimental determination of the charge induced on water drops, 2=15877
- Magarvey, R. H. and Blackford, B. L. Wake metamorphism behind a sphere, 2=17422
- Magarvey, R. H. and Corkum, P. B. The wake of a rising bubble, 4=16085
- Magarvey, R. H. and Kalejis, J. Internal circulations within liquid drops, 3=14133
- Magarvey, R. H. and MacLachy, C. S. The formation and structure of vortex rings, 4=18146
- Magarvey, R. H. and MacLachy, C. S. The disintegration of vortex rings, 4=18147
- Magat, L. M. Certain diffusion effects near super-structural reflections on alnico alloy X-ray diagrams, 4=1983
- Magat, L. M. Initial stages of supersaturated solid solution disintegration in an alnico-type alloy, 4=13490
- Magat, L. M., Shur, Ya. S. and Malkisheva, E. N. The connection between the coercive force and initial stages of decomposition of supersaturated solid solutions in alloys of the Alnico type, 4=17751
- Magat, L. M. See Glazer, A. A., 1=1219
- Magat, L. M. See Shur, Ya. S., 4=1830
- Magat, M. See Brot, C., 4=2701
- Magat, M. See Maga, M., 0=19140
- Magda, M. T., Vilcov, I. S., Trutja, E., Lukas, I. R., Martalogu, N. and Molea, M. Level densities in two La-isotopes from  $B^{137}(p, n)La^{137}$  and  $Ba^{138}(p, n)La^{138}$  reactions, 4=9409
- Magda, T. See Minzatu, I., 3=8089
- Magda, T. See Tintă, F., 2=3116
- Magda, T. M. See Martalogu, N., 2=7689
- Magdeburg, H. Measurement of temperature distribution on the outer surface of thermal radiators, 3=11998
- Magee, E. M. Photolysis of methane by vacuum-ultraviolet light, 3=25834
- Magee, J. L. Energy transfer phenomena and dissociation processes in electronically excited molecules, 4=9918
- Magee, J. L. and Funabashi, K. Dissociation processes in electronically excited molecules. Linear chain model, 1=8859
- Magee, J. L. and Hamill, W. H. Comparison of hot and thermal reactions, 0=3297
- Magee, J. L. See Chen, J. C. Y., 2=8087
- Magee, J. L. See ElKomoss, S. G., 2=1396
- Magee, J. L. See Lorquet, J. C., 3=2664
- Magee, J. L. See Nosworthy, J. M., 1=4349
- Mager, A. On the effect of foreign atoms on weakly magnetized metals and alloys, 2=10637
- Mager, A. and Hillmann, H. On the coercive force of zone-melted iron, 1=10144
- Mager, A. and Pfeiffer, I. On carbide precipitation in silicon iron, 3=16101
- Mageru, V. and Blănariu, D. Radioactive fallout in Jassy in 1960, 2=11039
- Mageru, V., Blănariu, D. and Gabe, I. On the distribution of activity in radioactive residues from atmospheric precipitates, 0=2630
- Mageru, V., Blănariu, D. and Gabe, I. New fission products in the atmosphere, 0=16496
- Mageru, V., Blănariu, D. and Gabe, I. Radioactivity of atmospheric precipitation, 2=6925
- Mageru, V., Blănariu, D. and Gabe, I. Beta-activity in atmospheric precipitation, 2=8963
- Mageru, V. and Maxim, G. The determination of the specific activities and the identification of  $\beta$ -emitting isotopes in the case of thick samples, 4=13755
- Mageru, V. See Blănaru, D., 2=7937
- Maggs, F. A. P. and Schwabe, P. H. Recording calorimeter for the measurement of heats of wetting, mixing, or solution, 0=7009
- Maggs, F. A. P. and Schwabe, P. H. A recording calorimeter for the rapid determination of heats of wetting, 2=15795
- Maggs, F. A. P., Schwabe, P. H. and Williams, J. H. Adsorption of helium on carbons: influence on measurement of density, 0=14148
- Magid, L. M. Mechanical energy flow in crystal lattices, 4=12658
- Magid, L. M. Attenuating wave analysis of heat flow in crystal lattices, 4=12659
- Magidson, I. A. See Bokshtein, B. S., 1=7588
- Magidson, V. V. See Kononov, Yu. N., 3=2000
- Magill, J. H. Light transmission technique for following continuous changes in optical retardation in polymer films, 1=19962
- Magill, J. H. Techniques for following rates of crystallization in high polymers, 3=11234
- Magill, P. J. Comment on proposed barriers in thin film  $TiO_2$  diodes, 4=7015
- Magill, P. J. and Young, T. Measurement of He-Ne laser line-width utilising the Doppler effect, 4=24903
- Magiros, D. G. Method for defining principal modes of nonlinear systems utilizing infinite determinants, 2=4
- Magistrelli, F. See Allen, J. E., 1=5454
- Magistrelli, F. See Allen, J. E., 2=19924
- Magistrelli, F. See Allen, J. E., 3=4068
- Magistrelli, F. See Allen, J. E., 3=7487
- Magistrelli, F. See Boschi, A., 3=24300
- Magistrelli, F. See Boschi, A., 4=11648
- Maglić, B. See Button, J., 2=18114
- Maglić, B. C. Direct reading of the vertical component of particle tracks in nuclear emulsion, 0=17167
- Maglić, B. C. The sonic spark chamber and some of its experimental aspects, 3=17142



- Maglič, B.C., Alvarez, L.W., Rosenfeld, A.H. and Stevenson, M.L. Evidence for a  $T = 0$  three-pion resonance, 1=16840
- Maglič, B.C., Feld, B.T. and Diffey, C.A. Angular distribution of protons from  $\pi^-p$  scattering at 900 MeV, 1=12105
- Maglič, B.C., Kalbfleisch, G.R. and Stevenson, M.L. Charge asymmetries in the angular distribution of  $\pi$  and K mesons from antiproton annihilation in flight, 1=13472
- Maglič, B.C. and Kirsten, F.A. Acoustic spark chamber, 3=2178
- Maglič, B.C. See Button, J., 0=13067
- Maglič, B.C. See Button, J., 1=5727
- Maglič, B.C. See Button, J., 2=13802
- Maglič, B.C. See Feld, B.T., 1=13419
- Maglič, B.C. See Lynch, G.R., 3=19634
- Maglič, B.C. See Stevenson, M.L., 2=22606
- Maglič, R. See Kraśnicki, Sz., 4=28828
- Maglieri, D.J. and Lansing, D.L. Sonic booms from aircraft in maneuvers, 3=16693
- Maglieri, D.J. and Parrott, T.L. Atmospheric effects on sonic-boom pressure signatures, 4=4778
- Maglieri, D.J. See Hubbard, H.H., 0=16806
- Magnac-Valette, D., Lacombe, E., Bilwes, R. and Cüer, P. Determination of cross-sections of  $D + D = p + T + 4.03$  MeV at energies below 15 keV, 1=7289
- Magnac-Valette, D., Monnier, M., Caffier, P. and Cüer, P. Calculation of  $\langle \sigma v \rangle$  coefficients, 1=7411
- Magnac-Valette, D., Suffert, M., Liess, M. and Cüer, P. A 340 kV accelerator for the study of reactions induced by tritons, 0=9113
- Magnac-Valette, D. See Bilwes, R., 0=17055
- Magnac-Valette, D. See Bilwes, R., 1=2182
- Magnac-Valette, D. See Bilwes, R., 1=3458
- Magnac-Valette, D. See Bilwes, R., 1=13701
- Magnac-Valette, D. See Bilwes, R., 2=366
- Magnac-Valette, D. See Bilwes, R., 4=17088
- Magnac-Valette, D. See Bourotte, B., 2=496
- Magnac-Valette, D. See Gérardin, C., 1=16919
- Magnac-Valette, D. See Gérardin, C., 2=5752
- Magnac-Valette, D. See Linck, J., 2=495
- Magnac-Valette, D. See Linck, J., 4=17199
- Magnac-Valette, D. See Seltz, R., 1=2242
- Magnac-Valette, D. See Suffert, M., 1=2236
- Magnac-Valette, D. See Suffert, M., 2=483
- Magnac-Valette, D. See Suffert, M., 4=19818
- Magnan, C. Roll of charge-transfer in the dispersion of energy of a beam of protons, 3=21896
- Magnan, D. and Kahane, A. Conductivity of ice at low temperatures, 3=22980
- Magnante, P. See Pope, M., 3=18051
- Magnasco, V. Molecular structure deduced from the statistical theory of the electric moments of linear polymers. I. Study of polyoxyethylene-glycol, 1=8867
- Magnasco, V. An empirical method for calculating barriers to internal rotation in simple molecules, 2=12312
- Magnasco, V. and Dellepiane, G. Multicentre molecular integrals in theoretical chemistry Note IV: on the evaluation of 3-centre exchange and 4-centre integrals over 1s atomic orbitals, 4=25632
- Magnasco, V. and Dellepiane, G. Multicentre molecular integrals in theoretical chemistry Note V: A program for the 3-centre exchange and 4-centre integrals over 1s atomic orbitals, 4=25633
- Magnasco, V. and Rossi, C. Statistics of isotactic deformable chains with interdependent internal rotations, 0=20697
- Magnaval, J. See Janin, J., 3=22547
- Magnéli, A. and Marinder, B.O. On the structural geometry and the metal-metal distances of some groups of transition metal oxides with an oxygen arrangement approaching close packing, 4=7603
- Magnien, C. Measurements of the velocity of ultrasonic waves in sea water made with the Bathyscape F.N.R.S. III in the Mediterranean in January 1961, 3=3442
- Magnier, P. See Lang, F.M., 3=13569
- Magnitsky, V.A. and Kalashnikova, I.V. On the general direction of development of the earth's crust, 3=13648
- Magno, M.S. and Dieke, G.H. Absorption and fluorescence spectra of hexagonal  $\text{SmCl}_3$  and their Zeeman effects, 3=3016
- Magnuson, D.W. See Gwin, R., 2=10154
- Magnuson, D.W. See Gwin, R., 2=10155
- Magnuson, G.D. and Carlston, C.E. Electron ejection from metals due to 1- to 10-keV noble gas ion bombardment. I. polycrystalline materials, 3=9843
- Magnuson, G.D. and Carlston, C.E. Electron ejection from metals due to 1- to 10-keV noble gas ion bombardment. II. Single crystal, 3=9844
- Magnuson, G.D. and Carlston, C.E. Sputtering yields of single crystals bombarded by 1- to 10-keV  $\text{Ar}^+$  ions, 4=4103
- Magnuson, G.D. and Medved, D.B. Sputtering as a possible mechanism for increase of ionization in the vicinity of low-altitude satellites, 2=4877
- Magnuson, G.D., Meckel, B.B. and Harkins, P.A. Etch effects from oblique-incidence ion bombardment, 1=4672
- Magnuson, G.D. See Carlston, C.E., 2=22274
- Magnuson, G.D. See Harrison, D.E.Jr., 1=8362
- Magnuson, W.G., Jr. Effect of low hydrogen concentrations on Hall effect in Zircaloy-2, 2=14501
- Magnusson, E.A. and Zauli, C. Evaluation of molecular integrals by a numerical method, 1=12303
- Magnusson, E.A. See Craig, D.P., 1=867
- Magnusson, L.B. Short-range interactions of aqueous ions, 4=158
- Magnusson, M. Further properties of the energy-momentum complex in general relativity, 0=12360
- Mágori, E. See Gombás, P., 0=13100
- Magot-Cuvrú, P. See Serruys, M., 0=10722
- Maguin, C. and Lafouchrière, J. Investigation and study of magnetic topographies with symmetry of revolution which give isochronous electron trajectories, 3=14658
- Maguire, C.R. The development and calibration of quartz accelerometers, 0=16663
- Maguire, C.R. See Jackson, R.S., 0=18235
- Maguire, E.A. and Green, J.J. Magnetic properties of yttrium-gadolinium-aluminium-iron garnets, 2=14806
- Magun, S. See Walz, E., 0=4565
- Magun, S. See Woerner, S., 0=3146
- Magyar, G. and Mandel, L. Interference fringes produced by superposition of two independent maser light beams, 3=16795
- Mah, G. and Wert, C. Diffusion of oxygen and nitrogen between special interstitial sites in solid solution in ytterbium, 4=15497
- Mah, W. See Forsyth, P.A., 0=12199
- Mahadevan, E.G. See Weingaertner, E., 1=4915
- Mahadevan, K. See Prasad, K.K., 1=16154
- Mahadevan, P., Layton, J.K., Comeaux, A.R. and Medved, D.B. Discrepancy in energy transfer between medium energy noble-gas ions and neutral atoms bombarding metal surfaces, 3=22511
- Mahadevan, P., Layton, J.K. and Medved, D.B. Secondary electron emission from clean surface of molybdenum due to low-energy noble gas ions, 3=4185
- Mahadevan, P. See Hasted, J.B., 0=2727
- Mahadevan, P. See Medved, D.B., 3=9842
- Mahadevappa, D.S. See Eager, R.L., 4=1887
- Mahaffey, D.W. Microwave propagation through a plasma in a magnetic field, 3=7551
- Mahaffey, D.W., McCullagh, G.C., Garscadden, A. and Emeleus, K.G. Development of localised plasma oscillations and concentration gradients, 2=1464
- Mahaffey, D.W. See Ahlstrom, H.G., 4=24304
- Mahaffey, D.W. See Emeleus, K.G., 1=9631
- Mahajan, K.K. See Mitra, A.P., 4=23809
- Mahajan, K.K. See Saha, A.K., 3=16243
- Mahajan, K.K. See Saha, A.K., 4=2283
- Mahajan, M.D. See Patwardhan, P.K., 3=24197
- Mahalanobis, A.K. and Sen, A.K. Studies of oscillations in a contactor servo incorporating backlash in the output coupling, 4=24530
- Mahalingam, S. The iterative solution of flexural vibration problems based on the Myklestad method, 2=15668
- Mahan, A.I. Astronomical refraction—some history and theories, 2=19271
- Mahan, A.I., Bitterli, C.V. and Cannon, S.M. Far-field diffraction patterns of single and multiple apertures bounded by arcs and radii of concentric circles, 4=18422
- Mahan, A.I. and Bone, L.P. Far-field diffraction properties of a plane-parallel plate when placed partially in front of a rectangular diffracting aperture, 0=10780
- Mahan, A.I. and Bone, L.P. Far-field diffraction and polarization properties of a three-dimensional hollow homogeneous, isotropic cone, 3=12311
- Mahan, B.H. Perturbation of molecular distribution functions by chemical reaction, 0=4708
- Mahan, B.H. Photolysis of carbon dioxide, 0=21287
- Mahan, B.H. and Mandal, R. Vacuum ultraviolet photolysis of methane, 2=19155



- Mahan, B.H. and Person, J.C. Gaseous ion recombination rates, 4=8629
- Mahan, B.H. and Person, J.C. Gaseous ion recombination rates. II, 4=18694
- Mahan, B.H. and Solo, R.B. Carbon monoxide-oxygen atom reaction, 3=5159
- Mahan, B.H. See Carlton, T.S., 4=24557
- Mahan, B.H. See Doering, J.P., 1=9174
- Mahan, B.H. See Doering, J.P., 2=5299
- Mahan, B.H. See Doering, J.P., 2=8926
- Mahan, B.H. See Doering, J.P., 3=5622
- Mahan, G.D. and Hopfield, J.J. Proposal for beating two optical masers, 3=14334
- Mahan, G.D. and Hopfield, J.J. Piezoelectric polaron effects in CdS, 4=20258
- Mahan, G.D. and Hopfield, J.J. Optical effects of energy terms linear in wave vector, 4=26181
- Mahanta, P.C., Hatibaru, J. and Das, R.K. Thermal expansion of Thermal expansion of cerium dioxide by X-ray diffraction method, 3=8370
- Mahanta, P.C. See Das, R.K., 4=1963
- Mahanthappa, K. and Ramsey, W. Baryon mass splitting and weak and strong couplings, 3=10026
- Mahanthappa, K. See Frønsdal, S., 2=20272
- Mahanthappa, K.T. Multiple production of photons in quantum electrodynamics, 2=9811
- Mahanthappa, K.T. See Bakshi, P.M., 3=7782
- Mahanthappa, K.T. See Bakshi, P.M., 3=7783
- Mahanthappa, K.T. See Cornwall, J.M., 3=22090
- Mahanthappa, K.T. See Frønsdal, S., 3=19558
- Mahanthappa, K.T. See Gerstein, I.S., 4=19443
- Mahanthappa, K.T. See Gerstein, I.S., 4=21752
- Mahanthappa, K.T. See Lee, B.W., 4=27754
- Mahanty, J. On the vibration spectrum of a disordered linear lattice, I, 1=6069
- Mahanty, J. Effect of imperfections on the dynamical correlations between the vibrational modes of a lattice, 3=22637
- Mahanty, J., Maradudin, A.A. and Weiss, G.H. Vibrational thermodynamic properties of lattices with defects. I. The linear lattice, 0=11570
- Mahanty, J., Maradudin, A.A. and Weiss, G.H. Vibrational thermodynamic properties of lattices with defects. II. Two- and three-dimensional simple cubic lattices, 1=9973
- Mahanty, J. and Sharma, R.K. Discrete frequencies in a lattice perturbed by isotope defects, 3=22635
- Mahanty, J. See Vashishta, P., 4=26291
- Mahapatra, P.Kumar. See Kumar Mahapatra, P.
- Mahapatra, S. and Hyde, F.J. Phase relationships in a parametric harmonic generator, 3=1912
- Mahaux, C. One-level approximation in the theory of nuclear reactions, 3=22357
- Mahaux, C. Applications of the one-level approximation in the theory of resonances at complex energies, 3=22358
- Mahaux, C. Two-level approximation in the theory of nuclear reactions, 3=24917
- Mahendroo, P.P. and Nolle, A.W. Nuclear magnetic relaxation in ionic crystals at high temperatures, 2=8680
- Mahendroo, P.P. See Nolle, A.W., 0=16720
- Mahesh, K. Orientational response of a Cherenkov counter, 4=5888
- Maheshwari, R.C. Absorption spectra of AgTe and AgSe molecules, 3=10524
- Maheshwari, R.C. New band systems of Ag<sub>2</sub> molecule in the far ultra-violet region, 4=3868
- Maheshwari, R.C. and Sharma, D. Emission spectra of the CuTe and AuTe molecules, 3=12819
- Maheshwari, R.C. See Gupta, J.P., 3=11389
- Mahieu, J.M. See Bécart, M., 3=25089
- Mahl, H. and Weitsch, W. Evidence of fluctuating charges in thin collodion films during electron irradiation, 0=3785
- Mahl, H. and Weitsch, W. Investigation of fluctuating [electric] charges in insulating films with electron radiation, 0=14093
- Mahl, H. and Weitsch, W. Small-angle diffraction with electron beams, 0=16294
- Mahl, H. and Weitsch, W. Small-angle diffraction with electron beams, 1=15038
- Mahl, H. and Weitsch, W. Experiments on the avoidance of charging effects in transmission specimens by auxiliary irradiation with slow electrons, 2=15121
- Mahl, H. See Glütter, E., 0=19754
- Mahlab, E., Volterra, V., Low, W. and Yariv, A. Orthorhombic electron spin resonance spectrum of U<sup>3+</sup> in CaF<sub>2</sub>, 3=20658
- Mahler, R.J., Mahon, H.P., Miller, S.C. and Tanttila, W.H. Nonlinear acoustic excitation in GaAs, 3=17651
- Mahler, R.J. See Brun, E., 3=8747
- Mahler, R.J. See Denison, A.B., 4=20614
- Mahler, W. and Muettterties, E.L. F<sup>19</sup> spectra of phosphorus (V) fluorides, 0=17781
- Mahlman, G.W. Observation of solid state photoemission from tin into germanium, 2=7645
- Mahlman, H.A. Activity concept in radiation chemistry, 0=1963
- Mahlman, H.A. Hydrogen formation in the radiation chemistry of water, 0=4730
- Mahlman, H.A. The OH yield in the Co<sup>60</sup> radiolysis of HNO<sub>3</sub>, 1=20763
- Mahlman, H.A. See Boyle, J.W., 2=13344
- Mahmoud, H. and Cooper, R.K. Application of the theory of the symmetric group to the several-nucleon problem, 4=12105
- Mahmoud, K.A. and El-Nady, L. Angular distribution of back-scattering of gamma rays from shielding materials, 3=10077
- Mahmoud, K.A. and El-Nesr, M.S. Analysis of scintillation spectrometer observations of Co<sup>60</sup> and Na<sup>24</sup> gamma radiation through cadmium, 1=7330
- Mahmoud, K.A. See El-Nesr, M.S., 4=21823
- Mahmoud, K.A. See Kamel, R., 0=17975
- Mahn, C., Ringler, H., Wienecke, R. and Witkowski, S. Measurements on a stationary d.c. helium arc with flow in an axial magnetic field, 4=18783
- Mahn, H.G. See Bewilogua, L., 4=8201
- Mahner, H. Design of magnet systems with stable magnets, 3=1792
- Mahon, H. See Brun, E., 3=8747
- Mahon, H.P. See Mahler, R.J., 3=17651
- Mahon, H.P. See Verber, C.M., 2=6701
- Mahon-Smith, D. and Carroll, P.K. Isotope shifts and the vibrational structure in some weaker systems of N<sub>2</sub>, 4=28195
- Mahon-Smith, D. See Carroll, P.K., 3=25102
- Mahon-Smith, D. See Lunt, R., 4=25770
- Mahoux, G. and Martin, A. Some rigorous inequalities satisfied by double-spectral functions, 4=25020
- Mahoux, G. See Deser, S., 3=22091
- Mahoux, G. See Jacob, M., 2=9896
- Mahoux, G. See Jacob, M., 2=22594
- Mahr, H. Ultraviolet absorption of the mixed system KCl-KBr, 1=8989
- Mahr, H. Ultraviolet absorption of KI diluted in KCl crystals, 2=8524
- Mahr, H. Luminescent decay of localized optical excitations in KCl, 3=15709
- Mahr, H. Absorption band shape and Urbach's rule of localized excitons, 4=7097
- Mahrenholtz, O. and Johnson, W. On Bi-metal thermostats, 2=15515
- Mai, G. See Schoffa, G., 0=11837
- Maiboroda, I.K. Dependence of the intensity of the [Spectral] analytical lines of a fluxed sinter on the state of the component entering into the composition of the solid sample, 2=19178
- Maidanik, G. The flow of fluids through capillaries, powder beds and porous media, 1=131
- Maidanik, G. Use of delta function for the correlations of pressure fields, 1=18538
- Maidanik, G. Response of ribbed panels to reverberant acoustic fields, 2=13393
- Maidanik, G. Radiation efficiency of panels, 3=7300
- Maidanik, G. and Lyon, R.H. Response of strings to moving noise fields, 1=18539
- Maidanik, G. See Lyon, R.H., 2=13389
- Maidanik, G. See Manning, J.E., 4=29706
- Maidanyuk, V.K. See Dzhelepov, B.S., 3=24910
- Maiden, C.J. and St Pierre, C. Some measurements of the physical properties of the plasma sheath around hypersonic projectiles, 2=4881
- Maidens, A.L. The third session of the commission for instruments and methods of observation, New Delhi, February, 1962, 2=21620
- Maienschein, F.C. See Scroggs, R.J., 4=15036
- Maier, B.P. See Schult, O.W.B., 4=27977
- Maier, C. See Hansen, G.E., 1=17217
- Maier, E.J., Bloch, B.L., Edelstein, R.M. and Siegel, R.I. Measurement of the rate  $\mu + C^{12} \rightarrow B^{12} + \nu$ , 1=9871



- Maier, E.J., Edelstein, R.M. and Siegel, R.T. Measurement of the reaction  $\mu^- + C^{12} \rightarrow B^{12} + \nu$ , 4=9545
- Maier, G. Exciton spectra of mixed crystals, 1=3637
- Maier, G. See Stoll, E., 4=29121
- Maier, K. See Dosch, H.G., 3=16892
- Maier, K. See Finckh, E., 3=17451
- Maier, K. See Kosiek, R., 4=19750
- Maier, R.G. and Wilhelm, G. Recent results on Nb<sub>3</sub>Sn, 4=26661
- Maier, R.J. See Bilinski, J.R., 3=25308
- Maier, R.J. See Bilinski, J.R., 4=4090
- Maier, R.J. See Bilinski, J.R., 4=17494
- Maier, W. Acoustic and dielectric relaxation in liquids. II. Dielectric relaxation phenomena, 2=15591
- Maier, W. Applications of microwave spectroscopy in physical chemistry, 4=1235
- Maier, W. Relation between some fundamental quantities of atomic physics, 4=11009
- Maier, W. Ultrasonic absorption in solutions containing non-electrolytic dissociation equilibria, 4=25745
- Maier, W. and Dörr, F. Some results of resonance Raman spectroscopy, 0=7765
- Maier, W. and Meier, G. A simple theory of the dielectric properties of homogeneously oriented liquid crystals of the nematic type, 1=10519
- Maier, W. and Meier, G. Dielectric anisotropy and dielectric loss of some liquid crystals, 1=12892
- Maier, W. and Meier, G. The principal dielectric constants of the homogeneously ordered liquid crystal phase of p-azoxyanisole, 1=18425
- Maier, W. and Meier, G. Anisotropic dielectric dispersion of homogeneous liquid crystals at radio-frequencies, 2=7226
- Maier, W. and Saupe, A. A simple molecular-statistical theory of the nematic liquid crystalline phase, 0=5007
- Maier, W. and Saupe, A. A simple molecular-statistical theory of the nematic liquid crystalline phase. II, 0=14625
- Maier, W. See Dischler, B., 2=3781
- Maier, W. See Dreizler, H., 1=9691
- Maier, W. See Friebolin, H., 1=17359
- Maier, W. See Markau, K., 1=17345
- Maier, W. See Markau, K., 2=10278
- Maier, W. See Rudolph, H.D., 0=9807
- Maier, W. See Rudolph, H.D., 0=20627
- Maier, W. See Saupe, A., 2=49
- Maier, W. See Westermann, F., 4=24842
- Maier, W.B., II. Dissociative ionization of N<sub>2</sub> and N<sub>2</sub>O by rare-gas ion impact, 4=29875
- Maier, W.B., II. See Giese, C.F., 2=3798
- Maier, W.B., II. See Giese, C.F., 3=21709
- Maier-Leibnitz, H. Theory of a gravity neutron refractometer for the absolute determination of coherent scattering cross-sections, 3=6018
- Maier-Leibnitz, H. and Springer, T. Interferometer for slow neutrons, 2=9871
- Maier-Leibnitz, H. and Springer, T. The use of neutron optical devices on beam-hole experiments, 3=22145
- Maier-Leibnitz, H. See Guilino, G., 0=16470
- Maierhofer, J. and Krempel, H. Photoelectric emission analysis with prism spectrographs of medium dispersion. Determination of silicon and phosphorus in iron, 0=14828
- Maiko, V.I. See Pilat, I.M., 0=18401
- Mailänder, M. See Behnenburg, W., 4=11347
- Mailänder, M. See Schneider, R., 1=9478
- Mailfert, A. and Fournet, G. The construction of a transformer with superconductive windings, 4=16381
- Mailfert, A., Fournet, G. and Huret, J. Critical alternating current in superconducting wires, 4=8580
- Mailfert, A. See Fournet, G., 4=11439
- Mailfert, A. See Fournet, G., 4=16309
- Mailing, L. A possible interpretation of experiments on inelastic scattering of fast protons on light nuclei, 2=14087
- Mailing, L. A possible interpretation of experiments on inelastic scattering of fast protons on light nuclei, 3=6239
- Mailing, L., Smirnov, Yu. F. and Neudatchin, V. G. Groups of nucleons with parallel momenta and the nucleon cluster reduced widths, 4=25368
- Maillard, R. See Beurtey, R., 2=20073
- Maillard, R. See Beurtey, R., 3=10374
- Maillard, R. See Beurtey, R., 4=3688
- Maillard, R. See Beurtey, R., 4=19602
- Maillard, R. See Papineau, A., 1=18938
- Maille, C., Ader, H., Blanc, D., Casanovas, J. and Fontan, J. On the choice of the radioactive elements to be used in the measurement of the specific gravity of the emulsion (water vapour) flowing in a baffle pipe of an industrial boiler, 4=16130
- Maille, C., Blanc, D., Casanovas, J., Cohen, H. and Fontan, J. The superiority of radioactive rhodium for measuring the specific weight of the (water-vapor) emulsion flowing in a tube-screen of an industrial boiler, 4=26768
- Maillet, J. See Laville, G., 0=6859
- Maillet, R. and Florent, R. The proton synchrotron "Saturne". Analysis of cost, 0=2412
- Maillet, R. See Levy-Mandel, R., 0=2412
- Maillet, J.P. See Jurain, G., 0=18455
- Maillox, R. J. See Seshadri, S.R., 4=14669
- Maiman, T.H. Maser behavior: temperature and concentration effects, 0=3849
- Maiman, T.H. Optical and microwave-optical experiments in ruby, 0=13670
- Maiman, T.H. Stimulated optical radiation in ruby, 0=20988
- Maiman, T.H. Stimulated optical emission in fluorescent solids. I. Theoretical considerations, 1=11390
- Maiman, T.H. Solid state laser and iraser studies, 3=7738
- Maiman, T.H. State-of-the-art devices, 4=19258
- Maiman, T.H., Hoskins, R.H., D'Haenens, I.J., Asawa, C.K. and Evtuhov, V. Stimulated optical emission in fluorescent solids. II. Spectroscopy and stimulated emission in ruby, 1=11391
- Maimi, R. See Cordier, H., 0=10794
- Maimoni, A. Electrical resistance of aluminium at low temperatures, 2=16674
- Main, I.G. Angular distributions in the reaction  $^4\text{He}(\gamma, p)^3\text{H}$ , 3=6092
- Main, P. and Woolfson, M.M. Accurate lattice parameters from Weissenberg photographs, 3=25699
- Main, P. and Woolfson, M.M. Direct determination of phases by the use of linear equations between structure factors, 3=25702
- Main, P. See Evans, J.W., 3=11532
- Main, R.M. See Hubbard, E.L., 0=9647
- Main, R.M. See Hubbard, E.L., 1=10/49
- Maines, J.D. and Paige, E.G.S. Anisotropy of neutral and ionized impurity scattering of electrons in germanium, 3=17858
- Mainsbridge, B. Relative intensity of the 17.2 and 14.3 MeV gamma rays from the  $\text{Li}^7(p, \gamma)\text{Be}^8$  reaction, 1=693
- Mainsbridge, B. The angular distributions of the gamma radiation from the  $\text{Li}^7(p, \gamma)\text{Be}^8$  reaction from  $E_\gamma = 200$  keV to 1100 keV, 1=694
- Mainsbridge, B., Bonner, T.W. and Rabson, T.A. The disintegration of silicon by fast neutrons, 4=3674
- Mainsbridge, B. See Perry, R.R., 3=22378
- Mainstone, J.S. The calculation of meteor velocities from continuous-wave radio diffraction effects from trails, 0=14403
- Mainstone, J.S., Elford, W.G. and Weiss, A.A. A suggested improvement to the c.w. technique for measurement of meteor velocities, 1=1633
- Mainstone, J.S. and McNicol, R.W.E. Micropulsation studies at Brisbane, Queensland. I. Pearl pulsations and "screamers", 3=13833
- Mainstone, J.S. See Bowman, G.G., 4=30957
- Mainstone, J.S. See McNicol, R.W.E., 3=13834
- Mainstone, J.S. See McNicol, R.W.E., 4=10770
- Mainthia, S.B., Kronick, P.L. and Labes, M.M. Electrical measurements on polyvinylene and polyphenylene, 3=4936
- Mainthia, S.B. See Kronick, P.L., 2=14509
- Maierov, L. V. Distribution of thermal neutrons in a medium with a plane source, 4=19530
- Maierov, L. V. Influence of flux anisotropy on the neutron gas temperature, 4=19531
- Mair, W.N. See Carpenter, L.G., 4=4660
- Mairy, C. See Adda, Y., 0=11664
- Mairy, C. See Adda, Y., 2=606
- Maisch, W.G. See Gott, J.R., 4=2686
- Maisch, W.G. See Knof, H., 4=15502
- Maisch, W.G. See Schamp, H.W., Jr., 1=6955
- Maisch, W.G. See Vanderslice, J.T., 0=4245
- Maisch, W.G. See Vanderslice, J.T., 0=17734
- Maise, G. and Fenn, J.B. Recovery factor measurements in gas mixtures, 4=27206
- Maisenhölder, F. See Schneider, R., 1=18597
- Maison, J.M. See Langevin, M., 4=22104
- Maisonier, C. and Haegi, M. Microparticles diodes, 2=17895
- Maisonier, C., Linhart, J.G. and Haegi, M. Generation of shocks in a collapsing cylindrical plasma shell, 3=12219
- Maisonier, C. See Bineau, M., 0=19663
- Maissel, L. Thermal expansion of silicon, 0=2799



- Maissel, L.I. Selective pressure broadening and the Stark effect, 0=5874
- Maissel, L. I. and Vaughn, J. H. Techniques for sputtering single and multilayer films of uniform resistivity, 4=7708
- Maissel, L.I. See Simmons, J.G., 1=10746
- Maissel, L.I. See Standley, C.L., 4=20395
- Maistrenko, A.N. See Pasechnik, M. V., 4=1149
- Maistrenko, O. N. See Vertebnyi, V. P., 4=24166
- Maita, J.P. See Compton, V.B., 1=11881
- Maita, J.P. See Morin, F.J., 2=11570
- Maita, J.P. See Morin, F.J., 3=7405
- Maita, J.P. See Scott, W.R., 4=12649
- Maitland, A. New derivation of the vacuum breakdown equation relating breakdown voltage and electrode separation, 1=18810
- Maitland, A. A note on carbide inclusions in the anode of a vacuum gap and their effect on breakdown, 2=3021
- Maitland, A. Recovery of the insulating property of a vacuum gap after breakdown caused by a 4.5  $\mu$ sec pulse, 2=3022
- Maitland, A. Influence of the anode temperature on the breakdown voltage and conditioning characteristic of the vacuum gap, 2=5322
- Maitland, A. Some consequences of ion slip in a plasma flowing through a magnetic field, 2=15914
- Maitland, A. Experimental procedure and its influence on the value of  $\alpha$  in the vacuum breakdown equation  $V = Cx^\alpha$ , 2=17812
- Maitland, A. The influence of pressures within the range  $10^{-6}$  -  $10^{-3}$  mm Hg on breakdown between plane electrodes, 3=4091
- Maitland, A. Spark conditioning equation for plane electrodes in vacuum, 3=14545
- Maitland, A. A criterion for assessing methods of producing non-equilibrium ionization, 3=24210
- Maitland, A. Spark conditioning of electrodes at pressures in the range  $10^{-5}$  -  $10^{-6}$  mm Hg, 4=18767
- Maitland, A. and Dunn, M.H. Thermal ionization in a system with a distribution of ionization potentials, 3=12075
- Maitland, A. See Dunn, M.H., 3=5558
- Maitland, R. See Barrow, B.B., 1=2932
- Maitland, R. See Barrow, B.B., 1=4545
- Maitland, R. See Stadler, H. P., 4=26616
- Maitrot, M. Some remarks concerning differential fast coincidence systems, 1=1876
- Maitrot, M. See Burdet, G., 2=3296
- Maiwald, D. See Zwicker, E., 4=2784
- Maiya, P.S. and Newkirk, J.B. Metallographic etching by mono-energetic ion bombardment, 3=20976
- Majer, J.R. See Gowenlock, B. G., 4=8623
- Majer, J.R. See Hardy, R., 0=8331
- Majewski, W. On the possibility of neutral currents in four-fermion interactions, 1=537
- Majewski, W. On the polarization of neutrons from muon capture by the nucleus, 1=2063
- Majewski, W. The universal Fermi interaction in the muon capture, 1=13833
- Majewski, Z., Sikorski, S. and Świdorski, J. On the relation between anomalous resistivity and concentration gradient of carriers in germanium, 1=1042
- Majewski, Z. and Wojcik, M. Investigation of the influence of surface recombination on the behaviour of p-n junctions in transient conditions, 4=10075
- Majima, T. See Suzuki, T., 1=13198
- Majkowski, R.F. See Donohue, R.J., 2=1447
- Majkowski, R.F. See Schreiber, T.P., 0=10773
- Majling, L'. Influence of pair forces on the giant resonance energy, 2=5884
- Majlis, N. See Arduino, H.A., 1=14639
- Major, F.G. See Dehmelt, H.G., 2=17785
- Major, J.K. Recoil-free resonant and non-resonant scattering from  $\text{Fe}^{57}$ , 2=16380
- Major, J.K. Recoil-free resonant and non-resonant scattering from  $\text{Fe}^{57}$ , 4=17334
- Major, J.K. See Reber, J.D., 3=19513
- Major, J.V. See Allen, J.E., 0=20185
- Major, J.V. See Allen, J.E., 1=17136
- Major, J.V. See Bryant, F., 4=21915
- Major, J.V. See Finney, P.J., 2=5717
- Major, K.G. See Brailsford, A.D., 3=25325
- Major, K.G. See Brailsford, A. D., 4=11384
- Major, S.S., Jr. Electrokinetic potential (EKP) versus electromotive force (EMF), 1=4552
- Majoros, A. The new basic determinant of technical optics, 3=3884
- Majourel, M.T. See Jaffray, J., 0=12012
- Majumdar, D. K. A semi-empirical formula for viscosity of a 12:6 liquid, 4=2662
- Majumdar, D.K. and Basu, S. Charge transfer and fluorescence quenching, 0=19162
- Majumdar, K. See Joshi, K.C., 1=14040
- Majumdar, K. See Mohan, H., 1=3841
- Majumdar, M. Asymmetric shape of effects in dia- and paramagnetic crystals, 2=18885
- Majumdar, N. C. and Kaushik, S. B. Solar radiation in relation to altitude and humidity, 4=4769
- Majumdar, N.K. and Chatterjee, A. 14.8 MeV neutron activation cross-section measurements of a few tellurium isotopes, 3=10358
- Majumdar, S. See Bradley, D. J., 4=21289
- Majumdar, S.D. A supplement to the paper on "The problem of three bodies in quantum mechanics", 0=2144
- Majumdar, S.D. The Clebsch-Gordan coefficients, 0=15270
- Majumdar, S.D. Note on energy levels of polyatomic molecules, 0=15697
- Majumdar, S.D. Construction of some electrostatic fields in general relativity, 2=11265
- Majumdar, S.D. Wave equations in curved space-time, 2=16123
- Majumdar, S.D. Theory of the rotational spectra of polyatomic molecules, 2=16509
- Majumdar, S.K. A note on magnetohydrodynamics of a finite rotating disk, 0=17085
- Majumdar, S.K. Electrodynamics of a charged particle moving through a plasma without magnetic field, 1=1958
- Majumdar, S.K. Radiation by charged particles passing through an electron plasma in an external magnetic field, 1=10723
- Majumdar, S. K. The wake of a charged particle moving through a plasma with magnetic field, 4=2968
- Majumder, S.R. Note on the slow steady rotation of two spheres in contact about their common line of centres in viscous fluid, 2=1109
- Majumder, S.R. Note on the slow steady rotation of a spindle in a viscous fluid, 2=2680
- Majumder, N.K. See Mukherjee, S.K., 1=5924
- Majumder, N.K. See Mukherjee, S.K., 1=13453
- Majumder, S.R. The motion of two spheres in contact parallel to the common line of centres in an incompressible, homogeneous non-viscous fluid, 3=9410
- Mak, A.A. Temperature of a spark discharge channel in air, 0=14996
- Mak, A.A. Density of charged particles in the channel of a spark discharge, 1=16281
- Mak, A.A. Electron concentration measurement from intensity of plasma continuum in a spark discharge, 2=19986
- Mak, A.A. See Anan'ev, Yu. A., 3=14342
- Mak, A.A. See Anan'ev, Yu. A., 3=24517
- Mak, A.A. See Anan'ev, Yu. A., 4=3230
- Mak, A.A. See Egorova, V.F., 2=22185
- Mak, A.A. See Ermakov, B.A., 0=3631
- Mak, A.A. See Vanyukov, M.P., 0=170
- Mak, A.A. See Vanyukov, M.P., 0=7105
- Mak, A.A. See Vanyukov, M.P., 0=14998
- Mak, A.A. See Vanyukov, M.P., 1=5428
- Mak, A.A. See Vanyukov, M.P., 1=10681
- Mak, D. See Frost, D.C., 2=15882
- Mak, M.K. See Scott, G.D., 4=14058
- Mak, S. and Cormack, D.V. Spectral distributions of scattered X-rays at points lying off the beam axis, 0=12904
- Makarenko, L. V. See Kaminski, A. A., 4=15613
- Makarenko, V.S. See Grikit, I.A., 2=19173
- Makarevich, S. A. See Ivanov, A. P., 4=16242
- Makarin, V.K. See Barkov, L.M., 0=3973
- Makarin, V.K. See Barkov, L.M., 0=7362
- Makar'in, V.K. See Mukhin, K. N., 4=15066
- Makar'ina, L.A. See Varfolomeev, A.A., 0=355
- Makar'ina, L.A. See Varfolomeev, A.A., 0=7324
- Makar'ina, L.A. See Varfolomeev, A.A., 1=2139
- Makariyna, L. A. See Gurevich, I. I., 4=30246
- Makarov, A.I. See Rozenfel'd, L.B., 3=3695
- Makarov, E.F. See Bryukhanov, V.A., 2=10930
- Makarov, E.F. See Bryukhanov, V.A., 3=744
- Makarov, E.F. See Bryukhanov, V.A., 3=6877
- Makarov, E. F. See Gol'danskii, R. I., 4=28331
- Makarov, E.F. See Gol'danskii, V. I., 3=8340
- Makarov, E.F. See Goldanskii, V.I., 3=10570
- Makarov, E. F. See Gol'danskii, V. I., 4=3968



- Makarov, E. F. See Gol'danskii, V. I., 4=25812  
 Makarov, E. F. See Gol'danskii, V. I., 4=25821  
 Makarov, E. S. and Tobelko, K. I. Crystalline structure of metatorbernite, 0=8227  
 Makarov, G. I. See Kozina, O. G., 2=2169  
 Makarov, G. I. See Kozina, O. G., 2=21970  
 Makarov, L. L., Lur'e, B. G. and Malyshev, V. N. Investigation of the density of mixed KCl-RbCl crystals and diffusion of rubidium ions in them, 0=6063  
 Makarov, L. O. Note on the operational characteristics of a rod concentrator, 0=10717  
 Makarov, L. O. Theoretical investigation of selected torsional oscillating systems, 2=15670  
 Makarov, M. M. Calculation of the energy and angular characteristics of multicharged particles produced by high-energy protons, 3=24939  
 Makarov, M. M. Angular dependences in multi-charged particle production by 75-350 MeV protons, 4=3655  
 Makarov, M. M. Production of multicharge particles in interactions of 75-350 MeV protons with nuclei, 4=19775  
 Makarov, M. M. See Arifkhanov, U. R., 0=13234  
 Makarov, M. M. See Darovskikh, V. F., 2=3535  
 Makarov, M. M. See Darovskikh, V. F., 2=7956  
 Makarov, M. M. See Lepekhn, F. G., 3=22388  
 Makarov, M. M. See Perfilov, N. A., 0=9622  
 Makarov, S. S. See Brekhovskikh, L. M., 1=5327  
 Makarov, V. I. Visualization of ultrasonic pulses with a high-frequency carrier, 0=1004  
 Makarov, V. I. and Fadeeva, N. A. Radiation of waves by shells in a sound-field, 1=18513  
 Makarov, V. I. See Bar'yakhtar, V. G., 3=13025  
 Makarov, V. I. See Kan, L. S., 1=18723  
 Makarov, V. I. See Kuz'michev, Yu. M., 0=1005  
 Makarov, V. I. See Lazarev, B. G., 3=21668  
 Makarov, V. I. See Lazarev, V. G., 3=19125  
 Makarov, V. I. See Lazarev, B. G., 4=16367  
 Makarov, V. N. See Pervova, L. Ya., 4=1608  
 Makarov, V. P. See Gross, E. F., 3=18002  
 Makarov, V. P. See Zakharchenya, B. P., 4=26183  
 Makarov, V. P. See Zhilich, A. G., 1=17884  
 Makarov, Yu. V. and Meleshin, N. M. A generator of light pulses for studying photomultipliers, 4=16530  
 Makarov, Yu. V. and Nartov, S. V. Some results of the investigation of a magnetic field in a hydromagnetic shock tube, 4=8312  
 Makarov, Yu. V. See Glagolev, V. L., 0=11376  
 Makarova, E. A. Energy distribution in the continuous spectrum of the sun, 4=23919  
 Makarova, E. A. and Kiryukhina, A. I. A prominence with non-uniform physical properties along the line of sight, 2=972  
 Makarova, E. A., Sitnik, G. F. and Kozhevnikov, N. I. The influence of water vapour on the optical properties of the atmosphere, 4=2198  
 Makarova, E. A. See Kozhevnikov, N. I., 2=923  
 Makarova, E. K. See Pominov, I. S., 4=29634  
 Makarova, E. V. See Deryagin, N. N., 4=7696  
 Makarova, S. P. A catalogue of 21 cm line profiles, 4=29482  
 Makarovitsch, I. See Hulubei, H., 4=942  
 Makarovitsch, I. See Hulubei, H., 4=30257  
 Makaryunas, K. V., Makaryunene, E. K. and Denis, V. I. Excitation of the low levels of  $Li^7$ ,  $Be^8$ ,  $Be^9$  and  $Be^{10}$  in the alpha-particle bombardment of lithium, 4=3703  
 Makaryunas, K. V. and Starodubtsev, S. V. Investigation of the ( $\alpha$ ,  $\alpha'$ ), ( $\alpha$ , p) and ( $\alpha$ , t) reactions on lithium nuclei, 0=9644  
 Makaryunas, K. V. See Starodubtsev, S. V., 0=13246  
 Makaryunas, K. V. See Starodubtsev, S. V., 1=11036  
 Makaryunene, E. K. See Makaryunas, K. V., 4=3703  
 Makas, A. S. Film polarizer for visible and ultraviolet radiation, 2=1282  
 Makavetskias, R. A., Popov, V. N. and Tsederberg, N. V. Experimental study of the viscosity of helium and nitrogen, 4=24265  
 Makavetskias, R. A., Popov, V. N. and Tsederberg, N. V. An experimental investigation of the viscosity of mixtures of nitrogen and helium, 4=29669  
 Makedonskii, V. L. Determination of resistance of thin layers of semiconductors and dielectrics, 2=19826  
 Makedonskii, V. L. and Pustovoi, A. K. Secondary electron emission of antimony chalcogenides, 3=14636  
 Makeev, N. N. A generalization of the Eddington-Poincaré equation, 2=934  
 Makeev, N. N. The collision of gaseous jets, 3=16646  
 Makeev, N. N. On one case of central motion, 3=21269  
 Mäkelä, M. See Hovi, V., 2=19772  
 Makemson, M. W., Baker, R. M. L., Jr. and Westrom, G. B. Analysis and standardization of astrodynamic constants, 4=13912  
 Makens, R. F. and Bush, D. E. Solvent extraction experiments in nuclear fuels processing, 2=5994  
 Maker, P. D., Jerhume, R. W. and Savage, C. M. Intensity-dependent changes in the refractive index of liquids, 4=21134  
 Maker, P. D., Terhune, R. W., Nisenoff, M. and Savage, C. M. Effects of dispersion and focusing on the production of optical harmonics, 2=8510  
 Maker, P. D. See Edwards, D. F., 2=16686  
 Maker, P. D. See Terhune, R. W., 2=14666  
 Maker, P. D. See Terhune, R. W., 3=12340  
 Makhaneč, A. G. The effect of vibrations on the [nuclear] quadrupole coupling constants of alkali-halide molecules, 1=2348  
 Makhaneč, A. G. Antiscreening of nuclear quadrupole moments, 3=19923  
 Makhaneč, A. G. See Korol'kov, V. S., 2=16467  
 Makhano, V. G. Interaction between a relativistic neutral beam of charged particles and a magnetoactive plasma, 4=11665  
 Makhankov, V. G. and Rukhadze, A. A. Excitation of electromagnetic waves across a beam of charged plasma particles, 3=21788  
 Makhankov, V. G. Excitation of electromagnetic waves in a plasma where the electron velocity is directed with respect to the ions, 3=21849  
 Makhlis, F. A. Accounting for the multiple scattering of gamma-rays from plane sources, 4=9157  
 Makhmudov, Z. Z. See Bar'yakhtar, V. G., 4=28792  
 Makhnenko, L. A. See Ostrovskii, E. K., 4=8870  
 Makhnenko, L. A. See Zýkov, A. I., 4=8871  
 Makhnenko, L. A. See Zýkov, A. I., 4=21573  
 Makhnovskii, E. D. The ( $\gamma$ , p) reaction on  $Au^{197}$ , 0=5768  
 Makhnovskii, E. D. Photodeuterons from  $Al^{27}$ , 2=421  
 Makhnovskii, E. D. Photodeuterons from  $Al^{27}$ , 2=22795  
 Makhnovskii, E. D. Photoprotons from  $Li^6$ , 4=19748  
 Makhnovskii, E. D. See Komar, A. P., 0=17619  
 Makhnovskii, E. D. See Komar, A. P., 1=4855  
 Makhnovskii, E. D. See Komar, A. P., 1=5893  
 Makhnovskii, E. D. See Komar, A. P., 4=25444  
 Makhnovsky, E. D. See Chizhov, V. P., 2=16389  
 Makhon'ko, K. P. Concerning the nature of the spectrum of particle sizes of radioactive dust of natural origin, 3=18519  
 Makhon'ko, K. P. A determination of the capture coefficient for radioactive dust by rain, 4=15876  
 Makhon'ko, K. P. The washing of radioactive dust from the atmosphere, 4=29305  
 Makhon'ko, K. P. See Malakhov, S. G., 4=7862  
 Makhov, A. F. The universal nature of electron penetration in solids, 0=10971  
 Makhov, A. F. Penetration of electrons into solids. I. Intensity of the electron beam. Transverse paths of electrons, 0=19765  
 Makhov, A. F. Penetration of electrons into solids. II. Depth distribution of electrons, 0=19766  
 Makhov, A. F. Penetration of electrons into solids. III. Absorption of the energy of the electron beam, 0=19767  
 Makhov, A. F. Penetration of electrons into solids. I. Intensity of the electron beam. Transverse paths of electrons. II. Depth distribution of electrons. III. Absorption of the energy of the electron beam, 1=6098  
 Makhov, A. F. See Vyatskin, A. Ya., 0=15082  
 Makhov, G. On the problem of pulsed oscillations in ruby maser, 2=1584  
 Makhov, G., Cross, L. G., Terhune, R. W. and Lambe, J. Effect of nuclear polarization on the behaviour of a solid state masers, 0=9197  
 Makhov, G. See Terhune, R. W., 0=8092  
 Maki, A. Vibration-rotation spectra of Br Cn, 3=12834  
 Maki, A., Plyler, E. K. and Thibault, R. Infra-red spectrum of carbon tetrafluoride, 3=6406  
 Maki, A. G. Infrared spectra of carbon monoxide as a solid and in solid matrices, 1=14601  
 Maki, A. G. and Blaine, L. R. Infrared spectra of HCN from 2000 to 3600  $cm^{-1}$ , 4=12485  
 Maki, A. G. and Gott, C. T. Vibration-rotation spectra of BrCN, 2=14251  
 Maki, A. G. and Plyler, E. K. Method of measuring emissivities of metals in the infrared, 3=292



- Maki, A.G., Plyler, E.K. and Thibault, R.J. Absorption bands of carbon dioxide from 5.3 to 4.6 microns, 3=19991
- Maki, A.G., Plyler, E.K. and Thibault, R. Vibration-rotation bands of deuterium cyanide and hydrogen cyanide, 4=20066
- Maki, A.G., Plyler, E.K. and Tidwell, E.D. Vibration-rotation bands of carbonyl sulfide, 2=14252
- Maki, A.G., Stair, R. and Johnston, R.G. Apparatus for the measurement of the normal spectral emissivity in the infrared, 0=16917
- Maki, A.G. See Lafferty, W.J., 4=12478
- Maki, A.G. See Plyler, E.K., 4=15350
- Maki, A.G. See Thibault, R.J., 4=3874
- Maki, A.H. and Geske, D.H. Electron-spin resonance of electrochemically generated free radicals. Isomeric dinitrobenzene mononegative ions, 0=17776
- Maki, A.H. Rotational isomerism in terephthaldehyde anion, 1=17368
- Maki, A.H. See Edelstein, N., 4=24242
- Maki, A.H. See Harriman, J.E., 3=22597
- Maki, A.H. See Hyde, J.S., 4=22434
- Maki, A.H. See Melchior, M.T., 1=6040
- Maki, A.H. See Stone, E.W., 2=17486
- Maki, A.H. See Stone, E.W., 2=22998
- Maki, A.H. See Stone, E.W., 3=12861
- Maki, A.H. See Stone, E.W., 3=15373
- Maki, A.H. See Stone, E.W., 4=1304
- Maki, A.H. See Stone, E.W., 4=28257
- Maki, A.H. See Waters, E.L., 2=3775
- Maki, A.H. See Vincent, J.S., 4=7335
- Maki, K. On the strength of the coupling constant and the stability of the vacuum, 3=7761
- Maki, K. On persistent currents in a superconducting alloy, 3=9679
- Maki, K. On persistent currents in a superconducting alloy. II, 3=16870
- Maki, K. Magnetic moments and critical fields in superconducting thin films, 3=24142
- Maki, K. Josephson effect in superconductive tunnelling, 4=14511
- Maki, K. Effect of magnetic fields on heat transport in superconductors, 4=18555
- Maki, K. Possible detection of Abrikosov's structure through interference effects in Josephson tunneling, 4=21403
- Maki, K. The behavior of superconducting thin films in the presence of magnetic fields and currents, 4=24497
- Maki, K. Stability of various perturbative and nonperturbative solutions appearing in the theory of spontaneous breakdown of symmetries, 4=27817
- Maki, K. and Tsuneto, T. Quantization of flux in superconductors, 2=11557
- Maki, K. and Tsuneto, T. Effects of impurity scattering on excitons in superconductor, 2=19804
- Maki, K. and Tsuneto, T. Pauli paramagnetism and superconducting state, 4=27412
- Maki, K. See Ida, M., 2=3266
- Maki, M. See Saitô, T., 1=1738
- Maki, T., Nakashima, T., Chô, T., Katô, N., Yamanouchi, Y. and Ishimatsu, T. Differential excitation functions for  $\alpha$ -particle and proton groups from the deuteron induced reactions of  $F^{19}$ , 2=20665
- Maki, T. See Mikumo, T., 1=8771
- Maki, T. See Mikumo, T., 1=9881
- Maki, T. See Mikumo, T., 1=9882
- Maki, T. See Morita, S., 1=12214
- Maki, Z. A note on the leptonic decay of hyperons, 1=3237
- Maki, Z. The Sakata model [for elementary particles], 4=11890
- Maki, Z. The "fourth" baryon, Sakata model and modified B-L symmetry. I., 4=21761
- Maki, Z. The "fourth" baryon, Sakata model, and modified B-L symmetry. II, 4=21762
- Maki, Z. and Nakagawa, M. An approach to the non-leptonic decays of hyperons, 4=12069
- Maki, Z., Nakagawa, M., Ohnuki, Y. and Sakata, S. A unified model for elementary particles. Nagoya model, 2=11909
- Maki, Z., Nakagawa, M., Ohnuki, Y. and Sakata, S. A unified model for elementary particles, 1=3120
- Maki, Z., Nakagawa, M. and Sakata, S. Remarks on the unified model of elementary particles, 3=7773
- Maki, Z. and Ohnuki, Y. The non-leptonic decays of hyperons, 1=12120
- Maki, Z. and Ohnuki, Y. Quartet scheme for elementary particles, 4=30153
- Maki, Z. See Ohnuki, Y., 2=11912
- Makin, B. and Keck, J.C. Variational theory of three-body electron-ion recombination rates, 4=2952
- Makin, B. and Kleck, J.C. Phase space calculation of three body electron-ion recombination rates, 4=24559
- Makin, M.J. The thermal activation of slip in neutron irradiated copper, 4=10377
- Makin, M.J. and Blewitt, T.H. The hardening of copper single-crystals by electron irradiation, 2=8738
- Makin, M.J. and Hudson, B. {012} loops in face-centred cubic metals, 3=17721
- Makin, M.J. and Manthorpe, S.A. Hardening of copper irradiated at 195°C, 2=6396
- Makin, M.J. and Manthorpe, S.A. The annealing of dislocation loops in neutron irradiated copper, 4=4053
- Makin, M.J. and Minter, F.J. The mechanical properties of irradiated niobium, 0=16232
- Makin, M.J. and Minter, F.J. Irradiation hardening in copper and nickel, 1=1004
- Makin, M.J., Whapham, A.D. and Minter, F.J. Dislocation loops and hardening in neutron irradiated copper, 1=10004
- Makin, M.J., Whapham, A.D. and Minter, F.J. The formation of dislocation loops in copper during neutron irradiation, 2=6350
- Makin, M.J. See Hudson, B., 2=8222
- Makin, M.J. See Hudson, B., 3=22752
- Makin, M.J. See Whapham, A.D., 0=18268
- Makin, M.J. See Whapham, A.D., 3=822
- Makin, M.J. See Whapham, A.D., 3=17805
- Makin, S.M. and Nunley, A.E. An autoradiographic method for determining the distribution of iron on recording tape, 0=12668
- Makin, S.M. and Rogers, G.T. Precision microphotometer for use with a Vickers projection microscope, 0=3594
- Makino, F. See Hyodo, T., 3=3045
- Makino, F. See Mukoyama, T., 3=15148
- Makino, M.Q., Waddell, C.N. and Eisberg, R.M. Total reaction cross sections for 29 MeV protons, 4=9501
- Makino, M.Q., Waddell, C.N., Eisberg, R.M. and Hestenes, J. Study of shell closure effect on proton total reaction cross-sections, 4=22138
- Makino, S., Kamashima, K., Kubota, S. and Sugai, S. Dielectric studies of synthetic polypeptides in solid state, 4=12966
- Makino, T. On the cosmic-ray cut-off rigidities and the earth's magnetic field, 4=12091
- Makino, T. See Kodama, M., 2=12044
- Makino, T. See Sekido, Y., 2=12067
- Makino, T. See Sekido, Y., 2=12069
- Makino, Y. PbTe thin film prepared by vacuum evaporation on mica, 4=23583
- Makinson, K.R. and Tabor, D. Friction and transfer of polytetrafluoroethylene, 4=23199
- Makinson, R.E.B. and Roberts, A.P. Zone theory of liquids, 0=19094
- Makishima, S., Hasegawa, K. and Shionoya, S. Luminescence of  $Sm^{3+}$  in  $BaTiO_3$  matrix, 2=14714
- Makishima, S., Tomotsu, T., Hirata, M., Kambe, R. and Shionoya, S. Polarization of low temperature luminescence from thallium-containing sodium nitrite single crystals, 2=715
- Makison, R.E.B. and Roberts, A.P. Localized electron eigenstates in one-dimensional liquids, 2=5003
- Makison, R.E.B. See Roberts, A.P., 2=9258
- Makita, M. Physical states in sunspots, 3=23684
- Makita, M. and Morimoto, M. Photoelectric study of sunspots, 1=6708
- Makita, M. See Unno, W., 1=15510
- Makita, T. See Takahashi, I., 1=14103
- Makita, Y. Specific heat anomalies of ferroelectric  $CH_3NH_3Al(SO_4)_2 \cdot 12H_2O$  and  $NaH_2(SeO_3)_2$ , 4=22497
- Makjanek, A.G. The effect of vibration on hyperfine structure constants, 2=6144
- Makkay, R.W. and Fine, M.E. Vacuum reduction of  $\alpha = Nb_2O_5$  at low temperatures, 2=10493
- Makkay, R.W., Geiger, G.H. and Fine, M.E. Elasticity and internal friction of  $\alpha - Fe_2O_3$ , 2=6714
- Makkink, J.W. See Leijzers Vis, W., 1=5505
- Makky, S.M. On the fracture theory of surfaces of maximum shear, 3=3773
- Maklakov, L.I. and Nikitin, V.N. On the vibrational spectra of bromoform and deuterobromoform in the liquid and crystalline states, 4=22904
- Maklakov, L.A., Nikitin, V.N. and Purkina, A.V. Study of the vibrational spectra of chloroform and deuteriochloroform in the liquid and crystalline states, 4=10203



- Makogon, M.B. Nature of the dependence of the mechanical properties of solid solutions on their concentrations, 0=1930
- Makogon, M.B. and Kitaeva, L.P. Investigation of the kinetics of the ordering process and some mechanical properties of Mg, Cd alloy, 4=1995
- Makogon, M.B. See Butkevich, L.M., 4=20649
- Makogon, M.B. See Sukhovarov, V.F., 4=23284
- Makolagwa, S. Effect of potassium ions on the reaction and final properties of Mn-Zn ferrite, 0=11890
- Makolagwa, S. Effect of potassium ions on final properties of Mn-Zn ferrite, 1=20135
- Makoveev, E.A. See Demin, A.G., 4=6246
- Makovei, M. See Teodoresku, I., 2=11743
- Makover, S.G. and Bokhan, N.A. The motion of the Enke-Baklund comet for the years 1898-1911 and a new determination of the mass of Mercury, 1=2605
- Makovetskii, P.V. The antiradiant of a meteor stream, 0=18713
- Makovky, J. See Alexander, E., 3=9593
- Makovsky, J., Low, W. and Yatsiv, S. Excitation of optical fluorescence spectra of transition elements by means of X-rays, 3=953
- Makow, D.M. and Hurd, R.A. On the harmonic response of some nonlinear systems, 3=19133
- Makowska-Rzeszutko, M. See Kolonko, N., 3=10376
- Makowska-Rzeszutko, M. See Lewandowski, Z., 1=3100
- Makra, Z. See Békés, M., 2=13707
- Makram, H. and Krishnan, R. The preparation of single crystals of nickel ferrites and a study of their magnetic properties, 3=13274
- Makram, H. and Krishnan, R. Preparation and properties of yttrium iron garnet single crystals containing indium, 3=20800
- Makram, H. and Krishnan, R. Effect of ionic rearrangement on the properties of single crystals of Ni ferrite, 4=1861
- Makram, H. and Krishnan, R. Preparation and properties of single crystals iron-yttrium garnets containing lanthanum, 4=26679
- Makram, H., Krishnan, R. and Berteaud, A.J. Effect of method of preparation on the properties of yttrium garnet single crystals, 3=8699
- Makram, H. See Courtel, R., 2=21449
- Makrides, A.C. Absorption of hydrogen by silver-palladium alloys, 4=30893
- Makris, J. See Ma, C.H., 3=13024
- Makris, J.S. and Ma, C.H. A modified X-ray diffraction microscope technique for study of dislocations in crystals, 4=30568
- Maksakov, B.I., Morozov, A.M. and Romanova, N.G. Absorption and luminescence spectra of lead molybdate single crystals, 3=20479
- Maksakov, B.I. See Dubenskii, K.K., 4=13090
- Maksakov, B.I. See Karapetyan, V.E., 3=23079
- Maksakov, B.I. See Ryskin, A.I., 4=22875
- Maksimenko, A.P. See Varich, N.I., 4=15722
- Maksimenko, V.A. See Generalov, N.A., 4=5249
- Maksimenko, V.M. Statistical interpretation of experimental data on multiple production of particles at energies of 1-20 BeV, 0=2588
- Maksimenko, V.M. Peripheral collisions of high-energy nucleons, 0=9613
- Maksimenko, V.M. The problem of the resonance in  $\pi-\pi$  interactions, 0=15398
- Maksimenko, V.M. and Rozental', I.L. Covariant statistical theories of multiple particle production, 1=3150
- Maksimenko, V.M. See Goldanskii, V.I., 1=3227
- Maksimenko, V.M. See Gramenitskii, I.M., 1=19183
- Maksimenko, V.M. See Zhdanov, G.B., 0=9618
- Maksimov, A.I. See Krasnov, K.S., 0=17727
- Maksimov, G.P. See Afonin, I.P., 3=19283
- Maksimov, J.S. See Brezhnev, B.G., 3=7452
- Maksimov, L. See Kagan, Yu., 1=18475
- Maksimov, L. See Kagan, Yu., 3=171
- Maksimov, M.P. See Dzhagatspanyan, R.V., 2=19768
- Maksimov, M.S. and Rozman, I.M. On energy transfer in solid solutions, 2=23586
- Maksimov, M.Z. Range-energy relation for various substances, 0=9320
- Maksimov, M.Z. Break-up of charged particles by a nuclear Coulomb field, 0=13223
- Maksimov, M.Z. A possible method of increasing the yields of nuclear reactions in thin targets, 2=5882
- Maksimov, M.Z. Concerning nuclear reactions involving exchange of surface nucleons, 3=8057
- Maksimov, M.Z. Use of the one-dimensional shower theory for calculating intranuclear cascades, 4=22087
- Maksimov, M.Z. See Khulelidze, D.E., 4=30357
- Maksimov, M.Z. See Leont'ev, N.I., 4=16560
- Maksimov, S.K. See Kristal, M.A., 4=15721
- Maksimova, G.V. See Gorina, Yu.I., 2=4097
- Maksimova, G.V. See Osiko, V.V., 1=12502
- Maksimova, O.P. See Estrin, E.I., 2=23873
- Maksymowicz, A. See Cabibbo, N., 4=25171
- Maksyumenko, B.P. Delayed neutrons from  $\text{Pu}^{239}$ , 4=6400
- Maksyutenko, B.P. Relative yields of delayed neutrons in fission of  $\text{U}^{238}$ ,  $\text{U}^{235}$ , and  $\text{Th}^{232}$  by fast neutrons, 0=2694
- Maksyutenko, B.P. Delayed neutrons from fission of  $\text{U}^{235}$  induced 15 MeV neutrons, 4=9581
- Makukha, V.I. The adsorption of calcium by tungsten effect on the work function, 2=1477
- Makukha, V.I. The adsorption of strontium by tungsten: effect on the work function, 2=1478
- Makukha, V.I. Field emission from iridium, 3=21855
- Makushenko, A.M. See Klochkov, V.P., 4=6607
- Makushenko, A.M. See Klochkov, V.P., 4=6608
- Makushin, V.P. and Mishuev, A.V. Spherical barium titanate pressure receivers of air shock waves, 0=130
- Malach, R.J. See Burnham, R.W., 0=18558
- Malafi, H.T. See Minamoto, M.T., 3=17911
- Malaise, D. Spectrum of the comet 1960 i (Enke), 2=11111
- Malaise, D. See Andriolat, Y., 2=11112
- Malakhov, I.Ya. See Andreev, G.B., 3=5147
- Malakhov, N.P. See Groshev, A.L., 4=19059
- Malakhov, S.G. and Makhon'ko, K.P. "Hot" aerosol particles in the atmosphere, 4=7862
- Malakhov, L.N. See Vertsner, V.N., 1=8961
- Malakhov, V.V. The scattering equations for low energies, 1=19151
- Malakhov, V.V. The scattering equations for low energies, 2=22435
- Malakhov, V.V., Rashevskaya, E.P. and Fainberg, V.Ya. Use of the dispersion approach in investigation of the simplest Green's functions in meson dynamics, 1=4777
- Malamud, E. and Schlein, P.E. Measurement of the  $Y_1^0$  (1385) spin and parity, 4=21947
- Malamud, E. and Silverman, A. Magnetic measurements on the Cornell alternate gradient synchrotron, 0=19850
- Malamud, E. and Weill, R. Positron-electron annihilation in flight at 600 MeV, 3=7834
- Malamud, E. and Weill, R. Bremsstrahlung spectrum of 600 MeV positrons and electrons in propane, 4=30212
- Malamud, E., Weill, R. and McEwen, J.G. Annihilation in flight and bremsstrahlung of 650 MeV positrons in propane, 2=5626
- Malamud, E. See Amato, G., 3=17001
- Malamud, E. See Cooper, W.A., 4=15104
- Malamud, E. See Weill, R., 2=13711
- Malamud, E. See Weil, R., 2=18037
- Malamud, H. See Neuringer, J.L., 1=11944
- Malan, D.J. Unusual types of lightning discharges, 2=6915
- Malan, D.J. Physics of lightning, 4=17900
- Malan, O.G. See Decius, J.C., 3=25189
- Malard, M. See Guennoc, H., 3=869
- Malaroda, R., Poiani, G. and Pisent, G. On the D-wave contribution in the  $n\text{-He}^4$  elastic scattering at 15 MeV, 3=19644
- Malaspina, L. See De Maria, G., 4=2941
- Malaspina, L. See De Maria, G., 4=2942
- Malaviya, S.C. Solution of Cauchy's problem for the wave equation  $(\partial^2/\partial t^2 - \nabla^2 + k^2)\psi = 0$ , 0=822
- Malaviya, V. See Ghosh, S.N., 1=20869
- Malbwachs, F. See de Broglie, L., 3=2226
- Mal'chenko, V.I. Determining the radius of meson-nucleon interaction, 1=13832
- Mal'chenko, V.I. Double dispersion relations for potential scattering, 1=16721
- Malcher, J. See Bodnar, Z., 4=22764
- Malčić, S.S. The crystal structure of sodium trichloromercurate (II) dihydrate, 0=21197
- Malčić, S.S. and Manojlović, L.M. Crystal structure of cesium uranyl nitrate, 2=4423
- Malčić, S.S. See Herak, R.M., 3=18315
- Malcolm, G.N. and Ritchie, G.L.D. The thermal pressure coefficient and the entropy of melting at constant volume of polyethylene oxide, 2=15821
- Maldonado, E. See Escobar, I., 0=15485
- Maldy, J. Electron microscopy study in transmission of the interaction of defects produced at the interface by oxidation of pure iron, 2=12440



- Maldy, J. Direct observation of increased impurity content at the oxidation interface of a pure industrial iron, 2=23162
- Maldy, J. Deformation of the crystalline structure of iron resulting from the action of a layer of oxide formed at high temperature, 4=1945
- Malé, D. Note on the limiting thickness of a thin absorbing film below which optical constants cannot be determined independently, 4=323
- Malé, D. Simultaneous determination of the indices and thickness of thin absorbing layers, 4=22823
- Male, J.C. Luminescence excitation spectrum of diamond near the fundamental absorption edge, 1=9001
- Male, J.C. and Prior, J.R. Intrinsic recombination radiation in diamond, 0=16082
- Male, J.C. See Dean, P.J., 4=10213
- Male, J.C. See Dean, P.J., 4=10214
- Male, J.C. See Dean, P.J., 4=17408
- Malecki, I. The acoustic properties of room absorbers, 0=1020
- Malecki, I. and Kaliski, S. The vibration of plates, 0=983
- Malecki, I. and Payewski, W. Radiation impedance of systems with arbitrary shape, 4=14269
- Malecki, I. See Koltoński, W., 0=16798
- Malecki, J. Dielectric polarization of aliphatic alcohols in strong electric fields, 2=5025
- Malecki, J. Dielectric saturation in aliphatic alcohols, 2=13349
- Malecki, J. Dielectric saturation in benzene-chloroform-hexanol-1 three-component mixtures, 3=23895
- Malécot, G. See Eyraud, L., 3=6816
- Malecot, G. See Eyraud, L., 3=20769
- Maleev, E.M. and Ermakov, D.S. Single beam two-frequency pyrometer for measuring flame temperatures, 3=9644
- Maleev, E.N. An incandescent lamp with a mica window for use in the infrared region, 0=16867
- Maleev, P.I. See Vitovskii, N.A., 2=18028
- Maleev, S.V. Use of the Mössbauer effect for the investigation of localized atomic oscillations in solids, 0=20789
- Maleev, S.V. Polarization resulting from the scattering of [slow] neutrons by ferromagnetic substances, 1=20120
- Maleev, S.V. Properties of rarefied fermi-gas with attraction, 3=1637
- Maleev, S.V., Bar'yakhtar, V.G. and Suris, R.A. The scattering of slow neutrons by complex magnetic structures, 3=23182
- Maleev, S.V. See Bar'yakhtar, V.G., 2=752
- Maleev, S.V. See Bar'yakhtar, V.G., 3=18097
- Maleh, I. See Budick, B., 4=27944
- Malein, A. See Aitken, K.L., 4=11651
- Malein, A. See Cockroft, H.S., 3=21801
- Malein, A. See Jephcott, D.F., 4=14714
- Malek, A. See Whitehead, J.D., 4=7913
- Málek, Z. A study of the influence of dislocations on some of the magnetic properties of permalloy alloys, 0=3063
- Malek, Z., Fousek, J., Al Ali, N.S. and Salim, A.J. Frequency dependence of the coercive field of triglycine sulphate crystals, 4=4217
- Málek, Z., Kamberský, V. and Schüppel, W. On the influence of residual gas pressure on the  $M_s$ -induced anisotropy in thin films, 2=4228
- Málek, Z. and Schüppel, W. Uniaxial magnetic anisotropy of evaporated thin cobalt films, 1=3894
- Málek, Z. and Schüppel, W. Direct measurement of the uniaxial magnetic anisotropy of evaporated thin films of iron, nickel, permalloy and cobalt, 1=3895
- Málek, Z. and Schüppel, W. Ferromagnetic thin films. III. Magnetization to crystalline and induced anisotropy, 2=10659
- Málek, Z. and Schüppel, W. Magnetic anisotropy of thin films, 3=20604
- Málek, Z., Schüppel, W., Stemme, O. and Andrš, W. The uniaxial magnetic anisotropy of thin films and its time dependence, 0=6234
- Málek, Z. See Andrš, W., 0=10153
- Málek, Z. See Andrš, W., 2=10657
- Málek, Z. See Dvořák, V., 4=22789
- Málek, Z. See Fousek, J., 3=2960
- Málek, Z. See Frait, Z., 1=17962
- Málek, Z. See Frait, Z., 3=20596
- Málek, Z. See Glanc, A., 4=22788
- Málek, Z. See Kamberský, V., 1=14718
- Málek, Z. See Kamberský, V., 1=16481
- Málek, Z. See Kroupa, F., 0=6224
- Malengé, J. and Gosse, J. On the diffusion of heat and matter in turbulent flow, 3=7186
- Malenka, B.J. and Smith, H.P. Nuclear size effect on bremsstrahlung in the BeV range, 4=877
- Malenka, B.J. and Valk, H.S. Interpretation of elastic  $\pi^+ - p$  scattering at 1.1 BeV, 1=7278
- Malenka, B.J. and Valk, H.S. High-energy potential scattering with short-range forces, 1=7215
- Malenkov, G.G. [Contribution] to the problem of the structure of liquid water, 1=11749
- Malenkov, G.G. [Contribution] to the problem of the structure of liquid water, 1=12864
- Malesani, G. Experiments on breakdown phenomena in theta-pinch, 4=18957
- Malesani, G., Mazzucato, E., Rostagni, G. and Scimemi, B. Experiments on magnetically driven shock-waves in ionized gases, 3=7278
- Malesset, C. See Blanc, C., 2=11397
- Malesset, C. See Blanc, C., 2=15883
- Maletskii, I. See Abramchik, M., 0=6896
- Maletskii, I. See Abramchik, M., 1=18518
- Malev, M.D. Measurement of work function by the initial current method, 2=1472
- Maleval, C. and Collomby, J. Velocity of propagation of ionization in a column of neon excited by ultra-high frequencies at one end, 3=4037
- Malevskaya, L.A. and Nurmukhamedov, G.M. Temperature dependence of ferromagnetic resonance in yttrium ferrite garnets, 0=11929
- Malevskaya, L.A. See Belov, K.P., 0=13835
- Malevskaya, L.A. See Belov, K.P., 1=20181
- Malevskaya, L.A. See Belov, K.P., 3=3150
- Malevskaya, L.A. See Belov, K.P., 3=6721
- Malevskaya, L.A. See Belov, K.P., 4=23200
- Malewski, S. See Kaczmarek, M., 4=3589
- Maley, L.E. Ionization detector for gases and vapors, 0=8340
- Maley, S.W. and Byrne, W.J. Design of periodic electromagnets, 2=15996
- Maley, S.W. and King, R.J. Impedance of a monopole antenna with a radial wire ground system on an imperfectly conducting half space. I., 2=16037
- Malgrange, C. See Authier, A., 4=1460
- Malgrange, J.-L., Quentin, G. and Thuillier, J.-M. Measurement of the elastic constants of tellurium, 4=4489
- Malgrange, J.L., Quentin, G. and Thuillier, J.M. Elastic constants of tellurium between 100° and 300°K, 4=10402
- Malhiot, R.J. See Hauser, I., 2=20236
- Malhotra, G.L. See Bahadur, K., 3=2813
- Malhotra, G.L. See Sharma, S.K., 4=23291
- Malhotra, P.K. Dependence of multiplicity on primary energy in nucleon-nucleon and pion-nucleon collisions, 4=9189
- Malhotra, P.K. and Tsuzuki, Y. Analysis of some nuclear interactions of energies  $(10^{12} - 10^{14})$  eV/nucleon, 1=5800
- Malhotra, P.K. See Daniel, R.R., 0=12923
- Malhotra, P.K. See Lal, D., 0=2041
- Malhotra, R.C. and Cermak, J.E. Wind-tunnel modeling of atmospheric diffusion, 3=18500
- Malhotra, R.C. and Cermak, J.E. Mass diffusion in neutral and unstably stratified boundary-layer flows, 4=11149
- Mali, M. See Blinc, R., 3=25594
- Malickšó, L. Investigations of dislocations in single crystal and polycrystalline plates of AgCl, 1=17532
- Malickšó, L. Studies on the layer growth of crystals, 3=25669
- Malickšó, L. and Morlin, Z. Colour centres in NaCl due to pressure and temperature effects, 2=12467
- Malickšó, L. and Morlin, Z. Coloration of sodium chloride by exo-electrons, 2=12469
- Malickšó, L. See Domokos, G., 0=4586
- Malik, A.K. See Zalivadnyy, S.Ya., 4=13657
- Malik, F.B. Elastic scattering of low energy positrons by atoms, 1=17282
- Malik, F.B. On the variational method for nonrelativistic scattering. I. Differential form, 3=5367
- Malik, F.B. On the variational method of the non-relativistic scattering. II. The integral form, 3=7122
- Malik, F.B. The application of the variational method to the elastic scattering of electrons by hydrogen atom, 4=25554
- Malik, F.B. and Trefftz, E. Elastic scattering of low energy electrons by atomic hydrogen, 0=15675
- Malik, F.B. and Trefftz, E. Ionization cross-section of O V due to electron impact by consideration of partial exchange, 1=18767
- Malik, F.B. and Trefftz, E. The potential model treatment of the scattering of electrons by atoms and the existence of negative ions, 1=19604
- Malik, G.N. See Garber, R.I., 1=10559
- Malik, S.S. See Van Patter, D.M., 3=2466



- Malikhina, N.M. and Shpak, M.T. Spectral investigations of a mixed dibenzylstilbene crystal at 20.4 and 4.2° K, 4=17587
- Malikov, Kh. M. Waves generated by pressure on the walls of spherical and cylindrical cavities in an anisotropic medium, 4=24294
- Malikova, O. See Zaveta, K., 3=22949
- Malikova, O.A. See Belov, K.P., 3=20334
- Malin, G. C., Jr. Dimensional analysis of blower noise, 4=2801
- Malinen, P.A. See Kotel'nikov, N.V., 3=5013
- Maling, G.C., Jr. Simplified analysis of the Rijke phenomenon, 3=18933
- Maling, G. C., Jr. Comments and reply on "Radiation impedance of a source near reflectors" by R. V. Waterhouse, 4=18354
- Maling, G.C., Jr. See Ingard, U., 3=21043
- Maling, G. C., Jr. See Ingard, U., 4=7866
- Maling, J.E. See Bloise, M.S., Jr., 1=14090
- Malinge, A., Blum, E.J., Ginat, M. and Parise, M. The north-south arm of the large interferometer at Nancy, 0=827
- Malinge, A.M. Relation between the position and the sense of polarization of solar radio storms, 0=6559
- Malinge, A.M. A relationship between solar radio noise storms and chromospheric eruptions, 0=14422
- Malinge, A.M. See Blum, E.J., 0=18645
- Malinin, A. A. See Gurov, S. V., 4=21479
- Malinin, V.I. See Perel'man, S.M., 1=9742
- Malinofsky, W.W. and Babbitt, R.W. Fine-grained ferrites. I, nickel ferrite, 1=6356
- Malinofsky, W. W. and Babbitt, R. W. Fine-grained ferrites. III.  $Ni_{1-x}Co_xFe_2O_4$ . High power microwave and r.f. properties, 4=13244
- Malinofsky, W.W., Babbitt, R.W. and Sands, G.C. Fine-grained ferrites. II.  $Ni_{1-x}Zn_xFe_2O_4$ , 2=12696
- Malinofsky, W.W. See Wade, W., 3=16141
- Malinov, L. S. See Bogachev, I. N., 4=20712
- Malinovskii, A. and Yordanov, D. A new method for determining air humidity by the heat exchange of a cooled thermistor, 1=1508
- Malinovskii, T.I. and Simonov, Yu.A. Crystal structure of cadmium bromide dipyrindate, 3=6854
- Malinovskiy, M. See Matiasovsky, K., 4=29643
- Malinowska, A. and Lange, W. The influence of hydrogen atoms and hydroxyl radicals in the sphere of electric discharges on the aluminium surface condition, 4=2962
- Malinowska, C. The scattering cross-section of low energy electrons in the Thomas-Fermi theory, 4=25549
- Malinowski, J. Number and distribution of latent image specks inside the emulsion grains, 4=21322
- Malinowski, J. and Karadjow, G. Differential development of the internal latent image, 4=11374
- Malinowski, J. and Platkanowa, W. Decay of the concentration of photoexcited holes in silver bromide, 4=30542
- Malinowski, J., Platkanowa, W. and Petkanchin, I. Photographic processes on Bi-doped AgBr monocrystals, 4=18440
- Malinowski, J. and Süptitz, P. Experiments to determine the properties of holes in silver bromide, 4=4010
- Malinowski, J. See Foldzińska, A., 3=1399
- Malinowski, J. See Sterliński, S., 3=11368
- Malinowski, W. See Siwalski, J., 4=12899
- Malinskii, Yu.M. See Tikhomirova, N.S., 0=12064
- Maliphant, R.G. See Muldrew, D.B., 2=17970
- Malisova, E.V. See Presnov, V.A., 3=25364
- Maliszewski, E. The optical properties of slow chopper and time-of-flight device, 1=19214
- Maliszewski, E. Cold neutron measurements of the phonon dispersion-relation for a zinc single-crystal, 2=20923
- Malitskaya, G.I. See Rumanova, I.M., 0=14034
- Malitson, H.H., Purcell, J.D., Tousey, R. and Moore, C.E. The solar spectrum from 2635 to 2085 Å, 1=2612
- Malitson, I.H. Refraction and dispersion of synthetic sapphire, 3=2992
- Malitson, I.H. A redetermination of some optical properties of calcium fluoride, 4=4253
- Malitson, I.H. Refractive properties of barium fluoride, 4=17554
- Malitson, I.H., Cleek, G.W., Stavroudis, O.N. and Sutton, L.E. Infrared dispersion of some oxide glasses, 3=20439
- Malkes, L. Ya., Nagornaya, L.L. and Timchenko, A.I. The luminescence spectra and scintillation properties of para-mono-halogen substituted trans-stilbene, 2=722
- Malkes, L. Ya. See Naboikin, Yu. V., 4=3240
- Malkes, L. Ya. See Nagornaya, L. L., 4=14962
- Malkevich, M.S. Angular and spectral distribution of the radiation reflected by earth into space, 3=23565
- Malkevich, M. S., Monin, A. S. and Rozenberg, G. V. The spatial structure of a radiation field as a source of meteorological information, 4=29267
- Malkevich, M.S., Pokras, V.M. and Yurkova, L.I. Concerning the measurements of the radiation balance on the satellite Explorer VII, 3=23568
- Malkevich, M. S., Samsonov, Yu. B. and Koprova, L. I. Water vapour in the stratosphere, 4=13782
- Malkiel, G.S. On slow and rapid neutron-capture processes in the theory of origin of the elements, 1=17109
- Malkiel, G.S. Origin of elements heavier than calcium, 3=15185
- Malkiel, G.S. and Sukhanov, B.I. An ion source operated by high-frequency pulses, 1=4657
- Malkiel, G.S. and Sukhanov, B.I. Pulsed neutron source, 4=16905
- Malkin, A. J. See Vinogradov, G. V., 4=23197
- Malkin, A. Ya. See Vinogradov, G. V., 4=15695
- Malkin, B.Z. The theory of radiationless transitions in luminescent ionic crystals, 2=21240
- Malkin, B.Z. The theory of radiationless transitions in luminescent ionic crystals, 3=6646
- Malkin, B.Z. Calculation of the probabilities of radiationless transitions of the  $Cr^{3+}$  ion in ruby, 3=15456
- Malkin, B.Z. Calculation of the probability of a non-radiative transition for an ion of  $Sm^{2+}$  in fluorite, 3=20124
- Malkin, B. Z. Theory of the shape, width and shift of luminescence lines of impurity centres in ionic crystals, 4=7172
- Malkin, G.M. Simultaneous investigation of the photodielectric effect and the light sum in the ZnS:Cu:Co phosphor, 1=14545
- Malkin, G.M. Investigation of the relaxation time of photodielectric effect in the ZnS:Cu:Co phosphor, 1=14546
- Malkin, G.M. Investigation of the relaxation time of the photodielectric effect in ZnS:Cu:Co phosphor, 2=14604
- Malkin, G.M. Concurrent investigation of the photodielectric effect and the light sum stored in a ZnS:Cu:Co phosphor, 2=14605
- Malkin, G.M. See Vergunas, F.I., 1=1129
- Malkin, G.M. See Vergunas, F.I., 1=6192
- Malkin, L. Z., Alkhazov, I.D., Krivokhatskii, A.S. and Petrzhak, K.A. Periods of spontaneous fission of  $Pu^{240}$  and  $Pu^{242}$ , 4=6387
- Malkin, L. Z., Alkhazov, I.D., Krivokhatskii, A.S., Petrzhak, K.A. and Belov, L.M. Energy distribution of spontaneous fission fragments of  $Cm^{244}$ , 4=6388
- Malkin, L. Z., Alkhazov, I.D., Krivokhatskii, A.S., Petrzhak, K.A. and Belov, L. M. Spontaneous fission of  $Cm^{244}$  with emission of long range alpha particle, 4=19837
- Malkin, M.S. Half-life measurement in the micro- and millisecond range, 1=4540
- Malkin, M.S. See Hubbard, E.L., 1=1049
- Malkmus, W. Infrared emissivity of carbon dioxide (4.3- $\mu$  band), 3=17584
- Malkmus, W. Infrared emissivity of carbon dioxide (2.7- $\mu$  band), 4=20064
- Malkmus, W., Maclay, G.J. and Babrov, H.J. Interpretation of infra-red spectral absorbance measurements and calculations for HCl, 4=17282
- Malkmus, W. and Thomson, A. Infrared emissivity of diatomic gases for the anharmonic vibrating-rotator model, 2=12327
- Malkov, E.I. and Shmushkevich, I.M. Emission of electromagnetic radiation in collisions of particles with similar values of  $e/m$ , 1=17154
- Malkov, E. I. Relation between single integrals of the Mandelstam representation and double spectral functions, 4=25021
- Malkov, M.P., Zel'dovich, A.G., Fradkov, A.B. and Danilov, I.B. The separation of deuterium on an industrial scale by low-temperature distillation, 1=4916
- Mal'kova, A.A. See Kolomiets, B.T., 3=17997
- Mal'kova, A.A. See Kolomiets, B.T., 0=18036
- Malkova, L.V. See Kuchmin, O.I., 2=4573
- Malkovich, B.E.-Sh. See Radautsan, S.I., 2=10489
- Malkovich, R.Sh. Methods of calculating the mobility of impurity ions in solid bodies, 1=3680
- Malkovich, R.Sh. An absorption method of determining the diffusion coefficients of a volatile impurity, 3=20216
- Malkovich, R. Sh. Impurity diffusion from a deposited layer, 4=22606
- Malkovich, R.Sh. and Afanas'eva, M.A. Penetration of silver into rutile and perovskite ceramics, 1=17564
- Malkovich, R.Sh. and Alimbarashvili, N.A. Effect of the electric field on the diffusion of zinc in silicon, 3=17790
- Malkovich, R.Sh. See Boltaks, B.I., 0=11699
- Malkovich, R.Sh. See Boltaks, B.I., 1=3756



- Malkovskaya, N. Note on the asymmetry index of the  $K\alpha_{1,2}$  lines of the transition elements, 2=14214
- Malkus, W.V.R. and Veronis, G. Surface electro-convection, 1=2943
- Malkus, W.V.R. Precessional torques as the cause of geomagnetism, 3=21070
- Mallahan, F.J. See Vonnegut, B., 1=20843
- Mallahan, F.J. See Moore, C.B., 2=4601
- Mallamann, R. de. See de Malleman, R.
- Mallard, W.C., Gardner, A.B., Bass, R.F. and Slifkin, L.M. Self-diffusion in silver-gold solid solutions, 3=6538
- Mallen, J. See Adda, Y., 2=8210
- Mallett, G.R. See Thompson, M.A., 3=13434
- Mallett, J. F. See Hatherly, M., 4=13199
- Mallett, J. F. See Hatherly, M., 4=22990
- Mallet, L. and Constans, H. Radioluminescent dosimeter, 0=314
- Mallet, M.W. and Koehl, B.G. Thermodynamic functions for the tantalumhydrogen system, 2=19026
- Malli, G. L. Relation between electrons and holes in atomic configurations, 4=28104
- Mallick, D. Motion induced by a sphere vibrating along the axis of rotation of an infinite rotating liquid, 0=6746
- Mallick, D.D. Secondary flow in a rotating elliptic pipe, 0=8624
- Mallick, G. T. See Lubell, M. S., 4=405
- Mallick, G. T. See Lubell, M. S., 4=11477
- Mallick, G. T. See Lubell, M. S., 4=24509
- Mallikarjunan, M. See Parthasarathy, R., 4=23380
- Mallinder, F. P. and Proctor, B. A. Elastic constants of fused silica as a function of large tensile strain, 4=28979
- Mallmann, C.A. Evidence for the existence of rotational levels in all even-even nuclei, 1=8605
- Mallmann, C.A. Evidence for the existence of rotational levels in all even nuclei, 1=9812
- Mallmann, C.A. and Kerman, A.K. Comparison of asymmetric quadrupole rotor energy level predictions for even nuclei with experimental results, 0=11320
- Mallmann, C.A. See Klema, E.D., 1=13644
- Mallon, C.E. See Cutler, M., 3=3813
- Mallon, H.D. and Runciman, I.G. Optical properties of bismuth, 0=13667
- Mallon, H.D. and Wilson, C.G. Determination of orientation of bismuth single crystals using back-reflexion technique, 0=10294
- Mallory, H.D. and McEwan, W.S. Transparency of glass and certain plastics under shock attack, 1=20388
- Mallory, H.D. and Plauson, R.A. Direct observation of detonation in compressed nitromethane, 3=8962
- Mallory, H. D. See Plauson, R. A., 4=11295
- Mallory, M.L. See Beard, G.B., 2=2256
- Mallory, V. See Burris-Meyer, H., 1=1613
- Mallory, W. R. Scattering of stimulated emission in laser materials, 4=22838
- Mallory, W. R. Comments on "Dynamics of the giant pulse laser" by L. M. Frantz, 4=30079
- Mallory, W. R. and Tittel, K. F. High repetition rate pulsed lasers, 4=19307
- Mallory, W. R. See Stockman, D. L., 4=27703
- Mallozzi, P. Particle orbit theory for an ionized gas, 4=24549
- Mallozzi, P. and Margenau, H. Absorption coefficient and microwave conductivity of plasmas, 3=14577
- Mallozzi, P. and Margenau, H. Absorption coefficient and microwave conductivity of isotropic plasmas, 4=16482
- Malm, J.G. See Chernick, C.L., 3=17634
- Malm, J.G. See Claassen, H.H., 2=14276
- Malm, J.G. See Claassen, H.H., 2=14277
- Malm, J.G. See Selig, H., 2=16889
- Malm, J.G. See Weinstock, B., 0=4202
- Malmberg, J. H., Carlson, N. W., Wharton, C. B. and Drummond, W. E. A collisionless plasma for wave propagation studies, 4=19063
- Malmberg, P. An integrated data collection and treatment system for a Van de Graaf accelerator, 4=24766
- Malmberg, P.R. and Snowdon, S.C. Elastic scattering of 6.7 MeV neutrons from silver and indium, 2=22821
- Malmberg, P. R. See Bashkin, S., 4=22285
- Malmberg, P.R. See Fox, R.E., 1=12684
- Malmberg, T. Determination of the specific volume of liquid copper-lead alloys, 1=18345
- Malme, C.I. See Smith, P.W., 1=18501
- Malme, C.I. See Smith, P.W., Jr., 3=7261
- Malmeister, A. Progress of the physical and technical sciences in Latvian SSR, 1=53
- Malmeister, A. Problem of generalizing the fundamental concepts in the theory of plasticity, 2=12854
- Malmfors, K.G. On the possibility of applying trochoidal orbits in beta-spectroscopy, 0=19757
- Malmfors, K.G., Kjellman, J. and Nilsson, A. The time-of-flight technique applied to fast neutrons, 0=17349
- Malmjor, K. See Harang, L., 2=4646
- Malmjor, K. See Harang, L., 3=3493
- Malmon, A.G. Electron microscope observation of fission-fragment tracks in plastics, 4=12819
- Malmskog, S. The branching ratio of the  $^{10}\text{B}(n, \alpha)^7\text{Li}$  reaction, 4=1090
- Malmskog, S. Gamma transitions in the decay of  $\text{V}^{52}$ , 4=9448
- Malmskog, S. The decay of the second  $2^+$  level in  $\text{Fe}^{56}$ , 4=15159
- Malmskog, S. and Konijn, J. Half-life measurements of  $^6\text{He}$ ,  $^{16}\text{N}$ ,  $^{18}\text{O}$ ,  $^{26}\text{F}$ ,  $^{28}\text{Al}$ ,  $^{77}\text{Se}^m$  and  $^{110}\text{Ag}$ , 3=2403
- Malmskog, S. See Fräki, R., 3=24539
- Malmskog, S. See Nygaard, K., 3=18977
- Malmstrom, L. D., Schlickman, J. J. and Kingston, R. H. Internal second-harmonic generation in gallium arsenide lasers, 4=8987
- Malner, L. See Broussaud, G., 3=9996
- Mal'nev, A. F., Esel'son, M. P. and Kremenchugskii, L. S. The basic principles of recording spectra in infrared spectrophotometers, 1=4465
- Mal'nev, A. F., Esel'son, M. P. and Kremenchugskii, L. S. Instrument for determining low energies in spectral investigations, 2=7462
- Mal'nev, A. F. and Kremenchugskii, L. S. A low-temperature receiver of thermal radiation, 1=13013
- Malnev, A. F. See Vizgert, R. V., 4=12498
- Mal'nev, A. F. See Kremenchuhs'kyi, L. S., 3=21610
- Mal'nyev, A. F. and Esel'son, M. P. Recording device of a spectrophotometer, 2=7358
- Mal'nyev, A. F. Vacuum infrared spectrometer for the process control of petroleum products, 1=11841
- Mal'nyev, A. F. and Kremenchuhs'kyi, L. S. Infrared analysers and their application for the automation of production processes, 1=12986
- Mal'nyev, A. F. and Kremenchuhs'kyi, L. S. Apparatus for measuring the parameters of radiation detectors, 1=13012
- Mal'nyev, A. F., Kremenchuhs'kyi and Skachko, M. A. Comparison of several heat radiation receivers, 2=7461
- Mal'nyev, A. F. and Mikhlin, I. M. Method of determining the quantity of oil in paraffins by the infrared absorption spectra, 2=21602
- Mal'nyev, A. F. and Yesel'son, M. P. A new accessory for the [infrared] spectrometers IKS-11 and IKS-12, 2=1269
- Mal'nyev, A. F., Yesel'son, M. P. and Kremenchuhs'kyi, L. S. Characteristics of metering devices for spectrometers IKS-11 and IKS-12 with modulation of the radiation flux, 2=17626
- Mal'nyev, A. F. See Krasnova, S. I., 2=19176
- Mal'nyev, A. F. See Kremenchuhs'kyi, L. S., 2=17686
- Mal'nyev, A. F. See Kremenchuhs'kiĭ, L. S., 4=439
- Mal'nyev, A. F. See Vizhert, R. V., 2=22987
- Malogolovets, V. G. See Belyaev, A. D., 4=6960
- Malone, C. P. See Gill, S. J., 1=3034
- Malone, C. P. See Gill, S. J., 3=19406
- Malone, D. P. See Greenberg, J. S., 0=20382
- Malone, D. P. See Wobschall, D., 3=21697
- Maloney, P. P. and Smith, R. N. A simple instrument for the direct determination of dielectric constants of liquids over a wide range of values, 4=8584
- Malos, J. The absorption of air showers, 0=11243
- Malos, J., Millar, C. D. and Wallace, O. S. Cerenkov radiation from E.A.S., 2=12064
- Malos, J. See Brisbout, F. A., 1=13562
- Malos, J. See Brisbout, F. A., 1=16844
- Malos, J. See Brisbout, F. A., 3=6109
- Malos, J. See Farrow, E., 3=19724
- Malos, J. See Jones, B. D., 4=29718
- Malos, J. See Layson, W. M., 1=578
- Malos, J. See McCusker, C. B. A., 1=2134
- Malos, J. See Reid, R. J., 1=12138
- Malos, J. See Reid, R. J., 3=4504
- Malotsi, D. See Bonsignori, C., 3=19148
- Malov, A. F. See Groshev, L. V., 2=13766
- Malov, A. F. See Pelekhov, V. I., 3=7831
- Malov, N. M. See Zoré, V. A., 3=18687
- Malov, N. N., Orlova, N. P., Selivanenko, N. E. and Fedotov, I. I. Some lecture demonstrations for a physics course, 1=2673



- Malovetskaya, V., Vavilov, V.S. and Galkin, G.N. The reflection coefficients of anti-reflection coated surfaces of silicon photo-cells, 0=10031
- Malovetskaya, V.M., Galkin, G.N. and Vavilov, V.S. The question of the spectrum of radiation defects in silicon, 2=18689
- Malovetskaya, V.M., Galkin, G.N. and Vavilov, V.S. The question of the spectrum of radiation defects in silicon, 2=23363
- Malovetskaya, V.M. See Molle, E.L., 2=18690
- Malovetskaya, V.M. See Nolle, E.L., 2=23364
- Malovetskaya, V.M. See Vavilov, V.S., 2=23365
- Malovetskaya, V.M. See Vavilov, V.S., 3=6590
- Maloy, J.O., Salandin, G.A., Manfredini, A., Peterson, V.Z., Friedman, J.I. and Kendall, H. Polarization of the recoil photon from  $\pi^0$  photoproduction in hydrogen, 1=8483
- Malpass, L.F. See Goldiamond, I., 1=15381
- Malsnes, B. See Blotekjaer, K., 3=12243
- Maltbaek, J.C. The influence of a discrete inertia on the free torsional vibrations of a uniform bar, 2=15667
- Maltby, P. Correlation between the intensity of the umbra of sunspots and enhanced radiation on 200 Mc/s, 0=4892
- Maltby, P. Note on the Evershed effect in sunspots, 1=15458
- Maltby, P. Distribution of origin and decay of noise storms on the solar disk, 1=15546
- Maltby, P. Central component of the radio source Centaurus A, 1=18191
- Maltby, P. A search for differences in temperature between the poles and the equator of the sun, 2=2535
- Maltby, P. On the velocity field in sunspots, 4=23917
- Maltby, P., Matthews, T.A. and Moffet, A.T. The radio source Hercules A, 3=5284
- Maltby, P., Matthews, T.A. and Moffet, A.T. Brightness distribution in discrete radio sources. IV. A discussion of 24 identified sources, 3=13935
- Maltby, P. and Steen, O. On the connection between solar noise storms and observable parameters of sunspots, 1=15548
- Maltby, P. See Brekke, K., 4=2427
- Maltby, P. See Eriksen, G., 4=2463
- Maltby, P. See Moffet, A.T., 1=18208
- Maltby, P. See Steen, O., 0=6588
- Mal'tsev, A.A. The isotopic effect in the singlet bands of the BF molecule, 1=3545
- Mal'tsev, A.A., Kataev, D.I. and Tatevskii, V.M. An investigation of the electronic spectra and the isotopic shift of compounds of boron and oxygen. III.  $\gamma$ -bands of the BO molecule, 1=4938
- Mal'tsev, A.A. and Tatevskii, V.M. The interpretation of the infra-red spectra of the  $B_2O_3$  and  $B_2S_3$  molecules, 2=1998
- Mal'tsev, A.A. See Chernin, S.M., 3=1817
- Mal'tsev, A.A. See Tatevskii, V.M., 2=10243
- Mal'tsev, E.I. See Ivanovskaya, I.A., 0=20222
- Mal'tsev, E.I. See Kuz'minov, Yu.S., 3=22391
- Mal'tsev, E.I. See Yamzin, I.I., 4=4592
- Mal'tsev, V.M. Calculation of the efficiencies of lead converters, 0=1236
- Mal'tsev, V.M. and Prokoshkin, Yu.D. Secondary processes on the production of pions in nuclei, 1=17103
- Maltsev, V.M. See Barashenkov, V.S., 0=3964
- Mal'tsev, V.M. See Barashenkov, V.S., 0=3966
- Maltsev, V.M. See Barashenkov, V.S., 0=4088
- Mal'tsev, V.M. See Barashenkov, V.S., 0=9350
- Mal'tsev, V.M. See Barashenkov, V.S., 0=11168
- Mal'tsev, V.M. See Barashenkov, V.S., 0=11212
- Maltsev, V.M. See Barashenkov, V.S., 0=15312
- Maltsev, V.M. See Barashenkov, V.S., 1=9849
- Mal'tsev, V.M. See Barashenkov, V.S., 2=1869
- Maltsev, V.M. See Barashenkov, V.S., 2=16391
- Mal'tsev, V.M. See Barashenkov, V.S., 3=2461
- Mal'tsev, V.M. See Barashenkov, V.S., 3=4366
- Maltsev, V.M. See Barashenkov, V.S., 3=4635
- Maltsev, V.M. See Barashenkov, B.V.S., 3=19700
- Mal'tsev, V.M. See Barashenkov, V.S., 4=898
- Maltsev, V.M. See Barashenkov, V.S., 4=3361
- Maltsev, V.M. See Barashenkov, V.S., 4=25367
- Mal'tsev, V.M. See Belyakov, V.A., 4=19810
- Mal'tsev, V.V. See Gokhberg, B.M., 4=2990
- Mal'tsev, Yu.V. Positions of extrema in the functions describing scattering of light by spherical particles, 0=3649
- Mal'tsev, Yu.V. Comparison of the functions representing scattering of light by spherical particles, 0=14849
- Mal'tsev, Yu.V. See Kesamanly, F. P., 4=30622
- Mal'tsev, Yu.V. See Ukhanov, Yu.I., 3=15658
- Mal'tsev, Yu.V. See Ukhanov, Yu.I., 3=20333
- Mal'tsev, Yu.V. See Ukhanov, Yu.I., 4=6943
- Mal'tseva, G. K., Zolotukhin, I. V. and Postnikov, V. S. The effect of temperature on the internal friction of copper alloys, 4=13399
- Mal'tseva, N.S. See Belyaev, B.N., 3=15203
- Mal'tseva, N.S. See Rybakov, V.N., 4=22141
- Mal'tseva, T. K., Postnikov, V. S. and Usanov, V. V. Internal friction of ordering binary alloys with a face-centered cubic lattice, 4=26511
- Malumyan, V.G. Observations of the region of the centre of the galaxy at 33.3 cm wavelength with the large radio-telescope of the Chief Astronomical Observatory, 0=12259
- Malumyan, V.G. The radio emission spectrum of the galactic nucleus, 3=5279
- Malur, J. The red luminescence of zinc sulphide, 3=18038
- Malur, J. Investigation of the red luminescence of zinc sulphide, 4=10225
- Malurkar, S.L. Relation of first impulses in horizontal and vertical magnetograms at Alibag (Bombay), 0=8356
- Malurkar, S.L. Solar flares, concurrent cosmic ray bursts and subsequent geomagnetic storms, 0=8497
- Malurkar, S.L. Probability of unusual elements in very big solar flares connected with cosmic ray bursts, 1=18086
- Maluszyńska, K., Natanson, L., Turkiewicz, J. and Zuprąński, P. Angular distributions of fast neutrons elastically scattered on Ca, 2=12197
- Małuszyńska, K., Natanson, I. and Yuan-Han-Yung. Azimuthal angular distribution of  $\alpha$ -particles from the  $B^{10}(n, \alpha)Li^7$  reaction with polarized thermal neutrons, 1=13815
- Malvano, R. Recent results on the nuclear photo-effect, 1=17074
- Malvano, R., Molinari, A. and Omini, M. On the analysis of photo-nuclear yields, 2=22785
- Malvano, R. See Bonfiglioli, G., 2=17730
- Malvano, R. See Bonfiglioli, G., 3=15541
- Malvano, R. See Borello, O., 2=10084
- Malvano, R. See Chinaglia, B., 2=6899
- Malvano, R. See Ciocchetti, G., 4=3548
- Malvano, R. See Costa, S., 4=3635
- Malvano, R. See Costa, S., 4=12200
- Malvano, R. See Emma, V., 0=17616
- Malvano, R. See Farinelli, U., 0=19862
- Malvano, R. See Ferrero, F., 0=7599
- Malvicini, A., deBortoli, M., Gaglione, P. and van der Stricht, E. Yttrium-88 on high-activity zirconium-95, 3=12612
- Malville, J.M. Antarctic auroral observations, Ellsworth Station, 1957, 0=10434
- Malville, J.M. Artificial auroras resulting from the 1958 Johnston Island nuclear explosions, 0=12195
- Malville, J.M. Type-B aurora in the Antarctic, 0=14280
- Malville, J.M. Narrow hydrogen emission in the aurora, 1=6640
- Malville, J.M. Excitation of helium in the aurora, 1=21056
- Malville, J.M. The association of type III bursts and solar flares, 2=13173
- Malville, J.M. Characteristics of type III radio bursts, 2=19346
- Malville, J.M. Abundance of metastable hydrogen molecules in the interstellar medium, 4=10862
- Malville, J.M. and Moreton, G.E. Trajectories of chromospheric disk surges, 1=15493
- Malville, J.M. and Moreton, G.E. The expansion of flare filaments, 4=10907
- Malville, J.M. and Smith, S.F. Type IV radiation from flares covering sunspots, 3=21126
- Malý, J. See Grochulski, W., 4=22236
- Malý, L., Plajner, Z., Jursík, J. and Finger, M. Decay of  $Re^{186}$ , 4=25358
- Malý, L. See Plajner, Z., 1=13737
- Malý, L. See Plajner, Z., 3=10312
- Maly, M. Isograd apparatus for the evaluation of photographic images, 1=4483
- Maly, M. See Belonogov, A.V., 3=17127
- Maly, Ya. See Bzranova, G., 3=8140
- Malyarov, V.V. Remarks on a note by F.S.Los' "Phase of a scattered wave", 0=2498
- Malyarova, G.V. See Shvidkovskii, E.G., 3=19179
- Malyavkin, L. P. See Abramson, I. S., 4=14541
- Malyavkin, L. P. Korobkin, V. V., 3=24352
- Malyavkina, M. P. See Livanov, V. A., 3=25850
- Malyeev, S. V. On the analytical properties of the single-fermion Green's function in quantum theory of many particles, 2=4963
- Malyeev, S. V. On the analytical properties of the single-fermion Green's function in quantum theory of many particles, 3=1633
- Malyeev, S. V. See Izyumov, Yu. A., 2=4231



- Malyeev, S.V. See Izyumov, Yu.A., 3=3121
- Mal'gin, G.A. See Davidenkov, N.N., 1=1440
- Malygin, G.A. See Likhachev, V.A., 2=8728
- Mal'gin, G.A. See Likhachev, V.A., 3=6868
- Mal'gin, G.A. See Likhachev, V.A., 4=10405
- Mal'gin, G.A. See Likhachev, V.A., 4=13452
- Mal'gin, G.A. See Likhachev, V.A., 4=23086
- Malyi, Ya. See Krizhanskii, L.M., 0=7634
- Malykh, V.D. and Serd, M.A. Measurement of the time spent by atoms in light sources for spectrum analysis, 4=24375
- Malykh, V.D. See Raikhsbaum, Ya.D., 1=2955
- Malykh, V.D. See Raikhsbaum, Ya.D., 2=864
- Malykhina, N.N. and Shpak, M.T. Spectral investigation of a solution of stilbene in n-octane in polarized light at 20.4°K, 4=5187
- Malynko, V.M. See Lysytsya, M.P., 1=11791
- Malynko, V.M. See Lysytsya, M.P., 1=14031
- Malyshchuk, A.V. Contribution to the statistical theory of nuclear level spacing, 4=3550
- Malyshev, G.M., Razdobarin, G.T. and Sokolova, L.V. The use of an electron-optical light intensifier with a Fabry-Perot etalon and a monochromator for spectral time scans, 4=314
- Malyshev, G.M., Razdobarin, G.T. and Sokolova, L.V. Use of a Fabry-Perot etalon with a monochromator and an electron-optical intensifier for spectral time scans, 3=24036
- Malyshev, G.M., Skidan, V.B., Fradkin, E.E. and Chaika, M.P. Resolution of a monochromator with photoelectric recording, 0=10774
- Malyshev, G.M. See Afrosimov, V.V., 1=9602
- Malyshev, G.M. See Berezin, A.B., 3=7451
- Malyshev, G.M. See Berezin, A.B., 3=24304
- Malyshev, G.M. See Berezin, A.B., 4=8788
- Malyshev, G.M. See Kaliteevskii, N.I., 0=3634
- Malyshev, G.M. See Sobolev, N.N., 0=8854
- Malyshev, G.M. See Zaidel', A.N., 1=5479
- Malyshev, G.M. See Zaidel', A.N., 1=5480
- Malyshev, G.M. See Zaidel', A.N., 1=5481
- Malyshev, G.M. See Zaidel', A.N., 1=9605
- Malyshev, G.M. See Zaidel', A.N., 1=9606
- Malyshev, G.M. See Zaidel', A.N., 1=9607
- Malyshev, G.M. See Zaidel', A.N., 1=10699
- Malyshev, G.M. See Zaidel', A.N., 1=11952
- Malyshev, G.M. See Zaidel', A.N., 3=1999
- Malyshev, G.M. See Zaidel', A.N., 3=24303
- Malyshev, I. F., Popkovich, A. V., Mikhailis, Ya. L., Martyugov, G.M., Artemov, A.D. and Karpenko, N.M. Vacuum system for the 7 BeV proton synchrotron, 4=14801
- Malyshev, I. F., Popkovich, A. V., Roshal', G. Ya., Zheleznikov, F.G., Lysov, A. V., Tsepakin, S. G., Solnyshkov, A. I., Boitsov, A. S., Astakhov, E. Ya., Mironov, B. V., Lapitskii, Yu. Ya., Batalin, V. A. and Khoroshkov, V. S. An electrostatic accelerator-injector for the proton synchrotron, 4=14800
- Malyshev, I. F. See Afrosimov, V.V., 1=9602
- Malyshev, I. F. See Glukhikh, V.A., 1=5477
- Malyshev, I. F. See Glukhikh, V.A., 1=9603
- Malyshev, I. F. See Veksler, V.I., 0=5369
- Malyshev, I. F. See Vladimirovskii, V.V., 3=12275
- Malyshev, I. F. See Vladimirovskii, V.V., 2=20081
- Malyshev, I. F. See Vladimirovskii, V.V., 4=14794
- Malyshev, K.A. See Belenkova, M.M., 1=10214
- Malyshev, K.A. See Gorbach, V.G., 4=17738
- Malyshev, K.I. See Gulik, E.P., 3=14269
- Malyshev, V.A. The kinetics of pumping of vacuum systems in the quasi-stationary regime, 1=5503
- Malyshev, V.A. The kinetics of pumping of vacuum systems in the quasi-stationary regime, 1=11794
- Malyshev, V.A. The effect of sorption on the kinetics of evacuation of vacuum systems, 2=21950
- Malyshev, V.A. Symmetric stationary isothermal gas diffusion, 3=21426
- Malyshev, V.A. See Lavrukina, A.K., 0=13298
- Malyshev, V.I. See Aref'ev, I.M., 3=2629
- Malyshev, V.I. See Bazhulin, P.A., 4=28727
- Malyshev, V.N. See Makarov, L.L., 0=6063
- Malyshev, V.V. See Lavrukina, A.K., 2=20689
- Malyshev, V.V. See Lavrukina, A.K., 3=8150
- Malyshev, V.V. See Lavrukina, A.K., 3=24940
- Malysheva, N. G. See Plaksin, I.N., 4=26772
- Malysheva, T.V. and Khotin, B.A. Supplementary data on neutron-deficient osmium isotopes, 3=10273
- Malysheva, T.V., Khotin, B.A., Lavrukina, A.K., Kryukova, L.N. and Murav'eva, V.V. Investigation of new neutron-deficient platinum isotopes, 2=14054
- Malysheva, T.V., Moskaleva, L.P., Chernov, G.M. and Filatova, L.V. Investigation of neutron deficient tantalum isotopes, 3=8051
- Malysheva, T.V. See Baranov, V.I., 2=14053
- Malysheva, T.V. See Bonch-Osmolovskaya, N.A., 3=24912
- Malysheva, T.V. See Grigor'ev, E.P., 3=8052
- Malysheva, T.V. See Kryukova, L.N., 3=8053
- Malysheva, T.V. See Kryukova, L.N., 4=12161
- Malyuchkov, O.T. and Finkel'shtein, B.N. and Chi I-zhan [Ch'ih-i'-jang]. Influence of silver impurities on the nuclear quadrupole resonance of Cu<sup>63</sup> in cuprous oxide, 2=14858
- Malyuchkov, O.T. and Povitskii, V.A. Investigating the borides of transition metals by the nuclear magnetic resonance method, 3=11121
- Malyuchkov, O.T. and Povitskii, V.A. Nuclear magnetic resonance method of studying CrB, LaB<sub>3</sub> and crystalline boron, 3=20678
- Malyuchkov, O.T., Stark, Yu.S. and Finkel'shtein, B.N. Nuclear magnetic resonance in iron and cobalt, 2=14850
- Malyuginetz, G.D. The Sommerfeld integral and the solution of diffraction problems for wedge-shaped regions, 0=12696
- Malyukevich, V.I. See Borisevich, V.A., 2=10328
- Malyukov, B.A. See Barinskii, R.L., 3=23097
- Malyuta, Yu.M. Dispersion relations for vertex parts, 1=16903
- Malyuta, Yu.M. Dispersion relations for pion-hyperon scattering, 2=9903
- Malyuta, Yu.M. Dispersion relations for the scattering of pions on kaons, 2=9904
- Malyuta, Yu.M. Dispersion relations for the scattering of kaons on kaons, 2=9920
- Malyuta, Yu.M. Analytic properties of partial amplitudes, 3=15022
- Malyuta, Yu.M. Regge poles in quantum field theory, 3=24618
- Malyuta, Yu.M. Regge trajectory for the positronium atom, 4=6031
- Malyuta, Yu.M. Dynamical model of the deuteron based on the theory of Regge poles, 4=12077
- Malyuzhinets, G.D. The scattering of sound caused by unevennesses of a discontinuity layer in the sea, 0=132
- Malyuzhinets, G.D. The excitation, reflection and radiation of surface waves at a wedge with given impedance faces, 0=298
- Malyuzhinets, G.D. Developments in our concepts of diffraction phenomena. (On the 130th anniversary of the death of Thomas Young), 1=2881
- Malyuzhinets, G.D. and Tuzhilin, A.A. The electromagnetic field produced by an electric dipole in a wedge shaped region, 3=5845
- Malz, D. See Böttcher, H., 3=251
- Malzew, A.N. See Kobosev, N.I., 2=12967
- Mamaev, S., Nasledov, D.N. and Galavanov, V.V. Electrical properties of semiconducting solid solutions x CdSnAs<sub>2</sub>-y (2InAs), 2=10486
- Mamaev, S. See Goryunova, N.A., 2=14548
- Mamaev, S. See Nasledov, D.N., 3=17970
- Mamaev, V.A. See Kuz'min, A.A., 4=14817
- Mamakov, A.A. See Vinogradov, G.V., 0=916
- Mamaladze, Yu.G. Mutual friction in helium II, 1=4527
- Mamaladze, Yu.G. and Matinyan, S.G. Damping of disk oscillations in rotating helium II, 0=7024
- Mamaladze, Yu.G. and Matinyan, S.G. Damping of the oscillations of a cylinder [immersed] in rotating liquid helium II, 0=12551
- Mamaladze, Yu. G. and Matinyan, S. G. Stability of rotation of a superfluid liquid, 4=379
- Mamaladze, Yu.G. See Andronikashvili, E.L., 2=5230
- Mamaladze, Yu. G. See Kemoklidze, M. P., 4=11450
- Mamaladze, Yu.G. See Kemoklidze, M.P., 4=16314
- Mamalui, Yu.A. See Borovik, E.S., 0=18203
- Mamalui, Yu.A. See Borovik, E.S., 1=11449
- Mamalui, Yu.A. See Borovik, E.S., 3=23187
- Mamalui, Yu.A. See Borovik, E.S., 4=15656
- Mamasakhlisov, V.I. and Dzhibuti, R.I. High energy photodisintegration of Be<sup>9</sup> and C<sup>12</sup> nuclei, 2=3554
- Mamasakhlisov, V.I. and Dzhibuti, R.I. High energy photodisintegration of Be<sup>9</sup> and C<sup>12</sup> nuclei, 3=2435
- Mamasakhlisov, V.I. and Kopaleishvili, T.I. Inelastic scattering of nucleons on Mg<sup>24</sup> and Si<sup>28</sup> nuclei, 0=9629
- Mamasakhlisov, V.I. and Kopaleishvili, T.I. Rotational levels of Li<sup>7</sup>, 0=13136
- Mamasakhlisov, V.I. See Jibuti, R.I., 4=15124
- Mamasakhlisov, V.I. See Kopaleishvili, T.I., 1=4824
- Mamasakhlisov, V.I. See Kopaleishvili, T.I., 1=5818
- Mamasakhlisov, V.I. See Vashakidze, I.Sh., 0=13112
- Mamasakhlisov, V.I. See Vashakidze, I.Sh., 1=3454



- Mambriani, G. See Dilworth, C., 4=21715  
Mamedov, A.P. See Khalilov, A. Zh., 2=23601  
Mamedov, K.P. Anisotropy in the electron densities of atoms in diamond-type crystals, 0=16309  
Mamedov, Kh.I. See Levshin, V.L., 2=23609  
Mamidzhanyan, E.A. See Babayan, Kh.P., 4=3509  
Mamidzhanyan, E.A. See Babayan, Kh.P., 4=12090  
Mamidzhanyan, E.A. See Babayan, Kh.P., 4=19618  
Mamidzhanyan, Z.A. See Babayan, Kh.P., 3=19595  
Mammano, A. Photographic tracking of artificial satellites with a K-37 aerial camera, 2=7044  
Mammano, A. Artificial satellites and space research, 4=23955  
Mammano, A. See Rosino, L., 2=11171  
Mammel, W.L. and Morgan, S.P. Maximum field of magnetized disks and cylinders, 2=15985  
Mammi, M. and Carazzolo, G. Analytical determination of transmission factors in single crystals. II. High absorptivity prismatic single-crystals with parallelogram or hexagonal bases and sides two by two equal and parallel, 3=25696  
Mammi, M. and Carazzolo, G. Analytical determination of transmission factors in single-crystals. III. Extension of the method to non-constant cross-section single-crystals and equi-inclination Weissenberg photographs, 3=25697  
Mammi, M. See Nardi, V., 3=13419  
Mamonov, E.I. Principles and application of ferroelectric matrices for information storage in computers, 2=16779  
Mamonov, E.I. and Zheludev, I.S. Some special properties of ferroelectric elements and ferromagnetic toroids with square hysteresis loops, 2=16782  
Mamontova, T.N. See Kolomiets, B.T., 0=15903  
Mamukov, A.P. See Kuzmin, A.I., 1=20877  
Mamuro, T., Seiyama, T., Matsunami, T., Fujita, A. and Yoshikawa, K. Electron microscopic examination of highly radioactive fall-out particles, 3=10280  
Mamuro, T., Yoshikawa, K., Matsunami, T., Fujita, A. and Asuma, T. Fractionation phenomena in highly radioactive fall-out particles, 3=13688  
Mamyryn, B. A., Anufriev, G. S. and Kalinkevich, I. F. A millimicrosecond pulse generator with a high repetition frequency, 4=430  
Mamyryn, B. A. and Frantsuzov, A. A. A resonance mass spectrometer with a high resolution, 3=4221  
Mamyryn, B. A. See Anufriev, G. S., 2=22149  
Man, D. E. See Schoen, L. J., 2=22971  
Man, L. J. and Semiletov, S. A. Structure of thin films of  $TiBiSe_2$ , 3=20850  
Man, L. I. See Semiletov, S. A., 0=16330  
Man, L. I. See Semiletov, S. A., 1=11594  
Manabe, S. and Strickler, R. F. Thermal equilibrium of the atmosphere with a convective adjustment, 4=29271  
Manabe, Y. See Yoshino, T., 3=11812  
Manable, T. See Okamura, S., 1=147  
Manacher, G. K. and Wolfenstein, L. Contribution of nucleon currents to radiative muon capture by a proton, 0=2563  
Manadzhavidze, Z. Sh. See Anikina, M. Kh., 4=3477  
Managan, W. W. Recent developments in alkali halide scintillation crystals, 2=17998  
Managan, W. W. See Sola, A., 0=15621  
Managan, W. W. See Mann, H. W., 0=19975  
Mănăilă, R. Improvement in resolving power of a spectrograph by interference with the intermediary image, 0=14825  
Mănăilă, R. See Dévényi, A., 2=18636  
Manaila, R. See Grigorovici, R., 0=16826  
Manaila, R. See Grigorovici, R., 1=12972  
Mănăilă, R. See Grigorovici, R., 2=16681  
Mănăilă, R. See Rosenberg, M., 3=8521  
Manaila, R. See Rosenberg, M., 4=15555  
Manakov, A. I., Esin, O. A. and Lepinskikh, B. M. Semiconducting properties of vanadium and niobium pentoxides in solid and liquid states, 2=14564  
Manakova, M. A. See Ziuzin, V. P., 1=4685  
Manapov, R. A. See Stepanov, E. P., 4=1347  
Manara, A. See Camagni, P., 1=19763  
Mănas Diaz, L. See Montes Ponce de León, J., 2=18134  
Manasevit, H. M. and Simpson, W. I. Single-crystal silicon on a sapphire substrate, 4=17795  
Manasse, F. K. Distortion in the metric of a small center of gravitational attraction due to its proximity to a very large mass, 3=16512  
Manasse, F. K. and Misner, C. W. Fermi normal coordinates and some basic concepts in differential geometry, 3=16511  
Manasse, R. Maximum angular accuracy of tracking a radio star by lobe comparison, 0=16529  
Manassi, V. The measurement of temperature with electric resistance thermometers, 1=2907  
Manatt, S. L. See Elleman, D. D., 2=14327  
Manatt, S. L. See Elleman, D. D., 2=18482  
Manatt, S. L. See Elleman, D. D., 3=21995  
Manca, P. A relation between the blinding energy and the band-gap energy in semiconductors of diamond or zinc-blende structure, 2=2161  
Manca, P. and Massazza, F. Note on the constitution of the semiconducting "compound"  $AgFeTe_2$ , 2=14562  
Manca, P. and Raga, F. Thermal dependence of the absorption band edge in zincblende-type cadmium sulphide obtained in pressure experiments, 4=17557  
Manca, P. See Aramu, F., 4=28565  
Mancebo, L. Multibeam cathode-ray tube aids shock-wave studies, 1=324  
Mancebo, L. A cold high-vacuum seal without gaskets, 4=2747  
Mancebo, L. Fast nitrogen light source, 4=24359  
Manchester, F. D. See Betts, D. D., 4=21384  
Manchester, F. D. See Franck, J. P., 1=17413  
Mancini, N. See Germagnoli, E., 3=25270  
Mandal, R. See Mahan, B. H., 2=19155  
Mandé, C. Contribution to the study of gold, palladium and their alloys by X-ray spectrography, 1=19998  
Mande, C. A study of the electronic energy band structure of gold by X-ray spectroscopy, 2=16625  
Mande, C. and Patil, R. N. See K absorption spectrum in the intermetallic compound silver selenide ( $Ag_2Se$ ), 4=10192  
Mande, C. and Takwale, R. G. The "s" and "t" lines in the L-emission spectrum of tungsten, 2=14215  
Mande, C. See Sinha, K. P., 3=25175  
Mandel, G. Multiple reactions and the vapor transport of solids, 2=23949  
Mandel, G. Surface-limited vapor solvent growth of crystals, 4=13526  
Mandel, G. Self-compensation limited conductivity in binary semiconductors. I. Theory, 4=17481  
Mandel, G., Bauman, R. P. and Banks, E. Electronic transitions of rare earth ions in the infrared region, 0=13698  
Mandel, G. and Collins, F. C. Brownian motion in liquids, 0=14619  
Mandel, G. See Jona, F., 3=8945  
Mandel, G. See Jona, F., 4=15768  
Mandel, G. See Lever, R. F., 2=15823  
Mandel, G. See Miksic, M. G., 4=28746  
Mandel, G. See Title, R. S., 4=30556  
Mandel, J. Ordinary waves in an indefinite elastoplastic medium, 1=11511  
Mandel, J. The moving discontinuity surfaces in an indefinite elastoplastic medium, 1=11512  
Mandel, J. Plastic shock waves in an infinite isotropic medium, 2=4319  
Mandel, J. Plastic waves in an infinite three dimensional medium, 3=1749  
Mandel, J. and Avramesco, A. Displacements produced by a point force moving on the surface of a semi-infinite elastic medium, 2=1093  
Mandel, J. and Parsy, F. Characteristic surfaces of the equations of plastic equilibrium in the case of Tresca's criterion, 2=19478  
Mandel, J. and Parsy, F. Characteristic surfaces of the equations of plastic equilibrium, when two of the principal stresses are equal, for any intrinsic curve, 2=19479  
Mandel, J. and Parsy, F. Characteristic surfaces of equations of plastic equilibrium for a rigid, perfectly plastic medium, 4=5119  
Mandel, L. Fluctuations of photon beams: the distribution of the photo-electrons, 0=5124  
Mandel, L. Image fluctuations in cascade intensifiers, 0=8785  
Mandel, L. Photographic sensitivity of image intensifiers with thin end windows, 0=19467  
Mandel, L. Photon degeneracy in light from optical maser and other sources, 1=11826  
Mandel, L. Concept of cross-spectral purity in coherence theory, 2=86  
Mandel, L. The determination of spectral distributions from measurements of radiation fluctuations, 4=2832  
Mandel, L. Interference and the Alford and Gold effect, 3=1830  
Mandel, L. Transient coherence in optics, 3=3861  
Mandel, L. Intensity fluctuations of partially polarized light, 3=23994  
Mandel, L. Statistical properties of light and the Sudarshan representation, 4=8368



- Mandel, L. Thomson scattering of intense light beams, 4=11366
- Mandel, L. Quantum theory of interference effects produced by independent light beams, 4=14383
- Mandel, L. Fluctuations of light beams, 4=18367
- Mandel, L. Stationarity and the phase space distribution of a laser field, 4=21667
- Mandel, L., Sudarshan, E. C. G. and Wolf, E. Theory of photoelectric detection of light fluctuations, 4=27281
- Mandel, L. and Wolf, E. Some properties of coherent light, 1=10575
- Mandel, L. and Wolf, E. Correlation in the fluctuating outputs from two square-law detectors illuminated by light of any state of coherence and polarization, 2=1242
- Mandel, L. and Wolf, E. The measures of bandwidth and coherence time in optics, 3=233
- Mandel, L. and Wolf, E. Detection of laser radiation, 4=5354
- Mandel, L. See Lipsett, M. S., 3=9988
- Mandel, L. See Lipsett, M. S., 4=5874
- Mandel, L. See Lipsett, M. S., 4=19315
- Mandel, L. See Magyar, G., 3=16795
- Mandel, M. The dielectric constant and Maxwell-Wagner dispersion of suspensions of oriented prolate spheroids, 1=18744
- Mandel, M. The electric polarization of rod-like, charged macromolecules, 2=3802
- Mandel, M. Modified C. W. technique for spin-lattice relaxation time measurements, 2=9725
- Mandel, M. Paramagnetic resonance of  $\text{Yb}^{3+}$  in yttrium oxide, 3=18135
- Mandel, M. and Marco, C. The influence of the sample thickness in the measurements of dielectric characteristics with transmission lines by the method of Roberts-von Hippel, 4=16385
- Mandel, M. See Burgess, J. H., 2=12738
- Mandel, M. See Edelstein, A. S., 1=17364
- Mandel, M. See Goldsborough, J. P., 0=3123
- Mandel, M. See Goldsborough, J. P., 0=19952
- Mandel, M. See Lurio, A., 2=14188
- Mandel, M. See White, R. L., 4=30733
- Mandelberg, H. I. and Condell, N. J. Possible shapes of reflection band, 4=21304
- Mandelberg, H. I. and Witten, L. Experimental verification of the relativistic Doppler effect, 2=11254
- Mandelberg, H. I. and Witten, L. Energy transfer in fast molecular ion collisions, 4=11514
- Mandelberg, H. I. See Condell, W. J., 2=7170
- Mandelberg, H. I. See Condell, W. J., 3=17086
- Mandelberg, H. I. See Condell, W. J., 4=27322
- Mandelberg, H. I. See Krolik, C. C., 4=16241
- Mandelbrojt, J. Critical study and simplified soluble form of Tomonaga's intermediate coupling approximation, 0=2487
- Mandelbrojt, J. Physical one-nucleon and two-nucleon wave functions in fixed source theory, 1=8449
- Mandelbrojt, J. The  $\pi$ -meson as a bound nucleon-antinucleon state, 3=17302
- Mandelbrojt, J. and Mandelbrojt, S. On the "cuts" in quantum mechanics, 4=11074
- Mandelbrojt, J. See Bacry, H., 2=9837
- Mandelbrojt, S. See Mandelbrojt, J., 4=11074
- Mandelbrot, B. Grand canonical ensembles of Gibbs; proof of their uniqueness, based on the infinite divisibility of their random energy, 0=894
- Mandelbrot, B. On the derivation of statistical thermodynamics from purely phenomenological principles, 4=11097
- Mandelkern, L., Posner, A. S., Diorio, A. F. and Roberts, D. E. Low-angle X-ray diffraction of crystalline nonoriented polyethylene and its relation to crystallization mechanisms, 1=11605
- Mandelkern, L. See Gornick, F., 2=6771
- Mandelkern, L. See Martin, G. M., 3=23421
- Mandelkern, L. See Posner, A. S., 0=8251
- Mandelkorn, J. Analysis of low-level semiconductor lifetime decay waveshapes, 0=7922
- Mandelkorn, J. Electrical characteristics of some gallium phosphide devices, 0=9974
- Mandelkorn, J., McAfee, C., Kesperis, J., Schwartz, L. and Pharo, W. Fabrication and characteristics of phosphorus-diffused silicon solar cells, 2=10543
- Mandelkorn, J., Schwartz, L., Broder, J., Kautz, H. and Ulman, R. Effect of impurities on radiation damage of silicon solar cells, 4=28649
- Mandel'shtam, M. Ya. Propagation of a.u.h.f. discharge along the axis of a coaxial line with a gas-discharge inner conductor, 2=19929
- Mandel'shtam, S. L. Some aspects of the theory of spectrochemical analysis, 3=25841
- Mandel'shtam, S. L. and Mazing, M. A. Broadening and shift of spectrum lines in the plasma of a gas discharge, 0=17702
- Mandel'shtam, S. L. and Nedler, V. V. On the sensitivity of emission spectral analysis, 2=863
- Mandel'shtam, S. L., Tindo, O. P., Voron'ko, Yu. K., Shurygin, A. I. and Vasil'ev, B. N. Studies of solar X-ray emission. I, 2=19300
- Mandel'shtam, S. L., Tindo, I. P., Voron'ko, Yu. K., Shurygin, A. I. and Vasil'ev, B. N. Studies of solar X-ray emission. I, 3=9190
- Mandel'shtam, S. L., Voron'ko, Yu. K., Tindo, I. P., Shurygin, A. I. and Vasil'ev, B. N. Investigation of X-ray radiation of the sun during total solar eclipse of February 15, 1961, 2=9069
- Mandel'shtam, S. L., Tindo, I. P., Voron'ko, Yu. K., Vasil'ev, B. N. and Shurygin, A. I. Studied of solar X-ray radiation. II, 2=19301
- Mandel'shtam, S. L., Tindo, I. P., Voron'ko, Yu. K., Vasil'ev, B. N. and Shurygin, A. I. Studies of the solar X-ray radiation. II, 3=23681
- Mandel'shtam, S. L. See Kolosnikov, V. G., 2=11626
- Mandel'shtam, S. L. See Lebedev, S. V., 0=9010
- Mandel'shtam, S. L. See Mazing, M. A., 0=13417
- Mandel'shtam, S. L. See Sukhodrev, N. K., 0=3747
- Mandel'shtam, S. L. See Tskhai, N. S., 0=4174
- Mandel'shtam, S. L. See Vasil'ev, B. N., 2=4760
- Mandel'shtam, S. L. See Zhivlyuk, Yu. N., 1=20866
- Mandel'shtam, T. S. See Kask, N. E., 4=1890
- Mandelstam, S. Analytic properties of transition amplitudes in perturbation theory, 0=1256
- Mandelstam, S. Construction of the perturbation series for transition amplitudes from their analyticity and unitarity properties, 0=1257
- Mandelstam, S. Unitarity condition below physical thresholds in the normal and anomalous cases, 0=7281
- Mandelstam, S. See Chew, G. F., 0=13020
- Mandelstam, S. Some rigorous analytic properties of transition amplitudes, 0=15280
- Mandelstam, S. Dispersion relations in strong-coupling physics, 2=11902
- Mandelstam, S. Quantum electrodynamics without potentials, 2=19432
- Mandelstam, S. Quantization of the gravitational field, 2=19433
- Mandelstam, S. An extension of the Regge formula, 2=20259
- Mandelstam, S. Quantization of the gravitational field, 3=3719
- Mandelstam, S. Regge poles as consequences of analyticity and unitarity, 3=10042
- Mandelstam, S. The Regge formalism for relativistic particles with spin, 4=5985
- Mandelstam, S. Cuts in the angular-momentum plane, 4=5986
- Mandelstam, S. Cuts in the angular-momentum plane. II, 4=5987
- Mandelstam, S., Paton, J. E., Peierls, F. and Sarker, A. Q. Isobar approximation of production processes, 2=16155
- Mandelstam, S. See Chew, G. F., 0=13019
- Mandelstam, S. See Chew, G. F., 2=11991
- Mandelstam, S. See Chew, G. F., 1=5760
- Mandelstam, S. L., Masing, M. A., Sobelman, I. I. and Vainshtein, L. A. Stark broadening of nonhydrogen lines in plasma, 4=18853
- Mandel'tsveig, V. B. Scattering of neutrinos on nucleons in the anomalous muon interaction model, 2=16183
- Mandel'tsveig, V. B. Scattering of neutrinos on nucleons in the anomalous muon interaction model, 3=5984
- Mandel'tsveig, V. B. and Solov'ev, V. V. Effect of  $\pi$ -meson mass difference on the relations between the  $K_{\pi 3}$ -decay probabilities, 2=5731
- Mandel'tsveig, V. B. and Solov'ev, V. V. Effect of  $\pi$ -meson mass difference on the relations between the  $K_{\pi 3}$ -decay probabilities, 3=2318
- Mandeville, C. E. See Albrecht, H. O., 0=2177
- Mandeville, C. E. See Alford, W. L., 1=12184
- Mandeville, C. E. See Bornemeier, D. D., 4=19692
- Mandeville, C. E. See Hurley, J. P., 3=24899
- Mandeville, C. E. See Nath, N., 0=4121
- Mandeville, C. E. See Nath, N., 0=5798
- Mandl, F. and Pollard, B. R. Single pion production in pion-nucleon scattering, 4=16932
- Mandl, F. See Bardsley, J. N., 4=25748
- Mandl, F. See Herzenberg, A., 2=22948
- Mandl, F. See Herzenberg, A., 3=22504
- Mandl, F. See Herzenberg, A., 4=6304
- Mandl, F. See Herzenberg, A., 4=25556
- Mandl, F. See Herzenberg, A., 4=28148



- Mandl, G. and Kruizinga, J.H. Spontaneous discontinuities in laminar flow of two viscous liquids through porous material, 1=6833
- Mandl, V. See Bassi, P., 2=14111
- Mandl, V. See Bassi, P., 3=17480
- Mandl, V. See Giannelli, G., 0=12801
- Mandò, M. The  $^7\text{Li} + p \gamma$ -radiation as a tool for the detection of nuclear cross-section fluctuations, 3=8072
- Mandò, M. See Ademollo, M., 0=17521
- Mandò, M. See Bizzeti, P.G., 3=8073
- Mandò, M. See Bocciolini, M., 0=17563
- Mandrin, C. See Gavin, P., 2=6034
- Mandrin, C. See Gavin, P., 2=18388
- Mandriota, F.J., Mintz, D.E. and Notterman, J.M. Visual velocity discrimination: effects of spatial and temporal cues, 3=3690
- Mandritskaya, K.V. See Dzhaneldidze, L.P., 0=15445
- Mandritskaya, K.V. See Dzhaneldidze, L.P., 1=19282
- Manduchi, C., Nardelli, G. and Russo-Manduchi, M.T. Scintillation spectrometer with reduction of the Compton contribution, 2=3201
- Manduchi, C., Nardelli, G. C., Russo-Manduchi, M. T. and Zannoni, G. Measurement of polarization in  $p-\alpha$  elastic scattering, 4=19513
- Manduchi, C., Nardelli, G. C., Russo-Manduchi, M.T. and Zannoni, G. On the decay of  $^{113}\text{Sn}$ , 4=19727
- Manduchi, C., Nardelli, G. C., Russo-Manduchi, M. T. and Zannoni, G. Polarisation of protons scattered from  $\text{O}^{18}$ , 4=19767
- Manduchi, C., Nardelli, G. C., Russo-Manduchi, M. T. and Zannoni, G. Measurement of the M/L-capture ratio in  $^{113}\text{Sn}$  decay, 4=25351
- Manduchi, C. and Russo-Manduchi, M.T. Beta-decay of  $\text{Sr}^{88}$ , 0=17533
- Manduchi, C., Russo-Manduchi, M.T. and Tornielli, G. The electron-neutrino angular correlation in  $\beta$ -decay of  $^{91}\text{Y}$ , 3=8036
- Manduchi, C. and Zannoni, G. The decay of  $\text{A}^{27}$  by electron capture, 1=19411
- Manduchi, C. and Zannoni, G. Measurement of the M/L-capture ratio in  $^{71}\text{Ge}$  decay, 2=12170
- Manduchi, C. and Zannoni, G. Measurement of the L/K and M/L capture ratios in  $^{71}\text{Ge}$  decay, 2=20559
- Manduchi, C. See Belletti, S., 2=18284
- Manduchi, C. See Drigo, L., 4=19766
- Manduchi, C. See Fasoli, U., 2=12169
- Manduchi, G. and Zannoni, G. Experimental results on orbital-electron capture, 3=8033
- Mandzhavidze, A. G. Power recorder with a movable ionization chamber, 4=1161
- Mandzhavidze, A.G. See Baazov, N.G., 3=6014
- Mandzhavidze, Z. Sh. and Roinishvili, N. N. Some aspects of production of strange particles, 4=956
- Mandzhavidze, Z. Sh. See Anikina, M. Kh., 4=12056
- Maneck, S.S. See Chiplonkar, V.T., 1=10685
- Maneck, S. S. See Chiplonkar, V. T., 4=469
- Maneck, S. S. See Chiplonkar, V. T., 4=2956
- Maneck, S.S. See Shiplonkar, V.T., 2=11575
- Manella, G.G. Reaction of nitrogen and hydrogen in a low-temperature plasma, 2=20815
- Manelli, I. See Bartke, J., 1=8513
- Manenc, J. The existence of several stages of precipitation with Ti-hardened Cu-alloys, 0=21228
- Manenc, J. Alloys with "modulated" structure, 3=8879
- Manenc, J. Existence of superstructure in iron monoxide, 4=2078
- Manenc, J., Bourgeot, J. and Benard, J. Some observations concerning the structure of ferrous oxide, 3=11200
- Manenc, J., Bourgeot, J. and Herai, T. Study by X-ray diffraction of the pre-precipitation stage in the monoxide of iron, 4=26557
- Manenc, J. See Herai, T., 4=26558
- Manenc, J. See Vagnard, G., 2=21422
- Manenc, J. See Vagnard, G., 4=1950
- Manenkov, A.A. and Fyodorov, V.B. Investigation of the line width and profile in the paramagnetic resonance spectrum of the  $\text{Cr}^{4+}$  ion in corundum single crystals, 0=11941
- Manenkov, A.A. and Milyaev, V.A. Relaxation phenomena in the paramagnetic resonance of  $\text{Mn}^{2+}$  ions in the cubic crystal fields of  $\text{SrS}$ , 2=781
- Manenkov, A.A. and Milyaev, V.A. Relaxation phenomena in the paramagnetic resonance of  $\text{Mn}^{2+}$  ions in the cubic crystal field of  $\text{SrS}$ , 2=23701
- Manenkov, A. A. and Milyaev, V. A. Investigation of spin-lattice relaxation of S-state ions, 4=26409
- Manenkov, A.A., Milyaev, V.A. and Prokhorov, A.M. The relaxation times of  $\text{Cr}^{3+}$  and  $\text{Fe}^{3+}$  ions in monocrystals of rutile, 2=18941
- Manenkov, A. A. and Pol'skii, Yu. E. Relaxation processes in paramagnetic resonance of  $\text{Gd}^{3+}$  ions in  $\text{CaF}_2$  crystals, 4=7328
- Manenkov, A.A., Popova, A.A. and Khaimov-Mal'kov, V.Ya. Investigation of the nonuniformity of the crystal field in ruby, 3=20048
- Manenkov, A.A. and Prokhorov, A.M. Spin-lattice relaxation in chromium corundum, 0=11940
- Manenkov, A.A. and Prokhorov, A.M. Paramagnetic resonance of  $\text{Mn}^{2+}$  in  $\text{SrS}$ , 2=771
- Manenkov, A.A. and Prokhorov, A.M. Spin-lattice relaxation and cross-relaxation interactions in chromium corundum, 2=6697
- Manenkov, A.A. and Prokhorov, A.M. The temperature dependence of the spin-lattice relaxation times, 2=16935
- Manenkov, A.A. and Prokhorov, A.M. Paramagnetic resonance of  $\text{Mn}^{2+}$  in  $\text{SrS}$ , 3=5042
- Manenkov, A.A. and Prokhorov, A.M. Spin-lattice relaxation and cross-relaxation interactions in chromium corundum, 3=6753
- Manenkov, A.A. and Prokhorov, A.M. The temperature dependence of the spin-lattice relaxation times, 3=6757
- Manenkov, A. A. and Prokhorov, A. M. On temperature dependence of spin-lattice relaxation times in crystals, 4=26373
- Manenkov, A.A. See Emel'yanova, E.N., 3=25569
- Manenkov, A.A. See Kessenikh, A.V., 3=18146
- Manenkov, A.A. See Kessenikh, A.V., 3=20064
- Manenkov, A. A. See Kessenikh, A. V., 4=1899
- Manenkov, A.A. See Lushchikov, V.I., 3=20065
- Manenkov, A.A. See Piskunov, A.K., 0=21077
- Manenkov, A. A. See Rimus, A. I., 4=26387
- Manenkov, A.A. See Zverev, G.M., 3=24505
- Manero, F. Total cross-section of neodymium for fast neutrons, 4=22158
- Manes, L. and Molinari, E. Calculations of heats of adsorption on metals, 4=7723
- Manes, M. On diagonalizing phenomenological matrices, 3=23776
- Manes, M. See Grant, R. J., 4=29192
- Manescu, I. See Balloffet, G., 4=29890
- Manescu, I. See Cauchois, Y., 2=706
- Manesse, D., Coste, M., Lemeille, C., Marquez, L. and Saunier, N. Study of the reaction  $\text{Li}^p + \text{Li}^p$  between 2 and 4.4 MeV, 4=25440
- Manesse, D. See Garin, A., 4=30358
- Manesse, D. See Lemeille, C., 4=17203
- Manfredi, P. F. See Grianti, F., 4=21709
- Manfredini, A. See Amaldi, E., 0=5561
- Manfredini, A. See Amaldi, E., 2=22461
- Manfredini, A. See Amaldi, E., 3=14861
- Manfredini, A. See Barbaro-Galtieri, A., 1=17102
- Manfredini, A. See Baroni, G., 0=12924
- Manfredini, A. See Baroni, G., 0=15357
- Manfredini, A. See Baudinet-Robinet, Y., 2=13798
- Manfredini, A. See Bellettini, G., 0=12748
- Manfredini, A. See de Carvalho, H.G., 2=18367
- Manfredini, A. See de Carvalho, H.G., 3=24991
- Manfredini, A. See Castagnoli, C., 0=12775
- Manfredini, A. See Galtieri, A.B., 1=12089
- Manfredini, A. See Maloy, J.O., 1=8483
- Mang, H.J. On the theory of  $\alpha$ -decay, 0=13182
- Mang, H.J. Calculation of  $\alpha$ -transition probabilities, 0=13185
- Mang, H.J. and Rasmussen, J.C. Theoretical alpha decay hindrance factors, 2=1832
- Mang, H.J. and Rasmussen, J.O. Shell model calculations of alpha decay rates of even-even spheroidal nuclei, 3=12617
- Mang, H.J. See Dietrich, K., 1=19349
- Mang, H.J. See Dietrich, K., 4=9365
- Mang, H. J. See Dietrich, K., 4=21933
- Mang, H.J. See Zeh, H.D., 2=5839
- Mangabeira-Albernaz, P.L. See Sherrick, C.E.Jr., 1=15376
- Mangal, S.K. and Gill, P.S. Thermal neutron activation cross-sections for isomer production, 2=20647
- Mangal, S.K., and Gill, P.S. Thermal neutron activation cross-sections for isomer production. II. 3=10361
- Mangal, S. K. and Gill, P. S. Isomeric cross-section ratios for (N, 2n) reactions at 14 MeV, 4=9525
- Mangaly, J. See Chiplonkar, V.T., 1=4578



- Mange, P. The distribution of minor ions in electrostatic equilibrium in the high atmosphere, 1=20900
- Mange, P. Diffusion in the thermosphere, 2=2472
- Mange, P. See Chubb, T.A., 2=15248
- Mange, P. See Kreplin, R.W., 2=11072
- Mangelsdorf, P.C., Jr. Role of thermal diffusion in the electrolytic separation of isotopes in liquid metals, 0=3516
- Mangelsdorf, P.C., Jr. Transport processes in liquid alloys. II. The electrical force on an ion, 0=19112
- Mangelsdorf, P.C., Jr and Washington, E.L. Packing of mixtures of hard spheres, 0=21223
- Mangeney, A. Conductivity tensor of a homogeneous and slightly ionized hot plasma, 1=16308
- Mangeney, A. Kinetic equations for a homogeneous plasma in interaction with a radiation field, 4=21512
- Mangeot, B., Guy, J. and Cabaret, F. Comparison of the theoretical magnetic screening constants and diamagnetic susceptibilities of the molecules  $H_2$ , HD, and D., including the effect of vibrations, 4=9705
- Manger, H. Beat frequencies of  $CaWO_4: Nd^{3+}$  maser emission, 4=21685
- Manger, H. and Rothe, H. Selection of axial modes in optical masers, 4=8973
- Mangeron, D. and Croitoru, E. The general theory of reduced accelerations of arbitrary order, 3=18771
- Mangialajo, M., Merzari, F. and Sona, P.G. Good resolution measurement of the fission excitation curve of  $U^{238}$  by fast neutrons around 14 MeV, 3=15244
- Mangialajo, M., Principi, P. and Tonolini, F. A 150 kV ion accelerator, 1=10748
- Mangialajo, M. See Colli, L., 4=3673
- Mangiarotty, R.A. Acoustic radiation damping of vibrating structures, 3=16673
- Mangiarotty, R.A. Optimization of the mass distribution and the air spaces in multiple-element soundproofing structures, 3=18952
- Mangin, C. Influence of temperature on the structure of the vibrational bands of ketonic carbonyl groups and of the benzene ring, 1=12288
- Mango, L. See Amman, F., 3=12267
- Mango, L. See Amman, F., 4=16582
- Mangold, K. and Franck, E.U. Density of hydrogen chloride to 400°C and 2000 bar, 2=17509
- Mangulis, V. Infinite array of circular pistons on a rigid plane baffle, 3=203
- Mangulis, V. Mutual radiation impedance coefficients for pistons on a nonrigid baffle, 3=204
- Mangulis, V. On the radiation of sound from a piston in a nonrigid baffle, 3=7288
- Mangulis, V. Relation between the radiation impedance, pressure in the far field, and baffle impedance, 4=8344
- Mangulis, V. Kramers-Kronig or dispersion relations in acoustics, 4=8345
- Mangulis, V. Pressure on a vibrating circular piston in an infinite baffle, 4=29686
- Mangulis, V. Coupling of array elements in a nonrigid baffle, 4=29705
- Mangum, B. See Wolf, W.P., 3=1057
- Mangum, B.W. See Cooke, A.H., 3=1194
- Mangum, B.W. See Hudson, R.P., 2=14836
- Mangum, B.W. See Hudson, R.P., 3=23243
- Mangum, B.W. See Hutchison, C.A., Jr, 0=10231
- Mangum, B.W. See Hutchison, C.A., Jr., 1=6234
- Mangum, B.W. See Thornley, J.H.M., 2=6248
- Mangus, J.D. See McCubbin, T.K., Jr., 2=17609
- Manheimer-Timnat, Y. Ionization measurements in shocked gases, 1=9524
- Mani, A., Chacko, O. and Venkiteshwaran, S.P. Measurements of the total radiation from sun and sky in India during the I.G.Y., 3=9042
- Mani, A., Huddar, B.B., Kachare, N.R., Swaminathan, M.S., Srivastaya, G.P. and Venkiteshwaran, S.P. Variations in atmospheric electricity in the lower troposphere over Poona, 3=18513
- Mani, A., Venkataraman, C.N. and Huddar, B.B. Radiation and lag errors of the F-type radiosonde, 0=1984
- Mani, A. See Venkiteshwaran, S.P., 2=15200
- Mani, A. See Venkiteshwaran, S.P., 3=18512
- Mani, G.A., Forsyth, P.D. and Perry, R.R. Excited levels of  $N^{15}$  from the  $B^{11}(\alpha, p)C^{14}$  reaction, 4=17026
- Mani, G.S. On the slowing down relaxation time for neutrons in moderators, 0=7371
- Mani, G.S. Proton scattering by  $He^3$ , 4=16895
- Mani, G.S. Some aspects of neutron-induced reactions, 4=17152
- Mani, G.S., Barnard, A.C.L., Tombrello, T.A. and Rao, D.A.A.S.N. Levels in  $A^{38}$  observed through the  $Cl^{37}(p, n)A^{37}$  reaction near threshold, 2=1794
- Mani, G.S., Forsyth, P.D. and Perry, R.R. Levels in  $N^{15}$  from  $B^{11}(\alpha, p)C^{14}$  reaction, 3=19770
- Mani, G.S. and Iori, I. Statistical-model calculation for neutron-induced reactions, 4=19793
- Mani, G.S., McCallum, G.J. and Ferguson, A.T.G. Neutron cross-sections in aluminum, 1=701
- Mani, G.S. and Nair, K.G. Proton emission from nuclei due to neutron interactions, 1=13812
- Mani, G.S., Tombrello, T.A. and Rao, D.A.A.S.N. Neutron cross-sections in chlorine, 1=3450
- Mani, G.S. See Barnard, A.C.L., 2=1795
- Mani, G.S. See Cassagnou, Y., 2=16408
- Mani, G.S. See Freeman, R.M., 4=15153
- Mani, G.S. See Freeman, R., 4=16854
- Mani, G.S. See Freeman, R., 4=17021
- Mani, G.S. See Freeman, R., 4=17041
- Mani, G.S. See Freeman, R., 4=17185
- Mani, G.S. See Iori, I., 4=17163
- Mani, G.S. See Iyengar, S.B.D., 0=9374
- Mani, G.S. See Iyengar, S.B.D., 0=9375
- Mani, G.S. See Jeronymo, J.M.F., 3=678
- Mani, G.S. See Jeronymo, J.M.F., 3=17400
- Mani, G.S. See Jeronymo, J.M.F., 3=17460
- Mani, G.S. See Jeronymo, J.M.F., 3=24949
- Mani, G.S. See Jeronymo, J.M.F., 4=17127
- Mani, G.S. See Jeronymo, J.M.F., 4=17151
- Mani, G.S. See McCallum, G.J., 0=11440
- Mani, G.S. See McCallum, G.J., 0=17504
- Mani, G.S. See Redon, D., 4=16851
- Mani, H.S. and Anand, J. On the effect of the finite mass of the proton in lamb shift in hydrogen atom, 2=16469
- Mani, H.S. and Nearing, J.C. W-meson decays in unitary symmetry, 4=27765
- Mani, H.S. See Feinberg, G., 4=9087
- Maniar, G.N. Grain-boundary precipitation in nickel-chromium-base alloys, 4=2111
- Maniawski, F. and Parliński, K. Slow neutron scattering by benzene molecules, 4=9755
- Maniawski, F. See Budzanowski, A., 0=5912
- Maniawski, F. See Janik, J.A., 2=292
- Manib, H.S. See Chang, N.P., 4=19417
- Maniwa, H. See Kimura, H., 3=12961
- Manjavidze, Z.Sh. and Roinishvili, N.H. Some problems of generation of strange particles, 2=18223
- Manjavidze, Z.Sh., Roinishvili, N.N., Chikovani, G.E., Kozlov, A.A., Kotlarevsky, D.M., Tatalashvili, N.G. and Tsintsabidze, A.I. Observations on cosmic ray penetrating showers at the altitude of 2000 m above sea level, 1=3303
- Mank, V.V. See Azovskii, Yu. S., 4=24717
- Man'ko, V.I. See Baldwin, S.A., 0=13232
- Manko, V.I. See Dzvaloshinsky, I.E., 4=20563
- Man'ko, V.I. See Karadzhiev, K.V., 0=20451
- Man'kovskii, V.S. On the localization of an apparent sound source in two-channel stereophonic transmission, 0=1025
- Manley, D.M.J.P. Change of size of air bubbles in water containing a small dissolved air content, 0=6769
- Manley, D.M.J.P. New technique for measurement of low dissolved-air content of water, 0=21264
- Manley, G.W. See Alexander, F.B., 4=12933
- Manley, H.J. Fourier coefficients of speech power spectra as measured by autocorrelation analysis, 2=21753
- Manley, H.J. Analysis-synthesis of connected speech in terms of orthogonalized exponentially damped sinusoids, 3=13947
- Manley, J.H. Fragment mass-angle correlation in  $U^{238} + n$  fission, 2=14146
- Manley, J.H.  $C^{13}(He^3, n)O^{14}$  reaction at 19, 22, and 25 MeV, 3=12701
- Manley, O.P. A method of evaluating diffusion coefficients in crystals, 0=13558
- Manley, O.P. Conductivity and structure of  $Bi_2Te_3$ , 0=13607
- Manley, O.P. and Rice, S.A. Dynamical theory of diffusion in crystals, 0=4305
- Manley, R.S.J. Crystals of cellulose, 1=7836
- Manley, R.St.J. See Ruck, H., 0=12014
- Mann, A. Some properties of atom recombination by three-body collisions, 4=25581
- Mann, A.K. See Dobbs, J.M., 2=11995
- Mann, A.K. See Lande, K., 1=3102
- Mann, A.K. See Lande, K., 2=20191



- Mann, A.K. See Lande, K., 3=17147  
Mann, A.K. See Lande, K., 3=17331  
Mann, A.K. See Reibel, K., 0=9526  
Mann, C.R. See McLay, D.B., 2=3738  
Mann, D.B. and Birmingham, B.W. United States planning for the large scale liquefaction and transportation of helium, 0=8915  
Mann, D.B. See Scott, L.E., 0=7039  
Mann, D.E. and Thrush, B.A. On the absorption spectrum of  $\text{CF}_3$  and its vibrational analysis, 1=2317  
Mann, D.E., Thrush, B.A., Lide, D.R., Jr., Ball, J.J. and Acquista, N.A. Spectroscopy of fluorine flames. I. Hydrogen-fluorine flame and the vibration-rotation emission spectrum of HF, 1=4932  
Mann, D.E. See Ames, L.L., 3=10527  
Mann, D.E. See Bass, A.M., 2=18492  
Mann, D.E. See Comeford, J.J., 3=8275  
Mann, D.E. See Harmony, M.D., 1=17519  
Mann, D.E. See Lide, D.R., Jr., 0=2752  
Mann, D.E. See Linevsky, M.J., 4=25666  
Mann, D.E. See Milligan, D.E., 4=28209  
Mann, D.E. See Nugent, L.J., 2=6127  
Mann, D.E. See Sommer, A., 2=8272  
Mann, D.E. See White, D., 0=4192  
Mann, D.E. See White, D., 0=4193  
Mann, D.E. See White, D., 4=3862  
Mann, D.E. See White, D., 4=5490  
Mann, D.P., Watson, W.W., Chrien, R.E., Zimmerman, R.L. and Schwartz, R.B. Total neutron cross section of xenon and krypton, 0=4126  
Mann, E. An expression for the change of the electron energy due to irregularities in metals, 4=12689  
Mann, E., v. Jan, R. and Seeger, A. Elastic displacement field of single and double forces in anisotropic media, 1=19766  
Mann, E. and Seeger, A. Semi-empirical determination of the Born-Mayer constants of cubic closed-shell metals, particularly of copper, 0=11556  
Mann, E. See Seeger, A., 0=11557  
Mann, E. See Seeger, A., 2=166643  
Mann, E.R. See Bettis, E.S., 0=13314  
Mann, E.R. See Ricker, C.W., 4=19865  
Mann, G.A. and Hause, C.D. Magnetic rotation spectra of nitric oxide in the near infrared, 0=20623  
Mann, H.M., Haslett, J.W. and Janarek, F.J. Lithium-drifted p-n junction detectors, 2=22364  
Mann, H.M., Haslett, J.W. and Lietz, G.P. Pulse rise time for charged particles in p-n junctions, 1=13230  
Mann, H.M. and Janarek, F.J.  $\text{B}^{10}$  diffused junctions in n-type silicon, 2=18021  
Mann, H.M. and Janarek, F.J. Effect of forward-voltage ion-drift on the operation of lithium-drifted silicon junction detectors, 3=2930  
Mann, H.T. Electrical properties of thin polymer films. I. Thickness 500-2500 Å, 4=22768  
Mann, H.W. and Managan, W.W. Detection of minimum ionising particles in silicon p-n junctions, 0=19975  
Mann, J. See Holliday, L., 4=23198  
Mann, J.A., Jr and Hansen, R.S. Simple technique for the automatic recording of monolayer compression characteristics, 0=16394  
Mann, J.A., Jr and Hansen, R.S. Propagation characteristics of capillary ripples. III. Capillary ripple velocity and attenuation dispersion on clean water surfaces and on various monolayers, 4=8154  
Mann, J.A., Jr and Hansen, R.S. Propagation characteristics of capillary ripples. II. Instrumentation for measurement of ripple velocity and amplitude, 4=27149  
Mann, J.A., Jr. See Hansen, R.S., 4=5144  
Mann, J.B. Ionization of U, UO, and UO<sub>2</sub> by electron impact, 4=16437  
Mann, J.B. See Blais, N.C., 0=10797  
Mann, J.B. See Blais, N.C., 0=14967  
Mann, J.E. See Livingston, R.S., 3=5779  
Mann, J.E. See Martin, J.A., 3=5782  
Mann, K.C. and Chaturvedi, R.P. The decay of  $\text{Ba}^{133}$ , 3=19820  
Mann, K.H. See Westmore, J.B., 4=24457  
Mann, L.G., Bloom, S.D. and Nagle, R.J. Isospin conservation in the  $\beta$ -decay of  $\text{Sc}^{44}$ ,  $\text{Zr}^{96}$ , and  $\text{Nb}^{96}$ , 2=10049  
Mann, L.G., Bloom, S.D. and Nagle, R.J. Circular polarization measurements in the  $\beta$ -decay of  $\text{V}^{48}$ ,  $\text{Co}^{58}$ ,  $\text{Fe}^{59}$ , and  $\text{Cs}^{134}$ , 2=20552  
Mann, L.G. See Bloom, S.D., 1=660  
Mann, L.G. See Bloom, S.D., 1=19405  
Mann, L.G. See Bloom, S.D., 2=10058  
Mann, L.G. See Bloom, S.D., 4=17090  
Mann, L.G. See Miskel, J.A., 4=3601  
Mann, L.G. See Pechacek, R.E., 4=9165  
Mann, L.G. See West, H.I., Jr., 1=17027  
Mann, P.A. See Fränz, K., 0=5416  
Mann, R.A. and Rose, M.E. Depolarization of negative  $\mu$  mesons, 1=518  
Mann, R.A. See Garrett, W.R., 3=12776  
Mann, R.A. See Garrett, W.R., 4=25573  
Mann, R.A. See Koehler, D.R., 4=21958  
Mann, W.B., Marlow, W.F. and Hughes, E.E. The half-life of carbon-14, 2=5831  
Mann, W.B., Seliger, H.H., Marlow, W.F. and Medlock, R.W. Recalibration of the NBS carbon-14 standard by Geiger-Müller and proportional gas counting, 0=13159  
Mann, W.B. See Hughes, E.E., 4=15183  
Mann, W.M., Jr. and Bradley, R.G., Jr. Hypersonic viscous-inviscid interaction solutions for perfect-gas and equilibrium real-air boundary-layer flow, 4=11225  
Mannami, M. Electron-microscopic image of an edge dislocation perpendicular to the crystal surface, 2=21042  
Mannami, M. Electron microscopic images of lattice imperfections, 3=800  
Mannami, M., Izumi, K., Hayashida, T. and Nakagawa, M. Segregation of copper from supersaturated solid solution in germanium, 4=29007  
Mannami, M. See Hashimoto, H., 0=20820  
Mannami, M. See Hashimoto, H., 1=10250  
Mannami, M. See Hashimoto, H., 1=10251  
Mannami, M. See Hashimoto, H., 2=14991  
Mannami, M. See Tanaka, K., 2=6313  
Mannami, M. See Tanaka, K., 3=13493  
Mannami, M. See Tanaka, K., 3=22731  
Mannami, M. See Tanaka, K., 3=1314  
Mannami, M. See Tanaka, K., 3=11274  
Mannami, M. See Tanaka, S., 4=17463  
Mannari, I. Remarks on spin-wave theory for the ferromagnetic exchange problem, 0=11818  
Mannari, I. Quantization of spin wave field, 0=13747  
Mannari, I. Electrical resistance of ferromagnetic metals, 0=20860  
Mannari, I. Space-time correlation function in the theory of electrical conductivity, 1=17598  
Mannari, I. A theory of lattice vibrations, 3=6464  
Mannari, I. Resistivity anomaly near a critical point in semiconductor alloys, 4=11464  
Mannari, I. A note on sum rule in the Mössbauer effect, 4=28324  
Mannari, I. See Terasaki, F., 0=13865  
Mannchen, W. and Bornkessel, K. The atomic heat  $C_p$  of pure magnesium, and magnesium containing hydrogen, between 12 and 300°K, 0=4268  
Manneback, C. Summary of L.C.A.O. computations of energy and electronic structures of the molecule  $\text{Li}_2$  in the ground state and in some excited states, 3=25098  
Mannella, G. and Harteck, P. Surface-catalyzed excitations in the oxygen system, 1=11094  
Mannella, G. See Reeves, R.R., 0=6403  
Mannella, G. See Reeves, R.R., 0=6405  
Mannella, G.G. Formation of active nitrogen using sources of alternating current and direct current, 2=1403  
Mannella, G.G. Mechanism for the reaction of active nitrogen and atomic hydrogen, 2=8132  
Mannella, G.G., Reeves, R.R. and Harteck, P. Surface catalyzed excitation with N and O atoms, 0=18428  
Mannelli, I. and Donato, L. The periodic integrator: an instrument for recording rapid variations of counting rate, 3=7414  
Mannelli, I. See Bartke, J., 2=13883  
Mannelli, I. See Bartke, J., 3=22206  
Mannelli, I. See Bertanza, L., 0=11214  
Mannelli, I. See Bertanza, L., 1=5765  
Mannelli, I. See Bertanza, L., 1=7265  
Mannelli, I. See Bertanza, L., 1=19075  
Mannelli, I. See Bertanza, L., 2=13799  
Mannelli, I. See Sodickson, L., 4=9280  
Mannelli, I. See Sodickson, L., 4=21913  
Männer, W. Neutron moderation in ice at 90°K, 2=9860  
Männer, W. and Springer, T. Resonance flux measurement with activation probes, 0=7668  
Männer, W. See Backenstoss, G., 4=16939



- Mannerkoski, M. Recrystallization of "doped" tungsten wire, 2=808
- Mannerkoski, M. On the mechanism of formation of "dopetubes" in tungsten wire, 3=4880
- Mannerkoski, M. The effect of temperature and heating rate on the secondary recrystallization of doped tungsten wires, 4=10588
- Mannheim, R. See Wilke, K.T., 0=8017
- Manning, D.L., Bansal, R.C., Braunstein, J. and Blander, M. Association constants in the system  $\text{AgNO}_3\text{--NaBr--NaNO}_3$  and their comparison with the quasi'-lattice theory, 2=17093
- Manning, F.S. and Manning, W.P. Derivation of thermodynamic relations for three-dimensional systems, 0=19527
- Manning, F.S. See Hoch, R., 3=1622
- Manning, G. and Rogers, J.D. Measurement of g-factors of several short-lived nuclear states in odd-mass nuclei, 0=7472
- Manning, G. and Rogers, J. Measurement of the rotational g-factor ( $g_R$ ) for several nuclei, 1=2163
- Manning, G. and Sherwood, A.G. A beam profile indicator for use with high energy particle accelerators, 2=9657
- Manning, G. See Cocconi, G., 2=5639
- Manning, G. See Cocconi, G., 2=10095
- Manning, G. See Cocconi, G., 2=22503
- Manning, G. See Diddens, A.N., 2=20331
- Manning, G. See Diddens, A.N., 2=20335
- Manning, G. See Diddens, A.N., 2=20336
- Manning, G. See Diddens, A.N., 4=11989
- Manning, G. See Galbraith, W., 3=2297
- Manning, G. See Galbraith, W., 3=4297
- Manning, G. See Gallagher, C.J., Jr., 0=20388
- Manning, G. See Jones, B.D., 4=29718
- Manning, G. See Knowles, J.W., 1=8739
- Manning, G.W. See Walsh, P.J., 3=21749
- Manning, I. and Aitken, A.H. Stripping of two nucleons with exchange effects, 2=14135
- Manning, J.E. and Maidanik, G. Radiation properties of cylindrical shells, 4=29706
- Manning, J.E. See Crandall, S.H., 4=26465
- Manning, J.J. See Murray, R.B., 1=2999
- Manning, J.J. See Soberman, R.K., 4=29283
- Manning, J.R. Tracer diffusion in a chemical concentration gradient in silver-cadmium, 0=1606
- Manning, J.R. Correlation effects in impurity diffusion, 0=4307
- Manning, J.R. Diffusion in a chemical concentration gradient, 1=14295
- Manning, J.R. Drift mobility of an ionic impurity in an electric field, 2=3936
- Manning, J.R. Isotope effect in an electric field and jump frequencies for diffusion in ionic crystals, 2=14468
- Manning, J.R. Correlation factors for impurity diffusion-f.c.c. lattice, 3=6531
- Manning, J.R. See Howard, R.E., 2=6359
- Manning, J.S. See Linde, P.F., 3=306
- Manning, L.A. Oblique echoes from over-dense meteor trails, 0=4875
- Manning, L.A. Air motions at meteoric heights, 0=12159
- Manning, L.A. Radio propagation following World War II, 2=16050
- Manning, L.A. Discussions of Brysk's paper "Specular echoes from dense meteor trails", 3=16427
- Manning, L.A. Ray-path calculation of over-dense meteor echo strength, 3=16428
- Manning, L.A. Theoretical heights and durations of echoes from large meteors, 4=30980
- Manning, L.A. Experimental determination of meteoric line densities and attachment rates, 4=30981
- Manning, R. See Newkirk, G.A., 0=4897
- Manning, R.E. See Cannon, M.R., 0=6729
- Manning, R.J. See Einspruch, N.G., 3=8751
- Manning, R.J. See Einspruch, N.G., 4=13359
- Manning, W.M. See Diamond, H., 0=17512
- Manning, W.P. See Manning, F.S., 0=19527
- Mannino, G. Radioastronomy of the bodies of the solar system, 2=11160
- Mannino, G. and Impallomeni, A.G. Directional effect of the slowly [varying] solar component at 200 Mc/s, 4=4950
- Mannino, G., Setti, G. and Delli Santi, S. A study of the slowly varying component of the sun at 327 MHz, 2=13168
- Mannino, G., Setti, G. and Delli Santi, S. Study of the slow solar component at 327 Mc/s, 2=17303
- Mannino, G. See Braccisi, A., 0=18687
- Mannkopff, R. See Anacker, F., 0=204
- Mano, K. Eigenfunction form of the nonrelativistic Coulomb Green's function, 3=11701
- Mano, K. Representations for the nonrelativistic Coulomb Green's function 4=16013
- Mano, K. See Araki, G., 0=1470
- Mano, K. See Araki, G., 0=2711
- Mano, K. See Araki, G., 0=20547
- Manogg, P. See v. Keussler, V., 1=18622
- Manohar, H. and Ramaseshan, S. The crystal structure of  $\text{Ba}(\text{OH})_2 \cdot 8\text{H}_2\text{O}$  and the crystal coordination of the barium ion, 4=2071
- Manoharan, A.C. The primitive domains of holomorphy for the 4 and 5 point Wightman functions, 2=22381
- Manojlović, L.M. An application of Taylor's method for determining the relative positions of molecules, 4=26621
- Manojlović, L.M. See Malčić, S.S., 2=4423
- Manojlović, Lj.M. See Herak, R.M., 3=18315
- Manolov, S. Special case of the existence of small periodic movements of two pendulums subjected to uniform rotation, 1=1721
- Manoranjana Rao, Bhattacharya, H. and Khastgir, S.R. Daytime studies of the waveforms of atmospheric, 3=13683
- Manov, M.G. Measurement of the vapour pressure in a high-vacuum pump, 2=2790
- Manova, G.A., Dokuchaeva, O.D., Vorontsov-Velyaminov, B.A. Photometry of the comet Arend-Roland, 0=18727
- Manovets, Yu.N. See Ostrovskii, E.K., 4=8870
- Manquenouille, P. Contribution to the study of  $\gamma$ -transition rates by the delayed coincidence method, 2=5856
- Manquenouille, R. See Gorodetsky, S., 0=15540
- Manquenouille, R. See Gorodetsky, S., 0=17557
- Manquenouille, R. See Gorodetsky, S., 1=613
- Manquenouille, R. See Gorodetsky, S., 1=1880
- Manquenouille, R. See Gorodetsky, S., 1=16226
- Manquenouille, R. See Gorodetsky, S., 1=16985
- Manquenouille, R. See Gorodetsky, S., 1=17038
- Manquenouille, R. See Gorodetsky, S., 2=365
- Manquenouille, R. See Gorodetsky, S., 2=382
- Manquenouille, R. See Gorodetsky, S., 2=12174
- Manring, E., Bedinger, J. and Knafllich, H. Measurement of winds in the upper atmosphere during April 1961, 3=9062
- Manring, E.R. Micrometeorite measurements from 1958 alpha and gamma satellites, 1=5141
- Manring, E.R. and Pettit, H.B. The 5577 Å emission of [OI] in the night airglow from Sacramento Peak, New Mexico, 0=18513
- Manring, E.R. See Marmo, F.F., 1=6612
- Manry, D. See Gerber, C.S., 3=122
- Mansell, A.L. See Barrett, J., 0=15736
- Mansfield, E.H. On theoretical plasticity and crack propagation, 3=21275
- Mansfield, P. and Powles, J.G. A microsecond nuclear resonance pulse apparatus, 3=14792
- Mansfield, P. and Powles, J.G. Proton magnetic spin relaxation in glassy and in crystalline glycerol, 3=23250
- Mansfield, P. See Powles, J.G., 2=23723
- Mansfield, R. The magnetic susceptibility of bismuth telluride, 0=1770
- Mansfield, R.J. See Hurlbut, F.C., 4=11260
- Mansfield, W.K. Pre-breakdown conduction in continuously-pumped vacuum systems, 0=16748
- Mansfield, W.V. See Merrill, R.G., 2=16078
- Mansikka, K. On the electron density distributions in ions of NaCl, KCl, and RbCl crystals, 1=15072
- Mansikka, K. and Pyyhnen, J. X-ray investigation of the transition  $I = II$  of  $\text{NH}_4\text{Cl}$ , 3=6810
- Mansikka, K. See Hovi, V., 0=7841
- Mansikka, K. See Hovi, V., 0=12072
- Mansikka, K. See Hovi, V., 0=12073
- Mansikka, K. See Hovi, V., 0=16346
- Mansikka, K. See Hovi, V., 2=19772
- Mansingh, A. Dipole moment and relaxation time of alkylcyanides, 4=12494
- Mansingh, A. See Krishnaji, 4=24225
- Mansingh, A. See Krishnaji, 4=25693
- Manske, G. See Grote, L.C., 1=5760
- Mansmann, M. and Wallace, W.E. Magnetic properties of  $\text{GdFe}_2$  and  $\text{DyFe}_2$ , 4=23018
- Mansmann, M. and Wallace, W.E. The structure of  $\text{HoD}_3$ , 4=29112
- Manson, J.A. See Bovey, F.A., 3=25158
- Manson, J.E. See Junge, C.E., 1=10306
- Manson, J.E. See Junge, C.E., 1=20815
- Manson, J.M. See Cloutier, J.A.R., 1=20762



- Manson, N. See Bellet, J.C., 1=15950  
Manson, N. See Brochet, C., 1=18456  
Manson, N. See Brochet, C., 3=3395  
Manson, N. See Brossard, J., 0=103  
Manson, N. See Leyer, J.C., 2=1296  
Mansour, T.M. A nondestructive method of measuring thickness of transparent coatings, 3=14087  
Mansur, L. C. See Jasperse, J. R., 4=30684  
Mansurov, S. M. See Rokitskiy, I. I., 4=26869  
Mansurova, Z. S. See Tolstoi, N. A., 3=3050  
Măntescu, C. and Costea, T. Titanium release from the neutron irradiated lithium-doped nickel oxide, 2=17100  
Măntescu, C. and Costea, T. Release of tritium from neutron-irradiated lithium salts, 3=2355?  
Manteuffel, E. W. Time response constant and transfer function of magnetic amplifier, 2=2858  
Manthorpe, S. A. See Makin, M. J., 2=6396  
Manthorpe, S. A. See Makin, M. J., 4=4053  
Manthuruthil, J. C. See Czyzak, S. J., 2=2351  
Mantica, E. See Morero, D., 0=4676  
Mantica, E. See Morero, D., 0=4677  
Mantis, H. T. The structure of winds of the upper troposphere at mesoscale, 3=16215  
Mantis, H. T. and Winckler, J. R. Balloon observation of artificial radioactivity at the base of the stratosphere, 1=15245  
Mantrov, V. M. The decay time of the cathode spot in mercury, 0=16988  
Mäntysalo, E. See Hovi, V., 0=11965  
Mäntysalo, E. See Hovi, V., 1=14389  
Mäntysalo, E. See Hovi, V., 1=14390  
Mäntysalo, E. See Hovi, V., 2=4067  
Manuel, A. J. and St. Quinton, J. M. P. The magnetic susceptibilities of palladium and palladium-rhodium alloys from 1.85 to 293°K, 3=13229  
Manuel, G. See Stuart, J. E. A., 0=14944  
Manuel, J. and Cohen-Tannoudji, C. Optical detection of magnetic resonance via the modulation of the transverse paramagnetic Faraday effect at the Larmor frequency, 3=23943  
Manuel, O. K. See Kuroda, P. K., 3=9165  
Manuel, P. W. and Blackwell, J. H. Axisymmetric perturbations in a conducting liquid confined by rigid walls, 1=12011  
Manuel, T. J. See Chidley, B. G., 4=3734  
Manuel Lozano, J. Causal description of the potential scattering of Bargmann, 1=13359  
Manuilova, A. A. Some features of ferrimagnetic resonance in yttrium garnet with domain structure, 4=7313  
Manukyan, M. M. See Arutyunyan, N. Kh., 3=3228  
Manukyan, M. M. See Arutyunyan, N. Kh., 4=23103  
Manus, C. See Bonnal, J. F., 0=12617  
Manus, C. See Bonnal, J. F., 4=8691  
Manus, C. See Bonnal, J. F., 4=19117  
Manus, C. See Boullassier, J. C., 4=11589  
Manus, C. See Briffod, G., 3=388  
Manus, C. See Guidini, J., 1=7030  
Manus, C. See Guidini, J., 2=13532  
Manus, G. Enhanced diffusion and oscillations in weakly ionized plasmas, 1=11956  
Manuzio, G. and Vitale, S. Elastic scattering of 1.25 MeV  $\gamma$ -rays in lead, 1=13764  
Manuzio, G. E. See Becchi, C., 4=15113  
Many, A. and Bray, R. Lifetime of excess carriers in semiconductors, 0=20894  
Many, A., Goldstein, Y., Grover, N. B. and Harnik, E. Germanium surface studies at low temperatures, 2=23329  
Many, A., Grover, N. B., Goldstein, Y. and Harnik, E. Surface mobility measurements in germanium, 1=1050  
Many, A. and Rakavy, G. Theory of transient space-charge-limited currents in solids in the presence of trapping, 2=14524  
Many, A. Simhony, M., Weisz, S. Z. and Levinson, J. Studies of photoconductivity in iodine single crystals, 2=8422  
Many, A., Simhony, M., Weisz, S. Z. and Teucher, Y. Transient space-charge-limited currents in iodine single crystals along various crystallographic directions, 4=25883  
Many, A., Weisz, S. Z. and Simhony, M. Space-charge-limited currents in iodine single crystals, 2=14525  
Many, A. See Goldstein, Y., 2=2135  
Many, A. See Grover, N. B., 2=2134  
Many, A. See Harnik, E., 1=1051  
Many, A. See Lampert, M. A., 4=28546  
Many, A. See Oroshnik, J., 1=14514  
Many, A. See Silver, M., 2=14578  
Manz, R. C. See Kahng, D., 3=22824  
Manz, R. C. See Kahng, D., 3=23418  
Manz, R. C. See Miller, K. J., 2=19061  
Manz, R. C. See Thomas, C. O., 3=10650  
Manzano, J. R., Roederer, J. G. and Santochi, O. R. Cosmic ray intensity variations during the magnetic storms in May 1959, 0=20285  
Manzano, J. R. See Ghilmetti, H., 0=13093  
Manzano, J. R. See Roederer, J. G., 0=20283  
Manzano, J. R. See Roederer, J. G., 0=20284  
Manzano, J. R. See Roederer, J. G., 1=13587  
Manzano, J. R. See Roederer, J. G., 1=19309  
Manzano, J. R. See Santochi, O. R., 0=20287  
Manzel, M., Voigt, F. and Kleinert, P. Production and magnetocrystalline anisotropy of Ni-Zn-Co ferrite single crystals, 3=23190  
Manzhelii, V. G. Certain peculiarities of diffusion in liquids with a large molar volume, 2=7203  
Manzhelii, V. G. and Tolkachev, A. M. Densities of ammonia and methane in the solid state, 4=26497  
Manzhelii, V. H. and Tolkachev, A. M. Apparatus for investigating diffusion of low-solubility gases in non-volatile liquids, 2=7201  
Manzheron, D. and Kroitor, E. Contribution to the general theory of induced accelerations in tangential coordinates, 3=16563  
Mao Chên-ling. See Mao Chzhén'-lin, 2=10097  
Mao Chzhén'-lin. See Chzhou De-lin,  
Mao-cao Chen. Effect of  $\pi$ -K interaction on nucleon form factors; processes  $\pi\pi \rightarrow KK$  and  $\pi\pi \rightarrow \pi\pi$ , 2=9831  
Maor, U. Some remarks on ultrarelativistic pion-nucleon interactions, 2=18155  
Maor, U. Estimations of high-energy photopion production at 0°, 4=27873  
Maor, U. and Yekutieli, G. The excited nucleon's model of meson production, 0=15372  
Maple, E. Geomagnetic oscillations at middle latitudes. I. The observational data, 0=10391  
Maple, E. Geomagnetic oscillations at middle latitudes. II. Sources of the oscillations, 0=10392  
Maple, E. See Jenkins, A. W., Jr., 0=16407  
Mapleton, R. A. Production of  $H^{-}(1s^2)$  by hydrogen atom collisions, 0=5860  
Mapleton, R. A. Electron capture from  $He(1s^2)$  by protons, 1=7031  
Mapleton, R. A. Characteristic coulomb Green's function and its eigenfunction expansion, 1=10850  
Mapleton, R. A. Application of a singular wave-function operator in scattering theory, 1=10851  
Mapleton, R. A. Application of the singular wave-function operator in scattering theory. II, 2=11881  
Mapleton, R. A. Electron capture from atomic hydrogen by protons, 2=12299  
Mapleton, R. A. Electron capture from atomic nitrogen and oxygen by protons. I, 3=15303  
Mapleton, R. A. Electron capture from  $He(1s^2)$  by protons. II, 3=15304  
Mapleton, R. A. Asymptotic form of the electron capture cross section in the impulse approximation, 4=9678  
Mapleton, R. A. Asymptotic form of the electron capture cross section in first born and distorted wave approximations, 4=18690  
Mapother, D. E. On the Kelvin and perfect gas temperature scales, 2=1298  
Mapother, D. E. Thermodynamic consistency of magnetic and calorimetric measurements on superconductors, 2=7516  
Mapother, D. E. Thermodynamic consistency of critical field and specific heat data for superconducting Sn and In, 2=15852  
Mapother, D. E. See Cochran, J. F., 1=4533  
Mapother, D. E. See Finnemore, D. K., 0=8935  
Mapother, D. E. See Finnemore, D. K., 3=3963  
Mapother, D. E. See Garfinkel, M., 1=7001  
Mapother, D. E. See Lewis, H. R., 0=5232  
Mapother, D. E. See Mould, R. E., 2=2956  
Mapother, D. E. See Otter, F. A., 2=6281  
Mapother, D. E. See Shaw, R. W., 0=12559  
Mapother, D. E. See Shaw, R. W., 0=16951  
Mapother, D. E. See Shaw, R. W., 1=1858  
Marabini, A. M. See Beltrani, M. G., 4=4672  
Marable, J. F. See Fox, J. K., 0=13323  
Marable, J. H. See Gross, E. E., 1=13890  
Maradudin, A. A. Nonequilibrium processes in isotopically disordered crystals, 1=7527



- Maradudin, A.A. Thermal expansion and phonon frequency shifts, 3=2717
- Maradudin, A.A. On the lifetime of phonons in one-dimensional crystals, 3=4812
- Maradudin, A.A. Topics in the theory of the vibrations of imperfect crystals, 4=12608
- Maradudin, A.A. Lattice dynamical aspects of the resonance absorption of gamma rays by nuclei bound in a crystal, 4=20191
- Maradudin, A.A. The lattice thermal conductivity of an isotopically disordered crystal, 4=30528
- Maradudin, A.A. and Ambegaokar, V. Calculation of the scattering function  $S(k, \omega)$  for the inelastic scattering of neutrons by anharmonic crystals, 4=28351
- Maradudin, A.A. and Dixon, P.A. Effect of impurities on the low-temperature spontaneous magnetization of cubic ferromagnetic crystals, 0=11835
- Maradudin, A.A. and Fein, A.E. Scattering of neutrons by an anharmonic crystal, 3=4822
- Maradudin, A.A., Fein, A.E. and Vineyard, G.H. On the evaluation of phonon widths and shifts, 3=2718
- Maradudin, A.A. and Flinn, P.A. Debye-Waller factor of Mössbauer resonant impurity atoms, 2=14366
- Maradudin, A.A. and Flinn, P.A. Anharmonic contributions to the Debye-Waller factor, 3=8827
- Maradudin, A.A., Flinn, P.A. and Coldwell-Horsfall, R.A. Anharmonic contributions to vibrational thermodynamic properties of solids. I. General formulation and application to the linear chain, 2=568
- Maradudin, A.A., Flinn, P.A. and Coldwell-Horsfall, R.A. Anharmonic contributions to vibrational thermodynamic properties of solids. II. The high temperature limit, 2=569
- Maradudin, A.A., Flinn, P.A. and Radcliffe, J.M. The Mössbauer effect for an impurity nucleus. I. Theoretical results for Bravais crystals, 4=12577
- Maradudin, A.A., Flinn, P.A. and Ruby, S. Velocity shift of the Mössbauer resonance, 2=10301
- Maradudin, A.A., Flinn, P.A. and Ruby, S.L. Second order velocity shift of the Mössbauer resonance, 4=12611
- Maradudin, A.A. and Melngailis, J. Some dynamical properties of surface atoms, 4=9823
- Maradudin, A.A., Montroll, E.W., Weiss, G.H., Herman, R. and Milnes, H.W. Green's functions for monatomic simple cubic lattices, 1=2368
- Maradudin, A.A. and Wallis, R.F. Lattice anharmonicity and optical absorption in polar crystals. I. The linear chain, 0=18122
- Maradudin, A.A. and Wallis, R.F. Lattice anharmonicity and optical absorption in polar crystals. II. Classical treatment in the linear approximation, 1=11360
- Maradudin, A.A. and Weiss, G.H. Auxiliary integrals for lattice sums, 0=12035
- Maradudin, A.A. and Weiss, G.H. Dispersion relations and vibrational frequency spectra, 0=13485
- Maradudin, A.A. and Weiss, G.H. Limiting optical frequencies in alkali halide crystals, 1=14164
- Maradudin, A.A. See Carr, W.J., Jr., 4=11120
- Maradudin, A.A. See Coldwell-Horsfall, R.A., 0=17904
- Maradudin, A.A. See Coldwell-Horsfall, R.A., 3=12941
- Maradudin, A.A. See Flinn, P.A., 2=12429
- Maradudin, A.A. See Flinn, P.A., 3=17640
- Maradudin, A.A. See Gourary, B.S., 0=11755
- Maradudin, A.A. Heikes, R.R., 4=22693
- Maradudin, A.A. See Klemens, P.G., 1=11198
- Maradudin, A.A. See Mahanty, J., 0=11570
- Maradudin, A.A. See Mahanty, J., 1=9973
- Maradudin, A.A. See Melngailis, J., 3=25442
- Maradudin, A.A. See Rosenstock, H.B., 2=11246
- Maradudin, A.A. See Sack, R.A., 1=17411
- Maradudin, A.A. See Wallis, R.F., 1=11378
- Maradudin, A.A. See Wallis, R.F., 2=6556
- Maradudin, A.A. See Wallis, R.F., 3=10926
- Maradudin, A.A. See Weiss, G.H., 2=19442
- Marais, A. The "perminvar" effect on NiZn ferrites, rich in iron, containing a small proportion of cobalt, 0=10175
- Marais, A. The influence of deviation from stoichiometry and of sintering temperature on the magnetic dispersion of NiZnCo ferrites, 3=18100
- Marais, A. and Merceron, T. Diffusion lag in iron-rich nickel-zinc ferrites, 0=8061
- Marais, A. and Merceron, T. Some experimental results concerning relaxation phenomena in Ni-Zn ferrites, 1=17973
- Marais, A. and Merceron, T. The effect of the addition of lithium on the disaccommodation of Mn-Zn ferrites, 3=20611
- Marais, A. and Merceron, T. Effect of the addition of titanium on the displacements of Mn-Zn ferrites in the neighbourhood of ambient temperature, 4=7502
- Marais, A. See Braginski, A., 1=17974
- Marais, A. See Braginski, A., 3=1036
- Marais, M. and Henoc, P. Vacuum diffusion and thermal treatment of germanium, 4=6999
- Marakov, G.I. See Kozina, O.G., 1=16014
- Marantz, S. See Armstrong, G.T., 3=8960
- Marasano, Yu.P. See Koloshnikov, V.G., 2=11626
- Marasigan, V. Bifurcations in the F-region at Baguio, 1952-1957, 0=771
- Marasigan, V. Height-gradient of electron-loss in the F-region, 0=2017
- Marasigan, V. Spread-F in Baguio through half a solar cycle, 0=14244
- Marasigan, V. Damping coefficient of vibrating electrons, 0=17116
- Marasigan, V. Geomagnetic and sunspot influences on spread-F in Baguio, 0=21365
- Marasigan, V. Single and double inflexions on the F-trace, 0=21371
- Maratologu, N., Ilescu, E. and Cenja, M. Polarization of 6.3 MeV protons elastically scattered by  $C^{12}$ , 3=22371
- Marateck, S. See Nauenberg, U., 4=25198
- Marathay, A.S. Geometrical-optical calculation of frequency response for systems with coma, 0=6909
- Marathay, A.S. See Roman, P., 4=8021
- Marathe, B.R. Some measurements of the surface properties of silicon by d.c., a.c. and pulsed field effects, 2=8349
- Marathe, B.R. Electrical properties of semiconductor surfaces: effect of an electric field on silicon surfaces, 4=1620
- Marathe, B.R. See Gasson, D.B., 2=23417
- Marathe, B.R. See Henisch, H.K., 1=5871
- Marble, F.E. Mechanism of particle collision in the one-dimensional dynamics of gas-particle mixtures, 4=29656
- Marboe, E.C. See Weyl, W.A., 0=10321
- Marburger, R.E. Dependence of the atomic magnetic moment in  $\alpha$  iron on lattice spacing, 2=18899
- Marcaccio, W. See Pong, W., 2=13390
- Marcaccio, W. See Pong, W., 3=16445
- Marcazzan, G. See Colli, L., 0=20494
- Marcazzan, G.M., Menichella Saetta, E. and Tonolini, F. (n,  $\alpha$ ) and (n, p) reactions in CsI crystal with 14 MeV neutrons, 1=13821
- Marcazzan, G.M., Tonolini, F. and Zetta, L. (n,  $\alpha$ ) reactions on heavy nuclei with 14.7 MeV neutrons, 3=19864
- Marcazzan, G.M. See Colli, L., 1=13826
- Marcazzan, G.M. See Colli, L., 2=14117
- Marcazzan, G.M. See Gadioli, E., 4=28059
- Marcazzan, M.G., Merzari, F. and Tonolini, F. Application of silicon detectors to measurements of monoenergetic neutron beams, 2=16210
- Marcazzan, M.G. See Colli, L., 0=15602
- Marcazzan, M.G. See Colli, L., 2=20650
- Marcazzan, M.G. See Colli, L., 3=2473
- Marcazzan, M.G. See Colli, L., 3=15212
- Marcelin, M.A. The exact graphic representation of sounds and their associations, 4=24328
- Marcelja, F. A simple fast-slow coincidence system for angular correlation measurements, 3=19870
- Marcelja, F. See Colli, L., 4=3673
- March, N.H. International conference on crystal lattice defects, Kyoto, September, 1962, 3=10643
- March, N.H. and Boardman, A.D. Self-consistent density matrix treatment of single and interacting defects in metals, 3=22700
- March, N.H. and Murray, A.M. Relation between Dirac and canonical density matrices, with applications to imperfections in metals, 0=18996
- March, N.H. and Murray, A.M. Electronic wave-functions round a vacancy in a metal, 1=938
- March, N.H. and Murray, A.M. Self-consistent perturbation treatment of impurities and imperfections in metals, 1=14246
- March, N.H. and Murray, A.M. Self-consistent perturbation treatment of impurities and imperfections in metals. II. Second-order perturbation corrections, 2=8213
- March, N.H. and Murray, A.M. Perturbations in an electron gas at non-zero temperatures, 2=10364



- March, N.H. and Murray, A.M. Enhancement of electron density around positive point charges in metals and lifetimes of positrons, 2=12405
- March, N.H. and Sampanthar, S. Electron correlation in metals: density matrix approach, 2=14400
- March, N.H. and Young, W.H. Probability density of electron separation in a uniform electron gas, 1=951
- March, N.H. See Banyard, K.E., 1=20547
- March, N.H. See Corless, G.K., 1=19761
- March, N.H. See Corless, G.K., 3=2789
- March, N.H. See Donovan, B., 0=4296
- March, N.E. See Donovan, B., 0=15111
- March, N.H. See Flower, M., 0=15802
- March, N.H. See Flower, M., 2=6761
- March, N.H. See Gaskell, T., 4=5152
- March, N.H. See Johnson, M.D., 3=9439
- March, N.H. See Jones, W., 2=20978
- March, N.H. See Hebborn, J.E., 4=26262
- March, N.H. See Lee, P.M., 0=9904
- March, N.H. See Simcox, L.N., 2=22109
- March, N.H. See Worster, J., 4=6825
- March, N.H. See Young, W.H., 1=953
- March, P.V. and Walker, T.G. The photoproduction reaction  $^{60}\text{Ni}(\gamma, \pi^-)^{60}\text{Cu}$ , 1=5894
- March, P.V. See Aguilar, J., 0=20463
- March, P.V. See Bredin, D.J., 0=20250
- March, P.V. See Danysz, M., 3=22276
- March, P.V. See Danysz, M., 4=9364
- March, R. See Crewe, A.V., 0=1277
- March, R. See Erwin, A.R., 1=12103
- March, R.H. Positive pion production in p-p collisions at 420 MeV with polarized protons, 1=529
- March, R.H., Erwin, A.R. and Walker, W.D. Resonances in the  $\pi^-K-\pi$  system, 3=6087
- March, R.H. and Stewart, A.T. Momentum distribution of annihilating electron-proton pairs in LiF, 0=3962
- March, R.H. See Birge, R., 3=22192
- March, R.H. See Erwin, A.R., 2=11982
- March, R.H. See Erwin, A.R., 2=20391
- March, R.H. See Erwin, A.R., 2=22569
- March, R.H. See Erwin, A.R., 2=22640
- March, R.H. See Erwin, A.R., 3=17317
- March, R.H. See Stewart, A.T., 4=199
- March, R.H. See Woods, A.D.B., 2=10320
- March, R.H. See Woods, A.D.B., 3=2709
- Marchais, J.C., Romain, M.Y. and Rommel, G. The proton synchrotron "Saturne". Beam detection, 0=2412
- Marchal, A. and Ivon, P. The lifetime of a metastable state of proactinium 233, 1=13688
- Marchal, E. and Marchal, J. Determination of the distribution curve of the lengths of linear macromolecules in solution by dielectric absorption, 1=11766
- Marchal, G. See Guillien, R., 4=4206
- Marchal, J. See Marchal, E., 1=11766
- Marchal, J. See Weber, K., 4=13759
- Marchal, R. On the minimum of the work needed to separate two perfect gases, 1=15954
- Marchal, R. Minimum work required to separate two perfect gases, 2=2766
- Marchal, R. On the flow stability in pipes through which a liquid/gas emulsion passes, 2=12259
- Marchal, R. and Servanty, P. Interaction of two shock waves propagated in the same direction, 3=14250
- Marchand, A. Study of the diffusion of hydrogen in nickel by measuring electrical resistivity, 2=21067
- Marchand, A. On a modification of the Slonczewski and Weiss model applicable to pregraphitic carbons, 3=15457
- Marchand, A. Theory of the magnetic anisotropy of pyrocarbons, 4=10241
- Marchand, A., Boy, F. and Forchioni, A. Magnetic susceptibility of anthracene carbons treated between 600° and 1200°C 3=11023
- Marchand, A. and Delhaes, P. Paramagnetism of pregraphitic carbons, 3=15759
- Marchand, A., Pacault, A. and Forchioni, A. Increase of diamagnetism in graphite due to reduction of particle size, 3=1120
- Marchand, A., Paulevé, P. and Dautreppe, D. Resistivity of the alloy Fe-Ni (50-50%) ordered by irradiation with neutrons, 4=7496
- Marchand, A. See Delhaes, P., 4=28765
- Marchand, A. See Pacault, A., 1=3763
- Marchand, A. See Pacault, A., 1=3764
- Marchand, A. See Pacault, A., 2=12755
- Marchand, A. See Poquet, E., 1=6254
- Marchand, A. See Zanchetta, J.V., 4=20097
- Marchand, A. See Zanchetta, J.V., 4=25725
- Marchand, E. and Phillips, R. Calculation of optical transfer function from lens-design data, 3=11888
- Marchand, E. See Wolf, E., 4=694
- Marchand, E.W. On the width of spread functions, 4=11332
- Marchand, E.W. Derivation of the point spread function from the line spread function, 4=18387
- Marchand, E.W. and Wolf, E. Boundary diffraction wave in the domain of the Rayleigh-Kirchhoff diffraction theory, 2=15743
- Marchand, E.W. See Wolf, E., 4=16249
- Marchand, J. See D'Incan, J., 4=9732
- Marchand, J.F. A new type of parallel cryotron, 2=22125
- Marchand, J.F. and Venema, A. Note on superconducting tantalum films, 0=2291
- Marchand, J.F. and Volger, J. Radiation-induced transport of magnetic flux along a superconducting sheet, 2=22115
- Marchand, J.R. Properties of a new type of parallel cryotron, 4=16380
- Marchand, M. See Lukosz, W., 4=5366
- Marchand, N., Faget, J. and Fert, C. Fresnel diffraction at the edge of a semitransparent phase-retarding screen, 0=14842
- Marchandau, R. Production of oscillations by tunnel diodes, 4=1637
- Marchant, H. See Hinds, S., 1=16987
- Marchant, H. See Hinds, S., 2=12135
- Marchant, H. See Hinds, S., 3=637
- Marchant, H. See Hinds, S., 4=15151
- Marchant, J.C. Exposure criteria for the photographic detection of threshold signals, 4=18444
- Marchant, J.C. and Dillon, P.L.P. Correlation between random-dot samples and the photographic emulsion, 1=8245
- Marchaterre, J.F. and Petrick, M. The prediction of stream volume fractions in boiling systems, 1=18675
- Marchaterre, J.F. See Heineman, J.B., 3=14125
- Marchello, J.M. and Toor, H.L. A mixing model for transfer near a boundary, 3=14104
- Marchello, J.M. See Muenz, K., 4=24145
- Marchenko, A.I., Sal'kov, E.A., Fedorus, G.A. and Fursenko, V.D. Various [photoelectric] properties of single crystals of Cds with an admixture of gold, 1=19899
- Marchenko, A.I., Sal'kov, E.A., Fedorus, G.A. and Fursenko, V.D. Various photoelectric properties of single crystals of CdS with an admixture of gold, 2=4061
- Marchenko, B.N. See Danilov, V.I., 4=14792
- Marchenko, E.V. See Levin, B.A., 3=2275
- Marchenko, N. See Kaminsky, V., 4=6180
- Marchenko, N.M. See Glik, N.V., 2=15809
- Marchenko, N.M. See Glik, N.V., 2=19775
- Marchenko, R.I. See Morgulis, N.D., 4=16159
- Marchenko, R.I. See Morhulis, N.D., 2=12951
- Marchenko, V.A. See Agranovich, Z.S., 3=2124
- Marchenko, V.D. See Samsonov, G.V., 4=4161
- Marchenko, V.I. and Barantseva, I.G. Determination of thermal conductivities of sesquisulphides of some rare-earth metals, 4=30527
- Marchenko, V.I. and Samsonov, G.V. Thermal properties of the sulphides of certain lanthanides, 4=22508
- Marchenko, V.I., Samsonov, G.B. and Fomenko, V.S. The thermal emission properties of the sulphides of praseodymium and neodymium, 4=14744
- Marchenko, V.I. and Samsonov, H.V. Physical properties of cerium sulphides, 4=6952
- Marchenko, V.I. See L'vov, S.N., 2=19825
- Marchenko, V.L. See Kozlov, V.F., 1=16431
- Marchessault, J.G. and Litovitz, T.A. Volume viscosity of the molten chlorides, 2=13321
- Marchi, E. On uniform tubulent flow of liquids, 2=1121
- Marchi, R.P. and Eyring, H. Application of significant structure theory to water, 4=16090
- Marchi, R.P. and Mueller, C.R. W.K.B. approximation and molecular beam scattering, 2=8131
- Marchi, R.P. and Mueller, C.R. Validity of the W.K.B. approximation in the interpretation of molecular beam scattering data, 3=8317
- Marchi, R.P. See Muller, R.P., 3=8318
- Marchiafava, P.L. See Elul, R., 4=15997
- Marchidan, D.I. See Sternberg, S., 2=12971
- Marchin, J.M. and Wyon, G. Observation of spirals on electrolytically polished aluminium surfaces, 3=1261
- Marchin, J.M. See Wyon, G., 1=9109
- Marchinkowski, C.J. See Felsen, L.B., 2=11792



- Marchuk, G.I. and Mikhailov, F.F. Resonance absorption of neutrons in an infinite homogeneous medium, 0=9373
- Marchuk, G. I. and Smelov, V. V. The multigroup method of calculating the energy-space distribution of thermal-neutron flux, and the application of the perturbation method, 4=12297
- Marchuk, G. I. and Smelov, V. V. Calculation of thermal utilization factor with neutron thermalization included, 4=12298
- Marchuk, G. I., Turchin, V. F., Smelov, V. V. and Plyasova, G. A. Calculation methods for the thermal neutron spectrum, 4=1123
- Marchuk, G. I. See Ermakov, S. M., 4=11071
- Marchuk, G. L. and Orlov, V. V. The theory of adjoint functions, 4=11125
- Marchuk, P. M. See Borzyak, P. G., 0=11724
- Marchuk, P. M. See Borzyak, P. H., 1=13116
- Marchuk, P. M. See Borzyak, P. G., 2=1483
- Marchuk, P. M. See Morhulis, N. D., 1=11970
- Marchuk, P. M. See Vladimirov, V. V., 3=14593
- Marciano, F. See Collinge, B., 2=19852
- Marcinkowski, C. J. Some diffraction patterns of an absorbing half-plane, 2=5473
- Marcinkowski, C. J. and Felsen, L. B. On the geometrical optics of curved surfaces with periodic impedance properties, 3=7700
- Marcinkowski, C. J. and Felsen, L. B. On the limitations of geometrical optics solutions for curved surfaces with variable impedance properties, 3=7701
- Marcinkowski, M. J. and Brown, N. Transformation—disorder to order in  $\text{Ni}_3\text{Mn}$ , 1=6535
- Marcinkowski, M. J. and Brown, N. Theory and direct observation of dislocations in the  $\text{Fe}_3\text{Al}$  superlattices, 1=14280
- Marcinkowski, M. J. and Brown, N. The direct observation of antiphase boundaries in the  $\text{Fe}_3\text{Al}$  superlattice, 1=20595
- Marcinkowski, M. J. and Brown, N. Direct observation of antiphase boundaries in the  $\text{Fe}_3\text{Al}$  superlattice, 2=6831
- Marcinkowski, M. J. and Brown, N. Martensite transformation in the  $\text{Fe}_3\text{Al}$  superlattice, 3=16102
- Marcinkowski, M. J. and Fisher, R. M. Direct observation of antiphase domain boundaries in the  $\text{AuCu}_3$  superlattice, 0=18403
- Marcinkowski, M. J. and Fisher, R. M. Theoretical analysis of plastic deformation in superlattices based on the body-centered cubic structure, 3=23319
- Marcinkowski, M. J., Fisher, R. M. and Brown, N. Direct observation of superdislocations in a superlattice, 0=13531
- Marcinkowski, M. J. and Glenn, R. C. The effect of ageing on magnetic domain configurations in an iron-48% chromium alloy, 4=17654
- Marcinkowski, M. J. and Lipsitt, H. A. Electrical resistivity of chromium in the vicinity of the Néel temperature, 1=10024
- Marcinkowski, M. J. and Lipsitt, H. A. The plastic deformation of chromium at low temperatures, 2=8717
- Marcinkowski, M. J. and Miller, D. S. The effect of ordering on the strength and dislocation arrangements in the  $\text{Ni}_3\text{Mn}$  superlattice, 1=17538
- Marcinkowski, M. J. and Miller, D. S. Direct observation of faults and dislocations in the iron-chromium sigma phase, 2=10390
- Marcinkowski, M. J. and Miller, D. S. A study of defect sub-structures in the Fe-Cr sigma phase by means of transmission electron microscopy, 2=23200
- Marcinkowski, M. J. and Poliak, R. M. Variation of magnetic structure with order in the  $\text{Ni}_3\text{Mn}$  superlattice, 3=18080
- Marcinkowski, M. J. and Poliak, R. M. A study of the magnetic domain configurations in Fe-Co solid solutions, 4=10270
- Marcinkowski, M. J. and Zwell, L. Transmission electron microscope study of the off-stoichiometric  $\text{Cu}_3\text{Au}$  superlattices, 3=13495
- Marcinkowski, M. J. See Fisher, R. M., 1=20594
- Marcio do Amaral, C. and Srivastava, P. P. Regge trajectories for Coulomb potential modified by inverse square potential, 4=19452
- Marcus, C. See Anastasiadis, M., 4=23929
- Marckmann, J. P. and Whalley, E. Vibrational spectra of the ices. Raman spectra of Ice VI and Ice VII, 4=28691
- Marcley, R. G. Apparatus drawings project. Report Number 1. Balmer series spectrum tube, 0=153
- Marcley, R. G. Apparatus drawings project. Report Number 3. Air suspension gyroscope, 0=909
- Marcley, R. G. Apparatus drawings project. Report Number 2. Magnetic field of a circular coil, 0=1179
- Marcley, R. G. Apparatus drawings project. Report Number 4. Air suspension apparatus for measuring the resolution of forces, 0=4965
- Marcley, R. G. Apparatus drawings project. Report Number 5. Small mass spectrometer, 0=5362
- Marcley, R. G. Apparatus drawings project. Report Number 7. Versatile mass spectrometer, 0=7171
- Marcley, R. G. Apparatus drawings project. Report Number 6. Bragg diffraction apparatus, 0=8176
- Marcley, R. G. Apparatus drawings project. Report number 8. Driven linear mechanical oscillator, 0=14564
- Marcley, R. G. Apparatus drawings project. Report number 10. Air-suspended pucks for momentum experiments, 0=16656
- Marcley, R. G. Apparatus drawings project. Report number 9. Simple kinetic theory demonstration, 0=16730
- Marcley, R. G. Apparatus drawings project. Report number 12. Hall effect magnet, 1=351
- Marcley, R. G. Apparatus drawings project. Report number 11. Classen's method  $e/m$  of electrons apparatus, 1=484
- Marcley, R. G. Apparatus drawings project. Report number 13. Large electromagnet, 1=3038
- Marcley, R. G. Apparatus drawings project. Report number 14. Omegatron for undergraduate laboratory determination of the ratio  $e/m$  of the proton, 1=3187
- Marcley, R. G. Apparatus drawings project. Report number 15. Acceleration carts and track, 1=5247
- Marcley, R. G. Apparatus drawings project. Report number 16. Apparatus for measuring the Rutherford scattering of alpha particles by thin metal foils, 1=7401
- Marcley, R. G. Apparatus drawings project. Report number 20. Versatile electric stop clock control system, 1=10652
- Marcley, R. G. Apparatus drawings project report number 17. Small X-ray tube, 1=10754
- Marcley, R. G. Apparatus drawings project. Report number 18. Nuclear magnetic resonance absorption apparatus, 1=10794
- Marcley, R. G. Apparatus drawings project. Report number 19. Apparatus for electron paramagnetic resonance at low fields, 1=10795
- Marcley, R. G. Apparatus drawings project. Report number 21. Ionization chamber, 2=243
- Marcley, R. G. Apparatus drawings project. Report number 22. Proportional counter, 2=1620
- Marcley, R. G. Apparatus Drawings Project. Report number 23. Impulse-driven torsional mechanical oscillator, 2=4974
- Marcley, R. G. Apparatus Drawings Project. Report number 24. Platinum wedge blackbody, 2=5212
- Marcley, R. G. Apparatus Drawings Project. Report number 25. Whirligig: A conical pendulum for centripetal force experiments, 2=7156
- Marcley, R. G. Apparatus Drawings Project. Report number 26. Vertical Circle Apparatus, 2=11310
- Marcley, R. G. Apparatus Drawings Project. Report number 27. Apparatus for investigating the properties of sound waves, 2=11449
- Marcley, R. G. Apparatus Drawings Project. Report number 28. Versatile X-Y project plotter, 2=13232
- Marcley, R. G. Apparatus Drawings Project Report number 29. Accessory apparatus for large electromagnet, 2=13652
- Marcley, R. G. Apparatus drawings project. Report number 30A. A versatile RC-filtered low-voltage power supply and a calibrated direct-coupled amplifier, 3=346
- Marcley, R. G. Apparatus drawings project report number 30. Atomic beam apparatus for determining the mean free paths of potassium atoms in argon, 3=6367
- Marco, A. De. See De Marco, A.
- Marco, C. See Mandel, M., 4=16385
- Marcone, N. J. and Coll, J. A. Order-disorder in Co-V sigma phase, 4=23259
- Marcos, H. M. See Geusic, I. E., 4=19309
- Marcoux, J. See Gauthier, G., 1=19630
- Marcowitz, S. and Ratner, L. Separation scheme for high energy particles by differential energy loss and momentum analysis, 2=11916
- Marcowitz, S. See Crewe, A. V., 0=1277
- Marcowitz, S. M. Asymmetry in the elastic scattering of polarized protons by deuterium, 0=20136
- Marcowitz, S. M. See Crewe, A. V., 0=9355
- Marcu, M. and Spîrchez, M. A Monte-Carlo calculation of the production spectrum of mesons in jets, 1=5799
- Marcu, M. See Friedländer, E., 2=5917
- Marcu, M. See Friedländer, E. M., 1=5758
- Marcu, M. See Friedländer, E. M., 1=12087
- Marcu, M. See Friedländer, E. M., 2=11918
- Marcu, M. See Friedländer, E. M., 2=12196



- Marcu, M. See Friedländer, E.M., 3=8102
- Marcum, A. See Chambers, B., 3=24531
- Marcus, A. Gallium arsenide band structure calculation, 4=25899
- Marcus, A.B. See Cramer, W.H., 0=4168
- Marcus, B.D. and Dropkin, D. The effect of surface configuration on nucleate boiling heat transfer, 4=2862
- Marcus, B.D. See Gelb, G.H., 4=8486
- Marcus, H. The permeability of a sample of an anisotropic porous medium, 3=7193
- Marcus, J.A. See Condon, J.H., 4=15455
- Marcus, J.A. See Montalvo, R.A., 4=15659
- Marcus, J.A. See Reed, W.A., 2=12400
- Marcus, J.A. See Reed, W.A., 3=13044
- Marcus, L. See Goldberg, J.E., 0=12444
- Marcus, P.M. Critical conditions for thin superconducting films in Ginsberg-Landau theory, 4=18550
- Marcus, P.M. Exact solution of the Ginsburg-Landau equations for slabs in tangential magnetic fields, 4=18551
- Marcus, P.M. See McFee, J.H., 0=19521
- Marcus, P.M. See Schlosser, H., 2=25237
- Marcus, P.M. See Seraphim, D.P., 1=11885
- Marcus, P.M. See Seraphim, D.P., 2=7518
- Marcus, R.A. Interaction in polar media. I. Interparticle interaction energy, 3=9472
- Marcus, R.A. Free energy of nonequilibrium polarization systems. II. Homogeneous and electrode systems, 3=16169
- Marcus, R.A. Interactions in polar media. II. Continua, 3=23894
- Marcus, R.A. Free energy of nonequilibrium polarization systems. III. Statistical mechanics of homogeneous and electrode systems, 4=2578
- Marcus, R.A. Separation of sets of variables in quantum mechanics, 4=24064
- Marcus, R.A. Local approximation of potential-energy surfaces by surfaces permitting separation of variables, 4=28158
- Marcus, R.A. See Kreye, W.C., 2=19157
- Marcus, R.A. See Shilman, A., 3=25835
- Marcus, R.A. See Slagg, N., 1=6574
- Marcus, R.A. See Wieder, G.M., 3=3386
- Marcus, R.B. See Brockway, L.O., 3=10681
- Marcus, R.J. See Haugen, G.R., 4=29754
- Marcus, S.M. and Langenberg, D.N. High-field magnetoresistance in nickel single crystals, 3=15553
- Marcus, W.C. De. See De Marcus, W.C.,
- Marcus, Y. Isotope calculations. Parent activity from daughter growth, 1=13667
- Marcus, Y. See Flegenhimer, J., 2=18273
- Marcuse, D. Stimulated emission from HCN gas maser observed at 88.6 kMc, 1=9684
- Marcuse, D. Hydrogen cyanide molecular beam-type maser, 3=12344
- Marcuse, D. Propagation of light rays through a lens-waveguide with curved axis, 4=18389
- Marcuvitz, N. Abstract operator methods in electromagnetic diffraction, 2=7742
- Marcuvitz, N. Propagation of waves in plasma, 3=7539
- Marcuvitz, N. See Hessel, A., 4=14886
- Marcuzzan, M.G. See Facchini, U., 2=14118
- Marden, A.J. See Hopkins, B.J., 3=12234
- Marder, A.R. Beryllium: effect of ultra-high pressure on resistance, 4=10022
- Marder, L. Flat space-times with gravitational fields, 0=8537
- Marder, L. Gravitational waves in general relativity. V. An exact spherical wave, 1=15647
- Marder, L. On space-times with bounded empty regions, 4=14043
- Mardix, S. See Brada, J., 2=23470
- Mardon, P.G. See Evans, J.P., 0=2789
- Mardon, P.G. See Lee, J.A., 0=12056
- Mardon, P.G. See Pearce, J.H., 0=3675
- Maréchal, A. High-precision pointing, 1=5341
- Maréchal, A., Dupuy, O. and Renault, M. A method of measuring very small optical paths, 2=7342
- Maréchal, A. and Stroke, G.W. The origin of the effects of polarization and of diffraction in optical gratings, 0=2252
- Maréchal, A. See Amat, G., 2=13427
- Maréchal, A. See Fleury, P., 1=1803
- Maréchal, A. See Slansky, S., 0=14794
- Marechal, Y. Pinch effect in indium antimonide, 4=17394
- Maree, J.P. See du Plooy, N.F., 3=22251
- Marek, A. A paradox concerning thermal fluctuations in non-linear systems, 0=7064
- Marek, A. A note to recent theories of Brownian motion in non-linear systems, 1=1883
- Marek, A. See Karlovsky, J., 1=17765
- Marek, I. and Ulegla, I. On the question of anomalous equations for spin- $\frac{1}{2}$  particles, 0=12848
- Marek, J. Observation in the year 1646 of diffraction through a lattice, 1=12999
- Marek, M. See Benda, F., 2=15971
- Marek, N. Contribution to the problem of the fine structure of the polarization spectrum of photo-luminescing dyes, 4=27185
- Marel, L.C. van der. See van der Marel, L.C.
- Marenesi, R., Sacerdoti, G. and Toschi, R. The blocking inductor in the magnet supply circuit of the Italian 1000 MeV synchrotron, 1=8290
- Marenkov, O.S. See Bonch-Bruевич, A.M., 0=16109
- Mareschal, J. See Bertaut, F., 4=2068
- Mareschal, M. See Quezel-Ambrunaz, S., 4=2088
- Marezio, M. See Walker, C.B., 0=16315
- Marezio, M., Plettinger, H.A. and Zachariasen, W.H. Refinement of the calcium metaborate structure, 3=13467
- Marezio, M., Plettinger, H.A. and Zachariasen, W.H. The bond lengths in the sodium metaborate structure, 3=18322
- Marezio, M., Plettinger, H.A. and Zachariasen, W.H. The crystal structure of potassium tetraborate tetrahydrate, 3=25724
- Marezio, M. See Cimino, A., 1=20535
- Marezio, M. See Walker, C.B., 3=13501
- Marezio, M. See Zachariasen, W.H., 4=4598
- Marfaing, Y. Electric properties of InSb p-n junctions, 0=18043
- Marfaing, Y. Nature of the currents in InSb p-n junctions, 1=19889
- Marfaing, Y. Influence of the surface on the photoelectric sensitivity of p-n junctions in InSb, 1=19906
- Marfaing, Y. Electrical properties of large surface indium antimonide junctions, 4=12928
- Marfaing, Y. and Courrier, G. Electrical and photoelectrical properties of p-n junctions in indium antimonide, 3=879
- Marfaing, Y. See Bailly, F., 4=1508
- Marfaing, Y. See Cohen-solal, G., 4=4225
- Marfaing, Y. See Courrier, G., 0=18069
- Marfenina, I. V. See Mikulin, E. I., 4=11231
- Marfenko, S. V., Pevnev, A. K. and Porubai, N. I. Precision mounting of proton synchrotron magnets, 4=14803
- Marfenko, S. V. See Vladimirovskii, V. V., 4=14804
- Marfunin, A. S. See Bershov, L. V., 4=20095
- Marg, E. See Hebbard, F. W., 0=3384
- Marg, E. See Hill, R. M., 1=12988
- Margem, N. See Frota-Pessoa, E., 2=3373
- Margem, N. See Frota Pessoa, E., 4=6093
- Margenau, H. Measurements in quantum mechanics, 4=52
- Margenau, H. Theory of pressure shifts of HCl lines caused by noble gases, 4=15336
- Margenau, H. and Hill, R. N. Correlation between measurements in quantum theory, 2=2633
- Margenau, H. and Jacobson, H. C. Theory of pressure shifts of HCl lines caused by noble gases, 3=11837
- Margenau, H. and Jacobson, H. C. Theory of pressure shifts of HCl lines caused by noble gases, 3=12820
- Margenau, H. See Herman, R., 1=8811
- Margenau, H. See Kelly, D., 0=16995
- Margenau, H. See Mallozzi, P., 3=14577
- Margenau, H. See Mallozzi, F., 4=16482
- Margenau, H. See Sadjian, H., 2=1416
- Margenau, N., Dezhodzh, E. and Stillinger, D. Conductivity of weakly ionized air, 0=3730
- Margerie, J. Differences between probabilities of absorption of green light by the four Zeeman sub-levels of the fundamental state  $A_2$  of ruby, 2=6557
- Margerie, J. Identification of the components of the  $A_2 \rightarrow {}^2F_1$  transition in ruby, 3=3015
- Margerie, J. Measurement of the optical absorption coefficients, for circularly polarized light, in each of the four sub-levels of the ground state of  $Cr^{3+}$ , for the Green band  $A_2 \rightarrow {}^4F_2$  in ruby, 4=7123
- Margerie, J. and Romestain, R. A study of the structure of the excited state of F centres in caesium halides, 4=25971
- Margerie, J. See Brossel, J., 4=26218
- Margerie, J. See Karlov, N. V., 4=10000
- Margerie, J. See Romestain, R., 4=17449
- Margerum, E. A. See Roth, E. A., 2=23914
- Margolin, H. See Adler, P. N., 4=30806
- Margolin, H. See Farrar, P. A., 4=13504
- Margolin, S. D. and Fakidov, I. G. Magnetic studies of alloys of the chromium-germanium system, 1=11424



- Margolina, V.I. See Shur, Ya.S., 0=6232
- Margolis, B. Neutron polarization by Coulomb scattering, 1=5731
- Margolis, B. Two-photon decay and the lifetime of giant resonance states, 2=3478
- Margolis, B. and Rotsstein, A.  $K\pi$  scattering, 4=951
- Margolis, B. See Auerbach, E.H., 4=3459
- Margolis, B. See Englefield, M., 1=5785
- Margolis, B. See Greenberger, D.M., 1=7206
- Margolis, B. See Greenberger, D.M., 2=279
- Margolis, B. See Krueger, T.K., 2=3586
- Margolis, B. See Landowitz, L.F., 0=1313
- Margolis, B. See Mossin-Kotin, C., 0=2681
- Margolis, D. See Kreith, F., 0=6977
- Margolis, J.S. Energy levels of  $\text{PrCl}_2$ , 1=19973
- Margolis, J.S., Stafsudd, O. and Wong, E.Y. Fluorescence in mixed crystals of  $\text{Ce:PrCl}_2$ , 3=15706
- Margolis, J.S. See Satten, R.A., 0=4252
- Margolis, L.Ya. See Enikeev, E.Kh., 0=11710
- Margolis, L.Ya. See Vladimirova, V.I., 0=17118
- Margoninski, Y. Effect of chemical etches on the fast germanium surface states, 0=13601
- Margoninski, Y. Effect of a constant electrical field on germanium fast surface states, 1=5018
- Margoninski, Y. Electrical measurements on clean and oxidized germanium surfaces, 4=6969
- Margoninski, Y. and Farnsworth, H.E. Influence of wet and dry ambients on fast surface states of germanium, 1=1295
- Margoshes, M. Emission flame photometry, 2=17581
- Margoshes, M. and Scribner, B. F. A study of the gas-stabilized arc as an emission source for the measurement of oscillator strengths. Determination of some relative gf-values for FeI, 4=8431
- Margotin, P. and Durand, R. Measurement of the resistance of a conductor using a d.c. induction method: Application to the control of metal purity, 2=2965
- Margottin-Maclou, M. Calculation of force field and interpretation of vibration spectra of methyl alcohol ( $\text{CH}_3\text{OH}$ ,  $\text{CH}_3\text{OD}$ ,  $\text{CD}_3\text{OH}$  and  $\text{CD}_3\text{OD}$ ), 1=13984
- Margrave, J.L. Ionization potentials for  $\text{C}_2\text{F}_4$ ,  $\text{C}_2\text{F}_3\text{Cl}$ ,  $\text{C}_2\text{F}_2\text{Cl}_2$  and the appearance potential of  $\text{CF}_2^+$  from  $\text{C}_2\text{F}_4$ , 0=3735
- Margrave, J.L. Ionization potentials of  $\text{B}_2\text{H}_6$ ,  $\text{B}_2\text{H}_5\text{I}$ ,  $\text{B}_3\text{H}_8$ , and  $\text{B}_{10}\text{H}_{12}\text{C}_2\text{H}_5$  from electron impact studies, 0=14963
- Margrave, J.L. and Wendt, R.P. Ratio ( $C_p/C_v$ ) for perchloryl fluoride from velocity of sound measurements, 0=105
- Margrave, J.L. See Bautista, R.G., 4=5475
- Margrave, J.L. See Blue, G.D., 3=21638
- Margrave, J.L. See Green, J.W., 0=14972
- Margrave, J.L. See Green, J.W., 2=7561
- Margrave, J.L. See Grimley, R.T., 1=2380
- Margrave, J.L. See Grosser, A.E., 3=12883
- Margrave, J.L. See Iczkowski, R.P., 1=18754
- Margrave, J.L. See Iczkowski, R.P., 3=18851
- Margrave, J.L. See McCarty, L.D., 3=22553
- Margrave, J.L. See Mezaki, R., 3=770
- Margrave, J.L. See Paule, R.C., 4=5468
- Margrave, J.L. See Paule, R.C., 4=8510
- Margrave, J.L. See Poland, D.E., 1=8257
- Margrave, J.L. See Sathianandan, K., 3=22573
- Margrave, J.L. See Scheffee, R.S., 0=10689
- Margrita, R. See Bastard, C., 0=19756
- Marguer, G., Chéry, R., Juillard, A. and Moussa, A. Contribution to the study of internal conversion electrons from  $\text{Pm}^{151}$ — $\text{Sm}^{151}$  decay, 4=17064
- Marguer, G. and Juillard, A. Spectrum of internal conversion electrons of the disintegration  $\text{Pm}^{151} \rightarrow \text{Sm}^{151}$ , 3=12634
- Marguin, G. The problem of processing a given volume of emulsion, 0=193
- Marguin, P. Recent measurements of the Auger effect in the K and L shells of mean elements, 1=13744
- Marguin, P. and Moussa, M.A. Proton recoil proportional counter used in spectrometry of fast neutrons, 0=3880
- Marguin, P. and Moussa, A. Study of the K and L Auger electrons of  $\text{Ba}^{137}$ , 1=7354
- Marguin, P. and Moussa, A. Conversion and Auger (K and L) electrons in the decay  $\text{Tm}^{170}$ — $\text{Yb}^{170}$ , 1=7355
- Marguin, P. See Ravier, J., 1=13740
- Margulies, R. S. and Scarf, F. L. Electromagnetic scattering from a spherical nonuniform medium. II. The radar cross section of flare, 4=14893
- Margulies, S. Broadening of the Mössbauer line for Gaussian spectra, 4=3971
- Margulies, S., Debrunner, P. and Frauenfelder, H. Transmission and line broadening in the Mössbauer effect. II, 3=12566
- Margulies, S. and Ehrman, J.R. Transmission and line broadening of resonance radiation incident on a resonance absorber, 2=3470
- Margulies, S. and Engler, C. Evaluation of the  $\lambda_4$  and  $\lambda_6$  Coulomb correction factors in first-forbidden  $\beta$  decay, 4=9440
- Margulies, S. See Collin, W., 3=22308
- Margulies, S. See DePasquale, G., 0=7465
- Margulies, S. See Sherwin, C.W., 0=10569
- Margulis, T.N. and Templeton, D.H. Crystal and molecular structure of triethylscarphane, 2=15039
- Margulis, T.N. See Templeton, D.H., 4=10450
- Margulis, U.Ya. See Grammatikati, V.S., 2=6053
- Margulis, U.Ya. See Khrushchev, V.G., 3=2396
- Margulova, T.Kh. and Sterman, L.S. Raising the efficiency of gas-cooled power reactors, 3=8163
- Marhoeffer, C.J. See Meister, R., 0=8651
- Maria, H. and Zahlan, A. Exciton-phonon interaction in crystalline benzene, 3=10586
- Maria, H. J. Linewidth of the exciton absorption in naphthalene crystals, 4=9916
- Maria, H.J. See Fritz, J.J., 1=10630
- Maria, H.J. See Fritz, J.J., 1=11866
- Maria, H.J. See Fritz, J.J., 3=9665
- Mariam, S. See Venkateswarlu, K., 2=11375
- Mariam, S. See Venkateswarlu, K., 3=22578
- Mariam, S. See Venkateswarlu, K., 3=22579
- Mariam, S. See Venkateswarlu, K., 3=25115
- Mariani, C. See Vacaigo, A., 1=17372
- Mariani, E. See Kessler, A., 4=12803
- Mariani, F. On the general theory of thermal and gravitational excitation of atmospheric oscillations, 0=6439
- Mariani, F. Evidence for the effect of corpuscular radiation on the ionosphere, 4=10750
- Mariani, F. A new theoretical model of the composite F-layer, 0=14239
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionospheric, and cosmic ray perturbations: interdependence and relation to solar activity, 0=6442
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionospheric, and cosmic ray perturbations: interdependence and relation to solar activity, 0=6443
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionospheric and cosmic ray perturbations: their interdependence and relation to solar activity, 1=1524
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionosphere and cosmic ray disturbances: interdependence and relation with solar activity, 1=15250
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionospheric and cosmic-ray perturbations: Interdependence and relations with solar activity, 4=4795
- Mariano, A.N. and Hanneman, R.E. Crystallographic polarity of  $\text{ZnO}$  crystals, 3=11259
- Mariano, A.N. and Warekois, E. P. High pressure phases of some compounds of groups II—VI, 4=10433
- Mariano, A.N. See Banus, M.D., 3=20771
- Mariano, A.N. See Hanneman, R.E., 4=26653
- Mariano, A.N. See Kafalas, J.A., 4=17770
- Mariano, A.N. See Reed, T.B., 2=8792
- Mariano, A.N. See Warekois, E.P., 2=6791
- Marić, Z. On the application of dispersion formula to photo-nuclear reactions, 2=3548
- Marichev, V.A. See Bokshstein, S.Z., 4=7435
- Maricic, S., Pravidic, V. and Veksli, Z. Proton conductivity in borax,  $\text{Na}_2[\text{B}_4\text{O}_5(\text{OH})_4] \cdot 8\text{H}_2\text{O}$ , 3=2904
- Maričić, S., Veksli, Z. and Pintar, M. Proton magnetic resonance in borax, 2=14855
- Maričić, S. See Blinc, R., 3=18153
- Maričić, S. See Blinc, R., 3=23256
- Maričić, S. See Blinc, R., 4=7348
- Maričić, S. See Blinc, R., 4=23070
- Marie, G., Billard, P. and Donjon, J. Transmission of a television image by means of a light beam modulated by the electro-optic effect, 4=18370
- Marie, G. See Angel, Y., 1=4650
- Mariens, P. See Creutz, E., 4=25319
- Marignan, R. Diffusion. Methods — possibilities. Application to the study of ionic interactions, 0=2164
- Marignan, R. and Crouzat-Reynes, G. Diffusion in porous media. Steady state flow and "progressive" flow, 4=5166
- Marikhin, V.A., Slutsker, A.I. and Yastrebinskii, A.A. Investigation of the structure of oriented polyethylene terephthalate, 3=18372
- Marikhin, V.A. See Slutsker, A.I., 1=16580



- Marikhin, V.A. See Slutsker, A.I., 2=119  
 Marikhin, V.A. See Zhurkov, S.N., 0=6318  
 Marikhin, V.A. See Zhurkov, S.N., 0=12065  
 Marikyan, G.A. See Karabekov, I.P., 4=16723  
 Marimont, R.B. Model for visual response to contrast, 2=15432  
 Marimont, R.B. Linearity and the Mach phenomenon, 3=9302  
 Marin, L. and Koreger, R.C. Preliminary investigation of the equivalence of acoustically and mechanically induced vibrations, 2=13396  
 Marin, M. See Dollfus, A., 1=15483  
 Marin, P., Movchet, J. and Poupaud, J. The reaction  $Al^{27}(p,\gamma)Si^{28}$ , 0=5741  
 Marin, P. and Vo-Xuan, B. Recombination column between positive ions and electrons in nitrogen, 0=14983  
 Marin, P. See Bernardini, C., 3=17005  
 Marin, P.C. See Backenstoss, G.K., 0=15337  
 Marin, P.C. See Backenstoss, G., 1=8478  
 Marin, P.C. See Backenstoss, G., 2=22549  
 Marin, P.C. See Backenstoss, G., 3=10139  
 Marinace, J.C. Tunnel diodes by vapor growth of Ge on Ge and on GaAs, 0=18025  
 Marinace, J.C. Epitaxial vapor growth of Ge single crystals in a closed-cycle process, 0=18325  
 Marinace, J.C. Diffused junctions in GaAs injection lasers, 4=8988  
 Marinace, J.C. See Nathan, M.I., 3=6609  
 Marinace, J.C. See Nathan, M.I., 4=4297  
 Marinace, J.C. See O'Rourke, M.J., 0=18023  
 Marinace, J.C. See Ruth, R.P., 0=11693  
 Marinaro, M. and Tanaka, K. The pion-'pion effect on low-energy pion-nucleon scattering, 2=9905  
 Marinaro, M. See Caianiello, E.R., 3=10012  
 Marinaro, M. See Campolattaro, A., 2=3243  
 Marinaro, M. See Carrelli, A., 1=15809  
 Marinaro, M. See Carrelli, A., 3=6769  
 Marinaro, M. See Galzenati, E., 0=15307  
 Marinchuk, A.E. and Moskalenko, V.A. Thermodynamics of a crystal lattice, 4=1358  
 Marinchuk, A.E. See Perlin, Yu.E., 1=20034  
 Marinchuk, A.E. See Perlin, Yu.E., 2=4194  
 Marinder, B.O. The crystal structure of niobium dioxide, 2=23849  
 Marinder, B.O. See Magnéli, A., 4=7603  
 Mariner, T. Critique of the reverberant room method of measuring air-borne sound transmission loss, 1=11824  
 Mariner, T. Comments on impact noise measurement, 3=23989  
 Marinesco, M. and Popov, V.M. The application of Liapounov's second method to the study of automatic regulating systems for nuclear reactors, 1=2264  
 Marinescu, L. See Dragomirescu, D., 2=22369  
 Marinescu, N. See Grigorovici, R., 2=12518  
 Marinescu, N. See Grigorovici, R., 2=18682  
 Marinescu, N. See Grigorovici, R., 3=8507  
 Marinets, T.K. See Moroz, L.S., 3=18193  
 Marinets, T.K. See Parshin, A.M., 3=23349  
 Maringer, R.E. The effects of directional ordering on the damping of zone-melted iron, 0=10167  
 Maringer, R.E. Some effects of directional ordering in zone-melted iron, 1=6447  
 Maringer, R.E. Magnetoelastic damping in zone-melted iron, 4=26303  
 Maringer, R.E. and Duga, J.J. Fatigue of indium antimonide, 1=14859  
 Maringer, R.E. See Klein, M.J., 4=26501  
 Marini, G. See Alberigi-Quaranta, A., 3=7879  
 Marini, G. See Bachelet, F., 0=2609  
 Marini, G. See Bachelet, F., 0=15490  
 Marini, G. See Bachelet, F., 0=15491  
 Marini, G. See Bachelet, F., 1=3344  
 Marini, G. See Bachelet, F., 1=16926  
 Marini, G. See Del Fabbro, R., 4=25088  
 Marini, J.W. Radiation and admittance of a slotted-sphere antenna surrounded by a plasma sheath, 2=3157  
 Marini, J.W. Radiation in a lossless magneto-ionic medium at frequencies high relative to the electron gyro-frequency, 4=3177  
 Marini, M. Linearized supersonic flow in a jet or in a nearly cylindrical tube, 1=4312  
 Marini, V.G. Motion of electrons in a magnetic field with spatial modulation, 4=3043  
 Marinkov, L., Mladjenović, M., Stepić, R. and Župančić, M. L and M conversion ratios in  $Os^{192}$  and  $Pt^{192}$ , 0=20407  
 Marinkov, L.G. and Župančić, M.T. Level scheme of  $^{192}Os$ , 2=22738  
 Marinković, M. See Pešić, D., 3=16774  
 Marinković, M.D. On spectrochemical determination of thorium by d.c. arc, 0=21298  
 Marinković, M.D. See Mazing, M.A., 4=18846  
 Marinković, S. Solid solution formation in the  $U_3O_8 \rightarrow UO_2$  transformation, 3=25765  
 Marinković, V. and Amelinckx, S. Anti-phase domains and dislocation ribbons in tealite ( $PbSnS_2$ ), 4=30563  
 Marinković, V. See Blinc, R., 3=18153  
 Marinković, V. See Navinšek, B., 3=9878  
 Marino, L.L. Charge transfer between cesium atoms and rubidium 85 and rubidium 87 ions, 4=24563  
 Marino, L.L., Smith, A.C.H. and Caplinger, E. Charge transfer between positive cesium ions and cesium atoms, 3=5629  
 Marino, L.L. See Ewbank, W.B., 0=20327  
 Marino, L.L. See Neynaber, R.H., 1=11079  
 Marino, L.L. See Neynaber, R.H., 1=17279  
 Marino, L.L. See Neynaber, R.H., 3=8207  
 Marino, L.L. See Neynaber, R.H., 4=25567  
 Marino, L.L. See Petersen, F.R., 0=1353  
 Marino, L.L. See Rothe, E.W., 2=3001  
 Marino, L.L. See Rothe, E.W., 2=10222  
 Marino, L.L. See Trujillo, S.M., 4=11438  
 Marinov, A. See Bauminger, R., 1=7769  
 Marinov, A. See Bauminger, R., 1=9037  
 Marinov, A. See Bauminger, R., 1=11454  
 Marinov, A. See Bauminger, R., 2=1777  
 Marinov, A. See Bauminger, R., 3=994  
 Marinov, A. See Lee, L.L., Jr., 4=15160  
 Marinov, A. See Ofer, S., 0=17920  
 Marinov, M. On the phenomena of polarization in CdS crystal counters, 0=19974  
 Marinov, M. A method of converting continuous magnitudes into their digital equivalent, 4=27441  
 Marinov, M., Marinova, E. and Germanova, K. Negative conductivity pulses in CdS crystal counters, 2=11833  
 Marinov, M., Marinova, E. and Vodenicharov, H. Counting efficiency of crystal counters of cadmium sulphide with electrodes on one side, 4=24944  
 Marinov, M. and Vodenicharov, H. Counting efficiency of thin CdS crystals used as channel conductors, 1=1986  
 Marinov, M. See Zhelyazkov, I., 1=7166  
 Marinov, M.S. A form-factor satisfying the unitarity condition, 3=14922  
 Marinov, M.S. Interaction between particles with spins and the Regge poles, 4=16837  
 Marinov, M.S. and Roginsky, V.I. Crossing relations for helicity scattering amplitudes, 4=9080  
 Marinova, E. See Marinov, M., 2=11833  
 Marinova, E. See Marinov, M., 4=24944  
 Marinova, K. See Kūnev, S., 4=26037  
 Marinova, K. See Kūnev, S., 3=17872  
 Marinos, A. See Bauminger, R., 4=12581  
 Marinsky, J.A. See Eichler, E., 2=16321  
 Marion, J.B. Accelerator energy calibrations, 1=13138  
 Marion, J.B. A comment on precision measurements of the binding energy of the deuteron, 2=5749  
 Marion, J.B., Levesque, R.J.A., Ludemann, C.A. and Detenbeck, R.W. A versatile, high efficiency  $4\pi$  neutron detector, 1=16820  
 Marion, J.B. See Altman, A., 2=14082  
 Marion, J.B. See Figuera, A.S., 3=24929  
 Marion, J.B. See Phillips, G.C., 4=22142  
 Marion, J.B. See Young, F.C., 3=10346  
 Marion, J.B. See Young, F.C., 3=17465  
 Marion, J.P. See Bollinger, L.M., 4=3669  
 Marioni, C. See Amar, V., 2=7900  
 Mariot, L. and Pigeaud, P. The scalar meson field in the Jordan-Thiry theory, 3=23759  
 Mariot, L. and Pigeaud, P. The meson fields in a six-dimensional theory, 4=3319  
 Mariot, L. and Pigeaud, P. Commutators in the N-dimensional theory, 4=16030  
 Maripuu, S. See Dubois, J., 3=12665  
 Maripuu, S. See Dubois, J., 4=15156  
 Maris, H.J. An improved technique for generating mechanical waves in the frequency range 600-1200 Mc/s, 4=21232  
 Maris, T.A.J. A remark on the isobaric spin space, 1=8419  
 Maris, T.A.J. An interpretation of the isobaric spin space, 1=16662  
 Maris, T.A.J., Herscovitz, V.E. and Jacob, G. Quantum electrodynamics with zero bare fermion mass, 4=16795  
 Maris, T.A.J., Herscovitz, V.E. and Jacob, G. A generalization of the Landau gauge, 4=30146



- Maris, T.A.J. See Dillenburg, D., 2=16337  
 Maris, T.A.J. See Dillenburg, D., 4=19655  
 Maris, T.A.J. See Hillman, P., 0=17587  
 Maris, T.A.J. See Jacob, G., 0=20447  
 Maris, T.A.J. See Jacob, G., 1=3439  
 Maris, T.A.J. See Jacob, G., 1=8718  
 Maris, T.A.J. See Jacob, G., 1=19327  
 Maris, T.A.J. See Jacob, G., 2=10089  
 Maris, T.A.J. See Jacob, G., 2=10090  
 Maris, T.A.J. See Tyrén, H., 0=11075  
 Maris, Th. A. J. An electrodynamic approach to the electron-muon mass ratio, 4=3383  
 Maris, Th. A. J. See Dillenburg, D., 3=22273  
 Maris, Th. A. J. See Haag, R., 4=5923  
 Marish, C. Phenomenological treatment of pion-pion production, 2=16226  
 Marish, K.S. and Soroko, L.M. Complete set of experiments for determination of relations between the amplitudes for pion production by nucleons in various isotopic spin states, 1=16851  
 Marish, K.S. See Akimov, Yu.K., 0=9357  
 Marish, K.S. See Akimov, Yu.K., 0=11169  
 Marish, K.S. See Akimov, Yu.K., 2=287  
 Marish, K.S. See Akimov, Yu.K., 2=7889  
 Marish, K.S. See Akimov, Yu.K., 3=4390  
 Marish, K.S. See Guzhavin, V.M., 4=19551  
 Marisova, S.V. See Brodin, M.S., 2=694  
 Marisova, S.V. See Brodin, M.S., 2=18794  
 Marisova, S.V. See Brodin, M.S., 2=18809  
 Mariwalla, K.H. Explicit representation of discrete-symmetry operators in quantum theory of free fields, 2=22383  
 Mark, A. Single crystal silicon overgrowths, 1=15014  
 Mark, F.G. See Krigbaum, W.R., 4=3938  
 Mark, H. and Mirtich, M.J., Jr. Transition in shock-tube boundary layers, 2=9302  
 Mark, H. and Mirtich, M.J., Jr. Reply to comments by Emrich and Gion, 3=7284  
 Mark, H. See Anderson, J.D., 3=19750  
 Mark, H. See Eskind, N.A., 3=8991  
 Mark, H. See Guerriero, L., 0=19981  
 Mark, H. See Halim Kazi, A., 1=12128  
 Mark, H. See Hansen, L.F., 2=7984  
 Mark, H. See Hansen, L.F., 2=7984  
 Mark, H. See Jopson, R.C., 0=17149  
 Mark, H. See Jopson, R.C., 1=17050  
 Mark, H. See Jopson, R.C., 2=20757  
 Mark, H. See Jopson, R.C., 3=4711  
 Mark, H. See Jopson, R.C., 3=19953  
 Mark, H. See Jopson, R.C., 4=9652  
 Mark, H. See Jopson, R.C., 4=30386  
 Mark, H. See Kazi, A.H., 0=17283  
 Mark, H. See Walters, T.J., 0=7535  
 Mark, H.F. and Atlas, S.M. Structural and rheological properties of glass, 3=6770  
 Mark, J.T. See Dreyer, K., 1=4619  
 Mark, P. A simple method for preparing thin single crystals of naphthalene, anthracene, diphenyl, p-terphenyl and p-quaterphenyl from the vapor phase, 2=4386  
 Mark, P. Photo-induced chemisorption on insulating CdS crystals, 4=30900  
 Mark, P. and Helfrich, W. Space-charge-limited currents in organic crystals, 2=2130  
 Mark, P. and Kallmann, H.P. A.C. impedance measurements of photoconductors containing blocking layers analysed by the Maxwell-Wagner theory, 2=21184  
 Mark, P. See Grey, D.S., 0=148  
 Mark, P. See Helfrich, W., 2=8353  
 Mark, P. See Helfrich, W., 2=16715  
 Mark, P. See Helfrich, W., 3=4844  
 Mark, P. See Lampert, M.A., 4=28546  
 Mark, P. See Silver, M., 2=23259  
 Mark, R. Dual light source for a large field diffused-light polariscope, 4=18397  
 Mark, R.P. The contrast transmission function of photographic shutters, 4=5408  
 Markali, J. An electron microscopic contribution to the oxidation of titanium at intermediate temperatures, 3=18434  
 Markarian, B.E. Physical chain of galaxies in the Virgo cluster and its dynamic instability, 2=7021  
 Markau, K. and Maier, W. On the  $C^{13}$  hyperfine structure in the e.s.r. spectrum of the naphthalene negative ion for natural abundance, 1=17345  
 Markau, K. and Maier, W. Electron spin resonance spectra of negative radical ions of nitrogen-containing heterocyclics, 2=10278  
 Markelov, V.V. See Keirim-Markus, I.B., 2=20190  
 Markelov, V.V. See Keirim-Markus, I.B., 4=16740  
 Markelova, A.A. See Breido, I.I., 2=17246  
 Markelova, A.A. See Breido, I.I., 2=24096  
 Marker, D. See Hanson, R.J., 4=20853  
 Marker, D.G. See Signell, P., 4=16888  
 Marker, R.C. Vacuum techniques and components used for a continuously pumped linear electron accelerator, 1=4676  
 Markestein, T. and van der Plas, T. An aqueous homogeneous zero-energy suspension reactor. III. Measurements of the fission recoil separation effect in an aqueous fuel suspension using a homogeneous subcritical reactor assembly, 2=12267  
 Markestein, T. See Hermans, M.E.A., 3=2538  
 Markevich, N.N. and Putseiko, E.K. Effect of binders on the photoconductivity kinetics of zinc oxide, 3=17964  
 Markevych, I.V. See Sheinkman, M.K., 4=1598  
 Markham, J.J. Interaction of normal modes with electron traps, 0=2806  
 Markham, J.J. and Hersh, H.N. Optical absorption of F bands in thallium-doped potassium halides, 0=16065  
 Markham, J.J. and Konitzer, J.D. Experimental study of the shape of the F band absorption in NaCl, 1=10017  
 Markham, J.J. and Mergerian, D. Use of a different type of fluorescent material as an optical maser, 2=692  
 Markham, J.J. and Noble, G.A. Optical and paramagnetic properties of "pure" F centers in alkali halides, 2=23214  
 Markham, J.J. See Casselman, T.N., 3=15421  
 Markham, J.J. See Hersh, H.N., 0=6050  
 Markham, J.J. See Konitzer, J.D., 0=6180  
 Markham, J.J. See Noble, G.A., 2=6386  
 Markham, J.J. See Noble, G.A., 4=30585  
 Markham, J.J. See Stungis, G.E., 4=22634  
 Markham, M.F. Scattering of ultrasonic stress pulses in a polycrystalline solid, 4=1387  
 Markham, M.F. See Musgrave, M.J.P., 1=5322  
 Markham, T.P. See Fastie, W.G., 2=916  
 Markham, T.P. See Noxon, J.F., 4=13822  
 Markichev, E.N. Determination of the cosmic-ray contribution to the background of gas-filled counters, 3=24537  
 Markin, A.S. See Bazhulin, P.A., 4=28727  
 Markin, B.I. An investigation of the electrical conductivity of ternary silver-thallium-boron glasses, 0=15881  
 Markin, B.I. Investigation of the electrical conductivity of rubium-boron glasses, 1=10033  
 Markin, E.P. and Sobolev, N.N. The infrared reflection spectra of boron oxide and fused quartz at high temperatures, 1=11379  
 Markin, E.P. See Bagaev, V.S., 4=3224  
 Markin, E.P. See Basov, N.G., 2=652  
 Markin, E.P. See Basov, N.G., 2=23474  
 Markin, E.P. See Basov, N.G., 4=8983  
 Markin, E.P. See Basov, N.G., 4=11826  
 Markin, P.S. See Bolotin, L.L., 3=2045  
 Markin, P.S. See Bolotin, L.L., 3=2046  
 Markin, S.A. See Vlasov, V.P., 1=2429  
 Markin, V.I. Investigation of the electrical conductivity of Rubidium-Boron glasses, 1=11270  
 Markina, L.I. See Filippov, L.P., 4=29793  
 Markiv, V.Ya. See Teslyuk, M.Yu., 3=16091  
 Märkl, H. On the possible instability of the power density and xenon concentration in a large thermal power reactor, 1=3490  
 Märkl, H. Investigations on a generalization of Wilkin's thermalization theory of a homogeneous medium to heterogeneous and a quasi-heterogeneous media, 2=13816  
 Marklund, I., Karlsson, E. and Korkman, K. Decay studies in the neutron-deficient Au-isotopes. Pt A: Odd isotopes, 2=12160  
 Marklund, I. and Lindström, B. Precision determination of gamma energies of nuclei with  $A = 152-197$ , 3=8004  
 Marklund, I., Nathan, O. and Nielsen, O.B.  $0^+$  states of  $Sm^{152}$  and  $Gd^{152}$ , 0=7526  
 Marklund, I., Van Nooijen, B. and Grabowski, Z.  $0^+$  levels of even nuclei in the rare-earth region, 0=7477  
 Marklund, I. See Bäckström, G., 1=662  
 Marklund, I. See Grabowski, Z., 1=668  
 Marklund, I. See Grabowski, Z., 1=3418  
 Marklund, I. See Lindström, B., 4=9458  
 Marklund, I. See Suter, T., 2=3528  
 Mar'ko, V.I. See Karadzhev, K.V., 3=24932  
 Markocki, W. The preparation of nuclear emulsions with an increased percentage of silver halide in gelatine, 0=12734



- Markocki, W. and Gizejowska, E. The use of diphenyl iodonium nitrate as an aid in the development of emulsions for nuclear research, 0=12756
- Markov, A.A. Difference measurements with multichannel [ $\gamma$ -Ray] spectrometers, 3=2236
- Markov, A.A. See Baiukov, Yu.D., 1=19167
- Markov, A.A. See Baiukov, Yu.D., 1=19168
- Markov, A.A. See Levin, G.L., 3=24361
- Markov, A.A. See Vasil'ev, G.Ya., 0=1759
- Markov, A.V. On the determination of the nature and structure of details on the reverse side of the moon from photographs obtained at low phase angles, 2=17247
- Markov, A.V. On the determination on the nature and structure of details on the reverse side of the moon from photographs obtained at low phase angles, 2=24097
- Markov, A.V. and Shchegolev, D.E. Attempt at a photometric study of the nature of surface details on the reverse side of the moon, 2=17248
- Markov, A.V. and Shchegolev, D.E. Attempt at a photometric study of the nature of surface details of the reverse side of the Moon, 3=23672
- Markov, B.N. See Indreash, G., 3=24419
- Markov, B.N. See Oganesian, Yu.Ts., 3=24986
- Markov, G.S. See Selikhova, V.I., 4=20474
- Markov, M.A. A method of regularization in field theory, 3=7758
- Markov, M.A. On the theory of weak interactions, 3=7780
- Markov, M.A. On possible existence of neutrino superstars, 4=23850
- Markov, M.A. Difference between muon and electron masses. Two types of Dirac fields, 4=25124
- Markov, M.A. and Nguen Van Kh'eu. Neutral baryon currents and single production of hyperons, 2=7905
- Markov, M.A. and Nguen Van Kh'eu. Neutral baryon currents and single production of hyperons, 3=6085
- Markov, M.A. and Zheleznykh, I.M. On high energy neutrino physics in cosmic rays, 1=19300
- Markov, M.A. See Kuzmin, V.A., 3=4527
- Markov, M.A. See Zheleznykh, I.M., 3=22253
- Markov, M.N. Transistorized input amplifier for a bolometer, 2=19769
- Markov, M.N. and Khaikin, A.S. Optical properties of bismuth in bulk in the 3-36  $\mu$ spectral region, 1=5812
- Markov, M.N. and Kruglyakov, E.P. Local sensitivity of PbS photoresistors, 1=14515
- Markov, M.N. and Lindstrem, I.S. Optical properties of evaporated bismuth in the 3-15  $\mu$  spectral region, 0=10027
- Markov, M.N. and Lindstrem, I.S. Resistivity of vacuum-deposited bismuth, 0=11660
- Markov, M.N., Merson, Ya. L. and Shamilev, M.R. Investigation of the field of thermal radiation of the stratosphere and troposphere in the infrared region of the spectrum from geophysical balloons, 4=26795
- Markov, M.N. See Aver'vanov, I.R., 3=23566
- Markov, M.N. See Liventsov, A.V., 3=3437
- Markov, P. See Zlateva, A., 4=21907
- Markov, P.K., Tsýganov, E.N., Shafranov, M.G. and Shakhbazyan, B.A. Elastic scattering of 8.5 BeV protons on protons, 0=20134
- Markov, P.K. and Vodenicharov, Kh.M. Heat loss with free convection of two parallel wires, 2=9432
- Markov, P.K. See Barashenkov, V.S., 0=3966
- Markov, P.K. See Barashenkov, V.S., 0=4088
- Markov, P.K. See Barashenkov, V.S., 2=1869
- Markov, P.K. See Bogachev, N.P., 0=11400
- Markov, P.K. See Dalkhazhav, N., 4=25150
- Markov, P.K. See Do In Seb, 2=5640
- Markov, P.K. See Do In Seb, 3=4393
- Markov, P.K. See Lyubimov, V.B., 0=11167
- Markov, P.K. See Zhdanov, G.B., 0=9617
- Markov, P.K. See Zlatanov, Z.M., 4=11997
- Markov, P.K. See Zlatanov, Z.M., 4=27355
- Markov, P.K. See Zlateva, A.I., 2=9842
- Markov, P.K. See Zlateva, A.I., 3=24726
- Markov, P.K. See Zlateva, A.I., 4=27886
- Markov, P.K. See Zlateva, A.J., 4=11998
- Markov, V. The law of interaction between mass and energy and the problem of unity of the universe, 4=27038
- Markov, V.K. See Livshits, L.D., 3=16014
- Markova, G.V. See Fishkova, L.M., 1=12700
- Markova, S.V. Study of the intensities of the infrared absorption bands of stretching vibrations in germanium-organic compounds, 4=30463
- Marković, B. and Miller, D. Influence of light source size on interference in geometrical shadow, 1=16104
- Marković, H. See Popović, D., 0=20519
- Marković, H. See Popović, D., 0=20520
- Marković, H. See Raišić, N., 0=20521
- Marković, H. See Rzeszot, T., 4=1158
- Marković, V. See Krašnicki, Sz., 4=28828
- Marković, V. See Radak, B., 2=6000
- Marković, V. See Radak, B., 3=696
- Markovich, M.G. and Tsukkerman, I.I. Spherical aberration of quadrupole magnetic lenses, 1=1918
- Markovitz, H. Free vibration experiment in the theory of linear viscoelasticity, 3=11165
- Markovitz, H. and Coleman, B.D. Nonsteady helical flows of second-order fluids, 4=18158
- Markovitz, H. See Coleman, B.D., 4=5136
- Markovskii, L.Ya. and Orshanskaya, N.S. Luminescence properties of zinc oxide activated with selenium, 0=21008
- Markovskii, L.Ya. and Smirnova, R.I. The luminescence properties of gold-activated zinc selenide, 1=17913
- Markovskii, L.Ya. and Smirnova, R.I. Influence of oxygen on the luminescence properties of activatorless zinc selenide, 2=18867
- Markovskii, L.Ya. See Mironov, I.A., 4=22925
- Markov's'kii, Ye.A. and Chornyi, V.G. Structural changes in nickel during cold welding, 2=8734
- Markovych, M.L. and Muchn'yk, V.M. Structure of thunderstorm showers according to the data of the intensity distribution of a radio echo with height, 1=20833
- Markowitz, D. and Kadanoff, L.P. Effect of impurities upon critical temperature of anisotropic superconductors, 3=19100
- Markowitz, S.S. See Reeder, P.L., 4=9547
- Markowitz, W. The atomic time scale, 3=11750
- Markowska, E. and Swiderski, J. Measurement of the surface recombination velocity for silicon, 4=6987
- Marks, C.P. See Aldenkamp, A.A., 0=9132
- Marks, D.R. See Long, R.J., 1=12786
- Marks, G.W. Dependence of acoustic velocity in some aqueous hydroxide solutions on temperature and concentration, 0=5012
- Marks, G.W. see Redin, R.D., 3=10876
- Marks, I. See Enck, F.D., 2=14387
- Marks, J. See Bradley, J.E.S., 2=3469
- Marks, J. See Nesteruk, K., 4=21199
- Marks, K.R. See Martin, L.H., 0=18504
- Markstein, G.H. Modified double slit interferometer for shock wave investigations, 1=2781
- Markus, P.L. See Strelets, P.L., 2=14616
- Markusiewicz, M., Wysocki, B. and Stoiński, K. Influence of temperature and of some technological factors on the disaccommodation phenomenon in silicon iron, 3=8653
- Markusiewicz, M.J. Effect of some impurities on grain growth and magnetic anisotropy of 3.25% silicon-iron strips, 2=10916
- Markuvitz, N. See Hessel, A., 2=11666
- Marlborough, J.M. See Fernie, J.D., 3=11553
- Marlborough, J.M. See Fernie, J.D., 4=10804
- Marle, C. Intrinsic expression of the Onsager relations, 4=27086
- Marley, J.A. and MacAvoy, T.C. Growth of stannic oxide crystals from the vapor phase, 2=2358
- Marlin, H.R. See Buchanan, R.A., 4=13043
- Marlin, H.R. See Caspers, H.H., 4=22478
- Marlor, G.A. and Woods, J. Space charge limited currents in cadmium sulphide crystals, 3=25362
- Marlotte, G. and Demetriades, A. Electrical discharges in hypersonic flows, 1=2958
- Marlow, K.W. A system for stabilizing the gain of a scintillation spectrometer, 2=13524
- Marlow, K.W. Determination of some energy levels in light and medium weight nuclei with a precision gamma ray scintillation spectrometer, 4=15154
- Marlow, W.C. and Bershader, D. Shock-tube measurement of the polarizability of atomic hydrogen, 4=9628
- Marlow, W.F. and Medlock, R.W. A carbon-14 beta-ray standard, benzoic acid-7-C<sup>14</sup> in toluene, for liquid scintillation counters, 0=15529
- Marlow, W.F. See Mann, W.B., 0=13159
- Marlow, W.F. See Mann, W.B., 2=5831
- Marlowe, D.G. See Hauser, S.M., 4=2821
- Marmet, P. and Kerwin, L. An improved electrostatic electron selector, 0=10949
- Marmet, P. and Kerwin, L. Experimentally measured vibrational levels in H<sub>2</sub><sup>+</sup>, 0=17732



- Marmet, P. and Morrison, J.D. A mass spectrometer for ionization efficiency studies using an electron velocity selector, 1=16256
- Marmet, P. and Morrison, J.D. Secondary reactions in the ion chambers of a mass spectrometer, 2=7680
- Marmet, P., Morrison, J.D. and Swingle, D.L. Neutralization of fringing magnetic fields in the ion source of a mass spectrometer, 2=9651
- Marmet, P. See Kerwin, L., 1=1887
- Marmet, P. See Kerwin, L., 1=19620
- Marmet, P. See McGowan, J. W., 4=24555
- Marmier, P. and Szostak, R. Basic concepts of nuclear physics, 2=20177
- Marmier, P. and Szostak, R. Activation and reaction analysis, 3=3423
- Marmier, P. See Busch, G., 2=16711
- Marmier, P. See Lobkowicz, B., 1=9862
- Marmier, P. See Martin, M., 2=5621
- Marmier, P. See Saladin, J., 0=15569
- Marmier, P. See Szostak, R., 2=7567
- Marmo, F.F., Aschenbrand, L.M. and Pressman, J. Artificial electron clouds. I. Summary report on the creation of artificial electron clouds in the upper atmosphere, 1=6608
- Marmo, F.F., Aschenbrand, L.M. and Pressman, J. Artificial electron clouds. III. Release of atomic potassium at 121 km, 1=6610
- Marmo, F.F., Pressman, J. and Aschenbrand, L.M. Artificial electron clouds. II. General considerations, 1=6609
- Marmo, F.F., Pressman, J. and Aschenbrand, L.M. Electron clouds: a general survey, 2=4688
- Marmo, F.F., Pressman, J., Manring, E.R. and Aschenbrand, L. Artificial electron clouds. V. Morning twilight study, release of cesium and sodium at 128 and 116 km, 1=6612
- Marmo, F.F. See Golomb, D., 2=6179
- Marmo, F.F. See Pressman, J., 1=6611
- Marmo, F.F. See Pressman, J., 1=10324
- Marmo, F.F. See Samson, J.A.R., 2=6178
- Marmo, F.F. See Warneck, P., 3=18598
- Marmo, F.F. See Warneck, P., 4=12488
- Marn, D. See Silvidi, A.A., 1=3095
- Marnet, C. See Jaumann, J., 1=18426
- Marochnik, L.S. The form of cometary envelopes, 1=18052
- Marochnik, L.S. Path of flow in a magnetic tube connected to the sun, 2=967
- Marochnik, L.S. The plasma nature of the cometary head, 3=3553
- Marochnik, L.S. Interaction of solar corpuscular streams with cometary atmospheres. I. Shock waves in comets, 3=9181
- Marochnik, L.S. Wave motions in comet tails, 3=13869
- Marochnik, L.S. On the factor responsible for ionization of molecules in comets, 4=4889
- Marochnik, L.S. The interaction of solar corpuscular streams with the atmospheres of comets. II. "Closing" envelopes. Radio emission, 4=10885
- Marochnik, L.S. Structure of small-scale magnetohydrodynamic turbulence, 4=14876
- Marochnik, L.S. Collisionless hydrodynamics in noninertial reference systems, 4=23882
- Marochnik, L.S. Cumulative effects in comets, 4=29430
- Maronchuk, Yu.E. See Kot, M.V., 2=21157
- Maroli, C. See Brocchieri, F.B., 3=21137
- Maron, I., Luchak, G. and Blitzstein, W. Radar observation of venus, 2=4842
- Maron, I. See Shapiro, I., 3=18664
- Maron, S.H., Elder, M.E. and Pierce, P.E. Determination of latex particle size by light scattering. V. Polarization ratio at 90°, 4=4716
- Maronchuk, Yu.E. See Kot, M.V., 3=2882
- Maroni, C. See Forino, A., 2=20386
- Maroni, C. See Fuschini, E., 0=15550
- Maroni, C. See Fuschini, E., 3=2389
- Maroni, C. See Fuschini, E., 3=24893
- Maroni, C. See Fuschini, E., 4=22051
- Maroni, C. See Fuschini, E., 4=25345
- Maroni, P. Discharge phenomena in Lorentz plasmas. Study of the electron distribution in the presence of a magnetic field, 0=2364
- Maroni, P. Discharge phenomena in Lorentz plasmas. Study of the electron distribution in the magnetic field, 0=2365
- Maroni, P., Jancel, R. and Kahan, T. Analysis of the electron distribution function in a high-frequency discharge. I, 3=369
- Maroni, P., Jancel, R., and Kahan, T. Analysis of the electron distribution function in a high frequency discharge. II, 3=16912
- Marotta, A.S. and Tauer, K.J. Ferromagnetic Hall effect of gadolinium, 3=15556
- Marov, G.I., Nemilov, Yu.A., Selitskii, Yu.A. and Eismont, V.P. Fission of uranium and thorium induced by sub-barrier deuterons, 3=24993
- Marov, M. Ya. Upper-atmosphere research with the Cosmos 3 and Cosmos 5 satellites. IV. Density of the upper atmosphere at heights of 200-230 km, 4=26822
- Marovich, E. and Roach, F.E. Distribution of a latitude of red arcs, 3=18558
- Marovich, E. See Roach, F.E., 0=2034
- Marovich, E. See Roach, F.E., 0=3358
- Marovich, E. See Roach, F.E., 0=12197
- Marovich, E. See Roach, F.E., 0=14294
- Marple, D.T.F. Effective electron mass in CdTe, 3=10812
- Marple, D.T.F. Electron effective mass in ZnSe, 4=22726
- Marple, D.T.F. Refractive index of ZnSe, ZnTe, and CdTe, 4=13061
- Marple, D.T.F. Refractive index of GaAs, 4=15588
- Marple, D.T.F. and Ehrenreich, H. Dielectric constant behaviour near band edges in CdTe and Ge, 2=14602
- Marple, D.T.F. See Aven, M., 1=17763
- Marple, D.T.F. See Piper, W.W., 1=17864
- Marples, J. See Marpls, Dzh., 2=21510
- Marples, J.A.C. The lattice parameters of some  $\delta$ - and -plutonium alloys, 4=29129
- Marples, J.A.C. and Lee, J.A. Structure of  $\delta$ -plutonium, 1=20530
- Marpls, Dzh.[Marples, J.] and Li, Dzh.[Lee, J.]. Structure of  $\delta$  plutonium, 2=21510
- Marquardt, D.W., Bennett, R.G. and Burrell, E.J. Least squares analysis of electron paramagnetic resonance spectra, 2=3774
- Marquardt, D.W. See Ferguson, R.C., 4=30073
- Marquart, J.R. and Berkowitz, J. Dissociation energies of some metal sulfides, 3=25806
- Marquart, J.R. See Berkowitz, J., 3=2673
- Marquart, J.R. See Berkowitz, J., 3=25805
- Marques, A. Multiple scattering measurements in the presence of energy losses, 3=24667
- Marques, A., Policarop, A.J.P.L. and Phillips, W.R. The beta decay of  $B^{13}$ , 2=18285
- Marquet, L.C. See Judd, B.R., 2=10201
- Marquet, L.C. See Reader, J., 3=24026
- Marquet, M. Removal of screen structure from photographs by optical filtering, 1=1832
- Marquet, M. Universal method of testing photographic objectives, 3=7362
- Marquet, M. and Tsujiuchi, J. Interpretation of some properties of images obtained in experiments on removal of dot structure from half-tone images, 1=16131
- Marquet, M. See Carlino, L., 4=30133
- Marquet, M. See Prugne, P., 0=2412
- Marquez Delgado, R. Study of glasses by means of electron diffraction. I., 2=17025
- Marquez, L. Nuclear reactions produced by lithium ions, 1=13862
- Marquez, L. and Pham-Dinh-Lien. Observations of nuclear reactions produced by  $Li^6$  ions in carbon, 2=502
- Marquez, L. See Coste, M., 1=19532
- Marquez, L. See Coste, M., 2=500
- Marquez, L. See Coste, M., 2=10147
- Marquez, L. See Coste, M., 4=17020
- Marquez, L. See Cybulska, E.W., 0=1388
- Marquez, L. See Cybulska, E.W., 0=5727
- Marquez, L. See Garin, A., 3=8137
- Marquez, L. See Garin, A., 3=10250
- Marquez, L. See Garin, A., 4=17204
- Marquez, L. See Garin, A., 4=30358
- Marquez, L. See Lemeille, C., 1=13863
- Marquez, L. See Lemeille, C., 2=501
- Marquez, L. See Lemeille, C., 3=22431
- Marquez, L. See Lemeille, C., 4=17203
- Marquez, L. See Manesse, D., 4=25440
- Marquez, L. See Pham-Dinh-Lien, 2=16440
- Marquez, L. See Quebert, J. L., 4=22218
- Márquez, R. See Brú, L., 1=6512
- Marquis, D.C. See Ballard, S.S., 3=18666
- Marquit, E. Influence of scanning speed on the efficiency of visual detection methods, 2=16101
- Marquit, E. Remarks on the p-p elastic scattering differential cross-sections in the 1-9 GeV region, 2=16195
- Marquit, E. On the experimental verification of the single Regge-Pomeranchuk pole approximation for high-energy elastic scattering, 3=14917



- Marquit, E. and Skrzypczak, E. Momentum measurements of high-energy particles in emulsion in a strong pulsed magnetic field, 3=12378
- Marquit, E. See Benson, G., 4=25155
- Marquit, E. See Bogdanowicz, 1=12122
- Marquit, E. See Cieślak, E., 3=7856
- Marquit, E. See Cieślak, E., 4=27852
- Marquit, E. See Filipkowski, A., 2=16247
- Marr, R.B. See Durand, L., III, 0=15379
- Marr, R.B. See Durand, L., III, 2=13732
- Marr, G.V. Photo-ionization cross section measurements on lithium, 3=4016
- Marr, G.V. Electronic transition moments and their effects on the band strengths and absorption oscillator strengths of the NO  $\beta$  and  $\gamma$  systems, 4=9718
- Marr, G.V. The electronic transition moment for the Schumann-Runge band system of O<sub>2</sub>, 4=15339
- Marr, G.V. and Swarup, P. Spin-lattice relaxation effects observed in the continuous power saturation of paramagnetic lines, 0=6256
- Marr, H.E., III and Stanford, R.H., Jr. The unit-cell dimensions of silver azide [AgN<sub>3</sub>], 3=11285
- Marr, R.B. and Shimamoto, Y. On a Lee model with a four-point coupling, 4=11871
- Marr, R.B. See Bégu, M.A.B., 1=16881
- Marr, R.B. See Durand, L., III, 3=12404
- Marram, E.P. and Ragle, J.L. Pure quadrupole resonance in 1,2-dichloroethane-d<sub>4</sub>, 3=3745
- Marram, E.P. See Büchler, A., 3=25808
- Marram, E.P. See Jasperse, J.R., 4=30684
- Marraud, A. See Croce, P., 2=6848
- Marraud, A. See Croce, P., 2=19035
- Marraud, A. See Croce, P., 4=30571
- Marraud, A. See Ehrhart, J., 4=26712
- Marrekchi, A. and Hoffman, J.C. Discharge of silicon junction in the strong injection regime, 4=26073
- Marriage, A. How many quanta 1=16126
- Marriekchi, A. See Hoffman, J.C., 3=12060
- Marriott, F.H.C. Color naming experiments and the two-quanta theory, 0=815
- Marriott, R. Molecular collision cross sections and vibrational relaxation in carbon monoxide, 4=9794
- Marriott, R. The excitation of helium by electron impact, 4=25529
- Marron, V.J.J. See Wood, G.C., 4=7711
- Marrone, M.J. See Isoya, A., 1=19512
- Marrone, M.J. See Isoya, A., 3=682
- Marrone, P.V. and Hartunian, R.A. Thin-film thermometer measurements in partially ionized shock-tube flows, 0=2274
- Marrone, P.V. and Treanor, C.E. Chemical relaxation with preferential dissociation from excited vibrational levels, 3=22604
- Marrone, P.V. See Gibson, W.E., 3=5457
- Marrone, P.V. See Hartunian, R.A., 1=6878
- Marrone, P.V. See Treanor, C.E., 2=19597
- Marrus, R., Nierenberg, W.A. and Winocur, J. Hyperfine structure of Americium-241, 0=20329
- Marrus, R., Nierenberg, W.A. and Winocur, J. Hyperfine structure and nuclear moments of protactinium 233, 1=7434
- Marrus, R. and Winocur, J. Hyperfine structure and nuclear moments of Americium-242, 2=1778
- Marrus, R. See Budick, B., 4=989
- Marrus, R. See Budick, B., 4=27944
- Marrus, R. See Cabezas, A., 0=9514
- Marrus, R. See Cabezas, A., 1=2159
- Marrus, R. See Cabezas, A.Y., 1=9900
- Marrus, R. See Cabezas, A.Y., 2=12295
- Marrus, R. See Doyle, W.M., 3=22479
- Marrus, R. See Doyle, W.M., 4=9418
- Maršák, Z. See Kochanovská, A., 3=25619
- Marsan, J. See Barbier, D., 1=7942
- Marschall, H. and Scheck, F. Effect of the shell structure of nuclei on the spectra of  $\mu$ -mesic atoms, 4=17268
- Marschall, H. See Greiner, W., 2=6116
- Marschall, H. See Von Behr, J., 0=5580
- Marsden, B.G. The orbit and ephemeris of periodic comet oterma, 1=10382
- Marsden, B.G. The original orbit of comet Bester-Hoffmeister, 2=19288
- Marsden, B.G. On the orbits of some long-lost comets, 4=13924
- Marsden, B.G. and Van Biesbroeck, G. The orbit of Comet 1944 I (Van Gent-Peltier-Daimaca), 3=16362
- Marsden, D.G.H. Dissociation energies of SO and S<sub>2</sub>, 0=2736
- Marsden, D.G.H. Panoramic mass spectrometer, 2=9652
- Marsden, K.H. An improved field discriminator for magnetic field stabilization, 2=1615
- Marsden, P.L. and Begum, Q.N. The solar diurnal variation of the intensity of the nucleonic component of the cosmic radiation, 0=20290
- Marsden, P.L., Crowden, J.B. and Hatton, C.J. Increase in the intensity of cosmic radiation on May 4th, 1960, 1=579
- Marsden, P.L. See Crowden, J.B., 2=13910
- Marsden, P.L. See Fieldhouse, P., 2=13913
- Marsden, P.L. See Hatton, C.J., 2=22688
- Marsden, P.L. See Hughes, E.B., 2=14100
- Marsden, P.L. See Hughes, E.B., 4=9336
- Marsden, P.L. See Meyer, M.A., 3=4526
- Marsden, P.L. See Meyer, M.A., 4=9337
- Marseille, H. See Frischmuth-Hoffmann, G., 0=19721
- Marsel, J. See Debevec, L., 0=12124
- Marsh, A. Certain magnetic properties and crystallographic relations in elongated iron-cobalt particles having a cobalt ferrite coating, 4=17655
- Marsh, A.H. and McPike, A.L. Noise levels of turbojet- and turbofan-powered aircraft, 4=293
- Marsh, A.R.S. See Barnard, G.P., 1=8405
- Marsh, B.B. and Bilaniuk, O.M. Comparisons of the C<sup>13</sup>(d,  $\alpha$ )B<sup>11</sup> and B<sup>11</sup>(He<sup>3</sup>, p)C<sup>13</sup> reactions, 3=15227
- Marsh, B.B. See Alford, W.P., 1=19504
- Marsh, B.B. See Bilaniuk, O.M., 2=5286
- Marsh, D.M. Tensile testing machine for microscopic specimens, 0=4548
- Marsh, D.M. Stress concentration at crystal surfaces and the embrittlement of sodium chloride, 1=3995
- Marsh, D.M. Micro-tensile testing machine, 1=10200
- Marsh, D.M. The construction and performance of various flexure hinges, 2=21862
- Marsh, D.M. Plastic flow in glass, 4=23155
- Marsh, D.M. See Gordon, J.E., 0=3261
- Marsh, D.P. Observations relating to the distance scale for motions of electrojet-electron precipitation regions in the auroral zone, 4=2241
- Marsh, E. See Hybl, A., 2=10843
- Marsh, H. and Wynne-Jones, W.F.K. The surface properties of carbon. I. The effect of activated diffusion in the determination of surface area, 4=23551
- Marsh, H. See Hughes, G., 4=22599
- Marsh, H. See Lamond, T.G., 4=23552
- Marsh, H. See Lamond, T.G., 4=23553
- Marsh, H.W. Exact solution of wave scattering by irregular surfaces, 1=5332
- Marsh, H.W. Comments on "generalized form of the sonar equations" by R.J.Urick, 3=3854
- Marsh, H.W. Sound reflection and scattering from the sea surface, 3=9559
- Marsh, H.W. Origin of the Knudsen spectra, 3=16201
- Marsh, H.W. In defense of Rayleigh's scattering from corrugated surfaces, 4=2793
- Marsh, H.W. Attenuation of explosive sounds in sea water, 4=4752
- Marsh, H.W. and Mellen, R.H. Underwater-sound propagation in the Arctic Ocean, 3=13653
- Marsh, H.W., Schulkin, M. and Kneale, S.G. Scattering of underwater sound by the sea surface, 1=5333
- Marsh, H.W. and Schulkin, M. Shallow-water transmission, 2=17555
- Marsh, H.W. "Doppler" of boundary reverberation, 4=2794
- Marsh, H.W. See Mellen, R.H., 4=4749
- Marsh, H.W. See Schulkin, M., 2=17556
- Marsh, J.B. and Farnsworth, H.E. Low-energy electron diffraction studies of (100) and (111) surfaces of semiconducting diamond, 4=26704
- Marsh, J.B. and Farnsworth, H.E. Low-energy electron diffraction studies of (100) and (111) surfaces of semiconducting diamond, 4=30877
- Marsh, J.B. See Farnsworth, H.E., 3=11312
- Marsh, K.J. See Campbell, J.D., 3=1227
- Marsh, K.J. See Foster, M.D., 4=18215
- Marsh, K.V. See Miskel, J.A., 3=4651
- Marsh, O.J. See Baron, R., 4=15549
- Marsh, O.J. See Gudmundsen, R.A., 3=23889
- Marsh, O.J. See Winston, H., 3=23888
- Marsh, R.E. See Degeilh, R., 0=3251
- Marsh, R.E. See Gerdil, R., 0=6369
- Marsh, R.E. See Long, R.E., 2=10893
- Marsh, S.P. See McQueen, R.G., 0=11548



- Marsh, S.P. See McQueen, R.G., 2=6746  
 Marsh, S.P. See McQueen, R.G., 3=17666  
 Marsh, H., Postma, H., Sailor, V.L., Shore, F.J. and Reynolds, C.A. Spin assignments of low-energy resonances using polarized neutrons and polarized  $\text{Sm}^{149}$  nuclei, 3=2468  
 Marshak, H. See Newson, H.W., 1=13652  
 Marshak, H. See Patronis, E.T., Jr., 0=1393  
 Marshak, H. See Postma, H., 2=12207  
 Marshak, H. See Sailor, V.L., 2=18511  
 Marshak, H. See Shore, F.J., 0=16958  
 Marshak, H. See Wagner, R., 4=25413  
 Marshak, I.S. Electrical breakdown of gases at pressures close to atmospheric pressure, 1=8316  
 Marshak, I.S. Repetitive action pulsed light source based on electric explosion of wires, 2=1262  
 Marshak, I.S. Pulsed sources of light, 3=1812  
 Marshak, I.S. Strong-current probe (spark) discharges in gas, used in pulsed light sources, 3=14546  
 Marshak, I.S. Limiting parameters and generalized characteristics of xenon lamps, 3=21532  
 Marshak, I.S. See Ivanov, V.P., 4=14415  
 Marshak, I.S. See Kirsanov, V.P., 3=1807  
 Marshak, I.S. See Kirsanov, V.P., 3=16760  
 Marshak, I.S. See Vasil'ev, V.I., 2=5157  
 Marshak, R.E. Elementary particles of modern physics, 0=17273  
 Marshak, R.E. The nuclear force, 2=13947  
 Marshak, R.E. and Okubo, S. Towards a two-field theory of elementary particles, 1=8415  
 Marshak, R.E. and Okubo, S. Remarks on the low-lying baryon isobars, 1=19104  
 Marshak, R.E., Ryan, C., Radha, T. K. and Raman, K. New baryon-lepton symmetry principle for leptonic weak interactions, 4=5960  
 Marshak, R.E., Ryan, C., Radha, T. K. and Raman, K. Universal theory of semi-weak interactions, 4=19422  
 Marshak, R.E. and Sudarshan, E.C.G. Introduction to elementary particle physics, 1=13364  
 Marshak, R.E. See Bose, S.K., 2=9922  
 Marshak, R.E. See Bose, S.K., 2=18151  
 Marshak, R.E. See de Swart, J.J., 0=17429  
 Marshak, R.E. See Hatsukade, S., 0=15423  
 Marshak, R.E. See Okubo, S., 1=10839  
 Marshak, R.E. See Okubo, S., 1=13303  
 Marshak, R.E. See Okubo, S., 3=12400  
 Marshak, R.E. See Riazuddin, 4=30163  
 Marshak, R.E. See Saylor, D.P., 0=20133  
 Marshakova, T.A. See Ugai, Ya.A., 2=16719  
 Marshakova, T.A. See Ugai, Ya.A., 2=18699  
 Marshalek, E., Person, L.W. and Sheline, R.K. Systematics of deformations of atomic nuclei, 3=15073  
 Marshalek, E.R. and Rasmussen, J.O. Collective vibrations of spheroidal even nuclei, 3=17396  
 Marshall, B.J. Elastic constants of CsBr from 4.2°K to 300°K, 1=1294  
 Marshall, B.J. See Claytor, R.N., 0=17895  
 Marshall, C. G. A., May, J. W. and Perret, C. J. Solar neutrons and the earth's radiation belts, 4=26835  
 Marshall, D.C. See Cornwall, J.B., 3=13943  
 Marshall, D.J. See Smith, A.J., 3=24389  
 Marshall, D.J. See Smith, A.J., 4=27586  
 Marshall, F.R. and Roberts, D.L. Use of electro-optical shutters to stabilize ruby laser operation, 3=5890  
 Marshall, G.D. See Strong, K.A., 2=3764  
 Marshall, H. L. and Weaver, H. E. Application of the Garrett method to calculation of coil geometries for generating homogeneous magnetic fields in superconducting solenoids, 4=3095  
 Marshall, J. Performance of a hydromagnetic plasma gun, 0=9034  
 Marshall, J. Hydromagnetic plasma gun, 1=16342  
 Marshall, J. and Stratton, T.F. The collision of two plasmas, 3=12126  
 Marshall, J. See Carter, D.H., 4=28090  
 Marshall, J. See Little, E.M., 2=5351  
 Marshall, J.H. See Barna, A., 1=1875  
 Marshall, J.H. See Barna, A., 2=5268  
 Marshall, J.H. See Barna, A., 4=21712  
 Marshall, J.H. See Glarum, S.H., 4=30474  
 Marshall, J.H. See Groom, D.E., 3=3987  
 Marshall, J. R. and Chapman, R. P. Reverberation from a deep scattering layer measured with explosive sound sources, 4=10691  
 Marshall, L. Magnetic mirrors in the Milky Way Galaxy, 1=5166  
 Marshall, L. Magnetic lens system of unit magnification for high energy charged particles, 2=22604  
 Marshall, L. Elements in region of platinum formed by fusion in fission explosions, 3=6318  
 Marshall, L. and Wattenberg, A. High energy beam profile detectors for low fluxes, 2=3206  
 Marshall, L. See Cool, R.L., 2=20430  
 Marshall, L. See Courant, E.D., 0=5350  
 Marshall, L. See Crittenden, R., 4=21939  
 Marshall, L. See Landovitz, L., 0=13021  
 Marshall, L. See Landovitz, L.F., 0=1302  
 Marshall, L. See Landovitz, L.F., 0=18911  
 Marshall, L. See Landovitz, L., 2=16246  
 Marshall, L. See Landovitz, L., 3=7046  
 Marshall, M.B. See Hudson, E.D., 3=5752  
 Marshall, M.B. See Jones, R.J., 3=5734  
 Marshall, N.H. See Simpson, O.D., 2=20648  
 Marshall, P.K. See Mehalchick, E.J., 2=10478  
 Marshall, R. Symposium on luminescence, Prague, September 1962, 3=6665  
 Marshall, R. On the conversion of green to blue copper centres in ZnS phosphors, 3=25488  
 Marshall, R. A note on the red ZnS:Cu emission, 4=1778  
 Marshall, R. and Franks, J. Electroluminescence in quenched ZnS-Cu phosphors, 4=7192  
 Marshall, R. and Mitra, S.S. Optically active phonon processes in GdS and ZnS, 4=17560  
 Marshall, R. See Presland, M.J., 4=15618  
 Marshall, R. See Presland, M.J., 4=26250  
 Marshall, R.P. Strain-induced diffusion and precipitation in aluminium-lithium alloy during creep, 2=4469  
 Marshall, R.R. Calculation of a "cosmic ray age" for the iron meteorite "Carbo", 0=3413  
 Marshall, R.R. Calculation of cosmic-ray ages in the iron meteorites "Carbo" and "Treysa", 0=8495  
 Marshall, R.R. Mass spectrometric study of the lead in carbonaceous chondrites, 2=17266  
 Marshall, S. Crystallographic orientation of semiconductors, 0=705  
 Marshall, S. A., Hodges, J. A. and Serway, R. A. Evidence for an isotropic shift in the electron-spin-resonance absorption spectrum of  $\text{Fe}^{3+}$  in calcite, 4=13322  
 Marshall, S.A., Kikuchi, T. T. and Reinberg, A.R. Paramagnetic resonance absorption of divalent nickel in  $\alpha\text{-Al}_2\text{O}_3$  single crystal, 2=4263  
 Marshall, S.A., Kikuchi, T. T. and Reinberg, A.R. Paramagnetic resonance absorption of divalent nickel in sapphire, 3=1187  
 Marshall, S.A. and Reinberg, A.R. Paramagnetic resonance absorption of nickel in sapphire, 0=11948  
 Marshall, S. A. and Reinberg, A. R. Paramagnetic resonance absorption spectrum of trivalent iron in single-crystal calcite, 4=1878  
 Marshall, S. A., Sperber, D. and Fagen, E. A. Group theoretical consideration for the intersection of crystal-ion Zeeman terms, 4=3972  
 Marshall, S.A. and Van Ostenburg, D.O. Exchange effects in alkali ozonates, 0=4522  
 Marshall, S.A. See Hacker, D.S., 1=20743  
 Marshall, S.A. See Mergerian, D., 4=26419  
 Marshall, T. Surface recombination of nitrogen atoms upon quartz, 3=5151  
 Marshall, T. Intensity distribution in unresolved electronic bands of diatomic and symmetric-top molecules, 3=10482  
 Marshall, T. and Kawcyn, R.A. Thermal and radiative properties of recombining atomic nitrogen, 3=7443  
 Marshall, T., Jr. See Schalkowsky, S., 4=24278  
 Marshall, T.C. Reply to comments by Frederick Kaufman, 3=25069  
 Marshall, T.C. and Goldstein, L. Experimental study of the diamagnetism of gaseous plasmas with electron and nuclear spin resonance techniques, 1=7074  
 Marshall, T.C., Kawcyn, R.A. and Goldstein, L. Diamagnetic moment of gaseous plasmas measured by spin resonance technique, 0=19693  
 Marshall, T.C. See Gerson, R., 0=3721  
 Marshall, T.W. Isotope shifts in the N.M.R. spectra of  $\text{H}_2$ , HD and  $\text{D}_2$  due to zero-point vibration, 1=14101  
 Marshall, T.W. Random electrodynamics, 4=5092  
 Marshall, T.W. and Pople, J.A. Nuclear magnetic shielding and diamagnetic susceptibility of interacting hydrogen atoms, 1=14102  
 Marshall, W. Specific heat of dilute alloys, 0=11583



- Marshall, W. The unrestricted Hartree-Fock method, 1=12236
- Marshall, W. Recent theoretical work on magnetism at Harwell, 3=978
- Marshall, W. Spin ordering, 4=17614
- Marshall, W. Hyperfine interactions with ligand nuclei in transition ion complexes, 4=25718
- Marshall, W., Cranshaw, T. E., Johnson, C. E. and Rident, M. S. Magnetism of dilute alloys, 4=20513
- Marshall, W. and Johnson, C. E. Hyperfine field in metals and alloys, 3=8342
- Marshall, W. and Stuart, R. Theory of transition ion complexes, 1=14152
- Marshall, W. and Weiss, R. J. Electronic structure of transition metals, 0=2775
- Marshall, W. See Gammal, J., 3=25516
- Marshall, W. See Johnson, C. E., 2=12123
- Marshall, W. See Johnson, C. E., 4=15157
- Marshall, W. See Schiffer, J. P., 0=3948
- Marshall, W. See Sparks, J. T., 0=11913
- Marshall, W. See Stuart, R., 0=18177
- Marshall, W. L. See Franck, E. U., 2=4547
- Marshall, W. L. See Gill, J. S., 1=18344
- Marshall, W. L. See Gill, J. S., 4=2500
- Marsicanin, B. S. See Anclinc, B. A., 4=18713
- Marsicanin, B. S. See Stanojević, D. M., 2=3606
- Marsicano, F. R. On the motion of a particle of variable mass under the action of a Newtonian central attraction, 0=4973
- Marsigny, L. See Pannetier, G., 1=13943
- Marsigny, L. See Pannetier, G., 1=15961
- Marsigny, L. See Pannetier, G., 1=20731
- Marsigny, L. See Pannetier, G., 2=12331
- Marsigny, L. See Pannetier, G., 2=12961
- Marsigny, L. See Pannetier, G., 2=18452
- Marsigny, L. See Pannetier, G., 3=4762
- Marsigny, L. See Pannetier, G., 3=12846
- Marsigny, L. See Pannetier, G., 3=12850
- Marsigny, L. See Pannetier, G., 3=20990
- Marsigny, L. See Pannetier, G., 4=3857
- Marsocci, V. A. Magnetoresistance and Hall-voltage measurements on single-crystal Ni and Ni-Fe thin films, 4=12862
- Marshall, S. A. See Mergerian, D., 2=21089
- Marshall, T. C. Studies of atomic recombination of nitrogen, hydrogen, and oxygen by paramagnetic resonance, 2=16494
- Marson, R. See Lister, M. W., 4=30460
- Marson, R. See Lister, M. W., 4=30467
- Marsilli, F. See Caglioti, G., 2=9869
- Marszałek, T. See Frackowiak, D., 1=6863
- Marszałek, T. See Frackowiak, D., 1=9399
- Martalogu, N., Calboreanu, A. and Neamu, I.  $4\pi$ -proportional counter for absolute activity measurement, 2=9731
- Martalogu, N., Ivanov, E. and Ploștinariu, D. Coulomb excitation of  $Ta^{181}$  by 5.5 and 6.5 MeV protons, 1=7328
- Martalogu, N., Ivanov, E., Ploștinariu, D. and Vlăcov, N. Levels of  $Sn^{115}$  excited by the (p, n) reaction on  $In^{115}$ , 2=5808
- Martalogu, N., Ivanov, E., Ploștinariu, D. and Vlăcov, N. New excited states of  $Sn^{115}$  in the (p, n) reaction in  $In^{115}$ , 2=5809
- Martalogu, N. and Minzatu, I. On the electrical polarizability of the neutron, 1=13430
- Martalogu, N., Neamu, I. and Ivascu, M. Elastic and inelastic scattering of 4.6 MeV neutrons on  $S^{32}$ , 2=20635
- Martalogu, N., Scînteie, N., Molea, M., Neamu, I. and Ivașcu, M. Recoil scintillation spectrometer, with two crystals, 2=7794
- Martalogu, N., Tintă, F., Dumitrescu, R., Korgueva, I. and Molea, M. A single channel time analyser for the spectrometry of fast particles by means of time-of-flight techniques in the nanosecond region, 1=5412
- Martalogu, N., Tsinte, F., Dumitrescu, R., Korgueva, I. and Molya, M. Single-channel time-interval analyser for the spectrometry of fast particles with an application to the method of time-of-flight in the region of nanoseconds, 0=19995
- Martalogu, N., Tintă, F., Dumitrescu, R. and Magda, T. M. Energy determination of the cyclotron U-120 beam by means of the time-of-flight method, 2=7689
- Martalogu, N. See Andreescu, I., 1=2076
- Martalogu, N. See Boca, I., 4=25387
- Martalogu, N. See Hulubei, H., 1=5735
- Martalogu, N. See Hulubei, H., 2=5903
- Martalogu, N. See Hulubei, H., 2=14092
- Martalogu, N. See Hulubei, H., 3=6233
- Martalogu, N. See Hulubei, H., 4=1076
- Martalogu, N. See Hulubei, H., 4=9489
- Martalogu, N. See Hulubei, H., 4=9491
- Martalogu, N. See Ivanov, E., 3=8098
- Martalogu, N. See Ivanov, E., 4=22035
- Martalogu, N. See Khulubei, Kh., 2=16403
- Martalogu, N. See Khulubei, Kh., 3=6240
- Martalogu, N. See Lungu, S. N., 2=6783
- Martalogu, N. See Magda, M. T., 4=9409
- Martalogu, N. See Minzatu, I., 3=8089
- Martalogu, N. See Minzatu, I., 3=17462
- Martalogu, N. See Minzatu, I., 4=9503
- Martalogu, N. See Tintă, F., 2=3116
- Marte, J. E., Tschuikow-Roux, E. and Ford, H. W. Reaction between nitric oxide and ozone in a supersonic nozzle, 4=7752
- Marteau, P., Scatena, G. and Vu, H. Simultaneous transition bands of  $CO-N_2$  solutions in the gaseous, liquid and solid states, 4=22351
- Martegani, A. and Deconninck, G. Total cross-section measurements for neutrons between 2.1 and 3.1 MeV, 0=1438
- Martegani, A. See Deconninck, G., 0=9532
- Martegani, A. See Deconninck, G., 0=15594
- Martegani, A. See Deconninck, G., 1=703
- Martegani, A. See Deconninck, G., 1=13810
- Martegani, A. See Trillat, E. A., 4=27314
- Martel, F. E. and Pogorelov, V. I. On the connection between the auroral luminosities and their radar reflections, 0=799
- Martell, A. E. See Fujita, J., 2=3745
- Martell, A. E. See Fujita, J., 2=3746
- Martell, A. E. See Fujita, J., 2=3747
- Martell, C. See Dahl, L. F., 1=11573
- Martell, E. A. On the inventory of artificial tritium and its occurrence in atmospheric methane, 3=25895
- Martell, E. A. and Drevinsky, P. J. Atmospheric transport of artificial radioactivity, 1=1520
- Martell, A. E. See Nakamoto, K., 0=4204
- Martell, E. A. See Penn, S., 3=23602
- Martelli, G. Some notes on thermonuclear reactors, 1=17249
- Martelli, G., van der Raay, H. B., Rubinstein, R., Chapman, K. R., Dowell, J. D., Frisken, W. R., Musgrave, B. and Reading, D. H. Isotropic spin dependence of nucleon-nucleon cross-sections between 600 and 1000 MeV, 1=16770
- Martelli, G. See Chapman, K. R., 2=16433
- Martelli, G. See Dowell, J. D., 0=1280
- Martelli, G. See Dowell, J. D., 0=1281
- Martelli, G. See Dowell, J. D., 0=7443
- Martelli, G. See Dowell, J. D., 1=408
- Martelli, G. See Dowell, J. D., 1=5724
- Martellucci, S. See Ascoli-Bartoli, U., 1=5473
- Martellucci, S. See Ascoli-Bartoli, U., 3=4146
- Martellucci, S. See Ascoli-Bartoli, U., 3=7585
- Martellucci, S. See Ascoli-Bartoli, U., 4=18882
- Martellucci, S. See Ascoli-Bartoli, U., 4=18900
- Martellucci, S. See Ascoli-Bartoli, U., 4=18924
- Martellucci, S. See DeAngelis, A., 4=18959
- Martelly, J. A new multigroup treatment of neutron diffusion in reproducing media. Application to the correction of perturbations suffered by the thermal and fast fluxes in the neighbourhood of a reflector, a neutron source, or a different lattice. I. The combination  $T = \Sigma \lambda_i \phi_i$ ; extended to all groups of neutrons satisfying the diffusion equation  $\nabla^2 T + B^2 T = 0$  to an approximation of the second order, 0=7356
- Martelly, J. A new multigroup treatment of neutron diffusion in reproducing media. Application to the correction of perturbations suffered by the thermal and fast fluxes in the neighbourhood of a reflector, a neutron source, or a different lattice. II. Practical application to the study of results. Interpretation of measurements, with resonance and thermal neutrons, perturbed by the proximity of a reflector, a source, or another lattice, 0=7357
- Marten, A. E. See Thurlow, W. R., 3=7067
- Martens, A. E. Calibration of audiometers, 4=20968
- Martens, F. H. See Doerner, R. C., 2=5985
- Martens, H. E. and Jaffe, L. D. Tensile strength of pyrolytic graphite up to 2750°C, 0=11981
- Martens, H. E. See Kotlensky, W. V., 2=14874
- Martensen, E. Stability behaviour of a plasma torus with surface currents, 3=1976
- Martensen, E. The detailed proof for the incompressible-magnetohydrodynamic equation, 4=3123
- Martensen, E. See Lüst, R., 0=17012
- Martensen, E. See Lüst, R., 2=9580



- Marth, W. Changes in copper and boron surfaces under particle radiation, 1=14351
- Marti, C. and Senneville, M. Electroenhancement of photoluminescence excited by constant X-irradiation, 3=15710
- Marti, J.T. and Schneeberger, J.P. The reactivity of a regular array of empty cylindrical channels in a critical system, 2=14162
- Martienssen, W. On the interpretation of ultraviolet absorption in ionic crystals, 3=929
- Martienssen, W. See Conway, J.M. 3=10965
- Martienssen, W. See Kerkhoff, F., 3=10696
- Martienssen, W. See Timusk, T., 3=3034
- Martienssen, W. See Timusk, T., 4=7149
- Martin, A. On the analytic properties of partial wave scattering amplitudes obtained from the Schrödinger equation, 0=2499
- Martin, A. Analytic properties of  $l \neq 0$  partial wave amplitudes for a given class of potentials, 0=12859
- Martin, A. S-matrix, left-hand cut discontinuity and potential, 1=8432
- Martin, A. Analytic properties of neutron photodisintegration matrix element for fixed energy, 1=12129
- Martin, A. Range of the nucleon-antinucleon annihilation potential, 1=16776
- Martin, A. Selected topics on analyticity in potential scattering, 2=5581
- Martin, A. Some simple inequalities in scattering by complex potentials, 2=9795
- Martin, A. Remarks on the prolongation of a scattering amplitude in the complex angular momentum plane, 2=13749
- Martin, A. Constraints imposed on the Mandelstam representation by unitarity, 3=2211
- Martin, A. Unitarity and high-energy behavior of scattering amplitudes, 3=7802
- Martin, A. A lower bound for elastic cross sections in the high-energy region, 4=3328
- Martin, A. On the behaviour of the partial-wave amplitudes for large angular momenta in potential scattering, 4=19448
- Martin, A. Some rigorous consequences of unitarity and analyticity of scattering amplitudes, 4=27800
- Martin, A. and Targonski, G. On the uniqueness of a potential fitting a scattering amplitude at a given energy, 1=13343
- Martin, A. and Vinh Mau, R. Double dispersion relations for deuteron photo- and electrodisintegration, 1=8517
- Martin, A. See Bowcock, J., 0=884
- Martin, A. See Cerulus, F., 4=11940
- Martin, A. See Cornille, H., 2=22414
- Martin, A. See D'Espagnat, B., 1=434
- Martin, A. See Fubini, S., 2=11931
- Martin, A. See Gourdin, M., 0=4000
- Martin, A. See Gourdin, M., 0=13043
- Martin, A. See Gourdin, M., 0=15400
- Martin, A. See Gourdin, M., 1=5753
- Martin, A. See Jin, Y.S., 4=27788
- Martin, A. See Jin, Y.S., 4=27789
- Martin, A. See Kinoshita, T., 3=17221
- Martin, A. See Kinoshita, T., 4=27810
- Martin, A. See MacDowell, S.W., 4=27807
- Martin, A. See Mahoux, G., 4=25020
- Martin, A. See Vinh Mau, R., 1=8434
- Martin, A.D. Optical model potential for  $K^-$  meson-nucleus scattering, 1=13509
- Martin, A.D. A study of  $K^-$ -mesic atoms, 3=10480
- Martin, A.D. See Condo, G.T., 4=12416
- Martin, A.D. See Fried, Z., 4=3821
- Martin, A.E. Resolution of wide-range grating spectrometers, 0=5163
- Martin, A.E. Dimensions of electrical and magnetic quantities, 1=18239
- Martin, A.E. Gravitational and electrostatic forces, 2=17
- Martin, A.E. Gravitational and related constants, 2=19394
- Martin, A.I. Eccentric point source in a spherical reactor, 4=22261
- Martin, A.J. and Edwards, K.L. Linear voltage temperature furnace for thermal analysis, 0=4765
- Martin, A.J. See Greetham, G., 0=8100
- Martin, A.V.J. Introduction of technetron theory, 1=7664
- Martin, A.V.J. The technetron as a circuit element, 1=17782
- Martin, A.V.J. and le Mée, J. Graphical analysis of the operation of the technetron, 1=17783
- Martin, A.V.J. and le Mée, J. Graphical analysis of the operation of the technetron. II. Comparative study of various approximations, 1=17784
- Martin, A.V.J. and Le Mée, J. Electron mobility in intense electric fields, 2=10521
- Martin, A.V.J. and Le Mée, J. First order analysis of the operation of field-effect devices in the hypercritical field region, 3=10865
- Martin, A.V.J. and Young, F.J. Magnetic confinement of thermonuclear reactions, 0=13383
- Martin, A.V.J. See Klingler, E., 2=19372
- Martin, A.W. Assignments of the  $d_{3/2}$  octet, 4=21754
- Martin, A.W. Approximate bootstrap technique, 4=27771
- Martin, A.W. and Uretsky, J.L. One-nucleon exchange in pion-nucleon scattering, 4=25147
- Martin, A.W. and Wali, K.C. Coupled channel approach to  $J = \frac{3}{2}$  resonances in the unitary symmetry model, 3=17296
- Martin, A.W. and Wali, K.C. Meson-baryon resonances in the octet model, 4=15002
- Martin, B. See Bate, R.T., 3=20273
- Martin, B.D., Zych, D.A. and Heer, C.V. Atomic heats of cesium, rubidium, and lithium between 0.35 and 2°K, 4=25852
- Martin, B.W. Free-convection heat transfer in the inclined open thermosyphon, 1=250
- Martin, C. and Durif, A. Crystallographic work on anhydrous lithium chromate, 4=29119
- Martin, C.S. and Segovia, J.L. Methods and apparatus for the pressure measurement in the ultra high vacuum region, 2=17519
- Martin, C.E. See Wentink, T., Jr. 0=12474
- Martin, C.F. See Murray, R.L., 4=19885
- Martin, C.R. See Damon, D.H., 3=25233
- Martin, C.S. and de Segovia, J.L. Study of thermal conductivity gauge: the thermocouple gauge, 1=16132
- Martin, D. See Lin, T.H., 1=14875
- Martin, D.G. Dimensional changes in single crystals of synthetic sapphire after irradiation, 0=1895
- Martin, D.G. A study of stage II and III recovery in neutron irradiated gold and the influence of mercury impurity atoms, 3=2848
- Martin, D.G. The investigation of structural disorder in materials by means of cold neutron scattering measurements, 3=13584
- Martin, D.G. An investigation into the number of neighbouring atoms to be included in calculations of the slow neutron scattering cross section of defects in solids, 4=30552
- Martin, D.G. The effect of lattice distortion around point defects on the scattering of long-wavelength neutrons, 1=957
- Martin, D.G. The influence of impurity atoms on the annealing kinetics of electron irradiated copper, 1=17512
- Martin, D.G. The influence of impurity atoms on the annealing kinetics of neutron irradiated copper, 2=23164
- Martin, D.H., Doniach, S. and Neal, K.J. Magneto-optical behaviour of ferromagnetic metals, 4=22871
- Martin, D.H. and Stone, C.D. Relaxation of ferroelectric phosphates (ADP and KDP) in the extreme infrared, 3=17942
- Martin, D.H. See Bloor, D., 1=16077
- Martin, D.H. See Bloor, D., 2=2295
- Martin, D.H. See Dean, T.J., 0=8837
- Martin, D.H. See Dean, T.J., 0=19495
- Martin, D.H. See Field, S.B., 1=19626
- Martin, D.H. See Heastie, R., 2=2775
- Martin, D.H. See Jones, G.O., 1=17894
- Martin, D.H. See Stallings, C.H., 4=24280
- Martin, D.L. The specific heat of copper from 20° to 300°K, 0=2786
- Martin, D.L. The specific heat of a lithium-magnesium alloy. The martensitic transformation, 0=2787
- Martin, D.L. The specific heat of sodium from 20 to 3000°K: the martensitic transformation, 0=7851
- Martin, D.L. The specific heat of lithium from 20 to 300°K: the martensitic transformation, 0=7852
- Martin, D.L. Specific heats of lithium isotopes from 20° to 300°K, 0=15813
- Martin, D.L. The specific heat of annealed and cold-worked copper from 0.4° to 1.5°K, 0=20746
- Martin, D.L. Specific heat of sodium at low temperatures, 1=14180
- Martin, D.L. The electronic specific heat of lithium isotopes, 1=17421
- Martin, D.L. Specific heat anomalies associated with the resistance-minimum phenomena in magnesium-manganese alloys, 1=19715
- Martin, D.L. The electronic specific heat of lithium-magnesium alloys, 1=19721



- Martin, D.L. The specific heat of hexagonal metals at very low temperatures, 2=6279
- Martin, D.L. The low temperature specific heat of an aluminum-manganese alloy, 2=6280
- Martin, D.L. A modified continuous-heating calorimeter for the temperature range 15° to 300°K, 2=19760
- Martin, D. L. The specific heats of some alkali halides at very low temperatures, 4=9857
- Martin, D. L. Some conclusions from recent specific heat measurements on very dilute alloys showing the 'resistance minimum' phenomena, 4=15425
- Martin, D. L. Anomalous low-temperature specific heat of gold, 4=25854
- Martin, D. L., Benz, M. G., Bruch, C. A. and Rosner, C. H. A 101 000 gauss niobium-tin superconducting solenoid, 4=3092
- Martin, D. L., Benz, M. G., Bruch, C. A. and Rosner, C. H. A 100 000 gauss superconducting solenoid, 4=11746
- Martin, D. L. See Filby, J. D., 2=18532
- Martin, D. L. See Filby, J. D., 3=8445
- Martin, D. L. See Franck, J. P., 1=17413
- Martin, D. L. See Franck, J. P., 1=18717
- Martin, D. L. See Kolbe, C. L., 0=10329
- Martin, D. L. See Rosner, C. H., 3=19408
- Martin, D. S., Jr. See Reade, R. F., 0=20842
- Martin, D. W. Supplekmentary sound for opera, 2=15695
- Martin, D. W. Musical scales since Pythagoras, 3=14275
- Martin, D. W. Acoustics and the arts, 3=16712
- Martin, D. W., Barnes, W. S., Keller, G. E., Harmer, D. S. and McDaniel, E. W. Mobilities of mass-identified ions in nitrogen, 4=11536
- Martin, D. W., Langley, R. A., Hooper, J. W., Harmer, D. S. and McDaniel, E. W. Production of slow electrons and positive ions in He, Ne, Ar, H<sub>2</sub>, N<sub>2</sub>, O<sub>2</sub> and CO by energetic helium
- Martin, D. W., McDaniel, E. W. and Meeks, M. L. On the possible occurrence of H<sub>3</sub><sup>+</sup> in interstellar space, 2=6984
- ions, 4=24569
- Martin, D. W. and Ward, W. D. Subjective evaluation of musical scale temperament in pianos, 1=6937
- Martin, D. W. See Hooper, J. W., 1=4555
- Martin, D. W. See Hooper, J. W., 2=9529
- Martin, D. W. See Ward, W. D., 1=7558
- Martin, D. W. See McDaniel, E. W., 2=3101
- Martin, D. W. See McDaniel, E. W., 3=4006
- Martin, E. A. Experimental investigation of a high-energy density, high-pressure arc plasma, 0=5319
- Martin, E. E., Trolan, J. K. and Dyke, W. P. Stable, high density field emission cold cathode, 0=9067
- Martin, E. E. See Barbour, J. P., 0=7839
- Martin, E. E. See Charbonnier, F. M., 2=13581
- Martin, E. L. Theoretical problem of two bodies of decreasing mass and the orbital evolution of double stars, 3=13852
- Martin, F. See Burnstein, R. A., 3=22214
- Martin, F. See Lombard, F. J., 1=4636
- Martin, F. L. and Wright, F. E. Radar-ray refraction associated with horizontal variations in the refractivity, 3=17061
- Martin, F. V. See John, W., 2=323
- Martin, F. W. and Northcliffe, L. C. Energy loss and effective charge of He, C, and Ar ions below 10 MeV/a.m.u. in gases, 3=1937
- Martin, G. Vacuum properties of silver chloride, 3=18870
- Martin, G. Life testing of a.c. heated tungsten filaments in strong magnetic fields, 4=19083
- Martin, G. On the infrared absorption of  $\alpha$ -ethylene ketones, 4=3892
- Martin, G. and Gibert, R. Demonstration, by magnetic measurements, of different states of adsorption of hydrogen on nickel, 4=2128
- Martin, G. and Mavel, G. Study by nuclear magnetic resonance of organic phosphorus compounds. VI. Groups (CH<sub>3</sub>)<sub>2</sub>NP and (C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>NP, 3=4782
- Martin, G. and Meinel, J. On the dielectric characteristics of organic materials in the supercooled liquid state, 4=14178
- Martin, G. See Lewin, G., 2=9594
- Martin, G. See Lewin, G., 3=24297
- Martin, G. See Mavel, G., 3=20669
- Martin, G. E. Vibrations of longitudinally polarized ferroelectric cylindrical tubes, 3=11846
- Martin, G. E. New standard for measurements of certain piezoelectric ceramics, 3=18942
- Martin, G. E. On the theory of segmented electromechanical systems, 4=24309
- Martin, G. E. Vibrations of coaxially segmented, longitudinally polarized ferroelectric tubes, 4=27245
- Martin, G. M. and Mandelkern, L. Effect of hydrostatic pressures on the crystallization kinetics of natural rubber, 3=23421
- Martin, G. M. See Wood, L. A., 4=23201
- Martin, G. R. The estimation of the resolving time of a counting apparatus, 2=7784
- Martin, G. W. See Dils, R. R., 3=8808
- Martin, H., Harnisch, H. and Pohl, M. Attempt at exciting the decomposition of ClO<sub>2</sub> in a hot N<sub>2</sub> beam, and the energy of dissociation of nitrogen, 0=2760
- Martin, H. and Lübke, H. J. The significance of mass effects on the ion-migration in liquids, 4=20835
- Martin, H. See Bkr, F., 0=4235
- Martin, H. See Kuhn, H., 0=4234
- Martin, H. A. and Priester, W. Measurement of solar and diurnal effects in the high atmosphere by artificial satellites, 0=12150
- Martin, H. A. See Priester, W., 0=8374
- Martin, H. A. See Priester, W., 1=2569
- Martin, H. A. See Priester, W., 1=2570
- Martin, H. C. See Hay, D. R., 1=10548
- Martin, H. G. See Budden, K. G., 2=5493
- Martin, H. J., Leipuner, L. B., Chinowsky, W., Shively, F. T. and Adair, R. K. Properties of the Y as observed in the interaction  $K^0 + p \rightarrow \Lambda^0 + \pi^+ + \pi^0$ , 1=8514
- Martin, H. J., Sampson, M. B. and Miller, D. W. Proton groups from the F<sup>16</sup>( $\alpha$ , p)Ne<sup>23</sup> reaction and the Ca<sup>40</sup>( $\alpha$ , p)Sc<sup>43</sup> reaction, 1=2240
- Martin, H. J. See Crittenden, R., 4=21939
- Martin, H. J. See Freitag, W., 0=19322
- Martin, H. J. See Freitag, W., 1=8194
- Martin, H. J. See Preston, R. L., 4=12271
- Martin, H. J., Jr., Sampson, M. B. and Preston, R. L. Study of Zr<sup>92</sup> levels excited in the (d, p) reaction, 2=3492
- Martin, H. J. Jr. See Holm, G. B., 1=8769
- Martin, H. J., Jr. See Preston, R. L., 1=4877
- Martin, J. and Dailey, B. P. Proton n.m.r. spectra of disubstituted benzenes, 3=4779
- Martin, J. See Gabet, A., 0=2412
- Martin, J. A. and Mann, J. E. Beam characteristics in cyclotron analogue II, 3=5782
- Martin, J. A. See Green, F. L., 1=13674
- Martin, J. A. See Livingston, R. S., 3=5779
- Martin, J. B. and Weiss, A. W. Calculation of the hyperfine splitting for the lithium atom, 4=3792
- Martin, J. B. See Cooper, J. W., 2=12298
- Martin, J. B. See Cooper, J. W., 3=19922
- Martin, J. B. See Weiss, A. W., 4=6465
- Martin, J. D. See Lawrence, J. D., Jr., 3=23617
- Martin, J. E. See Owen, N. B., 4=15779
- Martin, J. E. See Smith, P. L., 3=13516
- Martin, J. E. See Smith, P. L., 3=23443
- Martin, J. F. See Andon, R. J. L., 4=9858
- Martin, J. F. See Andon, R. J. L., 4=22498
- Martin, J. H. and Muller, G. M. Quantity and quality of scattered X-rays, 1=5710
- Martin, J. J. See Johnson, T. R., 2=5533
- Martin, J. J. See Morris, R. G., 3=22671
- Martin, J. L. Generalized classical dynamics, and the "classical analogue" of a Fermi oscillator, 0=8569
- Martin, J. L. The Feynman principle for a Fermi system, 0=8570
- Martin, J. L. The vibrational spectra of disordered chains, 1=12825
- Martin, J. L. The exact enumeration of self-avoiding walks on a lattice, 2=2640
- Martin, J. L. The Lorentz covariant Lee model, 3=5911
- Martin, J. L. Covariant quantum field theories with indefinite metric, and the Lorentz covariant Lee model, 3=12384
- Martin, J. L. An exact theory of relativistic scattering by a fixed point scatterer, 3=24640
- Martin, J. L. Quantum theory of unstable particles, 4=24077
- Martin, J. L. and Reed-Hill, R. E. A study of basal slip kink bands in polycrystalline zirconium, 4=22574
- Martin, J. L. See Bacon, M. D., 2=16596
- Martin, J. L. See Dean, P., 0=9843
- Martin, J. L. See Dean, P., 1=8874
- Martin, J. P., Quisenberry, K. S. and Low, C. A., Jr. Angular correlation study of the Mg<sup>24</sup>(d, p) Mg<sup>25</sup> stripping reaction as a test of the distorted-wave theory, 0=17604



- Martin, J.P., Witten, L. and Katz, L. Measurement of cosmic ray albedo neutron flux above the atmosphere, 3=22252
- Martin, J.S. Molecular orbital study of nonadditive substituent effects, 4=1287
- Martin, J.S. and Dailey, B.P. Proton chemical shifts in poly-substituted benzenes, 4=1316
- Martin, J.W. See Davies, D.M., 2=4344
- Martin, J.W. See Doherty, R.D., 3=25757
- Martin, J.W. See Lewis, M.H., 3=18221
- Martin, J.W. See Lewis, M.H., 4=26510
- Martin, J.W. See Taplin, D.M.R., 4=7463
- Martin, J.W. See Taplin, D.M.R., 4=28987
- Martin, K.J. and Scroggins, K.G. Stoichiometric optimizer for propellant evaluation research, 3=16470
- Martin, L. See Filby, J.D., 4=6745
- Martin, L.H. Observations of "whistlers" and "chorus" at the South Pole, 0=21395
- Martin, L.H., Helliwell, R.A. and Marks, K.R. Association between aurorae and very-low-frequency hiss observed at Byrd Station, Antarctica, 0=18504
- Martin, L.H. See Lokken, J.E., 2=4692
- Martin, M. Study of intermolecular hydrogen bonds. I. Alcohols. II. Chloroform, 1=11113
- Martin, M. The study of intermolecular interactions in halogenated hydrocarbons by nuclear magnetic resonance, 2=14339
- Martin, M. Study of complex formation by nuclear magnetic resonance. Chemical shift and basicity, 2=20867
- Martin, M. and Marmier, P. Measurement of internal and external conversion electrons in nuclear reactions, 2=5621
- Martin, M. See Freymann, R., 0=505
- Martin, M. See de Kowalewski, D.G., 1=15911
- Martin, M. See Schwartz, M., 0=3450
- Martin, M. See Szostak, R., 2=7567
- Martin, M.B., Arns, R.G. and Wiedenbeck, M.L. Analysis of gamma-gamma polarization-directional correlations involving multipole mixtures, 1=5866
- Martin, M.B. and Wiedenbeck, M.L. The decay of  $\text{Ge}^{77}$ , 4=3604
- Martin, M.B. See Li, Yuan, 4=25190
- Martin, M.C. Effect of quenching on the electrical resistivity of a  $\beta$ -brass single crystal, 3=20268
- Martin, M.C., and Morrow, D.R. Elastoresistance effect in iron single crystals, 2=14491
- Martin, M.J.C. See Ahern, S.A., 0=1789
- Martin, M.J.C. See Cragg, J., 0=21037
- Martin, N. Determination of absolute magnitudes by Ohman's method, 3=13899
- Martin, P. See Stewart, D.T., 3=14492
- Martin, P.C. A microscopic approach to superfluidity and superconductivity, 3=11730
- Martin, P.C. and Kadanoff, L.P. Knight shift in superconductors, 0=231
- Martin, P.C. and Schwinger, J. Theory of many-particle systems. I, 0=896
- Martin, P.C. See De Dominicis, C., 4=8100
- Martin, P.C. See De Dominicis, C., 4=8101
- Martin, P.C. See Hohenberg, P.C., 4=14081
- Martin, P.C. See Kadanoff, L.P., 1=18699
- Martin, P.C. See Kadanoff, L.P., 4=5104
- Martin, R. The measurement of vibration amplitudes with interferometric methods, 0=5070
- Martin, R. and Krausz, F. Ultraviolet absorption spectra of some acyl-phenols, 4=25691
- Martin, R. and Müller, H.W. The study of structure-borne sound in dwellings, 0=19338
- Martin, R.J. See Dayem, A.H., 2=11571
- Martin, R.L. High power effects in ferrite slabs at X band, 0=3861
- Martin, R.L. See Lempicki, A., 4=16689
- Martin, R.L. See Van Uitert, L.G., 0=3072
- Martin, R.M. and Willard, J.E. Reactions of photochemically produced hot hydrogen atoms. I. Photolysis of  $\text{H}_2$  at 1849 Å, 4=23672
- Martin, R.M. and Willard, J.E. Reactions of photochemically produced hot hydrogen atoms. II. Reaction and moderation probabilities for 3-eV atoms in  $\text{D}_2$ ,  $\text{CD}_4$ , and  $\text{C}_2\text{D}_6$  and for 3-eV D atoms in  $\text{H}_2$ ,  $\text{CH}_4$ , and  $\text{C}_2\text{H}_6$ , 4=23673
- Martin, S. The control of conditioning atmospheres by saturated salt solutions, 2=15440
- Martin, S., Robertson, R.E. and Benson, G.C. A precision burette for use in concentration-conductance calibration, 4=13731
- Martin, S.B. Simple radiant heating method for determining the thermal diffusivity of cellulosic materials, 0=10796
- Martin, T.B., Talavage, J.J. and Putz-Anderson, F.L. Electronic model of the human auditory system, 4=13986
- Martin, T.C. See Nablo, S.V., 1=13221
- Martin, T.W. and Melton, C.E. Hydrogen atom abstraction reactions by cyanide ion-radicals, 0=6407
- Martin, T.W., Rummel, R.E. and Melton, C.E. Higher pressure mass spectrometers, 4=615
- Martin, W.C. New wavelengths for some helium (He I) lines, 0=2734
- Martin, W.C. Value of the Rydberg constant, 0=4925
- Martin, W.C. Energy levels and spectrum of neutral helium ( $^4\text{He}$  I), 0=7722
- Martin, W.C. Low energy levels of neutral cerium (Ce I), 3=19933
- Martin, W.C. and Corliss, C.H. The spectrum of singly ionized atomic iodine (I II), 1=17268
- Martin, W.C. and Tech, J.L. Energy levels and magnetic dipole transitions in the  $4p^4$  ground configuration of singly ionized atomic bromine (Br II), 1=8812
- Martin, W.C. See Boyne, H.S., 2=17605
- Martin, W.H. Effect of neutron spectrum on the branching ratio of the  $\text{Ni}^{58}(\text{n}, \text{p})\text{Co}^{58}$  reaction, 4=19536
- Martin, W.H. and Brocklehurst, J.E. The thermal expansion behaviour of pyrolytic graphite-bromine residue compounds, 4=20221
- Martin, W.H. and Clare, D.M. Determination of fast-neutron dose by nickel activation, 4=19915
- Martin, W.H. and Entwistle, F. Thermal expansion of graphite over different temperature ranges, 4=1402
- Martin, W.H. and Rixon, J. Apparatus for the measurement of specific heat of metals, 0=5223
- Martin, W.H. See Clare, D.M., 4=19914
- Martin, W.H. See Ghosh, A.C., 3=12591
- Martin, W.J. See Smith, E.C., 0=1444
- Martin, W.M. See Hargrove, C.K., 2=18266
- Martin, W.M. See White, W., 2=16331
- Martin, W.R.B. Laboratory magnetic elutriator for purification and isolation of ferrimagnetic mineral sands, 0=10326
- Martin-Boyer, M. and Meinel, J. Direct fluorescence from monocrystals of naphthalene doped with anthracene, 1=20024
- Martin-Brunetiere, F. and Couture, L. Zeeman effect for two fine lines of a double salt of guanidinium chromium sulphate hexahydrate, 4=1759
- Martin-Löf, J. Maximum likelihood estimates of short life-times measured with background, 3=24669
- Martina, H., Merritt, L., Jr., Hokim, D. and Haymann, P. On "abnormal" evaporation from thin metal foils, 4=5472
- Martinato, C.E. Geometry of satellites for telecommunications, 2=13192
- Martinez, R. A method for determining the effectiveness of a group of symmetrically distributed absorber rods on the basis of the two-group diffusion theory, 3=6015
- Martinez, R. See Raišić, N., 0=20521
- Martineček, G. Determination of elastic moduli from the natural vibrations of cubes and short prisms, 3=18876
- Martineau, M. See Davoine, F., 1=7725
- Martinek, F. See Sherman, A., 2=2761
- Martinek, J. See Yeh, G.C.K., 0=19247
- Martinelli, L. Some information on optical masers (lasers), 2=16014
- Martinelli, P. See Leveque, P., 1=13664
- Martinelli, P. See Seibel, G., 1=20785
- Martinet, A. See Guyon, E., 4=29841
- Martinet, B. and Göhl, J.J. Determination of stage of recovery of work-hardened tungsten by measurements of Young's modulus and internal friction using an inverted pendulum, 3=11174
- Martinet, B. and Secrétan, B. Measurement of internal friction and Young's modulus of very pure aluminium at very low frequency and as a function of temperature, 3=11135
- Martinet, B. See Vittoz, B., 3=18170
- Martinet, J. Measurement of the thermal conductivity of conductors at high temperatures, 1=16134
- Martinet, J. Determination of the thermal conductivity of insulators by the pick-up [touchau] method, 2=5198
- Martinet, L. See Bouvier, P., 3=16417
- Martinez, A. and Massoulier, A. Photoelectric detection of Rayleigh scatter in liquids; description of apparatus, 2=11503
- Martinez, A. Measurement of lifetime in the triplet state, 3=960
- Martinez, A. Apparatus to study the decrease of luminescence  $T \rightarrow S$ , 4=1254



- Martínez, A. M., Bulbulian, S. and Brody, T. A. Determination of  $\text{Sr}^{90}$  in milk and rainwater, 4=25347
- Martínez, A. M. See Brody, T. A., 2=19206
- Martínez Carrera, S. and García-Blanco Gutiérrez, S. The structure of barium dithionate dihydrate IV. Refinement of the (010) projection, 1=1400
- Martínez, J. V., Strauch, J. G., Jr. and Decius, J. C. Ultrasonic dispersion observed by optical diffraction. I. Nitrous oxide, 4=11246
- Martínez, M. Poza, See Poza Martínez, M.
- Martínez, P. and Senftle, F. E. Effect of crystal thickness and geometry on the alpha-particle resolution of  $\text{CsI(Tl)}$ , 0=17148
- Martínez, P., Senftle, F. E. and Page, M. Trapping levels and thermoluminescence of  $\text{CsI}$  doped with various activators, 4=22917
- Martínez, P. See Senftle, F. E., 2=18878
- Martini, F. De See De Martini, F.
- Martini, M. See Alberigi Quaranta, A., 3=21685
- Martini, M. See Alberigi-Quaranta, A., 4=14548
- Martini, M. See Farinelli, U., 4=9533
- Martinides, H., Nienhuis, K. and van Duuren, K. The building up and the spread of the discharge in halogen counters, 3=4034
- Martino, F. Role of crystal structure in the F-center spectrum of cesium halides, 3=20242
- Martinod, H., Calvet, J. and Renon, C. Micrography of creep in certain aluminium alloys, 2=6739
- Martinola, M. On the reliability of extrapolation of phenomena of long duration, 3=5327
- Martinot, H. A method for determining the complex permittivity of dielectrics at very low frequencies, 0=8970
- Martinot-Lagarde, P. See Armand, M., 4=14938
- Martinot-Lagarde, P. See Convert, G., 4=21679
- Martinot-Lagarde, P. See Convert, G., 4=27684
- Martinov, N. See Borisov, M., 4=24610
- Martins, J. and Wilson, E. B., Jr. Microwave spectrum of xenon oxytetrafluoride, 4=26225
- Martins, N. See Osada, J., 1=13696
- Martinson, B. M. See Oksman, Ya. A., 3=17959
- Martinson, E. N. Production of ultrahigh vacuum in glass devices by means of gas sorption by deposited titanium films, 4=16157
- Martinson, E. N. and Mýznikov, K. N. Obtaining ultralow pressures by the sorption of gases by sprayed metal films, 2=19628
- Martinson, R. H. See Armstrong, W. M., 3=8773
- Martinuk, G. K. See Shvidkovsky, E. G., 3=23324
- Martinuzzi, S. Preparation of thin films of gallium by vacuum evaporation, 1=7884
- Martinuzzi, S. Electrical resistivity of thin films of gallium of thickness greater than  $30\text{m}\mu$ , 1=17610
- Martinuzzi, S. Preparation of thin films of gallium arsenide, 1=20668
- Martinuzzi, S. Apparatus for the determination under vacuum of the electrical conductivity and Hall constant of thin metallic and semiconducting films, 2=145
- Martinuzzi, S. Development of semiconducting thin films of gallium arsenide, 2=18702
- Martinuzzi, S. Photovoltaic properties shown by obliquely evaporated thin layers of gallium arsenide, 4=17530
- Martinuzzi, S., Perrot, M. and Fourny, J. The preparation and optical properties of thin films of gallium arsenide and cadmium telluride, 4=22857
- Martinuzzi, S. Deviations from Ohm's law shown by GaAs thin films, 4=30621
- Martinuzzi, S. See Coumat, F. J., 0=21285
- Martinuzzi, S. See David, J. P., 3=17875
- Martirosyan, M. A. See Karabekov, I. P., 3=5726
- Martirosyan, M. A. See Karabekov, I. P., 4=619
- Martishyus, I. Fock self-consistent field for the lithium valence electron 6d, 4=1209
- Martishyus, V. I. See Vizbaraitė, Ya. I., 4=1189
- Martišovič, V. High-frequency mass spectrometer, 3=24387
- Martius, U. M. and Bratina, W. J. Frequency dependence of ultrasonic wave attenuation in Armco iron and low-carbon steel, 1=6335
- Martius, U. M. See Bratina, W. J., 0=10165
- Marton, L., Mielczarek, S. R. and Schubert, D. C. A method for the study of vector velocity distribution of low density molecular beams, 2=3799
- Marton, L. Electron energy losses in solids and their influence on the electron diffraction diagram, 3=2779
- Marton, L. Optical constants in the vacuum ultraviolet and electron energy losses, 3=8578
- Marton, L., Simpson, J. A., Fowler, H. A. and Swanson, N. Plural scattering of 20-keV electrons in aluminium, 2=10366
- Marton, L., Schubert, D. C. and Mielczarek, S. R. Electron optical studies of low-pressure gases, 4=8229
- Marton, L. See Fowler, H. A., 1=11548
- Marton, L. See Hörl, E. M., 1=20529
- Marton, L. See Simpson, J. A., 1=10740
- Martone, M. U. and Segre, S. E. A framing image converter using magnetic deflection, 3=7640
- Martone, M. U. See Allen, J. E., 3=12168
- Martoni, M. and Zanarini, G. On the use of sampling oscilloscopes with non-periodic random-amplitude signals, 4=21442
- Mártony, J. See Fant, G., 4=4968
- Martone, M. and Segre, S. E. High-aperture, high-speed framing camera using an image-converter tube, 2=7417
- Martres, M. J. and Pick, M. Characteristics of chromospheric flares associated with radio emission, 3=1522
- Martres, M. J. See Avigon, Y., 4=15946
- Martres, M. J. See Caroubalos, C., 4=15955
- Martres-Trope, M. J. and Pick-Guttmann, M. Peculiar characteristics of chromospheric eruptions associated with radiofrequency emission observed at metre-wavelengths, 2=21715
- Martres-Tropé, M. J. and Pick-Guttmann, M. Characteristic qualities of solar flares associated with radio emission observed in the centimetre-wavelength region, 2=21716
- Martsinovskaya, E. G., Matskevich, T. L. and Rubanova, G. M. Secondary electron emission from iodine, 2=11701
- Martsinovskaya, E. G., Matskevich, T. L. and Rubanova, G. M. Secondary electron emission from iodine, 2=13592
- Martsinovskii, A. M., Pikus, G. E., Sonin, B. E. and Yur'ev, V. G. Effect of electrode film barriers on electrical conductivity of a caesium plasma, 3=21820
- Marttila, O. J. See Kantele, J., 4=24943
- Marty, C. See Benoist, P., 0=9353
- Marty, C. See Dargent, R., 3=11387
- Marty, C. See Do Dang Giu, 2=1880
- Marty, N., Langevin, H. and de Bouard, X. High energy  $\gamma$  rays from levels excited in the giant resonance region by inelastic scattering of 150 MeV protons, 1=8723
- Martv, N. See Bergamaschi, C., 1=16462
- Marty, N. See De Bouard, X., 2=438
- Marty, N. See De Bouard, X., 2=3566
- Marty, N. See De Bouard, X., 4=19669
- Marty, N. Langevin-Joliot, H., 0=9564
- Marty, N. See Langevin-Joliot, H., 1=13784
- Marty, N. See Tatischeff, B., 4=12212
- Marty, N. See Tatischeff, B., 4=19764
- Marty, W. Determining the specific resistance of solid and molten aluminium and its alloys, 0=4314
- Martyn, D. F. Large-scale movements of ionization in the ionosphere, 0=12162
- Martyn, D. F. Morphology of the disturbed ionosphere, 2=15240
- Martýnenko, Yu. V., Firsov, O. B. and Chibisov, M. I. Scattering of slow electrons on atoms, 3=22507
- Martýnkevich, G. M. Evaporation and viscous flow mechanisms and condensate structure, 3=21320
- Martynkevich, G. M. See Shvidkovskii, E. G., 3=19179
- Martýnov, A. I. See Venediktov, Yu. P., 3=24193
- Martýnov, D. Ya. The radius of Venus, 2=947
- Martýnov, D. Ya. Continuous emission from the chromosphere beyond the Balmer limit during the 1954 solar eclipse, 2=982
- Martýnov, D. Ya. and Alduseva, V. Ya. Absolute spectrophotometry of the chromosphere during the total eclipse of June 30, 1954, 2=4788
- Martýnov, D. Ya. The radius of Venus. II, 3=5243
- Martynov, D. Ya. Physical conditions in the atmosphere of Venus, 3=21129
- Martýnov, D. Ya. and Pospergelis, M. M. Note on photometric analysis of the structure of Venus' atmosphere, 2=946
- Martýnov, E. D. See Bulýchev, D. K., 4=23146
- Martýnov, E. D. See Livshits, L. D., 4=13445
- Martýnov, G. A. Equation of the phase-transition curve, 0=6991
- Martýnov, G. A. The solution of the converse of Stefan's problem in the case of spherical symmetry, 0=14862
- Martynov, G. A. Determination of correlative functions for dense gases and liquids. I. System of rigid spheres, 4=2627
- Martynov, G. A. and Bakanov, S. P. Solution of the kinetic equation for coagulation, 4=10656
- Martýnov, G. A. See Deryagin, B. V., 3=1723
- Martynov, N. P. See Bonyushkin, E. K., 4=12292
- Martýnov, Yu. S. See Biryukov, E. I., 4=27996
- Martynova, T. N. See Ivlev, D. D., 2=21861



- Martynŭk, G. K. See Tyapunina, N. A., 4=9970  
 Martyugov, G. M. See Malyshev, I. F., 4=14801  
 Martz, C. See Cohen, B. L., 0=9635  
 Martz, D. E. New method for sealing infrared window materials to glass, 1=5347  
 Martz, D. E. and Robinson, J. D. Beam profile monitor for linear electron accelerator, 4=3066  
 Martz, D. E. See Westphal, J. A., 3=21080  
 Martz, E. P., Jr. Optical problems of television recording of the moon and planets from approaching spacecraft, 3=7014  
 Maruani, J. See Lefebvre, R., 4=28336  
 Marucchi, J. Study of the electrical properties of thin films of germanium epitaxially oriented on a monocrystal of fluorite, 4=20359  
 Marukawa, K. See Imura, T., 3=22796  
 Marukawa, K. See Tanaka, K., 3=13493  
 Marumori, T. On the collective motion in even-even spherical nuclei, 1=8606  
 Marumori, T. On the collective motion in even-even spherical nuclei, 1=9801  
 Marumori, T., Murota, T., Takagi, S., Tanaka, H. and Yasuno, M. Note on the pairing correlation in nuclear matter, 1=13609  
 Marumori, T., Murota, T., Takagi, S., Tanaka, H. and Yasuno, M. Note on the pairing correlation in nuclear matter, 2=1768  
 Marumori, T., Yamamura, M. and Bandō, H. On the collective motion in even-even deformed nuclei, 2=20488  
 Marumori, T., Yamamura, M. and Tokunaga, A. On the "anharmonic effects" on the collective oscillations in spherical even nuclei. I, 4=27936  
 Marumori, T. See Hayakawa, S., 0=11297  
 Marumori, T. See Ikeda, K., 0=15504  
 Marumori, T. See Ikeda, K., 0=20314  
 Marumori, T. See Ikeda, K., 2=20520  
 Marumori, T. See Kobayasi, M., 1=3384  
 Marumori, T. See Nagata, S., 0=13105  
 Maruo, H. See Okada, M., 4=14738  
 Marupov, R. See Al'perovich, L. I., 0=19158  
 Maruse, S. See Kojima, M., 3=24367  
 Marushko, I. O. Effect of anharmonic vibrations of the lattice on the intensity of the Mössbauer line, 4=6686  
 Marutake, M. See Hamano, K., 3=10885  
 Marutyan, N. A., Matevosyan, K. A. and Toshiyan, R. T. Interaction of  $5 \times 10^{12}$  eV nucleons with emulsion nuclei, 1=19185  
 Marutyan, N. A. See Babayan, Kh. P., 3=24985  
 Maruya, K. See Saitō, T., 1=1738  
 Maruyama, E. Luminescence accompanied by electrolysis in CdS single crystals, 2=4168  
 Maruyama, M. See Tsukada, K., 1=12203  
 Maruyama, S. Dynamic behaviour of twinning in tin crystals at various temperatures and strain rates, 1=9103  
 Maruyama, S. See Haymann, P., 2=11700  
 Maruyama, S. and Honjo, G. Anomalous transmission of X-rays through doped germanium single crystals, 3=10975  
 Maruyama, S. and Okada, O. Crow track formed by mechanical force on silicon crystal wafer, 4=28978  
 Maruyama, T., Matsuda, Y., Kon, H. and Yonemitsu, H. Thermoluminescence of  $\gamma$ -irradiated ruby, 3=23128  
 Maruyama, T. and Matsuda, Y. Color centers in  $\gamma$ -irradiated ruby, 4=28497  
 Maruyama, T. See Sakurai, K., 3=12043  
 Marvan, M. The energy-momentum tensor of an electromagnetic field in an optically active medium, 1=16577  
 Marvaud, J. Differential ionization chamber for the measurement of the activity of radioactive gases, 1=7167  
 Marvaud, J. See Heyman, M., 4=16304  
 Marvillet, F. See Schwab, C., 4=22855  
 Marvin, D. See Person, S., 3=14984  
 Marvin, J. F., Miller, W. D. and Loken, M. K. Transistorized ratemeter design, 0=21402  
 Marvin, J. W. See Bennett, F. D., 3=3981  
 Marvin, R. S. and Oser, H. A model for the viscoelastic behaviour of rubberlike polymers including entanglement effects, 3=11167  
 Marvin, R. S. See Oser, H., 3=23339  
 Marvsiyak, V. I. Applicability of the Born approximation to the scattering of electrons by ionized impurities [in semiconductors], 4=12874  
 Marwadi, P. R. See Chiplonkar, M. W., 1=20862  
 Marwadi, P. R. See Chiplonkar, M. W., 2=4604  
 Marwadi, P. R. See Chiplonkar, M. W., 4=17902  
 Marwaha, A. S. See Cusack, N. E., 3=1710  
 Marwaha, A. S. See Cusack, N. E., 4=21152  
 Marx, E. See Gell-Mann, M., 4=9146  
 Marx, G. Selection rules in the one K meson theory, 0=7411  
 Marx, G. A model with superconducting solution in quantum field theory, 2=16124  
 Marx, G. The abundance of the two neutrinos in the universe, 4=13869  
 Marx, G. Are there two neutrinos or only one? 4=16868  
 Marx, G. and Elkishem, M. Absorption of high energy neutrinos, 1=13390  
 Marx, G. and Kuti, G. A quantum field-theoretical model with ground state of decreased symmetry, 4=30139  
 Marx, G. and Menyhárd, N. Cosmic neutrino radiation, 0=5631  
 Marx, G. and Nagy, K. L. The problem of the "anomalous" mass of muons, 0=7398  
 Marx, G. and Nagy, T. Neutrino radiation from degenerated gases, 4=882  
 Marx, G. and Németh, J. The role of photoneutrinos in the evolution of the stars, 4=26899  
 Marx, G. and Sauerbrey, G. Transit time investigations of photomultiplier tubes, 3=4181  
 Marx, G. and Ziegler, M. A. Relativistic two-body problem in the classical theory of meson field, 0=5508  
 Marx, G. See Fodor, L., 4=20906  
 Marx, G. See Károlyházy, F., 0=5484  
 Marx, G. See Kuti, G., 4=19347  
 Marx, G. See Reuter, B., 1=4054  
 Marx, G. See Shi, C., 3=17304  
 Marx, H. The Seidel eikonal introduced by Schwarzschild and the Staebble-Lihotzky isoplanatic condition, 0=3605  
 Marx, H. Many-dimensional Hamiltonian formalism, 2=2625  
 Marx, H. Many-dimensional Hamiltonian formalism, II, 2=7140  
 Marx, R., Leach, S. and Horani, M. Electronic excitation of a molecular beam of water and its deuterated isotopes: paramagnetic resonance study of the products condensed at 77°K, 4=1325  
 Marx, R. See Bensasson, R., 1=14107  
 Marx, R. See Lefebvre, R., 4=28336  
 Marxen, M. Measurement of weak beta-radiation with a new kind of Geiger-Müller counter arrangement, 0=15181  
 Mar'yanovskaya, T. S. See Oding, I. A., 2=16966  
 Mar'yanovskaya, T. S. See Oding, I. A., 2=21439  
 Marychev, V. V. See Vigdorovich, V. N., 3=3265  
 Marychev, V. V. See Vigdorovich, V. N., 4=9949  
 Marychev, V. V. See Vigdorovich, V. N., 4=13528  
 Mar'yevich, V. P. and Shklyar, R. Sh. Damping capacity in nickel and manganese austenite, 4=23183  
 Marýnin, V. G. Motion of electrons in mutually perpendicular electric and space-modulated magnetic fields, 4=595  
 Maryott, A. A. and Birnbaum, G. Microwave absorption in compressed oxygen, 0=5915  
 Maryott, A. A. and Birnbaum, G. Collision-induced microwave absorption in compressed gases. I. Dependence on density, temperature, and frequency in CO<sub>2</sub>, 2=13379  
 Maryott, A. A., Estlin, A. and Birnbaum, G. Nonresonant absorption in symmetric-top gases: Dependence of relaxation frequency on temperature, 0=10700  
 Maryott, A. A. and Kryder, S. J. Collision-induced microwave absorption in compressed gases. III. CO<sub>2</sub>-Foreign-Gas mixtures, 4=27226  
 Maryott, A. A. See Birnbaum, G., 2=13380  
 Maryott, A. A. See Birnbaum, G., 4=25785  
 Marzari-Chiesa, A., Quassiat, B., Rinaudo, G., Trabucco, A., Vigone, M., Werbrück, A. E., Bisi, V., Borreani, G., Cester, R., Debenedetti, A., Ferrero, M. I. and Garelli, C. M. Three examples of the  $K^+ \rightarrow \pi^+ + \pi^- + e^+ + \nu$  decay mode, 3=19695  
 Marzari-Chiesa, A., Rinaudo, G., Ciurlo, S., Picasso, E. and Cartacci, A. M. On the interactions of 25 GeV protons in nuclear emulsion. II, 3=7848  
 Marzari-Chiesa, A. and Wataghin, A. On multiple scattering in nuclear emulsions at large cell-sizes, 3=14844  
 Marzari-Chiesa, A. See Bisi, V., 4=21928  
 Marzari-Chiesa, A. See Bizzetti, P. G., 3=7847  
 Marzari-Chiesa, A. See Cester, R., 2=3409  
 Marzari-Chiesa, A. See Garelli, C. M., 2=5737  
 Marzat, C. Effect of temperature on the resonance line of polycrystalline yttrium garnet with aluminium substitution, 4=23039  
 Marzetta, B. See Grün, F., 0=3512  
 Marzetta, L. A. Use of an operational amplifier with Helmholtz coils for reducing a.c. induced magnetic fields, 2=1556  
 Marzetta, L. A. See Cook, H. D., 1=10600



- Marzke, R. F. and Wheeler, J. A. Gravitation as geometry—I: The geometry of space—time and the geometrodynamical standard meter, 4=10053
- Marzolf, J. G. Angle measuring interferometer, 4=27332
- Marzolf, J. G. See Bearden, J. A., 4=27596
- Marzolf, J. G. See Dehn, J. T., 4=27947
- Marzollo, A. and Scarinci, C. Unitary symmetry and parity conservation, 4=30167
- Marzullo, S. See Wachtman, J. B., Jr, 3=13332
- Mas, L. Application of the method of variation of parameters to the two-body problem, 3=3729
- Mas, L. and Montserrat, A. Wave fronts in Einstein's unified theory, 1=6776
- Mas, L. See Montserrat, A., 1=6777
- Mas, L. See Montserrat, A., 1=15662
- Masagutov, V. S. and Esterlis, M. Kh. Scattering of 1-5 BeV/c  $\mu$ -mesons in lead, 2=22550
- Masagutov, V. S. See Azimov, S. A., 1=19227
- Masaïke, A. Investigation of nuclear reactions induced by high energy bremsstrahlung, 4=19753
- Masaïke, A., Yoshimura, Y., Murata, U., Kusumegi, A. and Takamatsu, K.  $\text{Al}^{27}(\gamma, \pi^0)\text{Mg}^{27}$  and  $\text{Al}^{27} \rightarrow \text{Na}^{24}$  reactions induced by high energy  $\gamma$ -rays, 4=9480
- Masaïke, A. See Nakamura, T., 2=5913
- Masaïke, A. See Ogata, H., 1=11006
- Masaïke, A. See Ogata, H., 1=11012
- Masaïke, A. See Ogata, H., 2=10099
- Masaïke, A. See Yanabu, T., 2=8007
- Masaïke, A. See Yanabu, T., 2=16425
- Masaïke, A. See Yanabu, T., 3=22418
- Masaïke, A. See Yasumi, S., 1=12188
- Masaki, H. Apparent colors of natural objects, 2=2860
- Masaki, H. Apparent colours of natural objects, II, 2=13222
- Masaki, T. See Okada, M., 4=14738
- Masaki, T. See Takasaki, H., 4=14400
- Masani, A. The early evolutionary phases of stars of small masses, 2=991
- Masani, A. The propagation of shock waves in the inside of stars. II, 3=23692
- Masani, A. and Occhini, G. The propagation of disturbances and shock waves in the inside of stars, I, 2=15369
- Masani, A. and Silvestro, G. Energy spectrum of neutrinos produced in  $e^+e^-$  pair annihilation, 4=21843
- Masani, A. See Cimino, M., 3=16398
- Masani, A. See Cocito, G., 0=18586
- Mascarenhas, S. Electrical effects observed with solid and gaseous  $\text{CO}_2$ , 0=8977
- Mascarenhas, S. Method of obtaining slow cooling from 300° to 20°K, 4=356
- Mascarenhas, S. and Freitas, L. G. Influence of crystallographic orientation on the charge formation during phase changes in solids, 0=16005
- Mascarenhas, S., Wiegand, D. A. and Smoluchowski, R. Low-temperature annealing of the X-ray-induced volume expansion and coloration of  $\text{LiF}$ , 4=15505
- Mascarenhas, S., Wiegand, D. A. and Smoluchowski, R. Volume expansion and color center behavior of  $\text{NaCl}$  X-ray irradiated at low temperature, 4=15510
- Mascarenhas, S. See Freitas, L. G., 1=1119
- Mascher, W. See Klipping, G., 3=11841
- Mascher, W. See Klipping, G., 4=8259
- Mascheretti, P. See Bonera, G., 3=23545
- Maschke, E. K. and Wild, W. Two-particle approximation for a fermion system with attractive interaction, 3=7148
- Masci, E. See Erocles, A. M., 3=3688
- Mase, S. Electronic structure of bismuth type crystals. II, 0=17910
- Mase, S. Algebraic method to obtain irreducible representations of space groups with an application to white tin, 0=21178
- Mase, S. Anisotropy of galvanomagnetic tensors of semimetals with particular attention to bismuth, 1=17618
- Mase, S. and Tanuma, S. Galvanomagnetic tensors of bismuth single crystals at low temperatures, 1=1013
- Mase, S. and Tanuma, S. Measurements of galvanomagnetic tensors of bismuth single crystals at low temperatures, 1=3722
- Mase, S., von Molnar, S. and Lawson, A. W. Galvanomagnetic tensor of bismuth at 20.4°K, 2=18642
- Masek, G. E., Ewart, T. E., Toutonghi, J. P. and Williams, R. W. Scattering of muons from hydrogen at large momentum transfer, 3=10140
- Masek, G. E., Heggie, L. D., Kim, Y. B. and Williams, R. W. Scattering of 2 BeV/c muons in carbon and lead, 1=7257
- Masek, G. E., Toutonghi, J. P., Williams, R. W. and Coward, D. H. Measurement of electron scattering in carbon to compare with a muon experiment, 1=17088
- Masek, G. E. See Davis, H. F., 3=24757
- Masek, G. E. See Heggie, L. D., 1=4745
- Masek, G. E. See Kim, C. Y., 1=8471
- Masek, G. E. See Platner, E. D., 3=19530
- Masek, G. E. See Swanson, R. J., 1=9706
- Mašek, K. See Eckertová, L., 0=3783
- Maserjian, J. Determination of avalanche breakdown in p-n junctions, 0=581
- Maserjian, J. Single-crystal germanium films by microzone melting, 4=2125
- Masevich, A. G. The later stages of stellar evolution, 0=18848
- Masevich, A. G. Evolution of stars decreasing in mass, 1=12761
- Masevich, A. G. and Volkonskaya, T. G. The structure of the sun, 1=21
- Mash, D. H. An electroluminescent digital indicator with a silicon carbide coding matrix, 0=6644
- Mash, D. H. and Firth, F. Hollow cadmium sulfide crystals, 4=10470
- Mash, D. I. The temperature and frequency dependence of the Faraday effect for millimetre wavelengths, 0=15140
- Mash, D. I. and Nikol'skii, V. V. Measurement of the complex dielectric susceptibility and the magnetic susceptibility tensor of ferrites in the millimetre region, 0=10171
- Mash, D. I. and Ovechkin, A. P. An investigation into ferromagnetic resonance in some ferrites in the centimetre and millimetre
- Mash, D. I. and Skvortsov, V. I. Frequency dependence of the magnetic permeability tensor components and the complex permittivity of certain ferrites in the u.h.f. range, 3=5024
- Mash, D. I. See Basov, N. G., 4=8983
- Mashanskii, V. F. See Komissarchik, Ya. Yu., 3=3696
- Masharov, S. I. See Rezanov, A. I., 2=23070
- Masharov, S. I. and Rezanov, A. I. Electrical resistivity and the energy of formation of defects, 2=20991
- Masharov, S. I. and Rezanov, A. I. Electrical resistance and the energy of formation of defects [in metals], 2=8270
- Masharov, S. I. Effect of low concentration impurities on the electrical resistivity of metals, 3=4902
- Masharov, S. I. The electrical conductivity of metals with vacancies, 4=1551
- Masharov, S. I. The frequency spectrum of elastic vibrations of ordered binary alloys, 4=17340
- Masharov, S. I. See Rezanov, A. I., 1=10117
- Mashirev, V. P. See Akhachinskii, V. V., 2=1302
- Mashkevich, V. S. Electrical, optical and elastic properties of diamond-type crystals. IV. Interaction between conduction electrons and lattice vibrations, 0=11593
- Mashkevich, V. S. Electromagnetic waves in a medium with a continuous energy spectrum. I, 0=12705
- Mashkevich, V. S. A higher approximation in Ewald's method, 0=15801
- Mashkevich, V. S. The dipole approximation in the microscopic theory of crystals. I. Lattice vibrations with allowance for electron dispersion, 1=898
- Mashkevich, V. S. Electromagnetic waves in a medium with a continuous energy spectrum. II, 2=588
- Mashkevich, V. S. Electromagnetic waves in a medium possessing a continuous energy spectrum. III, 2=8193
- Mashkevich, V. S. Electromagnetic waves in a medium with a continuous energy spectrum II, 3=4845
- Mashkevich, V. S. Electromagnetic waves in a medium possessing a continuous energy spectrum. III, 3=6499
- Mashkevich, V. S. Conditions for appearance of spatial dispersion in crystals, 3=15644
- Mashkevich, V. S. Absorption and dispersion of light in the region of exciton transitions, 3=15668
- Mashkevich, V. S. Concepts of negative absorption and negative temperature, 4=5839
- Mashkevychi, V. S. Nonlinear optical properties of a three-level system in a resonator with many modes, 4=5841
- Mashkevych, V. S. Width of lines radiated by laser modes, 4=5843
- Mashkevych, V. S. Raman scattering laser, 4=5844
- Mashkevich, V. S. Laser with two kinds of active centre, 4=11838
- Mashkevich, V. S. Radiation on the second optical harmonic, 4=16195
- Mashkevich, V. S. See Buryakivs'kyy, H. Yu., 4=14879
- Mashkov, A. K. See Blanter, M. E., 2=8271
- Mashkov, A. K. See Blanter, M. E., 2=23234



- Mashkova, E.S. and Chetverikova, G.A. Investigation of the temperature dependence of secondary electron emission from piezo-electric mono-crystals, 1=13122
- Mashkova, E.S. and Molchanov, V.A. Angular distribution of fast particles leaving metal surfaces on bombardment with ion beams, 3=5720
- Mashkova, E.S. and Molchanov, V.A. Value of the effective collision radius in sputtering and ion-electron emission experiments on single crystals, 4=1546
- Mashkova, E.S., Molchanov, V.A. and Odintsov, D.D. The anisotropy of the ion-electron emission coefficient of single crystals, 4=3035
- Mashkovets, M.D. See Avetkov, V.G., 1=3800
- Mashovets, T.B. See Vitovskii, N.A., 2=21145
- Mashovets, T.V. See Vitovskii, N.A., 2=18688
- Mashovets, T.V. See Vitovskii, N.A., 2=23362
- Mashkovich, M.D. The problem of the dielectric losses and permittivity of glasses at very high frequencies, 1=14541
- Mashkovich, M.D. Dielectric losses of glasses at the wavelength of 8 mm, 3=20373
- Mashkovich, M.D. Dielectric loss and dielectric constant of sitals of the cordierite system, 3=25393
- Mashkovich, S.A. An objective analysis of aerological observations and the requirements for the distribution of a network of stations, 4=26784
- Mashkovich, V.I. See Gusev, N.G., 4=873
- Mashkovich, V.P. See Dulin, V.A., 3=2274
- Mashkovich, V.P. See Dulin, V.A., 3=7865
- Mashkovich, V.P. See Kramer-Ageev, E.A., 4=6086
- Mashovets, T.V. and Rývkin, S.M. The temperature dependence of the carrier lifetime in germanium in the intrinsic-conduction region, 1=6148
- Mashovets, T.V. See Bitovskii, N.A., 0=4339
- Mashovets, T.V. See Kitovskii, N.A., 3=20294
- Mashovets, T.V. See Konopleva, R.F., 0=15925
- Mashovets, T.V. See Vitovskii, N.A., 1=14259
- Mashovets, T.V. See Vitovskii, N.A., 3=20316
- Mashovets, T.V. See Vitovskii, N.A., 4=1538
- Mashovets, T.V. See Vitovskii, N.A., 4=25984
- Mashtalka, A. See Brabets, V., 3=8050
- Mashtalka, A. See Brabets, V., 4=9417
- Masica, B. Quantity analysis of residual gases in vacuum systems by means of the omegatron, 2=15662
- Masica, B. Pressure changes of methane in electron tubes, and their influence on cathode emission, 4=21576
- Masica, B. A simple omegatron with additional trapping voltages, 4=21593
- Mašin, A. Labyrinth structure in martensite, 0=8267
- Mašin, A. and Bakalíková, O. Surface martensite and plastic deformation, 1=20364
- Mašin, A. and Havel, V. On making visible dislocations at the sub-grain boundaries of Fe-Cr alloys by ion bombardment, 0=1927
- Mašin, A. and Havel, V. On the characteristic disturbance of ageing iron during ionic bombardment, 0=7902
- Masing, L. and Young, L. Kinetics of formation of anodic oxide films on bismuth, 2=15151
- Masing, L., Vitins, J. and Young, L. Dielectric properties of anodic oxide films on tantalum with metal counter-electrodes, 3=17930
- Masing, M.A. See Mandelstam, S.L., 4=18853
- Maskalick, N.J., Lewis, C.W. and Reingold, A.M. The microstructure and some related electrical properties of tantalum films, 4=20812
- Masket, A.V. Solid angle subtended by a circular disk, 0=3396
- Masket, A.V. and Vastano, A.C. Interior value problems of mathematical physics. I. Wave propagation, 3=22
- Masket, A.V. and Vastano, A.C. Interior value problems of mathematical physics. II. Heat conduction, 3=23
- Maskova, E.S., Molchanov, V.A. and Odintsov, D.D. Anisotropy of the sputtering ratio and of the ion-electron emission coefficient in single crystals, 4=25983
- Maskrey, J.T., Dugdale, R.A. and McVickers, R.C. Arc initiation on heated metals by a hydrogen discharge, 1=16293
- Maskrey, J.T. and Dugdale, R.A. Arc initiation on heated molybdenum exposed to a toroidal hydrogen discharge contaminated with impurity gases, 3=9756
- Maskrey, J.T. See Dugdale, R.A., 2=17804
- Maslach, G.J. and Schaaf, S.A. Cylinder drag in the transition from continuum to free-molecule flow, 3=9486
- Maslakovets, Yu.P. See Vodakov, Yu.A., 0=7937
- Maslakovets, Yu.P. See Vodakov, Yu.A., 0=11723
- Maslakovets, Yu.P. See Vodakov, Yu.A., 0=15948
- Maslen, E.N. See Clews, C.J.B., 2=827
- Maslan, F. Nucleonics data sheet No 45—Heat transfer xenon thermodynamic diagram, 2=11421
- Masland, C.H., 3rd. See Wood, S.E., 0=10667
- Maslen, E.N. See Rae, A.I.M., 3=23434
- Maslen, V.W. See Hurley, A.C., 1=9946
- Maslenkov, S.B. and Estulin, G.V. Effect of heat treatment on fine structural changes and properties of a creep-resistant alloy on nickel-chromium base, 3=18351
- Maslennikov, I.M. Experimental determination of thermal radiation properties when heating bodies by radiation in a diathermal medium, 2=15779
- Maslennikov, M.V. A numerical method of solving the equation of reactor kinetics, 2=22866
- Maslennikov, M.V. On one inverse problem in the theory of passage of radiation through matter, 3=5848
- Maslennikov, M.V. and Sushkevich, T.A. Asymptotic properties of solutions of characteristic equations for the transfer theory of radiation in strongly absorbing media, 4=14377
- Maslennikov, M.V. See Vereschagin, L.F., 0=12404
- Maslennikova, F.V. See Kandaurova, G.A., 0=6233
- Maslennikova, V.N. The first boundary value problem for some quasi-linear systems of the mathematical theory of diffusion, 4=19899
- Masley, A.J., May, T.C. and Winckler, J.R. Analysis of balloon observations during the April 1960 solar cosmic-ray events, 2=22691
- Masley, A.J. See Winckler, J.R., 1=10936
- Masley, A.J. See Winckler, J.R., 1=16831
- Masley, A.J. See Winckler, J.R., 1=18094
- Maslov, P.G. On the theory of the use of dependent generalized coordinates in the study of molecular vibrations, 4=12428
- Maslov, V. Scattering problem in a quasi-classical approximation, 3=23763
- Maslov, V.A. See Kagan, Yu., 2=556
- Maslov, V.A. See Zhinskaya, N.V., 4=10472
- Maslov, V.N. and Nabatova, L.V. High-temperature gaseous etching of germanium single crystals, 1=5089
- Maslov, V.N., Ovodova, A.V. and Nabatova, L.V. The anodic etching of n-type germanium single crystals, 3=16028
- Maslov, V.N., Ovodova, A.V., Nabatova, L.V. and Bulankin, V.S. Selective oxidation of a single crystal germanium surface, 4=30896
- Maslov, V.P. Quasiclassical asymptotic solutions of some problems of mathematical physics. II., 4=14049
- Maslov, V.P. and Tartakovskii, B.D. Transmission of flexural waves through an arbitrary intermediate rod, 1=15995
- Maslov, V.P. and Tartakovskii, B.D. Transmission of bending waves through an intermediate rod with losses, 2=5096
- Maslov, V.P. and Tartakovskii, B.D. Propagation of flexure waves in nonuniform rods, 3=14236
- Maslova, L.V., Matveev, O.A. and Afanas'ev, V.F. Electrolytic polishing of n-type silicon, 2=2348
- Maslova, L.V., Matveev, O.A. and Afanas'ev, V.F. Electrolytic polishing of n-type silicon, 2=6457
- Maslova, L.V., Matveev, O.A., Rývkin, S.M., Strokan, N.B., Tarkhin, D.V. and Khozov, V.G. Use of silicon radiation detectors in nuclear studies, 4=11855
- Maslova, L.V. See Rývkin, S.M., 0=20900
- Maslowski, S. See Boersch, H., 3=14804
- Mason, A. The flux of primary cosmic ray  $\alpha$ -particles over Southern England, 1=9783
- Mason, A. See Aly, H.H., 3=19733
- Mason, A. See Baldassarre, F., 2=22562
- Mason, A. See Caforio, A., 4=21891
- Mason, A. See Evans, D., 2=22492
- Mason, A. See Fisher, C.M., 3=8060
- Mason, A.S. See Fischer, A.G., 2=14647
- Mason, B. The origin of meteorites, 1=15439
- Mason, B. Reply to Dr. Harold C. Urey's criticism of the paper by Brian Mason, "The origin of meteorites", 2=6887
- Mason, B.J. Nucleation of water aerosols, 1=11627
- Mason, B.J. The growth of snow crystals, 2=14946
- Mason, B.J. The collision, coalescence, and disruption of drops, 4=30910
- Mason, B.J. and Brownscombe, J.L. Production of uniform size drops at controllable frequency and spacing from a vibrating capillary, 4=18169
- Mason, B.J., Bryant, G.W. and Van den Heuvel, A.P. The growth habits and surface structure of ice crystals, 3=18260
- Mason, B.J. and Chien, C.W. Cloud-droplet growth by condensation in cumulus, 2=13002



- Mason, B.J., Jayaratne, O.W. and Woods, J.D. An improved vibrating capillary device for producing uniform water droplets of 15 to 500  $\mu\text{m}$  radius, 3=14132
- Mason, B.J. and Latham, J. Thunderstorm electrification, 3=6957
- Mason, B.J. and Maybank, J. The fragmentation and electrification of freezing water drops, 1=20832
- Mason, B.J. and van den Heuvel, A.P. The properties and behaviour of some artificial ice nuclei, 0=10281
- Mason, B.J. See Bartlett, J.T., 4=13540
- Mason, B.J. See Browning, K.A., 3=11401
- Mason, B.J. See Bryant, G.W., 0=6335
- Mason, B.J. See Bryant, G.W., 1=973
- Mason, B.J. See Dinger, J.E., 4=23767
- Mason, B.J. See Fukuta, N., 3=18285
- Mason, B.J. See Hallett, J., 0=8151
- Mason, B.J. See Hobbs, P.V., 4=13661
- Mason, B.J. See Jayaratne, O.W., 4=24154
- Mason, B.J. See Langham, E.J., 0=8153
- Mason, B.J. See Latham, J., 1=20834
- Mason, B.J. See Latham, J., 1=20835
- Mason, B.J. See Latham, J., 2=6912
- Mason, B.J. See Matthews, J.B., 4=2203
- Mason, B.J. See Maybank, J., 0=5212
- Mason, C.L. Simple schlieren demonstration, 1=12398
- Mason, C.M. See Gibson, F.C., 0=3312
- Mason, C.S. See Bullard, E.C., 4=30013
- Mason, C.S. See Hill, M.N., 2=24058
- Mason, D.W. See Gibson, A., 2=7628
- Mason, D.E. and Taylor, D.F. Silicon junction diodes, 0=20912
- Mason, D.R. and Cook, J.S. Zone leveling and crystal growth of peritectic compounds, 1=5093
- Mason, D.R. and O'Kane, D.F. Preparation and properties of some peritectic semiconducting compounds, 3=864
- Mason, D.R. See Grochowski, E.G., 4=29011
- Mason, D.R. See LaBotz, R.J., 3=12931
- Mason, D.R. See LaBotz, R.J., 3=13142
- Mason, D.R. See Lee, V.J., 4=20347
- Mason, D.R. See O'Kane, D.F., 4=6950
- Mason, D.R. See O'Kane, D.F., 4=26060
- Mason, D.R. See Thomassen, L., 4=7478
- Mason, D.R. See Thorp, J.S., 4=23534
- Mason, D.R. See Vin-Jang Lee, 3=22913
- Mason, D.W. See Burton, W.M., 4=8787
- Mason, E.A. Redetermination of the intermolecular potential for krypton, 0=14687
- Mason, E.A. Kirkendall effect in gaseous diffusion. II. Absolute determination of diffusion coefficients, 2=1192
- Mason, E.A. Molecular relaxation times from thermal transpiration measurements, 3=22608
- Mason, E.A. and Chapman, S. Motion of small suspended particles in nonuniform gases, 2=5058
- Mason, E.A., Evans, R.B., III and Watson, G.M. Gaseous diffusion in porous media. III. Thermal transpiration, 3=14200
- Mason, E.A., Islam, M. and Weissman, S. Thermal diffusion and diffusion in hydrogen-krypton mixtures, 4=24268
- Mason, E.A. and Larrimore, J.A. Effect of specific power on fuel reactivity and costs in thorium-fueled reactors, 2=6063
- Mason, E.A., Miller, L. and Carman, P.C. Kirkendall effect in gases, 1=18463
- Mason, E.A. and Monchick, L. Heat conductivity of polyatomic and polar gases, 2=7252
- Mason, E.A. and Monchick, L. Transport properties of polar-gas mixtures, 2=13369
- Mason, E.A. and Monchick, L. Theory of transport properties of gases, 4=5234
- Mason, E.A., Vanderslice, J.T. and Yos, J.M. Transport properties of high-temperature multicomponent gas mixtures, 0=957
- Mason, E.A., Vanderslice, J.T. and Raw, C.J.G. Quantum effects in small-angle molecular-beam scattering, 4=20135
- Mason, E.A. and von Ubisch, H. Thermal conductivities of rare gas mixtures, 0=10696
- Mason, E.A., Weissman, S. and Wendt, R.P. Composition dependence of gaseous thermal diffusion factors and mutual diffusion coefficients, 4=11239
- Mason, E.A. See Amdur, I., 1=14124
- Mason, E.A. See Botsaris, G., 4=10015
- Mason, E.A. See Cloney, R.D., 2=10237
- Mason, E.A. See Evans, R.B., III, 2=1193
- Mason, E.A. See Evans, R.B., III, 2=11409
- Mason, E.A. See Fallon, R.J., 0=5982
- Mason, E.A. See Fallon, R.J., 0=7716
- Mason, E.A. See Fallon, R.J., 0=11525
- Mason, E.A. See Fallon, R.J., 0=17733
- Mason, E.A. See Knof, H., 4=22438
- Mason, E.A. See Krupenie, P.H., 4=3860
- Mason, E.A. See Monchick, L., 2=1191
- Mason, E.A. See Monchick, L., 3=9495
- Mason, E.A. See Monchick, L., 3=21437
- Mason, E.A. See Saxena, S.C., 1=173
- Mason, E.A. See Saxena, S.C., 1=174
- Mason, E.A. See Schamp, H.W., Jr., 2=15644
- Mason, E.A. See Vanderslice, J.T., 0=4245
- Mason, E.A. See Vanderslice, J.T., 0=15785
- Mason, E.A. See Vanderslice, J.T., 0=17734
- Mason, E.A. See Vanderslice, J.T., 0=17837
- Mason, E.A. See Vanderslice, J.T., 2=5066
- Mason, E.A. See Weissman, S., 0=14688
- Mason, E.A. See Weissman, S., 1=6895
- Mason, E.A. See Weissman, S., 1=10525
- Mason, E.A. See Weissman, S., 2=5053
- Mason, E.A. See Weissman, S., 2=21938
- Mason, E.A. See Wendt, R.P., 3=11817
- Mason, E.A. See Yun, K.S., 2=9314
- Mason, E.A. See Yun, Kwang-Sik, 2=13372
- Mason, F.A. See McCarty, K.P., 1=176
- Mason, F.C.P. See Elliott, K.W.T., 0=8677
- Mason, G.D. See MacKay, G.D., 3=13620
- Mason, G.J. See Barkas, W.H., 2=314
- Mason, G.R. See Kirkaldy, J.S., 4=6864
- Mason, H.L. Analog simulation of zone melting, 1=10240
- Mason, I.B. and Knibbs, R.H. Variation with temperature of Young's modulus of polycrystalline graphite, 0=21095
- Mason, I.B. and Knibbs, R.H. The thermal conductivity of artificial graphites and its relationship to electrical resistivity, 2=23093
- Mason, I.B. and Knibbs, R.H. Influence of crystallite size on the thermal conductivity of irradiated polycrystalline graphite, 4=1412
- Mason, I.B. and Knibbs, R.H. The thermal expansion of polycrystalline carbon and graphite from  $-196^\circ$  to  $2000^\circ\text{C}$ , 4=22505
- Mason, J. See Bernal, J.D., 1=6554
- Mason, J. See Scott, G.D., 2=19537
- Mason, J.B. See Lutz, H.F., 3=17497
- Mason, J.B. See Lutz, H.F., 3=22261
- Mason, J.B. See Lutz, H.F., 4=1085
- Mason, J.B. See Lutz, H.F., 4=9351
- Mason, J.C. Rational approximations to the ordinary Thomas-Fermi function and its derivative, 4=27020
- Mason, J.J. See Clark, C.A., 4=4366
- Mason, J.J. See Corner, W.D., 3=13263
- Mason, J.J. See Corner, W.D., 4=22994
- Mason, J.T. See Chiotti, P., 4=5444
- Mason, P. The strain-dependence of rubber visco-elasticity. I. The region of moderate strain, 0=697
- Mason, P. Longitudinal wave propagation in stretched polymers, 0=18251
- Mason, P. Relation of physical behaviour to molecular packing in crosslinked rubber, 1=20655
- Mason, P. Finite elastic wave propagation in rubber, 3=7270
- Mason, P. See Cadwell, D.O., 4=15091
- Mason, P. See Cundy, D.C., 0=15201
- Mason, P. See Cundy, D.C., 2=5716
- Mason, P.R. See Hasted, J.B., 4=21145
- Mason, R. The diamagnetic susceptibilities of some hydrogen-bonded molecules, 1=14073
- Mason, R. The crystallography of anthracene at  $95^\circ\text{K}$  and  $290^\circ\text{K}$ , 4=23501
- Mason, R. See Figgis, B.N., 4=23426
- Mason, R.G. and Vitousek, M.J. Some geomagnetic phenomena associated with nuclear explosions, 0=4771
- Mason, S.F. The magnetic dipole character and the rotary power of the 3000 A carbonyl absorption, 3=728
- Mason, S.G. and Rabinovitch, W. The diffusion of reaction products from a radioactive monolayer, 0=2165
- Mason, S.G. See Allan, R.S., 2=9253
- Mason, S.G. See Allan, R.S., 2=9254
- Mason, S.G. See Allan, R.S., 2=12984
- Mason, S.G. See Charles, G.E., 0=8645
- Mason, S.G. See Charles, G.E., 0=14610
- Mason, S.G. See Goldsmith, H.L., 1=15791
- Mason, S.G. See Goldsmith, H.L., 3=11777
- Mason, S.G. See Karnis, A., 4=5139
- Mason, S.G. See MacKay, G.D.M., 2=4567



- Mason, S. G. See MacKay, G. D. M., 4=145  
 Mason, S. G. See Rumscheidt, F. D., 2=11344  
 Mason, W. C. See Fricker, S. J., 2=4840  
 Mason, W. P. Phonon viscosity and its effect on acoustic wave attenuation and dislocation motion, 0=6043  
 Mason, W. P. Uses of ultrasonic in radio, radar and sonar systems, 2=15694  
 Mason, W. P. Low frequency component of the internal friction of single crystal copper and its relation to the Bordoni peak, 2=21411  
 Mason, W. P. and Bateman, T. B. Ultrasonic attenuation and velocity changes in doped n-type germanium and p-type silicon and their use in determining an intrinsic electron and hole scattering time, 3=13063  
 Mason, W. P. and Bateman, T. B. Ultrasonic wave propagation in doped n-germanium and p-silicon, 4=20200  
 Mason, W. P. and Bateman, T. B. Ultrasonic-wave propagation in pure silicon and germanium, 4=20201  
 Mason, W. P. and Brugger, K. Effect of interstitials due to water on the attenuation and velocity of ultrasonic waves, and on the thermal resistance of sodium chloride crystals, 4=17351  
 Mason, W. P., McSkimin, H. J. and Bateman, T. B. Attenuation of high frequency longitudinal and transverse waves in germanium, silicon and Z-cut quartz and their relation to thermally determined parameters, 4=6724  
 Mason, W. P. See Bateman, T., 1=7810  
 Mason, W. P. See Bateman, T., 1=7820  
 Mason, W. P. See Brugger, K., 2=2059  
 Mass, J. New possibilities offered by the measurement of the amplitude of radio signals from artificial satellites, 2=2575  
 Mass, J. Total ionospheric electron content by Doppler integral of the satellite signal, 3=3494  
 Massa, F. Comments on "pressure response of condenser microphones at low ambient pressures", 1=12949  
 Massa, R. J. See Goldstein, S., 3=16458  
 Massal'ski, E. See Babetski, Ya., 4=27928  
 Massal'ski, E. See Grigorov, N. L., 4=27927  
 Massal'ski, E. I. See Babetski, S. Yu., 1=19314  
 Massal'ski, E. I. See Babetski, Ya. S., 2=331  
 Massal'ski, E. I. See Babetski, Ya. S., 2=22675  
 Massal'ski, E. I. See Babetski, S. Yu., 3=4487  
 Massalski, J. and Turek, L. On the density spectrum of electron-photon component of extensive air showers of cosmic radiation, 1=12136  
 Massalski, J. See Babayan, H. P., 3=6103  
 Massalski, J. See Babecki, J., 4=19628  
 Massalski, J. See Grigorov, N. L., 2=16254  
 Massalski, J. See Grigorov, N. L., 3=10197  
 Massalski, J. See Grigorov, N. L., 4=19627  
 Massalski, J. See Łoskiewicz, J., 3=7956  
 Massalski, T. B. Reply to comments, "On the order in the hexagonal  $\zeta$ -phase in the system silver-aluminum", 3=6863  
 Massalski, T. B. Lattice spacing trends in close-packed hexagonal phases based on the noble metals, 3=8874  
 Massalski, T. B. and Cockayne, B. The lattice spacings and the stability of close-packed hexagonal Cu-Ga, Cu-Ge and Ag-Al alloys, 0=16314  
 Massalski, T. B. and King, H. W. The lattice spacing relationships in close-packed  $\alpha$  and  $\zeta$  phases based on gold, 1=1408  
 Massalski, T. B. and King, H. W. Lattice spacing relationships and the electronic band structure of close-packed  $\alpha$  and  $\zeta$  phases of gold-based alloys, 1=1409  
 Massalski, T. B. and King, H. W. Changes of lattice spacings in alloys and the shape of the Fermi surface, 1=17460  
 Massalski, T. B. and King, H. W. Alloy phases of the noble metals, 2=8837  
 Massalski, T. B. and King, H. W. The lattice spacing relationships in h.c.p.  $\epsilon$  and  $\eta$  phases in the systems Cu-Zn, Ag-Zn, Au-Zn and Ag-Cd, 3=6856  
 Massalski, T. B. and King, H. W. Faulted structures and brillouin zone interactions in gold-based alloy systems, 4=12700  
 Massalski, T. B. and Kittl, J. E., 2=4464  
 Massalski, T. B. See Bolling, G. F., 1=12395  
 Massalski, T. B. See King, H. W., 1=20571  
 Massalski, T. B. See King, H. W., 3=6837  
 Massalski, T. B. See King, H. W., 4=7618  
 Massalski, T. B. See Vassamillet, L. F., 4=4063  
 Massalski, T. B. See Vassamillet, L. F., 4=4064  
 Massalski, T. B. See Vassamillet, L. F., 4=28473  
 Massal'skii, E. I. See Babayan, Kh. P., 3=19595  
 Massal'skii, E. I. See Dmitriev, V. A., 0=9467  
 Massam, T. See Buhler, A., 4=9232  
 Massam, T. See Conversi, M., 3=19629  
 Massarotti, A. See Amman, F., 3=12267  
 Massarotti, A. See Amman, F., 4=16582  
 Massart, G. See Bonnier, E., 4=29801  
 Massaux, H. Experimental study of the recrystallization of Belgian uranium, 2=12932  
 Massazza, F. See Manca, P., 2=14562  
 Masse, J. L. A method solution of the equations of the self-consistent field, 2=14185  
 Massen, C. H., Poulis, J. A. and Thomas, J. M. Errors in vacuum microbalances caused by unequal thermal expansion of the balance arms, 4=18020  
 Massen, C. H., Weijts, A. G. L. M. and Poulis, J. A. Magnetic susceptibility of liquid and gaseous selenium, 4=16125  
 Massen, C. H. See Poulis, J. A., 1=14677  
 Massen, C. H. See Poulis, J. A., 2=7474  
 Massen, C. H. See Poulis, J. A., 2=15616  
 Massen, C. H. See Poulis, J. A., 3=1015  
 Massen, C. H. See Poulis, J. A., 3=23907  
 Massen, C. H. See Poulis, J. A., 3=24487  
 Massen, C. H. See Poulis, J. A., 4=18019  
 Massen, O. and Montmory, R. On the magnetic properties of thin films of complex structure: NiFe-Mn-NiFe Co and NiFe-Mn, 4=20547  
 Massen, O. See Bruyère, J. C., 4=17657  
 Massen, O. See Bruyère, J. C., 4=20543  
 Massevitch, A. G. A model of the sun, 2=956  
 Massey, H. See Bernstein, R. B., 3=22611  
 Massey, H. See Cody, W. J., 4=17258  
 Massey, H. S. W. Space research, 0=3433  
 Massey, H. S. W. The present state of the study of atomic collisions, 4=25574  
 Massey, H. S. W. The excitation of molecular vibration and rotation by impact of slow electrons, 0=15694  
 Massey, H. [S. W.] and Moiseiwitsch, B. L. The excitation of the  $2^2P$  state of helium by electron impact, 0=20563  
 Massey, H. S. W. and Moussa, A. H. Positronium formation in helium, 1=8448  
 Massey, H. S. W. See Sloan, I. H., 4=25564  
 Massey, J. B. See Greene, D., 1=9665  
 Massey, J. T., Beard, C. I. and Jen, C. K. Microwave spectral series of deuterated hydrogen peroxide, 1=4930  
 Massey, J. T. See Blau, E. J., 3=24518  
 Massey, W. E. Theoretical liquid structure function for liquid He\* at T=O, 4=24469  
 Massignon, D. See Sapet, J. C., 1=18443  
 Massimilla, L., Volpicelli, G. and Zenz, F. Flow of fluid-particle suspensions from liquid-fluidized beds, 4=130  
 Massimo, J. T. See Chretien, M., 2=22610  
 Massimo, J. T. See Chrétien, M., 3=24787  
 Massmann, M. Hollow cathodes for constant relative intensity spectra of different elements, 4=8436  
 Masso, J. F. See Lin, D. L., 4=21999  
 Masson, D. See Lovelace, C., 3=2204  
 Masson, D. B. Isothermal reversion of the B.C.C.  $\rightarrow$  H.C.P. transformation induced in  $\beta$  AgCd by mechanical deformation, 0=18373  
 Masson, D. B. Remarks on the elastic constants and temperatures of martensitic transformation in the Li-Mg alloys, 3=5125  
 Masson, D. J., Morris, D. N. and Bloxson, D. E. Measurements of sphere drag from hypersonic continuum to free-molecular flow, 2=2747  
 Masson, C. R. See Bell, H. B., 4=18490  
 Masson, H. The use of plastic materials as low power insulators, 0=19500  
 Masson, H. See Salvador, O., 0=18478  
 Massonet, L. See Charpak, G., 3=19532  
 Massonet, L. See Garron, J. P., 1=13783  
 Massoni, C. J. See Adler, L., 2=9232  
 Massonie, J. P. Use of the brightest galaxies in a cluster as a distance indicator, 1=8008  
 Massonnet, L. See Charpak, G., 4=9032  
 Massonnet, L. See Ruhla, C., 2=20617  
 Massonie, J. P. Use of the brightest galaxies of a cluster as a distance indicator. Application, 1=8009  
 Massot, J. N., El-Baz, E. and Lafoucrière, J. Study of (n,  $\alpha$ ) reactions in even-even nuclei with the aid of a direct interaction process, 4=1087  
 Masoud Anwar, M. Galileo's telescope, 0=8778  
 Massoulier, A. New measurements of the depolarization factor [ $\rho$ ] of Rayleigh scattering in vapours, 0=19450



- Massoulier, A. Measurement of the depolarization of scattered light (Rayleigh effect) by methane and argon, 3=175
- Massoulier, A. New measurements of the depolarization of Rayleigh scattering in gases and vapours, 4=242
- Massoulier, A. See Martinez, A., 2=11503
- Massue, J. P., Braun, H., Baumann, G. and Clier, P. Study of some nuclear reactions produced by absorption of  $\pi^-$  mesons after stopping by light nuclei in photographic nuclear emulsion, 4=17181
- Mast, C. B. and Strathee, J. On the relativistic interpretation of astronomical observations, 0=8468
- Maštálka, A. See Brabec, V., 2=7951
- Maštálka, A. See Krack, B., 3=12635
- Maštálka, A. See Řezanka, I., 2=20566
- Mastel, B. and Kissinger, H. E. Wafering of bulk specimens for transmission electron microscopy, 4=26689
- Mastel, B., Kissinger, H. E., Laidler, J. J. and Bierlein, T. K. Dislocation channeling in neutron-irradiated molybdenum, 4=10014
- Mastel, B. See Bierlein, T. K., 1=3699
- Mastel, B. See Bierlein, T. K., 1=3700
- Mastel, B. See Bierlein, T. K., 2=21045
- Mastel, B. See Bierlein, T. K., 3=3935
- Mastel, B. See Bierlein, T. K., 3=17735
- Mastel, B. See Bierlein, T. K., 3=22457
- Mastel, B. See Newkirk, H. W., Jr., 1=17587
- Mastenbrook, E. See Blok, L., 3=654
- Mastenbrook, H. J. Horizontal soundings of the atmosphere, 3=3450
- Mastenbrook, H. J. and Dinger, J. E. Distribution of water vapor in the stratosphere, 1=20819
- Masterv, E. P. Waveguide propagation of sound in layered inhomogeneous media, 0=6856
- Masterov, E. P. and Muromtseva, V. N. An example of anti-waveguide propagation of sound in laminar-inhomogeneous media, 1=4406
- Masters, B. C. See Christian, J. W., 4=28970
- Masters, B. C. See Christian, J. W., 4=28971
- Masters, J. I. Instability of magnetic resonance in single crystal spheres of yttrium iron garnet, 0=10210
- Masters, J. I. Estimation of ruby laser oscillation loss, 4=5873
- Masters, J. I., Capone, B. R. and Gianino, P. D. Measurement technique for narrow line width ferromagnets, 1=7159
- Masters, J. I. and Roberts, R. W., Jr. Measurement of ferro-magnetic relaxation by a modulation technique, 0=3069
- Masters, J. I., Ward, J. and Hartouni, E. Laser Q-spoiling using an exploding film, 3=14809
- Masters, J. I. See Kafalas, P., 4=24930
- Masterson, J. E., Hubert, W. E. and Carr, T. R. Wind and temperature measurements in the mesosphere by meteorological rockets, 1=20888
- Masterson, K. S. Uncoupled nuclear matter approximation, 4=25255
- Masterson, K. S., Jr. and Lockett, A. M. Properties of finite nuclei, 3=6130
- Masterson, K. S., Jr. and Sawada, K. Energy of the many-Fermion normal system, 4=11115
- Masterson, K. S., Jr. See Brueckner, K. A., 3=6127
- Masterson, K. S. See Ecker, G., 3=7573
- Masterton, W. L., Bianchi, J. and Slowinski, E. J., Jr. Surface tension and adsorption in gas-liquid systems at moderate pressures, 3=18795
- Mastner, J. Dvořák, V., 4=22789
- Mastner, J. See Glanc, A., 4=22788
- Mastora, M. A. See Stryland, J. C., 1=919
- Mastova, L. V. See Rývkin, S. M., 1=6166
- Mastrup, F. Continuous emission of hydrogen plasmas, 0=479
- Mastrup, F. See Hook, A. B., 2=03
- Mastry, J. A. De. See De Mastry, J. A. De.
- Masuda, H. See Tsubouchi, T., 4=27356
- Masuda, I. The wavelength dependence of quantum efficiency and absorption coefficient of  $\text{ZnSiO}_3/\text{Mn}$  powder phosphor, 1=12506
- Masuda, I. See Uehara, Y., 0=2954
- Masuda, I. See Uehara, Y., 0=4445
- Masuda, I. See Uehara, Y., 1=6226
- Masuda, K. and Suita, T. Electron spin resonance study of the  $\gamma$ -ray radiation effects in high polymers, 0=6420
- Masuda, K. and Suita, T. E.S.R. of irradiated DPPH protected by polystyrene, 1=20228
- Masuda, K. and Yamaguchi, J. Electric conduction of  $\alpha$ ,  $\alpha'$ -diphenyl- $\beta$ -picrylhydrazyl in benzene, 4=27196
- Masuda, K. See Shibata, T., 0=20965
- Masuda, M. Angular distributions of photo-protons from Li, Al, S, Ni, and Cu, 2=424
- Masud, M. See Ali, M. I., 2=18177
- Masuda, T., Nishiyama, S., Nakata, T. and Adachi, I. The testing of optical materials by the Twyman type interferometer. II. Qualities of artificial rocksalt, lithium fluoride and optical glass, 2=14649
- Masuda, T. See Adachi, I., 2=7330
- Masuda, T. See Adachi, I., 2=22050
- Masuda, M. See Asada, T., 0=21009
- Masuda, M. See Uchiyama, S., 3=15828
- Masuda, M. See Uchiyama, S., 4=1817
- Masuda, N. On the classification of baryon isobars, 4=9094
- Masuda, N. See Kawai, T., 4=19425
- Masuda, N. See Kawai, T., 4=19437
- Masuda, N. See Otokoza, J., 4=6103
- Masuda, N. See Yamazaki, M., 4=27813
- Masuda, S. and Murakami, Y. Thermoelectric cooling element (=TE) as thermal conductivity meter, 3=19044
- Masuda, T., Nishiyama, S., Nakane, K. and Kozawa, S. Compensation of inhomogeneity in polishing fused silica prisms, 3=21528
- Masuda, T., Onoguchi, A., Sakka, R. and Shirai, S. New electron probe X-ray microanalyser "ironalyzer", 4=13626
- Masuda, Y. Nuclear spin relaxation in superconducting cadmium, 2=7509
- Masuda, Y. Nuclear spin-lattice relaxation in superconducting aluminum alloys, 2=12827
- Masuda, Y. Calorimetric study on the sintering of copper powder compact, 2=23898
- Masuda, Y. Impurity effect in nuclear spin relaxation in normal aluminum, 4=4424
- Masuda, Y. Nuclear magnetic relaxation in Sc and La metals, 4=20624
- Masuda, Y., Asayama, K., Kobayashi, S. and Itoh, J. Nuclear magnetic resonance in  $\alpha$ - and  $\beta$ -manganese metals, 4=20619
- Masuda, Y. and Redfield, A. G. Nuclear spin-lattice relaxation in superconducting aluminum, 2=2957
- Masuda, Y. and Redfield, A. G. Size effect of nuclear spin relaxation time in superconducting aluminium, 4=8565
- Masuda, Y. See Itoh, J., 3=15960
- Masuda, Y. See Ogata, H., 1=11006
- Masuda, Y. See Ogata, H., 1=11012
- Masuda, Y. See Ogata, H., 2=10099
- Masuda, Y. See Yasumi, S., 1=12188
- Masumi, T. Dielectric susceptibility tensor of wurtzite cadmium sulfide, 0=20952
- Masumi, T. Mobility of electrons in silver chloride at high electric field, 3=8387
- Masumi, T. and Tanaka, T. Elastic stiffness constants of cadmium sulfide, 0=21094
- Masumi, T. See Brown, F. C., 2=8519
- Masumoto, K. Electrical conductivity of chromium selenides, 4=22763
- Masumoto, K., Hihara, T. and Kamigaichi, T. Anomalies in electrical conductivity and magnetic susceptibility of chromium selenides, 2=23686
- Masumoto, K. See Kamigaichi, T., 1=11250
- Masumoto, K. See Yamamoto, M., 1=20412
- Masuno, K. X-ray and dielectric studies of the systems  $(\text{Ba}_{1-x}\text{R}_{2x/3})\text{Nb}_2\text{O}_6$ , where R is Y, Sm or La, 4=20417
- Masuno, K. See Waku, S., 1=11336
- Masuno, K. See Waku, S., 1=14558
- Masuno, K. See Waku, S., 1=17838
- Masutani, T. See Nakata, J., 4=16449
- Mataga, N. and Kaifu, Y. Intermolecular proton transfer in the excited hydrogen-bonded complex in nonpolar solvent and fluorescence quenching due to hydrogen bonding, 2=19568
- Matakura, Y. Heat treatment centers in silicon, 1=12440
- Matalin, L. A., Shimanskii, A. M., Chubarov, S. I. and Shtrankh, I. V. 1024-channel time analyzer, 4=16811
- Matalin, L. A. See Ivanov, A. A., 2=19859
- Matalin, L. A. See Ivanov, A. A., 3=14498
- Matalyǐgina, Zh. I. See Plotnikov, Yu. I., 1=2423
- Matano. See Fukui, 1=2125
- Matano, K. Thin film cryotrons: a review. I., 4=21431
- Matano, K. Thin film cryotrons: a review. II., 4=24516
- Matano, T. On  $\mu$  mesons in extensive air showers at sea level, 2=16267
- Matano, T. See Hasegawa, H., 2=13929
- Matano, T. See Hasegawa, H., 2=18207
- Matano, T. See Hasegawa, H., 3=4496



- Matano, T. See Fukui, S., 1=19311
- Matantseva, I. I. See Mishin, D. D., 1=1204
- Matare, H. See Weinreich, O. A., 0=5397
- Mataré, H. F. General considerations concerning the double-crucible method to grow uniformly doped germanium crystals of high perfection, 3=13418
- Mataré, H. F. Germanium bicrystal photoresponse. II, 4=28646
- Mataré, H. F. Grain boundaries and imperfections of planar extent, their model and electronic properties, 4=30570
- Mataré, H. F., Cronmeyer, D. C. and Beaubien, M. W. Germanium bicrystal photoresponse. I, 4=28645
- Mataré, H. F. and Zastrow, R. L. Bicrystal photocells for measurements on optical masers and as optical receivers, 4=7080
- Matarrese, L. M. and Hughes, F. L. Modification in technique for growing single crystals of  $\text{ZnF}_2\text{:Mn}$ , 0=21163
- Matarrese, L. M. See Kikuchi, C., 0=13871
- Matarrese, L. M. See Cook, A. R., 4=11814
- Matcovich, T., Belson, H. S. and Goldberg, N. Resonant frequency shift in ellipsoidal samples, 1=6400
- Matcovich, T. J., Belson, H. S., Goldberg, N. and Haas, C. W. Ferromagnetic resonance magnon distribution in yttrium iron garnet, 2=12801
- Matcovich, T. J., Flannery, W., Luciew, W. and Adomines, A. A. Low-current, high-speed magnetic memory array utilizing evaporated matrix wiring, 4=11751
- Matcovich, T., Korostoff, E. and Schmeckenbecher, A. Anisotropy rotation in thin permalloy films at room temperature, 1=6322
- Matcovich, T. J. and Kriessman, C. J. Remagnetization experiments in  $\text{Mn}_{1-x}\text{Fe}_x\text{O}_4$ , 0=3076
- Matcovich, T. J. See Haas, C. W., 4=7308
- Mate, C. F. The effect of an array of obstacles on heat conduction in gases, 4=2727
- Mateescu, N. and Dutescu, N. Device for the measurement of neutron diffusion in liquids, 2=5666
- Mateescu, N. and Nahorniak, V. Measurements of the diffusion length of thermal neutrons in water, at 20° to 50°C, 2=20351
- Mateescu, N. and Nahorniak, V. Absolute measurement of the intensity of a Ra- $\alpha$ -Be neutron source, 2=20356
- Mateescu, N. and Nahorniak, V. Determination of the neutron slowing down density in a graphite prism, employing a Ra- $\alpha$ -Be source, 2=20358
- Mateescu, N. and Nahorniak, V. Absolute measurement of the thermal neutron flux produced in a graphite prism by a Ra- $\alpha$ -Be source, 2=20359
- Mateescu, N. and Nahorniak, V. Determination of the parameters of thermal neutron diffusion in "poisoned" water, 3=22141
- Mateescu, N. See Grigorescu, L., 3=7822
- Mateescu, N. See Teutsch, H., 2=5694
- Mateescu, N. See Teutsch, H., 2=5695
- Mateescu, N. See Teutsch, H., 2=20353
- Mateescu, N. See Teutsch, H., 2=22823
- Matei, L. See Bădăraș, E., 2=5113
- Matei, L. See Badareu, E., 3=17794
- Matei, L. See Topa, V., 4=6884
- Mateichuk, V. See Dragomirescu, D., 0=17625
- Matejec, R. Photoconductivity measurements on optically sensitized  $\text{ZnO}$ , 2=10540
- Matejec, R. Further experiments on the formation of silver growths in photographic emulsion grains in an electric field, 2=11509
- Matejec, R. The equilibrium distribution between defect electrons in silver halide and the halogen of the environment, 2=16644
- Matejec, R. Boundary layer balance and diffusion of Frenkel defects in silver halide crystals, 2=16645
- Matejec, R. Spontaneous formation of silver nuclei in silver halides on illumination with high light intensities, 2=22068
- Matejec, R. See Klein, E., 0=3663
- Matejec, R. See Klein, E., 0=4292
- Mateosian, E. Der. See Der Mateosian, E.
- Materrese, L. M. Comments on the e.p.r. spectrum of  $\text{Mn}^{++}$  in calcite, 1=7785
- Matevosian, A. M. See Alikhanian, A. I., 3=17150
- Matevosian, E. M. See Alikhanian, A. I., 4=9033
- Matevosyan, E. M. See Alikhanyan, A. I., 2=7918
- Matevosyan, E. M. See Alikhanyan, A. I., 3=4519
- Matevosyan, E. M. See Alikhanyan, A. I., 3=6114
- Matevosyan, E. M. See Alikhanyan, A. I., 3=24824
- Matevosyan, E. M. See Alikhanyan, A. I., 4=788
- Matevosyan, E. M. See Alikhanyan, A. I., 4=5917
- Matevosyan, K. A. See Marutyan, N. A., 1=19185
- Matevosyan, R. O. See Kozyrev, B. M., 4=15377
- Mathams, R. F. See Copper, P. N., 2=10179
- Mathé, G. Method for the elimination of superposed pulses in nuclear spectroscopy, 3=24188
- Mathé, G., Berényi, D. and Scharbert, T. Experiences on the application of the sum-coincidence method, 2=10056
- Mathé, G., Scharbert, T. and Berényi, D. Investigations on the decay scheme of  $\text{I}^{131}$  in the flow energy region of gamma-rays, 1=8654
- Mathé, G. and Voszka, R. A new method for mounting scintillation crystals with an improved energy resolving power, 3=528
- Mathé, G. See Berényi, D., 0=4070
- Mathé, G. See Berényi, D., 2=5624
- Mathé, G. See Berényi, D., 2=10075
- Mather, D. S. See Moat, A., 2=3640
- Mathé, G. See Scharbert, T., 1=13753
- Mathé, Gy. Investigation of the decay scheme of  $\text{Cr}^{51}$ , 3=22330
- Mathé, Gy. See Berényi, D., 4=1043
- Matheau, J. C. See Lefevre, S., 4=21651
- Mather, D. S., Fieldhouse, P. and Moat, A. Average number of prompt neutrons from  $\text{U}^{235}$  fission induced by neutrons from thermal to 8 MeV, 4=12285
- Mather, J. W. Diagnostics of the confinement and heating of a plasma by a rising axial magnetic field (orthogonal pinch), 2=15921
- Mather, J. W. and Williams, A. H. Some properties of a graded vacuum spark gap, 0=7107
- Mather, K. B., Gauss, E. J. and Cresswell, G. R. Diurnal variations in the power spectrum and polarization of telluric currents at conjugate points,  $L = 2.6$ , 4=30922
- Mather, K. B. and Wescott, E. M. Conjugate point relationships at high latitudes, 3=13711
- Matheson, M. S. See Noyes, W. A., Jr., 2=6890
- Mather, R. A. See Millman, G. H., 1=15555
- Mather, R. L. See Cook, C. S., 0=20362
- Mathes, K. N. Properties of dielectrics at cryogenic temperatures, 4=17512
- Matheson, A. J. See Cottrell, T. L., 3=6414
- Matheson, A. J. See Cottrell, T. L., 3=22567
- Matheson, A. J. See Harrison, G., 4=24190
- Matheson, M. See Vermeil, C., 4=27189
- Matheson, M. S. and Dorfman, L. M. Detection of short-lived transients in radiation chemistry, 0=16383
- Matheson, M. S. See McMillan, J. A., 0=16168
- Matheson, R. M. Some recent developments in photomultipliers for scintillation counting, 2=18006
- Matheson, R. M. See Engstrom, R. W., 1=2993
- Matheson, R. M. See Morton, G. A., 0=19725
- Mathews, C. W. and Innes, K. K. Identification of the 5450 Å emission from discharges through  $\text{BF}_3$  vapor, 4=22371
- Mathews, J. and Buthala, D. A. Carbon films for electron microscopy, 3=16137
- Mathews, J. and Walker, R. L. Mathematical methods of physics, 4=27014
- Mathews, J. See Gilinsky, V., 0=20565
- Mathews, J. See Jacob, M., 0=5582
- Mathews, J. See Lendyel, V. J., 3=19576
- Mathews, J. See Peters, P. C., 3=16514
- Mathews, J. F. See Blackman, L. C. F., 1=1014
- Mathews, J. F. See Blackman, L. C. F., 1=1015
- Mathews, J. F. See Blackman, L. C. F., 1=1016
- Mathews, J. R. See Lander, J. J., 4=7657
- Mathews, J. W. and Allinson, D. L. Anomalous spots in electron diffraction patterns from evaporated gold films, 4=15821
- Mathews, M. V., Miller, J. E. and David, E. E., Jr. Pitch synchronous analysis of voiced sounds, 1=4143
- Mathews, M. V. See David, E. E., Jr., 4=13391
- Mathews, M. V. See Denes, P., 0=21405
- Mathews, M. V. See Pfafflin, S. M., 3=7066
- Mathews, M. V. See Speeth, S. D., 1=12712
- Mathews, P. M. and Sankaranarayanan, A. Observables in the extreme relativistic representation of the Dirac equation, 1=16670
- Mathews, P. M. and Sankaranarayanan, A. Observables of a Dirac particle, 2=3251
- Mathews, P. M. and Sankaranarayanan, A. The observables and localized states of a Dirac particle, 2=16129
- Mathews, P. M. and Sankaranarayanan, A. Observables of particles of spins 0 and 1, 4=29529
- Mathews, P. M., Shapiro, I. I. and Falkoff, D. L. Stochastic equations for nonequilibrium processes, 0=18982



- Mathews, P.W. See Keen, B.E., 3=19093
- Mathews, P.M. See Sudarshan, E.C.G., 1=2699
- Mathews, T. Characteristics of Forbush decreases in cosmic ray intensity observed underground, 3=17373
- Mathews, T., Thambyahpillai, T. and Webber, W.R. A note on the unusual variations of cosmic ray intensity during the period 1960 November 10 to 18, 2=3439
- Mathews, W.G. and Wallace, L. Auroral temperature determination from A  $^2\Pi \rightarrow X^2\Sigma$  bands of the  $N_2^+$  molecule, 1=15313
- Mathewson, D.S., Healey, J.R. and Rome, J.M. A radio survey of the Southern Milky Way at a frequency of 1440 Mc/s. I. The isophotes and the discrete sources, 3=3624
- Mathewson, D.S., Healey, J.R. and Rome, J.M. A radio survey of the Southern Milky Way at a frequency of 1440 Mc/s. II. The continuum emission from the galactic disk, 3=3625
- Mathewson, D.S., Large, M.I. and Haslam, C.G.T. A spectral analysis of the radio sources in Cygnus X at 1390 Mc/s and 408 Mc/s, 0=18665
- Mathewson, D.S. and Rome, J.M. Observations of radio emission from normal galaxies, 3=25986
- Mathewson, D.S. See Christiansen, W.N., 0=18633
- Mathewson, D.S. See Christiansen, W.N., 0=18732
- Mathewson, D.S. See Komesaroff, M.M., 3=13918
- Mathewson, R.C. See Hickman, R.S., 0=2477
- Mathewson, D.S. See Large, M.I., 2=4854
- Mathewson, D.S. See Large, M.I., 2=4855
- Mathias, A. and Schiff, H.I. Role of excited molecules in a stream of electrically discharged oxygen, 4=21464
- Mathias, L.E.S. and Parker, J.T. Stimulated emission in the band spectrum of nitrogen, 3=19499
- Mathias, L.E.S. and Parker, J.T. Visible laser oscillations from carbon monoxide, 4=8976
- Mathias, L.E.S. See Crocker, A., 4=19295
- Mathiasen, A.A. See Heart, F.E., 4=30996
- Mathiasen, R.L. See Anderson, R.C., 1=10555
- Mathiesen, O. Determination of the charge of relativistic heavy primaries in cosmic radiation by  $\delta$ -ray counting and a comparison with photometric identification, 1=565
- Mathiesen, O. See Kristiansson, K., 1=566
- Mathiesen, O. See Kristiansson, K., 1=567
- Mathiesen, O. See Kristiansson, K., 3=7942
- Mathiesen, O. See Waldskog, B., 1=564
- Mathiesen, O. See Waldskog, B., 1=3323
- Mathieson, A.McL. A device to demonstrate the reciprocal lattice concept in relation to single-crystal X-ray diffraction patterns, 3=5095
- Mathieson, A.McL., Radoslovich, E.W. and Walker, G.F. Accuracy in structure analysis of layer silicates, 0=6362
- Mathieson, A.McL. See Fridrichsons, J., 3=1317
- Mathieson, A.McL. See Fridrichsons, J., 4=7542
- Mathieson, E. Neutron negative source experiment, 4=3416
- Mathieson, E. and Sanford, P.W. Point anode proportional counters, 3=22029
- Mathieson, E. See Benwell, R.M., 4=3631
- Mathieson, R.T. Electron microscopy of oleophobic monolayers, 0=1947
- Mathieson, R.T. Orientation of stearic acid monolayers on silver single crystals, 0=10372
- Mathieu, J. See Blanc, D., 0=5444
- Mathieu, J. See Blanc, D., 1=9697
- Mathieu, J. See Blanc, D., 1=19055
- Mathieu, J. See Blanc, D., 3=19505
- Mathieu, J. See Blanc, D., 3=19650
- Mathieu, J. See Blanc, D., 4=11211
- Mathieu, J. See Tacussel, J., 1=15931
- Mathieu, J.P. Recent progress in the study of Raman spectra of crystals, 3=937
- Mathieu, J.P., Poulet, H. and Tramer, A. Some aspects of the interactions between electromagnetic and elastic waves in solids, 1=906
- Mathieu, J.P. See Badoz, J., 1=10609
- Mathieu, J.P. See Brahms, S., 1=846
- Mathieu, J.P. See Hadni, A., 1=9925
- Mathieu, J.P. See Le Postollec, M., 4=15351
- Mathieu, J.P. See Mon, J.P., 4=22876
- Mathieu, J.P. See Moszynska, B., 3=15677
- Mathieu, J.P. See Poulet, H., 4=17559
- Mathieu, M.V., Sheppard, N. and Yates, D.J.C. Infrared band shapes and the rotational freedom of methyl bromide adsorbed on porous glass, 0=15731
- Mathiot, M. Experimental study of the term "isotope of the tension of acoustic radiation" in a gas, 2=19617
- Mathiot, M. Experimental study of the isotropic term for the acoustic radiation pressure in argon, 3=16657
- Mathis, A. and Valli, G. Iterative analogue models for the dynamic study of the nuclear power reactor cores, 4=25458
- Mathis, R., Lopez, L. and Barrans, J. The frequency and intensity of the absorption bands  $\nu_{\text{as}}$  and  $\nu_{\text{cs}}$  in phenylpropionic acid and some of its derivatives, 4=25714
- Mathot, V. Thermodynamic properties of solutions of liquefied gases, 3=14145
- Mathur, D. See Hedgcock, F.T., 3=23135
- Mathur, D.P. See Hedgcock, F.T., 3=4996
- Mathur, J.S. See Mathur, V.S., 4=9436
- Mathur, K.C. See Rama Krishna Rao, V., 3=9604
- Mathur, N.P. Pekar's theory of the F-centre, 4=22630
- Mathur, P.B. See Rajagopalan, K.S., 1=1487
- Mathur, P.C. See Bhowmik, B., 1=13496
- Mathur, P.C. See Bhowmik, B., 2=18190
- Mathur, P.C. See Bhowmik, B., 4=12059
- Mathur, P.C. See Bhowmik, B., 4=12065
- Mathur, P.C. See Bhowmik, B., 4=19596
- Mathur, R.N. and Gill, P.S. A study on the cosmic ray nuclear interactions in lead at 9000 ft, 0=7436
- Mathur, S.B. and Mitra, A.P. The upper atmosphere and outer space. I, densities, temperatures and concentrations of atmospheric constituents from 130 to 1000 km, 1=6599
- Mathur, S.C. A method of measuring principal magnetic susceptibilities of triclinic crystals, 1=17937
- Mathur, S.C. See Dayal, B., 0=8241
- Mathur, S.C. See Mookherji, A., 0=21025
- Mathur, S.C. See Mookherji, A., 3=25505
- Mathur, S.C. See Mookherji, A., 4=10298
- Mathur, S.S. See Pancholy, M., 3=11795
- Mathur, S.S. See Pancholy, M., 3=14159
- Mathur, V.S. The  $Ke_4$  and  $K\mu_4$  modes of K-mesons decay, 0=13049
- Mathur, V.S. Thermodynamic functions of the relativistic Thomas-Fermi atom at low temperatures, 1=5501
- Mathur, V.S. Angular momentum distribution in the statistical atom with a net angular momentum, 1=17255
- Mathur, V.S. A symmetry in hypercharge space, 2=20250
- Mathur, V.S., Mukherjee, S.N. and Rustgi, M.L. Effect of hard core on the photodisintegration cross-sections of  $H^3$ , 2=20439
- Mathur, V.S., Nath, R. and Saxena, R.P. On the conserved axial-vector current in  $\beta$ -decay, 4=12173
- Mathur, V.S., Panchapakesan, N. and Saxena, R.P. Magnetic-field dependence of the energy gap in superconductors, 3=3945
- Mathur, V.S. and Saxena, R.P. Hypercharge independence, resonances and high-energy elastic scattering cross-sections, 4=5973
- Mathur, V.S., Saxena, R.P. and Nath, R. Form-factors for the axial vector  $n$ - $p$  current, 3=7862
- Mathur, V.S., Saxena, R.P., Joshi, G.C. and Mathur, J.S. Effect of pion mass differences on the vector coupling constant in  $\beta$ -decay, 4=9436
- Mathur, V.S. See Gupta, K.K., 1=1859
- Mathur, V.S. See Kothari, D.S., 2=22116
- Mathur, V.S. See Nigam, B.P., 1=5714
- Mathurin, C. A complex-variable solution of the first problem of static plane elasticity, 1=8089
- Mathurin, C. Application of linear algebra and analysis to the statics of elastic plates, 3=9381
- Matiasovsky, K., Malinovsky, M. and Ordzovensky, S. Electrical conductivity of the melts in the system  $Na_3AlF_6 - Al_2O_3 - NaCl$ , 4=29643
- Matick, R.E. Thick-film read-only memory device, 3=14733
- Matijevic, E., Espenscheid, W.F. and Kerker, M. Aerosols consisting of spherical particles of radium chloride, 3=13626
- Matijevic, E., Kerker, M. and Schulz, K.F. Light scattering of coated aerosols. I. Scattering by the  $AgCl$  cores, 1=11637
- Matijevic, E., Ottewill, R.H. and Merker, M. Light scattering by infinite cylinders. Spider fibres, 1=2889
- Matijevic, E. See Farone, W.A., 4=14395
- Matijevic, E. See Kerker, M., 0=10784
- Matijevic, E. See Kerker, M., 1=2890
- Matijevic, E. See Kerker, M., 1=8241
- Matijevic, E. See Kerker, M., 2=1279
- Matijevic, E. See Kerker, M., 2=11500
- Matijevic, E. See Kerker, M., 3=19447
- Matile, G. See Baldinger, E., 4=14967



- Matin, L. Binocular summation at the absolute threshold of peripheral vision, 2=24217
- Matin, L. Measurement of eye movements by contact lens techniques: analysis of measuring systems and some new methodology for three-dimensional recording, 4=29499
- Matinyan, S.G. Nonlocal effects in weak interactions of fermions, 0=2493
- Matinyan, S.G. Nonconservation of parity in strong interactions between strange particles, 0=11234
- Matinyan, S.G. On the determination of the sign of the mass difference of  $K_1^0$  and  $K_2^0$  mesons, 1=16888
- Matinyan, S.G. The sign of the  $K_1^0$ - and  $K_2^0$ -meson mass difference and their leptonic decays, 2=3400
- Matinyan, S.G. The sign of the  $K_1^0$  and  $K_2^0$ -meson mass difference and their leptonic decays, 3=2317
- Matinyan, S. G. Theory for determining the sign of the mass difference of  $K_1^0$  and  $K_2^0$  mesons, 4=947
- Matinyan, S. G.  $\eta^0$  meson and the  $K_1^0$ - $K_2^0$  mass difference, 4=6123
- Matinyan, S.G. and Okun', L.B. The  $K_{e3}$  and  $K_{\mu 3}$  decays, 0=11218
- Matinyan, S.G. and Tsilosani, N.N. Transformation of photons into neutrino pairs and its significance in stars, 2=3299
- Matinyan, S.G. and Tsilosani, N.N. Transformation of photons into neutrino pairs and its significance in stars, 3=2232
- Matinyan, S.G. See Andronikashvili, É.L., 2=5230
- Matinyan, S.G. See Laperashvili, L.V., 1=19234
- Matinyan, S.G. See Laperashvili, L.V., 2=22564
- Matinyan, S.G. See Mamaladze, Yu.G., 0=7024
- Matinyan, S.G. See Mamaladze, Yu.G., 0=12551
- Matinyan, S. G. See Mamaladze, Yu. G., 4=379
- Matisoo, J. See Pugh, E.W., 0=11686
- Matkin, D. I. and Caffyn, J. E. The surface hardness of sodium chloride containing divalent impurity, 4=23208
- Matković, B. See Grdenić, D., 0=3246
- Matkovich, V. L., Economy, J. and Giese, R. F., Jr. Presence of carbon in aluminum borides, 4=26640
- Matlack, G.M. See Bubernak, J., 2=11925
- Matlock, O. D. See Stirling, W. L., 4=5690
- Matlow, S.L. Three-dimensional FE-MO model, I.  $\Delta H$  of dissociation of homonuclear diatomic molecules, 1=6035
- Matora, I.M. Scattering of slow electrons on helium atoms with excitation of  $2^1S$  and  $2^3S$  levels, 1=4913
- Matora, I.M. Phasing effect of the electric accelerating field in a cyclotron, 3=8990
- Matos, J. E. See Signell, P., 4=27847
- Matoshin, V.M. See Serbulenko, M.G., 4=16009
- Matossi, F. Effective charge and ionicity of a bond, 0=507
- Matossi, F. Recombination probability and drift velocity in zinc sulphide, 2=12402
- Matossi, F. Electroluminescence and electrophotoluminescence in single crystals of zinc sulphide, 3=966
- Matossi, F. Vibration spectrum of rutiles, 3=10583
- Matossi, F. Atomic polarizabilities in III-V compounds, 3=17637
- Matossi, F. Oscillation frequencies of titanates, 3=25180
- Matossi, F., Gutjahr, H. and Siebert, D. Capacitance growth and electrophotoluminescence of an optically excited ZnCdS phosphor under the effect of a direct electric pulse, 2=10633
- Matossi, F. and Gutjahr, H. Electroluminescence in zinc and cadmium sulphides, 3=13220
- Matossi, F., Rüber, A. and Küpper, F.W. Ion charge transfers in zinc sulphide and their analytical evaluation by electron spin resonance, 4=1357
- Matossi, F. and Schmid, G. Electroluminescence in zinc sulphide single crystals, 2=6647
- Matossi, F., Schmid, G. and Rüber, A. Electroluminescence of ZnS and ZnS:Al crystals, 4=1779
- Matossi, F. and Siebert, D. Photocapacitive effect and luminescence under i. r. radiation, 4=20428
- Matossi, F. See Gutjahr, H., 1=5059
- Matossi, F. See Rauber, A., 2=21274
- Matossi, F. See Siebert, D., 4=22792
- Matovich, E. and Suzuki, C. K. Observation of fluorescence in ketone solutions of europium and terbium salts, 4=188
- Matovich, E. See Gudmundsen, R.A., 3=23889
- Matoyan, D.S. See Abagyan, G.V., 4=16784
- Matoyan, D.S. See Gasparyan, L.G., 4=16782
- Mátrai, T. Contributions to the relativistic kinematics of a rigid system of points, 4=21064
- Mátrai, T. and Koczás, M.E. Experiment on the Wiener interference field, 3=259
- Mátrai, T. See Deézi, I., 0=5943
- Matricon, J. Energy and elastic moduli of a lattice of vortex lines, 4=21399
- Matricon, J. See Caroli, C., 3=9674
- Matricon, J. See Caroli, C., 3=12028
- Matricon, J. See Caroli, C., 4=21401
- Matricon, J. See de Gennes, P. G., 4=21390
- Matricon, J. See Friedel, J., 3=16861
- Matricon, M.M. The measurement of low pressures under transient regimes and the time constants of piping systems, 2=15660
- Matrosov, V.M. On the theory of stability of motion, 3=18769
- Matrosov, V. M. Stability of motion, 4=103
- Matsakova, A.A. See Dyakov, I.G., 4=16354
- Matsakova, A.A. See Kogan, V.S., 4=13498
- Matsakova, A.A. See Lazarev, B.G., 3=16874
- Matsakova, A. A. See Lazarev, B. G., 4=13649
- Matschat, K. Cellular stream motion in fluids, 1=12850
- Matschinski, M. Several remarks on the theory of surface waves not infinitely small. Equation of state of the surface of the sea in the case where the large waves demolish the smaller, 3=9013
- Matsen, F.A. Dipole moment of lithium hydride, 1=7501
- Matsen, F.A. Subalgebra of associated complexes in theoretical spectroscopy, 2=11242
- Matsen, F.A. and Browne, J.C. In defense of the use of atomic orbital configuration wave functions for small molecules, 3=12806
- Matsen, F.A. See Benton, E.E., 2=22894
- Matsen, F.A. See Brigman, G.H., 1=5969
- Matsen, F.A. See Browne, J. C., 4=28194
- Matsen, F.A. See Pandres, D. Jr., 2=20777
- Matsen, F.A. See Poshusta, R. D., 4=1261
- Matsen, F.A. See Reagan, P.N., 3=723
- Matsen, F.A. See Reagan, P.N., 4=1320
- Matsen, F.A. See Robinson, J.M., 0=7787
- Matsen, F.A. See Scherr, C.W., 2=18397
- Matsen, F.A. See Silverman, J.N., 0=11481
- Matsen, F.A. See Silverman, J.N., 1=17286
- Matsen, F.A. See Stuart, J.D., 4=28187
- Matsen, F.A. See Womack, C.M. Jr., 2=10856
- Matsen, R.P. See Good, R.H., 2=317
- Matsen, R.P. See Good, R.H., 2=22628
- Matsen, R.P. See Muller, F., 0=11220
- Matsen, J.M. Analog solutions for the growth of activation overpotential, 3=13613
- Matskevich, T.L. Secondary electron emission of some polymers, 0=17032
- Matskevich, T.L. Caesium vapour diode, 3=14628
- Matskevich, T.L. and Krachino, T.V. Thermoelectron emission of some refractory compounds, 2=22249
- Matskevich, T.L., Kazantsev, A.P. and Krachino, T.V. The thermionic emission of  $HfB_2$ ,  $HfC$ ,  $HfO_2$ , VC and a solid solution of (UC)<sub>1</sub>(ZrC)<sub>4</sub>, 3=14616
- Matskevich, T.L., Krachino, T.V. and Kazantsev, A.P. Thermoelectronic emission of TaB<sub>3</sub>, 3=7631
- Matskevich, T.L. and Mikhailova, E.G. Secondary electron emission of ice and anthracene films, 0=15058
- Matskevich, T.L. See Martsinovskaya, É.G., 2=11701
- Matskevich, T.L. See Martsinovskaya, É.G., 2=13592
- Matson, L. K. See Reid, F. J., 4=28566
- Matson, L. K. See Reid, F. J., 4=30614
- Matsonashvili, B.N. See Gubkin, A.N., 2=18782
- Matsonashvili, B.N. See Gubkin, A.N., 2=23507
- Matsonashvili, R.D. See Kurkin, Yu.L., 4=16406
- Matsonashvili, R.D. See Kurkin, Yu.L., 4=16613
- Matsubara, I. Infrared spectrum and molecular configuration of glutaronitrile, 1=17317
- Matsubara, K. See Hashimoto, H., 3=18271
- Matsubara, S. See Nakashima, Y., 4=3431
- Matsubara, T. On the diffuse scattering of X-rays by a partially ordered crystal, 4=13569
- Matsubara, T. Note on the generating function of two-time Green functions, 4=29549
- Matsubara, T. and Blatt, J.M. Bose Einstein condensation of correlated pairs, 1=4278
- Matsubara, T. and Toyozawa, Y. Theory of impurity band conduction in semiconductors: an approach to random lattice problem, 2=4008
- Matsubara, T. See Blatt, J.M., 0=12383
- Matsubara, T. See Blatt, J.M., 0=16638
- Matsubara, T. See Blatt, J.M., 0=16945
- Matsubara, T. See Blatt, J.M., 0=16947
- Matsubara, T. See Murao, T., 0=11806



- Matsubara, T. See Thompson, C.J., 3=14440
- Matsuda, F. A lattice model of liquid helium. III. Equilibrium properties of liquid  $\text{He}^4$  and mixtures of  $\text{He}^4$  and  $\text{He}^3$ , 0=12544
- Matsuda, H. Electrostatic analyzer with variable focal length, 1=10743
- Matsuda, H. A new approach to Green's function of a particle in one dimension, 2=11280
- Matsuda, H. The transfer matrix method in the theory of normal vibrations of chain molecules, 4=1330
- Matsuda, E. Non-converging field and mass spectrograph, 4=24757
- Matsuda, H., Nakabushi, H. and Ogata, K. Image contractor, 4=21585
- Matsuda, H., Okada, K., Takase, T. and Yamamoto, T. Theory of normal vibrations of chain molecules with finite length, 4=28166
- Matsuda, H. and van den Meijdenberg, C.J.N. Comments on the theory of the static helium film, 1=8273
- Matsuda, H. See Hashino, T., 4=17259
- Matsuda, H. See Hasino, T., 3=10475
- Matsuda, H. See Hori, J., 4=28391
- Matsuda, H. See Sasakura, H., 4=17462
- Matsuda, K. Scattering of protons from light-medium-weight even-even nuclei, 1=8710
- Matsuda, K. Scattering of protons from light even-even nuclei, 1=8711
- Matsuda, K. Inelastic scattering of protons from  $\text{Ti}^{48}$ ,  $\text{Cr}^{52}$ ,  $\text{Fe}^{56}$ ,  $\text{Ni}^{58}$ ,  $\text{Ni}^{60}$  and  $\text{Zn}^{64}$  at an energy of 14.65 MeV, 2=18319
- Matsuda, K., Nagahara, Y., Oda, Y., Yamamura, N. and Kobayashi, S. The elastic and inelastic scattering of protons by magnesium in the energy range from 7.3 MeV to 15.9 MeV, 1=17095
- Matsuda, K. See Hu, C., 0=20453
- Matsuda, K. See Kikuchi, S., 1=7113
- Matsuda, K. See Kobayashi, S., 1=9852
- Matsuda, K. See Oda, Y., 1=8724
- Matsuda, K. See Suwa, S., 0=19856
- Matsuda, I. and Yamashita, H. The analysis of residual gases in MgO cold-cathode tube, 4=21562
- Matsuda, K. See Hayakawa, S., 4=16894
- Matsuda, K. See Hayakawa, S., 4=16981
- Matsuda, K. See Miyoshi, S., 4=8721
- Matsuda, K. See Nonaka, I., 3=8100
- Matsuda, K. See Yagi, K., 4=25305
- Matsuda, M. and Sawada, S. Nuclear force and OBEC-model, 4=25094
- Masuda, Y. Modification of the ion source circuit of CEC 21-103 mass spectrometer for ionization by low-energy electrons, 4=24759
- Matsuda, Y. See Maruyama, T., 3=23128
- Matsuda, Y. See Maruyama, T., 4=28497
- Matsudaira, N. A calculation of the electrical conductivity, 1=12408
- Matsudaira, N. A method of the calculation of electrical conductivities, 2=616
- Matsudaira, N. Interaction of solid state plasmon with radiation. I. Absorption of electromagnetic radiation, 3=2771
- Matsudaira, N. Interaction of solid state plasmon with radiation. II. Optical absorption of thin metal films, 3=12952
- Matsudaira, N. Optical absorption of thin metal films, 3=15666
- Matsudaira, N. See Kanazawa, H., 1=3647
- Matsudaira, N. See Kanazawa, H., 1=3876
- Matsudaira, N. See Ohmura, Y., 4=30012
- Matsugashita, T. and Shinohara, K. Electron spin resonance studies of the oxygen effect on irradiated polytetrafluoroethylene, 0=8320
- Matsugashita, T. and Shinohara, K. Electron spin resonance studies of radicals formed in irradiated polytetrafluoroethylene, 1=19673
- Matsui, A. The segregation coefficient of naphthalene in anthracene, 4=29057
- Matsui, A. See Kato, R., 1=14591
- Matsui, A. Nakamura, K., 2=2230
- Matsui, E. See Tamai, T., 1=17911
- Matsui, E. See Uchida, Y., 3=13178
- Matsui, E. See Uchida, Y., 3=15717
- Matsui, K. See Haseguti, R.R., 2=23357
- Matsui, S. See Kanaya, K., 3=24360
- Matsui, S. See Kanaya, K., 4=29998
- Matsui, Y. See Tadokoro, H., 1=12279
- Matsukawa, E. See Hunter, A.N., 2=73
- Matsukawa, E. and Agu, B.N.C. Relative energy calibration of electron accelerators, 0=3816
- Matsukawa, Y. Experimental studies on the properties of the air gap spark chamber, 3=19526
- Matsukura, Y. A new method of measurement of sedimentation potential at high centrifugal field, 4=26764
- Matsumae, S. The effect of the internal stress on the longitudinal magnetostriction in weak magnetic field. VI, 1=3906
- Matsumara, S. See Naiko, T., 0=19147
- Matsumoto, A. and Higasi, K. Dielectric relaxation of nonrigid molecules at lower temperature, 2=11378
- Matsumoto, F. See Edagawa, H., 4=4155
- Matsumoto, H., Fukuda, K., Takeshima, M. and Uchida, Y. Cubic contribution to E.P.R. of  $\text{Mn}^{2+}$  in  $\text{MgCl}_2$ , 2=10702
- Matsumoto, H. See Fukuda, K., 1=995
- Matsumoto, H. See Fukuda, K., 1=20221
- Matsumoto, H. See Maeda, K., 2=4593
- Matsumoto, H. See Maeda, K., 3=11428
- Matsumoto, H. See Maeda, K., 3=13709
- Matsumoto, M. Electric multipole transitions in the  $\text{D}(\gamma p)n$  reaction at high energy, 1=3245
- Matsumoto, M. Photodisintegration of the deuteron in the high energy range, 1=3247
- Matsumoto, M. Note on the  $\text{D}(\gamma, p)n$  reaction at the  $\gamma$ -ray energy of 164 MeV, 1=15529
- Matsumoto, M. Electromagnetic transitions for the photodisintegration of the deuteron, 3=7937
- Matsumoto, M. Stability of positive column in a strong magnetic field, 3=21747
- Matsumoto, M. and Kitamura, S. A special class of spherically symmetric space-times and their imbeddings, 3=23752
- Matsumoto, M. See Fujitani, T., 2=7134
- Matsumoto, M. See Fujitani, T., 2=7135
- Matsumoto, M. See Fujitani, T., 2=15473
- Matsumoto, M. See Iwadare, J., 0=5625
- Matsumoto, M. See Iwadare, J., 1=10935
- Matsumoto, S. Analysis of nucleon-nucleus collision of energy around 100 GeV, 2=5897
- Matsumoto, S. Nucleon-nucleon interactions of energy around 100 GeV, 3=13105
- Matsumoto, S. and Mikamo, S. On the inelasticity in high-energy nuclear interactions, 1=13407
- Matsumoto, S. See Ejiri, H., 4=15212
- Matsumoto, S. See Ejiri, H., 4=17046
- Matsumoto, S. See Kaneko, S., 0=9452
- Matsumoto, S. See Kumabe, I., 3=24934
- Matsumoto, S. See Kumabe, I., 3=24935
- Matsumura, K. See Yamaguchi, J., 1=14301
- Matsumoto, Z.I. See Takekoshi, E., 4=22076
- Matsumura, G. Relations among the cold pressing, sintering, and recrystallization of copper powder, 2=6785
- Matsumura, C., Hirota, E., Oka, T. and Morino, Y. Microwave spectrum of acetonitrile- $d_3$ ,  $\text{CD}_3\text{CN}$ , 3=6408
- Matsumura, G. See Kuczynski, G.C., 0=18395
- Matsumura, H. See Satō, T., 4=27378
- Matsumura, T. and Tanabe, Y. Synthesis of AlN crystals, 1=11537
- Matsumura, T. See Takahashi, M., 4=7549
- Matsunaga, M. The structure of electrodeposited chromium, 1=20522
- Matsunaga, N. See Hata, T., 4=16224
- Matsunaga, Y. Some new organic semiconductors: thiazine-iodine complexes, 4=6995
- Matsunaga, Y. Optical absorption edges of some diamine-quinone complexes, 4=26229
- Matsunaga, Y. Infrared spectra in the characterization of some molecular complexes of the dative type, 4=28242
- Matsumami, T. See Mamuro, T., 3=10280
- Matsumami, T. See Mamuro, T., 3=13688
- Matsunobu, H. and Yoshida, S. Single particle transition in neutron inelastic scattering by deformed nuclei, 0=11444
- Matsuo, H. and Parra, F. The Rayleigh equation and its modification in one eye by the colour adaptation of the other, 2=17331
- Matsuo, S. and Clarebrough, L.M. Short range order in copper-aluminium alloys, 4=1988
- Matsuo, S. See Narumi, H., 0=15611
- Matsuo, S. See Narumi, H., 1=3180
- Matsuo, S. See Narumi, H., 1=14140
- Matsuo, S. See Narumi, H., 1=19615
- Matsuo, T. and Sugihara, T.T. Evidence for low-momentum-transfer process in  $\text{K}^{41}(\alpha, n)\text{Sc}^{44m}$ , g reactions from range measurements of products, 1=9884
- Matsuoka, H. On the turbulent diffusion in the atmosphere, 3=9026



- Matsuoka, M. See Hayakawa, S., 3=13860  
 Matsuoka, M. See Hayakawa, S., 3=22232  
 Matsuo, M. See Kumagai, S., 2=1819  
 Matsuoka, S. Hypothesis of voids in semicrystalline polymers, 1=20639  
 Matsuo, S. and Narumi, H. On the validity of the adiabatic approximation in the theory of electron broadening in a plasma, 2=5333  
 Matsuo, S. See Narumi, H., 2=13576  
 Matsuoka, S. and Hattori, S. Chemical shifts of N.M.R. spectra in iodine-aromatic complexes, 2=17487  
 Matsuoka, S. See Kimura, M., 1=1757  
 Matsuoka, S. See Shimizu, T., 1=2499  
 Matsushima, M. See Flynn, G.W., 3=15385  
 Matsushima, S. and Terashita, Y. Effects of errors in the absorption coefficient on the non-gray model stellar atmospheres, 4=29383  
 Matsushima, T. The viscosity of liquid sulfur, 1=1726  
 Matsushita, S. Geomagnetic and ionospheric phenomena associated with nuclear explosions, 0=4799  
 Matsushita, S. A study of the morphology of ionospheric storms, 0=8389  
 Matsushita, S. On artificial geomagnetic and ionospheric storms associated with high-altitude explosions, 0=10411  
 Matsushita, S. Studies on sudden commencements of geomagnetic storms using I.G.Y. data from United States stations, 0=14166  
 Matsushita, S. Some studies of the upper atmosphere in the auroral zone, 0=18497  
 Matsushita, S. The morphology of the lower ionospheric region in auroral latitudes, 0=21362  
 Matsushita, S. Seasonal and day-to-day changes of the central position of the Sq overhead current system, 1=20901  
 Matsushita, S. Increase of ionization associated with geomagnetic sudden commencements, 2=6944  
 Matsushita, S. On geomagnetic sudden commencements, sudden impulses and storm durations, 3=9132  
 Matsushita, S. Ionospheric variations during geomagnetic storms, 3=13707  
 Matsushita, S. Reply, 3=25946  
 Matsushita, S. On the notations for geomagnetic micro-pulsations, 3=25953  
 Matsushita, S. Equatorial ionospheric variations during geomagnetic storms, 4=2306  
 Matsushita, S. Ionospheric storms, 4=30949  
 Matsushita, S. and Nakata, T. Infrared absorption of zinc oxide and of adsorbed CO<sub>2</sub>. I, 0=8002  
 Matsushita, S. and Nakata, T. Infrared absorption of zinc oxide and of adsorbed CO<sub>2</sub>. II, 2=6582  
 Matsushita, S. See Campbell, W.H., 2=9040  
 Matsushita, S. See Jacobs, J.A., 4=17959  
 Matsushita, S. See London, J., 3=16301  
 Matsushita, S. See McCaulley, J.W., 0=14293  
 Matsushita, S. See Miva, K., 1=1976  
 Matsushita, S. See Steiger, W.R., 0=14198  
 Matsuura, E. See Hasiguti, R.R., 2=23357  
 Matsuura, K. Frequency shift in ammonia absorption lines other than (3,3), 1=2316  
 Matsuura, K. Atomic clock on an ammonia absorption line, 1=18343  
 Matsuura, K. Effect of plastic deformation on clustering in an Al-Cu 4% alloy, 3=18182  
 Matsuura, K. Interaction between plasma oscillation and radiation field. I. Radiation damping of plasma oscillation, 4=2995  
 Matsuura, K. Interaction between plasma oscillation and radiation field. II. Radiation from plasma oscillation, 4=5653  
 Matsuura, K. On the steady state of ionization in weakly ionized plasma in the non-equilibrium state, 4=11562  
 Matsuura, K. and Inuishi, Y. Annealing of radiation damage on lifetime in silicon, 1=14458  
 Matsuura, K. and Inuishi, Y. Effect of neutron irradiation on carrier lifetime in Si, 1=17714  
 Matsuura, K. and Inuishi, Y. On the trapping and recombination centres in plastically bent silicon, 2=18691  
 Matsuura, K. and Koda, S. The effect of  $\theta'$  phase on the plastic deformation of an age-hardenable Al-Cu 4% alloy, 1=14876  
 Matsuura, K. and Koda, S. The effect of plastic deformation on the cluster formation in an Al-Cu 4% alloy, 1=14877  
 Matsuura, K. and Koda, S. On the temperature dependence of the critical resolved shear stress of an Al-4% Cu alloy, 2=8729  
 Matsuura, K. and Koda, S. On the interaction between dislocations and decomposition products in an Al-4% Cu alloy, 3=23305  
 Matsuura, K., Kubo, U. and Inuishi, Y. Annealing of radiation damage on lifetime in Si, 2=23223  
 Matsuura, K. and Ogawa, K. On the mode-coupling damping of plasma oscillations, 4=8755  
 Matsuura, K. See Inuishi, Y., 3=22933  
 Matsuura, K. See Koda, S., 3=12977  
 Matsuura, K. See Nagao, S., 3=21734  
 Matsuura, K. See Ogawa, K., 4=11656  
 Matsuura, M., Yasuoka, H., Hirai, A. and Hashi, T. Nuclear magnetic resonance of Fe<sup>57</sup> in  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 2=21387  
 Matsuura, M. See Abe, H., 4=4426  
 Matsuura, M. See Abe, H., 4=26266  
 Matsuura, M. See Amaya, K., 4=23073  
 Matsuura, M. See Sugibuchi, K., 1=20258  
 Matsuura, N. See Shirai, T., 1=20764  
 Matsuura, M. See Yasuoka, H., 2=18962  
 Matsuura, M. See Yasuoka, H., 4=7354  
 Matsuura, Y. See Terazawa, K., 0=6850  
 Matsuyama, A. See Baba, H., 4=29209  
 Matsuyama, S. Determination of the pion-nucleon coupling constant by means of the nucleon-nucleon dispersion relation, 0=15395  
 Matsuyama, S. and Miyazawa, H. Dispersion relations in nucleon-nucleon scattering, 0=12919  
 Matsuyama, S. and Miyazawa, H. Dispersion relations in nucleon-nucleon scattering, 0=12920  
 Matsuzaki, R. See Kojima, S., 0=19701  
 Matsuzaki, R. See Wada, I., 2=21934  
 Matsuzaki, Y. Pion-hyperon resonance, 2=9886  
 Matsuzawa, H. See Inada, T., 3=12241  
 Matsuzawa, K. Condenser microphones with plastic diaphragms for airborne ultrasonics. II, 1=6940  
 Matsuzawa, M. Excitation of  $\pi$  electrons in benzene by electron impact, 4=3890  
 Matsuzawa, M. See Inokuti, M., 4=25909  
 Matt, E., Pfander, H., Rieseberg, H. and Soergel, V. Beta decay from B<sup>8</sup> to the 16, 67 MeV level in B<sup>8</sup>, 4=19715  
 Matta, K.M. Electromechanical impedance of barium titanate transducer in a sandwich form, 3=9555  
 Mattana, N. Direct spectroscopic measurement of the concentration of ozone in the atmosphere, 4=10735  
 Mattana, N., Sanna, S. and Serra, A. Measurement of the atmospheric ozone at Cagliari and its relation with meteorological phenomena, 2=8952  
 Mattana, N., Sanna, S. and Serra, A. Atmospheric ozone at Cagliari in the period 1955-60, 3=1428  
 Mattauch, J. The masses of the light nuclei, 0=20321  
 Mattauch, J. and Everling, F. Masses of atoms of A < 40, 0=20569  
 Mattauch, J.H.E. See Everling, F., 0=9509  
 Mattauch, J.H.E. See Everling, F., 0=20570  
 Mattauch, J.H.E. See Everling, F., 1=12266  
 Mattauch, J.H.E. See König, L.A., 1=19609  
 Mattauch, J.H.E. See König, L.A., 2=9989  
 Mattauch, J.H.E. See König, L.A., 2=9990  
 Mattern, G. See Kern, R., 4=8401  
 Mattern, P. L. See Bearden, A. J., 4=12576  
 Mattes, B.L. Secondary piezoresistivity in oxygen deficient BaTiO<sub>3</sub> single crystals, 3=10879  
 Mattes, B.L. and Perls, T.A. Transducer for the measurement of thermal power, 1=8256  
 Matthei, W.G. See Ahlstrom, E., 0=622  
 Mattheiss, L.F. Antiferromagnetic linear chain, 1=12262  
 Mattheiss, L.F. Effective exchange integral, 1=12263  
 Mattheiss, L.F. Energy bands for solid argon, 4=12691  
 Mattheiss, L.F. Energy bands for the iron transition series, 4=17402  
 Mattheiss, L.F. See Phillips, J.C., 4=9908  
 Matthes, W. Statistical fluctuations and their correlation in reactor neutron distributions, 3=2528  
 Matthes, W. Calculation of the Fermi age and leakage factor of heterogeneous light water reactors with the Monte-Carlo method, 1=3484  
 Matthes, W. and Springer, T. The computation of the Fermi age in a heterogeneous reactor by the Monte Carlo method, 1=7416  
 Matthew, J.A.D. See McCombie, C.W., 2=3823  
 Matthews, A.G. See Collins, C., 1=3069  
 Matthews, A.G. See Jelly, D.H., 3=5876  
 Matthews, D. See Langton, N.H., 0=6151



- Matthews, D. See Langton, N.H., 0=7973
- Matthews, D.L. Vibrational relaxation of carbon monoxide in the shock tube, 1=4375
- Matthews, G.G., Satterthwaite, I.H.R. and Cameron, C. A versatile silica dilatometer, 3=7163
- Matthews, H. Elastic-wave amplification in yttrium iron garnet at microwave frequencies, 4=20208
- Matthews, H. and Doherty, W.R. Magnetoresistance measurements by means of arbitrarily shaped flat samples, 1=11997
- Matthews, H. and Lecraw, R.C. Acoustic wave rotation by magnon-phonon interaction, 2=16602
- Matthews, H.I., Mutucumarana, T.de S. and Wilman, H. Orientated crystal growth in electrodeposits, in relation to ionic diffusion in the electrolyte, 2=6765
- Matthews, H.I. and Wronski, K.R. Size distribution of vacuum-condensed tin crystallites, 3=18380
- Matthews, H.I. See Harvev, J., 1=11563
- Matthews, H.I. See Kerridge, J.F., 0=1589
- Matthews, H.I. See Kerridge, J.F., 3=2787
- Matthews, H.W. and Smith, F.B.; Eveson, G.F. Interaction between two equal-sized equal-settling spheres moving through a viscous liquid, 0=8592
- Matthews, J.B. and Mason, B.J. Electrification accompanying melting of ice and snow, 4=2203
- Matthews, J.B. See Dinger, J.E., 4=23767
- Matthews, J.E. See Blair, D.T.A., 0=10885
- Matthews, J.J. See McChesney, M., 1=2953
- Matthews, J.W. A study of growth defects in face-centred cubic metal foils prepared by evaporation, 0=20796
- Matthews, J.W. The observation of dislocations to accommodate the misfit between crystals with different lattice parameters, 1=19789
- Matthews, J.W. Defects in silver films prepared by evaporation of the metal onto mica, 3=1374
- Matthews, J.W. The climb and glide of misfit dislocations, 4=1499
- Matthews, J.W. and Allinson, D.L. A mechanism for the formation of twins in evaporated face-centred-cubic metal films, 3=20780
- Matthews, J.W. and Isebeck, K. Dislocations in evaporated lead sulphide films, 3=17754
- Matthews, P.A. See Saxton, J.A., 4=17909
- Matthews, P.T. Regge poles and diffraction scattering, 2=18082
- Matthews, P.T. Low-energy pion physics, 3=4419
- Matthews, P.T. and Salam, A. Relativistic theory of unstable particles. II, 0=333
- Matthews, P.T. and Salam, A. Resonance effects in intermediate boson theory, 1=12049
- Matthews, P.T. and Salam, A. Diffraction scattering of elementary particles, 1=13329
- Matthews, P.T. and Salam, A. Dispersion relations and diffraction scattering, 1=19134
- Matthews, P.T. and Salam, A. Baryon resonances as unitary multiplets, 2=9777
- Matthews, P.T. and Salam, A. Unitary symmetry, 2=18084
- Matthews, P.T. and Salam, A. A remarkable representation of the weak and electromagnetic lagrangian, 4=15016
- Matthews, P.T. and Salam, A.  $K_1^0 \rightarrow K_2^0$  transition in a Coulomb field, 4=25178
- Matthews, P.T. and Uretsky, J.L.  $K^+ - K^0$  mass difference, 0=378
- Matthews, P.T. See Evans, L., 1=12043
- Matthews, P.T. See Feldman, G., 0=15284
- Matthews, P.T. See Feldman, G., 1=547
- Matthews, P.T. See Feldman, G., 3=14855
- Matthews, P.T. See Feldman, G., 4=822
- Matthews, P.W. A servo-operated isothermal demagnetization system for producing stable temperatures below 1°K, 2=22106
- Matthews, P.W. See Betts, D.S., 4=24465
- Matthews, P.W. See Jones, J.D., 4=18626
- Matthews, P.W. See Keen, B.E., 4=14488
- Matthews, T.A., Morgan, W.W. and Schmidt, M. A discussion of galaxies identified with radio sources, 4=26974
- Matthews, T.A. See Greenstein, J.L., 3=13932
- Matthews, T.A. See Maltby, P., 3=5284
- Matthews, T.A. See Maltby, P., 3=13935
- Matthews, T.A. See Schmidt, M., 4=17987
- Matthewson, A. A demountable electron tube for high-vacuum applications, 4=5716
- Matthiae, G. See Venuti, G.C., 4=17179
- Matthias, B. Superconductivity, 0=8946
- Matthias, B. Relations between superconductors and ferromagnets, 0=10111
- Matthias, B., Compton, V.B., Suhl, H. and Corenzwit, E. Ferromagnetic solutes in superconductors, 0=1079
- Matthias, B.T. Superconductivity of AuBe, 0=5237
- Matthias, B.T. Conclusions for superconducting molybdenum-technetium alloys, 2=2959
- Matthias, B.T. Superconductivity and ferromagnetism, 3=9672
- Matthias, B.T. Superconductivity and its relation to transition elements, 4=16376
- Matthias, B.T., Bozorth, R.M. and Van Vleck, J.H. Ferromagnetic interaction in EuO, 1=17947
- Matthias, B.T., Clogston, A.M., Williams, H.J., Corenzwit, E. and Sherwood, R.C. Ferromagnetism in solid solutions of scandium and indium, 1=12526
- Matthias, B.T., Compton, V.B. and Corenzwit, E. Some new superconducting compounds, 1=18712
- Matthias, B.T. and Geballe, T.H. Ferromagnetism versus superconductivity of the transition elements, particularly alloys of chromium and iridium, 4=16342
- Matthias, B.T., Geballe, T.H. and Compton, V.B. Superconductivity, 3=14438
- Matthias, B.T., Geballe, T.H., Compton, V.B., Corenzwit, E. and Hull, G.W., Jr. Superconductivity of chromium alloys, 3=1900
- Matthias, B.T., Geballe, T.H., Compton, V.B., Corenzwit, E. and Hull, G.W., Jr. Superconductivity in the Y-Rh and Y-Ir systems, 4=18622
- Matthias, B.T., Geballe, T.H., Corenzwit, E. and Hull, G.W., Jr. Intermediate isotope effect of molybdenum and Mo<sub>3</sub>Ir, 3=7404
- Matthias, B.T., Peter, M., Williams, H.J., Clogston, A.M., Corenzwit, E. and Sherwood, R.C. Magnetic moment of transition metal atoms in dilute solution and their effect on superconducting transition temperature, 1=3882
- Matthias, B.T. and Suhl, H. Possible explanation of the "coexistence" of ferromagnetism and superconductivity, 0=7030
- Matthias, B.T., Suhl, H. and Corenzwit, E. Further experiments concerning the spin-electron interactions in superconductors, 0=12557
- Matthias, B.T. See Alexander, S., 3=8737
- Matthias, B.T. See Anderson, P.W., 4=29828
- Matthias, B.T. See Arrhenius, G., 4=5515
- Matthias, B.T. See Blumberg, W.E., 0=18228
- Matthias, B.T. See Blumberg, W.E., 0=19561
- Matthias, B.T. See Bozorth, R.M., 0=1776
- Matthias, B.T. See Clogston, A.M., 2=4197
- Matthias, B.T. See Clogston, A.M., 3=993
- Matthias, B.T. See Compton, V.B., 1=11881
- Matthias, B.T. See Compton, V.B., 2=10882
- Matthias, B.T. See Geballe, T.H., 1=8285
- Matthias, B.T. See Geballe, T.H., 2=17726
- Matthias, B.T. See Geballe, T.H., 3=3962
- Matthias, B.T. See Geballe, T.H., 4=14524
- Matthias, B.T. See Giorgi, A.L., 2=2962
- Matthias, B.T. See Hein, R.A., 2=17727
- Matthias, B.T. See Hulm, J.K., 2=1338
- Matthias, B.T. See Jaccarino, V., 1=1277
- Matthias, B.T. See Kunzler, J.E., 1=3037
- Matthias, B.T. See Nagle, D.E., 1=1210
- Matthias, B.T. See Olsen, C.E., 3=15783
- Matthias, B.T. See Peter, M., 0=13874
- Matthias, B.T. See Phillips, N.E., 1=1863
- Matthias, B.T. See Raub, Ch.J., 3=24148
- Matthias, B.T. See Suhl, H., 0=3703
- Matthias, B.T. See Suhl, H., 0=13753
- Matthias, B.T. See Suhl, H., 2=19812
- Matthias, B.T. See Wernick, J.H., 1=11877
- Matthias, B.T. See Wolff, P.A., 2=12683
- Matthias, E., Bostrom, L., Maciel, A., Salomon, M. and Lidqvist, T. Magnetic dipole interaction studies by the differential angular correlation method, 3=10224
- Matthias, E., Karlsson, E. and Lerjefors, C.A. Nuclear g-factor of the 113 keV rotational state in the odd A nucleus  $\text{Hf}^{177}$ , 2=10014
- Matthias, E. and Lindqvist, T. Precision measurements of nuclear g-factors by the time-to-pulse-height converter method, 2=5821
- Matthias, E., Schneider, W. and Steffen, M. Nuclear level splitting caused by a combined electric quadrupole and magnetic dipole interaction, 2=3474
- Matthias, E., Schneider, W. and Steffen, R.M. Some remarks on static electric quadrupole perturbations in angular correlations, 3=12563



- Matthias, E., Schneider, W. and Steffen, R.M. Nuclear level splitting caused by a combined magnetic dipole and electric quadrupole, 4=17015
- Matthias, E. See Alder, K., 3=8025
- Matthias, E. See Bodendstedt, E., 0=7540
- Matthias, E. See Karlsson, A., 1=12156
- Matthias, E. See Karlsson, B.E., 2=12127
- Matthias, E. See Karlsson, E., 2=12137
- Matthias, E. See Lerjefors, C.A., 1=12157
- Matthias, E. See Salomon, M., 4=3570
- Matthias, R.T. See Blaugar, R.D., 2=7520
- Matthies, S., Neudachin, V.G. and Smirnov, Yu.F. Lower levels of  $O^{17}$  and  $F^{17}$  in the  $\alpha$ -model of the nucleus, 3=636
- Matthies, S., Neudachin, V.G., and Smirnov, Yu.F. Geometrical positions of nucleon clusters in the nucleus, 4=9344
- Matthies, S. See Matkhiz, Z.
- Matthies, S. See Matkhiz, Z., 2=10020
- Mattias, E., Olsen, B. and Schneider, W. Influence of a combined magnetic dipole and non-axially symmetric electric quadrupole interaction on angular correlations, 3=12614
- Mattig, W. Chromosphere of sunspots, 3=3574
- Mattig, W. and Schröter, E.H. The centre-limb variation of the continuum at  $\lambda = 5893$  Å and the wings of the Na D-lines in sunspots, 1=15471
- Mattig, W. and Schröter, E.H. Remarks on the determination of intensities in the wings of strong Fraunhofer lines, 1=18077
- Mattig, W. and Schröter, E.H. A comparison between observed and theoretical intensity distribution in the wings of the Na D-lines, 2=4773
- Mattig, W. and Schröter, E.H. Intensity measurements in the wings of the Na D-lines, 2=4774
- Mattioli, M. See Cano, R., 4=18781
- Mattis, D. Ground state of interacting spins, 3=11044
- Mattis, D. Long-ranged magnetic polarization effects, 4=26420
- Mattis, D. and Donath, W.E. Role of Fermi surface and crystal structure in theory of magnetic metals, 3=3094
- Mattis, D. and Lieb, E. Exact wave functions in superconductivity, 1=10638
- Mattis, D. See Lieb, E., 2=2290
- Mattis, D. See Lieb, E., 2=4213
- Mattis, D. See Lieb, E., 2=21342
- Mattis, D.C. Steady-state distribution function in dilute electron gases, 0=17905
- Mattis, D.C. On the influence of free path on the Meissner effect, 2=22111
- Mattis, D.C. Ferromagnetism and spin waves in the band theory, 4=7230
- Mattis, D.C. Band theory of ferromagnetism, antiferromagnetism and spin waves, 4=13131
- Mattis, D.C. and Schultz, T.D. Theory of magnetothermomechanics, 3=5012
- Mattis, D.C. See Ham, F.S., 0=9953
- Mattis, D.C. See Horwitz, L.P., 3=20593
- Matthysse, S.W. On the uncertainty principle, 0=16599
- Matthysse, S.W. See Desloge, E.A., 0=51
- Matkhiz, S., Neudachin, V.G. and Smirnov, Yu.F. Low-lying levels of  $O^{17}$  and  $F^{17}$  in the alpha-particle model, 4=1011
- Matkhiz, S. and Neudachin, V.G. Application of some nuclear theory methods to molecular collisions, 4=3926
- Matkhiz, Z., [Matthies, S., Neudachin, V.G. and Smirnov, Yu.F. Single-particle levels in  $O^{17}$  and  $F^{17}$  nuclei under the assumption of a strong coupling of the nucleon and core with the tetrahedral symmetry, 2=10020
- Matkhiz, Z. [Matthies, S., Neudachin, V.G. and Smirnov, Yu.F. Single-particle levels in  $O^{17}$  and  $F^{17}$  nuclei under the assumption of a strong coupling of the nucleon and core with the tetrahedral symmetry, 3=6163
- Matkhiz, S., Neudachin, V.G. and Smirnov, Yu.F. Determination of the mutual arrangement of nucleon associations in a nucleus by aid of the directed orbital method, 4=3524
- Matkhiz, Z., Neudachin, V.G. and Smirnov, Yu.F. Reduced alpha-particle widths in the alpha-particle nuclear model, 4=3552
- Mattler, J. Variation of the electro-enhancement effect with the frequency of the electric field, 0=4457
- Mattler, J. See Messier, J., 0=16105
- Mattox, D.M. and Gildart, L. Energy gaps in bismuth trioxide, 1=19734
- Mattox, D.M. and McDonald, J.E. Interface formation during thin film deposition, 3=23505
- Mattox, D.M. See Gildart, L., 1=19871
- Mattox, D.M. See Heckman, R.C., 3=22937
- Mattuck, R.D. Effect of local order on energy bands in binary alloys, 2=18546
- Mattuck, R.D. Dependence of paramagnetic susceptibility on short range order parameter in binary alloys, 3=3085
- Mattuck, R.D. Lifetime of quasi particles in Fermi systems, 4=24100
- Mattuck, R.D. Phonons from a many-body viewpoint, 4=20180
- Mattuck, R.D. and Strandberg, M.W.P. Quadrupole selection rule in iron group spin-phonon interactions, 0=529
- Mattuck, R.D. and Strandberg, M.W.P. Saturation of paramagnetic spins by 13 Mc/sec ultrasonic phonons, 0=3125
- Mattuck, R.D. and Strandberg, M.W.P. Spin-phonon interaction in paramagnetic crystals, 0=13732
- Mattuck, R.D. See Hedman, L.E., 2=18891
- Matukura, Y. Germanium-silicon alloy junctions, 0=4347
- Matukura, Y. Effects of heat treatment upon the electrical properties of silicon, 0=20910
- Matukura, Y. Properties of grain boundaries in silicon, 1=17711
- Matukura, Y. Electrical conduction along the tilt and twist grain boundaries in a n-type germanium, 3=854
- Matukura, Y. Grain boundary states in silicon and germanium, 3=13064
- Matukura, Y. Anisotropic stress effect of Ge pn junctions, 4=26072
- Matukura, Y. Anisotropic stress effect of silicon pn junctions, 4=26074
- Matukura, Y. Some factors influencing the anisotropic stress effect of p-n junctions, 4=28584
- Matukura, Y. Anisotropic stress effect on Si transistors, 4=28603
- Matukura, Y. and Miura, Y. Dislocations in epitaxially grown silicon, 4=2039
- Matukura, Y. and Tanaka, S. Conductivity of grain boundaries in Ge, 2=10470
- Matulenko, Yu.A. See Belyakov, A.N., 1=10815
- Matulenko, Yu.A. See Viryasov, N.M., 0=9364
- Matulenko, Yu.A. See Vovenko, A.S., 2=13855
- Matulenko, Yu.A. See Vovenko, A.S., 3=6042
- Matulenko, Yu.A. See Vovenko, A.S., 3=14826
- Matulenko, Yu.A. See Vovenko, A.S., 4=27716
- Matulevichus, V.P. See Styro, B.I., 4=7863
- Matulionis, A.I., Pauzha, A.S. and Yutsene, V.I. Crystal excitation process in  $ZnS_{21}Cu$  electroluminescent phosphors, 4=1784
- Matulis, A.I. See Brevnov, N.N., 4=544
- Matulis, A.I. See Brevnov, N.N., 4=16513
- Matumoto, K. Remarks on the mass formula in the Sakata model, 1=16669
- Matumoto, K. The regularities of mass levels of baryons and mesons, 2=20281
- Matumoto, K. and Nakagawa, M. On the structure of the elementary particles, 1=3121
- Matumoto, K. and Nakagawa, M. On the nature of B matter in the Nagoya Model, 2=16131
- Matumoto, K., Otsuki, S., Shimodaira, H. and Yamada, E. On Puppi's determination of the pion-nucleon coupling constant, 0=13023
- Matumoto, K., Sawada, S., Sumi, Y. and Yonezawa, M. Mass formula in the Sakata model [for elementary particles], 4=11891
- Matumoto, K. See Katayama, Y., 3=543
- Matumoto, K. See Katayama, Y., 4=828
- Matumoto, K. See Katayama, Y., 4=11917
- Matumoto, K. See Katayama, Y., 4=11918
- Matumoto, S. See Huang, K.K., 3=17472
- Matumoto, Z. Formulas in the Fermi theory of beta decay. II. On the beta ray angular correlation, 1=3408
- Matumoto, Z. and Yamada, M. Formulas the Fermi theory of beta-decay. I. Beta-spectrum, 0=11349
- Matumoto, Z., Yamada, M., Wang, I.-T. and Morita, M. Structure of low-lying  $2^+$  states in even-even nuclei and beta-gamma angular correlations, 3=7984
- Matumoto, Z. See Fujita, J., 0=11356
- Matumoto, Z. See Fujita, J., 0=13189
- Matumoto, Z. See Yamada, M., 1=16964
- Matumura, O. On the Mn-activated phosphors, 0=1752
- Matumura, O. On the colour scale for the sea water, 0=19462
- Matumura, O. and Koga, H. On colour centres in  $ZrSiO_4$ , 2=12466
- Matumura, O. and Koga, H. Magnetic resonance in irradiated zircon, 3=23239
- Matumura, O. See Goto, N., 4=7337
- Matumura, O. See Koga, H., 1=14802



- Matumura, O. See Ikawa, H., 3=2908
- Matunobu, Y. Application of the WKB method to the high subsonic flow of a compressible fluid past wedge profiles, 2=19513
- Matunobu, Y. The applicability of the thin-aerofoil theory to the stagnation flow at subsonic speeds, 4=215
- Matus, L. See Kiss, I., 3=21632
- Matusevich, E. S. See Kazanskii, Yu. A., 1=5703
- Matusevich, E. S. See Kukhtevich, V. I., 4=25056
- Matusik, F. J. See Fitzgerald, J. V., 3=14091
- Matuszek, J. See Beil, H., 3=24741
- Matuszek, J. See Beil, H., 4=918
- Matuszek, J. M., Jr. and Sugihara, T. T. The decay of  $^{293}\text{Mn}$ , 3=15145
- Matuura, K. See Kinase, W., 4=20193
- Matuura, N. Some remarks on motion of ionospheric irregularity, 0=21335
- Matuura, N. Characteristics of large amplitude geomagnetic pulsations, 2=15286
- Matuura, N. Thermal effect on the ionospheric F region disturbance, 3=21061
- Matuura, N. and Nagata, T. Turbulence in the upper atmosphere, 0=21332
- Matuura, N. and Nagata, T. On the earth storms. III. Interaction between the solar corpuscular stream and the earth's magnetic field, 1=15353
- Matuura, N. and Nagata, T. Turbulent conditions in the upper atmosphere, 3=11420
- Matuura, N. See Yoshida, S., 2=15267
- Matuura, R. See Motomura, K., 3=11310
- Matuura, R. See Motomura, K., 3=16126
- Matuura, R. See Tanaka, M., 2=17420
- Matuyama, E. Small-angle scattering of X-rays from deformed natural graphite, 1=6566
- Matuyama, E. X-ray diffractions of ground graphites, 3=18309
- Matuzawa, T., Asada, T., Den, N. and Akamatsu, K. Tripartite observations of microseisms, 3=18478
- Matveenko, I. I. See Gel'd, P. V., 0=18353
- Matveev, O. A. Germanium spectrometric detector for  $\gamma$ -radiation, 4=21830
- Matveev, O. A., Rudakov, V. P. and Serikov, I. N. Spectrometry of heavy charged particles of medium energy with silicon N-I-P'-detectors, 4=21701
- Matveev, O. A. and Ryvkin, S. M. Silicon spectrometric detectors with wide sensitive regions, 4=21700
- Matveev, O. A., Ryvkin, S. M. and Tarkhin, D. V. Quick-response silicon detectors for pulsed X-rays, 4=21831
- Matveev, O. A. See Blinov, V. A., 4=3252
- Matveev, O. A. See Kazarinov, N. M., 2=16094
- Matveev, O. A. See Maslova, L. V., 2=2348
- Matveev, O. A. See Maslova, L. V., 2=6457
- Matveev, O. A. See Maslova, L. V., 4=11855
- Matveev, O. A. See Ryvkin, S. M., 0=20900
- Matveev, O. A. See Ryvkin, S. M., 1=6166
- Matveev, O. A. See Ryvkin, S. M., 4=30209
- Matveev, O. A. See Ugai, Ya. A., 2=16719
- Matveev, O. V. See Ugai, Ya. A., 2=18699
- Matveev, O. A. See Vitovskii, N. A., 2=18028
- Matveev, V. V., Minaeva, E. E. and Sokolov, A. D. Investigation of the dependence of photomultiplier parameters on temperature, 4=579
- Matveev, V. V., Minaeva, E. E. and Sokolov, A. D. Variation of the photomultiplier anode current under the action of a magnetic field, 4=18529
- Matveev, V. V., Popkov, G. K. and Sokolov, A. D. Determining certain parameters of electron multiplier phototubes and scintillators, 2=3076
- Matveev, V. V. and Sokolov, A. D. Investigation of hard X-radiation in the toroidal apparatus "Tokamak 2", 1=1901
- Matveev, V. V. and Sokolov, A. D. Determination of the intrinsic amplitude resolution of photomultipliers using a pulsed source of light, 2=7649
- Matveev, V. V. and Sokolov, A. D. Determination of induced radioactivity in the second spaceship, 2=19358
- Matveev, V. V. and Sokolov, A. D. A device for recording toroidal pulse discharge neutrons, 2=19868
- Matveev, V. V., Sokolov, A. D. and Shlyapnikov, R. S. The energy distribution of  $\gamma$  quanta from a point source of  $\gamma$  radiation in an infinite sandy medium, 0=5532
- Matveev, V. V., Sokolov, A. D. and Suchkova, L. A. Investigation of hard X-ray radiation from a plasma in a strong magnetic field, 4=11612
- Matveev, Yu. Ye. See Borisov, V. T., 3=13540
- Matveeva, E. N. See Medvedev, M. N., 1=10809
- Matveeva, I. G. See Atsarkin, V. A., 3=15939
- Matveeva, M. I. See Gufel'd, I. L., 4=23245
- Matveeva, N. A. The separation of binary mixtures of inert gases in a steady current discharge, 0=5281
- Matveeva, N. N. See Boltaks, B. I., 2=18600
- Matveeva, N. M. See Kornilov, I. I., 3=6790
- Matveev, V. V. and Sokolov, A. D. Determination of induced radioactivity in the second spaceship, 3=21135
- Matvejev, L. T. On the formation and development of layer clouds, 4=30932
- Matviyishyna, N. M. See Vladymyrov, V. V., 3=19421
- Matwiyoff, N. A. and Drago, R. S. Correlation of  $J_{13}^{\text{B}}$  with  $\tau$  and the significance of this relationship, 3=20022
- Matyagin, V. S. An empirical formula for the characteristic curve of stellar focal images, 0=18795
- Matyas, E. See Eastwood, T. A., 4=3760
- Matyás, M. A note on the magnetic susceptibility of semiconducting compounds of  $\text{AlIBV}$ , 0=11803
- Matyás, M. The magnetic susceptibility of semiconducting compounds of the ternary system, 0=16128
- Matyás, M. The magnetic susceptibility of solid solutions of semiconducting compounds of  $\text{AlIB}$ ,  $\chi_1=20049$
- Matyás, M. The connection between the magnetic susceptibility and the chemical binding of semiconducting compounds with the sphalerite structure, 3=20549
- Matyás, M. and Höschl, P. The semi-conducting properties of  $\text{CdSnAs}_2$ , 3=4920
- Matyás, M. and Škacha, J. Magnetoresistance measurements on p-type GaSb, 3=2912
- Matyás, M. See Frei, V., 3=10811
- Matyash, I. V. See Galkin, A. A., 0=12038
- Matyash, I. V. See Halkin, O. O., 2=18485
- Matyash, V. See Galkin, A. A., 0=14150
- Matyash, Y. V., Halkin, A. A. and Taresenko, L. M. Proton magnetic relaxation in methane, 4=6651
- Matysina, Z. A. Theory of diffusion in ordered alloys of the CuAu type, 4=1510
- Matysina, Z. A. and Smirnov, A. A. A theory of ordering of alloys with hexagonal close-packed lattice, 0=16306
- Matysina, Z. A. and Smirnov, A. A. Theory of ordering alloys with a hexagonal close-packed crystal lattice, 2=6819
- Matysina, Z. A. See Danylenko, V. M., 1=12635
- Matyukhin, S. S. See Kuz'min, V. F., 4=16412
- Matyushenko, H. M., Karyev, V. M. and Svinarenko, O. P. Beryllides of the rare-earth metals, 4=13601
- Matyushenko, N. N. The relationship between the unit cell volumes of beryllides and the atomic volumes of the components, 3=23446
- Matyushenko, N. N. See Verkhorobin, L. F., 2=23205
- Matyushenko, N. N. and Tikhinskii, G. F. Yttrium beryllide and compounds of the type  $\text{ABe}_{13}$ , 4=15797
- Matyushenko, N. N., Verkhorobin, L. F., Pugachev, N. S. and Sivokon', N. V. The crystal structure of the highest beryllides of molybdenum, tungsten and rhenium, 3=20839
- Matyushenko, N. N. See Verkhorobin, L. F., 4=10638
- Matyukhin, V. D. See Demichev, V. F., 4=11604
- Matzke, H. Diffusion of  $\text{Kr}^{85}$  in  $\text{ThO}_2$ , 2=14461
- Matzke, H. and Lindner, R. Diffusion of  $\text{Xe}^{133}$ ,  $\text{Rn}^{222}$ , and  $\text{I}^{131}$  in thorium oxide, 0=15874
- Matzke, H. and Lindner, R. The diffusion of homogeneously distributed inert gases out of solids, 2=6362
- Matzke, H. See Lindner, R., 0=1607
- Matzke, H. See Lindner, R., 0=4308
- Matzke, H. See Lindner, R., 1=17563
- Mau Vinh. See Vinh Mau
- Mau, R. Vinh. See Vinh Mau, R.
- Mau Vinh Nguyen. See Nguyen Vinh Mau.
- Maude, A. D. Theoretical evaluation of capillary viscometers for the measurement of the viscosity of suspensions of spheres, 0=6730
- Maude, A. D. End effects in a falling-sphere viscometer, 1=10475
- Maude, A. D. The movement of a sphere in front of a plane at low Reynolds number, 4=5128
- Maude, A. D. and Walters, K. Approximate theory for oscillatory experiments with a cone-and-plate viscometer, 4=21077
- Maude, A. D. and Whitmore, R. L. A generalized theory of sedimentation, 0=8323
- Mauer, F. A. See Bolz, L. H., 0=1914
- Mauer, F. A. See Bolz, L. H., 4=10544
- Mauer, P. Amplification coefficient of neodymium-doped glass at 1.06 microns, 4=16706
- Mauer, P. B. Laser action in neodymium-doped glass at 1.37 microns, 4=14948



- Mauersberger, P. The Weber transformation in magneto-hydrodynamics, 4=5778
- Mauersberger, P. Hamilton's principle in magnetohydrodynamics, 4=5780
- Mauersberger, P. On the interpretation of a function which occurs in the Weber transformation of magnetohydrodynamics, 4=11771
- Maund, J.E. and Chalmers, J.A. Point-discharge currents from natural and artificial points, 1=15235
- Maunder, L. See Parks, R., 1=19462
- Maunder, E.J. See Hardiman, J.P., 4=6448
- Maung Tin. See Tin Maung.
- Maurat, M. and Eyraud, C. Thermal evolution of  $\text{UO}_3$  under vacuum. Electrical conductivity, 2=12496
- Maurel, J. See Blanc, D., 4=16730
- Maurel, J. See Laborie, P., 4=27916
- Maurer, D.W. and Wiig, E.O. Excitation functions of the (p,pn) and (p,2p) reactions on  $\text{Te}^{130}$  at 60-233 MeV, 3=6248
- Maurer, R.D. Light scattering by neutron irradiated silica, 1=19946
- Maurer, R.D. Crystal nucleation in a glass containing titania, 2=15077
- Maurer, R.D. Operation of a  $\text{Nd}^{3+}$  glass optical maser at 9180 Å, 3=12339
- Maurer, R.D.  $\text{Nd}^{3+}$  fluorescence and stimulated emission in oxide glasses, 4=20484
- Maurer, W.C. and Rinehart, J.S. Impact crater formation in rock, 0=11990
- Maurer-Tison, F. Mathematical aspects of Einstein's unified field theory, 0=10585
- Maurette, M., Pellas, P. and Walker, R.M. Study of traces of fossil fission in mica, 4=23708
- Maurette, M. and Walker, R.M. Study of particle tracks induced by the interaction of 3 GeV protons in different minerals, 4=30137
- Maurette, M. See Debeauvais, M., 4=19344
- Maurice, F. See Adda, Y., 2=8210
- Maurice, F. See Donze, G., 2=12455
- Maurikakis, G. The evolution of galactic clusters, 1=32
- Maurin, J. A simple model of the transition in Poiseuille flow, 3=7179
- Maurin, K. Mathematical structure of Wightman formulation of quantum field theory, 3=24575
- Maurin, K. On some theorems of H.J. Borchers, 3=24576
- Mausberg, W. See Andersson-Lindström, G., 4=28045
- Mausser, H. Calorimetric method for determining the free enthalpy of mixing of condensed systems, 2=7205
- Mausser, H. Kinetic analysis of complex photochemical reactions, 4=29229
- Maushart, R. See Dannecker, A., 0=5691
- Maushart, R. See Kiefer, H., 2=3192
- Maust, E. E., Jr and Warne, W. E. A graphite resistor source for image furnace research, 4=310
- Mauza, E. V. and Batarunas, I. V. Calculation of the complex ion energy levels, 4=20175
- Mauza, E. V., Shapiro, B. I. and Batarunas, J. V. Calculation of magnetic moments of complex ions with respect to chemical bond, 4=1355
- Mauza, F. B., Shapiro, B. I. and Batarunas, I. V. Coefficients of fractional parentage for point groups, 4=1339
- Mavaddat, R. Varactor diode Q-factor measurements, 3=19131
- Mavel, G. Comparative study of the infrared absorption spectra and of nuclear magnetic resonance (N.M.R.) of solutions of water in organic substances, 0=16719
- Mavel, G. Theoretical nuclear magnetic resonance curves for complex formation and dissociation, 1=7490
- Mavel, G. The role of hybridization of the second order and of the electronegativity of carbons in the transmission of spin-spin coupling in proton magnetic resonance, 3=4783
- Mavel, G. and Martin, G. Nuclear magnetic resonance study of organo-phosphorus compounds. VII. N- and ISO- $\text{C}_3\text{H}_7$  groups, theoretical spectra of the type  $\text{A}_3(\text{A}'_3)\text{BX}$ , 3=20669
- Mavel, G. See Freymann, R., 0=505
- Mavel, G. See Freymann, M., 3=18825
- Mavel, G. See Martin, G., 3=4782
- Mavel, M.G. Nuclear magnetic resonance study of proton exchange in alcohol-water mixtures, 1=8144
- Mavel, M.G. Nuclear magnetic resonance study of ionization and proton exchange phenomena, 2=1168
- Mavridēs, S. The electromagnetic energy-momentum tensor in the presence of charged matter, 0=868
- Mavridēs, S. The phenomenon of the red-shift and the hypothesis of the ageing of light, 0=10475
- Mavridēs, S. Motion of a planet [Tonnelat's] theory of the graviton, 2=9155
- Mavridēs, S. Motion of a test particle in the Euclidean theory of gravitation, 2=17342
- Mavridēs, S. Gravitational energy in the euclidean theory of the gravitational field, 3=3715
- Mavridēs, S. Experimental tests of the Euclidean theory of gravitation, 4=8029
- Mavridēs, S. Experimental tests on the Euclidean theory of gravitation, 4=14026
- Mavridēs, S. Trajectories of satellites in the gravitational field of a rotating sphere in the linear Minkowski theory, 4=24053
- Mavrodiev, G. See Ivković, V., 0=12643
- Mavroides, J.G., Lax, B., Button, K.J. and Shapira, Y. Oscillatory quantum effects in the ultrasonic velocity in bismuth, 3=8402
- Mavroides, J.G. See Brown, R.N., 0=20969
- Mavroides, J.G. See Brown, R.N., 1=17488
- Mavroides, J.G. See Brown, R.N., 3=8581
- Mavroides, J.G. See Dresselhaus, M.S., 4=22540
- Mavroides, J.G. See Harman, T.C., 2=4034
- Mavroides, J.G. See Lax, B., 0=20968
- Mavroides, J.G. See Lax, B., 1=7570
- Mavroides, J.G. See Lax, B., 2=16586
- Mavroides, J.G. See Lax, B., 2=16627
- Mavroides, J.G. See Lax, B., 3=10744
- Mavroides, J.G. See Strauss, A.J., 3=10938
- Mayroyannis, C. The interaction of neutral molecules with dielectric surfaces, 4=3927
- Mayroyannis, C. and Stephen, M.J. Dispersion forces, 3=6365
- Mawardi, O.K. See Gajewski, R., 0=17089
- Mawardi, O.K. See Kolm, H.H., 1=10770
- Mawardi, O.K. See Yildiz, M., 1=1798
- Mawdsley, J. Movement of auroral ionization, 0=16464
- Mawdsley, J. Fading of satellite transmissions and ionospheric irregularities, 1=1547
- Mawdsley, J. Air density variations in the mesosphere and the winter anomaly in ionospheric absorption, 1=20886
- Mawdsley, J. and Richards, I.R. Ionospheric scattering of satellite transmissions, 1=9304
- Mawdsley, J. and Ward, W.H. Field-aligned ionization, 0=16458
- Mawdsley, J. See Ireland, W., 2=20164
- Mawer, P.A. See Bloor, D., 1=16077
- Mawer, P.A. See Dean, T.J., 0=8837
- Mawer, P.A. See Dean, T.J., 0=19495
- Mawer, P.A. See Jones, G.O., 1=17894
- Max, E. See Hieke, M., 1=14712
- Max, E. See Kulcke, W., 4=16228
- Max, J. and Chevalier, H. Very low level direct coupled voltage amplifier, 4=29848
- Maxey, J.D. See Bohan, W.A., 0=583
- Maxfield, J. P. See Loye, D. P., 4=287
- Maxia, V. See Faucitano, A., 4=25119
- Maxim, I. Some magnetic properties of the substances  $\text{FeSe}_{1+x}$ , 1=1206
- Maxim, I. The law of electronic concentration in the ferromagnetism of nickel alloys, 1=3892
- Maxim, I., Ausländer, D. and Stan, V. Variation of the Curie temperatures in the alloys Ni-Cu-Sn, 1=3891
- Maxim, I. and Braun, T. Effects of reactor radiations on the chemisorption equilibrium of oxygen on nickel oxide, 3=13567
- Maxim, I. and Ribko, L. Thermoelectric power of vanadium pentoxide under the action of nuclear radiation, 2=18761
- Maxim, G. See Mageru, V., 4=13755
- Maximenko, V.M. See Chernavsky, D.S., 3=12541
- Maximon, L. C. and Isabelle, D. B. Radiative tail in elastic electron scattering, 4=11975
- Maximon, L.C. and Olsen, H. Measurement of linear photon polarization by pair production, 2=9813
- Maximon, L.C. See Olsen, H., 2=12012
- Maxson, D.R.  $\text{O}^{16}(\rho, \alpha)\text{N}^{13}$  angular distributions at 15.5-18.1 MeV, 1=17100
- Maxson, D.R. (p,  $\alpha$ ) reactions in  $\text{Li}^7$ ,  $\text{Be}^9$ , and  $\text{C}^{12}$  at 15.0-18.6 MeV, 3=2454
- Maxson, D.R. See Bennett, E.F., 0=1413
- Maxson, D.R. See Fessenden, P., 4=9390
- Maxson, D.R. See Zatzick, M.R., 3=8111
- Maxum, B.J. See Trivelpiece, A.W., 3=4162
- Maxwell, A. Recent developments in solar radio astronomy, 1=44
- Maxwell, A. Generation of radio waves and acceleration of particles by the class 3 solar flare of 1961 September 28, 3=25978



- Maxwell, A., Defouw, R. J. and Cummings, P. Radio evidence for solar corpuscular emission, 4=23930
- Maxwell, A., Howard, W. E., III, and Garmire, G. Some statistics of solar radio bursts at sunspot maximum, 1=15547
- Maxwell, A., Hughes, M. P. and Thompson, A. R. Catalog of Type II (slow-drift) and Type IV (continuum) solar radio bursts, 3=13919
- Maxwell, A. and Thompson, A. R. Spectral observations of solar radio bursts. II. Slow-drift bursts and coronal streamers, 2=4836
- Maxwell, A., Thompson, A. R. and Garmire, G. The association of solar radio bursts with auroral streams, 1=6641
- Maxwell, A. See Boischoit, A., 0=18643
- Maxwell, A. See Swarup, G., 0=12255
- Maxwell, A. See Thompson, A. R., 0=6558
- Maxwell, A. See Thompson, A. R., 1=6743
- Maxwell, A. See Thompson, A. R., 3=3617
- Maxwell, E. and Chase, C. E. Determination of thermodynamic properties of helium from dielectric constant measurements, 0=8899
- Maxwell, E. and Schmidt, A. F. Liquid helium cryostat with an integral super-conducting resonator, 0=295
- Maxwell, E. and Strongin, M. Filamentary structure in superconductors, 3=16855
- Maxwell, E. See Chase, C. E., 1=9509
- Maxwell, E. See Chase, C. E., 2=1326
- Maxwell, E. See Strongin, M., 4=414
- Maxwell, E. See Strongin, M., 4=18567
- Maxwell, E. L. See Watt, A. D., 0=12131
- Maxwell, J. R. and Parkinson, W. C.  $Fe^{54}(d,p)Fe^{55}$  reaction and the nuclear structure of  $Ti^{51}$ ,  $Cr^{53}$ , and  $Fe^{55}$ , 4=22028
- Maxwell, J. R. See Parkinson, W. C., 2=12111
- Maxwell, K. H. See Green, M., 0=12115
- Maxwell, K. H. See Green, M., 0=12116
- Maxwell, K. H. See Green, M., 0=14703
- Maxwell, K. H. See Green, M., 2=2434
- Maxwell, S., Tate, E. F., Harris, D. G. and Stobo, J. J.  $\gamma$ -lattice parameters in U-Mo-Nb alloys, 4=13610
- Maxworthy, T. Discontinuity properties of laminar flames, 1=6977
- Maxworthy, T. Liquid sodium flow facility for magneto-fluid-dynamic research, 2=3141
- Maxworthy, T. Flame propagation in tubes, 2=9433
- May, A. D. Magnetic resonance of the atomic levels of zinc excited by electron bombardment, 0=13880
- May, A. D. Width of the magnetic resonance of the  $4^3P_1$  level of zinc excited by electron bombardment, 1=2281
- May, A. D., Degen, V., Stryland, J. C. and Welsh, H. L. The Raman effect in gaseous hydrogen at high pressures, 2=1204
- May, A. D. and Stryland, J. C. Optical cells for the observation of Raman scattering in gases at medium pressures, 3=24034
- May, A. D., Varghese, G., Stryland, J. C. and Welsh, H. L. Vibrational frequency perturbations in the Raman spectrum of compressed gaseous hydrogen, 4=22353
- May, A. D. See Decomps, B., 1=12258
- May, A. D. See Devlin, G. E., 2=6560
- May, A. D. See Mollenauer, L. F., 4=21294
- May, A. D. See Stryland, J. C., 0=6932
- May, A. N. A model of metal fatigue, 0=6320
- May, A. N. Random slip model of fatigue and Coffin's law, 1=1340
- May, A. N. Fatigue under random loads, 2=798
- May, B. R. The approaching descent of Sputnik 3 (19580 2), 0=8527
- May, B. R. Atmospheric density variations in the 205 km height region from Sputnik 3 satellite, 2=24003
- May, B. R. The estimation of atmospheric scale heights from the contraction of satellite orbits, 4=2220
- May, B. R. A note on the features and cause of the diurnal variation of neutral air density at 205 km, 4=7871
- May, B. R. and Smith, D. E. The continued progress of satellite 19580 2 (Sputnik III), 0=4909
- May, B. R. and Smith, D. E. The sudden discontinuity in the orbital period of Sputnik 4 satellite, 0=18887
- May, B. R. and Smith, D. E. Final months and decent of satellite Sputnik 3, 0=18888
- May, C. E. and Partridge, J. A. Thermoluminescent kinetics of alpha-irradiated alkali halides, 4=13084
- May, F. Avoidance of potential shifts in a pulse discriminator at high impulse rates, 4=778
- May, F. T. and Dandl, R. A. Active filter element and its application to a Fourier comb, 1=7007
- May, G. H. The annealing of a quenched uranium-5 at % molybdenum alloy, 3=5135
- May, J. See Carr, T. D., 4=29473
- May, J. See Tolstoy, I., 0=10720
- May, J. E. New trends in ultrasonic device technology, 4=8350
- May, J. E. and Turnbull, D. Effect of impurities on the temperature dependence of the (110) [001] texture in silicon-iron, 0=3273
- May, J. W. See Marshall, C. G. A., 4=26835
- May, L. and Dillard, C. R. Infrared spectrum of stannane, 1=7471
- May, M. J. and Honeycombe, R. W. K. The effect of temperature on the fatigue behaviour of a magnesium and some magnesium alloys, 4=1954
- May, R. M. Pair correlations in the quasichemical equilibrium approach to superconductivity, 0=19555
- May, R. M. Diamagnetism of electrons in a weak periodic potential, 1=3877
- May, R. M. On the electrical conductivity of a Lorentz gas, 4=21498
- May, R. M. Quantum statistics of ideal gases in two dimensions, 4=27108
- May, R. M. Matrix elements for charge-exchange processes, 4=27475
- May, R. M. Relaxation of a fast ion in a plasma, 4=27512
- May, R. M. Formation of highly excited neutral atoms by charge-exchange, 4=28155
- May, R. M. and Schafroth, M. R. Meissner-Ochsenfeld effect in the Bogoljubov theory, 0=1076
- May, R. M. and Schafroth, M. R. Susceptibility of superconducting spheres, 0=5375
- May, R. M. and Schafroth, M. R. Long-range spin interaction and the Meissner-Ochsenfeld effect, 0=11611
- May, R. M. See Blatt, J. M., 0=16947
- May, R. M. See Butler, S. T., 4=24716
- May, T. C. See Masley, A. J., 2=22691
- May, T. C. See Winckler, J. R., 1=10936
- May, T. C. See Winckler, J. R., 1=16931
- May, T. C. See Winckler, J. R., 1=18094
- May, T. H., Walter, R. L. and Barschall, H. H. Scattering of polarized neutrons by  $\alpha$ -particles, 3=19636
- May, T. H. See Benenson, W., 2=14090
- May, T. H. See Benenson, W., 2=18120
- May, T. H. See Walter, R. L., 2=7908
- May, W. D., Morris, E. L. and Atack, D. Rolling friction of a hard cylinder over a visco-elastic material, 0=3477
- May, W. D., Morris, E. L. and Atack, D. Dynamics of a viscoelastic wear particle between sliding surfaces, 3=16564
- Mayall, N. U. The story of the Crab nebula, 2=24164
- Mayall, N. U. and de Vaucouleurs, A. Redshifts of 92 galaxies, 2=19340
- Mayall, N. U. and Vasilevskis, S. Quantitative tests of the Lick Observatory 120-inch mirror, 0=14373
- Mayall, N. U. See Kron, G. E., 1=1655
- Mavans, C. A. See Kowalewski, V. J., 0=19772
- Mayants, L. S. A method of numerical solution and analysis of a homogeneous system of linear algebraic equations of general order, 0=6535
- Mayants, L. S. Calculation of derivatives of the frequencies and forms of normal vibrations of molecules in the symmetrical case, 0=15693
- Mayants, L. S. Inclusion of the dependency of coordinates in the theory of molecular vibrations, and associated questions, 4=30414
- Mayaud, P. N. Concerning the application of the real magnetic field at altitude to the study of magnetic phenomena, 0=1990
- Mayaud, P. N. A new system of magnetic coordinates for the study of the upper atmosphere: the coordinates of the equatorial ring, 1=1573
- Mayaud, P. N. Equatorial electrojet and magnetic activity, 3=25939
- Mayaud, P. N. Is the duration of the K-variation a function of the level of disturbance? 4=17958
- Mayaud, P. N. Is the duration of K-index variations a function of latitude? 4=26870
- Maybank, J. and Mason, B. J. The production of ice crystals by large adiabatic expansions of water vapour, 0=5212
- Maybank, J. See Mason, B. J., 1=20832
- Mayburg, S. Threshold currents for line narrowing in GaAs junction diodes, 3=15601
- Mayburg, S. Temperature limitation on continuous operation of Ga As Lasers, 4=5853
- Mayburg, S. and Black, J. Dependence of recombination radiation on current in GaAs diodes, 3=13091
- Mayburg, S. See Arnold, K. M., 4=3223



- Mayburg, S. See Black, J., 3-10853
- Maycock, J., Noé, J.A. and Swift-Hook, D.T. Permanent electrodes for magnetohydrodynamic power generation, 2=13672
- Maycock, J., Swift-Hook, D.T., Wright, J.K. and Ramsden, P. Permanent insulating duct walls for magnetohydrodynamic power generation, 3=5832
- Maycock, J. N. Electrical effects due to the F center in the potassium halides, 4=20314
- Maycock, J.N. See Jacobs, P.W.M., 3=22977
- Maycock, J.N. See Jacobs, P.W.M., 4=20407
- Maycock, P.D. See Shanks, H.R., 3=15449
- Maycraft, G.W. See Clark, C.D., 2=4165
- Mayer, A. and Debelli, V. Stresses in the surface layer of sheet copper, 4=26499
- Mayer, C.H. The temperatures of the planets, 2=15314
- Mayer, C.H. General report on planetary radio astronomy, 3=18652
- Mayer, C.H., Hollinger, J.P. and Allen, P.J., A search for 3·15 cm wavelength, circularly polarized radiation from discrete sources, 3=18663
- Mayer, C.H., McCullough, T.P. and Sloanaker, R.M. Evidence for polarized 3.15 cm radiation from the radio galaxy Cygnus A, 2=19352
- Mayer, C.H., McCullough, T.P. and Sloanaker, B.M. 3·15 cm observations of Venus in 1961, 3=18653
- Mayer, C.H., McCullough, T.P. and Sloanaker, R.M. Linear polarization of the centimeter radiation of discrete sources, 4=10926
- Mayer, C.H. See Alsop, L.E., 0=18626
- Mayer, C.H. See Hollinger, J.P., 4=29487
- Mayer, G. and Gires, F. Action of an intense light beam on the refractive index of liquids, 4=18198
- Mayer, G. and Lecomte, M. Internal energy and elastic constants of silicon irradiated by fast neutrons, 1=9082
- Mayer, G. and Lecomte, M. The effect on fast neutrons on crystalline quartz and vitreous silica, 1=17592
- Mayer, G. See Bret, G., 4=16687
- Mayer, G. See Gires, F., 2=8507
- Mayer, G. See Gires, F., 2=10586
- Mayer, G. See Gires, F., 3=22020
- Mayer, G. See Gires, F., 3=22475
- Mayer, H. Determination of characteristic quantities of electrons in metals by the method of thin films, 0=561
- Mayer, H. Review on recent results on properties of conduction and photoelectric electrons in thin alkali metal films, 3=15550
- Mayer, H. Theoretical problems of the anomalous optics of thin films, 4=22833
- Mayer, H. and Böhme, H. Correct and exact determination of the optical properties of evaporated metal films, 4=22865
- Mayer, H. and El Naby, M.H. Optical constants of potassium and the Drude theory, 3=17975
- Mayer, H. and El Naby, M.H. Internal photoelectric effect (quantum jump absorption) of potassium, 3=17976
- Mayer, H. and El Naby, H.M. Quantum jump absorption (inner photoelectric effect) in the alkali metal potassium, 3=22897
- Mayer, H. and Göhre, H. The phenomenon of delayed condensation, 2=17698
- Mayer, H., Niedermayer, R., Schroen, W., Stünkel, D. and Göhre, H. On some modifications of a torsion microbalance for use in ultrahigh vacuum, 4=2510
- Mayer, H., Niedermayer, R., Schroen, W., Stünkel, D. and Göhre, H. Some applications of a torsion microbalance for the investigation of surface phenomena and thin film properties in ultrahigh vacuum, 4=2511
- Mayer, H. and Schroen, W. Absolute measurement of the ionization yield of potassium atoms on metal surfaces, 2=13546
- Mayer, H. and Stünkel, D. The temperature dependence of the magnetization of very thin iron films, 2=23665
- Mayer, H. L. and Richey, F. Eyeburn damage calculation for an exoatmospheric nuclear event, 4=20974
- Mayer, H. M. Measurements with a wide-band probe, 4=18933
- Mayer, H.M. See Budde, R., 0=2465
- Mayer, H.M. See Harigel, G., 1=10819
- Mayer, I., Levy, E. and Glasner, A. The crystal structure of  $\text{EuSO}_4$  and  $\text{EuCO}_3$ , 4=26647
- Mayer, J.E. Ensembles of maximum entropy, 0=18976
- Mayer, J.E. Approach to thermodynamic equilibrium, 1=6793
- Mayer, J.E. Heat capacity and open and closed ensemble averages, 2=15826
- Mayer, J.W. Performance of germanium and silicon surface barrier diodes as alpha-particle spectrometers, 0=1644
- Mayer, J.W. The "state-of-the-art" in nuclear particle detectors, 2=18014
- Mayer, J.W. Semiconductor detectors. Nuclear experimentation with semiconductor detectors. Semiconductor detectors: How have they improved?, 2=20199
- Mayer, J.W. Characteristics of p-i-n junctions produced by ion-drift techniques in silicon, 2=21163
- Mayer, J.W. See Bailey, N.A., 1=12075
- Mayer, J.W. See Baron, R., 4=15549
- Mayer, J.W. See Friedland, S.S., 0=5630
- Mayer, J.W. See Friedland, S.S., 0=9237
- Mayer, J.W. See Friedland, S.S., 1=3081
- Mayer, J.W. See Grainger, R.J., 1=3090
- Mayer, J.W. See Raymo, C.T., 1=13231
- Mayer, L. Domain pattern movements in silicon-iron observed by electron mirror microscopy, 0=3035
- Mayer, L. Observations on MnBi films during heat treatment, 0=6237
- Mayer, L. Nucleation experiments on thin magnetic MnBi films, 0=11862
- Mayer, L. Electron mirror microscopy of magnetic domains, 2=2282
- Mayer, L. Magnetic image contrast in electron mirror microscopy, 3=1066
- Mayer, L. Photocontrol of growth rate of thin polymer films formed by electron bombardment, 3=18266
- Mayer, L. Magnetic contrast in electron mirror microscopy, 3=20970
- Mayer, L., Bodenstedt, E. and Günther, C. Study of the electric hyperfine structure interaction in hafnium ammonium hexafluoride single crystals by  $\gamma$ - $\gamma$  angular correlation measurements, 4=6684
- Mayer, L., Rickett, R. and Stenemann, H. Bismuth whisker growth, 2=6788
- Mayer, L., Rickett, R. and Stenemann, H. Design features of a new electron mirror microscope, 3=25790
- Mayer, L. See Bodenstedt, E., 2=12136
- Mayer, L. See Bodenstedt, E., 2=16300
- Mayer, L. See Bodenstedt, E., 3=2391
- Mayer, L. See Davis, H.T., 3=317
- Mayer, L. See Gerdau, E., 3=17419
- Mayer, M. See Alper, S., 1=572
- Mayer, M.E. Remarks on compound models, conserved currents and weak interactions, 1=430
- Mayer, M.E. Note on the formulation of gauge-invariance conditions in S-matrix theories, 4=19444
- Mayer, M.E. See Friedländer, E.M., 1=19189
- Mayer, R.J. and Bjorkstam, J.L. Dielectric properties of  $\text{KD}_2\text{PO}_4$ , 2=16780
- Mayer, R. M. and Sabine, T. M. Double Bragg scattering of X-rays in irradiated beryllium oxide, 4=29097
- Mayer, S.W. Calculation of metal surface tensions. Ionic-salt and monatomic models for liquid metals, 1=18385
- Mayer, S.W. Dependence of surface tension on temperature, 3=14129
- Mayer, S.W. Interrelationships among thermal expansivities, surface tensions, and compressibilities for molten salts, 4=18173
- Mayer, S.W. A molecular parameter relationship between surface tension and liquid compressibility, 4=2664
- Mayer, S.W. See Reiss, H., 1=9374
- Mayer, S.W. See Reiss, H., 1=13026
- Mayer, U. Observations of directional scintillation, 0=6608
- Mayer, W. See Appel, H., 3=17407
- Mayer, W. See Stuart, R.V., 3=14681
- Mayer, W.G. Interferometry analysis of even harmonic distortion of ultrasonic waves, 0=6883
- Mayer, W.G. Determination of ultrasonic velocities by measurement of angles of total reflection, 0=16766
- Mayer, W.G. Reflection and refraction of mechanical waves as solid-liquid boundaries, 3=9541
- Mayer, W.G. Effects of transducer alignment on light diffraction by ultrasonic waves, 3=19020
- Mayer, W.G. Reflection and refraction of mechanical waves at solid-liquid boundaries. II, 4=2763
- Mayer, W.G. On the conversion of longitudinal to surface waves in solids, 4=8302
- Mayer, W.G. Light diffraction by ultrasonic waves for oblique incidence, 4=18425
- Mayer, W.G. and Hiedemann, E.A. A simple method for the harmonic analysis of an ultrasonic wave, 0=6882
- Mayer, W.G. and Hiedemann, E.A. Light diffraction by two distorted ultrasonic waves, 0=10781



- Mayer, W.G. and Hiedemann, E.A. Corrected values of the elastic moduli of sapphire, 1=1290
- Mayer, W.G. and Hiedemann, E.A. Light diffraction by progressive ultrasonic waves in Plexiglas, 1=8237
- Mayer, W.G. and Hiedemann, E.A. Corrected values of elastic constants of sapphire, 1=20297
- Mayer, W.G. and Kelsey, J.F. Optical method for ultrasonic velocity measurements at liquid-solid boundaries, 2=7311
- Mayer, W.G. and Parker, P.M. Method for the determination of elastic constants of trigonal crystal systems, 2=10728
- Mayer, W.G. See Parker, P.M., 2=10729
- Mayer, W.N. See Anderson, G.S., 3=450
- Mayer-Böricke, C., Biswas, M.M. and Gentner, W. Gamma-spectroscopic investigations on stone meteorites, 3=3558
- Mayer-Böricke, C. and Lührs, G. Interpretation of the low-excited states of  $\text{Po}^{214}$  ( $\text{RaC}'$ ), 0=7476
- Mayer-Böricke, C., Santo, R. and Schmidt-Rohr, U. Energy dependence of deuteron scattering by magnesium, 2=10133
- Mayer-Böricke, C., Santo, R. and Schmidt-Rohr, U. Energy dependence of deuteron scattering by magnesium, 2=14126
- Mayer-Böricke, C. See Lorenz, W., 3=19873
- Mayer-Böricke, C. See Luhrs, G., 1=657
- Mayer-Kuckuk, T. and Michel, F.C. Comparison of the beta spectra of  $\text{B}^{12}$  and  $\text{N}^{12}$ , 2=16353
- Mayer-Kuckuk, T. and Nierhaus, R. Determination of random coincidences in fast-slow coincidence circuits, 1=5408
- Mayer-Kuckuk, T., Nierhaus, R. and Schmidt-Rohr, U. Demonstration of a Fermi component in the  $\beta$ -decay of  $\text{A}^{41}$  by means of polarization correlation measurements, 0=2634
- Mayer-Kuckuk, T. and Zaidi, S.A.A. Parity conservation of the nuclear states in  $\text{Rb}^{85}$ , 0=17502
- Mayer-Kuckuk, T. See Cassagnou, Y., 4=3694
- Mayer-Kuckuk, T. See Cassagnou, Y., 4=6374
- Mayer-Kuckuk, T. See Cassagnou, Y., 4=17188
- Mayer-Kuckuk, T. See Von Brentano, P., 4=17154
- Mayers, D.F., Brown, G.E. and Sanderson, E.A. Lamb shift and energy level of a tightly bound electron, 0=1471
- Mayers, D.F. See Brown, G.E., 0=9731
- Mayers, D.F. See Cruickshank, D.W.J., 4=25682
- Mayers, G.R.A. See Davies, J.T., 1=15782
- Mayes, V. A possible example of the muon radiative decay with internal conversion of the  $\gamma$ -ray, 0=20168
- Mayes, W.H. and Edge, P.M., Jr. Application of a blowdown wind tunnel for large-scale acoustic environmental testing, 2=15705
- Mayes, W.H. See Regier, A.A., 3=16438
- Mayfield, E.B. and Rogers, J.W. Cratering and shock wave phenomena in steel plates at high impact speeds, 0=8741
- Mayfield, J. Microcalorimetric technique for the study of damping and hysteresis in ferromagnetic films, 0=11007
- Mayfield, J.R. Rotational hysteresis in thin films, 0=3059
- Mayhew, Y.R. See Rogers, G.F.C., 1=15799
- Maying, F. Measurements of the viscosity of water and steam up to 700°C and 800 atm, 2=21876
- Maying, F., Schmidt, E. and Tratz, H. New equations of state for water vapour with reference to their application in electronic computers, 2=19613
- Maykuth, D.J. See Allen, B.C., 4=7424
- Maykuth, D.J. See Ratliff, J.L., 4=23220
- Maynard, C.W. An application of the reciprocity theorem to the acceleration of Monte Carlo calculations, 2=5673
- Maynard, J.M. See Parzen, G., 3=5769
- Maynard, K. See Vonnegut, B., 1=20845
- Maynard, L.A. Propagation of meteor burst signals during the polar disturbance of November 12-16, 1960, 1=18174
- Maynard, N. See Smakula, A., 2=3912
- Maynard, N.C. See Smakula, A., 3=10693
- Mayné, F. Galvanomagnetic phenomena for an electron-impurity system, 4=4111
- Mayné, F. See Fujita, S., 4=6908
- Mayne, G. The problem of the separation of variables for scleronomic dynamic systems of Hamiltonian function quadratic, but not homogeneous, in the momenta, 4=14093
- Mayne, G. The problem of separation of variables for three-dimensional scleronomic systems whose Hamiltonian is not homogeneous with respect to the momentoids, 4=27121
- Mayne, S. See Fender, D.H., 0=18548
- Maynes, D. See Duke, M., 2=2531
- Mayo, C.G. and Head, J.W. Fourier series associated with duty cycles, 0=7063
- Mayo, C.G. and Head, J.W. Simplifying the Fourier integral by adequate specification, 1=6689
- Mayo, D.W. See Harrah, L.A., 0=15783
- Mayo, G.T.J. See Smith, R.G., 4=5547
- Mayo, R.E. and Goldstein, J.H. Signal enhancement of the Varian A-60 n.m.r. spectrometer, 4=30075
- Mayo, R.E. See Hobgood, R.T., Jr., 4=3910
- Mayo, S. and Hamburger, A.I. Triton angular distributions from 14.8 MeV deuterons on  $\text{C}^{13}$ , 0=5751
- Mayo, S. and Testoni, J.E. Interaction of deuterons with  $\text{O}^{16}$  and  $\text{Ni}^{58}$ , 2=20666
- Mayo, S., Testoni, J. and Bilaniuk, O.M. Some  $(d, \alpha)$  reactions on  $\text{Be}^9$ ,  $\text{F}^{19}$ , and  $\text{Al}^{27}$  at 27.5 MeV, 4=9554
- Mayo, S. See Cohen, B.L., 1=3397
- Mayo, S. See Cohen, B.L., 1=3398
- Mayo, S. See Eisberg, R., 3=12518
- Mave, S. See Testoni, J., 4=12258
- Mayor, L., Walsh, A.D. and Warsop, P. The electronic absorption spectrum of phosphine, 3=19996
- Mayot, M. See Barbier, D., 0=14550
- Mayr, P. See Macherauch, E., 4=23203
- Mayrick, R.G. See Mackle, H., 1=6986
- Mayrone, L. See Colombino, P., 0=15336
- Mayrone, L. See Colombino, P., 1=5715
- Mays, J.M. Nuclear magnetic resonances and  $\text{Mn}-\text{O}-\text{P}-\text{O}-\text{Mn}$  superexchange linkages in paramagnetic and antiferromagnetic  $\text{LiMnPO}_4$ , 3=18151
- Mayser, B. See Geiger, W., 3=11855
- Mazaki, H. See Shimizu, S., 4=22077
- Mazalov, L.N. and Batsanov, S.S. Use of perturbation theory in calculation of ionic refractivities of lanthanides and actinides, 1=3818
- Mazalov, Yu. P. See Azovskii, Yu. S., 4=24717
- Mazanek, C. See Kowalska, E., 4=2679
- Mazari, M., Buechner, W.W. and Sperduto, A. Energy levels in  $^{45}\text{Sc}$  from  $^{45}\text{Sc}(d, p)^{46}\text{Sc}$  reaction, 4=12145
- Mazari, M. See Jáidar, A., 2=5800
- Mazari, M. See López, M.E.O., 4=12266
- Mazari, M. See Tejera, A., 2=5881
- Maze, R. and Zawadzki, A. On an attempt of detection of primary cosmic photons of very high energy, 0=20257
- Maze, R. See Firkowski, R., 3=2337
- Maze, R. See Firkowski, R., 3=10188
- Maze, R. See Firkowski, R., 3=22236
- Maze, R. See Gawin, J., 4=25235
- Mazeau, J. and Goldman, M. Study of predischarges at very low pressures, 4=16441
- Mazeau, J. See Reinhardt, J., 4=18745
- Mazel', E.Z. See Atsarkin, V.A., 1=1064
- Mazel', E.Z. See Atsarkin, V.A., 1=6153
- Mazelsky, R. See Eisner, R.L., 1=14991
- Mazelsky, R. and Kramer, W.E. Conduction properties of  $\text{Cd}_2\text{Nb}_2\text{O}_7$  and  $\text{Pb}_{1-x}\text{Nb}_x\text{O}_6$ , 4=26120
- Mazelsky, R. and Lubell, M.S. Solid solution study of some post-transition metal tellurides of the rock salt structural type, 2=23858
- Mazelsky, R., Lubell, M.S. and Kramer, W.E. Phase studies of the group IV-A tellurides, 2=17055
- Mazelsky, R. See Carter, F.L., 4=29148
- Mazelsky, R. See Helkes, R., 4=28616
- Mazelsky, R. See Hein, R.A., 4=18569
- Mazelsky, R. See Lubell, M.S., 3=25365
- Mazelsky, R. See Metz, E.P.A., 2=14956
- Mazelsky, R. See Miller, R.C., 1=17673
- Mazelsky, R. See Murphy, J., 4=30539
- Mazets, E.P. and Sergeenkov, Yu.V. Automatic prism-type beta-spectrometer, 3=10093
- Mazey, D.J., Barnes, R.S. and Howie, A. On interstitial dislocation loops in aluminium bombarded with alpha-particles, 3=4870
- Mazey, D.J. See Barnes, R.S., 0=4579
- Mazey, D.J. See Barnes, R.S., 1=1002
- Mazey, D.J. See Barnes, R.S., 3=10671
- Mazey, D.J. See Barnes, R.S., 3=25314
- Mazey, D.J. See Beevers, C.J., 3=2850
- Mazhara, V.P. See Gorban, A.N., 4=7193
- Mazières, C. See Grenot, M., 4=15740
- Mazières, C. See Lambert, M., 0=4728
- Mazieres, C. See Lambert, M., 1=19820
- Mazières, C. See Yannaquis, N., 3=3301
- Mazing, M.A. and Mandel'shtam, S.L. Broadening of spectral lines in a strongly ionized plasma, 0=13417
- Mazing, M.A., Marinković, M.D. and Vrublevskaia, N.A. Broadening and shift of the Al III spectral lines in strongly ionized plasma, 4=18846



- Mazing, M. A. and Vrublevskaya, N. A. Broadening of spectral lines in a strongly ionized plasma, 3=10454
- Mazing, M. A. and Vrublevskaya, N. A. The broadening of spectral lines in a strongly ionized plasma. III. Wave-lengths of the lines of multiply charged ions, 4=18845
- Mazing, M. A. See Averin, V. G., 2=170
- Mazing, M. A. See Averin, V. G., 2=22189
- Mazing, M. A. See Averin, V. G., 4=14651
- Mazing, M. A. See Averin, V. G., 4=18865
- Mazing, M. A. See Koloshnikov, V. G., 2=11626
- Mazing, M. A. See Mandel'shtam, S. L., 0=17702
- Mazitov, R. K. Temperature dependence of the nuclear magnetic relaxation times of protons and deuterons in aqueous solutions of  $Mn^{2+}$  ions, 4=8223
- Mazitov, R. K. Magnetic relaxation of protons and deuterons in aqueous solutions of  $Cr^{3+}$  ions, 4=21160
- Mazitov, R. K. Nuclear quadrupole relaxation of deuterium in liquids, 4=24248
- Mazo, J. See Arnowitz, R., 2=3395
- Mazo, R. See Dupuis, M., 0=20748
- Mazo, R. M. Partition function of an atom in a spherical box, 0=5047
- Mazo, R. M. Temperature fluctuations in thermodynamic equilibrium, 0=7014
- Mazo, R. M. Line widths in the electron paramagnetic resonance spectrum of gaseous atomic hydrogen, 1=3510
- Mazo, R. M. Momentum-correlation function in a Rayleigh gas, 1=12925
- Mazo, R. M. Coupled anharmonic vibrations and spectral line broadening, 2=12306
- Mazo, R. M. Free energy of a system with random elements, 3=23778
- Mazo, R. M. Antiferromagnetic spherical Ising model and some properties of the associated lattice gas, 4=4387
- Mazo, R. M. Variational property of Scott's "One fluid" theory of mixtures, 4=14067
- Mazo, R. M. The Lorentz-Lorenz function of the solidified rare gases, 4=30688
- Mazo, R. M. See Mortimer, R. G., 1=20752
- Mazo, R. M. See Weissmann, M., 3=5416
- Mazonaschwili, B. N. and Hühne, M. Photoconductivity in Ti (Br, I), 1=19911
- Mazot, P., de Fouquet, J. and Jacquesson, R. Effect of ageing after quenching on the mechanical properties of extra-soft steels, 3=16111
- Mazue, J. and Rafalowicz, J. Experimental estimation of the degree of the ionic thermal dissociation of the CuI vapour in the air atmosphere between 350° C and 550° C, 1=14112
- Mazumdar, A. S. G. and Singh, R. N. Gamma dosimetry in "Apsara" (Swimming pool reactor) of the atomic energy establishment, Trombay, 2=10184
- Mazumdar, A. S. Ghosh. See Ghosh Mazumdar, A. S.
- Mazumdar, S. C. See Mitra, S. N., 0=307
- Mazumdar, S. C. See Rao, M. K., 2=9718
- Mazumdar, S. K. Weighting of Fourier series for improvement of efficiency of convergency in crystal analysis, 4=29076
- Mazumder, B. R. See Sienko, M. J., 0=17922
- Mazur, A. See Friml, M., 1=16828
- Mazur, J. First investigation on clouds over British Isles using an aircraft, 1=15228
- Mazur, J. Some stochastic processes in polymer systems, 3=8320
- Mazur, J. Statistical thermodynamics of the lattice model of a polymer molecule, 4=12549
- Mazur, J. Investigation on austenite and martensite subjected to very low temperatures, 4=13579
- Mazur, J. Investigation on austenite and martensite subjected to very low temperature, 4=23486
- Mazur, J. and Joseph, L. Statistical computation of configuration and free volume of a polymer molecule with solvent interaction, 3=10562
- Mazur, J. and Rafalowicz, J. Hypothesis on the ionic mechanism of the growth of whiskers obtained by reduction of the metal halides, 1=15005
- Mazur, J. and Rafalowicz, J. On the possibility of foresight of the whiskers growth conditions for the metal vapour pressure in the formed temperature gradient, 2=14964
- Mazur, J. and Rubin, R. J. Quantum-mechanical calculation of the probability of an exchange reaction for constrained linear encounters, 0=3303
- Mazur, J. and Rubin, R. J. Coefficient of thermal expansion and Young's modulus for a one-dimensional model of a solid, 4=3995
- Mazur, J. See Hoffmann, T., 1=20447
- Mazur, J. See Hofman, T., 1=11547
- Mazur, J. See Wall, F. T., 1=20725
- Mazur, P. On the theory of Brownian motion, 0=6696
- Mazur, P. On the statistical basis of non-equilibrium thermodynamics, 0=16645
- Mazur, P. On the statistical mechanical theory of irreversible behaviour, 0=16651
- Mazur, P. Origin of the oscillations in the low-pressure thermionic converter, 2=19884
- Mazur, P. Erratum: origin of oscillations in a low-pressure thermionic converter, 3=3995
- Mazur, P. Comments on the Eichenbaum-Hernqvist model of a low-pressure diode, 3=9847
- Mazur, P. Influence of ion reflection probability on potential distribution in low-pressure thermionic converters, 3=14509
- Mazur, P. and Montroll, E. Poincaré cycles, ergodicity, and irreversibility in assemblies of coupled harmonic oscillators, 0=4956
- Mazur, P. and Postma, B. J. On the molecular theory of the Kerr effect, 0=6798
- Mazur, P. and van der Linden, J. Asymptotic form of the structure function for real systems, 3=11712
- Mazur, P. See Lurçat, F., 4=9068
- Mazur, P. See Ross, J., 1=11616
- Mazur, P. See Terwiel, R. H., 4=14408
- Mazur, P. See van der Linden, J., 1=11709
- Mazur, P. See Vlieger, J., 0=8553
- Mazur, P. See Vlieger, J., 1=8073
- Mazur, P. See Vlieger, J., 2=4956
- Mazur, P. See Vlieger, J., 2=4957
- Mazur, Yu., Pentkovska, Ya., Rafalovich, E. and Zakharko, V. Investigation of the electrical properties of whisker single crystals of silver as affected by temperature, 4=4124
- Mazurek, M. and Perlin, A. S. Vapour pressure measurements on the system  $D_2O-H_2O$ . Analysis of  $D_2O-H_2O$  mixtures, 4=24450
- Mazurenko, Yu. T. Separation of active and nonactive absorption in the long-wavelength region of excitation of luminescence, 3=18822
- Mazurenko, Yu. T. and Neporent, B. S. The relationship between the electronic absorption and luminescence spectra of complex molecules, 2=22943
- Mazurin, O. V. and Brailovskaya, R. V. The electrical conductivity of the  $Na_2O-RO-SiO_2$  glasses, 0=15882
- Mazurin, O. V. See Tsekhomskii, V. A., 4=1645
- Mazurkiewicz, Z. General expressions for the boundary conditions and the differential equation of equilibrium and vibration of an anisotropic nonhomogeneous plate, 1=185
- Mazza, A. See Franchetti, S., 3=5561
- Mazza, M. Contribution to the kinetic study of graphitisation. I. Magnetic study, 4=26546
- Mazza, M., Gasparoux, H. and Amiell, J. Contribution to the kinetic study of graphitisation. II., 4=26547
- Mazzarella, L. See D'Alagni, M., 4=23659
- Mazzarella, L. See De Santis, P., 4=3945
- Mazzetti, P. Study of nonindependent random pulse trains, with application to the Barkhausen noise, 2=21837
- Mazzetti, P. Correlation function and power spectrum of a train of nonindependent overlapping pulses having random shape and amplitude, 4=8079
- Mazzetti, P. and Montalenti, G. Power spectrum of the Barkhausen noise of various magnetic materials, 4=4347
- Mazzetti, P. See Ferro, A., 2=8627
- Mazzi, F. See Cola, M., 2=21526
- Mazzilli, R. H. See Orsini, L. Q., 2=9007
- Mazzolai, F. M. Relaxation of dislocations in gold-silver alloys, 4=20656
- Mazzoldi, P. See Careri, G., 1=16189
- Mazzoldi, P. See Careri, G., 4=14498
- Mazzoldi, P. See Cunsolo, S., 1=13032
- Mazzone, G., Vacicchio, A. and Bonamico, M. Lattice parameters from Weissenberg photographs, 4=23395
- Mazzone, G. See Cimino, A., 4=23500
- Mazzone, G. See Ythier, C., 4=17074
- Mazzucato, E. See Ascoli-Bartoli, U., 4=18882
- Mazzucato, E. See Ascoli-Bartoli, U., 4=18900
- Mazzucato, E. See Ascoli-Bartoli, U., 4=18924
- Mazzucato, E. See Malesani, G., 5=7278
- Mazzucato, U. See Foffani, A., 0=15740
- Mchedlov-Petrosyan, O. P. and Babushkin, V. I. Structure analogy and stoichiometry in thermodynamic studies of silicates, 3=18269



- Mdivani, O. The ordering of ternary alloys as a cooperative phenomenon, 0=6378
- Mdivani, O.M. and Gachechiladze, T.G. The angular distribution of neutrons from the reaction  $C^{13}(\alpha, n)O^{16}$ , 0=13245
- Mdivani, O.M. See Abulishvili, T.L., 0=11418
- Mcaburn, G.M.A.C. See Weeks, J.L., 1=18964
- Meacock, H.F., Garforth, F.A. and Shrubbsall, R.G. The luminance factor of smoked magnesium oxide at small angles of view, 2=15716
- Mead, C.A. Theory of the complex refractive index, 0=19216
- Mead, C.A. Resonance broadening of spectral lines, 0=19217
- Mead, C.A. Operation of tunnel-emission devices, 1=8962
- Mead, C.A. Anomalous capacitance of thin dielectric structure, 1=11335
- Mead, C.A. Transport of hot electrons in thin gold films, 2=18562
- Mead, C.A. Complex refractive index of an ideal monatomic gas, 3=1733
- Mead, C.A. Electron transport mechanisms in thin insulating films, 3=6611
- Mead, C.A. Absorption of light by a rigid crystal, 4=10152
- Mead, C.A. Photothresholds in  $Mg_2Ge$ , 4=26207
- Mead, C.A. Possible connection between gravitation and fundamental length, 4=27035
- Mead, C.A. Energy gap in sulphur, 4=28415
- Mead, C.A. and Hamaka, H.F. Comments on the resonance fluorescence in gases, 4=15315
- Mead, C.A. and Spitzer, W.G. Fermi level position at semiconductor surfaces, 3=20134
- Mead, C.A. and Spitzer, W.G. Photoemission from Au and Cu into CdS, 3=23013
- Mead, C.A. and Spitzer, W.G. Conduction band minima in AlAs and AlSb, 4=6944
- Mead, C.A. and Spitzer, W.G. Fermi level position at metal-semiconductor interfaces, 4=17403
- Mead, C.A. See Spitzer, W.G., 3=25287
- Mead, C.A. See Spitzer, W.G., 4=9901
- Mead, C.A. See Spitzer, W.G., 4=17400
- Mead, D.J. See Scheiber, D.J., 2=16767
- Mead, G.D., Cence, R.H. and Lind, D.L. Gamma-ray pair spectrometry from 20-650 MeV, 4=19473
- Mead, G.D. See Cence, R.J., 3=24724
- Mead, J.B. and Cohen, B.L. Regularities of  $(d, \alpha)$  reactions in heavy elements, 0=17596
- Mead, J.B. and Cohen, B.L. Low-resolution survey of  $(d, \alpha)$  reactions in heavy nuclei, 2=3604
- Mead, J.B. See Cohen, B.L., 0=9635
- Mead, J.B. See Micheletti, S., 2=20668
- Mead, S.W. See Ramsey, W.J., 4=4610
- Mead, W. See Sparks, J.T., 0=11913
- Mead, W. See Sparks, J.T., 3=1023
- Meaden, G.T. Electronic properties of the actinide metals at low temperatures, 4=6918
- Meaden, G.T. The superconductivity and magnetism of the actinide metals, 4=29832
- Meaden, G.T. and Lee, J.A. The thermoelectric power of the actinide metals at low temperatures, 2=12552
- Meaden, G.T. and Shigi, T. Search for superconductivity in neptunium and plutonium using a liquid helium-3 cryostat, 4=21421
- Meaden, G.T. See Lee, J.A., 0=1084
- Meaden, G.T. See Lee, J.A., 4=17542
- Meadows, A.J. Solar rotation and isorotation, 0=10500
- Meadows, A.J. Be stars in galactic clusters, 0=16550
- Meadows, A.J. A contracting polytrope in a magnetic field, 1=9286
- Meadows, A.J. Turbulence and rotation in early-type stars, 1=18105
- Meadows, B.J. and Lawrence, A.G. The effect of intermediate heat-treatment on recrystallization temperature and tensile properties of aluminium-magnesium-silicon sheet, 3=6869
- Meadows, E.B. See Johnson, C.Y., 0=21333
- Meadows, J.W. and Whalen, J.F. Thermal neutron absorption cross-sections by the pulsed source method, 2=5683
- Meadows, J.W. and Whalen, J.F. Energy dependence of prompt  $\bar{\nu}$  for neutron-induced fission of  $U^{235}$ , 2=10162
- Meadows, J.W. and Whalen, J.F. Thermalization and diffusion parameters of neutrons in zirconium hydride, 2=18129
- Meadows, J.W. and Whalen, J.F.  $Ni^{58}(n, p)Co^{58m}$  cross section and isomer ratio from 1.04 to 2.67 MeV, 3=15214
- Meadows, J.W. See Calame, G., 0=19853
- Meadows, J.W. See Friedman, A.M., 3=19896
- Meadows, J.W. See Johnson, V.J., 3=6616
- Meadows, J.W. See Whalen, J.F., 0=2145
- Meadows, J.W., Jr. See Sugihara, T.T., 1=3471
- Meadows, J.W., Ringo, G.R. and Smith, A.B. Neutron production by 450-MeV protons, 4=15061
- Meadows, J.W. See Whalen, J.F., 4=19321
- Meadows, R.W. See Lane, J.A., 3=9051
- Meadows, R.W. See Saxton, J.A., 4=17909
- Meads, R.E. and McIlldowie, J.E.G. The decay of arsenic 80, 0=5697
- Meads, R.E. and McIlldowie, J.E.G.  $\gamma$ -rays from  $2^+$  states in  $^{16}O$ , 0=5730
- Meads, R.E. and McIlldowie, J.E.G. Energy levels of  $B^{10}$ . II. The  $Be^9(p, \gamma)$  reaction, 2=16313
- Meads, R.E. See Armitage, B.H., 2=16312
- Meads, R.E. See Armitage, B.H., 2=18251
- Meads, R.E. See Armitage, B.H., 4=9398
- Meads, R.E. See Armitage, B.H., 4=17022
- Meakin, J.D. Interstitial loops in neutron-irradiated molybdenum, 4=22566
- Meakin, J.D. Nontoxic technique for electrolytically polishing and thinning gold, 4=29185
- Meakin, J.D. See Feltham, P., 0=18256
- Meakin, J.D. See Feltham, P., 2=4327
- Meakin, J.E. and Barrow, R.F. The electronic spectrum of  $S_2$ , 2=10264
- Meakin, R. Flash radiography, 4=11735
- Meakins, R.J. Mechanisms of dielectric absorption in solids, 1=7083
- Meakins, R.J. See Dryden, J.S., 4=12965
- Méallet, M. See Duchesne, M., 2=15765
- Meadsday, D.F., Fisher, P.S., Kalmykov, A., Nikolaev, F.A. and Clegg, A.B. The  $^{12}C(p, p)^{12}C^*$  (12.71 and 15.11 MeV) reaction from threshold to 50 MeV, 3=19838
- Meadsday, D.F. See Fisher, P.S., 3=19846
- Measor, J.C. Constant pressure-differential gas apparatus for kinetic studies of gas-solid reactions, 2=4543
- Meath, W.J. and Hirschfelder, J.O. Nonuniform scaling of an approximate  $H_2^+$  wavefunction, 4=3856
- Meath, W.J. and Hirschfelder, J.O. Variational solutions to the Brillouin-Wigner perturbation differential equations, 4=28101
- Meath, W.J., Sando, K.M., Goscinski, S.O. and Hirschfelder, J.O. Truncated reaction operators, 4=2553
- Mebkhout, M.M. and Halbwachs, F. Vector mesons in the relativistic rotator theory of elementary particles, 3=14884
- Mech, J.F. See Diamond, H., 0=17512
- Mecharauch, E. See Kolb, K., 3=13346
- Meche, R. See Beckmann, L., 4=357
- Mechel, F. Sound attenuation and amplification in air flow through ducts with absorbent linings, 1=8185
- Mechel, F. and Mertens, P. Sound propagation in absorbing flow channels with high wind velocities, 3=18920
- Mechel, F. and Schilz, W. Acoustic control of the boundary layer flow in air, 4=5225
- Meckbach, W. Preparation of unbacked cadmium foils of approximately  $50\mu g/cm^2$ , 3=11320
- Meckbach, W. and Allison, S.K. Ratio of the effective charge of He beams traversing gaseous and metallic cadmium, 4=1231
- Mecke, P. X-ray determination of the polarity of the  $\{111\}$  faces in epitaxially grown  $A^{III}B^V$  layers, 3=20827
- Mecke, P. See Fuchs, E., 1=10109
- Mecke, R. Infrared spectra of water, 1=6860
- Mecke, R. The infrared spectrum of diamonds of types A and B, 3=23069
- Mecke, R., Bruhn, W. and Chafik, A. I.r. spectra of 9, 10-disubstituted anthracene, 4=15363
- Mecke, R. and Joeckle, R. Precision measurements of the dielectric constants of five pure substances for dielectric coefficients and dipole moment determination. III. Measurements at 100 kc/s (statistical dielectric constant), 2=17771
- Mecke, R., Joeckle, R. and Klingenberg, G. Precision measurements of the dielectric constants of five pure substances for dielectric, coefficient and dipole moment determination. I. Purity tests on cyclohexane, benzene, carbon tetrachloride, di-n-butyl ether and fluorobenzene using modern physico-chemical purity criteria, 2=17769
- Mecke, R., Klingenberg, G. and Mecke, W. Precision measurements of the dielectric constants of five pure substances for dielectric constant and dipole moment determination. IV. Measurement of the dielectric constants of cyclohexane, benzene, carbon tetrachloride, fluorobenzene and di-n-butylether in the microwave region near 9000 Mc/s, 2=21916



- Mecke, R. and Ludwig, W. Precision measurements of the dielectric constants of five pure substances for dielectric coefficient and dipole moment determination. II. Description of measuring apparatus, 2=17770
- Mecke, R. See Beckmann, L., 0=2241
- Mecke, R. See Langenbucher, F., 4=3908
- Mecke, R. See Bruhn, W., 2=14374
- Mecke, W. See Mecke, R., 2=21916
- Meckel, B.B. Experimental study of the interaction of a moving body with a plasma, 2=3049
- Meckel, B.B. and Harkins, P.A. Production and analysis of a large-diameter plasma beam, 1=4618
- Meckel, B.B., Schwartz, E.G.K. and Swalin, R.A. Microscopic study of neutron-irradiated germanium, 0=13565
- Meckel, B.B. See Magnuson, G.D., 1=4672
- Mećlewski, R., Nikliborc, J. and Wojda, L. Field emission microscope investigation of iron migration, 2=14460
- Mećlewski, R., Nikliborc, J. and Wojda, L. Surface migration measurements on nickel by the method of field emission, 3=7629
- Mecs, B.M. See Bruner, L.J., 2=21021
- Mecs, B.M. See Bruner, L.J., 3=8757
- Męczyńska, H. See Gutsze, A., 3=12965
- Męczyńska, H. See Łożykowski, H., 1=6240
- Męczyńska, H. See Łożykowski, H., 1=14660
- Medaliev, Kh.Kh. See Vernidub, I.I., 3=8987
- Medaliev, Kh.Kh., See Vernidub, I.I., 4=13790
- Medcalf, T. See Donovan, B., 4=10159
- Medcalf, T. See Donovan, B., 4=30674
- Medd, W.J. and Broten, N.W. Lunar temperature measurements at 3200 Mc/s, 2=4740
- Medd, W.J. See Broten, N.W., 0=18670
- Medd, W.J. See Broten, N.W., 2=13181
- Meder, E. See Klingenberg, H., 4=5610
- Medford, R.D., Fletcher, W.H.W., Herbert, J.D. and Powell, A.L.T. A new application of the Faraday magneto-optical effect for diagnostic measurements of transient magnetic fields, 2=1450
- Medford, R.D., Powell, A.L.T. and Fletcher, W.H.W. Existence of weak R-type ionization fronts, 3=7277
- Medford, R.D., Powell, A.L.T., Herbert, J.D., Pottinger, R.C. and Wright, J.K. "Prize": a pre-ionized "theta" pinch, 0=19635
- Medford, R.D., Powell, A.L.T., Hunt, A.G. and Wright, J.K. Interferometric measurements of electron density in deuterium plasma, 3=7582
- Medford, R.D., Powell, A.L.T., Pottinger, R.C. and Richardson, B. Longitudinal shocks in unpinch geometries, 3=1991
- Medford, R.D. See Wright, J.K., 1=18876
- Medford, R.D. See Wright, J.K., 1=18878
- Medford, R.D. See Wright, J.K., 2=5350
- Medford, R.D. See Wright, J.K., 3=7530
- Medhi, K.C. Intensity of Brillouin components in light scattered by some liquids, 0=14847
- Medhurst, D. See Nation, J.A., 4=18665
- Medicus, G. Theory of electron collection of spherical probes, 2=1445
- Medicus, G. Spherical Langmuir probe in "drifting" and "accelerated" Maxwellian distribution, 2=22230
- Medicus, G. Theory of probes with non-uniform work function, 3=7572
- Medicus, G. and Jehn, W. Bakeable u.h.v. valves with long life, 3=3843
- Medicus, G. See Branner, G.R., 3=12185
- Medicus, H.A. See Grant, J.J., 0=12767
- Medicus, H.A. See Yergin, P.F., 4=25374
- Medin, S.A. See Fraidenraich, N., 4=5544
- Medina Nicolau, F. A schematic theory of nuclear reactions, 2=18313
- Medlin, W.L. Thermoluminescence in dolomite, 1=5060
- Medlin, W.L. Decay of phosphorescence in  $\text{CaCO}_3$ ,  $\text{MgCO}_3$ ,  $\text{CaMg}(\text{CO}_3)_2$  and  $\text{CaSO}_4$ , 1=7724
- Medlin, W.L. Decay of phosphorescence from a distribution of trapping levels, 1=11392
- Medlin, W.L. Thermoluminescence in anhydrite, 1=20035
- Medina, L. A spark gap with crossed cylinder electrodes for voltage measurements, 0=5286
- Medina, M.A. See Skomal, E.N., 0=3852
- Medlin, W.L. Thermoluminescence in quartz, 3=11020
- Medlin, W.L. Emission centers in thermoluminescent calcite, dolomite, magnesite, aragonite, and anhydrite, 4=4291
- Medlin, W.L. Trapping centers in thermoluminescent calcite, 4=28725
- Medlock, R.W. See Mann, W.B., 0=13159
- Medlock, R.W. See Marlow, W.F., 0=15529
- Mednets, V.V. See Boyarskaya, Yu.S., 0=13919
- Mednikov, A.K. The removal of nickel from germanium, 0=12231
- Mednikov, A.K. The effect of the treatment of germanium with lead on the non-equilibrium carrier lifetime, 0=15928
- Mednikov, A.K. See Kalashnikov, S.G., 1=2407
- Mednikov, A.K. See Kalashnikov, S.G., 1=6147
- Mednikov, A.K. See Kalashnikov, S.G., 1=17517
- Mednikov, E.P. Hysteresis effects in the acoustic streaming of small objects, 4=16185
- Mednikov, E.P. The self-centering tendency of aerosol particles in an acoustic field, 4=26766
- Mednis, I. See Chudars, Ya., 0=14153
- Mednis, J. See Sjostrand, N.G., 0=5826
- Medoff, J. and Cadoff, I. The anisotropy of thermal expansion in zinc, 4=17377
- Medoks, V.G. See Bakhrakh, L.E., 3=19335
- Medveczky, L. The energy of neutrons from the reaction  $\text{Be}^9(\alpha, n)\text{C}^{12}$ , 4=1109
- Medveczky, L. and Polster, A. A new nuclear emulsion "forte P/22", 0=17166
- Medveczky, L. and Somogyi, G. Range of protons in the Agfa K2 nuclear emulsion, 1=16633
- Medveczky, L. See Bujdosó, E., 0=7255
- Medveczky, L. See Bujdosó, E., 0=7388
- Medveczky, L. See Bujdosó, E., 0=17170
- Medved, D.B. Photoconductivity and chemisorption kinetics in sintered zinc oxide semiconductor, 2=2193
- Medved, D.B. Electron ejection and reflection properties of alkali and noble-gas ions and atoms, 4=5719
- Medved, D.B., Mahadevan, P. and Layton, J.K. Potential and kinetic electron from molybdenum by argon ions and neutral atoms, 3=9842
- Medved, D.B. and Poppa, H. Electron microscope diagnostics of thin film sputtering, 2=11724
- Medved, D.B., Rolik, G.P., Speiser, R.C. and Daley, H.L. Properties of silicon p-n junctions formed by  $\text{Cs}^+$  implantation at low energies, 4=10077
- Medved, D.B. and Turnbull, W. Interaction of microwaves with exploding wires, 3=4103
- Medved, D.B. See Magnuson, G.D., 2=4877
- Medved, D.B. See Mahadevan, P., 3=4185
- Medved, D.B. See Mahadevan, P., 3=22511
- Medved', S.V. and Ozerov, E.B. A method of calibrating the time base of an oscillograph, 3=24171
- Medved', S.V. See Amaglobeli, N.S., 0=9407
- Medved', S.V. See Golovin, B.M., 2=3361
- Medvedev, A.I. See Balalae, V.A., 3=17415
- Medvedev, A.I. See Balalae, V.A., 4=22078
- Medvedev, A.I. See Dzelepov, B.S., 3=4578
- Medvedev, A.I. See Dzelepov, B.S., 3=12641
- Medvedev, A.I. See Dzelepov, B.S., 4=27999
- Medvedev, A.I. See Dzelepov, B.S., 4=28000
- Medvedev, B.V. The axiomatic method and perturbation theory, 1=3142
- Medvedev, B.V. A functional expansion of the scattering matrix in normal products of asymptotic fields, 1=19146
- Medvedev, B.V. The Lehmann, Symanzik and Zimmerman asymptotic condition, 4=9096
- Medvedev, B.V. Equations of motion for radiative operators, 4=25038
- Medvedev, B.V. and Polivanov, M.K. Role of counterterms in the dispersion approach to the quantum theory of fields, 3=563
- Medvedev, M.N., Matveeva, E.N. and Zhil'tsova, L.Ya. Large volume plastic scintillators, 1=10809
- Medvedev, M.N., Sokolova, E.S., Filipov, P.I. and Tsisliak, O.N. Time characteristics of photomultipliers, 2=1485
- Medvedev, M.N. See Butslov, M.M., 2=20305
- Medvedev, M.N. See Butslov, M.M., 3=17108
- Medvedev, M.N. See Butslov, M.M., 3=17157
- Medvedev, N.N. The determination of the temperature coefficients of linear expansion of bodies by the non-stationary conditions method, 2=2914
- Medvedev, S.A., Anokhin, B.G., Skvortsov, I.M., Korotkov, A.S. and Myakinenkova, E.V. Some peculiarities of growth, the twin structure of dendrites and the anomalous segregation of impurities during the process of dendritic crystallization in germanium, 2=14937
- Medvedev, S.A., Anokhin, B.G., Skvortsov, I.M., Korotkov, A.S. and Myakinenkova, E.V. Some peculiarities of growth, the twin structure of dendrites and the anomalous segregation of impurities during the process of dendritic crystallization in germanium, 2=19047
- Medvedev, V.A. See Giterman, M.Sh., 2=18704



- Medvedev, V.A. See Gitterman, M.Sh., 2=23391
- Medvedev, V.I. A single-channel phase meter with frequency multiplication, 4=16393
- Medvedev, V.K. See Gavriluk, V.M., 3=18394
- Medvedev, V.K. See Vedula, Yu.S., 3=18395
- Medvedev, V.N. See Kaplyanskii, A.A., 3=25452
- Medvedev, V.S. See Broude, V.L., 0=4426
- Medvedev, V.S. See Broude, V.L., 2=14743
- Medvedev, V.S. See Broude, V.L., 2=23594
- Medvedev, V.S. See Eremenko, V.V., 1=6175
- Medvedev, V.S. See Kazachevskaya, T.V., 4=7880
- Medvedev, V.S. See Kazachevskaya, T.V., 4=15879
- Medvedev, Yu. A. The scattering of radiowaves by a point source of long range radiation in air, 4=27663
- Medvedeva, L. A. See Orlova, M.P., 4=21341
- Medvedyev, B.V. and Polivanov, M.K. Degrees of growth of matrix elements in the axiomatic method, 2=258
- Medvedyev, B.V. and Polivanov, M.K. Degrees of growth of matrix elements in the axiomatic method, 2=22434
- Medvedyev, V.K. and Ptushyn'sk'yi, Yu.H. Electron emission of thin thorium oxide films covered with an adsorbed barium layer, 2=9618
- Medvedyev, V.K. See Havrilyuk, V.M., 2=8895
- Medvedyev, V.K. See Havrilyuk, V.M., 2=9617
- Medvetski, L. Neutron spectra from Po-Be and Ra-Be sources, 4=914
- Medwin, H. Attenuation of guided, repeated shock waves in gases, 4=21226
- Medyanik, V.N., Klyucharev, A.P. and Nikolaichuk, A.D. Obtaining isotopic chromium foils for nuclear investigations, 3=24533
- Medyanik, V.N. See Bondar, A.D., 2=17978
- Medyanik, V.N. See Bondar, A.D., 4=18715
- Medyaik, V.M. Obtaining thin isotopic copper foils for nuclear (bombardment) investigations, 4=24933
- Mee, C.H.B. Electrical conductivity and thermoelectric power of calcium oxide, 1=17725
- Mee, C.H.B. Effect of ultra-violet irradiation on the electrical conductivity of cathodes coated with barium oxide, 1=18913
- Mee, C.H.B. Photoelectric emission from cathodes coated with strontium oxide, 3=12238
- Mee, C.H.B. The spectral emissivity of cathodes coated with strontium oxide, 3=20440
- Mee, C.D. and Jeschke, J.C. Single-domain properties in hexagonal ferrites, 3=15880
- Mee, C.H.B. Electrical conductivity of calcium oxide at high electric fields, 2=2127
- Mee, C.H.B. Spectral analysis of light emitted from an oxide-coated cathode during thermionic emission, 2=11689
- Mee, C.H.B., Bull, C.S. and Fitch, R.K. Estimation of the total emission of a diode, 2=17882
- Mee, C.H.B. and Vick, F.A. Photoelectric processes in calcium oxide coated cathodes, 2=3073
- Mee, C.H.B. See Jones, M.D., 4=17601
- Mee, C. H. B. See Hopkins, B. J., 4=23598
- Mee, C. H. B. See Stanier, B. J., 4=24728
- Mee, J.La. See La Mee, J.
- Meece, V. J. See Stirling, W. L., 4=5690
- Meechan, W.C. Source and reflection problems in magneto-ionic media, 2=3175
- Meechan, W.C. and DeNoyer, J. Aximuthal asymmetry of a point source in a cylindrical low velocity medium, 2=11442
- Meechan, W.C. On noise produced by boundary layer turbulence, 3=9553
- Meechan, W.C. On the use of pressure quadrupole in place of velocity quadrupole for aerodynamic noise, 3=9570
- Meechan, W.C. Further discussion of noise produced by boundary-layer turbulence, 3=18915
- Meechan, W.C. On sound propagation in a randomly inhomogeneous medium, 4=8338
- Meechan, W. C. and Siegel, A. Wiener-Hermite expansion in model turbulence at large Reynolds numbers, 4=29597
- Meechan, W.C. See Ford, G.W., 1=1799
- Meechan, W. C. See Siegel, A., 4=2637
- Meechan, C.J. Mechanisms of volume self-diffusion in  $\alpha$ -Fe and  $\gamma$ -Fe, 0=9919
- Meechan, C.J. Experimental study of intermetallic diffusion in large temperature gradients, 1=7599
- Meechan, C.J. and Lehman, G.W. Diffusion of Au and Cu in a temperature gradient, 2=7444
- Meechan, C.J., Sosin, A. and Brinkman, J.A. Thermally activated point defect migration in copper, 0=17925
- Meechan, C.J., Sosin, A. and Stern, R.M. Stored energy experiment in electron irradiated pure copper, 0=9924
- Meechan, C.J. See Gonser, U., 3=23153
- Meehan, E.J. and Beattie, W.H. Preparation of replicas of silver bromide for electron microscopy, 0=14092
- Meehan, J.E. and Hugus, Z.Z. Light scattering functions for spherical particles with  $m = 1.65(0.05)1.85$ , 1=4478
- Meehan, S.J. See Fischell, R.E., 0=2424
- Meek, J.M. See Bhalla, M.S., 3=4029
- Meek, J. M. See Govinda, G. R., 4=18712
- Meekins, J. F. See Acton, L. W., 4=2451
- Meeks, E.L. See Busen, K.M., 2=8244
- Meeks, F.R. and Veguilla, L.A. Some properties of the concentration product in counterdiffusion, 2=2456
- Meeks, F.R. See Gerrard, J.E., 2=21058
- Meeks, M.L. Atmospheric emission and opacity at millimeter wavelengths due to oxygen, 2=5481
- Meeks, M.L. and James, J.C. Meteor radiant distributions and the radio-echo rates observed by forward scatter, 0=14389
- Meeks, M.L. and Lilley, A.E. The microwave spectrum of oxygen in the earth's atmosphere, 3=13679
- Meeks, M. L. See Barrett, A. H., 4=23949
- Meeks, M. L. See Hagfors, T., 4=29799
- Meeks, M. L. See Lynn, V. L., 4=13957
- Meeks, M.L. See Martin, D.W., 2=6984
- Meeker, T.R. The application of the theory of elastic waves in plates to the design of ultrasonic dispersive delay lines, 2=5109
- Meem, J.L. See Bettis, E.S., 0=13314
- Meer, M. See Leitner, J., 1=16901
- Meermans, L. See Niels-Hakkenberg, C.G., 4=14487
- Meeron, E. Nodal expansions. III. Exact integral equations for particle correlation functions, 0=12372
- Meeron, E. Exact treatment of particle correlation functions and free energy, 1=6802
- Meeron, E. Theory of classical fluids and the convolution approximation (note on papers by Tohru Morita), 1=10501
- Meeron, E. Transport equations for plasmas in strong external fields, 1=16310
- Meeron, E. Indirect exponential coupling in the classical many-body problems, 2=11295
- Meerovich, I. G. See Muchnik, G. F., 4=29788
- Meerson, G.A., Kotelnikov, R.B. and Bashlykov, S.N. Uranium monocarbide, 3=7079
- Meerssche, M. Van. See Van Meerssche, M.
- Meert, M. See Demeur, M., 2=23972
- Meert, M. See Demeur, M., 4=17087
- Meerten, E. Vantuik-Van. See Van Kuik-Van Meerten E.
- Meese, A.D. and Evans, W.H. Charge transfer in the lightning stroke as determined by the magnetograph, 2=17147
- Meessen, A. The effect of temperature on the efficiency of scintillation counters, 0=15191
- Meessen, A. The theory of photoexcitation in solids, 1=14579
- Meessen, A. Theory of the photoelectric effect in metals, 1=16373
- Meessen, A. The fundamental photoelectric effect for semiconductors and for Cs<sub>2</sub>Sb, 1=17791
- Meessen, A. and Grenacs, L. Measurements of delayed coincidences in Sn<sup>116</sup>, 0=20408
- Meessen, A. See Lontie-Bailliez, M., 0=2380
- Meetham, A.R. and Nicholls, J.A. Aneroid bomb calorimeter for determining the heat of combustion of thermochemical standard benzoic acid, 0=19524
- Meetz, K. Application of general unitarity to pion-nucleon scattering, 2=3394
- Meetz, K. Spectrum of the scattering integral operator in the physical energy sheet, 2=19441
- Meetz, K., Ott, K. and Sanatani, S. Iteration of multigroup theory and application to the calculation of the neutron spectrum in flattened reactors, 1=17224
- Meeus, J. Tables of the satellites of Jupiter, 2=13106
- Meeus, J. Oppositions of Mars, 1960 to 1980, 2=13109
- Meeusen, P. J. See Gijssman, H. M., 4=8541
- Mefferd, W.L. See Allred, W.P., 0=4598
- Meffert, P. See Lochner, J.P.A., 0=3591
- Meffert, P. See Lochner, J.P.A., 3=23990
- Meffroy, J. A new special case of the three-body problem, 2=9221
- Meffroy, J. A particular case of rectilinear motion in the n-body problem, 2=24078
- Meffroy, J. The systematic investigation of the rigorous differential equations, in polar coordinates, of the plane motion of an asteroid with negligible mass, 2=24079



- Meffroy, J. Integration of the differential equations of an asteroid, with negligible mass, moving in a plane along a nearly rectilinear path, 3=11496
- Meffroy-Biget, A.M. See Salvinien, J., 2=21600
- Megarity, E.D. See Ellis, W.P., 4=13060
- Megaw, H.D. Order and disorder. I. Theory of stacking faults and diffraction maxima, 1=976
- Megaw, H.D. Order and disorder. II. Theory of diffraction effects in the intermediate plagioclase feldspars, 1=15108
- Megaw, H.D. Order and disorder. III. The structure of the intermediate plagioclase feldspars, 1=15109
- Megaw, H.D. Refinement of the structure of BaTiO<sub>3</sub> and other ferroelectrics, 3=1331
- Megaw, H.D. See Fleet, S.G., 2=17024
- Megaw, H.D. See Lefkowitz, I., 3=18287
- Megaw, H.D. See Newnham, R.E., 0=8225
- Megaw, H.D. See Wells, M., 2=4427
- Megaw, W.J. See Billings, C.E., 1=7895
- Megaw, W.J. See Chamberlain, A.C., 1=11635
- Megaw, W.J. See Dolphin, G.W., 2=13203
- Megerle, K. See Giaever, I., 1=8284
- Megerle, K. See Giaever, I., 2=11572
- Meggers, W.F. Present experimental status of rare-earth spectra, 0=9772
- Meggers, W.F. Review of reviews of atomic spectroscopy, 3=19916
- Meggers, W.F., Corliss, C.H. and Scribner, B.F. Tables of spectral-line intensities. II. Arranged by wavelengths, 2=3691
- Meggers, W.F., Corliss, C.H. and Scribner, B.F. Tables of spectral-line intensities. I. Arranged by elements, 2=12270
- Meggers, W.F. and Tech, J.L. The centennial of spectrochemistry — presented at the Washington Meeting of The Optical Society of America, April 7, 1960, 0=18454
- Meggers, W.F. See Catalán, M.A., 4=15281
- Meggitt, S. See Van der Borcht, R., 3=11557
- Meggitt, S. See Van der Borcht, R., 4=2343
- Meghir, S. See Baerg, A.P., 4=19709
- Meghreblian, R.V. Gaseous propulsion reactors, 1=15581
- Meghreblian, R.V. An approximate analytical solution for the radiation exchange between two flat surfaces separated by an absorbing gas, 3=288
- Meghreblian, R.V. See Heindl, C.J., 4=446
- Megill, L.R. Photometric observations of the twilight glow [O I] 5577 and [O I] 6300, 0=14288
- Megill, L.R. and Droppleman, L. Study of the effect of large aperture on the performance of an Ebert Spectrometer, 2=5163
- Megill, L.R. and Jamnick, P.M. Technique for calculating infrared absorbance by a regular band, 1=16050
- Megill, L.R., Jamnick, P.M. and Cruz, J.E. Seasonal variations in the twilight enhancement of [O I] 5577, 0=18517
- Megill, L.R., Rees, M.H. and Droppleman, L.K. Electric fields in the ionosphere and the excitation of the red lines of atomic oxygen, 3=23633
- Megill, L.R. See Carleton, N.P., 2=15887
- Megill, L.R. See Roach, F.E., 0=2026
- Megill, L.R. See Roach, F.E., 0=2027
- Megill, L.R. See Roach, F.E., 0=2034
- Megill, L.R. See Roach, F.E., 1=2575
- Megill, L.R. See Shafer, A.B., 4=18403
- Megla, G.K. Some new aspects for laser communications, 3=19477
- Megli, D.G. and Thwaites, T.T. Beta decay energies of V<sup>52</sup> and Cr<sup>55</sup>, 3=22329
- Megrelshvili, T.G. See Fishkova, L.M., 1=21026
- Mehal, E.W. See Haisty, R.W., 2=23392
- Mehalchick, E.J. and Marshall, P.K. Vapor-phase doping of silicon with arsenic trichloride, 2=10478
- Meharry, M.R. See Henry, W.G., 1=4463
- Mehendru, P.C. and Menon, N.S.K. Dielectric properties of shellacs at 3 cm and 8 mm wavelengths, 4=26110
- Mehendru, P.C. See Jain, S.C., 3=20246
- Mehendru, P.C. See Srivastava, S.S., 0=7986
- Mehl, R.F., Swanson, M. and Pound, G.M. Estimation of equilibrium vacancy concentration in solid metals, 1=17502
- Mehl, W., Gossenberger, H.F. and Helpert, E. A method for the preparation of low-temperature alloyed gold contacts to silicon and germanium, 3=20360
- Mehler, E.L. See Houser, T.J., 3=8255
- Mehlhop, W.A.W. See Abolins, M., 4=6128
- Mehlhop, W.A.W. See Xuong, N., 4=6107
- Mehlhorn, W. The fine structure of the L-MM Auger electron spectrum of argon and of the K-LL spectra of nitrogen, oxygen and methane, 0=17715
- Mehlhorn, W. and Albridge, R.G. KLL—Auger spectra of iron and vanadium, 3=24865
- Mehlhorn, W. and Albridge, R.G. A Geiger counter with post acceleration, 4=16875
- Mehling, O. See Collin, W., 3=22308
- Mehling, O. See Collin, W., 4=27991
- Mehling, O. See Daniel, H., 2=3525
- Mehling, O. See Daniel, H., 2=22768
- Mehling, O. See Daniel, H., 3=8038
- Mehling, O. See Daniel, H., 3=22328
- Mehling, O. See Daniel, H., 4=1046
- Mehling, O. See Daniel, H., 4=19719
- Mehlkopf, A.F. and Smidt, J. High sensitivity 3-cm electron spin resonance spectrometer with klystron noise compensation, 2=3178
- Mehlkopf, A.F. and Smidt, J. A 3 cm electron spin resonance spectrometer with a noise level equivalent to  $3 \times 10^6$  ΔH unpaired spins at room temperature, 3=24486
- Mehlretter, J.P. A primary spectrophotometric standard of high accuracy, 1=234
- Mehlretter, J.P. Standardization of the luminescent source of the Paris Institute D'Astrophysique, 1=15403
- Mehr, D.L. and McLaughlin, E.F. Fabricating liquid-hydrogen targets from Mylar, 3=7396
- Mehra, N.C. Expression of humidity in centigrade-gram-metre system, 0=947
- Mehrotra, B.N. Lattice thermal conductivity of antiferromagnetic MnF<sub>2</sub> below its Neel temperature, 3=25212
- Mehta, C.L. Coherence-time and effective bandwidth of blackbody radiation, 3=14411
- Mehta, C.L. Phase-space formulation of the dynamics of canonical variables, 4=18068
- Mehta, C.L. and Wolf, E. Coherence properties of blackbody radiation. I. Correlation tensors of the classical field, 4=18476
- Mehta, C.L. and Wolf, E. Coherence properties of blackbody radiation. II. Correlation tensors of the quantized field, 4=18477
- Mehta, K.N. and Jain, R.K. Laminar hydromagnetic flow in a rectangular channel with porous walls, 3=8920
- Mehta, K.N. See Jain, R.K., 3=2101
- Mehta, K.N. See Rao, M.N., 3=11614
- Mehta, K.R. See Rama Krishna Rao, V., 3=9604
- Mehta, K.R. See Rao Ramakrishna, V., 3=236
- Mehta, L.L. See Dyson, F.J., 3=14046
- Mehta, M.K., Hunt, W.E., Plendl, H.S. and Davis, R.H. A study of the Li<sup>6</sup> (α, n)B<sup>9</sup> and Li<sup>7</sup> (α, n)B<sup>10</sup> reactions, 4=3702
- Mehta, M.K. See George, K.A., 1=341
- Mehta, M.L. On the statistical properties of the level-spacings in nuclear spectra, 0=20343
- Mehta, M.L. On the summation of generalized ladders for a many-fermion system, 1=1708
- Mehta, M.L. Spacing distribution and level-density in random matrix approximation, 1=8612
- Mehta, M.L. Self-consistent calculation of the mass and width of ω from ρ and π, 4=21922
- Mehta, M.L. and Dyson, F.J. Statistical theory of the energy levels of complex systems. V, 3=14047
- Mehta, M.L. and Gaudin, M. On the density of eigenvalues of a random matrix, 0=20344
- Mehta, M.L. and Warke, C.S. Cl<sup>35</sup>(d,p)Cl<sup>36</sup> in the unified model, 0=4101
- Mehta, M.L. See Balian, R., 2=11889
- Mehta, M.L. See Balian, R., 3=10053
- Mehta, O.P. See Arnikaar, H.J., 1=20685
- Mehta, O.P. See Arnikaar, H.J., 4=15489
- Mehta, S. See Heineman, J.B., 3=14125
- Mei, C.C. Unsteady incompressible Couette flow in a uniform transverse magnetic field, 0=12681
- Mei, C.C. and Wu, T.Y. Gravity waves due to a point disturbance in a plane free surface flow of stratified fluids, 4=29599
- Mei Cheng'-Yüeh. See Wang Chao-Chün, 3=22346
- Mei Chio Chen and Taylor, H.A. Reaction of nitrogen atoms with ozone, 1=7905
- Mei, K. See Van Bladel, J., 2=11596
- Mei T'a Ch'en. See Ch'en t'a Mei.
- Meiboom, S. Nuclear magnetic resonance study of the proton transfer in water, 1=4360
- Meiboom, S. and O'Brien, J.P. Level indicator for liquid helium, 3=21648



- Meiboom, S. See Luz, Z., 3=25812  
 Meiboom, S. See Luz, Z., 4=14189  
 Meiboom, S. See Luz, Z., 4=14190  
 Meiboom, S. See Luz, Z., 4=18219  
 Meichsner, L. Double beta decay, 0=7507  
 Meichsner, L. Double beta decay. II, 0=17536  
 Meichsner, L. Nuclear rotation theory, 2=12104  
 Meier, A.A. High-frequency mechanical light chopper, 2=19693  
 Meier, A.A. Potential of a direct-current point source in a half-space with linearly varying conductivity or resistivity, 3=9005  
 Meier, A. A. The potential of a point source of current in a semi-infinite inhomogeneous medium with conductivity varying in a direction parallel to the surface, 4=30024  
 Meier, D. See Brüllmann, M., 0=5563  
 Meier, D.A. Millimicrosecond magnetic switching and storage element, 0=3830  
 Meier, F. Study of single dislocations in nearly ideal crystals by an X-ray method, 2=12905  
 Meier, F. Production and motion of single dislocation in germanium crystals, 2=12906  
 Meier, F. See Gerold, V., 0=1902  
 Meier, F. See Wilkens, M., 3=12979  
 Meier, G. Spectroscopic analysis of stable isotopes, 4=9679  
 Meier, G. Synchronization of millimetre wave klystrons with a quartz oscillator, 4=11790  
 Meier, G. See Maier, W., 1=10519  
 Meier, G. See Maier, W., 1=12892  
 Meier, G. See Maier, W., 1=18425  
 Meier, G. See Maier, W., 2=7226  
 Meier, H. The action of hydrogen on the photoelectric effect in organic dyes, 0=1685  
 Meier, H. See Lanius, K., 3=4485  
 Meier, H. See Noddack, W., 0=1684  
 Meier, H. See Olsen, J.L., 3=14461  
 Meier, H.W. On the separation of peripheral and central collisions in high-energy interactions, 4=3306  
 Meier, H.W. See Bozoki, G., 0=2603  
 Meier, H.W. See Grote, C., 0=1312  
 Meier, H.W. See Grote, L.C., 1=3760  
 Meier, H.W. See Grote, C., 2=16222  
 Meier, H.W. See Grote, C., 2=16223  
 Meier, H.W. See Grote, C., 2=16224  
 Meier, H.W. See Grote, C., 4=25166  
 Meier, H.W. See Lanius, K., 0=354  
 Meier, H.W. See Lanius, K., 3=6111  
 Meier, K. See Frank, D., 2=21305  
 Meier, K. See Frank, D., 3=11048  
 Meier, L. Polarization interference filters with high transmission and large angular aperture, 2=22047  
 Meier, R. and Günthard, H.H. Germanium polarizers for the infrared, 0=1045  
 Meier, R.W. See Lutz, H.R., 2=22529  
 Meieran, E.S. Use of the reciprocal lattice for the development of a new pole figure technique, 2=8822  
 Meierling, D. and Gärtner, H. The influence of a uniaxial anisotropy in the direction of the film normal on the magnetization of thin nickel films, 4=26319  
 Meier, R. ENDOR study of lithium A-centres in KCl and KBr, 3=25299  
 Meijer, A.C. See Van Oostrum, K.J., 2=3214  
 Meijer, G. and Avinor, M. Excitation spectra of vanadium-activated zinc and cadmium sulphide and selenide phosphors, 0=13715  
 Meijer, G. See Avinor, M., 0=10058  
 Meijer, G. See Avinor, M., 0=11785  
 Meijer, H. C. and Van den Handel, J. Magnetic properties of nickel- and cobalt-iodate, 4=28823  
 Meijer, P.H.E. A group theoretical proof of Kramers' theorem, 0=17872  
 Meijer, P.H.E. Note on the behaviour of a vapour-liquid system above and below the critical point, 1=1847  
 Meijer, P.H.E. Line shape of ultraviolet absorption in solid noble gases, 1=11362  
 Meijer, P.H.E. Comment on a letter of A. Gold and R. S. Knox, 2=16827  
 Meijer, P.H.E. Calculation of the higher order dipole-dipole effect in paramagnetic crystals, 4=15623  
 Meijer, P.H.E. and Bowen, J.I. The solution of the steady state distribution in non-equilibrium processes, 0=16617  
 Meijer, P.H.E. and Bowen, J.I. The solution of the steady state distribution in non-equilibrium processes: Ornstein-Uhlenbeck processes, 2=2636  
 Meijer, P.H.E. and Tanaka, T. Quantum mechanics of beats between weakly coupled oscillators, 3=11694  
 Meijer, P.H.E., Tanaka, T. and Barry, J. Dynamic behavior of a set of weakly coupled Ising spins, 2=19454  
 Meijer, P.H.E. See Bowen, J.I., 1=6789  
 Meijer, P. H. E. See Levine, D., 4=14087  
 Meijer, P. H. E. See Shah, B. P., 4=9844  
 Meijer, P.H.E. See Tanaka, T., 2=5054  
 Meijer, P.H.E. See Tanaka, T., 2=23805  
 Meijer, P.H.E. See Tanaka, T., 3=989  
 Meijering, J.L. On the thermodynamics of the Au-Pt system, 1=20580  
 Meijering, J.L. Usefulness of a  $1/\gamma$  plot in the theory of thermal etching, 3=23384  
 Meijering, J. L. Miscibility gaps in ferromagnetic alloy systems, 4=13466  
 Meikleham, V. See Elliott, J.F., 0=10759  
 Meikleham, V. F. See Glatz, A. C., 4=10140  
 Meiklejohn, W.H. Magnetic field in a cavity, 0=13752  
 Meiklejohn, W.H. Exchange anisotropy in stainless steel, 1=6278  
 Meiklejohn, W.H. Exchange anisotropy - a review, 2=2728  
 Meiklejohn, W. H. Temperature dependence of the critical current of tantalum and indium-tin alloy films, 4=21426  
 Meiklejohn, W.H. and Carter, R.E. Exchange anisotropy in rock magnetism, 0=8041  
 Meiklejohn, W.H. and Carter, R.E. Exchange anisotropy in rock magnetism, 0=10388  
 Meiklejohn, W.H. and Skoda, R.E. Dispersion hardening, 0=18266  
 Meiklyar, P.V. Absorption of light in silver halides, 2=12585  
 Meiklyar, P.V. Absorption of light in silver halides, 2=14660  
 Meiklyar, P.V., Shvarts, V. M., Kharitonova, Z. V., Borin, A. V., Ryskina, S. I. and Siletskaya, N. V. Photographic films for spectroscopy and astronomy, 3=9631  
 Meiklyar, P.V. See Sadykova, A.A., 2=23471  
 Meiklyar, P.V. See Sadykova, A.A., 3=6636  
 Meilikhov, E. Z. See Komel'kov, V. S., 4=478  
 Meilikhov, E. Z. See Konel'kov, V. S., 4=14623  
 Meilikhov, E. Z. See Nesterikhin, Yu. E., 4=14603  
 Meiling, G.E. See Kingery, W.D., 1=7625  
 Meiling, W., Schintlmeister, J. and Stary, F. A differential-coincidence circuit for the nanosecond region, 2=2984  
 Meiling, W., Schintlmeister, J. and Stary, F. A nanosecond time-to-pulse-height converter of high stability for mV-pulses, 3=12052  
 Meiller, F.H. See Norris, G.F., 1=4449  
 Meil'man, M.L. See Tsukerman, B.I., 3=16022  
 Meiman, N. and Gokhfel'd, I. Solution of equations of the Chew-Mandelstam type, 2=20379  
 Meiman, N. and Gokhfel'd, I. Solution of equations of the Chew-Mandelstam type, 3=7874  
 Meiman, N.N. Analytic expressions for the upper limits of the coupling constants in quantum field theory, 3=24649  
 Meiman, N.N. Asymptotic equality of the total cross-sections of a particle and antiparticle, 3=17197  
 Meiman, N.N. Asymptotic equality of the differential cross-sections for particles and antiparticles, 4=16828  
 Meiman, N. N. Asymptotic scattering amplitude of a meson by a nucleon, 4=30242  
 Meiman, N.N. See Ginzburg, V. L., 4=11795  
 Mein, P. Study of a solar spectral line disturbed by plane acoustic waves; description of a method, 4=20923  
 Mein, P. Study of a solar line perturbed by plane sound waves: numerical results, 4=23910  
 Meincke, P.P.M. Two-atom model for thermal expansion of solids, 2=8176  
 Meincke, P.P.M. and Graham, G.M. Thermal expansion of invar, 4=17371  
 Meincke, P.P.M. and Graham, G.M. Thermal expansion of sodium chloride at low temperature, 4=17374  
 Meindl, P. See Getoff, N., 2=23225  
 Meinel, A.B. New frontiers of astronomical technology, 2=2519  
 Meinel, A.B. Design considerations for a large-aperture orbital telescope, 2=13087  
 Meinel, A.B. On the ultraviolet continuous spectrum of B stars, 3=9236  
 Meinel, A.B. Detection of molecular hydrogen in stellar atmospheres, 3=16407  
 Meinel, A. B. and Meinel, C. P. Low-latitude noctilucent cloud of 2 November 1963, 4=10717  
 Meinel, A.B. See Bashkin, S., 4=15922  
 Meinel, A. B. See Bashkin, S., 4=22285



- Meinel, A. B. and Salanave, L. E.  $N_2^+$  emission in lightning, 4=23764
- Meinel, C. P. See Meinel, A. B., 4=10717
- Meinel, G. Scientific principles of violin making: survey, 1=16051
- Meinel, H. Musical instrument tuning and tone systems. Examples: Piano, grand piano, accordion, harmonium, bowed-string instruments, 0=12464
- Meiners, D. See Bartels, H., 3=19264
- Meinhardt, D. and Krisement, O. Structure investigation of chromium carbide  $Cr_3C_2$  by thermal neutrons, 1=2534
- Meinhardt, D. and Krisement, O. The magnetic structure of ordered alloys of the iron-silicon system, 4=7263
- Meinhardt, O. See Gobrecht, H., 3=18444
- Meinhardt, O. See Gobrecht, H., 3=18445
- Meinhardt, O. See Gobrecht, H., 3=18446
- Meinhardt, O. See Gobrecht, H., 3=20304
- Meinhardt, O. See Gobrecht, H., 3=21001
- Meinhardt, O. See Gobrecht, H., 4=30904
- Meinig, K., Metz, J. and Teltow, J. Absorption tail of AgBr and AgCl mixed crystals at high temperatures, 3=3020
- Meinke, C. and Reich, G. Influence of diffusion on the measurement of low pressure with the McLeod vacuum gauge. Based on a paper by Gaede, 4=8275
- Meinke, H. H. A survey on the use of conformal mapping for solving wave-field problems, 4=5018
- Meinke, W. W. Pneumatic tubes speed activation analysis, 0=4036
- Meinke, W. W. See Anders, O. U., 1=722
- Meinke, W. W. See Gardner, D. G., 0=821
- Meinke, W. W. See Wahlgren, M. A., 0=9568
- Meinzel, J. See Martin, G., 4=14178
- Meinzel, J. See Martin-Bouyer, M., 1=20024
- Meiron, J. and Volinez, G. Parabolic approximation method for automatic lens design, 0=3600
- Meiron, J. See Jaffe, J. H., 2=1255
- Meisel, A. and Ehrhardt, H. A focussing high vacuum X-ray spectrograph of high resolving power, 2=5424
- Meisel, A. and Nefedow, W. Influence of the excitation conditions on the breadth of X-ray emission lines, 2=7695
- Meisel, A. and Nefedow, W. X-ray K- and  $L_{III}$  level widths, 2=10212
- Meisel, A. and Nefedow, W. Contribution to the multiplet structure of X-ray emission lines, 2=10213
- Meisel, A. and Nefedow, W. Influence of the chemical binding on the shape and width of X-ray emission lines, 2=21262
- Meisel, E. See Görlich, P., 3=20406
- Meisel, E. See Görlich, P., 3=20470
- Meisel, W. Determination of appearance potentials by means of space charge compensation, 3=14664
- Meisel, W. Appearance-potential measurement by space-charge compensation, 3=21700
- Meisels, G. G. Gas-phase dosimetry by use of ionization measurements, 4=24952
- Meisenheimer, R. G. and Swalen, J. D. Magnetic properties of  $HCrO_3$  and  $DCrO_3$ , 1=11413
- Meisenheimer, R. G. See Lukens, H. R., Jr., 2=9225
- Meisingseth, E. and Cyvin, S. J. Vibrational mean-square amplitude matrices. XVIII. The Bastiansen-Morino shrinkage effect of symmetrical  $XY_3$  and  $XY_4$  molecules, 2=18434
- Meisingseth, E. See Brun, T. S., 2=8919
- Meisingseth, E. See Cyvin, S. J., 2=22993
- Meisingseth, E. See Cyvin, S. J., 4=12425
- Meisingseth, E. See Cyvin, S. J., 4=25616
- Meisner, H. and Fanelli, R. V. Surface impedance of normal conducting films deposited on superconducting substrates, 4=22672
- Meisser, O. Vibrations of all wavelengths in the earth, 1=4108
- Meissinger, H. F. Simulation of infrared systems, 0=14886
- Meissner, G. Calculation of the passage of fast electrons through matter, using a combination of analytic and stochastic methods, 4=25064
- Meissner, H. Superconductivity of contacts with interposed barriers, 0=5235
- Meissner, H. The paramagnetic effect in superconductors at low values of the external field, 0=8961
- Meissner, H. Surface energy effects at the boundary between a superconductor and a normal conductor, 2=9488
- Meissner, H. Boundary effects between a superconductor and a normal conductor, 4=16373
- Meissner, H. See Burger, G., 4=12821
- Meissner, H. See Burger, G., 4=12829
- Meissner, H. See Callahan, W. R., 0=8962
- Meissner, H. See Doll, F., 4=28085
- Meissner, H. D. See Dittmar, W., 4=26606
- Meissner, H. G. See Schubert, K., 1=5099
- Meissner, H. G. See Schubert, K., 1=6528
- Meissner, H. G. See Schubert, K., 2=17016
- Meissner, K. W. See Reader, J., 0=4170
- Meissner, W. The efficiency of expansion engines in helium liquefiers, 4=8535
- Meissner, W. On the 1st Benedicks effect in a single crystal of gold, 4=28656
- Meissner, W. and Doll, R. The properties of the resistance hysteresis loops in the transition region to superconductivity, 0=2287
- Meister, F. J. Standardization of speech audibility testing, speech audibility threshold and speech audibility loss reference threshold, 0=18532
- Meister, G. Gamma and thermal neutron flux calculation for detectors in charge and discharge channels of MERLIN reactor, 2=10169
- Meister, H. Measurements on a subcritical  $D_2O$ -moderated reactor lattice, 2=10164
- Meister, H. Electronic measurement of the average amplitude [of a pulse spectrum], 3=19153
- Meister, H. Pulsed neutron experiments on subcritical heavy water natural uranium lattices, 3=19909
- Meister, H. The separation of fission products of different masses in a double ionization chamber, 4=1121
- Meister, H. See Armbruster, P., 3=2510
- Meister, H. See Armbruster, P., 4=22247
- Meister, H. See Kussmaul, G., 4=6064
- Meister, H. J. Motion of the polarization vector of a Dirac particle in a macroscopic electromagnetic field, 2=5571
- Meister, H. J. The change of polarization of a beam of Dirac particles by interaction with an external field, 4=3292
- Meister, H. J. See Holzwarth, G., 4=25572
- Meister, N. and Yennie, D. R. Radiative corrections to high-energy scattering processes, 3=12423
- Meister, N. T. and Griffy, T. A. Radiative corrections to high-energy inelastic electron scattering, 4=15201
- Meister, N. T. and Radha, T. K. Electric dipole moment of a nucleon, 4=25075
- Meister, N. T., Radha, T. K. and Schiff, L. I. Slow neutron-deuteron capture and the structure of  $^3H$  and  $^3He$ , 4=21965
- Meister, R., Marhofer, C. J., Sciamanda, R., Cotter, L. and Litovitz, T. Ultrasonic viscoelastic properties of associated liquids, 0=8651
- Meister, R. and St. Laurent, R. Ultrasonic absorption and velocity in water containing algae in suspension, 0=8750
- Meister, R. See Cerceo, M., 2=9274
- Meister, R. See Favert, A. G., 4=27202
- Meister, R. See Gruber, J., 1=9449
- Meister, R. See Watson, J. D., 4=4747
- Meister, W. See Böttger, O., 3=20343
- Meitert, S. See Ausländer, J. S., 1=179
- Meitert, S. See Literat, R., 2=4617
- Meitzler, A. H. Mode coupling occurring in the propagation of elastic pulses in wires, 1=8175
- Meitzler, A. H. Transmission characteristics of longitudinal mode, strip delay lines having asymmetrically tapered widths, 2=5110
- Meitzler, A. H. Selective attenuation of elastic wave motions in strips of polycrystalline metals, 2=9336
- Meitzler, A. H. See Onoe, M., 3=7266
- Meitzler, A. H. See Onoe, M., 4=16180
- Meixner, B. D. See Evans, M. W., 2=13361
- Meixner, B. D. See Harlow, F. H., 1=15925
- Meixner, J. The angular momentum law in the thermodynamics of irreversible processes, 1=15712
- Meixner, J. Reversibility and irreversibility in linear passive systems, 1=18290
- Meixner, J. Relaxation phenomena and their thermodynamic treatment, 1=18329
- Meixner, J. Thermodynamics of electrical networks and the Onsager-Casimir reciprocal relations, 3=12039
- Meixner, J. See Tang, C. L., 1=3056
- Mekata, M. Magnetic study on  $Mn_4N$  and its related compounds, 2=16923
- Mekata, M. See Tsuchida, T., 2=3993
- Mekhedov, V. N. See Belyaev, B. N., 3=15203
- Mekhedov, V. N. See Borisova, N. I., 0=9621
- Mekhedov, V. N. See Kuznetsova, M. Ia., 0=9633



- Mekhedov, V.N. Radiochemical investigation of astatine produced in secondary reactions following bombardments of bismuth and lead with high-energy particles, 4=19834
- Mekhedov, V.N. See Mal'tseva, N.S., 4=6341
- Mekhedov, V.N. See Van Chuan'-peng., 4=1079
- Mekhedov, V.N. See Van Yun-yui [Wang Yung-YU], 1=3461
- Mekhtiev, G.F. Cross-relaxation in substances containing paramagnetic centres of two types, 1=20241
- Mekhtiev, G.F. Cross-relaxation in substances containing paramagnetic centres of two types, 2=8667
- Mekhtiev, R.F. and Paritskii, L.G. Kinetics of photoconductivity in GaSe, 2=18745
- Mekhtiev, R.F. and Paritskii, L.G. Kinetics of photoconductivity in GaSe, 2=23462
- Mekhtiev, R.F., Paritskii, L.G. and Rývkin, S.M. Impurity photoconductivity kinetics in GaSe crystals, 3=20412
- Mekrasov, M.M. and Poplavko, Yu.M. Ferroelectric properties of solid solutions of the Ba(Ti,Zr,Sn)O<sub>3</sub> ternary system, 0=16019
- Meksyn, D. Plate thermometer, 0=19514
- Meksyn, D. Differential integral equation for the spectrum of isotropic homogeneous turbulence, 3=16584
- Meksyn, D. Stability of laminar flow between parallel planes for two- and three-dimensional finite disturbances, 4=11164
- Meladze, R.D. See Kvartskhava, I.F., 0=15037
- Melamed, N.T. Optical properties of powders. I. Optical absorption coefficients and the absolute value of the diffuse reflectance. II. Properties of luminescent powders, 3=10901
- Melamed, N.T. See Bolef, D.I., 1=20292
- Melamed, N.T. See Harrison, D.E., 3=10982
- Melamed, S.G. and Zemskova, M.G. Atlas of rare-earth spectrum lines (for spectrographs DFS-3 and DFS-13), 3=25854
- Melamed, V.G. Reduction of Stefan's problem to a system of ordinary differential equations, 0=208
- Melamed, V.G. Numerical integration of the classical Stefan problem in a case of phase transitions in the temperature spectrum, 3=24111
- Melamid, A.E. See Ergakov, V.A., 2=20196
- Melamid, A.E. See Khlebnikov, N.S., 2=20018
- Melamid, A.E. See Khlebnikov, N.S., 3=19320
- Melandri, C. See Busuoli, G., 3=17236
- Melandri, C. See Cervellati, A., 3=9054
- Melandri, C. See Cervellati, A., 3=9059
- Melankholin, I.M. and Slavnova, E.N. Uptake of Capri blue by growing lead nitrate crystals, 0=13954
- Melankholin, N.M. Absorption spectra of crystals of some thiazine and oxazine dyes, 1=14595
- Melankholin, N.M. Optical orientation of crystalline layers with inclined cross-sections, 4=15748
- Melankholin, N.M. Absorption spectra of liquid crystals of thiazine dyes, 4=24220
- Melankholin, N.M. and Guseva, I.N. Scattering of light in some artificial crystals, 4=22884
- Melankholin, N.M. and Tsinober, L.I. The biaxial nature of synthetic amethyst crystals, 3=25691
- Melas, C.M. Linear codes for error correction, 3=3708
- Melbourne, K.V. See Eden, G.E., 1=15831
- Melbourne, W.G. Line-blanking effects on A-G dwarfs, 0=14461
- Mel'chenko, E.N. See Presnov, V.A., 3=25364
- Melcher, H. and Gerth, E. Model to demonstrate atomic and nuclear binding forces using superposition of potentials, 3=25036
- Melcher, H., Gerth, E. and Gläser, M. Hollow spheres, with conducting inner surfaces, for electrostatic experiments, 4=21445
- Melcher, H., Gläser, M. and Gerth, E. Possibility of projection for electrical dust figure methods with a few examples of its applications, 2=9676
- Melcher, J.R. A useful analogy for single-group neutron diffusion theory, 1=13889
- Melcher, J.R. Electrohydrodynamic and magnetohydrodynamic surface waves and instabilities, 1=19005
- Melcher, J.R. Electrohydrodynamic and magnetohydrodynamic nonlinear surface waves, 2=20125
- Melcher, J.R. Electrohydrodynamic surface resonators, 3=475
- Melchior, H. and Strutt, M. J. O. Measurement and interpretation of extremely high noise temperatures of silicon diodes in the breakdown region, 4=22747
- Melchior, K. and Papkow, A. Formation of negative helium ions by passage through rare gases, 4=19114
- Melchior, M.T. and Maki, A.H. Electron spin resonance study of p-phenylene-diamine positive ion, 1=6040
- Melchior, P. and Paquet, P. Automation in the measurement of periodic deformations of the terrestrial globe: construction of a recording gravimeter, 4=7809
- Melchior, P. and Paquet, P. Results of recordings of terrestrial tides over four years at the Royal Belgian Observatory, Brussels, using two gravimeters, 4=15858
- Meldner, H. and Lindner, A. Absorption cross-sections and transmission coefficients for protons and neutrons according to the optical model, 4=30337
- Meldner, H. and Süßmann, G. Calculations of neutron bound states with a non-local single particle model, 4=3534
- Melehan, J.B. See Holden, F.C., 0=8143
- Melehy, M.A. Theory of minority carrier thermoelectric cooling, 2=14594
- Melehy, M.A. A fundamental extension of Einstein's diffusion-mobility relationship, 4=99
- Melehy, M.A. Diffusion forces and diffusion potentials, 4=1524
- Melehy, M.A. and Jarmoc, E.A. Heat liberation in alloy-junction silicon diodes, 4=4188
- Melehy, M.A. See Dlubac, J.J., 4=1626
- Meleka, A.H. Direct stress machine for combined fatigue and creep testing, 0=4567
- Meleka, A.H. and Barr, W. A possible origin of exo-electron emission in plastically deformed metals, 0=19712
- Meleka, A.H., Barr, W. and Baker, A.A. Evidence of sub-surface cross-slip in fatigued copper, 1=14900
- Meleka, A.H. and Dunn, G.B. Fatigue-induced after-effect in zinc single crystals, 1=20360
- Meleka, A.H. and Evershed, A.V. The dependence of creep behaviour on the duration of a superimposed fatigue stress, 1=20356
- Meleka, A.H. and Harris, L.B. Cyclic-induced ductility in zinc, 2=21428
- Meleka, A.H. See McLean, S., 1=18635
- Melekhin, V.N. Vertical focusing in a microtron, 2=9667
- Melekhin, V.N. Vertical focusing in a microtron, 3=5799
- Melekhin, V.N. See Kapitsa, S.P., 1=18966
- Melekhin, V.N. See Kapitsa, S.P., 2=22289
- Melekhin, V.N. See Kapitsa, S.P., 1=18965
- Meléndez, E. and Prévost, C. The rotational isomerism of allylic chlorides, 4=28235
- Melent'ev, B.N. See Ivanenko, V.V., 4=8170
- Melese, G. The efficiency of a longitudinal fin with variation of the heat-transfer coefficient along the fin length, 0=6976
- Melese, G.B. On the use of dimensionless variables in reactor kinetics, 0=20526
- Meleshin, N.M. See Makarov, Yu.V., 4=16530
- Meleshina, A.M. The effect of vibrations on the forbidden transitions in a molecule, 1=14065
- Meleshina, A.M. Use of the metal molecular model in calculation of the influence of molecular vibrations on forbidden transitions, 2=12341
- Meleshina, V.A., Zheludev, I.S. and Rez, I.S. Application of the method of charged powders in the study of the domain structure and morphological features of the growth of crystals of triglycine sulphate, 1=12613
- Meleshko, E.A. See Antonov, A.V., 1=4679
- Meleshko, E.A. See Antonov, A.V., 1=16457
- Meleshko, E.A. See Korshunov, Yu.V., 3=2061
- Meleshko, L.O. Crystallization of a supercooled liquid in an ultrasonic wave field, 2=4388
- Meleshko, L.O. The theory of formation of nuclei of a new phase, 2=10796
- Meleshkov, S.I. See Bolotin, L.I., 3=2045
- Meleshkov, S.I. See Bolotin, L.I., 3=2046
- Melford, D.A. The use of electron probe microanalysis in physical metallurgy, 2=19022
- Melhuish, M.W. and Scott, R.L. Energies of Disorientation in solid carbon monoxide and nitrous oxide, 4=30494
- Melhuish, W.H. Distribution of fluorescence from a disk-shaped cuvette, 1=4430
- Melhuish, W.H. Quantum efficiencies of fluorescence of organic substances: effect of solvent and concentration of the fluorescent solute, 1=15890
- Melhuish, W.H. Calibration of spectrofluorimeters for measuring corrected emission spectra, 2=22027
- Melhuish, W.H. Effect of solvent viscosity on excitation energy transfer between unlike molecules, 3=23887
- Melhuish, W.H. Excitation energy transfer from toluene to some organic scintillators, 4=11202



- Melhuish, W. H. Measurement of quantum efficiencies of fluorescence and phosphorescence and some suggested luminescence standards, 4=11203
- Melhuish, W. H. and Murashige, R. H. Double-beam spectro-fluorimeter, 3=3880
- Melica, M. See Sandulovicu, M., 3=19188
- Melichar, M. See Krejčí, M., 1=761
- Meligy, A. S. Isotope shift from non-uniform nuclear charge distributions, 0=4169
- Meligy, A. S. Effect of nuclear size on X-ray fine structure, 4=1195
- Meligy, A. S. Coulomb wave functions for low energies, 4=25470
- Meligy, A. S. and El Gazzzy, E. M. Expansions of Coulomb wave in terms of Bessel functions, 2=19430
- Meligy, A. S. and El Gazzzy, E. M. On Coulomb wave functions, 3=3757
- Meligy, A. S., Tadros, S. and El-Wahab, M. A. Isotope shift and nuclear deformations, 0=11507
- Melik-Adamyany, V. R. See Samsonov, G. V., 0=13468
- Melik-Adamyany, V. P. See Zhuravlev, N. Y., 2=10905
- Melik-Barkhudarov, T. K. Lower critical field and nonlinear effects in the electrodynamics of superconducting alloys, 4=27417
- Melik-Barkhudarov, T. K. See Gor'kov, L. P., 1=18698
- Melik-Barkhudarov, T. K. See Gor'kov, L. P., 3=3940
- Melik-Barkhudarov, T. K. See Gor'kov, L. P., 4=5513
- Melik-Gaikazyan, I. See Ignat'eva, M. I., 4=6895
- Melik-Gaikazyan, V. I. and Melik-Gaikazyan, I. Ya. The question of the influence of pectin on the crystallization of ammonium chloride, 0=16262
- Melik-Gaikazyan, I. Ya., Treskina, M. N. and Zavadovskaya, E. K. The F-band half-width and the density of F-centres in monocrystalline solid solutions KCl-KBr, 1=14332
- Melik-Gaikazyan, I. Ya. and Zavadovskaya, E. K. Relationship between the half-width of an F-band in solid solutions of alkali-halide crystals with the degree of their imperfection, 1=14331
- Melik-Gaikazyan, I. Ya., Zavadovskaya, E. K. and Treskina, M. N. The effect of annealing on the absorption spectra and the electrical conductivity of NaCl:Pb and KCl:Pb crystal phosphors, 0=20990
- Melik-Gaikazyan, I. Ya., Zavadovskaya, E. K. and Treskina, M. N. Concerning the distribution of impurities in alkali-halide crystals, 1=4983
- Melik-Gaikazyan, I. Ya. See Grigoruk, L. V., 3=940
- Melik-Gaikazyan, I. Ya. See Grigoruk, L. V., 4=10001
- Melik-Gaikazyan, I. Ya. See Melik-Gaikazyan, V. I., 0=16262
- Melik-Gaikazyan, I. Ya. See Roshchina, L. I., 3=15513
- Melik-Gaikazyan, I. Ya. See Zavadovskaya, E. K., 0=12075
- Melik-Gaikazyan, I. Ya. See Zavadovskaya, E. K., 1=12374
- Melikhov, V. D., Kasymbekova, K. K., Polyakova, T. P. and Presnyakov, A. A. Transformations in  $\gamma$ -brasses, 4=10420
- Melikyan, E. G. See Abagyan, G. V., 4=16784
- Melikyan, E. G. See Gasparyan, L. G., 4=16782
- Melin, O. See Forstling, W., 1=19386
- Melin, O. See Sujkowski, Z., 2=1845
- Melin, O. See Uhler, J., 2=5873
- Melinowska, C. See Tietz, T., 4=6501
- Melioranskii, A. S. Scintillation gamma-spectrometer for measuring coincident radiations, 2=20296
- Melioranskii, A. S., Estulin, I. V. and Kalinkin, L. F. A study of low-lying excited states in Mn<sup>56</sup> and Ho<sup>166</sup> by measuring cascade quantum coincidences, 1=13659
- Melioranskii, A. S., Estulin, I. V. and Kalinkin, L. F. Stability of spectrometer photomultipliers at high pulse counting rates, 4=16524
- Melioranskii, A. S., Estulin, I. V., Kalinkin, L. F. and Kudinov, B. S. Excited states of Cs<sup>134</sup>, 0=13149
- Melioranskii, A. S. and Petushkov, A. A. A coincidence circuit for the simultaneous measurement of the number of true and random coincidences, 2=7544
- Melioranskii, A. S. See Estulin, I. V., 3=15215
- Melioranskii, A. S. See Estulin, I. V., 4=17060
- Melioranskii, A. S. See Kalinkin, L. F., 0=11381
- Melioranskii, A. S. See Kalinkin, L. F., 2=16420
- Melioranskii, A. S. See Kalinkin, L. F., 3=6272
- Melioranskii, A. S. See Kalinkin, L. F., 3=12600
- Melioransky, A. S. See Estulin, I., 0=11325
- Melioransky, A. S. See Estulin, I. V., 1=8648
- Melis, A. The auto-confinement of a plasma column in the adiabatic approximation, 2=19965
- Melissinos, A. C., Yamanouchi, T., Fazio, G. G., Lindenbaum, S. J. and Yuan, L. C. L.  $\pi^-$  meson production in 2.9-BeV p-p collisions, 3=6034
- Melissinos, A. C. See Kaplon, M. F., 0=4002
- Melkanoff, M., Prowse, D. J. and Stork, D. H. Optical model potential for K<sup>-</sup> mesons, 0=7416
- Melkanoff, M. A., Prowse, D. J., Stork, D. H. and Ticho, H. K. T = 0 K<sup>+</sup>-nucleon phase shifts based on the optical model, 0=17417
- Melkanoff, M. A., Sawada, T. and Cindro, N. Optical model parameters for the interaction of intermediate energy deuterons with nuclei, 2=20662
- Melkanoff, M. A., Saxon, D. S. and Nodvik, J. S. On the shape of the imaginary part of the optical model potential, 1=19448
- Melkanoff, M. A. See Gillet, V., 4=12209
- Melkanoff, M. A. See Helmy, E., 2=16243
- Melkanoff, M. A. See Nodvik, J. S., 2=3564
- Melkischeva, E. N. See Magat, L. M., 4=17751
- Melkonian, E. Application of surface barrier solid state ionization chambers to measurements on fission, 2=3634
- Melkonian, E., Perez-Mendez, V., Melkonian, M. L., Havens, W. W. Jr and Rainwater, L. J. Slow neutron velocity spectrometer studies of the total and fission cross sections of U<sup>235</sup>, 0=13294
- Melkonian, E. See Engelke, C. E., 3=4399
- Melkonian, E. See Gould, F. T., 1=16812
- Melkonian, E. See Havens, W. W., Jr, 0=4138
- Melkonian, M. L. See Melkonian, E., 0=13294
- Melkonian, E. See Wajima, J. T., 1=8465
- Mellen, R. H. Doppler shift of sonar backscatter from the sea surface, 4=24322
- Mellen, R. H. and Marsh, H. W. Underwater sound reverberation in the arctic ocean, 4=4749
- Mellen, R. H. See Marsh, H. W., 3=13653
- Mellichamp, J. W. See Adams, I., 2=4191
- Mellichamp, J. W. See Adams, I., 2=14756
- Mellis, O. See Laevastu, T., 1=18020
- Mellish, C. E. Neutron threshold reactions: an inter-comparison, 1=13824
- Mellish, C. E. See Cook, C. B., 0=10630
- Melissinos, A. C., Fazio, G. G., Yamanouchi, T., Lindenbaum, S. J. and Yuan, L. C. L.  $\pi^-$ -meson production in 2.9 BeV p-p collisions, 2=5710
- Mello, P. A. and Flores, J. Tensor forces and the energy levels of <sup>210</sup>Bi, 3=24874
- Mellor, J. See Janik, J. A., 4=30413
- Mellor, P. B. See Johnson, W., 2=15517
- Melmed, A. J. Electrical measurement of whisker field-emission characteristics, 2=8799
- Melmed, A. J. Field-electron and field-ion emission from single vapor-grown whiskers, 3=9829
- Melmed, A. J. Epitaxial growth of Cu on W field emitters, 3=25681
- Melmed, A. J. Field-emission microscopy of twins in vapor-grown f.c.c. whiskers, 4=4527
- Melmed, A. J. and Gomer, R. Field emission from whiskers, 1=8342
- Melngailis, I. Maser action in InAs diodes, 3=20452
- Melngailis, I. and Milnes, A. G. Filamentary impact ionization in compensated germanium at 4.2°K, 2=8334
- Melngailis, J. and O'Hara, S. Diffusion of vacancies during quenching of Ge and Si, 2=21076
- Melngailis, I. and Rediker, R. H. Negative resistance InSb diodes with large magnetic field effects, 2=14570
- Melngailis, I. and Rediker, R. H. Magnetically tunable C.W. InAs diode maser, 3=19494
- Melngailis, J., Maradudin, A. A. and Seeger, A. Diffraction of light by ultrasound in anharmonic crystals, 3=25442
- Melngailis, J. See Maradudin, A. A., 4=9823
- Mel'nik, P. I., Klimenko, V. N. and Lyashchenko, A. B. Determination of the elastic modulus of chromium carbide-nickel alloys, 1=11500
- Mel'nik, I. G. See Gorodetsky, A. F., 0=595
- Mel'nik, P. G. See Lifshits, T. M., 2=14583
- Mel'nik, P. G. See Lifshits, T. M., 3=6634
- Mel'nik, P. V. Nakhodkin, N. G., 3=21864
- Mel'nik, P. V. See Nakhodkin, N. G., 4=8808
- Mel'nik, V. A. See Galkin, A. A., 3=22693
- Mel'nik, V. G. See Gorodetsky, A. F., 0=595
- Mel'nik, V. L. See Galkin, A. A., 3=17696
- Mel'nikov, A. I., Morozov, A. V., Sobolevskaya, R. B. and Shul'man, A. R. Thermionic emission from barium tungstate, 0=10935
- Mel'nikov, G. P. Review of the principles of registration used in multichannel pulse-height and time analysers, 1=4546
- Mel'nikov, G. P. Decreasing the inconstancy of the output pulse delay time in an amplitude analyser, 2=1363
- Mel'nikov, G. P. The measurement of multi-dimensional spectra in nuclear physics, 2=7546



- Mel'nikov, G.P. See Glukhov, Yu.A., 3=14497
- Mel'nikov, L.A., Sokolov, B.K. and Stregulin, A.I. The effect of plastic deformation on the reverse martensitic transformation in nickel iron, 4=17764
- Mel'nikov, L. A., Sokolov, B. K. and Stregulin, A. I. Effect of high volumetric pressure on transformations in a ferronickel alloy, 4=23267
- Mel'nikov, M.A. See Vorob'ev, A.V., 0=19632
- Mel'nikov, M.A. See Vorob'ev, A.A., 1=5427
- Mel'nikov, N.P., Ostroumov, G.A. and Shteinberg, A.A. Some features of electric breakdown in electrolytes, 3=9473
- Mel'nikov, N. P., Ostroumov, G. A. and Stoyak, M. Yu. Development of an electric discharge in an aqueous electrolyte, 4=2967
- Mel'nikov, N. P., Ostroumov, G. A. and Stoyak, M. Yu. The formation of electrical breakdown in aqueous solutions of sodium chloride, 4=21155
- Mel'nikov, V.K. Lines of force of a magnetic field, 3=5823
- Mel'nikov, V.K. See Sayasov, Yu.S., 1=4673
- Melnikov, V.N. See Galanin, A.D., 3=17266
- Mel'nikov, V.N. See Grashin, A.F., 2=18060
- Mel'nikov, V.N. See Grashin, A.F., 3=5920
- Mel'nikova, M.V. See Troitskaya, V.A., 0=6436
- Melnikova, M.V. See Troitskaya, V.A., 1=20800
- Melnikova, M.V. See Troitskaya, V.A., 2=17219
- Mel'nikova, N.N. Consideration of finite chamber dimensions in investigating nuclear processes, 4=782
- Melnikova, N.N. See Belonogov, A.V., 3=17127
- Mel'nikova, N.N. See Belyakov, V.A., 1=19244
- Mel'nikova, N.S. See Kochina, N.N., 1=1474
- Mel'nikova, N.S. See Kochina, N.N., 1=8148
- Mel'nikova, N.S. See Kochina, N.N., 1=11776
- Mel'nikova, N.S. See Kochina, N.N., 1=15934
- Mel'nikova, V. A. See Vlasov, V. V., 4=13154
- Mel'nikova, V.I. and Bogachev, I.N. Volume changes during ordering of the Ni<sub>3</sub>Mn alloy, 1=10171
- Mel'nikova, V. I. and Bogachev, I. N. Kinetics of ordering in Ni<sub>3</sub>Mn alloy, 4=1997
- Mel'nikova, V. I. See Bogachev, I. N., 3=3329
- Mel'nikova, V.I. See Bogachev, I.N., 3=5133
- Mel'nikova, V.V. See Pavlov, V.A., 2=23760
- Mel'nikova, V.V. See Pavlov, V.A., 3=2326
- Mel'nikova, V.V. See Pavlov, V.A., 3=23332
- Mel'nyk, V. L. See Halkyn, O. O., 4=4007
- Meloy, G.E. See Allen, W.A., 0=12394
- Meloy, G.E. See Friedman, R.M., 4=13816
- Meloy, G.E. See Rawcliffe, R.D., 4=13780
- Melton, C.E. Charge transfer reactions producing intrinsic chemical change: methyl, methylene, and hydrogen radicals produced from argon and methane reactions, 0=16976
- Melton, C.E. Studies of transient species formed during catalytic reactions of CO<sub>2</sub> + D<sub>2</sub> and of 1-butene, 1=20733
- Melton, C.E. Ionization and excitation processes in argon, krypton, and the C<sub>2</sub> hydrocarbons produced by various means, 2=19895
- Melton, C. E. and Hamill, W. H. Appearance potentials by the retarding potential-difference method for secondary ions produced by excited-neutral, excited ion-neutral, and ion-neutral reactions, 4=27471
- Melton, C. E. and Hamill, W. H. Appearance potentials of positive and negative ions by mass spectrometry, 4=24546
- Melton, C.E. and Rudolph, P.S. Negative ion mass spectra of hydrocarbons and alcohols, 0=3740
- Melton, C.E. and Rudolph, P.S. Mass spectrometric studies of ionic intermediates in the alpha-particle radiolysis of ethylene, 0=8321
- Melton, C.E. and Rudolph, P.S. Transient species in the radiolytic polymerization of cyanogen, 0=21291
- Melton, C.E. See Martin, T.W., 0=6407
- Melton, C.E. See Martin, T. W., 4=615
- Melton, C.E. See Ropp, G.A., 1=7918
- Melton, C.E. See Rudolph, P.S., 0=4734
- Melton, C.E. See Rudolph, P.S., 2=6983
- Melton, C. E. See Tsuda, S., 4=24600
- Meltz, G. See Shore, R., 2=13689
- Meltzer, A.S. See Greenberg, J.M., 1=2594
- Meltzer, B. Dense electron beams, 0=5326
- Meltzer, B. A general relation among the parameters of multi-electrode valves, 0=10946
- Meltzer, B. Triode Pierce guns, 0=17038
- Meltzer, B. The stability of computation of the Pierce-Cauchy problem, 0=19740
- Meltzer, B. Space-charge-limited currents in cylindrical and spherical insulator diodes, 1=266
- Meltzer, B. Space-charge-limited currents in cylindrical and spherical insulator diodes, 2=6534
- Meltzer, C. See Block, M.M., 0=1372
- Meltzer, C. See Leitner, J., 1=16901
- Meltzer, C. See Pevsner, A., 2=5719
- Meltzer, C. See Pevsner, A., 2=22572
- Meltzer, C. See Shafer, J.B., 3=15028
- Meltzer, C. M. See Bacon, T. C., 4=21854
- Meltzer, C.M. See Block, M.M., 0=17416
- Meltzer, C.M. See Block, M.M., 1=13500
- Meltzer, G. Minute resistivity variations in germanium crystals and their effect on devices, 3=15573
- Melville, A.W. Hydraulic oscillator for the dynamic calibration of pressure recording systems, 0=3587
- Melvin, E.H. See Glass, C.A., 0=157
- Melvin, M.A. Elementary particles and symmetry principles, 0=20089
- Melvin, M.A. Errata and note: elementary particles and symmetry principles, 2=22395
- Melvin, M.A. Pure magnetic and electric geons, 4=14045
- Melvin, M.A. See Ingraham, R. L., 4=3296
- Mel'yanovskii, P.A., Mikhailenko, S.A. and Kotenko, A.A. Bridge for use in dielectric measurements on strongly absorbing media at radio frequencies, 2=19877
- Memming, R. Formation of fast surface states by cupric ions at the germanium-electrolyte interface, 4=6973
- Memming, R. Surface recombination at higher injection levels, 4=26022
- Memming, R. Surface recombination at higher injection levels, 4=30616
- Memming, R. See Grimmeiss, H.G., 2=14582
- Memming, R. See Groth, R., 2=2159
- Memory, J.D. Ring currents in pentacyclic hydrocarbons, 3=10536
- Memory, J.D. and Cobb, T.B. High-resolution n.m.r. spectrum of 1, 2-benzanthracene, 3=17614
- Memory, J.D. and Cobb, T. B. High-resolution n.m.r. spectrum of Chrysene, 4=6644
- Memory, J. D. See Sayetta, T. C., 4=22419
- Men', A.N. The frequency spectrum of a chain of atoms, taking account of interactions of any desired order, 0=7844
- Men', A.N. The problems of the determination of the number of independent parameters of long-range order for many-component alloys, 0=12074
- Men', A.N. Determination of the number of independent parameters of the short-range order in multi-component solid solutions, 0=14073
- Men', A.N. The relationship between the equilibrium value of the lattice constant of a mixed spinel and composition, 1=4051
- Men', A.N. Configurational free energy of a multicomponent solid solution with allowance for interstitial atoms, 1=6547
- Men', A.N. Calculation of correlation parameters for the second configuration sphere in an N-component solid solution, 1=6548
- Men', A.N. Determination of the degree of short-range order in multi-component disordered solid solutions, 1=9148
- Men', A.N. Determination of the number of independent parameters of short- and long-range order in multi-component solid solutions, 1=15154
- Men', A.N. The determination of the configurational specific heat of many-component spinels, 1=19714
- Men', A.N. The influence of the distribution of cations in many-component stoichiometric spinel on the equilibrium pressure of oxygen, 1=20450
- Men', A.N. The distribution of cations in a multicomponent stoichiometric spinel, 1=20563
- Men', A.N. The determination of the configurational specific heat of many-component spinels, 2=3838
- Men', A.N. Determination of the short-range parameters for the first coordination sphere of a disordered solid solution, 2=8861
- Men', A.N. Distribution of cations in a multicomponent spinel, 2=12918
- Men', A.N. Distribution of cations in a multicomponent spinel, 2=15037
- Men', A.N. Determination of the concentration and temperature dependence of the correlation parameters of three-component spinels, 2=19028
- Men', A.N. Determination of the [correlation] parameters of short-range order for the first co-ordination sphere of an unordered [multicomponent] solid solution, 2=23892



- Men', A.N. Thermodynamic theory of damping capacity due to the relaxation of the singular supplementary parameter, 3=8755
- Men', A.N. Determination of the parameters characterizing the cation distribution in multiple component spinels, 3=8863
- Men', A.N. Allowance for short-range order in structures of the spinel type, 3=18224
- Men', A.N. and Cherepanov, V.I. Allowance for island symmetry in calculation of the energy spectrum of an impurity ion in a crystal, 3=20130
- Men', A.N. and Naish, V.E. Term splitting in many-component disordered crystals, 3=22624
- Men', A.N. and Naish, V.E. Determination of the cation distribution in interstices from the term splitting in complex oxides, 4=9952
- Men', A.N. and Orlov, A.N. The vibrational frequency spectrum for the simplest model of an ordering alloy. II, 0=1936
- Men', A.N., Polyakov, V.P., Smolenskii, G.A. and Chufarov, G.I. Effect of short-range order on magnetic properties of ferromagnetics with garnet-type structure, 3=20616
- Men', A.N. and Sokolov, A.V. Application of the theory of representations to orderable binary systems, 3=17688
- Men', A.N. See Izyumov, Yu.A., 3=20830
- Men', A.N. See Kurushin, Yu.N., 4=1981
- Men', A.N. See Kurushin, Yu.N., 4=15727
- Men', A.N. See Orlov, A.N., 0=2772
- Men', A.V. On the correlation of amplitude and phase fluctuations of radio waves propagated in the troposphere, 3=19458
- Men', A.V. On the influence of the effect of transfer of inhomogeneities in space on radio wave fluctuation in a turbulent medium, 3=19459
- Men', A.V., Braude, S.Ya. and Gorbach, V.I. Fluctuations of phase-fronts in the propagation of ten-centimetre radio-waves over the sea-surface, 0=300
- Men', A.V. See Bass, F.G., 2=6921
- Men', A.V. See Bass, F.G., 4=11276
- Men', A.V. See Lanovoi, V.N., 3=24162
- Men', A.V. See Sodin, L.G., 2=24169
- Men', A.V. See Sodin, L.G., 3=3619
- Mên Hsien-chên. See Mên' Syan'-chzhen', 2=18901
- Mên Hsien-chên. See Mên' Syan'-chzhen', 2=18936
- Mên' Syan'-chzhen' [Mên Hsien-chên]. Spectrum of elementary excitations and tensor magnetic susceptibility of a ferromagnetic ellipsoid, 2=18901
- Mên' Syan'-Chzhen' [Mêng Hsein-Cheng]. Temperature dependence of the width of ferromagnetic resonance peaks, 3=6737
- Mên' Syan'-chzhen' [Mêng Hsien-chên]. Effect of magnetic anisotropy on the spin-wave spectrum, 3=20579
- Mên' Syan'-chzhen' [Mêng Hsien-chên] and Davydov, L.A. The problem of broadening of the resonance curve near the Curie point, 4=10308
- Mên' Syan'-chzhen' [Mên Hsien-chên], Starobinets, S.S. and Gurevich, A.G. The effect of impurities on the anisotropy of width of the resonance curve in ferrites, 2=18936
- Mên' Syan'-chzhen'. See Mêng Hsien-chên.
- Mên' Syan'-chzhen'. See Pu Fu-cho, 3=15761
- Mena, V. Rendondo. See Rendondo Mena, V.
- Menache, H. See Bernard, M., 3=6580
- Menard, J.P. See Rheinboldt, W.C., 0=14858
- Menard, R.C. Optical measurement of oxide thickness on titanium, 2=7370
- Menard, W.A. See Edwards, D.K., 4=18399
- Menard, W.A. See Edwards, D.K., 4=27221
- Menardi, S. See Ferrero, F., 0=7599
- Menashin, M.E. See Bondarenko, A.V., 2=10181
- Menat, M. A quantitative study of scattering phenomena in an electromagnetic separator, 4=10669
- Mencarelli, E. Microfractographic character of corrosion cracks under tension in an alloy of aluminium - 7% magnesium, 2=8748
- Mencarelli, E. Microfractographic features of creep fracture in specimens of aluminium, 3=8782
- Mencuccini, C., Querzoli, R. and Salvini, G. Polarization of the recoil proton from the neutral photoproduction at 800 and 910 MeV, 2=11976
- Mencuccini, C., Querzoli, R. and Salvini, G. The polarization of the protons from the reaction  $\gamma + p \rightarrow \pi^0 + p$  at 910 MeV, 2=22520
- Mencuccini, C. See Bacci, C., 3=22187
- Mencuccini, C. See Deutsch, M., 2=22557
- Mendel, E. and Weinig, S. Generation of dislocations by an electric field in MgO, 0=9897
- Mendel, H. Experimental determination of order phenomena in liquids and amorphous solids, 2=9257
- Mendel, H. See Otvos, J.W., 2=15564
- Mendel, H. See van Panthaleon van Eck, C.L., 0=8666
- Mendell, R.B. and Korff, S.A. Fast-neutron flux in the atmosphere, 4=3518
- Mendell, R.B. and Korff, S.A. Fast-neutron detector with discrimination against background radiation, 4=9226
- Mendelsohn, A.R. The effect of heat loss on the flash method of determining thermal diffusivity, 3=21581
- Mendelsohn, L.I. Rictometer system for calibrating transmitters of remote indicating compasses, 0=11009
- Mendelsohn, L.I. Diamagnetic gaussmeter, 4=8885
- Mendelsohn, L.I. and Norman, R.S. Novel light-weight moldable permanent-magnet material, 0=3037
- Mendelsohn, L.I., Orth, E.D. and Robbins, P.A. Experimental determination of permeability-stress relationships, 4=13185
- Mendelsohn, L.I. See Luborsky, F.E., 0=2415
- Mendelson, E.S. Improved method for studying tympanic reflexes in man, 1=4150
- Mendelson, K.S. and James, H.M. Wave functions and energies of shallow acceptor states in germanium, 4=25901
- Mendelson, K.S. See Southgate, P.D., 4=20274
- Mendelson, M.R. and Summerfield, G.C. One-speed neutron transport in two adjacent half-spaces, 4=19527
- Mendelson, R.A., Jr., Norbeck, E. and Carlson, R.R.  $\text{Be}^9$  states from the reaction  $\text{Li}^6(\alpha, \text{Be}^9)$ , 4=28069
- Mendelson, S. Dislocation etch pit formation in sodium chloride, 1=12816
- Mendelson, S. Birefringence due to dislocations in glide bands of rocksalt single crystals, 1=14261
- Mendelson, S. Dislocations and plastic flow in NaCl single crystals, 2=16954
- Mendelson, S. Role of surfaces in plastic flow of NaCl single crystals. II, 2=16955
- Mendelson, S. Glide band formation and broadening in ionic single crystals, 4=4446
- Mendelson, S. Stacking fault nucleation in epitaxial silicon on variously oriented silicon substrates, 4=20288
- Mendelson, S. and Kear, B.H. Color contrast from birefringent arrays of edge dislocations using a full-wave plate, 3=7351
- Mendel'son, V. See Ginzburg, A., 4=30029
- Mendelssohn, K. Thermal conductivity of superconductors, 0=10843
- Mendelssohn, K. Cryophysics, 0=14912
- Mendelssohn, K. Experimental work on superconductivity, 2=7515
- Mendelssohn, K. The study of crystal imperfections in thermal conductivity measurements, 4=1450
- Mendelssohn, K. Patterns of superconductivity, 4=2913
- Mendelssohn, K. On different types of superconductivity, 4=18528
- Mendelssohn, K. The appearance of friction in superfluid helium, 4=21376
- Mendelssohn, K. and Shiffman, C.A. The thermal resistance of tin-indium alloys in the intermediate state, 0=7033
- Mendelssohn, K. See Bhagat, S.M., 0=8922
- Mendelssohn, K. See Bhagat, S.M., 2=5226
- Mendelssohn, K. See Bhagat, S.M., 4=24475
- Mendelssohn, K. See Brewer, D.F., 1=13035
- Mendelssohn, K. See Calverley, A., 2=6292
- Mendelssohn, K. See Carruthers, J.A., 2=10464
- Mendelssohn, K. See Connolly, A., 2=8183
- Mendelssohn, K. See Davey, G., 4=6757
- Mendelssohn, K. See King, E., 4=12834
- Mendelssohn, K. See Lee, J.A., 0=1084
- Mendelssohn, K. See Lee, J.A., 2=12456
- Mendelssohn, K. See Lee, J.A., 2=23238
- Mendelssohn, K. See Lee, J.A., 3=22856
- Mendelssohn, K. See Lowell, J., 4=16375
- Mendelssohn, K. [Ed.]. Progress in cryogenics. Vol. I, 0=19572
- Mendelssohn, K., [Ed.]. Progress in cryogenics. Volume 3, 2=1321
- Mendelssohn, K. [Ed.]. Progress in cryogenics. Vol. 2, 1=4509
- Mendelssohn, K. [Ed.]. Progress in cryogenics. Volume 3, 1=13029
- Mendenhall, A.L., Jr. See Mendenhall, R.M., 4=5149
- Mendenhall, R.M. and Mendenhall, A.L., Jr. Surface balance for production of rapid changes of surface area with continuous measurement of surface tension, 4=5149
- Mendez, R. (Collab.), see Arzeliès, H., 0=10573



- Mendez-Peñalosa, R. and Otero, J. L. Rapid method of measurements of elastic properties of graphite by means of flexural sonic waves, 4=28954
- Méndez-Peñalosa, R. and Taylor, R. E. Thermal expansion of uranium monocarbide, 4=22509
- Mendiola, J. See Canut, M. L., 4=20716
- Mendlowitz, H. Optical constants of aluminum, 0=11754
- Mendlowitz, H. Optical transmissivity and characteristic energy losses, 0=21247
- Mendlowitz, H. Transition array for  $d^3 \rightarrow d^2p$ : vanadium III, 4=6488
- Mendlowitz, H. and Simpson, J. A. On the theory of diffraction grating interferometers, 2=11496
- Mendlowitz, H. See LaVilla, R., 3=914
- Mendlowitz, H. See Lavilla, R. E., 4=22821
- Mendonça, F. de. See de Mendonça, F.
- Mendoza, E. A sketch for a history of early thermodynamics, 1=5382
- Mendoza, E. A sketch for a history of the kinetic theory of gases, 1=6901
- Mendoza, E. See London, H., 0=8888
- Mendoza, E. See London, H., 3=5565
- Menefee, E. and Pao Yoh-Han. Electronic conduction in charge transfer molecular crystals, 4=22729
- Menefee, E. and Pao, Y. H. Electron conduction in charge-transfer molecular crystals, 2=16673
- Menefee, E. and Peticolas, W. L. Molecular weight distribution from the normal coordinate theory of viscoelasticity, 1=14133
- Menefee, E. See Peticolas, W. L., 1=14134
- Meneghetti, D. Discrete ordinate quadratures for thin slab cells, 3=6326
- Meneghetti, D. and Hummel, H. H. Effect of  $(n, 2n)$  and  $(n, \alpha)$  reactions on age calculations for beryllium, 0=13283
- Meneghetti, D., Hummel, H. H. and Loewenstein, W. B. Ten-group calculated equilibrium neutron spectrum and diffusion length in natural uranium, 0=12952
- Meneghetti, D., Hummel, H. H. and Loewenstein, W. B. Equilibrium spectrum and diffusion length in natural uranium, 0=13276
- Meneghetti, D. See Hummel, H. H., 1=15435
- Meneghetti, L. See Becchi, C., 3=4618
- Meneghetti, L. See Becchi, C., 4=15113
- Ménélié, R. See Deveni, A., 2=12491
- Meneley, D. A. See James, C. G., 2=16448
- Menemenlis, C. Growth of positive channels in non-uniform fields during impulse breakdown, 3=4101
- Menemenlis, C. See Petropoulos, G. M., 4=5576
- Menemenlis, P. See Petropoulos, G. M., 4=5576
- Menes, J. See Hutchinson, D. P., 3=15314
- Menes, J. See Hutchinson, D. P., 3=19663
- Menes, J. See Hutchinson, D. P., 3=19664
- Menes, M. Buildup of a discharge in argon, 0=2333
- Menes, M. and Bolef, D. I. Nuclear quadrupole coupling in alkali iodide crystals, 1=19702
- Menes, M. See Bolef, D. I., 0=11963
- Menes, M. See Bolef, D. I., 0=13897
- Menes, M. See Bolef, D. I., 1=20292
- Ménétrier, M. C. See Dupeyrat, M., 4=26757
- Mēng Hsien-chēn. See Gurevich, A. G., 3=25558
- Mēng Hsien-chēn. See Mēn Syan'-chzhen'.
- Meng Ta-chung. See Helmers, K., 4=30145
- Meng Xian-zhen. See Ho Yu-ping, 4=28865
- Mengers, P. E. and O'Brien, K. B. Analysis of error response of amplitude modulated reticles, 4=16214
- Mengert, P. See Lax, M., 1=1035
- Menichella, A. See Saetta Menichella, A.,
- Menichella, E. See Facchini, U., 0=15593
- Menichella, E. S. See Colli, L., 3=2473
- Menichella, E. S. See Erba, E., 2=12128
- Menichella, E. S. See Erba, E., 3=2426
- Menichella, E. S. See Facchini, U., 2=16409
- Menichella Saetta, E. See Marazzan, G. M., 1=13821
- Menkes, J. On the stability of a plane deflagration wave, 0=8850
- Menkes, J. Existence of solutions of one-dimensional flow of a real gas, 1=4166
- Menkes, J. Stability of a heterogeneous shear layer in a magnetic field, 3=2104
- Menkes, J. Blast waves in a heterogeneous atmosphere, 4=8315
- Menkes, S. B. Reactor-calculation short cuts. Maximum-to-average flux ratio for a cylinder, 2=3646
- Menkes, S. B. See Goldman, A. J., 2=3646
- Men'khard, N. and Zimani, I. Linear Polarization of  $\gamma$ -rays produced in the  $(d, p\gamma)$  stripping reaction, 2=479
- Men'khard, N. and Zimani, I. Linear Polarization of  $\gamma$ -rays produced in the  $(d, p\gamma)$  stripping reaction, 2=22848
- Men'kov, A. A. See Spitsyn, V. I., 1=20427
- Menna, A. A. See Weinstein, M., 4=26071
- Menne, T. J. Distorted wave effects in proton inelastic scattering, 2=20606
- Mennella, R. A. See Hollinger, J. P., 4=29487
- Mennig, J. See Cap, F., 4=22262
- Menniger, H. See Eckart, F., 2=8790
- Menniger, H. See Jungk, G., 4=22700
- Menniger, H. See Jungk, G., 4=26151
- Menninger, J. R., Snell, F. M. and Spangler, R. A. Voltage clamp for biological investigations, 0=10454
- Mennrath, P. Electromagnetic transitions in the  $O^{13}$  nucleus, 4=6220
- Mennrath, P. See Gorodetzky, S., 0=13150
- Mennrath, P. See Gorodetzky, S., 2=376
- Mennrath, P. See Gorodetzky, S., 2=13980
- Mennrath, P. See Gorodetzky, S., 2=13996
- Mennrath, P. See Gorodetzky, S., 2=16327
- Mennrath, P. See Gorodetzky, S., 2=20522
- Mennrath, P. See Gorodetzky, S., 3=19810
- Mennrath, P. See Gorodetzky, S., 4=17029
- Mennrath, P. See Gorodetzky, S., 4=17030
- Mennrath, P. See Gorodetzky, S., 4=17031
- Menold, R. The exo-electron emission (Kramer effect) of  $ZnO$ , 0=2375
- Menon, A. K. See Joshi, R. V., 4=17606
- Menon, A. K. See Joshi, R. V., 4=25986
- Menon, K. K. See Fry, L. M., 3=3477
- Menon, K. K. See Menon, M. P., 4=2214
- Menon, M. G. K. Deep underground studies of muon intensities and investigations on the interactions of muons, 3=4532
- Menon, M. G. K., Ramana Murthy, P. V., Sreekantan, B. V. and Miyake, S. On the possibility of experiments with natural neutrinos deep underground, 3=19608
- Menon, M. G. K., Ramana Murthy, P. V., Sreekantan, B. V. and Miyake, S. Cosmic-ray intensity at great depths and neutrino experiments, 4=6164
- Menon, M. G. K. See Balasubrahmanyam, V. K., 2=20448
- Menon, M. G. K. See Durga Prasad, N., 0=13004
- Menon, M. P., Menon, K. K. and Kuroda, P. K. On the stratospheric fallout of bomb-produced cerium isotopes, 4=2214
- Menon, M. P. See Kuroda, P. K., 2=5987
- Menon, N. S. K. See Mehendru, P. C., 4=26110
- Menon, P. G. See De Boer, J. H., 2=17076
- Menon, T. K. See Kahn, F. D., 2=4832
- Menoret, M. See Bernard, M., 3=6580
- Menotti, P. Wigner's inequalities for relativistic scattering, 0=5501
- Menotti, P. Subtraction constants in  $\pi-\pi \rightarrow N-N$  dispersion relations, 2=11980
- Menotti, P. and Tomozawa, Y. Wigner condition and low energy scattering, 1=5699
- Menotti, P. See Hamilton, J., 1=12101
- Menotti, P. See Hamilton, J., 2=22596
- Menotti, P. See Hamilton, J., 3=2310
- Menoud, C. and Racine, J. Atomic hydrogen maser, description and preliminary results, 3=9992
- Menoud, C. See De Prins, J., 2=3161
- Menoud, C. See de Prins, J., 2=5466
- Menoud, C. See de Prins, J., 4=770
- Mennrath, P. See Gorodetzky, S., 1=7360
- Menrath, P. See Gorodetzky, S., 1=17062
- Mensch, B. See Dognon, A., 4=24179
- Men'shikov, A. Z. Problem of measuring the relative intensity of the  $K\beta$  line of the X-ray spectrum, 3=23085
- Men'shikov, A. Z. Nature of the short-wavelength X-ray satellites, 3=25471
- Men'shikov, A. Z. Problem of interpreting the X-ray emission and absorption spectra of transition metals, 4=22852
- Men'shikov, A. Z. and Nemnonov, S. A. X-ray absorption spectra of compounds with the nickel arsenide structure, 1=14617
- Men'shikov, A. Z. and Nemnonov, S. A. Effect of the chemical bond on the X-ray emission line  $K\beta_1\beta_2$  in chromium compounds, 3=23086
- Men'shikov, A. Z., Nemnonov, S. A. and Mishchenko, L. B. Effect of chemical binding on the energy levels  $L_{II}$  and  $L_{III}$  of chromium atoms, 4=1427
- Men'shikov, A. Z. See Nemnonov, S. A., 4=6679
- Men'shikov, A. Z. See Nemnonov, S. A., 4=7144
- Men'shikov, M. I. Development of vacuum technique (review), 2=1212



- Menshikov, M.I. See Vekshinsky, S.A., 1=9426
- Mentel, T. J. and Chi, S. H. Experimental study of dilatational versus distortional-straining-action in material damping production, 4=11269
- Menter, J.W., Pashley, D.W. and Presland, A.E.B. The study of radiation damage by ion bombardment of thin films, 2=23150
- Menter, J.W. See Bassett, G.A., 1=2554
- Méntesku, K. See Kostya, T., 3=17700
- Mentesku, L. See Udrya, I., 2=6044
- Mentesku, L. See Udrya, I., 3=25008
- Menttr, A. See Busch, G., 3=11027
- Menth, A. See Busch, G., 4=28766
- Mentillo, L.R. See Carpenter, R.D., 2=3614
- Menting, L.C. Recovery of the resistivity of Pt after deformation at low temperature, 4=15524
- Mentkovskii, Yu.L. Perturbation theory for large quantum systems, 1=459
- Mentkovskii, Yu.L. Van Hove's theory of clothed particles, 2=22398
- Mentkovský, Yu.L. Analytical properties of partial wave scattering amplitudes of charge particles. II. Arbitrary  $l$ , 3=19587
- Mentkovskiy, Yu.L. Analytical properties of partial wave-scattering amplitudes of charged particles, 2=22452
- Mentkovskiy, Yu.L. Perturbation theory for large quantized systems. Review, 3=21256
- Mentkovskiy, Yu. L. Analytical properties of partial wave amplitudes of scattering of charged particles. III. Arbitrary  $l$ ; point particles, 4=5967
- Mentkovskiy, Yu. L. Analytical properties of partial wave. Amplitudes of scattering of charged particles. IV. Fredholm's method, 4=5968
- Mentsel', D. See Chordash, L., 0=16331
- Mentzoni, M.H. Effective electron recombination in heated nitrogen, 3=21717
- Mentzoni, M. H. Ambipolar diffusion in an isothermal oxygen plasma at elevated temperatures, 4=14642
- Mentzoni, M.H. and Row, R.V. Rotational excitation and electron relaxation in nitrogen, 3=17578
- Mentzoni, M. H., Row, R. V. and Montgomery, C. E. Anomalous quasi  $\text{Te}_{11}$  mode absorption in the afterglow of a positive column occupying a long guide cylindrical wave, 4=14904
- Menyhárd, N. and Zimányi, J. On the mechanism of the  $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11*}$  stripping reaction, 2=5959
- Menyhárd, N. See Marx, G., 0=5631
- Menyuk, N. and Dwight, K. Magnetic properties of nickel-iron ferrites, 0=3082
- Menyuk, N. and Dwight, K. Classical ground state spin configurations in the corundum lattice, 4=30701
- Menyuk, N., Dwight, K., Lyons, D. and Kaplan, T.A. Classical theory of the ground spin-state in normal tetragonal spinels. I. Néel, Yafet-Kittel, and collinear antiferromagnetic modes, 2=21341
- Menyuk, N., Dwight, K. and Wickham, D.G. Magnetization reversal and asymmetry in cobalt vanadate (IV), 0=6246
- Menyuk, N., Dwight, K. and Wold, A. Low temperature magnetic configuration. Ferrimagnetic spiral configurations in Cobalt chromite, 4=28835
- Menyuk, N., Wold, A., Rogers, D. and Dwight, K. Magnetic transitions in cubic spinels, 2=12671
- Menyuk, N. See Dwight, K., 0=2300
- Menyuk, N. See Dwight, K., 0=16146
- Menyuk, N. See Dwight, K., 2=12732
- Menyuk, N. See Goodenough, J.B., 1=14670
- Menyuk, N. See Kaplan, T.A., 1=6349
- Menyuk, N. See Lyons, D.H., 3=11100
- Menyuk, N. See Wickham, D.G., 2=4234
- Menyuk, N. See Wold, A., 2=12697
- Menz, W. See Budde, J., 2=7182
- Menzel, D. and Gomer, R. Desorption from surfaces by slow electron impact, 4=23609
- Menzel, D.H. A relationship between flares and loop prominences, 2=974
- Menzel, D.H. The atmosphere of Mars, 3=18603
- Menzel, D.H. A new program of planetary photography, 3=16340
- Menzel, D. H. Generalized radial integrals with hydrogenic functions, 4=22276
- Menzel, D.H. and Doherty, L.R. Theoretical intensity profiles of the solar spectrum near Lyman- $\alpha$ , 2=15345
- Menzel, D.H. and Jones, F.S. Solar prominence activity, 1944-1954, 3=3583
- Menzel, D.H. See de Vaucouleurs, G., 1=15
- Menzel, D.H. See Ingrao, H.C., 3=16349
- Menzel, E. Problems of optical transfer, 2=21996
- Menzel, E. Studies in the preparation and behaviour of nearly perfect metal surfaces, 3=23500
- Menzel, E. Low-index flats on spherical crystals with untouched surfaces, 4=15755
- Menzel, E. and Gebhart, J. Optical constants of massive nickel and iron, 2=16802
- Menzel, E. and Hohlfield, K. Optical microscopy with mechanical premagnification, 1=18591
- Menzel, E. and Niederauer, K. Nuclei in discontinuous oxidation of copper, 2=16986
- Menzel, E. and Otter, M. Optical constants of undisturbed metal crystals, 0=4390
- Menzel, E. See Fischer, B., 4=16209
- Menzel, E. See Haina, D., 4=11334
- Menzel, E. See Krause, G., 4=25942
- Menzel, E. See Menzel-Kopp, C., 3=1293
- Menzel, H. See Ingrao, H. C., 4=27369
- Menzel-Kopp, C. Complete system of reflections for electron diffraction at a spherical copper crystal at 60 keV, 2=14992
- Menzel-Kopp, C. Anomalies in Kikuchi reflection diagrams I. Intensity anomalies, 3=1292
- Menzel-Kopp, C. and Menzel, E. Anomalies in Kikuchi reflection diagrams II. Doubling of Kikuchi lines, 3=1293
- Menzel-Kopp, C. See Krause, G., 4=25942
- Menzies, A.C. Optical spectroscopy, 1=12987
- Menzies, A.C. Atomic absorption spectroscopy and the flame mechanism, 3=699
- Menzies, D. C. Reactivity losses due to neutron absorption in fission products in a high-flux reactor, 4=28083
- Menzies, D.C. See Balfour, D., 0=11438
- Menzies, D.C. See McGill, I.S., 1=7248
- Menzinger, F. and Paoletti, A. Coherent magnetic scattering of thermal neutrons by cobalt at high temperature, 3=18099
- Menzinger, F. See Antonini, B., 4=28794
- Mer, V.K.La. See La Mer, V.K.
- Mérard, R. and Pottier, J. An experiment on the confinement [of plasma] by a dipole magnetic field rotating at high frequency, normal to a static magnetic field, 3=4140
- Merat, P. Elementary particle interactions, 0=326
- Merat, P. Some theoretical problems concerning elementary particles, 1=10876
- Mercado, M. See Edwards, D.F., 2=7460
- Mercea, I. See Bucur, R., 0=15668
- Mercea, J. See Mercea, V., 1=4364
- Mercea, V., Mercea, J. and Ursu, I. A rotating disk viscometer, 1=4364
- Mercea, V. and Ursu, I. Study of the limit of variation of the viscosity of oxygen with magnetic field, 1=1760
- Mercea, V., Ursu, I. and Văsar, G. A contribution to the study of electrolysis by a fluctuating current, 1=6572
- Mercea, V. See Bucur, R., 0=15668
- Mercer, A.McD. See Dennis, S.C.R., 0=6984
- Mercer, E.E. See Argue, G.R., 2=1305
- Mercer, G.N. See Bennett, W.R., Jr., 4=19286
- Mercer, H. See Walker, L.A., 1=13675
- Mercer, R.A. and Miller, R.P. Thermal analysis by high temperature microscopy, 3=18683
- Mercereau, J.E. Ferromagnetic resonance g factor to order  $(\text{kR}_0)^2$ , 0=3112
- Mercereau, J.E. and Crane, L.T. Temperature dependence of critical current density in superconducting tin thin films, 3=3965
- Mercereau, J. E. and Crane, L. T. Quantized flux penetration through thin superconductors, 4=394
- Mercereau, J. E. and Crane, L. T. Persistent currents and angular momentum in superconducting cylinders, 4=5509
- Mercereau, J. E. and Crane, L. T. Conservation of the fluxoid, 4=21404
- Mercereau, J.E. and Hunt, T.K. Trapped flux and critical currents in superconducting thin-film rings, 2=13513
- Mercereau, J.E. and Hunt, T.K. Critical persistent current in superconductors, 4=16370
- Mercereau, J. E. See Hunt, T. K., 4=27408
- Mercereau, J.E. See Jaklevic, R.C., 4=16333
- Mercereau, J. E. See Jaklevic, R. C., 4=18531
- Mercereau, J. E. See Lambe, J., 4=24498
- Mercereau, J. E. See Vant-Hull, L. L., 4=2921
- Merceron, T. See Braginski, A., 1=17974
- Merceron, T. See Braginski, A., 1=20137
- Merceron, T. See Braginski, A., 2=4243
- Merceron, T. See Braginski, A., 3=1036



- Merceron, T. See Braginski, A., 3=3128  
 Merceron, T. See Braginski, A., 3=8689  
 Merceron, T. See Marais, A., 0=8061  
 Merceron, T. See Marais, A., 1=17973  
 Merceron, T. See Marais, A., 3=20611  
 Merceron, T. See Marais, A., 4=7502  
 Merchez, F. See Bouchez, R., 4=1744  
 Mercier, A. Possible relations between physics and contemporary philosophy, 4=8001  
 Mercier, A. See Gorge, V., 1=604  
 Mercier, B. The influence of an external magnetic field on the nuclear magnetic resonance of powdered iron, 3=1203  
 Mercier, C. Stability criterion of a hydromagnetic toroidal system with scalar pressure, 3=12129  
 Mercier, B. Study by nuclear resonance, of the suppression of Bloch walls in powdered iron and nickel under the action of a magnetic field, 3=15805  
 Mercier, C. A necessary stability criterion for a toroidal hydromagnetic system with scalar pressure, 1=7078  
 Mercier, C. A necessary criterion of hydromagnetic stability for an axially symmetric plasma, 2=179  
 Mercier, C. On a representation of toroidal surfaces: applications to magnetohydrodynamic equilibria, 4=5674  
 Mercier, C. and Cotsaftis, M. Equilibrium and stability for toroidal magnetohydrodynamic systems under scalar pressure in the neighbourhood of a magnetic axis, 1=18992  
 Mercier, C. and Cotsaftis, M. Equilibrium and stability of an axially symmetric plasma with anisotropic pressure, 2=3028  
 Mercier, H. See Dreyfus, B., 3=10550  
 Mercier, J. New considerations on the functioning of an organ pipe, 0=2214  
 Mercier, M. See Bertaut, E. F., 3=20610  
 Mercier, M. See Bertaut, E. F., 4=7294  
 Mercier, M. See Bertaut, E. F., 4=13267  
 Mercier, M. See Bertaut, E. F., 4=28820  
 Mercier, M. See Cotsaftis, M., 3=12131  
 Mercier, P. Calculation for the reduction factor of the bearing area [of a blade or vane] in a bounded stream, 2=5040  
 Mercier, R. P. The propagation of fading waves, 0=19948  
 Mercier, R. P. Diffraction by finite irregular objects, 1=6963  
 Mercier, R. P. Diffraction by a screen causing large random phase fluctuations, 2=9405  
 Mercier, R. P. Thermal radiation in anisotropic media, 4=18478  
 Mercier, R. P. The radio-frequency emission coefficient of a hot plasma, 4=18866  
 Merck, K. R. Crack formation in uranium, 2=8751  
 Mercoureff, W. Observation of quantum effects associated with cyclotron resonance in the valence band of germanium, 2=4021  
 Mercoureff, W. Study of the valence band of germanium by cyclotron resonance Quantum effects, 2=12517  
 Mercoureff, W. and Picard, J. C. Experiments on cyclotron resonance in germanium and silicon, 0=7875  
 Merdy, H., Robin-Kandare, S. and Robin, J. Absorption and reflectivity of thin films of tellurium in vacuo in the range 2-13 eV, 4=1754  
 Merdy, H., Robin-Kandare, S. and Robin, J. Optical properties of thin films of tellurium unexposed to air, 4=22897  
 Meredith, B. L. See Heeschen, D. S., 1=18207  
 Meredith, E. A. See Thun, R. E., 0=13974  
 Meredith, J. E. See Sawkill, J., 1=4018  
 Meredith, K. E. G. See Butcher, B. R., 2=4470  
 Meredith, R. and Warner, F. L. Superheterodyne radiometers for use at 70 Gc and 140 Gc, 4=19207  
 Meredith, R. E. and Jenney, J. A. Absorption and emission spectrum of  $\text{CaF}_2: \text{U}^{3+}$  from 2.1 to 2.5 microns, 4=7113  
 Meredith, R. E. and Tobias, C. W. Resistance to potential flow through a cubical array of spheres, 0=12403  
 Meredith, R. E. See Fox, K., 2=16544  
 Merekov, Iu. P. See Bogachev, N. P., 0=11400  
 Merekov, Yu. P. See Bogachev, N. P., 0=9354  
 Merekov, Yu. P. See Bogachev, N. P., 0=9619  
 Merekov, Yu. P. See Bogachev, N. P., 0=13233  
 Merekov, Yu. P. See Bogashev, N. P., 3=15200  
 Merekov, Yu. P. See Bogachev, N. P., 3=17271  
 Merekov, Yu. P. See Bogachev, N. P., 3=22389  
 Merekov, Yu. P. See Bogachev, N. P., 4=1083  
 Merer, A. J. Rotational analysis of bands of the 3800 Å system of  $\text{SO}_2$ , 4=6602  
 Merer, A. J. The vacuum ultraviolet absorption spectrum of diazomethane, 4=22401  
 Mereu, R. F. The attenuation of high-amplitude waves in rocks, 4=15717  
 Mergelyan, O. S. See Bolotovskii, B. M., 3=19607  
 Mergelyan, O. S. See Gazazyan, E. D., 4=30718  
 Mergerian, D. and Marshall, S. A. Irradiation-produced paramagnetic oxides of nitrogen in single-crystal potassium azide, 2=21089  
 Mergerian, D. and Marshall, S. A. Irradiation produced paramagnetic oxides of nitrogen in single crystal potassium azide, 4=26419  
 Mergerian, D. See Markham, J. J., 2=692  
 Meric, J. and Truchasson, C. Geometrical notes on the distribution of velocities in a uniform plane undefined flow with velocity potentials after the introduction of a cylinder of different permeability, 3=7177  
 Meric, J. See Gautier, P., 2=11597  
 Mériel, P. The application of neutron diffraction to the study of magnetic substances, 0=11848  
 Mériel, P. See Boutron, F., 1=20481  
 Mériel, P. See Herpin, A., 0=1818  
 Mériel, P. See Herpin, A., 0=8063  
 Mériel, P. See Herpin, A., 1=2482  
 Mériel, P. See Herpin, A., 1=12546  
 Mériel, P. See Herpin, A., 1=14763  
 Mériel, P. See Herpin, P., 4=29132  
 Mériel, P. See Laniessse, J., 0=6394  
 Mériel, P. See Laniessse, J., 0=18416  
 Mériel, P. See Roche, F., 0=4623  
 Mérigoux, R. See Brin, A., 1=1856  
 Mering, J. See Bouraoui, A., 4=29103  
 Merinis, J. See Briancón, C., 4=30331  
 Merinis, J. See Foucher, R., 2=22766  
 Merinis, J. See Foucher, R., 3=2395  
 Merinis, J. See Foucher, R., 3=22312  
 Merino, F. See Casas, J., 2=7320  
 Merisov, B. A. See Khotkevich, V. I., 1=1020  
 Merisov, B. A. See Pervakov, V. A., 2=23235  
 Meriwether, J. M. See Darriulat, P., 4=18237  
 Meriwether, J. R. See Choppin, G. R., 3=24992  
 Meriwether, J. R. See Feld, E. J., 3=17095  
 Meriwether, J. R. See Harvey, B. G., 4=17201  
 Merkel, G. See Blann, M., 3=19876  
 Merkel, G. See Blann, M., 4=17196  
 Merkl, A. W. See Thomas, D. D., 4=20584  
 Merkl, W. A. See Boatwright, A., 3=4956  
 Merkle, K. Ferromagnetic anisotropy and its quantum mechanical treatment by means of a one-electron model, 0=4478  
 Merkle, K. L. Fission-fragment tracks in metal and oxide films, 2=23227  
 Merkle, K. L., Singer, L. R. and Hart, R. K. Fission-fragment damage in gold films, 3=22864  
 Merkul'ev, Yu. A. See Antonov, A. V., 2=18126  
 Merkul'ev, Yu. A. See Antonov, A. V., 3=4401  
 Merkulov, L. G. Absorption of ultrasonic waves in alkali-halide crystals, 1=901  
 Merkulov, L. G. Ultrasonic method of observing the behaviour of dislocations in NaCl crystals, 3=15491  
 Merkulov, L. G. Ultrasonic waves in crystals, 4=6738  
 Merkulov, L. G. and Kharitonov, A. V. The theory and computation of composite concentrators, 0=998  
 Merkulov, L. G. and Sokolova, E. S. Ultrasonic absorption near the Curie point in Rochelle salt, 2=16600  
 Merkulov, L. G. and Yablounik, L. M. Operation of a damped piezoelectric transducer containing a number of intermediate layers, 4=24315  
 Merkulov, L. G. and Yakovlev, L. A. Absorption of ultrasonic waves in crystal quartz at frequencies up to 1000 Mc/s, 0=10733  
 Merkulov, L. G. and Yakovlev, L. A. Ultrasonic investigations in deformed NaCl crystals, 1=17406  
 Merkulov, L. G. and Yakovlev, L. A. Propagation and reflection of ultrasonic beams in crystals, 2=23061  
 Merkulov, L. G. and Yakovlev, L. A. A crystal ultrasonic delay line utilizing the phenomenon of ray deviation from the wave normal, 3=14264  
 Merkulov, L. G. See Dianov, D. B., 2=23974  
 Merkulov, L. G. See Guseva, E. K., 4=28454  
 Merkulov, L. G. See Verevkin, V. M., 0=8760  
 Merkulov, V. V. Field structure in cylindrical waveguides with a complex cross-section, 0=19271  
 Merl, W. Influence of alloy structure on the transfer of matter, 1=16294



- Merl, W. and Coutts, M.C. Decoration of imperfections on cleaved germanium, 3=20172
- Merle, M. Formation and development of shock waves in rarefied air, 3=14251
- Merle, M. The influence of a baffle on the sound emission from a sonic jet of air, 3=16704
- Merle, M. See Canac, F., 0=6866
- Merle, M. See Canac, F., 1=8150
- Merle, M. See Canac, F., 3=1769
- Merle D'Aubigne, Y. See Descamps, D., 4=13316
- Merle-D'Aubigné, Y. See Karlov, N.V., 4=10000
- Merlin, M. See Baldassarre, F., 1=16862
- Merlin, M. See Baldassarre, F., 2=22562
- Merlin, M. See Caforio, A., 1=5780
- Merlin, M. See K<sup>-</sup>-collaboration, 0=1308
- Merlin, M. See K<sup>-</sup>-Collaboration, 0=15430
- Merlivat, L. See Facy, L., 3=25885
- Merliyat, L., Nief, G. and Roth, E. A study of hail formation by means of an isotope method, 4=29277
- Merlo, J.P. See Brisson, J.C., 2=22567
- Merlo, J.P. See Deteuf, J.F., 4=12048
- Merlo, J.P. See Deteuf, J.F., 4=15089
- Merman, N.V. See Belorossova, T.S., 2=19682
- Mermaz, M. See Cassagnou, Y., 2=22845
- Mermaz, M. See Cassagnou, Y., 4=3694
- Mermaz, M. See Cassagnou, Y., 4=6374
- Mermaz, M. See Cassagnou, Y., 4=15233
- Mermaz, M. See Cassagnou, Y., 4=17188
- Mermaz, M. See Cassagnou, Y., 4=22098
- Mermel'shtein, Yu.M. See Kontorovich, I.E., 1=3683
- Mermin, N.D. Two models of brownian motion, 1=10428
- Mermin, N.D. RPA instability and the gas-liquid transition. I, 2=15802
- Mermin, N.D. RPA instability and the gas-liquid transition. II. Effect of short range repulsion, 2=15803
- Mermin, N.D. Stability of the thermal Hartree-Fock approximation, 3=7144
- Mermin, N.D. Time-dependent correlations in a solvable ferromagnetic model, 4=13135
- Mermin, N.D. and Canel, E. Long wavelength oscillations of a quantum plasma in a uniform magnetic field, 4=11655
- Mermin, N.D. See Baym, G., 1=4779
- Mermod, R. See Button, J., 0=11237
- Mermod, R. See Vivargent, M., 3=14825
- Mermod, R. See von Dardel, G., 1=2053
- Mermod, R. See von Dardel, G., 2=13853
- Mermod, R. See Von Dardel, G., 2=22592
- Mermod, R. See Von Dardel, G., 3=12481
- Mermond, R. See Dekkers, D., 4=30258
- Mermoz, H. Calibration of underwater transducers by the free-field reciprocity method, 0=14734
- Merra, S. See Glaser, P.E., 2=2907
- Merrer, A.J. See Barrow, R.F., 2=10244
- Merriam, J.D. See Eisenman, W.L., 3=14414
- Merriam, M.F. Brillouin zone effects, superconductivity and fermi surface of indium alloys, 4=6798
- Merriam, M.F. Brillouin zone effects in superconductivity, 4=18577
- Merriam, M.F. Superconducting Hume-Rothery phase, 4=18601
- Merriam, M.F., Jensen, M.A. and Coles, B.R. Superconductivity in the mercury-indium alloy system, 3=14453
- Merriam, M.F., Liu, S.H. and Seraphim, D.P. Effect of dissolved manganese on superconductivity of pure and impure indium, 4=29834
- Merriam, M.F. and Schreiber, D.S. Search for superconductivity in the hydrides of lanthanum, 4=5517
- Merriam, M.F., Smoluchowski, R. and Wiegand, D.A. High-temperature thermal expansion of rocksalt, 2=3850
- Merriam, M.F. and Von Herzen, M. Superconductivity in the indium-tin system, 3=19111
- Merriam, M.F., Wiegand, D.A. and Smoluchowski, R. Enhanced thermal expansion in X-rayed rocksalt, 2=3849
- Merriam, M.F., Wiegand, D.A. and Smoluchowski, R. Volume expansion and coloration in X-irradiated sodium chloride, 4=17464
- Merriam, M.F. See Luo, H.L., 4=29833
- Merrick, H.F. and Nicholson, R.B. Some features of precipitation in a nickel-chromium-titanium alloy, 4=7504
- Merrifield, R.E. Ionized states in a one-dimensional molecular crystal, 1=8898
- Merrifield, R.E. Vibrational structure of molecular exciton states, 2=16635
- Merrifield, R.E. Exciton impurity levels in molecular crystals, 3=10649
- Merrifield, R.E. Tight-binding wave functions for electrons in molecular crystals in the presence of an electric field, 4=9876
- Merrifield, R.E. Theory of the vibrational structure of molecular exciton states, 4=9915
- Merrifield, R.E. Vibronic states of dimers, 4=9692
- Merrifield, R.E. See Kenler, R.G., 1=2402
- Merrifield, R.E. See Kepler, R.G., 4=15572
- Merrifield, R.E. See Kepler, R.G., 4=25995
- Merrihue, C.M. Search for  $\alpha\beta^-$  branch in  $\text{I}^{124}$ , 1=17022
- Merrihue, C.M. Excess xenon 129 in chondrules from the Bruderheim meteorite, 3=11524
- Merrihue, C.M., Pepin, R.O. and Reynolds, J.H. Rare gases in the chondrite Pantar, 2=17267
- Merrilees, P.E. See Hart, J., 3=18808
- Merrill, D.W. See Kalbfleisch, G.R., 4=27891
- Merrill, E. See Gurley, M.H., III, 4=14358
- Merrill, J.A. See Jacobs, R.T., 1=17216
- Merrill, J.A. See Reich, C.W., 3=19804
- Merrill, J.H. See Gabrysh, A.F., 4=6298
- Merrill, J.J. and DuMond, J.W.M. Nuclear effects observed in X-ray spectra, 1=8819
- Merrill, J.J. and DuMond, J.W.M. Precision measurement of L X-ray wavelengths and line widths for  $74 \leq Z \leq 95$  and their interpretation in terms of nuclear perturbations, 1=14615
- Merrill, J.R., Taylor, M.T. and Goodman, J.M. Satellites in the magnetoplasma resonance in sodium, 3=25259
- Merrill, J.R. See Taylor, M.T., 3=8409
- Merrill, J.R. See Taylor, M.T., 4=1448
- Merrill, L. See Hall, H.T., 3=6817
- Merrill, P.W. Motions in stellar atmospheres, 0=3423
- Merrill, P.W. Unidentified lines in spectra of sun and stars, 1=15501
- Merrill, R.C. See Hartman, P.L., 1=3814
- Merrill, R.G., Lawrence, R.S. and Roper, N.J. Synoptic variations and vertical profiles of large-scale ionospheric irregularities, 4=7909
- Merrill, R.G. and Mansfield, W.V. Radiation patterns in the lower ionosphere and Fresnel zones for elevated antennas over a spherical earth, 2=16078
- Merrill, R.P. See Feist, W.M., 4=27563
- Merrison, A.W. Counter techniques in high-energy nuclear physics. Rare decays of  $\pi^-$  and  $\mu^-$  mesons, 2=1699
- Merrison, A.W. Recent advances in pion and muon physics, 2=11972
- Merrison, A.W. See Ashkin, J., 0=367
- Merrison, A.W. See Ashkin, J., 0=15389
- Merrison, A.W. See Ashkin, J., 0=13005
- Merrison, A.W. See Cocconi, V.T., 0=17582
- Merrison, A.W. See Cocconi, V.T., 1=19241
- Merrison, J.D. See Dorman, F.H., 4=2945
- Merritt, F.R. See Galt, J.K., 1=9996
- Merritt, F.R. See Galt, J.K., 1=17485
- Merritt, F.R. See Garrett, C.G.B., 4=13348
- Merritt, F.R. See Smith, G.E., 0=16163
- Merritt, J.S. and Taylor, J.G.V. The half-lives of  $\text{K}^{42}$  and  $\text{Br}^{82}$ , 2=22753
- Merritt, J.S. See Campion, P.J., 1=13235
- Merritt, J.S. See Ewan, G.T., 0=5709
- Merritt, J.S. See Geiger, K.W., 1=10982
- Merritt, J.S. See Geiger, J.S., 4=3578
- Merritt, J.S. See Graham, R.L., 1=17053
- Merritt, J.S. See Taylor, J.G.V., 2=18298
- Merritt, L., Jr. See Martina, H., 4=5472
- Merritt, R.P. See Little, C.G., 2=17160
- Merritt, T.P. and Hall, F.F., Jr. Blackbody radiation, 0=8829
- Merryman, P., Moser, C.M. and Nesbet, R.K. Lower excited electronic states of carbon monoxide, 0=5959
- Merson, R.H. The motion of a satellite in an axisymmetric gravitational field, 1=9300
- Merson, Ya.I. See Aver'yanov, I.R., 3=23566
- Merson, Ya.I. See Liventsov, A.V., 3=3437
- Merson, Ya.I. See Markov, M.N., 4=26795
- Merten, L. Phenomenological description of long wavelength optical vibrations in diatomic polar crystals of the trigonal, tetragonal and hexagonal systems (on an electrostatic basis), 0=7989
- Merten, L. Lattice vibrations in crystals with the Wurtzite structure. I. Limiting vibrations ignoring Coulomb forces, 0=17879



- Merten, L. Lattice vibrations in crystals with the Wurtzite structure. II. Effect of Coulomb forces on the limiting vibrations, 0=17880
- Merten, L. The effect of optical vibrations on the infrared dispersion in diatomic polar crystals with trigonal, tetragonal and hexagonal symmetry, 2=686
- Merten, L. Lattice theory of the piezoelectric and elastic properties of crystals with the zincblende structure with allowance for electronic polarization. I. General relations due to crystal symmetry, 2=12575
- Merten, L. Lattice vibrations in crystals with wurtzite structure. III. Discussion of vibrational modes in special directions with vanishing Coulomb forces. Comparison with the zincblende structure, 2=12374
- Merten, L. Model of a screw dislocation in piezoelectric crystals. I. General theory: the electric field in the absence of charge carriers; charge distribution in the absence of an electric field, 4=6845
- Merten, L. Model of a screw dislocation in piezoelectric crystals. II. Electric field and charge distribution for a dislocation in an intrinsic semiconductor in thermal equilibrium, 4=6846
- Merten, L. Piezoelectric potential fields round screw dislocations in piezoelectric crystals, 4=28634
- Merten, U. and Hatcher, A.P. The distribution of zinc between solid InSb and In-Sb melts, 2=17050
- Merten, U. and Hatcher, A.P. The distribution of zinc between solid GaSb and Ga-Sb melts, 4=4072
- Merten, U. See Dixon, J.M., 3=20376
- Mertens, F.P. and Plumb, R.C. Determining optical constants of metals by reflection of elliptically polarized light, 4=28660
- Mertens, F.P., Theroux, P. and Plumb, R.C. Some observations on the use of elliptically polarized light to study metal surfaces, 3=14357
- Mertens, H. An energy theory of directional hearing and its applications in stereophony, 0=12223
- Mertens, P. See Mechel, F., 3=18920
- Mertens, R. On the theory of the diffraction of light by two parallel ultrasonic waves, one being the N-th harmonic of the other, 0=19437
- Mertens, R. The diffraction of light by two superposed parallel supersonic waves being harmonics of the same fundamental, 1=242
- Mertens, R. Diffraction of light by two parallel superposed supersonic waves, one being the n-th harmonic of the other: a critical study of the methods leading to approximate solutions in finite form, 2=15745
- Mertens, R. See Hargrove, L.E., 2=9406
- Mertens, R. See Kuliasko, F., 1=16109
- Merton, G. Tables for the perturbation-of-elements method, 3=3527
- Merts, A.L. and Torrey, M.D. Some analytic solutions of the Hartree-Fock equations by an iterative least-squares method, 3=22468
- Mertsching, J. The influence of surfaces on the electrical conductivity of solids at elevated temperatures, 1=3704
- Mertsching, J. Theory of ultrasonic absorption at high frequencies in metals in a magnetic field, 2=2049
- Mertsching, J. Validity of the Weinreich relation, 2=14530
- Mertsching, J. Acoustoelectric effect in many-valley semiconductors, 2=16707
- Mertsching, J. Comparison of ultrasonic effects in piezoelectric and single-deformation-potential semiconductors, 4=12626
- Mertz, L. Comment on interferometric spectral analyzers, 0=10764
- Mertz, L. Multichannel stellar spectrometer, 0=16838
- Mertz, L. Correction of phase errors in interferograms, 4=27328
- Mertz, L. Infrared Fourier transform spectrometry from space vehicles, 4=29494
- Mertz, L. and Young, N.O. Fresnel transformations of images, 3=16742
- Mertz, L., Young, N.O. and Armitage, J. Mock interferometry, 3=16771
- Merx, H. See Legrand, C., 2=4477
- Merz, E. Mercury-194 decay, 2=7958
- Merz, E. Concerning the question of the long-lived nuclear isomers  $\text{Os}^{187}$  and  $\text{Os}^{188}$ , 4=12160
- Merz, E.R. and Caretto, A.A., Jr. Neutron-deficient nuclides of hafnium and lutetium, 1=8645
- Merz, E.R. and Caretto, A.A., Jr. Recoil behavior of the  $\text{Cu}^{65}$  (p, pn) $\text{Cu}^{64}$  reaction, 2=12193
- Merz, K.M. X-ray study of ferromagnetic domains in cobalt zinc ferrite, 0=1804
- Merz, W.J. Space-charge-limited currents in CdS and ZnS, 1=17792
- Merz, W.J. Ferroelectricity, 2=21212
- Merz, W.J. On polarization processes in  $\text{BaTiO}_3$ , 4=28623
- Merz, W.J. See Berlincourt, D., 4=12973
- Merz, W.J. See Fatuzzo, E., 0=1694
- Merz, W.J. See Fatuzzo, E., 1=14561
- Merz, W.J. See Fatuzzo, E., 2=21214
- Merz, W.J. See Nitsche, R., 0=11722
- Merz, W.J. See Nitsche, R., 2=23475
- Merzabekian, E.G. See Molchanov, A.P., 1=2650
- Merzari, F. See Colli, L., 0=15602
- Merzari, F. See Colli, L., 0=20494
- Merzari, F. See Colli, L., 1=13826
- Merzari, F. See Colli, L., 4=3673
- Merzari, F. See Facchini, U., 2=14118
- Merzari, F. See Mangialajo, M., 3=15244
- Merzari, F. See Marazzan, M.G., 2=16210
- Merzbacher, E. Single valuedness of wave functions, 2=9188
- Merzbacher, E. Two-dimensional oscillator and angular momentum, 4=61
- Merzbacher, E., Crutchfield, P.W., Jr and Newson, H.W. s- and p-wave neutron spectroscopy. I. Peak height analysis and level assignments, 0=5785
- Merzbacher, E. See Herring, J.R., 0=14959
- Merzbacher, E. See Khandelwal, G.S., 3=15523
- Merzbacher, E. See Kyle, H.L., 0=9754
- Merzbacher, E. See Newson, H.W., 0=5786
- Merzbacher, E. See Van Der Zwan, L., 3=19881
- Merzon, G.I. and Kotenko, L.P. Inelastic scattering of 2.66 BeV  $\pi^-$  mesons on nucleons and carbon nuclei, 4=3455
- Merzon, G.I. See Aleksanyan, A.S., 4=30270
- Merzon, G.I. See Bannik, G.P., 2=3602
- Merzon, G.I. See Bannik, B.P., 3=2481
- Merzon, G.I. See Kotenko, L.P., 2=16232
- Merzon, G.I. See Kotenko, L.P., 3=6051
- Meschel, S.V. See Kleppa, O.J., 4=10631
- Meshchero, R.A. and Mironov, E.S. Production of an azimuthally varying magnetic field, 1=18977
- Mescherov, R.A., Mironov, E.S., Nemenov, L.M., Rybin, S.N. and Kholmovskii, Yu.A. Acceleration of ions in a cyclotron with azimuthal variation of the magnetic field, 1=16455
- Meshchero, R.A. See Babichev, A.P., 2=22286
- Mescheryakov, M.G., See Azhgirey, L.S., 0=5742
- Mescheryakov, M.G. See Azhgirey, L.S., 0=13231
- Mescheryakov, M.G. See Azhgirey, L.S., 4=6042
- Mescheryakov, M.G. See Azhgirey, L.S., 3=15189
- Mescheryakov, M.G. See Azhgirey, L.S., 3=24723
- Mescheryakov, M.G. See Helfer, H., 1=5755
- Mescheryakov, M.G. See Helfer, H., 1=7269
- Mescheryakov, M.G. See Kumekin, Yu. P., 4=11996
- Mescheryakov, M.G. See Vovchenko, V.G., 1=16855
- Mescheryakov, V.A. See Efremov, A.V., 1=5679
- Mescheryakov, V.A. See Efremov, A.V., 1=19256
- Mescheryakova, T.F. See Korolev, F.A., 1=12995
- Meschi, D.J., Chupka, W.A. and Berkowitz, J. Heterogeneous reactions studied by mass spectrometry. I. Reaction of  $\text{B}_2\text{O}_3(\text{s})$  with  $\text{H}_2\text{O}(\text{g})$ , 0=14099
- Meschi, D.J. See Berkowitz, J., 0=14100
- Meschonnic, M. See Philbert, G., 0=190
- Meschonnic, M. See Philbert, G., 0=12779
- Meservey, E.B. and Goldberg, L.P. Particle surfaces for high-energy electrons in a stellarator, 1=16348
- Meservey, R. Flow instability in liquid helium II, 2=19798
- Meservey, R. Surface contour of rotating liquid helium II, 4=11446
- Meservey, R. and Douglass, D.H., Jr. Energy gap measurements by tunneling between superconducting films. II. Magnetic field dependence, 4=21414
- Meservey, R. See Douglass, D.H., Jr., 4=21413
- Meservey, R.H. See Douglass, D.H., Jr., 4=18347
- Meshchero, R.A. See Arzumanov, A.A., 2=13619
- Meshchero, R.A. See Arzumanov, A.A., 2=20076
- Meshchero, R.A. See Arzumanov, A.A., 3=8888
- Meshchero, R.I. See Babichev, A.P., 3=21913
- Mescheryakov, M.G., Kumekin, Yu. P., Nurusev, S.B. and Stoletov, G.D. Longitudinal polarized proton-beam of a 6-metre synchrocyclotron, 4=3411
- Mescheryakov, M.G. See Azhgirey, L.S., 3=4630
- Mescheryakov, M.G. See Azhgirey, L.S., 3=17265



- Meshcheryakov, M.G. See Azhgirei, L.S., 3=22374  
 Meshcheryakov, M.G. See Azhgirei, L.S., 4=16889  
 Meshcheryakov, M.G. See Kumeikin, Yu.P., 0=20205  
 Meshcheryakov, R.P. See Berzin, A.K., 2=427  
 Meshcheryakov, R.P. See Berzin, A.K., 2=22794  
 Meshcheryakov, R.P. See Vlasov, A.G., 3=459  
 Meshcheryakov, V.A. The  $\pi$ -mesonic atom and corrections to the dispersion relations, 0=2583  
 Meshcheryakov, V.A., Nemenov, L.L. and Solov'ev, L.D. The  $\pi + N \rightarrow \pi + \gamma + N$  reaction and the constant for photoproduction of  $\pi$ -mesons on  $\pi$ -mesons, 4=6105  
 Meshcheryakov, V.A. See Byrnev, P.Kh., 4=16792  
 Meshcheryakov, V.A. See Efremov, A.V., 0=20202  
 Meshcheryakov, V.A. See Isaev, P.S., 3=15017  
 Meshcheryakov, V.A. See Isaev, P.S., 4=3456  
 Meshcheryakov, V.A. See Logunov, A.A., 2=9775  
 Meshcheryakov, V.A. See Logunov, A.A., 2=20246  
 Meshii, M. and Kauffman, J.W. Recovery of quenched-in-resistivity at high temperatures in gold, 0=20863  
 Meshii, M. and Kauffman, J.W. The mechanism of quench-hardening and its recovery in gold, 0=21150  
 Meshii, M., Mori, T. and Kauffman, J.W. Recovery of electrical resistivity in gold quenched from below 700°C, 2=6409  
 Meshii, M. See Mori, T., 2=21001  
 Meshii, M. See Mori, T., 4=12724  
 Meshii, M. See Ono, K., 4=15701  
 Meshkov, N. Shell model study of  $\text{Li}^6$  with the Gammel and Thaler two nucleon potential, 2=16291  
 Meshkov, N. See Glick, A., 2=1767  
 Meshkov, S. The shell-model and its relation to rotations and vibrations, 2=1771  
 Meshkov, S., Levinson, C.A. and Lipkin, H.J. Verification of the tenfold assignment of the baryon resonances, 3=14927  
 Meshkov, S., Snow, G.A. and Yodh, G.B. Comparison of a new SU<sub>3</sub> prediction with experiment, 4=15052  
 Meshkov, S. See Banerjee, M.K., 3=12553  
 Meshkov, S. See DeSouza, P.D., 4=25187  
 Meshkov, S. See Levinson, C.A., 2=11873  
 Meshkov, S. See Levinson, C.A., 2=13797  
 Meshkov, S. See Levinson, C.A., 2=13823  
 Meshkov, S. See Levinson, C.A., 3=582  
 Meshkov, S. See Flamm, E., 3=4553  
 Meshkov, S. See Levinson, C.A., 4=5962  
 Meshkov, S. See Levinson, C.A., 4=21753  
 Meshkov, S. See Lipkin, H.J., 4=6137  
 Meshkov, S.I. See Shermergor, T.D., 3=18171  
 Meshkov, S.I. See Shermergor, G.D., 4=113  
 Meshkovskii, A.G. and Shalamov, Ya.Ya. Inelastic interactions between 80-300 MeV  $\pi^+$ -mesons and light nuclei, 0=11452  
 Meshkovskii, A.G. See Barmin, V.V., 3=15007  
 Meshkovskii, A.G. See Barmin, V.V., 3=24792  
 Meshkovskii, A.G. See Barmin, V.V., 4=932  
 Meshkovskii, A.G. See Barmin, V.V., 4=3471  
 Meshkovskii, A.G. See Barmin, V.V., 4=9269  
 Meshkovskii, A.G. See Barmin, V.V., 4=12039  
 Meshkovskii, A.G. See Barmin, V.V., 4=12054  
 Meshkovskii, A.G. See Blinov, G.A., 1=3098  
 Meshkovskii, A.G. See Krestnikov, Yu.S., 0=11192  
 Meshkuotis, Yu. See Bertulis, K.P., 4=1655  
 Meshter, A. See Balalaev, V.A., 3=17415  
 Meshter, A. See Balalaev, V.A., 4=22078  
 Meskat, W. Development tendencies in viscometry, 1=11735  
 Mes'kin, V.S. and Al'tan, E.A. On the causes of and means of reducing the instability of high precision resistance alloys, 1=7614  
 Mes'kin, V.S., Mishkevich, R.I. and Serova, N.Sh. Hardness variations in the technical alloys platinum-tungsten and palladium-tungsten, 2=23793  
 Mes'kin, V.S., Sergienko, R.I. and Popova, L.A. Electrical resistivity anomalies and the formation of a K state in the systems palladium-tungsten and palladium-molybdenum, 2=21093  
 Mesler, R.B. Rapid assessment of neutron activation, 0=5782  
 Mesler, R.B., O'Brien, H.G. and Freed, D. Laboratory experiments using a pulsed neutron source, 2=5995  
 Mesler, R.B. See Kovács, A., 4=14567  
 Mesnard, G. Experimental study of the wave-functions and energy levels of electrons in simplified models of solids, 2=10348  
 Mesnard, G. Study of bound electron states at boundaries, impurities, and structural defects in models of solids, 3=17681  
 Mesnard, G. and Eymann, C. Electronic properties of single crystals of zinc oxide containing "acceptor" elements, 4=22725  
 Mesnard, G., Uzan, R. and Cabaud, B. Appearance potentials of ions produced from the oxides of the alkaline earths in a mass spectrometer, 4=11524  
 Mesnard, G. and Vasilescu, D. The semiconductivity and dielectric properties of guanine, 3=866  
 Mesnard, G. and Vasilescu, D. Semiconductivity of DNA (Deoxyribonucleic acid) and of purine and pyrimidine bases of DNA and of RNA (Ribonucleic acid), 4=12922  
 Mesnard, G. See Asch, G., 3=20654  
 Mesnard, G. See Déjardin, G., 1=1132  
 Mesnard, G. See Déjardin, G., 3=4204  
 Mesnard, G. See Déjardin, G., 4=19078  
 Mesnard, G. See Kaplan, D., 4=7017  
 Mesnard, G. See Ravatin, J., 4=21010  
 Mesnard, G. See Ravatin, J., 4=25617  
 Messoed, K.B. See Andronikashvili, É. L., 4=11448  
 Message, P.J. Some periodic orbits in the restricted problem of three bodies and their stabilities, 0=6549  
 Message, P.J. On Mr King-Hele's theory of the effect of the earth's oblateness on the orbit of a close satellite, 0=18878  
 Messenger, C. and Herzog, E. The possibility of forming Fe-Al alloys that can be laminated, by diffusion of aluminium into ferrous alloys, 2=17051  
 Messbauer, [Mössbauer], R.L. Recoil-less resonance absorption of gamma quanta in solids, 2=8154  
 Messel, H. The new radio astronomy centre of the University of Sydney, 1=42  
 Messel, H., Crawford, D.F., Smirnov, A.D., Varfolomeev, A.A. and Butcher, J.C. Results on the angular and radial distributions of particles in electron-photon showers, 2=12085  
 Messel, H., Smirnov, A.D., Varfolomeev, A.A., Crawford, D.F. and Butcher, J.C. Radial and angular distributions of electrons in electron-photon showers in lead and in emulsion absorbers, 3=4486  
 Messel, H. See Butcher, J.C., 0=9461  
 Messel, H. See Butcher, J.C., 0=20264  
 Messel, H. See Crawford, D.F., 3=6105  
 Messelt, S. Neutron spectra from breakup of deuterons by 14.7 MeV neutrons, 4=6056  
 Messelt, S. See Børresen, S., 2=20363  
 Messelt, S. See Grimeland, B., 2=18131  
 Messelyn, J. and Wertheimer, R. Double irradiation in the microwave spectroscopy of gases, 4=28226  
 Messelyn, J. See Wertheimer, R., 3=19465  
 Messer, P.F. and Weintroub, S. The shaping and polishing of cadmium single crystals, 4=30812  
 Messerle, H.K. Plasma converter performance characteristics, 3=7423  
 Messerle, H.K. and George, D.W. Complete current-voltage characteristics of a shock-heated gas, 4=14222  
 Messerle, H.K. See Armstrong, J.F., 4=18685  
 Messerle, H.K. See George, D.W., 2=23322  
 Messerle, H.K. See George, D.W., 4=27501  
 Messerly, J.F. See Scott, D.W., 2=3732  
 Messerly, J.F. See Scott, D.W., 2=15822  
 Messerly, J.F. See Scott, D.W., 2=20847  
 Messerly, J.F. See Scott, D.W., 3=8291  
 Messerschmidt, W. The diurnal variation of cosmic radiation, 0=20291  
 Messerschmidt, W. Results of continuous recordings of cosmic rays with ionization chambers at Halle ( $\varphi = 51.5^\circ \text{N}$ ,  $\lambda = 12^\circ \text{E}$ ), 0=20303  
 Messerschmidt, W. Investigations on the diurnal variation of the cosmic radiation, 4=6171  
 Messiaen, A.M. Experimental results of resonances observed in different cylindrical plasmas, 4=5660  
 Messiaen, A.M. and Vandenplas, P.E. Resonant behaviour of a cylindrical column of plasma in free space with and without steady magnetic fields, 2=17828  
 Messiaen, A.M. and Vandenplas, P.E. Comparison of experiments with the theoretical scattering behaviour of a cold plasma cylinder (or anisotropic dielectric rod) with a magnetically induced anisotropy and inhomogeneity, 3=393  
 Messiaen, A.M. and Vandenplas, P.E. Comparison between theoretical and experimental resonant behaviour of a hollow cylindrical plasma, 3=9771  
 Messiaen, A.M. and Vandenplas, P.E. Resonant behaviour of a plasma slab-condenser system. II. Comparison between experiments and theory, 4=14673



- Messiaen, A.M. See Vandenplas, P.E., 4=11622  
 Messiaen, A.M. See Vandenplas, P.E., 4=19017  
 Messiah, A. The search for high isospin states of elementary particles, 2=20326  
 Messiah, A. See Bloch, C., 3=3947  
 Messiah, A. See Bros, J., 1=16640  
 Messiah, A.M.L. See Cohen-Tannoudji, G., 4=25101  
 Messier, J. Resistivity changes produced in high resistivity p-type silicon by thermal neutrons, 3=6589  
 Messier, J. and Flores, J.M. Temperature dependence of Hall mobility and  $\mu_H/\mu_D$  for Si, 4=15542  
 Messier, J. and Mattler, J. Action of electric fields on the luminescence of scintillations, 0=16105  
 Messier, J. and Valin, J. Influence of the presence of a PP<sup>+</sup> junction on the behaviour of a nuclear particle detection with an NP junction, 2=9745  
 Messier, J. See Koch, L., 0=20886  
 Messier, J. See Koch, L., 1=3253  
 Messier, J. See Koch, L., 1=3779  
 Messier, J. See Koch, L., 1=5614  
 Messier, J. See Koch, L., 1=8946  
 Messina, D., Sette, D. and Wanderlingh, F. Effects of uranium salts on sound cavitation in water, 3=18794  
 Messina, D., Sette, D. and Wanderlingh, F. Statistical approach to ultrasonic cavitation, 4=2642  
 Messina, D., Sette, D. and Wanderlingh, F. On the nucleation process in ultrasonic cavitation, 4=5142  
 Messiter, A.F. See Cole, J.D., 1=6885  
 Messmer, J.H. See Warren, J.E., 2=20945  
 Messmer, J.H. See Woodside, W., 1=20650  
 Messmer, J.H. See Woodside, W., 1=20651  
 Messner, D. and Smakula, A. Color centers in alkaline earth fluorides, 0=20837  
 Mestechkin, M.M. See Veselov, M.G., 4=20021  
 Mestel, L. The Hertzsprung-Russell diagram, 1=12760  
 Mestel, L. A note on equatorial acceleration in a magnetic star, 1=15498  
 Mestel, L. On the galactic law of rotation, 4=10858  
 Mestel, L. The magnetic and dynamical fields outside a proto-star, 0=17090  
 Mestel, L. A note on the magnetic braking of a rotating star, 0=17091  
 Mestel, L. and Roxburgh, I.W. On the thermal generation of toroidal magnetic fields in rotating stars, 3=3585  
 Mestvirishvili, A.N. See Anikina, M.Kh., 4=3477  
 Mestvirishvili, A.N. See Anikina, M.Kh., 4=12056  
 Mestvirishvili, M.A. Application of the method of majorization of Feynman diagrams for proving the dispersion relations, 4=858  
 Mestvirishvili, M.A. and Todorov, I.T. Analytic properties of meson-nucleon vertex parts and the amplitudes for scattering of pseudoscalar mesons in perturbation theory, 3=15020  
 Mesyats, G.A. See Kassirov, G.M., 4=29888  
 Mesyats, G.A. See Vorob'ev, A.A., 4=429  
 Metal'nikov, Iu.N. See Shorin, K.N., 2=1544  
 Metal'nikov, Yu.N. See Gryaznov, A.I., 4=627  
 Metchnik, V. The ratio of characteristic  $K\alpha$  to white X-radiation from copper at 30 kV, 3=25473  
 Metchnik, V. Absolute intensities of characteristic  $K\alpha$  radiation from an inclined copper target, 4=17561  
 Metchnik, V. Remarks on the efficiencies of Geiger, proportional and scintillation counters with application to the absolute intensity of characteristic X-radiation, 4=19482  
 Metchnik, V. and Tomlin, S.G. On the absolute intensity of emission of characteristic X-irradiation, 3=13193  
 Metelitsyn, I.I. Influence of parameter changes of linear gyroscopic systems on the oscillation frequencies and damping coefficients, 4=11128  
 Metenin, V.I. Investigation of vortex [tube] temperature separators for compressed gas, 1=2775  
 Meth, I.M. and Graveson, R.T. Nuclear pulse current-sensitive amplifiers, 2=22138  
 Meth, I.M. and Graveson, R.T. Nuclear pulse current-sensitive amplifiers, 3=3982  
 Metherell, A.F. See Pusey, P.S., 3=21752  
 Metheringham, A.J. and Willits, T.R. A balanced ionization chamber for accurate beam location, 2=20184  
 Metheringham, A.J. See Cairns, D.J., 2=3224  
 Metheringham, A.J. See Esten, M.J., 1=19192  
 Metheringham, A.J. See Griffith, T.C., 3=17375  
 Methfessel, S. and Kneller, E. Gd<sub>2</sub>Bi<sub>3</sub>—A new ferromagnetic compound, 3=15776  
 Methfessel, S., Middelhoek, S. and Thomas, H. Domain walls in thin Ni—Fe films, 0=10152  
 Methfessel, S., Middelhoek, S. and Thomas, H. Domain walls in thin magnetic Ni—Fe films, 0=11865  
 Methfessel, S., Middelhoek, S. and Thomas, H. Nucleation processes in thin permalloy films, 1=6330  
 Methfessel, S., Middelhoek, S. and Thomas, H. Partial rotation in permalloy films, 1=14721  
 Methfessel, S., Middelhoek, S. and Thomas, H. A new method to determine ferromagnetic exchange constants, 2=14794  
 Methfessel, S., Middelhoek, S. and Thomas, H. A new method for the determination of the ferromagnetic exchange constant, 3=1076  
 Methfessel, S., Segmüller, A. and Sommerhalder, R., Magnetic properties of thin films evaporated in ultrahigh vacuum, 3=1073  
 Methfessel, S. See Berkowitz, A.E., 4=13220  
 Methfessel, S. See Holtzberg, F., 4=13181  
 Metil', T.P. See Shmayevs'kii, V.Ye., 2=18762  
 Metlay, M. Fluorescence lifetime of the europium dibenzoylmethides, 4=1790  
 Meton, M. See Morand, G., 4=2796  
 Meton, M. See Morand, G., 4=2797  
 Metschkerov, R.A. See Arzumanov, A.A., 2=7686  
 Metschl, E.C. The recoil-free resonance absorption of gamma-rays: the Mössbauer effect, 4=19642  
 Metsik, M.S. Theory of the cleavage of crystals of mica, 0=10292  
 Metsik, M.S. The role of surface forces in mica crystals, 4=7693  
 Metsik, M.S. See Deryagin, B.V., 0=8174  
 Metskhvarishvili, R.Ya. See Kel'man, V.M., 0=424  
 Metskhvarishvili, R.Ya. See Kel'man, V.M., 0=2648  
 Metskhvarishvili, R.Ya. See Kel'man, V.M., 0=9588  
 Metson, G.H. and Holmes, M.F. The conductivity of oxide cathodes. IX. Thermo-electric power, 0=13641  
 Metson, G.H. and Holmes, M.F. The conductivity of oxide cathodes. IX. Thermo-electric power, 1=6183  
 Metson, G.H. and Macartney, E. The conductivity of oxide cathodes. VII. Solid semiconduction, 0=7138  
 Metson, G.H. See Macartney, E., 0=263  
 Metta, D. See Fields, P.R., 3=19825  
 Mette, H. Righi-Leduc effect in InSb between 25°C and 300°C, 4=6979  
 Mette, H., Gärtner, W.W. and Loscoe, C. Nernst and Ettinghausen effects in silicon between 300°K and 800°K, 0=7969  
 Mette, H. See Boatwright, A., 3=4956  
 Mette, H. See Brand, F.A., 0=13635  
 Mette, H. See Gärtner, W.W., 2=14523  
 Metz, A. "Stationary" phenomena in the movements in closed circuit, 0=873  
 Metz, A. On the question of the relativistic metric on a rotating disc, 0=10557  
 Metz, A. Refraction and total reflection of waves in media in motion, 0=14741  
 Metz, A. Applications of total reflection in media in motion, 0=14742  
 Metz, A. The total reflection of waves in moving media, 0=16792  
 Metz, A. The aberration of stars and the deviation of waves by the movement of the medium of propagation, 0=18902  
 Metz, A. The deviation of light waves by the movement of refracting media, 1=2839  
 Metz, A. Total reflection and backward radiation from "Secondary Sources" according to Huygens' principle, 1=6466  
 Metz, E.P.A., Miller, R.C. and Mazelsky, R. A technique for pulling single crystals of volatile materials, 2=14956  
 Metz, H.J. See Frieser, H., 3=11956  
 Metz, J. See Meinig, K., 3=3020  
 Metzendorf, W. Processes during the quasistatic magnetization of thin films, 2=23666  
 Metzendorf, W. See Brackmann, J., 2=8637  
 Metzendorf, W. See Hanke, I., 3=13276  
 Metz, W. See Geerk, J., 3=21726  
 Metzger, K. Vectors, tensors and differential geometry with special reference to elasticity, plasticity and dislocation I. Vectors, tensors and differential geometry, 3=15969  
 Metzger, A.E., van Dilla, M.A., Anderson, E.C. and Arnold, J.R. Ranger gamma-ray spectrometer, 3=21145  
 Metzger, A.E. See Arnold, J.R., 3=10185  
 Metzger, A.E. See Schrader, C.D., 3=21096  
 Metzger, A.E. See Van Dilla, M.A., 2=19279  
 Metzger, F.E. See Deutch, B.I., 0=11380



- Metzger, F.R. Lifetime of the 161 keV excited state in  $\text{Sn}^{117}$ , 1=4840
- Metzger, F.R. Lifetime and g-factor of the first excited state in  $\text{Fe}^{56}$ , 1=19368
- Metzger, F.R. Mean life of the 265 keV excited state in  $\text{As}^{75}$ , 2=16310
- Metzger, F.R. Properties of the 319-keV excited state of  $\text{Pd}^{105}$ , 3=6169
- Metzger, F.R. and Langhoff, H. Properties of low-lying levels in  $\text{Sb}^{121}$ , 4=3574
- Metzger, F.R., Swann, C.P. and Rasmussen, V.K. Partial gamma ray widths for low lying levels in aluminium and magnesium, 0=13139
- Metzger, F.R. and Todd, W.B. Lifetime of the 362 keV E1 transition in  $\text{Tb}^{158}$ , 0=5717
- Metzger, F.R. See Deutch, B.L., 1=7357
- Metzger, F.R. See Rasmussen, V.K., 0=5726
- Metzger, F.R. See Rasmussen, V.K., 1=12161
- Metzger, F.R. See Rothen, T., 1=5876
- Metzger, F.R. See Swann, C.P., 1=664
- Metzger, G., Stampfer, A., Armbruste, R. and Taglang, P. Stabilization of a magnetic induction (0 to 1000 gauss) by the Hall effect, 4=30016
- Metzger, H.J. See Kessler, F.R., 3=22762
- Metzger, M. See Arora, O.P., 1=959
- Metzger, P. H. and Cook, G. R. A reinvestigation of the absorption cross-sections of molecular oxygen in the 1050-1800 Å region, 4=12468
- Metzger, P. H. and Cook, G. R. On the continuous absorption, photoionization, and fluorescence of  $\text{H}_2\text{O}$ ,  $\text{NH}_3$ ,  $\text{CH}_4$ ,  $\text{C}_2\text{H}_2$ ,  $\text{C}_2\text{H}_4$ , and  $\text{C}_2\text{H}_6$  in the 600-to-1000-Å region, 4=25690
- Metzger, P. H. See Cook, G. R., 4=12460
- Metzger, P. H. See Cook, G. R., 4=25662
- Metzger, P. H. See Cook, G. R., 4=28190
- Metzger, W. See Zeil, W., 0=5021
- Metzler, A. J. and Bannister, J. R. Fast response, blackbody furnace for temperatures up to 3000°K, 4=2876
- Metzner, A. W. K. Observable properties of large relativistic masses, 4=2388
- Metzner, A. W. K. and Morrison, P. The flow of information in cosmological models, 0=18603
- Metzner, A. W. K. See Bondi, H., 2=17345
- Metzner, P. Methods of microscopy with objects at a distance, 1=18588
- Meulders, J. P. See Deconninck, G., 1=13810
- Meulders, J. P. See Deconninck, G., 2=465
- Meulders, J. P. See Deconninck, G., 2=20676
- Meulders, J. P. See Deconninck, G., 4=9568
- Meulders, J. P. See Deconninck, G., 4=19825
- Meunier, J. L. See Ahmad, I., 0=197
- Meunier, R., Stroot, J. P., Leontic, B. and Lundby, A. Disc: Cherenkov counter with velocity selection, 3=2163
- Meunier, R., Stroot, J. P., Leontic, B., Lundby, A. and Duteil, P. Disc counter with liquid radiator, 3=2164
- Meunier, R. and Teiger, J. A three-diode fast coincidence circuit, 0=19994
- Meunier, R. See Barbier, M., 3=17002
- Meunier, R. See Bonpas, M., 0=7496
- Meunier, R. See Dowell, J. D., 2=13890
- Meunier, R. See Dowell, J. D., 2=22641
- Meunier, R. See Dowell, J. D., 3=17110
- Meunier, R. See Fischer, J., 0=1291
- Meurers, H. Continuous supervision of the sedimentation of "hot particles" from the atmosphere, 1=17005
- Meurers, J. Statistical criterion for randomness relative position of star clusters, 2=15384
- Meurgues, J. P. See Delauney-Olkowsky, B., 4=16547
- Meussner, R. A. See Fujii, C. T., 2=7167
- Mevel, A. and Mevel, J. An apparatus for the study of polarization by diffraction of centimetric electromagnetic waves, 0=17105
- Mevel, J. Contribution to the study of diffraction of electromagnetic waves by spheres, 0=12695
- Mevel, J. See Mevel, A., 0=17105
- Mewissen, L. See de Coster, M., 4=17428
- Mey, J. See Boucherie, A., 0=9248
- Meyer, A. Effect of lattice vibrational spectrum on intrinsic electrical and thermal resistivity of metals, 0=1554
- Meyer, A. On intermetallic compounds in the system holmium-aluminium, 4=23240
- Meyer, A. and Murray, R. B. Scintillation response of activated ionic crystals to charged particles, 1=2461
- Meyer, A. and Murray, R. B. Effect of energetic secondary electrons on the scintillation process in alkali halide crystals, 2=23615
- Meyer, A. and Wood, R. F. Electronic structure of the M center in  $\text{LiCl}$  and  $\text{LiF}$ , 4=12813
- Meyer, A. See Murray, R. B., 1=7727
- Meyer, A. See Murray, R. B., 2=17997
- Meyer, A. See Zerby, C. D., 2=5521
- Meyer, A. F. Production of thin converter foils and radioactive sources by cathode sputtering, 3=19801
- Meyer, A. F. See Hentschel, E., 3=12283
- Meyer, A. F. A. See Anton'eva, N. M., 1=13750
- Meyer, A. J. P. Magnetism of the compounds of the manganese-gold system, 0=13737
- Meyer, A. J. P. Magnetic states of a uniaxial crystal with positive molecular field coefficients, 0=13762
- Meyer, A. J. P. The magnetic conditions for a quadratic antiferromagnetic crystal, 2=10680
- Meyer, A. J. P. Magnetic configurations of a ferrimagnet as a function of applied field, 4=26330
- Meyer, A. J. P. and Asch, G. Experimental g' and g values of Fe, Co, Ni, and their alloys, 1=6332
- Meyer, A. J. P. and Asfeld, R. Magnetic properties of a Cr-Pt alloy with 30 atomic % Cr, 2=18893
- Meyer, A. J. P. and Besnus, M. J. The magnetic properties of  $\text{MnAu}_3$ , 2=4201
- Meyer, A. J. P. and Cadeville, M. C. Magnetic properties of iron-phosphorus compounds, 3=1018
- Meyer, A. J. P. See Cadeville, M. C., 1=3889
- Meyer, A. J. P. See Cadeville, M. C., 1=7743
- Meyer, A. J. P. See Cadeville, M. C., 3=8637
- Meyer, A. J. P. See Scott, G. G., 1=11462
- Meyer, B. Vibration spectrum of trapped  $\text{S}_2$ , 3=2624
- Meyer, B. See Biermann, L., 4=15120
- Meyer, C., Haeusler, C., van 't Anh, N. and Barchewitz, P. Vibration-rotation spectrum of nitric oxide,  $\text{NO}$ . The  $\nu_{0 \rightarrow 3}$  band, 4=25658
- Meyer, C. See Arcas, P., 3=24023
- Meyer, C. See Arcas, P., 4=30450
- Meyer, C. See Haessler, C., 4=28192
- Meyer, C. See Kurnick, S. W., 4=13028
- Meyer, C. B. See Fontijn, A., 4=13720
- Meyer, D. I. and Terwilliger, K. M. A  $14 \times 14 \times 7$  in. thin plate spark chamber, 1=9701
- Meyer, D. I. See Coffin, C. T., 3=17140
- Meyer, D. I. See Curtis, L. J., 4=3450
- Meyer, D. I. See Yoder, L. L., 4=3451
- Meyer, D. T., Meyer, H., Hallidy, W. and Kellers, C. F. Beams of helium atoms at temperatures below 0.5°K, 4=2905
- Meyer, D. T. See Lucas, M. S. P., 2=19816
- Meyer, E. Measurements on the propagation of structure-borne sound by means of models, 0=19333
- Meyer, E. New analogies between acoustic and electromagnetic vibrations and wave fields, 4=8319
- Meyer, E. and Burgdorf, W. On the time dependence of the sound directional distribution in rooms from impulsive excitation, 0=19341
- Meyer, E., Dinkelacker, A. and Tamm, K. Flow noise in water-filled tubes, 1=16012
- Meyer, E. and Eisfeld, D. Investigations on the propagation of electromagnetic waves over an absorbing surface, 3=12310
- Meyer, E., Helberg, H. W. and Roy, N. Measurement of power transmitted by aeriels with the help of electromagnetic wave resonators, 3=4266
- Meyer, E., Helberg, H. W. and Vogel, S. Reverberation-chamber measuring technique and the construction of a large reverberation chamber for electromagnetic waves, 0=17099
- Meyer, E., Kunstmann, D. and Kuttruff, H. Some measurements of audience sound absorption, 4=14320
- Meyer, E., Kurtze, G., Kuttruff, H. and Tamm, K. A new reverberation room for sound waves and electromagnetic waves, 1=8191
- Meyer, E. and Kuttruff, H. On the phase relation between sonoluminescence and the cavitation process with periodic excitation, 0=2178
- Meyer, E. and Kuttruff, H. On the acoustic properties of the new Beethovenhalle in Bonn, 1=9458
- Meyer, E. and Kuttruff, H. Architectural-acoustic measures taken in the construction of the plenary chamber of the Baden-Wurtemberg State Assembly in Stuttgart, 2=13421
- Meyer, E. and Kuttruff, H. The reflective properties of discontinuous ceilings (model experiments on the reflecting arrangement of the new Philharmonic Hall in New York) 3=23991



- Meyer, E. and Kuttruff, H. Room acoustics of a large festival hall, 4=21258
- Meyer, E., Kuttruff, H. and Gruschka, H. D. Model study of sound field diffusivity and reverberation process, 4=296
- Meyer, E., Kuttruff, H. and Rischbieter, F. Measurement of the sound scattering at surfaces with periodically changing impedance (phase lattices), 3=5499
- Meyer, E., Schilz, W. and Tamm, K. The construction of an anechoic acoustic water basin, 1=8192
- Meyer, E. and Schnupp, P. Model experiments on electromagnetic reflected beam direction finding (radar) using ultrasonic waves (sonar), 1=8190
- Meyer, E. and Schunk, E. Investigation of a model for rapid transformation in the air chambers of horn loud-speakers, 2=2843
- Meyer, E. and Thiele, R. Investigations into the acoustics of numerous concert halls and broadcasting studios, making use of new methods, 0=19342
- Meyer, E. See Blauth, E., 3=4032
- Meyer, E. See Fetz, H., 2=11704
- Meyer, E. W. See Morgan, B. B., 0=4682
- Meyer, F. See Lüst, R., 2=13131
- Meyer, F. J. See Lottermoser, W., 0=19326
- Meyer, F. J. See Lottermoser, W., 1=8213
- Meyer, G. Scattering of electrons by protons in second Born approximation at incident energies of about 100 MeV, 0=15331
- Meyer, G. Evaporated films of iron with reproducible optical constants, 2=8480
- Meyer, G. Optical constants of evaporated films, 2=12577
- Meyer, G. Magnetic properties of superconducting Nb-Sn sintered samples, 4=5525
- Meyer, G. See Horstmann, M., 1=3018
- Meyer, G. See Horstmann, M., 1=15053
- Meyer, G. See Horstmann, M., 1=16425
- Meyer, G. See Horstmann, M., 2=10820
- Meyer, G. See Horstmann, M., 3=22656
- Meyer, G. See Krause, G., 2=23514
- Meyer, H. The susceptibility of NO in  $\beta$ -quinol clathrates, 2=2268
- Meyer, H. and Harris, A. B. Specific heat of some rare earth iron garnets and YIG at low temperatures, 0=9855
- Meyer, H. and Scott, T. A. Pure quadrupole resonance of  $N_2$  in  $\beta$  quinol clathrates, 0=11961
- Meyer, H., Teucher, M. W. and Lohrmann, E. Interactions of 25 GeV protons with protons and heavy nuclei in nuclear emulsions, 3=19628
- Meyer, H. See Foner, S., 1=19664
- Meyer, H. See Harris, A. B., 2=16629
- Meyer, H. See Hill, J. S., 2=10650
- Meyer, H. See Johnson, C. E., 0=10102
- Meyer, H. See Lohrmann, E., 4=3443
- Meyer, H. See Meyer, D. T., 4=2905
- Meyer, H. See Rives, J. E., 1=18690
- Meyer, H. See Rodrigue, G. P., 0=11931
- Meyer, H. See Rorer, D. C., 3=12029
- Meyer, H. See Thomson, A. L., 3=1882
- Meyer, H. See Thomson, A. L., 4=2911
- Meyer, H. See Thomson, A. L., 4=14478
- Meyer, H. C., III and Holladay, W. G. Elementary particle reactions. II, 0=9441
- Meyer, H. J. G. On the low temperature limit of mm-wave cyclotron resonance line widths, 2=23141
- Meyer, H. J. G. See De Veer, S. M., 3=10926
- Meyer, H. J. G. See Goossens, W. J. A., 2=4000
- Meyer, H. J. G. See Goossens, W. J. A., 4=15526
- Meyer, H. J. G. See Goossens, W. J. A., 4=15527
- Meyer, H. J. G. See Risken, H., 1=11282
- Meyer, H. O. A. and Milledge, H. J. Doped synthetic diamonds - anomalous X-ray spikes along  $\langle 111 \rangle$ , 4=6819
- Meyer, H. O. A. See Milledge, H. J., 2=23163
- Meyer, J. The proton synchrotron "Saturne". 3 litre hydrogen bubble chamber, 0=2412
- Meyer, J. The resonance characteristics of open-lip pipes, 2=7301
- Meyer, J. Anharmonic components in the sound from organ pipes, 4=14296
- Meyer, J. and Lottermoser, W. Possibilities in the acoustic estimation of grand pianos, 2=2838
- Meyer, J. See Barloutaud, R., 2=5711
- Meyer, J. See Barloutaud, R., 2=9893
- Meyer, J. See Barloutaud, R., 2=16231
- Meyer, J. See Barloutaud, R., 2=22560
- Meyer, J. See Barloutaud, R., 3=7888
- Meyer, J. See Barloutaud, R., 3=7904
- Meyer, J. See Gaillard, J. M., 0=1298
- Meyer, J. See Grard, F., 2=1715
- Meyer, J. See Grard, F., 2=22513
- Meyer, J. See Lottermoser, W., 2=1235
- Meyer, J. See Muller, A., 4=25148
- Meyer, K. On the theory of the exchange model of ferromagnetism, 1=20058
- Meyer, K. The investigation of microscopic and submicroscopic structure on mechanically worked faces of fluorspar, 2=12874
- Meyer, K. and Berger, U. Structure changes of lithium fluoride caused by mechanical working and subsequent annealing, 4=4044
- Meyer, K. and Berger, U. The etching of antimony single crystals with atomic hydrogen, 4=26693
- Meyer, K. and Gragert, E. Determination of the deformation volume in the impact treatment of NaCl single crystals, 4=4487
- Meyer, K. and Gragert, E. Deformation and crack structure in NaCl crystals by impact treatment, 4=30787
- Meyer, K. and Keutel, M. Electron-microscopic investigations on mechanically worked and tempered rocksalt crystals, 2=4352
- Meyer, K. and Keutel, M. The recovery of mechanically worked faces of NaCl during heat-treatment in vacuum, 2=12861
- Meyer, K. and Keutel, M. Study of elementary deformation processes in impulsive mechanical treatment of NaCl crystals, 3=8785
- Meyer, K. See Helms, G., 3=25012
- Meyer, K. See Thiessen, P. A., 4=1765
- Meyer, K. H. See Rolsten, R. F., 4=20668
- Meyer, K.-O. See Czekalla, J., 3=22528
- Meyer, L. The rate of formation of tracks in a cloud-chamber, 2=3223
- Meyer, L. A simple low-temperature camera for X-ray spectrography with a horizontal axis of rotation, 3=21921
- Meyer, L. Inner pair production from neutron capture in  $Cl^{35}$ , 4=15214
- Meyer, L., Barrett, C. S. and Haasen, P. New crystalline phase in solid argon and its solid solutions, 4=23247
- Meyer, L., Davis, H. T., Rice, S. A. and Donnelly, R. J. Mobility of ions in liquid He<sup>1</sup> and He<sup>3</sup> as a function of pressure and temperature, 2=15832
- Meyer, L. and Reif, F. Mobilities of He ions in liquid helium, 0=8902
- Meyer, L. and Reif, F. Scattering of thermal energy ions in superfluid liquid He by phonons and He<sup>3</sup> atoms, 0=16939
- Meyer, L. and Reif, F. Ion motion in superfluid liquid helium under pressure, 1=10634
- Meyer, L., Rice, S. A. and Davis, H. T. Ions as probes into quantum fluids, 4=14491
- Meyer, L. See Barrett, C. S., 4=29094
- Meyer, L. See Davis, H. T., 2=21895
- Meyer, L. See Davis, H. T., 3=1677
- Meyer, L. See Davis, H. T., 3=1678
- Meyer, L. See Jortner, J., 4=18517
- Meyer, L. See Reif, F., 0=14913
- Meyer, M. A. Multiple coulomb scattering from finite nuclei, 2=3539
- Meyer, M. A. Properties of triggered multi-wire spark counters of the Rosenblum type and of parallel-plate spark counters, 3=24542
- Meyer, M. A. and De Villiers, J. A. M. Hodoscope system for experiments on the scattering of cosmic ray  $\mu$ -mesons. II. Performance of the hodoscope, 0=20254
- Meyer, M. A., De Villiers, J. A. M. and Van Der Walt, A. J. Hodoscope system for experiments on the scattering of cosmic ray  $\mu$ -mesons, 2=3425
- Meyer, M. A., De Villiers, J. A., Wolmarans, N. S. and Koen, J. W. Scattering of cosmic ray muons with momenta between 165 and 1020 MeV/c in lead, 2=8001
- Meyer, M. A., De Villiers, J. A. M., Wolmarans, N. S., Koen, J. W. and Lessing, I. J. Scattering of cosmic ray muons with momenta between 298 and 773 MeV/c in iron and tin, 2=12097
- Meyer, M. A., De Villiers, J. A. M., Wolmarans, N. S., Koen, J. W. and Lessing, I. J. Scattering of cosmic ray muons with momenta between 300 and 1000 MeV/c in lead, tin and iron, 2=13920
- Meyer, M. A., Koen, J. W. and Lessing, I. J. Accuracy of track location of charged particles in triggered multi-wire spark counters, 3=24543
- Meyer, M. A., Stoker, P. H. and De Villiers, J. A. M. Hodoscope system for experiments on the scattering of cosmic ray  $\mu$ -mesons. I. Electronic circuits, 0=20253



- Meyer, M.A., Wolfendale, A.W., Hughes, E.B. and Marsden, P.L.  
Neutron production by cosmic ray muons, 3=4526
- Meyer, M.A., Wolfendale, A.W., Hughes, E.B. and Marsden, P.L.  
The production of neutrons by fast cosmic ray muons, 4=9337
- Meyer, M.A. and Wolmarans, N.S. Design and performance of rectangular large-area scintillation counters, 4=11854
- Meyer, M.A., Wolmarans, N.S. and Van Der Walt, J.J.  
A new liquid scintillator, 3=17104
- Meyer, M.A. See Aucamp, A.L., 4=18775
- Meyer, M.A. See Brooke, G., 4=19625
- Meyer, M.A. See Coxell, H., 2=3189
- Meyer, M.A. See Hughes, E.B., 2=14100
- Meyer, M.A. See Hughes, E.B., 4=9336
- Meyer, M.E. and Haymann, P. Nucleation and growth of copper oxide on copper under bombardment by oxygen ions, 4=26613
- Meyer, M.F. Temporal irregularity of excitations: how much is accepted by the brain for reporting pitch, 0=4822
- Meyer, M.F. "Exploring tones": discredited by a siren experiment, 0=6508
- Meyer, M.F. Does the hypothesis of the hydraulic functioning of the cochlea bear on the definition of masking? 0=14339
- Meyer, M.F. Working model illustrating the cross-section of the cochlea mechanically, 0=16503
- Meyer, M.F. Experiments with air puffs destroy the dogma of the uniqueness of the sinusoidal wave, 2=4898
- Meyer, M.F. Helmholtz's aversion to tempered tuning experimentally shown to be a neurological problem, 2=4902
- Meyer, M.F. Listeners can be seduced to perceive the paradoxical ratio 51:87 as either one of another truly melodic interval, 2=24208
- Meyer, M.F. Erratum: Neurological theory of beat tones, 3=13957
- Meyer, M.F. Siren experiments with noncircular holes and with a noncircular nozzle, 4=2779
- Meyer, M.L. On spherical near fields and far fields in elastic and visco-elastic solids, 4=18320
- Meyer, N.I. and Guldbrandsen, T. Method for measuring impurity distributions in semiconductor crystals, 4=15530
- Meyer, N.I. See Bartelink, D.J., 3=13087
- Meyer, N.I. See Jørgensen, M.H., 4=10068
- Meyer, N.I. See Moll, J.L., 4=7003
- Meyer, N.I. See Moll, J.J., 4=7004
- Meyer, N.J. Multiple vibrational relaxation in gaseous dibromomethane, 0=14695
- Meyer, O.L. See Harman, G.G., 2=14544
- Meyer, O.L. See Harman, G.G., 3=10799
- Meyer, P. Primary cosmic-ray proton and alpha-particle intensities and their variation with time, 0=1333
- Meyer, P. The cosmic ray alpha-particle flux during sharp Forbush intensity decreases, 1=13590
- Meyer, P. Electrons and  $\gamma$ -rays in the primary cosmic radiation, 2=20454
- Meyer, P. and Prentki, J. On a contradiction between experimental results on nuclear form factors and certain symmetries of strong interactions, 1=494
- Meyer, P., Prentki, J. and Yamaguchi, Y. Determination of the relative  $\Sigma$ - $\Lambda$  parity and of the ratio of asymmetry coefficients  $\alpha_{\Lambda}$  to  $\alpha_0$  in hyperon decay from the pion-hyperon resonance, 1=550
- Meyer, P., Prentki, J. and Yamaguchi, Y. On the pion-hyperon resonances and on the possible uses thereof. (Determination of the  $\Sigma$ - $\Lambda$  relative parity and of the  $\alpha_{\Lambda}/\alpha_0$  ratio), 1=5784
- Meyer, P., Prentki, J. and Yamaguchi, Y. Proposal of an experiment on  $\Sigma^+$ -decays, 1=8510
- Meyer, P. and Salzman, G. The  $\mu \rightarrow e + \gamma$  decay and the intermediate charged vector boson theory, 0=13006
- Meyer, P. and Schiff, D. The electromagnetic form factor of the neutrino, 4=15042
- Meyer, P. and Vogt, R. Electrons in the primary cosmic radiation, 1=7294
- Meyer, P. and Vogt, R. The primary cosmic-ray electron flux during a Forbush-type decrease, 2=7912
- Meyer, P. and Vogt, R. High-energy electrons of solar origin, 2=13925
- Meyer, P. and Vogt, R. Some properties of the primary cosmic ray electrons, 2=20447
- Meyer, P. and Vogt, R. Primary cosmic ray and solar protons. II. 3=10186
- Meyer, P. See Bell, J.S., 4=9272
- Meyer, P. See Benoist, P., 0=9353
- Meyer, P. See Bergmann, W.H., 3=17128
- Meyer, P. See De Shong, J.A., Jr., 4=12087
- Meyer, P. See DeShong, J.A., Jr., 4=25221
- Meyer, P. See Fan, C.Y., 0=17453
- Meyer, P. See Fan, C.Y., 0=20295
- Meyer, P. See Fan, C.Y., 0=20296
- Meyer, P. See Fan, C.Y., 1=21077
- Meyer, P. See Hess, W.N., 1=21076
- Meyer, P. See Simpson, J.A., 2=12050
- Meyer, P. See Simpson, J.A., 2=17209
- Meyer, R. See Planchard, E., 4=23251
- Meyer, R.A. See Burr, J.G., 4=20116
- Meyer, R.E. On the far field of a body rising through the
- Meyer, R.E. Tail shock problem, 4=29659
- Meyer, R.E. and Ho, D.V. Notes on nonuniform shock propagation, 3=18898
- Meyer, R.P. See McCamy, K., 3=1417
- Meyer, R.T. Increased photographic sensitivity for time-resolved mass spectrometer data recording, 4=24762
- Meyer, R.T. and Meyers, R.J. Dipole moment of the OH radical from the Stark effect of its microwave spectrum, 1=7497
- Meyer, R.X. Heat-transfer near the stagnation point of a body of revolution in the presence of a magnetic field, 1=363
- Meyer, R.X. Magnetohydrodynamic hypersonic flow in the quasi-Newtonian approximation, 1=5575
- Meyer, R.X. Plasma propulsion by means of a travelling sinusoidal magnetic field, 1=16338
- Meyer, S.A. Calculation of color difference equations, 2=9360
- Meyer, S.L., Anderson, E.W., Bleser, E., Lederman, L.M., Rosen, J.L., Rothberg, J. and Wang, I.T. Precision life-time measurements on positive and negative muons, 4=6089
- Meyer, S.L. See Bleser, E.J., 4=6675
- Meyer, S.L. See Fitch, V.L., 2=14095
- Meyer, S.L. See Rothberg, J.E., 4=6090
- Meyer, V., Eisberg, R.M. and Carlson, R.F. Total reaction cross sections of several nuclei for 61 MeV protons, 0=7552
- Meyer, V. and Hintz, N.M. Charged particle and total reaction cross sections for protons at 9.85 MeV, 0=20432
- Meyer, V. and Hintz, N.M. Charged particle and total reaction cross sections for protons at 9.85 MeV, 1=8712
- Meyer, V.E., Kinsinger, J.B. and Parker, P.M. Expected square of the length of isotactic vinyl hydrocarbon-type chains, 1=7507
- Meyer, V., Müller, H., Staub, H.H. and Zurmühle, R. The  $\gamma$ -radiation of the  $\text{Li}^7(p, \gamma)$  resonance at 441.3 keV, 1=19471
- Meyer, V., Pfeifer, W. and Staub, H.H. Reactions  $\text{Li}^6(d, p)\text{Li}^7$  and  $\text{Li}^6(d, \alpha)\alpha$  for deuteron energies of 3 to 5 MeV, 3=24966
- Meyer, V., Reichart, W., Staub, H.H., Winkler, H., Zamboni, F. and Zych, W. Experimental study of the mass-momentum relation of the electron, 4=8040
- Meyer, V., Staub, J. and Staub, H. Efficiency of  $\text{BF}_3$ -counter with simple paraffin arrangement, 3=12473
- Meyer, V. See Eder, F.X., 0=18254
- Meyer, W.E. The initiation of electrical breakdown in vacuum, 1=4586
- Meyer, W.E. Resolving power of a spherically corrected electrostatic electron microscope, 1=18930
- Meyer, W.E. Practical resolving power of electron microscopes, 1=18931
- Meyer, Y. and Astier, R. The true and parasitic luminescences of durene, 4=13098
- Meyer, Y., Poncet, H. and Verron, M. Structure of the  $5D_0 \rightarrow F_2$  transition in a solution of europium benzoate, 4=30461
- Meyer, Y. See Courpron, C., 0=11774
- Meyer-Arendt, J.R. Novel system for obtaining variable phase contrast, 0=2234
- Meyer-Arendt, J.R. Deviation of zone lenses produced by polarization, 0=5179
- Meyer-Arendt, J.R. Comment on Melankholin's article on absorption spectra of thiazine dyes, 1=14596
- Meyer-Arendt, J.R. Three-dimensional wavefront reconstruction, 3=11895
- Meyer-Arendt, J.R. Evaluation of plane mirrors by contrast transfer, 3=14310
- Meyer-Arendt, J.R., Bayer, M.E. and Nelson, J.K. Reflecting surfaces as magnifiers, 3=1788
- Meyer-Arendt, J.R. and Miner, E.D. Jr. Angular measurements by means of ronchi ruling, 3=9583
- Meyer-Arendt, J.R. and Wood, J.K. Light-optical analogs of X-ray diffraction patterns, 1=7857
- Meyer-Berkhout, U. Inelastic scattering of 500 MeV electrons from  $\text{Li}^6$  and  $\text{Li}^7$ , 0=1425



- Meyer-Berkhout, U., Ford, K.W. and Green, A.E.S. Charge distributions of nuclei of the 1p shell, 0=404
- Meyer-Berkhout, U. See Engelmann, R., 2=18250
- Meyer-Berkhout, U. See Finckh, E., 3=17451
- Meyer-Berkhout, U. See Finckh, E., 4=6147
- Meyer-Berkhout, U. See Fuchs, H., 2=7971
- Meyer-Berkhout, U. See Fuchs, H., 3=662
- Meyer-Berkhout, U. See Krehbiel, H., 1=19439
- Meyer-Eppler, W. The spectral structure of the German /r/-allophone, 1=1600
- Meyer-Kuckuk, T. and Michel, F.C. Comparison of the beta spectra of  $B^{12}$  and  $N^{12}$ , 1=17020
- Meyer-Pundt, G. Quantum electrodynamics with non-vanishing photon mass, 3=7766
- Meyer-Pundt, G. Two-photon exchange correction for muon-electron scattering, 4=886
- Meyer-Pundt, G. and Sauer, P. Definition of the angular momentum eigenfunctions in vector meson theory, 4=27773
- Meyer-Schutzmeister, L. Internal fields in tin and tin alloys, 4=20153
- Meyer-Schützmeister, L., Preston, R.S. and Hanna, S.S. Internal magnetic fields in manganese-tin alloys, 1=9023
- Meyer-Schützmeister, L. See Hanna, S.S., 0=410
- Meyer-Schutzmeister, L. See Hanna, S.S., 1=621
- Meyer-Schutzmeister, L. See Lee, L.L., Jr., 0=412
- Meyer-Schützmeister, L. See Weinman, J.A., 4=9399
- Meyerand, R.G. and Haught, A.F. Gas breakdown at optical frequencies, 4=8654
- Meyerand, R.G. See Salz, F., 1=13088
- Meyerand, R.G., Jr. and Flavin, R.K. Measurement of the elastic collision cross section of low energy electrons with cesium atoms using electron-cyclotron resonance, 4=25570
- Meyerand, R.G., Jr. and Haught, A.F. Gas breakdown at optical frequencies, 4=18747
- Meyerand, R.G., Jr. and Haught, A.F. Optical-energy absorption and high density plasma production, 4=29867
- Meyerand, R.G., Jr., Salz, F., Lary, E.C. and Walch, A.P. Electrostatic potential gradients in a nonthermal plasma, 3=4120
- Meyerand, R.G., Jr. See Lary, E.C., 4=19034
- Meyerand, R.G., Jr. See Salz, F., 1=5502
- Meyerhof, W.E. Threshold effect in elastic scattering according to the optical model, 3=6212
- Meyerhof, W.E. Threshold effects in average cross sections according to R-matrix theory, 3=10320
- Meyerhof, W.E. Search for Wigner Cusp in  $F^{19}$  total neutron cross section, 4=15210
- Meyerhof, W.E., Tanner, N.W. and Hudson, C.M. Radiative capture of protons by  $Be^9$ , 0=1404
- Meyerhof, W.E. See Tanner, N.W., 0=2676
- Meyerhof, W.E. See Wells, D.O., 3=15143
- Meyerhof, W.E. See Wells, J.T., 3=22394
- Meyerhofer, D. Impurity levels and mobility in p-type GaAs, 2=23388
- Meyerhofer, D. and Braunstein, R. Frequency tuning of GaAs laser diode by uniaxial stress, 4=5860
- Meyerhofer, D., Brown, G.A. and Sommers, H.S., Jr. Degenerate germanium. I. Tunnel, excess, and thermal current in tunnel diodes, 2=12533
- Meyerhofer, D. and Ochs, S.A. Current flow in very thin films of  $Al_2O_3$  and  $BeO$ , 3=22976
- Meyerhofer, D. See Rosi, F.D., 0=11711
- Meyerhoff, K. See Hietel, B., 2=841
- Meyerhoff, R.W., Bailey, D.M. and Smith, J.F. X-ray diffraction camera for the alignment of large single crystals, 1=10245
- Meyerhoff, R.W. and Smith, J.F. Anisotropic thermal expansion of single crystals of thallium, yttrium, beryllium and zinc at low temperatures, 2=2056
- Meyerhoff, R.W. and Smith, J.F. The thallium-indium phase diagram as a function of composition, temperature and pressure, 3=20886
- Meyerott, A.J., Fisher, P.C. and Roethig, D.T. Plastic scintillator response to 1-10 keV photons, 4=19465
- Meyerott, A.J. See Fisher, P.C., 4=10830
- Meyerott, R.E. See Armstrong, B.H., 0=7120
- Meyerott, R.E. See Armstrong, B.H., 2=9318
- Meyers, C.L. and Sherby, O.D. Creep of sintered aluminium powder above and below the melting point of aluminium, 2=16961
- Meyers, F.J. See McClung, F.J., 2=23545
- Meyers, J.A. See Orttung, W.H., 4=5180
- Meyers, L. and Little, W.A. Pair correlations in superconducting tantalum, 4=413
- Meyers, L. See Chiltz, G., 3=11356
- Meyers, M.D. See Cotton, F.A., 1=3831
- Meyers, N.H. An analog solution for the static London equations of superconductivity, 0=19549
- Meyers, R.J. See Meyer, R.T., 1=7497
- Meyerson, M.R., Young, T.R. and Ney, W.R. Gage blocks of superior stability: initial developments in materials and measurement, 0=19037
- Meyerson, S. Effect of electron energy on some electron-impact processes, 1=10669
- Meyerson, S., Grubb, H.M. and Vander Haar, R.W. Effects of isotopic labeling and molecular structure on probability of ionization by electron impact, 4=454
- Meyerson, S. and Vander Haar, R.W. Multiply charged organic ions in mass spectra, 3=1933
- Meyerstein, D. and Treinin, A. Absorption spectra of  $NO_3$  in solution, 2=5024
- Meyerstein, D. and Treinin, A. The relation between lyotropic and spectroscopic properties of anions in solution, 2=10983
- Meyman, N.N. and Slavnov, A.A. On the upper limit of the  $\pi$ -N coupling constant, 4=21895
- Meynadier, C. See Sarazin, A., 2=11830
- Meynieux, R. Approximate calculations relating to the  $\Gamma$ -function and to Weber's equation. Application to a plane electromagnetic wave which propagates across an ionized layer, 0=5419
- Meyrick, G. and Paxton, H.W. Crack propagation in normally ductile face-centred cubic metals, 4=4452
- Meyrick, G. See Lang, A.R., 0=20804
- Mez, H.C. See Tracy, J.W., 2=15023
- Mezaki, R. and Margrave, J.L. Thermodynamic properties of inorganic substances. IV. The high temperature heat contents of  $TeO_2$  and  $Na_2TeO_4$ , 3=770
- Mezard, R. See Zarzycki, J., 2=15075
- Mezard, R. See Zarzycki, J., 3=3348
- Mezard, R. See Zarzycki, J., 3=18370
- Mezenov, Yu.A. See Kubarev, A.V., 4=16673
- Mezenov, Yu.A. See Kubarev, A.V., 4=17311
- Mezenov, A.V. See Kozyrev, B.P., 4=12471
- Mezger, F.W. See Carpenter, C.P., 1=15740
- Mezger, P.G. Radioastronomical methods, 1=15524
- Mezger, P.G. and Strassl, H. The thermal radiation of the moon at 1420 Mc/s, 1=6697
- Mezger, P.G. See Altenhoff, W., 3=18649
- Mezhennyi, Yu.O. See Skakov, Yu.A., 4=15479
- Mezhennyi, Yu.O. See Skakov, Yu.A., 4=25950
- Mezhov-Deglin, L.P. The thermal conductivity of solid  $He^4$ , 4=21387
- Meznanares, F. See Baldoni, B., 3=5998
- Meznanares, F. See Emma, V., 2=423
- Meznanares, F. See Emma, V., 3=6220
- Meznanares, F. See Femino, S., 4=9242
- Meznanares, F. See Jannelli, S., 2=18345
- Mezzetti, L. See Beneventano, M., 0=17398
- Mezzetti, L. See Beneventano, M., 2=22558
- Mezzetti, L. See Beneventano, M., 3=19669
- Mezzetti, L. See Borgia, B., 4=19595
- Mezzetti, L. See Finocchiaro, G., 0=12724
- M'Hirsi, A. Study by the optical method of the dispersion of sound in real gases, 4=18249
- M'Hirsi, A., Saurel, J. and Vodar, B. Dispersion of sound in nitrogen, 3=7242
- Miane, M. See Gavreau, V., 3=16901
- Mianes, P. Photoelectric photometry, 4=24335
- Mianes, P., Grudzińska, S. and Stawikowski, A. Physical observations of the periodic comet Giacobini-Zinner (1959 b), 1=19
- Mianes, P. See Canavaggia, R., 4=15921
- Miara, G. See Baldo Ceolin, M., 1=551
- Miari, G. See Baldo Ceolin, M., 1=10926
- Miari, G. See Ely, R.P., 2=18173
- Miari, G. See Ely, R.P., 2=22613
- Miasek, M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. I, 0=6027
- Miasek, M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. II, 0=6028
- Miasek, M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. III, 0=6029
- Miasek, M. Tight binding method for white tin, 1=890
- Miasek, M. The distribution of electrons in the process of impact ionization, 1=14220



- Miasek, M. Electron impact ionization. The probability of occupying states after ionization, 1=14400
- Miąsek, M. Empty-lattice analysis for white tin, 3=4836
- Miąsek, M. Band structure of white tin, 3=10624
- Miasek, M. and Suffczyński, M. Space group of white tin. I. Symmetry points, 1=15023
- Miasek, M. and Suffczyński, M. Space group of white tin. II. Symmetry lines and planes, 1=15024
- Miasek, M. and Suffczynski, M. Space group of white tin. IV. Basic functions for the irreducible representations at symmetry points, 2=16630
- Micaeljan, A. L. and Antonjanz, V. I. Effects of mutual coupling in a system of magnetized ferrite samples, 4=3101
- Micale, F. See Vratny, F., 4=10197
- Micaud, G. See Bocquet, M., 4=6764
- Micaud, G. See Rappeneau, J., 4=20226
- Micek, S. See Budzanowski, A., 4=28060
- Michael, D. H. Energy considerations in the instability of a current-vortex sheet, 1=16248
- Michael, I., Berners, E. D., Eppling, F. J., Knecht, D. J., Northcliffe, L. C., and Herb, R. G. New electrostatic accelerator, 0=2405
- Michael, I. See Browne, C. P., 4=15146
- Michael, J. See Smith, A. J., 4=27586
- Michael, J. V. See Kistiakowsky, G. B., 4=13713
- Michael, P. Thermal neutron flux distributions in space and energy, 1=17214
- Michael, P. See Chernick, J., 2=18379
- Michael, P. See Corngold, N., 3=8167
- Michael, P. See Corngold, N., 4=19894
- Michael, P. See Honeck, H. C., 4=3421
- Michaeli, I. and Kedem, O. Description of the transport of solvent and ions through membranes in terms of differential coefficients. I. Phenomenological characterization of flows, 2=5007
- Michaelis, E. G. See Banaigs, J., 4=16774
- Michaelis, E. G. See Barton, J. C., 1=5809
- Michaélis, E. G. See Citron, A., 2=5703
- Michaélis, E. G. See Citron, A., 2=13841
- Michaélis, E. G. See Citron, A., 2=20658
- Michaelis, R. E., Alvarez, R. and Kilday, B. A. Determination of minor constituents in low-alloy-steels by X-ray spectroscopy, 2=4585
- Michaelis, W. Excited energy levels in  $Dy^{160}$ , 3=19790
- Michaelis, W. Gamma-gamma angular correlations in  $Re^{187}$ , 3=22348
- Michaelis, W. The level structure of  $Re^{187}$ , 4=6245
- Michaelis, W., Schmidt, H. and Weitkamp, C. Counting rate dependence of the gain and resolution of photomultipliers of the type RCA 6810 A, 3=9838
- Michaels, A. S. and Bolger, J. C. The plastic flow behaviour of flocculated kaolin suspensions, 2=19521
- Michaels, A. S., Vieth, W. R. and Barrie, J. A. Solution of gases in polyethylene terephthalate, 3=11305
- Michaels, A. S., Vieth, W. R. and Barrie, J. A. Diffusion of gases in polyethylene terephthalate, 3=11306
- Michaels, A. S. See Bixler, H. J., 0=19227
- Michaels, J. E. Thermal impact—the mechanical response of solids to extreme electromagnetic radiation, 2=11398
- Michaels, S. B. See Lieberman, P., 2=21751
- Michaelsen, J. D. See Zandstra, P. J., 3=25137
- Michaelson, S. See Suffczynski, M., 0=13669
- Michailov, M. Electron microscope studies of photosensitive PbS layers, 0=18070
- Michajlov, V. D. See Birger, N. G., 4=30181
- Michalak, J. T. and Glenn, R. C. Transmission electron microscope observations of magnetic domain walls, 1=10153
- Michalczyk, J. See Ingarden, R. S., 0=19879
- Michalec, J. See Kaliski, S., 3=18890
- Michalec, R. and Ruskov, T. Measurement of circular polarization of gamma-rays emitted by nuclei following capture of polarized thermal neutrons, 2=18304
- Michalec, R. See Kopecký, J., 4=905
- Michalov, J. See Hanic, F., 0=8247
- Michalowicz, A. See Bergamaschi, C., 1=16462
- Michalowicz, A. See Caverzasio, C., 1=16782
- Michalowicz, A. See Caverzasio, C., 2=291
- Michalowicz, A. See Caverzasio, C., 4=19511
- Michalowicz, A. See Yuasa, T., 2=5540
- Michalowsky, L. and Vogler, G. Preparation of single crystals by means of sintering, 4=4545
- Michalska, R. On the conservation law of the angular momentum of a system of rotating bodies in the general theory of relativity, 1=15638
- Michalska, R. Action principle for the motion of rotating bodies in the general theory of relativity, 1=15639
- Michalska, R. The equations of motion of rotating oblate bodies in the general theory of relativity, 1=15640
- Michalski, K. See Wesolowski, J., 2=11042
- Michalski, L. A time marking device for electronic temperature recorders, 3=16889
- Michard, R. The H $\alpha$  line in the chromosphere, 0=14421
- Michard, R. Instrument profile and resolving power of the 9 metre spectrograph, 0=18587
- Michard, R. Spectroscopy of solar eruptions in the French programme for the I.G.Y. II. Generalities on the spectra of the eruptions, 0=18769
- Michard, R. The inhomogeneity of the solar photosphere, 1=15450
- Michard, R. Formation of the Fraunhofer lines in the presence of a magnetic field, 2=13124
- Michard, R. A possible difference of temperature between the solar poles and equator, 3=3571
- Michard, R. Mechanical energy in the solar atmosphere, 3=3572
- Michard, R., Mouradian, Z. and Semel, M. Magnetic fields in a centre of solar activity before and during an eruption, 1=15476
- Michard, R., Servajean, R. and Laborde, G. Spectroscopy of solar eruptions in the French programme for the I.G.Y. I. Instruments and observations, 0=18768
- Michard, R. See Bernière, G., 3=1520
- Michard, R. See Evans, J. W., 2=15332
- Michard, R. See Evans, J. W., 3=3565
- Michard, R. See Evans, J. W., 3=3566
- Michard, R. See Evans, J. W., 3=11532
- Michard, R. See Evans, J. W., 4=2437
- Michaud, G. G. and Boucher, R. R. Neutron sources from the beryllium reduction of plutonium dioxide, 0=7379
- Michaud, R. See Latière, H. J., 2=12858
- Michaud, R. See Latière, H. J., 3=6809
- Michaud, R. See Latière, H. J., 4=17793
- Michaudon, A. The production of moderated neutron beams from pulsed accelerators, 3=22138
- Michaudon, A., Bergère, R., Coin, A. and Joly, R. Measurement and analysis of the fission cross-section of  $U^{235}$ , 1=13868
- Michaudon, A., Derrien, H., Le Pipec, C. and Ribon, P. Study of the resonant interaction of neutrons of energy about 6.7 eV with  $U^{238}$  nuclei in uranium oxide at low temperature, 3=6259
- Michaudon, A., Derrien, H., Ribon, P. and Sanche, M. The distribution of the level spacings in  $U^{238}$ , excited by slow neutrons in  $U^{235}$  and detected by transmission through a metallic sample of  $U^{235}$  maintained at low temperature, 4=17077
- Michaudon, A., Derrien, H., Ribon, P. and Sanche, M. Errata: The distribution of the level spacings in  $U^{238}$  excited by slow neutrons in  $U^{235}$  and detected by transmission through a metallic sample of  $U^{235}$  maintained at low temperature, 4=25327
- Michaudon, A., Lottin, A. and Paya, D. Contribution to the study of ternary fission of uranium-235 induced by slow neutrons, 3=15241
- Michaudon, A. and Ribon, P. Contribution to the determination of neutron resonance parameters of  $U^{235}$ , 2=463
- Michaudon, A. See Le Pipec, C., 3=4801
- Michaudon, A. See Nifenecker, H., 2=464
- Michaudon, A. See Ribon, P., 1=16385
- Michaudon, A. See Ribon, P., 2=462
- Michaudon, A. See Ribon, P., 2=12143
- Michaudon, A. See Ribon, P., 4=17168
- Michejda, L. Quasi-elastic scattering of 7-GeV/c pions and the proton momentum distribution in carbon nuclei, 4=25153
- Michejda, L. See Baradin, M., 4=9295
- Michejda, L. See Hofmök, T., 3=12488
- Michejda, L. See Hofmök, T., 4=25152
- Michel, A. See Frie, W., 1=13071
- Michel, A. See Frie, W., 3=12090
- Michel, A. See Fruchart, E., 3=1134
- Michel, A. See Hertz, W., 4=11682
- Michel, A. See Lecocq, P., 2=734
- Michel, A. See Lecoq, P., 2=4215
- Michel, A. E. and Walker, E. J. Interference between the infrared beams from opposite ends of a GaAs laser, 3=24528
- Michel, A. E. and Walker, E. J. Angular distribution of the infrared output from lasing GaAs diodes, 4=19303
- Michel, A. E., Walker, E. J. and Nathan, M. I. Determination of the active region in light-emitting GaAs diodes, 4=5869
- Michel, A. E. See Smith, A. W., 4=14941



- Michel, A.E. See Walker, E.J., 4=24915  
 Michel, E. See Grant, J., 3=1824  
 Michel, F.C. Parity nonconservation in nuclei, 4=9347  
 Michel, F.C. Collapse of massive stars, 4=10811  
 Michel, F.C. See Mayer-Kuckuk, T., 2=16353  
 Michel, F.C. See Meyer-Kuckuk, T., 1=17020  
 Michel, H. See Boersch, H., 2=23143  
 Michel, H.St. See Hachenberg, O., 4=4946  
 Michel, J.C. See de Combarieu, A., 4=1398  
 Michel, J.C. See Dreyfus, B., 4=6748  
 Michel, K.H. Statistical theory results on multiple particle production from  $\pi$ -N collisions at 3 GeV, 2=9897  
 Michel, K.H. and Van Leeuwen, J.M.J. Green's function approach to electrical conductivity and phon drag, 4=12677  
 Michel, K.H. and Verboven, E. On the interference between streaming and collision in transport equations, 4=18655  
 Michel, K.W. See Jost, W., 4=15834  
 Michel, L. Covariant description of polarization, 0=3912  
 Michel, L. Relations between polarizations due to charge independence, 2=5586  
 Michel, L. Central extensions of the connected inhomogeneous Lorentz group, 4=29527  
 Michel, L. and Rouhanejad, H.  $\Sigma^0 \rightarrow \Lambda^0$  relative parity from  $\Sigma^0$  decay, 1=7287  
 Michel, L. See Bernstein, J., 0=9398  
 Michel, L. See Bernstein, J., 0=15243  
 Michel, L. See Bouchiat, C., 1=16873  
 Michel, L. See Lambeck, M., 4=4257  
 Michel, L. See Lurcat, F., 1=16661  
 Michel, L. See Lurcat, F., 2=22462  
 Michel, M.C. See Asaro, F., 2=1831  
 Michel, M.C. See Hoff, R.W., 0=7508  
 Michel, M.C. See Lessler, R.M., 0=9603  
 Michel, R.E. The temperature-dependence of electron spin-lattice relaxation times in ruby, 0=13870  
 Michel, R.E. and Rosenblum, B. Multicomponent magnetoplasma resonance in p-type germanium, 1=17491  
 Michel, R.E. and Rosenblum, B. Magnetoplasma resonance in germanium, 3=2893  
 Michel, R.E. See Chapman, F.W., 4=13247  
 Michel, W. Magnetic investigations on intermediate phases of Ni and Co with TRI- and quadrivalent B-metals, 4=4327  
 Micheletti, S. and Mead, J.B. Direct interaction mechanism in (d,  $\alpha$ ) reactions, 2=20668  
 Micheletti, S. See Colli, L., 0=1439  
 Micheletti, S. See Colli, L., 0=1442  
 Micheletti, S. See Colli, L., 0=5792  
 Micheletti, S. See Colli, L., 1=8749  
 Micheletti, S. See Colli, L., 1=16483  
 Micheletti, S. See Colli, L., 3=19865  
 Micheletti, S. See Gadioli, E., 4=12243  
 Micheletti, S. See Isoya, A., 1=19512  
 Micheletti, S. See Isoya, A., 3=683  
 Michelini, G.G.A. See Bassi, P., 1=13243  
 Michelis, B.De. See De Michelis, B.  
 Michelis, F.De. See De Michelis, F.  
 Michelitsch, M. Wetting and alloying studies on germanium, 0=14066  
 Michelitsch, M. On the current ratio  $I_{\max}/I_{\min}$  of tunnel diodes, 0=15971  
 Michell, D. and Lovegrove, E. Investigation of the annealing of nickel deformed by compression by X-ray and stored energy measurements, 0=21124  
 Michell, D. and Smith, A.P. Effect of deformation on the position of X-ray diffraction lines from gold, 2=23841  
 Michels, A., Abels, J.C., ten Seldam, C.A. and de Graaff, W. Polynomial representation of experimental data; application to virial coefficients of gases, 1=5294  
 Michels, A., de Graaff, W. and ten Seldam, C.A. Virial coefficients of hydrogen and deuterium at temperatures between  $-175^\circ\text{C}$  and  $+150^\circ\text{C}$ . Conclusions from the second virial coefficient with regards to the intermolecular potential, 1=6897  
 Michels, A., de Graaff, W., Wassenaar, T., Levelt, J.M.H. and Louwerse, P. Compressibility isotherms of hydrogen and deuterium at temperatures between  $-175^\circ\text{C}$  and  $+150^\circ\text{C}$  (at densities up to 960 amagat), 0=6838  
 Michels, A., de Graaff, W. and Wolkers, G.J. Thermodynamic properties of hydrogen and deuterium at temperatures between  $-175^\circ\text{C}$  and  $150^\circ\text{C}$  and at densities up to 840 amagat, 0=14909  
 Michels, A., de Graaff, W. and Wolkers, G.J. Thermodynamic properties of hydrogen and deuterium at temperatures between  $-175^\circ\text{C}$  and  $150^\circ\text{C}$  and at pressures up to 2500 atmospheres, 3=23930  
 Michels, A., de Kluiver, H., Middelkoop, D. The influence of krypton on the 2536.52 Å line of mercury, 0=7727  
 Michels, A., de Kluiver, H. and Ten Seldam, C.A. The formation of weakly bound molecules. Mercury-inert gas and their contribution to the satellite bands of the mercury 2537 Å ( $^1S_0 - ^3P_1$ ) resonance line perturbed by inert gases at low densities, 1=808  
 Michels, A., Dumoulin, E. and van Dijk, J.J. Gas-liquid phase equilibrium below  $0^\circ\text{C}$  in the system  $\text{NH}_3\text{-N}_2\text{-H}_2$  and in the system  $\text{NH}_3\text{-Kr}$ , 0=14639  
 Michels, A., Dumoulin, E. and van Dijk, J.J. Gas-liquid phase equilibrium in the system  $\text{NH}_3\text{-A}$ , 1=18673  
 Michels, A. and Prins, C. The melting lines of argon, krypton and xenon up to 1500 atm; representation of the results by a law of corresponding states, 2=5220  
 Michels, A. and Sengers, J.V. The thermal conductivity of carbon dioxide in the critical region. III. Verification of the absence of convection, 3=3834  
 Michels, A., Sengers, J.V. and van der Gulik, P.S. The thermal conductivity of carbon dioxide in the critical region. I. The thermal conductivity apparatus, 3=3832  
 Michels, A., Sengers, J.V. and van der Gulik, P.S. The thermal conductivity of carbon dioxide in the critical region. II. Measurements and conclusions, 3=3833  
 Michels, A., Sengers, J.V. and van de Klundert, L.J.M. The thermal conductivity of argon at elevated densities, 3=11832  
 Michels, A., Wassenaar, T. and Louwerse, P. Isotherms of neon at temperatures between  $0^\circ\text{C}$  and  $150^\circ\text{C}$  and at densities up to 1100 amagat (pressures up to 2900 atmospheres), 1=6879  
 Michels, H.H. and Harris, F.E. Molecular orbital studies of excited states of HeH, 4=1262  
 Michels, W.C. The role of experimental work, 2=7099  
 Michels, W.C. Freedom, responsibility, and barriers, 4=18007  
 Michelson, C. See Lidsky, L.M., 2=17794  
 Michelson, D. and Richardson, H.O.W. Particle focusing properties of the prolate spheroidal magnetic field and of the superposed spheroidal and uniform fields, 3=9875  
 Michener, W.H. Apparatus review: thermoelectric generator, 1=7021  
 Michie, G.M. See Wilson, G.W., 3=7678  
 Michie, R.W. Structure and evolution of globular clusters, 1=8006  
 Michie, R.W. On the distribution of high energy stars in spherical stellar systems, 3=9247  
 Michie, R.W. The dynamics of spherical stellar systems. III. The relative loss of stars with different mass, 4=10845  
 Michie, R.W. The dynamics of spherical stellar systems. IV. A study of galactic clusters, 4=13896  
 Michie, R.W. and Bodenheimer, P.H. The dynamics of spherical stellar systems. II. Theoretical models, 4=2368  
 Michie, R.W. See Brandt, J.C., 2=17237  
 Michie, R.W. See Brandt, J.C., 3=3538  
 Michie, R.W. See Burgess, A., 0=12250  
 Michiels, L. See Dupré, A., 4=9874  
 Michiels, L. See Van Isterbeek, A., 4=5486  
 Michielsen-Effinger, J. Validity of the crystal field theory for the study of transition metal ions in aqueous solution. Absorption spectrum of the bivalent vanadium ion, 1=8122  
 Michielsen-Effinger, J. Nuclear quadrupole moments determined by atomic and molecular spectroscopy, 1=16970  
 Michijima, M. Secondary electron multiplier as a detector of very feeble ion current down to  $10^{-10}$  amperes, 3=454  
 Michikawa, T. See Teranishi, E., 2=12187  
 Michikawa, T. See Teranishi, E., 4=9220  
 Michiyoshi, I., Uematsu, K. and Nakajima, T. An analytical study of heat transfer in nucleate boiling, 4=21332  
 Michiyoshi, I. See Sato, T., 3=9661  
 Michl, J. See Koutecký, J., 4=20087  
 Michon, L. See della Porta, P., 4=21597  
 Micka, K. Theory of polarization of porous electrodes, 4=29226  
 Mickelson, M.E. See Edse, R., 3=10504  
 Mickelwait, A.B., Tompkins, E.H.Jr and Park, R.A. Three-dimensional interplanetary trajectories, 0=10535  
 Mickey, J.W., Jr. See Orofino, T.A., 3=16616  
 Micu, M. Excitation of nuclei by the electric quadrupole moment of the projectile, 0=4083  
 Micu, M. Angular correlation theory with Jacob-Wick method, 1=17009



- Micu, M. Disintegration of deuterons in nuclear collisions, 2=5955
- Micu, M. Compound nucleus influence on Coulomb excitation, 3=12572
- Micu, M. and Săndulescu, A. The reduced widths for deuteron emission, calculated on the basis of the nuclear shell model, 1=5851
- Micu, M. and Săndulescu, A. Binding states of individual nucleons in a completely anisotropic field, 4=9356
- Micu, M. See Brăndus, I., 2=7961
- Micu, M. See Ciulli, S., 1=5485
- Micu, M. See Guiagu, I., 4=9486
- Miczaika, G. R. and Dieter, N. H. A fast technique for satellite position determination with large tracking cameras, 2=11206
- Middelboe, V. See Rasmussen, E., 0=20553
- Middelhoeck, S. Domain walls in thin ferromagnetic Ni-Fe films, 1=3900
- Middelhoeck, S. The influence of local anisotropy fluctuations on the magnetic properties of thin NiFe films, 1=11439
- Middelhoeck, S. Constriction of hard direction hysteresis loops in thin Permalloy films, 2=12656
- Middelhoeck, S. Domain wall creeping in thin permalloy films, 2=12773
- Middelhoeck, S. Creeping of domain walls in thin Ni-Fe films, 2=14781
- Middelhoeck, S. Static reversal processes in thin Ni-Fe films, 3=13236
- Middelhoeck, S. The influence of the anisotropy variations on the domain behaviour of Ni-Fe films, 3=15818
- Middelhoeck, S. Domain walls in thin Ni-Fe films, 3=15829
- Middelhoeck, S. Relation between the thickness of thin metallic films and the coercive field for wall displacement, 3=20603
- Middelhoeck, S. See Methfessel, S., 0=10152
- Middelhoeck, S. See Methfessel, S., 0=11865
- Middelhoeck, S. See Methfessel, S., 1=6330
- Middelhoeck, S. See Methfessel, S., 1=14721
- Middelhoeck, S. See Methfessel, S., 2=14794
- Middelhoeck, S. See Methfessel, S., 3=1076
- Middelkoop, D. See Michels, A., 0=7727
- Middelkoop, W. C. See Bleuler, E., 3=24565
- Middelkoop, W. C. See Cadwell, D. O., 4=15091
- Middelkoop, W. C. See Fidecaro, M., 1=5518
- Middelkoop, W. C. See Fidecaro, M., 2=22506
- Middelkoop, W. C. See Gatti, G., 1=13228
- Middelkoop, W. C. See Gatti, G., 1=16854
- Middelkoop, W. C. See Gatti, G., 4=30238
- Middelkoop, W. C. See Hillman, P., 0=2568
- Middents, P. See Spence, R. D., 4=13262
- Middlebrook, R. D. Conditions at a p-n junction in the presence of collected current, 4=6997
- Middlebrook, R. D. Effects of modified collector boundary conditions on the basic properties of a transistor, 4=7023
- Middlebrook, R. D. A simple derivation of field-effect transistor characteristics, 4=15553
- Middlebrook, R. D. and Richer, I. Limits on the power-law exponent for field-effect transistor transfer characteristics, 4=4191
- Middlebrook, R. D. See Richer, I., 4=15552
- Middlehurst, B. M. Helium lines in early-type stars: systematic effects and possible causes of the Trumpler shift, 4=10835
- Middlehurst, J. Mercury switch for establishing the true electrical zero in precise thermocouple measurements, 1=5366
- Middlehurst, J. and Jones, T. P. Photoelectric optical pyrometer, 1=6980
- Middlehurst, J. and Kennett, B. An a.c. modulated flame ionization triode, 1=16157
- Middelkoop, W. S. See Fidecaro, M., 2=9840
- Middleman, S. and Gavis, J. Expansion and contraction of capillary jets of Newtonian liquids, 1=4311
- Middleman, S. and Gavis, J. Expansion and contraction of capillary jets of viscoelastic liquids, 1=11743
- Middleman, S. and Gavis, J. Erratum: I. Expansion and contraction of capillary jets of Newtonian liquids; II. Expansion and contraction of capillary jets of viscoelastic liquids, 1=18379
- Middlemas, N. See Aitken, M. J., 0=5772
- Middlemas, N. See Emmerson, J. McL., 3=24381
- Middleton, D. Acoustic signal detection by simple correlators in the presence of non-Gaussian noise. I. Signal-to-noise ratios and canonical forms, 3=207
- Middleton, F. H. Analytic hysteresis function, 1=6287
- Middleton, R. and Hinds, S. A study of the  $Mg^{24}(d,p)Mg^{25}$  reaction, 1=19508
- Middleton, R. and Hinds, S. Angular distributions of the protons from the  $Mg^{24}(d,p)Mg^{25}$  reaction measured with a multi-channel magnetic spectrograph, 2=14131
- Middleton, R. and Pullen, D. J. A study of some (t,p) reactions. I. Method and results for  $Li^7, B^{10}$  and  $B^{11}$ , 4=12259
- Middleton, R. and Pullen, D. J. A study of some (t,p) reactions. II. Results for  $C^{12}, C^{14}, O^{16}$  and  $O^{18}$ , 4=12260
- Middleton, R. and Pullen, D. J. A study of some (t,p) reactions. III. Results for  $Mg^{26}, Si^{28}, Si^{29}, Ca^{40}$  and  $Cd^{110}$ , 4=12261
- Middleton, R. See Fulmer, R. H., 4=12270
- Middleton, R. See Hinds, S., 0=5755
- Middleton, R. See Hinds, S., 0=5757
- Middleton, R. See Hinds, S., 0=7475
- Middleton, R. See Hinds, S., 0=7578
- Middleton, R. See Hinds, S., 0=9642
- Middleton, R. See Hinds, S., 0=11423
- Middleton, R. See Hinds, S., 0=11424
- Middleton, R. See Hinds, S., 1=617
- Middleton, R. See Hinds, S., 1=2238
- Middleton, R. See Hinds, S., 1=7343
- Middleton, R. See Hinds, S., 1=8581
- Middleton, R. See Hinds, S., 1=8582
- Middleton, R. See Hinds, S., 1=8623
- Middleton, R. See Hinds, S., 1=12217
- Middleton, R. See Hinds, S., 1=13657
- Middleton, R. See Hinds, S., 1=16987
- Middleton, R. See Hinds, S., 1=19509
- Middleton, R. See Hinds, S., 2=1816
- Middleton, R. See Hinds, S., 2=1913
- Middleton, R. See Hinds, S., 2=12135
- Middleton, R. See Hinds, S., 2=16430
- Middleton, R. See Hinds, S., 3=637
- Middleton, R. See Hinds, S., 3=680
- Middleton, R. See Hinds, S., 4=15151
- Middleton, R. See Hinds, S., 4=19822
- Middleton, R. See Macefield, B. E. F., 3=17495
- Middleton, R. See Pullen, D. J., 2=18232
- Middleton, R. See Pullen, D. J., 4=12256
- Middleton, R. M. See Dhosi, J. M., 4=10467
- Middleton, R. M. See Gazzara, C. P., 1=11166
- Middleton, R. M. See Gazzara, C. P., 4=25858
- Middleton, S. P. See Gebbie, H. A., 3=16769
- Middleton, S. P. See King, R. J., 1=6818
- Middleton, W. E. K. Random reflections on the history of atmospheric optics, 0=2023
- Middleton, W. E. K. Diffusion of ultraviolet and visible light by ground surfaces of fused quartz, 0=14787
- Middleton, W. E. K. Note on the invention of photometry, 3=11879
- Middleton, W. E. K. The early history of the visibility problem, 4=23757
- Middleton, W. E. K. and Wysecki, G. W. Visual thresholds in the retinal periphery for red, green, and white signal lights, 1=4162
- Midecke, P. Electron diffraction investigations of thin evaporated metal films and their interpretation by gas interference theory, 0=6388
- Midera, M. See Shoda, K., 2=20591
- Midgley, D. and Smethurst, S. W. Magnetic field problem with axial symmetry, 4=27605
- Midgley, J. E. and Davis, L. Jr. Computation of the bounding surface of a dipole field in a plasma by a moment technique, 2=9577
- Midgley, J. E. and Davis, L. Jr. Calculation by a moment technique of the perturbation of the geomagnetic field by the solar wind, 4=2321
- Midgley, J. W. and Teer, D. G. Surface orientation and friction of graphite, graphitic carbon and non-graphitic carbon, 1=11528
- Miduno, Z. See Hukuda, K., 1=1489
- Midwinter, G. G. See Hatherton, T., 0=4814
- Midwinter, G. G. See Hatherton, T., 0=14273
- Midzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. I, 1=16568
- Midzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. II, 1=16569
- Midzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. III, 2=22203
- Midzuno, Y. See Kihara, T., 1=5448
- Midzuno, Y. See Kihara, T., 1=8319
- Midzuno, Y. See Kihara, T., 1=8325



- Miedan-Gros, A., Allain, Y. and Winterberger, M. Magnetic susceptibility and electrical conductivity of gersdorffite,  $\text{NiAsS}$ , and of ullmannite,  $\text{NiSbS}$ , 4=7220
- Miedan-Gros, A. See Allain, Y., 3=19412
- Miedema, A.R. Some experiments on heat transfer and magnetization below  $1^\circ\text{K}$ . I-VI, 2=13496
- Miedema, A.R., van Kempen, H., Haseda, T. and Huiskamp, W.J. Thermal and magnetic properties of  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  and  $\text{CuSeO}_4 \cdot 5\text{H}_2\text{O}$  below  $1^\circ\text{K}$ , 2=6282
- Miedema, A.R., van den Broek, J., Postma, H. and Huiskamp, W.J. The magnetic behaviour of manganese- and cobalt ammonium tutton salt below  $1^\circ\text{K}$ , 0=13738
- Miedema, A.R., Postma, H. and Steenland, M.J. Very low temperatures obtained by indirect cooling, 0=8966
- Miedema, A.R., Postma, H., van der Vlugt, N.J. and Steenland, M.J. Some experiments on heat transfer below  $1^\circ\text{K}$ , 0=7039
- Miedema, A. R., van Kempen, H. and Huiskamp, W. J. Experimental study of the simple Heisenberg ferromagnetism in  $\text{Cu}_2\text{Cl}_2 \cdot 2\text{H}_2\text{O}$  and  $\text{Cu}(\text{NH}_4)_2\text{Cl}_2 \cdot 2\text{H}_2\text{O}$ , 4=7252
- Miedema, A.R., van Kempen, H. and Huiskamp, W.J. Specific heat and magnetic properties of ferromagnetic  $\text{Cu}_2\text{Cl}_2 \cdot 2\text{H}_2\text{O}$  and  $\text{Cu}(\text{NH}_4)_2\text{Cl}_2 \cdot 2\text{H}_2\text{O}$ , 4=17648
- Miedema, A.R. See Beun, J.A., 0=8035
- Miedema, A. R. See Duffy, W. T., Jr., 4=20560
- Miedema, A.R. See Haseda, T., 1=19719
- Miedema, A. R. See Haseda, T., 3=1060
- Miedema, A.R. See Postma, H., 0=9561
- Miedema, A.R. See Postma, H., 0=15561
- Miedema, A. R. See Van Kempen, H., 4=9856
- Miedema, A. R. See Van Kempen, H., 4=22494
- Miedema, A. R. See Wittekoek, S., 4=22948
- Miedler, L.J. See Boettner, A., 1=19963
- Miedler, L.J. See Boettner, E.A., 3=5523
- Mieg, P. Effect on wave propagation in a plasma cable of plasma drift velocity, and of the ratio of the radii of the inner and outer conductors, 2=7763
- Mieher, R. See Gazzinelli, R., 4=26452
- Mieher, R.L. Nuclear relaxation via quadrupole coupling, 0=6286
- Mieher, R.L. Quadrupolar nuclear relaxation in the III-V compounds, 2=8696
- Mieher, R.L. Electron nuclear double resonance study of lithium A centers in  $\text{KCl}$ , 2=14470
- Miehlich, A. The concentration dependence of the luminescence of F and  $\text{F}'$  centres in  $\text{KCl}$ , 4=4303
- Miękisz, S. Non-stationary flow of a viscous fluid through vessels having elastic walls. Linear approach, 2=2682
- Miękisz, S. On the dispersion of the propagation velocity of a disturbance in a liquid flowing through elastic-walled vessels, 2=2683
- Miękisz, S. On the relation between pressure and flow in an elastic tube, 2=4980
- Mielczarek, E.V. and Frederikse, H.P.R. Thermal conductivity of indium antimonide at low temperatures, 0=547
- Mielczarek, S.R. See Kuyatt, C.E., 4=25644
- Mielczarek, S.R. See Marton, L., 2=3799
- Mielczarek, S.R. See Marton, L., 4=8229
- Mielczarek, S.R. See Simpson, J.A., 4=3828
- Mielczarek, S.R. See Simpson, J.A., 4=8832
- Mielczarek, S.R. See Simpson, J.A., 4=15279
- Mielenz, K.D. Theory of grating spectroscopic instruments with rectangular apertures, 0=162
- Mielenz, K.D. Measurements of (photographic) blackening of spectral lines, 0=2263
- Mielenz, K.D. Use of Chebyshev [Chebyshev] polynomials in thin film computations, 0=6940
- Mielenz, K.D. Simple calculus for all-dielectric interference filters of the Fabry-Perot type, 0=16892
- Mielenz, K.D. Tolerances for layer thicknesses in dielectric multilayer coatings and interference filters, 1=16098
- Mielenz, K.D. Focal curves and astigmatism of minor spectrographs, 2=22023
- Mielenz, K.D. Focal curves of the Ebert and Ebert-Fastie spectrographs, 3=7334
- Mielenz, K. D. Note on "interferometric measurement of vibration amplitude", 4=21212
- Mielenz, K. D. Fringe pattern of an oscillating Fabry-Perot interferometer, 4=24381
- Mielenz, K. D., Nefflen, K. F. and Gilliland, K. E. He-Ne laser with perpendicular end windows, 4=27688
- Mielenz, K. D., Stephens, R. B. and Nefflen, K. F. A Fabry-Perot spectrometer for high-resolution spectroscopy and laser work, 4=16230
- Mielenz, K.D. See Kaiser, H., 0=5164
- Mielke, H. The dependence of static breakdown voltage on the cathode material (hydrogen;  $p \approx 500$  Torr,  $d = 1$  cm), 0=254
- Mielke, H. The temporal variation of the current increase in the static breakdown of air hydrogen and oxygen, 0=9021
- Mielken, G. See Bodensiedt, E., 3=2391
- Mielken, G. See Kürner, H.J., 3=12560
- Mielnik, B. On the damping problem in quantum theory, 1=15683
- Mielnik, B. and Plebánski, J. A study of geodesic motion in the field of Schwarzschild's solution, 2=11259
- Mierzejewski, S. Apparatus for counting the number and integral length of measured segments, 2=19688
- Mierzejewski, S. Instrument for measurements of multiple scattering, 2=20208
- Mierzejewski, S. Microscope stages for nuclear emulsion measurements, 2=20209
- Mierzejewski, S. Gap meter, 2=22371
- Mies, E. See Ceulemans, H., 1=11891
- Mies, F.H. Continuum radiation from ionized rare gases in reflected shock waves, 2=21931
- Mies, F. H. Effects of anharmonicity on vibrational energy transfer, 4=9788
- Mies, F. H. Impact parameter treatment of vibrational excitation, 4=30411
- Mies, F.H. and Shuler, K.E. Quantum-mechanical calculation of harmonic oscillator transition probabilities. II. Three-dimensional impulsive collisions, 2=16461
- Miescher, E. Spectrum and energy levels of the No molecule, 3=10517
- Miescher, E. See Huber, K.P., 3=10518
- Miescher, E. See Huber, K.P., 3=19986
- Miescher, E. See Lagerqvist, A., 2=10263
- Miescher, E. See Lofthus, A., 4=20055
- Mięsowicz, M. Recent studies on the fire ball model, 3=4539
- Mięsowicz, M. See Bartke, J., 0=13082
- Mięsowicz, M. See Bartke, J., 1=3262
- Mięsowicz, M. See Gierula, J., 0=20271
- Mięsowicz, M. See Gierula, J., 0=20306
- Mięsowicz, M. See Gierula, J., 3=4382
- Mięsowicz, M. See Gierula, J., 3=5993
- Mięsowicz, M. See Gierula, J., 3=7950
- Miesowicz, M. See Gierula, J., 4=27918
- Miessner, B.F. Piano sounding-board vibration, 1=6189
- Miessner, B.F. Comments on "linguistic consideration of porpoise sounds", 2=11220
- Miessner, B.F. Modulation of the frequencies of the partials of beams above the first by vibration at I, as by the other bending forces, 2=13397
- Miessner, H. See Boersch, H., 2=15961
- Miessner, M. See Boersch, H., 2=20984
- Mińska, I.B. See Bulakh, B.M., 3=23395
- Mifsud, J.F. See Nolle, A.W., 3=23987
- Migachev, A.I. See Dmitrievskii, V.A., 1=1491
- Mizutake, Y. An example of nonlocal interaction, 1=10840
- Migchelsen, T. See Hazekamp, R., 2=15031
- Migdal, A. A. See Gurvits, S.A., 4=11118
- Migdal, A.B. Superfluidity and the moments of inertia of nuclei, 0=4011
- Migdal, A.B. Superfluidity and the moments of inertia of nuclei, 0=9505
- Migdal, A.B. Single particle excitations and superfluidity in systems consisting of Fermi particles with an arbitrary interaction. Application to the nucleus, 1=16724
- Migdal, A.B. Single-particle excitations and superfluidity in Fermi systems with arbitrary interaction. Application to the nucleus, 2=7827
- Migdal, A.B. Theory of a Fermi fluid consisting of two types of particles. Application to the nucleus, 3=15080
- Migdal, A. B. Nuclear magnetic moments, 4=19640
- Migdal, A. B. A new approach to the theory of nuclear structure, 4=27942
- Migdal, A. B. and Larkin, A. I. A phenomenological approach to the theory of the nucleus, 4=6196
- Migdal, A. B. and Larkin, A. I. Phenomenological approach to the theory of the nucleus, 4=15121
- Migdal, A. B. See Braginsky, S.I., 1=7044
- Migdal, A.B. See Drozdov, S.I., 1=8599
- Migdal, A.B. See Larkin, A.I., 3=23795
- Migeon, M. and Delhay, M. Measurement of the intensity of raman lines by electromechanical integration, 4=5380
- Migeotte, M. Vertical distribution of atmospheric ozone. Comparison of various methods. A. Introduction, 1=1504



- Migeotte, M. See Delbouille, L., 1=27
- Mighell, A.D. and Jacobson, R.A. Analysis of three-dimensional Patterson maps using vector verification, 3=18302
- Migitaka, M. Silicon negative resistance diodes, 3=2937
- Migitaka, M. Spectrum of the light emitted from silicon junctions, 4=4305
- Migitaka, M. P-N junctions made by alloying indium onto P-type silicon pellets, 4=12930
- Mignot, C. See Ligou, J., 4=19891
- Migotsky, E. See Neuringer, J.L., 3=21967
- Miguel, L.De. See De Miguel, L.
- Miguel, M. See Houtermans, H., 2=14011
- Migula, Z. See Gariat, W., 2=4033
- Mihailović, M.V. Bremsstrahlung cross section at the short-wave limit, 0=12896
- Mihailović, M.V. Form factor for the ejection of electrons from the L-subshells by protons, 0=13398
- Mihailović, M.V. and Rosina, M. The influence of the configurations with two or more particle-hole pairs on the structure of the giant resonance, 3=8075
- Mihailović, M.V. See Cvelbar, F., 2=16181
- Mihailovic, M.V. See Cvelbar, F., 3=10366
- Mihailović, M.V. See Dular, J., 0=5767
- Mihalcu, M. See Rosenberg, M., 2=10519
- Mihalcz, J.T. Superprompt-critical behavior of an unmoderated, unreflected uranium-molybdenum alloy reactor, 4=1128
- Mihalcz, J.T. and Neeley, V.I. The infinite neutron multiplication constant of homogeneous hydrogen-moderated 2.0 wt. %  $^{235}\text{U}$  enriched uranium, 2=14156
- Mihaljan, J.M. The baroclinic instability of a  $2\frac{1}{2}$  dimensional model atmosphere in which the upper level is non-divergent, 2=8962
- Mihaljan, J.M. A rigorous exposition of the Boussinesq approximations applicable to a thin layer of fluid, 3=1660
- Mihalov, J.D. See Mozer, F.S., 3=16288
- Mihalov, J.D. See Nakada, M.P., 2=19280
- Mihama, K. The effects of ion bombardment on molybdenite and graphite, 3=22851
- Mihara, T. See Kubota, B., 4=13174
- Mihelich, J.W. See Bichard, J.W., 0=1370
- Mihelich, J.W. See Funk, E.G., Jr., 1=650
- Mihelich, J.W. See Funk, E.G., Jr., 3=4596
- Mihelich, J.W. See Harmatz, B., 0=15538
- Mihelich, J.W. See Harmatz, B., 1=12160
- Mihelich, J.W. See Harmatz, B., 3=2380
- Mihelich, J.W. See Jacob, K.P., 0=5714
- Mihelich, J.W. See McNulty, J.F., 4=27997
- Mihelich, J.W. See Prask, H.J., 2=3491
- Mihelich, J.W. See Prask, H.J., 2=20558
- Mihelich, J.W. See Reidy, J.J., 4=9455
- Mihelich, J.W. See Schima, F., 4=6297
- Mihelich, J.W. See Schwerdtfeger, C.F., 2=7946
- Mihelich, J.W. See Schwerdtfeger, C.F., 2=14047
- Mihran, T.G. R.F. current behaviour in electron beams with d.c. velocity spread, 2=9630
- Mihran, T.G. Nonplanar phenomena in single and multiple electron beams, 4=16534
- Mihran, T.G. and Yu, S.P. Nonlinear r.f. behavior of electron beams with velocity distribution. II. Application to rectangular velocity distribution, 3=24354
- Mihran, T.G. See Yu, S.P., 3=24353
- Mihu, V.P. The absorption of electromagnetic waves in ionized oxygen, 2=1604
- Mihu, V.P. The parabolic law applied to the maximum absorption of electromagnetic waves in an ionized gas, 2=17950
- Mihul, A. See Balea, O., 3=17134
- Mihul, A. See Hulubei, H., 4=942
- Mihul, A. See Hulubei, H., 4=30257
- Mihul, A.C. and Petraşcu, M.G. Fission of  $\text{U}^{238}$  with  $\mu^-$ -mesons, 1=745
- Mihul, C. Inductance and resistance of an ionized gas, 4=11657
- Mihul, C., Pop, V. and Haba, M. Spectral displacement of fluorescence of anthracene solutions and of 9,10-dibromanthracene in various solvents, 2=7221M
- Mihul, C., Ruscior, C., Pop, V., Suciu, M. and Rădulescu, G. Fluorescence of mineral oils, 2=9285
- Mihul, E.C. and Ion, D.B. A model for multiple meson production in  $\pi$ -p interactions as an application of the Regge poles hypothesis, 4=30250
- Mihul, E.K. On the peripheral mechanism in the  $\pi^+ + n \rightarrow p + \pi^- + \pi^+$  reaction, 4=27878
- Mihul, E.K. See Barashenkov, V.S., 0=3964
- Mihul, E.K. See Barashenkov, V.S., 1=16909
- Mihul, E.K. See Barashenkov, V.S., 4=3488
- Mihul, I. and Tacu, G. Electric arc with glass electrodes, 0=10892
- Mihul, K. Interpretation of spontaneous electrical oscillations occurring during a luminous d.c. discharge, 4=11540
- Mii, H. See Nakayama, N., 4=23983
- Mijatović, A.M. See Kiočki, S.D., 0=17540
- Mijlhoff, F.C. and Block, R. Vapour pressure of selenium trioxide, 4=29807
- Mijlhoff, F.C. and MacGillavry, C.H. Symmetry and unit-cell dimensions of selenium trioxide, 2=15024
- Mijlhoff, F.C. See Block, R., 4=5430
- Mijnarends, P.E. Propagation of electromagnetic step functions over a conducting medium, 2=17955
- Mijnarends, P.E. and Hambro, L. Positron annihilation in magnetized single crystals of iron, 4=22555
- Mijnlieff, P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. I, 3=6938
- Mijnlieff, P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. II, 3=6939
- Mijnlieff, P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. III, 3=6940
- Mijnlieff, P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. IV, 3=6941
- Mika, J. and Zelazny, R. Polynomial approximation in neutron transport theory, 0=20149
- Mika, J. See Frankowski, W., 2=3652
- Mika, J. See Kuszell, A., 1=19559
- Mika, J. See Zelazny, R., 2=3351
- Mika, J.R. Neutron transport with anisotropic scattering, 2=5663
- Mika, J.R. Asymptotic reactor theory in plane geometry, 3=2526
- Mika, J.R. See Bednarz, R.J., 4=908
- Mika, N. See Dörr, F., 4=4317
- Mikaelian, L.A. See Apalin, V.F., 4=19853
- Mikaelian, L.A. See Spivak, P.E., 1=2040
- Mikaélyan, L.A. See Apalin, V.F., 2=1941
- Mikaélyan, L.A. See Apalin, V.F., 2=11932
- Mikaélyan, L.A. See Apalin, V.F., 2=20693
- Mikaélyan, L.A. See Spivak, P.E., 2=429
- Mikaélyan, L.A. See Spivak, P.E., 2=22799
- Mikaélyan, A.L. and Stolyarov, A.K. Surface waves in ferrite waveguides, 0=1214
- Mikaélyan, A.L. See Ter-Mikaelyan, M.L., 4=21666
- Mikaélyan, L.A., Borovoi, A.A. and Denisov, E.I. Double Mott scattering of electrons, 3=24924
- Mikaélyan, L.A., Borovoi, A.A. and Denisov, E. Double Mott scattering of electrons, 3=24925
- Mikaélyan, L.A. and Spivak, P.E. Measurement of the degree of longitudinal polarization of beta particles, 0=15335
- Mikaélyan, L.A. See Apalin, V.F., 0=4137
- Mikaélyan, L.A. See Apalin, V.F., 3=2509
- Mikaélyan, L.A. See Apalin, V.F., 3=8151
- Mikaélyan, L.A. See Apalin, V.F., 3=10401
- Mikaélyan, L.A. See Apalin, V.F., 3=12713
- Mikaélyan, L.A. See Apalin, V.F., 3=17502
- Mikaélyan, L.A. See Apalin, V.F., 4=25442
- Mikaélyan, L.A. See Kalashnikov, V.I., 0=2693
- Mikaélyan, L.A. See Spivak, P.E., 1=3414
- Mikaélyan, L.A. See Spivak, P.E., 1=4791
- Mikaélyan, L.A. See Spivak, P.E., 1=5900
- Mikailoff, H. See Mustelier, J.P., 2=18626
- Mikal'kevichyus, M.F. See Karpus, A.S., 4=1590
- Mikal'kevičius, M.P. See Karpus, A.S., 4=2023
- Makami, I. Theory of noise in magnetic recording tape coated with magnetic particles, 2=11753
- Mikami, I., Hirone, T., Watanabe, H., Maeda, S., Adachi, K. and Yamada, M. On the magnetic anisotropy of a pyrrhotite crystal, 0=21040
- Mikamo, S. See Matsumoto, S., 1=13407
- Mikawa, Y. See Janz, G.J., 2=1265
- Mikazand, P.S. Electromagnetic wave diffraction at the open end of a helical waveguide, 0=1215
- Mikazzo, M. See Colli, L., 2=14117
- Mikel'son, A. See Briskman, V., 0=6531
- Mikesell, A.H. Star visibility in daylight at high altitudes, 0=843
- Mikeska, E.E. See Hixson, E.L., 2=13408
- Mikeska, E.E. See Lane, R.N., 1=18543



- Mikeska, H. J. The shape of the giant dipole resonance for light nuclei, 4=9389
- Mikeska, H. J. See Fick, E., 1=11410
- Mikhailov, I. V. See Borovik, E. S., 3=182
- Mikhailov, V. A., Roinishvili, V. N. and Chikovani, G. E. Controlled spark chamber — a new device for the observation of charged particle tracks, 1=13265
- Mikhail, F. I. Unified field theory, 4=18060
- Mikhail, H., Hanafy, Z. and Salem, T. M. Magnetic susceptibility of mercuric oxide at various temperatures, 1=17929
- Mikhail, S. Mixing of coaxial streams inside a closed conduit, 0=6753
- Mikhailenko, I. E. and Spitsyn, V. I. New data on the influence of a radioactive solid phase on heterogeneous processes of isotopic exchange, 0=14112
- Mikhailenko, I. E. See Spitsyn, V. I., 1=20656
- Mikhailenko, S. A. See Lutsii, A. E., 3=21385
- Mikhailenko, S. A. See Mel'yanovskii, P. A., 2=19877
- Mikhailov, V. D. See Michajlov, V. D.
- Mikhailov, A. A. The solar eclipse of 15 February, 1961, 0=18780
- Mikhailov, A. A. The deflection of light by the gravitational field of the sun, 0=18913
- Mikhailov, A. A. Some considerations on the computation of refraction, 2=4708
- Mikhailov, A. A. A problem of the theory of solar eclipses, 2=13120
- Mikhailov, A. A. A problem of the theory of solar eclipses, 2=17270
- Mikhailov, A. A. The astronomical unit of length, 3=5229
- Mikhailov, A. I. See Gorshkov, V. G., 3=2587
- Mikhailov, A. I. See Gorshkov, V. G., 4=1224
- Mikhailov, A. I. See Gorshkov, V. G., 4=25542
- Mikhailov, A. I. See Kazanskii, G. S., 3=19387
- Mikhailov, A. I. See Kazanski, G. S., 3=24416
- Mikhailov, B. M. See Nikitina, A. N., 3=23891
- Mikhailov, G. G. See Zagorets, P. A., 2=17624
- Mikhailov, G. M., Lundin, A. G. and Gabuda, S. P. Magnetic resonance of  $F^{19}$  nuclei in the ferroelectric  $(NH_4)_2BeF_4$ , 2=4284
- Mikhailov, G. M., Lundin, A. G. and Gabuda, S. P. Magnetic resonance in  $F^{19}$  nuclei in the ferroelectric  $(NH_4)_2BeF_4$ , 3=3194
- Mikhailov, G. M. See Aleksandrov, K. S., 1=4059
- Mikhailov, G. M. See Gabuda, S. P., 4=10552
- Mikhailov, G. M. See Lundin, A. G., 1=19923
- Mikhailov, G. M. See Lundin, A. G., 3=4941
- Mikhailov, G. M. See Lundin, A. G., 4=17689
- Mikhailov, G. P. and Burshtein, L. L. Determination of effective dipole moments of polymers of homologous methacrylic esters in solution and in the highly elastic state, 0=7821
- Mikhailov, G. P. and Burshtein, L. L. Modern theories of dipole polarization of condensed molecular systems, 3=17925
- Mikhailov, G. P. and Lobanov, A. M. Molecular relaxation in polymers well above the vitrification temperature, 4=1333
- Mikhailov, G. P. and Smolyanskii, A. L. Investigation of molecular interaction in polymers and their hydrogenated monomers on the basis of infrared spectra. I. Hydrogenated monomers and copolymers, 4=12550
- Mikhailov, G. P. and Smolyanskii, A. L. Investigation of molecular interaction in polymers and their hydrogenated monomers on the basis of infrared spectra. II. Polymers, 4=20142
- Mikhailov, G. S. On the article by E. F. Idczak, "The effect of evaporation conditions on the optical properties of thin chromium films", 4=26185
- Mikhailov, G. V. The effect of pressure on the Raman spectrum of oxygen, 0=7764
- Mikhailov, G. V. The influence of temperature and pressure on the Raman spectrum of nitrogen, 0=11527
- Mikhailov, G. V. Raman scattering in methane at pressures from 15 to 250 ATM, 3=176
- Mikhailov, H. C., Akimovich, O. M. and Pronilna, I. H. Obtaining an ultra-high vacuum by means of an electronic oxide semiconductor pulverized by electron bombardment, 3=21457
- Mikhailov, H. S. Accretion of crystals with fivefold symmetry, 2=8773
- Mikhailov, I. See Kaganov, M., 3=24124
- Mikhailov, I. F., Kogan, V. S. and Kosik, N. A. On the causes of brittleness of vacuum annealed tungsten, 0=16241
- Mikhailov, I. F. See Borovik, E. S., 2=2787
- Mikhailov, I. G. Adsorption of ultrasonic waves in concentrated solutions of certain polymers, 4=8204
- Mikhailov, I. G. New data on sound velocity in aqueous solutions, 4=14158
- Mikhailov, I. G. Methods of measuring the absolute intensity of ultrasonic waves in liquids and solids, 4=29715
- Mikhailov, I. G. and Fedorova, N. M. Study of ultrasonically induced structural changes in concentrated polymer solutions, 4=160
- Mikhailov, I. G., Savina, L. I., Solov'ev, V. A. and Syrova, M. N. Absorption of ultrasonic waves in thiokols, 4=24208
- Mikhailov, I. G. and Shutilov, V. A. Diffraction of light on harmonics of an ultrasonic wave distorted in the process of propagation in a liquid, 0=140
- Mikhailov, I. G. and Shutilov, V. A. A simple method for observing cavitation in liquids, 0=10641
- Mikhailov, I. G. and Shutilov, V. A. Distortion of the ultrasonic waveform of finite amplitude in various liquids, 1=4337
- Mikhailov, I. G. See Kalugin, B. A., 2=4299
- Mikhailov, I. N. Use of the projection in solving the variational problems, 3=18698
- Mikhailov, I. N. Accuracy of the generalized Hartree-Fock method in nuclear physics, 4=6197
- Mikhailov, I. N. On the accuracy of the calculation of the moment of inertia of nuclei by the method of forced rotation, 4=12114
- Mikhailov, L. N. See Nastyukha, A. I., 1=16432
- Mikhailov, N. N. and Govor, A. Ya. Lead brass resistance thermometers for low-temperature measurements, 3=14430
- Mikhailov, N. N. and Kaganovskii, A. Ya. Carbon resistance thermometers for low temperatures, 2=7446
- Mikhailov, N. N. and Kaganovskii, A. Ya. Carbon resistance thermometers for low temperatures, 2=19754
- Mikhailov, N. N. See Alekseevskii, N. E., 2=5240
- Mikhailov, N. N. See Alekseevskii, N. E., 3=3968
- Mikhailov, N. N. See Alekseevskii, N. E., 3=16873
- Mikhailov, N. Ya. and Yagn, Yu. I. Experimental investigation of limiting carrying capacity of nickel tubes for different load applications: tensile stresses, shear moments and internal pressures, 1=6467
- Mikhailov, N. Ya. and Yagn, Yu. I. Experimental investigation of limiting carrying capacity of nickel tubes for different load applications: tensile stresses, shear moments and internal pressures, 1=10221
- Mikhailov, P. S. and Rotenberg, B. A. Electric properties of some solid solutions of divalent metal niobates and tantalates, 2=14613
- Mikhailov, V. A., Roinishvili, V. N. and Chikovani, G. E. Track spark chamber, 4=5915
- Mikhailov, V. A. See Chikovani, G. E., 4=3263
- Mikhailov, V. A. See Chikovani, G. E., 4=14991
- Mikhailov, V. A. See Chikovani, G. E., 4=19340
- Mikhailov, V. D. A reaction induced by colliding electron beams, 4=6024
- Mikhailov, V. D. See Birger, N. G., 4=9116
- Mikhailov, V. F. A simple multichannel pulse-height analyser, 3=3988
- Mikhailov, V. F. The use of toluene-argon and N-heptane-argon mixtures as working gases of an ionization chamber, 3=4291
- Mikhailov, V. I. The scattering of electromagnetic waves on uneven surfaces, 3=21975
- Mikhailov, V. I. A portable high-voltage supply, 4=16574
- Mikhailov, V. M. See Zyryanova, L. N., 2=18294
- Mikhailov, Y. Highly intensive heat and mass transfer in dispersed media, 1=16139
- Mikhailov, Yu. G., Nikulin, E. I., Reinov, N. M. and Smirnov, A. P. Superconductivity of iron films, 0=2290
- Mikhailov, Yu. G. See Grigor'ev, A. D., 3=5148
- Mikhailov, Yu. G. See Kolchin, A. M., 2=142
- Mikhailov, Yu. G. See Kolchin, A. M., 3=3966
- Mikhailov, Yu. M. See Dorman, L. I., 3=2115
- Mikhailova, D. N. The diffusion distribution of boron in silicon, 3=22822
- Mikhailova, D. N. and Kasabov, I. D. Distribution of diffused phosphorus in silicon, 2=21072
- Mikhailova, D. N. and Kasabov, I. D. Distribution of diffused phosphorus in silicon, 3=2833
- Mikhailova, E. A. See Klimusheva, G. V., 4=7141
- Mikhailova, E. G. See Matskevich, T. L., 0=15058
- Mikhailova, L. K. See Kolontsova, E. V., 4=22594
- Mikhailova, M. P. Movement of a piston at uniform speed in an inhomogeneous medium, 2=7174
- Mikhailova, M. P. Movement of a piston at uniform speed in an inhomogeneous medium, 2=11323



- Mikhailova, M.P., Nasledov, D.N. and Slobodchikov, S.V. Photo-magnetic effect and photoconductivity in InP, 2=16757
- Mikhailova, M.P., Nasledov, D.N. and Slobodchikov, S.V. Photo-magnetic effect and photoconductivity in InP, 2=23465
- Mikhailova, M.P., Nasledov, D.N. and Slobodchikov, S.V. Temperature dependence of carrier lifetimes in InAs, 4=4159
- Mikhailova, M.S. See Gel'fand, I.M., 4=644
- Mikhailova, M.S. See Gel'fand, I.M., 4=5741
- Mikhailova, T.G. See Nesterov, V.M., 3=15609
- Mikhailovska, L.V. and Mikhailovskii, A.B. Suydam instability for a finite Larmor radius of the ion, 4=564
- Mikhailovskaya, L.V. and Mikhailovsky, A.B. Drift instability of a plasma in a helical magnetic field, 3=21829
- Mikhailovskaya, L.V. and Mikhailovskii, A.B. Drift instability of a dense plasma, 4=5682
- Mikhailovskaya, L.V. and Mikhailovskii, A.B. Limits of stability for drift waves in a nonuniform plasma, 4=27552
- Mikhailovskaya, L.V. and Mikhailovsky, A.B. Kinetic method of investigating oscillations and stability of inhomogeneous plasma in a helical magnetic field, 4=5675
- Mikhailovskaya, V.V. See Imianitov, I.M., 1=16215
- Mikhailovskii, A.B. Diamagnetic instability of a plasma with a large ion Larmor radius, 2=19955
- Mikhailovskii, A.B. Convection instability and the stabilization effect in a rarefied high-temperature plasma, 3=1979
- Mikhailovskii, A.B. Diamagnetic instability of a plasma with a large ion Larmor radius, 3=7546
- Mikhailovskii, A.B. Transverse drift oscillations of an inhomogeneous plasma, 3=24316
- Mikhailovskii, A.B. Flute instability of an axially symmetric plasma with a finite ion Larmor radius, 4=29952
- Mikhailovskii, A.B. and Poqtse, O.P. Effect of collisions on the drift instability of plasma for finite ionic Larmor radii, 4=21538
- Mikhailovskii, A.B. and Rudakov, L.I. The stability of a spatially inhomogeneous plasma in a magnetic field, 3=24314
- Mikhailovskii, A.B. and Timofeev, A.V. Cyclotron instability of an inhomogeneous plasma, 3=24315
- Mikhailovskii, A.B. See Mikhailovska, L.V., 4=564
- Mikhailovskii, A.B. See Mikhailovskaya, L.V., 4=5682
- Mikhailovskii, A.B. See Mikhailovskaya, L.V., 4=27552
- Mikhailovskii, G.A. See Stoianov, P.A., 2=1508
- Mikhailovskii, G.A. See Stoyanov, P.A., 4=16539
- Mikhailovskii, V.M. See Garber, R.I., 0=16254
- Mikhailovskii, V.M. See Garber, R.I., 2=21545
- Mikhailovsky, A.B. Dielectric properties of inhomogeneous plasma, 3=21787
- Mikhailovsky, A.B. See Mikhailovskaya, L.V., 3=21829
- Mikhailovsky, A.B. See Mikhailovskaya, L.V., 4=5675
- Mikhailus, F.F. See Marchuk, G.I., 0=9373
- Mikhailiuk, I.P. See Kushta, G.P., 0=1938
- Mikhailiuk, I.P. See Mikhail'chenko, V.P., 4=23390
- Mikhail'chenko, G.A. and Karpov, I.K. Scintillation of activated lithium iodide single crystals, 4=13079
- Mikhail'chenko, G.A., Nichugovskii, G.F. and Rozhanovskaya, L.P. Plastic scintillators with a luminescence maximum in the region of 500 m $\mu$ , 3=4295
- Mikhail'chenko, V.P. and Kushta, G.P. Determination of Grüneisen's constant by X-ray methods, 4=25866
- Mikhail'chenko, V.P., Mikhailiuk, I.P. and Kushta, G.P. Notes on making allowances for the anharmonicity of the thermal lattice vibrations in experimental determination of the integral intensity of X rays diffracted by polycrystals, 4=23390
- Mikhail'chenko, V.P. See Heshko, Ye.L., 4=12618
- Mikhail'chenko, V.P. See Mikhailiuk, Y.P., 4=6705
- Mikhali, E.D. See Zatsepin, G.T., 3=4528
- Mikhaleiko, I.P. See Popov, M.M., 0=13193
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=2046
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=3151
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=6095
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=1185
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=14309
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 2=3558
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 2=8194
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 3=8668
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 3=17694
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 4=7214
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 4=28434
- Mikhalekov, V.S. See Hertsriken, S.D., 1=20625
- Mikhalekov, V.S. See Hertsriken, S.D., 2=6413
- Mkhaleva, T.N. and Zazulin, V.S. Simultaneous recording of true and random coincidences, 4=16762
- Mikhalevskii, V.S. See Ivanova, V.D., 1=12018
- Mikhaylov, I.N. Partially projected functions in the superfluid model of a nucleus, 4=19634
- Mikhaylovskiy, V.M. See Zalivadnyy, S.Ya., 4=13657
- Mikheev, G.F. and Chernov, N.N. Stabilization of the  $\gamma$ -radiation intensity in betatrons and synchrotrons, 0=19859
- Mikheev, G.F. See Komar, A.P., 0=17061
- Mikheev, G.F. See Komar, A.P., 1=4683
- Mikheev, G.F. See Komar, A.P., 1=5515
- Mikheev, G.F. See Komar, A.P., 1=11992
- Mikheev, G.F. See Komar, A.P., 2=13618
- Mikheev, M.N. See Belenkova, M.M., 1=10214
- Mikheev, M.N. See Brainina, Z.Z., 1=15149
- Mikheev, N.B. and Glazkov, V.A. A laboratory cryostat, 2=5209
- Mikheev, V.L., Skobelev, N.K., Druin, V.A. and Flerov, G.N. Spontaneous fission of Am<sup>241</sup>, 0=11465
- Mikheev, V.L. See Bredel', V.V., 3=2166
- Mikheev, V.L. See Druin, V.A., 1=19540
- Mikheev, V.L. See Druin, V.A., 3=4675
- Mikheev, V.L. See Flerov, G.N., 4=6392
- Mikheev, V.L. See Karnaukhov, V.A., 4=16718
- Mikheev, V.L. See Polikanov, S.M., 2=16442
- Mikheev, V.L. See Polikanov, S.M., 3=6315
- Mikheev, V.L. See Polikanov, S.M., 3=24984
- Mikheev, V.S. and Aleksashin, V.S. Electrical volume resistivity of alloys of the titanium-chromium system up to temperatures of 1100°C, 3=22898
- Mikheev, V.S. See Fedotov, S.G., 0=4552
- Mikheev, V.S. See Kornilov, I.I., 4=28536
- Mikheeva, M.N. See Alekseevskii, N.E., 0=12562
- Mikhelashvili, M.S. See Kilin, S.F., 4=28748
- Mikhelev, A.A. See Lisovenko, A.T., 2=9231
- Mikhelis, Ya. L. See Malyshev, I.F., 4=14801
- Mikhel'son, V.S. Conditions for the existence of solution to a system of linear equations of transport type with constraints, 4=18113
- Mikhevich, V.V. Atmospheric density variations at altitudes above 200 km, 4=26810
- Mikhin, N.M. See Kragelskii, I.V., 4=10368
- Mikhlin, E.Y. and Stavinskii, V.S. An optical-model analysis of the interaction of neutrons with He<sup>4</sup>, C<sup>12</sup> and O<sup>16</sup> nuclei, 2=12200
- Mikhlin, E.Ya. See Agranovich, V.M., 2=21086
- Mikhlin, E.Ya. See Agranovich, V.M., 3=2543
- Mikhlin, E.Ya. See Agranovich, V.M., 4=9609
- Mikhlina, I.M. See Mal'nyev, A.F., 2=21602
- Mikhlina, I.M. See Vizgert, R.V., 4=12498
- Mikhlina, I.M. See Vizhert, R.V., 2=22987
- Mikhnevich, V.V. Preliminary results of a determination of the density of the atmosphere above 100 km, 2=13015
- Mikho, V.V. On anode and cathode flash spectra of near-the electrode radiation in an electrolyte bath, 3=10984
- Mikho, V.V. and Levkovtseva, L.V. The spectrum of the radiation emitted at an aluminium electrode in an electrolytic bath, 3=1395
- Mikhul, A. See Belovitskii, G.E., 0=9709
- Mikhul, A. See Belyakov, V.A., 3=24798
- Mikhul, A. See Belyakov, V.A., 4=3489
- Mikhul, A. See Belyakov, V.A., 4=27890
- Mikhul, A. See Belyakov, V.A., 4=27898
- Mikhul, A. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Mikhul, A. See Van Gan-chen, 1=19284
- Mikhul, A. See Van Gan-Chan, 3=19709
- Mikhul, A. See Van Yun-chen [Wang Yung-chang], 3=2305
- Mikhul, A.K. and Petrashku, M.G. Fission of uranium U<sup>238</sup> by  $\mu$ -mesons, 0=11464
- Mikhul, A.K. and Petrashku, M.G.  $\mu$ -meson fission of U<sup>238</sup>, 1=12228
- Mikhul, E. See Belyakov, V.A., 3=24798
- Mikhul, E. See Belyakov, V.A., 4=27898
- Mikhul, E.K. The statistical weights of K<sup>+</sup> and K<sup>-</sup>-mesons produced in pion-nucleon collisions, 0=2594
- Mikhul, E.K. See Barashenkov, V.S., 0=1168
- Mikhul, E.K. See Barashenkov, V.S., 1=9849
- Mikhul, E.K. See Barashenkov, V.S., 2=7884
- Mikhul, E.K. See Barashenkov, V.S., 3=2461
- Mikhul, E.K. See Barashenkov, V.S., 3=6040
- Miki, M. See Kai, J., 4=21596
- Mikirov, A.E. Aerosol layer in the upper atmosphere, 2=15208
- Mikirov, A.E. Investigation of the brightness of the sky and the scattering coefficient of the upper atmosphere, 3=23626
- Mikirtumov, V.R. See Muskhelishvili, G.N., 2=19530
- Mikk, I.R. Application of generalized angular coefficients to the calculation of radiative heat transfer, 4=18480



- Mikke, K., Adamski, L. and Józefowicz, E.T. ZnS(Ag)-paraffin detectors for fast neutrons, 2=296
- Mikke, K. See Ramanna, R., 1=8889
- Mikkola, D.E. and Cohen, J.B. Effects of thermal-mechanical treatments on faulting in some f.c.c. alloys, 2=8232
- Miklavžič, I. See Tibell, G., 2=20629
- Miklavžič, U., Bezič, N., Jamnik, D., Kernel, G., Milavc, Z. and Snajder, J. Total absorption of gamma-rays from 15 to 27 MeV in Be, 2=11921
- Miklavžič, U. and Zupančič, Č. Measurement of the bremsstrahlung spectrum from a 30 MeV betatron with a Compton electron spectrometer, 0=12657
- Miklavžič, U. See Tibell, G., 2=22802
- Mikolaichuk, A. G. and Dutchak, Ya. I. Structure of thin GaAs films in the amorphous state, 4=30881
- Mikolaichuk, A. G. See Shmaevskii, V. E., 4=12917
- Mikolaichuk, O.H. and Dutchak, Ya. I. Precipitation and crystallization kinetics of thin HgS films, 2=4495
- Miklowitz, J. Transient wave propagation in elastic rods and plates, 3=21472
- Mikoleit, L.A. See Kepes, J.J., 2=22874
- Mikoshiba, N. On magneto-acoustic resonance in metals, 0=1566
- Mikoshiba, N. Acoustoelectric effect in metals, 0=20759
- Mikoshiba, N. Interaction of conduction electrons with acoustic waves in simple semiconductors, 1=8875
- Mikoshiba, N. Interaction of conduction electrons with acoustic waves in many-valley semiconductors, 1=11276
- Mikoshiba, N. Interaction of electrons and holes with acoustic waves in intrinsic semiconductors, 1=14413
- Mikoshiba, N. Strong-field magnetoresistance of impurity conduction in n-type germanium, 2=21142
- Mikoshiba, N. Magnetic-field dependence of the acoustoelectric effect, 3=10591
- Mikoshiba, N. Weak-field magnetoresistance of hopping conduction in simple semiconductors, 3=15564
- Mikoshiba, N. and Gonda, S. Weak-field magnetoresistance of impurity conduction in n-type germanium, 2=21141
- Mikryukov, V.E. and Kamilov, I.K. An apparatus for the determination of the thermal expansion of solids in the temperature range 20-1000°C, 3=4825
- Mikryukov, V.E. and Karagezyan, A.G. Thermal and electrical properties of alloys and of the system Al-Mg, Al-Cu, 2=12393
- Mikryukov, V.E. and Speranskii, N.M. Thermal conductivity and electrical resistivity of nickel-zinc ferrites, 3=20618
- Miksch, E.S. Measuring conductivity of water in a closed system, 2=15866
- Miksch, E.S. See Pry, R.H., 0=10125
- Miksic, M. G., Mandel, G., Morehead, F. F., Onton, A. A. and Schlig, E. S. Injection electroluminescence in p-type ZnTe, 4=28746
- Miksic, M. G., Schlig, E. S. and Haering, R. R. Behavior of CdS thin film transistors, 4=12945
- Mikšovský, M., Šmíroun, K. and Toman, K.  $Zn_xCd_{1-x}Sb$  solid solutions, 2=23889
- Mikulin, E. I. and Marfenina, I. V. Thermodynamic diagrams of neon and some properties of it, 4=11231
- Mikulski, J., Mrowec, S., Stronski, I. and Werber, T. A contribution to the mechanism of sulphitation of Cu-Zn alloys with low Zn-content, 1=1439
- Mikulski, J. See Blicharski, J., 1=9409
- Mikulyak, R.M. See Gershenson, M., 1=11407
- Mikulyak, R.M. See Gershenson, M., 2=23436
- Mikulyak, R.M. See Gershenson, M., 4=13077
- Mikulyak, R. M. See Gershenson, M., 4=22573
- Mikumo, T. Anomalies in the scattering of alpha particles by carbon, 1=13652
- Mikumo, T., Yamaguchi, H., Nonaka, I., Hitaka, S., Maki, T., Mukai, M. and Nakajima, T. Elastic and inelastic scattering of alpha particles by carbon, 1=8771
- Mikumo, T., Yamaguchi, H., Nonaka, I., Odera, M., Hashimoto, Y., Kondo, M. and Maki, T. Elastic and inelastic scattering of alpha particles by carbon, 1=9882
- Mikumo, T. See Beurtey, R., 3=10374
- Mikumo, T. See Beurtey, R., 4=3495
- Mikumo, T. See Beurtey, R., 4=19602
- Mikumo, T. See Kikuchi, S., 1=7113
- Mikumo, T. See Nonaka, I., 0=20466
- Mikumo, T. See Nonaka, I., 2=498
- Mikumo, T. See Nonaka, I., 3=8100
- Mikumo, T. See Tanaka, S., 1=8776
- Mikumo, T. See Tanaka, S., 1=8779
- Mikumo, T. See Tanaka, S., 1=12219
- Mikumo, T. See Tanaka, S., 1=12220
- Mikura, Z. On the superconducting ground state, 1=11875
- Mikuriya, N. Elastic properties of a compound tilt dislocation wall, 4=20633
- Mikuriya, N. See Kiritani, M., 4=2095
- Milagin, M.F. and Shishkin, N. I. Tensile strength and birefringence of stretched (oriented) polymethyl methacrylate, 3=18207
- Milagin, M.F. and Shishkin, N.I. Tensile strength and double refraction of capron and polypropylene fibers, 3=23045
- Milagin, M.F. See Shishkin, N.I., 3=17982
- Milagin, M. F. See Shishkin, N.I., 4=25797
- Milanez, F. See Murphy, P.V., 3=17947
- Milanez, F. See Murphy, P. V., 4=1668
- Milanez, F. C. S. and Murphy, P. V. Anthracene photo-polarization, 4=7076
- Milano, U. See Schlbmann, E., 0=11925
- Milasin, N. See Johnson, A.A., 3=8784
- Milavc, Z. See Miklavžič, U., 2=11921
- Milazzo, G. Apparatus for the measurement of vapour pressure, 0=14669
- Milazzo, M. See Colli, L., 2=20650
- Milazzo, M. See Colli, L., 3=2473
- Milazzo, M. See Colli, L., 3=15212
- Milberg, M.E. A simplified cylindrical distribution function, 2=15083
- Milberg, M.E. Application of the simplified cylindrical distribution function: Orientation in linear polyethylene, 3=11307
- Milberg, M. E., Borrelli, N. F. and Su, G. J. Concerning the "layer structure" of vitreous boron oxide, 4=20826
- Milberg, M. E. and Daly, M. C. Structure of oriented sodium metaphosphate glass fibers, 4=7732
- Milberg, M.E. See Parsons, J.L., 1=11569
- Milberg, M.E. See Peters, C.R., 4=13582
- Milburn, R.H. The scintillation bubble chamber, 2=18038
- Milburn, R.H. Electron scattering by an intense polarized photon field, 3=12448
- Milburn, R.H. See Chrétien, M., 3=24787
- Milburn, R.H. See Minehart, R.C., 0=5459
- Milburn, R. H. See Minehart, R. C., 4=12023
- Milburn, R.H. See von Dardel, G., 1=2053
- Milch, A. See Rittner, E.S., 2=3010
- Milder, D.M. A statistical-mechanical estimate of orbital collision probabilities, 4=4845
- Mil'divskii, M.G. See Turovskii, B.M., 3=13411
- Mileikovskaya, N.D. See Bronnikova, E.G., 2=17946
- Mileikowsky, C. See Bianchi, L., 0=2403
- Milekhin, G.A. More accurate definition of the hydrodynamical theory of multiple particle production, 1=3275
- Milekhin, G.A. Analysis of possible hydrodynamical theories of multiple particle production with different equations of state, 1=3277
- Milekhin, G.A. Infrared asymptotics of the Green's function in some quantum field theory models, 3=2183
- Milekhin, G.A. Nonlinear scalar fields and multiple production of particles, 3=19592
- Milekhin, G.A. and Fradkin, E.S. Double logarithmic approximation in quantum electrodynamics, 4=9056
- Milenin, V. M. See Vorob'eva, N. A., 4=2957
- Milenin, V. M. See Vorob'eva, M. A., 4=14599
- Milenin, V. M. See Vorob'eva, N. A., 4=21486
- Miler, M. See Vaško, A., 1=18578
- Miles, D.O. Shear coefficients for a viscoelastic substance in the sonic region, 2=1146
- Miles, D.O. Comments on the choice of two functions for the distribution of relaxation times in hexanetriol 1, 2, 6, 2=7196
- Miles, D.O. Sinusoidal shear generator for study of viscoelasticity, 2=9243
- Miles, D. O. Direct mechanical determination of the dynamic response of diaphragms, 4=27243
- Miles, D.O. and Hamamoto, A.S. Variation of shear relaxation times in liquids with temperature and frequency, 2=11340
- Miles, D. O. and Knollman, G. C. Calibration of sinusoidal shear generator used to study viscoelasticity, 4=27131
- Miles, D.O. See Perls, T.A., 0=3586
- Miles, G.D. and Clarke, F.J.P. Thermal shock and fracture in crystals of magnesium oxide, 2=6753
- Miles, G.T. See Biggs, E.K., 2=11020
- Miles, G.T. See Bigg, E.K., 3=25887
- Miles, G.W. and Leak, G.M. Grain boundary damping. II. Iron interstitial alloys, 2=4314



- Miles, H. See De Vries, K. L., 4=15712
- Miles, J. E. P., Munday, G. and Ubbelohde, A. R. Effects of additives on marginal detonation in gases, 2=19147
- Miles, J. L. and McMahon, H. O. Use of monomolecular layers in evaporated-film tunnelling devices, 1=11320
- Miles, J. L. and Smith, P. H. Bubble formation at metal-metal interfaces and its effect on the superconducting characteristics of aluminium-indium laminate films, 3=19107
- Miles, J. L. See Shapiro, S., 2=9480
- Miles, J. L. See Smith, P. H., 1=11886
- Miles, J. R. N. An improved correction to the Smoluchowski equation in the molecular theory of liquids, 3=21317
- Miles, J. R. N. See Suddaby, A., 1=10499
- Miles, J. W. Homogeneous solutions in elastic wave propagation, 0=12446
- Miles, J. W. Scattering of elastic waves by small inhomogeneities, 0=12449
- Miles, J. W. Low-frequency motion of bodies in an elastic wave field, 0=19033
- Miles, J. W. Motion of a rigid cylinder due to a plane elastic wave, 1=1779
- Miles, J. W. Comments on "propagation of intense shock waves into the earth", 1=6584
- Miles, J. W. Waves on a thin conducting shell in a magnetic field, 2=7718
- Miles, J. W. Stability of forced oscillations of a spherical pendulum, 2=11314
- Miles, J. W. Conical flow and Rayleigh scattering techniques in elastic wave propagation, 3=23966
- Miles, J. W. Baroclinic instability of the zonal wind, 4=17881
- Miles, J. W. Stability of a continuum plasma, 4=11580
- Miles, M. H. and Gibbs, P. Residual pressure effects in polycrystalline aluminium, 4=23120
- Miles, P. A. Magnetic resonance in canted ferrimagnets, 1=9050
- Miles, P. A. and Edgerton, H. E. Optically efficient ruby laser pump, 1=10788
- Miles, P. A. and Goldstein, I. Effects of output coupling on optical masers, 4=5865
- Mileshkin, A. G. See Simonov, V. A., 3=12107
- Mileshkina, N. V. and Sokol'skaya, I. L. Energy distribution of electrons in field emission from germanium films on tungsten, 4=8800
- Mileshkina, N. V. See Sokol'skaya, I. L., 2=7640
- Mileshkina, N. V. See Sokol'skaya, I. L., 2=8613
- Milevskaya, I. S. and Vol'kenshtein, M. V. The electron paramagnetic resonance spectra of polystyrene radicals, 2=18494
- Milevskii, L. S. The interaction of dislocations in silicon observed with the aid of shadowing, 0=13537
- Milevskii, L. S. The effect of quenching on the minority-carrier lifetime in silicon, 1=1065
- Milevskii, L. S. Mechanism of recombination-centre formation in germanium and silicon quenched from low temperatures, 1=2408
- Milevskii, L. S. Mechanism of recombination-centre formation in germanium and silicon quenched from low temperatures, 1=6151
- Milevskii, L. S. The effect of quenching on the minority-carrier lifetime in silicon, 1=6154
- Milevskii, L. S. Pulsations in the growth rate of a crystal and their effect on the structure and properties of material produced by the Czochralski method, 2=2352
- Milevskii, L. S. A study of the carrier lifetime at various stages of saturation, with copper atoms, of impurity atmospheres at dislocations, 2=18686
- Milevskii, L. S. Effect of heat treatment on the life time of current carriers in copper-doped silicon, 2=18687
- Milevskii, L. S. Interaction of edge dislocations with vacancies in silicon, 2=21032
- Milevskii, L. S. Discrete structure of elastic stresses produced by a chain of dislocations in silicon, 2=23177
- Milevskii, L. S. Interaction of edge dislocations with vacancies in silicon, 3=6517
- Milevskii, L. S. Discrete structure of elastic stresses produced by a chain of dislocations in silicon, 3=6518
- Milevskii, L. S. Climb of edge dislocations in silicon under the action of gold, 3=17715
- Milevskii, L. S. See Akimchenko, I. P., 1=988
- Milevskii, L. S. See Akimchenko, I. P., 1=4989
- Milevskii, L. S. See Indenbom, V. L., 2=6725
- Milevskii, L. S. See Indenbom, V. L., 2=12431
- Milevskii, L. S. See Indenbom, V. L., 2=14441
- Milewski, J. and Śmigielski, J. Some experimental results concerning the possibility of direct conversion of thermal energy into electricity with M-G-D methods, 3=14759
- Milford, F. J. Hyperfine interaction and the Knight shift, 0=16185
- Milford, F. J. and Gager, W. B. Knight shift in potassium, 1=2498
- Milford, F. J. and Glasser, M. L. Spin-wave dispersion curves for magnetite, 3=1152
- Milford, F. J., Kreitman, M. and Daunt, J. G. Exchange interaction between chromium ions in ruby crystals, 4=17666
- Milford, F. J. See Brog, K. C., 0=7062
- Milford, F. J. See Glasser, M. L., 3=15782
- Milford, F. J. See Jones, W. H., Jr., 2=6707
- Milford, F. J. See Kenan, R. P., 3=25200
- Milford, F. J. See Unruh, H., Jr., 1=12509
- Milford, F. J. See Wood, V. E., 2=14404
- Milford, F. J. See Wood, V. E., 3=2820
- Milford, J. R. See Brewer, A. W., 1=1503
- Milford, J. R. See Brewer, A. W., 1=1504
- Milford, S. N. Approximate cross-sections for inelastic collisions of electrons with atoms. I. 0=7710
- Milford, S. N., Morrissey, J. J. and Scanlon, J. H. Born cross sections for inelastic scattering of electrons by hydrogen atoms. III. 5s, 5p, 5d, 5f, 5g states, 1=814
- Milford, S. N. and Shen, S. P. Spallation of interstellar matter: cosmic-ray intensity in the past, 1=9251
- Milford, S. N. and Shen, S. P. Cosmic-ray and diffuse-matter information from extraterrestrial  $\gamma$ -rays, 2=5773
- Milford, S. N. See Bouthillette, D. B., 4=25585
- Milford, S. N. See Carew, J., 4=3814
- Milford, S. N. See Fisher, L., 0=13404
- Milford, S. N. See McCoy, G. C., 0=13403
- Milford, S. N. See McCoy, G. C., 3=10473
- Milford, S. N. See Scanlon, J. H., 2=6106
- Milford White, R. See Carlson, T. A., 4=2168
- Milgashev, M. See Borisov, M., 4=26146
- Milgram, A. and Givens, M. P. Extreme ultraviolet absorption by lithium fluoride, 2=8523
- Milgram, M. See Gibson, J. B., 0=20856
- Milhelich, J. W. See Funk, E. G., Jr., 3=6183
- Miligi, Z. See Brabets, V., 3=8050
- Milguzi, Z. See Brabec, V., 2=7951
- Milguzi, Z. See Krack, B., 3=12635
- Militaru, P. Determination of luminous flux from luminous bodies by graphical methods and with the aid of mechanical devices, 3=18975
- Mil'kova, L. P. and Porai-Koshits, M. A. Lattice parameters, crystal symmetries and structural traits of some metafluoroberyllates, 3=20847
- Mill', B. V. and Naumova, I. L. Syntheses in the  $Y_2O_3$ - $FeO_3$ - $H_2O$  system, 3=18272
- Mill, M. W. See Gardner, J. H., 3=24492
- Mill, T., van Roggen, A. and Wahlig, C. F. Photochromism of N-3-pyridylsydnone, 2=2452
- Millar, C. D. See Malos, J., 2=12064
- Millar, C. H., Eastwood, T. A. and Roy, J. C. The decay of  $Bj^{208}$ , 0=426
- Millar, C. H., Sargent, B. W. and Horsman, J. C. Delayed-neutron monitors for the detection of sheath failures in reactor fuel rods, 0=13381
- Millar, D. See Gelfand, N., 4=9266
- Millar, D. D. See Brennan, M. H., 3=24306
- Millar, D. D. See Brennan, M. H., 4=449
- Millar, D. D. See Burnstein, R., 1=2075
- Millar, D. D. See Layson, W. M., 1=578
- Millar, D. D. See Reid, R. J., 1=12138
- Millar, D. D. See Reid, R. J., 3=4504
- Millar, R. F. The scattering of a plane wave by a row of small cylinders, 0=2210
- Millar, R. F. A note on diffraction by an infinite slit, 0=2440
- Millar, R. F. Scattering by a grating. I. 1=2885
- Millar, R. F. Plane wave spectra in grating theory. I. Scattering by a finite number of bodies, 4=5398
- Millar, R. F. Plane wave spectra in grating theory. II. Scattering by an infinite grating of identical cylinders, 4=5399
- Millar, R. F. Plane wave spectra in grating theory. III. Scattering by a semiinfinite grating of identical cylinders, 4=21655
- Millar, R. F. Scattering by a wide grating, 4=703
- Millar, W. See Gross, M. J., 2=1442
- Millar, W. See Paton, A., 4=14848
- Millard, D. See Hargreaves, J. K., 2=10479
- Millard, D. J. Relationship between strength and porosity for coal compacts, 0=4568



- Millard, H. T., Jr. The rate of arrival of meteorites at the surface of the earth, 4=2410
- Millard, J. See Bizard, G., 4=30344
- Millea, A. Formulation of two-dimensional skin-effect problems, 2=7551
- Millea, A. Expressions for the alternating current resistance of semiconductors in terms of the surface current density, 2=9514
- Millea, A. General method for calculating the alternating current resistance of conductors of arbitrary cross-section, 3=16900
- Millea, M.F., Hall, T.C. and Kopplin, J.O. Field effect on silicon, 2=16712
- Milledge, H.J. Coesite as an inclusion in G.E.C. synthetic diamonds, 2=601
- Milledge, H.J. The automatic selection of molecular crystal structures by combining stereochemical criteria and high-speed computing, 2=12909
- Milledge, H.J. A diffraction technique for the study of crystals in conditions of instability, 3=11249
- Milledge, H.J. and Meyer, H.O.A. Nitrogen-14 in natural diamonds, 2=23163
- Milledge, H.J. and Pant, L.M. Structures of 1:3:5-trichlorobenzene at 20°C and -183°C, and of 1:3:5-tribromobenzene at 20°C, 0=8246
- Milledge, H.J. See Lonsdale, K., 0=4622
- Milledge, H.J. See Lonsdale, K., 0=8248
- Milledge, H. J. See Meyer, H. O. A., 4=6819
- Milledge, J. See Lonsdale, K., 1=19697
- Miller, A. Distribution of cations in spinels, 0=3073
- Miller, A. Resolution of the ambiguity of valence states in spinels containing manganese and iron, 0=3240
- Miller, A. Valence and distribution of manganese ions in ferrosinels, 0=12051
- Miller, A. and Abrahams, E. Impurity conduction at low concentrations, 0=18013
- Miller, A. and Abrahams, E. Impurity conduction at low concentrations, 2=23281
- Miller, A., Pines, D. and Nozières, P. Elementary excitations in liquid helium, 2=19796
- Miller, A. and Schmidt, P.W. Small angle X-ray scattering from randomly oriented cylinders of arbitrary cross-section, 2=4507
- Miller, A. and Williams, H.B. Electron current pulsations in multipacting discharges, 2=11624
- Miller, A., Williams, H.B. and Theimer, O. Secondary-electron-emission phase-angle distributions in high-frequency multipacting discharges, 3=14551
- Miller, A. See Barnett, G.D., 2=10806
- Miller, A. See Fraser, R. D. B., 4=23232
- Miller, A.A. "Free volume" and the viscosity of liquid water, 3=11780
- Miller, A. A. Free volumes and viscosities of benzene and carbon tetrachloride, 4=8180
- Miller, A.C. and Gary, B.L. Measurements of the decimeter radiation from Jupiter, 3=7048
- Miller, A. D. See Vozzella, P. A., 4=24458
- Miller, A. E. and Daane, A. H. The high-temperature allotropy of some heavy rare-earth metals, 4=23265
- Miller, A. F., Daane, A. H., Habermann, C. E. and Beaudry, B. J. Welding tantalum for high temperature applications, 3=18685
- Miller, A.R. See Su, Gouq-Jen, 3=3019
- Miller, A. V. See Levintov, I.I., 0=2549
- Miller, B. L. E/M by the Hoag method, 0=5520
- Miller, B. P. See McGillem, C. D., 3=9169
- Miller, B. P. See McGillem, C. D., 3=21095
- Miller, B. S. Identification of colloidal sodium in sodium azide, 0=16063
- Miller, B. S. Formation and bleaching of colour centers in  $\text{NaN}_3$ , 4=20316
- Miller, B. S. and King, G. J. Crystal structure change of sodium azide at 19°C, 4=26566
- Miller, B. S. See Carlson, F. F., 1=1269
- Miller, B. S. See King, G. J., 0=8083
- Miller, B. S. See King, G. J., 1=8921
- Miller, B. S. See King, G. J., 1=17579
- Miller, B. S. See King, G. J., 4=23051
- Miller, C. A. See Champney, D. C., 0=6794
- Miller, C. E. The ionic distribution in the garnets  $\text{Gd}_2\text{Al}_2\text{Fe}_2\text{O}_{12}$  and  $\text{Y}_3\text{Al}_2\text{Fe}_2\text{O}_{12}$ , 1=20562
- Miller, C. E., Jacobs, R. B. and Macinko, J. Instrument for the continuous measurement of the density of flowing fluids, 3=7183
- Miller, C. E. See Geller, S., 0=6359
- Miller, C. E. See Geller, S., 0=8226
- Miller, C. E. See Geller, S., 0=11895
- Miller, C. E. See Hoppmann, W. H., 2=17535
- Miller, C. F. See Dixon, J. M., 3=20376
- Miller, C. F. See Gilbert, G. B., 1=11590
- Miller, C. G. and Maass, O. Determination of dielectric constant in binary organic systems, 0=19137
- Miller, C. K. S. See Wells, J. S., 4=24826
- Miller, C. W. See Crowley-Milling, M. C., 1=18952
- Miller, D. Coupled errors on scattering phase shifts, 0=3943
- Miller, D. and Evans, H. C. A level controller for liquid nitrogen, 1=5373
- Miller, D. and Hobbie, R. K. Efficient neutron detector with a stable energy threshold, 0=11185
- Miller, D. and Hobbie, R. K. High-energy neutron beam of 45% polarization, 0=11182
- Miller, D. and Ring, J. Positive pion scattering from hydrogen at 24.8 MeV, 0=3990
- Miller, D. See Alf, C., 3=4432
- Miller, D. See Alf, C., 3=4433
- Miller, D. See Bellamy, E. H., 1=474
- Miller, D. See Carroll, A. S., 4=16900
- Miller, D. See Dahl, O., 0=5617
- Miller, D. See Dahl, O., 0=11327
- Miller, D. See Dahl, O., 3=7921
- Miller, D. See Gelfand, N., 4=9264
- Miller, D. See Hobbie, R. K., 1=501
- Miller, D. See Marković, B., 1=16104
- Miller, D. See Patel, P. M., 2=18122
- Miller, D. B. and Bellamy, E. H. The photoproduction of  $\pi^0$  mesons in hydrogen, 3=10147
- Miller, D. B. See Walker, J. K., 3=4423
- Miller, D. C. and White, J. S. The mechanical properties of plutonium-aluminum and plutonium-cerium alloys, 4=13440
- Miller, D. G. Definition of the perfect gas: comments on a paper by Landsberg, 2=11408
- Miller, D. G. Nucleon form factors in the helicity representation, 2=18107
- Miller, D. G. Graphical methods for determining a nonlinear constant in vapor pressure equations, 3=14421
- Miller, D. G. Estimating vapor pressures—A comparison of equations, 4=18495
- Miller, D. G. Derivation of two equations for the estimation of vapor pressures, 4=24446
- Miller, D. G. and Dennis, W. Definition of the perfect gas and its relation to the second law of thermodynamics, 1=1854
- Miller, D. G. and Dennis, W. On the Kelvin and perfect gas temperatures: reply to Dr. Mapother, 2=17700
- Miller, D. G. See Collins, W. G., Jr., 4=16893
- Miller, D. G. See Hand, L. N., 2=13782
- Miller, D. G. See Hand, L. N., 4=891
- Miller, D. H. Method for determining the orbital angular momentum in  $\text{K}^-$ -d capture, 0=13058
- Miller, D. H., Alexander, G., Dahl, O. I., Jacobs, L., Kalbfleisch, G. R. and Smith, G. A. A  $\text{K}\alpha$  resonant state at 726 MeV, 3=19698
- Miller, D. H. See Alexander, G., 2=20427
- Miller, D. H. See Alexander, G., 3=7924
- Miller, D. H. See Alvarez, L. W., 3=15039
- Miller, D. H. See Bastien, P. L., 2=22608
- Miller, D. H. See Berge, J. P., 1=10952
- Miller, D. H. See Chung, S. U., 4=25160
- Miller, D. H. See Cork, B., 2=18113
- Miller, D. H. See Dahl, O. I., 1=5781
- Miller, D. H. See Dalitz, R. H., 1=10933
- Miller, D. H. See Ferro-Luzzi, M., 2=5728
- Miller, D. H. See Kalbfleisch, G. R., 3=17349
- Miller, D. H. See Smith, G. A., 4=21918
- Miller, D. J. and Yin, H. B. An S-band traveling-wave maser with a 30 per cent tunable bandwidth, 4=16680
- Miller, D. J. See Baglin, C., 4=3487
- Miller, D. J. See Ely, R. P., 3=19703
- Miller, D. P., Moore, J. E. and Moore, C. R. Boron induced dislocations in silicon, 2=18583
- Miller, D. P. and Taylor, H. L. Nuclear particle tracks in silicon, 3=15524
- Miller, D. P., Watelski, S. B. and Moore, C. R. Structure defects in pyrolytic silicon epitaxial films, 3=23515
- Miller, D. P. See Shortes, S. R., 2=8886
- Miller, D. R. Friction and abrasion of hard solids at high sliding speeds, 2=21454
- Miller, D. S. See Aarajs, S., 0=3011
- Miller, D. S. See Aarajs, S., 0=11809



- Miller, D.S. See Aarj, S., 0=11810  
 Miller, D.S. See Aarj, S., 1=7747  
 Miller, D.S. See Chessin, H., 3=11030  
 Miller, D.S. See Chessin, H., 4=10490  
 Miller, D.S. See Marcinkowski, M.J., 1=17538  
 Miller, D.S. See Marcinkowski, M.J., 2=10390  
 Miller, D.S. See Marcinkowski, M.J., 2=23200  
 Miller, D.W. and Johnson, W.P. (d,p) polarization measurements of excited-state reactions, 2=1917  
 Miller, D.W., Wegner, H.E. and Hall, W.S. Coulomb-distorted (d,p) angular distributions as a function of bombarding energy, 1=19505  
 Miller, D.W., Wegner, H.E. and Hall, W.S. Energy and orbital angular momentum dependence of Coulomb-distorted (d,p) angular distributions, 2=10140  
 Miller, D.W. See Atneosen, R.A., 4=25435  
 Miller, D.W. See Holm, G.B., 0=11323  
 Miller, D.W. See Holm, G.B., 1=8770  
 Miller, D.W. See Johnson, W.P., 2=488  
 Miller, D.W. See Martin, H.J., 1=2240  
 Miller, E., Komarek, K. and Cadoff, I. Interrelation of electronic properties and defect equilibria in PbTe, 1=17750  
 Miller, E. See Ermanis, F., 2=8356  
 Miller, E.A. See Liebmann, W.K., 3=23401  
 Miller, E.K. See Olte, A., 2=13575  
 Miller, F.D. The type I tail of comet 1955 e, 2=13114  
 Miller, F.D. Objective-prism spectrograms of Comet Humason (1961e), 3=16363  
 Miller, F.D. Note on the spectrum of comet Ikeya (1963a), 4=17994  
 Miller, F.L. See St. John, R.M., 4=17253  
 Miller, G. See Fosque, H.S., 0=2426  
 Miller, G.A. The intermolecular force constants of radon, 0=17725  
 Miller, G.A. Construction and calibration of a cylindrical Knudsen gauge, 2=2797  
 Miller, G.A. On the calculation of thermal transpiration, 4=2717  
 Miller, G.D. See Kidson, G.V., 4=28478  
 Miller, G.E., Richardson, W.F. and Serotta, N. The measurement of river flow by the use of underwater sound, 1=4316  
 Miller, G.E. See Newton, G.P., 4=20859  
 Miller, G.F., III. Propagation of electromagnetic waves in a non-uniformly ionized medium, 2=19959  
 Miller, G.H. and Pritchard, G.O. Grease-free apparatus for the collection and measurement of gases in high vacuum systems, 3=9521  
 Miller, G.H., Pritchard, G.O. and Weston, M. Greaseless mercury cutoff for differential pressure operation, 0=3551  
 Miller, G.H. See Pritchard, G.O., 1=20721  
 Miller, G.H. See Utterback, N.G., 0=2322  
 Miller, G.H. See Utterback, N.G., 1=17383  
 Miller, G.H. See Utterback, N.G., 2=1390  
 Miller, G.L., Brown, W.L., Donovan, P.F. and Mackintosh, I.M. Silicon p-n junction radiation detectors, 1=3082  
 Miller, G.L., Foreman, B.M., Yuan, L.C.L., Donovan, P.F. and Gibson, W.M. Application of solid state detectors to high energy physics, 1=3088  
 Miller, G.L., Pixley, R.E. and Segel, R.E. Alpha-particle decay of the 15.1 MeV state in  $^{12}\text{C}$ , 1=13699  
 Miller, G.L., Wagner, S. and Yuan, L.C.L. Investigations on lithium-drift solid-state detectors for high-energy particle detection, 3=17114  
 Miller, G.L. See Chase, R.L., 1=2938  
 Miller, G.L. See Gibson, W.M., 1=12231  
 Miller, G.R. and Gutowsky, H.S. N.M.R. study of the alkali hexafluorophosphates' dynamic structure, 4=2067  
 Miller, G.R., Li, C.Y. and Spencer, C.W. Properties of  $\text{Bi}_2\text{Te}_3$ - $\text{Bi}_2\text{Se}_3$  alloys, 3=13500  
 Miller, G.R. See Munk, W.H., 3=16203  
 Miller, H.B. Transducer measurement platform on Seneca Lake, 3=18944  
 Miller, H.B. Origin of mechanical bias for transducers, 3=23977  
 Miller, H.C. Longitudinal positive column fields in oxygen for discharge currents in the interval  $10^{-5}$  -  $10^{-2}$  amperes, 3=19213  
 Miller, H.C. Paschen curve in nitrogen, 4=5579  
 Miller, H.C. Cathaphoretic purification of neon, 4=24276  
 Miller, H.C. See Oppegard, A.L., 1=6305  
 Miller, H.J. See Espinosa, A.F., 3=1414  
 Miller, H.L. Integrating multipoint remote area X-ray safety monitor, 4=27826  
 Miller, H.W. and Kerns, W.A. Transistors for avalanche-mode operation, 2=23434  
 Miller, I.R. and Nanis, L. The effect of solvents of the properties of spread monolayers, 3=11365  
 Miller, J. and Moine, J.J. Measurement of the interference between resonant and rayleigh scattering of photons, 2=22783  
 Miller, J., Schuhl, C., Tamas, G. and Tzara, C. Preliminary results on a source of monochromatic photons produced by positron annihilation in flight, 0=7320  
 Miller, J., Schuhl, C., Tamas, G. and Tzara, C. A monoenergetic photon beam of variable energy produced by the annihilation of positrons in flight, 1=12074  
 Miller, J., Schuhl, C., Tamas, G. and Tzara, C. Preliminary results on the production of monochromatic photons by the annihilation of positrons in flight, 1=13372  
 Miller, J., Schuhl, G., Tamas, G. and Tzara, C. ( $\gamma, n$ ) reactions in  $\text{C}^{12}$ ,  $\text{O}^{16}$  and  $\text{Ca}^{40}$ , 2=20590  
 Miller, J., Schuhl, C. and Tzara, C. Properties of positrons: Results obtained from monochromatic photons in the field of photonuclear reactions, 1=19177  
 Miller, J., Schuhl, G. and Tzara, C. Measurement of the ( $\gamma, n$ ) absolute cross-sections for Cu, Ce, La, Ta, Au, Pb and Bi, 2=12183  
 Miller, J. See Browne, J.C., 2=14183  
 Miller, J. See Tamas, G., 1=17079  
 Miller, J. See Tamas, G., 1=17080  
 Miller, J.A. Jig for handling and plating fine wires, 4=4705  
 Miller, J.C. Reflection efficiencies of a periodic absorbing surface, 4=14380  
 Miller, J.C. and Barker, R.C. Switching properties of a single-crystal specimen of nickel ferrite, 3=15874  
 Miller, J.D., Engebretson, A.M. and Weston, P.B. Recording the waveforms of periodic acoustic signals at levels near and below 0.0002  $\mu\text{bar}$ , 4=27271  
 Miller, J.E. See Mathews, M.V., 1=4143  
 Miller, J.F., Goering, H.L. and Himes, R.C. Preparation and properties of AlSb-GaSb solid solution alloys, 0=12079  
 Miller, J.F. and Himes, R.C. Properties of PbSe prepared by powder-metallurgy techniques, 1=1078  
 Miller, J.F., Reid, F.J. and Himes, R.C. Rare earth compound semiconductors, 0=4351  
 Miller, J.F. See Reid, F.J., 4=28566  
 Miller, J.F. See Reid, F.J., 4=30614  
 Miller, J.G. See Witonsky, R.J., 3=14192  
 Miller, J.G. See Yarma, R., 4=6605  
 Miller, J.M. See Chen, K.L., 4=22189  
 Miller, J.M. See Hahn, R.L., 2=1930  
 Miller, J.M. See Houck, F.S., 1=11034  
 Miller, J.M. See Hunter, E.T., 0=435  
 Miller, J.M. See Remsberg, L.P., 3=15197  
 Miller, J.S. It is important to know what questions to ask, 0=28  
 Miller, J.W. and Ludvig, E. The perception of movement persistence in the Ganzfeld, 1=6670  
 Miller, K.D. Jr. Distribution of spray from impinging liquid jets, 0=12412  
 Miller, K.J. and Grieco, M.J. Epitaxial silicon-germanium alloy films on silicon substrates, 2=10807  
 Miller, K.J., Manz, R.C. and Grieco, M.J. Epitaxial silicon thin films, 2=19061  
 Miller, K.T. See Mueller, M.H., 1=15061  
 Miller, L. and Carman, P.C. Self-diffusion in mixtures. IV. Comparison of theory and experiment for certain gas mixtures, 2=7247  
 Miller, L. and Carman, P.C. Self-diffusion in mixtures. VI. Self-diffusion of hydrogen in certain gaseous mixtures, 4=11240  
 Miller, L. See Mason, E.A., 1=18465  
 Miller, L.G. See Moore, M.S., 0=9703  
 Miller, M.A. Reflection of electrons from a high-frequency potential barrier, 0=2397  
 Miller, M.A. Several possibilities associated with the separation of charged particles in an inhomogeneous high-frequency electromagnetic field, 0=2431  
 Miller, M.A. Acceleration of plasmoids by high-frequency electric fields, 0=10907  
 Miller, M.G. See Kabler, M.N., 3=17718  
 Miller, M.G. See Layer, H., 2=3982  
 Miller, M.H. Comments on article by Cook, 0=9082  
 Miller, M.H. Quasi-Brillouin electron streams, 2=210  
 Miller, M.H. Axial quasi-Brillouin streams, 2=15957  
 Miller, M.H. and Dow, W.G. Experimental study of anomalous electron stream behaviour, 1=3012  
 Miller, M.P. See Laity, R.W., 4=29617  
 Miller, N.C. See Casabella, P.A., 4=12569  
 Miller, N.C. See Huntington, H.B., 1=14506



- Miller, N.D. See Milne, G.G., 0=169
- Miller, N.E. and Muetterties, E.L. A new boron hydride  $B_{20}H_{18}$ , 4=7749
- Miller, N.E. See Watson, W.W., 3=11823
- Miller, P., Jr. See Hisatsune, I.C., 3=8599
- Miller, P.B. Surface impedance of superconductors, 0=10841
- Miller, P.B. Frequency-dependent hall effect in normal and superconducting metals, 1=1011
- Miller, P.B. and Haering, R.R. Cyclotron resonance in metals with H perpendicular to the surface, 2=23138
- Miller, P.B., Kington, B.W. and Quinn, D.J. Transverse magnetization of In-Sn films, 4=18576
- Miller, P.B. See Dumke, W.P., 2=14560
- Miller, P.B. See Haering, R.R., 1=7660
- Miller, P.B. See Hung Cheng, 4=17543
- Miller, P.B. See Kirsch, J., 3=4854
- Miller, P.D., Duggan, J.L. and Duncan, M.M. Absence of states in  $Be^8$  at 7.56, 13.91 and 18.00 MeV, 4=22008
- Miller, P.D. See Duggan, J.L., 4=3700
- Miller, P.D. See Gibbons, J.H., 1=7384
- Miller, P.D. See Jones, C.M., 0=4005
- Miller, P.D. See Phillips, G.C., 0=1408
- Miller, P.D. See Wagner, R., 4=25413
- Miller, P.H., Jr. See van Lint, V.A.J., 2=23349
- Miller, R.A. Filamentary structure between sunspots photographed in integrated light, 0=6589
- Miller, R.A. Observations on photospheric brightness surrounding sunspots, 0=8500
- Miller, R.A. Velocity variation of lead sunspots within the solar cycle, 1=4198
- Miller, R.A. Inclined lines of sunspot activity, 1=15456
- Miller, R.A. Babcock's theory on the sun's magnetic field, 2=15348
- Miller, R.C. On the origin of Barkhausen pulses in  $BaTiO_3$ , 1=17844
- Miller, R.C. Mechanism of second harmonic generation of optical maser beams in quartz, 3=17083
- Miller, R.C. Optical harmonic generation in single crystal  $BaTiO_3$ , 4=20448
- Miller, R.C. Optical second harmonic generation in piezoelectric crystals, 4=28666
- Miller, R.C., Heikes, R.R. and Fein, A.E. Dependence of the thermoelectric figure of merit on energy bandwidth, 2=14589
- Miller, R.C., Heikes, R.R. and Mazelsky, R. Model for the electronic transport properties of mixed valency semiconductors, 1=17673
- Miller, R.C., Kleinman, D.A. and Savage, A. Quantitative studies of optical harmonic generation in  $CdS$ ,  $BaTiO_3$ , and  $KH_2PO_4$  type crystals, 4=2809
- Miller, R.C. and Savage, A. Further experiments on the sidewise motion of  $180^\circ$  domain walls in  $BaTiO_3$ , 0=1701
- Miller, R.C. and Savage, A. Motion of  $180^\circ$  domain walls in metal electrode barium titanate crystals as a function of electric field and sample thickness, 0=7983
- Miller, R.C. and Savage, A. Motion of  $180^\circ$  domain walls in  $BaTiO_3$  under the application of a train of voltage pulses, 1=8976
- Miller, R.C. and Savage, A. Harmonic generation and mixing of  $CaWO_4$ :  $Nd^{3+}$  and ruby pulsed laser beams in piezoelectric crystals, 3=7359
- Miller, R.C. and Spitzer, W.G. Far infrared dielectric dispersion in  $KTaO_3$ , 3=4947
- Miller, R.C. and Weinreich, G. Mechanism for the sidewise motion of  $180^\circ$  domain walls in barium titanate, 0=7984
- Miller, R.C., Wood, E.A., Remeika, J.P. and Savage, A.  $Na(Nb_{1-x}V_x)O_3$  system and "ferrielectricity", 2=12571
- Miller, R.C. See Cox, D.E., 2=18921
- Miller, R.C. See Damon, D.H., 3=25233
- Miller, R.C. See Gallo, C.F., 2=23087
- Miller, R.C. See Heikes, R.R., 4=22693
- Miller, R.C. See Heikes, R.R., 4=28616
- Miller, R.C. See Hein, R.A., 4=18569
- Miller, R.C. See Metz, E.P.A., 2=14956
- Miller, R.C. See Owen, B.B., 2=1163
- Miller, R.C. See Ryan, F.M., 2=8451
- Miller, R.C. See Ryan, R.M., 4=8986
- Miller, R.C. Sagar, A., 1=17735
- Miller, R.C. See Sagar, A., 3=10641
- Miller, R.C. See Savage, A., 0=1703
- Miller, R.C. See Savage, A., 0=16015
- Miller, R.C. See Savage, A., 2=22012
- Miller, R.C. See Spitzer, W.G., 2=14643
- Miller, R.C. See Wood, E.A., 3=8853
- Miller, R.E. See Gerstein, B.C., 4=25861
- Miller, R.E. See Jennings, L.D., 1=3605
- Miller, R.F. Scattering by a grating. II, 1=2886
- Miller, R.F. An anisotropic shape effect in epitaxial single crystal nickel films, 3=15815
- Miller, R.F. and Curl, R.F., Jr. Microwave spectrum of  $O^+$  formyl fluoride and the structure of formyl fluoride, 1=12287
- Miller, R.F. See Heavens, O.S., 1=12664
- Miller, R.F. See Heavens, O.S., 2=8489
- Miller, R.H. Transistorized coincidence circuit for  $\pi$ -e experiment, 0=19997
- Miller, R.H. A photometer for mapping galaxies, 2=15290
- Miller, R.H. The effects of telescopes on astronomical polarization measurements, 3=7015
- Miller, R.H. A limitation on the photometry of faint objects, 3=16317
- Miller, R.H. Irreversibility in small stellar dynamical systems, 4=29401
- Miller, R.H. and Parker, E.N. Formation of massive quasi-stellar objects, 4=29400
- Miller, R.H. See Anderson, H.L., 0=17374
- Miller, R.H. See Bounin, J.P., 4=11730
- Miller, R.L. and Hornig, D.F. Infrared spectrum and force field of crystalline hydrogen peroxide, 1=3843
- Miller, R.L. and Lykos, P.G. Use of distorted orbitals in molecular wave functions, 1=17332
- Miller, R.L. and Lykos, P.G. Distortion of atomic orbitals in molecular orbitals. II. Charge shift and charge deformation of the hydrogen atoms in  $H_2^+$ , 2=20776
- Miller, R.L. See Schmeising, H.N., 4=12430
- Miller, R.R. See Kovacina, T.A., 2=5008
- Miller, R.R. See Walker, B.E., 3=1861
- Miller, R.V. and Present, R.D. United-atom configuration-interaction treatment of the He-He repulsion, 3=10508
- Miller, S.C. Impurity molecule and concentration of conduction electrons in n-InSb in high magnetic fields, 4=9902
- Miller, S.C. and Omar, M.A. Longitudinal magnetoresistance in n-type germanium: theoretical, 1=11294
- Miller, S.C. and Wilcox, R.M. Left-right asymmetry in Compton scattering by transversally polarized electrons, 1=19164
- Miller, S.C. and Wilcox, R.M. Left-right asymmetry in pair annihilation for transversally polarized positrons, 2=3323
- Miller, S.C. See Mahler, R.J., 3=17651
- Miller, S.L., Nathan, M.I. and Smith, A.C. Pressure dependence of the current-voltage characteristics of Esaki diodes, 0=6104
- Miller, S.R., Blinc, R., Brenman, M. and Waugh, J.S. Nuclear spin-lattice relaxation in some ferroelectric ammonium salts, 2=10711
- Miller, S.R. See Blinc, R., 3=23251
- Miller, T.P. See Mercer, R.A., 3=18683
- Miller, V.E. See Nassibian, G., 2=1532
- Miller, V.S. An effective method of reducing contact thermal resistance, 3=24083
- Miller, W. See Lehner, F.E., 3=9168
- Miller, W.A. A solar observatory on Long Island, 3=7016
- Miller, W.C. Color photography in astronomy, 3=16314
- Miller, W.D. See Marvin, J.F., 0=21402
- Miller, W.F. The role of computers in experimental physics: a system for on-line analyzers, 4=24013
- Miller, W.F. and Fulbright, H.W. A review of data analysis systems for nuclear and high energy physics in A.E.C. laboratories, 4=21691
- Miller, W.F. and Snow, W.J. Energy loss spectra for gamma rays in NaI, 0=2511
- Miller, W.F. and Snow, W.J. Response spectra for gamma rays in CsI, 0=16102
- Miller, W.F. and Snow, W.J. Design calculations for NaI systems, 0=19970
- Miller, W.F. and Snow, W.J. NaI and CsI efficiencies and photofractions for gamma-ray detection, 2=3213
- Miller, W.F. See Lane, R.O., 2=20343
- Miller, W.F. See Smith, K., 1=815
- Miller, W.F. See Vandenbosch, R., 1=16960
- Miller, W.H. See Ratliff, F., 3=5295
- Miller, W.J. and Palmer, H.B. Spectra of alkali metal-organic halide flames, 4=7755
- Miller, W.J. and Palmer, H.B. Chemiluminescence and radical reactions in diffusion flames of alkali metals with organic halides, 4=22406



- Miller, W.J. See Palmer, H.B., 3=11346  
 Miller, W.N. See Gardner, L.R.T., 3=8771  
 Miller, W.W. See Thompson, J.L., 3=18458  
 Miller, Yu.G. An investigation of electrical transport in metals and semiconductors under the action of the Hall electric field, 1=19801  
 Miller, Yu.G. An investigation of electrical transport in metals and semiconductors under the action of the Hall electric field, 2=3930  
 Miller, Yu.G. and Gurov, K.P. Investigation of the transport of ions in a Hall electric field, 2=3950  
 Milleron, N. Detection of leaks and mercury vapor in vacuum systems by analyzing light from discharges, 4=18304  
 Milleron, N. Progress report on diffusion pump development, 4=8264  
 Milleron, N. See Davis, D.H., 2=5033  
 Milleron, N. See Davis, D.H., 4=11222  
 Millet, J. See Perrot, M., 2=7553  
 Millett, W.E. See Chase, C.E., 0=10819  
 Millett, W.E. See Chase, C.E., 2=1326  
 Millett, W.E. See Hatcher, C.R., 0=3959  
 Millhiser, D.R. See Arnett, R.W., 4=11432  
 Milliard, J. Regulated supply for electronic flash tubes, 1=16217  
 Milligan, D.E. Infrared spectroscopic study of the photolysis of chlorine azide in solid argon at 4.2°K, 1=12680  
 Milligan, D.E. Infrared spectroscopic study of the photolysis of methyl azide and methyl-d<sub>3</sub> azide in solid argon and carbon dioxide, 1=20755  
 Milligan, D.E., Hexter, R.M. and Dressler, K. Infrared spectroscopic evidence for the rotation of the ammonia molecule in solid argon and nitrogen, 1=6010  
 Milligan, D.E. and Jacox, M.E. Infrared study of the reaction of CH<sub>2</sub> with CO<sub>2</sub> in the solid state, 2=15157  
 Milligan, D.E. and Jacox, M.E. Infrared spectroscopic evidence for the species HO<sub>2</sub>, 3=17586  
 Milligan, D.E. and Jacox, M.E. Infrared spectroscopic evidence for the species HNC, 3=22584  
 Milligan, D.E. and Jacox, M.E. Infrared spectra of NF, NCl, and NBr, 4=20122  
 Milligan, D.E., Jacox, M.E., Charles, S.W. and Pimentel, G.C. Infrared spectroscopic study of the photolysis of HN<sub>3</sub> in solid CO<sub>2</sub>, 3=3402  
 Milligan, D.E., Mann, D.E., Jacox, M.E., Jacox, R.A. and Mitsch, R.A. Infrared spectrum of CF<sub>3</sub>, 4=28209  
 Milligan, D.E. See Horst, R.R., 2=16931  
 Milligan, D.E. See Jacox, M.E., 4=23674  
 Milligan, D.E. See Jacox, M.E., 4=25757  
 Milligan, D.E. See Redington, R.L., 3=2628  
 Milligan, D.E. See Redington, R.L., 4=1275  
 Milligan, J.E. See Huang, S.S., 3=3601  
 Milligan, J.E. See Stecher, T.P., 2=19316  
 Milligan, J.E. See Stecher, T.P., 3=1527  
 Milligan, N.P. and Burgess, P. Hall-effect devices for low level magnetic detection, 4=22736  
 Milligan, W.O., Tamai, Y. and Richardson, J.T. Magnetic properties of the dual oxide system CuO-Fe<sub>2</sub>O<sub>3</sub>, 3=18104  
 Millikan, R.C. Measurement of particle and gas temperatures in a slightly luminous premixed flame, 1=9169  
 Millikan, R.C. Optical properties of soot, 1=10086  
 Millikan, R.C. Infrared resonance fluorescence in the fundamental vibration-rotation band of carbon monoxide, 2=12321  
 Millikan, R.C. Vibrational fluorescence of carbon monoxide, 3=16665  
 Millikan, R.C. Carbon monoxide vibrational relaxation in mixtures with helium, neon, and krypton, 4=20040  
 Millikan, R.C. and White, D.R. Vibrational energy exchange between N<sub>2</sub> and CO. The vibrational relaxation of nitrogen, 3=20031  
 Millikan, R.C. and White, D.R. Systematics of vibrational relaxation, 4=6661  
 Millikan, R.C. See Hooker, W.J., 3=7243  
 Millikan, R.C. See Kaskan, W.E., 0=7767  
 Millikan, R.C. See Kaskan, W.E., 1=4937  
 Millikan, R.C. See White, D.R., 4=1238  
 Millikan, R.C. See White, D.R., 4=1269  
 Millikan, R.C. See White, D.R., 4=3928  
 Millington, R.J. Gas diffusion in porous media, 0=101  
 Millington, R.J. and Quirk, J.P. Permeability of porous solids, 2=6843  
 Millington, R.J. and Quirk, J.P. Formation factor and permeability equations, 4=22608  
 Million, P. See de Broglie, L., 3=2226  
 Millman, G.H. The geometry of the earth's magnetic field at ionospheric heights, 0=8358  
 Millman, G.H., Moceyunas, A.J., Sanders, A.E. and Wyrick, R.F. The effect of Faraday rotation on incoherent backscatter observations, 1=20923  
 Millman, G.H., Pineo, V.C. and Hynek, D.P. Observations of ionospheric movements by incoherent scattering, 4=2271  
 Millman, G.H. and Rose, F.L. Radar reflections from the moon at 425 Mc/s, 3=11596  
 Millman, G.H., Sanders, A.E. and Mather, R.A. Radar-lunar investigations at a low geomagnetic latitude, 1=15555  
 Millman, G.H. See Pineo, V.C., 4=2268  
 Millman, P.M. Note on some observational characteristics of meteor radio echoes, 0=10486  
 Millman, P.M. Visual and photographic observations of meteors and noctilucent clouds, 0=21388  
 Millman, P.M. The meteor Radar Echo — an observational survey, 2=19351  
 Millman, P.M. and Halliday, I. The near-infra-red spectrum of meteors, 2=4757  
 Millman, S.H. See Swets, J.A., 2=17319  
 Millner, R. Experimental investigations on the Debye effect in ionic solutions, 2=7211  
 Millot, J.P. See Bok, J., 2=5686  
 Millot, J.P. See de Gennes, P.G., 0=3268  
 Millot, J.P. See de Gennes, P.G., 0=18404  
 Mills, A.D. See Linares, R.C., 3=3274  
 Mills, A.D. See Tanenbaum, M., 1=6156  
 Mills, A.D. See Trumbore, F.A., 2=19102  
 Mills, A.W. Lateralization of high-frequency tones, 0=3368  
 Mills, B.D., Jr. The fluid column, 0=6727  
 Mills, B.D., Jr. A simple mechanical analogy for isothermal compression of liquids and solids, 1=15778  
 Mills, B.Y. The radio continuum radiation from the Galaxy, 0=4860  
 Mills, B.Y. On the identification of extragalactic radio sources, 1=46  
 Mills, B.Y. Galactic structure at meter wavelengths, 1=18184  
 Mills, B.Y. A survey of radio sources at 3.5 m wavelength, 1=18188  
 Mills, B.Y. Cross-type radio telescopes, 4=4929  
 Mills, B.Y., Aitchison, R.E., Little, A.G. and McAdam, W.B. The Sydney University cross-type radio telescope, 4=4932  
 Mills, B.Y., Slee, O.B. and Hill, E.R. A catalogue of radio sources between declinations +10° and -20°, 0=4869  
 Mills, B.Y., Slee, O.B. and Hill, E.R. A catalogue of radio sources between declinations -20° and -50°, 1=8029  
 Mills, B.Y., Slee, O.B. and Hill, E.R. A catalogue of radio sources between declinations -50° and -80°, 2=4858  
 Mills, B.Y. See Goddard, B.R., 1=8022  
 Mills, B.Y. See Hill, E.R., 0=4861  
 Mills, B.Y. See Hill, E.R., 3=5268  
 Mills, C.B. Minimum critical dimensions for water solutions, 2=5976  
 Mills, C.B. Reflector moderated reactors, 2=20697  
 Mills, C.B. and Bell, G.I. Criticality of low enrichment uranium in hydrogen, 2=12250  
 Mills, C.B. See Ergen, W.K., 0=13313  
 Mills, D. See Bratina, W.J., 0=10165  
 Mills, D. See Bratina, W.J., 2=21018  
 Mills, D. See Jones, W.M., 1=6556  
 Mills, D.L. Phonon relaxation in hydrated crystals, 4=9834  
 Mills, D.L. Ground-state occupancy of an ideal Bose-Einstein gas confined to a finite volume, 4=14077  
 Mills, E.B. and Morris, J.P. Supplying containing field power, 3=12188  
 Mills, E.D. See Scouler, W.J., 4=14350  
 Mills, F.E. Classical radiation damping in accelerators, 3=24394  
 Mills, F.E. See Kerst, D.W., 0=19837  
 Mills, F.E. See Krieger, F.J., 4=24764  
 Mills, I.M. Selection rules for rovibronic transitions in symmetric top molecules, 4=20009  
 Mills, I.M. Vibrational perturbation theory, 1=4927  
 Mills, I.M. Errors in "wave functions for the methane molecule", 1=14088  
 Mills, I.M. See Randic, M., 0=5908  
 Mills, I.M. See Smith, W.L., 4=1295  
 Mills, I.M. See Smith, W.L., 4=20081  
 Mills, I.M. See Smith, W.L., 4=28212  
 Mills, J.S. See Sancier, K.M., 4=201  
 Mills, K.C. See Turkdogan, E.T., 4=24453  
 Mills, P.J. See Norkus, F.J., 0=16509



- Mills, R. F.N. Re-entrant motion in special relativity, 3=16507
- Mills, R.G. See File, J., 3=9785
- Mills, R. L. and Grilly, E. R. P. V. T. relations in  $^4\text{He}$  near the melting curve and the  $\lambda$ -line, 4=18516
- Mills, R. L., Grilly, E. R. and Sydoriak, S. G. Anomalous melting properties of  $\text{He}^3$ , 1=4526
- Mills, R. L., Kenan, R. P. and Korringa, J. Perturbation theory of antiferromagnetism, 1=6377
- Mills, R. L. and Schuch, A. F. Crystal structure of the  $\alpha$  form of  $\text{He}^4$ , 1=8279
- Mills, R. L. and Schuch, A. F. Structure of the  $\gamma$ -form of solid  $^4\text{He}$ , 4=18524
- Mills, R. L., Sessler, A. M., Moszkowski, S. A. and Shankland, D. G. Superfluidity of nuclear matter, 0=1348
- Mills, R. L. See Cooper, L. N., 0=8924
- Mills, R. L. See Daunt, J. G., 4=13487
- Mills, R. L. See Frantz, L. M., 0=5645
- Mills, R. L. See Goldstein, L., 3=3937
- Mills, R. L. See Grilly, E. R., 0=228
- Mills, R. L. See Schuch, A. F., 1=15039
- Mills, R. L. See Schuch, A. F., 3=322
- Mills, R. L. See Sydoriak, S. G., 0=10820
- Mills, R. M. New radiofrequency mass spectrometer having high duty cycle, 4=8861
- Mills, W. R., Jr., Caldwell, R. L. and Morgan, I. L. Low voltage  $\text{He}^3$ -filled proportional counter for efficient detection of thermal and epithermal neutrons, 2=20374
- Mills, W. R., Jr. See Caldwell, R. L., 1=17114
- Millson, H. E. and Millson, H. E., Jr. Duration of phosphorescence. II, 4=17598
- Millson, H. E., Jr. See Millson, H. E., 4=17598
- Milman, B. A three-magnet extraction system for the 1 GeV orsay linear accelerator, 3=16997
- Milman, O. See Levi, L., 4=4203
- Mil'man, Yu. V. See Trefilov, V. L., 4=13404
- Milmoe, J. O. See Murgai, M. P., 1=4096
- Milne, A. R. Shallow water under-ice acoustics in Barrow Strait, 0=14726
- Milne, A. R. A 90-km sound-transmission test in the Arctic [Ocean], 3=25864
- Milne, A. R. Underwater backscattering strengths of Arctic pack ice, 4=29259
- Milne, A. R. and Ganton, J. H. Ambient noise under arctic-sea ice, 4=23715
- Milne, D. G. See Cundall, R. B., 4=13739
- Milne, D. K. and Scheuer, P. A. G. Extended radio sources. I, 4=20945
- Milne, D. K. See Gardner, F. F., 4=4928
- Milne, E. A. See Moore, C. J., 4=10484
- Milne, E. L. and Gibbs, P. Ag ion migration in  $\alpha$  quartz, 4=25966
- Milne, G. G. and Miller, N. D. Photographic photometry of a flash tube using a high-speed streak camera, 0=169
- Milne, J. G. C. The pressure dependence of the second ionization coefficient in hydrogen at low pressures, 2=7558
- Milne, J. G. C. Superconducting transition temperature of high-purity tantalum metal, 1=7000
- Milne, J. G. C. See Davies, D. E., 0=5271
- Milne, P. A. See Bayley, F. J., 2=1295
- Milne, T. A. Ion-molecule reactions in mass spectrometric studies of alkali halide salts, 0=10876
- Milne, T. A. and Klein, H. M. Mass spectrometric study of heats of dimerization of alkali chlorides, 1=2356
- Milne, T. A. See Greene, F. T., 4=6665
- Milne, T. A. See Greene, F. T., 4=15841
- Milner, A. S., Litovchenko, T. A. and Tatarinova, L. N. Measurement of the magnetic characteristics of thin ferromagnetic films, 3=24424
- Mil'ner, A. S. and Tatarinova, L. I. Electrical and magnetic properties of nickel films vacuum-deposited on glass, 1=10027
- Mil'ner, A. S. See Kovtun, E. F., 3=13271
- Milner, C. J. and Ausburn, K. J. The matching of pierce guns to tunnels, 1=1173
- Milner, D. C. See Long, D. A., 3=20006
- Milner, C. E. See Owen, B. B., 2=1163
- Milner, J. H. See Hill, J. S., 2=10650
- Milner, R. S. and Pratt, L. Proton resonance spectra of paramagnetic complexes in aqueous solution, 3=14186
- Milner, S. R. The classical field theory of matter and electricity. I. An approach from first principles, 1=2679
- Milner, S. R. The classical field theory of matter and electricity. II. The electromagnetic theory of particles, 1=2680
- Milner, S. R. Generalised electrodynamics and the structure of matter, 4=5748
- Milnes, A. G. See Ashley, K. L., 4=12875
- Milnes, A. G. See Kerr, D. R., 3=10753
- Milnes, A. G. See Kerr, D. R., 4=7058
- Milnes, A. G. See Melngailis, I., 2=8334
- Milnes, A. G. See Oldham, W. G., 3=13088
- Milnes, A. G. See Oldham, W. G., 4=12925
- Milnes, G. C. and Isard, J. O. The mechanism of electrical conduction in lead silicate glasses and its dependence on "water" content, 3=2945
- Milnes, H. W. See Maradudin, A. A., 1=2368
- Milnes, H. W. See Wallis, R. F., 0=5543
- Milnes, M. V. See Foster, K. W., 2=12459
- Milochov, G. On the formation of tridimensional cubic "seeds" on isomorphic condensation nuclei, 4=26586
- Milochov, G. The influence of adsorption on the formation of crystal "seeds" on isomorphic condensation nuclei, 4=26587
- Milochov, G. The activity of condensation nuclei under normal conditions and under conditions of adsorption, 4=26588
- Miloe, G. Directional gamma-ray detectors and their use in medicine, 4=3379
- Milojević, A. See Dobrilović, L., 2=3221
- Milojević, A. See Slavić, I., 2=3222
- Milojević, A. A. See Ajdačić, V. S., 1=13238
- Milojević, A. B. Study of emission of light positive particles from negative beta emitters, 0=17529
- Milone, C. Fine structure in the energy spectra of photoprotons from  $\text{He}^4$ , 0=20249
- Milone, C. Recent results on photonuclear spectra, 1=17075
- Milone, C. Energy spectra of photoneutrons from Al and neutron emission processes, 4=3640
- Milone, C. and Ricamo, R. Differential cross-section for the  $\text{D}(\text{d}, \text{n})$  reaction, 2=480
- Milone, C. See Cortini, G., 0=1430
- Milone, C. See Emma, V., 0=1431
- Milone, C. See Emma, V., 0=5774
- Milone, C. See Emma, V., 0=11435
- Milone, C. See Emma, V., 0=17616
- Milone, C. See Emma, V., 2=423
- Milone, C. See Emma, V., 3=6220
- Miloshev, G. Formation of crystal seeds on isomorphous nuclei, 4=7539
- Miloshev, G. and Krastanov, L. Influence of adsorption on the formation of embryo lunules, 4=10718
- Miloshev, G. and Krystanov, L. The dimensions of the most active condensation nuclei in the case of adsorption, 4=27163
- Miloshev, G. See Krastanov, L., 4=7835
- Miloslavskii, V. K. Experimental possibilities of enhancing magneto-optical effects, 3=20449
- Miloslavskii, V. K. Optical properties of thin CdS layers in the spectral region of  $0.4-18\mu$ , 3=20469
- Miloslavskii, V. K. and Kovalenko, N. A. Absorption by zinc oxide in the infrared spectral region, 0=654
- Miloslavskii, V. K. and Lyashenko, S. P. Optical and electrical properties of thin layers of tin dioxide, 0=16036
- Miloslavskii, V. K. and Ranyuk, A. I. Optical constants of cadmium oxide in the infrared, 2=6553
- Miloslavskii, V. K. and Shklyarevskii, I. N. More on the occurrence of Brewster and superposition fringes, 4=29764
- Miloslavskii, V. K. See Shklyarevskii, I. N., 1=16119
- Miloslavskii, V. K. See Shklyarevskii, I. N., 3=16785
- Miloslavskii, V. K. See Vlasenko, N. A., 2=6618
- Miloslavskii, V. K. See Vlasenko, N. A., 3=1828
- Milovanov, O. S. See Zorin, D. M., 0=10991
- Milovanova, R. A. and Chistyakov, P. N. Work function and normal cathode fall of molybdenum and nickel in inert gases, 4=568
- Milovanova, R. A. See Chistyakov, P. N., 2=19919
- Mil'shina, E. A. See Gubkin, A. H., 2=8471
- Mil'shina, E. A. See Gubkin, A. H., 2=10565
- Milsted, J. See Carswell, D. J., 0=3281
- Milsted, J. See Fields, P. R., 0=7498
- Milsted, J. See Friedman, A. M., 3=8005
- Milsted, J. See Friedman, A. M., 3=19826
- Milsted, J. See Friedman, A. M., 3=19896
- Milsted, J. See Rosenblum, S., 0=4045
- Milstein, F. See Robinson, L. B., 4=13183
- Milton, E. R. V. and Dunford, H. B. Reactions of active nitrogen with hydrogen bromide, bromine, and ethylene, 1=4093
- Milton, E. R. V., Dunford, H. B. and Douglas, A. E. Spectrum of NBr $^+$  excited in active nitrogen, 1=17111
- Milton, E. R. V. See Douglas, A. E., 4=25670



- Milton, G.M. and Grummitt, W.E. The "reactor" neutron capture cross section of  $Y^{91}$ , 1=708
- Milton, J.A. See McGee, R.X., 3=11505
- Milton, J.A. See McGee, R.X., 4=20948
- Milton, J.B. See Fey, R.L., 2=16012
- Milton, J.C.D. and Fraser, J.S. Prompt fission yields and total kinetic energy behavior from time-of-flight measurements, 1=12232
- Milton, J.C.D. See Bowman, H.R., 2=14145
- Milton, J.C.D. and Fraser, J.S. Time-of-flight fission studies on  $U^{235}$ ,  $U^{236}$ , and  $Pu^{239}$ , 3=4677
- Milton, J.C.D. and Fraser, J.S. Errata to "Time-of-flight fission studies on  $U^{235}$ ,  $U^{236}$ , and  $Pu^{239}$ ", 3=17503
- Milton, J.C.D. See Bowman, H.R., 3=10393
- Milton, J.C.D. See Fraser, J.S., 0=17629
- Milton, J.C.D. See Fraser, J.S., 4=6389
- Mil'vidskii, M.G. Shape of p-n junctions in semiconductor monocrystals obtained by directed crystallization from compensated melts, 3=17906
- Mil'vidskii, M.G. The crystallization front and the distribution of impurities across the transverse section of monocrystals grown from a melt by the Czochralski method, 3=18249
- Mil'vidskii, M.G. Misorientation and some other defects in single crystals of silicon grown by the Czochralski method, 4=2034
- Mil'vidskii, M.G. and Berkova, A.V. Some features of the distribution of additions in semiconductor single crystals during growth by the Czochralski method, 3=25670
- Mil'vidskii, M.G. and Berkova, A.V. The development of a "faceting" effect in silicon single crystals during growth by the Czochralski method, 4=2042
- Mil'vidskii, M.G. and Golovin, B.I. Form of the crystallization front of single semiconducting crystals, produced from the melt by the Czochralski method, 1=20428
- Mil'vidskii, M.G. and Lainer, L.V. Twinning and dislocations in single-crystal silicon, 1=7837
- Mil'vidskii, M.G. and Lainer, L.V. Microhardness and dislocation density in silicon monocrystals, 2=8755
- Mil'vidskii, M.G. and Lainer, L.V. Microhardness and dislocation density in silicon monocrystals, 2=21028
- Mil'vidskii, M.G., Lainer, L.V. and Ovsyannikova, S.P. Dendritic structure in silicon single crystals grown from the melt by the Czochralski method, 2=803
- Mil'vidskii, M.G. and Turovskii, B.M. The method of determining the form of the crystallization front of silicon single crystals grown from the melt by Czochralski method, 2=4379
- Mil'vidskii, M.G. See Fistul', V.I., 3=17861
- Mil'vidskii, M.G. See Omel'yanovskii, E.M., 3=25347
- Mil'vidskii, M.G. See Turovskii, B.M., 2=4378
- Milward, R.C. See McCoubrey, J.C., 1=19676
- Milward, R.C. See McCoubrey, J.C., 2=23015
- Milyaev, V.A. See Emel'yanova, E.N., 3=25569
- Milyaev, V.A. See Manenkov, A.A., 2=781
- Milyaev, V.A. See Manenkov, A.A., 2=18941
- Milyaev, V.A. See Manenkov, A.A., 2=23701
- Milyaev, V.A. See Manenkov, A.A., 4=26409
- Milyashev, M. See Borisov, M., 1=7668
- Milyutin, V.I. Electron interference and phase microscopy, 3=16151
- Mima, G. On the difference between single-isothermal annealing effects and successive-isothermal annealing effects in cold worked aluminium, 2=10914
- Mimeault, V.J. and Hansen, R.S. Omegatron investigation of hydrogen in an ultra-high vacuum system, 3=21460
- Mimel'man, E.L. and Panova, Ya.I. Thermal conductivity of powdered inorganic insulators, 3=25217
- Mimpfen, A.M. See Plomp, R., 3=21164
- Mims, W.B. Electric field effects in spin echoes, 4=10313
- Mims, W.B. The detection of chirped radar signals by means of electron spin echoes, 4=11791
- Mims, W.B. and Bowers, K.D. Paramagnetic relaxation in nickel fluosilicate, 0=10234
- Mims, W.B. and McGee, J.D. Cross relaxation in ruby, 0=13885
- Mims, W.B., Nassau, K. and McGee, J.D. Spectral diffusion in electron resonance lines, 1=14792
- Mims, W.B. See Forrester, P.A., 1=3055
- Mimura, H. and Uemura, Y. On the electronic structure of the  $U_2$ -center in KCl crystals. I, 0=20832
- Mimura, H. See Inokuti, M., 1=4263
- Mimura, Y. and Leonard, B.P. Note on magnetic loops, 4=3120
- Mimura, Y. and Takeno, H. Wave geometry, 3=14017
- Min, K., Bolen, L.N. and Whitehead, W.D. Neutron photo-production cross section of calcium, 4=1065
- Min, K., Chao, B.T. and Wyman, M.E. Measurement of electrostatic charge on solid particles in solid-gas suspension flow, 3=16184
- Min, K. See Axel, P., 3=15173
- Min LL. See LU Min.
- Min Nam Buk. See Zaitseva, N.G., 3=15202
- Min YU. See YU Min.
- Mina, P. See Garner, F.H., 0=2158
- Mina, P. See Garner, F.H., 0=2159
- Mina, R.T. See Khaikin, M.S., 2=8189
- Mina, R.T. Relaxation absorption of electromagnetic energy in the antiferromagnetic substance  $CoCl_2$ , 1=20190
- Mina, R.T. Relaxation absorption of electromagnetic energy in the antiferromagnetic substance, 3=5034
- Mina, R.T. See Khaikin, M.S., 3=6494
- Mina, R.T. See Khaikin, M.S., 3=17697
- Mina, R.T. See Khaikin, M.S., 4=4029
- Mina, R.T. See Khaikin, M.S., 4=9927
- Mina, R.T. and Khaikin, M.S. Investigation of the Fermi surface in lead by the cyclotron resonance method, 4=6794
- Minaev, N.G. See Latsh, V.V., 0=16326
- Minaev, N.G. See Latsh, V.V., 0=21232
- Minaev, N.G. See Latsh, V.V., 1=6487
- Minaeva, E.E. See Matveev, V.V., 4=579
- Minaeva, E.E. See Matveev, V.V., 4=16529
- Minaeva, G.G. See Bushnev, L.S., 4=1487
- Minaeva, G.G. See Panin, V.E., 4=1986
- Minaeva, K.A. Measurement of internal friction in single crystals of ferroelectric substances by the composite resonator method, 3=20698
- Minaeva, K.A. See Shuvalov, L.A., 4=1953
- Minaeva, K.A. See Strukov, B.A., 4=30649
- Minafra, A. See Bidan, U., 2=11988
- Minahan, J.A. See Sprague, J.L., 2=8458
- Minakaura, O. See Maeda, K. [Eds.], 2=9939
- Minakaura, O. See Maeda, K. [Eds.], 2=9940
- Minakaura, O. See Maeda, K. [Eds.], 2=9941
- Minakov, V.N. See Gridnev, V.N., 1=4064
- Minakov, V.N. See Gridnev, V.N., 4=23270
- Minakov, V.N. See Trefilov, V.I., 1=7874
- Minakova, S.V. See Trapeznikova, O.N., 2=6544
- Minami, K. See Hasiguti, R.R., 2=2175
- Minami, K. See Hasiguti, R.R., 3=17895
- Minami, S. Note on the  $K^-$ -deuteron collision, 0=2592
- Minami, S. On the circuit for continual measurement of light intensity ratio, 0=6934
- Minami, S. S-wave interaction in  $\pi$ -N systems and dispersion relation, 0=20204
- Minami, S. Proton-antiproton annihilation and nucleon structure, 1=3188
- Minami, S. S-wave pion-nucleon interaction and nucleon core, 1=3216
- Minami, S. S-wave pion-nucleon interaction, 1=3219
- Minami, S. S-wave K meson-nucleon interaction, 1=3234
- Minami, S. Interactions in nucleon core, 1=13325
- Minami, S.  $KK\pi\pi$ -interaction and nucleon core, 1=13504
- Minami, S. Excited state in  $\Lambda$ - $\pi$  system and  $K^-$ -p collision, 1=13516
- Minami, S. On the interaction in nucleon core, 1=16704
- Minami, S. Photon-proton collision at (250-800) MeV, 1=16779
- Minami, S. An isobaric state  $K^*$  in  $K$ - $\pi$  system and  $p + \bar{p} \rightarrow K + K + \pi + \pi$  process, 1=16892
- Minami, S. K meson-nucleon interaction at high energy, 1=16894
- Minami, S. Elastic  $\pi$ -p scattering at 1.4 BeV, 1=19254
- Minami, S. K meson-pion interaction and  $\bar{K}^+ + p \rightarrow K^0 + \pi^- + p$  reaction, 1=19266
- Minami, S.  $K^-$ -p interactions at 1.15 BeV/c, 2=1723
- Minami, S. On  $\pi + N \rightarrow Y + \pi + K$  reaction, 2=3390
- Minami, S. Note on  $K^-$ -p interactions at 400 MeV/c, 2=3402
- Minami, S. Proton-antiproton collision and isobaric states, 2=5642
- Minami, S. Three-pion resonance and high energy phenomena, 2=5746
- Minami, S. Heavy mesons and hard core in nuclear force, 2=11936
- Minami, S.  $K$ - $K^*$  interaction and K meson reactions at high energy, 2=11999
- Minami, S. Relative  $\Lambda$ -parity and  $K^-$ -p interactions at (1.1 ~ 1.4) BeV/c, 2=12010
- Minami, S. Heavy mesons and particle mixture theory, 2=20408
- Minami, S. On  $\bar{K}$ -N interactions and a possible maximum of cross-sections for pion reactions, 2=20419



- Minami, S. Note on hyperon isobars, 2=20423  
 Minami, S. Phenomenological theories of elementary particle resonant states, 3=14872  
 Minami, S. Pion-nucleon interaction at about 2 GeV and the  $f^0$  meson, 3=19682  
 Minami, S. Regge trajectories and proton-antiproton interaction, 3=22134  
 Minami, S. Pomeranchuk particle and  $\alpha$ -meson reactions, 4=943  
 Minami, S. An optical null double-beam double-pass infrared spectrophotometer, 4=8414  
 Minami, S.  $Y_1^* + Y_2^* (\Sigma + \Sigma)$  pair production in p-p collision, 4=9287  
 Minami, S. Pion-proton interaction at 4.13 BeV/c and backward scattering, 4=12047  
 Minami, S. On the  $Y^*$  (1765 MeV), 4=12072  
 Minami, S. Note on the  $K^*$  (730 MeV), 4=15102  
 Minami, S. Proton-proton scattering at 16.7 BeV/c and interaction with the nucleon core, 4=16890  
 Minami, S. Resonant states in the meson-family, 4=16950  
 Minami, S. On the  $\pi$ - $\omega$  resonance (B-meson), 4=19573  
 Minami, S. Phenomenological approach to explain the behavior of the diffraction peak in high-energy scattering, 4=27808  
 Minami, S. and Mori, K. Resonant states in the meson-baryon systems, 4=3468  
 Minami, S. and Mori, K. Diffraction scatterings at high-energy and possibility of new Regge-trajectories, 4=9144  
 Minami, S. and Moss, T. A.  $\gamma + p \rightarrow \eta + p$  reaction at low energy and the second-resonant state in the nucleon, 4=899  
 Minami, S., Moss, T. A. and Armoudian, G. A. Proton-proton scattering at high energy and shrinkage of the diffraction peak, 4=27851  
 Minami, S. and Okhuysen, P. L.  $KK$ -resonant state and  $\pi^- + p \rightarrow K + K + N$  reaction, 3=17337  
 Minami, S. and Yamaguchi, Y. Parity nonconservation and decay of hyperon, 0=9437  
 Minami, S., Yoshinaga, H. and Fujita, S. Digital circuit for measurement of spectral line intensities, 1=8230  
 Minami, S. See Hayakawa, S., 0=369  
 Minami, S. See Ito, D., 0=11205  
 Minami, S. See Ito, D., 0=20051  
 Minami, S. See Ito, D., 0=20052  
 Minamiya, A. See Tarui, Y., 4=10488  
 Minamiyama, T. See Satō, T., 4=11236  
 Minamiyama, T. See Sugawara, S., 1=172  
 Minamiyama, T. See Sugawara, S., 3=5464  
 Minamiyama, T. See Sugawara, S., 4=21174  
 Minamoto, M. T. Significance of crystallographic polarity in the fabrication of junctions in InSb, 2=12538  
 Minamoto, M. T. and Malafi, H. T. Tunneling current density as a function of crystallographic polarity, 3=17911  
 Minard, J. Experimental study by a new method of the absolute retardation in electric birefringence of liquids. Electrostriction, 0=6954  
 Minard, J. New method for the determination of the ratio of absolute retardation in electrical birefringence of liquids and for the measurement of electrostriction, 3=11802  
 Minardi, E. Energy principle for electrostatic stability of a plasma, 4=14718  
 Minardi, E. Microstability conditions for a plasma in a box, 4=14719  
 Minardi, E. See Ascoli, R., 0=12857  
 Minardi, E. See Engelmann, F., 2=3058  
 Minardi, E. See Engelmann, F., 3=9817  
 Minardi, E. See Engelmann, F., 4=8679  
 Minardi, J. E. See Kester, J. E., 3=19059  
 Minarik, E. V. See Agafonov, V. P., 3=24678  
 Minarik, E. V. See Govorkov, B. B., 3=6036  
 Minarik, E. V. See Govorkov, B. B., 3=24762  
 Minarik, E. V. See Govorkov, B. B., 3=24763  
 Minarik, E. V. See Govorkov, B. B., 4=993  
 Minark, E. V. See Govorkov, B. B., 2=13847  
 Minashin, M. E. See Krasin, A. K., 1=770  
 Minashin, V. P. See Kotelnikov, V. A., 3=9272  
 Minatono, H. See Kanamori, J., 3=8658  
 Minc, S. See Rafalski, W., 2=15149  
 Minc, S. See Rafalski, W., 2=15150  
 Minch, R. B. and Balluffi, R. W. On the magnitude of vacancy super-saturations in silver during deformation at elevated temperatures, 3=13356  
 Minchenkova, L. E. See Nikitina, A. N., 3=23891  
 Mincheva, L. D. See Zlatanov, Z. M., 4=27854  
 Minck, R. W. Optical frequency electrical discharge in gases, 4=8655  
 Minck, R. W., Terhune, R. W. and Rado, W. G. Laser-stimulated Raman effect and resonant four-photon interactions in gases  $H_2$ ,  $D_2$  and  $CH_4$ , 4=9704  
 Minden, H. T. Leaves of GaAs, 2=4414  
 Minden, H. T. Thermal oxidation of GaAs, 3=2943  
 Mindlin, R. D. High frequency vibrations of crystal plates, 1=15992  
 Mindlin, R. D. See Kaul, R. K., 3=5480  
 Mindlin, R. D. See Kaul, R. K., 3=5481  
 Mindlin, R. D. See Lubowe, A. G., 3=5482  
 Mindlin, R. D. See Tiersten, H. F., 3=3844  
 Mineev, D. A. See Sobolev, B. P., 3=23455  
 Mineev, F. I. and Kovpik, O. F. Selection and primary focusing of ions from a multiply-charged ion source, 4=27584  
 Mineeva, I. A. See Bogatskii, D. P., 1=10259  
 Mineeva, R. M. Magnetic resonance of simple electron levels of  $V^{3+}$  ions in the lattice of corundum, 3=20659  
 Mineeva, R. M. See Al'tshuler, S. A., 3=20638  
 Minegishi, T. Magneto-thermoelectric power and magnetostriction of FeNi single crystals, 3=13262  
 Minehart, R. C. and Milburn, R. H. Scintillation-bubble chamber, 0=5459  
 Minehart, R. C. and Milburn, R. H. Neutron detection and analysis using a scintillation bubble chamber, 4=12023  
 Minehart, R. C. See Blanpied, W. A., 4=9475  
 Minematsu, M. Nuclear quadrupole resonances of nitrogen in amino and amido compounds, 0=21087  
 Minematsu, M. See Kojima, S., 1=10198  
 Miner, E. D. Jr. See Meyer-Arendt, J. R., 3=9583  
 Minervina, Z. V. See Vaisenberg, A. O., 1=19228  
 Minervina, Z. V. See Vaisenberg, A. O., 2=22551  
 Mines, J. R. See Huby, R., 4=21046  
 Minetti, B. See Baciuc, G., 4=22106  
 Minetti, B. See Costa, S., 4=12200  
 Mineyeva, R. M. See Kopvillem, V. Kh., 3=11021  
 Ming Chen, Yung. See Yung Ming Chen.  
 Ming Nam Buk. See Belyaev, B. N., 3=15203  
 Ming Nam Buk. See Min Nam Buk.  
 Ming Nay-ben, Fan Tsun-I, Li Chi, Hsu You-san and Fong Duan. Production of molybdenum single crystals with electron-beam floating zone melt, 4=2030  
 Ming Nay-ben. See Fong Duan., 4=1492  
 Ming Nay-ben. See Fong Duan., 4=1493  
 Ming Nay-ben. See Fong Duan., 4=25947  
 Mingay, D. W. See Sellschop, J. P. F., 1=8760  
 Mingazin, T. A. See Zhuravlev, N. N., 1=4044  
 Mingle, J. O. Convergence improvement of disadvantage factors by the use of even order spherical harmonics approximations, 3=12724  
 Minguzzi, A.  $\pi$ -N forward dispersion relations with electromagnetic corrections, 1=7276  
 Minguzzi, A. Photons interaction with a homogeneous constant magnetic field, 1=9719  
 Minguzzi, A. A note on production dispersion relation, 1=13354  
 Minguzzi, A. Scattering dispersion relations for stable and unstable particles in perturbation theory, 3=24632  
 Minguzzi, A. One-variable dispersion relations, 4=16823  
 Minguzzi, A. and Streater, R. F. Some remarks on the vertex function, 0=15285  
 Minguzzi, A. and Streater, R. F. A note on the proof of dispersion relations, 0=20076  
 Minguzzi, A. and Streater, R. F. Dispersion relations for some photon reactions, 1=5888  
 Minguzzi, A. and Taffara, L. Dispersion relations and stability conditions, 2=7820  
 Minguzzi, A. and Taffara, L. Axiomatic dispersion relations and anomalous thresholds, 2=11887  
 Minguzzi, A. See Ascoli, R., 0=11081  
 Minguzzi-Ranzi, A. See Bartke, J., 1=8513  
 Minguzzi-Ranzi, A. See Bartke, J., 2=13883  
 Minguzzi-Ranzi, A. See Bellière, J., 3=24775  
 Minguzzi-Ranzi, A. See Bergia, S., 0=15402  
 Minguzzi-Ranzi, A. See Block, M. M., 0=17418  
 Minguzzi-Ranzi, A. See Courant, H., 3=17346  
 Minguzzi-Ranzi, A. See Di Corato, M., 2=22627  
 Minguzzi-Ranzi, A. See Loria, A., 2=1714  
 Minh Dang Ngoc. See Dang Ngoc Minh, 2=1197  
 Miniamoto, M. T. and Allen, C. M. InSb diodes with normal barrier capacitance, 2=21172  
 Minier, M. and Soutif-Guichard, J. Magnetic resonance of pyrrhotite,  $Fe_7S_8$ , 3=13288



- Minier-Cassayre, C. Resistivity of pure and doped iron, after irradiation with fast neutrons at 78°K, 4=12857
- Minier-Cassayre, C. and Dautreppe, D. Resistivity of doped iron irradiated with fast neutrons at 78°K, 3=13034
- Minifie, F.D. See Small, A.M., Jr., 1=12711
- Minin, I.N. A point source of light in an absorbing medium between parallel plane surfaces, 0=14793
- Minin, I.N. On the solution of the integral equation for the coastal refraction of electromagnetic waves, 0=19939
- Minin, I.N. A point source of light in an absorbing medium between parallel plane surfaces, 1=5336
- Minin, I.N. The nonstationary luminosity of a semi-infinite medium, 4=17968
- Minin, I.N. Light scattering in dust nebulae, 4=29406
- Minin, I.N. and Sobolev, V.V. On the theory of light scattering in planetary atmospheres, 4=2398
- Minin, I.N. and Sobolev, V.V. The scattering of light in a spherical atmosphere. II, 4=26796
- Minin, I.N. See Sobolev, V.V., 2=13459
- Minin, I.N. See Sobolev, V.V., 2=17648
- Minin, I.N. See Sobolev, V.V., 3=23592
- Minin, K.F. See Sidorenko, V.V., 3=14945
- Minina, N.Ya. See Brandt, N.B., 4=28760
- Minina, R.M. See Yavor, S.Ya., 0=10960
- Miniter, S. See Sterzer, F., 4=10171
- Minkarah, I.A. and Hoppmann, W.H., II. Flexural vibrations of cylindrically anisotropic circular plates, 4=14238
- Minkiewicz, V. See Nakamura, A., 4=13345
- Minkler, W.S. and Rouleau, W.T. The effects of internal heat generation on heat transfer in thin fins, 1=18650
- Minkler, W.S. See Nelson, A.C., Jr., 4=3737
- Minkner, R. See Reinhold, G., 0=12655
- Min'ko, L.Ya. See Grechikhin, L.I., 3=14569
- Min'ko, L.Ya. See Grechikhin, L.I., 4=8792
- Minkoff, G.J. Frozen free radicals, 0=19578
- Minkoff, G.J. Frozen free radicals, 0=20659
- Minkoff, I. and Einbinder, I. Dendritic growth of graphite from melts, 2=14945
- Minkov, I.M. Electrostatic field of a capacitor with a dielectric slab, 1=1884
- Minkov, I.M. Solution of the field in a capacitor whose plates are hollow spherical segments, 1=1885
- Minkov, I.M. Electrostatic field of a sectional spherical capacitor, 3=19160
- Minkov, I.M. See Ermolaev, A.M., 3=1827
- Minkova, V. See Borisov, M., 4=26146
- Minkowitz, G. Principal curvature of an aspheric surface in particular for spectacle lenses with varying powers, 2=7072
- Minkowitz, G. See Rieker, R., 2=5142
- Minkowitz, G. See Rieker, R., 2=21994
- Minkowski, J.M. Cross relaxation effect of chromium and iron in  $K_3(\text{Co}, \text{Cr}, \text{Fe})(\text{CN})_6$ , 0=16165
- Minkowski, R. International cooperative efforts directed toward optical identification of radio sources, 0=8477
- Minkowski, R. Cygnus loop and some related nebulosities, 0=10524
- Minkowski, R. Problems of extragalactic spectroscopy, 0=18837
- Minkowski, R. Optical observations of nonthermal galactic radio sources, 1=18178
- Minkowski, R. Concluding lecture [Part V—discrete sources and the universe], 2=2571
- Minkowski, R. NGC 6166 and the cluster Abell 2199, 2=11145
- Minkowski, R. and Abell, G.O. The galactic distribution of planetary nebulae, 4=23873
- Minkowycz, W.J. See Sparrow, E.M., 2=15532
- Minkowycz, W.J. See Sparrow, E.M., 3=273
- Minkwitz, G. The astigmatic surfaces of certain symmetrical aspherics, 4=5365
- Minkwitz, G. and Schultz, G. The distribution in space of the fringes in the case of wedge interference, 4=24388
- Minkwitz, G. See Schulz, G., 1=5483
- Minlos, R.A. and Faddeev, L.D. Comment on the problem of three particles with point interaction, 2=4934
- Minlos, R.A. and Faddeev, L.D. Exact interactions in a system of three particles in quantum mechanics, 2=4936
- Minlos, R.A. and Faddeev, L.D. Exact interactions in a system of three particles in quantum mechanics, 2=11283
- Minlos, R.A. and Faddeev, L.D. Comment on the problem of three particles with point interaction, 3=3751
- Minn, S. Contribution to the experimental study of the electrical conductivity of thin films of gold, 1=3712
- Minn, S. and Vodar, B. Influence of support on the electrical conductivity of very thin gold films, 3=15542
- Minnaert, M. General survey on solar phenomena, 1=18149
- Minnaert, M. General discussion on radio-bursts, 1=18161
- Minnaert, M.G.J. Concluding lecture  
[Part II—The sun], 1=15538
- Minnaert, M.G.J. The differences on the chemical composition of stars, 2=19332
- Minnaert, M.G.J. Differences in the chemical composition of the stars, 2=21724
- Minnaja, N. Solution of the Schrodinger equation in a constant magnetic field and diamagnetism, 1=8055
- Minnaja, N. See Alzetta, G., 2=10635
- Minnaja, N. See Forlani, F., 4=12959
- Minnaja, N. See Forlani, F., 4=15565
- Minnaja, N. See Forlani, F., 4=19079
- Minnaja, N. See Forlani, F., 4=20393
- Minnaja, N. See Iannuzzi, M., 4=6579
- Minne, R. See Herman, G., 3=8544
- Minnett, H.C. See Bowen, E.G., 4=4924
- Minnhagen, L. The nf and ng levels of Ar II, 1=4900
- Minnhagen, L. (<sup>2</sup>P)nf levels of Cl I, 1=5964
- Minnhagen, L. The energy levels of neutral atomic iodine, 2=10202
- Minnhagen, L. Correlation between observed wavelength shifts produced in electrodeless discharge tubes and predicted Stark-effect shifts in the spectrum of neutral germanium (Ge I), 4=15277
- Minnhagen, L., Petersson, B. and Stigmark, L. Continued experiments on the excitation of spectra by high frequency pulses, 0=12479
- Minnhagen, L. See Gunnvald, P., 2=14191
- Minnich, S.H. Degradation of critical currents in niobium—25% zirconium wire due to temperature cycling, 4=29840
- Minnigerode, G.V. See Hilsch, P., 4=16348
- Minnigerode, G.Von. See Von Minnigerode.
- Minnis, C.M. Non-uniformity in the brightness of the sun's disk during the eclipse of 30 June 1954, 0=842
- Minnis, C.M. The interpretation of changes in the E- and F1-layers during solar eclipses, 0=2016
- Minnis, C.M. Ionospheric changes at Singapore during the solar eclipse of 14 December, 1955, 0=6451
- Minnis, C.M. An estimate of the peak sunspot number in 1968, 0=10501
- Minnis, C.M. An estimate of the peak sunspot number in 1968, 1=15455
- Minnis, C.M. Annual variations in E-layer ionization, 4=23807
- Minnis, C.M. and Bazzard, G.H. Some indices of solar activity based on ionospheric and radio noise measurements, 0=6452
- Minnis, C.M. and Bazzard, G.H. A daily index of solar activity based on E-layer ionization (July 1957-December, 1958), 0=14230
- Minnis, C.M. and Bazzard, G.H. The geographical distribution of ionization in the F2-layer, 0=16454
- Minnis, C.M. and Bazzard, G.H. A monthly ionospheric index of solar activity based on F2-layer ionization at eleven stations, 0=18500
- Minnis, C.M. and Bazzard, G.H. A world-wide semi-annual cycle in the E-layer of the ionosphere, 0=21357
- Minnis, C.M. and Bazzard, G.H. Similarities in the characteristics of solar radiation at  $\lambda 10.7$  cm and in the far ultraviolet, 1=1660
- Minnis, C.M. See Bazzard, G.H., 2=901
- Mino, M. See Shinoda, G., 4=15690
- Mino, M. See Suzuki, T., 4=24344
- Minomura, S. and Drickamer, H.G. Effect of pressure on the M center in alkali halide crystals, 0=13556
- Minomura, S. and Drickamer, H.G. Pressure induced color centres in CaF<sub>2</sub> and BaF<sub>2</sub>, 1=4505
- Minomura, S. and Drickamer, H.G. Effect of pressure on the spectra of transition metal ions in MgO and Al<sub>2</sub>O<sub>3</sub>, 1=14589
- Minomura, S. and Drickamer, H.G. Pressure induced phase transitions in silicon, germanium and some III-V compounds, 2=16704
- Minomura, S. and Drickamer, H.G. Effect of pressure on the electrical resistance of some transition-metal oxides and sulfides, 3=25370
- Minomura, S. and Nagasaki, H. The effect of pressure on the metal-to-insulator transition in V<sub>2</sub>O<sub>4</sub> and V<sub>2</sub>O<sub>3</sub>, 4=17775
- Minomura, S., Samara, G.A. and Drickamer, H.G. Temperature coefficient of resistance of the high-pressure phases of Si, Ge, and some III-V and II-VI compounds, 3=859
- Minor, A. See Bucka, H., 1=2284
- Minor, A. See Jester, A., 4=18662



- Minor, F.W. See Schwartz, A.M., 0=2156  
 Minor, U. See Rienitz, J., 3=16752  
 Minor, U.-C. and Schulz, G. Reflected light interference microscope without comparison surface, 4=305  
 Minorski, N. On quasi-discontinuous oscillations, 3=1743  
 Minorsky, N. A nonlinear resonance, 2=9330  
 Minshall, F.S. See Zukas, E.G., 4=7497  
 Minshall, H. See Greenwood, J.A., 1=14929  
 Minten, A. See Knop, G., 2=2076  
 Minter, C.C. Vacuum leak testing with liquids, 0=8723  
 Minter, F.J. See Makin, M.J., 0=16232  
 Minter, F.J. See Makin, M.J., 1=1004  
 Minter, F.J. See Makin, M.J., 1=10004  
 Minter, F.J. See Makin, M.J., 2=6350  
 Minton, R.M. and Glicksman, R. Theoretical and experimental analysis of germanium tunnel diode characteristics, 4=22750  
 Mints, A.L. See Burshtein, E.L., 2=5412  
 Mints, A.L. See Burshtein, E.L., 2=9660  
 Mints, A.L. See Veksler, V.I., 0=5369  
 Mints, A.L. See Vladimirovskii, V.V., 2=20081  
 Mints, A.L. See Vladimirovskii, V.V., 3=12275  
 Mints, A.L. See Vladimirovskii, V.V., 4=14794  
 Mints, R.I. See Bogachev, I.N., 2=21441  
 Mints, R.I. See Bogachev, I.N., 4=20669  
 Mints, S. See Rafal'ski, V., 3=1394  
 Minturn, R.E., Datz, S. and Taylor, E.H. Thermal emission of alkali ion pulses from clean and oxygenated tungsten, 0=9093  
 Minturn, R.E. See Datz, S., 0=9094  
 Minturn, R.E. See Datz, S., 1=4958  
 Minturn, R.E. See Datz, S., 4=28286  
 Minturn, R.E. See Hansen, R.S., 1=4107  
 Minty, D.C. and Butcher, B.R. Grain refinement of uranium-chromium alloys by continuous cooling, 3=3322  
 Minty, D.C. See Butcher, B.R., 2=4470  
 Mintz, A.L. See Burshtein, E.L., 2=17913  
 Mintz, A.L. See Burshtein, E.L., 3=7666  
 Mintz, D.E. See Mandriot, F.J., 3=3690  
 Mintz, Y. Temperature and circulation of the Venus atmosphere, 2=4745  
 Mintzer, D. and Tanenbaum, B.S. Spatial and temporal absorption in a viscous medium, 0=1000  
 Mintzer, D. See Kritiz, A.H., 0=3767  
 Mintzer, D. See LaCasce, E.O., Jr., 2=19652  
 Mintzer, D. See Stone, R.G., 2=13405  
 Mintzer, D. See Tanenbaum, B.S., 0=14594  
 Mintzer, D. See Tanenbaum, B.S., 2=1113  
 Mintzer, D. See Tanenbaum, B.S., 3=2009  
 Mintzer, D. See Tanenbaum, B.S., 3=16250  
 Minyatov, A.V. [The rate of] heating of an infinite cylinder which is enveloped in a film, 0=16013  
 Minzatu, I. and Calboreanu, A. Corrections of finite geometry and energy in the analysis of fast neutron polarization, 3=19646  
 Minzatu, I., Calboreanu, A., Martalogu, N., Dumitrescu, R. and Molea, M. On the angular distribution of neutron polarization from the  $\text{Li}^7(p, n)\text{Be}^7$  [reaction] for  $E_p = 4.5$  MeV, 3=17462  
 Minzatu, I., Calboreanu, A., Martalogu, N., Dumitrescu, R. and Molea, M. Angular distribution of neutron polarization from  $\text{Li}^7(p, n)\text{Be}^7$  for  $E_p = 4.5$  MeV, 4=9503  
 Minzatu, I., Martalogu, N., Calboreanu, A., Vilcov, I. and Magda, T. Angular distribution of polarized neutrons from the  $\text{Li}^7(p, n)\text{Be}^7$  reaction, 3=8089  
 Minzatu, I. See Martalogu, N., 1=13430  
 Minzner, R.A. See Champion, K.S.W., 2=11047  
 Minzner, R.A. See Champion, K.S.W., 3=16234  
 Minzner, R.A. See Champion, K.W., 1=6603  
 Mion, J. See Pennell, R., 3=13359  
 Mira, C. See Lagasse, J., 1=5404  
 Mira, J.K. and Dragica, Z.N. Investigation of the angular distribution of tritons produced by deuterons of about 0.9 MeV on beryllium, 0=17600  
 Miralles, L. See Catalá, J., 0=20468  
 Miralles, L. See Catalá, J., 2=10642  
 Miralles, L. See Senent, F., 1=411  
 Mirand, P. See Groutzeilles, M., 2=4440  
 Miranda, H.A., Jr and Schimmel, H. New liquid scintillation, 0=5032  
 Miranda, H.A., Jr. See Braddock, J.V., 1=13454  
 Miranker, W.L. The wave equation in a medium in motion, 0=12443  
 Miranker, W.L. Periodic solutions of the wave equation with a nonlinear interface condition, 1=13170  
 Miranker, W.L. See Cohen, H., 1=10637  
 Miranker, W.L. A free boundary problem for the wave equation, 2=2676  
 Miranq, P. See Saulnier, A., 4=7473  
 Miranov, A.G. See Bonch-Bruevich, V.L., 0=17009  
 Mircea, A. The geometric factor in semiconductor four-probe resistivity measurements, 4=1584  
 Mircheva, V. See Rashkov, S., 4=29106  
 Mirels, H. Test time in low-pressure shock tubes, 3=21492  
 Mirels, H. and Braun, W.H. Perturbed one-dimensional unsteady flows including transverse magnetic-field effects, 2=7180  
 Mirels, H. and Hamman, J. Laminar boundary layer behind strong shock moving with nonuniform velocity, 2=1182  
 Mirels, H. and Mullen, J.F. Small perturbation theory for shock-tube attenuation and nonuniformity, 4=29697  
 Mires, R.W. and Lin, C.C. Effect of the electron correlation on the multiplet structure of the  $(3d)^2$  configuration of Ti III and Cr V, 4=15274  
 Mirgalovskaya, M.S. and Komova, E.M. Investigation of the Ga-Sb-Te system, 3=25732  
 Mirgalovskaya, M.S. and Strel'nikova, I.A. Preparation of alloyed monocrystals and p-n junctions in aluminum antimonide, 1=19865  
 Mirgalovskaya, M.S. See Dashevskii, M.Ya., 4=2037  
 Mirianashvili, G.M. See Kokochashvili, V.I., 3=24538  
 Mirić, P.D. See Brajović, V.M., 0=20493  
 Mirinskii, D.S. See Borzunov, V.A., 0=3490  
 Mirion, I. Nuclear fuels for energy reactors, 3=17513  
 Mirion, I. See Lăbușcă, E., 1=3914  
 Mirion, I. See Lăbușcă, E., 2=6763  
 Mirjasov, N.Z. See Cecernikov, V.I., 0=13757  
 Mirkin, L.I. Heredity of dislocation structures during phase transformations, 2=16656  
 Mirlin, D.N. and Karpov, Yu.S. Recombination fluctuations of the photocurrent produced by illumination of a p-n junction, 2=16756  
 Mirlin, D.N. and Karpov, Yu.S. Recombination fluctuations of the photocurrent produced by illumination of a p-n junction, 2=18744  
 Mirlin, D.N., Pikus, G.E. and Yur'ev, V.G. Determination of [slow] electron scattering cross-section by the electrical conductivity of a weakly ionized gas, 3=22509  
 Mirlin, D.N. and Reshina, I.I. Intensity of the infrared absorption line for impurity vibrations, 4=10183  
 Mirlin, D.N. See Kornfel'd, M.I., 0=7925  
 Mirlin, D.N. See Kornfel'd, M.I., 0=15963  
 Mirlin, D.N. See Kornfel'd, M.I., 2=23322  
 Mirlin, D.N. See Sochava, L.S., 0=11685  
 Mirman, R. Oscillations in single and colliding plasmas, 4=27549  
 Mirolyubova, N.S. See Shurmovskaya, N.A., 4=19075  
 Miron, V. Experimental contribution to the study of the passage of electric current by metals, 4=1552  
 Mironov, A.G. Theory of photoconductivity and photo-electromagnetic effect in the presence of adhesion levels, 0=1680  
 Mironov, A.G. Theory of an electron plasma in a magnetic field. Effect of the Coulomb interaction on the magnetic susceptibility, 2=3879  
 Mironov, A.G. See Bonch-Bruevich, V.L., 2=3863  
 Mironov, A.G. See Bonch-Bruevich, V.L., 2=8267  
 Mironov, A.G. See Glasko, V.B., 2=18655  
 Mironov, A.V. Results of spectrographic and radar observations of auroral and night airglow in July 1959 by the stations of the Atmospheric Physics Institute of the USSR Academy of Sciences, 1=21042  
 Mironov, A.V. See Krassovsky, V.I., 0=4808  
 Mironov, B.V. See Malyshev, I.F., 4=14800  
 Mironov, E.S., Nemenov, L.M., Sokolov, N.I. and Khaldin, N.N. A [screened] probe for measuring small currents in a cyclotron, 1=5512  
 Mironov, E.S. See Arzumanov, A.A., 2=7673  
 Mironov, E.S. See Arzumanov, A.A., 2=7686  
 Mironov, E.S. See Arzumanov, A.A., 2=13619  
 Mironov, E.S. See Arzumanov, A.A., 2=20076  
 Mironov, E.S. See Arzumanov, A.A., 3=9888  
 Mironov, E.S. See Babichev, A.P., 2=22286  
 Mironov, E.S. See Babichev, A.P., 3=21913  
 Mironov, E.S. See Mescherov, R.A., 1=16455  
 Mironov, E.S. See Meshcherov, R.A., 1=18977  
 Mironov, E.S. See Venikov, N.I., 4=16555  
 Mironov, E.S. See Zavenyagin, Yu.A., 2=17915



- Mironov, I. A. and Markovskii, L. Ya. Electroluminescent properties of luminors on a zinc-cadmium-sulfoselenide base, 4=22925
- Mironov, O. S. A condition necessary for the formation of intercrystalline fracture in metals with equiaxial structure, 4=23107
- Mironov, V. N. Study of radiation through channels, 2=12256
- Mironova, Z. A. See Tsinzerling, E. V., 3=25284
- Miropol'skii, Z. L. and Shneiderova, R. I. Bremsstrahlung study of the phase composition of the vapor-water mixture in a pipe undergoing heating, 4=14456
- Miropol'skii, Z. L. and Shneiderova, R. I. Application of X-rays excited by  $\beta$ -sources to studying hydrodynamics of two-phase media, 2=19529
- Miroshnichenko, L. S. See Borzyak, P. G., 0=11725
- Miroshnichenko, L. S. See Borzyak, P. G., 2=2213
- Miroshnichenko, V. I. Nonlinear theory of the effect of polarization energy losses by a bunch of charged particles in a plasma, 4=11594
- Miroshnichenko, V. I. The non-linear theory of Cherenkov energy loss by a plasmoid in a plasma, 4=29922
- Miroshnichenko, V. I. See Kurilko, V. I., 3=12141
- Miroshnichenko, V. I. See Kurylko, V. I., 2=11790
- Miroshnik, I. A. and Skugarev, V. V. A two-channel pulse generator, 4=432
- Miroshnikov, G. V. See Frid, E. S., 4=21882
- Mirovtorskii, V. S. See Lozinskii, M. G., 4=23148
- Mirovitskii, D. I. and Dubrovin, V. F. Measurement of small dielectric material specimens in free space in the decimetric-wave range, 4=16383
- Mirrahimova, Kh. See Arifov, U. A., 2=15949
- Mirrahimova, Kh. See Arifov, U. A., 2=17875
- Mirri, A. M. Millimetre wave spectrum of deuterio-derivatives of formic acid, 1=6009
- Mirri, A. M., Guarnieri, A. and Favero, P. Millimetre wave spectrum and dipole moment of vinyl fluoride, 1=8833
- Mirri, A. M., Guarnieri, A., Favero, P. and Zuliani, G. Microwave spectrum of chloro-carbonyl fluoride: centrifugal distortion effects and structure, 2=18467
- Mirri, A. M. See Favero, P., 0=20629
- Mirri, M. See Favero, P. G., 4=6616
- Mirsepasi, T. J. Steady-state temperature distribution in solids undergoing certain change of property, 0=6961
- Mirskaya, K. V. See Kitaigorodskii, A. I., 3=12897
- Mirsky, I. Vibrations of orthotropic, thick, cylindrical shells, 4=8296
- Mirtich, M. J., Jr. See Mark, H., 2=9302
- Mirtich, M. J., Jr. See Mark, H., 3=7284
- Mirtov, B. A. The mechanism of formation of a meteor trail, 2=902
- Mirtov, B. A. Meteoric matter and some geophysical problems of the upper layers of the atmosphere, 2=9008
- Mirtov, B. A. Disturbance of a gaseous medium due to the flight of a satellite, 2=11176
- Mirtskhulava, I. A. Determination of the local-centre parameters in a semiconductor by prolonged optical excitation, 3=20295
- Mirtskhulava, I. A., Chikovani, R. I. and Shkol'nik, A. L. Determination of the local-level parameters from the induced infrared impurity photoconductivity of CdS single crystals, 4=1678
- Mirumyants, S. O. and Neporent, B. S. Spectroscopic investigation of vibrational energy transfer in collisions of complex molecules, 2=14260
- Mirumyants, S. O. See Neporent, B. S., 0=20607
- Miryasov, N. Z. Susceptibility [ $\chi_p$ ] of the para-process in a Fe-Ni alloy [61.18 atomic percent Fe] in the temperature range 77-290°K, 0=1787
- Miryasov, N. Z. Magnetic susceptibility of iron-nickel alloys in strong fields, 4=28811
- Miryasov, N. Z. Field dependence of the magnetic susceptibility of yttrium ferrite-garnet in saturation fields, 4=30723
- Miryasov, N. Z. and Kolomin, L. G. Magnetic moments and Curie points of ferrites of the Cu-Cd system, 0=11885
- Miryasov, N. Z. and Puzel, I. M. Induced magnetic anisotropy of Ni-Zn-Cr ferrite containing CoO, 4=30722
- Miryasov, N. Z. and Rubtsov, V. K. Laboratory electro-magnet, 2=1559
- Miryasov, N. Z. and Sorokina, S. A. Perminvar effect in complex Ni-Zn-Cr ferrites, 4=10293
- Mirza, S. See Corge, C., 1=13828
- Mirzababev, M., Tuchkevich, V. M. and Shmartsev, Yu. V. Negative magnetoresistance in germanium, strongly doped with antimony, 3=20302
- Mirzoev, D. A. See Litvinov, V. S., 4=20286
- Mirzoyan, L. V. Continuous formation of stars on O-associations, 4=2338
- Misaki, A. See Akashi, M., 2=12083
- Misárova, A. Ageing of barium titanate monocrystals, 0=16014
- Misařová, A. On the increase in permittivity of ferroelectrics during switching, 2=2204
- Misařová, A. and Janoušek, V. Permittivity in the process of polarization reversal of ferroelectric triglycine sulphate, 1=17835
- Misařová, A. and Janoušek, V. Permittivity of barium titanate during switching, 1=17840
- Misawa, S. On Hugenholtz-Pines theory about ground state energy of interacting bosons, 1=10444
- Misawa, S. Transport coefficients of a degenerate electron "liquid". Many-body correlation effect of coulomb interaction on various effective masses, 4=9889
- Misawa, S. Ground-state energy and stability problem of a degenerate electron gas, 4=12710
- Misawa, S. See Kanazawa, H., 1=3646
- Misawa, S. See Morita, T., 0=14537
- Misawa, T. Turn-on transient of p-n-p-n triode, 0=15977
- Misawa, T. A possible origin of A.C. current through oscillating cylindrical electron-hole plasma, 3=850
- Misawa, T. "Oscillator" phenomena in extrinsic semiconductors, 3=2879
- Misawa, T. Transverse instabilities in solid-state plasmas under steady electric and magnetic fields, 3=25258
- Misawa, T. and Yamada, T. Microwave observations of carrier behaviors in "oscillators", 3=10862
- Mischer, G. See Lange, W., 4=20301
- Míšek, K. The inner attenuation of thin nickel layers in an alternating magnetic field, 0=4495
- Míšek, K. Origin of the magnetomechanical effect in an alternating field, 0=13814
- Míšek, K. and Kratochvílová, E. The "improper"  $\Delta G$ -effect in nickel, 0=11872
- Míšek, K. and Polák, J. Resistivity of lattice vacancies in gold, 3=22893
- Míšek, K. See Polák, J., 2=23486
- Miselyuk, E. G. and Glinčuk, K. D. The study of recombination of current carriers in germanium with silver and gold impurities, 2=23321
- Miselyuk, E. G. See Belyaev, A. D., 0=13536
- Miselyuk, E. G. See Glinchuk, K. D., 0=6107
- Miselyuk, E. G. See Glinchuk, K. D., 1=5019
- Miselyuk, E. G. See Glinchuk, K. D., 3=23017
- Miselyuk, E. G. See Glinchuk, K. D., 4=1604
- Miselyuk, E. G. See Kosenko, V. E., 0=15870
- Miselyuk, E. G. See Kosenko, V. E., 4=17539
- Miselyuk, E. G. See Lashkarev, V. E., 0=15863
- Miselyuk, E. G. See Vasilevskaya, V. M., 1=11214
- Miselyuk, E. G. See Vasilevskaya, V. M., 1=12390
- Miselyuk, E. G. See Vasilevskaya, V. N., 3=18281
- Miselyuk, E. G. See Vinetskii, R. M., 0=9963
- Miselyuk, E. H. See Hlinchuk, K. D., 3=20307
- Miselyuk, O. H. See Byelyayev, A. D., 1=11298
- Miselyuk, O. H. See Hlinchuk, K. D., 1=11299
- Miselyuk, O. H. See Hlynchuk, K. D., 2=18683
- Miselyuk, O. H. See Hlynchuk, K. D., 2=21144
- Miselyuk, O. H. See Novchan, Ye. O., 4=12916
- Miselyuk, O. H. See Vasylevskaya, V. M., 2=21038
- Miselyuk, O. H. See Vinets'kii, R. M., 1=14417
- Misezhnikov, G. S., Rozenberg, Ya. I. and Shteinsheiger, V. B. Measurement of the parameters of ferromagnetic resonance in polycrystalline ferrites at liquid helium temperature, 3=6740
- Misezhnikov, G. S. See Shteinsheiger, V. B., 1=16555
- Misezhnikov, G. S. See Shteinsheiger, V. B., 3=22002
- Mish, L. E. See Futch, A. H., Jr., 3=1964
- Mishakova, A. P. and Nikolskii, B. A. Angular distribution of shower particles in explosive showers produced by high-energy cosmic-ray particles, 0=7432
- Mishakova, A. P. and Nikol'skii, B. A. Azimuth-angle distribution of secondary particles produced in high-energy interactions, 3=17273
- Mishakova, A. P. and Nikol'skii, B. A. Pair angular correlation of secondary particles formed in interaction of 9 GeV protons with emulsion nuclei, 3=19622
- Mishakova, A. P. and Nikolsky, B. A. On the angular distribution of shower particles in explosive showers produced by high-energy cosmic ray particles, 1=3261
- Mishakova, A. P. See Nikol'skii, B. A., 0=20267
- Mishakova, A. P. See Tumanyan, V. A., 0=9344



- Mishakova, A.P. See Tumanian, V.A., 1=2045  
 Mishal, S.H., Sahani, N.S. and Vyas, N.N. Studies in rheochor (application of the law of mixtures to binary liquid-liquid- and solid-liquid systems), 3=21342  
 Mishchenko, Kh.D. See Smirenkin, G.N., 0=11458  
 Mishchenko, K.S. See Zvyagin, B.B., 1=15104  
 Mishchenko, L. B. See Men'shikov, A. Z., 4=1427  
 Mishchenko, L. G. See Grigorov, N. L., 4=969  
 Mishchenko, L.S. See Babayan, C.P., 1=3271  
 Mishke, K. Comment on the article by I. B. Kekalo and B. G. Livshits: "Dependence of the damping capacity and shear modulus of nickel on the magnetizing field", 4=23180  
 Mishima, N. See Kawamura, R., 4=6119  
 Mishima, N. See Kotani, T., 2=7892  
 Mishima, Y. See Hasegawa, H., 2=13929  
 Mishima, Y. See Higashi, S., 2=3436  
 Mishima, Y. See Higashi, S., 2=20457  
 Mishima, Y. See Higashi, S., 3=4499  
 Mishima, Y. See Higashi, S., 3=4530  
 Mishin, D.D., Bychkova, T.I. and Smagin, V.A. Effect of the field strength in magnetic annealing of the magnetic properties of cold-rolled electrical steel, 3=20584  
 Mishin, D.D. and Koravnin, G.S. Effect of heat treatment on the magnetic properties of magnetic cores, 4=1826  
 Mishin, D.D. and Matantseva, I.I. The effect of the shape of ferromagnetic bodies on the coercive force of the materials of those bodies after annealing, 1=1204  
 Mishin, G. I. An electronic millisecond vernier chronograph, 4=16411  
 Mishina, M. See Kimura, M., 3=22376  
 Mishina, M. See Mutsuro, N., 1=12189  
 Mishina, M. See Mutsuro, N., 3=4615  
 Mishina, M. See Mutsuro, N., 3=4616  
 Mishina, M. See Mutsuro, N., 3=19832  
 Mishkevich, R.I. See Mes'kin, V.S., 2=23793  
 Mishkin, E. and Rader, C. Motion of a charged particle in an axially symmetric magnetostatic field, 1=16506  
 Mishkin, E. See Shmoys, J., 0=11026  
 Mishkin, E. See Shmoys, J., 1=359  
 Mishler, L. See Tetenbaum, M., 3=6916  
 Mishnev, S.I. and Nikol'skii, S.I. Rate of extensive air showers of cosmic rays near sea level, 0=15477  
 Mishra (Basu), N. and Sinha, M.S. Low energy spectrum of the sea level electrons and muons at  $12^{\circ}\text{N}$ , 0=17447  
 Mishra, R.S. A problem in shock waves, 1=12913  
 Mishra, R.S. On streamlines with reference to a shock surface, 1=15936  
 Mishra, R. S. See Pant, J. C., 4=29692  
 Mishra, S. K. Propagation of sound pulses in a semi-infinite stratified medium, 4=11304  
 Mishra, S. K. Diffraction of sound pulses by a fluid cylinder, 4=24325  
 Mishra, S. P. Heat transfer by laminar elastico-viscous flow through parallel flat porous walls, 4=21331  
 Mishra, S. R. See Nene, M. G., 4=29876  
 Mishra, V.C. See Gustafson, P.F., 3=5206  
 Mishra, U. C. and Kerala Varma, R. Low-level beta activity measurement of solid samples using plastic scintillator anti-coincidence, 4=9431  
 Mishra, U.C. See Vohra, K.G., 1=5848  
 Mishuck, E. See Chaiken, R.F., 0=3309  
 Mishuev, A.V. See Makushkin, V.P., 0=130  
 Mishustin, I.A. Exponential modulator for a simple computer, 4=16007  
 Miskel, J. See Erman, P., 4=12366  
 Miskel, J. A., Mann, L. G. and Bloom, S. D.  $\beta$ - $\gamma$  circular-polarization correlation study of  $\text{Sc}^{46}$ , 4=3601  
 Miskel, J. A., Marsh, K. V., Lindner, M. and Nagle, R. J. Neutron-activation cross sections, 3=4651  
 Miskel, J. A. See Bloom, S. D., 1=660  
 Miskel, J. A. See Bloom, S. D., 2=10058  
 Miskell, C. F. See Wang, F. E., 3=20838  
 Mis'kevich, A. I. See Zvonov, N. V., 2=18384  
 Mis'kevich, O. R. See Batrakov, G. F., 2=15856  
 Mis'kevich, O. R. See Batrakov, G. F., 3=5594  
 Miskolczy-Fodor, F. Relation between loudness and duration of tonal pulses. II. Response of normal ears to sounds with noise sensation, 0=6510  
 Miskolczy-Fodor, F. Relation between loudness and duration of tonal pulses. III. Response in cases of abnormal loudness function, 0=6511  
 Mišková, V. See Hrubý, A., 3=8807  
 Miskovsky, N. M. See Signell, P., 4=12002  
 Misme, P. See du Castel, F., 2=16041  
 Misner, C. W. Wormhole initial conditions, 0=10588  
 Misner, C. W. Gravitational field energy and  $g_{00}$ , 3=14002  
 Misner, C. W. The flatter regions of Newman, Unti and Tamburino's generalized Schwarzschild space, 3=18717  
 Misner, C. W. The method of images in geometrostatics, 4=5034  
 Misner, C. W. and Putnam, P. Active gravitational mass, 0=2099  
 Misner, C. W. and Zepolsky, H. S. High-density behavior and dynamical stability of neutron star models, 4=26898  
 Misner, C. W. See Arnowitt, R., 0=2106  
 Misner, C. W. See Arnowitt, R., 0=6660  
 Misner, C. W. See Arnowitt, R., 0=10579  
 Misner, C. W. See Arnowitt, R., 0=10583  
 Misner, C. W. See Arnowitt, R., 0=16586  
 Misner, C. W. See Arnowitt, R., 0=18910  
 Misner, C. W. See Arnowitt, R., 0=18935  
 Misner, C. W. See Arnowitt, R., 0=18936  
 Misner, C. W. See Arnowitt, R., 1=61  
 Misner, C. W. See Arnowitt, R., 1=4249  
 Misner, C. W. See Arnowitt, R., 1=5192  
 Misner, C. W. See Arnowitt, R., 1=8047  
 Misner, C. W. See Manasse, F. K., 3=16511  
 Misra, B., Speiser, D. and Targonski, G. Integral representation of operators in scattering theory, 2=21836  
 Misra, B., Speiser, D. and Targonski, G. Integral operators in the theory of scattering, 4=9122  
 Misra, B. See Guenin, M., 4=5013  
 Misra, B. See Guenin, M., 4=24964  
 Misra, B. See Guenin, M., 4=27737  
 Misra, B. See Jauch, J. M., 2=2627  
 Misra, B. See Jauch, J. M., 2=15482  
 Misra, B. N. See Krishnaji, 4=28279  
 Misra, B. N. See Krishnaji, 4=28884  
 Misra, B. N. See Swarup, P., 0=16178  
 Misra, D. See Misra P., 3=9367  
 Misra, D. N. See Sarkar, N. H., 4=19105  
 Misra, H. Sensitivity of microwave electron paramagnetic resonance spectrometers, 3=14786  
 Misra, M. Some axially symmetry empty gravitational fields, 1=15599  
 Misra, M. The external gravitational fields due to toroidal and lens-shaped distributions, 2=7123  
 Misra, M. Electrovac universes, 2=15475  
 Misra, M. A non-singular electromagnetic field, 3=16519  
 Misra, M. A class of solutions representing plane electromagnetic waves in general relativity, 3=18721  
 Misra, M. and Radhakrishna, L. Some electromagnetic fields of cylindrical symmetry, 3=472  
 Misra, M. See Srivastava, G. P., 2=23441  
 Misra, M. See Srivastava, G. P., 3=20364  
 Misra, M. See Tiwari, R., 3=3734  
 Misra, M. See Tiwari, R., 3=9337  
 Misra, P. and Misra, D. Response function of a degenerate electron gas, 3=9367  
 Misra, P. See Pradhan, T., 0=17020  
 Misra, R. M. On stationary systems with spherical symmetry, 4=18055  
 Misra, R. M. Geometry of the electromagnetic field, 4=24046  
 Misra, S. See Barker, W. A., 4=27945  
 Misra, S. C., Gupta, U. C. and Sidhu, N. P. S. Decay of  $^{46}\text{Sc}$ , 4=12181  
 Misra, S. K. and Krishnan, A. A. Dispersion strengthening of copper by alumina, 2=10924  
 Misra, S. P. Polarisation of a Dirac particle and proton-neutron scattering, 0=5565  
 Misra, S. P. Action principle and Lagrangian with higher order derivatives, 0=17203  
 Misra, S. P. Application of Schwinger's action principle to quantise a fourth order meson field, 0=17214  
 Misra, S. P. Quantum mechanics in curved space-time, 1=2697  
 Misra, S. P. Fourth order meson equation and neutron-proton scattering, 1=8430  
 Misra, S. P. Fourth order scattering matrix elements of nucleons with a fourth order meson equation, 1=13335  
 Misra, S. P. Scalar interaction of two scalar mesons, 2=16215  
 Misselwitz, W. Breakdown of thin films, 1=17847  
 Misselwitz, W. See Böer, K. W., 2=6464  
 Missio, D. See Bowness, C., 2=19704  
 Missiroli, G. and Valdrè, U. Characteristics of a  $\text{C}^{14}$  source and a useful method of measuring thin films, 2=14008  
 Missiroli, M. See Brini, D., 2=6072  
 Missoni, G. See Cauchois, Y., 4=3079  
 Missoni, G. See Cauchois, Y., 4=3080



- Missoni, G. See Motz, J.W., 2=528  
 Missoni, G. See Motz, J.W., 2=20756  
 Missoni, M. V. See Careri, G., 4=14497  
 Mistler, R.E., Ploetz, G.L. and Smith, J.A. Thermal expansion of polycrystalline lanthanum and neodymium sesquioxides, 4=17372  
 Mistry, N. See Danby, G., 2=20308  
 Mistry, N. See Danby, G., 3=14952  
 Mistry, N.B., Murthy, G.T., Ramana Murthy, P.V. and Sreekantan, B.V. Triggered spark counter arrays of large area (square meters) for experiments on very high energy cosmic ray particles, 0=17455  
 Misu, A. See Aoyagi, K., 4=4271  
 Misu, A. See Aoyagi, K., 4=22886  
 Misu, A. See Kinoshita, K., 4=11817  
 Misu, A. See Kuwabara, G., 0=20937  
 Misuishi, A. See Ikegami, S., 2=23515  
 Misurkin, I. A. and Ovchinnikov, A. A. Calculation of molecular vibration frequencies by the molecular orbital method, with the benzene molecule as example, 4=22392  
 Misyrnas, A. A. and Gaidelis, V. I. Temperature influence on the pressure broadening of the resonance line of mercury at 2537Å, 4=1210  
 Miszenti, G. Szabò. See Szabò Miszenti, G.  
 Mita, M. Ferromagnetic resonance in a spherically shaped single crystal BaFe<sub>12</sub>O<sub>19</sub>, 3=20634  
 Mita, Y. The growth of zinc sulphide single crystals from flux, 1=20442  
 Mita, Y. Growth of zinc sulphide single crystals from flux, 2=16985  
 Mita, Y. Emission centres in indium-activated zinc sulphide crystals, 4=7189  
 Mitacek, P., Jr and Aston, J.G. Heat capacity and resistivity anomalies in palladium hydride, 1=17418  
 Mitacek, P., Jr and Aston, J.G. The thermodynamic properties of pure palladium and its alloys with hydrogen between 30 and 300°K, 3=12924  
 Mital, R. L. Temperature variation of diamagnetic anisotropy of succinic acid and potassium hydrogen succinate, 4=7213  
 Mitani, K. and Kubo, H. Breakdown of argon at low pressure in a longitudinal magnetic field, 1=8317  
 Mitani, K. and Kubo, H. On radiations from plasma in a static magnetic field, 2=205  
 Mitani, K., Kubo, H. and Tanaka, S. Microwave radiation from a plasma in a magnetic field. I, 4=14654  
 Mitani, K., Kubo, H. and Tanaka, S. Experiments on the negative radiation temperature at cyclotron resonance in plasma, 4=18848  
 Mitani, K. See Kubo, H., 4=14655  
 Mitani, K. See Tanaka, S., 3=9787  
 Mitani, K. See Tanaka, S., 4=5613  
 Mitani, K. See Tanaka, S., 4=29928  
 Mitani, S. Dielectric and X-ray studies on the ferroelectric phase transition of glycine silver nitrate, 4=20423  
 Mitani, S. See Higashi, S., 1=3294  
 Mitani, S. See Higashi, S., 3=4530  
 Mitani, S. See Watase, Y., 0=13038  
 Mitani, T. See Nakahara, O., 3=20363  
 Mitcham, W. S. See Gerhardt, J.R., 3=5190  
 Mitchell, A. See Benveniste, J., 1=12196  
 Mitchell, A. See Benveniste, J., 1=12840  
 Mitchell, A. See Benveniste, J., 3=24812  
 Mitchell, A.C. See Benveniste, J., 0=20490  
 Mitchell, A.C. See Benveniste, J., 1=2070  
 Mitchell, A.C. See Benveniste, J., 1=2221  
 Mitchell, A.C. See Benveniste, J., 1=19361  
 Mitchell, A.C. See Benveniste, J., 2=3341  
 Mitchell, A.C. See Benveniste, J., 3=2474  
 Mitchell, A.C. See Benveniste, J., 3=10259  
 Mitchell, A.C. See Benveniste, J., 3=10339  
 Mitchell, A.C. See Benveniste, J., 4=9493  
 Mitchell, A.C. See Benveniste, J., 4=9494  
 Mitchell, A.C.G. See Black, W.W., 4=3575  
 Mitchell, A.C.G. See Creager, C.B., 0=4057  
 Mitchell, A.C.G. See Kocher, C.W., 0=20389  
 Mitchell, A.C.G. See Ramayya, A.V., 4=27973  
 Mitchell, A.C.G. See Schwerdtfeger, C.F., 4=9403  
 Mitchell, A.M.J. and Sandbach, E. Measurement of the frequency of an ammonia maser in England and Australia, 0=11039  
 Mitchell, A.M.J. Frequency comparison of atomic standards by radio links, 4=2512  
 Mitchell, A.R. and Pearce, R. P. Explicit difference methods for solving the cylindrical heat conduction equation, 4=2863  
 Mitchell, A.R. See Borwein, D., 0=18572  
 Mitchell, A.W. See Rosen, S., 3=25748  
 Mitchell, A.W. See Rosen, S., 4=7508  
 Mitchell, B.J. Prediction of X-ray fluorescent intensities and interelement effects, 1=10108  
 Mitchell, C. Intensity of neutral argon emission lines radiated by the low-voltage-high-amperage arc compared with four high-voltage type arcs, 4=18782  
 Mitchell, C.A. Emissivity of globar, 2=7450  
 Mitchell, D. L., Palik, E. D., Jensen, J. D., Schoolar, R. B. and Zemel, J.N. Interband magneto-optical absorption in epitaxial films of PbS, 3=17984  
 Mitchell, D.L. and Wallis, R.F. Interband Faraday rotation in germanium, 3=25441  
 Mitchell, D. L. See Palik, E. D., 4=25904  
 Mitchell, D.W. See Geller, S., 0=3232  
 Mitchell, D.W. See Gillo, M.A., 0=3074  
 Mitchell, E. N., Haukaas, H. B., Bale, H. D. and Streeper, J. B. Compositional and thickness dependence of the ferromagnetic anisotropy in resistance of iron-nickel films, 4=28532  
 Mitchell, E.N. and Lykken, G.I. Magnetoelastic behaviour of thin ferromagnetic films as a function of composition, 2=12681  
 Mitchell, E.N., Lykken, G.I. and Babcock, G.D. Compositional and angular dependence of the magnetostriction of thin iron-nickel films, 3=11084  
 Mitchell, E.N. See Olmen, R.W., 0=3053  
 Mitchell, E.W.J. The semiconductivity of diamonds, 3=22943  
 Mitchell, E. W. J. Radiation damage in covalent crystals, 4=28507  
 Mitchell, E.W.J., Rigden, J.D. and Townsend, P.D. The anisotropy of optical absorption induced in sapphire by neutron and electron irradiation, 0=20989  
 Mitchell, E.W.J. and Townsend, P.D. The luminescence from ruby excited by fast electrons, 3=4991  
 Mitchell, E.W.J. and Whitehouse, J.E. The refractivity and light scattering of crystals containing defects, 1=19949  
 Mitchell, E.W.J. See Banbury, P.C., 1=6146  
 Mitchell, E.W.J. See Bastin, J.A., 0=5134  
 Mitchell, E.W.J. See Clark, C.D., 0=16068  
 Mitchell, E.W.J. See Clark, C.D., 2=4165  
 Mitchell, E.W.J. See Clark, C.D., 2=12477  
 Mitchell, E.W.J. See Clark, C.D., 2=20986  
 Mitchell, E.W.J. See Clark, C.D., 2=23558  
 Mitchell, E. W. J. See Clegg, P. E., 4=22533  
 Mitchell, E.W.J. See Faulkner, E.A., 4=7324  
 Mitchell, E.W.J. See Haneman, D., 1=18922  
 Mitchell, E.W.J. See Kemmey, P.J., 1=17728  
 Mitchell, E.W.J. See Kemmey, P.J., 2=23382  
 Mitchell, E.W.J. See Lomer, J.N., 3=8758  
 Mitchell, E. W. J. See Lucas, M. W., 4=22647  
 Mitchell, E.W.J. See Smith, S.D., 3=10577  
 Mitchell, F.W., Green, B.C. and Spinks, J.W.T. Electron spin resonance of irradiated ethyl bromide, 2=8125  
 Mitchell, G. E., Carter, E. B. and Davis, R. H. Inelastic scattering of 6- to 19-MeV alpha particles from carbon, 4=12279  
 Mitchell, G. E. See Becker, J. A., 4=25302  
 Mitchell, G. E. See Carter, E. B., 4=12278  
 Mitchell, G.E. See Nelson, J.W., 3=8131  
 Mitchell, G.E. See Seaborn, J.B., 3=10391  
 Mitchell, G. E. See Weinberg, R. B., 4=12268  
 Mitchell, G.E. See Wilenzick, R.M., 1=3449  
 Mitchell, G.R. X-ray K-absorption edges of three nickel compounds, 2=18851  
 Mitchell, I.V. and Taylor, R.B. Proton capture  $\gamma$ -rays from Be<sup>9</sup> in the giant resonance region, 3=19845  
 Mitchell, J.A. See Hardy, J., Jr, 2=8000  
 Mitchell, J.A. See Smith, G.G., 2=5945  
 Mitchell, J.G. Sensitive detector of  $\gamma$ -radiation in liquid or gaseous effluents, 0=5448  
 Mitchell, J. M. See Lakshmanan, T. K., 4=20810  
 Mitchell, J.M., Jr. Comments on paper by H.C. Willett, "The relationship of total atmospheric ozone to the sunspot cycle", 3=13659  
 Mitchell, J.M., Jr. See Gilman, D.L., 3=16539  
 Mitchell, J.P. See Daw, H.A., 2=13293  
 Mitchell, J.T. Acceleration of gravity apparatus 3=11658  
 Mitchell, J.T.D., Whittle, H.R., Jackson, E.M. and Clarke, P.B. The modification of Zeta in 1958, 0=5838  
 Mitchell, J.T.D. See Butt, E.P., 0=5837  
 Mitchell, J.W. Electronic conductivity of silver halide crystals, 0=20871



- Mitchell, J.W. Precipitation reactions in crystals of silver and alkali halides, 1=2556
- Mitchell, J.W. Equilibration of lattice defects in real crystals, 2=3899
- Mitchell, J.W. Some aspects of the theory of photographic sensitivity, 3=11947
- Mitchell, J.W. See Bartlett, J.T., 0=20807
- Mitchell, J.W. See Bartlett, J.T., 0=20816
- Mitchell, J.W. See Bartlett, J.T., 1=3670
- Mitchell, J.W. See Crump, J.C., III, 3=22774
- Mitchell, J.W. See Crump, J.W., III, 3=8436
- Mitchell, J.W. See Drum, C. M., 4=23354
- Mitchell, J.W. See Parasnian, A.S., 0=15847
- Mitchell, J.W. See Parasnian, A.S., 3=25280
- Mitchell, K.B. Spectroscopic studies of ionization in a hollow-cathode discharge, 1=10671
- Mitchell, L.H. and Head, A.K. The buckling of a dislocated plate, 1=15761
- Mitchell, N. and Nelson, D.C. Some new Raman shifts for naphthalene at low frequencies, 4=4281
- Mitchell, O.M.M. and McNeill, K.G. Yields and angular distributions of fast photoprotons, 3=19830
- Mitchell, O.M.M. and McNeill, K.G. A photoproton telescope, 3=24734
- Mitchell, P. See Carver, J.H., 4=27303
- Mitchell, P.V., Wiegand, D.A. and Smoluchowski, R. F-centre growth curves, 0=4301
- Mitchell, P.V., Wiegand, D.A. and Smoluchowski, R. Formation of F centers in KCl by X-rays, 1=996
- Mitchell, R.W. and Eisner, M. Nuclear spin-lattice relaxation in solutions, 0=14664
- Mitchell, R.W. and Eisner, M. Concentration dependence of N.M.R. spin-lattice relaxation times in solutions, 1=4359
- Mitchell, T.E., Foxall, R.A. and Hirsch, P.B. Work-hardening in niobium single crystals, 4=7443
- Mitchell, T.E. and Thornton, P.R. The work-hardening characteristics of Cu and  $\alpha$ -brass single crystals between 4.2 and 500°K, 3=20725
- Mitchell, T.E. See Thornton, P.R., 2=6735
- Mitchell, T.E. See Thornton, P.R., 2=8772
- Mitchell, T.E. See Thornton, P.R., 3=1230
- Mitchell, T.P. and Pope, D.L. Shock waves in an ultra-relativistic fluid, 4=5279
- Mitchell, V.F. See Hunter, G.J., 3=15135
- Mitchell, W.E. Jr. The absorption coefficient of the negative hydrogen ion, 0=9765
- Mitchell, W.E., Jr. and Mohler, O.C. A double-pass Pfund spectrograph for solar research, 4=20889
- Mitchell, W.H. and Putley, E.H. Cryostat for measuring the electrical properties of high resistance semiconductors at low temperatures, 0=5241
- Mitchell, W.L., Hays, C. and Swift, R.E. Direct observations of the substructure network in iron, 3=17739
- Mitchell, W.N. See Archer, R.D., 3=25554
- Mitchell, W.N. See Nelson, D.C., 4=15581
- Mitchner, M. and Landshoff, R.K. M. Rayleigh-Taylor instability for compressible fluids, 4=18140
- Mitchner, M. and Vinokur, M. Radiation smoothing of shocks with and without a magnetic field, 4=5285
- Mitel'man, B.I. See Charnyi, I.A., 1=11774
- Mitel'man, M.G. See Kononovich, A.A., 4=21448
- Mithal, K.G. Unsteady flow of a viscous homogeneous incompressible fluid in a circular pipe of uniform cross-section, 1=18364
- Mithal, K.G. The non-uniform rotation of a non-Newtonian liquid filled in between two coaxial cylinders of infinite length, 1=18366
- Mitin, N.A. See Bogachev, N.P., 3=22389
- Mitin, N.A. See Grigor'ev, E.L., 0=7409
- Mitin, N.A. See Grigor'ev, E.L., 0=9411
- Mitin, R.V. Electric field intensity in a long high pressure arc, 4=29897
- Mitin, R.V., Knyazev, Yu. R. and Petrenko, V.I. The long spark at high pressure in argon, 4=14612
- Mitin, R.V. See Borovik, E.S., 2=17810
- Mitin, R.V. See Safronov, B.G., 2=15939
- Mitina, N.I. See Borysov, M.D., 2=17622
- Mit'kina, E.A. See Polyakov, Yu.A., 2=19755
- Mitler, H.E. Shell-model analysis of calcium isotopes, 1=5839
- Mitler, H.E. Electromagnetic potentials in quantum mechanics, 2=1063
- Mitler, H.E. Helium 3 in planetesimals, 4=2411
- Mitlid, P. See Alfven, B., 1=9612
- Mitner, P. See Veillet, J.J., 3=17313
- Mito, I. and Ezawa, H. Ionization loss near the origin of an electron pair of very high energy, 0=11148
- Mito, I. See Aizu, H., 0=1338
- Mito, I. See Aizu, H., 1=3316
- Mito, I. See Aizu, H., 1=3317
- Mito, I. See Aizu, H., 1=13548
- Mito, I. See Akashi, M., 2=12083
- Mito, I. See Aizu, H., 2=22664
- Mito, S. See Murai, A., 1=12076
- Mitoff, S.P. Electrical conductivity of single crystals of MgO, 0=2899
- Mitoff, S.P. Comments on Dr. Schmalzried's letter, 0=21284
- Mitoff, S.P. Electrical conductivity and thermodynamic equilibrium in nickel oxide, 1=14474
- Mitoff, S.P. Electronic and ionic conductivity in single crystals of MgO, 2=8298
- Mitoff, S.P. See Pry, R.H., 3=13117
- Mitra, A.K. Scattering of electron from five dimensional wave equation, 0=5546
- Mitra, A.K. A note on the torsional vibration of a conical bar with varying rigidity and density, 0=14709
- Mitra, A.K. Note on the forced torsional vibration of a cylinder having periodic shearing forces along a ring on the curved surface, 1=190
- Mitra, A.K. Note on the torsional vibration of a thin beam of varying cross-section, 1=12935
- Mitra, A.K. Disturbance produced in a semi-infinite elastic medium by an impulsive twist applied on the plane surface, 4=11139
- Mitra, A.K. See Weidlich, W., 4=3285
- Mitra, A.N. Pion-pion effects in  $\tau$ -decay, 0=20225
- Mitra, A.N. Analyticity of amplitudes and separable potentials, 1=12059
- Mitra, A.N. Three-body problem with separable potentials. I. Bound states, 2=13943
- Mitra, A.N. Model for the two-pion and three-pion resonances, 2=18161
- Mitra, A.N. A survey of present-day approaches to strong interactions, 2=22415
- Mitra, A.N. Three-particle unitarity in potential scattering, 3=19564
- Mitra, A.N. Model for a  $\pi$ - $\pi$  resonance of  $I = J = 0$ , 4=19570
- Mitra, A.N. and Anand, J.D. Separable potentials in the complex  $l$  plane, 3=14894
- Mitra, A.N. and Bhasin, V.S. Three-body problem with separable potentials. II. n-d scattering, 3=19641
- Mitra, A.N., Bhasin, V.S. and Bhakar, B.S. A "potential" for low energy  $\alpha$ -N interaction, 3=2332
- Mitra, A.N. and Naqvi, J.H. A separable potential for the two-nucleon ( $T = 1$ ) interaction, 1=13414
- Mitra, A.N. and Narasimham, V.L. Role of spin-orbit force in nuclear interactions, 0=4015
- Mitra, A.N. and Pandya, S.P. Nuclear spectroscopy with non-local potentials, 1=2167
- Mitra, A.N. and Rai Choudhury, S. An  $SU_3$  model of  $V-V$  interactions for the meson resonances of  $T = 0$ , 4=6120
- Mitra, A.N. and Ray, S. S-wave interaction in a three-pion system and the decay of  $K_{\pi\pi}^0$ , 3=12482
- Mitra, A.N. and Ray, S. "Old" resonance model for  $3\pi$  decays of K and  $\eta$ , 4=21927
- Mitra, A.N. and Saxena, R.P. Nucleon-antinucleon interaction in the new Tamm-Dancoff approximation, 0=20121
- Mitra, A.N. and Saxena, R.P. Renormalization for nucleon-antinucleon interaction, 0=20122
- Mitra, A.N., Saxena, R.P. and Narayanaswamy, P. A note on  $\pi$ - $\pi$  interaction, 1=2081
- Mitra, A.P. Night-time ionization in the lower ionosphere. I. Recombination processes, 0=763
- Mitra, A.P. Night-time ionization in the lower ionosphere. II. Distribution of electrons and positive and negative ions, 0=764
- Mitra, A.P. Time and height variations in the daytime processes in the ionosphere, 0=8376
- Mitra, A.P. and Jain, V.C. Interpretation of the observed zenith-angle dependence of ionospheric absorption, 4=2264
- Mitra, A.P., Narasinga Rao, B. C. and Mahajan, K. K. A new method for estimating loss and drift terms in the ionospheric F-region, 4=23809
- Mitra, A.P. and Sarada, K.A. Determination of the electron content of the outer ionosphere from measurements of cosmic radio noise absorption, 3=6985
- Mitra, A.P. See Mathur, S.B., 1=6599
- Mitra, A.P. See Rao, M.N., 0=6450



- Mitra, B. Construction of a 14 MeV neutron generator utilizing  $T^3(d, n)He^4$  reaction and measurement of fast neutron flux, 0=15365
- Mitra, B. K. and Mushran, S. P. Stability of arsenious sulphide sol of different particle sizes: optical study, 4=10665
- Mitra, D. and Pal, M. K. Derivation of anharmonicity of nuclear quadrupole oscillation from the extended Sawada method, 2=18236
- Mitra, D. See Pal, M. K., 3=12555
- Mitra, D. See Rook, J. R., 4=12257
- Mitra, G. B. X-ray diffraction study of the heat treatment of kaolinite, 0=4666
- Mitra, G. B. A method of distinguishing between Gauss and Cauchy diffraction profiles, 3=16059
- Mitra, G. B. Applications of the photographic method to the study of X-ray diffraction line profiles, 3=20817
- Mitra, G. B. Determination of particle size and strain in a distorted polycrystalline aggregate by the method of variance, 4=26685
- Mitra, G. B. and Halder, N. C. Stacking fault probabilities in hexagonal cobalt, 4=22602
- Mitra, G. B. and Maitra, J. C. Construction and working principles of the Banerjee camera for studying small angle scattering of X-rays, 3=2072
- Mitra, G. B. and Mitra, S. K. Nonlinearity of thermal expansion of solids with temperature, 2=20940
- Mitra, G. B. and Mitra, S. K. X-ray diffraction study of copper at high temperatures, 4=10529
- Mitra, G. B. and Sanyal, G. S. A microwave analogue for X-ray diffraction I. Effect of the crystallite size, 1=9129
- Mitra, G. B. and Wilson, A. J. C. Variation with particle size of the effective X-ray absorption coefficient of heterogeneous slabs, 0=7329
- Mitra, G. B. See Agnihotri, O. P., 3=20208
- Mitra, G. B. See Halder, N. C., 3=25785
- Mitra, G. B. See Halder, N. C., 4=7425
- Mitra, G. B. See Sanyal, G. S., 1=19031
- Mitra, H. See Mull, S., 3=16214
- Mitra, M. Propagation of elastic waves in an infinite plate of cylindrically anisotropic material, 0=14717
- Mitra, M. Exact solution of the buried line source problem for a uniformly moving line source, 0=16657
- Mitra, M. Note on the disturbance produced in an elastic half-space by transient pressure applied over a portion of the boundary, 2=15681
- Mitra, M. The disturbance produced by axially-symmetric, time-dependent body forces in an elastic half-space, 3=23967
- Mitra, M. An SH-point source in a half-space with a layer, 4=2761
- Mitra, M. Propagation of explosive sound in a layered liquid, 4=21129
- Mitra, M. N. Determination of elastic, anelastic and plastic components of uniaxial tensile strain. II. Tests on brass, 0=18239
- Mitra, M. N. and Dutta, S. N. Determination of elastic, anelastic and plastic components of uniaxial tensile strain. I. Tests on copper, 0=18238
- Mitra, M. N. and Karunes, B. Elasto-plastic deformation of metals, 2=4321
- Mitra, R. K. and Dasgupta, M. K.  $E_s$  occurrences in relation to solar activity, 4=2298
- Mitra, S. and Dutta-Roy, S. K. A transition in chromium potassium alum, 4=28761
- Mitra, S. and Dutta Roy, S. K. A short note on a transition in chromium potassium sulphate alum, 4=29006
- Mitra, S., Ghosh, P. K. and Dutta Roy, S. K. An electrodynamic method of measuring absolute magnetic susceptibilities of single crystals, 4=26258
- Mitra, S. See Bose, A., 4=21612
- Mitra, S. See Ghosh, U. S., 4=26268
- Mitra, S. C. See Bose, A., 0=1778
- Mitra, S. K. Upper atmosphere and space exploration with artificial satellites, 0=16419
- Mitra, S. K. Upper atmosphere and space exploration with artificial satellites, 1=15584
- Mitra, S. K. Beta-gamma directional correlation in  $Sb^{124}$ , 3=24901
- Mitra, S. K. Physics of the earth's outer space, 4=10738
- Mitra, S. K. and Dorn, J. E. On the nature of strain hardening in polycrystalline aluminum and aluminum-magnesium alloys, 4=7408
- Mitra, S. K. See Bhattacharjee, S. K., 0=13199
- Mitra, S. K. See Bhattacharjee, S. K., 2=12165
- Mitra, S. K. See Bhattacharjee, S. K., 3=24904
- Mitra, S. K. See Bhattacharjee, S. K., 4=3612
- Mitra, S. K. See Mitra, G. B., 2=20940
- Mitra, S. K. See Mitra, G. B., 4=10529
- Mitra, S. N. Solar eclipse of 30th June, 1954, and its effect upon the ionosphere, 0=4794
- Mitra, S. N. Some investigations on long-wave propagation, 0=5426
- Mitra, S. N. A radio method of detecting solar flares, 4=20931
- Mitra, S. N. and Mazumdar, S. C. Some measurements of ionospheric absorption at Delhi, 0=307
- Mitra, S. N. and Narasinga Rao, B. C. Effect of annular solar eclipse of 19th April, 1958 (at sunrise) on the  $F_2$  layer of the ionosphere, 0=18498
- Mitra, S. N. and Vij, K. K. Geomagnetic field and ionospheric drift, 0=14221
- Mitra, S. N., Vij, K. K. and Dasgupta, P. Horizontal drift in the ionosphere over Delhi, 1=4125
- Mitra, S. N. See Rao, C. V. S., 2=6947
- Mitra, S. N. See Rao, M. K., 2=9718
- Mitra, S. S. Use of reflection echelon with increased resolving power, 0=19441
- Mitra, S. S. Debye characteristic temperature of solids, 2=10333
- Mitra, S. S. Infrared studies of nitriles as proton acceptors in hydrogen bond formation, 2=17087
- Mitra, S. S. Phonon assignments in ZnSe and GaSb and some regularities in the phonon frequencies of zincblende-type semiconductors, 4=3981
- Mitra, S. S. Combination of the lattice modes with the internal modes in a crystal, 4=6702
- Mitra, S. S. Multiphonon infrared absorption in CdS, 4=7116
- Mitra, S. S. Optical lattice vibrations, 4=22842
- Mitra, S. S. Space group selection rules and infrared active phonon processes in GaAs, 4=28357
- Mitra, S. S. and Joshi, S. K. Infrared eigen frequency and Debye  $\theta$  of ionic crystals, 0=17878
- Mitra, S. S. and Joshi, S. K. Debye  $\theta$  and compressibility. III. Cubic metals, 1=8884
- Mitra, S. S. and Joshi, S. K. Debye  $\theta$  and compressibility of CsCl type crystals, 1=9980
- Mitra, S. S. and Joshi, S. K. Thermal expansion of metals, 1=9981
- Mitra, S. S. and Joshi, S. K. Lattice frequency of ionic crystals, 1=11151
- Mitra, S. S. and Joshi, S. K. A normal co-ordinate treatment of the plane symmetrical  $A_2B_2C_2D_2$  molecule, 1=13999
- Mitra, S. S. and Sharma, L. P. Fluidity and prefreezing cluster formation in liquid metals. Aluminum, 3=9437
- Mitra, S. S. See Joshi, S. K., 0=19429
- Mitra, S. S. See Joshi, S. K., 1=915
- Mitra, S. S. See Joshi, S. K., 1=14184
- Mitra, S. S. See Marshall, R., 4=17560
- Mitra, S. S. See Varshni, Y. P., 0=17853
- Mitra, T. K. Scattering of electrons by a screened coulomb field in higher Born approximation, 1=13966
- Mitra, T. K. See Dutta, S. K., 1=13697
- Mitra, T. K. See Fröhlich, H., 4=1643
- Mitrani, L. and Betev, B. Trigger feed of a pair of Geiger-Müller counters, 1=8292
- Mitrani, L., Betev, B., Kaviakov, Sh. and Apostolov, D. 27 day variations in the intensity of the  $\mu$ -meson component of cosmic rays measured with narrow angled counter telescopes, 1=7301
- Mitrani, L., Betev, B., Kaviakov, Sh. and Apostolov, D. 27 day variations in the intensity of the  $\mu$ -meson component of cosmic rays during the period of great solar activity, 2=5767
- Mitrani, L. and Bonchev, T. Behaviour of organic scintillator under high voltage, 4=10227
- Mitrani, L. See Betev, B., 4=27722
- Mitrani, L. See Bonchev, Ts., 4=3544
- Mitrani, L. See Bonchev, T., 4=30302
- Mitrani, L. See Bozoki, G., 2=336
- Mitrani, L. See Bozoki, G., 2=22684
- Mitrani, L. See Hauser, I., 0=15496
- Mitrani, L. See Kaviakov, S., 1=7302
- Mitrenin, B. P. See Vinogradova, M. N., 0=18019
- Mitrenin, B. P. See Vinogradova, M. N., 2=23312
- Mitrofanov, B. P. See Konyakhin, I. R., 3=13354
- Mitrofanov, K. P., Biskov, A. S., Driker, G. Ya., Plotnikova, M. V., Fam Zui Khien, Venetsev, Yu. N. and Shpinel, B. S. The change of resonance absorption spectra of 23.8 keV,  $Sn^{119}$   $\gamma$ -rays, upon phase transformation in the  $BiFeO_3$ - $Sr(Sn_{1/3}Mn_{2/3})O_3$  system, 4=15658



- Mitrofanov, K.P. and Shpinel', V.S. Observation of resonance absorption of the 23.8-keV gamma rays of  $\text{Sn}^{119}$  by using the conversion electrons, 2=14080
- Mitrofanov, K.P. See Aleksandrov, A. Yu., 3=15415
- Mitrofanov, K.P. See Aleksandrov, A. Yu., 3=17633
- Mitrofanov, K.P. See Aleksandrov, A. Yu., 4=28332
- Mitrofanov, K.P. See Bădescu, A., 1=13694
- Mitrofanov, K.P. See Bedesku, A., 0=11386
- Mitrofanov, K.P. See Sorokin, A.A., 1=10300
- Mitrofanov, K.P. See Sorokin, A.A., 2=14066
- Mitrofanov, K.P. See Sorokin, A.A., 3=10301
- Mitrofanov, N. Single transmission effect for slow neutrons passing through magnetized Pd-Ni alloy, containing absorbed hydrogen, 2=6672
- Mitrofanov, N. Increase of magnetic saturation induction of highly saturated iron, 3=1145
- Mitrofanov, N. and Van Loef, J.J. Detection of neutron and photon induced fission by  $\text{ZnS(Ag)}$  mixed with uranium and thorium compounds, 1=2247
- Mitrofanov, N. See Danchenk, V., 4=27714
- Mitrofanov, O.V. Production of monocrystalline tungsten emitters, 2=21485
- Mitrofanov, O.V. Growing large crystals of tungsten by the method of recrystallization during the sintering of tungsten rods, 3=13541
- Mitrofanov, O.V. Growth of tungsten crystals from vapour, 3=23406
- Mitrofanov, O.V. Investigation of the activity of the crystal faces of Tungsten with respect to the oxygen method of colour etching, 4=2016
- Mitrofanov, V.V. and Smirnov, V.V. Design of a magnetic spectrometer for studying the angular distribution of electrons, 4=15044
- Mitrofanov, V.V. See Aglintsev, K.K., 3=8204
- Mitrofanova, L.A. See Derviz, T.E., 2=958
- Mitrofanova, S.S. See Vavilin, E.I., 1=5431
- Mitrokhin, N.M. and Yagn, Yu.I. The systematic character of deviations from plasticity laws, 1=5082
- Mitrokhin, N.M. and Yagn, Yu.I. The systematic character of deviations from plasticity laws, 1=10211
- Mitronina, V.S. See Gubkin, A.N., 2=1373
- Mitropan, I.M. See Gabovich, M.D., 2=11684
- Mitropan, I.M. See Gabovich, M.D., 3=14542
- Mitropan, I.M. See Gabovich, M.D., 4=24676
- Mitropol'skaya, O.N. The correlation between the geomagnetic disturbances of 1950 and calcium plages, 1=1589
- Mitropol'skaya, O.N. The relation between the delay time of geomagnetic disturbances and the relative sunspot number, 1=4156
- Mitropol'skaya, O.N. The radiality of corpuscular streams from plages, 2=963
- Mitropol'skaya, O.N. The difference in  $H_\alpha$  and  $H_\beta$  line profiles of a facula and the photosphere, 4=2431
- Mitsch, R.A. See Milligan, D.E., 4=28209
- Mitse, A.I. Effect of thermal expansion on the temperature dependence of the magneto-crystalline anisotropy constants of ferromagnetics, 4=1818
- Mitse, A.I. Thermomagnetic theory of the magnetoelastic properties of antiferromagnets, 4=26348
- Mitse, A.I. A thermodynamic theory of the magneto-elastic properties of antiferromagnetics. II. Cubic antiferromagnetics and piezomagnetics, 4=28851
- Mitse, A.I. and Shavrov, V.G. Piezomagnetism in antiferromagnets and ferromagnets, 4=30726
- Mitse, A.I. and Smolenskii, G.A. Thermodynamic theory of piezomagnetism, 3=23176
- Mitse, A.I. See Turov, E.A., 1=3908
- Mitse, A.I. See Vlasov, K.B., 4=7242
- Mitse, A.I. See Vlasov, K.B., 4=7243
- Mitse, I. See Turov, E.A., 0=11836
- Mitsis, G.J. Transport solutions to the one-dimensional critical problem, 4=3735
- Mitskevich, N.V. A nonlinear vacuum effect in gravitation theory, 0=10558
- Mitskevich, N.V. The transformational properties of some physical quantities in the general theory of relativity, 2=9169
- Mitskevich, N.V. See Ivanenko, D.D., 0=10560
- Mitskevich, P.K. and Bobyl', V.G. The effect of the electric field intensity on the photoconductivity of liquid organic systems, 1=5280
- Mitskevich, V.V. A theory of the effect of damping in ionic crystals, 1=11152
- Mitskevich, V.V. The dynamic theory of ionic crystals of the NaCl type. Thermal and elastic properties, 1=19690
- Mitskevich, V.V. The dynamic theory of ionic crystals of the NaCl type. Dielectric and optical properties, 1=19691
- Mitskevich, V.V. Infrared absorption and dispersion in LiF and MgO, 3=15684
- Mitskevich, V.V. Grüneisen approximation in the equation of state for solids and calculation of some properties of ionic crystals, 3=20115
- Mitskevich, V.V. Temperature dependence of the elastic constants of centrosymmetric crystals, 3=20687
- Mitskevich, V.V. Effective ionic charges in cubic ionic crystals, 4=25822
- Mitskevichius, V.V. Infrared dispersion and absorption of ionic crystals of NaCl type, 4=1751
- Mitskevichs, V.V. Potential energy of ionic crystals in the second approximation, 4=1336
- Mitskevichys, V.V. Effect of the anharmonic potential and second-order dipole moment on the dispersion and absorption of ionic crystals, 4=1704
- Mitsuda, H. See Yamanaka, T., 3=18273
- Mitsuhashi, H. Structures of photoconductivity spectra near the fundamental absorption edge of cadmium sulfide, 1=14510
- Mitsuhashi, H. Effect of current injection on properties of cadmium sulfide crystals, 1=17721
- Mitsuhashi, H. Structures of photoconductivity spectra and related phenomena of cadmium sulphide, 2=8414
- Mitsui, H. See Morinaga, H., 1=7345
- Mitsui, H. See Toriyama, Y., 4=8218
- Mitsui, T. and Westphal, W.B. Dielectric and X-ray studies of  $\text{Ca}_x\text{Ba}_{1-x}\text{TiO}_3$  and  $\text{Ca}_x\text{Sr}_{1-x}\text{TiO}_3$ , 1=19930
- Mitsui, T. See Motegi, H., 4=17590
- Mitsui, T. See Nakamura, E., 4=4208
- Mitsui, T. See Shibuya, I., 1=14556
- Mitsui, T. See Shiozaki, Y., 3=23454
- Mitsuishi, A. The optical properties of cadmium telluride in the far infrared region, 1=14578
- Mitsuishi, A., Otsuka, Y., Fujita, S. and Yoshinaga, H. Metal mesh filters in the far infrared region, 4=307
- Mitsuishi, A., Yamada, Y., Fujita, S. and Yoshinaga, H. Polarizer for the far-infrared region, 0=6953
- Mitsuishi, A., Yamada, Y. and Yoshinaga, H. Reflection measurements on reststrahlen crystals in the far-infrared region, 2=2218
- Mitsuishi, A. and Yoshinaga, H. Infrared absorption of U-centres in KCl and KBr, 3=13014
- Mitsuishi, A. and Yoshinaga, H. Infrared absorption of U-centers in KCl and KBr, 4=1531
- Mitsuishi, A., Yoshinaga, H., Fujita, S. and Suemoto, Y. Vibrational spectra of ruby and haematite in the infrared region, 2=21252
- Mitsuishi, A. See Yamada, Y., 2=1259
- Mitsuishi, T. An electron diffraction study on Cu-Sn alloys, 1=15120
- Mitsuishi, T. See Shoji, M., 1=17542
- Mitsuk, V.E. Zeeman effect in an alternating field, 3=22473
- Mitsuk, V.E. and Koz'minykh, M.D. Electric field in a microwave plasma as a function of time, 0=19669
- Mitsuk, V.E., Koz'minykh, M.D. and Talalaeva, I.V. Measurement of the electric field in a very high-frequency plasma, 0=2352
- Mitsuk, V.E. and Sizov, V.D. The use of the microwave method for the determination of supercritical electron densities, 4=24664
- Mitsuma, T. Some extra lines in paramagnetic resonance spectrum of heavily  $\text{Cr}^{3+}$  doped  $\text{K}_3\text{Co(CN)}_6$ , 2=766
- Mitsuma, T. Narrowing of resonance line by spin-lattice relaxation in the system  $\text{K}_3(\text{Cr-Fe-Co})(\text{CN})_6$ , 2=6698
- Mitsuma, T. See Morigaki, K., 3=18131
- Mitsumura, H. See Tachibana, F., 1=249
- Mitsuoka, T. See Ogushi, T., 3=24151
- Mitsusada, K. See Nakai, J., 4=30633
- Mittag, G. See Lübcke, E., 4=14312
- Mittelbach, P. and Porod, G. X-ray low-angle scattering by dilute colloidal systems. The calculation of scattering curves of parallelepipeds, 1=20772
- Mittelbach, P. and Porod, G. X-ray low-angle scattering by dilute colloidal systems. VI. The calculation of scattering curves of elliptical and hollow cylinders, 2=8937
- Mittelbach, P. and Porod, G. X-ray small angle scattering of dilute colloidal systems. VII. Computations for the scattering curves of triaxial ellipsoids, 2=15169



- Mittel'man, M.G., Erofeev, R.S. and Rozenblyum, N.D. Energy conversion of short lived radioactive isotopes, 2=12156
- Mittelstadt, V.R. and Oskam, H.J. Application of the cataphoresis effect in the preparation of gas filled tubes, 2=2802
- Mittelstadt, V.R. See Oskam, H.J., 4=2948
- Mittelstadt, V.R. See Oskam, H.J., 4=2951
- Mittelstaedt, P. On the problem of rearrangement energy of nuclear matter, 0=17272
- Mittelstaedt, P. On the degeneracy of the superconductive state, 1=16192
- Mittelstaedt, P. On the density fluctuations of the superconducting state, 2=9478
- Mittelstaedt, P. On the moment of inertia of large nuclear systems with pairing forces, 2=12114
- Mittelstaedt, P. Single particle energies of nuclear matter and the reference spectrum method, 3=24831
- Mittelstaedt, P. A logic of quantum theory, 4=2547
- Mittenbacher, J. Space charge discrimination between  $\alpha$ -particles and protons in stilbene crystals, 4=9323
- Mittenbacher, J. See Eckardt, A., 4=3064
- Mittendorf, H. On the structure of thin salt films condensed at low temperatures. IV. The systems KCl/TiCl and RbCl/TiCl, 1=15177
- Mittendorf, H. See Berthold, G., 4=24423
- Mitter, H. Two-point function in nonlinear spinor theory, 0=17248
- Mitter, H. Quantization of nonlinear field theories and scale transformation, 4=21722
- Mitter, H. and Yamazaki, K. "New Tamm-Dancoff" approximation and superconductivity, 2=9476
- Mitter, H. and Yamazaki, K. Approximation methods in a superconducting model, 3=17384
- Mittleman, H. See Lippmann, B.A., 0=2724
- Mittleman, M.H. Proton-hydrogen scattering system, 1=7446
- Mittleman, M.H. Formal theory of rearrangement collisions, 1=9327
- Mittleman, M.H. The scattering of electrons by atomic hydrogen, 1=13967
- Mittleman, M.H. Formal theory of rearrangement collisions. II, 2=11287
- Mittleman, M.H. Excitation of atomic hydrogen by fast protons, 3=4716
- Mittleman, M.H. Rearrangement collisions: proton-hydrogen scattering, 3=4722
- Mittleman, M.H. Rearrangement collisions. III. Electron transfer from atoms to fast protons, 3=10476
- Mittleman, M.H. Spin exchange in electron-hydrogen atom collisions, 3=15299
- Mittleman, M.H. Rearrangement collisions: two-particle exchange, 4=9633
- Mittleman, M.H. High energy charge exchange, 4=24551
- Mittleman, M.H. Relativistic effects in charge transfer, 4=27486
- Mittleman, M.H. Coupled equations for rearrangement collisions, 4=27799
- Mittleman, M.H. and Pu, R. Optical potential for closely coupled states, 2=11286
- Mittleman, M.H. and Soda, T. The shell model and deuteron stripping, 3=22356
- Mittleman, M.H. and Watson, K.M. Effects of the Pauli principle on the scattering of high-energy electrons by atoms, 0=12906
- Mittleman, M.H. and Wolf, F.A. Coherent scattering of photons by atomic hydrogen, 3=4715
- Mittlestadt, V.R. See Oskam, H.J., 0=12585
- Mittner, P. See Aubert, B., 2=18187
- Mittner, P. See Aubert, B., 2=22647
- Mittner, P. See Aubert, B., 4=21930
- Mittner, P. See Aubert, B., 4=25175
- Mittner, P. See Behr, L., 3=12498
- Mittner, P. See Behr, L., 3=17249
- Mittner, P. See Bellière, J., 3=24775
- Mittner, P. See Bellini, G., 2=22573
- Mittner, P. See Bellini, G., 3=7899
- Mittner, P. See Di Corato, M., 2=22627
- Mittner, P. See Fretter, W.B., 3=2301
- Mittner, P. See Loria, A., 2=1714
- Mittner, P. See Veillet, J.J., 3=10163
- Mittner, W. See Baglin, C., 1=9764
- Mittra, I.S. See Bertanza, L., 2=22652
- Mittra, I.S. See Bertanza, L., 3=7935
- Mittra, I.S. See Bertanza, L., 3=12507
- Mittra, I.S. See Luers, D., 1=16883
- Mittra, I.S. See Luers, D., 2=1720
- Mittra, I.S. See Luers, D., 2=22615
- Mittra, I.S. See Luers, D., 2=22629
- Mittra, I.S. See Luers, D., 4=12064
- Mittra, R. On the solution of an eigenvalue equation of the Wiener-Hopf type in finite and infinite ranges, 0=12233
- Mittra, R. Wave propagation on helices, 4=11808
- Mittra, R. and Deschamps, G.A. Field solution for a dipole in an anisotropic medium, 4=724
- Mittsev, M.A. See Ionov, N.I., 0=14964
- Mittsev, M.A. See Ionov, N.I., 1=18758
- Mitui, T. Magnetic anisotropy induced by cold rolling in Cu-Co alloy, 1=10136
- Mitui, T. and Satō, M. Ferromagnetic anisotropy induced by cold rolling of dilute ferromagnetic Au-Co alloy, 3=20580
- Mitui, T., Satō, M. and Sambongi, T. Ferromagnetic anisotropy induced by cold rolling of dilute ferromagnetic Cu-Co alloys, 2=16903
- Mitui, T. See Sambongi, T., 1=20082
- Mitui, T. See Sambongi, T., 2=4229
- Mitui, T. See Sambongi, T., 4=4352
- Mitui, T. See Satō, M., 1=2472
- Mitui, T. See Sato, M., 1=10149
- Mitui, T. See Satō, M., 4=13173
- Mitui, T. See Tamagawa, N., 2=21306
- Mitui, T. See Yamadaya, T., 3=11205
- Mitvaský, V. The maximum sensitivity of the unbalanced Wheatstone Bridge, 4=21434
- Mityans'kii, G.F. See Borzyak, P.G., 2=1483
- Mityaev, Y.I. See Efimov, B.V., 0=5803
- Mityureva, I.A. See Bogoroditskii, N.P., 3=17931
- Mityushov, V.A. See Levchenko, A.A., 0=16352
- Mitzner, K.M. See Lengyel, B.A., 1=13180
- Miura, I. Energy spectrum and anisotropy of air shower (Tokyo air shower project), 2=20463
- Miura, I. and Hasegawa, H. Spectra of the size and total number of  $\mu$ -mesons in E.A.S., 2=22672
- Miura, I. See Fukui, S., 1=15311
- Miura, I. See Hasegawa, H., 2=13929
- Miura, I. See Hasegawa, H., 2=18207
- Miura, I. See Hasegawa, H., 3=4496
- Miura, I. See Wakatsuki, T., 1=8591
- Miura, I. See Wakatsuki, T., 1=9858
- Miura, I. See Wakatsuki, T., 1=13661
- Miura, I. See Wakatsuki, T., 2=3567
- Miura, I. See Wakatsuki, T., 3=6250
- Miura, M., Otani, S., Kodama, M. and Shinagawa, K. Effect of several phosphates on the crystallization and crystal habit of strontium sulfate, 2=10794
- Miura, M. See Otani, S., 3=23402
- Miura, M. See Otani, S., 4=7563
- Miura, S. See Fukushima, M., 4=26798
- Miura, S. See Hirone, T., 2=3942
- Miura, S. See Hirone, T., 3=22814
- Miura, S. See Takamura, J., 2=10376
- Miura, S. See Takamura, J., 3=22720
- Miura, Y. See Matukura, Y., 4=2039
- Miura. See Fukui, S., 1=2125
- Miuskov, V.F. Camera for the diffraction radiography of dislocations in large crystals, 4=1491
- Miwa, H. Energy gaps and electrical resistivity associated with screw-type spin arrangements, 3=15465
- Miwa, H. and Yosida, K. Magnetic ordering in the rare-earth metals with more than half-filled 4f shells, 2=4198
- Miwa, H. See Yosida, K., 1=6268
- Miwa, H. See Yosida, K., 3=975
- Miwa, M. and Yamanouchi, M. Further study of the reaction  ${}^7\text{Li}(\gamma t){}^4\text{He}$ , 1=8699
- Mixon, F.O., Sliepcevich, C.M., Finn, D., Hashemi, H. and Heymann, M. A macroscopic approach to irreversible thermodynamics, 4=11427
- Miya, K. and Kanaya, S. Radio propagation prediction considering scattering waves on the earth's surface, 0=15156
- Miya, K. and Matsushita, S. Recording type direction finder, 1=1976
- Miya, K., Sasaki, T. and Ishikawa, M. Angles of arrival of a V.H.F. signal in ionospheric forward propagation, 0=19947
- Miya, K., Sasaki, T. and Ishikawa, M. Observation of F-layer and sporadic-E scatter at V.H.F. in the far east, 1=6621
- Miya, K., Sasaki, T. and Ishikawa, M. Observation of F-layer and sporadic-E scatter at V.H.F. in the Far East, 2=9721



- Miya, K., Taguchi, Y. and Tabuchi, S. Radio observation of the earth satellite 1957 $\alpha$ , 0=18488
- Miya, M. See Murakami, H., 4=28640
- Miyachi, S. Nucleon-nucleon scattering at 10 MeV and pion-pion resonances, 4=19504
- Miyachi, S. See Hsieh, S., 3=10116
- Miyachi, Y. On the decay interactions of strange particles, 0=11232
- Miyachi, Y. See Ikeda, M., 0=10584
- Miyachi, Y. See Ikeda, M., 1=10845
- Miyachi, Y. See Ikeda, M., 1=10846
- Miyachi, Y. See Ikeda, M., 1=13324
- Miyachi, Y. See Ikeda, M., 2=11852
- Miyachi, Y. See Ikeda, M., 4=815
- Miyachi, Y. See Ikeda, M., 4=19392
- Miyadai, T. Ferrimagnetic resonance in europium-iron garnet, 1=12556
- Miyadai, T. Ferrimagnetic resonance in polycrystalline thulium-iron garnet ( $\text{Tm}_3\text{Fe}_5\text{O}_{12}$ ), 2=18938
- Miyadai, T. Ferrimagnetic resonance in a single crystal of thulium-iron garnet ( $\text{Tm}_3\text{Fe}_5\text{O}_{12}$ ), 3=25557
- Miyadai, T., Shichijo, Y. and Tsubokawa, I. Ferrimagnetic resonance line width in polycrystalline  $\text{Y}_3\text{Fe}_{5-x}\text{In}_x\text{O}_{12}$ , 1=1255
- Miyadai, T., Takata, H. and Shichijō, Y. Ferrimagnetic resonance in a single crystal of europium-iron garnet, 1=20186
- Miyadai, T. See Shichijō, Y., 1=12555
- Miyadai, T. See Shichijō, Y., 1=20143
- Miyadal, T. See Kuroda, C., 1=7770
- Miyagaki, M. Geomagnetic effects of heavy primary of cosmic radiation at geomagnetic latitude 24°N, 3=7943
- Miyagawa, I. and Gordy, W. Electron spin resonance of an irradiated single crystal of alanine: second-order effects in free radical resonances, 0=3128
- Miyagawa, I. and Itoh, K. Electron spin resonance of irradiated single crystals of alanines: hindered rotation of the methyl group in a free radical, 2=14821
- Miyagawa, I., Kurita, Y. and Gordy, W. Electron spin resonance of an irradiated single crystal of N-acetylglutamine, 1=2345
- Miyagawa, I. See Itoh, K., 4=23043
- Miyagawa, N. On the discharge mechanism of Philips ionization gauge (P.I.G.), 0=19614
- Miyagawa, N. On the movements of arc cathode spot and of ball-of-fire in a transverse magnetic field, 3=376
- Miyagawa, N. Behavior of ball-of-fire when cold cathode is used, 4=5573
- Miyagi, M. See Sasakura, H., 4=17462
- Miyagi, T. Hydromagnetic Oseen flow past an elliptic cylinder in a uniform magnetic field, 1=16525
- Miyagi, T. Two-dimensional viscous flow past a rotationally-oscillating circular cylinder, 2=1110
- Miyagi, T. Oseen flow past a flat plate inclined to the uniform stream, 4=27144
- Miyagi, T. See Tamada, K., 2=9236
- Miyahara, A. A pumped klystron amplifier and r.f. power system for the injector linac of 1 BeV electron synchrotron, 2=5397
- Miyahara, A. See Kondo, K., 1=7464
- Miyahara, A. See Kumagi, H., 3=460
- Miyahara, A. See Nagao, S., 3=21734
- Miyahara, A. See Nishikawa, T., 2=229
- Miyahara, S. Jahn-Teller distortion in magnetic spinels, 3=1009
- Miyahara, S., Muramori, K. and Tokuda, N. Tetragonal distortion in copper manganite-chromite system, 1=20553
- Miyahara, S. and Yamadaya, T. The aging of permeability in manganese-zinc ferrite, 1=2485
- Miyahara, S. See Aso, K., 4=26649
- Miyahara, S. See Kondo, H., 3=23142
- Miyahara, S. See Ohnishi, H., 0=1807
- Miyahara, S. See Okada, T., 3=11097
- Miyahara, S. See Muramori, K., 1=17956
- Miyahara, S. See Muramori, K., 1=20134
- Miyahara, S. See Tsuchima, K., 1=2481
- Miyahara, Y. See Esaki, L., 1=14490
- Miyai, Y. See Nakashima, S., 4=4153
- Miyaji, K. See Miyazaki, E., 3=15603
- Miyaji, K. See Yamashita, S., 4=4236
- Miyajima, S., Ito, S. and Thonemann, P. C. Plasma drift velocity across a confining magnetic field, 2=195
- Miyajima, S. and Yamamoto, K. Positive column in a longitudinal magnetic field, 2=22192
- Miyajima, S. and Yamamoto, K. Surface instability of the positive column with an applied magnetic field, 2=22193
- Miyajima, S. and Yamamoto, K. Formulation of dissipation mechanisms in a partially ionized plasma, 3=7507
- Miyajima, S. See Yamamoto, K., 3=4119
- Miyakawa, T. The effect of exciton interaction on the extreme ultraviolet absorption in LiF, 3=10955
- Miyakawa, T. See Ohta, T., 1=1148
- Miyakawa, T. See Ohta, T., 1=3823
- Miyakawa, T. See Ohta, T., 1=12365
- Miyake, A. On the eigenvalue problem associated with the solution of the generalized diffusion equation, 1=4288
- Miyake, A. See General theory of relaxations in the polymer chain, 1=7506
- Miyake, A. Apparent temperature dependence of n.m.r. second moment, 1=7795
- Miyake, A. On the intramolecular light scattering of the non-Gaussian chain, 1=6120
- Miyake, A. Intramolecular N.M.R. Second moment of the polymer chain, 1=8866
- Miyake, A. and Adachi, H. Influence of the molecular weight distribution on the polymer properties, 1=10508
- Miyake, A. and Chujō, R. N.M.R. second moment of a radical rotating in a periodic potential, 1=881
- Miyake, A. and Chujō, R. Influence of foreign magnetic nuclei on n.m.r., 1=10189
- Miyake, A., Chujō, R. and Adachi, H. N.M.R. second moment of a radical under the restricted rotation, 1=2349
- Miyake, A. and Sakakibara, M. Effect of hindering potential on the stretched chain configuration, 2=6240
- Miyake, K. Formation of cesium antimonide. I. Electrical resistivity of the film of cesium-antimony system, 0=1667
- Miyake, K. Measurement of the partial pressure of cesium over cesium antimonides, 1=10627
- Miyake, K. Operation of cesium-antimony phototubes under high light level, 1=13118
- Miyake, K. Logarithmic growth of the cesium antimonide films on antimony, 1=20667
- Miyake, K. The phase shift analysis on alpha-alpha scattering in the energy range from 22.9 to 28.9 MeV, 2=5751
- Miyake, K., Kinsey, K. F. and Knapp, D. F.  $\pi^- + p \rightarrow \pi^0 + n$  charge exchange cross sections at 20.7 and 31.0 MeV, 2=13851
- Miyake, K. See Barnes, S. W., 0=3986
- Miyake, K. See Barnes, S. W., 0=3987
- Miyake, K. See Kimura, K., 2=15970
- Miyake, K. P. Theory on concave grating mountings for photoelectric-spectrometric use, 2=2884
- Miyake, K. P. Computation of optical characteristics of dielectric multilayers, 4=21291
- Miyake, K. P. and Katayama, T. On the mounting of concave grating suitable for photoelectric-spectrometric use. II. Discussion on results obtained in theoretical treatise, 2=17614
- Miyake, K. P. and Katayama, T. On the mounting of concave grating suitable for photoelectric-spectrometric use. III. Discussion on the use of the Eagle mounting, 2=17615
- Miyake, K. P. See Katayama, T., 4=24347
- Miyake, K. P. See Katayama, T., 4=24348
- Miyake, S. An analysis of experimental data on extensive air showers, 0=9460
- Miyake, S. An analysis of experimental data on extensive air showers, 0=15474
- Miyake, S. Transition from dynamical to kinematical intensities of electron diffraction by crystals, 0=21179
- Miyake, S. Development of EAS in the atmosphere, 3=4517
- Miyake, S. A note on diffuse patterns in electron diffraction from single crystals, 4=2059
- Miyake, S. Energy spectrum of primary cosmic rays, 4=3501
- Miyake, S. Empirical formula for range spectrum of cosmic-ray  $\mu$ -mesons at sea level, 4=6167
- Miyake, S. and Fujiwara, K. Intensity measurement of electron diffraction spot patterns, 3=1283
- Miyake, S., Fujiwara, K. and Fujimoto, F. An electron diffraction problem in phthalocyanine and its metal derivatives, 4=23508
- Miyake, S., Fujiwara, K., Honjo, G. and Kitamura, N. Relativistic correction to the method of eliminating the primary extinction in electron diffraction, 2=4510
- Miyake, S., Fujiwara, K. and Suzuki, K. Experimental aspects of relativistic effect in electron diffraction, 3=1309
- Miyake, S., Fujiwara, K. and Suzuki, K. Dispersion for double refraction in electron diffraction by magnesium oxide crystal, 4=4612
- Miyake, S., Fujiwara, K., Tokonami, M. and Fujimoto, F. On "lattice image" in electron micrographs, 4=26638



- Miyake, S., Hinotani, K., Kaneko, T. and Ito, N.  
An example of bundle of mu-mesons in extensive  
air shower, 3=17369
- Miyake, S., Hinotani, K., Kaneko, T. and Ito, N. Double core event  
in extensive air shower, 4=966
- Miyake, S., Hinotani, K., Katsumata, I. and Kaneko, T. A large  
multiplate cloud chamber for cosmic ray  
observation, 0=20252
- Miyake, S., Hinotani, K., Katsumata, I. and Kaneko, T. An air  
shower experiment at Mt. Norikura, 1=2127
- Miyake, S., Hinotani, K., Katsumata, I., Kaneko, T. and Ito, N.  
Lateral density distribution of charged particles in the  
central region of extensive air shower, 1=13555
- Miyake, S., Hinotani, K., Katsumata, I., Kaneko, T. and Ito, N.  
A study on EAS at Mt. Norikura, 2=12071
- Miyake, S., Hoshino, S., Suzuki, K., Katsuragi, H., Hagiwara, S.,  
Yoshie, T. and Miyashita, K. Single-crystal neutron diffracto-  
meter with automatic programming-control system, 3=1280
- Miyake, S., Kaneko, T. and Ito, N. Distribution of production  
height of extensive air showers, 4=3507
- Miyake, S., Narasimham, V. S. and Ramana Murthy, P. V.  
Intensity of  $\mu$ -mesons at depths greater than  
2000 m.w.e., 2=12077
- Miyake, S., Narasimham, V. S. and Ramana Murthy, P. V. Cosmic-  
ray intensity measurements deep underground at depths of  
(800-8400) m W.E., 4=21974
- Miyake, S., Narasimham, V. S. and Ramana Murthy, P. V. Energy  
spectrum of cosmic-ray muons at sea level, 4=21975
- Miyake, S., Sreekantan, B. V. and Ramanamurthy, P. V.,  
Narasimhan, V. S., Verma, S. D., Murthy, G. T. and  
Chatterjee, B. K. Study of core structure of small size  
air shower, 2=12074
- Miyake, S., Takagi, S. and Fujimoto, F. The extinction rule for  
reflexions in symmetrical spot patterns of electron  
diffraction by crystals, 0=12019
- Miyake, S., Togawa, S. and Hosoya, S. Polarization factor for  
X-ray monochromator crystals, 4=27600
- Miyake, S. See Cowley, J. M., 1=20484
- Miyake, S. See Menon, M. G. K., 3=19608
- Miyake, S. See Menon, M. G. K., 4=6164
- Miyake, S. J. and Kubo, R. Nonlinear magnetoresistance in  
bismuth, 2=2350
- Miyake, T. See Onuki, M., 3=17955
- Miyake, Y. Determination of the extension of linear polymer  
molecule in the solution by the light scattering, 1=17382
- Miyake, Y. and Furuichi, J. Refractive index difference of  
dilute aqueous solution of polyvinylpyrrolidone, 1=18410
- Miyake, Y., Saruhashi, K., Katsuragi, Y. and Kanazawa, T.  
Seasonal variation of radioactive fallout, 2=6924
- Miyake, Y. See Kuwahara, N., 2=14249
- Miyake, Y. See Kuwahara, N., 2=19556
- Miyako, Y. See Date, M., 4=26435
- Miyako, Y. See Nakada, M., 4=28876
- Miyama, H. and Kydd, P. Gaseous detonations. XV. Expansion  
waves in gaseous detonations, 1=20740
- Miyama, H. and Takeyama, T. Rotational temperatures of OH  
radicals in shock waves, 4=2771
- Miyama, H. and Takeyama, T. Mechanism of methane  
oxidation in shock waves, 4=17859
- Miyamoto, G. See Arikawa, T., 2=20056
- Miyamoto, G. See Suzuki, Y., 4=24655
- Miyamoto, K. On Gabor's expansion theorem, 0=14791
- Miyamoto, K. The phase Fresnel lens, 1=2840
- Miyamoto, K. On the design of optical systems with an  
aspheric surface, 1=2843
- Miyamoto, K. Note on the proof of Gabor's expansion  
theorem, 1=12966
- Miyamoto, K. Wave optics and geometrical optics in optical  
design, 1=18546
- Miyamoto, K. New representation of wave field, 2=9358
- Miyamoto, K. Normalized Buchdahl's aberration co-  
efficients of the 5th order, 3=238
- Miyamoto, K. Image evaluation by spot diagram using a  
computer, 4=8375
- Miyamoto, K. Propagation of laser light, 4=27276
- Miyamoto, K. Effect of boundary diffraction wave in corona-  
graph, 4=29461
- Miyamoto, K. and Wolf, E. Generalization of the Maggi-  
Rubinowicz theory of the boundary diffraction  
wave. I, 2=13456
- Miyamoto, K. and Wolf, E. Generalization of the Maggi-  
Rubinowicz theory of the boundary diffraction  
wave. II, 2=13457
- Miyamoto, K. See Kubota, H., 0=19403
- Miyamoto, K. See Wolf, E., 4=694
- Miyamoto, S. A geological interpretation of the lunar  
surface, 1=9254
- Miyamoto, S. Discharge chamber. Some consideration of its  
characteristics, 3=10008
- Miyamoto, S., Nakashima, S. and Mizuno, H. Dichroism of the  
K centre in KCl, 2=18618
- Miyamoto, S. See Fukai, Y., 0=15633
- Miyamoto, S. See Fukui, S., 2=5559
- Miyamoto, S. See Hasegawa, H., 2=13929
- Miyamoto, S. See Higashi, S., 2=3436
- Miyamoto, S. See Higashi, S., 2=20457
- Miyamoto, S. See Higashi, S., 3=4499
- Miyamoto, S. See Higashi, S., 3=4530
- Miyamoto, S. See Mizuno, H., 1=8919
- Miyamoto, S. See Mizuno, H., 1=17562
- Miyamoto, S. See Mizuno, H., 2=3964
- Miyamoto, S. See Ohkura, H., 1=11236
- Miyamoto, T. See Takeda, Y., 4=18960
- Miyamoto, Y. P-wave pion-pion interaction, 1=10912
- Miyamoto, Y.  $K^{\pi}$ -p reaction at threshold, 2=7899
- Miyamoto, Y. Divergencefree composite model of elementary  
particles, 3=7817
- Miyamoto, Y. Theoretically predicted higher  
resonances, 4=3310
- Miyamoto, Y. See Hara, Y., 3=19687
- Miyamoto, Y. See Hosoda, M., 4=25158
- Miyamoto, Y. See Hosoda, M., 4=30164
- Miyamoto, Y. See Igi, K., 2=5734
- Miyamoto, Y. See Iizuka, J., 4=27790
- Miyamoto, Y. See Iso, C., 1=10834
- Miyamoto, Y. See Kawaguchi, M., 1=9759
- Miyamoto, Y. See Kondo, K., 4=15627
- Miyamoto, Y. See Takayanagi, K., 0=9782
- Miyano, K. and Kuroyanagi, T. The new nuclide  
holmium-169, 4=9454
- Miyasawa, R. See Yamamoto, M., 2=10648
- Miyashita, K., Wada, M. and Takahashi, T. Frequency dependence  
and mechanism of electroluminescence in ZnS (Cu, Al)  
electro-luminescent phosphors, 4=10223
- Miyashita, K. See Hagihara, S., 2=11963
- Miyashita, K. See Miyake, S., 3=1280
- Miyashita, K. See Shimizu, J., 4=9014
- Miyata, J. See Lentz, T., 1=10608
- Miyata, K. See Maeda, M., 4=29047
- Miyata, N. Electric conduction of ferrites containing Fe  
 $Fe^{2+}$ -ions, 1=12425
- Miyata, N. Ferromagnetic crystalline anisotropy of  
 $MeFe_2O_4$ - $Fe_2O_4$  ferrite solid solutions, 1=14696
- Miyata, N. Magnetic properties of  $Mn_xFe_{3-x}O_4$  made from  
the melt, 4=13195
- Miyata, N. and Funatogawa, Z. Magnetostriction constants  
of  $Mn_xFe_{3-x}O_4$  ferrites, 3=1031
- Miyata, N., Kobayashi, T. and Itoh, K. Ferromagnetic crystalline  
anisotropy and transition temperature of Ti-substituted  
magnetite, 4=7267
- Miyata, N. See Funatogawa, Z., 0=21054
- Miyata, N. See Funatogawa, Z., 1=2484
- Miyata, N. See Usami, S., 2=2277
- Miyatake, O. See Koh, Y., 0=9590
- Miyatake, O. See Koh, Y., 2=12171
- Miyatake, Y. Perturbational calculations of propagators of the  
elementary particles interacting with gravitational  
field, 0=12881
- Miyatake, Y. Nonlocal interactions and dispersion  
relations, 0=17228
- Miyatake, Y. Nonlocal interaction, causality and integrability  
condition, 1=3108
- Miyatake, Y. On the model of elementary particles, 1=3123
- Miyatani, K., Ehara, S., Sato, T. and Tomono, Y. Nuclear magnetic  
resonance of  $Al^{27}$  in  $\beta$ -phase Ni-Al alloys, 4=7343
- Miyatani, S. Ionic conduction in  $\beta$ - $Ag_2Te$  and  $\beta$ - $Ag_2Se$ , 0=20872
- Miyatani, S. Infrared absorption of  $\alpha$ - $Ag_2Te_{1-x}S_x$ , 1=10107
- Miyatani, S. Electrical properties of pseudo-binary systems  
of  $Ag_2VI'S$ ;  $Ag_2Te_{1-x}Se_x$ ,  $Ag_2Te_{1-x}S_x$ , and  
 $Ag_2Se_{1-x}S_x$ , 1=12410
- Miyatani, S. and Yokota, I. Galvano- and thermomagnetic  
effects in  $\alpha$ - $Ag_2Te$ , 0=20922
- Miyazaki, S. See Ichimiya, T., 1=11648
- Miyatani, S. See Yokota, I., 3=2874
- Miyauchi, A. See Imaeda, K., 0=12741
- Miyawaki, K. See Kurioka, Y., 3=23997



- Miyazaki, E. and Miyaji, K. Enhancement of reverse current in semiconductor diodes by electron bombardment, 3=15603
- Miyazaki, E. See Yamashita, S., 4=4236
- Miyazaki, E. See Yamashita, S., 4=12938
- Miyazaki, S., Hirao, K., Aono, Y., Takayama, K., Ikegami, H. and Ichimiya, T. Resonance probe—a new probe method for measuring electron density and electron temperature in the ionosphere, 2=17154
- Miyazaki, S. See Aono, Y., 3=13702
- Miyazaki, S. See Takayama, K., 0=19698
- Miyazaki, S. See Terao, K., 3=25826
- Miyazaki, T. See Imai, Y., 2=23868
- Miyazaki, T. See Imai, Y., 4=17733
- Miyazaki, T. See Nakai, J., 4=15566
- Miyazaki, Y. On the continuous observation of cosmic-ray intensity by the standard neutron and meson monitors, 0=15493
- Miyazaki, Y. and Takeuchi, H. Altitude dependence and time variation of the radiation intensity observed by U.S. satellite 1958  $\alpha$ , 0=20299
- Miyazaki, Y. and Takeuchi, H. Cosmic-ray observation by Kappa-VI rocket, 0=20300
- Miyazaki, Y. and Takeuchi, H. Altitude dependence and time variation of the radiation intensity observed by U.S. satellite 1958  $\alpha$ , 1=3308
- Miyazaki, Y. See Kodama, M., 0=15489
- Miyazaki, Y. See Kodama, M., 0=15494
- Miyazawa, H. Anisotropy of the Hall effect in p-type germanium, 3=10777
- Miyazawa, H. and Maeda, H. Anisotropic Hall coefficients in n-type germanium, 1=12436
- Miyazawa, H. and Maeda, H. Anisotropic Hall coefficients in n-type germanium, 2=23318
- Miyazawa, H., Nakano, T. and Umezawa, H. On the strong interaction, 0=20045
- Miyazawa, H. and Sugawara, H. Bound state problem and the determination of coupling constants, 3=19551
- Miyazawa, H., Suzuki, K. and Maeda, H. Evidence for the  $\langle 110 \rangle$  swelling constant energy surface for heavy holes in silicon, 3=25236
- Miyazawa, H. See Fujita, J., 0=13189
- Miyazawa, H. See Hamamoto, I., 1=12143
- Miyazawa, H. See Hara, Y., 1=3174
- Miyazawa, H. See Kawarabayashi, K., 1=3217
- Miyazawa, H. See Konuma, M., 0=12864
- Miyazawa, H. See Yonemitsu, H., 1=14384
- Miyazawa, H. See Matsuyama, S., 0=12919
- Miyazawa, H. See Matsuyama, S., 0=12920
- Miyazawa, T. Perturbation treatment of the characteristic vibrations of polypeptide chains in various configurations, 0=15789
- Miyazawa, T. Molecular vibrations and structures of high polymers. I. General method of normal coordinate treatment by internal coordinates and infrared frequencies and conformations of  $(-\text{CH}_2-)_n$ ,  $(-\text{CH}_2-\text{O}-)_n$ , and  $(-\text{CH}_2-\text{O}-\text{CH}_2-)_n$ , 1=12342
- Miyazawa, T. Vibrational displacements of atoms and the isotope effects on vibrational frequencies, 4=28213
- Miyazawa, T., Fukushima, K. and Ideguchi, Y. Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol, 3=6444
- Miyazawa, T., Ideguchi, Y. and Fukushima, K. Molecular vibration and structure of high polymers. IV. A general method of treating degenerate normal vibrations of helical polymers and infrared-active vibrations of isotactic polypropylene, 3=17624
- Miyazima, T. and Wada, Y. Nuclear moments of inertia, 0=15509
- Miyazima, T. See Ito, D., 1=13340
- Miyazima, T. See Osada, J., 1=13696
- Miyazawa, T. See Shimanouchi, T., 1=19700
- Miyoshi, K. See Adachi, T., 2=16212
- Miyoshi, M. and Brinton, R.K. Gaseous reaction of methyl radicals with propylene, 2=15136
- Miyoshi, S. Microwave radiation from a magnetoplasma, 3=12115
- Miyoshi, S. and Sakamoto, Y. Measurement of electron density in a transient plasma by microwave free space method, 4=5634
- Miyoshi, S., Sakamoto, Y. and Matsuda, K. Measurement of spatial distribution of electron density in a plasma by microwave free space method, 4=8721
- Miyoshi, S. See Sakamoto, Y., 3=19279
- Miyoshi, S. See Shiobara, S., 4=5632
- Miyoshi, Y. Development of space charge and growth of ionization in the transient Townsend discharge, 0=5288
- Miyoshi, Y., Hayashi, M. and Mori, T. Theoretical analysis of transient Townsend discharge of non-uniformly lateral distribution, 3=12087
- Miyoshi, Y., Kosokawa, T. and Hayashi, M. Formation stage of spark breakdown in point-to-plane gap in air (negative point), 4=18756
- Mizel, V.J. See Coleman, B.D., 4=14470
- Mizetskaya, I.B. See Vitrikhovskii, N.I., 0=7957
- Mizetskaya, I.B. See Vitrikhovskii, N.I., 1=1111
- Mizetskaya, I.B. See Vitrikhovskii, N.I., 2=6532
- Mizobuchi, A., Katoh, T. and Ruan, J. Mixing ratio of the 440 keV gamma radiation in  $^{23}\text{Na}$ , 1=11014
- Mizobuchi, A. See Sugimoto, K., 4=17039
- Mizobuchi, A. See Sugimoto, K., 4=25297
- Mizobuchi, A. See Wakatsuki, T., 1=9858
- Mizoguchi, T. and Tanaka, M. The nuclear quadrupole interaction of  $\text{Fe}^{57}$  in spinel type oxides, 4=3963
- Mizoguchi, T. See Tanaka, M., 4=3962
- Mizoguchi, T. See Tanaka, M., 4=7620
- Mizohata, S. and Mochizuki, K. On the point spectrum of the Schrodinger operator, 4=16034
- Mizuhashi, S. See Suzuki, H., 4=22400
- Mizukusa, S. See Hayashi, H., 4=30798
- Mizukusa, S. See Nakayama, N., 4=23983
- Mizuno, H. Doping influences on activator diffusion in oxide-coated cathode nickel, 1=318
- Mizuno, H. and Inoue, M. Diffusion of F centers into potassium chloride single crystals, 0=20838
- Mizuno, H. and Inoue, M. Formation mechanism of F-centers in KCl single crystals heated in potassium vapor, 1=11240
- Mizuno, H. and Miyamoto, S. Influence of dislocation on diffusion rate of F centers in KCl, 1=8919
- Mizuno, H. and Miyamoto, S. A study of the surface states of a KCl single crystal exposed to potassium vapour, 1=17562
- Mizuno, H. and Miyamoto, S. Influence of dislocation on diffusion rate of F centres in KCl, 2=3964
- Mizuno, H. See Haga, K., 1=20115
- Mizuno, H. See Inoue, M., 1=15001
- Mizuno, H. See Miyamoto, S., 2=18618
- Mizuno, J. An X-ray study on the structure of cobalt dichloride hexahydrate, 1=11568
- Mizuno, J. The crystal structure and nickel chloride hexahydrate,  $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ , 1=20564
- Mizuno, J., Ukei, K. and Sugawara, T. The crystal structure of  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ , 0=4639
- Mizuno, M. See Hayashi, H., 4=30797
- Mizuno, M. See Hayashi, H., 4=30798
- Mizuno, M. See Nakayama, N., 4=23983
- Mizuno, T. See Sasakura, H., 2=21371
- Mizuno, T. See Takeuchi, N., 3=23235
- Mizuno, Y. Elementary processes related to the catalytic action of  $\mu^-$  for the p-d fusion reaction, 1=13873
- Mizuno, Y. and Izuyama, T. Remarks on Mayer's reduced density matrix method, 0=9302
- Mizuno, Y. and Izuyama, T. Electron interaction in very long linear conjugated molecules. I. One-dimensional collective oscillation of  $\pi$  electron, 0=17859
- Mizuno, Y. and Izuyama, T. Consideration on non-orthogonality catastrophe in the Heitler—London theory. I, 0=20686
- Mizuno, Y., Izuyama, T. and Shimizu, M. Molecular processes induced by  $\pi^-$  mesons in hydrogen bubble chamber. II, 0=17863
- Mizuno, Y. and Koide, S. Vibrationally induced electronic transitions in crystals of magnetic compounds. II. Spin-dependent infrared absorption band in  $\text{NiO}$ , 4=10182
- Mizuno, Y. See Koide, S., 4=4244
- Mizuno, Y. See Kotani, M., 0=17819
- Mizuno, Y. See McWeeny, R., 1=13911
- Mizuno, Y. See Shimizu, M., 0=17862
- Mizuno-Hashimoto, S. See Murakawa, K., 1=313
- Mizushima, M. Theory of the radio-frequency spectra of the  $\text{H}_2^+$  molecule-ion, 0=17742
- Mizushima, M. Theory of microwave absorption by compressed oxygen gas, 0=5916
- Mizushima, M. Scattering of very intense electromagnetic waves, 4=329
- Mizushima, M. Diffusion after-effect in cobalt-substituted ferrites, 4=4377
- Mizushima, M. Theory of resonance frequency shift due to radiation field, 4=9623
- Mizushima, M. Magnetic properties of cobalt-substituted Ni—Zn ferrites, 4=13248



- Mizushima, M. AS =  $\pm 1$  magnetic multipole radiative transitions, 4=17236
- Mizushima, M. and Hoshino, M. Induced anisotropy in iron-deficient Ni-Co ferrites at low temperatures, 4=20558
- Mizushima, M. See Frey, D.A., 3=4745
- Mizushima, M. See West, B.G., 3=8231
- Mizushima, M. See Zimmerer, R.W., 1=837
- Mizushima, S. Dislocation model of liquid structure, 1=6851
- Mizushima, S. See Suzuki, I., 0=3532
- Mizushima, Y. Electronic exchange between hydrogen and evaporated nickel films, 1=11599
- Mizushima, Y. The mechanism of formation of black deposits by metal evaporation, 2=10941
- Mizushima, Y., Igarashi, Y. and Imai, T. Cold-emitting cathode materials, 1=13101
- Mizushima, Y. and Ochi, O. Tunnel resistance in metal contacts and the resistance of evaporated metal films, 3=15537
- Mizushima, Y. and Ochi, O. The order process in condensed films of transition metals, 3=15538
- Mizushima, Y. and Ochi, O. Magnetic properties of condensed nickel layers, 4=7278
- Mizushima, Y. and Ochi, O. Magnetic coercive force of condensed thin nickel layers, 4=7277
- Mizushima, Y. and Oda, Z. Nonproportionality in Bayard-Alpert ionization gauge and the ultimate vacuum determination of diffusion pumps, 0=2188
- Mizushima, Y. See Imai, T., 0=19714
- Mizushima, Y. See Yamaguchi, M., 4=21362
- Mizushima, T. and Ito, R. Analysis of the unsteady state in the thermal diffusion cell, 2=21901
- Mizushima, T. and Ito, R. Thermal diffusion in binary liquid mixtures, 4=2665
- Mizushima, T., Iuchi, S., Ito, R. and Yoshikawa, O. Thermal diffusion in liquids, 0=14630
- Mizushima, T., Iuchi, S., Sasano, T. and Tamura, H. Thermal contact resistance between mercury and a metal surface, 1=18646
- Mizuta, H. See Inoue, T., 1=14703
- Mizutani, H. Effect of solvent on the extension of high polymer molecule, 1=8865
- Mizutani, H. Extension of high polymer molecule and energy change by mixing, 1=12338
- Mizutani, H. See Kitamura, Z., 3=10857
- Mjalkovskij, V.M. See Azimov, S.A., 3=6108
- Mjolsness, R. See Dreicer, H., 3=5651
- Mjolsness, R. See Dreicer, H., 3=7528
- Mjolsness, R. C. Kinetic treatment of the stability of a relativistic particle beam passing through a plasma, 4=5597
- Mjolsness, R. C., Enoch, J. and Longmire, C. L. Hose instability for relativistic particle beams in a plasma background, 4=5677
- Mjolsness, R. C., Ribe, F. L. and Riesenfeld, W. B. Self-consistent reversed field sheath, 1=10710
- Mladenov, A. T. See Andreychin, R., 4=15870
- Mladjenović, M. Gamma-ray measurements by the magnetic analysis of Compton and photoelectrons, 2=3303
- Mladjenović, M. Some new proposals for design of Compton spectrometers, 2=5608
- Mladjenović, M. and Farash, A. E. Preparation of thin beta-ray sources and uranium converters by cathode sputtering, 4=12171
- Mladjenović, M. See Marinkov, L., 0=20407
- Mladjenović, M. See Marinkov, L., 1=13741
- Mladjenović, M. See Stepić, R., 3=6180
- Mladjenović, M. S. A large permanent magnet beta-ray spectrograph, 0=19755
- Mladjenovic, M. S. See Novakov, T. M., 0=17516
- Mladjenović, M. S. See Stepić, R., 1=13533
- Mladjenović, M. Recent developments of beta spectrometers, 1=487
- Mladjenović, M., Novakov, T. and Županić, M. External conversion spectrum of  $Pt^{192}$  gamma-rays from the decay of  $Ir^{192}$ , 1=13742
- Mlavsky, A. I. and Weinstein, M. Crystal growth of GaAs from Ga by a traveling solvent method, 3=23410
- Mlavsky, A. I. See Griffiths, L. B., 4=9000
- Mlavsky, A. I. See Weinstein, M., 3=13085
- Mlavsky, A. I. See Weinstein, M., 4=23338
- Mlodnosky, R. F., Carpenter, D. L. and Helliwell, R. A. Non-thermal noise measurements near planets, 3=16348
- Mlodnosky, R. F. and Garriott, O. K. The v.l.f. admittance of a dipole in the lower ionosphere, 3=16263
- Mlodnosky, R. F. and Helliwell, R. A. Graphic data on the earth's main magnetic field in space, 2=19258
- Mnatsakanyan, K. G. See Rezikyan, A. M., 4=16767
- Mnev, V. N. See Zaitsev, A. A., 0=19630
- Mnyukh, Yu. V. Laws of phase transformation in a series of normal paraffins, 3=16020
- Mo, L. W. See Lee, Y. K., 3=15137
- Mo, L. W. See Lee, Y. K., 3=15140
- Mo, S. C. See Androulakis, J. G., 3=17125
- Moacanin, J. See Simha, R., 3=25995
- Moak, C. D. Space-charge effects in cylindrical beams with uniform acceleration, 1=5500
- Moak, C. D. and Brown, M. D. Some stopping powers for iodine ions, 4=3815
- Moak, C. D., Good, W. M., King, R. F., Johnson, J. W., Banta, H. E., Judish, J. and duPreez, W. H. Nanosecond pulsing for Van de Graaff accelerators, 4=19138
- Moak, C. D., Neiler, J. H., Schmitt, H. W., Walter, F. J. and Wells, G. F. Heavy-ion energy accumulation in the tandem Van de Graaff accelerator, 3=21907
- Moak, C. D. See Halbert, M. L., 4=1110
- Moak, C. D. See Halbert, M. L., 4=22225
- Moat, A., Mather, D. S. and McTaggart, M. H. Some experimental determination of the number of prompt neutrons from fission, 2=3640
- Moat, A. See Mather, D. S., 4=12285
- Moates, G. H. See Armington, A. F., 4=29061
- Moatti, P. Line broadening by an amplitude selector, 1=16073
- Moatti, P. Effects of saturation and dead time in the amplitude analysers, 1=18732
- Moatti, P. The pile-up of pulses and its influence on energy spectra, 1=19059
- Moazed, F. See Stark, R. W., 2=14409
- Moazed, K. L. and Pound, G. M. Field-emission microscopy of metal crystal nucleation, 4=15765
- Mobita, Y. See Edagawa, H., 4=4155
- Möbius, H. E. The directional dependence of the magnetic properties of silicon-iron alloys with cubic structure, 1=3893
- Möbius, K. and Schneider, F. Electron spin resonance study of DPPH-hydroperoxide solutions, 4=202
- Möbius, P. Introduction of many-particle variables for the treatment of special translationally invariant many-body problems, 0=11119
- Möbius, P. Treatment of special translationally invariant three-body problems by adapted coordinates, 0=17268
- Möbius, P. Different modes of motion in special translationally invariant many-body systems, 2=1084
- Mobley, R. C. Variable, precision regulated, low voltage high current supply for large electromagnets, 1=8289
- Mobley, R. C. Precision continuous current integrator, 2=7533
- Mobley, R. C. Pulsed voltage multiplier, 2=19833
- Mobley, R. C. Variable-path magnetic ion buncher, 3=12257
- Močan, I. V., Obratcov, Yu. N. and Smirnova, T. V. Study of thermomagnetic effect in p-type germanium in the region of phonon drag effect, 2=23319
- Moccia, R. One-center expansion self-consistent field molecular orbital electronic wave functions for  $XH_n$  molecules, 3=6386
- Moccia, R. One-center basis set S. C. F. M. O. 's. I. HF,  $CH_4$ , and  $SiH_4$ , 4=20046
- Moccia, R. One-center basis set S. C. F. M. O. 's. II.  $NH_3$ ,  $NH_4^+$ ,  $PH_3$ ,  $PH_4^+$ , 4=20047
- Moccia, R. One-center basis set S. C. F. M. O. 's. III.  $H_2O$ ,  $H_2S$ , and  $HCl$ , 4=20048
- Moceyunas, A. J. See Millman, G. H., 1=20923
- Moch, P., Balkanski, M. and Aigrain, P. Band structure of rutile deduced from its optical and electrical properties, 1=928
- Moch, P. See Balkanski, M., 4=17578
- Moch, P. See Balkanski, M., 4=26208
- Moch, R. See Dumas, J. C., 1=7174
- Moch, R. See Remmelts, J., 0=11984
- Mochalova, G. L. See Fridman, L. A., 4=11741
- Mochan, I. V., Obratcov, Yu. B. and Smirnova, T. V. Determination of the effective mass of electrons in InSb from the measurement of thermoelectric power in strong magnetic fields, 2=18757
- Mochan, I. V., Obratcov, Yu. B. and Smirnova, T. V. Determination of the effective mass of electrons in InSb from the measurement of thermoelectric power in strong magnetic fields, 2=21204



- Mochan, I.V. Obraztsov, Yu.N. and Smirnova, T.V. An investigation of the interactions of holes in p-type germanium with acoustical branch vibrations, 0=2873
- Mochan, I.V. and Smirnova, T.V. Concerning methods of measuring the Nernst effect, 0=4328
- Mochan, I.V. and Smirnova, T.V. Investigations of the thermomagnetic and galvanomagnetic properties of p-type PbTe, 2=6467
- Mochan, I.V. See Drichko, I.L., 3=17820
- Mochan, I.V. See Obraztsov, Yu.N., 0=15823
- Mocharnyuk, G.F. See Andrievskii, A.I., 3=22789
- Mocharnyuk, G.F. See Andrievskii, A.I., 4=1494
- Mocharnyuk, G.F. See Andrievskii, A.I., 4=22598
- Mochel, J.M. See Parks, R.D., 4=5529
- Mochel, J.M. See Parks, R.D., 4=18610
- Mochel, V.D. See Gutowsky, H.S., 2=8086
- Mochel, V.D. See Gutowsky, H.S., 3=25143
- Mocheshnikov, N.I., Ivanov, V.F. and Petrenko, V.V. Adjusting double-frequency saturated magnetic probes, 4=16614
- Mocheshnikov, N.I. See Grishaev, I.A., 4=16572
- Mochizuki, K. See Mizohata, S., 4=16034
- Mochizuki, M. Smoke observation on boundary layer transition caused by a spherical roughness element, 1=15918
- Mochniak, J. See Wesolowski, J., 4=20427
- Mociutchi, C. Contributions to the relativistic treatment of the gravitational field of a moving particle, 4=24
- Mock, J.B. Broadband millimeter wave paramagnetic resonance spectrometer, 0=9225
- Mock, J.B. See Peter, M., 0=10233
- Mock, J.B. See Peter, M., 2=12821
- Mock, J.B. See Peter, M., 2=21372
- Mockel, A. and Devooght, J. Some characterization of neutron thermalization in lattices, 3=2527
- Mockett, P. Aluminized polystyrene light pipes, 4=16223
- Mockler, R.C. See Beehler, R.E., 1=1725
- Mocoroca, A. See Abecasis, S., 2=18262
- Mocoroca, A.B., Abecasis, S.M. and Nassiff, S.J. Ratio of the yields of the isomeric pair  $\text{Te}^{121\text{m}}$ ,  $\text{Te}^{121}$  in the reaction  $\text{Sh}^{121}(\text{d}, 2\text{n})\text{Te}^{121\text{m}}$ , 2=18355
- Model', I.Sh. See Kuznetsov, F.O., 2=21935
- Model', I.Sh. See Lebedev, N.N., 4=337
- Model', I.Sh. See Voitenko, A.E., 3=24000
- Model, I.Sh. See Voitenko, A.E., 4=266
- Moden, I. See Careri, G., 2=1327
- Modena, I. Ionic mobility in liquid  $\text{He}^3$ , 4=14490
- Modena, I. See Careri, G., 0=16935
- Modes, D. Wall-less proportional counter for the absolute measurement of the activity of low energy  $\beta$ - and electron-capture radiation, 3=17097
- Modin, S. See Witt, G., 4=29285
- Modlin, C.T., Jr. and Edge, P.M., Jr. Model studies of jet noise generation, 3=14286
- Modrzejewski, A. and Szarras, S. X-ray and neutron studies of the lineage structure in large aluminium single crystals, 4=23521
- Modrzejewski, A. See Hanneman, R.E., 2=10429
- Moe, G. See Chaiken, R.F., 0=3309
- Moe, K. Errors in orbital predictions for artificial satellites of earth, 2=1025
- Moe, K. Errors in orbital predictions for meteorological and geodetic satellites, 4=2474
- Moe, K. Dependence on latitude of atmospheric heating during geomagnetic storms, 4=20856
- Moe, M.K., Jenkins, T.L. and Reines, F. Liquid scintillator anticoincidence guard, 4=16736
- Moebes, J. See Aderholz, M., 4=21914
- Moebes, J. See Aderholz, M., 4=21919
- Moebes, J. See Bondar, L., 4=944
- Moebes, W.D.C., Jr. See Lee, Y.Y., 4=15098
- Moeller, C.E. See Carome, E.R., 4=18107
- Moelwyn-Hughes, E.A. Ionic association, 3=13606
- Moelwyn-Hughes, E.A. and Thorpe, P.L. The physical and thermodynamic properties of some associated solutions. I. Dielectric constants and heats of mixing, 4=8217
- Moelwyn-Hughes, E.A. See Low, D.I.R., 2=11356
- Moenke, H. The infrared spectra of aqueous boron minerals, howlith and danburite in the region from 400 to  $1800\text{ cm}^{-1}$ , 1=8995
- Moenke, H. Relationship between the lattice constant  $a_{\text{rh}}$  and an infrared active vibration of anhydrous carbonates in the spectral region  $710\text{--}750\text{ cm}^{-1}$ , 2=18518
- Moenke-Blankenburg, L. Selenium and its crystallographic properties, 1=9101
- Moerdijk, W. Studies on the motions of stars of spectral types O to B<sub>8</sub>, 3=9231
- Moest, R.R. and Shupp, B.R. Preparation of epitaxial GaAs and GaP films by vapor phase reaction, 3=11239
- Moesta, H. Investigation of energetic inhomogeneities of the surface in the system platinum-potassium, 1=20689
- Moesta, H. The photoelectric emission of positive ions from an adsorption layer, 2=22272
- Moesta, H. See Haul, R., 3=3370
- Moffat, J.B. LCAO MO calculations on a series of nitriles and some related molecules by a method of self-consistent formal charges, 4=25712
- Moffat, J.W. Magnitude of the pion renormalization constants, 0=3929
- Moffat, J.W. On the boson mass renormalization constants in pseudoscalar meson theory, 0=5507
- Moffat, J.W. Resonance behaviour of scattering amplitudes in dispersion relations, 0=17390
- Moffat, J.W. Determination of pion-pion scattering amplitudes satisfying dispersion relations and unitarity, 1=3220
- Moffat, J.W. See Bransden, B.H., 1=12109
- Moffat, J.W. See Bransden, B.H., 1=16874
- Moffat, J.W. See Bransden, B.H., 2=9907
- Moffat, J.W. See Bransden, B.H., 2=13860
- Moffat, J.W. See Bransden, B.H., 2=22595
- Moffat, J.W. See Bransden, B.H., 2=22597
- Moffat, J.W. See Bransden, B.H., 3=598
- Moffat, J.W. See Bransden, B.H., 4=3453
- Moffat, J.W. See Bransden, B.H., 4=16822
- Moffat, J.W. See Gatland, I.R., 3=5950
- Moffat, J.W. See Gatland, I.R., 3=10054
- Moffat, J.W. See Gatland, I.R., 4=842
- Moffat, J.W. See Gatland, I.R., 4=3462
- Moffat, J.W. See Gatland, I.R., 4=15029
- Moffat, J.W. See Gatland, I.R., 4=27888
- Moffat, J.W. See Gatland, I.R., 4=28580
- Moffat, J.W. See Gold, L., 4=20954
- Moffat, M.E.B. See Free, J.M., 3=13112
- Moffat, R.J. See Halpern, C., 1=16159
- Moffatt, H.K. Intensification of the earth's magnetic field by turbulence in the ionosphere, 3=3516
- Moffatt, H.K. and Saffman, P.G. Comment on "growth of a weak magnetic field in a turbulent conducting fluid with large magnetic Prandtl number", 4=14875
- Moffatt, J. and Stringfellow, M.W. The small-angle scattering of photons of about 100 MeV energy, 0=9663
- Moffatt, J.W. Regularized vacuum expectation values in quantum field theory, 0=11076
- Moffet, A.T. and Maltby, P. Distribution of brightness in extragalactic radio sources, 1=1208
- Moffet, A.T. See Maltby, P., 3=5284
- Moffet, A.T. See Maltby, P., 3=13935
- Moffett, R.J. See Dalgarno, A., 3=3499
- Moffett, R.J. See Dalgarno, A., 3=25920
- Moffitt, W. See Witkowski, A., 0=17769
- Mogarycheva, I.B. See Zakharova, M.I., 4=23256
- Mogat, L.M., Luzhinskaya, M.G. and Shur, Ya.S. Variations in the magnetic and crystal structure of vikalloy in the process of tempering, 3=5113
- Mogford, I.L. and Hull, D. Effect of temperature and neutron irradiation on yield and work hardening in iron, 3=11168
- Mogford, I.L. See Hull, D., 1=12652
- Mogi, M. See Hagihara, S., 2=11963
- Mogilevskaya, L.Ya. See Golovin, B.M., 0=10001
- Mogilevskii, A.N., Abramson, I.S., Slavnyi, V.A. and Gilinskaya, M.Ya. Development of a photoelectric instrument for successive determination of elements, 4=7796
- Mogilevskii, B.M. and Chudnovskii, A.F. Method of observing the motion of a boundary between a solid and its melt under the action of a constant current, 3=19064
- Mogilevskii, É.I., Nikol'skii, G.M. and Nikol'skaya, K.I. The polarization of coronal emission lines, 1=18088
- Mogilevsky, E.I. and Akinyan, S.T. Some features of type IV radiobursts, 2=15399
- Mogilevsky, E.I., Akinyan, S.T. and Koulikova, J.N. Bursts of radio-emission of the sun of type IV and disturbance of the magnetic field of the earth in July 1959, 1=18147
- Mogil'ner, A.I. See Zolomukhin, V.G., 4=3728
- Mogil'nikova, T.T. See Garber, R.I., 3=8760
- Mogil'nikova, T.T. See Garber, R.I., 3=11142
- Mohamed, A.A.A. See Barakat, N., 3=9395
- Mohamed Abd El-Moaty. See Inopin, E.V., 3=15236
- Mohamed Ben Caid. See Pannetier, G., 2=12961



- Mohan, G. Re-arrangement collision matrix, 0=340
- Mohan, G. Dispersion relation and analyticity of a production amplitude, 1=5671
- Mohan, G. The energy parameter in the dispersion relation, 1=12057
- Mohan, G. Channel-spin and analyticity of the spectral function, 2=11883
- Mohan, G. See Dasgupta, S., 2=12557
- Mohan, G. See Dasgupta, S., 4=10102
- Mohan, H. and Majumdar, K. Absorption spectrum of tellurium monosulphide in the ultraviolet region, 1=3841
- Mohan Lal Narchal See Barker, W. A., 4=27945
- Mohan, M. Stresses due to a concentrated force in an infinite elastic parabolic plate not containing the focus, 0=4967
- Mohan, P. V. See Fry, D. L., 1=1475
- Mohan Rao, D. K. Rectilinear motion of a Maxwell fluid, 3=14105
- Mohan Rao, D. K. and Bhatnagar, P. L. Flow of an electrically conducting non-Newtonian fluid between two rotating coaxial cones in the presence of external magnetic field due to an axial current, 4=24815
- Mohana Rao, K. M. See Ramanadham, R., 2=15192
- Mohanty, A. and Bauman, E. Role of grain boundary sliding during sintering of metals, 3=11293
- Mohanty, B. K. See Abidi, S. T. H., 3=10170
- Mohanty, G. P. and Azároff, L. V. Distribution of electrons in cadmium sulfide crystals, 0=21193
- Mohanty, G. P. and Azároff, L. V. Electron density distributions in ZnO crystals, 1=20538
- Mohanty, G. P. and Fiegel, L. G. A crystallographic study of  $\text{Nb}_2\text{O}_5 \cdot 3\text{WO}_3$ , 4=26660
- Mohanty, G. P., Fiegel, L. J. and Healy, J. H. Unit cell and space group of  $2\text{Nb}_2\text{O}_5 \cdot \text{Ta}_2\text{O}_5$ , 3=5111
- Mohanty, G. P., Fiegel, L. J. and Healy, J. H. On the system niobium pentoxide-tantalum pentoxide, 4=13500
- Mohanty, G. P. and Wert, J. J. Faults in cold worked  $\alpha\text{AlNi}$ , 3=12988
- Mohanty, G. P. and Wert, J. J. X-ray study of cold work in lead telluride, 3=18203
- Mohanty, J. C. See Ratho, T., 4=24167
- Mohanty, R. C., Webb, E. H., Sandhu, H. S. and Roy, R. R. Momentum and angular distribution of recoil electrons in triplet production, 1=16763
- Mohanty, R. C. See Roy, R. R., 2=5893
- Mohanty, R. C. See Sandhu, H. S., 2=3322
- Mohanty, S. R. Chemical radiation damage in crystalline nitrates, 2=17099
- Mohanty, S. R. The interaction of radiation with matter, 3=2841
- Mohanty, S. R. and Upadhyay, S. R. Influence of crystal defects on the annealing of chemical radiation damage, 4=4714
- Mohilner, D. M. See Delahay, P., 3=6889
- Mohindra, R. K. and Hans, H. S. A triple coincidence proton scintillation spectrometer, 2=13800
- Mohindra, R. K. and Hans, H. S. Interactions of 14.8 MeV neutrons with aluminium, 3=17481
- Mohindra, R. K. and Hans, H. S. The energy and angular distribution of protons from 14.8 MeV neutron reactions with  $\text{Al}^{27}$  and  $\text{Co}^{59}$ , 3=19861
- Mohindra, R. K. See Hans, H. S., 4=1095
- Mohindra, V. K., Harrison, J. E., Trojan, O. A. D. and McNeill, K. G. Gamma-active fallout near Toronto in 1961-1962, 3=23604
- Mohler, D. and First, R. G. Dielectric characteristics of tantalum anodic films as related to film structure, 1=7085
- Mohler, O. C. See Goldberg, L., 0=14431
- Mohler, O. C. See McMath, R. R., 0=8496
- Mohler, O. C. See Mitchell, W. E., Jr., 4=20889
- Mohler, R. R. Power spectrum measurement and the estimation of power spectral density, 4=19862
- Mohling, F. Linked-pair expansions in quantum statistics, 1=8075
- Mohling, F. Very low-temperature Fermi gas, 1=8076
- Mohling, F. Theory of nuclear matter, 1=16562
- Mohling, F. Energy-density relation for nuclear matter, 3=2353
- Mohling, F. Quantum corrections to the second virial coefficient for helium at high temperatures, 3=21440
- Mohling, F. Degenerate Bose system. I. Quantum statistical theory, 4=27101
- Mohling, F. Degenerate Bose system. II. A transformation of quantum statistical theory, 4=27102
- Mohling, F. Degenerate Bose system. III. Dilute gas of hard spheres, 4=27103
- Mohling, F. and Morita, M. Temperature dependence of the low-momentum excitations in a Bose gas of hard spheres, 0=18987
- Mohling, F. and Sirlin, A. Low-lying excitations in a Bose gas of hard spheres, 0=10609
- Mohling, F. See Sirlin, A., 0=10609
- Möhling, W., Peibst, H. and Hildisch, L. Position and density of typical structural defects in vapour-phase grown CdS crystals, 4=20281
- Möhling, W. and Thiel, H. The actual structure of CdS single crystals, 1=10254
- Möhling, W. and Thiel, H. The structure of CdS crystals, 2=597
- Möhling, W. and Thiel, H. Dislocations in CdS crystals grown from the vapour phase, 2=18585
- Möhling, W. See Asche, M., 4=1621
- Mohnen, V. and Stierstadt, K. Distribution of natural radioactivity over the size spectrum of a natural aerosol. Measurement by charging with thoron decay products, 3=13691
- Mohorčić, G. See Vene, N., 0=14657
- Mohorovicic, S. Law for the composition of de Broglie's velocities, 2=13252
- Mohr, C. B. O. Direct interaction with strong coupling in nuclear collisions, 0=4087
- Mohr, C. B. O. Direct interaction with strong coupling in nuclear collisions. II. E2 excitations, 1=19426
- Mohr, C. B. O. and Edvi-Illes, C. A. Polarization in nuclear collisions with channel coupling, 2=5876
- Mohr, E. and Slevogt, H. Investigation of a quadratic model for partly automatic correction of optical systems, 4=27299
- Mohr, W. Oscillatory cavitation with short sonic pulses, 0=14599
- Mohr, W. C. See Friedman, A. M., 3=2064
- Mohrherr, R. See Rodbard, S., 1=12704
- Mohri, A., Oshiyama, H., Ariga, S. and Hayashi, S. Correction for the toroidal joule heating windings of plasma devices, 4=8785
- Mohyuddin, I. and Douglas, R. W. Some observations of the anelasticity of glasses, 0=18246
- Moi, M. E. See Eichenbaum, A. L., 4=21544
- Moilliet, A. See Grant, H. L., 0=5000
- Moine, J. J. See Miller, J., 2=22783
- Moisan, J. Y. Effect of a reflector on the ultrasound emitted by a jet of periodic structure, 4=276
- Moisar, E. and Klein, E. Effect of growth conditions on the crystal habit of silver halides, 4=10479
- Moisar, E. and Wagner, S. Studies on the topography of internal and external latent images, 3=24063
- Moisar, E. See Klein, E., 1=8492
- Moisar, E. See Klein, E., 3=25839
- Moiseenko, V. A. See Baladin, M. P., 3=17126
- Moiseenko, V. A. See Balandin, M. P., 4=17180
- Moiseev, A. I. See Ibragimova, D. M., 1=6445
- Moiseev, A. I. See Kolesnikov, G. N., 0=16221
- Moiseev, A. I. See Lebedev-Krasin, Yu. M., 4=14809
- Moiseev, A. M. See Belonogov, A. V., 3=17127
- Moiseev, A. M. See Bogdankevich, O. V., 1=19436
- Moiseev, A. M. See Bogdankevich, O. V., 2=10862
- Moiseev, G. G. See Avaev, V. N., 4=21867
- Moiseev, I. G. An estimate of the electron density in the corona from observation of solar radio emission, 2=1008
- Moiseev, M. G. On the flow of gas into liquid through the Laval nozzle, 3=7226
- Moiseev, N. N. Contribution to the theory of elastic vibrations of a body containing liquid, 0=925
- Moiseev, N. N. The non-uniqueness of possible forms of steady flow of dense liquids in the case of Froude numbers in the region of unity, 1=1727
- Moiseev, N. N. Boundary problems for linearized Navier-Stokes equations in the case of small viscosity, 2=21870
- Moiseev, N. N. See Bagaeva, N. Ya., 4=18164
- Moiseev, S. S. On the distribution function for dissipative processes in a rarefied relativistic gas, 0=12434
- Moiseev, S. S. Aperiodic instability of a relativistic plasma, 4=19046
- Moiseev, S. S. and Sagdeev, R. Z. Collisionless shock waves in a plasma in a weak magnetic field, 3=12132
- Moiseev, S. S. and Sagdeev, R. Z. Concerning shock waves in a rarefied plasma placed in a weak magnetic field, 3=13330
- Moiseev, S. S. and Sagdeev, R. Z. On the Bohm diffusion coefficient, 4=2974
- Moiseev, S. S. and Sagdeev, R. Z. The effect of finite conductivity on the stability of a plasma in a magnetic field, 4=14721
- Moiseev, S. S. See Galeev, A. A., 4=11036
- Moiseev, S. S. See Zaslavskii, G. M., 4=14720
- Moiseev, S. S. See Zaslavskii, G. M., 4=16470
- Moiseev, V. F. See Drachinskii, A. S., 4=15709



- Moiseev, V.P. Procedure for determining the atomic structure of deposits of chemically reduced nickel, 3=20875
- Moiseev, V.P. X-ray diffraction and thermographic investigation of deposits of chemically reduced nickel, 3=20876
- Moiseev, V.P. and Popova, O.S. X-ray investigation of phase transformations in electrodeposited manganese, 1=1413
- Moiseev, V.P. See Gorbunova, K.M., 0=16365
- Moiseiwitsch, B.L. Elastic scattering of slow electrons by helium atoms, 1=9916
- Moiseiwitsch, B.L. A schematic model for the impact excitation of atoms, 1=19602
- Moiseiwitsch, B.L. Scattering by the screened Coulomb potential, 2=1069
- Moiseiwitsch, B.L. Excitation of the 2s state of atomic hydrogen by electron impact, 2=3712
- Moiseiwitsch, B.L. On the relation between phase shift and quantum defect, 2=13769
- Moiseiwitsch, B.L. Quantum defects and scattering lengths, 3=4720
- Moiseiwitsch, B.L. and Williams, A. The elastic scattering of fast electrons and positrons by hydrogen and helium atoms, 0=9753
- Moiseiwitsch, B.L. See Allison, D.C.S., 2=1966
- Moiseiwitsch, B.L. See Arthurs, A.M., 0=7684
- Moiseiwitsch, B.L. See Bell, K.L., 4=6504
- Moiseiwitsch, B.L. See Bell, K.L., 4=25565
- Moiseiwitsch, B.L. See Ferguson, A.F., 0=5279
- Moiseiwitsch, B.L. See Khare, S.P., 4=25547
- Moiseiwitsch, B.L. See Kingston, A.E., 0=20560
- Moiseiwitsch, B.L. See Kingston, A.E., 0=20561
- Moiseiwitsch, B.L. See Massey, H.[S.W.], 0=20563
- Moiseyev, S.S. See Zaslavskii, G.M., 2=13561
- Moiseyev, S.S. See Zaslavskii, G.M., 3=5659
- Moister, D.E. See Simmons, J.G., 2=21961
- Moizhes, B.Ya. Non-central forces in the theory of vibrations of a crystal lattice, 0=2780
- Moizhes, B.Ya. Removal of the edge effect in measuring the photomagnetic e.m.f. in semiconductors, 0=6132
- Moizhes, B.Ya. The cut-off frequency of the drift transistor, allowance being made for the drift field variation and for the carrier mobility in the base, 0=9980
- Moizhes, B.Ya. Theory of photoelements with a p-n junction, 0=11720
- Moizhes, B.Ya. The influence of the temperature dependence of properties of materials on the efficiency of thermoelectric generators and refrigerators, 0=13639
- Moizhes, B.Ya., Parfen'ev, R.V., Chudnovskii, F.A. and Efroz, A.L. Approximate calculation of the average group velocity of phonons in cubic lattices, 2=10312
- Moizhes, B.Ya., Petrov, A.V., Shishkin, Yu.P. and Kolomoets, L.A. The choice of the optimal mode of operation of a cascade thermoelectric element, 3=2985
- Moizhes, B.Ya. and Pikus, G.E. On the theory of a plasma thermionic element, 0=15067
- Moizhes, B.Ya. and Ravich, Yu.I. A possibility of discovering excitons in germanium and silicon, 0=6112
- Moizhes, B.Ya. See Averkin, A.A., 2=2167
- Moizhes, B.Ya. See Averkin, A.A., 3=17889
- Moizhes, B.Ya. See Devyatkov, E.D., 0=10795
- Moizhes, B.Ya. See Golikova, O.A., 2=2144
- Moizhes, B.Ya. See Golikova, O.A., 2=8327
- Moizhes, B.Ya. See Golikova, O.A., 3=22923
- Moizhes, B.Ya. See Ioffe, A.F., 1=1904
- Moizhes, B.Ya. See Smirnov, I.A., 0=20947
- Moizhes, B.Ya. See Smirnov, I.A., 2=23401
- Moizhes, B.Ya. See Smirnov, I.A., 4=1410
- Moizhes, B.Ya. See Vinogradova, M.N., 2=20426
- Mojoni, A. See Bonfiglioli, G., 0=8172
- Mojoni, A. See Bonfiglioli, G., 4=12743
- Mok, C.H. and Duffy, J. The behavior of metals at elevated temperatures under impact with a bouncing ball, 4=20665
- Moiseeva, G.A. and Sveshnikov, B.Ya. The mechanism of transitions of excited organic molecules into metastable states, 1=14643
- Moiseeva, V.I. and Fedotova, K.V. Unit cell and space group of hydrosodalite, 3=23461
- Mokhir, O.P. See Dobrovinski'ka, O.R., 2=8588
- Mokhnach, D.O. Simple model for [cometary] halos, 2=4748
- Mokhnach, D.O. Simple model for [cometary] halos, 2=9065
- Mokhnach, D.O. The determination of the physical characteristics of the cyanogen halos of Halley's Comet (1910 II), 2=21705
- Mokhnatkin, M.P. On specific heat jumps in relation to melting point formulae, 0=14887
- Mokhnatkin, M.P. "Linear" phase transitions in solids (in relation to P.S. Ehrenfest's equations), 4=1973
- Mokhov, G.D. See Korsunskii, M.L., 0=18073
- Mokhov, G.D. See Korsunskii, M.L., 1=14517
- Mokhov, G.D. See Korsunskii, M.L., 1=17803
- Mokhov, G.D. See Korsunskii, M.L., 1=19907
- Mokhov, G.D. See Korsunskii, M.L., 2=6489
- Mokhov, N.M. and Labkovskii, Ya.M. Fluctuational formations in ether and benzene and their changes with temperature, 4=24169
- Mokhov, N.V. and Labkovskii, Ya.M. X-ray investigation of the isothermal compressibility of ether and benzene, 3=21322
- Mokhov, V.N. See Gandel'man, G.M., 0=9689
- Mokhtar, M. and Salama, K. On the structural absorption of ultrasonic waves in toluene, 2=13335
- Mokhtar, M. and Youssef, H. Dispersion of ultrasonic waves in mixtures of organic liquids, 4=21132
- Mokhtar, S. See Barakat, N., 3=9607
- Mokhtar, S. See Barakat, N., 3=24044
- Mokhtar, S. See Barakat, N., 4=11349
- Mokievskii, V.A. Dependence of the form of an indentation on the symmetry of the crystal faces in the determination of hardness by the penetration of a diamond pyramid, 0=13931
- Mokievskii, V.A. and Shafranovskii, I.I. A graphic method for describing real crystal forms, 3=13402
- Mokievskii, V.A., Smirnova, Z.A. and Afanas'ev, I.I. A dry method of growing lithium fluoride crystals, 3=23404
- Mokrov, A.P. Measuring the energy of formation and concentration of vacancies in iron-molybdenum alloys, 4=17421
- Mokrov, A.P. See Krishtal, M.A., 3=22818
- Mokrov, A.P. See Krishtal, M.A., 4=25964
- Mokry, P. See Hladký, J., 0=5636
- Mokry, P. See Hladý, J., 0=20288
- Mokry, P. See Krivsky, L., 0=20275
- Molchanov, A.M. Finiteness of variation of the continuous solutions of the hydrodynamical equations, 0=6738
- Molchanov, A.P. The spectrum of local sources of solar radio emission, 2=24167
- Molchanov, A.P., Chen Fan-Yun, Wang Shou-Kuang, Merzabekian, E.G. and Salomonovich, A.E. Preliminary results of radio-astronomical observations of annular solar eclipse, April 19, 1958, 1=2650
- Molchanov, L.P. See Bekkerman, I.M., 2=1739
- Molchanov, S.S. See Gryaznov, A.I., 4=627
- Molchanov, V.A. and Soshka, V. Energy spectra of the ions scattered at small angles on polycrystalline surfaces, 4=19118
- Molchanov, V.A., Soshka, V. and Faruk, M.A. Angular distribution of sputtered tungsten and zinc, 4=12828
- Molchanov, V.A. and Tel'kovskii, V.G. Angular regularities exhibited in disintegration of metals by ion beams, 4=12824
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Anisotropy of cathodic sputtering of single crystals, 1=10745
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Anisotropy of cathodic sputtering of single crystals, 1=11985
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Angular distribution of particles ejected on the irradiation of a monocrystal by an ion beam, 1=17590
- Molchanov, V.A., Tel'kovskii, V.G. and Shakh-Melikova, I.A. The effect of the target temperature on the angular distribution of sputtered particles during irradiation of a single crystal by an ion beam, 3=10703
- Molchanov, V.A. See Balarin, M., 3=7658
- Molchanov, V.A. See Bonch-Bruevich, A.M., 2=6641
- Molchanov, V.A. See Bonch-Bruevich, A.M., 2=16869
- Molchanov, V.A. See Endzheets, G., 3=13020
- Molchanov, V.A. See Mashkova, E.S., 3=5720
- Molchanov, V.A. See Mashkova, E.S., 4=1546
- Molchanov, V.A. See Mashkova, E.S., 4=3035
- Molchanov, V.A. See Maskova, E.S., 4=25983
- Molchanov, Yu.D. See Brovchenko, V.G., 3=1918
- Molčić, M. See Kratochvil, P., 1=20415
- Moldauer, P.A. Theory of average neutron reaction cross sections in the resonance region, 1=11017
- Moldauer, P.A. Relation between the optical model and resonance parameters, 2=1897
- Moldauer, P.A. Optical-model fringe absorption and the neutron strength function, 2=20654



- Moldauer, P.A. Average resonance parameters and the optical model, 3=6213
- Moldauer, P.A. Erratum: Optical-model fringe absorption and the neutron strength function, 3=8113
- Moldauer, P.A. Widths of nuclear single-particle bound states, 3=22280
- Moldauer, P.A. Optical model of low energy neutron interactions with spherical nuclei, 3=24947
- Moldauer, P.A. Nuclear cross section fluctuations, 4=12195
- Moldauer, P.A. Problem of measurement, 4=14001
- Moldauer, P.A. Statistical theory of nuclear collision cross sections, 4=25363
- Moldovanov, V.P. See Golovnya, V.Ya., 2=19113
- Moldovanova, M. See Busch, G., 3=10834
- Molea, M. See Magda, M.T., 4=9409
- Molea, M. See Martalogu, N., 1=5412
- Molea, M. See Martalogu, N., 2=7794
- Molea, M. See Minzatu, I., 3=17462
- Molea, M. See Minzatu, I., 4=9503
- Molenaar, J. See Born, P., 0=7539
- Molenda, P.J. See Buchhold, T.A., 3=12033
- Moler, R.B. and Fink, R.W. L/K-capture ratio in  $Mn^{54}$ ,  $Fe^{55}$ ,  $Co^{57}$ , and  $Co^{58}$  decays, 3=19813
- Moler, R.B. See Scobie, J., 0=2641
- Moler, W.F. V.L.F. propagation effects of a d-region layer produced by cosmic rays, 0=15163
- Moler, W.F. and Holden, D.B. Tropospheric scatter propagation and atmospheric circulations, 0=8364
- Moles, A.A. See Leipp, E., 0=2215
- Mølgaard, J. Fibre surface replication by rolling, 0=8263
- Mølgaard, J. Technique for replicating fibre surfaces by rolling, 0=10323
- Mølgaard, J. A coefficient of friction with increases with increasing load. Results with undrawn nylon monofilaments, and a theoretical explanation, 2=8760
- Molho, N. See Cristofori, F., 4=300
- Molho, N. See Cristofori, F., 4=11528
- Molière, G. Multiple scattering of electrons at large angles. I. Solutions for an infinite medium, 0=2398
- Molière, K. See Kohra, K., 3=1294
- Molière, K. See Lehmpfuhl, G., 1=20503
- Molière, K. See Lehmpfuhl, G., 3=1284
- Molin, Yu.N., Koritskii, A.T., Semenov, A.G., Buben, N.Ya. and Shamshev, V.N. Apparatus for observing e.p.r. spectra of solids during irradiation by fast electrons, 4=17675
- Molina, F. and Battelli, O. Position of the focus of the  $S_q$  current system, 2=11048
- Molina, F. and Battelli, O. Seasonal variations of the current system  $S_q$ , 2=19214
- Molina, F. See Mariani, F., 0=6442
- Molina, F. See Mariani, F., 0=6443
- Molina, F. See Mariani, F., 1=1524
- Molina, F. See Mariani, F., 1=15250
- Molina, F. See Mariani, F., 4=4795
- Molinari, A. Note on the photoparticles' angular distribution, 1=8696
- Molinari, A. and Ponzano, G. On the photonucleons' polarization, 2=20587
- Molinari, A. See Ascoli, R., 1=5683
- Molinari, A. See Borello, O., 2=10084
- Molinari, A. See Bosco, B., 3=19710
- Molinari, A. See Cimino, A., 2=12548
- Molinari, A. See Ciocchetti, G., 4=3548
- Molinari, A. See Malvano, R., 2=22785
- Molinari, E. See Cimino, A., 0=16372
- Molinari, E. See Manes, L., 4=7723
- Molinari, V.G. See Boffi, V.C., 1=11051
- Molinari, V.G. See Boffi, V.C., 3=12727
- Molinari, V.G. See Boffi, V.C., 4=21870
- Moliner, F. García. See García Moliner, F.
- Molino, C. See Baciu, G., 4=22106
- Molino, C. See Costa, S., 4=12200
- Moljk, A. See Drever, R.W.P., 0=17132
- Moll, J. Considerations relative to the problem of obtaining extremely pure surfaces under high vacuum and ultra high vacuum, 4=7699
- Moll, J. See Ehlers, H., 0=16739
- Moll, J. J. and Meyer, N. L. Secondary multiplication in silicon, 4=7004
- Moll, J. L. and Gibbons, G. F. Threshold current for p-n junction lasers, 4=27694
- Moll, J. L., Meyer, N. I. and Bartelink, D. J. Hot electron emission from silicon p-n junctions parallel to the surface, 4=7003
- Moll, J. L. and Van Overstraeten, R. Charge multiplication in silicon p-n junctions, 3=13089
- Moll, J. L. See Bartelink, D. J., 3=13087
- Moll, J. L. See Ihantola, H. K. J., 4=22752
- Moll, J. L. See Shockley, W., 0=15916
- Moll, J. L. See Sze, S. M., 4=22534
- Moll, S. H. See Nathan, M. I., 2=23427
- Mollenauer, J. F. Gamma-ray emission from compound nucleus reactions of helium and carbon ions, 2=18358
- Mollenauer, J. F. See Donovan, P. F., 4=9488
- Mollenauer, J. F. See Donovan, P. F., 4=22188
- Mollenauer, L. F., Imbusch, G. F., Moos, H. W., Schawlow, A. L. and May, A. D. The high gain laser as a wavelength standard, 4=21294
- Mollenauer, L. F. See Moos, H. W., 3=21561
- Möllenstedt, G. and Bayh, W. Electron biprism interference with widely separated coherent partial beams, 1=18934
- Möllenstedt, G. and Bayh, W. Measurement of the continuous phase shift of electron waves in field free space by the magnetic vector potential of an air cored coil, 2=11711
- Möllenstedt, G. and Bayh, W. The continuous variation of the phase of electron waves in field free space by means of the magnetic vector potential of a solenoid, 2=22260
- Möllenstedt, G., Graff, K. and Speidel, R. Growth of single crystal laminae in the narrow space between parallel glass surfaces, 2=10795
- Möllenstedt, G. and Krimmel, E. Production of conducting spirals with extremely small cross-sections, 4=2499
- Möllenstedt, G. and Lenz, F. Some electron interference experiments and their theoretical interpretation, 3=439
- Möllenstedt, G. and Rao, V. A grainless interference filter plate for recording X-ray, electron and ion images, 1=20699
- Möllenstedt, G. and Speidel, R. An ion optical method for reproducing meshes and apertures, 1=21161
- Möllenstedt, G. and Speidel, R. Ion-optical method for preparing fine line, scale, grating and micro gauzes, 4=14387
- Møller, A. R. Improved technique for detailed measurements of the middle ear impedance, 0=3371
- Møller, A. R. Network model of the middle ear, 1=4151
- Møller, A. R. Acoustic reflex in man, 3=3675
- Møller, A. R. Transfer function of the middle ear, 4=4972
- Møller, C. On the possibility of terrestrial test of the general theory of relativity, 1=63
- Møller, C. Further remarks on the localization of the energy in the general theory of relativity, 1=4248
- Møller, C. Conservation laws and absolute parallelism in general relativity, 2=1056
- Møller, C. New experimental tests of the special principle of relativity, 3=3727
- Møller, C. Gravitational energy radiation 3=23743
- Møller, C. Momentum and energy in general relativity and gravitational radiation, 4=21027
- Møller, C. The four-momentum of an insular system in general relativity, 4=27054
- Møller, C. K. The structure of caesium plumbo iodide  $CsPbI_3$ , 0=4636
- Møller, C. K. The structure of perovskite-like caesium plumbo trihalides, 0=4637
- Møller, C. K. On the structure of caesium hexahalogeno-plumbates (II), 0=16328
- Møller, C. K. Electrochemical investigation of the transition from tetragonal to cubic caesium plumbo chloride, 2=19029
- Møller, C. K. See Douglas, A. E., 3=19976
- Møller, E. Gamma rays from the 7.6 MeV state of  $O^{18}$ , 0=5729
- Møller, E. and Sjöstrand, N. G. The time scale of neutron slowing down in water, 3=22148
- Møller, E. and Sjöstrand, N. G. Measurement of the slowing-down and thermalization time of neutrons in water, 4=30234
- Müller, F. Measurement of atmospheric radiation by a black ball, 0=785
- Møller, F. Atmospheric water vapor measurements at 6-7 microns from a satellite, 2=6910
- Møller, F. Optics of the lower atmosphere, 4=13799
- Møller, H. See Kudielka, H., 1=3030
- Møller, H. B., Passell, L. and Stecher-Rasmussen, F. The performance of reflecting multi-channel collimators as a neutron beam filter and polarizer, 3=22140
- Møller, H. B., Shore, F. J. and Sailor, V. L. Neutron spectrometer for producing pure monochromatic beams in the thermal region, 1=10895



- Møller, H.B., Shore, F.J. and Sailor, V.L. Low-energy neutron resonances in erbium and gadolinium, 1=17123
- Möller, K.D. Torsional vibrations of the two methyl groups in acetone, 0=20602
- Möller, K.D. and Andresen, H.G. Theory of torsion vibrations of  $(CH_3)_2X$ -type molecules, 3=2598
- Möller, K.D. and Andresen, H.G. On the theory of torsional vibrations of  $(CH_3)_3-X$  type molecules, 3=19959
- Möller, K.D. and McKnight, R.V. Far infra-red transmission filter gratings, 3=16775
- Möller, K.D. See McKnight, R.V., 4=10207
- Möller, M. See Östberg, G., 4=13506
- Möller, N.H. Calculation of atomic energy levels for electronic configurations with one electron outside a nearly closed shell and two holes in this shell for LS and pair coupling, 9=15638
- Möller, N.H. The analyticity domain of the five point function, 2=16112
- Möller, N.H. See Eriksson, G., 4=11960
- Möller, W. See Witzmann, H., 2=12619
- Möllerud, R. See Bellière, P., 4=3493
- Möllerud, R. See Jauneau, L., 3=12511
- Möllerud, R. See Jauneau, L., 3=19708
- Mollo-Christensen, W. The distribution of raindrops and gusts in showers and squalls, 2=17141
- Molloy, T.V. See Howe, J.A., 4=25787
- Mollwo, E. On the agreement between the electrical dark conductivity and the green luminescence of ZnO, 1=11311
- Mollwo, E. The luminescence emission of zinc oxide crystals and its correlation with the electrical conductivity, 3=3048
- Mollwo, E. See Andress, B., 0=6202
- Mollwo, E. See Hoffmann, B., 3=6679
- Mollwo, E. See Lenz, J., 4=10083
- Mollwo, L. Eigenfrequencies and damping of the plasma resonator, 3=9807
- Molmud, P. Expansion of a rarefied gas cloud into a vacuum, 0=10682
- Molmud, P. Altering the electron density in the D region. A new tool for ionospheric D-layer research, 4=7921
- Molmud, P. Computing the A.C. conductivity of a weakly ionized mixture of gases, 4=14570
- Molnár, B. See Keszthelyi, L., 4=15170
- Molnár, E. See Csikai, J., 2=3193
- Molnár, K. See Gáspár, R., 0=5847
- Molodkin, V.B. See Zyuganov, A.N., 4=2064
- Molokova, T.M. See Zubov, V.G., 3=25392
- Molokovskii, S.I. See Sushkov, A.D., 3=24379
- Molony, B. and Ridge, M.J. The microstructure of cast gypsum, 4=7670
- Molotilov, B.V. Uneven distribution of carbon in Fe-Al-C alloys, 3=13525
- Molotilov, B.V. The structure of "accommodation zones" close to low-temperature twins in an iron-silicon alloy, 3=16025
- Molotilov, B.V. and Osip'yan, Yu.A. Anomalous elasticity modulus and domain structure of nickel, 1=20304
- Molotilov, B.V. and Osip'yan, Yu.A. Anomalous elasticity modulus and domain structures of nickel, 2=4309
- Molotilov, B.V. See Fedotov, L.N., 3=8634
- Molotilov, G.V. Crystal lattice distortions in mechanical twinning, 3=18236
- Molotkov, I.A. Non-stationary wave propagation in an inhomogeneous medium with formation of a region of geometric shadow, 2=1048
- Molotkov, I.A. Non-stationary wave propagation in an inhomogeneous medium with formation of a region of geometric shadow, 2=7110
- Molotkov, I.A. See Buldyrev, V.S., 0=19300
- Molotkov, L.A. and Krauklis, P.V. The formation of low-frequency head waves in thin layers, 4=13769
- Molozzi, A.R., Franklin, C.A. and Tyas, J.P.I. Cosmic noise measurements from 19607.1 at 3.8 Mc/s, 1=15570
- Molozzi, A.R. See Chapman, J.H., 1=18138
- Molozzi, A.R. See Tyas, J.P.I., 0=4847
- Molthen, E.H. Peripheral cee beam extractor for the Chicago 460 MeV synchrocyclotron, 4=30002
- Molya, M. See Martalogu, N., 0=19995
- Molyneux, J. See Beran, M., 4=8600
- Molyneux, L. Acoustic gas analyser, 0=4751
- Molyneux, L. and Osselson, J.W. A simple low-noise low-frequency transistor amplifier, 2=15867
- Molyneux, L. and Schneider, E.E. Inexpensive graph plotter for five-track paper tape, 0=18577
- Molyneux, L., Schneider, E.E. and Sharp, G.R. Digitizer-to-tape punch-coupling unit, 1=15390
- Molyneux, L. See Collinson, D.W., 3=14718
- Molyneux, L. See Edington, J.M., 1=128
- Molyneux, L. See de Sa, A., 3=9905
- Molyneux, P. Langmuir isotherm in relation to mobility and molecular size of the adsorbate, 4=23594
- Molyneux, W.G. Scale models for thermo-aeroelastic research, 2=17496
- Momčilo, M.N. See Kostić, V.N., 2=5264
- Moment, R.L. and Gordon, R.B. Ionic conductivity in LiF grain boundaries, 4=26101
- Momin, A.C. See Karkhanavala, M.D., 4=13462
- Momin, A.U. and Sinha, A.P.B. A theoretical study of the effect of p-layer resistance on the efficiency of photovoltaic solar energy converters, 3=15637
- Momiyama, S. See Sugie, A., 2=10117
- Momiyama, K. See Kachi, S., 3=11204
- Momo, L.R., Myers, R.A. and Foner, S. Pulsed field millimeter wave masers, 0=9195
- Momo, L.R. See Foner, L.R., 0=9194
- Momose, K. See Nagata, T., 0=14179
- Momose, K. See Nagata, T., 4=2329
- Momota, H. See Amano, T., 4=24706
- Momota, T. See Sakai, M., 0=5665
- Momsen, C.B., Jr. Acoustic-hydrodynamic interaction hypothesized, 4=2639
- Mon, J.P. and Mathieu, J.P. Vibration spectra of mercuric cyanide crystals, 4=22876
- Mon Sian-chen and Pu Fu-cho. Application of thermodynamical retarded Green functions to the theory of linewidth of ferromagnetic resonance, 3=18120
- Monaco, A.Del. See Del Monaco, A.
- Monaco, S.F. Reflectance of an inhomogeneous thin film, 1=4472
- Monaco, S.F. Homogeneous-inhomogeneous thin-film combinations, 1=10597
- Monaghan, J.J. See Barker, J.A., 2=15638
- Monaghan, J.J. See Barker, J.A., 2=15639
- Monaghan, M.T. A technique for studying the combustion of small single drops of liquid fuel, 4=13726
- Monahan, J.E. and Elwyn, A.J. Geometrical considerations in the measurement of the ratio L/R in the scattering of polarized nucleons, 2=9835
- Monahan, J.E. and Mooring, F.P. An investigation of properties of thin lithium films by use of the  $Li^7(p,n)Be^7$  reaction, 1=1454
- Monahan, J.E., Raboy, S. and Trail, C.C. Measurement of the energy of the gamma radiation from neutron capture by hydrogen, 1=8464
- Monahan, J.E., Raboy, S. and Trail, C.C. Spectroscopy of gamma radiation from  $Nd^{144}$ ,  $Sr^{86}$ , and  $Pb^{207}$ , 1=12183
- Monahan, J.E., Raboy, S. and Trail, C.C. High energy gamma-rays from  $Na^{24}$ , 2=18308
- Monahan, J.E., Raboy, S. and Trail, C.C. Measurement of lifetimes of radioactive sources, 3=6198
- Monahan, J.E. and Stanton, H.E. Mass spectra resulting from high-energy electron impact on some hydrocarbon molecules, 3=4013
- Monahan, J.E. See Elwyn, A.J., 4=9521
- Monahan, J.E. See Hamermesh, B., 1=12153
- Monahan, J.E. See Lane, R.O., 0=9681
- Monahan, J.E. See Lane, R.O., 1=7380
- Monahan, J.E. See Stanton, H.E., 0=14968
- Monari, L. See Baldoni, B., 3=5998
- Monari, L. See Block, M.M., 0=17416
- Monari, L. See Block, M.M., 1=13500
- Monari, L. See Block, M.M., 3=12508
- Monari, L. See Block, M.M., 3=12570
- Monari, L. See Bortoloni, M., 2=18157
- Monari, L. See Cadwell, D.O., 4=15091
- Monari, L. See Gray, L., 3=15042
- Monari, L. See Leitner, J., 1=16901
- Monaro, S. Excited levels in  $^{77}Se$  from the decay of  $^{77}Br$ , 4=9404
- Monaro, S., Vingiani, G.B., Ricci, R.A. and van Lieshout, R. A new technetium activity: 4.5 hour  $^{94}Tc^{m}$ , 2=1840
- Monaro, S., Vingiani, G.B. and van Lieshout, R. On the level structure of  $^{96}Mo$ , 2=3485
- Monaro, S., Vingiani, G.B. and van Lieshout, R. Aspects of the decay of  $^{27}Mg$  and of  $^{89}Zr$ , 2=5869
- Monaro, S. See Chilosi, G., 3=2386
- Monaro, S. See Chu, Y.Y., 4=12184
- Monaro, S. See Kistner, O.C., 4=3579



- Monaro, S. See Kistner, O.C., 4=17058  
 Monaro, S. See Ricci, R.A., 0=11385  
 Monaro, S. See Ricci, R.A., 2=14000  
 Monaro, S. See Van Lieshout, R., 4=19691  
 Monaro, S. See Vingiani, G.B., 2=9737  
 Monaro, S. See Vingiani, G.B., 2=10079  
 Monaweck, J.H. See Dickerman, C.E., 4=17227  
 Moncaster, M.E., Northrop, D.C. and Raines, J.A. A semiconductor monitor for nuclear radiations, 3=14829  
 Moncaster, M.E. See Allen, J.W., 3=11008  
 Moncaster, M.E. See Allen, J.W., 3=13221  
 Moncaster, M.E. See Harding, W.R., 0=17287  
 Moncet, M.C. See Chateau, H., 2=10895  
 Moncet, M.C. See Chateau, H., 3=5102  
 Mönch, E. and Galster, D. A method for producing a defined uniform biaxial tensile stress field 4=1911  
 Mönch, W. Measurement of the stored energy release in metal films condensed by low-temperature quenching, 1=20597  
 Mönch, W. Characteristic temperature  $\Theta_R$  of quench-condensed metal films, 2=23242  
 Mönch, W. and Sander, W. Measurement of disorder energy in quenched condensed Cu at low temperature, 0=3278  
 Monchamp, R.R., McAleer, W.J. and Pollak, P.I. X-ray studies of twinned GaAs blades grown from the vapour phase, 3=13404  
 Monchamp, R.R., Bannister, E. and Cotton, F.A. High-sensitivity pressure gauge coupling two spoon gauges, 0=3550  
 Monchick, L. Collision integrals for the exponential repulsive potential, 0=956  
 Monchick, L. Equivalence of the Chapman-Enskog and the mean-free-path theory of gases, 3=1726  
 Monchick, L. Small periodic disturbances in polyatomic gases, 4=18247  
 Monchick, L. and Mason, E.A. Transport properties of polar gases, 2=1191  
 Monchick, L., Yun, K.S. and Mason, E.A. Relaxation effects in the transport properties of a gas of rough spheres, 3=9495  
 Monchick, L., Yun, K.S. and Mason, E.A. Formal kinetic theory of transport phenomena in polyatomic gas mixtures, 3=21437  
 Monchick, L. See Mason, E.A., 2=7252  
 Monchick, L. See Mason, E.A., 2=13369  
 Monchick, L. See Mason, E.A., 4=5234  
 Monchick, L. See Walker, R.E., 2=2764  
 Moncuit, C. Contribution to the study of the magnetization of fine wires under tensile stress, in weak alternating fields, 0=679  
 Moncuit, C. New data on the anomalous dispersion of magnesium platinocyanide, 0=6168  
 Moncuit, C. Fluorescence of magnesium and calcium platinocyanide crystals, 1=10115  
 Moncuit, C. and Poulet, H. Study of the optical constants of crystallized alkaline earth platocyanides, 2=18817  
 Mond, J.W.M.Du. See Du Mond, J.W.M.  
 Monda, M. Double pion photoproduction and the  $\gamma-3\pi$  vertex, 3=7894  
 Monda, M. See Kawamura, R., 4=6119  
 Monda, M. See Kotani, T., 2=7892  
 Mondin, H. See Huyghe, J., 2=1291  
 Mondin, H. See Huyghe, J., 2=1292  
 Mondin, H. See Huyghe, J., 2=1293  
 Mondino, M. See Schoeck, G., 3=23292  
 Mondolfo, L.F. See Horwath, J.A., 2=23817  
 Mondolfo, L.F. See Koves, G., 4=21352  
 Mondolfo, L.F. See Sundquist, B.E., 3=13503  
 Mondon, J. and Lacombe, P. Interferometric measurement of intergranular slip in Bi-crystals of zinc produced by thermal cycling, 3=6528  
 Moneo, J.de F. See Casas, J., 2=5145  
 Moneo, J.de F. See Casas, J., 2=17586  
 Moneti, G. See Leitner, J., 3=17000  
 Moneti, G.C. See Bertanza, L., 2=22652  
 Moneti, G.C. See Bertanza, L., 3=7935  
 Moneti, G.C. See Connolly, P.L., 3=17330  
 Moneti, G.C. See Di Capua, E., 2=18039  
 Moneti, G.C. See Yamamoto, S.S., 4=16971  
 Monfils, A. Heterogeneous perturbations between the states  $B^1\Sigma_u^+$  and  $C^1\Pi_u$  in the  $H_2$  molecule, 2=8080  
 Monfils, A. Study of the vibrational levels of the states  $B^1\Sigma_u^+(3p)$  and  $B^{11}\Sigma_u^+(4p)$  in the molecules  $H_2$ , HD and  $D_2$ , 2=8081  
 Monfils, A. States  $D^1\Pi_u(3p)$  and  $D^1\Pi_u(4p)$  in the molecules  $H_2$ , HD and  $D_2$ , 2=8082  
 Monfils, A. Absorption spectra of the molecules  $H_2$ , HD and  $D_2$ . IV. Comparative study of the heterogeneous perturbations between the states  $B^1\Sigma_u^+(2p)$  and  $C^1\Pi_u(2p)$  in the molecules  $H_2$ , HD and  $D_2$ , 3=2613  
 Monfils, A. Absorption spectra of the molecules  $H_2$ , HD, and  $D_2$ . V. Isotopic effect of the  $\Lambda$  doubling in the  $C^1\Pi_u(2p)$  state of the molecules  $H_2$ , HD, and  $D_2$ , 3=2614  
 Monfils, A. and Rosen, B. Research in progress and program of development in Liège, 4=12327  
 Monfils, A. See Herinckx, C.H., 0=12574  
 Monfils, A. See Herzberg, G., 1=6052  
 Monfils, A. See Herzberg, G., 2=14284  
 Monforte, F.R., Swanekamp, F.W. and Van Uitert, L.G. Radio frequency technique for pulling oxide crystals without employing a crucible susceptor, 1=10237  
 Mongelli, S., Romano, A., Waloschek, P., Gentile, A. and Perez-Ferreira, E. Analysis of inelastic collision  $\pi^- + C$  at 915 MeV, 3=6276  
 Mongelli, S. See Abbattista, N., 2=5951  
 Mongelli, S. See Alitti, J., 2=16229  
 Mongelli, S. See Alitti, J., 2=18156  
 Mongelli, S. See Bidan, U., 2=11988  
 Mongelli, S. See Daudin, A., 4=6125  
 Mongelli, S. See Daudin, A., 4=30260  
 Mongini, L. See Hausser, K.H., 4=25730  
 Mongodin, G. See Delafosse, J., 1=15967  
 Mongy, M., Salama, K. and Beckman, O. Dislocation relaxation in aluminium, 4=12754  
 Mongy, M. See Vallin, J., 4=23117  
 Monier, J.-C. See Cadoret, R., 4=2006  
 Monier, J.C. See Cadoret, R., 4=10473  
 Monin, A.S. Turbulence in shear flow with stability, 0=10640  
 Monin, A.S. On the similarity of turbulence in the presence of a mean vertical temperature gradient, 0=12170  
 Monin, A.S. The theory of locally isotropic turbulence, 0=19067  
 Monin, A.S. Atmospheric diffusion, 1=2562  
 Monin, A.S. The structure of atmospheric turbulence, 1=15227  
 Monin, A.S. Characteristics of the scattering of sound in a turbulent atmosphere, 2=17151  
 Monin, A.S. Turbulence spectrum in a thermally stratified atmosphere, 2=21627  
 Monin, A.S. Empirical data on turbulence in the surface layer of the atmosphere, 3=3455  
 Monin, A.S. The Lagrangian equations of the hydrodynamics of an incompressible viscous fluid, 3=16588  
 Monin, A.S. See Malkevich, M.S., 4=29267  
 Monin, I.F. A determination of the figure of the topographical surface of the earth with a relative error of the order of the square of flattening of the earth's ellipsoid, 4=2177  
 Moniz, W.B. and Gutowsky, H.S. Nuclear relaxation of  $N^{14}$  by quadrupole interaction in molecular liquids, 3=9482  
 Moniz, W.B., Steele, W.A. and Dixon, J.A. Nuclear spin relaxation in liquids. Spheroidal molecules, 3=16638  
 Monje, M. Light sensitivity in regions of simultaneous contrast for yellowish contrast test-fields, 3=11637  
 Monk, C.B. See Jones, J.R., 3=17099  
 Monk, H. and Kierys, F.F. Furnace for the uniform heating and mixing of powders in controlled atmospheres, 1=1626  
 Monk, P.G. See Prowse, W.A., 2=3024  
 Monk, P.G. See Prowse, W.A., 3=7491  
 Monma, K. and Suto, H. Experimental studies on the surface tension of molten metals and alloys, 3=121  
 Monnard, E. and Moussa, A. A study of  $\gamma$ -transitions and Auger electrons of  $Eu^{153}$ , 1=13731  
 Monnard, E. See Moussa, A., 1=13656  
 Monnier, M. See Magnac-Valette, D., 1=7411  
 Monnier, M.H. See Muckenhirn, O.W., 2=16914  
 Monnig, G. Search for a mass 550 particle, 2=3448  
 Monod-Herzen, G. Automatic recording microphotometer, 1=11839  
 Monod-Herzen, G. Determination of the average size of luminescent centres by application of Perrin's law, 4=17594  
 Monod-Herzen, G., Blanchard, M.L. and t'Kint de Roodenbeke, A. The thermoluminescence of cadmium iodide, 2=12636  
 Monod-Herzen, G., Langouet, L. and Giquelais, H. A sample-holder providing uniform temperature for thermoluminescent powders, 4=30694  
 Monod-Herzen, G. and Le Calvez, O. Excitation spectra and sensitization of excitation in lead-activated cadmium iodide, 2=18857



- Monod-Herzen, G., Nguyen-Chung-Tu and t'Kint de Roodenbeck, A. Fluorescence and phosphorescence of cadmium iodide, 0=13704
- Monod-Herzen, G., t'Kint de Roodenbeck, A. and Giquelais, H. Description of a cryostat with adjustable temperature, 3=9650
- Monod-Herzen, G. See Blanchard, M.L., 3=20524
- Monosov, Ya.A. Fluctuation radiation of a small ferrite sample at ferromagnetic resonance, 3=6739
- Monostori, B. and Weber, A. The Raman spectrum of gaseous  $\text{CF}_4$ , 1=6019
- Monoszon, N.A., Stolov, A.M., Gashev, M.A., Spevakova, F.M., Yavno, A. Kh., Kornakov, E.V., Kulakov, F.M., Nadgornyi, V.P. and Gorshkova, E.G. Power supply for the electromagnet of the 7 BeV proton synchrotron, 4=14798
- Monoszon, N.A., Stolov, A.M. and Spevakova, F.M. The effect of parasitic parameters of the electromagnet of the proton synchrotron on the asymmetry of the magnetic field, and methods of compensating for it, 4=14824
- Monoszon, N.A., Strel'tsov, N.A. and Ostrovskii, N.A. Basic parameters of the electromagnet of the 7 BeV proton synchrotron, 4=14795
- Monoszon, N.A. See Afrosimov, V.V., 1=9602
- Monoszon, N.A. See Glukhikh, V.A., 1=4617
- Monoszon, N.A. See Glukhikh, V.A., 1=5477
- Monoszon, N.A. See Glukhikh, V.A., 1=9258
- Monoszon, N.A. See Glukhikh, V.A., 1=9603
- Monoszon, N.A. See Veksler, V.I., 0=5369
- Monoszon, N.A. See Vladimirkii, V.V., 2=20081
- Monoszon, N.A. See Vladimirkii, V.V., 3=12275
- Monoszon, N.A. See Vladimirkii, V.V., 4=14794
- Monro, P.E. A study of phase fading of ionospheric reflections, 3=4278
- Monroe, R.L. On solutions to the Chapman electron density equation, 4=10754
- Monse, E.U. Calculation of equilibrium constants for several isotope exchange reactions involving  $\text{N}_2\text{O}_x$ , 0=16373
- Monse, E.U., Kauder, L.N. and Spindel, W. Nitrogen isotope exchange between liquid  $\text{N}_2\text{O}_x$  and NO at low temperature and elevated pressure, 3=13592
- Monse, E.U. and Spindel, W. Carbon and oxygen isotope exchange between CO and  $\text{Ni}(\text{CO})_4$ , 3=3380
- Monse, E.U., Spindel, W., Kauder, L.N. and Taylor, T.I. Enrichment of nitrogen-15 by chemical exchange of NO with liquid  $\text{N}_2\text{O}_x$ , 0=11497
- Monser, G.J. See Levine, D., 1=10583
- Monson, P.R., Allport, J.J. and Robben, F. Comparative studies of vibrational relaxation in nitric oxide, 2=2769
- Monsonogo, G. A unified model for nuclear photodisintegration phenomena near 20 MeV, 1=13766
- Monsonogo, G. and Piepenbring, R. Analysis of electric dipole transitions in odd nuclei of the rare-earth region, 4=30308
- Monsonogo, G. See Espi, G., 2=3483
- Monsonogo, G. See Espi, G., 2=12106
- Montagné, M. and Arnaud, P. Possibility of a steric effect of the environment in the transition  $\pi \rightarrow \pi^*$  of conjugated systems, 4=9752
- Montagnini, B. See Basso, P., 4=9611
- Montagu-Pollock, H.M. Surface decomposition of an explosive crystal, 2=19144
- Montagu-Pollock, H.M. See Chadderton, L.T., 3=22857
- Montagu-Pollock, H.M. See Chadderton, L.T., 3=25306
- Montague, B.W. See Bell, M., 3=19379
- Montague, J.H. and Paul, E.B. Cross sections for the production of gamma-rays by the inelastic scattering of neutrons from iron, 2=5923
- Montague, J.H. See Armitage, B.H., 4=9398
- Montague, J.H. See Freeman, J.M., 3=6200
- Montague, J.H. See Freeman, J.M., 4=12175
- Montague, J.H. See Paul, E.B., 2=1793
- Montague, J.H. See Paul, E.B., 4=22176
- Montague, W.E. and Strickland, J.F. Sensitivity of the water-immersed ear to high- and low-level tones, 1=15375
- Montague, W.G. See Otte, H.M., 4=3997
- Montague-Pollock, H.M. See Bowden, F.P., 2=854
- Montaine, D. Determination of the relaxation time of a gas by the shock tube method. Velocity profile, 4=14212
- Montalbetti, R. Photoelectric measurements of hydrogen emissions in aurorae and airglow, 0=8410
- Montalbetti, R. and Jones, A.V. H $\alpha$  emissions during aurorae over west-central Canada, 0=792
- Montalbetti, R. and McEwen, D.J. Hydrogen emissions during the period November 9-16, 1960, 1=10328
- Montalbetti, R. and McEwen, D.J. Hydrogen emissions and sporadic E layer behaviour, 2=17186
- Montaldi, E. On the structure of the four-point functions in Heisenberg's non-linear spinor theory, 1=5645
- Montaldi, E. The four-point function for a nonlinear two-component field, and its connections with Heisenberg's theory of elementary particles, 2=20240
- Montaldi, E. On the interpretation of the  $\tau$ -functions in Heisenberg's nonlinear theory of elementary particles, 3=2188
- Montaldi, E. See Gorini, V., 4=24961
- Montaldi, E. See Gulmanelli, P., 0=2478
- Montalenti, G. A report on magnetic research carried out in Italy in the last few years, 0=13740
- Montalenti, G. Brief survey of the recent researches on magnetism at the Istituto Elettrotecnico Nazionale Galileo Ferraris, 4=22953
- Montalenti, G. and Sari, C. On the influence of the formation of subgrain structures on the magnetic properties of pure iron, 1=11437
- Montalenti, G. See Biorci, G., 0=1803
- Montalenti, G. See Biorci, G., 0=13820
- Montalenti, G. See Biorci, G., 0=18189
- Montalenti, G. See Biorci, G., 1=1216
- Montalenti, G. See Biorci, G., 1=1226
- Montalenti, G. See Biorci, G., 1=9033
- Montalenti, G. See Biorci, G., 1=14730
- Montalenti, G. See Ferro, A., 2=8627
- Montalenti, G. See Ferro, A., 3=8783
- Montalenti, G. See Ferro, A., 3=23179
- Montalenti, G. See Mazzetti, P., 4=4347
- Montalto, M. Mean-monthly and seasonal circulation in the troposphere and stratosphere for the current analysis of the circulation of the high stratosphere, 3=3458
- Montalvo, R.A. and Marcus, J.A. Magnetic anisotropy in anti-ferromagnetic chromium, 4=15659
- Montanet, L., Newth, J.A., Petrucci, G., Salmeron, R.A. and Zichichi, Z. A cloud chamber study of nuclear interactions with energies of about 100 GeV, 0=15498
- Montanet, L. See Bartke, J., 1=8511
- Montanet, L. See Bartke, J., 2=13883
- Montanet, L. See Bartke, J., 3=22206
- Montanet, L. See d'Andlau, C., 3=17328
- Montanet, L. See Ghesquiere, C., 4=19575
- Montanet, L. See Grard, F., 2=1715
- Montanet, L. See Grard, F., 2=22513
- Montanet, L. See Loria, A., 2=1714
- Montariol, F. and Reich, R. The resistivity of large specimens of aluminium of different purities and the free path of electrons at helium and hydrogen temperatures, 2=14487
- Montariol, F. and Reich, R. Variation of the ideal resistivity of zone refined aluminium in bulk state between the temperatures 14° and 20.4°K, 2=18630
- Montariol, F. See Reich, R., 1=7852
- Montariol, F. See Reich, R., 2=12490
- Montbriand, L.E. and Jones, A.V. Studies of auroral hydrogen emissions in west-central Canada. I. Time and geographical variations, 2=24048
- Montbriand, L.E. and Jones, A.V. Auroral patches showing strong hydrogen lines, 4=2235
- Montbriand, L.E. See Hartz, T.R., 3=13805
- Montefinale, A. See Papée, H.M., 2=17497
- Montefinale, A.C. See Papée, H.M., 3=25890
- Montefinale, A.C. See Petriconi, G.L., 3=13558
- Montefinale, G. See Cacace, F., 1=15206
- Monteith, J.L. Solarimeter for field use, 0=4781
- Monteith, J.L. Attenuation of solar radiation: A climatological study, 3=5202
- Monteith, J.L. and Szeicz, G. The performance of a Gunn-Bellani radiation integrator, 1=15219
- Monteith, L.K. Correlation of I-V characteristic with noise for ion drifted p-i-n junction particle detectors, 4=16746
- Montel, E. Measurement of the mobilities of gaseous ions by the Paul Langevin analyser, 0=19619
- Montel, G. Concerning a recent communication by Livage and Mazieres on the existence of limited solid solutions in the midst of coprecipitated amorphous hydrated oxides, 4=13461
- Montel, M. See Ganson, A., 0=19390
- Montel, R. See Bastien, P., 4=4440
- Montelatici, V. Thermodynamical approach to the nuclear dynamic polarization, 4=24096
- Montelatici, V. A low evaporation target for liquid hydrogen, deuterium or helium, 4=30101



- Montes, H. See Bandyopadhyay, P., 4=2294
- Montes, J. See Artacho, E., 4=21883
- Montes de Oca, C. See Wainstein, C., 2=18429
- Montes de Oca, C. See Wainstein, C., 2=20790
- Montes Ponce de León, J. and Mañas Diaz, L. Construction and setting-up of a crystal neutron spectrometer, 2=18134
- Montes Ponce de León, J. See Artacho Savirón, E., 2=3665
- Montet, G.L. Interstitial compounds of irradiated graphite, 0=13567
- Montet, G.L. Low temperature galvanomagnetic properties of graphites, 3=8485
- Montgalfier, C. De. See De Montgalfier, C.
- Montgomery, A. J. New interferometer for the measurement of modulation transfer functions, 4=11354
- Montgomery, A. J. Measurement of modulation transfer functions in the presence of astigmatism, 4=14336
- Montgomery, C. E. See Mentzoni, M. H., 4=14904
- Montgomery, C.G. See McConnell, H.M., 3=25252
- Montgomery, D. Nonlinear Alfvén waves in a cold ionized gas, 0=1193
- Montgomery, D. Stability of large amplitude waves in the one-dimensional plasma, 0=9054
- Montgomery, D. Nonlinear time-dependent plasma oscillations, 1=11955
- Montgomery, D. Nonlinear Landau damping of oscillations in a bounded plasma, 3=21823
- Montgomery, D. Comments on "nonlinear Landau damping of oscillations in a bounded plasma", 4=14708
- Montgomery, D. and Gorman, D. Landau damping to all orders, 2=1462
- Montgomery, D. and Gorman, D. Erratum: Landau damping to all orders, 2=15937
- Montgomery, D. and Gorman, D. Boltzmann-Vlasov equation in a bounded region, 2=20000
- Montgomery, D. and Tidman, D. A. Secular and nonsecular behavior for the cold plasma equations, 4=11620
- Montgomery, D. See Challande, R., 3=2966
- Montgomery, D. See Gorman, D., 3=16957
- Montgomery, D. See Tidman, D. A., 4=24629
- Montgomery, D.B. Current-carrying capacity of superconducting Nb-Zr solenoids, 3=3969
- Montgomery, D.B. The generation of high magnetic fields, 3=21930
- Montgomery, D.J., Smith, A.E. and Wintermute, E.H. Static electrification of filaments: effect of filament diameter, 1=4549
- Montgomery, D.J. and Yeung, K.F. On the analysis of spectra in transmission through thin films, 2=21241
- Montgomery, D.J. See Ban, N.T., 3=125
- Montgomery, D. J. See Jaswal, S.S., 4=28361
- Montgomery, D.J. See Leffler, R.G., 2=10434
- Montgomery, D.J. See Robertson, W.M., 0=4553
- Montgomery, D.J. See Zimmerman, W.B., 0=18127
- Montgomery, H. and Lingafelter, E. C. The crystal structure of Tutton's salts. I. Zinc ammonium sulfate hexahydrate, 4=30857
- Montgomery, H. and Pells, G.P. The low temperature specific heat of scandium and yttrium, 1=19720
- Montgomery, H. and Pells, G.P. Errors in helium vapour pressure thermometry, 3=19082
- Montgomery, H., Teaney, D.T. and Walsh, W.M., Jr. Hyperfine field and ground-state spin alignment in antiferromagnetic  $\text{KMnF}_3$ , 2=23689
- Montgomery, H. See Nelson, R.W., 3=452
- Montgomery, H.C. Comments on "Effect of gaseous ambients upon 1/f noise in Ge filaments", 2=16695
- Montgomery, H. C. Electrical properties of surface layers on CdTe crystals, 4=12889
- Montgomery, J. and Vincent, C.H. A safe and interference-free earth for an oscilloscope, 3=9696
- Montgomery, L.L. See Spencer, D.E., 1=10582
- Montgomery, M. C. See Aléonard, R., 2=12695
- Montgomery, M.D. Excess noise in germanium and gallium-arsenide esaki diodes in the negative resistance region, 1=17767
- Montgomery, M.D. See Davey, J.E., 3=20926
- Montgomery, M. D. See Davey, J. E., 4=20368
- Montgomery, P.O'B. and Bonner, W.A. The ultra-violet flying spot television microscope, 1=8219
- Montgomery, P.W. See McWhan, D., 4=7500
- Montgomery, P. W. See Vaisnys, R. J., 4=26999
- Montgomery, W.D. and Broome, P.W. Spatial filtering, 2=21990
- Monti, D., Quareni, G. and Quareni Vignudelli, A. On the radiative decay mode  $K^+ \rightarrow \pi^+ + \pi^0 + \gamma$ , 1=16879
- Monti, D. See Giacomelli, G., 3=10167
- Monti, D. See Püschel, W., 2=22616
- Monti, H. See Anagnostidis, M., 4=13609
- Monti, R. and Napolitano, L.G. Theoretical analysis of thermoelectric characteristics of an ionized fluid, 3=24271
- Montilla, J. Interferometric device for the calibration of the micrometer screw of a microscope, 3=21524
- Montilla, J., Tinaut, D. and Villena, L. Optical behaviour of viscoelastic materials with high temperatures and large times of loading, 1=3820
- Montmory, M. C., Durif-Varambon, A. and Paré, X. "Pyrochlor-ilmenite" transformation in sodium antimonate, 4=13501
- Montmory, R. See Bruyère, J.C., 4=17657
- Montmory, R. See Bruyère, J. C., 4=20543
- Montmory, R. See Massenot, O., 4=20547
- Montroll, E. See Mazur, P., 0=4956
- Montroll, E. See Shedlovsky, T. [Eds.], 3=9356
- Montroll, E.W. On the statistical mechanics of transport processes, 0=16648
- Montroll, E.W. Topics on statistical mechanics of interacting particles, 1=15718
- Montroll, E.W., Potts, R.B. and Ward, J.C. Correlations and spontaneous magnetization of the two-dimensional Ising model, 3=13239
- Montroll, E.W. and Ward, J.C. Quantum statistics of interacting particles. II. Cluster integral development of transport coefficients, 0=7303
- Montroll, E.W. See Maradudin, A.A., 1=2368
- Montrose, C.J. See Hunter, J.L., 3=11793
- Montrose, C. J. See Hunter, J. L., 4=2675
- Montrose, C. J. See Hunter, J. L., 4=24189
- Montserrat, A. On aberration and the Doppler effect in the Schwarzschild universe, 3=14011
- Montserrat, A. Astronomical observation in special relativity, 4=37
- Montserrat, A. Astronomical observations in the Schwarzschild Universe, 4=38
- Montserrat, A. and Mas, L. Wave-fronts in the Einstein unified field theory: the case of a Maurer-Tison characteristic surface, 1=6777
- Montserrat, A. and Mas, L. Wave front in Einstein's unified theory. General survey, 1=15662
- Montserrat, A. See Mas, L., 1=6776
- Montserrat, A. See Bel, L., 4=24045
- Montuelle, J. See Bourelrier, F., 1=4011
- Montuelle, J. See Bourelrier, F., 3=15493
- Montuelle, J. See Bourelrier, F., 3=15494
- Montuelle, J. See Le Héricy, J., 1=4012
- Montuelle, J. See Le Lann, A., 4=23326
- Montuelle, J. See Lesbats, P., 2=6356
- Montvay, I. Determination of nuclear matrix elements from the measurement of  $\epsilon/\beta^+$ , 4=19710
- Montwill, A. See Allen, P., Sr, 3=7976
- Montwill, A. See Culhane, L., 1=2097
- Montwill, A. See Culhane, L., 4=21933
- Montwill, A. See Danysz, M., 3=22276
- Montwill, A. See Danysz, M., 4=9364
- Montwill, A. See Fletcher, E.R., 3=10232
- Moodie, A.F. See Cowley, J.M., 1=1831
- Moodie, A.F. See Cowley, J.M., 1=20484
- Moodie, A.F. See Cowley, J.M., 1=20706
- Moodie, A. F. See Cowley, J.M., 3=1303
- Moody, A.B. Space navigation, 2=15407
- Moody, D. A. Numerical calculations on hydrogen line strengths in an electric field, 4=25480
- Moody, D. A. See Hiskes, J.R., 4=9627
- Moody, D. E. and Rhodes, P. The use of an electronic computer in low temperature calorimetry, 4=8538
- Moody, D. E. See Blythe, H. J., 4=11430
- Moody, D.E. See Hoare, F.E., 2=11579
- Moody, P.L., Gatos, H.C. and Lavine, M.C. Growth of GaAs crystals in the  $\langle 111 \rangle$  polar direction, 0=18312
- Moody, P.L. See Gatos, H.C., 0=3175
- Moody, S. I. See Bisbee, J., 4=11400
- Mook, C.P. A preliminary meteorological study of the origin of whistlers, 0=8427
- Mook, C.P. [Ed.]. Symposium on sferics and thunderstorm electricity, 0=16481
- Mookherji, A. and Chhonkar, M.S. Anisotropy of water cluster about the  $\text{Cu}^{++}$  ion, 1=11756



- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. II.  $\text{Ni}^{++}$  ion, 1=12881
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. I. Cupric ions, 1=12882
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic  $\text{Co}^{++}$  ions in state of solution, 1=15883
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. III.  $\text{Cr}^{+++}$  ion, 2=5018
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. IV.  $\text{Co}^{++}$  ions, 4=2684
- Mookherji, A. and Mathur, S.C. Magnetic anisotropy of the  $\text{Fe}^{++}$  ion in siderite, 0=21025
- Mookherji, A. and Mathur, S.C. Magnetic studies on  $\text{Cu}^{++}$  ion in cupric acetate monohydrate crystal, 3=25505
- Mookherji, A. and Mathur, S.C. Two-dimensional antiferromagnetism in cupric formate tetrahydrate single crystal, 4=10298
- Mookherji, A. and Mookherji, T. Magnetic behaviour of some paramagnetic ions of iron group of metals in state of solution, 4=2708
- Mookherji, A. and Neogy, D. The effect of sixth degree cubic field on rare-earth ions in crystals, 1=17968
- Mookherji, A. and Neogy, D. Symmetry of the crystalline electric field on  $\text{Yb}^{+++}$  ion in  $\text{Yb}_2(\text{SO}_4)_3 \cdot 8\text{H}_2\text{O}$  crystal, 2=16582
- Mookherji, A. and Tandon, S.P. Ultraviolet absorption of  $\text{NO}_3^-$  ion, 2=20837
- Mookherji, A. and Tandon, S.P. Light absorption of  $\text{NO}_3^-$  ion in state of solution. I. 300  $\text{m}\mu$  band, 3=1689
- Mookherji, A. See Neogy, D., 4=13120
- Mookherji, T. Magnetic studies on  $\text{Co}^{++}$  ion in pink and blue solution at  $\text{CoCl}_2$ , 2=21903
- Mookherji, T. See Mookherji, A., 4=2708
- Mookherji, T. See Singhal, O.P., 3=5000
- Moon, L. L. Electronic system for high resolution pulse-height spectroscopy, 4=14981
- Moon, P. B. Developments in gamma-ray optics, 0=11134
- Moon, P. B. Interference between Rayleigh and nuclear resonant scattering of  $\gamma$ -rays, 1=17071
- Moon, P. B. and O'Connor, D. A. Some applications of the Mössbauer effect, 4=30502
- Moon, P. B. and Sood, B. S. Natural width and Doppler broadening in the  $^{152}\text{Sm}$  961 keV  $\gamma$ -ray resonance, 0=20336
- Moon, P. B. See Black, P. J., 1=601
- Moon, P. B. See Champeney, D. C., 1=5827
- Moon, P. B. See Cordey-Hayes, M., 0=15518
- Moon, R. M. Internal structure of cross-tie walls in thin perm-alloy films through high-resolution bitter techniques, 0=3049
- Moon, R. M. Distribution of magnetic moment in hexagonal cobalt, 4=30712
- Moon, R. M., Cable, J. W. and Koehler, W. C. Magnetic structure of neodymium, 4=13273
- Moon, R. M. and Shull, C. G. The effects of simultaneous reflections on single-crystal neutron diffraction intensities, 4=23411
- Moon, R. M. See Cable, J. W., 4=26354
- Mooney, C. S. Simplified ray-tracing computations, 2=13238
- Mooney, E. F. See Adams, D. M., 4=7117
- Mooney, M. Stress-strain curves of rubbers in simple shear, 4=7451
- Mooney, R. W. Optical properties of tin- and lead-activated calcium metasilicate phosphors, 0=2952
- Mooney, R. W. Tin-activated calcium orthosilicate phosphors, 0=4443
- Mooney, R. W. Magnesium lithium antimonate phosphors, 2=4174
- Mooney, R. W. and Hoffman, C. W. W. X-ray diffraction data for ammonium tetrathiotungstate, 3=25716
- Mooney, R. W. See Aia, M. A., 4=4603
- Mooney, R. W. See Hoffman, C. W. W., 1=1403
- Mooney, R. W. See Ropp, R. C., 0=2955
- Mooney, R. W. See Schmid, W. F., 3=23127
- Mooney, R. W. See Schmid, W. F., 4=26248
- Mooney, R. W. See Slavin, W., 1=2865
- Mooradian, A. J., Allison, G. M. and Palmer, J. G. Chalk river experience with fuel waterlogging, 0=5824
- Moorcroft, D. R. Models of auroral ionization. I. Auroral ionization models and their radio-reflection characteristics, 1=9204
- Moorcroft, D. R. Models of auroral ionization. II. Application to radio observations of aurora, 1=9205
- Moorcroft, D. R. Radio star fadeouts on phase-switching interferometer records, 3=11602
- Moorcroft, D. R. On the power scattered from density fluctuations in a plasma, 4=2983
- Moorcroft, D. R. and Forsyth, P. A. On the relation between radio star scintillations and auroral and magnetic activity, 3=11603
- Moorcroft, D. R. and Forsyth, P. A. Reply, 4=4953
- Moore, A. Improved mechanical properties and associated constitutional changes in commercially pure ingot beryllium as affected by heat treatment above  $700^\circ\text{C}$ , 2=4341
- Moore, A. and Cheer, D. A. Temperature errors in high temperature X-ray powder diffraction cameras, 2=23831
- Moore, A. See Morrow, F., 2=2920
- Moore, A. See Morrow, F., 4=10371
- Moore, A. See Taylor, W., 3=9893
- Moore, A. C. and Young, A. S. Some physical properties of thin magnetic films, 0=11853
- Moore, A. J. W. Reply to a letter on "thermal etching of silver", 2=14935
- Moore, A. J. W. The structure of atomically smooth spherical surfaces, 2=19064
- Moore, A. J. W. and Nicholas, J. F. Atomic configurations in ideally flat surfaces. I. Construction of models of surfaces in face-centred and body-centred cubic crystals, 2=2381
- Moore, A. J. W. See Hondros, E. D., 0=18328
- Moore, A. J. W. See Hondros, E. D., 1=4013
- Moore, A. J. W. See Mackenzie, J. K., 2=14931
- Moore, A. R. Current and voltage saturation in semiconducting CdS, 4=12885
- Moore, A. R. and Kessler, J. O. Origin of the photomagnetism anomaly in germanium, 0=7929
- Moore, A. R. and Kessler, J. O. Magnetic moment of a solid-state plasma, 4=4027
- Moore, A. R. See Braunstein, R., 2=2153
- Moore, A. R. See Kessler, J. O., 2=9674
- Moore, A. R. See Kessler, J. O., 3=3082
- Moore, A. W., Ubbelohde, A. R. and Young, D. A. An induction furnace for operations up to  $3400^\circ\text{C}$  using well oriented graphite, 2=17683
- Moore, A. W., Ubbelohde, A. R. and Young, D. A. Stress recrystallization of pyrolytic graphite, 4=26597
- Moore, A. W. See Blackman, L. C. F., 1=16163
- Moore, A. W. See Ubbelohde, A. R., 2=10327
- Moore, A. W. See Ubbelohde, A. R., 4=4523
- Moore, C. See Hersil, J., 3=4507
- Moore, C. B. and Brown, H. Barium in stony meteorites, 4=2409
- Moore, C. B. and Pimentel, G. C. Infrared spectrum and vibrational potential function of ketene and the deuterated ketenes, 3=17600
- Moore, C. B. and Pimentel, G. C. Infrared spectra of gaseous diazomethane, 4=9756
- Moore, C. B. and Pimentel, G. C. Solid infrared spectra, assignment and vibrational potential function of diazomethane, 4=10204
- Moore, C. B. and Pimentel, G. C. Out-of-plane  $\text{CH}_2$  bending potential functions of diazomethane, ketene, and related molecules, 4=15365
- Moore, C. B., Vonnegut, B. and Mallahan, F. J. Airborne filters for the measurement of atmospheric space charge, 2=4601
- Moore, C. B., Vonnegut, B., Stein, B. A. and Survilas, H. J. Observations of electrification and lightning in warm clouds, 0=16485
- Moore, C. B. See Brook, M., 2=6914
- Moore, C. B. See Vonnegut, B., 1=20843
- Moore, C. B. See Vonnegut, B., 1=20845
- Moore, C. B. See Vonnegut, B., 2=8974
- Moore, C. B. See Vonnegut, B., 2=11029
- Moore, C. B. See Vonnegut, B., 3=9039
- Moore, C. Bradley, Vibration-rotation spectrum of the perpendicular bending modes of  $\text{CH}_3\text{N}_3$ , 4=1290
- Moore, C. E. The spectra of rare-earths (August 1958), 0=9771
- Moore, C. E. An ultraviolet multiplet table. III, 2=18401
- Moore, C. E. An ultraviolet multiplet table. IV, 2=18402
- Moore, C. E. An ultraviolet multiplet table. V, 2=18403
- Moore, C. E. The atomic spectra of the rare earths: their presence in the sun, 3=19946
- Moore, C. E. The ultraviolet realm of spectroscopy, 4=23906
- Moore, C. E. and Broida, H. P. OH in the solar spectrum, 0=6603
- Moore, C. E. See Kiess, C. C., 1=4904
- Moore, C. E. See Malitson, H. H., 1=2612
- Moore, C. F. See Fox, J. D., 4=17057
- Moore, C. F. See Waton, C., 4=22178
- Moore, C. J., Milne, E. A. and Harrison, D. E., Jr. Simultaneous isothermal epitaxy of silver onto two differently oriented LiF crystals, 4=10484



- Moore, C. R. See Miller, D. P., 2=18583  
 Moore, C. R. See Miller, D. P., 3=23515  
 Moore, D. Neutron, electron and X-ray beams used for radiation research from a Van de Graaff generator, 2=5406  
 Moore, D. B. See Muller, G. M., 1=11620  
 Moore, D. G. See Pitts, J. W., 1=14843  
 Moore, D. W. Proton magnetic resonance spectrum of diketene, 1=11121  
 Moore, D. W. and Spiegel, E. A. The generation and propagation of waves in a compressible atmosphere, 4=10822  
 Moore, E. See Weymann, R., 3=11562  
 Moore, E. B. Molecular orbitals in  $B_2H_4$  and  $B_{10}H_{12}$ , 3=12816  
 Moore, E. B., Jr. Molecular orbitals in  $B_{10}H_{14}$ , 2=20795  
 Moore, E. B., Jr., Lohr, L. L., Jr and Lipscomb, W. N. Molecular orbitals in some boron compounds, 1=17335  
 Moore, E. J. An analogy between the effects of fluctuating electric fields and steady magnetic fields in isotropic conductors when a universal relaxation time cannot be defined, 0=13574  
 Moore, E. P. See Darnell, F. J., 3=15755  
 Moore, F. Two instruments for studying the plasticity of clays, 3=13360  
 Moore, F. H. Analytic constants for atomic scattering factors, 4=7584  
 Moore, F. L. Kinetic theory of gases, 3=14207  
 Moore, F. L., Jr. Iodine source for half-life experiments, 3=12630  
 Moore, F. L., Jr. See Thygesen, K. H., 3=16783  
 Moore, F. L., Jr., Thygesen, K. H., Derwin, C. C. and Eward, M. E. Jet-controlled arc. II. Excitation of third spectra, 4=8432  
 Moore, G. A. and Wyman, L. L. Quantitative metallography with a digital computer: application to a Nb-Sn superconducting wire, 3=13586  
 Moore, G. A. See Wyman, L. L., 2=21536  
 Moore, G. E. Dissociation of adsorbed CO by slow electrons, 1=10667  
 Moore, G. E. and Unterwald, F. C. Thermal dissociation of hydrogen, 4=20117  
 Moore, G. E. and Unterwald, F. C. Adsorption-desorption of hydrogen on tungsten and molybdenum, 4=23608  
 Moore, G. E. See Benedict, W. S., 2=3727  
 Moore, G. H. See Conger, R. L., 3=14711  
 Moore, H. E. See Kuroda, P. K., 1=7933  
 Moore, H. E. See Kuroda, P. K., 2=21639  
 Moore, H. R. See Herzberg, G., 0=1481  
 Moore, J. See Kinchin, G. H., 4=6436  
 Moore, J. A., Palevsky, H. and Chrien, R. E. Neutron capture in iron, 4=1092  
 Moore, J. A. See Deruytter, A. J., 4=17107  
 Moore, J. A. See Deruytter, J., 4=27721  
 Moore, J. A. See Jain, A. P., 4=17166  
 Moore, J. A. See Palevsky, H., 3=17285  
 Moore, J. A. See Schroder, I. G., 4=17210  
 Moore, J. B. A water wave recording instrument for use in hydraulic models, 4=18163  
 Moore, J. C. Measurement of surface stress in austenitic steel, 0=10254  
 Moore, J. E. See Miller, D. P., 2=18583  
 Moore, J. G. The geographic positions of the stable red arcs of October 25 and October 26, 1960, 2=13046  
 Moore, J. G. Lightning-enhanced  $N_2^+$  radiation in the night airglow, 3=13784  
 Moore, J. G. and Elliott, S. D., Jr. A multicolor photoelectric photometer for artificial satellite observations, 3=16726  
 Moore, J. G. and Odencrantz, F. K. The height and geographical position of the red auroral arc of April 1-2, 1960, 1=21050  
 Moore, J. G. See Odencrantz, F. K., 3=13778  
 Moore, J. G. See Roach, F. E., 1=15310  
 Moore, J. G. See Venkateswaran, S. V., 1=20812  
 Moore, K. H. Advanced placement program in physics, 0=4918  
 Moore, K. H. Radio astronomy, 1=12777  
 Moore, L. C. Kirchhoff diffraction pattern calculations, 4=8445  
 Moore, M. N. The determination of reactor transfer functions from measurements at steady operation, 0=13319  
 Moore, M. N. The power noise transfer function of a reactor, 1=755  
 Moore, M. N. The noise field of a reactor, 4=19861  
 Moore, M. S., Miller, L. G. and Simpson, O. D. Slow neutron  
 Moore, M. S. and Reich, C. W. Multilevel analysis of the slow neutron cross sections of  $U^{235}$ , 0=9704  
 Moore, M. S. and Simpson, F. B. The neutron elastic scattering cross-section of  $U^{235}$  below 20 eV, 2=14104  
 Moore, M. S., Simpson, O. D., Watanabe, T., Russell, J. E. and Hockenbury, R. W. Fission cross section of  $Pu^{241}$ , 4=28074  
 Moore, M. S. See Rester, D. H., 1=3425  
 Moore, M. S. See Simpson, O. D., 1=11027  
 Moore, M. S. See Simpson, O. D., 1=13829  
 Moore, N. Energy of interaction of two helium atoms, 0=15676  
 Moore, P. The other side of the moon, 0=8486  
 Moore, P. The impact of Lunik II on the moon, 1=10400  
 Moore, P. The origin of the lunar rays, 2=21696  
 Moore, P. The classification of lunar walled formations, 2=21698  
 Moore, P. Venus: Eastern elongation of 1960-1961, 2=24099  
 Moore, P. Distribution and origin of lunar craters, 3=11514  
 Moore, P. and Cattermole, P. J. The markings of Venus. Experiment with an illuminated globe, 0=8491  
 Moore, P. and Wilkins, H. P. Observations of the Russian moon rocket Lunik II, 0=3428  
 Moore, P. G. F., Pattenden, S. K. and Tattersall, R. B. The measurement of the effective resonance integrals of uranium and thorium using the pile oscillator operating inside a cadmium tube, 3=2544  
 Moore, P. See Brice, J. C., 1=13049  
 Moore, P. W. See Morino, Y., 2=6124  
 Moore, R. A. Millimeter wave parametric amplification with antiferromagnetic materials, 2=13684  
 Moore, R. A., Seagondollar, L. W. and Smith, R. B. Radio-frequency induction vacuum furnace for clean target preparation, 0=111  
 Moore, R. A. See Bhatia, A. B., 1=3596  
 Moore, R. A. See Watson, D. D., 3=24880  
 Moore, R. B. and White, W. Tables of rotational energy levels of deformed even-even nuclei, 0=17490  
 Moore, R. B. and White, W. Rotational energy levels of deformed even-even nuclei, 1=8607  
 Moore, R. B. See Barton, R., 4=6275  
 Moore, R. D. See Stanford, R. W., 0=10456  
 Moore, R. G. and Stamper, J. A. Components of the two-band resistivity tensor in semiconductors, 4=20341  
 Moore, R. G., Jr. Nuclear reaction cross-section theory, 0=7600  
 Moore, R. G., Jr. See Bullock, R. E., 0=13134  
 Moore, R. G., Jr. See Clingman, W. H., 1=8286  
 Moore, R. K. and Blair, W. E. Dipole radiation in a conducting half space, 2=5478  
 Moore, R. L. Magnetic and electric pressure in a confined plasma, 2=5346  
 Moore, R. L. Vibrations of a confined cylindrical plasma about a Gaussian equilibrium density distribution, 3=9815  
 Moore, R. S. See Leite, R. C. C., 4=24210  
 Moore, R. T. See Douslin, D. R., 1=15952  
 Moore, R. V. and Thorn, J. D. Advanced gas-cooled reactors: an assessment, 4=6431  
 Moore, S. A. See Rothmann, S. J., 3=10691  
 Moore, S. O. See Auerbach, E. H., 4=28039  
 Moore, S. O. See Chernick, J., 1=757  
 Moore, T. W. and Rodbell, D. S. Ferromagnetic resonance of single-crystal gadolinium, 4=13286  
 Moore, T. W. and Spong, F. W. Cyclotron resonance in aluminium, 2=3884  
 Moore, T. W. and Spong, F. W. Erratum: cyclotron resonance in aluminium, 2=14421  
 Moore, T. W. See Kip, A. F., 1=17489  
 Moore, T. W. See Langenberg, D. N., 0=539  
 Moore, W. and Silver, M. Generation of free carriers in photoconducting anthracene. I, 1=2424  
 Moore, W. See Silver, M., 2=23449  
 Moore, W. H. See Bowen, T., 0=17426  
 Moore, W. H. See Bowen, T., 0=17427  
 Moore, W. J. and Williams, E. L. Diffusion of zinc and oxygen in zinc oxide, 1=2395  
 Moore, W. J. See Barry, T. I., 4=25975  
 Moore, W. J. See Cunningham, R. L., 0=8173  
 Moore, W. J. See Grönlund, F., 0=3810  
 Moore, W. J. See Grönlund, F., 0=10989  
 Moore, W. J. See Luther, L. C., 4=28490  
 Moore, W. J. See O'Keefe, M., 1=17727  
 Moore, W. J. See O'Keefe, M., 2=2100  
 Moore, W. J. See O'Keefe, M., 2=14434  
 Moore, W. J. See O'Keefe, M., 3=22735  
 Moore, W. J. See Shi Jae Choi, 3=2828  
 Moore, W. J. See Straub, H. W., 4=24343  
 Moore, W. M., Hammond, G. S. and Foss, R. P. Photochemical evidence for triplet state quenching by paramagnetic species, 0=14130  
 Moore, W. S. See Bates, C. A., 2=4254



- Moore, W.S. See Standley, K.J., 3=22004  
 Moores, D. See Bely, O., 4=25576  
 Moorhead, J.E. See Dreyfus, M.G., 0=5140  
 Moorhead, W.G. See Bartke, J., 1=8511  
 Moorhead, W.G. See White, H.S., 3=24562  
 Moorhouse, G. See Bransden, B., 0=17230  
 Moorhouse, G. See Bransden, B., 0=20043  
 Moorhouse, R.G. Partial wave dispersion relations in K-nucleon absorption, 1=8504  
 Moorhouse, R.G. N/D method with second sheet poles, 2=11882  
 Moorhouse, R. G. [Ed.]. Strong interactions and high energy physics, 4=25012  
 Moorhouse, R.G. See Bransden, B.H., 1=8505  
 Moorhouse, R. G. See Bransden, B.H., 4=3453  
 Moorhouse, R.G. See Cumming, J., 2=12003  
 Mooring, F.P. See Huddleston, C.M., 0=5791  
 Mooring, F.P. See Lee, L.L., Jr, 0=433  
 Mooring, F.P. See Monahan, J.E., 1=1454  
 Moorjani, K. and McAvoy, N. Optical spectra of trivalent iron in trigonal fields, 4=1356  
 Moorthy, P.N. See Kevan, L., 4=4715  
 Moos, H. W. Resource letter MOP-1 masers (microwave through optical) and on optical pumping, 4=27010  
 Moos, H.W., Imbusch, G.F., Mollenauer, L.F. and Schawlow, A.L. Tilted-plate interferometry with large plate separations, 3=21561  
 Moos, H. W. and Sands, R. H. Study of spin-exchange collisions in vapors of  $\text{Rh}^{85}$ ,  $\text{Rh}^{87}$ , and  $\text{Cs}^{133}$  by paramagnetic resonance, 4=25591  
 Moos, H. W. See Mollenauer, L. F., 4=21294  
 Moose, P.H. See Hueter, T.F., 1=18534  
 Mooser, E. Semiconducting compounds, 1=1040  
 Mooser, E. and Pearson, W.B. On the crystal chemistry of normal valence compounds, 0=3219  
 Mooser, E. and Pearson, W.B. The chemical bond in semiconductors, 1=6139  
 Mooser, E. and Pearson, W.B. The ionic character of chemical bonds, 1=11111  
 Mooser, E. and Pearson, W.B. Ionic-covalent bonding in crystals, 2=6244  
 Mooser, E. See Basinski, Z.S., 2=8231  
 Mooser, E. See Basinski, Z.S., 3=10662  
 Mooser, E. See Beck, A., 2=6778  
 Mooser, E. See Boelsterli, H.U., 3=11231  
 Mooser, E. See Brebner, J.L., 2=2921  
 Mooser, E. See Brebner, J.L., 3=3007  
 Mooser, E. See Busch, G., 0=565  
 Mooser, E. See Fischer, G., 1=11290  
 Mooser, E. See Hulliger, F., 3=10762  
 Mooser, E. See MacDonald, D.K.C., 0=19569  
 Mootz, D. and Kunzmann, R. The crystal structure of  $\text{Sn}_3\text{S}_3$ , a third phase in the tin-sulphur system, 2=23848  
 Mora, S. Example of two mesons' production in  $\text{K}^-$  stars at rest, 1=8498  
 Mora, S. Direct production of electron pairs by  $\pi^-$ -mesons of 16 BeV in nuclear emulsions, 3=24708  
 Mora, S. See Baudinet-Robinet, Y., 2=13798  
 Mora, S. See Ciurlo, S., 3=8120  
 Mora, S. See Dascola, G., 0=15525  
 Mora, S. See Gainotti, A., 4=3446  
 Mora, S. See Quarenzi, G., 0=7417  
 Moraes, R.J.de. See de Moraes, R.J.de.  
 Moralez, M. and Lebrun, A. Hertzian spectra of solutions of n-hexanol in octane, 1=12893  
 Morais, C. Gaussian optics of systems with variable focal length, 0=2227  
 Morais, C. Paraxial properties of a system formed of two crossed plano-cylindrical lenses, 0=2228  
 Morais, C. (Reviewer). Modern geometrical optics (by Max Herzberger), 0=151  
 Morais, C. Note relating to a demonstration of the sine relation, 3=239  
 Morais, C. On surfaces of revolution free from sine aberration, 3=21519  
 Morales, A. See Costa, G., 4=11921  
 Morales, A. See Freund, P.G.O., 2=18144  
 Morales, A. See Freund, P.G.O., 2=22421  
 Morales, A. See Galindo, A., 2=11294  
 Morales, A. See Galindo, A., 3=14877  
 Morales, V. Ultraviolet spectrum of the  $\text{Na}_2$  molecule, 3=22549  
 Morales Villasevil, A. See Rodríguez Mayques, E., 1=16620  
 Morales y Amada, A. and Serment, C.A. Geometrical optimization of natural uranium rods for various moderators. I, 2=6070  
 Moran, H.S. See Zerby, C.D., 2=9736  
 Moran, H.S. See Zerby, C.D., 3=22234  
 Moran, M. See Conway, R. G., 4=23944  
 Moran, M. See Kellermann, K.L., 3=1541  
 Moran, P.A.P. Entropy, Markov processes and Boltzmann's H-theorem, 1=18292  
 Moran, P.R. Electron spin double resonance studies of F-centers in KCl. I, 4=22632  
 Moran, P.R., Christensen, S.H. and Silsbee, R.H. Electron spin resonance and optical absorption of electron excess centers in KCl, 1=14330  
 Moran, T. See Cohen, V. W., 2=16477  
 Moran, T. See Penselin, S., 2=16478  
 Moran, T. F. and Friedman, L. Neon-hydrogen ion-molecule reactions, 4=4694  
 Moran, T. F. and Friedman, L. Application of the Platt electrostatic model to diatomic hydride ions, 4=12455  
 Moran, T. F. and Hamill, W. H. Cross sections of ion-permanent dipole reactions by mass spectrometry, 4=1322  
 Moran, T.I. and Trischka, J.W. New determinations of the vibrational constants of  $\text{Li}^+\text{F}$  and  $\text{Li}^+\text{C}^{18}$  by the molecular beam electric resonance method, 1=5996  
 Morand, G., Meton, M. and Lejeune, G. Description and construction of a thermoelectric probe for the measurement of sound intensity in water, 4=2796  
 Morand, G., Meton, M. and Lejeune, G. Measurement of sound intensity in water and calibration of thermoelectric probes, 4=2797  
 Morand, M., Baudinet-Robinet, Y. and Winand, L. A study of long-range particles from polonium sources, 0=7581  
 Morand, M., Baudinet, Y. and Winand, L. Particles of abnormally long range emitted by polonium sources, 1=7361  
 Morand, M., Desprez-Rebaud, S. and Betrencourt, M. Determination of the sensitivity of Ilford G0 and G2 emulsions, 1=9709  
 Morand, M., Fayolle, J.C. and Desprez-Rebaud, S. Determination of the sensitivity of emulsions prepared by the bromination of a silver hydrosol, 1=7179  
 Morand, M., Le Gentil, M.C.L. and Desprez-Rebaud, S. Collisions of an electron with a hydrogen atom, 0=2716  
 Morand, M. See Baudinet-Robinet, Y., 2=13798  
 Morand, M. See Le Gentil, M.C., 0=12780  
 Morand, M. See Tsai-Chü, 0=17362  
 Morandi, A.J. See Wolf, E., 2=15433  
 Morandi, M.C., Guidotti, C. and Maestro, M. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. II. Two-centre integrals. A general formula for the construction of a matrix necessary for the translation of the reference system of the charge distributions, 3=22532  
 Morando, B. Libration of a 24-hour satellite, 2=7043  
 Morando, B. Resonance orbits of 24 hr satellites, 3=13939  
 Morant, M.J. Equilibrium space charge at the contact of a metal and a pure highly insulating liquid and its influence on high-field conductivity, 0=14642  
 Morant, M.J. Photo-injection of charge into dielectric liquids, 0=16699  
 Morant, M.J. Conference on electronic processes in dielectric liquids, Durham, April 1963, 3=18824  
 Morante-Belloni, A. The integral formulation of the reactor kinetics equations, 4=1134  
 Morantz, D. J. Optical maser action of organic species in amorphous media, 4=19297  
 Morantz, D.J., White, B.G. and Wright, A.J.C. Stimulated light emission by optical pumping and by energy transfer in organic molecules, 2=6195  
 Morantz, D.J., White, B.G. and Wright, A.J.C. Phosphorescence and stimulated emission in organic molecules, 3=2610  
 Moravcsik, M.J. (Conf.Rep.). Nuclear forces and the few-nucleon problem, 0=3926  
 Moravcsik, M.J. Polarization in pion-nucleon scattering and the second and third pion-nucleon resonances, 0=13027  
 Moravcsik, M.J. High energy physics, 1=8397  
 Moravcsik, M.J. Search for a spin-1 intermediate meson in neutral pion photoproduction, 2=3380  
 Moravcsik, M.J. High-energy physics, The 1962 International Conference, Geneva, July 4-11, 3=7815  
 Moravcsik, M.J. The principle of equivalence of elementary particles and the group-theoretical classifications, 4=9065  
 Moravcsik, M. J. Spin-zero photoproduction parity experiments beyond the threshold region, 4=19401  
 Moravcsik, M.J. See Bjorklund, F.E., 2=5896  
 Moravcsik, M.J. See Bjorklund, F.E., 3=12419



- Moravcsik, M.J. See Ciffra, P., 0=1297
- Moravcsik, M.J. See MacGregor, M.H., 0=2543
- Moravcsik, M.J. See MacGregor, M.H., 1=16771
- Moravcsik, M.J. See Riazuddin, 3=17264
- Moravek, P.H. See Holladay, W.G., 2=13792
- Moravek, P.H. See Holladay, W.G., 2=22495
- Moravisk, M.J. See MacGregor, M.H., 0=12931
- Moravek, P.H. and Joseph, D.W. Method for construction of unitary operators in quantum field theory, 4=3276
- Morawetz, C.S. Magnetohydrodynamic shock structure without collisions, 1=11934
- Morawetz, C.S. Modification for magnetohydrodynamic shock structure without collisions, 3=2106
- Morawetz, P.L. See Petschauer, R.J., 4=11754
- Morawski, D. Experimental investigations on ignition and burning voltages in neon-argon mixtures under conditions necessary for the development of cold cathode discharge tubes, 3=19221
- Morawski, T. See Romer, W., 3=21576
- Moraycsik, M.J. Bosen photoproduction experiments, 2=3264
- Morbitz, L. and Scharmann, A. Measurement of the penetration depth of helium ions and electrons of up to 10 keV in evaporated films of LiF, 4=8855
- Morch, K.A. Measurement of total acoustic power of sources of sound in a reverberation chamber, 0=19311
- Morchio, R. The biological system as a "stationary open system" after the theoretical model of L. von Bertalanffy, 0=805
- Morcillo, J., Fernández Biarge, J. and Herranz, J. Study of bond polar properties, 1=872
- Morcillo, J. See Fernández Biarge, J., 2=6155
- Mordfin, L. and Bloss, R.L. Simple strain gauge-based load controller, 2=19838
- Mordike, B.L. The tensile strength of some refractory metals at high temperatures, 1=20378
- Mordike, B.L. and Haasen, P. The influence of temperature and strain rate on the flow stress of  $\alpha$ -iron single crystals, 2=8731
- Mordike, B.L. See Balchin, N.C., 1=6913
- Mordkovich, V.N. The effect of oxygen on the electrical properties of n-type silicon, 3=22935
- Mordkovich, V.N. and Gartseva, L.E. Effect of oxygen on recombination in heat-treated silicon, 3=20319
- Mordkovich, V.N. Iulitsyn, M.I., 1=17707
- Mordovskaya, G.S. See Vasil'ev, R.D., 4=6085
- Morduch, G.E. See Whitrow, G.J., 1=2683
- Mordvinov, Yu.P. and Firsov, O.B. Dependence of the inelastic collision cross-sections of atoms and ions on velocity in the case of pseudo-intersection of the levels, 1=2301
- Mordyuk, M.S. Investigation of the decrement of damping and the elastic modulus during phase transformations in cobalt-tungsten alloys, 4=17727
- Mordyuk, M.S. See Polots'kii, I.G., 4=13403
- Mordyuk, V.S. See Aleksandrov, L.N., 3=3333
- Moreau, E. and Salmon, J. Action of the Boltzmann elastic collision operator on an isotropic velocity function in an imperfect Lorentz gas, 1=8079
- Moreau, G. and Calais, D. Determination of the mean atomic number of a homogeneous binary AB compound (solid solution or definite composition), 4=30398
- Moreau, J. Progress in vacuum-measuring apparatus using radioactive materials, 3=5469
- Moreau, J. and Bénard, J. The reversible striation of iron and its alloys, 2=7572
- Moreau, J. See Amoignon, J., 1=2794
- Moreau, J. See Cagnet, M., 0=17968
- Moreau, J. B. Lateral stabilization of an electron beam by an ionic space charge. Action of a grid in the region of free travel, 4=19096
- Moreau, J.J. A method of "functional kinematics" in hydrodynamics, 0=16673
- Moreau, J.J. Constants of a turbulent islet in a perfect barotropic fluid, 1=15802
- Moreau, J.J. Unilateral constraints and the Gauss principle, 3=9388
- Moreau, J. J. Contribution to the gas theory of J. Duclaux, 4=14461
- Moreau, J.J. See Bourot, J.J., 3=9429
- Moreau, R. Free, plane, laminar jet of an incompressible fluid in a transverse magnetic field, 3=12299
- Moreau, R. Polymorphism of potassium and sodium sulphates, 4=4520
- Moreau, R. The laminar, plane free jet of an incompressible fluid in the presence of a transverse magnetic field, 4=8908
- Moreau, R. Trial installation in the mechanics of fluids laboratories of the University of Grenoble, 4=11768
- Moreau, R. The effect of a transverse magnetic field on break-away, 4=16633
- Moreau, R. See Grjebine, T., 0=10974
- Moreau, R. See Pages, A., 4=16720
- Moreau, R. See Phillips, G.C., 0=19773
- Moreh, R., Daniels, T. and Jaffe, A. A. The spin and parity of the 5.37 MeV level in  $^{18}\text{O}$ , 4=25295
- Moreh, R. and Davis, G. The  $\text{O}^{17}(\text{t}, \text{p})\text{O}^{18}$  reaction in a nuclear reactor, 2=18361
- Moreh, R. and Jaffe, A. A. The energy level structure of  $^{18}\text{O}$ , 4=25296
- Moreh, R. See Birk, M., 3=10379
- Morehead, F.F., Jr. The mechanism and efficiency of electroluminescence in ZnS phosphors, 0=11794
- Morehead, F.F. Luminescence in ZnS, Se:Cu, Cl, 3=6674
- Morehead, F.F. A Dember effect study of shifts in the stoichiometry of ZnS, 3=20161
- Morehead, F.F. and Fowler, A.B. The Dember effect in ZnS-type materials, 3=910
- Morehead, F.F. and Title, R.S. Correlation of e.p.r. and electro-optical measurements in ZnS, 3=18128
- Morehead, F. F. See Miksic, M. G., 4=28746
- Morehead, F. F. See Title, R. S., 4=30556
- Morehouse, N.F., Jr. See Carter, J.C., 2=6006
- Morehouse, N.F., Jr. See Lane, R.O., 1=17982
- Moreira, J.A. Conversion electron spectra of the excited levels of tungsten 182, 2=22774
- Moreira Xavier, R. See Costa, N.L., 3=12905
- Morel, A. See Bessis, D., 4=3470
- Morel, A. See Jacob, M., 4=9267
- Morel, B. See Brugel, L., 3=19398
- Morel, P. Semi-empirical calculation of the transition temperature of superconductors and of the effect of pressure on the transition, 0=3705
- Morel, P. and Anderson, P.W. Calculation of the superconducting state parameters with retarded electron-phonon interaction, 2=5235
- Morel, P. and Nozières, P. Lifetimes effects in condensed helium-3, 2=15831
- Morel, P. See Anderson, P.W., 0=19540
- Morel, P. See Anderson, P.W., 1=13038
- Morel, P. See Brueckner, K.A., 0=11124
- Morelière, R. On the validity of the formula giving the short-circuit current gain of a transistor in the common emitter connection, as a function of frequency, 1=17777
- Morell, J.D. See Volterra, E., 2=2804
- Morellet, D. See Berley, D., 4=9281
- Morellet, D. See Jauneau, L., 3=12511
- Morellet, D. See Jauneau, L., 3=19708
- Morellet, D. See Lloret, A., 4=12036
- Morelli, C. New lines of research in terrestrial physics. I. The atmosphere, 2=17121
- Morelli, C. See Allan, T.D., 3=8995
- Morelli, C. See Gantar, C., 3=8994
- Morello, M.V. See Barakat, R., 2=19684
- Morello, M. V. See Barakat, R., 4=11330
- Morelock, C.R. Sub-micron whiskers by vapor deposition, 2=8798
- Morelock, C.R. and Sears, G.W. Growth mechanism of copper whiskers by hydrogen reduction of cuprous iodide, 0=1888
- Morelock, C.R. and Sears, G.W. Growth of whiskers by chemical reactions, 1=6501
- Morelock, C.R. See Luborsky, F.E., 3=23412
- Morelock, C.R. See Luborsky, F. E., 4=22987
- Moreno, A.M. and Fraga, A.R. Determination of lead - 212 in the atmosphere of Mexico City as a measure of its contamination, 3=18521
- Moreno, D. Error analysis in the introductory physics laboratory, 1=1670
- Moreno, D., Mantica, E., Ciampelli, F. and Sianesi, D. Infrared spectra of stereo-ordered polymers of monomeric vinyl aromatics. I. Isotactic polystyrene, 0=4676
- Moreno, D., Mantica, E. and Porri, L. Infrared spectra of polybutadiene. I. Syndiotactic 1,2 polybutadiene, 0=4677
- Moreno, M. See Amorós, J.L., 1=1390
- Moreno Moreno, A. and Ramirez de Arellano, M.E. Report No. 2, on the radioactivity of the air in the low regions of the atmosphere in the cities of Puebla and Monterrey (Mexico), 2=4616
- Moreno y Moreno, A., Archundia, C., Nava, A. and de Garza, D. B. Construction of a  $2\pi$  flow proportional counter for low level  $\alpha$ -counting, 4=25215



- Moret, H. Measurement of the internal cell length of glass measuring cells, 2=9226
- Moret, H. See Kruidhof, E.W., 2=7528
- Moret, H. See Van Audenhove, J., 4=10611
- Moret, R., Juillard, A. and Moussa, A. An electrostatic double focusing spectrometer for low energy electrons, 4=19491
- Moret-Bailly, J. Calculation of linear combinations of spherical harmonics forming bases of irreducible representations of the groups  $O_n$  and  $T_d$ , 0=7741
- Moret-Bailly, J. Study of the first terms in the series development of a totally symmetric function of an angular momentum [operator] in a problem with tetrahedral symmetry, 0=8466
- Moret-Bailly, J. Introduction to the calculation of the vibration-rotation energy of molecules with spherical symmetry, 0=11516
- Moret-Bailly, J. The interpretation of vibration-rotation spectra of molecules with tetrahedral or octahedral symmetry, 1=19619
- Moret-Bailly, F. Singular electron and neutrino fields, 4=27776
- Moret-Bailly, F. See Lichnerowicz, A., 4=9166
- Moreton, G.E. See Athay, R.G., 1=7989
- Moreton, G.E. See Greenstadt, E.W., 2=24125
- Moreton, G.E. See Malville, J.M., 1=15493
- Moreton, G.E. See Malville, J.M., 4=10907
- Moreton, G.E. See Young, C.W., 1=2656
- Moretti, C.F. Use of the photoelastic method for the study of residual stresses, 1=11724
- Moretti, S. See Bianchi, G., 4=29796
- Moretti, S. See Gerosa, A., 4=30363
- Morewitz, H.A. and Valentine, R.F. A system of obtaining and reducing neutron flux data from a critical assembly, 0=13348
- Morey, D.R. Plasma physics symposium, 3=5949
- Morey, F. Definition of nuclear potentials from double dispersion relations in field theory and potential scattering, 2=13942
- Morey, F. On the construction of low-energy nuclear potentials, 3=2348
- Morfee, R.G.S., Staveley, L.A.K., Walters, S.T. and Wigley, D.L. A heat capacity study of the movement of the ammonium ion in ammonium stannichloride and stannibromide by comparison of the heat capacities of the ammonium, rubidium and potassium salts, 0=11582
- Morgan, A. See Bryant, F.J., 0=7502
- Morgan, A.D. See Brown, G.M., 3=13747
- Morgan, A.H. See Fey, R.L., 2=16012
- Morgan, B.B. and Meyer, E.W. Multi-channel photoelectric scanning instrument for sizing microscopic particles, 0=4682
- Morgan, C.G. See Davies, D.K., 2=19898
- Morgan, C.G. See Davies, D.K., 3=9725
- Morgan, C.G. See Davies, D.K., 4=8619
- Morgan, C.G. See Davies, D.K., 4=18679
- Morgan, C.G. See Davies, D.K., 4=24570
- Morgan, C.S., Hall, L.L. and Yust, C.S. Sintering of sodium chloride, 4=17834
- Morgan, D. An estimate of the correction to the strip-approximation from inelastic unitarity, 3=24642
- Morgan, D. See Bransden, B.H., 4=3453
- Morgan, D. See Burren, J.W., 1=9648
- Morgan, D. See Businaro, U.L., 0=4148
- Morgan, D.J. Construction and operation of a simple flame-ionization detector for gas chromatography, 1=20775
- Morgan, D.J. and Rushbrooke, G.S. On the magnetically dilute Heisenberg and Ising ferromagnetics. II. High-temperature expansions, 2=731
- Morgan, D.J. and Rushbrooke, G.S. On the magnetically dilute Heisenberg and Ising ferromagnetics. III. Concentration expansions for the Heisenberg model, 3=20567
- Morgan, D.J. See Elliott, R.J., 1=1200
- Morgan, D.J. See Rushbrooke, G.S., 1=14681
- Morgan, E. and Barrow, R.F. Rotational analysis of the  $C^2\Sigma-X^2\Pi^+$  system of  $CaCl$ , 0=7754
- Morgan, F.R. Apparatus for the measurement of the mechanical properties of fibres, 0=8098
- Morgan, F.R. An electromicrobalance for weighing fibres, 0=8587
- Morgan, G.B. See Dutton, J., 3=19174
- Morgan, G.H. and Everhart, E. Measurements of inelastic energy loss in large-angle  $Ar^+$  on  $Ar$  collisions at KeV energies, 3=709
- Morgan, G.H. See Ziemba, F.P., 0=13407
- Morgan, H.W. and Staats, P.A. Infrared spectra of dilute solid solutions, 2=4147
- Morgan, I.L. See Mills, W.R., Jr., 2=20374
- Morgan, I.L. See Prud'homme, J.T., 0=9667
- Morgan, J.E., Elias, L. and Schiff, H.I. Recombination of oxygen atoms in the absence of  $O_2$ , 0=18429
- Morgan, J.E. and Schiff, H.I. The study of vibrationally excited  $N_2$  molecules with the aid of an isothermal calorimeter, 3=12824
- Morgan, J.E. and Schiff, H.I. Recombination of oxygen atoms in the presence of inert gases, 3=13597
- Morgan, J.E. and Schiff, H.I. Use of catalytic probes to determine atom concentrations and atom diffusion coefficients, 3=18430
- Morgan, J.G., Osborne, M.F. and Sisman, O. Irradiation effects in the EGCR fuel, 2=22873
- Morgan, J.L. See Bridle, J.A., 2=13479
- Morgan, J.R. See Buckingham, J.H., 3=20362
- Morgan, J.R. See Butcher, P.N., 3=8537
- Morgan, J.R. See Gibson, A.F., 1=14492
- Morgan, J.S. Improvements in an experiment on diffraction of light by sound, 4=2850
- Morgan, J.V. and Kane, E.O. Observation of direct tunneling in germanium, 0=2880
- Morgan, J.V. See Spencer, H.E., 0=20935
- Morgan, K.Z. Maximum permissible internal dose of radio-nuclides: recent changes in values, 0=12215
- Morgan, L. See Gammal, J., 3=25516
- Morgan, L.O. On hydration of gadolinium (III) ions in aqueous solution, 3=18832
- Morgan, L.O. See Bloembergen, N., 1=5285
- Morgan, L.O. See Nolle, A.W., 2=2732
- Morgan, M.G. Whistlers, 0=12208
- Morgan, O.B. See Kelly, G.G., 2=224
- Morgan, O.B. See Kelley, G.G., 2=3089
- Morgan, P.G. The geometry of surface cracks, 0=14045
- Morgan, P.G. A note on the drag of a screen at low Reynolds number, 1=2736
- Morgan, P.G. Note on the mechanical analogy of a viscoelastic fluid, 1=11738
- Morgan, P.G. and Saunders, A. An experimental investigation of inertia effects in viscous flow, 1=5252
- Morgan, R.C. and Karp, S.N. Uniqueness theorem for a surface wave problem in electromagnetic diffraction theory, 4=11797
- Morgan, S.P. Generalizations of spherically symmetric lenses, 0=5401
- Morgan, S.P. Transient response of a dipole antenna, 2=13690
- Morgan, S.P. See Fox, A.G., 3=24045
- Morgan, S.P. See Mammel, W.L., 2=15985
- Morgan, T.A. and Peres, A. Direct test for the strong equivalence principle, 3=5350
- Morgan, T.A. and Peres, A. Gravitational news, 3=16501
- Morgan, T.A. and Peres, A. Classical radiation recoil. II, 3=16515
- Morgan, T.D.N. See Evans, W.H., 0=3897
- Morgan, T.N. Application of the uncertainty principle to electron scattering by phonons in solids, 4=15444
- Morgan, T.N. and Kelly, C.E. The electric field dependence of conduction by electrons in nearly pure germanium, 2=23311
- Morgan, W.C. Effect of low compressive stresses on radiation-induced dimensional changes in graphite, 4=25464
- Morgan, W.W. Some characteristics of galaxies which bear on their use as a fundamental astrometric frame of reference, 0=12323
- Morgan, W.W. Some vistas of astronomical discovery, 0=16517
- Morgan, W.W. Some characteristics of galaxies, 2=4825
- Morgan, W.W. See Matthews, T.A., 4=26974
- Morgand, P. On the variations of structure as affected by purity observed in iron deformed in tension, 2=12849
- Morgand, P. On a very unusual type of slip observed in high purity iron, 3=10678
- Morgand, P. The study of structures formed after cold working by drawing of high purity iron, 3=13521
- Morgand, P. Some heterogeneities of structure revealed in a strongly worked very pure iron. Behaviour of this iron on recrystallisation, 4=13650
- Morgen, R.A. See Harding, R.H., 0=6939
- Morgenroth, H. The question of non-stationary plane shockwaves with a total energy which varies with time, 2=11400
- Morgenroth, H., Hess, H., Kischel, K., Rademacher, K. and Seliger, K. On the theory of shock wave propagation and channel formation in strong spark discharges, 1=18785



- Morgenroth, H., Hess, H., Kischel, K., Rademacher, K. and Seliger, K. Theory of shock wave propagation and discharge channel development in strong spark discharges, 1=18787
- Morgenroth, H. See Hess, H., 2=1405
- Morgenroth, H. See Hess, H., 1=18786
- Morgenroth, H. See Hess, H., 4=14254
- Morgenroth, H. See Seliger, K., 2=9587
- Morgenshtern, Z.I. See Bukke, E.E., 3=25484
- Morgenshtern, Z.L. Luminescence of non-activated CsI monocrystals, 0=4440
- Morgenshtern, Z.L. Luminescence of non-activated CsI crystals. II, 0=16081
- Morgenshtern, Z.L. See Vasil'eva, N.N., 1=10116
- Morgenshtern, Z.L. See Vasil'eva, N.N., 2=14723
- Morgenshtern, Z.L. See Vasil'eva, N.N., 2=23589
- Morgenstern, B. See Hanszen, K.J., 4=14762
- Morgenstern, B. See Lohmann, A., 4=8453
- Morgenstern, J. See Bianchi, G., 2=9865
- Morgenstern, J. See Bianchi, G., 4=17153
- Morgenstern, J. See Bianchi, G., 4=17154
- Morgenstern, J. See Bianchi, G., 4=17155
- Morgenstern, J. See Bianchi, G., 4=17156
- Morgenstern, J. See Corge, C., 1=17112
- Morgenstern, J. See Corge, C., 2=295
- Morgenstern, J. See Corge, C., 2=388
- Morgenstern, J. See Corge, C., 2=415
- Morgenstern, J. See Corge, C., 2=416
- Morgenstern, J. See Corge, C., 2=18334
- Morgenstern, J. See Julien, J., 2=18332
- Morgenstern, J. See Julien, J., 2=18333
- Morgenstern, J. See Julien, J., 3=4645
- Morgenstern, J. See Julien, J., 4=28036
- Morgenstern, J. See Netter, F., 1=9870
- Morgenstern, M. Maximum entropy of granular materials, 4=17831
- Morgenthaler, Z.L. and Vasiljeva, N.N. The luminescence of unactivated alkali iodides, 3=18024
- Morgenthaler, F.R. Harmonic resonances in small ferrimagnetic ellipsoids, 0=3120
- Morgenthaler, F.R. A survey of ferromagnetic resonance in small ferrimagnetic ellipsoids, 0=10201
- Morgenthaler, F.R. On the possibility of obtaining large amplitude resonance in very thin ferrimagnetic disks, 2=12805
- Morgenthaler, F.R. Microwave phonon instabilities associated with ferromagnetic resonance, 3=5032
- Morgenthaler, F.R. Unstable growth of phonons at high microwave power levels in magnetically ordered single crystals, 3=15897
- Morgenthaler, F.R. Longitudinal pumping of magnetoelastic waves in ferrimagnetic ellipsoids, 3=15898
- Morgenthaler, F.R. Longitudinal parametric excitation of magnons in a two-sublattice ferrimagnetic crystal, 3=23192
- Morgenthaler, F.R. Errata: longitudinal parametric excitation of magnons in a two-sublattice ferrimagnetic crystal, 4=4368
- Morgenthaler, F.R. An analog computer study of unstable spin waves, 4=13291
- Morgenthaler, F.R. Stability of the Néel ground state in a two-sublattice ferrimagnet, 4=23011
- Morgenthaler, F.R., Olson, F.A. and Bennett, G.E. Suppression of spin wave instabilities associated with ferromagnetic resonance, 3=1164
- Morgenthaler, F.R. See Stiglitz, M.R., 0=10177
- Morgner, V. and Avraamov, Yu. S. Notes on low-temperature internal friction of pure iron, 4=20660
- Morgue, M. See Escudie, B., 4=14010
- Morguleff, N. See Barbier, D., 4=26910
- Morguleff, N. See Barbier, D., 4=29386
- Morgulis, N.D. Change of the work function of an electron escaping from metal, due to an adsorbed film of BaO molecules, 0=5327
- Morhulis, N.D. The fate of metal-film cathodes, 1=16363
- Morgulis, N.D. and Korchevoi, Yu.P. Some properties of Cs plasma in a thermionic energy converter, 1=16372
- Morgulis, N.D. and Korchevoi, Yu.P. The application of thorium carbide to the thermionic conversion of heat into electrical energy, 3=4000
- Morgulis, N.D. and Korchevoi, Yu.P. Mobility and scattering cross-section of electrons in weakly ionized caesium plasma, 3=12186
- Morgulis, N.D. and Korchevoi, Yu.P. Effect of an interelectrode caesium plasma on the characteristics of a thermionic energy converter, 3=24206
- Morgulis, N.D. and Korchevoi, Yu.P. Mobility and transverse scattering of cesium ions in a weakly ionized cesium plasma, 4=21497
- Morgulis, N.D. and Korchevoi, Yu.P. Some properties of a weakly ionized thermal cesium plasma, 4=21575
- Morgulis, N.D., Korchevoi, Yu.P. and Chutov, Yu.I. Some physical features of thermoelectric energy conversion, 2=7555
- Morgulis, N.D., Levitskii, C.M. and Groshev, I.N. Current oscillations in the system of a thermionic energy converter with caesium vapor, 3=24207
- Morgulis, N.D. and Marchenko, R.I. Some ionization methods for measuring very high vacuums, 4=16159
- Morgulis, N.D. and Naumovets, A.G. The application of thermionic emission for direct transformation of thermal into electric energy, 0=15051
- Morgulis, N.D. and Naumovets, A.G. Kinetics of the formation and some properties of oxygen films adsorbed on tungsten, 0=21297
- Morgulis, N.D., Ptushinskii, Yu.G. and Chulkov, B.A. Partial adsorption of the components of residual gases in a very high vacuum, 0=18448
- Morgulis, N.D. See Vedula, Yu.S., 0=9064
- Morgunov, B.I. See Volosiv, V.M., 4=16164
- Morgunov, B.I. See Volosov, V.M., 4=21210
- Morhchlis, N.D. Treating the phenomena at the cathode of a plasma diode as a model for a magnetogasodynamic energy converter, 3=21816
- Morhulis, N.D. Determination of gas pressures in the very low range by electron-adsorption methods, 2=1215
- Morhulis, N.D. and Chutov, Yu.I. Influence of the magnetic field on phenomena in a caesium vapour diode, 3=19166
- Morhulis, N.D. and Marchenko, R.I. Partial adsorption and desorption of residual gas components in very high vacuum on the surfaces of single-crystal germanium and silicon, 2=12951
- Morhulis, N.D. and Marchuk, P.M. Investigation of a caesium arc rectifier, 1=11970
- Môri, A. Ion cyclotron resonance in a slightly ionized gas, 2=17843
- Môri, A. and Hayashi, S. A detecting method of ion cyclotron resonance, 3=24323
- Môri, A. See Kôji Uo, K., 3=1990
- Mori, C. See Enomoto, S., 3=16186
- Mori, C. See Enomoto, S., 3=21017
- Mori, C. See Enomoto, S., 4=10668
- Mori, G.F. On the fluctuation of ambiguous figures, 3=23718
- Mori, G.F. and Brancolini, G.P. Studies in tachistoscopic campimetry, 2=24213
- Mori, G.F. See Ronchi, L., 2=15429
- Mori, H. Theory of collective motion of particles, 2=13260
- Mori, H. Collective motion of particles at finite temperatures, 3=7140
- Mori, H. Paramagnetic resonance line width in antiferromagnets, 4=13307
- Mori, H. On the relaxation processes near the second order phase transition point, 4=16289
- Mori, H. On the correlation function theory of transport in non-uniform systems, 4=18109
- Mori, H. and Kawasaki, K. On the critical scattering of neutrons, 1=14732
- Mori, H. and Kawasaki, K. Quantum theory of spin diffusion, 2=2287
- Mori, H. and Kawasaki, K. Theory of dynamical behaviors of ferromagnetic spins, 2=12759
- Mori, H. and Kawasaki, K. Theory of spin diffusion, 3=988
- Mori, H. and Kawasaki, K. Antiferromagnetic resonance absorption, 3=8704
- Mori, H., Kawasaki, K. and Tani, K. Dynamical behaviors of antiferromagnetic spins, 2=10692
- Mori, H. See Kawasaki, K., 1=17942
- Mori, H. See Kawasaki, K., 1=17943
- Mori, H. See Kawasaki, K., 3=1136
- Mori, H. See Kawasaki, K., 3=7399
- Mori, H. See Nishimura, H., 2=4962
- Mori, I., Akimune, H. and Suita, T. Design of fast acting valve for plasma gun, 3=19285
- Mori, K. See Daivasu, K., 3=12530
- Mori, K. See Enjôji, H., 3=5656
- Mori, K. See Ezawa, H., 1=3170
- Mori, K. See Ezawa, H., 1=13481



- Mori, K. See Fukui, S., 4=24957  
Mori, K. See Iso, C., 0=9290  
Mori, K. See Iso, C., 0=20044  
Mori, K. See Ito, D., 1=530  
Mori, K. See Kobayakawa, K., 3=17366  
Mori, K. See Minami, S., 4=3468  
Mori, K. See Minami, S., 4=9144  
Mori, M. and Doi, K. Crystallite size distribution of  $\gamma$ -ray irradiated polyethylenes as revealed by Fourier transformation of line profiles, 4=13699  
Mori, M. and Kumagai, M. Gel formation in polyvinyl alcohol film by heat treatment after exposure to ultraviolet light, 4=10664  
Mori, M., Watanabe, T. and Katsuura, K. Collisional excitation transfer between atoms in the resonant process, 4=19991  
Mori, N. Spectral sensitivity determinations by cutoff filters, 1=11827  
Mori, P.N.La. See La Mori, P.N.  
Mori, R. and Hasimoto, K. Electrical properties of TiSe, 2=644  
Mori, S., Iizuka, T. and Tachikawa, K. A survey of the effect of heat treatment on silicon, 3=15579  
Mori, S., Shigetomi, S. and Koga, Y. Electrical properties of InSe, 3=13073  
Mori, S., Ueno, H., Nagashima, K. and Sagisaka, S. The 27-day recurrence tendency in cosmic ray intensity and its correlation with solar and geomagnetic activity, 4=30291  
Mori, S. See Kimura, M., 3=22376  
Mori, S. See Kondo, I., 2=12068  
Mori, S. See Okazaki, C., 1=14735  
Mori, S. See Sekido, Y., 2=12067  
Mori, S. See Sekido, Y., 2=12069  
Mori, S. See Sugawara, M., 3=12653  
Mori, S. See Tohei, T., 1=17070  
Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. I. Mutual dependence between dipole moment and end-to-end length, 1=12343  
Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. II. A special simplified model and numerical calculations, 1=12344  
Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. III. Convergence of Neumann series, 1=14120  
Mori, T. A correction to my paper "The dipole moment and end-to-end length of the isotactic vinyl polymer. I." 1=17381  
Mori, T. Dipole moment and end-to-end distance of syndiotactic vinyl polymer, 4=30491  
Mori, T. and Meshii, M. On the nucleation of vacancy clusters in gold, 4=12724  
Mori, T. See Meshii, M., 2=6409  
Mori, T. See Miyoshi, Y., 3=12087  
Moriamez, C. Orientation radiofrequency spectra of polyalcohols, 1=2768  
Moriamez, C. and Allab, M.D. Dielectric properties of diols with branched chains, in the pure state and in solution, 3=21397  
Moriamez, M., Raczy, L., Constant, E. and Lebrun, A. Study of the structure of liquids with a hydrogen bond by dispersion and dipolar absorption, 4=29611  
Moriamez, M. See Daumezon, P., 3=21392  
Moriamez, M. See Lebrun, A., 1=10796  
Moriamez, M. See Raczy, L., 3=21396  
Moriamez-Boullet, Cl. Interpretation of the dielectric properties of glycols, comparison with monoalcohols, 1=15896  
Moriarty, J.L., Jr. See Baezinger, N.C., 2=15042  
Moriarty, J.L., Jr. See Baezinger, N.C., 2=15043  
Moriceau, Y. and Bertin, A. Investigation of the ( $\gamma$ , 2n) reaction on  $O^{16}$  bombarded by 31 MeV photons, 4=30335  
Morigaki, H. See Abe, H., 4=10243  
Morigaki, H. See Abe, H., 4=26266  
Morigaki, H. See Abe, H., 4=26390  
Morigaki, H. See Abe, H., 4=26391  
Morigaki, H. See Abe, H., 4=26413  
Morigaki, K. Paramagnetic resonance of cobalt in cadmium chloride and cadmium bromide, 1=20202  
Morigaki, K. Electron spin resonance in neutron irradiated LiF, 1=20219  
Morigaki, K. Electron spin resonance of  $Cr^{3+}$  in CdS, 3=23226  
Morigaki, K. Electron spin resonance of  $Nd^{3+}$  in cadmium sulfide single crystals, 4=7333  
Morigaki, K. Electron spin resonance of  $Co^{2+}$  in CdS, 4=10317  
Morigaki, K. Electron spin resonance of  $Cr^{2+}$  in cadmium sulfide single crystals, 4=15669  
Morigaki, K. and Mitsuma, T. Electron spin resonance in phosphorus-doped germanium subjected to uniaxial stress, 3=18131  
Morigaki, K. See Toyotomi, S., 4=12886  
Moriguchi, H. Connection formulas for W.K.B. solutions with two turning points, 1=2  
Moriguchi, H. An improvement of the W.K.B. method in the presence of turning points and the asymptotic solutions of a class of Hill equations, 1=3  
Moriguchi, H. The phase shift formula in the improved WKB method, 1=4264  
Moriguchi, Y., Hayashi, H. and Yokoyama, Y. Surface concentration of gallium and boron in silicon, 4=4077  
Morikawa, M. Electron optics in accelerating tubes, 2=1528  
Morikawa, M. Electron optics in multi-stage lens system. I, 2=15968  
Morikawa, M. Weak lens formulas for accelerating tubes, 2=20064  
Morikawa, M. Electron optics in multi-stage lens system. II, 2=22264  
Morikawa, M. Approximate formulas for coaxial two-cylinder lenses, 3=8861  
Morikawa, M. Polynomial approximation to focal constants of equidiameter two-cylinder lenses, 3=14656  
Morikawa, M. Electron optics in multi-stage lens system. III. Relativistic lens, 3=19346  
Morikawa, M. Calculation of axially symmetric electrostatic fields for two coaxial equidiameter cylinders, 4=2931  
Morikawa, M. See Hata, T., 4=16224  
Morilleau, E. Development of the manufacture of some types of photomultiplier, 1=16584  
Morillon, B. See Bourot, J.M., 0=10360  
Morimoto, H. Electron diffraction study of evaporated films of nickel and cobalt, 3=1369  
Morimoto, H. and Sakata, H. Electron diffraction study of evaporated films of nickel and cobalt, 2=4508  
Morimoto, H. and Uyeda, R. A second comparison of various commercially available X-ray films, 4=3081  
Morimoto, H. See Shibayama, K., 4=17706  
Morimoto, M. The motion and the height of type III and type IV bursts of solar radio emission, 2=2560  
Morimoto, M. On the directivity of solar radio bursts at meter waves, 3=16425  
Morimoto, M. and Kai, K. The height of the solar radio bursts at 200 Mc/s, 2=2561  
Morimoto, M. and Kai, K. Height and motion of the solar radio bursts at 200 Mc/s, 2=13161  
Morimoto, M. See Makita, M., 1=6708  
Morimoto, M. See Suzuki, S., 2=7034  
Morimoto, M. See Tsuchiya, A., 2=2562  
Morimoto, M. See Tsuchiya, A., 2=7038  
Morimoto, N. Structures of two polymorphic forms of  $Cu_2FeS_4$ , 4=23438  
Morimoto, S. See Ogawa, S., 2=2307  
Morimoto, S. See Ogawa, S., 2=16939  
Morimoto, S. See Ogawa, S., 3=8733  
Morimoto, S. See Takagi, M., 1=13252  
Morimoto, S. See Takagi, M., 3=23440  
Morimoto, T. Markov processes and the H-theorem, 3=11709  
Morimoto, T. On density fluctuations in a dilute gas, 3=14209  
Morimoto, T. and Takamura, J. Light and heavy holes in conduction of tin-doped bismuth, 3=25355  
Morimoto, T., Takamura, J. and Sugimoto, Y. Three-fold symmetry of magnetoresistance in thin-doped bismuth, 4=20354  
Morimoto, T. and Tani, K. Scattering of charge carriers from point imperfections in semiconductors, 2=21114  
Morimoto, T. See Takamura, J., 3=23343  
Morimoto, Y. See Nakamoto, K., 3=25120  
Morimura, M. A simple frequency-doubling circuit, 3=21683  
Morin, F.J. Halides, oxides, and sulfides of the transition metals, 1=17674  
Morin, F.J. Halides, oxides, and sulfides of the transition metals, 2=23412  
Morin, F.J. and Maita, J.P. Specific heats of transition metal superconductors, 3=7405  
Morin, F.J., Maita, J.P., Williams, H.J., Sherwood, R.C., Wernick, J.H. and Kunzler, J.E. Heat capacity evidence for a large degree of superconductivity in  $V_3Ga$  in high magnetic fields, 2=11570



- Morin, F.J. See Compton, V.B., 1=11881
- Morin, I. See Austin, I.G., 2=4130
- Morin, J. See Lemogne, A., 4=4492
- Morin, J. See Lemogne, A., 4=7462
- Morin, J. See Lemogne, A., 4=13449
- Morin, J. See Pascal, J., 3=22899
- Morinaga, H. and Gugelot, P.C. Gamma rays following ( $\alpha, xn$ ) reactions, 3=22428
- Morinaga, H. and Ishii, C. Direct capture of slow neutrons by the nuclear p states, 1=2222
- Morinaga, H. and Kuroyanagi, T. Internal target for a betatron, 1=246
- Morinaga, H., Kuroyanagi, T., Mitsui, H. and Shoda, K. Three new isotopes, Co<sup>63</sup>, Ga<sup>75</sup>, and As<sup>81</sup>, 1=7545
- Morinaga, H. and Nagatani, K. Lower excited states of W<sup>185</sup>, 0=20418
- Morinaga, H. and Takahashi, K. A  $4^+ \rightarrow 0^+$  cross-over transition, 1=2189
- Morinaga, H. and Takahashi, K. Orbit flip magnetic transitions, 3=2392
- Morinaga, H. and Wolzak, G. Potassium 45, 4=30321
- Morinaga, H. See Chiba, R., 1=15551
- Morinaga, H. See Chilos, G., 3=7992
- Morinaga, H. See Homma, S., 1=13715
- Morinaga, H. See Kotajima, K., 0=11336
- Morinaga, H. See Kuroyanagi, T., 2=5844
- Morinaga, H. See Kuroyanagi, T., 4=12179
- Morinaga, H. See Takahashi, K., 0=9562
- Morinaga, H. See Takahashi, K., 1=637
- Morinaga, H. See Takahashi, K., 1=17113
- Morinaga, H. See Yuta, H., 0=11352
- Morinaga, K. See Laitinen, H.A., 3=1380
- Morineau, Y. See Desbrandes, R., 1=16254
- Morinet, G. See Lapluye, G., 0=4381
- Morinet, G. See Lapluye, G., 0=6156
- Morinet, G. See Lapluye, G., 0=7982
- Morinigo, F.B. The effects of reactions on elastic scattering, 2=20575
- Morinigo, F.B. On the importance of the range of interactions in stripping and knockout amplitudes, 3=19827
- Morinigo, F.B. Coulomb wave amplitudes for  $L = 0$  stripping reactions, 4=9468
- Morinigo, F.B. Analytic treatment of Coulomb distortions in  $L = 0$  stripping reactions, 4=9469
- Morinigo, F.B. Exact treatment of pure Coulomb distortions in ( $X, n$ ) stripping reactions, 4=22095
- Morinigo, F.B. See Nordberg, M.E., 1=639
- Morinigo, F.B. See Nordberg, M.E., Jr., 2=3508
- Morino, Y., Cyvin, S.J., Kuchitsu, K. and Iijima, T. Shrinkage effect of nonlinear conformations, 2=10267
- Morino, Y. and Iijima, T. The effect of molecular vibration upon interatomic distances of carbon disulfide, 2=22954
- Morino, Y., Kikuchi, Y., Saito, S. and Hirota, E. Equilibrium structure and potential function of sulfur dioxide from the microwave spectrum in the excited vibrational state, 4=22382
- Morino, Y., Kuchitsu, K. and Oka, T. Internuclear distance parameters, 2=10266
- Morino, Y., Murata, Y., Ito, T. and Nakamura, J. Mean square amplitudes and force constants of silicon tetrachloride and sulfur dichloride, 2=22957
- Morino, Y., Nakamura, J. and Moore, P.W. Shrinkage effect by thermal vibrations in linear-skeleton molecules, 2=6124
- Morino, Y., Nakamura, Y. and Iijima, T. Mean Square amplitudes and force constants of tetrahedral molecules. I. Carbon tetrachloride and germanium tetrachloride, 0=5897
- Morino, Y. and Toyama, M. Zeeman effect of nuclear quadrupole resonance spectrum in 1,3,5-trichlorobenzene, 1=9076
- Morino, Y. and Toyama, M. Zeeman effect of the nuclear quadrupole resonance spectrum in crystalline powder, 1=20279
- Morino, Y., Toyama, M. and Itoh, K. Determination of bond angles in  $\delta$ -bhc crystal by the Zeeman effect of nuclear quadrupole resonance spectrum, 3=8872
- Morino, Y. See Chiba, T., 0=6271
- Morino, Y. See Kikuchi, Y., 0=2744
- Morino, Y. See Matsumura, C., 3=6438
- Morino, Y. See Oka, T., 1=13994
- Morino, Y. See Oka, T., 1=14021
- Morino, Y. See Oka, T., 2=6140
- Morino, Y. See Oka, T., 2=14264
- Morino, Y. See Oka, T., 4=6533
- Morino, Y. See Shimizu, H., 1=12325
- Morino, Y. See Shimizu, H., 3=2645
- Morino, Y. See Toyama, M., 4=25609
- Morioka, S. High subsonic flow past a wedge in a two-dimensional wind tunnel at its choked state, 1=161
- Morioka, S. Jets of a perfectly conducting inviscid gas in the presence of a magnetic field parallel to the stream, 1=10772
- Morioka, S. Two-dimensional supersonic jet of a conducting inviscid gas in the presence of a uniform magnetic field, 1=18377
- Morioka, S. Reflection of a weak shock wave in a perfectly conducting gas, 1=19010
- Morioka, S. On the shock configuration in a perfectly conducting gas in the presence of a uniform magnetic field, 2=3144
- Morioka, S. Two-dimensional flow of a weakly conducting gas past a plane wall containing a magnetic dipole, 2=5453
- Morioka, S. Supersonic jet of an ideal dissociating gas with finite reaction rate, 3=11815
- Morioka, S. Two-dimensional unsteady flow of a weakly conducting fluid past a plane wall containing a variable magnetic dipole, 3=12302
- Morioka, S. See Hasimoto, Z., 1=18453
- Morit, T., Meshii, M. and Kauffman, J.W. Quenching rate and quenched-in lattice vacancies in gold, 2=21001
- Morita, A. Electron capture by a lattice vacancy in Si, 0=4350
- Morita, A. Theory of cohesive energies and energy-band structures of diamond-type valence crystals. The method of SLCO. II, 0=13477
- Morita, A. Theory of impurity levels. II. Polar crystals, 4=4041
- Morita, A., Abe, Y. and Yamazaki, H. Theory of lattice magnetic susceptibility of semiconductors, 3=11022
- Morita, A. and Azuma, M. Edge structure of the fundamental optical absorption of alkali halide crystals, 4=4250
- Morita, A., Azuma, M. and Nara, H. Theory of impurity levels, 3=2869
- Morita, A. and Osaka, Y. A note on the dielectric constant and causality, 2=8457
- Morita, A. and Takahashi, K. Theory of cohesive energy of LiH crystal. The method of semi-localized crystalline orbital (SLCO). I, 0=13476
- Morita, A. See Abe, Y., 3=2944
- Morita, E. An experimental pyrometer using a lead sulphide photoconductive cell, 4=5431
- Morita, K. A note on the oblique incidence of electromagnetic waves upon an absorbing slab, 4=3150
- Morita, M.  $\gamma$  symmetries and relativistic corrections in beta decay, 0=5694
- Morita, M. Possible parity and time-reversal experiments using the Mössbauer effect, 1=8635
- Morita, M. and Fujii, A. Theory of allowed and forbidden transitions in muon capture reactions, 0=9686
- Morita, M. and Fujii, A. Muon capture in <sup>12</sup>C, 0=15385
- Morita, M. and Greenberg, D. Theory of allowed and forbidden transitions in muon capture reactions. II, 0=13290
- Morita, M. and Morita, R. Nuclear orientation from Mössbauer effect and a possible parity experiment, 4=15136
- Morita, M. See Fujii, A., 4=30345
- Morita, M. See Matsumoto, Z., 3=7984
- Morita, M. See Mohling, F., 0=18987
- Morita, M. See Rose, M.E., 4=11087
- Morita, N. Curie temperature of evaporated nickel films, 2=21289
- Morita, R. Nucleon form factors in the strong-coupling meson theory, 3=12449
- Morita, R. See Morita, M., 4=15136
- Morita, S., Ishimatsu, T., Chō, T., Nakajima, Y., Kawai, N., Murata, T. and Hachiya, Y. Angular distribution for the N<sup>14</sup>(d,p)N<sup>15</sup> ground state reaction, 2=489
- Morita, S., Kawai, N., Gotō, Y., Maki, T. and Mukae, M. The N<sup>14</sup>(d,n)O<sup>15</sup> reaction in the energy range from 1.5 to 2.9 MeV, 1=12214
- Morita, S., Kawai, N., Takano, N., Goto, Y., Hanada, R., Nakajima, Y., Takemoto, S. and Yaegashi, Y. Differential cross sections for the reaction C<sup>12</sup>(d,p)C<sup>13</sup> in the energy range of deuterons from 15 - to 20-MeV, 1=8766
- Morita, S., Kawai, N., Takano, N., Goto, Y., Hanada, R., Nakajima, Y., Takemoto, S. and Yaegashi, Y. Differential cross-sections for the N<sup>14</sup>(d,p)N<sup>15</sup> ground state reaction at the deuteron energy of 16 MeV, 1=12213
- Morita, S. See Ishimatsu, T., 2=20664



- Morita, T. On the lattice model of liquid helium proposed by Matsubara and Matsuda, 0=12545
- Morita, T. Bose-Einstein lattice gases equivalent to the Heisenberg model of ferro-, antiferro- and ferri-magnetism, 0=13748
- Morita, T. Bose-Einstein lattice gas theory of ferromagnetism, 0=13749
- Morita, T. Theory of classical fluids: Hyper-netted chain approximation. I. Formulation for a one-component system, 0=14616
- Morita, T. Theory of classical fluids: hyper-netted chain approximation. II, 0=14617
- Morita, T. Expansion formulae of the free energy and distribution functions in powers of the one particle distribution function, 0=16630
- Morita, T. Cell theory of classical liquids. Phase transition between gas, liquid and solid. III. Yvon's method and its generalization, 0=19098
- Morita, T. Cell theory of classical liquids. Phase transition between gas, liquid and solid. IV. F.C.C. lattice gases, 0=19099
- Morita, T. Equation of state of high temperature plasma, 0=19656
- Morita, T. Theory of classical fluids: hyper-netted chain approximation. III. A new integral equation for the pair distribution function, 1=2748
- Morita, T. Theory of classical fluids: hyper-netted chain approximation. IIIA, 1=4323
- Morita, T. Virial expansion formulae for the microfield and micropotential distribution functions and their application to a high temperature plasma, 1=10697
- Morita, T. The kinetic equations for plasmas and its solution, 2=591
- Morita, T. On the kinetic equation for electrons in metals at low temperatures, 2=592
- Morita, T. Errata: On the kinetic equation for electrons in metals at low temperatures, 2=3864
- Morita, T. On the Landau theory of Fermi fluids. A. Uniform and non-uniform equilibrium systems, 2=13274
- Morita, T. On the Landau theory of Fermi fluids. B. Macroscopic kinetic equation, 2=13275
- Morita, T. The resonance integral of  $U^{235}$ , 2=22857
- Morita, T. Perturbation theory for degenerate problems of many-fermion systems, 3=9364
- Morita, T. Existence of energy gaps in disordered systems, 3=20128
- Morita, T. On the Landau theory of Fermi fluids: assembly of quasi-particles, 3=23798
- Morita, T., Abe, R. and Misawa, S. Ferromagnetism of a gas of hard sphere fermions with spin  $\frac{1}{2}$ , 0=14537
- Morita, T. and Hiroike, K. A new approach to the theory of classical fluids. I, 1=2749
- Morita, T. and Hiroike, K. Integral equations for pair distribution function, 1=4277
- Morita, T. and Hiroike, K. A new approach to the theory of classical fluids. III. General treatment of classical systems, 1=15843
- Morita, T. See Ozawa, M., 3=14512
- Morita, T. See Rothman, H.S., 4=8672
- Morita, T. See Scharfman, W., 4=24545
- Morita, Y. See Edagawa, H., 1=17776
- Morita, Y. See Edagawa, H., 2=21164
- Morita, Y. See Edagawa, H., 3=4930
- Morita, Y. See Edagawa, H., 3=13189
- Morita, Y. See Edagawa, H., 3=17866
- Morita, Y. See Edagawa, H., 4=7564
- Morita, Y. See Edagawa, H., 4=12911
- Morito, N., Omura, I. and Noda, T. Multiple-dispersion mass spectrometer. I. Apparatus and improvement in resolving power, 3=12259
- Morito, N. and Tsuyama, H. On the defect of peak shape in mass spectrum, 2=20055
- Morito, N. See Noda, T., 3=21903
- Morito, N. See Omura, I., 0=7706
- Morito, N. See Omura, I., 3=12070
- Moritz, J. and Tauffenbach, H.J. Low-noise charge-sensitive preamplifier for semiconductor ionization chambers, 3=1913
- Moritz, W. See Otter, M., 4=5714
- Moriuchi, Y., Kawashima, K. and Yagi, T. The effective energy of the Ra gamma rays (filtered by 0.5 mm platinum) 0=1262
- Moriya, T. Piezomagnetism in  $\text{CoF}_2$ , 0=4500
- Moriya, T. Theory of magnetism of  $\text{NiF}_2$ , 0=4502
- Moriya, T. Nuclear magnetic resonance frequency shift of  $^{59}\text{Co}$  in  $\text{CoF}_2$ , 0=6278
- Moriya, T. Nuclear magnetic relaxation in liquid hydrogen, 0=8671
- Moriya, T. New mechanism of anisotropy superexchange interaction, 0=11902
- Moriya, T. Anisotropic superexchange interaction and weak ferromagnetism, 0=18205
- Moriya, T. The effect of electron-electron interaction on the nuclear spin relaxation in metals, 3=23266
- Moriya, T. Nuclear magnetic relaxation near the Curie temperature, 3=23267
- Moriya, T. Weak ferromagnetism, 4=23009
- Moriya, T. Nuclear magnetic relaxation in ferromagnetic transition metals, 4=23062
- Moriya, T. and Motizuki, K. Nuclear magnetic relaxation in solid hydrogen, 0=8091
- Moriya, T. and Nakamura, T. The nuclear resonance relaxation and line width in the antiferromagnet, 0=10251
- Moriya, T. See Peter, M., 2=12808
- Moriya, Y. Vacuum sintering of quartz powder and phase transformation of quartz, 1=20399
- Moriyama, F. On the radio emission from H II clouds, 1=15568
- Moriyama, F. On the thermal radio emission from the sun and galactic H II regions. I. Absorption coefficient in an ionized medium, 2=11159
- Moriyama, F. On the possibility of receiving radar echoes from the sun at high frequencies, 4=29477
- Moriyama, M. and Sumi, M. Microwave generation of Harmonics in plasma resonance, 4=5654
- Moriyama, T. See Wako, T., 4=4120
- Moriyama, T. See Wako, T., 4=7272
- Mork, K. and Olsen, H. Radiative corrections to pair production at high energies, 1=490
- Mork, K. and Olsen, H. Forward emission of photoelectrons at high energies, 2=20755
- Morkel, A. and Schmalzried, H. Determination of the electronic conductivity and the transference numbers of ions and electrons in solid  $\text{TlBr}$ , 2=18650
- Morkina, A.S. See Karal'nik, S.M., 2=6590
- Morkovski, J. Comment on the theory of superconductivity of ferromagnetic materials, 3=19094
- Morkowski, J. On the approach to equilibrium of spin waves system. I, 0=16129
- Morkowski, J. Spin-spin relaxation time in ferromagnetics, 1=12553
- Morkowski, J. Spin-spin relaxation time in a model of non-uniform ferromagnetic, 2=6683
- Morkowski, J. Two magnon relaxation in a disordered ferromagnetic, 3=1193
- Morkowski, J. Intrinsic contribution to the ferromagnetic resonance line-width at high temperatures, 3=15915
- Morkowski, J. See Szczeniowski, S., 3=15766
- Morlais, M. and Robin, S. A source utilizing a Lyman discharge, triggered by a capacitor spark, for spectroscopy in the far ultraviolet, 4=11346
- Morland, L.W. See Cox, A.D., 0=12391
- Morley, G.L. See Carlson, B.C., 3=12059
- Morley, J.G. Strength of glass fibres, 0=4555
- Morley, J.G. Growth of crystals in glass, 1=1442
- Morley, J.G., Andrews, P.A. and Whitney, I. Strength of fused silica, 4=13444
- Morley, J.G. and Proctor, B.A. Strengths of sapphire crystals, 3=8780
- Morley, T.K. See Munden, D.L., 0=8589
- Morlin, Z. The afterglow of  $\text{NaCl}$  recrystallized phosphors activated with  $\text{TiCl}$ , 0=8019
- Morlin, Z. Contribution to the investigation of the photolysis of  $\text{ZnS}$  and  $\text{CdS}$  single crystals, 2=4553
- Morlin, Z. Electron microscopy of additively coloured  $\text{NaCl}$  crystals, 2=12955
- Morlin, Z. and Sáringer, M. Investigations on the extinction of the fluorescence of 3, 4-benzopyrene, 3=1696
- Morlin, Z. and Tremmel, J. The effect of electron irradiation on some alkali halide single crystals, 3=17809
- Morlin, Z. See Árkosi, K., 0=16366
- Morlin, Z. See Malicskó, L., 2=12467
- Morlin, Z. See Malicskó, L., 2=12469
- Morlot, G. See Hadni, H., 4=15457
- Mornel, E. See Lindeman, H., 1=7329
- Mornel, E. See Lindeman, H., 3=7175
- Mornel, E. See Lindeman, H., 4=21696
- Morocho, A.K. Theory of symmetry in spin-phonon interaction, 3=15431



- Morocha, A.K. Theory of the spin-lattice relaxation in paramagnetics with strong exchange interactions, 3=18141
- Morocha, A.K. See Aminov, L.K., 1=20243
- Morocha, A.K. See Aminov, L.K., 2=4272
- Morocha, A.K. See Kessel', A.R., 3=20667
- Morocha, A.K. See Kessel', A.R., 4=1306
- Moroi, D.S. Photoelectric effect and pair annihilation with large momentum transfer, 1=11078
- Moroi, D.S. and Hammer, C.L. Higher-order calculation of the electron-pair production cross-section, 4=9182
- Moroka, V.I. See Serbinov, A.N., 4=16549
- Morokuma, K. See Fukui, K., 0=14102
- Morokuma, T. A laser with a multihole diaphragm, 4=16694
- Morokuma, T., Nefflen, K.F., Lawrence, T.R. and Klucher, T.M. Interference fringes with long path difference using He-Ne laser, 3=9608
- Moroney, J.R. See McDonell, J.A., 0=20455
- Morosin, B. and Graeber, E.J. A reinvestigation of the crystal structure of  $\text{CoCl}_2 \cdot 2\text{H}_2\text{O}$ , 4=7612
- Morosin, B. and Haak, F.A. Photoluminescent effects in contact electroluminescence, 1=17924
- Morosin, B. and Lingafelter, E.C. The crystal structure of tetramethylammonium, tetrachlorozincate and tetrachlorocobaltate, 0=3243
- Morosin, B. and Narath, A. X-ray diffraction and nuclear quadrupole resonance studies of chromium trichloride, 4=17808
- Morosin, B. See Lyle, F.K.C., 0=3247
- Moroso, B.V. See Kanavatz, V.P., 3=14983
- Moroso, P.M. and Pilgunov, L.N. A source of hydrogen molecular ions for the installation "ogra", 3=7646
- Moroz, E.M. On "superposed" accelerators, 1=10751
- Moroz, E.M. A method of injecting charged particles into a magnetic field, 1=16409
- Moroz, E.M. Acceleration voltage in a variable-energy cyclotron, 2=9664
- Moroz, E.M. Dynamics of the motion of colliding beams including effects of their interaction in storage systems, 4=5729
- Moroz, E.M. and Rabinovich, M.S. An upper limit to frequency in a synchrotron, 0=9125
- Moroz, E.M. and Rabinovich, M.S. The damping of oscillations in a synchrotron, 0=9128
- Moroz, E.M. and Shpigel', I.S. Calculation of the electrodynamic repulsion of an undeformed plasma ring from a magnetic "mirror", 1=5457
- Moroz, E.M. and Shpigel', I.S. Calculation of the electrodynamic expulsion of an undeformed plasma ring from a magnetic "mirror", 1=11943
- Moroz, E.M. See Askar'yan, G.A., 3=19062
- Moroz, E.M. See Belovintsev, K.A., 4=3073
- Moroz, E.M. See Belovintsev, K.A., 4=11733
- Moroz, L.G. Electromagnetic scattering of spin  $\frac{1}{2}$  particles, 1=3141
- Moroz, L.G. and Fedorov, F.I. The scattering matrix taking into account the Pauli interaction, 0=20074
- Moroz, L.P. Imaging of separate linear objects of different width and contrast with surrounding field by a combination of an optical system and a granular layer, 1=16061
- Moroz, L.P. and Ayukhanov, A.Kh. Possibility of determining the effective depth of emergence of secondary electrons from dielectrics under ion bombardment, 4=8821
- Moroz, L.P. See Kirilyuk, Z.O., 3=9620
- Moroz, L.S. Accelerators with stable osculating particle orbits, 1=343
- Moroz, L.S. and Khesin, Yu.D. The anomalous growth of metal grains in vacuum, 0=14055
- Moroz, L.S., Khesin, Yu.D. and Marinets, T.K. Creep and long-term strength of iron at low temperatures, 3=18193
- Moroz, L.S., Kolgatin, N.N., Teodorovich, V.P. and Deryabina, V.I. The effect of hydrogen upon the mechanical properties of nickel and copper, 4=13430
- Moroz, N.C. See Boroditch, V.D., 4=16364
- Moroz, N.G. See Kosevich, V.M., 1=4010
- Moroz, N.G. See Kosevich, V.M., 2=4334
- Moroz, N.K. See Boroditch, V.D., 3=21667
- Moroz, V.I. The emission spectrum of night sky in the 1.2-3.4 $\mu$  region, 0=2035
- Moroz, V.I. Infrared spectrum of the night sky up to 3.4 $\mu$ , 0=21384
- Moroz, V.I. An attempt to observe the infrared radiation of the galactic nucleus, 2=1015
- Moroz, V.I. The infrared spectra of Jupiter and Saturn, 2=13105
- Moroz, V.I. The infrared spectra of Jupiter and Saturn, 2=17253
- Moroz, V.I. The brightness of the night sky in the 0.9-1.8 $\mu$  region, 2=24021
- Moroz, V.I. "Dust envelope" of the earth, 3=3541
- Moroz, V.I. The infrared spectrum of Venus (1-2.5 $\mu$ ), 3=11517
- Moroz, V.I. "Dust envelope" of the earth, 3=23665
- Moroz, V.I. Observations of the Crab and Orion nebulae in the region 1-2  $\mu$ , 4=29408
- Moroz, V.I. See Gringauz, K.I., 2=918
- Moroz, V.I. See Gringauz, K.I., 2=9030
- Moroz, V.I. See Kurt, V.G., 2=11196
- Moroz, V.I. See Kurt, P.G., 2=17315
- Moroz, V.I. See Shklovskii, I.S., 0=18889
- Moroz, V.I. See Shklovskii, I.S., 2=919
- Morozhenko, A.V. See Koval, I.K., 2=21701
- Morozkin, V.I., Amenitskii, A.N. and Alad'ev, I.T. Experimental study of the effect of acceleration on the boiling crisis in liquids at the saturation temperature, 4=14457
- Morozov, A.G., Nekrasov, K.G. and Popov, M.I. Hodoscope based on pulse-powered small diameter counters, 2=3426
- Morozov, A.G. See Andrejev, E.M., 2=3229
- Morozov, A.G. See Andreev, E.M., 2=18041
- Morozov, A.I. Anisotropy of the surface breakdown of germanium in strong fields, 0=15931
- Morozov, A.I. and Kalashnikov, S.G. The occurrence of traps in zinc-doped germanium, 2=6456
- Morozov, A.I. and Kalashnikov, S.G. The occurrence of traps in zinc-doped germanium, 2=10467
- Morozov, A.I. and Shubin, A.P. The theory of electromagnetic effects in the presence of the Hall effect, 4=17469
- Morozov, A.I. and Solov'ev, L.S. The integrals of drift equations, 0=1184
- Morozov, A.I. and Solov'ev, L.S. Motion of particles in a toroidal corrugated magnetic field, 0=10980
- Morozov, A.I. and Solov'ev, L.S. Motion of particles in a screw-form toroidal magnetic field, 0=10981
- Morozov, A.I. and Solov'ev, L.S. Plasma acceleration in a coaxial system, 0=19653
- Morozov, A.I. and Solov'ev, L.S. A kinetic examination of some equilibrium plasma configurations, 1=18835
- Morozov, A.I. and Solov'ev, L.S. A kinetic examination of some equilibrium plasma configurations, 3=4116
- Morozov, A.I. and Solov'ev, L.S. On symmetrical magneto-hydrodynamical currents, 3=19427
- Morozov, A.I. and Solov'ev, L.S. Typical structure of a toroidal magnetic field, 4=5742
- Morozov, A.I., Solov'ev, L.S. Stationary axially-symmetrical flows of plasma across an azimuthal magnetic field, 4=16472
- Morozov, A.I. and Solov'ev, L.S. The plane flow of an ideally conducting compressible liquid taking the Hall effect into account, 4=27513
- Morozov, A.I. and Solov'ev, L.S. Symmetrical currents of a conducting fluid transverse to a magnetic field, 4=11766
- Morozov, A.I. and Solov'ev, L.S. The acceleration of a rotating plasma in axially-symmetrical channels, 4=27518
- Morozov, A.I. See Gel'fand, I.M., 2=20098
- Morozov, A.I. See Gel'fand, I.M., 4=644
- Morozov, A.I. See Gel'fand, I.M., 4=5741
- Morozov, A.I. See Kalashnikov, S.G., 0=6106
- Morozov, A.I. See Kalashnikov, S.G., 1=3750
- Morozov, A.I. See Korablev, L.V., 2=15979
- Morozov, A.I. See Zueva, N.M., 3=7676
- Morozov, A.M. Short-lived isomers of Ga, Ge and As produced by 19.2 MeV protons, 1=13690
- Morozov, A.M. and Remaev, V.V. Investigation of the millisecond isomers detected in nuclear reactions involving fast protons, 3=2457
- Morozov, A.M., Remaev, V.V. and Yampol'skii, P.A. Five new millisecond isomers produced by 19.2 MeV protons, 1=19353
- Morozov, A.M. and Yampol'skii, P.A. New short-lived isomeric states as  $^{73m}\text{Ga}$  and  $^{74m}\text{Ga}$  formed with fast protons, 0=1382
- Morozov, A.M. See Glagolev, V.L., 1=17133
- Morozov, A.M. See Maksakov, B.I., 3=20479
- Morozov, A.N. See Belikov, A.M., 3=16081
- Morozov, A.S., Petrzikh, G.G. and Trapeznikov, A.A. Rheogoniometer with a freely suspended disk and continuous recording for structured colloidal systems and polymer solutions, 4=114
- Morozov, A.V. See Mel'nikov, A.I., 0=10935
- Morozov, B.V. See Barmin, V.V., 1=19324



- Morozov, B.V. See Kanavets, V.P., 1=19258  
 Morozov, B.V. See Kanavets, V.P., 2=22601  
 Morozov, B.V. See Kanavets, V.P., 3=24185  
 Morozov, B.V. See Kanavets, V.P., 4=3461  
 Morozov, B.V. See Kanavets, V.P., 4=6047  
 Morozov, B.V. See Kanavets, V.P., 4=9195  
 Morozov, B.V. See Pershin, I.I., 2=3227  
 Morozov, E.M. and Fridman, Ya.B. Trajectories of brittle rupture cracks as geodesic lines on the surface of a body, 1=14914  
 Morozov, E. M., Polak, L. S. and Fridman, Ya. B. On the variational principle of crack development in hard substances, 4=23109  
 Morozov, E.V. and Fridman, Ya.B. Trajectories of brittle rupture cracks as geodesic lines on the surface of a body, 1=20382  
 Morozov, E.M. See Fridman, Ya.B., 2=21446  
 Morozov, E.M. See Fridman, Ya.B., 2=23787  
 Morozov, G.P. See Petrushevich, V.A., 1=11325  
 Morozov, G.P. See Petrushevich, V.A., 1=17801  
 Morozov, P.M. See Pigarov, Yu.D., 2=1387  
 Morozov, P.M. See Pigarov, Yu.D., 2=1388  
 Morozov, I.G., Inyutin, E.I. and Sidorov, G.N. Kinetics of a reactor with linear reactivity, 3=25000  
 Morozov, Iu.M. See Popov, M.M., 0=13193  
 Morozov, M.G. See Valeev, Kh.S., 4=16261  
 Morozov, P.M. and Pil'gunov, L.N. Source of molecular hydrogen ions for the "Ogra" apparatus, 3=24377  
 Morozov, V.A. See Baranov, V.I., 2=14053  
 Morozov, V.A. See Basina, A.S., 2=14042  
 Morozov, V.A. See Basina, A.S., 3=6208  
 Morozov, V.A. See Dontsov, Yu.P., 0=15662  
 Morozov, V.A. See Gromov, K.Ya., 2=14049  
 Morozov, V.A. See Kotelnikov, V.A., 2=11174  
 Morozov, V.A. See Kotelnikov, V.A., 3=9272  
 Morozov, V.A. See Kotelnikov, V.A., 4=2459  
 Morozov, V.G. New experimental data on critical heat loads at boiling of liquids on a submerged heating surface, 2=15818  
 Morozov, V.M. Certain features of the emission of [OI] 5577 and of the continuous spectrum in nightglow, 3=9102  
 Morozov, V.M. Concerning the effect of light scattering in a real atmosphere upon the observed nightglow brightness, 3=16280  
 Morozov, V.M. The inconstancy of the spectral composition of a continuum in nightglow, 3=18557  
 Morozov, V.M. Optical method of measuring the average energy of ions accelerated by an electrostatic generator, 3=24384  
 Morozov, V. M. Spectral composition of the variable radiation component in the continuous spectrum of the night sky, 4=23755  
 Morozov, V. M. The spectral composition of night sky radiation in the continuum and photoelectric observations of variations of the intensity of the [OI] 5577 and NaD emission, 4=29314  
 Morozov, V.M., Bolyunova, A.D. and Ermolaev, M.A. Standardization of photoelectric measurements of weak light sources, 3=1787  
 Morozov, V.M. See Gorlov, G.V., 1=17171  
 Morozov, V.M. See Zubov, Yu. G., 4=12242  
 Morozov, V. P., Kvasha, N. T., Tsaune, A. Ya. and Lisovenko, V. A. Vibrational spectra of deuterium and tritium substitution products of nonlinear triatomic hydrides, 4=15347  
 Morozov, V.P., Rýbakova, H.L., Nauhol'nikov, B.I., Klebnikova, V.M., Morozova, N.K. and Kovalchuk, D.S. Some problems of the theory of vibrational spectra, 2=18446  
 Morozov, V.P. See Khlebnikova, V.N., 3=22566  
 Morozov, V.P. See Rýbakova, G.I., 0=20600  
 Morozov, V.P. See Rýbakova, G.I., 1=2321  
 Morozov, Y. P. Calculation of the spectroscopic masses of hydrogen and deuterium, 4=12446  
 Morozov, Yu.A. See Shul'man, A.R., 3=24343  
 Morozov, Yu.I. See Imshennik, V.S., 2=11649  
 Morozova, A. V. See Klabukova, Z.L., 2=23616  
 Morozova, L.P. See Krotova, N.A., 0=3162  
 Morozova, L. P. See Krotova, N.A., 2=10775  
 Morozova, L. P. See Krotova, N.A., 4=4455  
 Morozova, N. G. and Startsev, G. P. Iron arc lines for determining arc temperatures by the emission method, 4=485  
 Morozova, N.K. See Morozov, V. P., 2=18446  
 Morozova, N.K. See Shalimova, K. V., 4=15826  
 Morozova, N. K. See Shalimova, K. V., 4=26226  
 Morozova, T.I. See Komel'kov, V.S., 1=7037  
 Morozova, T.P. See Stoyanova, I.G., 3=20971  
 Morozovskii, V.A. See Dykman, I.M., 3=14021  
 Morozovskii, V.A. See Zingerman, Ya.P., 1=15182  
 Morozovskii, V.A. See Zingerman, Ya.P., 1=20683  
 Morozovskii, V.A. See Zingerman, Ya.P., 1=20694  
 Morozovskii, V.A. See Zingerman, Ya.P., 2=23919  
 Morozovskii, V.A. See Zingerman, Ya.P., 3=6887  
 Morozumi, S. See Koda, S., 2=16969  
 Morphew, K.L. Ratiometer phase angle indicator, 0=14937  
 Morpurgo, G. A generalization of the Foldy-Wouthuysen transformation, 0=15263  
 Morpurgo, G. Forward and backward "selection rule" in a class of inelastic collisions, 3=24637  
 Morpurgo, G. Theory of the Coulomb photoproduction of  $\pi^0$  at high energy and the determination of the  $\pi^0$  lifetime, 4=15086  
 Morpurgo, G. See Chiuderi, C., 1=5754  
 Morpurgo, M. See Barbier, M., 3=5778  
 Morpurgo, M. See Citron, A., 2=5703  
 Morpurgo, M. See Hoffman, L., 3=21934  
 Morreal, J. See Wentink, T., Jr., 4=28185  
 Morreal, J. A. See Ziegler, C. A., 4=14198  
 Morreale, J. See Taylor, R. E., 4=20227  
 Morrey, J.R. and Madsen, A.W. Fused salt spectrophotometry. I. Furnaces for a Cary model 14 spectrophotometer, 1=10595  
 Morrinaga, H. See Van Lieshout, R., 4=19691  
 Morris, A. C., Jr., Ross, D. A. and Travis, J. C. A high-level whole-body counter, 4=22052  
 Morris, C. E. See Pollack, S. R., 4=20404  
 Morris, D. Surface-wave propagation over plane-layered dielectrics, 3=7710  
 Morris, D. and Bartlett, J.F. Polarization of the 2840 Mc/s radiation from Jupiter, 3=18656  
 Morris, D. and Berge, G.L. Measurements of the polarization and angular extent of the decimeter radiation from Jupiter, 2=19349  
 Morris, D., Clark, B. G. and Wilson, R. W. An attempt to measure the galactic magnetic field, 4=7990  
 Morris, D. and Mungall, A.G. TE surface waves guided by a dielectric-covered metal plane, 1=374  
 Morris, D. and Radhakrishnan, V. Tests for linear polarization in the 1390 Mc/s radiation from six intense radio sources, 3=9277  
 Morris, D., Radhakrishnan, V. and Seielstad, G. A. On the measurement of polarization distributions over radio sources, 4=15949  
 Morris, D., Radhakrishnan, V. and Seielstad, G. A. Preliminary measurements on the distribution of linear polarization over eight radio sources, 4=15961  
 Morris, D., Radhakrishnan, V. and Seielstad, G. A. Linear polarization measurements of radio sources at 18-cm wavelength, 4=20952  
 Morris, D. See Elgaroy, O., 3=3616  
 Morris, D. See Mungall, A.G., 0=1209  
 Morris, D. See Mungall, A.G., 0=11047  
 Morris, D. See Mungall, A.G., 1=368  
 Morris, D. See Mungall, A.G., 3=21682  
 Morris, D. See Seielstad, G. A., 4=2468  
 Morris, D. See Seielstad, G. A., 4=26971  
 Morris, D.E. and Tinkham, M. Effect of magnetic field on thermal conductivity and energy gap of superconducting films, 1=13041  
 Morris, D. E. and Tinkham, M. Effect of magnetic field on thermal conductivity and energy gap of superconducting films, 4=18608  
 Morris, D.M. See Lambert, J.D., 0=8701  
 Morris, D.N. See Masson, D.J., 2=2747  
 Morris, D.P., Davies, G.W. and Price, C.D. Antiferromagnetic-ferromagnetic transition in gold-manganese-indium alloys, 2=10682  
 Morris, D.P. and Hughes, J. L. A new hexagonal phase between Au<sub>3</sub>Mn and Au<sub>3</sub>Mn, 3=3312  
 Morris, D. P. and Hughes, J. L. An X-ray powder investigation of ordered Au<sub>3</sub>Mn, 4=13590  
 Morris, D. P., Hughes, J. L. and Davies, G. Ordering effects in the alloy Au<sub>3</sub>Mn, 4=7494  
 Morris, D.P. and Price, C.D. The ferromagnetism of the Heusler alloy Au<sub>2</sub>MnAl, 3=25520  
 Morris, D. P. and Price, C. D. L<sub>2</sub> structure of the alloy AuAgZn<sub>2</sub>, 4=4608  
 Morris, D. P., Price, C. D. and Hughes, J. L. The Heusler structure of Au<sub>2</sub>MnAl, 4=4607  
 Morris, D.P. and Williams, I. A note on a new phase in the copper-manganese-indium system, 2=828  
 Morris, E. Spatial correlations in the thermal fluctuations of electrical quantities in the presence of conducting surfaces, 1=7016  
 Morris, E. The equation of state of copper and of other metals near their critical points, 4=25849



- Morris, E. See Bergmann, P.G., 0=4949  
 Morris, E. See Fürth, R., 0=3716  
 Morris, E.L. See May, W.D., 0=3477  
 Morris, E.L. See May, W.D., 3=16564  
 Morris, E.L. See McCrum, N.G., 3=8769  
 Morris, E.L. See McCrum, N.G., 4=28922  
 Morris, I.L. See Seshadri, S.R., 4=14669  
 Morris, J.B. See Chamberlain, A.C., 1=11635  
 Morris, J.C. Comments on the measurement of emittance of the global radiation source, 1=11851  
 Morris, J.C. Broad-band constant beam-width transducers, 4=11302  
 Morris, J.C. and Bach, G.R. Continuum radiation from arc heated plasmas, 4=14652  
 Morris, J.C. and Hands, E. Constant-beamwidth arrays for wide frequency bands, 2=5118  
 Morris, J.F. Damping of quantized longitudinal electron oscillations in a nondegenerate plasma, 3=4169  
 Morris, J.F. Reply to comments by Burt, Klevans and Wu, 4=3001  
 Morris, J.P. See Mills, E.B., 3=12188  
 Morris, J.R. II, See Pillar, F.L., 1=6037  
 Morris, J.W. See Fitch, S.H., 4=7090  
 Morris, K. See Petley, B.W., 4=3090  
 Morris, M.C. See Swanson, H.E., 2=10899  
 Morris, M.C. See Swanson, H.E., 3=18324  
 Morris, P.R. Irradiation growth in alpha-uranium single crystals, 2=12880  
 Morris, P.R. Statistical test for texture, 4=29153  
 Morris, R.G. and Hornstra, F.Jr. Measurement of thermal conductivity in a magnetic field by the series comparative method, 3=1850  
 Morris, R.G. and Hust, J.G. Thermal conductivity measurements of silicon from 30° to 425°C, 1=19731  
 Morris, R.G. and Martin, J.J. Thermal conductivity measurements of silicon from 680° to 1000°K, 3=22671  
 Morris, R.G.T. See Davis, Q.V., 4=18483  
 Morris, R.J. Theory of adiabatic rapid passage for three equally spaced levels, 4=10312  
 Morris, R.M. and Pedersen, B.O. Design of a second harmonic flux gate magnetic field gradiometer, 1=7948  
 Morris, S. See Lomon, E., 1=12111  
 Morris, T. See Bertanza, L., 2=13854  
 Morris, T.F. See Lafleur, M.S., 3=24693  
 Morris, T.W. See Androulakis, J.G., 3=17125  
 Morris, T.W. See Barnes, V.E., 4=18699  
 Morris, T.W. See Brown, H.N., 2=12013  
 Morris, T.W. See Ferbel, T., 3=4395  
 Morris, T.W. See Hart, E.L., 2=9889  
 Morris, T.W. See Hart, E.L., 2=22607  
 Morris, T.W. See Louttit, R.I., 1=12127  
 Morris, W.C. See Baker, A.C., 1=11596  
 Morrish, A.H., Johnston, G.B. and Curry, N.A. Magnetic transition in pure and Ga doped  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 4=10279  
 Morrish, A.H. and Valstyn, E.P. Ferrimagnetic resonance of iron-oxide micropowders, 3=1175  
 Morrish, A.H. See Bonstrom, D.B., 1=6281  
 Morrish, A.H. See Brown, W.F. Jr., 0=10198  
 Morrish, A.H. See Chen, D., 2=12672  
 Morrish, A.H. See Holm, J.D., 4=13252  
 Morrish, A.H. See Prosen, R.J., 3=15840  
 Morrish, A.H. See Searle, C.W., 4=7304  
 Morrish, A.H. See Searle, C.W., 4=17638  
 Morrish, A.H. See Valstyn, E.P., 3=6741  
 Morrish, A.H. See Watt, L.A.K., 0=10149  
 Morrison, C.A. See Karayianis, N., 2=12798  
 Morrison, C.A. See Karayianis, N., 4=12338  
 Morrison, D.L. and Caretto, A.A., Jr. Excitation functions of (p, xp) reactions, 2=20628  
 Morrison, D.L. and Caretto, A.A., Jr. Recoil study of the  $Zn^{66}(p, 2p)Cu^{67}$  reaction, 4=12227  
 Morrison, D.L., Elleman, T.S. and Sunderman, D.N. Diffusion of xenon in ceramic oxides, 4=20293  
 Morrison, D.L. See Porile, N.T., 0=2669  
 Morrison, D.R.O. Peripheral or "quasi-elastic" interactions of 24 GeV protons and 16 GeV/c negative pions, in hydrogen, 2=22507  
 Morrison, D.R.O. Experimental limit on the production by 24 GeV protons of long-lived particles with fractional electric charge, 4=19457  
 Morrison, D.R.O. See Bartke, J., 1=8513  
 Morrison, D.R.O. See Bartke, J., 2=13883  
 Morrison, D.R.O. See Bartke, J., 3=22206  
 Morrison, D.R.O. See Brandt, S., 3=17324  
 Morrison, D.R.O. See Budde, R., 0=2465  
 Morrison, D.R.O. See d'Andlau, C., 3=17328  
 Morrison, D.R.O. See Dilworth, C., 4=21715  
 Morrison, D.R.O. See Escoubès, B., 3=19630  
 Morrison, F. See Goldraikh, P., 4=4880  
 Morrison, F.F. See Page, T., 2=7023  
 Morrison, G.C. Possibility of a stripping mechanism in transformations induced by lithium ions, 1=739  
 Morrison, G.C. Cluster model interpretation of the isotopic spin selection rule in certain nuclear reactions, 1=3463  
 Morrison, G.C., Ferguson, A.T.G. and Evans, J.E. Angular distributions of the  $Be^4(d, n)B^{10}$  neutrons, 1=19506  
 Morrison, G.C., Gale, N.H., Hussain, M. and Murray, G. Nuclear reaction studies with lithium ions on  $B^{10}$  and  $B^{11}$  targets, 4=22220  
 Morrison, G.C. and Galey, J.A. Excited states of  $B^{13}$ , 0=4023  
 Morrison, G.C. See Allison, S.K., 4=22215  
 Morrison, G.C. See Bent, R.D., 4=22017  
 Morrison, G.C. See Dearnaley, G., 2=18135  
 Morrison, G.C. See Huberman, M.N., 3=6300  
 Morrison, G.C. See Littlejohn, C.S., 0=4107  
 Morrison, J. The detection of monolayer adsorption on silicon and germanium by low energy electron diffraction, 4=20824  
 Morrison, J. and Pines, S. The reduction from geocentric to geodetic coordinates, 1=4186  
 Morrison, J. See Lander, J.J., 2=15141  
 Morrison, J. See Lander, J.J., 2=19106  
 Morrison, J. See Lander, J.J., 2=19128  
 Morrison, J. See Lander, J.J., 3=13554  
 Morrison, J. See Lander, J.J., 3=13555  
 Morrison, J. See Lander, J.J., 3=23383  
 Morrison, J. See Lander, J.J., 4=7663  
 Morrison, J.A. Noise propagation in drifting multivelocity electron beams, 3010  
 Morrison, J.A. On the number of electron levels in a one-dimensional random lattice, 2=23099  
 Morrison, J.A. and Edelson, D. Solution of the space charge problem for a pulsed Townsend discharge, 2=11625  
 Morrison, J.A. and Frisch, H.L. Bounds on the nonlinear diffusion controlled growth rate of spherical precipitates, 0=15871  
 Morrison, J.A. and Rudham, R. Anion diffusion in doped crystals of potassium chloride, 0=1604  
 Morrison, J.A. and Salter, L.S. The detection of electron-phonon interactions through the analysis of heat capacities of metals, 4=20211  
 Morrison, J.A. See Barr, L.W., 0=11622  
 Morrison, J.A. See Barr, L.W., 1=14323  
 Morrison, J.A. See Barr, L.W., 2=4400  
 Morrison, J.A. See Barron, T.H.K., 0=1556  
 Morrison, J.A. See Barron, T.H.K., 0=7849  
 Morrison, J.A. See Barron, T.H.K., 0=20745  
 Morrison, J.A. See Barron, T.H.K., 4=17366  
 Morrison, J.A. See Barron, T.H.K., 4=20222  
 Morrison, J.A. See Beaumont, R.H., 0=17893  
 Morrison, J.A. See Beaumont, R.H., 1=10228  
 Morrison, J.A. See Beaumont, R.H., 2=6270  
 Morrison, J.A. See Colwell, J.H., 2=14379  
 Morrison, J.A. See Colwell, J.H., 3=22658  
 Morrison, J.A. See Colwell, J.H., 4=18494  
 Morrison, J.A. See Edelson, D., 4=24604  
 Morrison, J.A. See Flubacher, P., 0=15812  
 Morrison, J.A. See Flubacher, P., 0=11581  
 Morrison, J.A. See Flubacher, P., 0=17892  
 Morrison, J.A. See Flubacher, P., 1=2379  
 Morrison, J.A. See Flubacher, P., 2=6269  
 Morrison, J.A. See Frisch, H.L., 4=12866  
 Morrison, J.A. See Harrison, L.G., 1=4076  
 Morrison, J.A. See Hoodless, I.M., 2=12449  
 Morrison, J.A. See Leadbetter, A.J., 4=6749  
 Morrison, J.D. On the optimum use of ionization-efficiency data, 3=21710  
 Morrison, J.D. Threshold laws for processes of auto-ionization, 4=18673  
 Morrison, J.D., Hürzeler, H., Inghram, M.G. and Stanton, H.E. Threshold law for the probability of excitation of molecules by photon impact. A study of the photoionization efficiencies of Br<sub>2</sub>, I<sub>2</sub>, HI, and CH<sub>3</sub>I, 0=17720  
 Morrison, J.D. and Nicholson, A.J.C. Probability of double ionization by electron impact for neon, argon, and xenon, 0=2317  
 Morrison, J.D. See Dorman, F.H., 0=2318  
 Morrison, J.D. See Dorman, F.H., 0=3736



- Morrison, J.D. See Dorman, F.H., 1=6029  
Morrison, J.D. See Dorman, F.H., 1=7023  
Morrison, J.D. See Dorman, F.H., 1=11906  
Morrison, J.D. See Marmet, P., 1=18258  
Morrison, J.D. See Marmet, P., 2=7680  
Morrison, J.D. See Marmet, P., 2=9651  
Morrison, J. J., Stubbe, L. H. and Whitehurst, H. B. Ceramic rutile rectifiers, 4=12979  
Morrison, J. R. See Bate, G., 4=13171  
Morrison, P. Insight and taste, 3=21183  
Morrison, P. Less may be more, 4=18006  
Morrison, P. A thermodynamic characterization of self-reproduction, 4=21020  
Morrison, P. See Chiu, H.-Y., 1=2638  
Morrison, P. See Cocconi, G., 0=4846  
Morrison, P. See Felten, J.E., 3=19723  
Morrison, P. See Metzner, A.W.K., 0=18603  
Morrison, R.B. See Sommers, W.P., 2=4542  
Morrison, R.E. Reflectivity and optical constants of indium arsenide, indium antimonide, and gallium arsenide, 1=19945  
Morrison, R.E. See Ing, S.W., Jr, 2=10943  
Morrison, S.R. The evaluation of germanium surface treatments, 1=1053  
Morrison, S.R. A new type of photosensitive junction device, 4=1694  
Morrison, S. R. and Billette, R. Common emitter breakdown, 4=10086  
Morrison, S.R. See Palmer, D.R., 1=1047  
Morrison, S.R. See Palmer, D.R., 1=6157  
Morrison, S.R. See Palmer, D.R., 3=6487  
Morrison, W.L. See Wilner, L.B., 0=14606  
Morriss, R.W. Anomalous winter absorption of radio waves, 0=18489  
Morriss, R.W. Observations of sudden ionospheric disturbances, 1=1532  
Morrisset, J.J. See Milford, S.N., 1=814  
Morrow, C.T. Random vibration, 0=10706  
Morrow, C.T. The marina as a two-dimensional auditorium, 3=18953  
Morrow, C.T., Troesch, B.A. and Spence, H.R. Random response of two coupled resonators without loading, 1=2812  
Morrow, D.R. See Martin, M.C., 2=14491  
Morrow, F. and Moore, A. Simple and reliable furnace temperature control system, 2=2920  
Morrow, F. and Moore, A. Increased ductility of polycrystalline beryllium above 300°C related to test environment, 4=10371  
Morrow, J.C. See Baldwin, M.G., 2=8892  
Morrow, J. I. and Turk, A. Infrared transmission through fogged salt windows, 4=8438  
Morrow, L.W. See McDonald, D. G., 4=12003  
Morrow, R.A. See Griffiths, G.M., 1=17151  
Morrow, R. B. See Eppers, W. C., 4=18724  
Morrow, R.J. See Conway, J. G., 2=2248  
Morrow, R.J. See Conway, J.G., 2=12288  
Morrow, W.E., Jr and MacLellan, D.C. Properties of orbiting dipole belts, 1=6725  
Morse, A. L. See Judge, D. L., 4=20004  
Morse, B. J. Diffraction by polygonal cylinders, 4=11798  
Morse, F. A. and Bernstein, R.B. Velocity dependence of the differential cross sections for the scattering of atomic beams of K and Cs by Hg, 3=2586  
Morse, F.A., Bernstein, R.B. and Hostettler, H.U. Evaluation of the intermolecular potential well depth from observations of Rainbow scattering: Cs-Hg and K-Hg, 2=18497  
Morse, F. A. See Bernstein, R.B., 4=12402  
Morse, F. H. See Thomas, P. D., 4=11411  
Morse, J.C. See Harvey, D.G., 1=15579  
Morse, J.G. Energy for remote areas, 3=12063  
Morse, P.M. Operations research, 0=18574  
Morse, P.M. Thermal physics, 4=8084  
Morse, R.W. Ultrasonic attenuation in metals at low temperatures, 0=19581  
Morse, R.W. The Fermi surfaces of the noble metals by ultrasonics, 1=19739  
Morse, R.W. Ultrasonic attenuation in superconductors, 2=7506  
Morse, R.W. and Bohm, H.V. Some ultrasonic measurements in normal and superconducting aluminium, 0=233  
Morse, R.W., Myers, A. and Walker, C.T. Fermi surfaces of gold and silver from ultrasonic attenuation, 0=13502  
Morse, R.W., Myers, A. and Walker, C.T. On the Fermi surface shapes of the noble metals by ultrasonics, 1=7554  
Morse, T.F. Electromagnetic acceleration of a shock wave in a constant-area duct, 2=14402  
Morse, T. F. Energy and momentum exchange between non-equipartition gases, 4=222  
Morse, T. F. Kinetic model for gases with internal degrees of freedom, 4=11227  
Morsell, A. L. Proton energy-loss distributions from thin carbon films, 4=27856  
Morsell, A. L. See Costello, D. G., 4=12223  
Morsell, A.L. See Palmer, D.W., 3=12673  
Morstin, T. See Jezewski, M., 4=26098  
Mort, J. and Spear, W.E. Hole drift mobility and lifetime in CdS crystals, 2=14550  
Mort, J. See Luty, F., 4=13052  
Mort, J. See Speak, W.E., 2=2969  
Mort, J. See Spear, W.E., 3=4918  
Mortara, L. See Palfrey, T.R., 1=8482  
Morten, F.D. See Eaton, G.K., 3=2917  
Mortensen, E.M. See Sinanoğlu, O., 1=8847  
Mortensen, E.M. See Sinanoğlu, O., 2=13371  
Mortensen, E.M. See Smith, R.P., 0=5978  
Mortensen, E.M. See Smith, R.P., 0=5979  
Mortensen, E.M. See Smith, R.P., 1=12329  
Mortier, P., Dansercoer, W. and Bouciqué, R. The secondary mechanism in geiger discharges, 3=7459  
Mortier, P. See Dansercoer, W., 4=11846  
Mortimer, R.G. and Mazo, R.M. Irreversible thermodynamics of systems containing radiation. Application to photochemical reactions, 1=20752  
Mortenson, K.E. Parametric diode figure of merit and optimization, 0=12691  
Mortenson, K.E. Comments on "Diode capacitors for parametric amplification" by R.C.Knechtli and R.D.Weglein, 0=13626  
Mortlock, A.J. The effect of segregation on the solute diffusion enhancement due to the presence of dislocations, 1=981  
Mortlock, A. J. Anomalous volume diffusion in the surface layers of metals, 4=20305  
Mortlock, A.J., Rowe, A.H. and LeClaire, A.D. The atomic diffusion of platinum in gold, 0=20846  
Mortlock, A.J. and Tomlin, D.H. The atomic diffusion of chromium in the titanium-chromium system, 0=20844  
Morton, B.R. Coaxial turbulent jets, 3=105  
Morton, B.R. On transport in turbulent wakes: Methane wakes, 3=164  
Morton, D.C. Evolutionary mass exchange in close binary systems, 0=14445  
Morton, D.C. Spectroscopic observations of the night sky in the extreme ultraviolet, 2=21664  
Morton, D.C. Neutron stars as X-ray sources, 4=23870  
Morton, D.C. Neutron stars as X-ray sources, 4=29378  
Morton, D.C. and Purcell, J.D. Observations of the extreme ultraviolet radiation in the night sky using an atomic hydrogen filter, 2=21663  
Morton, D.C. and Widing, K.G. The solar Lyman-alpha emission line, 1=5153  
Morton, D.C. and Widing, K.G. The solar Lyman-alpha emission line, 2=4779  
Morton, G.A. Infrared photoemission, 0=9073  
Morton, G.A. The scintillation counter, 0=17138  
Morton, G.A. Nuclear radiation detectors, 2=16084  
Morton, G.A. Image intensifiers and the scotoscope, 4=24341  
Morton, G.A. and Matheson, R.M. A fast photomultiplier and coincidence system for precise time measurements, 0=19725  
Morton, G.A., Schultz, M.L. and Harty, W.E. Infrared photoconductive detectors using impurity-activated germanium-silicon alloys, 0=2911  
Morton, I.P. and Rosenberg, H.M. Scattering of phonons by spins at low temperatures, 2=16618  
Morton, I.P. and Rosenberg, H.M. The detection of spin-phonon interactions by heat conductivity measurements, 4=17385  
Morton, J. and Carpenter, A. Experiments relating to the perception of formants, 3=13950  
Morton, J.R. The e. s. r. spectrum of irradiated ammonium hypophosphite, 2=14822  
Morton, J.R. A paramagnetic species in irradiated  $(\text{NH}_4)_2\text{HPO}_4$ , 3=11117  
Morton, J.R. Paramagnetic defects in  $\gamma$ -irradiated ammonium hypophosphate, 3=13022



- Morton, J.R. The E.P.R. spectrum of  $\text{PF}_3$  in irradiated  $\text{NH}_4\text{PF}_6$ , 3=20652
- Morton, J.R. and Falconer, W.E. Electron spin resonance spectrum of  $\text{XeF}$  in  $\gamma$ -irradiated xenon tetrafluoride, 3=21536
- Morton, J.R. See Calvert, L.D., 4=26675
- Morton, J.R. See Chantry, G.W., 2=16565
- Morton, J.R. See Douglas, A.E., 0=6551
- Morton, J.R. See Douglas, A.E., 2=6167
- Morton, J.R. See Falconer, W.E., 4=28872
- Morton, J.R. See Horsfield, A., 1=12000
- Morton, J.R. See Horsfield, A., 2=2017
- Morton, J.R. See Horsfield, A., 2=6219
- Morton, J.R. See Horsfield, A., 2=16566
- Morton, J.R., III, Chopping, G.R. and Harvey, B.G. Study of the reactions  $\text{Pr}^{141}(\text{C}^{12}, 4\text{n})\text{Tb}^{149}$  and  $\text{Te}^{130}(\text{C}^{12}, 5\text{n})\text{Ce}^{137\text{m}}$  by means of recoil techniques, 2=22854
- Morton, J.R., III and Harvey, B.G. Application of recoil techniques to study of the reactions  $\text{Ra}^{226}(\alpha, 4\text{n})\text{Th}^{222}$ ,  $\text{Pb}^{208}(\alpha, 2\text{n})\text{Po}^{210}$ , and  $\text{Pb}^{207}(\alpha, \text{n})\text{Po}^{210}$ , 2=14138
- Morton, J.Y. Irregular diffraction effects of subjects in a free field, 0=6500
- Morton, J.Y. An artificial ear for insert earphones, 0=14331
- Morton, J.Y. and Jones, R.A. The mechanical impedances of mastoids of some normal and deaf subjects, 0=4827
- Morton, J.Y. and Jones, R.A. The acoustical impedance presented by some human ears to hearing-aid earphones of the insert type, 0=6498
- Morton, K.W. Scaling neutron tracks in Monte Carlo shielding calculations, 0=7354
- Morton, P. See Parzen, G., 4=8877
- Morton, P.H. See Barber, A.C., 3=21664
- Morton, S.D. and Ferry, J.D. Translational friction of microscopic spheres in concentrated polymer solutions, 0=76
- Morton, S.D. and Ferry, J.D. Dynamic mechanical properties of polyvinyl chloride gels, 2=23979
- Morton, W.T. and Munir, B.A. Nuclear disintegrations produced by 900 MeV neutrons, 0=20484
- Morton, W.T. and Walker, T.G. Hammer tracks from the photo disintegration of light emulsion nuclei, 1=13774
- Morton, W.T. and Walker, T.G.  $(\gamma, \text{p} + \alpha)$  reactions in  $^{12}\text{C}$ ,  $^{14}\text{N}$  and  $^{16}\text{O}$ , 2=22797
- Morton, W.T. See Walker, T.G., 0=7595
- Morucci, J.P. See Lansiait, A., 2=20183
- Moruzzi, J.L. Estimation of initial cathode current in Townsend electron attachment experiments, 4=5550
- Moruzzi, J.L. Ionization and attachment in difluoro-dichloromethane, 4=5551
- Moruzzi, J.L. and Craggs, J.D. Measurement of ionization and attachment coefficients in  $\text{C}_3\text{F}_8$ , 4=5557
- Moruzzi, V.L. Triangular moment arrangements in manganese-iron spinels, 1=6252
- Moruzzi, V.L. and Teaney, D.T. Specific heat of  $\text{EuS}$ , 4=6742
- Moruzzi, V.L. See Boyd, E.L., 3=25545
- Morwinski, H. The appearance of electroluminescence through afterglow, 3=15723
- Mory, J. See Debeauvais, M., 4=19344
- Morzymas, J. The Feynman-Gell-Mann equation in the spinor space. Geometrical interpretation of the helicity of the elementary particles, 3=24592
- Mosaalev, V.I. See Budagov, Yu.A., 3=6039
- Mosalov, I.V. See Zverev, V.A., 4=2521
- Mosburg, E.R., Jr and Murphey, W.M. A recalibration of the N.B.S. standard thermal neutron flux, 2=3354
- Mosburg, E.R., Jr. See Noyce, R.H., 4=920
- Mosburg, E.R., Jr. See Persson, K.-B., 4=11595
- Moscatti, G. The  $(\gamma, 3\text{n})$  reaction in  $\text{Pr}^{141}$ , 1=13772
- Moscatti, G. and Goldenberg, J. A neutron detecting system for pulsed accelerators, 2=1694
- Moscatti, G. and Goldemberg, J. Delayed neutron yields in the photofission of  $\text{U}^{238}$  and  $\text{Th}^{232}$ , 2=12233
- Moscatti, G. See Lerner, E., 3=5976
- Moscatti, G. See Nascimento, I.C., 1=4857
- Moscatti, G. See Nefkens, B.M.K., 4=9443
- Möschwitzer, A. and Wagner, S. Cold emission by thin film cathodes, 4=11690
- Mościcki, W. On the use of G.M. counters filled with a mixture of  $\text{CO}_2 + \text{CS}_2$  for the measurement of the activity of natural carbon. I. Discussion of the techniques employed in the measurement of the activity of natural carbon, 0=15530
- Mościcki, W. On the use of G.M. counters filled with a mixture of  $\text{CO}_2 + \text{CS}_2$  for the measurement of the activity of natural carbon. II. Experiments with G.M. counters filled with  $\text{CO}_2 + \text{CS}_2$  used for detection of  $^{14}\text{C}$  in natural carbon, 0=15531
- Mościcki, W. Note on the effects due to pulse-delay phenomena in  $\text{CO}_2 + \text{CS}_2$  G-M. Counters, 1=13200
- Mościcki, W. and Renk, H. The time-delay probability function of pulses of Geiger-Müller counters filled with  $\text{CO}_2 + \text{CS}_2$ , 2=3191
- Mościcki, W. and Zastawny, A. Gdańsk C-14 dating laboratory measurements, 3=1420
- Mościcki, W. and Zastawny, A. Apparatus used in the laboratory of absolute geochronology for determining the age of samples by the  $^{14}\text{C}$  procedure, 3=11382
- Mościcki, W. See Ettinger, K.W., 3=2015
- Mościcki, W. See Kolka, W., 3=5640
- Mosco, U. Hard-photon emission in an experiment with electron-positron colliding beams, 4=25070
- Mosco, U. See Cabibbo, N., 3=572
- Mosco, U. See Cabibbo, N., 3=7819
- Mosco, U. See Cabibbo, N., 3=14937
- Moscou, L. Etching of rubber for electron microscopic examination of fillers, 3=23528
- Moscou, L. Electron microscope technique for the investigation of irradiation damage to small nuclear fuel particles, 4=19904
- Moscowitz, A. Analysis of rotatory dispersion curves, 0=17842
- Mosedale, D. Influence of irradiation on creep, 3=1228
- Mosedale, D. Irradiation and a Nabarro effect, 3=13018
- Moseev, V.V. See Stoyanov, P.A., 4=16539
- Moseley, D.S. Contribution to the theory of radial extensional vibrations in thin disks, 0=14705
- Moseley, R.D., Jr. See Hodges, P.C., 0=5541
- Moselhy, M.M. See Abdel Rahim, A.M., 3=8830
- Mosen, A.W. See Schmitt, R.A., 0=14402
- Moser, C. See Brion, H., 0=7778
- Moser, C. See Brion, H., 1=14061
- Moser, C. See Carlson, K.D., 4=9729
- Moser, C. See Lefebvre-Brion, H., 3=19977
- Moser, C.M. See Bessis, N., 2=522
- Moser, C.M. See Bessis, N., 2=22898
- Moser, C.M. See Bessis, N., 4=12117
- Moser, C.M. See Bessis, N., 4=25507
- Moser, C.M. See Bessis, N., 4=28112
- Moser, C.M. See Lefebvre-Brion, H., 0=9828
- Moser, C.M. See Lefebvre-Brion, H., 0=17764
- Moser, C.M. See Lefebvre-Brion, H., 1=9947
- Moser, C.M. See Lefebvre-Brion, H., 4=30425
- Moser, C.M. See Merryman, P., 0=5959
- Moser, C.W. See Bessis, N., 3=12760
- Moser, E. See Kornetzki, M., 0=18204
- Moser, E. See Kornetzki, M., 1=7767
- Moser, E. See Röss, E., 1=14741
- Moser, F. Absorption spectrum of photochemically colored silver halides, 1=8985
- Moser, F. Equilibrium properties of solid solutions of copper ions in large  $\text{AgCl}$  crystals, 2=4136
- Moser, F., Burnham, D.C. and Tippins, H.H. Zone refining of the silver halides, 1=4029
- Moser, H., Neumaier, F. and Rauert, W. Application of radioactive isotopes in hydrology. V. Measurement of the flow rate of open currents by radioactive indicators, 3=1669
- Moser, H., Otto, J. and Thomas, W. Gas thermometric measurements at high temperatures. III. Determination of the thermodynamic temperatures of fixed points between  $419^\circ$  and  $1065^\circ$ , 4=351
- Moser, H. and Stieler, D. On the observation of Raman spectra of powdered crystals, 0=14817
- Moser, J. Theory of depolarization of the light dispersed by solutions of macromolecular substances, 0=940
- Moser, J. Contribution to the theory of diffraction of light by zone plates, 0=1043
- Moser, J. A contribution to the quantum theory of central forces, 0=10594
- Moser, J.B. and Whitmore, D.H. Kinetics of sintering of sodium chloride in the presence of an inert gas, 0=8463
- Moser, J.B. See Whitmore, D.H., 0=16921
- Moser, P. and Dautreppe, D. The effects of neutron irradiation on pure iron, 3=8469
- Moser, P. and Dautreppe, D. Magnetic after-effect in pure and doped iron irradiated with neutrons, 4=1832
- Moser, P., Dautreppe, D. and Brissonneau, P. Observations of defects by magnetic viscosity in neutron irradiated pure iron, 1=1227
- Moser, P. See Bonjour, E., 4=4098
- Moser, P. See Brissonneau, P., 3=1043
- Moser, P. See Dautreppe, D., 2=12475
- Moser, P. See Dautreppe, D., 2=21084



- Moser, P. See Dautreppe, D., 4=26513  
Moser, P. See Kuhn, W., 2=10790  
Moser, P. See Peretto, P., 4=13196  
Moses, H., Stehney, F. and Lucas, H.F., Jr. The effect of meteorological variables upon the vertical and temporal distributions of atmospheric radon, 0=14320  
Moses, H. A. and Russek, A. Radial wave functions for the cesium atom, 4=28121  
Moses, H. E. Generalizations of the Jost functions, 4=18077  
Moses, H. E. See Kay, L., 2=1661  
Moses, H. E. See Lomont, J.S., 0=9270  
Moses, H. E. See Lomont, J.S., 0=14518  
Moses, H. E. See Lomont, J.S., 1=15694  
Moses, H. E. See Lomont, J.S., 2=15447  
Moses, H. E. See Lomont, J.S., 3=11697  
Moses, H. E. See Lomont, J.S., 4=15  
Moses, H. E. See Lomont, J.S., 4=5020  
Moses, H. E. See Lomont, J.S., 4=11895  
Moses, K. See Gorowitz, B., 0=3577  
Moses, K. See Gorowitz, B., 2=3056  
Moses, K. G. and Korneff, T. Voltage measurements in the presence of strong fields, 3=21672  
Moses, R. A. See Tkachenko, E. A., 4=11228  
Moses, V. and Fowler, J. F. Helium-butane gas mixtures as fillings for Geiger-Müller tubes, 0=12721  
Mosharov, A. I. See Bovin, V. V., 0=9385  
Moshchanskiĭ, V. A. See Aksenov, G. I., 4=23394  
Mosher, H. P. See Parks, G. S., 2=21585  
Mosher, H. S., Hardwick, E. R. and Ben Hur, D. Flash-photolysis studies of  $\alpha$ - and  $\gamma$ - (2,4-dinitrobenzyl) pyridine, 2=19160  
Mosher, H. S., Souers, C. and Hardwick, R. Photochromotropism of gamma-(2,4-dinitrobenzyl)-pyridine in solution, 0=16381  
Mosher, H. S. See Hardwick, R., 2=9325  
Moshinsky, M. Transformation brackets for harmonic oscillator functions, 0=5517  
Moshinsky, M. On exact solutions for the pairing plus quadrupole-quadrupole interactions, 2=1766  
Moshinsky, M. The harmonic oscillator and supermultiplet theory. I. The single shell picture, 2=10192  
Moshinsky, M. Soluble many-body problem for particles in a Coulomb potential, 2=13960  
Moshinsky, M. Wigner coefficients for the SU<sub>3</sub> group and some applications, 3=6124  
Moshinsky, M. Bases for the irreducible representations of the unitary group and some applications, 3=23731  
Moshinsky, M. Group theory and many-body problems with finite number of states, 4=2585  
Moshinsky, M. and Brody, T. A. Symmetries and sum rules of transformation brackets, 2=1042  
Moshinsky, M. and Nagel, J. G. Complete classification of states of supermultiplet theory, 4=814  
Moshinsky, M. See Bargmann, V., 0=20082  
Moshinsky, M. See Bargmann, V., 1=5695  
Moshinsky, M. See Brody, T. A., 0=17469  
Moshinsky, M. See Brody, T. A., 1=13600  
Moshinsky, M. See Chacon, E., 2=22736  
Moshinsky, M. See Lozano, J. M., 1=8438  
Moshkovskii, Yu. Sh. See Chetverikov, A. G., 4=26437  
Mosig, R. See Ašner, A., 3=19137  
Mosinger, E. M. See Aguilar, J., 0=20463  
Mosinger, E. M. See Bredin, D. J., 0=20250  
Moskalenko, S. A. Exciton absorption of light in Cu<sub>2</sub>O crystals. I. The case of absence of constant external fields, 0=20983  
Moskalenko, S. A. Exciton absorption of light in Cu<sub>2</sub>O crystals. II. The case of absence of constant external fields, 1=3827  
Moskalenko, S. A. Reversible optico-hydrodynamic effects in nonideal exciton gas, 2=12406  
Moskalenko, S. A. Reversible optico-hydrodynamic effects in nonideal exciton gas, 2=14419  
Moskalenko, S. A. Phase transitions of the second kind during Bose-Einstein condensation of excitons in a deformed lattice, 4=6804  
Moskalenko, S. A. and Bobrysheva, A. I. Selection rules and the energy spectrum of excitons. Allowance for external fields and directional deformations, 3=15472  
Moskalenko, S. A., Khadzi, P. I., Bobrysheva, A. I. and Lelyakov, A. V. Optico-hydrodynamic phenomena in an exciton-phonon system, 3=20142  
Moskalenko, V. A. Determination of the critical temperature of a superconductor, 3=19095  
Moskalenko, V. A. A criterion for superconductivity, 3=21652  
Moskalenko, V. A. Calculation of Coulomb interaction in the thermodynamics of superconductivity, 3=21653  
Moskalenko, V. A. See Marinchuk, A. E., 4=1358  
Moskalenko, V. A. See Tybaliko, S. V., 2=687  
Moskalenko, V. A. See Tyablikov, S. V., 2=4131  
Moskalev, A. N. See Dolginov, A. Z., 0=7289  
Moskalev, E. I. See Zaidel', A. N., 1=5480  
Moskalev, E. I. See Zaidel', A. N., 1=9606  
Moskalev, O. B. Neutron spectrum in a mixture of two non-interacting gases, heated to different temperatures, 2=20354  
Moskalev, O. B. A critical region of a reactor with nonlinear coupling between temperature and neutron flux obtained by approximating a one-velocity transfer equation, 4=15249  
Moskalev, O. B. Critical state of reactors taking into account non-linear relations between temperature and neutron flux, 4=19898  
Moskalev, O. B. On certain nonlinear problems in the theory of nuclear reactors, 4=22250  
Moskalev, O. B. Critical state in a reactor with a non-linear relation between neutron flux and temperature, using the many group approximation, 4=22259  
Moskalev, O. B. and Chuyanov, V. A. The existence and uniqueness of the solution to certain nonlinear problems in nuclear reactor theory, 4=12301  
Moskalev, S. S., Muradian, H. V. and Adamchuk, Yu. V. Total neutron cross sections of Zr isotopes in the energy range up to 20 keV, 4=19790  
Moskalev, S. S. See Adamchuk, Yu. V., 1=19492  
Moskalev, S. S. See Danelyan, L. S., 4=15226  
Moskalev, S. S. See Eroziĭskiy, B. G., 0=4135  
Moskalev, S. S. See Pevzner, M. I., 3=24956  
Moskalev, S. S. See Voronkov, R. M., 3=5727  
Moskalev, S. S. See Voronkov, R. M., 4=622  
Moskalev, V. A. and Okulov, B. V. On the dependence of betatron radiation upon the injection voltage, 3=17007  
Moskalev, V. A. See Vorobiev, A. A., 1=9652  
Moskalev, V. I. and Ordan'yan, S. S. Investigation of the effect of doping with chromium and bismuth oxides on the dielectric and piezoelectric properties of polycrystalline barium titanate, 2=16792  
Moskalev, V. I. See Budagov, Yu. A., 0=7402  
Moskalev, V. I. See Budagov, Yu. A., 0=9399  
Moskalev, V. I. See Budagov, Yu. A., 0=13017  
Moskalev, V. I. See Budagov, Yu. A., 0=13018  
Moskalev, V. I. See Budagov, Yu. A., 1=5766  
Moskalev, V. I. See Budagov, Yu. A., 1=19297  
Moskalev, V. I. See Budagov, Yu. A., 2=16228  
Moskalev, V. I. See Budagov, Yu. A., 3=4474  
Moskalev, V. I. See Dzhelepov, V. P., 2=10231  
Moskalev, V. I. See Dzhelepov, V. P., 2=14231  
Moskalev, V. I. See Dzhelepov, V. P., 3=6371  
Moskalev, V. I. See Dzhelepov, V. P., 4=25205  
Moskalev, V. I. See Dzhelepov, V. P., 4=27909  
Moskalev, V. I. See Ermolov, P. F., 0=2532  
Moskalev, V. I. See Ermolov, P. F., 1=16780  
Moskalev, V. M. See Palatnik, L. S., 4=10609  
Moskalev, V. M. See Palatnik, L. S., 4=23333  
Moskalev, V. V. Calculation of the second moment of a nuclear magnetic resonance line for a rotating group present in a molecule, 1=20250  
Moskalev, V. V. Calculation of the second moment of a nuclear magnetic resonance line for a rotating group present in a molecule, 2=8677  
Moskalev, V. V. and Petrov, M. P. Investigation of the nuclear magnetic resonance spectrum and the spin-lattice relaxation time of D-camphor, 3=20679  
Moskalev, V. V. See Dmitrieva, L. V., 4=1894  
Moskaleva, L. P. See Lavrukhina, A. K., 0=7569  
Moskaleva, L. P. See Lavrukhina, A. K., 0=13298  
Moskaleva, L. P. See Lavrukhina, A. K., 2=20689  
Moskaleva, L. P. See Lavrukhina, A. K., 3=8150  
Moskaleva, L. P. See Malysheva, T. V., 3=8051  
Moskal'kova, E. A. See Petrzhak, K. A., 4=12291  
Moskhalev, A. P. See Babenko, N. P., 4=30277  
Moskovenko, I. B., Pigulevskii, E. D. and Semenova, N. G. Charging of a suspension of colloidal particles in an ultrasonic field, 4=7786  
Moskovtsev, V. A. See Vladimirovskii, V. V., 4=14822  
Moskowitz, G. D. and Suppliger, E. W. Energy storage in an axially and laterally loaded filament, 4=15681  
Moskowitz, J. W. Study of the H<sub>2</sub> ring in the molecular orbital and alternant molecular orbital approximation, 3=8243  
Moskowitz, J. W. and Barnett, M. P. PI electronic structure of the benzene molecule, 4=1285



- Moskowitz, J.W. and Thorson, W.R. Inelastic atomic scattering. II. 3=15302
- Moskvicheva, V.N. See Kutateladze, S.S., 0=8848
- Moskvin, A.I. See Likhachev, V.A., 2=10772
- Moskvin, L.N. See Dzhelepov, B.S., 3=17446
- Moskvin, N.A. See Kaplyanskii, A.A., 2=712
- Moskvin, N.A. See Kaplyanskii, A.A., 3=8619
- Moskvin, N.A. See Kaplyanskii, A.A., 3=20516
- Moskvin, N.A. See Kaplyanskii, A.A., 3=25478
- Moskvin, N.A. See Kaplyanskii, A.A., 4=28731
- Moskvin, Yu. V. Photoionization of atoms and recombination of ions in the vapors of alkali metals, 4=15297
- Moskvitin, V.V. Stresses and strains in cyclically consolidating media, 3=16559
- Mosley, K. and Gumley, P. The determination of safe working electrical stresses for ceramics at high temperatures, 4=28611
- Mosley, M.H. See Powles, J.G., 1=9407
- Mosley, M.H. See Powles, J.G., 1=15906
- Mosova, L.M. See Lifshits', Ye. V., 2=19177
- Moss, D.G. See Horsfield, A., 1=12000
- Moss, F.E. and Hereford, F.L. Inhibition of the scintillation of He II, 3=21644
- Moss, G.L. See Heavens, O.S., 1=12664
- Moss, H. Planar diode flow and the Langmuir limit, 0=269
- Moss, H. A note on anomalous radial velocity spectra from rough thermionic emitters, 2=1480
- Moss, H.I. See Fischer, A.G., 3=23121
- Moss, M.K. See Davis, W.R., 3=11684
- Moss, R. L. and Thomas, D. H. The influence of vacuum on the structure of evaporated silver films, 4=23587
- Moss, R. L. See Duell, M. J., 4=10614
- Moss, R.W. See Krogstad, R.S., 3=13528
- Moss, S. See Patel, J.R., 2=21574
- Moss, S. J. and Johnson, W. T. K. Automatic liquid nitrogen filling system, 4=27399
- Moss, T. A. See Minami, S., 4=899
- Moss, T. A. See Minami, S., 4=27851
- Moss, T. H., Lellers, C. F. and Bearden, A. J. Superfluid helium container of mylar construction, 4=5489
- Moss, T.S. The extent of ionic binding in cadmium telluride, 0=7834
- Moss, T.S. Indium antimonide, 1=6158
- Moss, T.S. Optical absorption edge in GaAs and its dependence on electric field, 1=17729
- Moss, T. S. [Conf. Rep.]. Photoconductivity conference—Cornell University U.S.A., August, 1961, 2=4056
- Moss, T.S. Unusual photoconductive effects, 2=8402
- Moss, T.S. Magneto-optical effects in semiconductors, 2=16805
- Moss, T.S. Methods of modulating infrared beams, 3=1809
- Moss, T.S. and Ellis, B. The infra-red Faraday effect in n-type AlSb and GaP and in undoped GaP, 4=10162
- Moss, T.S. and Hawkins, T.D.H. Interband photoconductivity in germanium, 1=3790
- Moss, T.S. and Hawkins, T.D.F. Infrared absorption in gallium arsenide, 2=8495
- Moss, T.S. and Peacock, A.G. Infrared optical properties of lead halides, 2=10568
- Moss, T.S. and Walton, A.K. Determination of the effective electron mass in GaAs by the infra-red Faraday effect, 0=7872
- Moss, T.S. and Walton, A.K. Measurement of effective mass of electrons in InP by infra-red Faraday effect, 0=18049
- Moss, T.S. and Walton, A.K. Infra-red Faraday effect in semiconductors, 2=23529
- Moss, T.S., Walton, A.K. and Ellis, B. Infra-red Faraday effect measurements on gallium phosphide and aluminium antimonide, 3=10816
- Moss, T.S. See de la Perrelle, E. Y., 3=16789
- Moss, T.S. See Houghton, J.T., 1=18079
- Moss, T.S. See Hughes, N.D.P., 1=9268
- Moss, T.S. See Smith, S.D., 0=4361
- Moss, T.S. See Walton, A.K., 2=6549
- Moss, T.S. See Walton, A.K., 2=10492
- Moss, T.S. See Walton, A.K., 3=10904
- Mossakowska, Z. Plane dynamical nucleus of temperature in an elastic anisotropic half-space, 2=9211
- Mossakowska, Z. Dynamical problem for anisotropic elastic half-space with discontinuous temperature field, 2=9212
- Mössbauer, R.L. Nuclear resonance absorption of  $\gamma$ -rays in  $\text{Ir}^{191}$ , 0=1368
- Mössbauer, R.L. Recoilless nuclear resonance absorption of gamma-radiation, 2=12366
- Mössbauer, R.L. Recoilless nuclear resonance absorption of gamma radiation, 3=4557
- Mössbauer, R.L. Nuclear resonance absorption with frozen in recoil, 3=20066
- Mössbauer, R. L. General aspects of nuclear hyperfine interactions in salts of the rare earths, 4=20171
- Mössbauer, R. L. and Sharp, D. H. On the theory of resonant scattering of gamma rays by nuclei bound in crystals, 4=20173
- Mössbauer, R.L., Stanek, F.W. and Wiedemann, W.H. Hyperfine structure splitting of recoilless  $\gamma$ -lines. I. The 80.6 keV level in  $\text{Er}^{166}$ , 1=9815
- Mössbauer, R.L. and Wiedemann, W.H. Nuclear resonance absorption of non-Doppler-broadened gamma rays in  $\text{Re}^{187}$ , 0=9525
- Mössbauer, R. L. See Barnes, R. G., 4=3965
- Mössbauer, R. L. See Barnes, R. G., 4=30497
- Mössbauer, R. L. See Cohen, R., 4=12580
- Mössbauer, R. L. See Hanna, S. S., 4=12593
- Mössbauer, R.L. See Mössbauer, R.L., 2=8154
- Mosser, J.S. See Pace, E.L., 3=21636
- Mossman, P. See Doughty, D.C., 1=352
- Mossin-Kotin, C., Margolis, B. and Troubetzkoy, E.S. Calculations of neutron capture cross-sections, 0=2681
- Mossman, P. and Williams, M. Effect of skew on the performance of magnetic film storage cells, 3=14734
- Mossop, I. A. See Kinchin, G. H., 4=6436
- Mossop, S. C. Atmospheric ice nuclei, 4=10719
- Mostinskii, I. L. See Styrlikovich, M. A., 0=6970
- Mostov, P.M., Neuringer, J.L. and Rigney, D.S. Electromagnetic acceleration of a plasma slug, 1=11933
- Mostovaya, T. A. The ternary fission of  $\text{U}^{235}$ ,  $\text{U}^{235}$ ,  $\text{Pu}^{239}$  and  $\text{Pu}^{241}$ , 4=9579
- Mostovaya, T. A., Mostovoi, V. I. and Yakovlev, G. V. Probability of monochromatic neutron induced ternary fission of  $\text{U}^{235}$  in the energy range 0.06-10 eV, 4=15245
- Mostovaya, T.A. See Mostovoi, V.I., 0=4136
- Mostovaya, T.A. See Mostovoi, V.I., 2=1940
- Mostovlyanskii, N.S. See Roizin, N.M., 3=17668
- Mostovlyanskii, N.S. See Roizin, N.M., 4=22514
- Mostovoi, V.I., Dikarev, V.S., Egiazarov, M.B. and Saltykov, Yu.S. Measurement of the neutron spectra in uranium-water and uranium-monoisopropylidiphenyl lattices, 3=25029
- Mostovoi, V.I., Mostovaya, T.A., Sovinskii, M. and Saltykov, Yu.S. The distribution of fission-fragment kinetic energy in ternary fission of  $\text{U}^{235}$  by thermal neutrons, 0=4136
- Mostovoi, V.I., Mostovaya, T.A., Sovinskii, M. and Saltykov, Yu.S. The distribution of fission-fragment kinetic energy in ternary fission of  $\text{U}^{235}$  by thermal neutrons, 2=1940
- Mostovoi, V.I. See Mostovaya, T.A., 4=15245
- Mostovskii, A. A. and Sakseev, D. A. The possibility of using a pulsed time of flight mass spectroscopy for investigating the evaporation of complex materials, 4=27587
- Mostovskii, A. A., Vorob'eva, O. B. and Stuchinskii, G. B. Photoelectric and secondary-emission properties of complex photocathodes, 4=8809
- Mostovskii, A. A. See Blank, Yu. S., 4=1777
- Mostovskii, A.A. See Golovanova, O.V., 2=2192
- Mostovskii, A.A. See Golovanova, O.V., 2=8438
- Moszkowski, S. Two-body interactions and the Nilsson potential, 3=23793
- Moszkowski, S.A. Nuclear coupling schemes with S-state interactions, 1=8586
- Moszkowski, S.A. Systematics of beta-decay matrix elements, 2=1836
- Moszkowski, S.A. On the energy distribution of terms and line arrays in atomic spectra, 2=20738
- Moszkowski, S.A. Simulation of the hard core by a velocity dependence, 3=7966
- Moszkowski, S.A. and Scott, B.L. Nuclear forces and the properties of nuclear matter, 0=20083
- Moszkowski, S.A. and Sessler, A.M. Hole-hole interactions and the properties of nuclear matter, 0=20308
- Moszkowski, S.A. See Kelly, P.S., 0=7513
- Moszkowski, S.A. See Mills, R.L., 0=1348
- Moszkowski, S.A. See Sawicki, J., 1=5813
- Moszkowski, S.A. See Scott, B.L., 1=13612
- Moszkowski, S.A. See Scott, B.L., 2=5786
- Moszkowski, S.A. See Sood, P.C., 1=4803
- Moszkowski, S.A. See Taherzadeh, M., 2=5785
- Moszyńska, B. The second-order Raman spectrum of titanium tetrachloride, 1=848
- Moszyńska, B. Variation of the intensity of Raman lines with temperature, 1=15879



- Moszynska, B. Raman spectra of  $\text{SnBr}_4$ ,  $\text{SnCl}_4$  and  $\text{TiCl}_4$  in the crystalline state, 3=15696
- Moszynska, B. and Mathieu, P.J. Vibration spectra of  $\text{CBr}_4$  in the crystalline state, 3=15677
- Mota de Victoria, A. C. See Roach, W. R., 4=18506
- Motchane, J.L. Dynamic nuclear polarization in the case where the electron resonance line is inhomogeneous, 2=10714
- Motchane, J.L. A new method of nuclear polarization, 3=3185
- Motchane, J.L., Theobald, J. G., and Ueberfeld, J. Study of the structure of electron spin resonance lines, 4=26368
- Motchane, J.L. and Ueberfeld, J. Dynamic polarization of nuclei and molecular diffusion, 1=153
- Motchane, J.L. and Ueberfeld, J. The influence of the structure of an electron spin resonance line on the dynamic polarization of nuclei, 1=1272
- Motchane, J.L. and Ueberfeld, J. Macroscopic equations of double resonance. Thermodynamic interpretation, 1=7796
- Motchane, J.L. and Ueberfeld, J. Diffusion phenomena in double magnetic resonance in the case where the electron resonance line is inhomogeneous, 1=14813
- Motchane, J.L. and Ueberfeld, J. Nuclear polarization by "double effect" in the presence of diffusion when the electronic resonance line is inhomogeneous, 1=16972
- Motchane, J. L. See Jacobowicz, J., 4=1308
- Motchane, J. L. See Korringa, J., 4=15663
- Motchane, J. L. See Lhôte, G., 4=3190
- Motchane, J. L. See Lhôte, G., 4=17874
- Motchane, J. L. See Lhôte, G., 4=19246
- Motchane, J. L. See Ueberfeld, J., 0=16717
- Motchenbacher, C. D. See Soopaa, H. H., 4=8593
- Mote, J. D. See Rosen, A., 4=30783
- Motteff, J. Neutron flux and spectrum measurement with radioactants, 3=19912
- Motegi, H. and Mitsui, T. X-ray back reflections by cubic  $\text{BaTiO}_3$ , 4=17520
- Mothés, H. See Görlich, P., 3=8593
- Motizuki, K. Metamagnetism of methylamine chrome alum, 0=21030
- Motizuki, K. Theory of the nuclear magnetic resonance of  $\text{Co}^{59}$  in  $\text{CoO}$ , 1=9070
- Motizuki, K. Note on para-ortho conversion in solid deuterium, 2=23041
- Motizuki, K. and Nagamiya, T. Note on the effect of oxygen molecules contained in solid hydrogen on the rate of ortho-para conversion, 1=2355
- Motizuki, K. and Sparks, M. Range of excited electrons and holes in metals and semiconductors, 4=20235
- Motizuki, K. See Moriya, T., 0=8091
- Motizuki, K. See Nishikubo, T., 3=1154
- Motley, R., Lustig, C. D. and Sanders, S. Synchrotron radiation from runaway electrons in the stellarator, 1=9620
- Motley, R. W. Diffusion of plasma from the stellarator, 3=12195
- Motley, R. W. and D'Angelo, N. Excitation of electrostatic plasma oscillations near the ion cyclotron frequency, 3=9819
- Motley, R. W. and Kuckes, A. F. Recombination in a helium plasma, 3=4106
- Motley, R. W. and Wong, A. Y. Transition from Landau damping to viscous damping of ion acoustic waves, 4=19024
- Motley, R. W. See D'Angelo, N., 2=13577
- Motley, R. W. See D'Angelo, N., 3=9820
- Motley, R. W. See Kuckes, A. F., 1=11924
- Motley, R. W. See Wong, A. Y., 3=4128
- Motley, R. W. See Wong, A. Y., 4=8752
- Mořoc, C. The cohesive energy of metallic silver, 0=20722
- Motoc, C. Selenium oxidation in the radiation flux of a nuclear reactor, 1=15207
- Mořoc, C. Influence of irradiation on the optical reflection of some ceramics and glasses, 3=858
- Motoc, C. and Teodorescu, I. Study of the structure of thin gold films irradiated in the reactor, 2=8265
- Mořoc, C. and Teodorescu, I. Radiation effects in thin films, 3=22869
- Mořoc, C. See Corciovei, A., 3=12923
- Motoc, C. See Lăbușcă, E., 4=13242
- Motohashi, H. See Kubo, K., 4=10539
- Motohashi, H. See Kubo, K., 4=28512
- Motokawa, M. See Date, M., 4=10318
- Motomura, K. and Matuura, R. An equation of state for linear polymer monolayers, 3=11310
- Motomura, K. and Matuura, R. Viscoelasticity of linear polymer monolayers, 3=16126
- Motooc, C. and Teodorescu, I. Study of the structure of thin gold films irradiated in a reactor, 2=6849
- Motorina, L. I. See Bartenev, G. M., 4=23154
- Motsch, C. See Grosvallet, J., 3=13101
- Motschmann, H. See Frie, W., 1=13071
- Motsok, K. See Andreesku, N., 2=21340
- Mott, B. W. The use of the microscope in the study of metallic (and other opaque) specimens, 4=4635
- Mott, J. E. See Ammar, R. G., 1=607
- Mott, N. Atomic physics and the strength of metals. [Rutherford Memorial Lecture, 1962], 4=4436
- Mott, N. F. The transition to the metallic state, 1=4961
- Mott, N. F. The cohesive forces in metals and alloys, 2=12364
- Mott, N. F. The structure of metallic solid solutions. Introductory lecture, 3=8914
- Mott, N. F. Opening address, 3=13045
- Mott, N. F. Electrons in transition metals, 4=30543
- Mott, N. F., Parsons, R. and Watts-Tobin, R. J. The capacity of a mercury electrode in electrolytic solution, 2=8922
- Mott, N. F. and Twose, W. D. The theory of impurity conduction, 1=17651
- Mott, W. E. See Rhodes, D. F., 2=3302
- Mott, W. E. See Shedlovsky, J. P., 2=17112
- Mott-Smith, H. M. Heating of positive ions in a thermonuclear plasma, 0=15027
- Mott-Smith, H. M. Collision trajectories for inverse power intermolecular potentials, 0=19193
- Mottelson, B. See Bor, O., 4=3551
- Mottelson, B. R. and Nilsson, S. G. The shape of the nuclear photoresonance in deformed nuclei, 0=5766
- Mottelson, B. R. Nuclear coupling schemes and the microscopic description of collective effects, 1=8592
- Mottelson, B. R. and Valatin, J. G. Effect of nuclear rotation on the pairing correlation, 1=2158
- Mottelson, B. R. See Bohr, A., 2=2954
- Mottl, J. See Watanabe, K., 2=7430
- Motulevich, G. P. The relationship between the optical constants of metals and their micro-characteristics, 0=6165
- Motulevich, G. P. Optical properties of metals in the case of a weakly anomalous skin effect, 4=13000
- Motulevich, G. P. and Shubin, A. A. Determination of the microscopic characteristics of indium from its infrared optical constants and electrical conductivity, 3=22676
- Motulevitch, G. P. See Golovashkin, A. I., 0=6077
- Motulevich, G. P. See Golovashkin, A. I., 3=14433
- Motulevich, G. P. See Golovashkin, A. I., 3=22677
- Motulevich, G. P. See Golovashkin, A. I., 4=17544
- Motulevich, G. P. See Golovashkin, A. I., 4=17583
- Motulevich, G. P. See Golovashkin, A. I., 4=26222
- Motulevich, G. P. See Golovashkin, A. N., 4=2873
- Motulevich, V. P. Heat and mass transfer at a frontal point of blunt bodies for gas flow in the presence of heterogeneous chemical reactions, 2=15129
- Motulevich, V. P., Eroshenko, V. M. and Petrov, Yu. N. Effects of electrostatic fields on convective heat transfer, 4=16271
- Motz, H. Self-consistent calculation of the configuration of an r.f. confined plasma, 3=7555
- Motz, H. On the one-dimensional theory of radiofrequency plasma confinement, 3=9796
- Motz, H. Note on the relative importance of collision and temperature effects on wave propagation in a plasma, 4=2979
- Motz, H. and Walsh, D. Dependence of power radiated on beam current in a magnetic undulator, 2=7732
- Motz, H. and Wise, H. Diffusion and heterogeneous reaction. III. Atom recombination at a catalytic boundary, 0=16370
- Motz, H. See Alcock, A. J., 4=8811
- Motz, H. See Bevc, V., 4=18874
- Motz, H. See Self, S. A., 4=2991
- Motz, H. T. and Carter, R. E. Artificial radiation belt studies with a fission beta-ray source, 3=16290
- Motz, J. W. and Missoni, G. Compton scattering by K-shell electrons, 2=528
- Motz, J. W. and Missoni, G. Compton scattering by K-shell electrons, 2=20756
- Motz, J. W. and Placious, R. C. Bremsstrahlung linear polarization, 0=15325
- Motz, J. W. and Placious, R. C. Large-angle inelastic scattering of 500-keV electrons, 4=3809
- Motz, J. W., Placious, R. C. and Dick, C. E. Coulomb scattering without atomic excitation for 50-, 100-, 200-, and 400-keV electrons, 4=6502
- Motz, J. W. See Koch, H. W., 0=346
- Motz, L. Gauge invariance and the Lorentz pondermotive force, 0=14508
- Motz, L. Existence of net electric charges on stars, 1=9285



- Motz, L. Quantization and the classical Hamilton-Jacobi equation, 2=9194
- Motz, L. Gauge invariance and the structure of charged particles, 3=2185
- Motz, L. Cosmology and the structure of elementary particles, 4=13868
- Motz, L. and Selzer, A. Quantum mechanics and the relativistic Hamilton-Jacobi equation, 4=11068
- Motz, L. See Bergstein, L., 2=7336
- Motz, L. See Bergstein, L., 2=7337
- Motz, L. See Bergstein, L., 2=7338
- Motzke, K. The dependence of magnetically induced anisotropy in Ni-Fe ferrites on the number of vacant cation sites, 2=10673
- Motzke, K. The influence of empty cation sites on the magnetically induced anisotropy of Ni-Fe ferrites in the temperature range from 200°C to 300°C, 3=6726
- Motzke, K. Dependence of magnetic field induced anisotropy in Ni-Fe ferrites on nickel concentration, 4=13250
- Motzkus, F. See Bialas, D., 0=8214
- Mou Kuo-Kwang and Dchang Juan-Ling. On the interferometric method of measuring the spectral slit width of the monochromator, 4=24373
- Mouchitzky, G. Radii of "mirror" nuclei, 0=5648
- Mouchino, M. See Calais, D., 4=1517
- Mouclier, M. See Guizonnier, R., 3=9478
- Mouëllic, B. See Banaigs, J., 4=16774
- Mouëllic, L. See Dumont, S., 2=12721
- Mougin, B. See Koch, L., 0=17151
- Mould, R.A. Quantum theory of measurement, 2=9195
- Mould, R.A. Internal absorption properties of accelerating detectors, 4=16648
- Mould, R.A. See Balazs, N.L., 4=28105
- Mould, R.E. and Mapother, D.E. Effect of precipitation hardening on the superconducting properties of aluminium, 2=2956
- Moule, D. See King, G.W., 3=6403
- Moule, G.L. See Barber, D., 4=2458
- Moulin, T. See le Grives, E., 4=14735
- Moulon, D. See Guenebaut, H., 4=23638
- Moulson, A.J. and Roberts, J.P. Water in silica glass, 2=6378
- Moulton, C. Sputtered III-V intermetallic films, 3=3357
- Moulton, G.C. and Moulton, W.G. Paramagnetic resonance of X-irradiated single crystals of Rochelle salt, 1=11487
- Moulton, W.G. See Hasty, T.E., 0=2825
- Moulton, W.G. See Hughes, W.E., 4=4414
- Moulton, W.G. See Moulton, G.C., 1=11487
- Moulton, W.G. See Partlow, W.D., 4=4435
- Moulton, W.G. See Tipsword, R.F., 4=4434
- Moulton, W.G. See Webb, W.E., 2=10721
- Mounier, M. See Emschwiller, G., 3=13165
- Mountain, R.D. Statistical mechanics of adiabatic processes, 4=16048
- Mountain, R.D. See Klein, M.J., 0=19546
- Mountain, R.D. See Klein, M.J., 2=16611
- Mountain, R.D. See Klein, M.J., 4=16049
- Mountjoy, J.C. See Allcock, G.M., 3=16229
- Mountvala, A. J. and Murray, G. T. Effect of gaseous environment on fracture behavior of  $Al_2O_3$ , 4=28935
- Moura, L.A. De. See De Moura, L.A.
- Mourad, P. Colour centres in ionic crystals, 2=12465
- Mourad, W. G., Fauly, T. and Herb, R. G. Orbitron ionization gauge, 4=18289
- Mouradian, E.M. See Baker, L., Jr., 3=14413
- Mouradian, Z. See Michard, R., 1=15476
- Mouradian, Z. Kinematics of solar chromospheric spicules, 3=9214
- Mourao, R.R. de Freitas. See de Freitas Mourao, R.R.
- Moureu, H. See Calvet, E., 1=2910
- Mourier, G. The acoustic radiation of stringed instruments, 4=18358
- Mourier, G. See Consoli, T., 3=14589
- Mourier, G. See Consoli, T., 3=14590
- Mourier, G. See Consoli, T., 4=8641
- Mourier, G. See Glance, B., 1=16406
- Mourre, R. See Julg, A., 2=22992
- Moursund, A. L. See Ackerman, M., 4=28289
- Moushegian, G. and Jeffress, L.A. Role of interaural time and intensity differences in the lateralization of low-frequency tones, 0=2051
- Moushegian, G., Rupert, A. and Whitcomb, M. A. Medial superior-olivary-unit response patterns to monaural and binaural clicks, 4=10972
- Moussa, A. and Monnard, E. Low-energy gamma transition in  $Eu^{153}$ , 1=13658
- Moussa, A. See Chédin, P., 4=17065
- Moussa, A. See Juillard, A., 2=413
- Moussa, A. See Marguier, G., 4=17064
- Moussa, A. See Marguin, P., 1=7354
- Moussa, A. See Marguin, P., 1=7355
- Moussa, A. See Monnard, E., 1=13731
- Moussa, A. See Moret, R., 4=19491
- Moussa, A. See Ravier, J., 1=13740
- Moussa, A. See Ravier, J., 1=13743
- Moussa, A. See Tousset, J., 0=9563
- Moussa, A. See Tousset, J., 2=389
- Moussa, A.H. The effect of polarization on elastic scattering of positrons by hydrogen atoms, 0=5550
- Moussa, A.H. See Massey, H.S.W., 1=8448
- Moussa, M.A. See Juillard, A., 0=10967
- Moussa, M.A. See Marguin, P., 0=3880
- Mousselin, L. See Chanu, J., 2=7440
- Mousselin, L. See Chanu, J., 2=17592
- Mousselin, L. See Chanu, J., 4=13728
- Moussiegt, J. Negative resistance oscillators and relaxation oscillators, 3=9697
- Moustafa, K. See Bergmann, W.H., 3=17128
- Mouton, W.L., Sellschop, J.P.F. and Keddy, R.J. Mean lifetimes of the first excited states of  $Li^+$  and  $Na^{23}$  by resonance scattering of bremsstrahlung, 3=4564
- Mouton, W.L., Sellschop, J.P.F. and Wiechers, G. Nuclear resonant scattering of gamma radiation of variable energy, 3=4370
- Mouton, W.L. and Smith, P.B. Resonant absorption of the gamma-radiation from the  $Ne^{22}(\beta, \gamma) Na^{23}$  reaction, 0=11311
- Mouton, W. L. See Van Der Leun, C., 4=12225
- Moutot, M. and Boisshot, A. A study of 169 Mc/s thermal radiation from solar active spots, 1=15440
- Moutou, P.C. See Warnecke, M., 0=14700
- Mouttet, C. Experimental study of certain optical properties of thin films of molybdenum, 4=22878
- Mouttet, C. and Gravier, P. Vacuum study of optical properties of thin films of refractory metals, 4=30672
- Mouturant, P. See Cabane, G., 3=6798
- Movchan, Ye.O. and Bondar, M.M. Some properties of Ge alloyed with La, Pr and Nd, 3=20308
- Movchet, J. See Borgeaud, P., 4=21905
- Movchet, J. See Marin, P., 0=5741
- Movlanov, Sh. and Kuliev, A.A. Investigation of the diffusion of selenium and mercury in solid and liquid tellurium, 2=18610
- Movnin, S.M. See Abroyan, I.A., 1=11963
- Movsesyan, R. E. The ellipsoidal distribution function in a magnetic field, 4=29992
- Mow, C.C. See Pao, Y.-H., 3=9542
- Mowat, J.G. See Fickinger, W.J., 4=16938
- Mowat, J. G. See Vittitoe, C. N., 4=21899
- Mowat, M. See Bok, B. J., 4=30970
- Mowbray, G. H. and Durr, L. B. Visual masking, 4=23977
- Mowbray, G.H. See Sen, T.K., 3=13969
- Mower, L. Conductivity of a warm plasma, 0=1137
- Mower, L. and Buchsbaum, S.J. Interaction between cold plasmas and guided electromagnetic waves. II, 3=7553
- Mower, L. See Buchsbaum, S.J., 0=17017
- Mower, L. See Burke, J.E., 2=19729
- Mowery, A.L., Jr and Murray, R.L. A generalized variational method for reactor analysis, 3=6327
- Mowery, A.L., Jr. See Murray, R.L., 0=13351
- Mowery, A.L., Jr. See Murray, R.L., 0=13367
- Moxon, D. "Stagnant"—A one-dimensional, steady-state, two-group, Fortran programme for steam-generating P.T.Rs [pressure-tube reactors], 2=20713
- Moxon, M.C. and Rae, E.R. A gamma-ray detector for neutron capture cross-section measurements, 4=9164
- Moxon, M.C. See Bird, J.R., 0=4074
- Moxon, M.C. See Firk, F.W.K., 1=8741
- Moxon, M.C. See Firk, F.W.K., 3=10357
- Moxon, M.C. See Firk, F.W.K., 3=17486
- Moxon, M.C. See Firk, F.W.K., 3=24955
- Möyakushko, L.K. See Hrishayev, I.A., 1=12931
- Moyal, J.E. Statistical problems in nuclear and cosmic ray physics, 1=13195
- Moyal, J. E. See Brockwell, P. J., 4=25018
- Moyana Reina, F. Measurements of impedances of circular loops with dimensions which are not small, with a single feed, 2=7234



- Moyer, B.J. PI—p elastic scattering in the energy region 500-1500 MeV, 1=16877
- Moyer, B.J. See Adelson, H.E., 0=2466
- Moyer, B.J. See Cence, R.J., 1=8700
- Moyer, B.J. See Cence, R.J., 3=24724
- Moyer, B.J. See Cohen, D., 3=14947
- Moyer, B.J. See Devlin, T.J., 2=3386
- Moyer, B.J. See Helland, J.A., 3=10161
- Moyer, B.J. See Helland, J.A., 4=19566
- Moyer, B.J. See Helland, J.A., 4=19567
- Moyer, B.J. See Hinrichs, C.K., 2=18142
- Moyer, B.J. See Longo, M.J., 0=3984
- Moyer, B.J. See Longo, M.J., 1=10921
- Moyer, B.J. See Longo, M.J., 2=3387
- Moyer, B.J. See Longo, M.J., 3=6049
- Moyer, J.W. Stabilization of free radicals at low temperatures. Summary of the N.B.S. program, 1=14109
- Moyer, W.R. See Yergin, P.F., 4=25374
- Moyžes, B. Ya. See Joffe, A.F., 2=23483
- Mozalevskii, I.A. See Alekseev, A.G., 4=14825
- Mozalevskii, I.A. See Alekseev, A.G., 4=14826
- Mozalevskii, I.A. See Sokolovskii, V.V., 4=14838
- Mozalevskii, I.A. See Talyzin, A.N., 4=14827
- Mozer, B. and Baranger, M. Electric field distributions in an ionized gas. II, 0=10870
- Mozer, B., Otnes, K. and Myers, V.W. Measurement of a simple defect mode of vibration, 2=12373
- Mozer, F.S. Generalized atomic mass law, 0=2720
- Mozer, F.S., Elliott, D.D., Mihalov, J.D., Paulikas, G.A., Vampola, A. and Freden, S.C. Preliminary analysis of the fluxes and spectrums of trapped particles after the nuclear test of July 9, 1962, 3=16288
- Mozer, B. See Baranger, M., 1=10696
- Mozhaev, S.S. and Sokiryanskii, L.F. Calculation methods of diffusion coefficients in two-phase systems, 4=6865
- Mozhaev, V.V. See Alekseevskii, N.E., 4=26012
- Mozharov, M.V. See Lyubchenko, A.P., 3=20229
- Mozherin, V.M. See Grasiuk, A.Z., 4=20908
- Mozin, I.V. See Alekseev, A.G., 4=14826
- Mozin, I.V. See Alekseev, A.G., 4=14837
- Mozley, R.F. and DeWire, J. Monochromatic bremsstrahlung from thin crystals, 3=14949
- Mozley, R.F. See Drickey, D.J., 2=13846
- Mozley, R.F. See Smith, R.C., 3=17308
- Mozley, R.F. See Taylor, R.E., 0=5594
- Mozrzymas, J. The solution of the Feynmann-Gell-Mann equation in the spinor space. The finite dimensional representations of the Lorentz group, 4=805
- Mozrzymas, J. Rzewuski's isospace as a curved complex space, 4=9060
- Mozrzymas, J. The inversion of the angle of helicity as a conformal transformation in Minkowski's space-time, 4=9061
- Mozrzymas, J. and Rzewuski, J. Second order invariant differential equation in the spinor space, 1=18265
- Mozumder, A. Energy states of a one-dimensional crystal with vacant lattice sites, 0=7870
- Mozumder, A. On the microwave spectrum of methyl alcohol. I. General theory, 2=14269
- Mozumder, A. On the microwave spectrum of methyl alcohol. II. Numerical part, 2=14270
- Mozzhukhin, E.I. See Elyutin, V.P., 3=25612
- Mozzi, R.L. and Bekebrede, W.R. Cell dimensions and space group of magnesium nitrate hexahydrate, 2=4428
- Mozzi, R.L. and Guentert, O.J., 2=4356
- Mozzi, R.L. and Guentert, O.J. Adaptation of an X-ray diffractometer for thin film studies by total reflection of X rays, 4=10605
- Mozzi, R.L. and Paladino, A.E. Cation distributions in non-stoichiometric magnesium ferrite, 3=25720
- Mozzi, R.L. and Paladino, A.E. Erratum: Cation distributions in nonstoichiometric magnesium ferrite, 4=17810
- Mrass, H. and Brinkmann, K. Phase modulation of an ultrasonic wave in air caused by the action of a second sound wave, 4=24326
- Mrass, H. and Diestel, H.G. Determination of the normal threshold of hearing for pure tones in monaural listening with the help of headphones, 1=1606
- Mrass, H. See Bocker, P., 1=213
- Mrass, H. See Bocker, P., 2=4889
- Mraz, S. J. See Carome, E. F., 4=21123
- Mrdjenovich, R. See Tiller, W.A., 4=8503
- Mrovets, S. See Bryukman, 3=1387
- Mrowec, S. and Werber, T. On the mechanism of sulphurization of copper, 0=21268
- Mrowec, S. See Bruckmann, A., 4=23640
- Mrowec, S. See Mikulski, J., 1=1439
- Mroz, E.A. See Swank, R.K., 0=2298
- Mróz, Z. Non-associated flow laws in plasticity, 3=25620
- Mrozeiwicz, B. [Mroziewicz] and Heasell, E. The characteristics of some germanium tunnel diodes, 2=2179
- Mrozeiwicz, B. See Mrozeiwicz, B.
- Mrozowski, S. See Haering, R.R., 1=4975
- Mrozowski, S. See Hults, M., 4=19949
- Mshenskii, V.A. See Kot, M.V., 2=21157
- Mshenskii, V.A. See Kot, M.V., 3=2882
- Mu Chun. See Lyubimov, V.B., 4=937
- Mu Jun. See Lyubimov, V.B., 3=7901
- Muan, A. See Aukrust, E., 2=15140
- Muan, A. See Aukrust, E., 4=22517
- Muan, A. See Hahn, W.C., Jr, 2=2414
- Muan, A. See Ribound, P.V., 4=14453
- Muan, A. See Schwerdtfeger, K., 4=23237
- Muccini, G.A. See Henglein, A., 0=4707
- Muccini, G.A. See Henglein, A., 0=16400
- Muccini, G.A. See Henglein, A., 2=19901
- Muccini, G.A. See Henglein, A., 3=21714
- Muccini, G.A. See Henglein, A., 3=25816
- Muchnik, G.F. and Meerovich, I.G. Nonstationary heat conductivity of solids in contact, 4=29788
- Muchnik, G.F. and Zaidenman, I.A. Non-stationary heat conduction in multi-layer media. I. General solutions for planar systems, 3=16820
- Muchnik, M. See de Carvalho, H.G., 2=18367
- Muchnik, M. See de Carvalho, H.G., 3=8146
- Muchnik, M. See de Carvalho, H.G., 3=24991
- Muchnik, M. See de Carvalho, H.G., 4=19846
- Muchnik, M. See Castagnoli, C., 0=15591
- Muchnik, V.M., and Rud'ko, Yu.S. Hoar frost formation on frozen water drops in an electric field, 3=11397
- Muchnyk, V.M. See Markovych, M.L., 1=20833
- Muckenfuss, C. Bimodal model for shock wave structure, 0=10729
- Muckenfuss, C. Mean-free-path concept in gas dynamics, 2=5067
- Muckenfuss, C. Some aspects of shock structure according to the bimodal model, 3=1755
- Muckenhirn, O.W., LaBonte, A.E. and Besser, P.J. Annular uniaxially magnetized domains in thin Ni-Fe films, 0=11866
- Muckerenhirn, O.W., Monnier, M.H. and Besser, P.J. Shape-sensitive uniaxially magnetized domains in Ni-Fe films, 2=16914
- Mudar, J. See Keezer, R., 4=22801
- Mudholker, V.M. See Deshpande, V.T., 2=572
- Mudie, J.D. See Bullard, E.C., 4=39013
- Mueez, M.A. and Singer, N. A cryostat for the range -60°C to 20°C, 4=24466
- Muehe, C.E. See Condekk, W.J., 2=7170
- Muehlhausen, A. See Gifford, G., 0=10742
- Muel, B. Excitation of delayed fluorescence with the emitted photon energy greater than the incident photon energy, 3=8627
- Muelhause, C.O. The black void reactor concept, 1=17195
- Mueller, A.H. Proton orbit calculations for the Iowa State University cyclotron, 2=11742
- Mueller, C.R. and Brackett, J.W. Quantum calculation of the sensitivity of diffusion, viscosity, and scattering experiments to the intermolecular potential, 4=11237
- Mueller, C.R. and Cahill, R.W. Mass spectrometric measurement of diffusion coefficients, 4=11238
- Mueller, C.R. and Ignatowski, A.J. Equilibrium and transport properties of the carbon tetrachloride-methylene chloride system, 0=10655
- Mueller, C.R. and Marchi, R.P. W.K.B. analysis of molecular beam scattering and the Lennard-Jones potential, 3=8318
- Mueller, C.R. See Brackett, J.W., 4=3934
- Mueller, C.R. See Honig, J.M., 3=3363
- Mueller, C.R. See Marchi, R.P., 2=8131
- Mueller, C.R. See Marchi, R.P., 3=8317
- Mueller, C.R. See Sanders, W.A., 4=3931
- Mueller, C.W. See Dousmanis, G.C., 4=7012
- Mueller, C.W. See Dousmanis, G.C., 4=10082
- Mueller, L. See Solomon, R., 4=5859
- Mueller, M.H., Heaton, L. and Johanson, E.W. Stepping mechanism for X-ray and neutron diffractometers and spectrometers, 1=15032



- Mueller, M.H., Heaton, L. and Miller, K.T. Determination of lattice parameters with the aid of a computer, 1=15061
- Mueller, M.H., Heaton, L. and Sidhu, S.S. Full circle goniostat for diffraction intensity data, 3=8822
- Mueller, M.H., Hitterman, R.L. and Knott, H.W. The atomic position parameter in alpha uranium-room temperature and above, 2=10833
- Mueller, M.H. and Knott, H.W. The crystal structures of  $Ti_2Cu$ ,  $Ni_2Ni$ ,  $TiNi_2O_3$  and  $TiCu_2O_3$ , 4=7648
- Mueller, M.H. See Barrett, C.S., 3=6841
- Mueller, M.H. See Barrett, C.S., 3=23428
- Mueller, M.H. See Shull, C.G., 0=9684
- Mueller, R.C. See Christy, R.W., 3=13143
- Mueller, R.K. Dislocation acceptor levels in germanium, 0=4340
- Mueller, R.K. Current flow across grain boundaries in n-type germanium. I, 1=8939
- Mueller, R.K. Current flow across grain boundaries in n-type germanium. II, 1=8940
- Mueller, R.K. and Jacobson, R.L. Alpha and beta grain boundaries in indium antimonide, 2=14453
- Mueller, R.K. and Jacobson, R.L. Photocontrolled surface conductance in anodized InSb, 4=20371
- Mueller, R.K. and Maffitt, K.N. Grain boundary conductance in InSb, 4=17490
- Mueller, R.K. and Pontinen, K. Exo-emission from abraded and etched aluminium, 4=19077
- Mueller, R.K. See Lindemann, W.W., 0=18063
- Mueller, R.K. See Maffitt, K.N., 4=20391
- Mueller, W.M. Necessary and sufficient trajectory conditions for dense electron beams, 0=3802
- Mueller, W.M. Comments on necessary and sufficient trajectory conditions for dense electron beams, 0=19738
- Mueller, W.M. Propagation in periodic electron beams, 1=10792
- Mueller, W.M. and Currie, M.R. Noise propagation on uniformly accelerated multivelocity electron beams, 0=1156
- Mueller, W.M. and Fay, M. [Eds.]. Advances in X-ray analysis. Vol. 6, 4=7575
- Muenter, J.S. and Laurie, V.W. Microwave spectrum, structure, and dipole moment of silyl acetylene, 3=25132
- Muenz, K. and Marchello, J.M. Technique for measuring amplitudes of small surface waves, 4=24145
- Muether, H.R. See Palevsky, H., 3=17285
- Muettterties, E.L. See Mahler, W., 0=17781
- Muettterties, E.L. See Miller, N.E., 4=7749
- Mufel, V.B. See Zýkov, A.I., 4=8871
- Muff, E. Concentration distribution in Cottrell atmospheres around extended dislocations, 3=10659
- Muff, E. The asymmetry of the phase diagram of Cu-Ag alloy, 4=4504
- Muga, M.L., Bowman, H.R. and Thompson, S.G. Tripartition in the spontaneous-fission decay of  $Cf^{253}$ , 1=747
- Mugglestone, D. A study of the determination of solar atmospheric abundances, 0=18744
- Mugglestone, D. A comparison of solar atmospheric models by Stark effect in H-gamma: nitrogen abundance, 0=18746
- Mugglestone, D. See Andrews, M., 3=13884
- Mugglestone, D. See Faulkner, D.J., 2=17273
- Muggleton, A.H.F. and Howe, F.A. The preparation of thin self supporting boron films, 2=4488
- Muggleton, A.H.F. and Howe, F.A. The preparation of thin  $^{18}O$  targets, 2=4492
- Muggleton, A.H.F. and Howe, F.A. Crystal oscillator film thickness monitor, 4=29180
- Muggleton, A.H.F. and Parsons, T.T. Surface protection of solid-state radiation detectors, 3=22043
- Muggleton, A.H.F. and Parsons, C.T. An improved technique for the preparation of  $O^{17}$  targets, 4=30099
- Mughabghab, S.F. and Stephens, W.E. Energy and angular distribution of photoneutrons from oxygen-18, 4=9479
- Mugibayashi, N. An example of one-dimensional oscillatory motion in magnetohydrodynamics, 0=19905
- Mugibayashi, N. Exact treatment of the bound state problems in the non-relativistic quantum field theory, 1=13270
- Mugibayashi, N. and Kato, Y. Regular perturbation and asymptotic limits of operators in fixed-source theory, 4=19354
- Mugibayashi, N. See Itami, K., 4=30178
- Mugibayashi, N. See Kato, Y., 4=9051
- Mugibayashi, N. See Kato, Y., 4=24579
- Mugnoli, A. See Vacic, A., 0=4581
- Mugridge, E.G.V. See Ramsay, J.V., 3=7418
- Mugur, M. The relaxation of systems of permanently polarized microsystems, in a strong external field, 1=1711
- Mugur, M. Theory of nuclear magnetic resonance, 1=20253
- Mugur, M. See Corciovei, A., 1=1276
- Mugur-Schächter, M. On the possibility of an experimental test of the problem of the "completeness" of quantum mechanics, 4=50
- Muguruma, J. Spiral etch-pits of ice crystals, 1=9105
- Muguruma, J. Etch pits on prism planes of plastically deformed ice crystals, 4=20720
- Muguruma, J. and Higashi, A. Non-basal glide bands in ice crystals, 3=17763
- Muguruma, J. and Higashi, A. Observation of etch channels on the (0001) plane of ice crystal produced by nonbasal glide, 4=4061
- Muh, H. and Sittkus, A. Investigation of the structure of fission product clouds, 2=12237
- Muha, G.M. and Vaughan, P.A. Structure of the complex ion in aqueous solutions of zirconyl and hafnol oxyhalides, 0=14627
- Mühe, W. Determination of the transfer functions of vibration meters and structure-borne sound pick-ups, 0=19324
- Muheim, J. and Müller, J. Measurement of small heat capacities at low temperatures, 4=24464
- Muheim, J. and Müller, J. Specific heats, antiferromagnetism and superconductivity in the Cr-Re system, 4=25853
- Muheim, J. See Bucher, E., 4=16357
- Muheim, J. See Bucher, E., 4=18616
- Muhlbaum, A.M. See Frisco, L.J., 4=17511
- Muhleisen, R. Electrode effect measurements above the sea [above a lake], 2=879
- Mühleisen, R. and Fischer, H.J. Measurement of the atmospheric electric field in the free atmosphere, 0=4785
- Muhleman, D.O. Radar scattering from Venus and the moon, 4=13952
- Muhleman, D.O., Holdridge, D.B. and Block, N. The astronomical unit determined by radar reflections from Venus, 2=13175
- Muhleman, D.O., Hudson, R.H., Holdridge, D.B., Carpenter, R.L. and Oslund, K.C. Observed solar pressure perturbations of Echo I, 1=51
- Mühlemann, C. See Renaud, A., 3=24887
- Muhlenfeld, E. Determination of the optimum working conditions for corona anemometers and elimination of disturbing side effects, 4=18223
- Mühlethaler, K. Preparation technique for electron microscopy, 0=14090
- Mühlschlegel, B. Ground state of the superconductor, 0=229
- Muhlschlegel, B. Asymptotic expansion of the Bardeen-Cooper-Schrieffer partition function by means of the functional method, 2=13505
- Mühlschlegel, B. and Zittartz, H. Gaussian average method in the statistical theory of the ising model, 4=1966
- Muhlschlegel, B. See Blake, B., 2=12157
- Muhuri, P.K. Flow formation in Couette motion in magneto-hydrodynamics with suction, 4=5788
- Muijtjens, M.J. Satellite photography with a Schmidt camera, 3=9285
- Muinov, T.M. See Regel', V.R., 3=18211
- Muir, A.H.Jr. and Boehm, F. Nuclear spectroscopy of  $Ta^{181}$ , 1=8627
- Muir, A.H.Jr., Kankeleit, E. and Boehm, F. Internal conversion coefficient of  $14.4$  keV  $Fe^{57}$  transition, 3=19814
- Muir, A.H. See Gonser, U., 3=23153
- Muir, H.M. See Vickery, R.C., 1=10072
- Muir, J. See Farago, P.S., 3=24691
- Muir, M.S. See Schoute-Vanneck, C.A., 4=10748
- Muir, W.B. The resistance minimum in a dilute cadmium-manganese alloy, 2=6408
- Muir, W.B. Galvanometer amplifier of increased range, 4=24526
- Muir, W.B. See Collings, E.W., 4=17623
- Muir, W.B. See Hedgcock, F.T., 0=6083
- Muir, W.B. See Hedgcock, F.T., 0=7185
- Muir, W.B. See Hedgcock, F.T., 2=6510
- Muir, W.B. See Hedgcock, F.T., 2=12643
- Muir, W.B. See Hedgcock, F.T., 3=11029
- Muirhead, E.G. See Geller, K.N., 0=7175
- Muirhead, E.G. See Geller, K.N., 0=11296
- Muirhead, E.G. See Geller, K.N., 0=13261
- Muirhead, E.G. See Geller, K.N., 4=6323
- Muirhead, E.G. See Geller, K.N., 4=22101
- Muirhead, F.R. A torsion balance for magnetic measurements on individual small particles, 3=7672
- Muirhead, F.R. Measurements of the remanent magnetization of some individual magnetic particles near the single-domain size, 3=19400
- Muirhead, H. See Astbury, A., 0=2687
- Muirhead, H. See Astbury, A., 1=8472



- Muirhead, H. See Astbury, A., 2=1701  
Muirhead, H. See Astbury, A., 2=1702  
Muirhead, H. See Astbury, A., 2=1708  
Muirhead, H. See Astbury, A., 2=10129  
Muirhead, H. See Blair, I.M., 2=22926  
Muirhead, H. See Blair, I.M., 2=22927  
Muirhead, J.C. Variable focal length mirrors, 1=9471  
Muirhead, J.C. Hearing loss due to gun blast, 1=10345  
Muirhead, J. C. and Fenrick, W. J. On the anomalous behaviour of blast pressure gauges with ferroelectric ceramic elements, 4=21009  
Muirhead, J. C. and Jones, W. A. Shock wave valves, 4=18337  
Muirhead, J.C. and McCallum, F.L. Improvement in spark shadowgraph technique, 0=189  
Muirhead, J.C. and McMurtry, W.M. Surface tension gauges for the measurement of low transient pressures, 3=7169  
Muirhead, J.S. and Howe, J.A. Near-ultraviolet absorption spectrum of Tetrolaldehyde, 2=14290  
Muirhead, J.S. See Howe, J.A., 2=6209  
Mukae, M. See Morita, S., 1=12214  
Mukae, M. See Ogura, S., 4=30226  
Mukai, M. See Mikumo, T., 1=8771  
Mukai, T. Tensile deformation and tensile strength of aluminium single crystal coated with oxide film, 0=3148  
Mukerjee, A. K. Electrical conductivity of single crystals of ilmenite, 4=26122  
Mukerjee, A. K. and Sutradhar, N. G. A method of measuring magnetic properties of ferromagnetic and other substances, 4=20508  
Mukerjee, P. The partial specific volume and the density of micelles of association colloidal electrolytes, 3=1404  
Mukerjee, P. The thermodynamics of micelle formation in association colloids, 3=5174  
Mukerjee, T. and Allan, J. III. Negative resistance in Al-Al<sub>2</sub>O<sub>3</sub>-Se-Au sandwich cells, 4=28583  
Mukerji, A. See Nainan, T.D., 0=2395  
Mukha, L. Ya. See Lebed', B.M., 4=7314  
Mukhamedzhanov, A. K. Method of microparticle acceleration to meteorite velocities, 4=5726  
Mukhamedzhanov, A. K. Method of microparticle acceleration to meteorite velocities, 4=11728  
Mukhamedzhanov, A.M. Longitudinal polarization of electrons in allowed  $\beta$ -transitions, 4=9442  
Mukhararev, L.A., Perel'man, A.M. and Rogova, N.A. Determination of the permittivity of materials at high temperatures in the 3 cm range of radio waves, 2=22156  
Mukhedkar, A.J. Solvent effects on optical rotation and dipole moment, 2=1147  
Mukherjee, A. See Das, T.P., 1=3503  
Mukherjee, A. K. and Dorn, J. E. The rate-controlling mechanism of slip in the intermetallic compound AgMg at low temperatures, 4=30785  
Mukherjee, B. Space group and cell dimensions of a specimen of hollandite, 0=6364  
Mukherjee, B. C. and Ganguly, S. C. Anisotropy of the electronic spectra of a single crystal of 1, 12-benzperylene (C<sub>22</sub>H<sub>12</sub>), 4=10230  
Mukherjee, B.C. See Ganguly, S.C., 2=6572  
Mukherjee, D.K. Raman spectra of fluorobenzene at different low temperatures, 1=14034  
Mukherjee, D. K. See Sirkar, S. C., 4=30691  
Mukherjee, K. Correlation between the absolute melting temperatures and the activation energy of formation of monovacancies in f.c.c. metals, 4=12732  
Mukherjee, K. Correlation between the energy of motion of monovacancies and the melting temperature of metals, 4=25923  
Mukherjee, M.N. A class of exact models of a Stückelberg type electron, 3=10088  
Mukherjee, P. Direct determination of internal conversion coefficients, 0=9589  
Mukherjee, P. Nuclear spectroscopy of Bi<sup>210</sup> with stripping reactions, 3=24876  
Mukherjee, P. and Cohen, B.L. Nuclear structure studies in the lead region with stripping reactions, 2=18354  
Mukherjee, P. See Cohen, B.L., 2=20487  
Mukherjee, P. See Cohen, B.L., 3=19762  
Mukherjee, P. See Dutt, D., 2=5778  
Mukherjee, P. See Dutt, I., 0=20320  
Mukherjee, P. See Dutt, I., 2=356  
Mukherjee, P.K. Quasi-periodic variation in the angle of arrival of downcoming radio waves and its bearing on the tilt in the ionosphere, 3=511  
Mukherjee, P.N., Dutt, I., Sen Gupta, A.K. and Bhattacharyya, R.L. Decay of <sup>188</sup>Eu, 1=5860  
Mukherjee, P.N. and Lahiri, A. Fuel cells, 3=19164  
Mukherjee, P.N., Pal, M.K., Banerjee, M.K. and Saha, A.K. Design of continuous baffle in a short lens beta-ray spectrometer, 0=7161  
Mukherjee, P.N. See Sengupta, A.K., 0=17501  
Mukherjee, S. and Gupta, A. On core-to-particle interaction from classical point of view, 0=5644  
Mukherjee, S.C. Scattering of electron by Thomas-Fermi potential, 1=13965  
Mukherjee, S.C. Potential function of helium-like atoms and electron scattering by the Born approximation, 1=17258  
Mukherjee, S.C. and Sil, N.C. Electron capture by alpha-particle passing through helium atom, 3=9720  
Mukherjee, S.C. and Sil, N.C. Resonance in electron capture by proton passing through hydrogen atoms, 3=12781  
Mukherjee, S. C. See Basu, D., 4=24571  
Mukherjee, S.C. See Bhattacharya, D. M., 4=19995  
Mukherjee, S.K., Ganguly, A.K. and Majumder, N.K. Activation cross sections with 14 MeV neutrons, 1=5924  
Mukherjee, S.K., Majumder, N.K. and Ganguly, A. A high intensity neutron generator, 1=13453  
Mukherjee, S. K. See Bakhru, H., 4=15187  
Mukherjee, S. K. See Bakhru, H., 4=25356  
Mukherjee, S.K. See Dutt, P.K., 0=5062  
Mukherjee, S.N. On the size and binding energy of the helium nucleus, 2=18240  
Mukherjee, S.N. See Mathur, V.S., 2=20439  
Mukherjee, S.N. See Rustgi, M.L., 3=6095  
Mukherjee, S.N. See Rustgi, M.L., 3=24859  
Mukherji, A. and Karplus, M. Constrained molecular wave-functions: HF molecule, 3=8256  
Mukherji, A. See Sinha, S.K., 0=15757  
Mukhin, A. See Depommier, P., 3=594  
Mukhin, A.I. See Ignatenko, A.E., 0=5370  
Mukhin, A. I. See Zinov, V. G., 4=22329  
Mukhin, K.N., Makar'in, V. K. and Venediktov, A. P. Diffusion of thermal neutrons in anisotropic media, 4=15066  
Mukhin, K.N. See Barkov, L.M., 0=3972  
Mukhin, K.N. See Barkov, L.M., 0=3973  
Mukhin, K.N. See Barkov, L.M., 0=3974  
Mukhin, K.N. See Barkov, L.M., 0=7362  
Mukhin, K.N. See Barkov, L.M., 1=10817  
Mukhin, K.N. See Barkov, L.M., 3=6080  
Mukhin, S.V. See Vysochanskii, M., 2=19860  
Mukhin, V.A., Sukomel, A.S. and Velichko, V.I. Experimental investigation of heat transfer in the supersonic gas flow in a circular pipe with large temperature differences, 3=14193  
Mukhina, M.M. See Kolbasov, V.A., 3=14788  
Mukhitdinova, I.A. See Vanyukov, M.P., 1=19593  
Mukhitdinova, I.A. See Vanyukov, M.P., 2=7576  
Mukhovatov, V.S. See Dolgov-Savel'ev, G.G., 0=9029  
Mukhovatov, V.S. See Dolgov-Savel'ev, G.G., 4=8686  
Mukhovatov, V.S. See Gorbunov, E. P., 4=8685  
Mukhovatov, V.S. See Vasil'evskii, V.S., 1=1900  
Mukhtarov, A.I. and Gadzhiev, S.A. Radiative decay of  $\pi^+$  mesons and effects of parity nonconservation, 0=2566  
Mukhtarov, A.I. See Kerimov, B.K., 0=11200  
Mukhtarov, A.I. See Nadzhafov, I.M., 4=17114  
Mukhtarov, Ch.K. Molecular gyromagnetism, 4=3900  
Mukhtarov, I. A. Investigation of the F<sub>2</sub>DC-CDHF molecule by the microwave method, 4=1294  
Mukhtarov, I. A. The microwave spectrum of the F<sub>2</sub>HC-CH<sub>2</sub>F molecule, 4=3893  
Mukhtarov, I. A. Microwave spectrum of the F<sub>2</sub>C=CHF molecule, 4=12505  
Mukhtarov, I. A. Microwave spectrum of the F<sub>2</sub>DC-CD<sub>2</sub>F molecule, 4=25672  
Mukhtarov, A.I. See Gadzhiev, S.A., 3=15000  
Mukhtarov, Ch.K. See Bel'skii, N.K., 3=4837  
Mukhtarov, Ch.K. See Bel'skii, N.K., 3=15671  
Mukhtarov, I.A. Microwave spectrum of the F<sub>2</sub>HC-CDHF molecule, 3=17593  
Mukl, R. and Sternberg, E. Steady-state heat conduction in a circular cone, 0=19479  
Mukherjee, S.C. and Sil, N.C. Low energy scattering of electron by variational method, 2=22917  
Mukohata, Y. The electric streaming birefringence method, 4=18199



- Mukoyama, T., Makino, F. and Shimizu, S. Gamma-gamma directional correlations of some gamma ray cascades in  $^{110}\text{Cd}$ , 3=15148
- Mukoyama, T. and Shimizu, S. Scintillation spectroscopy measurements of gamma-ray energies from the source of  $\text{Eu}^{152,154}$ , 2=14058
- Mukunda, N. Consistency of Rayleigh's diffraction formulas with Kirchhoff's boundary conditions, 2=7400
- Mukunda, N. See Jordan, T.F., 3=21253
- Mukunda, N. See Jordan, T.F., 4=2555
- Mukunda, N. See Macfarlane, A.J., 4=9074
- Mukunda, N. See MacFarlane, A.J., 4=19426
- Mukunda Rao, M. and Ramachandra Rao, B. The effect of electrojet on the seasonal variation of sporadic-E, 4=4813
- Mulac, W.A. See Noyes, W.A., Jr., 2=6890
- Mulay, L.N. and Fox, M.E. Magnetic anisotropy of ferrocene and chemical bonding, 3=8639
- Mulay, L.N. See Fox, M.E., 2=6779
- Mulcahy, M.J. and Kuffel, E. Condensation nuclei produced by the ultraviolet irradiation of humid air or humid argon, 3=1870
- Mulcahy, M.J. and Lennon, J.J. Ambipolar diffusion measurements in low pressure rare gas afterglows, 2=22186
- Mulcahy, M.J., Sexton, M.C. and Lennon, J.J. Electron removal in the afterglows of oxygen and helium-oxygen mixtures, 3=4064
- Mulcahy, M.J. See Kuffel, E., 3=4095
- Mulcahy, M.J. See Lennon, J.J., 2=5301
- Mulcahy, M.J. See Seton, M.C., 0=5295
- Muldakhmetov, Z.M. and Sushchinskii, M.M. The anharmonicity of certain characteristic vibrations, 4=6535
- Muldakhmetov, Z. M. See Suschinskii, M. M., 4=22393
- Muldawer, L. Experiments in X-ray physics using a commercial X-ray spectrometer, 1=1950
- Muldawer, L. Spectral reflectivity as a function of temperature of  $\beta$ -brass type alloys, 2=18789
- Muldawer, L. and de Bergevin, F. Antiferromagnetic-ferromagnetic transformation in FeRh, 2=4220
- Muldawer, L. See Bierly, J.N., 3=13524
- Muldawer, L. See Campbell, R.B., 1=12384
- Muldawer, L. See de Bergevin, F., 1=9145
- Muldawer, L. See Rothwarf, E., 2=17040
- Muldawer, L. See Wiese, J.R., 1=20573
- Mulder, K. See Ammerlaan, C.A.J., 3=10007
- Muldoon, H. A. See Clark, W. M., 4=29293
- Muldrew, D. See Hagg, E.L., 0=6459
- Muldrew, D.B. An ionospheric ray-tracing technique and its application to a problem in long-distance radio propagation, 0=5420
- Muldrew, D.B. The relationship of F-layer critical frequencies to the intensity of the outer Van Allen belt, 3=16275
- Muldrew, D. B. Radio propagation along magnetic field-aligned sheets of ionization observed by the alouette topside sounder, 4=7906
- Muldrew, D.B. and Maliphant, R. G. Long-distance one-hop ionospheric radio-wave propagation, 2=17970
- Mulford, R. N. R. See Eick, H. A., 4=27385
- Mulhall, B. E. Eddy-current losses in thin magnetic sheet. I. Theoretical considerations, 4=13163
- Mulhall, B. E. Eddy-current losses in thin magnetic sheet. II. Measurements, 4=13164
- Mulhall, B. E. The measurement of magnetic permeability at radio frequencies, 4=30711
- Mulhearn, T.O. and Tabor, D. Creep and hardness of metals: a physical study, 1=20389
- Mulhern, J. E., Jr. See Bernard, W., 4=28561
- Mulhern, J. E., Jr. See Roth, H., 4=6972
- Mulholland, H.P. See Asher, H., 0=14859
- Mulholland, J. D. A modified form of the LaPlace coefficients, 2=6977
- Mull, H.R. See Hunter, J., 1=9461
- Mull, S. and Kulshrestha, S.M. On the formation of hailstones, 3=13674
- Mull, S., Mitra, H. and Kulshrestha, S.M. Tropical thunderstorms and radar echoes, 3=16214
- Mullaly, J. See Gerstein, B. C., 4=25861
- Mullaly, R.F. The calculation of group velocity in magneto-ionic theory, 0=308
- Mullaly, R.F. Evidence for the transfer of corpuscles to distant parts of the sun following a solar radio burst, 2=9112
- Mullaly, R. F. Ray paths in inhomogeneous anisotropic media, 2=9362
- Mullaly, R.F. The ray paths of whistling atmospherics: differential geometry, 2=11035
- Mullaly, R.F. and Krishnan, T. Solar decimetre radio bursts, 3=11589
- Mullaly, R. F. See Christiansen, W.N., 4=4944
- Mullaly, R.F. See Krishnan, T., 1=18170
- Mullaly, R.F. See Krishnan, T., 2=11157
- Mullaly, R.F. See Swarup, G., 3=16424
- Mullaney, D. Bakeable high conductance vacuum valve, 3=1739
- Mullaney, D. See Apgar, E., 2=19629
- Mullaney, D. See Lewin, G., 4=18302
- Mullaney, G.J., Kydd, P.H. and Dibelius, N.R. Electrical conductivity in flame gases with large concentrations of potassium, 1=8167
- Mullen, G.H. See Barut, A.O., 3=3752
- Mullen, G.H. See Barut, A.O., 3=4322
- Mullen, G.H. See Frank, W.M., 3=7795
- Mullen, G. H. See Hellman, W.S., 4=19412
- Mullen, J. See Aarons, J., 3=21077
- Mullen, J.A. See Haus, H.A., 3=5837
- Mullen, J. A. See Haus, H. A., 4=19263
- Mullen, J. F. See Mirels, H., 4=29697
- Mullen, J.G. Isotope effect in intermetallic diffusion, 1=4003
- Mullen, J.G. Effect of Bardeen-Herring correlation on vacancy diffusion in anisotropic crystals, 2=2092
- Mullen, J.G. Comments on correlation calculations in anisotropic diffusion, 3=4885
- Mullen, J.G. Study of iron ions in NaCl using the Mössbauer effect. I. The  $\text{CoCl}_2$  precipitated state, 3=22630
- Mullen, J.G. Study of iron ions in NaCl using the Mössbauer effect. II. The vacancy-impurity associated state, 3=22631
- Mullender, M.L. See Weale, J.W., 2=3671
- Müllensiefen, A. See Dietz, K., 0=9424
- Müllensiefen, A. See Höhler, G., 0=1574
- Müllensiefen, A. See Höhler, G., 0=2585
- Müllensiefen, A. See Hohler, G., 1=13470
- Müller, A. On the theory of the resonance absorption of neutrons in heterogeneous reactors. I. 1=3488
- Müller, A. On the theory of the resonance absorption of neutrons in heterogeneous reactors. II. 1=3489
- Müller, A. Theoretical investigation of the behaviour of charged particles in the saddle-point of alternating electrical fields, 1=4697
- Müller, A. Estimation of the heating of neutrons in Be cans, 1=13895
- Müller, A. A vacuum valve using a platinum wire, 2=5084
- Müller, A. The calculation of the resonance integral of  $\text{U}^{238}$ , 2=10150
- Müller, A. Collision probability in cylindrical geometry, 2=10175
- Müller, A. and Linnartz, E. Calculation of the thermal utilization factor of a cylindrical cell consisting of several coaxial zones, 4=6420
- Muller, A., Pauli, E., Barloutaud, R., Meyer, J., Beneventano, M., Gialanella, G. and Paoluzi, L. Angular distributions for  $\pi$ -nucleon charge exchange scattering between 600 and 900 MeV, 4=25148
- Müller, A. and Wilhelm, M. On periodic changes of temperature in liquid InSb causing stratified inclusions of Te in crystallizing InSb, 4=23342
- Müller, A. See Helms, G., 3=25012
- Müller, A. See Pascaliu, M., 2=5391
- Muller, B. and Bloom, M. On the study of diffusion using spin echoes, 0=19110
- Muller, B.H. and Noble, J.D. Proton spin-lattice relaxation in pure liquid ethane and some of its deuterated modifications, 3=18835
- Muller, B.H. See Bloom, M., 1=18476
- Muller, B.H. See Lees, J., 1=8136
- Muller, B.H. See Lipsicas, M., 1=8146
- Müller, C., Otto, G. and Saur, E. Preparation of V-Ga and V-Si diffusion films and their critical currents in transverse magnetic fields up to 90 kOe, 4=27438
- Müller, C. and Saur, E. Effect of mechanical stresses on the superconductive properties of thin  $\text{Nb}_3\text{Sn}$  surface layers, 3=1903
- Müller, C. and Saur, E. Preparation and superconductive properties of two-component diffusion layers on niobium and vanadium. II. Critical currents of two-component diffusion layers on niobium in transverse magnetic fields up to 90 kOe, 4=21430
- Muller, C.A. Hydrogen-line observations on the Coma cluster, 1=18124



- Muller, C.A. 21 cm hydrogen-line absorption in the spectra of discrete sources, 1=18182
- Muller, C.A., Berkhuysen, E.M., Brouw, W.N. and Tinbergen, J. Galactic background polarization at 610 Mc/s, 4=13967
- Muller, C.A., Oort, J.H. and Raimond, E. Neutral hydrogen in the galactic halo, 4=13968
- Müller, C.B. and Saur, E.J. Influence of mechanical constraints on the superconducting transition of Nb<sub>3</sub>Sn-coated niobium wires and ribbons, 4=11476
- Müller, C.B. and Saur, E.J. Influence of pressure on the superconductivity of some high-field superconductors, 4=18619
- Müller, C.S. See Brandão, D.E., 4=27975
- Müller, D. Three-body problem in nuclear physics, 3=4473
- Müller, D. and Brunner, G. Proportioning of targets for radioactive X-ray sources, 3=2074
- Müller, D. See Eschbach, H.L., 4=4073
- Müller, D. See Kramer, G., 0=5623
- Müller, E. See Hartmann, H., 4=2683
- Müller, E. See Lange, H., 2=15981
- Müller, E.A. Some experimental and theoretical results relating to the production of noise by turbulence and the scattering of sound by turbulence or single vortices. 2nd Symposium, Naval Hydrodynamics (Washington, D.C., 1958), 2=21868
- Müller, E.K. Structure of oriented, vapor-deposited GaAs films, studied by electron diffraction, 4=13681
- Müller, E.K., Nicholson, B.J. and Turner, G.L'E. The epitaxy of barium titanate films by vapour deposition, 2=21492
- Müller, E.K., Nicholson, B.J. and Turner, G.L'E. The epitaxial vapor deposition of perovskite materials, 4=4562
- Müller, E.K. and Richards, J.L. Miscibility of III-V semiconductors studied by flash evaporation, 4=15726
- Müller, E.V. Field ionization and field ion microscopy, 3=19371
- Müller, E.W. An observation of paired screw dislocations in iron whiskers, 0=3182
- Müller, E.W. Field ion microscopy of the defect structure of metal crystals, 4=1449
- Müller, E.W. and Young, R.D. Determination of field strength for field evaporation and ionization in the field ion microscope, 1=18946
- Müller, E.W. See Clements, T.C., 3=4019
- Müller, E.W. See McLane, S.B., 4=29997
- Müller, E.W. See Mulson, J.F., 3=18396
- Müller, E.W. See Pimbley, W.T., 2=5368
- Müller, E.W. See Sinha, M.K., 4=15511
- Müller, E.W. See Wacławski, B.J., 1=11983
- Müller, E.W. See Young, R.D., 2=1473
- Müller, F. A contribution to the theory of transformation of wave types, 2=1595
- Muller, F., Birge, R.W., Fowler, W.B., Good, R.H., Hirsch, W., Matsen, R.P., Oswald, L., Powell, W.M., White, H.S. and Piccioni, O. Regeneration and mass difference of neutral K mesons, 0=11220
- Muller, F. See Bizot, J.C., 0=13225
- Muller, F. See Brandt, S., 3=17324
- Muller, F. See Good, R.H., 2=317
- Muller, F. See Good, R.H., 2=22628
- Muller, F. See Lynch, G.R., 4=25181
- Muller, F. See Vermeil, C., 4=27189
- Muller, F.A. A fast scaling stage, 0=17193
- Müller, F.H. Further easily obtainable information from dielectric measurements, 2=14600
- Müller, F.H. See Adam, G., 3=3993
- Müller, G. See Hohmuth, K., 4=3774
- Müller, G. See Hohmuth, K., 4=17093
- Müller, G. See Peter, G., 4=18932
- Müller, G. See von Gierke, G., 3=4030
- Muller, G.M., Moore, D.B. and Bernstein, D. Growth of explosion in electrically initiated R.D.X., 1=11620
- Muller, G.M. See Martin, J.H., 1=5710
- Müller, G.O. Space-charge limited injection currents in CdS single crystals, 3=2907
- Müller, G.O. Photovoltaic effect at ohmic contacts studies on CdS single crystals, 3=8569
- Müller, G.O. Space-charge-limited injection currents in CdS single crystals, 3=15602
- Müller, G.O. Photovoltaic effect arising at ohmic contacts investigated in single crystals of CdS, 4=15568
- Müller, G.O. and Schubert, G. Self-balancing discriminator for pulse-amplitude measurement, 2=1356
- Müller, G.O. and Weber, H. The field enhancement of the cathodo-luminescence of single crystals of CdS, 4=4294
- Müller, G.O. See Hildisch, L., 3=8439
- Muller, H. Characterization of stationary motion in hydrodynamics, 0=16675
- Müller, H. The question of the hydrodynamic behaviour of a simple macromolecular model in an inhomogeneous field of flow, 1=18359
- Müller, H. Mechanism of the chemical reaction following from (n,  $\gamma$ ) nuclear transformations in inorganic solids and the range of the recoil atom, 2=14116
- Müller, H. Contribution to the artefact problem in the carbon replica method, 2=15114
- Müller, H. Investigations on thin alkali metal films. VI. Estimation of the optical constants and the optical film thickness of thin rubidium films by a new method, 3=18390
- Müller, H. and Schopper, H. Test of parity conservation in strong interactions by the measurement of the  $\beta$ - $\gamma$  angular correlation of Xe<sup>133</sup>, 0=17547
- Müller, H. and Stork, K. On the question of influence of thermal properties on the elastic behaviour of solids, 4=20629
- Müller, H. See Balarin, M., 4=11688
- Müller, H. See Birgellner, H., 1=9634
- Müller, H. See Cremer, L., 0=19344
- Müller, H. See Drangeid, K.E., 4=14533
- Müller, H. See Haase, G., 0=8813
- Müller, H. See Hartmann, H., 0=20985
- Müller, H. See Hora, H., 1=18918
- Müller, H. See Kranz, E., 4=21303
- Müller, H. See Meyer, V., 1=19471
- Müller, H.G. Weissenberg effect in the thick white of the hen's egg, 1=6850
- Müller, H.G. A high stability L-band travelling-wave tube receiver for use on radio astronomy, 3=7045
- Müller, H.G. and Schmidt, G.K. On the interpretation of magnetic hardness in vicalloy II, 3=1139
- Müller, H.G. and Schmidt, G.K. An X-ray contribution to the explanation of the magnetic hardness of Vicalloy II, 3=18095
- Müller, H.G. See Hieke, M., 1=14712
- Müller, H.H., Straub, H.H. and Winkler, H. An atomic beam as a target for nuclear scattering, 3=6094
- Müller, H.W. See Martin, R., 0=19338
- Müller, I. See Becherer, G., 4=4666
- Müller, J. and Risi, M. The entropy variation in superconductors with magnetic alloying, 0=19553
- Müller, J. See Bender, D., 3=22662
- Müller, J. See Bucher, E., 2=2961
- Müller, J. See Bucher, E., 2=5237
- Müller, J. See Bucher, E., 2=5242
- Müller, J. See Bucher, E., 4=14528
- Müller, J. See Bucher, E., 4=16340
- Müller, J. See Bucher, E., 4=16352
- Müller, J. See Bucher, E., 4=16357
- Müller, J. See Bucher, E., 4=18616
- Müller, J. See Busch, G., 0=8958
- Müller, J. See Guggenheim, J., 2=5241
- Müller, J. See Heiniger, F., 4=18613
- Müller, J. See Hulliger, F., 3=21663
- Müller, J. See Muheim, J., 4=24464
- Müller, J. See Muheim, J., 4=25853
- Müller, J. See Olsen, J.L., 4=21420
- Müller, K. Antisymmetrization of the wavefunctions of nucleon systems. I, 3=19540
- Müller, K. Distortionless and chromatic-aberration-free reflection microscopy, 4=11711
- Müller, K. Solution of the radial Schrödinger equation by variation in partial ranges, 4=29528
- Müller, K. Variation principle for probability amplitudes, 4=30200
- Müller, K. See Bockris, J.O'M., 3=21002
- Müller, K. See Fuchs, K., 4=3316
- Müller, K. See Witzmann, H., 4=17597
- Müller, K. See Zeil, W., 2=8093
- Müller, K.A. Spin resonance in neutron-irradiated graphite, 1=12558
- Müller, K.A. On the minimum detectable change of a large signal and its application to the sensitivity of microwave and e.p.r. spectrometers, 1=16597
- Müller, K.A. Spin resonance in neutron irradiated single crystals of graphite, 3=13296
- Müller, K.A. The annealing of neutron-irradiated graphite studied with spin resonance, 3=22867
- Müller, K.A. Paramagnetic resonance and optical absorption of transition element ions in SrTiO<sub>3</sub> and LaAlO<sub>3</sub>, 4=26383



- Müller, K. A., Brun, E., Derighetti, B., Drumbheller, J. E. and Waldner, F. Nuclear magnetic resonance of  $\text{La}^{139}$  and  $\text{Al}^{27}$  and electron paramagnetic resonance of  $\text{Fe}^{3+}$  in lanthanum aluminate, 4=23074
- Müller, K. A., Chan, P., Kleiner, R., Ovenall, D. W. and Sparnaay, M. J. Oxygen adsorption on silicon surfaces observed via electron spin resonance, 4=26723
- Müller, K. A. and Kleiner, R. Conduction carrier spin resonance in the alkali metal-graphites  $\text{C}_6\text{Me}$  and  $\text{C}_{24}\text{Me}$ , 2=14825
- Müller, K. A. and Schneider, J. Conduction electron spin resonance in group II-VI semiconductors and phosphors, 3=20642
- Müller, K. A. See Höchli, U., 4=28879
- Müller, K. A. See Kirkpatrick, E. S., 4=23047
- Müller, K. A. See Kohin, R. P., 3=8708
- Müller, K. A. See Ovenall, D. W., 2=8673
- Müller, K. G. Leak detection methods and apparatus, 2=19640
- Müller, K. G. Electron motion in a neutral gas under high electric fields, 2=22163
- Müller, K. G. The cathode fall region of a non-stationary glow discharge, 3=4055
- Müller, K. G. and Tenschert, G. Normal and minimal cathode fall of the flow discharge, 4=16450
- Müller, K. G. and Wahle, P. Study of run-away electrons in a neutral gas, 4=18251
- Müller, K. G. See Albrecht, G., 3=1951
- Müller, K. G. See Ecker, G., 0=262
- Müller, K. C. See Ecker, G., 1=7022
- Müller, K. D. See Jahr, R., 1=1455
- Müller, K. G. Description of a gauge for ultra-high vacua and remarks about ultra-high vacua techniques for all-metal mountings, 1=5307
- Müller, K. G. The cathode fall region of a non-stationary glow discharge, 1=16201
- Müller, K. G. Vacuum gauges, 1=5306
- Müller, K. H. Investigation by target theory of radioactive effects on dissolved substances, 2=6895
- Müller, K. H. Elastic waves in porous media, 4=8307
- Müller, K. H. Non-stationary heat conduction in solid bodies, 4=8474
- Müller, K. H. Wave propagation in heterogeneous porous solid bodies, 4=14243
- Müller, K. H. See Häusler, E., 2=19690
- Müller, K. I. See Fränz, K., 3=14822
- Müller, L. and Müller, M. Optical constants of thin films of selenium, 3=25438
- Müller, L. See Bally, D., 0=518
- Müller, L. See Bally, D., 2=23582
- Müller, M. A method for the production of thin films especially carbon films, 1=1449
- Müller, M. Design and construction of an unsymmetrically screened focusing permanent magnet for travelling wave tubes, 1=13151
- Müller, M. See Müller, L., 3=25438
- Müller, M. See von Haul, R., 3=18399
- Müller, M. W. Distribution of the magnetization in a ferromagnet, 1=9025
- Müller, M. W. and Buefler, C. R. Anisotropy of the spin-wave spectrum, 1=6387
- Müller, M. W. and Dawson, S. Structure of a Bloch wall, 2=21312
- Müller, M. W. and Sher, A. Magnetic field dependence of the enhancement factor for nuclear resonance in ferromagnets, 2=14844
- Müller, M. W., Sher, A., Solomon, R. and Dow, D. G. Non-equilibrium distributions of molecular vibrational states, 3=15327
- Müller, M. W. and Wehlau, A. Magnetization curve of an infinite cylinder, 1=17953
- Müller, M. W. See Braunbeck, J., 3=19025
- Müller, M. W. See Buefler, C. R., 2=2293
- Müller, N.  $\text{C}^{13}$  splittings in proton magnetic resonance spectra. III. Formyl compounds, 2=3786
- Müller, N. Nonbonded  $\text{C}^{13}$ -H spin-spin couplings in substituted ethylenes, 3=10547
- Müller, N. and Bracken, R. C. Microwave spectra and structure of  $\text{H}_3\text{SiCN}$  and  $\text{D}_3\text{SiCN}$ , 0=13437
- Müller, N. and Carr, D. T. Carbon-13 splittings in fluorine nuclear magnetic resonance spectra, 3=12867
- Müller, N. and Pritchard, D. E.  $\text{C}^{13}$  splittings in proton magnetic resonance spectra. II. Bonding in substituted methanes, 0=4224
- Müller, N. and Tosch, W. C. Anomalous chemical shifts in the proton magnetic resonance spectra of the dimethyl-cyclohexanes and related hydrocarbons, 2=23001
- Müller, O. See Daniel, H., 2=22768
- Müller, O. See Daniel, H., 3=22328
- Müller, P. Limits of precision of photographic observations of artificial satellites, 4=10936
- Müller, P. and Barlier, F. Methods of photographic observation of artificial satellites at Meudon observatory, 1=6752
- Müller, P. See Herrmann, K., 3=6012
- Müller, P. See Macherauch, E., 2=6712
- Müller, R. Coronal observations on the day of the solar eclipse of 1959 October 2, 1=2618
- Müller, R. A multichannel analyser with electrostatic storage in decimal notation, 2=11588
- Müller, R. Polarized light down to 1900 Å, 4=8457
- Müller, R. and Dörr, F. Absorption and phosphorescence spectra of the mono- and di-azaphthalenes [ $\pi$ - $\pi$  phosphorescence with n- $\pi$  absorption by di-azaphthalene,] 0=5949
- Müller, R. See Bösch, R., 2=14074
- Müller, R. See Bösch, R., 2=20585
- Müller, R. See Bösch, R., 2=22782
- Müller, R. See Bösch, R., 2=22784
- Müller, R. See Bösch, R., 4=6055
- Müller, R. See Bösch, R., 4=6316
- Müller, R. See Bösch, R., 4=6321
- Müller, R. See Bösch, R., 4=9230
- Müller, R. See Bösch, R., 4=15109
- Müller, R. See de Carvalho, H. G., 2=18367
- Müller, R. See Grau, G., 4=14327
- Müller, R. See Gürs, K., 3=22023
- Müller, R. See Gürs, K., 4=19270
- Müller, R. See Jarczyk, L., 2=5612
- Müller, R. See Jarczyk, L., 2=5939
- Müller, R. See Jarczyk, L., 2=7795
- Müller, R. See Jarczyk, L., 2=12212
- Müller, R. See Jarczyk, L., 3=6670
- Müller, R. See Kranz, J., 4=26329
- Müller, R. See Lang, J., 2=5888
- Müller, R. See Witzmann, H., 0=4435
- Müller, R. H. Thickness measurement of transparent thin films on metal surfaces by light interference, 4=16245
- Müller, R. S. A unified approach to the theory of space-charge-limited currents in an insulator with traps, 3=8503
- Müller, R. S. Behaviour of gold blocking contacts to CdS at high impressed fields, 3=22968
- Müller, R. S. and Watkins, B. G. Hall-effect studies in deposited CdS thin films, 4=26040
- Müller, R. S. and Zuleeg, R. Vapor-deposited, thin-film heterojunction diodes, 4=20390
- Müller, R. S. See Zuleeg, R., 4=28595
- Müller, R. W. Electron injection in a microtron by means of a tuned emitter in the resonator, 3=24412
- Müller, S. and Kohlhaas, R. Determination of the residual austenite content by magnetic precision measurements, 2=16649
- Müller, S. and Lange, H. Ferromagnetism and atomic spacing, 4=26322
- Müller, S. See Dünner, P., 4=7499
- Müller, S. See Geissler, K., 3=17024
- Müller, S. See Kohlhaas, R., 1=16482
- Müller, T. See Charpak, G., 1=5742
- Müller, T. See Charpak, G., 2=1700
- Müller, T. See Charpak, G., 2=3367
- Müller, T. See Charpak, G., 2=13832
- Müller, T. See Gorodetzky, S., 0=9587
- Müller, T. See Gorodetzky, S., 0=19992
- Müller, T. See Gorodetzky, S., 2=22552
- Müller, Th. See Buhler, A., 4=9232
- Müller, Th. See Conversi, M., 3=19629
- Müller, V. Inhomogeneous waves in the diffraction field close to a loss-free dielectric circular cylinder, 0=11050
- Müller, V. Diffraction of electromagnetic waves from metallic cylinders covered with an absorbing layer, 3=4273
- Müller, V. F. The decay  $\pi^+ \rightarrow e^+ + \nu + \gamma$ , 3=7885
- Müller, V. F. Compton scattering by the proton, 2=22472
- Müller, V. F. On the connection between the decays of  $\pi^0 \rightarrow 2\gamma$  and  $\pi^+ \rightarrow e^+ + \nu + \gamma$ , 3=15001
- Müller, V. F. See Bender, I., 4=3454
- Müller, W. and Rembsen, J. Considerations on the construction of a helical linear accelerator for protons, 0=19833



- Muller, W. and Tubbs, E. F. Use of cataphoresis to determine discharge parameters, 3=9734
- Müller, W. and Wolff, W. Considerations on the design of a spiral ridge cyclotron for 450 MeV protons, 3=5780
- Müller, W. See Tuchscheerer, T., 1=4468
- Müller, W. A. See Schedling, J. A., 0=4042
- Müller, W. J. C. See Maennig, H. G., 4=12407
- Müller, W. J. C. See Ludwig, G., 4=14086
- Müller-Buschbaum, H. Superconducting properties of silver-containing Nb<sub>3</sub>Sn films on niobium wires, 3=19117
- Müller-Buschbaum, H. Preparation and superconductivity of thin Nb<sub>3</sub>Sn films on niobium wires, 3=19120
- Müller-Buschbaum, H. See Witzmann, H., 2=12622
- Müller-Duysing, W. See Kraus, K., 2=11616
- Müller-Duysing, W. See Kraus, K., 3=7444
- Müller-Hillebrand, D. On the frequency of lightning flashes to high objects. A study on the Gulf of Bothnia, 1=4112
- Müller-Hillebrand, D. Lightning counters. I. The change in electric field due to lightning strokes, with reference to its effect on lightning counters, 3=16222
- Müller-Hillebrand, D. Lightning counters. II. The effect of changes of electric field on counter circuits, 3=16223
- Müller-Hillebrand, D. See Ryzko, H., 3=4100
- Müller-Pfeiffer, I. See André, W., 4=7275
- Müller-Uri, G. The evaluation of quantitative spectral data with a new calculator, 1=6582
- Müller-Uri, G. See Guttman, W., 0=10766
- Müller-Warmuth, W. Investigation of proton polarization through the Overhauser effect and of paramagnetic relaxation in NO(SO<sub>3</sub>)<sub>2</sub><sup>-</sup> solutions, 1=14819
- Müller-Warmuth, W. Electron spin relaxation in liquids: A quantitative determination of the effect of dissolved molecular oxygen, 4=2711
- Müller-Warmuth, W. and Parikh, P. The Overhauser-Abragam effect in the (SO<sub>3</sub>)<sub>2</sub>NO = radical in intermediate fields, 0=6815
- Müller-Warmuth, W. and Parikh, P. Some recent experiments on the Overhauser-Abragam-effect in liquids, 1=11770
- Müller-Warmuth, W. and Parikh, P. Explanation and application of a rapid-modulation detection technique for nuclear magnetic resonance spectroscopy, 2=5500
- Müller-Warmuth, W. and Servoz-Gavin, P. High stability proton resonance magnetic field regulation with an electronic integrator, 0=19871
- Müller-Warmuth, W. See Averbuch, P., 0=4527
- Müller-Warmuth, W. See Haupt, J., 2=11576
- Müller-Warmuth, W. See Haupt, J., 2=17484
- Müller-Warmuth, W. See Kramer, K. D., 4=8958
- Müller-Warmuth, W. See Kramer, K. D., 4=12533
- Müller-Warmuth, W. and Haupt, J. Overhauser effect and relaxation in weak magnetic fields, 3=23910
- Müller-Warmuth, W. See Haupt, J., 3=14183
- Müller-Warmuth, W. See Haupt, J., 3=23909
- Müller-Warmuth, W. See Kramer, K. D., 4=24245
- Mullick, P. C. See Bashforth, G. R., 2=17032
- Mulligan, B. The depth of the nucleon-nucleus optical potential, 4=12095
- Mulligan, B. W., Caul, H. J., Rasberry, S. D. and Scribner, B. F. X-ray spectrometric analysis of noble metal dental alloys, 4=15856
- Mulliken, R. S. Electron affinity of O<sub>2</sub>, 0=1504
- Mulliken, R. S. Research in the laboratory of molecular structure and spectra at Chicago, 0=9810
- Mulliken, R. S. Some neglected subcases of predissociation in diatomic molecules, 0=15681
- Mulliken, R. S. Self-consistent field atomic and molecular orbitals and their approximations as linear combinations of Slater-type orbitals, 0=17814
- Mulliken, R. S. The interaction of differently excited like atoms at large distances, 1=817
- Mulliken, R. S. Lowest triplet states of ethylene, 1=850
- Mulliken, R. S. Criteria for the construction of good self-consistent-field molecular orbital wave-functions, and the significance of LCAO-MO population analysis, 2=16497
- Mulliken, R. S. Low-energy  $\sigma^*g$  states of the nitrogen molecule, 2=20814
- Mulliken, R. S. Recent progress in theoretical computations on the electronic states of simple molecules and their spectra, 3=10500
- Mulliken, R. S. The interaction of electron donors and acceptors, 4=23653
- Mulliken, R. S. The Rydberg states of molecules, Parts I-V, 4=30420
- Mulliken, R. S. See Fraga, S., 0=17818
- Mulliken, R. S. See McLean, A. D., 0=17802
- Mulliken, R. S. See Phillipson, P., 1=862
- Mulliken, R. S. See Verma, R. D., 1=9932
- Mulliken, R. S. See Verma, R. D., 1=14005
- Mullikin, T. W. Criticality estimates for spheres and slabs, 1=13896
- Mullikin, T. W. Radiative transfer in finite homogeneous atmospheres with anisotropic scattering. I. Linear singular equations, 4=10823
- Mullikin, T. W. Uniqueness problems in the mathematics of multiple scattering, 4=14021
- Mullikin, T. W. Radiative transfer in finite homogeneous atmospheres with anisotropic scattering. II. The uniqueness problem for Chandrasekhar's  $\psi_l$  and  $\phi_l$  equations, 4=24112
- Mullikin, T. W. See Leonard, A., 4=12012
- Mullin, C. J. See Deck, R. T., 4=16872
- Mullin, C. J. See Johnson, W. R., 0=15286
- Mullin, C. J. See Johnson, W. R., 1=4859
- Mullin, C. J. See Johnson, W. R., 2=536
- Mullin, C. J. See Johnson, W. R., 2=11285
- Mullin, C. J. See Weber, T. A., 2=12297
- Mullin, C. J. See Weber, T. A., 3=14955
- Mullin, C. R. A new approximate treatment of the energy-dependent Boltzmann equation, 0=15618
- Mullin, C. R. Elimination of re-entry radio blackout, 3=7059
- Mullin, C. R., Dillon, M. A. and Burton, M. Anomalous high specific rates of diffusion-controlled reactions: luminescence quenching in liquid systems, 4=18208
- Mullin, J. B. and Hulme, K. F. Orientation-dependent distribution coefficients in melt-grown InSb crystals, 1=17520
- Mullin, J. B. See Bardsley, W., 2=10382
- Mullin, J. B. See Hurle, D. T. J., 2=14959
- Mullin, J. B. See Hulme, K. F., 0=21154
- Mullin, J. W. and Raven, K. D. Nucleation in agitated solutions, 1=12623
- Mullin, J. B. See Hulme, K. F., 2=21154
- Mullins, J. C. See Hurd, F. K., 2=8935
- Mullin, J. W. and Raven, K. D. Influence of mechanical agitation on the nucleation of some aqueous salt solutions, 2=21489
- Mullins, J. C., Ziegler, W. T. and Kirk, B. S. The thermodynamic properties of oxygen from 20° to 100°K, 4=11431
- Mullins, J. C., Ziegler, W. T. and Kirk, B. S. The thermodynamic properties of parahydrogen from 1° to 22°K, 4=14451
- Mullins, J. C. See Orr, C., 3=303
- Mullins, J. C. See Ziegler, W. T., 4=15427
- Mullins, W. E. and Sekerka, R. F. Stability of a planar interface during solidification of a dilute binary alloy, 4=11404
- Mullin, W. J. Theory of solid neon at 0°K, 4=20150
- Mullins, W. T. See Reynolds, S. A., 4=7803
- Mullins, W. W. Theory of linear facet growth during thermal etching, 1=20410
- Mullins, W. W. Proof that the two-dimensional shape of minimum surface free energy is convex, 2=20913
- Mullins, W. W. A simplified treatment of surface melting, 0=21213
- Mullins, W. W. and Hirth, J. P. The microscopic kinetics of step motion in growth processes, 4=15752
- Mullins, W. W. and Sekerka, R. F. Application of linear programming theory to crystal faceting, 2=14929
- Mullins, W. W. and Sekerka, R. F. Morphological stability of a particle growing by diffusion or heat flow, 3=11297
- Mullins, W. W. See Fraser, M. J., 2=4399
- Mullins, W. W. See Friedel, J., 4=26540
- Mullins, W. W. See King, R. T., 2=15089
- Mulot, P., Poussot, R. and Schmitt, A. P. A pneumatic irradiation device for the measurement of thermal neutron flux in a pile, 1=13907
- Mulot, P., Poussot, R., Schmitt, A. P. and Zaleski, C. P. Automatic apparatus for measuring local gradients of neutron flux in a reactor, 1=5955
- Mulson, J. F. and Müller, E. W. Corrosion of tungsten and iridium by field desorption of nitrogen and carbon monoxide, 3=18396
- Multani, M. S. See Bhide, V. G., 1=7660
- Multani, M. S. See Bhide, V. G., 3=8560
- Mulvey, J. See Engler, A., 1=13544
- Mulvey, J. H. See Blackie, R. F., 1=520
- Mulvey, J. H. See Chadwick, G. B., 2=22522
- Mulvey, J. H. See Chadwick, G. B., 3=10117
- Mulvey, J. H. See Chadwick, G. B., 4=6135
- Mulvey, J. H. See Engler, A., 0=7348
- Mulvey, J. H. See Foster, F., 3=7945
- Mulvey, J. H. See Goldsack, S. J., 2=9888
- Mulvey, T. Electron-optical design of an X-ray micro-analyser, 0=3809



- Mulvey, T. Origins and historical development of the electron microscope, 2=9634
- Mulvey, T. Conference on electron probe microanalysis, Reading, September 1963: recent advances in the instrumentation and technique of electron probe microanalysis, 4=10679
- Mulvey, T. Materials, testing and analysis, 4=23981
- Mulvey, T. and Campbell, A.J. Proportional counters in X-ray spectro-chemical analysis, 0=3881
- Mulvey, T. See Archard, G.D., 3=25856
- Mulvey, T. See Bernard, A., 0=4762
- Mulvey, T. See Kynaston, D., 3=9862
- Mulvey, T. See Kynaston, D., 3=19351
- Muly, E.C. and Frerichs, R. Two-state operation of a hollow cathode discharge within a microwave cavity, 4=16445
- Mulyarchik, T. See Galperin, Y., 3=25990
- Mulyarchik, T.M. Interferometric measurement of the width of the 6300 Å [O I] and 5198-5200 Å [N I] emissions in the Aurorae Polaris, 0=8406
- Mulyarchik, T. M. See Krasovskii, V. I., 4=26820
- Mumford, A.J.P. See Smith, K., 1=815
- Mumme, W.G. Stability of magnetization in cainozoic basalts from Victoria, Australia, 3=1495
- Mumuianu, D. See Hulubei, H., 4=942
- Mumuianu, D. See Hulubei, H., 4=30257
- Munakata, M. Electrical conductivity of high vanadium phosphate glass, 2=8306
- Munakata, Y. Quantum field theory with indefinite metric, 2=11854
- Muncey, R.W. Properties of the lunar surface as revealed by thermal radiation, 3=11510
- Muncey, R.W. and Nickson, A.F.B. Sound reinforcement at the Sidney Myer Music Bowl, Melbourne, Australia, 1=8204
- Muncey, R.W. and Nickson, A.F.B. The listener and room acoustics, 4=16191
- Muncey, R.W. See Nickson, A.F.B., 0=5118
- Muncey, R.W. See Nickson, A.F.B., 1=217
- Muncey, R.W. See Nickson, A.F.B., 4=24331
- Münch, G. Internal motions in the Orion nebula, 0=10521
- Münch, G. Kinematics of the filaments in the Crab nebula, 0=10522
- Münch, G. On the interpretation of the spiral structure in the galactic system, 0=18834
- Münch, G. The intensity of forbidden emission lines, 3=2550
- Münch, G. Simplified preparation method for carbon replicas and carbon film for specimen support in electron microscopy, 4=23514
- Münch, G. An interstellar cloud with a high concentration of CN molecules, 4=29421
- Münch, G. and Münch, L. On the rotation of the inner parts of the galactic system, 0=6613
- Münch, G. and Unsöld, A. Interstellar gas near the sun, 2=15298
- Münch, G. and Zirin, H. Interstellar matter at large distances from the galactic plane, 1=2593
- Münch, G. See Kaplan, L.D., 4=10882
- Münch, G. See Spinrad, H., 3=23674
- Münch, G. See Younkin, R.L., 3=16342
- Münch, L. See Münch, G., 0=6613
- Muncy, C.R. See Haag, R.M., 4=20714
- Munczek, H. Relativistically invariant partial-wave analysis, 4=3333
- Munczek, H. See De Tollis, B., 1=521
- Munczek, H. See Jona-Lasinio, G., 0=3995
- Munday, B.C., Pepper, A.R. and Street, R. Properties of chromium cooled in a magnetic field, 4=17646
- Munday, G. See Miles, J.E.P., 2=19147
- Munday, G.L. Ultra high vacuum technology, 0=19223
- Munden, D.L. and Morley, T.K. Yarn-speed meter — a low-torque instrument for measuring the linear speed of low inertia systems, 0=8589
- Munden, H.R. A vacuum desiccator, 0=19238
- Munden, H.R. See Burge, R.E., 0=10340
- Mundie, L.G., Brown, D.E., Hasell, P.G., Jr and Lowe, D.S. An airborne spectroradiometer, 1=1841
- Mundry, E. and Gluth, W. Cinematographic investigations of oscillatory cavitation, 0=14598
- Mundt, W. Statistical reduction and analysis of geomagnetic land survey measurements, 4=29345
- Mundt, W. See Böhme, A., 3=18527
- Mundt, W. See Kautzleben, H., 3=18565
- Mundy, H.B. See Allen, N.L., 4=5685
- Mundy, H.B. See Jones, W.M., 0=20143
- Mundy, J.N. See Dugdale, J.S., 2=6507
- Mundy, J.N. See Grew, K.E., 1=18464
- Mundy, J.N. See Wendt, R.P., 3=11817
- Mundy, R.E. See Candela, G.A., 3=12286
- Munesue, A. and Arai, T. The absorption spectrum of tin doped germanium, 4=17566
- Munesue, S. and Arai, T. The intrinsic absorption edge of heavily doped N- and P-type germanium, 4=26192
- Munford, C. See Colombo, G., 3=11743
- Mungall, A.G. and Morris, D. Surface wave propagation over a sand-covered conducting plane, 0=1209
- Mungall, A.G. and Morris, D. The group velocity of plane surface waves, 0=11047
- Mungall, A.G. and Morris, D. Time delay and frequency response of resonant cavities, 1=368
- Mungall, A.G. and Morris, D. Precision capacitance-conductance bridge for dielectric measurements at audio and low radio frequencies, 3=21682
- Mungall, A.G. See Morris, D., 1=374
- Munier, J. Effect of the direct polarization current on the differential conductance and the scintillation noise of point-contact diodes at hyperfrequencies, 2=18715
- Munier, J. Impedance and quadratism [quadratisme] of silicon-diode low-level microwave detectors, 4=11792
- Munier, J.M., Claudel, J., Décamps, E. and Hadni, A. Reflective power of gratings: Echelette of order one in polarized light, 2=22058
- Munier, J. M. See Hadni, A., 4=14620
- Munir, B.A., Pickup, E., Robinson, D.K. and Salant, E.O. Pion production branching ratios through the 900 MeV resonance, 1=5756
- Munir, B.A. See Morton, W.T., 0=20484
- Munir, B.A. See Salant, E.O., 1=16848
- Munir, R. See Levinson, C.A., 2=13797
- Munk, W. and El sayed, Hassan, M. Atmospheric excitation of the earth's wobble, 1=9180
- Munk, W.H. and MacDonald, G.J.F. Continentality and the gravitational field of the earth, 0=16555
- Munk, W.H., Miller, G.R., Snodgrass, F.E. and Barber, N.F. Directional recording of swell from distant storms, 3=16203
- Munn, R. J. Interaction potential of the inert gases, I, 4=12403
- Münnich, F., Fricke, K. and Wellner, U. Investigation of the disintegration of Ba<sup>133</sup> and Cs<sup>134</sup> by  $\gamma$ - $\gamma$  angular correlation measurements, 3=17440
- Münnich, F. See Bloess, D., 3=9406
- Münnich, F. See Bloess, D., 4=1014
- Münnich, F. See Bloess, D., 4=3581
- Münnich, F. See Bloess, D., 4=30124
- Münnich, F. See Fricke, K., 4=6011
- Münnich, K.O. See Ehhalt, D., 3=25901
- Muñoz, E. See Fernández, A., 3=20795
- Munro, D.C. See Bradley, R.S., 2=14511
- Munro, D.C. See Bradley, R.S., 4=26067
- Munro, D.F. See Brothers, C.F., 4=18268
- Munro, G.H. Ionospheric information from satellite signals, 1=4121
- Munro, G.H. Possible solar flare effects in the F-region of the ionosphere, 2=4653
- Munro, G.H. Diurnal variations in the ionosphere deduced from satellite radio signals, 2=6934
- Munro, G.H. Scintillation of radio signals from satellites, 3=18531
- Munro, G.H. and Heisler, L.H. Ionosphere dynamics, 4=26836
- Munro, I.H. See Birks, J.B., 1=16378
- Munro, I.H. See Birks, J.B., 2=18869
- Munro, R. See Wilson, H.W., 2=5389
- Munro, R.G. See Gregory, R.W., 3=7171
- Munsch, G. Solution of the Schrödinger equation of two-electron atoms. III. Continuation of the method. Symmetrical S-states, 0=7682
- Munsch, G. A new lower bound for the calculation of atomic energy levels, 3=19919
- Munsch, G. and Pluvina, P. Numerical approximations of the first S states of helium, 2=12286
- Munsch, G., Pluvina, P. and Proriol, J. Orthogonal sets of eigenfunctions with definite symmetry for the wave-functions of a system of three identical particles, 1=6785
- Munsch, G. and Pluvina, P. On the spatial correlation of electrons in the ground state of helium, 4=22296
- Munsee, J.H. and Reines, F. Color scheme for spatial resolution using liquid scintillators, 3=19533
- Munsey, C. J. See Hawkins, J. K., 4=27346



- Munson, D. and Hellawell, A. The microscopy of decanted interfaces in eutectic alloys, 4=8504
- Munson, J.C. See Anderson, V.C., 3=18922
- Munson, J.H. See Davey, P.G., 4=27302
- Munson, M.S.B., Field, F.H. and Franklin, J.L. High-pressure mass spectrometric study of reactions of rare gases with  $N_2$  and  $CO$ , 3=3387
- Munson, M.S.B., Franklin, J.L. and Field, F.H. A mass spectrometric study of homonuclear and heteronuclear rare gas molecule ions, 4=452
- Munson, M.S.B. See Dahler, J.S., 2=16569
- Munson, R.A. Dielectric constant of phosphoric acid, 4=21147
- Munson, W.A. and Karlin, J.E. Isopreference method for evaluating speech-transmission circuits, 2=15426
- Munster, A. On the theory of critical fluctuations, 0=14659
- Münster, A. Theory of fluctuations, 0=16642
- Münster, A. Theory of generalized ensembles, 1=66
- Münster, A. Fluctuations of pressure, 1=9336
- Münster, A. and Schneeweiss, C. Critical fluctuations and critical opalescence in binary systems. I. Theory of critical fluctuations, 4=8525
- Münster, A. and Schneeweiss, C. Critical fluctuations and critical opalescence in binary systems. II. Critical opalescence of X-rays and visible light, 4=8526
- Munster, A. See Subirana, J.A., 3=10555
- Muntjewerff, W.F. See Smit, C., 3=7634
- Muntz, E.P. Static temperature measurements in a flowing gas, 2=1205
- Munyadi, I. See Csikai, J., 3=10367
- Munz, D. See Macherauch, E., 3=5069
- Munz, D. See Macherauch, E., 4=7386
- Münze, R. Special problems in the production of radioactive nuclides, 3=642
- Münzel, H. Concerning the formation of  $Cd^{115m}$  or  $Cd^{115g}$  in the reaction  $U(\alpha, f)X$ , 2=10143
- Mur, V.D. Matrix structure of the meson-photon, nucleon-photon and photon-photon scattering amplitudes at high energies, 4=831
- Mur, V.D. Asymptotic expression for the total  $\gamma\gamma$ -scattering cross-section at high energies, 4=6007
- Mur, V.D. and Skarzhinski, V.D. Use of the dispersion method for investigation of the simplest Green's functions in quantum electrodynamics, 1=4762
- Mur, V.D. and Skarzhinskii, V.D. The use of an arbitrary gauge of the electromagnetic potentials in the dispersion method, 1=16653
- Mur, V.D. See Berkov, A.V., 4=6104
- Mura, T. Continuous distribution of moving dislocations, 3=15492
- Mura, T. and Brittain, J.O. Reply to R.Bullough and R.C.Newman's comments on a paper by Mura, Lautenschlager and Brittain entitled: "Segregation of solute atoms during strain aging", 3=5140
- Mura, T., Tamura, I. and Brittain, J.O. On the internal friction of cold-worked and quenched martensitic iron and steel, 1=3963
- Mura, T. Periodic distributions of dislocations, 4=25931
- Mura, T. See Dundurs, J., 4=25934
- Mura, T. See Kiusalaas, J., 4=9958
- Muraca, R.F., McCullough, C.M., Longwell, A.P. and Burns, E.A. Tilting-plate apparatus for the measurement of contact angles in corrosive liquids as a function of temperature and pressure, 3=14130
- Murad, E. The fluorescence of acetaldehyde vapor, 1=12929
- Murad, E. and Inghram, M.G. Photoionization of aliphatic ketones, 4=21466
- Murad, E. and Inghram, M.G. Thermodynamic properties of the acetyl radical and bond dissociation energies in aliphatic carbonyl compounds, 4=25759
- Muradian, G.V. See Pevzner, M.I., 3=24956
- Muradian, H.V. See Moskalev, S.S., 4=19790
- Muradyan, R.M. On the azimuthal asymmetry in the scattering of Dirac particles, 0=20059
- Muradyan, R.M. Investigation of the analytic properties of ladder diagrams by the method of complex angular momentum, 3=14893
- Muradyan, R.M. See Arutyunyan, V.M., 0=9269
- Murahashi, D. See Tadokoro, H., 3=10557
- Murahashi, S. See Tadokoro, H., 1=12279
- Murahashi, S. See Yamadera, R., 4=28292
- Murai, A. and Mito, S. Experimental studies on Cerenkov radiation, 1=12076
- Murai, T. Colour and polarizability of conjugated chain-molecule, 2=14345
- Murai, Y. Discrimination between strong and weak interactions, 0=17225
- Murai, Y. The non-linear theory of Heisenberg in a five-dimensional space, 2=7805
- Muraishi, Y. See Fukushima, S., 2=9967
- Murakami, H., Miya, M., Nagano, S., Ishiguro, T. and Uchida, I. Current oscillation in a  $CdS$  single crystal induced by local irradiation of light, 4=28640
- Murakami, I. Effect of the stretching on dielectric property of polymethyl methacrylate, 2=8461
- Murakami, I., Isshiki, N. and Yamamura, H. Effect of the branching on dielectric property of polyvinyl acetate solution, 0=6801
- Murakami, I., Kawai, A. and Yamamura, H. Nuclear magnetic resonance absorption in polycarbonate, 4=23075
- Murakami, K. Geomagnetic effect on diurnal variation of cosmic ray intensity, 2=3442
- Murakami, K. and Kudo, S. The onset times of cosmic-ray storms, 1=19312
- Murakami, K. and Kudo, S. Cosmic-ray diurnal variation with phase inverse to usually observed phase, 3=24826
- Murakami, K. and Kudo, S. Relation between cosmic-ray diurnal variation and type IV solar radio outburst, 3=24827
- Murakami, K. See Imai, T., 2=3433
- Murakami, K. See Imai, T., 2=3434
- Murakami, K. See Imai, T., 2=13919
- Murakami, K. See Kanno, T., 2=12046
- Murakami, K. See Kawabata, K., 0=15464
- Murakami, K. See Kodama, M., 0=15494
- Murakami, K. See Suga, K., 2=12066
- Murakami, M. Anisotropy energy in the paramagnetic region of iron sulfide, 0=18170
- Murakami, M. Alpha-transformation mechanism of the anti-ferromagnetic iron sulfide, 0=18209
- Murakami, M. Anisotropy of electrical conduction in iron sulfide single crystal, 1=12424
- Murakami, M. and Hirahara, E. A certain anomalous behaviour of iron sulfides, 0=668
- Murakami, M. See Fujime, S., 1=12418
- Murakami, M. See Naya, R., 1=12531
- Murakami, M. See Komatsubara, T., 3=11104
- Murakami, S. See Okubo, H., 3=6799
- Murakami, T. On the variation principle in the kinetic theory of dense gases. I, 1=6500
- Murakami, T. Entropy production and variation principle in the kinetic theory of rigid-sphere gas mixture, 1=12819
- Murakami, Y. and Enjō, T. Heat treatment of zirconium-rich alloys with niobium, 2=19090
- Murakami, Y. and Kawano, O. Effects of cold working on precipitation in age-hardenable alloys, 1=1430
- Murakami, Y., Kawano, O. and Tamura, H. On precipitation phenomena in magnesium-zinc alloys, 2=21554
- Murakami, Y., Kawano, O. and Tamura, H. Electron-microscopic investigation on precipitation phenomena in aluminium-zinc alloys, 4=13473
- Murakami, Y., Kawano, O. and Tamura, H. Ageing characteristics and effects of plastic deformation on precipitation in  $Al-4\%Cu$  and  $Al-20\%Ag$  alloys with or without trace elements, 4=23250
- Murakami, Y. and Okamoto, H. Gas analysis with a molecular sieve, 4=18306
- Murakami, Y. See Masuda, S., 3=19044
- Murakawa, K. Multiplet structure and hyperfine structure of the spectrum of mercury, 0=20586
- Murakawa, K. Hyperfine structure of the spectra of Pr I and Pr II, 1=12253
- Murakawa, K. Quadrupole coupling in the hyperfine structure of the spectrum of La I, 2=3701
- Murakawa, K. Quadrupole coupling in the hyperfine structure of the spectra of Ta I and Os I, 2=16484
- Murakawa, K. and Hashimoto, S. Measurement of plasma temperature and electron density, 1=13092
- Murakawa, K. and Mizuno-Hashimoto, S. Measurement of plasma temperature and electron density, 1=313
- Murakawa, K. See Ross, J.S., 3=2364
- Murakawa, K. See Ross, J.S., 4=19639
- Murakhver, Yu.E. Resonance charge exchange in hydrogen and sodium, 1=17291
- Murakhver, Yu.E. Resonance charge exchange in atomic hydrogen, 2=16493
- Murakhver, Yu.E. Resonance charge exchange in atomic hydrogen, 3=6361
- Mural', V.V. See Gruzin, P.L., 4=20294
- Mural', V.V. See Gruzin, P.L., 4=20296



- Muralidhara Rao, A. and Krishnan, A.A. Studies on sintered copper-chromium powder compacts, 2=15052
- Muralidhara Rao, V. Measurement of the complex dielectric constant at 8 mm: the interferometric and standing wave methods, 4=418
- Muralidharan, K. V. See Amirthalingam, K. V., 4=13587
- Muramatsu, K. See Ishikawa, S., 1=15268
- Muramori, K. and Miyahara, S. Spontaneous magnetization of magnesium ferrite-manganite system, 1=17956
- Muramori, K. and Miyahara, S. Magnetic properties of  $\text{MgMn}_2\text{O}_4$ , 1=20134
- Muramori, K. See Miyahara, S., 1=20553
- Muramoto, M. See Henderson, J. R., 4=25630
- Muranishi, Y. See Yashima, H., 2=4673
- Murao, T. The magnetic properties of the praseodymium and the neodymium metals, 0=11807
- Murao, T. Effect of covalency on the spin-orbit coupling constant of transition metal ions, 0=20643
- Murao, T. Magnetic susceptibility of Ce-Th alloy, 0=21024
- Murao, T. Electron paramagnetic resonance for metals with two conduction bands, 1=20195
- Murao, T. Screening of multipolar interactions in metals, 2=14354
- Murao, T. and Matsubara, T. On the magnetic properties of cubic cerium, 0=11806
- Murao, T. See Tsujikawa, I., 3=15660
- Muraoka, T. See Ichimiya, T., 1=11648
- Murarka, N. P. See Griffiths, J. W. R., 4=21234
- Murarka, S. P. and Agarwala, R. P.; Libanati, C. M. and Dymont, F. On self-diffusion in alpha titanium, 4=30579
- Murarka, S. P., Anand, M. S. and Agarwala, R. P. Diffusion of chromium in nickel, 4=15492
- Murarka, S. P. See Agarwala, R. P., 4=22610
- Murase, K. See Ohkura, H., 2=3966
- Murase, K. See Ohkura, H., 2=21365
- Murase, K. See Ohkura, H., 3=23234
- Murashige, R. and Eisenthal, K. B. Triplet-triplet transfer in plastic at 298° and 77° K, 4=4315
- Murashige, R. H. See Melhuish, W. H., 3=3880
- Murashko, L. T. See Vorob'ev, G. A., 2=21774
- Murashko, L. T. See Vorob'ev, A. A., 2=23506
- Murashko, L. T. See Vorob'ev, A. A., 3=6621
- Murashova, M. S. and Sitnik, G. F. Absolute measurements of solar energy in the spectral region 3382-10 000 Å, 4=10893
- Murasik, A. Dispersion relation for spin waves in  $\text{CuFeS}_2$ , 4=13261
- Murasik, A. and Roult, G. Magnetic structure of iron manganite by neutron diffraction, 4=28842
- Murasik, A., Ruta-Wala, K. and Wanic, A. An examination of the spin waves dispersion relation in a franklinite monocrystal by the neutron scattering method, 1=20119
- Murasik, A., Ruta-Wala, K. and Wanic, A. An investigation of magnons in franklinite by the neutron scattering method, 3=3127
- Murasik, A. See Bertaut, E. F., 4=13267
- Murasik, A. See Bertaut, E. F., 4=28855
- Murasik, A. See Janik, J. A., 2=292
- Muraskin, M. Proposal for determination of  $\Sigma$  relative parity from Chew and Low analysis of reactions of the form  $A + B \rightarrow C + D + E + \dots$ , 0=13066
- Muraskin, M. and Glashow, S. L. Coupling-constant sum rules, 4=821
- Muraskin, M. and Nishijima, K. Time-ordered Green's functions and perturbation theory, 1=7203
- Murat, M. See Chevreton, M., 4=1549
- Murata, K. An apparatus for measuring transmission functions of optical systems, 0=19404
- Murata, K. See Kubota, H., 0=19403
- Murata, T. See Morita, S., 2=489
- Murata, Y. See Morino, Y., 2=22957
- Murata, T. See Nakai, Y., 4=4267
- Murata, U. See Masaike, A., 4=9480
- Murata, Y. See Kumagi, H., 3=460
- Muraton, V. R. See Volosov, V. D., 3=24370
- Muratori, G. See Faissner, H., 3=24690
- Muratov, V. I. See Fedorchenko, V. D., 3=9823
- Muratov, V. I. See Fedorchenko, V. D., 4=18991
- Muratov, V. I. See Fedorchenko, V. D., 4=18992
- Muratov, V. I. See Fogel', Ya. M., 0=14978
- Muratov, V. R. A telecentric optical system for illumination of the entrance slit of a spectral instrument, 2=13445
- Muratov, V. R. and Nilov, E. V. Investigating the resolving power of the "PIM-3" image converter when it is connected in different ways, 3=14648
- Muratov, V. R. See Balashov, I. F., 1=4456
- Muratov, V. R. See Balashov, I. F., 2=1272
- Muratov, V. R. See Vanyukov, M. P., 0=14998
- Muratov, V. R. See Vanyukov, M. P., 1=19593
- Muratov, V. R. See Vanyukov, M. P., 2=7576
- Murav'ev, V. I. See Voronov, F. F., 1=4418
- Murav'ev, V. T. and Yavroskii, B. M. The elastic scattering of slow S-electrons by helium atoms, 4=9670
- Murav'eva, V. V. See Gnedich, A. V., 0=13209
- Murav'eva, V. V. See Gnedich, A. V., 2=1512
- Murav'eva, V. V. See Kryukova, L. N., 3=8053
- Murav'eva, V. V. See Kryukova, L. N., 4=12161
- Murav'eva, V. V. See Kryukova, L. N., 4=12176
- Murav'eva, V. V. See Malsyheva, T. V., 2=14054
- Murav'eva, V. V. See Sorokin, A. A., 2=14066
- Muravskii, B. S. Surface breakdown of p-n junctions in silicon, 3=10856
- Muravskii, B. S. Investigation of anomalous characteristics of point contacts on the surfaces of germanium and silicon, 3=17862
- Muravskii, B. S. See Kosman, M. S., 1=19859
- Muravskii, B. S. See Kosman, M. S., 2=4026
- Muravtsov, L. P. and Smirnov, B. I. X-ray investigation of stacking faults in deformed tantalum, 1=17547
- Murray, J. J. Volume conductivity of borosilicate glass, 2=10442
- Murray, J. J. Surface conductivity of borosilicate glass, 2=10443
- Murray, J. J. Photoelectric effect induced by high intensity laser light beam in quartz and borosilicate glass, 4=14749
- Murayama, S. See Yamamoto, M., 4=8667
- Murayama, T. The point source of cosmic rays and a variable star " $\omega$ -Orionis", 1=3325
- Murayama, T. Methods for detecting high energy photons in primary cosmic rays, 2=1742
- Murayama, T. See Adachi, T., 2=16212
- Murayama, T. See Kondo, I., 2=12068
- Murayama, T. See Sekido, Y., 2=12067
- Murayama, T. See Sekido, Y., 2=12069
- Murbach, E. W. See Buyers, A. G., 0=12101
- Murch, L. E. and Giauque, W. F. The thermodynamic properties of sodium hydroxide and its monohydrate. Heat capacities to low temperatures. Heats of solution, 3=7388
- Murch, S. A. See Kammash, T. B., 1=1310
- Murcray, D. G., Brooks, J. N., Murcray, F. H. and Williams, W. J. Atmospheric absorptions in the near infrared at high altitudes, 0=2025
- Murcray, D. G., Brooks, J. N., Sible, N. J. and Westdal, H. C. Optical measurements from high altitude balloons, 2=8972
- Murcray, D. G., Murcray, F. H. and Williams, W. J. Distribution of water vapor in the stratosphere as determined from infrared absorption measurements, 2=8957
- Murcray, D. G., Murcray, F. H., Williams, W. J. and Leslie, F. E. Study of 1.4  $\mu$ , 1.9  $\mu$ , and 6.3  $\mu$  water vapor bands at high altitudes, 1=6590
- Murcray, D. G., Murcray, F. H., Williams, W. J. and Leslie, F. E. Water vapor distribution above 90 000 feet, 1=15226
- Murcray, D. G., Murcray, F. H. and Williams, W. J. Variation of the infrared solar spectrum between 2800 and 5100  $\text{cm}^{-1}$  with altitude, 4=10721
- Murcray, F. H. See Murcray, D. G., 0=2025
- Murcray, F. H. See Murcray, D. G., 1=6590
- Murcray, F. H. See Murcray, D. G., 1=15226
- Murcray, F. H. See Murcray, D. G., 2=8957
- Murcray, F. H. See Murcray, D. G., 4=10721
- Murcray, W. B. Some properties of the luminous aurora as measured by a photoelectric photometer, 0=12191
- Murcray, W. B. Thermal radiation spectrum of the Arctic sky, 1=21020
- Murcray, W. B. Infrared radiation from the atmosphere over the Arctic Ocean, 4=7844
- Murcray, W. B. and Pope, J. H. Doppler-shifted cyclotron frequency radiation from protons in the exosphere, 0=4791
- Murcray, W. B. and Pope, J. H. Radiation from protons of auroral energy in the vicinity of the earth, 1=15305
- Murdoch, E. G. See McLaren, E. H., 3=9642
- Murdoch, H. S. and Ogilvie, K. W. Coincidence counting with scintillation counters, 0=2457
- Murdoch, H. S., Ogilvie, K. W. and Rathgeber, H. D. The Sydney cosmic ray spectrometer, 1=2120



- Murdoch, H.S. and Rathgeber, H.D. Geiger counter hodoscope with automatic testing, 0=3911
- Murdoch, H.S. See Campbell, M.J., 2=12079
- Murdoch, H.S. See Campbell, M.J., 2=13935
- Murdoch, H.S. See Campbell, M.J., 3=17372
- Murdoch, P. See Campbell, R.H., 4=6434
- Murdock, C.C. See Cash, A.H., 1=20533
- Murdock, E.G. See McLaren, E.H., 0=2271
- Murdock, E.G. See McLaren, E.H., 0=10803
- Murdock, J.F., Lundy, T.S. and Stansbury, E.E. Diffusion of  $Ti^{4+}$  and  $V^{5+}$  in titanium, 4=23492
- Murdock, J.F. See Lundy, T.S., 2=12448
- Murgai, M.P., Milmo, J.O., Kottenstette, J.P. and Smith, F.L. On a problem in the thermal stability of explosives, 1=4096
- Murgai, M.P. and Ray, A.K. Some experimental results on the impact sensitivity of mercury fulminate, 0=8305
- Murgatroyd, W. See Kemeny, L.G., 4=19874
- Murgu, Z. Characteristics and applications of Hall generators, 4=10088
- Murgulescu, I.G. and Topor, D. Determination of the transport numbers for fused caesium nitrate, 3=3796
- Murgulescu, I.G. and Zuca, S. On the viscosity of some simple molten salts, 2=11329
- Murgulescu, I.G. and Zuca, S. The viscosity of some molten salts. II, 4=5159
- Murguliya, G.E. and Plyutto, A.A. Neutron generator with spark ion source, 2=20369
- Murguliya, G.E., Plyutto, A.A. and Rozman, I.M. Recording of neutrons from pulse sources, 4=919
- Murguliya, G.E. See Kilin, S.F., 3=24420
- Murin, A. See Abdurazakov, A., 1=646
- Murin, A.N., Banasevich, S.N. and Grushko, Yu.S. Diffusion of calcium ions in substitutional crystals  $NaCl-CaCl_2$ , 2=604
- Murin, A.N., Banasevich, S.N. and Grushko, Yu.S. Diffusion of calcium ions in substitutional crystals  $NaCl-CaCl_2$ , 2=3938
- Murin, A.N., Lur'e, B.G., Banasevich, S.N., Samosyuk, G.P. and Ignatovich, Ya.L. Diffusion and electrolytic migration of  $P^{32}$  in  $KCl$  crystals irradiated with 660 MeV protons, 1=14314
- Murin, A.N., Lur'e, B.G. and Lebedev, N.A. Influence of pressure on the self-diffusion of silver ions in silver bromide, 1=989
- Murin, A.N., Lur'e, B.G. and Tarlakov, Yu.P. Electrical conductivity and self-diffusion of silver in silver iodine at high pressure, 2=18605
- Murin, A.N., Nefedov, V.D., Popov, D.K. and Baranovskii, V.I. Successive neutron capture in antimony, 0=7604
- Murin, A.N. and Samosyuk, G.P. Diffusion of impurities in an infinite plate, 1=14294
- Murin, A.N. See Banasevich, S.N., 0=6062
- Murin, A.N. See Baranovskii, V.I., 3=8058
- Murin, A.N. See Belyaev, B.N., 1=19472
- Murin, A.N. See Belyaev, B.N., 2=7985
- Murin, A.N. See Bel'ae, B.N., 3=4638
- Murin, A.N. See Belyaev, B.N., 3=10316
- Murin, A.N. See Belyaev, B.N., 3=10317
- Murin, A.N. See Belyaev, B.N., 3=22317
- Murin, A.N. See Belyaev, B.N., 3=24914
- Murin, A.N. See Dalkhsuren, B., 2=14023
- Murin, A.N. See Dobronravova, A.N., 4=6401
- Murin, A.N. See Kaliamin, A.V., 0=11408
- Murin, A.N. See Kalyamin, A.V., 3=10348
- Murin, A.N. See Krizhanskii, L.M., 0=7634
- Murin, A.N. See Krizhansky, L.M., 1=7408
- Murin, A.N. See Lur'e, B.G., 2=21070
- Murin, A.N. See Lur'e, B.G., 3=6535
- Murin, I.D. Reversible counter using dekatrons OG-5, 3=5904
- Murin, I.D. See Voronkov, A.E., 2=18044
- Murin, I.D. See Voronkov, A.K., 4=790
- Murina, T.M. and Prokhorov, A.M. Study of the  $CH_3Cl$  molecule by means of a beam spectroscopy with a disk resonator, 4=6617
- Murinson, E.A. See Yurasova, V.E., 4=12823
- Muriyama, M. and Sumi, M. Microwave generation of the second harmonic in a plasma, 2=11658
- Murley, P.C. See Kennedy, D.P., 2=2185
- Murley, P.C. See Kennedy, D.P., 2=14567
- Murley, R.D. Mie theory of light scattering. Limitations on accuracy of approximate methods of computation, 0=19445
- Murmö, H. L. and Tolpö, K. B. Wave function and electron energy in  $NaCl$ . III. Use of orthogonalized functions, 4=6789
- Muromkin, Yu.A. See Babichev, A.P., 2=3026
- Muromkin, Yu.A. See Babichev, A.P., 3=1958
- Muromkin, Yu.A. See Babichev, A.P., 3=1960
- Muromkin, Yu.A. See Babichev, A.P., 3=12089
- Muromkin, Yu.A. See Babichev, A.P., 3=12108
- Muromkin, Yu.A. See Babichev, A.P., 4=24682
- Muromkin, Yu.A. See Kikoin, I.K., 0=1620
- Muromtsev, V., Piskunov, A.K. and Verëin, N.V. Highly sensitive method of recording first and second derivatives of electron paramagnetic resonance signals, 3=21993
- Muromtsev, V.I., Piskunov, A.K. and Safronov, S.N. Recording electron paramagnetic resonance lines by integrating the derivative of the signal, 2=19841
- Muromtsev, V.I. See Bagdasar'yan, Kh.S., 4=10647
- Muromtseva, V.N. See Masterov, E.P., 1=4406
- Murooka, Y. The research of spark mechanism in liquid with bubble chamber, 2=22182
- Murooka, Y., Nagao, S. and Toriyama, Y. The research of spark mechanism in liquid with bubble chamber, 2=7228
- Murota, T. On radiative corrections due to soft photons, 1=10830
- Murota, T. See Amai, S., 0=11280
- Murota, T. See Bando, H., 3=10213
- Murota, T. See Daiyasu, K., 2=12080
- Murota, T. See Daiyasu, K., 3=4531
- Murota, T. See Hiida, K., 1=16757
- Murota, T. See Marumori, T., 1=13609
- Murota, T. See Marumori, T., 2=1768
- Murphey, W.M. See Mosburg, E.R., Jr., 2=3354
- Murphy, A.P. and Goodman, J.F. A new shadowing material for electron microscopy, 1=2553
- Murphy, A.P. and McNeil, G. Precision microtome of simplified design, 4=10572
- Murphy, A.T., Adler, F.T. and Penney, G.W. A theoretical analysis of the effects of an electric field on the charging of fine particles, 0=241
- Murphy, A.T. See Adhav, R.S., 3=24030
- Murphy, A.T. See Adhav, R.S., 4=8369
- Murphy, C.T. Branching ratios of the decay modes  $\Sigma^+ \rightarrow n + e^+ + \nu$ , 4=15106
- Murphy, E.G. See Kuo, L.G., 4=24715
- Murphy, E.J. The dependence of the conductivity of cellulose, silk, and wool on their water content, 1=7626
- Murphy, E.J. The temperature dependence of the conductivity of dry cellulose, 1=17632
- Murphy, E.J. Conduction and electrolysis in cellulose, 3=20377
- Murphy, E.J. Conduction in single crystals of ammonium dihydrogen phosphate, 4=28609
- Murphy, F.V. See O'Neill, G.K., 3=17144
- Murphy, F.V., Jr. and O'Neill, G.K. Clearing time in magnetic field spark chambers, 3=14838
- Murphy, J., Caspers, H. H. and Buchanan, R. A. Symmetry coordinates and lattice vibrations of  $LaCl_3$ , 4=12614
- Murphy, J., Ohlmann, R. C. and Mazelsky, R. Energy transfer from 3d to 4f electrons in  $LaAlO_3$ : Cr, Nd, 4=30539
- Murphy, J. See Buchanan, R. A., 4=3973
- Murphy, J. A. See Hansen, R. S., 4=223
- Murphy, J.C. See Artman, J.O., 0=13877
- Murphy, J.C. See Artman, J.O., 3=13183
- Murphy, J.C. See Artman, J.O., 4=26219
- Murphy, J.C. See Artman, J.O., 4=28306
- Murphy, J.E. See Harris, J.D., 3=13953
- Murphy, J.W. and Wetmore, F.E.W. Molten salts. The density and electrical conductivity of the systems:  $AgNO_3-Ba(NO_3)_2$ ,  $-Ca(NO_3)_2$ , and  $-Mg(NO_3)_2$ , 0=64
- Murphy, N.St.J. and Watkins, T.B. The surface channel Hall effect, 2=2334
- Murphy, P. See Beall, E., 2=16245
- Murphy, P. See Cook, V., 2=22630
- Murphy, P.G. Experience with spark chambers in high energy physics, 2=9756
- Murphy, P.G. The isotopic spin of the  $f_0$  resonance, 4=945
- Murphy, P.G. See Beall, E.F., 1=13264
- Murphy, P.G. See Beall, E.F., 1=19277
- Murphy, P.G. See Beall, E.F., 2=11992
- Murphy, P.G. See Beall, E.F., 3=6083
- Murphy, P.G. See Cassels, J.M., 0=5583
- Murphy, P.G. See Cook, V., 1=10867
- Murphy, P.G. See Cook, V., 1=16895
- Murphy, P.G. See Cook, V., 3=10171
- Murphy, P.G. See Jones, D.P., 1=3223
- Murphy, P.V. The formation and discharge of Carnauba wax electrets in nuclear radiation fields, 3=13126
- Murphy, P.V. and Gross, B. Polarization of dielectrics by nuclear radiation. II. Gamma-ray-induced polarization, 4=12954



- Murphy, P.V. and Ribeiro, S.C. Polarization of dielectrics by nuclear radiation. I. Release of space charge in electron irradiated dielectrics, 3=17923
- Murphy, P.V., Ribeiro, S.C., Milanez, F. and de Moraes, R.J. Effect of penetrating radiation on the production of persistent internal polarization in electret-forming materials, 3=17947
- Murphy, P. V., Ribeiro, S. C., Milanez, F. and de Moraes, R. J. Effect of penetrating radiation on the persistent internal polarisation of carnauba wax electrets, 4=1668
- Murphy, P.V. See Gross, B., 1=3809
- Murphy, P.V. See Gross, B., 1=13376
- Murphy, P. V. See Milanez, F. C. S., 4=7076
- Murphy, P. V. See Ribeiro, S. C., 4=7036
- Murphy, P.W. See Wiese, W.L., 3=24277
- Murphy, R.J. See Fourie, J.T., 2=599
- Murphy, R.J. See Fourie, J.T., 2=23907
- Murphy, R.J. See Fourie, J.T., 3=2805
- Murphy, S.R. See Garrison, G.R., 0=2209
- Murphy, S.R. See Garrison, G.R., 1=5328
- Murphy, S.R. See Lord, G. E., 4=21237
- Murphy, S.R. See Potter, D.S., 2=17553
- Murphy, T.J. See Shields, W.R., 2=14227
- Murphy, T. W. and Crane, R. Analog computation of respiratory response curve, 2=13205
- Murphy, W. K., Hormats, E.I. and Sears, G.W. Growth of durene from the melt, 4=17784
- Murphy, W. K. and Sears, G. W. Iron whisker resonators, 4=2038
- Murphy, W. K. and Sears, G. W. Production of particulate beams, 4=29986
- Murphy, W.K. See MacKenzie, J.D., 0=14626
- Murphy, W.K. See Mackenzie, J.D., 1=5346
- Murphy, W.K. See Oriani, R.A., 0=16343
- Murphy, W.K. See Oriani, R., 2=21540
- Murr, A. See Zundel, G., 3=11999
- Murr, L. E. and Wilkov, M. A. Apparatus for the study of fatigue of thin metal films in the Hitachi H. U. 11 electron microscope, 4=4449
- Murray, A.A. See Chynoweth, A.G., 1=11306
- Murray, A.E. Fast refractive infrared optical systems, 2=11475
- Murray, A.M. See Flower, M., 0=15802
- Murray, A.M. See Karo, A.M., 0=13554
- Murray, A. M. See McCombie, C.W., 2=3823
- Murray, A.M. See March, N.H., 0=18996
- Murray, A.M. See March, N.H., 1=938
- Murray, A.M. See March, N.H., 1=14246
- Murray, A.M. See March, N.H., 2=8213
- Murray, A.M. See March, N.H., 2=10364
- Murray, A.M. See March, N.H., 2=12405
- Murray, B. See Watson, K., 1=18032
- Murray, B.C. and Wildey, R.L. Stellar and planetary observations at 10 microns, 3=13903
- Murray, B. C. and Wildey, R. L. Surface temperature variations during the lunar nighttime, 4=15929
- Murray, B.C., Wildey, R.L. and Westphal, J.A. Venus: a map of its brightness temperature, 3=16360
- Murray, B. C., Wildey, R. L. and Westphal, J. A. Infrared photometric mapping of Venus through the 8 to 14 micron atmospheric window, 4=4888
- Murray, B. C., Wildey, R. L. and Westphal, J. A. Observations of Jupiter and Galilean satellites at 10 microns, 4=23895
- Murray, B.C. See Pohn, H., 2=21700
- Murray, B.C. See Watson, K., 1=18034
- Murray, B.C. See Westphal, J.A., 3=21080
- Murray, C.A. The secular acceleration of the moon, and the lunar tidal couple, 0=18692
- Murray, C. B., Jr and van der Ziel, A. Measurements of noise in image orthicons, 4=29977
- Murray, D. Inductance bridge for sensitive displacement measurements over long periods, 0=3482
- Murray, E.L. Ambipolar diffusion of a meteor trail and its relation with height, 1=5143
- Murray, E. M. E. See Kafalas, P., 4=24930
- Murray, F.J. Perturbation theory and Lie algebras, 2=15449
- Murray, G., Graham, R.L. and Geiger, J.S. A determination of the absolute energy of the  $\text{Hg}^{198}$  412 keV  $\gamma$ -radiation, 3=19795
- Murray, G. See Freeman, J. M., 4=12175
- Murray, G. See Morrison, G. C., 4=22220
- Murray, G.T. Precipitation of helium along dislocations in aluminum, 1=11245
- Murray, G.T. See Adams, M.A., 2=14452
- Murray, G.T. See Machlin, E.S., 0=1872
- Murray, G. T. See Mountvala, A. J., 4=28935
- Murray, H.L. Polystyrene-silica replication technique for relocating selected areas for examination in the electron microscope, 3=18428
- Murray, J. An electronic analogue system for kinematical analysis of interaction vertices, 3=19522
- Murray, J. See Dahl, O., 0=5617
- Murray, J. See Dahl, O., 0=11327
- Murray, J. See Jaseja, T. S., 4=11042
- Murray, J.D. Electromagnetic generation of vorticity in the uniform efflux of a conducting fluid from the surface of a magnetized sphere, 1=16515
- Murray, J.D. See Goldstein, S., 0=3466
- Murray, J.D. See Goldstein, S., 0=3467
- Murray, J.D. See Goldstein, S., 0=3468
- Murray, J.D. See Ludford, G.S.S., 1=7130
- Murray, J.D. See McGee, R.X., 0=4906
- Murray, J.D. See McGee, R.X., 1=10372
- Murray, J.D. See McGee, R.X., 1=18201
- Murray, J.D. See McGee, R.X., 3=11505
- Murray, J.D. See McGee, R. X., 4=4934
- Murray, J.J. Mass separation by means of microwave linear acceleration in secondary beams, 3=19381
- Murray, J.J. See Alvarez, L.W., 3=15039
- Murray, J.J. See Berge, J.P., 1=10932
- Murray, J.J. See Dahl, O.I., 1=5781
- Murray, J.J. See Dahl, O., 3=7921
- Murray, J.J. See Ferro-Luzzi, M., 2=5728
- Murray, J.J. See Horwitz, N., 0=7555
- Murray, J. J. See Kalbfleisch, G. R., 4=27891
- Murray, J.J. See Bastien, P.L., 2=22608
- Murray, J.J. See Shafer, J.B., 3=15038
- Murray, J. J., Jr., Ferro-Luzzi, M., Huwe, D. O., Shafer, J. B. Solmitz, F. T. and Stevenson, M. L. Properties of the  $\omega$  meson from  $K^- + p \rightarrow \Lambda + \omega$ , 4=9268
- Murray, J.R. See Bannister, G.H., 0=18284
- Murray, J.S. See Ogier, W.T., 4=17593
- Murray, K. Photo-proton spectrometer, 1=8459
- Murray, K. Long X-ray bursts from a betatron, 4=8882
- Murray, K.M. and Bendel, W.L. Photoprotons from  $\text{C}^{12}$  and  $\text{F}^{19}$ , 4=3636
- Murray, M. V. See Luner, C., 4=26600
- Murray, P. See Williams, L.S., 0=6533
- Murray, R.B. Use of  $\text{Li}^6(\text{Eu})$  as a scintillation detector and spectrometer for fast neutrons, 0=17354
- Murray, R.B. Specific heat of single-crystal  $\text{MnCl}_2$  in applied magnetic fields, 3=2731
- Murray, R.B. and Manning, J.J. Response of end-window photomultiplier tubes as a function of temperature, 1=2999
- Murray, R.B. and Meyer, A. Scintillation response of activated inorganic crystals to various charged particles, 1=7727
- Murray, R. B. and Meyer, A. Effect of delta rays on the response of inorganic scintillators to heavy particles, 2=17997
- Murray, R.B. and Schmitt, H.W. Cross-section for the  $\text{Li}^6(n, \alpha)\text{H}^3$  reaction for  $1.2 \leq E_n \leq 8.0$  MeV, 0=1441
- Murray, R.B. See Gwin, R., 2=18002
- Murray, R.B. See Gwin, R., 3=20506
- Murray, R.B. See Gwin, R., 3=20507
- Murray, R.B. See Love, T.A., 1=3193
- Murray, R.B. See Meyer, A., 1=2461
- Murray, R.B. See Meyer, A., 2=23615
- Murray, R.B. See Schmitt, H.W., 0=4131
- Murray, R.B. See Zerby, C.D., 2=5521
- Murray, R. L., Bingham, C. R. and Martin, C. F. Reactor kinetics analysis by an inverse method, 4=19885
- Murray, R.L., Hasnain, S.A. and Mowery, A.L., Jr. Reactor fuel cycle analysis by series methods, 0=13367
- Murray, R.L., Katzin, G.H. and Mowery, A.L., Jr. Average flux in reactor test volumes, 0=13351
- Murray, R.L., Price, W.T. and Birken, S.H. Control rod theory for asymmetrical arrays and reflected cores, 1=17211
- Murray, R.L. See Hasnain, S.A., 1=3483
- Murray, R.L. See Mowery, A.L., Jr., 3=6327
- Murray, R.W. See Wasserman, E., 4=22420
- Murray, T.P. Automatic optical thickness gauge for thin film measurements, 2=7161
- Murrell, J.N. Construction of hybrid orbitals, 0=5977
- Murrell, J.N. The application of perturbation theory to the calculation of force constants, 0=13428
- Murrell, J.N. The photoconductivity of molecular crystals, 1=2419



- Murrell, J.N. The effect of paramagnetic molecules on the intensity of spin-forbidden absorption bands of aromatic molecules, 1=14015
- Murrell, J.N. The mobility of holes and electrons in organic crystals, 2=585
- Murrell, J.N. Relative importance of exciton delocalization and electron delocalization in polyene spectra, 2=22994
- Murrell, J.N. and Salem, L. Energies of excited electronic states as calculated with the zero differential overlap approximation, 1=9934
- Murrell, J.N. See Forman, A., 0=2743
- Murrell, S. A. F. The theory of the propagation of elliptical Griffith cracks under various conditions of plane strain or plane stress. I, 4=30757
- Murrell, S. A. F. The theory of the propagation of elliptical Griffith cracks under various conditions of plane strain or plane stress. II and III, 4=30758
- Murri, W. See Gardner, J.H., 3=24492
- Murrman, H. The use of an electron-optical method for magnetic measurements on ferromagnetic cylinders, 2=7707
- Murrmann, H. and Schwink, C. Homogeneous magnetic fields for the optical investigation of ferromagnetic specimens, 0=9147
- Murrmann, H. and Schwink, C. Development of an electron optical method of making magnetic measurements, I. Experimental arrangement and measurements, 1=10758
- Murrmann, H. and Schwink, C. Electron optics study of the magnetic stray field over (110) faces of prismatic nickel single crystals, 4=1835
- Murrmann, H. See Schwink, C., 1=10759
- Murrmann, H. See Schwink, C., 3=6707
- Murtas, G.P. See Barbiellini, G., 2=13755
- Murtas, G.P. See Barbiellini, G., 2=20302
- Murtas, G.P. See Barbiellini, G., 3=5980
- Murtas, G.P. See Barbiellini, G., 3=17234
- Murtas, G.P. See Bologna, G., 0=7340
- Murtas, G.P. See Bologna, G., 0=12899
- Murtaza, G. and Rashid, M.A. Pole approximation and unitary symmetry in nonelectronic decay of hyperons, 4=16970
- Murtazin, F.Sh. See Berlovich, E.E., 0=9586
- Murtazin, Sh.F. See Zaripov, M.M., 3=23231
- Murthy, B.S. Irregular fluctuations in H field at Kodaikanal, 3=148
- Murthy, C.R.K. and Spence, R.D. Nuclear magnetic relaxation in a strongly associated liquid, 0=16711
- Murthy, G.S. See Aravamudan, G., 4=30841
- Murthy, G.T., Peters, B., Ramanamurthy, P.V. and Shreekanthan, B.V. An experiment for measuring the chemical composition of primaries in the air shower region, 1=3327
- Murthy, G.T. See Chatterjee, B.K., 1=5805
- Murthy, G.T. See Chatterjee, B.K., 1=8528
- Murthy, G.T. See Chatterjee, B.K., 3=4508
- Murthy, G.T. See Chatterjee, B.K., 3=4510
- Murthy, G.T. See Miyake, S., 2=12074
- Murthy, G.T. See Mistry, N.B., 0=17455
- Murthy, N.S. On the validity of the revised rotational constants of  $\alpha(C \rightarrow X)$  band system of  $ZrO$ , 2=14256
- Murthy, N.S. A note on the Franck-Condon factors of the  $\alpha$ -system of  $TiO$ , 3=15340
- Murthy, N.S. See Tawde, N.R., 1=13969
- Murthy, N.S. See Tawde, N.R., 1=14059
- Murthy, N.S. See Tawde, N.R., 3=8249
- Murthy, N. Sreedhara. See Sreedhara Murthy, M.
- Murthy, Rama, V. See Rama Murthy, V.
- Murthy, S.R. A laboratory study of the "rotational temperature" of  $CH^+$  ( $^1\Pi \rightarrow ^1\Sigma$ ) cometary band, 3=25118
- Murthy, S.R.S. See Ramanna, R., 1=9889
- Murthy, S.V. An expression for signal-to-noise ratio in nuclear magnetic resonance detection using phase sensitive detector, 3=2137
- Murthy, S.V. Analog computer for calculation of moments in n.m.r. spectra, 3=12334
- Murthy, V.R. and Schmitt, R.A. Isotope abundances of rare-earth elements in meteorites. I. Implications of samarium, europium, and gadolinium to the early history of the solar system, 3=13875
- Murti, Y. V. G.S. See Ramasastry, C., 4=7034
- Murti, Y. V. G.S. See Ramasastry, C., 4=13058
- Murty, A.V.S. See Ramanadham, R., 3=7376
- Murty, B.V.R. and Roy, A.K. A suggested model of precipitation growth in cumulus cloud, and observed distribution of drop-sizes in convective showers, 3=5201
- Murty, C.R.K. On the calculation of relaxation times, 0=5009
- Murty, C.R.K. Dipole moments of some substituted benzenes and pyridines. I. Fluorotoluenes, 0=5985
- Murty, C.R.K. Dipole moments of some substituted benzenes and pyridines. II. Meta disubstituted benzenes, 0=5986
- Murty, C.R.K. Determination of dipole moments from measurements on pure liquids, 0=20690
- Murty, C.R.K. See Nagarajan, V., 4=17704
- Murty, C.R.K. See Spence, R.D., 1=20165
- Murty, C.R.K. See Spence, R.D., 2=4289
- Murty, C.R.K. See Spence, R.D., 3=1205
- Murty, D.S.R. See Brini, D., 0=15313
- Murty, D.S.R. See Fuschini, E., 0=17278
- Murty, G.S. Instability of conducting fluid cylinder due to axial current, 1=7132
- Murty, G.S. Influence of surrounding neutral medium on the stability of a fluid cylinder carrying an axial current, 2=1429
- Murty, G.S. Instability of a conducting fluid slab carrying uniform current in the presence of a homogeneous magnetic field, 2=1572
- Murty, G.S. Instability of a conducting fluid cylinder in the presence of an axial current, a longitudinal magnetic field and a coaxial conducting cylinder, 2=1573
- Murty, G.S. Filamentary structure associated with force-free magnetic fields, 2=9692
- Murty, G.S. See Jayasimha, P., 4=5774
- Murty, G.S. See Nayyar, N.K., 0=8618
- Murty, G.S. See Nayyar, N.K., 1=132
- Murty, G.S. See Nayyar, N.K., 1=5543
- Murty, J. Satyanarayana. See Satyanarayana Murty, J.
- Murty, K. Sreerama. See Sreerama Murty, K.
- Murty, M.V.R.K. Some more aspects of the Michelson interferometer with cube corners, 0=173
- Murty, M.V.R.K. Modification of Michelson interferometer using only one cube-corner prism, 0=2246
- Murty, M.V.R.K. Simulation of primary aberrations of a lens using a generalized Michelson interferometer, 0=19376
- Murty, M.V.R.K. An interferometric method for producing variable-frequency sine-wave pattern, 0=19430
- Murty, M.V.R.K. Spherical zone-plate diffraction grating, 0=19440
- Murty, M.V.R.K. Aspheric Ebert monochromator for simultaneous observation of many wavelengths, 2=11482
- Murty, M.V.R.K. Use of convergent and divergent illumination with plane gratings, 2=15744
- Murty, M.V.R.K. Multiple-pinhole multiple-beam interferometric observation of flat surfaces, 2=17636
- Murty, M.V.R.K. Common path interferometer using Fresnel zone plates, 3=11935
- Murty, M.V.R.K. A note on the testing of homogeneity of large-aperture parallel plates of glass, 4=8378
- Murty, M.V.R.K. The use of a single plane parallel plate as a lateral shearing interferometer with a visible gas laser source, 4=18416
- Murty, M.V.R.K. Some modifications of the Jamin interferometer useful in optical testing, 4=18417
- Murty, M.V.R.K. A compact radial shearing interferometer based on the law of refraction, 4=24383
- Murty, M.V.R.K. Addendum to "A note on the testing of homogeneity of large-aperture parallel plates of glass", 4=29738
- Murty, M.V.R.K. Interference between wavefronts rotated or reversed with respect to each other and its relation to spatial coherence, 4=29761
- Murty, M.V.R.K. See Blakney, R.M., 3=18584
- Murty, M.V.R.K. See Spencer, G.H., 2=13435
- Murty, N.R. and Rabinowitch, E. Intermolecular quenching of higher excited states, 4=25782
- Murty, T.S. See Fultz, D., 3=14123
- Murty, T.S. See Jeffrey, J.W., 2=14943
- Murty, Y.S.N. Polarization characteristics of radio-wave propagation in the ionosphere, 0=2012
- Murty, Y.S.N. and Khastgir, S.R. Group refractive index of the ionosphere at low frequency, 0=15159
- Murty, Y.S.N. and Khastgir, S.R. Polarization characteristics of the down-coming radio wave, 1=378
- Murty, Y.S.N. and Khastgir, S.R. Polarization curves for vertical propagation of radio waves in the ionosphere, 1=7158
- Murty, Y.S.N. and Khastgir, S.R. General expression for the group refractive index of the ionosphere, 1=20933
- Murty, Y.S.N. and Khastgir, S.R. A note on the group refractive index of the ionosphere for zero collisional frequency, 2=13025
- Murty, Y.S.N. and Khastgir, S.R. The refractive index and the absorption index of the ionosphere, 4=2258



- Murty, Y. S. N. and Khastgir, S. R. The refractive index and the absorption index for the propagation of radio wave in the ionosphere in some special cases, 4=30947
- Murty, Y. S. N., Singh, R. N. and Khastgir, S. R. Ionospheric absorption and electron collisional frequency in the F region, 0=21367
- Murty, Y. S. N. See Khastgir, S. R., 1=4124
- Mürtz, H. J. and Nöller, H. G. Isotope separation in a circular flow, 1=17295
- Mürtz, H. J. See Ehrenberg, H., 0=12144
- Murusidze, G. Ya. and Chichinadze, V. K. Method of finding mean velocities from the difference in the time of arrival of reflected and refracted waves at their point of origin, 3=14241
- Murvama, T. See Sekido, Y., 1=2141
- Murzewski, J. Anisotropy of a brittle solid due to internal micro-cracks, 2=14903
- Murzin, V. N. and Demeshina, A. I. Temperature studies of infrared reflection spectra of  $\text{BaTiO}_3$  and  $\text{SrTiO}_3$  in the 2-1000  $\mu$  region, 4=1722
- Murzin, V. N. and Demshina, A. I. A spectrophotometer for the far-infrared region, 3=14351
- Murzin, V. N. and Demeshina, A. I. Effect of temperature on the oscillation spectra of polycrystalline  $\text{BaTiO}_3$  and  $\text{SrTiO}_3$  in a wide spectral range, 4=30677
- Murzin, V. N. See Demeshina, A. I., 3=23064
- Murzin, V. S. and Rapoport, I. D. A study of electron-photon showers in iron, 4=25884
- Murzin, V. S. See Alekseeva, K. I., 0=9494
- Murzin, V. S. See Babayan, C. P., 1=3271
- Murzin, V. S. See Grigorov, N. L., 0=9492
- Murzin, V. S. See Grigorov, N. L., 1=5801
- Murzin, V. S. See Grigorov, N. L., 2=5288
- Murzin, V. S. See Grigorov, N. L., 4=969
- Murzina, E. A., Nikol'skii, S. I. and Yakovlev, V. I. Observation of nuclear-active particles of cosmic radiation with energy  $\approx 10^{13}$  eV, 0=2602
- Murzina, E. A. See Dovzenko, O. I., 1=3290
- Murzina, E. A. See Nikolsky, S. I., 2=22673
- Murzina, E. A. See Nikolskii, S. I., 3=19730
- Mus, K. F. See Komar, A. P., 4=16850
- Musa, G. The properties of thin ferromagnetic films, 2=23670
- Musa, G. See Comsa, G., 1=2795
- Musa, G. See Comsa, G., 1=5488
- Musa, G. See Corciovei, A., 1=12409
- Musa, M. See Giurgea, M., 1=145
- Musa, M. See Giurgea, M., 1=5282
- Musaeljan, Sh. A. See Nemchinov, S. V., 3=25879
- Musal, H. M., Jr. See Zivanovic, S. V., 4=29923
- Musalev, N. S. See Adrova, N. A., 0=4447
- Muscettola, M. Dynamic model for a boiling water reactor, 3=25016
- Muschlitz, E. E., Jr. Randolph, H. D. and Ratti, J. N. Ion source for low-energy negative ions, 2=9642
- Muschlitz, E. E., Jr. and Weiss, M. J. Inelastic collisions of metastable atoms in gases dissociative ionization, 4=24548
- Muschlitz, E. E., Jr. See Baker, C. E., 3=4012
- Muschlitz, E. E., Jr. See Richards, H. L., 4=25588
- Muschlitz, E. E., Jr. See Sholette, W. P., 2=17782
- Muschlitz, E. E. Jr. See Smith, G. M., 1=3521
- Musci, M. See Felcher, G. P., 0=5570
- Musci, M. See Felcher, G. P., 1=7253
- Musci, M. See Felcher, G. P., 1=7525
- Musci, M. See Giacchetti, G., 3=24748
- Musem, P. See Upton, E., 0=2090
- Musen, P. Application of Hansen's theory to the motion of an artificial satellite in the gravitational field of the earth, 0=10537
- Musen, P. The influence of the solar radiation pressure on the motion of an artificial satellite, 0=14472
- Musen, P. The theory of artificial satellites in terms of the orbital true longitude, 1=15572
- Musen, P. On the motion of a satellite in an asymmetrical gravitational field, 1=15576
- Musen, P. On the long-period lunisolar effect in the motion of the artificial satellite, 1=15577
- Musen, P. On the long-period lunar and solar effects on the motion of an artificial satellite. II, 2=4869
- Musen, P. On the long-period effects in the motion of an artificial satellite caused by the ellipticity of the equator of the earth, 2=7041
- Musen, P. On a modification of Hansen's lunar theory, 3=13859
- Musen, P. A discussion of Halphen's method of secular perturbations and its application to the determination of long-range effects in the motion of celestial bodies, 3=16321
- Musen, P. On determining the secular and critical effects in the motion of satellites by means of a nonsingular set of vectorial elements, 4=13977
- Musen, P. and Bailie, A. E. On the motion of a 24-hour satellite, 2=11182
- Musen, P., Bryant, R. and Bailie, A. Perturbations in perigee height of Vanguard I, 0=8531
- Musen, P. and Carpenter, L. On the general planetary perturbations in rectangular coordinates, 3=23669
- Müser, A. The temperature dependence of dielectric constants, 4=26092
- Muser, A. See Gorodetzky, S., 2=5283
- Muser, A. See Gorodetzky, S., 2=9502
- Muser, A. See Gorodetzky, S., 3=5607
- Müser, H. E. Measurement of the dielectric non-linearity of Rochelle salt, 0=13653
- Müser, H. E. and Unruh, H. G. The different ferroelectric properties in different regions of Rochelle salt crystals, 1=10079
- Müser, H. E. See Unruh, H. G., 2=10555
- Musgrave, B. See Aderholz, M., 4=21914
- Musgrave, B. See Aderholz, M., 4=21919
- Musgrave, B. See Aderholz, M., 4=25151
- Musgrave, B. See Bartsch, J., 4=21920
- Musgrave, B. See Bartsch, J., 4=30264
- Musgrave, B. See Dowell, J. D., 0=1280
- Musgrave, B. See Dowell, J. D., 0=1281
- Musgrave, B. See Dowell, J. D., 0=7443
- Musgrave, B. See Dowell, J. D., 1=408
- Musgrave, B. See Dowell, J. D., 1=5724
- Musgrave, B. See Lee, J. K., 0=10347
- Musgrave, B. See Leipuner, L. B., 4=6131
- Musgrave, B. See Martelli, G., 1=16770
- Musgrave, M. J. P. Reflexion and refraction of plane elastic waves at a plane boundary between aeolotropic media, 1=4399
- Musgrave, M. J. P. On the relation between grey and white tin ( $\alpha$ -Sn and  $\beta$ -Sn), 3=11209
- Musgrave, M. J. P. On the transition from white tin ( $\beta$ -Sn) to the body-centred cubic form under pressure, 3=13452
- Musgrave, M. J. P. The stability under high pressure of the diamond and zincblende structures, 3=23375
- Musgrave, M. J. P. Calculated specific heats  $C_v(T)$  for metallic indium antimonide, 4=1396
- Musgrave, M. J. P. and Markham, M. F. Features of the elastic wave surface for a zinc crystal, 1=5322
- Musgrave, M. J. P. and Pople, J. A. The stability under pressure of crystals with the diamond or zinc-blende structure, 2=14873
- Musgrave, M. J. P. and Pople, J. A. A general valence force field for diamond, 2=16580
- Musha, T. Cathode sputtering in hollow cathode discharges, 3=377
- Musha, T. Theory of negative resistance in hollow cathode discharges, 3=378
- Musha, T. Some remarks on negative absorption, 3=4137
- Musha, T. Amplification of waves due to electron streams, 4=3134
- Musha, T. Amplification of waves due to quanta with negative energy, 4=8071
- Musha, T. and Yoshida, F. Negative absorption due to Coulomb scattering of an electron stream, 4=11619
- Musha, T. See Itoh, T., 0=10879
- Musha, T. See Itoh, T., 1=11910
- Mushchenko, V. M. See Belikov, A. G., 4=21547
- Musher, J. I. N.M.R. spectra of 1, 1, 4, 4-tetramethylcyclohexyl-cis and trans-2, 6-diacetate, 1=4951
- Musher, J. I. Long-range nuclear magnetic shielding in molecules and the anisotropy in the magnetic susceptibility of a carbon-carbon single bond, 1=17353
- Musher, J. I. N.M.R. chemical shift of hydroxyl and hydronium ions, 2=1169
- Musher, J. I. Comments on "N.M.R. fluorine-fluorine coupling constants in saturated organic compounds", 2=10281
- Musher, J. I. Linear variation of proton magnetic shielding with electric field, 2=16557
- Musher, J. I. Critical comment and erratum: long range nuclear magnetic shielding in molecules, 2=20869
- Musher, J. I. Effects of intramolecular electric fields in molecules: E.Q.R. coupling constants, 3=2659
- Musher, J. I. Calculation of London-van der Waals energies, 4=3933
- Musher, J. I. Time-independent perturbation theory by gauge transformations, 4=5056



- Musher, J.I. Time-dependent perturbation theory by gauge transformations, 4=18066
- Musher, J.I. Role of multiple quantum transitions in N.M.R.: a three-spin system, 4=12522
- Musher, J.I. Magnetic shielding of a nucleus by a neighboring atom, 4=20032
- Musher, J.I. and Gordon, R.G. N.M.R. spectrum of propylene sulfide, 2=18486
- Musher, J.I. See Freeman, R., 3=736
- Musher, J.I. See Nageswara Rao, B.D., 3=2663
- Musher, J.I. See Yaris, R., 4=28102
- Mushinsky, V.P. Semiconducting properties of aluminium selenide, 0=1657
- Mushkin, I.G. See Kaganov, M.A., 0=1688
- Mushkin, I.G. See Kaganov, M.A., 2=19590
- Mushkin, Yu.I. and Finkel'shtein, A.I. Vibrational spectra of cyanamide, 3=4764
- Mushran, S.P. See Mitra, B.K., 4=10665
- Mushitari, Kh.M. and Teregulov, I.G. On the theory of shells of medium thickness, 0=3472
- Musiałowicz, T. and Wysopolski, J. X-ray dose and energy determination by personal film monitoring, 4=5897
- Musil, F.J. See Beu, K.E., 3=8823
- Musil, F.J. See Beu, K.E., 4=7577
- Musil, J. See Ďatlov, J., 4=16488
- Musin, A.K. The movement of a plasma bunch along guiding electrodes, 3=399
- Musin, A.K. Movement of a plasma bundle along guiding electrodes, 3=19250
- Musin, A.K. See Arshinov, A.A., 3=21696
- Muskhelishvili, G.N. and Mikirtumov, V.R. Microflowmeter for liquids, 2=19530
- Muskhelishvili, G.N. and Zakomornyi, G.V. An electronic voltage stabilizer for supplying transistor circuits, 4=16399
- Muss, D.R. and Townsend, J.R. Energy dependence of radiation damage in tungsten, 1=3695
- Muss, D.R. and Townsend, J.R. Internal friction and Young's modulus in irradiated tungsten, 2=12842
- Musset, P. See Baglin, C., 1=9764
- Musset, P. See Behr, L., 3=12498
- Musset, P. See Carlino, L., 4=30133
- Musset, P. See Rousset, A., 0=1099
- Mussett, P. See Ronne, B., 4=19458
- Musson-Genon, R. and Brousseau, M. Shock waves produced by high-frequency pulses in switching tubes, 3=3846
- Musson-Genon, R. See Goldstein, L., 1=4570
- Mustachi, A. The preparation of sources of  $\text{Co}^{57}$  for Mössbauer experiments having narrow unsplit emission lines, 4=21990
- Mustafin, K.S. and Protasevich, V.I. Determination of plasma parameters in Ne-Hg mixtures, 3=14597
- Mustafin, K.S. See Kagan, Yu.M., 0=16981
- Mustafin, K.S. See Kagan, Yu.M., 1=4571
- Mustafin, K.S. See Zakharova, V.M., 0=19690
- Mustajoki, A. Calorimetric measurements of the polymorphic transformations of potassium nitrate, 2=14920
- Mustard, D. See Derrick, G., 1=5793
- Mustel', E.E. Corpuscular velocities in streams responsible for M-disturbances, 2=968
- Mustel', E.R. The principal source of solar corpuscular streams, 0=3422
- Mustel', E.R. Statistical effects due to the connection between flocculi and geomagnetic disturbances, 0=21315
- Mustel', E.R. Results of a statistical study of geomagnetic disturbances for five cycles of solar activity, 2=961
- Mustel', E.R. The total energy of corpuscular streams, 2=964
- Mustel', E.R. The existence of a general corpuscular field due to the sun, 2=965
- Mustel', E.R. Corpuscular streams and the solar corona above active regions, 2=966
- Mustel', E.R. Novae as a possible source of cosmic rays, 2=20472
- Mustel', E.R. The hypothesis of the cone of avoidance in the problem of the origin of corpuscular streams, 2=21714
- Mustel', E.R. The spatial structure of the solar corona. I, 2=24120
- Mustel', E.R. The spatial structure of the solar corona, 3=3578
- Mustel', E.R. The spatial structure of the solar corona. II, 3=7033
- Mustel', E.R. The longitude distribution of active regions on the Sun and the problem of geomagnetic disturbances, 3=23689
- Mustel', E.R. and Aivazyan, S.A. Quantitative analysis of the statistical relations connecting plagues and m-disturbances, 2=962
- Mustelier, J.P., Mikailoff, H., Ratier, J.L., Gondal, D. and Bloch, J. The effects of irradiation of uranium alloys with small molybdenum contents, 2=18626
- Musty, J.W.G. See Hawkins, C.T., 4=4998
- Musyck, E. Instrument for radiochromatogram reading, 4=23691
- Muta, T. Detective theory on elementary particles, 3=24590
- Muta, T. See Ezawa, H., 3=19544
- Muta, T. See Kato, H., 2=13528
- Muta, T. See Kato, H., 3=3976
- Muta, T. See Nakamura, K., 4=19442
- Mutch, R.E. and Raal, F.A. Electrical resistivity changes observed in a semiconducting diamond after heat treatment, 0=4357
- Mutchler, G.S. See Bauer, R.W., 0=20326
- Muth, P. Deformation anisotropy and conductivity, 4=7437
- Muto, J. Investigation of the reaction  $\text{Mg}^{24}(\text{p}, \gamma)\text{Al}^{26}$ , 1=7377
- Muto, J., de S. Barros, F. and Jaffe, A.A. The reaction  $\text{B}^{11}(\text{t}, \text{p}_0)\text{B}^{13}$  and the mass excess of  $\text{B}^{13}$ , 0=20462
- Muto, J., Itoh, H., Okano, K., Shiomi, N., Fukuda, K., Omori, Y. and Kihara, M. Alpha-particles from several elements bombarded with 30, 43 and 56 MeV protons, 3=24936
- Muto, J. See Jaffe, A.A., 1=731
- Muto, J. See Kimura, K., 2=5898
- Muto, J. See Kumabe, I., 4=15236
- Muto, J. See Okana, K., 1=12159
- Muto, S.Y. and Wang, S. Switching response of graded-base PN junction diodes, 2=14569
- Muto, T. Exciton problem and a new approach to its electronic structure, 1=944
- Muto, T. and Kobayashi, S. On inequality of Knight shifts for  $\text{Li}^6$  and  $\text{Li}^7$ , 4=7352
- Muto, T., Kobayashi, S., Watanabe, M. and Kozima, H. Temperature effect of Knight shifts in alkali metals, 2=23718
- Muto, T. and Sebe, T. Electrodisintegration of  $\text{He}^4$  nucleus, 0=9445
- Muto, T., Sebe, T. and Izumo, K. Note on electrodisintegration of  $\text{He}^4$ , 0=20248
- Muto, Y. On the resistance anomaly of dilute zinc alloys at low temperatures, 1=14364
- Mutō, Y. Magnetoresistances of dilute alloys of manganese in copper, manganese in zinc and chromium in zinc at liquid helium temperatures, 2=3991
- Muto, Y., Noto, K. and Hedgcock, F.T. Magnetoresistivity behavior of some dilute Cu-Fe, Cu-Mn, and Cu-Zn alloys at liquid helium temperatures, 4=10026
- Muto, Y., Tawara, Y., Shibuya, Y. and Fukuroi, T. Electrical properties of dilute alloys of zinc with manganese at low temperatures, 0=6084
- Muto, Y. See Collings, E.W., 4=20518
- Muto, Y. See Hirabayashi, M., 1=17606
- Muto, Y. See Ogushi, T., 3=24151
- Muto, Y. See Shibuya, Y., 0=20868
- Mutschlechner, J.P., Burge, D.K. and Regelson, E. Sea water attenuation measurements with a ruby laser, 4=5178
- Mutsuro, N., Kageyama, K., Mishina, M., Nakagawa, T., Tanaka, E. and Kimura, M. Structure of giant resonance in  $\text{Al}^{27}(\gamma, n)$  reaction, 3=4615
- Mutsuro, N., Kageyama, K., Mishina, M., Tanaka, E., Aizawa, T. and Kimura, M. Photoneutron reaction of  $\text{S}^{32}$ , 3=19832
- Mutsuro, N., Kageyama, K., Mishina, M., Tanaka, E. and Kimura, M. On the study of  $\text{P}^{31}(\gamma, n)$  and  $\text{S}^{32}(\gamma, n)$  reaction, 3=4616
- Mutsuro, N., Ohnuki, Y., Sato, K., Kageyama, K. and Kimura, M. Fine structure in the  $\text{N}^{14}(\gamma, n)\text{N}^{13}$  activation curve, 1=2206
- Mutsuro, N., Ohnuki, Y., Sato, K. and Kimura, M. Photoneutron cross-sections for  $\text{Ag}^{107}$ ,  $\text{Mo}^{92}$  and  $\text{Zr}^{90}$ , 0=20476
- Mutsuro, N., Sato, K. and Mishina, M. Fine structure of the  $\text{N}^{14}(\gamma, n)\text{N}^{13}$  activation curve. II, 1=12189
- Mutsuro, N. See Chiba, R., 1=13531
- Mutsuro, N. See Kimura, M., 1=5909
- Mutsuro, N. See Kimura, M., 1=12194
- Mutsuro, N. See Kimura, M., 3=22376
- Mutter, W.E. See Barson, F., 0=15933
- Mutucumarana, T. de S. See Matthews, H.I., 2=6765
- Mütze, B. See Bryrup, E., 0=9716
- Mütze, B. Double-beam intermittent photometer system using a vibrating oscillograph mirror, 1=4428
- Mütze, H. Optical arrangement for the production of a spot of light revolving in a circular path, 3=18970



- Mutze, K. Is research on biological optics still topical? 1=2580  
 Mütze, K. Experimental studies of the relative convergence range of the eyes, 4=2489  
 Muus, D.A. See Tompkins, L.M., 3=23522  
 Muxart, R. See Briançon, C., 4=30331  
 Muzalevskii, E.A. See Konozenko, I.D., 2=18737  
 Muzalevskii, E.A. See Konozenko, I.D., 2=23451  
 Muzalevs'kii, Ye.O. See Konozenko, I.D., 2=21201  
 Muždeka, S.D. and Vidmar, M.I. A sensitive and inexpensive zero instrument, 0=19583  
 Muždeka, S.D. See Kovač, B.J., 3=19155  
 Muzetskaya, I.B. See Vitrikhovskii, N.I., 1=14963  
 Muzhavirov, S.Z. See Arifov, U.A., 2=15949  
 Muzhavirov, S.Z. See Arifov, U.A., 2=17875  
 Muzhdaba, V.M. See Parfen'ev, R.V., 4=28563  
 Muzičár, Č. See Muzikarzh, Ch., 1=2035  
 Muzii, L. See Bertolotti, M., 3=1811  
 Muzikár, Č. Time modulation of recoilless nuclear resonance fluorescence, 4=19651  
 Muzikár, Č. Width and shift of coherent spontaneous radiation line of system of identical emitters, 4=24874  
 Muzikár, Č., Janovec, V. and Dvořák, V. The Mössbauer effect and ferroelectric properties of ionic crystals, 3=8559  
 Muzikár, Č. and Pafomov, V.E. Vavilov-Cherenkov radiation in uniaxial crystals, 2=4113  
 Muzikarzh, Ch. [Muzičár, Č.] Vavilov-Cherenkov effect in uniaxial crystals, 1=2035  
 Muzikarzh, Ch. Coherent phenomena due to radiation of identical oscillators in a crystal, 2=691  
 Muziharzh, Ch. Coherent phenomena due to radiation of identical oscillators in a crystal, 2=23552  
 Muzikarzh, Ch. See Dvorzhak, V., 4=28622  
 Muzinich, I. See Barut, A.O., 3=10059  
 Muzinich, I.J. Effects of Regge poles on the polarization in high-energy nucleon-nucleon scattering, 3=5995  
 Muzinich, I.J. High-energy nucleon-nucleon scattering, 3=14976  
 Muzinich, I.J.  $\rho$ -meson Regge trajectory and high-energy charge-exchange scattering, 3=22190  
 Muzinich, I.J. See Baker, M., 4=6108  
 Muzkiár, Č. Some peculiarities of Vavilov-Cherenkov radiation in biaxial crystals, 3=3895  
 Muzsnay, L. See Gimeysi, Z., 3=25010  
 Muzychuk, A.M. See Glauberman, A.Yu., 2=7198  
 Muzychuk, O.M. See Hlauberman, A.Yu., 2=19541  
 Muzyka, A. See Ullman, R., 1=10476  
 Myachkova, S.A. and Perel'gin, V.P. Interaction of 14.1 MeV neutrons with Be<sup>9</sup>, 1=17118  
 Myachkova, S.A. See Perel'gin, V.P., 2=22373  
 Myaé, É.A. and Oboznýi, V.A. Apparatus for high-frequency excitation of free oscillations in a ring-type, 3=24405  
 Myaé, É.A. See Benda, F., 2=15971  
 Myaé, É.A. See Zhuravlev, A.A., 3=9889  
 Myaé, É.A. See Zhuravlev, A.A., 3=24403  
 Myaé, É.A. See Zhuravlev, A.A., 3=24404  
 Myakinenkova, E.V. See Medvedev, S.A., 2=14937  
 Myakinenkova, E.V. See Medvedev, S.A., 2=19047  
 Myakinin, E.G. See Puchkovskii, V.V., 3=8564  
 Myakinin, E.V. See Bel'skii, S.A., 4=3014  
 Myakinin, E.V. See Konstantinova, M.P., 2=492  
 Myakinin, E.V. See Konstantinova, M.P., 2=22852  
 Myakinin, E.V. See Konstantinova, M.P., 3=2500  
 Myakinin, E.V. See Romanov, A.M., 2=374  
 Myakinin, E.V. See Romanov, A.M., 2=22737  
 Myakinin, E.V. See Romanov, A.M., 3=10387  
 Myakota, V.I. See Grishaev, I.A., 0=9202  
 M'yakota, V.I. See Hryshayev, I.O., 1=13126  
 Myakota, V.I. See Vitovskii, N.A., 2=18688  
 Myakushko, L.K. See Grishaev, I.A., 4=16156  
 Myalkovskii, V.M. See Azimov, S.A., 3=19737  
 Myamlin, V.A. A contribution to the theory of anodic dissolution of silicon, 2=857  
 Myamlin, V.A. Polarization curve of anodic dissolution of a germanium specimen of finite dimensions, 2=6887  
 Myamlin, V.A., Kibardin, V.A. and Gurevich, Yu.Ya. The influence of a magnetic field on the motion of particles in solutions of electrolytes, 1=11905  
 Myamlin, V.A. See Vdovin, Yu.A., 0=6101  
 Myaokta, V.I. See Vitovskii, N.A., 2=23362  
 Myashnikov, L.L., Myasnikova, E.N. and Serebryakov, G.A. A "tactile" sensing element utilizing ultrasonic surface waves, 4=16186  
 Myasishcheva, G.G., Anikina, M.P., Gol'din, L.L. and Ershler, B.V. Measurements of the effective thermal neutron cross-section and the resonance absorption integral of <sup>232</sup>Th, 0=7616  
 Myasnikov, I.A. See Gutman, É. E., 4=6992  
 Myasnikov, L.L. Acoustic spin resonance in metals, 1=5074  
 Myasnikov, S.P. See Barkhatov, A.N., 1=16018  
 Myasnikova, E.N. See Myashnikov, L.L., 4=16186  
 Myasnikova, R.M. See Kitaigorodskii, A.I., 4=10408  
 Myasnikova, R.M. See Kitaigorodskii, A.I., 1=14934  
 Myasnikova, T.P. and Arefev, I.M. Low-frequency absorption spectra of some ferroelectrics, 4=28668  
 Myasnikova, T.P. and Yatsenko, A.F. Changes in the infrared spectra of NH<sub>4</sub>H<sub>2</sub>SO<sub>4</sub>, RbH<sub>2</sub>SO<sub>4</sub> and (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> at ferroelectric transitions, 2=16833  
 Myasnikova, T.P. and Yatsenko, A.F. Changes in the infrared spectra of NH<sub>4</sub>H<sub>2</sub>SO<sub>4</sub>, RbH<sub>2</sub>SO<sub>4</sub> and (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> at ferroelectric transitions, 2=18841  
 Myasnikova, T.P. See Bazhulin, P.A., 4=1717  
 Myasoedov, B.F. See Flevov, G.N., 0=7497  
 Myasoedov, B.F. See Guseva, L.I., 0=11429  
 Myasoedov, B.F. See Volkov, V.V., 0=9649  
 Myatt, G. See Bellière, P., 4=3493  
 Myatt, J. and Sanders, L.G. A note on the theoretical efficiency for energy transformation using thermionic emission, 2=9619  
 Myatt, J. See Davies, D.E., 3=4010  
 Mycielski, J. Mechanism of impurity conduction in semiconductors, 1=11281  
 Mycielski, J. On the mechanism of impurity conduction in semiconductors. I. The activation energy of conductivity, 1=17652  
 Mycielski, J. On the mechanism of impurity conduction in semiconductors. II. Conductivity in the case of strong carrier-phonon interaction, 1=17653  
 Mycielski, J. Two-phonon transitions in the impurity conduction in semiconductors, 2=4007  
 Mycielski, J. One-phonon transition rate in impurity conduction, 2=8318  
 Mycielski, J. See Blinowski, J., 4=30690  
 Mydansky, D. See Goldring, G., 0=17176  
 Myers, A. Some elastic and thermal properties of zirconium and tungsten, 0=21103  
 Myers, A. Use of high-frequency sound waves in the investigation of some electronic properties of metals, 1=3595  
 Myers, A. See Mackinnon, L., 0=8954  
 Myers, A. See Mackinnon, L., 0=9849  
 Myers, A. See Morse, R.W., 0=13502  
 Myers, A. See Morse, R.W., 1=7554  
 Myers, A.L. and Prausnitz, J.M. Second virial coefficients and Kihara parameters for argon, 2=11412  
 Myers, B.F. See Hansen, K., 2=2753  
 Myers, B.R. See Horne, R.A., 4=2706  
 Myers, D.V. See Ghazanfar, S.A.S., 4=22403  
 Myers, E.J. and Davies, F.C. A direct graphical method for the precise determination of lattice parameters of tetragonal or hexagonal crystals, 1=20465  
 Myers, H. Ionization processes in decaying plasmas. I. Helium, 3=14517  
 Myers, H., Buss, J.H. and Benson, S.W. Thermodynamic effects of Coulombic interactions in ionized gases, 2=3031  
 Myers, H., Gomez, R., Guinier, D. and Tollestrup, A.V. Photo-disintegration of the deuteron from 500 to 900 MeV, 1=2102  
 Myers, H.P. and Westin, R. The paramagnetism of Mn dissolved in  $\alpha$  and  $\beta$  brasses, 3=23140  
 Myers, H.P. and Westin, R. The paramagnetism of small amounts of Mn dissolved in Cu-Al and Cu-Ge alloys, 4=7219  
 Myers, H.P. See Grounes, M., 2=6824  
 Myers, H.P. See Lundquist, N., 1=20063  
 Myers, H.P. See Lundquist, N., 2=9672  
 Myers, H.P. See Lundquist, N., 3=1124  
 Myers, I.T. and Larson, H.V. Precision instrumentation for an electron accelerator, 2=3109  
 Myers, I.T., Le Blanc, W.H. and Fleming, D.M. Precision adiabatic gamma-ray calorimeter using thermistor thermometry, 1=13379  
 Myers, I.T. See Larson, H.V., 0=2295  
 Myers, I.T. See Larson, H.V., 1=16168  
 Myers, I.T. See Loomis, J.S., 2=20063  
 Myers, J. See Levy, D.H., 4=28254  
 Myers, J. See Long, D., 0=1653  
 Myers, J. See Long, D., 0=1654  
 Myers, J. See Long, D., 0=18034  
 Myers, J.G. See Blakemore, J.S., 2=13480  
 Myers, L.S., Jr. and Brush, A.H. Counting of alpha- and beta-radiation in aqueous solutions by the detergent-anthracene scintillation method, 2=11828



- Myers, M.B., Dachille, F. and Roy, R. Pressure multiplication effect in opposed-anvil configurations, 3=16469
- Myers, O.E. Spectral sensitivity of visual receptor cells, 2=7083
- Myers, O.E. and Putzer, E.J. Measurement broadening in magnetic resonance, 0=1225
- Myers, R.A. See Momo, L.R., 0=9195
- Myers, R.F. Vertical soundings of the atmosphere, 3=3448
- Myers, R.J. and Wilson, E.B., Jr. Application of symmetry principles to the rotation-internal torsion levels of molecules with two equivalent methyl groups, 0=15696
- Myers, R.J. See Blukis, U., 3=17596
- Myers, R.J. See Harmony, M.D., 1=17319
- Myers, R.J. See Harmony, M.D., 2=20883
- Myers, T. See Feltham, P., 3=11162
- Myers, V.A. Airflow on the windward side of a large ridge, 3=9028
- Myers, V.W. Some exact solutions of the time-dependent Schrödinger equation, 0=887
- Myers, V.W. See Mozer, B., 2=12373
- Myerscough, V. P. and McDowell, M. R. C. Photodetachment from  $C^-$ , 4=12387
- Myerscough, V. P. and McDowell, M. R. C. The elastic scattering of slow electrons by carbon, 4=25571
- Myerscough, V. P. and McDowell, M. R. C. Continuous absorption by the carbon negative ion, 4=30379
- Myerson, A.L. Silver catalyzed surface recombination in a step-function flow of atomic oxygen, 3=18442
- Myerson, A.L. See Bortner, M.H., 0=1961
- Myeshkov, Yu. Ya. Magnetometer for the investigation of phase transformations during rapid heating and cooling, 2=1554
- Mygren, B. An integrating amplifier with photocells and its application for measurements on permanent magnets, 4=21438
- Mykhailov, H.S. Internal symmetry of  $\pi^0$  mesons, 2=18148
- Mykhailov, H.S., Presnyakova, H.M. and Akymovych, O.M. Achieving ultra high vacuum by sputtering Cr under electron bombardment, 2=17518
- Mykhailov, H.S., Pronina, I.H., Akymovych, O.M. and Presnyakova, H.M. Pumping action and characteristic features of evaporation of metallic chromium in vacuum under electron bombardment, 2=11542
- Myhill, J. Theory of multichannel collimated scintillation detectors, 2=5512
- Mykhailov, G. O. See Artemenko, G. A., 4=415
- Mykhailov, H.S. Role of Ba in the incandescence of metal oxide particles due to electron bombardment, 1=13128
- Mykhailov, V.I. The scattering of electromagnetic waves by turbulent pulsations, taking into account the average flow curl, 1=13182
- Mykhailovskiy, B.I. Electron and ion emission from certain materials with reference to their utilization in thermionic energy converters, 2=17863
- Mykhailiuk, I.P., Mykhal'chenko, V.P. and Kushta, H.V. Temperature dependence of the X-ray interference intensity of aluminium and of chromium ferrite, 3=20864
- Mykhailiuk, Y. P. and Mikhal'chenko, V. P. Study of the anharmonicity of thermal vibrations of atoms in a crystal lattice by the X-ray study method, 4=6705
- Mykhal'chenko, V. P. and Kushta, G. P. Determining Grüneisen's constant for 12 per cent chromium ferrite by the X-ray method, 4=1407
- Mykhal'chenko, V.P. See Mykhailiuk, I.P., 3=20864
- Mykhalenkov, V.S. See Dekhtyar, I.Ya., 1=14324
- Myklebost, K. See Baglin, C., 4=3487
- Myklebost, K. See Jauneau, L., 3=19708
- Myklebost, K. See Skavlem, S., 2=14102
- Mykolaichuk, A. G. See Dutchak, Ya. I., 4=2651
- Mykolaichuk, O.H. See Dutchak, Ya. I., 2=17421
- Mykolajewycz, R., Kalnajs, J. and Smakula, A. High-precision density determination of natural diamonds, 4=23151
- Mykolaychuk, A. G. See Dutchak, Ya. I., 4=8167
- Mykura, H. Determining grain orientation in f.c.c. metals by using twin-boundary or slip-line traces on one surface only, 0=13933
- Mykura, H. An unusual grain boundary diffusion effect in impure nickel, 0=21224
- Mykura, H. The variation of the surface tension of nickel with crystallographic orientation, 2=4485
- Mykura, H. and Rhead, G.E. Errors in surface topography measurements with high-aperture interference microscopes, 3=14324
- Mykura, H. See Blakely, J.M., 1=19804
- Mykura, H. See Blakely, J.M., 2=15087
- Mykura, H. See Blakely, J.M., 3=13003
- Mykura, H. See McLean, M., 4=13673
- Mykura, H. See Rhead, G.E., 2=14934
- Mykura, H. See Rhead, G.E., 2=21470
- Myles, J. W. See Bradbury, B.T., 3=20958
- Myles, K. M. and Aldred, A. T. Thermodynamic properties of solid vanadium-iron alloys, 4=10441
- Myles, K. M. See Aldred, A. T., 4=22518
- Myl'nikov, V.S. and Putseiko, E. K. The effect of crystal structure on the optical and photoelectric properties of phthalocyanin without metal, 2=16825
- Myl'nikov, V.S. and Putseiko, E. K. The effect of crystal structure on the optical and photoelectric properties on phthalocyanin without metal, 2=18829
- Myl'nikov, V.S., Sladkov, A.M., Kudryavtsev, Yu. P., Luneva, L.K., Korshak, V.V. and Terenin, A.N. Semiconductive properties of acetylene polymers, 2=23371
- Myl'nikova, I.E. and Bokov, V.A. Some dielectric properties of single crystals of  $Pb_2NiNb_2O_6$ , 0=18091
- Myl'nikova, I.E. See Bokov, V.A., 1=12473
- Myl'nikova, I.E. See Bokov, V.A., 2=663
- Myl'nikova, I.E. See Bokov, V.A., 2=12562
- Myl'nikova, I.E., See Bokov, V.A., 3=6615
- Myl'nikova, I.E. See Bokov, V.A., 4=28860
- Mylov, V. P. See Kabalkina, S.S., 4=4501
- Myltseva, V.A. See Ouvarova, V.M., 0=12742
- Myltseva, V.A. See Ouvarova, V.M., 0=12749
- Myncke, H. See Van Isterbeek, A., 4=24320
- Mynzatu, I. and Kalboryanu, A. Polarization of neutrons elastically scattered by S, Al and Fe, 4=9520
- Mynzatu, I. See Kalboryanu, A., 3=19857
- Myrgren, B. See Haraldson, S., 1=3033
- Myroshnychenko, L.S. Photoelectric emission of  $Sb_2Se_3$ , 2=9621
- Myroshnychenko, L.S. See Borzyak, P.H., 1=13115
- Mysels, K.G. See Frankel, S.P., 2=9252
- Mysels, K. J. Light scattering and the structure of pure water, 4=29609
- Mysels, K.J. and Cox, M.C. An experimental test of Frankel's law of film thickness, 2=7189
- Mysels, K.J., Cox, M.C. and Skewis, J.D. The measurement of film elasticity, 1=15828
- Mysels, K.J. and Otter, R.J. Thermodynamic aspects of mixed micelles-application to an empirically established equilibrium, 2=4569
- Mysels, K.J. See Scholten, P.C., 1=20729
- Mysels, K.J. See Scholten, P.C., 2=1141
- Mysels, K.J. See Scholten, P.C., 2=2657
- Myselyuk, E.G. See Vasylevs'ka, V.N., 1=11583
- Mysev, I. P. See Smirnov, A.S., 4=18429
- Mysikhin, V.I. and Esin, O.A. Determination of the diffusion coefficients of elements in liquid cast iron, with an oscillograph, at constant current strength, 3=5431
- Mysyrowicz, A. See Joyet, G., 2=9817
- Myszko, R. Effect of vibration on the photographic image, 3=16812
- Myszkowski, A. and Gómulka, S. Interaction of electron on the donor center with the crystal lattice in germanium and silicon, 4=17393
- Mýtyna, N. Y. See Demidenko, Y. Y., 4=2989
- Myuller, L. See Balli, D., 0=20734
- Myuller, R.L. The relationship between the electrical conductivity and viscosity of glasses, 0=3260
- Myuller, R.L. Electrical conductivity of solid substances with ionic-atomic valency. IX. Degree of dissociation and cation mobility in glasses with ions of the same type, 0=17981
- Myuller, R.L. Electrical conductivity of solids with ionic-homopolar valence. X. Electrical conductivity of glasses containing two types of alkali ions, 1=12420
- Myuller, R.L. Electrical conductivity of solids with ionic-homopolar valence. XI. Degree of dissociation and mobility of cations in glasses containing two types of ions, 1=12421
- Myznikov, K.N. See Martinson, E.N., 2=19628
- Myznikov, K.P. See Issinskii, I.B., 3=14700
- Myznikov, K.P. See Kazanski, G.S., 3=24416
- Myznikov, K.P. See Kuznetsov, A.B., 2=20082
- Myznikov, K.P. See Kuznetsov, A.B., 3=7667



- Naake, H.J. and Tamm, K. Sound propagation in plates and rods of rubber-elastic materials, 0=14722
- Naake, H.J., Tamm, K., Dämmig, P. and Helberg, H.W. Formation of air bubbles in air-saturated water at reduced pressure and their indication by an acoustical measuring procedure, 0=16682
- Naake, H.J., Tamm, K., Dämmig, P. and Helberg, H.W. Observation of the formation and growth of bubbles in water containing air, by optical methods, 0=16683
- Naar, J. and Wygal, R.J. Structure and properties of unconsolidated aggregate, 2=17062
- Nabarro, F.R.N. The force on a moving dislocation, 1=19781
- Nabarro, F. R. N., Basinski, Z. S. and Holt, D. B. The plasticity of pure single crystals, 4=28924
- Nabarro, F.R.N. and Jackson, P.J. The climb of a dislocation in a twisted whisker, 0=550
- Nabarro, F.R.N. and Ziman, J.M. The scattering of waves by dislocations, 2=6342
- Nabarro, F.R.N. See Logie, H.J., 1=14360
- Nabarro, F.R.N. See MacCrone, R.K., 1=16592
- Nabarro, F.R.N. See Urlau, R.R., 1=14210
- Nabatov, V. V. See Belyaev, L. M., 4=26243
- Nabatova, L. V. See Maslov, V. N., 1=5089
- Nabatova, L. V. See Maslov, V. N., 3=16028
- Nabatova, L. V. See Maslov, V. N., 4=30896
- Näbauer, M. The velocity of a cylindrical phase-boundary between normal- and superconductor in a circular magnetic field. By experiment and theory, 0=8951
- Näbauer, M. Experimental and theoretical investigation on the onset of the superconducting-normal transition under the influence of a supercritical magnetic field at different switch-on velocities of the field, 1=9515
- Näbauer, M. Remarks on the quantization of the magnetic flux in superconducting hollow cylinders, 3=16859
- Näbauer, M. and Schmeissner, F. Experimental techniques using cold neutrons, 0=7351
- Näbauer, M. See Doll, R., 1=13043
- Näbauer, M. See Doll, R., 3=12022
- Nábélek, I. Acoustic impedance of human ears and some artificial ears, 0=12224
- Nábélek, I. Telephone equipment for measuring acoustic impedance, 4=5337
- Naberezhnykh, V. P. and Tolstoluzhskii, V. P. The Fermi surface in aluminium, 4=12697
- Naberezhnykh, V. P. See Galkin, A. A., 2=765
- Naberezhnykh, V. P. See Galkin, A. A., 3=5036
- Naberezhnykh, V. P. See Galkin, A. A., 3=17696
- Naberezhnykh, V. P. See Galkin, A. A., 3=22693
- Naberezhnykh, V. P. See Halkin, O. O., 4=4007
- Naberukhin, Yu. I. Influence of the illumination geometry on the observed intensities and degree of depolarization of Raman lines, 3=7332
- Naberukhin, Yu. I. and Burshtein, A. I. Hyperfine structure in the electron paramagnetic resonance spectrum of an electron delocalized in a system of equivalent potential wells, 3=1178
- Nabichvrishvili, V. A. See Afonin, O. F., 3=15098
- Nabichvrishvili, V. A. See Afonin, O. F., 3=17409
- Nabitovich, I. D. See Andrievskii, A. I., 0=12086
- Nabitovich, I. D. See Andrievskii, A. I., 1=10257
- Nabitovich, I. D. See Andrievskii, A. I., 1=11595
- Nabitovich, I. D. See Andrievskii, A. I., 3=13461
- Nabitovich, I. D. See Andrievskii, A. I., 3=20915
- Nabitovich, I. D. See Andrievskii, A. I., 3=20952
- Nablo, S. V. and Martin, T. C. Efficiencies and photofractions of some commonly used NaI(Tl) well crystals, 1=13221
- Naboikin, Yu. V., Dobrokhotova, V. K. and Uglanova, V. V. Mixed organic single crystals, their luminescence and scintillation properties, 2=14748
- Naboikin, Yu. V., Dobrokhotova, V. K. and Uglanova, V. V. Dependence of the luminescence yield of mixed single crystals on impurity concentration, 3=963
- Naboikin, Yu. V., Dobrokhotova, V. K., Uglanova, V. V., Zadorozhnyi, B. A. and Malkes, L. Ya. New organic scintillator single crystals, 4=3240
- Naboikin, Yu. V., Zadorozhnyi, B. A. and Pavlova, E. N. Characteristics of luminescence of ortho-disubstituted aromatic hydrocarbons. III. Fluorescence and absorption spectra of some carboxylic acids, 0=18140
- Naboikin, Yu. V. See Zadorozhnyi, B. A., 2=14703
- Naboka, M. N. See Palatnik, L. S., 2=15811
- Naboka, M. N. See Palatnik, L. S., 2=17696
- Naboka, V. A. See Kalmykov, A. A., 4=19070
- Naboka, V. A. See Kalmykov, A. A., 4=24637
- Naboko, I. M. See Bazhenova, T. V., 4=12529
- Naboko, I. M. See Salamandra, G. D., 0=14108
- Nabutorskii, V. M. and Slutskii, A. A. The motion of a quasi-particle with an arbitrary dispersion law in a weakly homogeneous magnetic field, 3=2702
- Nabutovskii, V. M. See Lifshits, I. M., 1=18990
- Nabutovskii, V. M. See Lifshits, I. M., 2=22305
- Nachman, M. and Cojocaru, L. Effects of nuclear radiation on electrical conductivity of chromic oxide, 3=2909
- Nachman, M. and Cojocaru, L. Effects of nuclear radiation on electrical conductivity of chromia, 4=10049
- Nachman, M., Glanz, G. and Ribco, L. Oxidation of silver induced by nuclear radiation, 2=8931
- Nachman, M., Schächter, L. and Toftia, H. The use of spark counters for the detection of fast neutrons, 1=5739
- Nachman, M. See Grigorescu, L., 1=15125
- Nachmias, J. Meridional variations in visual acuity and eye movements during fixation, 0=8447
- Nachmias, J. Determiners of the drift of the eye during monocular fixation, 1=10352
- Nachmias, J. Brightness and acuity with intermittent illumination, 1=12725
- Nachmias, J. and Steinman, R. M. Study of absolute visual detection by the rating-scale method, 4=2496
- Nachtigall, D. See Becker, K., 3=22045
- Nachtigall, D. Change of some properties of polyvinylchloride under ionizing radiation, 0=4310
- Nachtigall, D. The present state of practical neutron dosimetry, 3=2282
- Nachtigall, D. The determination of the average energy of a fast neutron flux with portable neutron survey instruments, 3=10430
- Nachtrieb, N. D. See Jamieson, J. C., 0=3195
- Nachtrieb, N. H. Magnetic susceptibility of some liquid metals, molten salts, and their solutions, 2=19580
- Nachtrieb, N. H., Fraga, E. and Wahl, C. Self-diffusion of liquid zinc, 4=5169
- Nachtrieb, N. H. See Coston, C., 4=30580
- Nachtrieb, N. H. See Hafner, S., 4=18218
- Nachtrieb, N. H. See Hafner, S., 4=19248
- Nachtrieb, N. H. See Lawson, A. W., 0=4304
- Nachtrieb, N. H. See Resing, H. A., 2=3941
- Nachtrieb, N. H. See Rowland, R. L., 4=9994
- Nad', F. Ya. See Alekseyeva, V. G., 3=20411
- Nadashkevich, I. I. See Kobelev, V. V., 0=6242
- Nadeau, G. Concerning the classical interaction of an electric charge with a magnetic monopole, 0=17075
- Nadeau, G. The Lorentz-Einstein transformation obtained by a vector method, 2=19400
- Nadeau, G. Projectile motion with damping proportional to velocity, 2=19491
- Nadeau, G. On classical Coulomb scattering, 2=21798
- Nadeau, G. See Darling, B. T., 4=3841
- Nadeau, J. S. Color centers and the flow stress of LiF single crystals, 3=2835
- Nadeau, J. S. Hardening of potassium chloride by color centers, 3=22833
- Nadeau, J. S. Two photomechanical effects in alkali halide crystals, 4=13392
- Nadeau, J. S. Radiation hardening in alkali-halide crystals, 4=15699
- Nadeau, J. S. and Johnston, W. G. Hardening of lithium fluoride crystals by irradiation, 2=2329
- Nadeau, J. S. See Johnston, W. G., 3=23364
- Nadeau, J. S. See Price, P. B., 2=10749
- Nadezhdin, V. S. Method of double shaping of pulses in the nanosecond region, 2=17758
- Nadězhin, D. K. On the existence of an outer convective zone, 2=4817
- Nadezhin, D. K. and Frank-Kamenetskii, D. A. Spherically-symmetrical models of explosions of novae, 3=9229
- Nadgornyi, E. M. Growth of whisker-crystals of lithium fluoride, 1=12627
- Nadgornyi, E. M. Properties of whisker crystals, 2=18974
- Nadgornyi, E. M. Dislocation energies and etch pits of sodium chloride crystals, 4=12766
- Nadgornyi, E. M. and Smirnov, B. I. The structure of very thin copper wires, 1=10277
- Nadgornyi, E. M. and Stepanov, A. V. Testing of whisker crystals in tension and bending, 1=20371
- Nadgornyi, E. M. and Stepanov, A. V. Study of dislocations in NaCl crystals, 3=17757



- Nadgornyi, E.M. and Stepanov, A.V. Artificially induced shear and dislocation structure of sodium chloride crystals, 3=17758
- Nadgornyi, E.M. See Gutmanas, E.Yu., 3=17759
- Nadgornyi, E.M. See Zimkin, I.N., 3=17748
- Nadgornyi, V.P. See Monoszon, N.A., 4=14798
- Nadi, M.El. See El Nadi, M.,
- Nadjakov, E., Bakardjiev, S. and Bojilov, M. A remotely controlled film holder for a Johann type vacuum X-ray spectrograph, 2=22290
- Nadjakov, E.G. Neutron capture gamma rays of  $F^{20}$ , 4=6353
- Nadjakov, E.G. See Arnell, S.E., 4=9161
- Nadjakov, E.G. See Barinsky, R.L., 0=20672
- Nadjakov, G. and Andrejtschin, R. The contact potential photovoltaic effect, 0=20930
- Nadjakov, G. and Andrejtschin, R. On the classification of photovoltaic effects and of the contact potential photovoltaic effect, 0=20931
- Nadjakov, G. and Andreichin, R. Contact potential photovoltaic effect, 4=30655
- Nadjakov, G., Andrejtschin, R., Balabanov, S. and Stanislavova, J. On the character of the contact for the photovoltaic barrier effect in evaporated cadmium sulphide layers, 0=20929
- Nadjakov, G., Antonov, A. and Zadarozhny, G. Effect of excitation on the photoelectret polarization in darkness of sulphur single crystals, 3=25411
- Nadjakov, G. and Vasilev, V. Effect of atmospheric air and  $H_2$  on the work function of Al, Ag, Cu and Au, 4=14741
- Nadjakov, G., Vassilev, V. and Balabanov, S. On the work function of Au and Al during vacuum-air transition, 0=19706
- Nadkarni, S.A. See Chiplonkar, V.T., 1=18801
- Nadler, H. See Graham, L.J., 3=25599
- Nadler, M.R. and Kempter, C.P. Lithium [crystal data], 0=4627
- Nadler, M.R. and Kempter, C.P. Thermocouples for use in carbon atmospheres, 1=4502
- Nadler, M.R. See Kempter, C.P., 0=10349
- Nadler, M.R. See Kempter, C.P., 1=1399
- Nadolschi, V. Construction and examination of a parabolic mirror for a telescope, 2=9045
- Nadolschi, V. Isomorphic regions of solar eclipses, 3=1517
- Nadykto, B.T. See Demirkhanov, R.A., 2=22188
- Nadzhakov, I.M., Tenyakova, N.A. and Mukhtarov, A.I. Scattering of polarized  $\gamma$ -quanta in the field of a nucleus accompanied by electron-positron pair production, 4=17114
- Nadzhakov, I.M. See Kerimov, B.K., 2=13777
- Nadzhakov, E.G. and Barinskii, R.L. A new method for calculating X-ray K-absorption spectra, 0=7720
- Nadzhakov, E.G. and Barinskii, R.L. Determination of the charge and type of bond of osmium in compounds from  $L_{III}$  absorption spectra, 2=14693
- Nadzhakov, E.G. See Barinskii, R.L., 2=14209
- Nadzhakov, G., Antonov, A. and Zadorozhnyi, G. Conditions determining the preservation in the dark of photopolarization in photoelectrets, 2=10562
- Nadzhakov, G., Antonov, A. and Zadorozhnyi, G. Nature of shallow traps in monocrystalline sulphur, 4=25889
- Nadzhakov, G. and Balabanov, S. Effect of water vapour on photoelectret state, 4=4219
- Nadzhakov, G. and Balabanov, S. Trapping of adsorption ions on sulfur surface, 4=23604
- Nadzhakov, G., Balabanov, S. and Dzhurova, V. The influence of a gaseous discharge on the contact potential of metal surfaces, 1=12372
- Nadzhakov, G., Balabanov, S. and Dzhurova, V. Effect of gas discharges on the contact potential of metal surfaces, 2=6401
- Nadzhakov, G. and Vasilev, V. Influence of atmospheric air and hydrogen on the work function of aluminium, silver, copper and gold, 4=11683
- Nadzhakov, G., Vasilev, V. and Toncheva, L. Concerning variations of the work function of Al heated in air, 4=14740
- Naemura, A. See Kuroda, C., 1=7770
- Naer, V.A. An experimental investigation of a thermoelectric evaporator, 0=5266
- Naer, V.A. and Rozhentseva, S.A. On proposed semiconductor thermobatteries for refrigerators, 1=11903
- Naer, V.A. and Rozhentseva, S.A. On proposed semiconductor thermobatteries for refrigerators, 1=12467
- Nafe, J.E. See Brune, J.N., 0=10714
- Nafe, J.E. See Kuo, J.T., 3=193
- Naff, J.T. See Hellund, E.J., 3=14256
- Naff, J.T. See Starr, W.L., 1=16339
- Nag, B.R. An oscillatory memory device, 2=17744
- Nag, B.R. and Das, P. Frequency dependence of hot carrier conduction in semiconductors, 3=13048
- Nag, B.R. and Das, P. Microwave conductivity of semiconductors in the presence of high steady electric fields, 4=6940
- Nag, B.R., Das, P. and Paria, H. Hall mobility and magnetoresistance of semiconductors due to hot carriers in high magnetic fields, 3=10760
- Nag, B.R., Das, P. and Paria, H. Effect of optical phonon scattering on hot electron Hall mobility of semiconductors, 4=4129
- Nag, B.R., Das, P. and Paria, H. Hot electron conductivity of near intrinsic germanium, 4=4158
- Nag, B.R., Das, P., Paria, H. and Roy, S.K. High-field conductivity of InAs, 4=4160
- Nag, B.R., Roy, S.K. and Chatterji, C.K. Correction to "micro-wave measurement of conductivity and dielectric constant of semiconductors", 4=17483
- Nag, B.R., Roy, S.K. and Das, P. Surface effects on microwave signals propagating in semiconductors, 3=19454
- Nag, B.R. See Deb, S., 2=14528
- Nag, B.R. See Das, P., 4=6970
- Nag, K.R. Disturbance due to shearing-stress discontinuity in a semi-infinite elastic medium, 2=15676
- Nag-Chaudhuri, J., Stoessel, L. and McGlynn, S.P. External heavy-atom spin orbital coupling effect. II. Comments on the effect of ferric acetylacetonate on the spectra of the polyacenes, 3=15359
- Nagabhushna Rao, C. and Krishna Rao, K. Effect of temperature on the lattice parameter of a 25% silver-75% palladium alloy, 4=15794
- Nagabhushana Rao, C. and Krishna Rao, K. Effect of temperature on the lattice parameters of some silver-palladium alloys, 4=26673
- Nagae, M. On the recombination processes by the Auger effect, 0=13590
- Nagae, M. On the Auger effect in the deep traps in Si, 0=13591
- Nagae, M. Effect of excited multielectron centers on the recombination processes in semi-conductors, 3=4910
- Nagae, M. Theory of recombination processes in semiconductors through multielectron centers with many excited states, 3=10752
- Nagae, M. See Ohta, T., 1=3823
- Nagaev, E.L. Conduction mechanism in semiconductors of low mobility, 2=4004
- Nagaev, E.L. Conduction mechanism in semiconductors of low mobility, 2=6433
- Nagaev, E.L. Antiferromagnetic semiconductors with small mobility, 2=18668
- Nagaev, E.L. Conductivity of crystals in the case of strong electron-phonon interaction (polaron of small radius), 3=15528
- Nagaev, E.L. Two mechanisms of conduction in the theory of semiconductors with low [carrier] mobility, 4=1569
- Nagaev, E.L. The current through a gas-filled diode when discontinuities of potential exist near the electrodes, 4=19107
- Nagahama, Y. See Honjo, G., 3=18414
- Nagahama, Y. See Ito, K., 3=19350
- Nagahama, Y. See Takahashi, N., 2=868
- Nagahama, Y. See Takahashi, N., 3=443
- Nagahama, Y. See Watanabe, M., 3=17807
- Nagahama, Y. See Watanabe, M., 3=25792
- Nagahara, Y. Elastic and inelastic scattering of protons from carbon nucleus from 6.5 MeV to 16 MeV, 1=8713
- Nagahara, Y. Elastic and inelastic scattering of protons from carbon nucleus from 6.5 to 16 MeV, 1=12192
- Nagahara, Y. See Hu, C., 0=20453
- Nagahara, Y. See Ishiyama, M., 3=12431
- Nagahara, Y. See Kobayashi, S., 1=9852
- Nagahara, Y. See Matsuda, K., 1=17095
- Nagahara, Y. See Oda, Y., 1=8724
- Nagai, A. See Ogura, S., 4=30226
- Nagai, H. The excited  $0^+$  state and center-of-mass effects in Oxygen-16, 2=12139
- Nagai, H. A unitary symmetric spurion formalism of weak interaction, 4=30177
- Nagai, H. and Itaya, M. Shell model studies of 1f-shell nuclei. I. Fractional parentage coefficients for nuclear  $f^3$  and  $f^4$  configurations, 4=6193
- Nagai, H. and Itô, D. Anomalous creation of  $\mu$ -mesons originating in weak interactions, 1=4806
- Nagai, H. and Itô, D. Possible interconnection between nucleon-structure and multiple production in cosmic ray energy regions, 1=4816



- Nagai, H. See Fujii, K., 1=16682  
 Nagai, H. See Fujii, K., 4=19503  
 Nagai, H. See Narumi, H., 0=11301  
 Nagai, K. Local steric hindrances and configurations of linear macromolecules in solutions. I. Formulation, 0=2756  
 Nagai, K. Configurational changes of polypeptide molecules in the helix-coil transition region, I, 1=6062  
 Nagai, K. Dimensional change of polypeptide molecules in the helix-coil transition region, II, 1=6063  
 Nagai, K. Local steric hindrances and conformations of linear polymer molecules in solutions. II. Generalization, 2=20894  
 Nagai, K. Non-Gaussian character of real polymer chains, 3=10558  
 Nagai, K. Photoelastic property of cross-linked amorphous polyethylene, 4=20680  
 Nagai, K. and Ishikawa, T. Local steric hindrances and conformations of linear polymer molecules in solutions. III. Polyethylene, 2=20895  
 Nagai, K. and Kobayashi, M. Method for determining conformations of polymer molecules in crystalline state from fiber identity distances, 2=6816  
 Nagai, K. See Ezoe, H., 3=12260  
 Nagai, M. See Hakura, Y., 2=4700  
 Nagai, O. Small-angle scattering of neutrons by  $\text{FeCl}_2$  near the Neel temperature, 3=11035  
 Nagai, O. A short range order effect in antiferromagnetics, 3=18108  
 Nagai, O. and Nakamura, T. Quadrupole interaction in crystals, 1=9968  
 Nagai, O. and Yoshimori, A. Spin waves in  $\text{MnF}_2$  and the inelastic scattering of neutrons, 1=14762  
 Nagai, R. A mechanism for producing extrusions and intrusions during fatigue, 1=6480  
 Nagai, R. Surface patterns of aluminium single crystals subjected to cyclic stresses, 2=10785  
 Nagakura, M. and Yamaguchi, T. Magnetic domain patterns on barium ferrites, 1=6357  
 Nagakura, S. Electron diffraction and microscopic study on the faulted structure of martensite in evaporated Fe-Ni alloy films, 3=1315  
 Nagakura, S., Kikuchi, M., Kaneko, Y. and Oketani, S. Study of martensitic transformation in evaporated iron-nickel alloy films by electron microscopy and diffraction, 3=20884  
 Nagakura, S. See Oketani, S., 3=1324  
 Nagamani, K.D.V. and Chiplonkar, V.T. A note on the cross-section of the luminous discharge channel in a glow discharge, 1=13073  
 Nagamatsu, H.T. and Li, T.Y. Hypersonic flow near the leading edge of a flat plate, 0=5045  
 Nagamatsu, H.T. and Sheer, R.E., Jr. Magnetohydrodynamic results for highly dissociated and ionized air plasma, 1=11935  
 Nagamatsu, K. On the mechanical relaxation time spectra of crystalline polymers, 1=7820  
 Nagami, H., Kamei, H. and Ohno, T. Betatron radiographs [of] irradiated  $\text{UO}_2$  fuels, 4=9614  
 Nagamiya, T. Some recent advances in the study of magnetic compounds, 0=13759  
 Nagamiya, T. Magnetic compounds of transition metals, 1=20037  
 Nagamiya, T. Modification of spin screw structure due to anisotropy energy and applied magnetic field, 2=12640  
 Nagamiya, T., Nagata, K. and Kitano, Y. Magnetization process of a spin system screw, 2=14761  
 Nagamiya, T., Nagata, K. and Kitano, Y. Magnetization process of a spin screw system, 3=976  
 Nagamiya, T. See Kitano, Y., 4=13113  
 Nagamiya, T. See Motizuki, K., 1=2355  
 Nagamiya, T. See Tachiki, M., 3=8647  
 Nagamiya, T. See Uchida, E., 1=9045  
 Nagamoto, C.T. See Rosinski, J., 3=8985  
 Nagamunswara Rao, K. See Ramanadham, R., 1=8249  
 Nagamunswara Rao, K. See Ramanadham, R., 2=15192  
 Nagano, H. See Nagao, F., 3=16571  
 Nagano, S. See Murakami, H., 4=28640  
 Nagano, Y. See Takasaki, H., 3=16808  
 Nagao, F., Ohigashi, S. and Higashino, I. A radio-frequency resistance thermometer, 1=18668  
 Nagao, F., Shimamoto, Y., Nagano, H. and Ueno, Y. Influence of the connecting passage of a low pressure indicator on recording, 3=16571  
 Nagao, S., Miyahara, A., Kuroda, T., Sato, T. and Matsuura, K. Oscillations in a P.I.G. discharge and a new type of instability of plasma, 3=21734  
 Nagao, S. and Sato, T. Some experiments on plasma Alfvén waves, 1=9622  
 Nagao, S. See Murooka, Y., 2=7228  
 Nagaoka, Y. Theory of ultrasonic attenuation in metals, 2=3829  
 Nagaoka, Y. Dynamical theory of spin waves in ferromagnetic metals with s-d exchange interaction, 3=8650  
 Nagaoka, Y. See Duk-Joo Kim, 4=9877  
 Nagaoka, Y. See Kubo, R., 3=986  
 Nagaraja, J.V., Kumaraswamy, M.P. and Subramanian, N.R. On the vibration frequencies of skew cantilever triangular plates, 2=5095  
 Nagaraja, N.S. Effect of luminance noise on contrast thresholds, 4=20982  
 Nagaraja Rao, C.R. Design of acoustic resonator panels, 1=221  
 Nagaraja Rao, C.R. See Sekera, Z., 3=19028  
 Nagarajan, A.S. See Sastri, M.L.N., 1=16160  
 Nagarajan, A.S. See Sastri, M.L.N., 2=15790  
 Nagarajan, G. Potential constant and thermodynamic properties of vanadium oxytrichloride, 2=14246  
 Nagarajan, G. Thermodynamic properties of some boron trihalides. II, 2=21940  
 Nagarajan, G. Potential constants and thermodynamic properties of iodine pentafluoride, 3=2630  
 Nagarajan, G. Potential constants and thermodynamic properties of phosphoryl and thiophosphoryl halides, 3=2634  
 Nagarajan, G. Potential constants and thermodynamic properties of some silyl halides, 3=8280  
 Nagarajan, G. Mean amplitudes of vibration for the hexafluorides of molybdenum and rhenium, 3=15350  
 Nagarajan, G. Mean amplitudes of vibration and thermo-dynamic functions of cyanogen halides, 4=1274  
 Nagarajan, G. Mean amplitudes of vibration and thermodynamic functions of technetium hexafluoride, 4=1280  
 Nagarajan, G. Mean amplitudes of vibration for the dioxides or zirconium, titanium, silicon and boron, 4=1282  
 Nagarajan, G. Potential constants of symmetrical triazine, 4=1301  
 Nagarajan, G. Thermodynamic functions of the  $\text{B}_2\text{O}_3$  and  $\text{B}_2\text{S}_3$  molecules, 4=6584  
 Nagarajan, G. Potential constants and thermodynamic functions of difluoramine, 4=6591  
 Nagarajan, G. Mean amplitudes of vibration of some octahedral  $\text{XY}_6$  type ions from Raman data, 4=9738  
 Nagarajan, G. Mean amplitudes of vibration in some tetrahedral  $\text{XO}_4$  ions of groups V, VI and VII, 4=12487  
 Nagarajan, G. Mean amplitudes of vibration for the planar symmetrical  $\text{XY}_4$  molecular model: application to a few ions from Raman data, 4=15318  
 Nagarajan, G. Mean amplitudes of vibration and thermo-dynamic functions of some linear  $\text{YXZ}$  type molecules, 4=15348  
 Nagarajan, G. Mean amplitudes of vibration for the dihalides of mercury, beryllium and magnesium, 4=17291  
 Nagarajan, G. Mean amplitudes of vibration and thermodynamic functions of some metal hexahalides, 4=17292  
 Nagarajan, G. Mean amplitudes of vibration and thermodynamic functions of ozone, 4=17296  
 Nagarajan, G. Mean amplitudes of vibration of some tetrahedral  $\text{XY}_4$  type molecules. V. Tetrahalides of hafnium and lead, 4=22377  
 Nagarajan, G. Mean amplitudes of vibration of some non-linear symmetrical  $\text{XY}_2$  type molecules, 4=25665  
 Nagarajan, G. Mean amplitudes of vibration and thermodynamic functions of carbon suboxide, 4=25668  
 Nagarajan, G. Mean amplitudes of vibration of some tetrahedral  $\text{XY}_4$  type molecules. VII. Tetrahalides of germanium and tin, 4=25673  
 Nagarajan, G. Mean amplitudes and thermodynamic functions of halogen cyanides, 4=25674  
 Nagarajan, G. Mean amplitudes of vibration and thermodynamic functions of xenon tetrafluoride, 4=25688  
 Nagarajan, G. Mean amplitudes of vibration of some tetrahedral  $\text{XY}_4$  type molecules. VI. Stannane, zirconium tetrafluoride, titanium tetrafluoride and titanium tetraiodide, 4=28232  
 Nagarajan, G. Mean amplitudes of vibration for the dioxides of zirconium, titanium, silicon and boron, 4=28233  
 Nagarajan, G. Mean amplitudes of vibration and Bastiansen-morino shrinkage effect in some linear symmetrical metal dihalides, 4=30441  
 Nagarajan, M.A. Polarization in heavy particle stripping, 1=11031  
 Nagarajan, M.A. Configuration mixing in mass 14 nuclei, 3=12557  
 Nagarajan, M.A. The enhancement of single particle transition rates in  $\text{C}^{13}$ , 4=17023



- Nagarajan, M.A. Separability of center-of-mass motion in the nuclear shell model, 4=21984
- Nagarajan, M.A. and Arya, A.P. Analysis of the reaction  $B^{11}(d, n)C^{12}_{4.5 \text{ MeV}}$ , 4=9556
- Nagarajan, M.A. and Banerjee, M.K. Exchange effects in stripping reactions, 0=17598
- Nagarajan, M.K. See Campbell, A.N., 4=24186
- Nagarajan, M.K. See Campbell, A.N., 4=29620
- Nagarajan, S. Hydromagnetic turbulence, 1=16519
- Nagarajan, V. Observations on nuclear magnetic resonance: Variation of spin relaxation time with concentration of paramagnetic ion and viscosity of the medium, 0=18224
- Nagarajan, V. and Murty, C.R.K. Nuclear quadrupole resonance Zeeman spectrum of 6-chloro-2-nitrotoluene, 4=17704
- Nagaratnam, A. and Kushwaha, R.S. Initial model of a massive star, 3=11558
- Nagarjunan, T.S., Sastri, M.V.C. and Kuriacose, J.C. Chemisorption of hydrogen and carbon monoxide on zinc oxide, 2=8916
- Nagasaki, H. See Minomura, S., 4=17773
- Nagasaki, M. On the analysis of deuteron stripping reactions, 1=19516
- Nagasaki, M. Critical temperature of nuclear matter, 3=10216
- Nagasaki, M. See Eberle, E., 0=15586
- Nagasaki, M. See Honda, T., 0=1417
- Nagasaki, M. See Kawai, M., 0=9664
- Nagasaki, M. See Kawai, M., 0=11391
- Nagasawa, A. and Ogawa, S. Study on the twin formation in evaporated silver films, 1=11530
- Nagasawa, H. A new type spectrometer for nuclear magnetic resonance dispersion using gated beam tube, 4=27672
- Nagasawa, H., Takeshita, S.K. and Tomono, Y. Nuclear quadrupole moment of vanadium, 4=25264
- Nagasawa, H. and Tomono, Y. Proton resonance and spin quenching effect in  $\text{NiSO}_4 \cdot 7\text{H}_2\text{O}$ , 1=20272
- Nagasawa, I. See Ueta, M., 3=969
- Nagasawa, I. See Ueta, M., 3=23104
- Nagasawa, M. See Kotin, L., 2=7206
- Nagasawa, S. Some relations between the intensity of the green coronal line and sunspot groups, 2=15358
- Nagasawa, S., Takakura, T., Tsuchiya, A., Tanaka, H. and Koyama, H. A very unusual flare on November 15, 1960, 1=15478
- Nagashima, A. See Iwasaki, H., 4=18242
- Nagashima, A. See Kestin, J., 4=18243
- Nagashima, A. See Kestin, J., 4=21177
- Nagashima, K. Solar diurnal variation of cosmic rays, 0=11257
- Nagashima, K. Intensity-Time relationship of cosmic-ray unusual increase, not characterized by impact zone effects, 2=12056
- Nagashima, K., Potnis, V.R. and Pomerantz, M.A. Theoretical calculation of the solar diurnal variation of the cosmic
- Nagashima, K. See Duggal, S.P., 1=16947
- Nagashima, K. See Kondo, I., 0=11256
- Nagashima, K. See Mori, S., 4=30291
- Nagashima, K. See Pomerantz, M.A., 1=9794
- Nagashima, K. See Pomerantz, M.A., 2=12047
- Nagashima, N. See Kiyono, S., 3=21918
- Nagashima, T. Magnetic properties of very pure iron, 1=3887
- Nagashima, T. See Kneller, E., 1=2474
- Nagashima, T. See Nakamura, Y., 4=26316
- Nagashima, T. See Tsukahara, S., 4=26300
- Nagashima, T. See Yamada, O., 4=7282
- Nagashima, Y. See Hara, Y., 2=16130
- Nagata, C. See Fukui, K., 0=14102
- Nagata, K. See Date, M., 3=15929
- Nagata, K. See Nagamiya, T., 2=14761
- Nagata, K. See Nagamiya, T., 3=976
- Nagata, R. See Shinoda, G., 4=15690
- Nagata, S. Nuclear deformation and nuclear force. I, 1=10951
- Nagata, S. and Bando, H. Nuclear force and energy gap in finite nuclei, 4=30294
- Nagata, S. and Nishibori, Y. On the effective range of the residual potential in the shell model, 4=6188
- Nagata, S., Sasakawa, T., Sawada, T. and Tamagaki, R. Tensor force of the pion-theoretical potential and the doublet splitting in  $n\text{-He}^4$  scattering, 0=20311
- Nagata, S., Tamagaki, R., Amai, S. and Marumori, T. On the collective mode of internal motion of the nucleus to be coupled with the irrotational surface motion, 0=13105
- Nagata, S., Yamamoto, K., Hashimoto, K. and Naruse, Y. Flow patterns of liquids in a cylindrical mixing vessel with baffles, 1=121
- Nagata, S. See Bando, H., 3=10213
- Nagata, S. See Eguchi, Y., 0=13062
- Nagata, S. See Hayakawa, S., 4=16894
- Nagata, S. See Hayakawa, S., 4=16981
- Nagata, S. See Ikeda, K., 0=15504
- Nagata, S. See Ikeda, K., 1=8537
- Nagata, S. See Ikeda, K., 1=10952
- Nagata, S. See Kaneda, H., 3=22256
- Nagata, S. See Kanada, H., 4=3498
- Nagata, S. See Ohkura, H., 2=18619
- Nagata, S. See Tomoda, Y., 2=10955
- Nagata, S. See Tomoda, Y., 3=18241
- Nagata, T. The cage model by non-spherical interaction potential, 1=11753
- Nagata, T. On the earth storms. I. General introduction, 1=15351
- Nagata, T. Polar magnetic storms, especially in the southern polar region, 2=13074
- Nagata, T. Polar geomagnetic disturbances, 4=13861
- Nagata, T. and Abe, S. Notes on the distribution of  $\text{SC}^+$  in high latitudes, 0=14169
- Nagata, T., Arai, Y. and Momose, K. Secular variation of the geomagnetic total force during the last 5000 years, 4=2329
- Nagata, T., Hakura, Y. and Goh, T. Ionospheric black-out in the polar regions during July 1959 events, 1=20912
- Nagata, T. and Kaneda, E. A photoelectric analyzer of all-sky camera auroral photographs, 1=21035
- Nagata, T. and Kaneda, E. A photoelectric analyzer of all-sky camera auroral photographs, 2=4672
- Nagata, T. and Kaneda, E. An inter-relation between auroral luminosity and simultaneous geomagnetic disturbances, 3=23634
- Nagata, T. and Kobayashi, K. Thermo-chemical remanent magnetization of rocks, 3=11479
- Nagata, T. and Kokubun, S. On the earth storms. IV. Polar magnetic storms, with special reference to relation between geomagnetic disturbances in the northern and southern auroral zones, 1=15354
- Nagata, T. and Kokubun, S. A particular geomagnetic daily variation ( $S_{\text{qp}}$ ) in the polar regions on geomagnetically quiet days, 2=24059
- Nagata, T. and Kokubun, S. An additional geomagnetic daily variation field ( $S_{\text{q}}^{\text{p}}$ -field) in the polar region on geomagnetically quiet day, 3=9129
- Nagata, T., Kokubun, S. and Fukushima, N. Similarity and simultaneity of magnetic disturbance in the northern and southern hemispheres, 2=13069
- Nagata, T., Kokubun, S. and Iijima, T. Geomagnetically conjugate relationships of giant pulsations at Syowa Base, Antarctica, and Reykjavik, Iceland, 4=4827
- Nagata, T. and Oguti, T. Inter-relation between geomagnetic disturbances and aurorae during the July 1959 events at Syowa Station, Antarctica, 1=21104
- Nagata, T., Oguti, T. and Momose, K. Preliminary report of geomagnetic observations at Prince Harald Coast, Antarctica, 0=14179
- Nagata, T., Ozima, M. and Yama-Ai, M. Demonstration of the production of a new type of remanent magnetization: Inverted type of thermo-remanent magnetization, 3=11065
- Nagata, T. and Rikitake, T. Geomagnetic secular variation and poloidal magnetic fields produced by convectional motions in the earth's core, 2=19260
- Nagata, T. and Rikitake, T. The northward shifting of the geomagnetic dipole and stability of the axial magnetic quadrupole of the earth, 3=25944
- Nagata, T. and Syono, Y. Geomagnetic secular variation during the period from 1955 to 1960, 1=15344
- Nagata, T., Tohmatsu, T. and Kaneda, E. Lunar time variation of the oxygen green line in the airglow, 2=15250
- Nagata, T. and Uyeda, S. Exchange interaction as a cause of reverse thermo-remanent magnetism, 0=4773
- Nagata, T., Yama-ai, M. and Akimoto, S. "Memory" of initial remanent magnetization and number of repeating of heat treatments in low-temperature behaviour of haematite, 1=12534
- Nagata, T. See Fukushima, N., 3=13830
- Nagata, T. See Kodoma, M., 1=19306
- Nagata, T. See Matuura, N., 0=21332
- Nagata, T. See Matuura, N., 1=15353
- Nagata, T. See Matuura, N., 3=11420
- Nagata, T. See Oguti, T., 2=4670
- Nagata, T. See Oguti, T., 2=13043
- Nagata, T. See Ohshio, M., 4=10775
- Nagata, T. See Ozima, M., 4=29344
- Nagata, T. See Syono, S., 3=11063



- Nagata, T. See Tohmatsu, T., 1=15356  
 Nagata, T. See Tohmatsu, T., 2=11076  
 Nagata, T. See Tohmatsu, T., 3=13790  
 Nagata, T. See Yama-Ai., 4=4380  
 Nagata, T. See Yoshida, S., 2=15267  
 Nagatani, K. Radiations from Ba<sup>141</sup>, 1=7342  
 Nagatani, K. See Bromley, D.A., 1=19533  
 Nagatani, K. See Morinaga, H., 0=20418  
 Nagatani, K. See Takahashi, K., 1=17113  
 Nagatani, T. and Sakaki, Y. Increase of pulse height in a proportional counter by means of a radial thermal gradient, 2=16088  
 Nagayama, S. The critical equation of reactor. I. Theory, 3=22446  
 Nagayama, S. Critical equation of reactor. II. On the neutron temperature, 4=9595  
 Nagel, B. Some topics in Coulomb scattering, 0=15279  
 Nagel, B. Angular distribution and polarization of K shell photoelectrons in the high energy limit, 3=12773  
 Nagel, B. Some integrals and expansions related to the hypergeometric functions  $F_1$  and  $\Phi_2$  in two variables, 3=18688  
 Nagel, B. The saddle point method for multiple integrals, with an application to the evaluation of radial Coulomb matrix elements for large multipole orders, 4=28144  
 Nagel, B., Olsson, P. and Weissglas, P. Certain recurrence relations for Appell functions useful in the calculation of matrix elements in an angular momentum representation, 3=3756  
 Nagel, B. See Hultberg, S., 2=3709  
 Nagel, B. See Sujkowski, Z., 2=1967  
 Nagel, B.C.H. On the relativistic photoeffect in the K-shell, 1=4909  
 Nagel, B.C.H. and Olsson, P.O.M. The relativistic photoeffect at the K-shell threshold, 1=4910  
 Nagel, J.F. See Ehhalt, D., 3=25897  
 Nagel, J. G. See Moshinsky, M., 4=814  
 Nagel, H.H. and Schlier, Ch. Calculation of electron-photon cascades in lead for a primary energy of 200 MeV, 3=19740  
 Nagel, H.H. See Bucka, H., 1=17257  
 Nagel, M.R. Illumination contrast, spectrum, and color conditions in an "average" outdoor scene as functions of ground reflectance, object orientation, and viewing direction, 0=3661  
 Nagel, M.R. Spurious resolution by image motion, 1=10612  
 Nagel, M.R. Nato-Sadtc symposium on application of laser techniques, The Hague, April 1962, 3=518  
 Nagel, M.R. See Bennett, H.E., 0=2024  
 Nagel, M.R. See Bennett, H.E., 1=9184  
 Nagel, M. R. See Kelton, G., 4=358  
 Nagel, R.J. See Mann, L.G., 2=20552  
 Nagel, W. See Heertje, L., 4=17170  
 Nagel, W. See Heertje, L., 4=30341  
 Nagelberg, E.R. See Albini, F.A., 2=11794  
 Nagels, P., Denayer, M. and Devreese, J. Electrical properties of single crystals of uranium dioxide, 3=25372  
 Nagels, P., Devreese, J. and Denayer, M. Electronic conduction in single crystals of uranium dioxide, 4=15546  
 Nagemuneswara Rao, K. See Ramanadham, R., 3=13656  
 Nagender Naidu, S.V. See Krishna Rao, K.V., 2=14385  
 Nagender Naidu, S. V. See Krishna Rao, K. V., 4=9863  
 Nägerl, H. See Heydemann, P., 4=15714  
 Nageswara Rao, B.D. High resolution nuclear magnetic resonance spectroscopy and molecular structures, 2=14323  
 Nageswara Rao, B.D. and Baldeschwieler, J.D. Nuclear magnetic double resonance spectra of three spin systems, 3=2662  
 Nageswara Rao, B.D. and Baldeschwieler, J.D. The analysis of complex n. m. r. spectra by multiple resonance techniques, 4=9774  
 Nageswara Rao, B.D., Baldeschwieler, J.D. and Musher, J.I. Relative signs of geminal and vicinal coupling constants in 1,1,4,4-tetramethylcyclohexyl-cis-2,6-diacetate, 3=2663  
 Nageswara Rao, B.D. and Venkateswarlu, P. The nuclear magnetic resonance spectra of four spin systems. I. The H<sup>1</sup> and F<sup>19</sup> resonance spectra of 1-fluoro, 2, 4-dinitrobenzene, 1=17357  
 Nageswara Rao, B.D. See Venkateswarlu, P., 0=20670  
 Naggiar, V. Inelastic scattering of low-energy neutrons, 1=13808  
 Naggir, V. See Szeinsnaider, D., 0=9677  
 Naghdi, P.M. and Nordgren, R.P. On the nonlinear theory of elastic shells under the Kirchhoff hypothesis, 3=21270  
 Naghdi, P.M. See Kammash, T.B., 1=1310  
 Naghdi, P.M. See Kalnins, A., 0=5071  
 Naghizadeh, J. Transport in a two-component square-well fluid, 4=5124  
 Naghizadeh, J. Diffusion and glass transition in simple liquids, 4=16102  
 Naghizadeh, J. and Rice, S.A. Kinetic theory of dense fluids. X. Measurement and interpretation of self-diffusion in liquid Ar, Xe, and CH<sub>4</sub>, 2=13328  
 Nagibarov, V. R. and Kopvillem, U. Kh. The optico-acoustic maser effect, 4=8966  
 Nagibarov, V. R. See Kopvillem, U. Kh., 4=7095  
 Nagibarov, V. R. See Kopvillem, Y. Kh., 4=15608  
 Nagibarov, V. R. See Kopvillem, U. Kh., 4=18502  
 Nagibina, I. M. and Korolev, A. N. A study of some of the properties of a Fabry-Perot etalon with a small transparent window, 4=11356  
 Nagibina, I. M. See Prokof'ev, V. K., 0=15658  
 Nagirner, D. I. The solution of integral equations in the theory of light scattering, 4=27336  
 Nagl, J. See Sanielevici, A., 3=6188  
 Nagl, J. See Sanielevici, A., 4=6260  
 Nagle, D., Craig, P. P., Dash, J. G. and Reiswig, R. R. Nuclear resonance fluorescence in Au<sup>197</sup>, 0=11312  
 Nagle, D. See Craig, P. P., 0=411  
 Nagle, D. E., Craig, P. P., Barrett, P., Cochran, D. R. F., Olsen, C. E. and Taylor, R. D. Internal fields at low temperatures in CoPd alloys, 2=4216  
 Nagle, D. E., Craig, P. P. and Keller, W. E. Ultra-high resolution  $\gamma$ -ray resonance in zinc-67, 0=13126  
 Nagle, D. E., Frauenfelder, H., Taylor, R. D., Cochran, D. R. F. and Matthias, B. T. Temperature dependence of the internal field in ferromagnets, 1=1210  
 Nagle, D. E., Quinn, W. E., Ribe, R. L. and Riesenfeld, W. B. Velocity spectrum of protons and tritons from the d-d reaction in Scylla, 0=13387  
 Nagle, D. E., Quinn, W. E., Riesenfeld, W. B. and Leland, W. Ion temperature in Scylla, as determined from the reaction D(d,p)T, 0=462  
 Nagle, D. E. See Craig, P. P., 0=13128  
 Nagle, D. E. See Craig, P. P., 1=18713  
 Nagle, D. E. See Craig, P. P., 1=19693  
 Nagle, D. E. See Craig, P. P., 2=21294  
 Nagle, D. E. See Craig, P., 4=12590  
 Nagle, D. E. See Dash, J. G., 0=17489  
 Nagle, D. E. See Dash, J. G., 1=8877  
 Nagle, D. E. See Frauenfelder, H., 1=8569  
 Nagle, D. E. See Frauenfelder, H., 2=12125  
 Nagle, R. J. See Grover, J. R., 4=22191  
 Nagle, R. J. See Mann, L. G., 2=10049  
 Nagle, R. J. See Miskel, K. A., 3=4651  
 Nagle, R. J. See West, H. I., Jr., 1=17027  
 Nagornaya, L. L., Bezuglyi, V. D. and Grekov, A. P. A study of the photoluminescence and scintillation properties of some 1, 3, 4-oxadiazole derivatives in polystyrene, 2=1160  
 Nagornaya, L. L. and Kilimov, A. P. Plastic scintillators containing 1, 2-di-(naphthyl)-ethylene, 2=2258  
 Nagornaya, L. L., Kilimov, A. P., Distanov, B. G. and Podgornaya, L. M. Plastic scintillators with aryl-substituted pyrazolines as solutes, 4=16735  
 Nagornaya, L. L., Kilimov, A. P., Malkes, L. Ya., Shubina, L. V. and Timchenko, A. I. Plastic scintillators with 1, 2-diaryl-ethylene admixtures, 4=14962  
 Nagornaya, L. L. See Kilimov, A. P., 0=10762  
 Nagornaya, L. L. See Klimov, A. P., 4=14963  
 Nagornaya, L. L. See Kukushkin, L. S., 2=6638  
 Nagornaya, L. L. See Malkes, L. Ya., 2=722  
 Nagorsen, G. and Averbach, B. L. Small-angle scattering in gold-nickel alloys, 1=7890  
 Nagorskii, G. A. See Arutyunyan, V. M., 4=3341  
 Nagpal, K. C. See Vaidya, W. M., 3=9763  
 Nagpaul, K. K. See Evans, D., 0=15431  
 Nagpaul, K. K. See K<sup>-</sup>-collaboration, 0=1308  
 Nagpaul, K. K. See K<sup>-</sup>-Collaboration, 0=15430  
 Nagumo, M. and Kakiuchi, Y. An abnormal saturation behaviour in high resolution proton magnetic resonance spectra, 0=19170  
 Nagura, T. See Horie, T., 1=8869  
 Nagy, A. F., Brace, L. H., Carignan, G. R. and Kanal, M. Direct measurements bearing on the extent of thermal nonequilibrium in the ionosphere, 4=13843  
 Nagy, D. and Cutler, P. H. The use of a new surface potential model in the theory of field emission, 4=24726



- Nagy, E. On the thermal turnover of germanium rectifiers, 0=13623
- Nagy, E. and Nagy, I. Ordering in alloy  $\text{Cu}_3\text{Au}$ . I. 3=3330
- Nagy, E. and Tóth, J. Ordering in alloy  $\text{Cu}_3\text{Au}$ . III. 3=25753
- Nagy, E. and Weiszburg, J. Electrical properties of electro-luminescent SiC crystals, 0=18053
- Nagy, E. See Elkholy, H., 3=3331
- Nagy, E. See Kovács, I., 3=13036
- Nagy, E. See Kovács, I., 4=22682
- Nagy, F. See Heart, F. E., 4=30996
- Nagy, G. A. Consideration of the distance between the test object and the generator in shock wave tests, 3=7273
- Nagy, I. See Nagy, E., 3=3330
- Nagy, K. Mass reversal and the interactions of elementary particles, 0=5483
- Nagy, K. Relativistic equation of motion for spinning particles, 0=5485
- Nagy, K. Angular correlation between neutrino and gamma quantum in L-capture, 0=5720
- Nagy, K. Angular correlation between neutrino and gamma-quantum in K-capture. II, 1=13735
- Nagy, K. Muon decay with two kinds of neutrinos, 4=19540
- Nagy, K. Remarks on pion decay, 4=19542
- Nagy, K. L. On an equivalence theorem for integro-differential equations occurring in field theories, 0=5467
- Nagy, K. L.  $\gamma$ -invariance and the vanishing of the observable masses, 0=5486
- Nagy, K. L. Probabilistically interpretable field theories with an indefinite metric, 0=7291
- Nagy, K. L. On the equation for a distinguished component of the state vector, 0=8551
- Nagy, K. L. Dipole ghost contributions to propagators, 0=17204
- Nagy, K. L. Tripole ghosts in field theory, 0=17205
- Nagy, K. L. Tomonaga's intermediate coupling theory using configuration space methods, 0=17250
- Nagy, K. L. Indefinite metric in quantum field theory, 1=13278
- Nagy, K. L. Propagators with dipole ghosts for fermion fields, 1=13288
- Nagy, K. L. A model with multipole-type ghosts, 2=16109
- Nagy, K. L. Dispersion relations in theories with indefinite metric, 2=16154
- Nagy, K. L.  $N-\Theta$  scattering dispersion relation in the Lee model with dipole ghost, 3=10038
- Nagy, K. L. Generalized Lippmann-Schwinger equations for theories with multipole ghosts, 4=19373
- Nagy, K. L. See Marx, G., 0=7398
- Nagy, L. Shower production at small thicknesses of absorber, 0=17440
- Nagy, L. See Dési, S., 3=6307
- Nagy, L. See Dési, S., 3=12711
- Nagy, L. See Nagy, T., 1=18773
- Nagy, L. See Nagy, T., 4=9218
- Nagy, S. B. See Szabó, G., 2=17767
- Nagy, T. The effect of the non-zero neutrino rest mass on the decay rate of bound  $\mu$ -mesons, 3=22158
- Nagy, T., Nagy, L. and Dési, S. Drift velocities of electrons in argon, nitrogen and argon mixtures, 1=18773
- Nagy, T., Pavlicsek, I. and Nagy, L. On the transmission function of neutron choppers with straight slits, 4=9218
- Nagy, T. See Marx, G., 4=882
- Nahas, M. The monthly axial rotation of the earth and its geophysical consequences, 4=13761
- Nahavandi, A. N. and Von Hollen, R. F. A digital computer solution for space-dependent neutron kinetics equations, 4=17220
- Nahemow, M. and Wainfan, N. Study of the cathode-fall region in a pulsed glow discharge, 3=24239
- Nahmani, G. and Davids, N. Scabbing of steel by plane stress waves, 2=14905
- Nahmias, M. E. The total disintegration energies of  $\beta$ -emitters and shell models of nuclei, 0=15507
- Nahmias, M. E. Nuclear shells and disintegration energies of  $\beta$ -emitters, 0=15508
- Nahon, F. On the reduction of three-body to a two-body problem, 4=8123
- Nahon, F. On the residues of the method of least squares, 4=11013
- Nahon, F. A restricted form of the three-body problem, applicable to stellar encounters, 4=13874
- Nahon, F. The application of the method of least squares to the analysis of radial velocities, 4=17982
- Nahon, F. A class of force functions generalizing functions of radial forces, 4=29572
- Nahorniak, V. See Mateescu, N., 2=20351
- Nahorniak, V. See Mateescu, N., 2=20356
- Nahorniak, V. See Mateescu, N., 2=20358
- Nahorniak, V. See Mateescu, N., 2=20359
- Nahorniak, V. See Mateescu, N., 3=22141
- Nahshol, D. Young's modulus apparatus with hydraulic amplification, 4=27011
- Nahum, J. and Halperin, A. Excitation spectra and temperature dependence of luminescence and photoconductivity of diamond, 2=14719
- Nahum, J. and Halperin, A. Thermoluminescence and the relation between thermal and optical activation energies in diamond, 3=20547
- Nahum, J. See Halperin, A., 1=19993
- Nai Li Huang and Orbach, R. Biquadratic super-exchange, 4=23025
- Naidich, Yu. V. and Eremenko, V. N. The "large drop" method for measurement of surface tension and density of molten metals at high temperatures, 2=7188
- Naidich, Yu. V. and Eremenko, V. N. The "large drop" method of determining surface tension and the density of molten metals at elevated temperatures, 2=19532
- Naidich, Yu. V., Eremenko, V. N., Fesenko, V. V., Vasiliu, M. I. and Kirichenko, L. F. Variation of the surface tension of pure copper with temperature, 4=8187
- Naidich, Yu. V. See Eremenko, V. N., 4=11190
- Naidu, S. V. Nagender. See Nagender Naidu, S. V.
- Naik, P. K. See Chiplonkar, V. T., 2=9548
- Naik, R. C. See Agrawal, R. M., 2=21247
- Naik, Y. G. and Balsara, E. M. Optical and electrical methods of measuring thicknesses of thin metallic films, 0=4979
- Naiki, T. Dynamical theory of the electron microscope images of crystal lattice and moiré pattern for a crystal containing a stacking fault, 2=6802
- Naiki, T. See Hashimoto, H., 1=10250
- Naiki, T. See Hashimoto, H., 1=10251
- Naiki, T. See Hashimoto, H., 3=18271
- Naiko, T., Fujita, K. and Matsumara, S. Dielectric behaviour of two phase mixtures, 0=19147
- Nain, A. B. and Baer, S. Method for measuring solubilities of slightly soluble gases in liquids, 4=8171
- Naiman, C. S. Interpretation of the absorption spectra of  $\text{K}_2\text{Fe}(\text{CN})_6$ , 1=11368
- Naiman, C. S. On the effect of [next] nearest neighbour ions on the crystal field splitting of transition metal ions in crystals, 2=23034
- Naiman, C. S. On the nature of the visible charge-transfer band of  $\text{K}_2\text{Fe}(\text{CN})_6$ , 4=9745
- Naiman, C. S. and Linz, A. The ultraviolet absorption spectra of ruby, 4=20466
- Naimark, B. M. Some nonlinear boundary value problems in the theory of a Maxwellian medium, 1=15759
- Naimark, B. M. Some nonlinear boundary value problems in the theory of a Maxwellian medium, 2=1088
- Nainan, T. D. Half-lives of some nuclear states in the millimicrosecond region, 1=12163
- Nainan, T. D., Deware, H. G. and Mukerji, A. Design and performance of a thin magnetic lens  $\beta$ -ray spectrometer, 0=2395
- Nainan, T. D., Johnston, A. S. and Jha, S. Decay of 66-min  $^{49}\text{In}^{110}$ , 4=25350
- Nainan, T. D. See Kocher, C. W., 0=20389
- Nair, K. G., Iyengar, K. N. and Ramanna, R. Energy and angular distributions of protons emitted from  $\text{Al}^{27}$  due to 14.2 MeV neutron interactions, 1=13813
- Nair, K. G. See Mani, G. S., 1=13812
- Nair, K. G. See Ramanna, R., 3=8144
- Nair, S. C. K. See Blin-Stoyle, R. J., 4=6175
- Nairn, A. E. M. Palaeomagnetic measurements of the Great Dyke, Southern Rhodesia, 3=11480
- Naish, V. E. Magnetic symmetry of crystals, 3=25497
- Naish, V. E. and Turov, E. A. Theory of noncollinear ferromagnetism and antiferromagnetism in orthorhombic crystals. I, 2=8611
- Naish, V. E. and Turov, E. A. Theory of noncollinear ferromagnetism and antiferromagnetism in orthorhombic crystals. II, 2=8612
- Naish, V. E. and Turov, E. A. The theory of non-collinear ferromagnetism and antiferromagnetism in rhombic crystals. I, 2=23643
- Naish, V. E. and Turov, E. A. The theory of non-collinear ferromagnetism and antiferromagnetism in rhombic crystals. II, 2=23644
- Naish, V. E. See Men', A. N., 3=22624
- Naish, V. E. See Men', A. N., 4=9952
- Naish, V. E. See Turov, E. A., 0=18202



- Naismith, R., Bevan, H.C. and Smith, P.A. A long term variation in the relationship of sunspot numbers to E-region character figures, 1=20974
- Naismith, R. and Smith, P.A. Further evidence of a long term variation in the relationship of solar activity to the ionosphere, 2=4649
- Naisse, J. Experiment and the  $\rho$ -meson, 2=18180
- Naito, K. On the theory of the unstable particle in Lee's model, 0=7286
- Naito, K. On the theory of the unstable particle, II, 0=9277
- Naito, M. See Sakurai, T., 2=17934
- Najder, L.E. Thin film evaporation, 4=21358
- Najžer, M. See Cvelbar, F., 3=10366
- Nakabushi, H. See Matsuda, H., 4=21585
- Nakach, A. Interaction of two consecutively injected turns in a circular accelerator, 2=349
- Nakach, A. See Gendreau, G., 1=16460
- Nakada, I. The optical properties of anthracene single crystals, 2=6546
- Nakada, I. and Ishihara, Y. The effects of temperature and electric field for the photo-generation of free carriers in anthracene, 4=22809
- Nakada, I. and Kaiyoh, H. Effect of gases on the photoconduction of anthracene, 2=6494
- Nakada, K. See Hayashi, T., 0=13882
- Nakada, M., Awazu, K., Ibuki, S., Miyako, Y. and Date, M. Electron spin resonance of  $Mn^{4+}$  ion  $MgO$ , 4=28876
- Nakada, M.P. and Mihalov, J.D. Accretion of solar wind to form a lunar atmosphere, 2=19280
- Nakada, M.P. High-energy electrons in the radiation belt, 3=11456
- Nakada, M.P. Synchrotron radiation calculations for the artificial belt, 4=2248
- Nakada, M.P. See Anderson, J.D., 0=458
- Nakada, M.P. See Beard, D.B., 4=4891
- Nakada, M.P. See Dyce, R.B., 0=10426
- Nakada, M.P. See Wong, C., 0=1276
- Nakada, O. Theory of non-linear responses, 1=12809
- Nakada, O. See Okano, K., 2=1070
- Nakada, O. and Chikahisa, Y. Molecular theory of relaxation phenomena in polymers, 1=7505
- Nakada, O. See Aizu, K., 1=14553
- Nakada, T. and Hashimoto, S. Heat conduction in a semi-infinite solid heated by a moving heat source along the boundary, 3=16822
- Nakada, Y. and Chalmers, B. Comparative surface hardening effects of edge and screw dislocations in aluminum single crystals, 3=1232
- Nakada, Y., Kocks, U. F. and Chalmers, B. Plastic deformation of oriented gold crystals, 4=26512
- Nakada, Y. See Greifer, A.P., 1=6369
- Nakada, Y. See Kocks, U. F., 4=30764
- Nakada, Y. See Schaefer, R., 4=26495
- Nakagaki, M. and Heller, W. Theoretical investigations on the light scattering of colloidal spheres. VIII. Angular location of intensity maxima and minima in the radiation diagram of colloidal spheres, 0=5182
- Nakagaki, M. See Heller, W., 0=2255
- Nakagaki, M. See Heller, W., 2=7404
- Nakagawa, E. See Rikitake, T., 0=18471
- Nakagawa, I. See Lord, R.C., 4=6614
- Nakagawa, I. See Thorson, W.R., 0=20597
- Nakagawa, K. Mass spectrometric study on the evaporation of volatile components in polyethylene, 1=13025
- Nakagawa, K. See Itabashi, K., 1=10880
- Nakagawa, M. Coupling constants in  $\beta$ -decay and nucleon structure, 0=20119
- Nakagawa, M., Okonogi, H., Sakata, S. and Toyoda, A. Possible existence of a neutrino with mass and partial conservation of muon charge, 4=15041
- Nakagawa, M. and Oneda, S. Weak interactions in the Sokata model, 2=13734
- Nakagawa, M. See Maki, Z., 1=3120
- Nakagawa, M. See Maki, Z., 3=7773
- Nakagawa, M. See Maki, Z., 4=12069
- Nakagawa, M. See Mannami, M., 4=29007
- Nakagawa, M. See Matumoto, K., 1=3121
- Nakagawa, M. See Matumoto, K., 2=16131
- Nakagawa, M. See Mazi, Z., 2=11909
- Nakagawa, M. See Oneda, S., 2=22623
- Nakagawa, M. See Uchida, Y., 3=15717
- Nakagawa, S. Etch pits on the cleavage surface of NaCl crystal, 0=3187
- Nakagawa, S. Magnetron type mass spectrometer, 4=21589
- Nakagawa, S., Kinugasa, M. and Fujiwara, T. Annealing effect on the cleavage-surface fracture of NaCl crystal, 2=8746
- Nakagawa, S. See Ezoe, H., 3=2077
- Nakagawa, S. See Fujiwara, T., 0=3188
- Nakagawa, S. See Fujiwara, T., 1=14917
- Nakagawa, T., Sawada, S., Kawakubo, T. and Nomura, S. Anomalous specific heat of ferroelectric  $CS(NH_2)_2$  and  $K_2Fe(CN)_6 \cdot 3H_2O$ , 4=1399
- Nakagawa, T. See Fukuda, K., 1=14336
- Nakagawa, T. See Kawakubo, T., 4=20718
- Nakagawa, T. See Kimura, M., 3=22376
- Nakagawa, T. See Mutsuro, N., 3=4615
- Nakagawa, Y. Experiments on the instability of a layer of mercury heated from below and subject to the simultaneous action of a magnetic field and rotation. II, 0=2169
- Nakagawa, Y. Heat transport by convection, 0=3671
- Nakagawa, Y. Heat transport by convection in presence of an impressed magnetic field, 0=3672
- Nakagawa, Y. Experimental observations of overstable cellular convection, 0=8827
- Nakagawa, Y. Magnetic susceptibility of liquid alloys of copper with cobalt, iron, manganese, and chromium, 1=152
- Nakagawa, Y. Some results on heat-transport by convection in presence of impressed magnetic fields, 1=5364
- Nakagawa, Y. The effects of magnetic fields and rotation on heat transfer by convection, 3=21585
- Nakagawa, Y. and Earnshaw, K.B. Experiments on self-ionizing shock waves in a magnetic field, 4=18830
- Nakagawa, Y. and Goroff, I.R. Experiments on heat transport by convection in presence of a magnetic field, 1=4710
- Nakagawa, Y. and Hori, T. Antiferromagnetism of  $MnHg$ , 1=20166
- Nakagawa, Y. and Hori, T. Magnetic transition and crystal distortion in  $MnHg$  and  $MnZn$ , 3=6860
- Nakagawa, Y., Sakai, S. and Hori, T. Magnetic properties of  $Mn-Zn$  alloys, 3=1006
- Nakagawa, Y. and Woods, A.D.B. Lattice dynamics of niobium, 4=3979
- Nakagawa, Y. See Bostick, W.H., 3=4125
- Nakagawa, Y. See Nakamura, Y., 4=26316
- Nakagawa, Y. See Tamagawa, N., 2=23651
- Nakagawa, Y. See Tezuka, S., 1=12524
- Nakagima, Y. See Sakai, M., 4=15161
- Nakagomi, Y. See Nishi, K., 3=16385
- Nakahara, I. and Koizumi, T. Transverse bending of an infinite plate with a cylindrical circular hole by the three-dimensional theory of elasticity, 1=83
- Nakahara, O. Observation of an anomaly in transistor characteristics, 1=17779
- Nakahara, O. The base resistance of the transistor in the saturated region, 2=4054
- Nakahara, O. Dynatron-type negative resistance observed in the collector-voltage-saturation region of the junction transistor, 2=23439
- Nakahara, O. Current dependence of collector space-charge layer width of junction transistor, 4=4189
- Nakahara, O., Goto, K., Mitani, T. and Sunaguchi, T. Effects of the collector depletion-layer width on the characteristics of drift, 3=20363
- Nakahara, O. See Kato, Y., 0=20333
- Nakahara, O. See Narumi, H., 0=13071
- Nakahara, O. See Narumi, H., 0=20331
- Nakai, J., Mitsusada, K. and Yasuoka, A. Characteristics of the contact between vacuum-deposited  $CdSe$  films and Au films, 4=30633
- Nakai, J. and Miyazaki, T. On the tunneling current through thin metal oxide film, 4=15566
- Nakai, J. See Takahashi, M., 4=26149
- Nakai, K., Gotoh, H. and Amano, H. Excitation functions of  $Ni^{58}(n, p)Co^{58}$  and  $Zn^{64}(n, p)Cu^{64}$  reactions in the energy region from 1.8 to 4.8 MeV, 2=20643
- Nakai, K. See Sugimoto, K., 4=17039
- Nakai, K. See Sugimoto, K., 4=25297
- Nakai, S. Note on the isotopic spin of the antiparticle, 0=7312
- Nakai, S. On the theory of collective motion, 4=3527
- Nakai, S. and Sasaki, M. On the theory of collective rotations, 1=12824
- Nakai, S., Yamanaka, C. and Yamamura, Y. Shock waves in argon measured by the microwave techniques, 3=9545
- Nakai, S. and Yamanaka, C. Microwave reflection coefficient of plasma as a function of electron density, collision frequency and cyclotron frequency, 4=14663
- Nakai, S. See Adachi, T., 1=466



- Nakai, T. and Sakakibara, T. Effects of  $\gamma$ -ray and neutron irradiation on the pyrolytic carbon film resistors, 1=1026
- Nakai, T. and Sakakibara, T. Effects of gamma radiation on carbon resistors, 2=5294
- Nakai, T. and Sakakibara, T. Effects of gamma ray and neutron irradiation on composition resistors and high megohm resistors, 2=5295
- Nakai, Y. Energy dissipation of electron beams in matter, 4=6817
- Nakai, Y., Murata, T. and Nakamura, K. Exciton absorption in mixed alkali chlorides, KCl-RbCl and KCl-NaCl, 4=4267
- Nakai, Y. and Teegarden, K. Photoconductivity in RbI and KI, 2=8426
- Nakai, Y. See Nishiguchi, H., 4=15378
- Nakai, Y. See Osaki, K., 3=25730
- Nakai, Y. See Osaki, K., 4=23506
- Nakajima, H. Proton magnetic resonance and the polymorphism of triglycerides, 2=2308
- Nakajima, H., Bhatnagar, V.M. and Cole, A.R.H. Proton magnetic resonance in ammonia-nickel cyanide clathrates, 2=23003
- Nakajima, H. See Kawamoto, M., 4=23211
- Nakajima, I.S. and Watabe, M. On the electron-phonon interaction in normal metals. I., 3=10588
- Nakajima, K. Stacking faults in copper-nickel alloys, 1=975
- Nakajima, K. Relation between deformation and integrated intensity of X-ray in aluminium single crystals, 1=20348
- Nakajima, K. X-ray study of the effect of solute atoms on deformation stacking faults in face-centred cubic solid solutions, 2=600
- Nakajima, K. Segregation of solute atoms to deformation stacking faults in face-centred cubic solid solutions, 3=8442
- Nakajima, K., Suzuki, K., Azuma, Y., Akatsuka, K. and Nakamura, K. Equipment for the international v.l.f. comparison and results of measurement of phase variation between Hawaii and Tokyo, 3=24480
- Nakajima, K. See Weissmann, S., 3=10647
- Nakajima, K. See Weissmann, S., 3=22765
- Nakajima, K. See Weissmann, S., 4=4552
- Nakajima, S. On quantum theory of transport phenomena: steady diffusion, 0=14542
- Nakajima, S. On the gauge-invariant Meissner effect, 0=14927
- Nakajima, S. On critical magnetic fields of superconductors, 0=14930
- Nakajima, S. On quantum theory of transport phenomena, 0=16635
- Nakajima, S. On quantum theory of irreversible processes, 0=16650
- Nakajima, S. A note on the electromagnetic response of superconductors, 0=19557
- Nakajima, S. A note on the electromagnetic response of normal metals, 1=3724
- Nakajima, S. The crystal structure of  $\text{Bi}_4\text{Te}_{3-x}\text{Se}_x$ , 3=13511
- Nakajima, S. and Kasuya, T. A comment on Bardeen's theory of superconductivity, 0=10832
- Nakajima, S. and Watabe, M. Electron-phonon interaction and cyclotron resonance in metals, 4=4011
- Nakajima, S. and Watabe, M. On the electron-phonon interaction in normal metals. II., 4=9894
- Nakajima, T. On newly designed general purposes source unit for emission spectrochemical analysis, 2=5170
- Nakajima, T. Effect of pressure on the curie temperature in invar-type iron-platinum alloys as a phase transition of the second kind, 4=20711
- Nakajima, T. and Takaki, H. Estimation of a change of the Curie temperature with pressure for gadolinium, 4=28806
- Nakajima, T. See Michiyoshi, I., 4=21332
- Nakajima, T. See Mikumo, T., 1=8771
- Nakajima, T. See Nakamura, Y., 3=6713
- Nakajima, T. See Takaki, H., 3=1046
- Nakajima, T. See Tsuboi, T., 4=26340
- Nakajima, Y. The effect of atmospheres on (100) [001] secondary recrystallization in commercial-purity silicon iron, 4=4649
- Nakajima, Y. See Ejiri, H., 4=17046
- Nakajima, Y. See Morita, S., 2=489
- Nakajima, Y. See Morita, S., 1=8766
- Nakajima, Y. See Morita, S., 1=12213
- Nakajima, Y. See Nonaka, I., 3=8100
- Nakajima, Y. See Ohmura, H., 1=13801
- Nakajima, Y. See Yagi, K., 3=12583
- Nakajima, Y. See Yagi, K., 4=25305
- Nakamichi, T. and Yamamoto, M. Antiferromagnetic magnetostriction in CoO and NiO single crystals, 1=14758
- Nakamichi, T. and Yamamoto, M. Antiferromagnetic magnetostriction in CoO and NiO single crystals, 3=1016
- Nakamichi, T. and Yamamoto, M. Composition, temperature and ordering dependence of magnetostriction constants in nickel-manganese alloys, 3=23177
- Nakamichi, T. See Yamamoto, M., 2=14792
- Nakamoto, A. See Doke, T., 1=12036
- Nakamoto, A. See Doke, T., 2=7787
- Nakamoto, K., Fujita, J., Condrate, R.A. and Morimoto, Y. Infrared spectra of metal chelate compounds. IX. A normal coordinate analysis of dithiocarbamate complexes, 3=25120
- Nakamoto, K. and Kishida, S. Normal coordinate analyses of hydrogen-bonded compounds. I. Monomeric formic acid and acetic acid, 4=28244
- Nakamoto, K. and Martell, A.E. Infrared spectra of metal-chelate compounds. I. A normal coordinate treatment on bis-(acetylacetonato)-Cu(II), 0=4204
- Nakamoto, K. See Fujita, J., 2=3745
- Nakamoto, K. See Fujita, J., 2=3746
- Nakamoto, K. See Fujita, J., 2=3747
- Nakamoto, K. See Kishida, S., 4=28245
- Nakamura, A., Minkiewicz, V. and Portis, A.M. Direct  $\text{Mn}^{55}$  n.m.r. absorption in antiferromagnetic  $\text{KMnF}_3$ , 4=13345
- Nakamura, A. and Sugiura, Y. Magnetostriction of yttrium iron garnet, 1=14748
- Nakamura, D., Uehara, Y., Kurita, Y. and Kubo, M. Nuclear quadrupole resonance of bromine and iodine in mercuric bromide and potassium tetraiodomercurate, 0=4538
- Nakamura, E. Measurement of microwave dielectric constants of ferroelectrics. II. Dielectric constants and dielectric losses of  $\text{NaNO}_2$  and (glycine) $_3\cdot\text{H}_2\text{SO}_4$ , 2=16768
- Nakamura, E. and Furuichi, J. Measurement of microwave dielectric constants of ferroelectrics. I. Dielectric constants of  $\text{BaTiO}_3$  single crystal at 3.3 kMc/s, 1=12471
- Nakamura, E. and Furuichi, J. Dielectric constants and loss tangents of (glycine) $_3\cdot\text{H}_2\text{SO}_4$  (T.G.S) at 3.3 kMc/s, 1=14551
- Nakamura, E., Mitsui, T. and Furuichi, J. A note on the classification of ferroelectrics, 4=4208
- Nakamura, F. Transient phenomena of wear in vacuum, 3=18220
- Nakamura, H. On a model of nucleon structure and meson-nucleon interaction. I, 1=9750
- Nakamura, H. Application of  $\rho$ -meson theory to 5 BeV  $\pi^- \rightarrow p$  data, 1=13480
- Nakamura, H. On a model of nucleon structure and meson-nucleon interaction. II, 2=3327
- Nakamura, H. Light double hyper nuclei and  $\Lambda-\Lambda$  interaction, 3=24846
- Nakamura, H. The S-wave  $\Lambda-\Lambda$  interaction, 4=3490
- Nakamura, H. and Toyoda, T. Connection of spinor fields, 1=5643
- Nakamura, H. See Kokame, J., 4=28063
- Nakamura, H. See Kubo, R., 2=9833
- Nakamura, H. See Kubo, R., 2=13781
- Nakamura, H. See Nakamura, T., 3=6618
- Nakamura, J. Time series of auroral spectra, 2=11080
- Nakamura, J. Time correlation of auroral spectra, 2=13047
- Nakamura, J. Latitude effect of night airglow, 0=18511
- Nakamura, J. See Huruhashi, M., 0=14285
- Nakamura, J. See Morino, Y., 2=6124
- Nakamura, J. See Morino, Y., 2=22957
- Nakamura, K. Impurity effect in superconductors, 0=14928
- Nakamura, K. Two-body correlation of interacting fermions, 0=16637
- Nakamura, K. Spin-spin interaction in superconductors, 0=19556
- Nakamura, K. Cluster expansion technique in the many-fermion systems, 1=10443
- Nakamura, K. Effect of the electrostatic polarization on the interaction between heavy ions, 2=1762
- Nakamura, K. Interaction between phonons and conduction electrons with the supersonic drift velocity, 4=15410
- Nakamura, K., Fukuda, K., Kato, R., Matsui, A. and Uchida, Y. The optical absorption of localized exciton in KCl-KI crystal, 2=2230
- Nakamura, K., Muta, T. and Ezawa, H. Inversion problem in the model field theory, 4=19442
- Nakamura, K. See Fukuda, K., 1=10104
- Nakamura, K. See Kato, R., 1=14591
- Nakamura, K. See Nakai, Y., 4=4267
- Nakamura, K. See Nakajima, K., 3=24480
- Nakamura, K. See Nishiguchi, H., 4=15378



- Nakamura, M. Diurnal variation of OH emission of the night-glow, 2=24046
- Nakamura, M. Height of OH emission layer of the night-glow, 2=24047
- Nakamura, M. Piezoresistance effect of impurity conduction in n-type germanium, 4=12896
- Nakamura, M. and Sasaki, W. The effect of tensile stress on impurity conduction in n-type germanium, 2=23341
- Nakamura, M. and Sasaki, W. Low temperature piezoresistance in n-germanium, 4=20367
- Nakamura, M. See Elbek, B., 2=3203
- Nakamura, M. See Jursa, S. A., 4=10734
- Nakamura, M. See Takezawa, S., 3=9100
- Nakamura, S. On the weak interaction of baryons, 1=13321
- Nakamura, S. Strong interaction of baryons, 3=5931
- Nakamura, S. Interaction types and selection rules in baryon processes, 3=5932
- Nakamura, S. High energy interactions on the "molecular model" of the elementary particles, 3=12537
- Nakamura, S. Theory of weak interactions between baryon and pion, 3=24619
- Nakamura, S. Mass spectra of particles and model of the strong interactions, 4=30156
- Nakamura, S. and Enokiya, H. Detection of nuclear quadrupole resonances by means of the crossing technique, 3=12336
- Nakamura, S. and Hatsukade, S. Strong interaction of baryons and  $\kappa$ -charge, 2=12004
- Nakamura, S. and Itami, K. Test of the intermediary boson theory, 2=1658
- Nakamura, S. and Kwarabayashi, K. Mass spectra of baryons, 3=5933
- Nakamura, S. and Konuma, M. Hyperon decay in the nonleptonic mode, 1=8506
- Nakamura, S. and Nishiyama, Y. Weak interaction of leptons, 4=27777
- Nakamura, S., Ohmura, T. and Taketani, M. A note on the nuclear reactions in stars, 0=14465
- Nakamura, S. and Sato, S. Symmetry of the strong interaction in the four-dimensional isotopic-spin space and in the three-dimensional  $\kappa$ -space, 1=19115
- Nakamura, S. and Sato, S. Fragile symmetry in the strong interactions, 3=10034
- Nakamura, S. and Sato, S. Theory of the intermediary mesons, 3=19660
- Nakamura, S. and Sato, S. Theory of leptons, 3=22061
- Nakamura, S. See Fujita, J., 0=11356
- Nakamura, S. See Itami, K., 4=30178
- Nakamura, S. See Okabayashi, T., 1=13302
- Nakamura, S. See Sugata, E., 2=9616
- Nakamura, S. See Sugata, E., 2=11693
- Nakamura, S. See Sugata, E., 2=22245
- Nakamura, S. See Sugata, E., 2=22247
- Nakamura, S. See Sugata, E., 3=19298
- Nakamura, S. The universal Fermi interaction and heavy mesons, 0=3927
- Nakamura, S. and Sugata, E. The oxide cathode of a sandwich structure, 0=7133
- Nakamura, S. Nuclear magnetic relaxation of protons in liquid. I. Growth effects in nuclear magnetic resonance absorption, 0=6817
- Nakamura, S. Nuclear magnetic relaxation of protons in liquid. Supplement of Part I. Application of Jaynes theory to the growth effects in nuclear magnetic resonance, 0=6818
- Nakamura, T. Indirect coupling of nuclear spins in antiferromagnet with particular reference to  $\text{MnF}_2$  at very low temperatures, 0=11952
- Nakamura, T. Etch pits corresponding to dislocations in ferroelectric guanidinium aluminum sulfate hexahydrate [GASH], 0=20818
- Nakamura, T. Angular distribution of n-p scattering at 14.1 MeV, 1=10888
- Nakamura, T. Kinematic theory of ferroelectric domain growth, 1=11344
- Nakamura, T. Latitude effect of the oxygen red line of night airglow and its relation with the ionospheric F-layer, 2=15249
- Nakamura, T. Short-range order effect on the magnetic anisotropy near the transition point, 3=5008
- Nakamura, T. Temperature dependence of the exchange stiffness in metallic ferromagnets, 4=20527
- Nakamura, T. and Bloch, M. Temperature dependence of the exchange stiffness in ferrimagnets, 4=7286
- Nakamura, T., Fukunaga, K., Takamatsu, K. and Yasumi, S. Absolute measurement of  $\chi$ -quanta, 1=2028
- Nakamura, T., Fukunaga, K., Takamatsu, K., Yata, M. and Yasumi, S. Fine structure in the giant resonance for  $\text{Cu}^{63}$  and  $\text{Ag}^{107}(\gamma, n)$  reactions, 1=674
- Nakamura, T. and Hayakawa, S. Polarization of green emission from a durenene crystal, 3=23114
- Nakamura, T. and Nakamura, H. Domain wall caught in dislocations in ferroelectric glycine sulfate crystals, 3=6618
- Nakamura, T., Ogihara, H. and Kobayashi, J. Direct observation of  $180^\circ$  walls in  $\alpha$ -domain crystal of  $\text{BaTiO}_3$ , 4=7046
- Nakamura, T. and Ohi, K. Dislocation etch pits on a- and b-faces of gash crystal, 1=11533
- Nakamura, T. and Ohi, K. Dislocations and fine lines in Rochelle salt crystal, 1=12393
- Nakamura, T. and Ohi, K. Twin structure in ferroelectric sodium nitrite, 3=25657
- Nakamura, T., Ohi, K. and Kubota, H. Growth and dissolution processes of G.A.S.H. crystal, 1=14971
- Nakamura, T., Takamatsu, K., Fukunaga, K., Yata, M. and Yasumi, S. Absolute cross-sections of the  $(\gamma, n)$  reaction for  $\text{Cu}^{63}$ ,  $\text{Zn}^{64}$  and  $\text{Ag}^{108}$ , 0=20479
- Nakamura, T., Takamatsu, K., Masaike, A., Kakigi, S., Dai Ca Nguyen, Yamashita, S. and Yanabu, T. Angular distributions of the alpha particles from the  $(p, \alpha)$  reactions on  $\text{Na}^{23}$  and  $\text{K}^{39}$  at 6.9 ~ 7.3 MeV, 2=5913
- Nakamura, T. and Uryu, N. Theory of the antiferromagnetism of Mn- and Co-Tutton salt, 3=1058
- Nakamura, T. See Hayakawa, S., 3=15712
- Nakamura, T. See Hisatake, K., 1=8730
- Nakamura, T. See Huruhashi, M., 0=21381
- Nakamura, T. See Kobayashi, J., 4=7048
- Nakamura, T. See Moriya, T., 0=10251
- Nakamura, T. See Nagai, O., 1=9968
- Nakamura, T. See Ohi, K., 3=2959
- Nakamura, T. See Takahashi, H., 1=8912
- Nakamura, T. See Tosima, S., 0=18226
- Nakamura, T. See Yanabu, T., 2=8007
- Nakamura, T. See Yanabu, T., 2=16425
- Nakamura, T. See Yanabu, T., 3=22418
- Nakamura, Y. Effect of the substructure upon magnetic properties of iron-silicon single crystals, 1=20096
- Nakamura, Y. Effect of quenched-in vacancies on the weak magnetization of nickel, 2=2274
- Nakamura, Y. Absorption measurements of ultrasonic waves in plastic sheets, 4=2787
- Nakamura, Y., Katayama, T., Nakagawa, Y. and Nagashima, T. K-state formation and magnetic properties of Mo-permalloy, 4=26316
- Nakamura, Y., Nakajima, T. and Takami, H. Volume magnetostriction in nickel-iron alloys, 3=6713
- Nakamura, Y., Shiga, M. and Shikazono, N. Mössbauer study of invar-type iron-nickel alloys, 4=28813
- Nakamura, Y. See Morino, Y., 0=5897
- Nakamura, Y. See Nozaki, T., 4=29619
- Nakamura, Y. See Sakurai, J., 4=20676
- Nakamura, Y. See Shiga, M., 4=1837
- Nakamura, Y. See Shinjo, T., 3=23180
- Nakamura, Y. See Takaki, H., 3=1046
- Nakamura, Y. See Tsuchida, T., 2=3993
- Nakamura, Y. See Yuzuri, M., 4=28834
- Nakane, K. See Masuda, T., 3=21528
- Nakane, R. Re-appreciation of the second order transition phenomena in polyethylene, 1=9155
- Nakanishi, F. and Sato, Y. Influence of intermediate principal stress on plastic flow, 1=1313
- Nakanishi, N. General theory of infrared divergence, 0=11089
- Nakanishi, N. A theory of clothed unstable particles, 0=12846
- Nakanishi, N. A theory of clothed unstable particles. II, 0=15271
- Nakanishi, N. A note on the physical state of unstable particles, 0=15274
- Nakanishi, N. On the validity of dispersion relations in perturbation theory, 0=15294
- Nakanishi, N. Ordinary and anomalous thresholds in perturbation theory, 0=17266
- Nakanishi, N. A note on the ordinary and anomalous thresholds in perturbation theory, 1=3143
- Nakanishi, N. On the validity of multiple dispersion representations, 1=10862
- Nakanishi, N. Remarks on Eden's "proof" of the Mandelstam representation, 1=13338
- Nakanishi, N. Validity of the integral representations for the vertex part in perturbation theory, 1=13353
- Nakanishi, N. Integral representations for scattering amplitudes in perturbation theory, 1=19140



- Nakanishi, N. Parametric integral formulas and analytic properties in perturbation theory, 2=1058
- Nakanishi, N. Integral representations for scattering amplitudes in perturbation theory. II, 2=5579
- Nakanishi, N. Proof of partial-wave dispersion relations in perturbation theory, 2=13741
- Nakanishi, N. Fundamental properties of perturbation-theoretical integral representations, 2=20279
- Nakanishi, N. Integral representations for production amplitudes in perturbation theory, 3=5942
- Nakanishi, N. Partial-wave Bethe-Salpeter equation, 3=12405
- Nakanishi, N. The crystal structure of  $\beta'$  martensite in Cu-Al binary alloys, 3=18335
- Nakanishi, N. Invariant solutions of the exact Bethe-Salpeter equation in the general-mass case, 4=823
- Nakanishi, N. Remarks on the double dispersion approach to the Bethe-Salpeter equation, 4=824
- Nakanishi, N. Fundamental properties of perturbation-theoretical integral representations. II, 4=3356
- Nakanishi, N. External-mass singularity, 4=5981
- Nakanishi, N. Perturbation-theoretical integral representation and the high-energy behavior of the scattering amplitude, 4=9133
- Nakanishi, N. Asymptotic behavior of the scattering amplitude and normal and abnormal solutions of the Bethe-Salpeter equation, 4=27812
- Nakanishi, N., Thein, K. M. and Wayman, C. M. Annealing of quenched-in defects in CsCl-type alloys. II, 3=22715
- Nakanishi, N. See Hiida, K., 0=17319
- Nakanishi, N. See Hiida, K., 0=20116
- Nakanishi, N. See Hiida, K., 0=20117
- Nakanishi, N. See Hiida, K., 0=20118
- Nakanishi, N. See Hiida, K., 1=3177
- Nakanishi, N. See Hiida, K., 1=3179
- Nakanishi, N. See Hiida, K., 1=9751
- Nakanishi, N. See Wayman, C. M., 3=22714
- Nakanishi, Y. See Kumagai, S., 2=11788
- Nakano, G. H., MacKenzie, K. R. and Bichsel, H. Relative stopping power of some metallic elements for 28.7-MeV protons, 4=902
- Nakano, G. H. See Heckman, H. H., 3=18564
- Nakano, H. A method of calculation of electrical conductivity, 0=7060
- Nakano, H. On the extremum property in the variation principle in the theory of transport processes, 1=4286
- Nakano, H. On the extremum problem in the variation principle in the theory of susceptibility or relaxation phenomena, 1=4287
- Nakano, H. On a variation principle for calculating the electrical conductivity, 1=7019
- Nakano, H. A variation principle in the theory of transport phenomena, 1=10449
- Nakano, H. A variation principle for calculating general susceptibility tensors, 1=10450
- Nakano, H. A variation principle in the quantum theory of irreversible processes, 4=2581
- Nakano, H. See Terao, K., 4=480
- Nakano, S. See Kohra, K., 3=1294
- Nakano, S. See Kohra, K., 3=22707
- Nakano, T. Quantum field theory in terms of Euclidean parameters, 0=15228
- Nakano, T. and Inuishi, Y. Effect of annealing of radiation damage on lifetime in silicon containing copper and iron, 3=15581
- Nakano, T. and Inuishi, Y. Effects of dosage and impurities on radiation damage of carrier life time in Si, 4=28513
- Nakano, T., Ohtani, K., Kinoshita, A. and Okuda, T. Growth of cuprous oxide ( $\text{Cu}_2\text{O}$ ) crystal, 4=13531
- Nakano, T. See Daiyasu, K., 2=12080
- Nakano, T. See Daiyasu, K., 3=4531
- Nakano, T. See Hayashi, C., 4=4858
- Nakano, T. See Miyazawa, H., 0=20045
- Nakano, Y. See Furukawa, M., 1=12195
- Nakano, Y. See Hisatake, K., 1=8730
- Nakano, Y. See Imazu, S., 4=18737
- Nakano, Y., See Shimamoto, S., 3=16915
- Nakao, T. See Kinbara, A., 4=6927
- Nakao, Y. See Asano, S., 3=13218
- Nakao, Y. See Asano, S., 4=15619
- Nakashima, R. See Kammuri, T., 1=740
- Nakashima, S. The colloidal band in KCl containing NaCl, 1=17585
- Nakashima, S. Absorption bands in KCl crystal containing LiCl, 2=10602
- Nakashima, S. Absorption of colloidal band in mixed alkali halides, 3=930
- Nakashima, S. and Miyai, Y. Instabilities of injected plasmas in germanium in the presence of a transverse magnetic field, 4=4153
- Nakashima, S. and Noguchi, Y. Instabilities of injected plasmas in Ge in the presence of transverse and longitudinal magnetic fields, 3=25257
- Nakashima, S. See Kato, R., 1=19980
- Nakashima, S. See Miyamoto, S., 2=18618
- Nakashima, T. See Ishimatsu, T., 1=13843
- Nakashima, T. See Ishimatsu, T., 2=20664
- Nakashima, T. See Maki, T., 2=20665
- Nakashima, Y., Matsubara, S. and Kasai, M. The effects of gamma-rays on neutron detectors, 4=3431
- Nakashima, Y. See Kamnishi, T., 4=21840
- Nakasima, R. Note on heavy ion induced nuclear reactions, 0=13247
- Nakasima, R. Nitrogen induced nuclear reactions in sodium, 0=15585
- Nakasima, R. and Kikuchi, K. Interpretation of the ratio of emission probabilities for protons and neutrons, 0=13229
- Nakasima, R. and Watanabe, H. Comment on (p,n) cross sections, 0=17590
- Nakasima, R., Yamasaki, S. and Yoshizawa, Y. Multipole mixing in odd mass spheroidal nuclei, 0=11375
- Nakasima, R. See Gove, N. B., 2=466
- Nakasima, R. See Kakudo, Y., 0=13025
- Nakasima, R. See Kakudo, Y., 0=15343
- Nakasima, R. See Kakudo, Y., 0=17329
- Nakasima, R. See Kammuri, T., 4=22208
- Nakasima, R. See Takeda, S., 4=22216
- Nakasima, T. See Kammuri, T., 0=9636
- Nakata, J., Takenaka, E. and Masutani, T. Dispersion relation of movement striations, 4=16449
- Nakata, K. See Suzuki, J., 3=13948
- Nakata, K. See Suzuki, J., 3=25998
- Nakata, M. M. See Cape, J. A., 4=6754
- Nakata, T. See Adachi, I., 2=22050
- Nakata, T. See Masuda, T., 2=14649
- Nakata, T. See Matsushita, S., 0=8002
- Nakata, T. See Matsushita, S., 2=6582
- Nakata, Y. Auroral echoes in the ionograms obtained in the minauroral region, 1=1566
- Nakata, Y. See Nishikori, K., 4=10760
- Nakatani, H. See Sunakawa, S., 2=11305
- Nakatani, H. See Sunakawa, S., 2=11306
- Nakatani, H. See Sunakawa, S., 2=19468
- Nakatsuka, T. See Asada, T., 1=21115
- Nakau, T. Magnetic resonance in  $\text{Ti}_m\text{Mg}_n\text{Fe}_{3-m-n}\text{O}_4$  ferrites and their magnetization, 1=3924
- Nakau, T. Electrical conductivity of  $\alpha\text{-Fe}_2\text{O}_3$ , 1=10036
- Nakau, T. See Takeyama, M., 1=18839
- Nakayama, J. Surface cracks of sheet glass produced by sodium vapor treatment, 0=21217
- Nakayama, J. A bending method for direct measurement of fracture energy of brittle material, 4=30756
- Nakayama, K. Note on the strange particle effects in S-wave pion-nucleon scattering, 0=15405
- Nakayama, K. Baryon parity and polarization experiment, 1=10931
- Nakayama, K. See Ishu, H., 2=11433
- Nakayama, K. See Kitagaki, T., 3=592
- Nakayama, K. See Kitagaki, T., 3=7878
- Nakayama, M. and Hasegawa, H. Relaxation effects of donor spins in silicon and germanium, 3=10792
- Nakayama, M. See Shimizu, T., 4=12617
- Nakayama, N., Ogiso, S., Mizukusa, S., Hasegawa, K., Ota, E., Kozuka, T., Yoshida, M., Hayashi, H., Mizuno, M., Iijima, K., Tsugawa, K. and Mii, H. Performance of tetrahedral anvil apparatus for high pressure research, 4=23983
- Nakayama, N. See Hayashi, H., 4=30797
- Nakayama, N. See Hayashi, H., 4=30798
- Nakayama, T. and Watanabe, K. Absorption and photo-ionization coefficients of acetylene, propyne, and 1-butyne, 4=8616
- Nakayama, T. See Chikawa, J., 4=25938
- Nakayama, T. See Watanabe, K., 3=7430
- Nakayama, Y. and Hirata, H. Internal conversion of the 1277 keV transition in  $^{22}\text{Ne}$ , 3=8031
- Nakayama, Y. See Shimizu, S., 2=12172
- Nakayama, Y. See Shimizu, S., 4=22077
- Nakazawa, F. See Ishino, S., 3=25313



- Nakazawa, K., Bando, M., Sugano, R. and Uehara, M. On the coupling constants of strong interactions, 3=19550
- Nakazawa, K. On the effects of vector mesons on  $Y^*$ 's, 4=19592
- Nakazawa, K. See Ishida, S., 2=9912
- Nakazima, K. and Koda, S. Segregation of solute atoms in Cu-Al alloys, 1=20598
- Nakazumi, Y., Suzuki, K. and Yajima, T. Observation of etch patterns in  $TiO_2$  single crystals, 3=11219
- Nakazumi, Y. See Kondoh, H., 2=23653
- Nakazumi, Y. See Uchida, E., 1=9045
- Nakhleh, J. See Beckel, C. L., 3=18725
- Nakhleh, J. See Beckel, C. L., 4=11075
- Nakhman, M. See Grigoresku, L., 0=1718
- Nakhodkin, M. H. and Romanovs'kiĭ, V. O. A study of the kinetics of motion of electrons in secondary emission. I, 1=13123
- Nakhodkin, N. G. and Mel'nik, P. V. Effect depth of the photo-effect excited by soft X-rays, 3=21864
- Nakhodkin, N. G. and Mel'nik, P. V. Distribution of the energies of secondary and photo-electrons excited by soft X-rays, 4=8808
- Nakhodkin, N. G. and Nemtsev, V. P. An instrument for studying dependence of electrical properties of thin condensation films upon their thickness, 2=21101
- Nakhodkin, N. G., Ostroukhov, A. A. and Romanovskii, V. A. Inelastic scattering of electrons by thin films, 2=22266
- Nakhodkin, N. G., Ostroukhov, A. A. and Romanovskii, V. A. Inelastic scattering of electrons by thin films, 3=2781
- Nakhodkin, N. G., Ostroukhov, A. A. and Romanovskii, V. A. Scattering of electrons on passage through thin films, 3=20153
- Nakhodkin, N. G. and Zŭkov, G. A. The influence of oxygen at low pressures on the electric properties of the oxide
- Nakhodnova, I. A. See Eliseev, P. G., 3=20179
- Nakhtun, I. E., Ovechkin, V. V., Ochkin, D. V., Polyakov, A. S. and Khoduleva, Z. K. Production of the radioactive isotope  $Kr^{88}$  and measurement of its  $\gamma$ -radiation, 1=19418
- Nakhtun, I. E. and Sutyagina, E. I. Absorption of hydrogen by palladium at low temperatures, 0=4749
- Nakjima, Y. See Ejiri, H., 4=15212
- Nalbandian, N. A. See Khirmian, A. V., 2=12081
- Nalbandyan, N. A. See Alikhanov, A. I., 0=9454
- Nalbandyan, N. A. See Khrimyan, A. V., 2=13924
- Nalbandyan, N. A. See Khrimyan, A. V., 3=2158
- Nalbandyan, N. A. See Khrimyan, A. V., 3=6097
- Nalbandyan, N. A. See Khrimyan, A. V., 4=968
- Nalbandyan, N. A. See Khrimyan, A. V., 4=5994
- Nalbandyan, N. A. See Khrimyan, A. V., 4=5995
- Naldi, E. See Busulini, L., 4=7763
- Naldi, E. See Busulini, L., 4=7764
- Nalecz, M. Hall effect in measurements of mechanical displacements and vibrations, 2=7269
- Nalecz, M. and Ziomecki, H. A Hall effect accelerometer, 3=21287
- Naliboff, Y. D. See Adler, F. T., 2=3589
- Naliboff, Y. D. See Young, J. C., 4=17222
- Nall, B. H. See Foner, S. N., 1=7025
- Nall, J. C., Baird, Q. L. and Haynes, S. K. Conversion, K-auger, and L-auger spectra of  $Hg^{199}$ , 0=11369
- Nall, J. C. See Baird, Q. L., 2=20314
- Nalley, W. M. See Carrera, N. J., 4=2897
- Namazov, S. A. Determination of the concentration of electrons in the ionosphere by analysis of the polarization fading in signals from a rocket or an artificial earth satellite, 4=4809
- Namba, M. Optical properties of SiC in infrared region, 0=6164
- Namba, O. Note on the excitation of the ionized helium in the solar chromosphere, 0=6596
- Namba, O. A preliminary report on the observation of infrared lines in solar faculae with special reference to the He I line at 10830 Å, 2=4762
- Namba, O. Note on the structure of the solar chromosphere with some remarks on the Athay-Thomas spicule model, 2=7011
- Namba, S. Electro-optical effect of zincblende, 1=3825
- Namba, S. High voltage measurement by A. D. P. crystal plate, 1=9516
- Namba, S. and Isobe, T. Measurement of surface tension of molten metals by electron bombardment heating, 4=2643
- Namba, S. and Kim, P. H. Stimulated emission from  $Nd^{3+}$  in glass rod, 4=8992
- Namba, S. and Pil Hyon Kim. Stimulated emission from  $Nd^{3+}$  glass, 3=22008
- Namba, S. See Kamiyama, M., 4=1776
- Nambu, W. Y. Quasi-elementary massless bosons associated with the quantum electrodynamics of Johnson, Baker and Willey, 4=19370
- Nambu, Y. Quasi-particles and gauge invariance in the theory of superconductivity, 0=5234
- Nambu, Y. Axial vector current conservation in weak interactions, 0=9262
- Nambu, Y. and Jona-Lasinio, G. Dynamical model of elementary particles based on an analogy with superconductivity. I, 1=7193
- Nambu, Y. and Jona-Lasinio, G. Dynamical model of elementary particles based on an analogy with superconductivity. II, 1=16665
- Nambu, Y. and Lurié, D. Chirality conservation and soft pion production, 2=5574
- Nambu, Y. and Pascual, P. Self-consistent models of strong interaction with chiral symmetry, 4=3322
- Nambu, Y. and Sakurai, J. J. Odd  $\Lambda$   $\Sigma$  parity and the nature of the  $\pi \Lambda$   $\Sigma$  coupling, 1=8509
- Nambu, Y. and Sakurai, J. J.  $\kappa$ -meson [ $K^*(725)$ ] and the strangeness-changing currents of unitary symmetry, 3=24783
- Nambu, Y. and Sakurai, J. J. Rare decay modes of the  $\omega(\eta)$  meson, 2=18170
- Nambu, Y. and San Fu Tuan. Magnetic field dependence of the energy gap in superconductors, 3=3948
- Nambu, Y. and San Fu Tuan. Magnetic field dependence of the energy gap in superconductors, 4=18546
- Nambu, Y. and Shrauner, J. E. Possible bound  $\Sigma^- \Lambda$  system, 1=19283
- Nambu, Y. and Shrauner, E. Soft pion emission induced by electromagnetic and weak interactions, 3=595
- Nambu, Y. and Sugawara, M. Non shrinking diffraction scattering, 3=14916
- Nambu, Y. and Sugawara, M. High-energy behavior of total cross sections, 4=5974
- Nambu, Y. and Tuan, S. F. Magnetic field and phase transition in thin film superconductors, 4=396
- Nambu, Y. and Tuan, S. F. Considerations on the magnetic field problem in superconducting thin films, 4=8555
- Nambu, Y. and Tuan, S. F. Magnetic field and phase transition in superconducting thin films, 4=21396
- Nambu, Y. See Blankenbecler, R., 0=20215
- Nambu, Y. See Blankenbecler, R., 1=5670
- Nambu, Y. See Freund, P. G. O., 4=25987
- Nambu, Y. See Sugawara, M., 3=24659
- Namenson, A. See Gallagher, C. J., Jr., 4=9456
- Namikawa, T. Fluid motions in a sphere. IV. Thermal instability of a rotating fluid sphere heated within under a uniform magnetic field (2), 0=19900
- Namikawa, T. On the reflection and refraction of hydromagnetic waves in ionized gas, 1=16539
- Namikawa, T. Hydromagnetic waves in the exosphere, 2=13052
- Namikawa, T. On the reflection and refraction of hydro-magnetic waves in ionized gas. II., 3=483
- Namikawa, T., Kitamura, T. and Okuzawa, T. On the propagation of weak hydromagnetic shock waves in the exosphere and the sudden commencement of geomagnetic storm. III. Transverse shock, 4=7946
- Namikawa, T., Okuzawa, T. and Kitamura, T. On the propagation of weak hydromagnetic shock waves in the exosphere and the sudden commencement of geomagnetic storm. I. Fast shock, 4=7944
- Namiki, M. Semi-phenomenological interpretation of the optical model in nuclear reactions from the point of view of fluctuation-dissipation theorem, 0=20501
- Namiki, M. Some remarks on the Feynman's variational method, 1=438
- Namiki, M. One-particle motions in many-particle systems and the optical model in nuclear reactions, 1=3430
- Namiki, M. and Iino, R. A new mathematical formulation of quantum mechanics in the framework of wave-packet theory, 0=45
- Namiki, M. and Iso, C. Multiple production of particles and hydrodynamical aspect of quantum theory of fields, 0=9291
- Namiki, M. See Iso, C., 0=9290
- Namiki, M. See Iso, C., 0=20044
- Namiki, M. See Kamei, O., 3=4545
- Namiki, M. See Kamei, O., 3=22156
- Namiki, M. See Kato, T., 1=15734
- Namiki, M. See Kobayashi, T., 4=25029
- Namioaka, T. Theory of the ellipsoidal concave grating. I, 1=2883



- Namioka, T. Theory of the ellipsoidal concave grating. II. Application of the theory of the specific grating mountings, 1=2884
- Namioka, T. Grating theories and their applications to grating instruments for vacuum ultraviolet spectroscopy, 3=7338
- Namioka, T. Absorption spectra of  $H_2$  in the vacuum-ultraviolet region. I. The Lyman and the Werner bands, 4=22355
- Namioka, T., Yoshino, K. and Tanaka, Y. Isotope bands and the variation assignment of the  $D^2\Pi_g-A^2\Pi_g$  system of  $N_2^+$ , 4=3864
- Namioka, T. See Tanaka, Y., 1=17320
- Namiokov, K.K. State of the vapour and liquid phases of the products from the electro-erosion of metals, 3=20914
- Namot, A.Yu. Maximum of the solubility in a liquid of a component of a gaseous mixture, 0=6782
- Namitkov, K.K. Electron microscope and radiographic investigation of the products of the electric erosion of metals, 2=9561
- Namitkov, K.K. Structure and composition of the pits on an electronic surface damaged by a pulsed discharge, 3=21722
- Namitkov, K.K. [Material] transfer phenomena in a low-voltage pulsed discharge, 3=21723
- Namitkov, K.K. Low-voltage electric discharges, 3=21724
- Namitkov, K.K. Dynamics of the process of electro-erosion of metals, 3=23488
- Namorado Rosa, R. See do Carmo Anta, M., 2=22476
- Namyslowski, J. The Dirac equation in general relativity in the vierbein formalism, 2=3249
- Namyslowski, J. The interaction of baryons with gravitational and electromagnetic field within Rayski's six-dimensional manifold, 3=4334
- Namyslowski, J. Symmetrical form of Dirac matrices in general relativity, 3=18713
- Namyslowski, J. and Wit, R. Asymptotic properties and zeros of the forward scattering amplitude, 3=10037
- Namyslowski, J. See KotarSKI, A., 3=19680
- Nanamaru, F. See Okazaki, C., 1=14735
- Nanassy, A. J. Electric polarization measurements on yellow birch, 4=22772
- Nanchev, N. Breakdown in sand, 2=3025
- Nancollas, G.H. and Purdie, N. Crystallization of barium sulphate in aqueous solution, 3=16040
- Nancollas, G.H. and Vincent, C.A. A self-timing bridge method for the measurement of double layer capacitance at a dropping mercury electrode, 3=14476
- Nand, K.C. and Ghosh, S. Stability of lyophobic colloids. II. Stability of hydrous ferric oxide sols with special reference to the dielectric constant of the medium, 4=4719
- Nand, S. See Ghosh, S.N., 1=15273
- Nand, S. See Ghosh, S.N., 2=4537
- Nand, S. See Ghosh, S.N., 3=11344
- Nand, S. See Ghosh, S.N., 3=11531
- Nanda, R.S. Unsteady circulatory flow about a circular cylinder with suction, 0=6748
- Nanda, R.S. On the three-dimensional flow of certain non-Newtonian liquids, 3=23842
- Nanda, V.S. and Pathria, R.K. Time dependence of the statistical molecular weight distribution of the polymer resulting from vinyl polymerization, 1=12340
- Nanda, V.S. and Pathria, R.K. Theory of numbers and the problem of polymerization, 1=15164
- Nanda, V.S. and Pathria, R.K. A theoretical study of the changes in the statistical character of a polydisperse polymer system undergoing random degradation, 2=23961
- Nanda, R.S. and Sharma, V.P. Possible similarity solutions of unsteady free convection flow past a vertical plate with suction, 3=3912
- Nanda, R.S. and Sharma, V.P. Free convection flow with and without heat sources in a circular pipe, 3=14397
- Nanda, R.S. and Sundaram, A.K. Boundary layer growth of an infinite flat plate in magnetohydrodynamics, 3=4258
- Nanda, V.S. and Jain, R.K. Continuum distribution for anionic polymers, 4=3946
- Nanda, V.S. See Chandra, R., 3=19089
- Nanda, V.S. See Chandra, R., 4=11444
- Nanda, V.S. See Trikha, S.K., 0=2283
- Nanev, K. The integrated sensitivity of  $Cs_3Sb$  photocathode, 4=8807
- Nanev, K. The effect of the photo-e, m. f. in  $Cs_3Sb$  layers, 4=30656
- Nangia, P. S. and Benson, S. W. Kinetics of the gas-phase addition of  $HI$  to butene-2, 4=26750
- Nangia, P.S. See Benson, S.W., 3=8961
- Nanis, L. and Bockris, J. O'M. Self-diffusion. Heat of activation as a function of melting temperature, 4=12782
- Nanis, L. See Balasubrahmanyam, K., 4=18205
- Nanis, L. See Miller, I.R., 3=11365
- Nanis, L. See Tricklebank, S. B., 4=8193
- Nanis, L. See Tricklebank, S. B., 4=21120
- Naniwada, R. See Ito, K., 3=19350
- Nankivell, J.F. Minimum differences in height detectable in electron stereomicroscopy, 2=4513
- Nankivell, J.F. Stereoscopic viewing of metal foils in the electron microscope, 2=4514
- Nankivell, J.F. The theory of electron stereo microscopy, 3=14657
- Nankivell, J.F. See Curcio, P., 2=11718
- Nanney, C. Infrared absorptance of single-crystal antimony and bismuth, 3=4970
- Nanney, C. An explanation for the "new effect in the magnetoresistance of antimony", 3=6563
- Nanni, L.F. See Slade, J.J., Jr., 0=8191
- Nannichi, Y. Formation of silicon whiskers on a sublimating surface, 4=4558
- Nannichi, Y. Sublimation rate of silicon in high vacuum, 4=5476
- Nannichi, Y. Epitaxial growth of silicon by vacuum sublimation, 4=17796
- Nannichi, Y. On the polarization of light from the GaAs diode laser, 4=24916
- Nannichi, Y. On the forward V-I characteristics of the GaAs laser diode, 4=24917
- Naono, T. Spherulitic crystallization of polyethylene, 1=14972
- Napel, E.W.T. See De Boer, Th.J., 3=19603
- Naphtali, L.M. Complex chemical equilibria by minimizing free energy, 0=747
- Naphtali, L.M. and Polinski, L.M. A novel technique for characterization of adsorption rates on heterogeneous surfaces, 3=20936
- Napier, D. H. See Collins, R. H., 4=27235
- Napoli, G. See Fasoli, U., 4=26584
- Napoli, L.S. and Swartz, G.A. Wave propagation in a tubular plasma, 3=19257
- Napoli, L.S. See Swartz, G.A., 4=16510
- Napolitano, L.G. On turbulent magneto-fluid dynamic boundary layers, 1=5550
- Napolitano, L.G. Thermodynamics of doubly reacting gas mixtures, 4=2144
- Napolitano, L.G. On some new classes of thermodynamic potentials for reacting gas mixtures, 4=7739
- Napolitano, L.G. See Monti, R., 3=24271
- Napper, D.H. and Ottewill, R.H. Studies on the higher order Tyndall spectra of monodisperse silver bromide sols, 3=13629
- Napper, D. H. and Ottewill, R. H. Studies on the light scattering of silver bromide particles, 4=2855
- Napper, D.H. and Ottewill, R.H. Light scattering studies of monodisperse silver bromide sols, 4=15852
- Naqib, I. and McDaniels, D.K. Kinematic effects in target thickness calculations, 1=7111
- Naqvi, A.M. Energy levels of P XII, 0=2709
- Naqvi, M.A. and Saifuddin. Hartree-Fock theory for a semi-infinite medium, 3=10434
- Naqvi, A.M. and Tandon, J.N. The identification of radio stars, 0=3409
- Naqvi, J.H. A note on the deuteron magnetic moment, 2=20437
- Naqvi, J.H. See Mitra, A.N., 1=13414
- Naqvi, M.A. See Edwards, S.F., 1=5688
- Naqvi, S.I.H. Operating characteristics of a sum-coincidence spectrometer, 3=576
- Naqvi, S.I.H. and Hogg, B.G. Some gamma-ray cascaded in  $Rh^{103}$ ,  $Ce^{140}$ , and  $Dy^{160}$ , 2=22276
- Nara, H. See Morita, A., 3=2869
- Naraba, T. See Nishioka, A., 1=9154
- Narahari Rao, K., Brim, W.W. and Hoffman, J.M. Wavelength calibrations in infrared. III.  $\nu_4$  of HCN at 14 microns, 0=4198
- Narahari Rao, K., Brim, W.W., Hoffman, J.M., Jones, L.H. and McDowell, R.S.  $\nu_2$  and  $\nu_4$  bands of the  $NT_3$  molecule, 2=6163
- Narahari Rao, K., Brim, W.W., Sinnett, V.L. and Wilson, R.H. Wavelength calibrations in the infrared. IV. Use of a 1000-lines-per-inch Bausch and Lomb plane replica grating, 2=17619
- Narahari Rao, K., de Vore, R.V. and Plyler, E.K. Wavelength calibrations in the far infrared (30 to 1000 microns), 3=24019



- Narahari Rao, K. and Fraley, P. E. Six-meter focal length Ebert-type infrared spectrograph. II. Precision of measurements, 4=2834
- Narahari Rao, K. and Nielsen, H. H. Six-meter focal length Ebert-type infrared spectrograph. I. Details of the spectrograph, 4=2833
- Narahari Rao, K. See Brim, W. W., 1=829
- Narahari Rao, K. See Edse, R., 3=10504
- Narahari Rao, K. See Fraley, P. E., 3=6404
- Narahari Rao, K. See Garing, J. S., 0=5934
- Narahari Rao, K. See Hoffman, J. M., 0=13440
- Narahari Rao, K. See Jackson, D. A., 3=11934
- Narahari Rao, K. See Jones, L. H., 4=6576
- Narahari Rao, K. See Spanbauer, R., 4=8406
- Narain Tandon, J. A note on the oscillations of an infinite cylinder subject to radial magnetic field, 0=3840
- Naranan, S., Raghavan, R., Ramanamurthy, P. V., Sreekantan, B. V. and Subramanian, A. Cloud chamber evidence for the presence of simultaneous high energy nuclear-active particles at mountain altitudes, 0=15467
- Naranan, S. See Chatterjee, B. K., 1=5805
- Naranan, S. See Chatterjee, B. K., 1=8528
- Naranan, S. See Chatterjee, B. K., 3=4508
- Naranan, S. See Chatterjee, B. K., 3=4510
- Naranan, S. See Hasegawa, H., 3=4496
- Naraoka, K. See Kotera, Y., 0=6209
- Narasimban, P. T. and Rogers, M. T. Proton nuclear magnetic shielding and the diamagnetic anisotropy of C—C and C—H bonds in propane, 0=2745
- Narasimha, R. Nearly free molecular flow through an orifice, 0=14675
- Narasimha, R. See Liepmann, H. W., 3=1754
- Narasimha Rao, D. V. G. L. Calculations of the dipole moments of trisubstituted benzenes. — 1, 2, 3-, 1, 2, 4- and 1, 3, 5-substitutions, 0=5987
- Narasimha Rao, D. V. G. L. Calculations of the nuclear quadrupole coupling constant for  $I_2$ , 0=15758
- Narasimha Rao, D. V. G. L. and Gordy, W. Electron spin resonance of an irradiated single crystal of urea oxalate, 1=11488
- Narasimha Rao, D. V. G. L. and Gordy, W. E.S.R. spectra of a gamma-irradiated single crystal of DL-serine, 1=14800
- Narasimha Rao, D. V. G. L. and Gordy, W. Electron spin resonance of an irradiated single crystal of deuterated DL-tartaric acid, 2=6691
- Narasimha Rao, D. V. G. L. and Katayama, M. Electron spin resonance of an irradiated single crystal of N-carbamyl glycine, 2=18942
- Narasimha Rao, D. V. G. L. and Narasimhamurthy, A. Calculations of electric field gradients and g factors for a single crystal of paramagnetic  $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$ , 4=3958
- Narasimhaiah, H. and Pool, M. L. Radioactive decay of  $\text{Tm}^{167}$ , 1=3428
- Narasimhan, A. V. and Karmohapatro, S. B. Sputtering of silver by ions of noble gases, 4=4105
- Narasimham, K. V. Force constants of the uranyl ion by Wilson's F-G matrix method, 1=13983
- Narasimham, K. V. Infrared spectra of uranyl phosphate, oxalate, and salicylate in the solid state, 1=14599
- Narasimham, K. V. Fluorescence spectra of some uranyl salts, 1=14638
- Narasimham, K. V. Absorption spectra of uranyl acetate and nitrate, 3=8282
- Narasimham, K. V. Electronic absorption spectra of uranyl phosphate and oxalate, 4=1756
- Narasimham, K. V. Absorption spectra of uranyl halides, 4=10198
- Narasimham, M. A. See Ramer, C. E., 4=22644
- Narasimham, N. A. The emission spectrum of  $\text{S}_2$  molecule, 4=25663
- Narasimham, N. A. and Brody, J. K. On the fine structure of the ultra-violet bands of  $\text{S}_2$ , 4=28201
- Narasimham, N. A. and Srikameswaran, K. The  $\beta$ - and  $\gamma$ -band systems of  $^{14}\text{NS}$  and  $^{16}\text{NS}$ , 3=10519
- Narasimham, N. A. and Srikameswaran, K. A new  $^2\Sigma-X^2\Pi$  system in the spectrum of  $\text{NS}$ , 3=10520
- Narasimham, N. A. and Srikameswaran, K. A new  $^3\Pi-X^2\Pi$  band system of nitrogen sulphide, 3=12816
- Narasimham, N. A. and Srikameswaran, K. A new  $^2\Pi-X^2\Pi$  band system of  $\text{NS}$ , 4=25659
- Narasimham, V. L. Energy levels of  $\text{Cl}^{34}$  with realistic potentials, 2=13985
- Narasimham, V. L., Shah, S. K. and Pandya, S. P. Separable non-local interactions in nuclei, 2=18225
- Narasimham, V. L. See Mitra, A. N., 0=4015
- Narasimham, V. S. See Miyake, S., 2=12077
- Narasimham, V. S. See Miyake, S., 4=21974
- Narasimham, V. S. See Miyake, S., 4=21975
- Narasimhamurthy, A. and Premaswarup, D. Estimation of crystalline electric field and evaluation of g factors, 3=15410
- Narasimhamurthy, A. and Premaswarup, D. Structure of copper ammonium chloride dihydrate from electron paramagnetic resonance studies, 4=10319
- Narasimhamurthy, T. S. See Jacob, P. J., 3=916
- Narasimhamurthy, A. Electron paramagnetic resonance in single crystals. I. Anisotropy studies on ferric ammonium sulphate, 3=25565
- Narasimhamurthy, A. Electron paramagnetic resonance in single crystals. II. Manganese acetate and manganese sulphate, 3=25566
- Narasimhamurthy, A. Electron paramagnetic resonance in single crystals. IV. Copper ammonium chloride dihydrate, 4=20589
- Narasimhamurthy, A. See Narasimha Rao, D. V. G. L., 4=3958
- Narasimhamurthy, T. S. Photoelastic behavior of rubidium halides, 1=12482
- Narasimhamurthy, T. S. and Ziauddin, M. Birefringent compensator for studying very small changes in double refraction, 1=10607
- Narasimhamurthy, T. S. Ultrasonic methods of determining elasto-optic constants of uniaxial and biaxial crystals, 2=10575
- Narasimhamurthy, T. S. See Ziauddin, M., 4=17549
- Narasimhan, M. N. L. Pulsating magnetohydrodynamic flow superposed on the steady laminar motion of an incompressible viscous fluid in an annular channel, 4=11770
- Narasimhan, P. T. and Rogers, M. T. Signs of the proton spin-spin coupling constants in pure ethyl alcohol, 0=4226
- Narasimhan, P. T. and Rogers, M. T. Relative signs of the mercury-proton spin-spin coupling constants in mercury diethyl, 0=4228
- Narasimhan, P. T. and Rogers, M. T. Nuclear magnetic resonance spectra of systems of the  $\text{A}_3\text{B}_2\text{C}$  type: Proton magnetic resonance spectra and the absolute signs of the proton-proton spin coupling constants in ethyl acetylene and ethyl mercaptan, 0=17783
- Narasimhan, P. T. and Rogers, M. T. Proton magnetic resonance spectra of compounds of the type  $\text{X}(\text{C}_2\text{H}_5)_n$ . Relative signs of the X—H spin coupling constants, 1=6047
- Narasimhan, R. See McCormick, B. H., 3=19521
- Narasimhan, V. and Bansal, G. D. Cosine error correction of selenium rectifier photocells, 4=18376
- Narasimhan, V. S. See Miyake, S., 2=12074
- Narasimha Rao, B. C. Some characteristic features of the equatorial ionosphere and the location of the F-region equator, 4=2302
- Narasimha Rao, B. C. The postsunset rise of  $f_oF_2$  in the transition region and its dependence on the postsunset rise of  $h'F$  in the equatorial region, 4=2303
- Narasimha Rao, B. C. See Mitra, S. N., 0=18498
- Narasimha Rao, B. C. See Mitra, A. P., 4=23809
- Narasimha Rao, K. V. and Goldstein, L. Gyro-interaction of microwaves in magneto plasmas in noble gases, 4=18878
- Narasimha Rao, K. V. and Goldstein, L. Gyro-interaction of microwaves in magneto plasmas in atmospheric gases, 4=18879
- Narasimha Rao, K. V., Verdeyen, J. T. and Goldstein, L. Interaction of microwaves in gaseous plasmas immersed in magnetic fields, 2=5340
- Narath, A. Nuclear magnetic resonance of  $\text{Cr}^{53}$  in antiferromagnetic  $\text{CrCl}_3$ , 2=4283
- Narath, A. Low-temperature sublattice magnetization of antiferromagnetic  $\text{CrCl}_3$ , 3=15552
- Narath, A. Nuclear magnetic resonance studies in antiferromagnetic  $\text{CrCl}_3$ , 4=13341
- Narath, A. Chlorine nuclear quadrupole resonance in paramagnetic  $\text{FeCl}_3$ , 4=17703
- Narath, A. and Gwinn, W. D. Phase stabilized klystron system and its application to microwave spectroscopy and microwave frequency standards, 2=3176
- Narath, A. and Heimann, G. The preparation of nuclear emulsions from dilute solutions, 0=12740
- Narath, A. and Heimann, G. Investigations on the preparation of nuclear track emulsions, 1=9712
- Narath, A., O'Sullivan, W. J., Robinson, W. A. and Simmons, W. W. Low frequency superregenerative oscillator design for the detection of broad-line nuclear magnetic resonance, 4=14918
- Narath, A. and Schimmel, G. Photographic resolving power as a function of emulsion thickness and lens aperture, 0=12504



- Narath, A. and Wallace, D.C. Nuclear magnetic resonance in cubic sodium tungsten bronzes, 2=18968
- Narath, A. See Davis, H.L., 4=15645
- Narath, A. See Flygare, W.H., 2=1993
- Narath, A. See Morosin, B., 4=17808
- Naray, Z. Application of delayed feedback in electronic circuits, 0=5248
- Náray, Z. and Tóth, M. The reflection of light on transparent photocathodes, 0=5130
- Naray, Z. and Varga, P. Production of light pulses of nano-second rise time and duration by means of gas-discharge
- Náray, Z. See Jánosy, L., 0=6942
- Náray, Z. See Janossy, L., 2=11461
- Náray-Szabó, I. Relation between the structure and physical properties of glasses. I, 0=18380
- Náray-Szabó, I. Relation between the structure and physical properties of glasses. II, 0=18381
- Náray-Szabó, I. Relation between the structure and physical properties of glass. III. Thermal expansion of glass, 1=2543
- Náray-Szabó, I. and Ladik, J. Strength of silica glass, 0=21137
- Náray-Szabó, I. and Ladik, J. Relation between the structure and physical properties of glass. IV. Strength of glass, 1=2544
- Narayan, D.S. and Sarma, K.V.L. On the distribution of transverse momenta and its connection with elastic scattering at high energies, 3=22082
- Narayan, D.S. and Sarma, K.V.L. Deuteron production in proton-nucleus collisions at high energies, 4=12229
- Narayan, D.S. and Yodh, G.B. On the N-component in extensive air showers, 0=15472
- Narayana, B.L. Relaxation times of some alcohols and esters, 0=19144
- Narayana, B.L. A new relation between the Cole-Cole distribution parameter  $[\alpha]$  and temperature, 1=4352
- Narayana, J.V. Magnetic field of the planet Venus, 1=15426
- Narayana, J.V. See Das, A.K., 0=20268
- Narayana, K.L. and Santhamma, C. On nuclear quadrupole coupling constants of chlorine isotopes and dipole moment of BrCl molecule, 3=25141
- Narayana Rao, D.A.A.S. Atomic polarization and infra-red absorption, 3=12809
- Narayana Rao, G.L. and Ramachandra Rao, B. World wide study of horizontal drift and anisotropy of ionospheric irregularities in the E-region, 4=4812
- Narayana Rao, G.L. and Ramachandra Rao, B. World wide study of apparent horizontal movements in F2-region of the ionosphere, 4=13853
- Narayana Rao, M. Directional correlation measurements in xenon-132, 2=16336
- Narayana Rao, M. See Jha, S., 1=663
- Narayana Rao, V. An instrument for measuring small changes in the velocity of sound in the sea, 3=13651
- Narayanan, P.S. and Vadam, K. Raman spectrum of strontium titanate, 1=12500
- Narayanan, P.S. See Krishnan, R.S., 3=23065
- Narayanan, P.S. See Krishnan, R.S., 4=22907
- Narayanan, P.S. See Sankaranarayanan, S., 3=6389
- Narayanan, P.S. See Sankaranarayanan, S., 4=28182
- Narayanan, T.K.S. See Saxena, S.C., 2=19584
- Narayanaswami, V. and Kaparthi, R. Studies on heat transfer to liquids in packed beds, 4=24408
- Narayanaswamy, P. and Pande, L.K. Low-energy  $\pi$ -N scattering in the state  $P_{1/2}$ ,  $T = \frac{3}{2}$ , 4=25146
- Narayanaswamy, P. See Mitra, A.N., 1=2081
- Narbut, T.P. See Geguzin, Ya.E., 1=4024
- Narbutt, K.I. Fluorescence X-ray microanalyzer, 3=23560
- Narbutt, K.I., Barinskii, R.L. and Smirnova, I.S. X-ray fluorescence analysis with a nuclear source of primary irradiation, 0=8343
- Narbutt, K.I., Barinskii, R.L. and Smirnova, I.S. Nuclear X-ray generator for fluorescent analysis, 2=17108
- Narbutt, K.I., Fridman, E.M. and Nikolaenko, G.M. Constant vacuum X-ray tube for a long wavelength X-ray spectrometer, 3=4235
- Narbutt, K.I. and Laputina, I.P. On the feasibility of determining the degree of oxidation of uranium from X-ray emission spectra, 3=23558
- Nardella, W.R. See Gorman, J.K., 2=12457
- Nardelli, G. and Repanai, A. Preliminary results on the creation energy of a vacancy in solid argon, 0=9905
- Nardelli, G. See Belletti, S., 2=18284
- Nardelli, G. See Manduchi, C., 2=3201
- Nardelli, G. See Manduchi, C., 4=19727
- Nardelli, G.C. See Drigo, L., 4=19766
- Nardelli, G.C. See Manduchi, C., 4=19513
- Nardelli, G.C. See Manduchi, C., 4=19767
- Nardelli, G.C. See Manduchi, C., 4=25351
- Nardelli, G.F. Influence of local irregularities on lattice vibrations, 4=28341
- Nardelli, G.F. and Chiarotti, A.R. Equilibrium thermodynamic properties of a vacancy in a f.c.c. lattice with central interaction, 1=6104
- Nardelli, G.F. and Terzi, N. Vibrational properties of a vacancy in Born-von Kármán f.c.c. lattices, 4=28347
- Nardelli, G.F. and Tettamanzi, N. Dynamics of cubic crystals with a local change of mass, 2=12372
- Nardelli, G.F. See Boata, G., 4=17436
- Nardelli, G.F. See Chiarotti, G., 4=9947
- Nardelli, G.F. See de Micheli, R., 3=23248
- Nardelli, G.F. See De Micheli, R., 3=23269
- Nardelli, G.F. See Fieschi, R., 1=11223
- Nardelli, M. and Fava, G. Deduction of thermal anisotropy parameters from the electron density distribution, 1=15064
- Nardelli, M. See Cavalca, L., 0=3218
- Nardelli, M. See Cavalca, L., 0=6367
- Nardi, E., and Yatsis S. Temperature dependence and decay times of  $\text{Eu}^{3+}$  emission lines in Eu dibenzoylmethane, 3=3061
- Nardi, E. See Kalish, Y., 4=21828
- Nardi, E. See Pasternak, M., 4=27971
- Nardi, V. Crystallization kinetics in polyvinylchloride and thermoelastic relaxation induced by ultrasonics, 2=833
- Nardi, V., Pisent, G. and Mammi, M. Crystallite growth induced by ultrasonics and irreversible processes in a long-chain polymer (p.v.c.), 3=13419
- Nardini, G. See Nencetti, G., 4=22267
- Nardini, R. Particular oscillating fields in the magnetohydrodynamics of a viscous fluid, 2=9693
- Nardone, M.C. See Breene, R.G., Jr., 0=20587
- Nardone, M.C. See Breene, R.G., Jr., 1=11069
- Nardone, M.C. See Breene, R.G., Jr., 3=1732
- Nardone, M.C. See Breene, R.G., Jr., 3=17531
- Nardoza, V.J. See Gerson, N.C., 3=12327
- Nariai, H. On the invariant spatial distance in a curved space-time with spherical symmetry, 2=11267
- Nariai, H. Model-universes in Hoyle's cosmology, 4=30963
- Nariai, H. and Kimura, T. On the canonical formalism of the gravitational field in the expanding universe, 3=39
- Nariai, H. and Kimura, T. Quantization of the gravitational field in the expanding universe, 3=11503
- Nariai, H. and Kimura, T. Electrodynamics in the expanding universe, 3=21085
- Nariai, H. and Kimura, T. Quantum theory of fields in an expanding space. I, 4=27742
- Nariai, H. and Ueno, Y. On a new approach to cosmology, 0=14379
- Nariai, H. and Ueno, Y. On the tests of gravitational theories in terms of an artificial satellite, 0=14494
- Nariai, H. and Ueno, Y. On a new approach to cosmology. II. The problem of local gravitation, 1=2592
- Nariai, H. and Ueno, Y. On the concept of regredation in general relativity, 1=10413
- Nariai, H. and Ueno, Y. On some peculiar role of the cosmological constant in the general theory of relativity and in the Schrödinger theory of non-symmetric field, 1=10414
- Nariai, H. and Ueno, Y. On the invariant spatial distance in a curved space-time with spherical symmetry. II. The problem of the allowable mean value for the distances among several observers, 2=19390
- Nariai, K. Atmospheres of white dwarfs, 3=5265
- Narin, F. and Langford, D. Analytic solutions for transient temperature distributions in two-region nuclear reactor fuel elements, 1=773
- Narita, K. Energy spectrum of  $\text{Mn}^{++}$  ion in calcium fluorophosphate. I, 1=12504
- Narita, K. Energy spectrum of  $\text{Mn}^{++}$  ion in calcium fluorophosphate. II, 3=13168
- Narita, K. and Kusumoto, H. Anisotropy of the g-factor of the  $\text{ZnS}$  A-centre at 77°K, 4=26443
- Narita, K. and Shimizu, T. Ground state energies of donors in Ge and Si, 2=14542
- Narita, K. and Uchiyama, Y. D.C. demagnetizing device with silicon controlled rectifiers, 4=14855
- Narita, K. See Kusumoto, H., 4=10333
- Narita, S. Electroluminescence in zinc sulfide single crystals, 1=7729



- Narita, S., Ichinohe, S. and Enomoto, S. Infrared spectra of vinyl chloride and vinyl chloride- $d_3$ , 0=2764
- NarI Chow Hung and Wilson, D.J. Anharmonic effects in uni-molecular rate theory. Dynamics of a rotating anharmonic triatomic molecule, 3=10489
- Narlikar, A.V. and Dew-Hughes, D. X-ray microscopy and dislocation etching compared, 4=4051
- Narlikar, A.V. and Dew-Hughes, D. The effect of dislocation configuration on the superconducting properties of niobium and vanadium, 4=27426
- Narlikar, J.V. Neutrinos and the arrow of time in cosmology, 3=3534
- Narlikar, J.V. Newtonian universes with shear and rotation, 3=25969
- Narlikar, J.V. See Hoyle, F., 2=2555
- Narlikar, J.V. See Hoyle, F., 2=15296
- Narlikar, J.V. See Hoyle, F., 3=5235
- Narlikar, J.V. See Hoyle, F., 3=9254
- Narlikar, J.V. See Hoyle, F., 3=11502
- Narlikar, J.V. See Hoyle, F., 4=7950
- Narlikar, J.V. See Hoyle, F., 4=17963
- Narlikar, V.V. A brief survey of some problems in gravitation. II, 0=4930
- Narlikar, V.V. and Rao, B.R. The equations of motion of particles in the unified field theory of Einstein (1953), 0=2096
- Narlikar, V.V. and Rao, B.R. The problem of motion in general relativity, 0=2105
- Narovskaya, N.P. Magnetic anisotropy and crystal structure of a single crystal of magnetite at temperatures below the phase transition, 0=13771
- Narsimhan, G. Temperature dependence of latent heat of vaporization, 4=11415
- Narten, A. Fractionation of nitrogen isotopes between nitrosonium salt solutions and nitrogen oxides, 1=5985
- Narten, A. Separation factors in multicomponent mixtures of isotopes, 1=12268
- Narten, A. Thermodynamic effects of mixing light and heavy water, 4=29204
- Nartov, S.V. See Makarov, Yu.V., 4=8312
- Narud, J.A. See Hamilton, D.J., 4=26086
- Narumi, H. A method of constructing spin functions and generalized character operators [in many-particle systems], 0=15302
- Narumi, H. and Matsuo, S. Note on a theory of nuclear fusion reactions in low temperature, 0=15611
- Narumi, H. and Matsuo, S. On the possible existence of electric dipole moments of the proton and the electron, 1=3180
- Narumi, H. and Matsuo, S. Non-adiabatic effects on the bound states of the  $\mu$ -mesonic proton-deuteron system, 1=14140
- Narumi, H. and Matsuo, S. Nuclear finite size effects on the internal conversion in the  $\mu$ -mesonic  $He^3$  atom, 1=19615
- Narumi, H. and Matsuo, S. A remark on rotational transforms in a Stellarator, 2=13576
- Narumi, H. and Nagai, H. Electric and magnetic moments of odd-neutron nuclei on the single configuration model, 0=11301
- Narumi, H., Watanabe, T., Kato, Y. and Saika, A. Evaluations of nuclear quadrupole coupling integrals. II, 0=20332
- Narumi, H., Watanabe, T. and Nakahara, O. Re-evaluation of the electric quadrupole moment of the deuteron, 0=13071
- Narumi, H., Watanabe, T., Nakahara, O. and Kato, Y. Evaluations of nuclear quadrupole coupling integrals, 0=20331
- Narumi, H. See Matsuo, S., 2=5333
- Narumi, H. See Saika, A., 4=28264
- Naruoka, M. and Omura, H. Digital computer analysis of influence coefficients for deflection and bending moment of orthotropic parallelogram plates, 1=93
- Naruse, Y. See Nagata, S., 1=121
- Naryadchikov, D.I., Grishina, A.D. and Bakh, N.A. Recording of e.p.r. spectra during irradiation with X-rays, 3=4280
- Naryshkina, L.G. The energy loss by a charged particle in a medium as the result of emission of longitudinal waves, 3=2238
- Naryshkina, L.G. Radiation from charges moving in a dielectric layer, 4=19189
- Naryshkina, L.G. and Barsukov, K.A. Radiation of an oscillator moving in a waveguide, 3=24477
- Näsänen, R. See Hovi, V., 0=16764
- Nascimento, I.C., Moscati, G. and Goldemberg, J. Systematics of  $(\gamma, 2n)$  reactions, 1=4857
- Nasedkin, Yu.F. Study of a ring discharge in a transverse magnetic field, 1=7040
- Nasedkin, Yu.F. and Osovets, S.M. Investigation of a powerful ring gas discharge when there is an equilibrium orbit, 1=7036
- Nasedkin, Yu.F. and Pavlov, E.I. The effect of the magnetic field shape on a ring gas discharge, 1=7035
- Nash, A.E. See Gorbics, S.G., 3=22338
- Nash, C.P. and McMillan, W.G. On the mechanism of exploding wires, 1=10693
- Nash, C.P. and Olsen, C.W. Initial phase of the exploding wire phenomenon, 4=11556
- Nash, F.R. Size-dependent relaxation times at liquid helium temperatures, 1=14675
- Nash, G.F. Single excitations in mass-eight nuclei, 4=6183
- Nash, G.F. Dipole states in oxygen 16, 4=12136
- Nash, G.F. Excited states in mass-twelve nuclei, 4=19652
- Nash, G.F. Dipole excitations of P-Shell nuclei, 4=25280
- Nash, G.F. Excitations of mass 40 nuclei, 4=27965
- Nash, G.F. See Brink, D.M., 3=10253
- Nash, R.T. See Kraus, J.D., 1=8013
- Nash, T. Low-velocity gas-liquid impinger for the continuous estimation of sulphur dioxide and other atmospheric pollutants, 1=20782
- Nash, W.B. and Standley, K.J. The wall effect in ferri-magnetic resonance experiments, 1=1254
- Nash, W.B. and Standley, K.J. Ferrimagnetic resonance in polycrystalline nickel ferrite, 2=10690
- Nash, W.F. See Ashton, F., 0=9458
- Nash, W.F. See Ashton, F., 0=9477
- Nash, W.F. See Bennett, H.W., 0=15462
- Nash, W.F. See Bull, R.M., 2=11846
- Nash, W.F. See Bull, R.M., 2=11847
- Nash, W.F. See Bull, R.M., 2=13937
- Nash, W.F. See Bull, R.M., 4=21714
- Nash, W.F. See Coates, D.W., 3=2346
- Nash, W.F. See Cousins, J.E., 0=5377
- Nash, W.F. See Cousins, J.E., 2=7916
- Nash, W.F. See Cousins, J.E., 3=7882
- Nashel'skii, A.Ya. See Bogorodskii, O.V., 2=4467
- Nasini, A., Ricca, F. and Saini, G. Clean surfaces and sorption of gases, 1=18493
- Nasledov, D.N. Electrical properties of certain  $A^{III}B^V$  compounds, 0=18046
- Nasledov, D.N. Energy of spectrum and scattering of current carriers in gallium arsenide, 1=17730
- Nasledov, D.N. Electrical properties of crystals of some compounds of the  $A^{III}B^V$  type, 2=23390
- Nasledov, D.N. and Emel'yanenko, O.V. Electrical properties of n-type gallium arsenide at low temperatures, 3=10814
- Nasledov, D.N. and Fel'tin'sh, I.A. The electrical conductivity of gallium arsenoselenides at high temperatures, 0=15955
- Nasledov, D.N., Mamaev, S. and Emel'yanenko, O.V. Investigation of the thermoelectric power and magnetothermal effects of alloys in the  $CdSnAs_2-2InAs$  system, 3=17970
- Nasledov, D.N. and Popov, Yu.G. Photomagnetic effect in  $InSb$  at low temperatures, 4=7069
- Nasledov, D.N., Pronina, M.P. and Radautsan, S.I. Some optical properties of indium arsenoselenide and arsenotelluride solid solutions, 0=16057
- Nasledov, D.N., Pronina, M.P. and Smetannikova, Yu.A. Spectral distribution of photosensitivity in p-type indium antimonide, 0=16039
- Nasledov, D.N., Rogachev, A.A., Ryvkin, S.M., Khartsiev, V.E. and Tsarenkov, B.V. Structure of the intrinsic recombination radiation spectrum of gallium arsenide, 3=17990
- Nasledov, D.N., Rogachev, A.A., Ryvkin, S.M. and Tsarenkov, B.V. Recombination radiation in gallium arsenide, 2=21160
- Nasledov, D.N. and Slobodchikov, S.V. Electrical properties of n-type  $AlSb$ , 0=598
- Nasledov, D.N. and Slobodchikov, S.V. Photoconductivity of GaP, 3=15632
- Nasledov, D.N. and Slobodchikov, S.V. Electrical properties of GaP crystals, 3=17879
- Nasledov, D.N. and Smetannikova, Yu.S. The temperature dependence of the carrier lifetime in indium antimonide, 2=12529
- Nasledov, D.N. and Smetannikova, Yu.S. The temperature dependence of the carrier lifetime in indium antimonide, 2=14558
- Nasledov, D.N., Smirnova, N.N. and Tsarenkov, B.V. Point-contact gallium arsenide diodes, 0=15974
- Nasledov, D.N., Smirnova, N.N. and Tsarenkov, B.V. The temperature dependence of the principal parameters of GaAs point-contact diodes, 1=3777
- Nasledov, D.N. and Tsarenkov, B.V. Spectral characteristics of GaAs photocells, 0=9994



- Nasledov, D.N. and Tsarenkov, B.V. Electrical breakdown of p-n junctions in gallium arsenide, 3=20350
- Nasledov, D.N. See Agaev, Ya., 0=15943
- Nasledov, D.N. See Agaev, Ya., 1=11267
- Nasledov, D.N. See Burdukov, Yu.M., 1=12452
- Nasledov, D.N. See Dorin, V.A., 0=602
- Nasledov, D.N. See Emel'yanenko, O.V., 0=608
- Nasledov, D.N. See Emel'yanenko, O.V., 0=6124
- Nasledov, D.N. See Emel'yanenko, O.V., 0=13612
- Nasledov, D.N. See Emel'yanenko, O.V., 1=11266
- Nasledov, D.N. See Emel'yanenko, O.V., 1=14467
- Nasledov, D.N. See Emel'yanenko, O.V., 2=2164
- Nasledov, D.N. See Emel'yanenko, O.V., 2=18706
- Nasledov, D.N. See Galavanov, V.V., 1=19879
- Nasledov, D.N. See Galavanov, V.V., 2=8363
- Nasledov, D.N. See Galavanov, V.V., 4=7000
- Nasledov, D.N. See Goryunova, N.A., 4=30629
- Nasledov, D.N. See Gutkin, A.A., 2=18746
- Nasledov, D.N. See Gutkin, A.A., 2=23463
- Nasledov, D.N. See Gutkin, A.A., 3=17914
- Nasledov, D.N. See Gutkin, A.A., 3=20421
- Nasledov, D.N. See Gutkin, A.A., 4=28643
- Nasledov, D.N. See Kesamanly, F.P., 4=30622
- Nasledov, D.N. See Komolova, T.I., 2=10501
- Nasledov, D.N. See Lyan' Chzhi-chao [Lien Chih-ch'ao], 0=15958
- Nasledov, D.N. See Lyan' Chzhi-Chao., 1=11305
- Nasledov, D.N. See Lyan' Chzhi-Chao, 1=17737
- Nasledov, D.N. See Lyan' Chzhi-chao, 1=17739
- Nasledov, D.N. See Makhailova, M.P., 2=16757
- Nasledov, D.N. See Mamaev, S., 2=10486
- Nasledov, D.N. See Mikhailova, M.P., 2=23465
- Nasledov, D.N. See Mikhailova, M.P., 4=4159
- Nasledov, D.N. See Vinogradova, K.I., 0=1669
- Nasledov, D.N. See Vinogradova, K.I., 2=21151
- Nasledov, D.N. See Vinogradova, K.I., 3=2916
- Nasledov, D.N. See Vinogradova, K.I., 4=23341
- Nasledov, D.N. See Volokobinskaya, N.I., 0=609
- Nasledov, D.N. See Volokobinskaya, N.I., 0=15957
- Nasledov, D.N. See Volokobinskaya, N.I., 3=25367
- Nasledov, D.N. See Voronkova, N.M., 4=10127
- Nasledov, D.N. See Zolotarev, V.F., 2=4036
- Nasledov, D.N. See Zolotarev, V.F., 2=6466
- Nasledov, D.N. See Zolotarev, V.F., 2=8488
- Nasledov, D.N. See Zolotarev, V.F., 2=10577
- Nasledov, D.N. See Zolotarev, V.F., 2=16725
- Nasledov, D.N. See Zolotarev, V.F., 2=18708
- Nasledov, D.N. See Zolotarev, V.F., 2=23480
- Nasledov, D.N. See Zolotarev, V.F., 3=6638
- Nasledov, D.N. See Zolotarev, V.F., 3=17881
- Nasledov, D.N. See Zotova, N.V., 0=6123
- Nasledov, D.N. See Zotova, N.V., 2=16724
- Nasledov, D.N. See Zotova, N.V., 2=18707
- Nasledov, D.N. See Zotova, N.V., 4=10057
- Nasr, A. A., Sherif, I. I. and Ammar, A. S. Pressure dependence of accommodation coefficients, 4=27218
- Nassau, J.J. and Stephenson, C.B. Classification of spectra from objective-prism plates which include the ultraviolet region, 0=14462
- Nassau, J.J. and Stephenson, C.B. Spectral classifications for new or unclassified emission-line, carbon and S, long-period variable, and double stars, 1=8004
- Nassau, J.J. and Stephenson, C.B. A survey of stars of high luminosity in the northern Milky Way, 2=13155
- Nassau, J.J., Stephenson, C.B. and Caprioli, G. Spectral classification for new or unclassified late-type variables, emission-line stars, S stars, and planetary nebulae, 4=23859
- Nassau, J.J. and Velghe, A.G. Objective prism spectra in the near infrared, 4=10831
- Nassau, K. Application of the Czochralski method to divalent metal fluorides, 1=14990
- Nassau, K. Calcium tungstate. IV. The theory of coupled substitution, 4=15475
- Nassau, K. Effect of growth parameters on the threshold of  $\text{CaWO}_4$ :Nd crystals, 4=19308
- Nassau, K. and Broyer, A.M. Calcium tungstate: Czochralski growth, perfection and substitution, 2=23820
- Nassau, K., Cherry, L.V. and Wallace, W.E. Intermetallic compounds between lanthanons and transition metals of the first long period. I. Preparation, existence and structural studies, 1=7877
- Nassau, K., Cherry, L.V. and Wallace, W.E. Intermetallic compounds between lanthanons and transition metals of the first long period. II. Ferrimagnetism of AB<sub>2</sub> cobalt compounds, 1=9041
- Nassau, K. and Loiacono, G.M. Calcium tungstate. III. Trivalent rare earth substitution, 4=15474
- Nassau, K. and van Uitert, L.G. Preparation of large calcium-tungstate crystals containing paramagnetic ions for maser applications, 0=18310
- Nassau, K. See Johnson, L.F., 2=12588
- Nassau, K. See Levinstein, H.J., 4=6838
- Nassau, K. See Mims, W.B., 1=14792
- Nassau, K. See Yariv, A., 2=18815
- Nassef, A. and El-Sherbini, M. Time-variations of the mesonic component of cosmic radiation, 0=20297
- Nassef, M. H. See El-Behay, A. Z., 4=28057
- Nassenstein, H. Electrical control of the critical angle of total reflection, 2=88
- Nassenstein, H. Application of the boundary layer optical effect to image conversion and intensification, 2=9383
- Nassenstein, H. A new process for the electrochemical [electrical] control of light, 2=11463
- Nassenstein, H. Reflection and interference of light at electrochemical boundary layers, 3=11933
- Nassenstein, H. Total reflection at electrochemical boundary layers, 4=2160
- Nasser, E. The spatial development of the discharge from a positive point in nonuniform fields in atmospheric air, 0=245
- Nasser, E. Temporal development of the discharge from a positive point in nonuniform fields in atmospheric air, 0=246
- Nasser, E. Ionizing potential wave in spark breakdown, 3=9760
- Nasser, E. The nature of negative streamers in spark breakdown, 4=5584
- Nasser, E. Production of a spark discharge, 4=8658
- Nasser, E. and Loeb, L. B. Impulse streamer branching from Lichtenberg figure studies, 4=2955
- Nassibian, G., Bennett, J.R.J., Broadbent, D., Devons, S., Hoisington, R.W.R. and Miller, V.E. A one-MeV/nucleon Sloan and Lawrence heavy-ion linear accelerator, 2=1532
- Nassiff, S.J. See Biavati, M.H., 2=5860
- Nassiff, S.J. See Mocorao, A.B., 2=18355
- Nassiff, S.J. See Vignau, H., 1=13847
- Nassimbeni, L.R., Prout, E.G. and Woods, G.S. The preparation of positive prints of X-ray diffraction negatives, 3=13435
- Nastoyashchii, A. F. Complex conductivity and the stability of ionized gases, 4=24643
- Nastyukha, A.I., Striganov, A.R., Afanas'ev, I.I., Mikhailov, L.N. and Oganov, M.N. Mass-spectrographic and spectroscopic studies of hydrogen discharge from an ion source, 1=16432
- Nastyukha, A. I. See Averin, V. G., 4=24683
- Nastyukha, A. I. See Kozachina, B. S., 4=14787
- Nastyukha, A.I. See Lobikov, E.A., 3=14541
- Nastyukha, A.I. See Lobikov, E.A., 3=21817
- Nastyukha, A.I. See Sokol'skii, V.V., 2=17796
- Nastyukha, A.I. See Zubov, Yu. G., 4=8790
- Nasuhoglu, R. and Ringo, G.R. Transmission measurements with cold neutrons in hydrogenous liquids, 0=3523
- Nasyrov, F. Specific ionization along the track of a fission fragment, 4=24955
- Nata, P. See Gallina, V., 2=13739
- Natadze, A.L. and Efros, A.L. Effect of mutual electron and phonon drag on the thermo-e.m.f. and the nernst effect [in degenerate semiconductors], 3=20290
- Nataf, R. Asymmetry of weak interactions, 0=9261
- Nataf, R. A note on present knowledge of the  $\beta$ -interaction, 0=9558
- Nataf, R. States of an isobaric pair, 0=15245
- Nataf, R. Renormalization of a strong nucleon, hyperon, K-meson interaction which does not conserve parity, 1=7197
- Nataf, R. and Cornille, H. Analytic properties of the S-matrix in potential scattering, relative to its coupling
- Natale, G. G. See Stern, R., 4=27272
- Natali, S. See Birge, R., 3=22192
- Natali, S. See Camerini, U., 0=381
- Natali, S. See Ely, R.P., 2=18173
- Natali, S. See Ely, R.P., 2=22613
- Natali, S.V. See Camerini, U., 2=22624
- Natanson, G.L. The theory of volume recombination of ions, 0=12591
- Natanson, G.L. Towards a theory of the charging of non-microscopic aerosol particles as a result of the capture of gaseous ions, 0=14976
- Natanson, I. See Mafuszyńska, K., 1=13815



- Natanson, L. See Maluszyńska, K., 2=12197
- Natapoff, M. Some physical aspects of electron-receiving-tube operation, 2=20023
- Natelson, M. See Shure, F., 4=12015
- Nath, A., Venkateswarlu, K. S. and Shankar, J. Kinetics of iso-thermal annealing of radiation damage in Szilard-Chalmers reaction with cobalt complexes. I. Tris-acetylacetone cobalt (III)—Section 1, 0=2837
- Nath, B. K. Response of astigmatic optical systems, 0=16819
- Nath, N., Rothman, M. A., Van Patter, D. M. and Mandeville, C. E. Inelastic neutron scattering in Nb<sup>93</sup>, 0=4121
- Nath, N., Rothman, M. A., van Patter, D. M. and Mandeville, C. E. Inelastic neutron scattering in Mn<sup>55</sup>, 0=5798
- Nath, N. See Gale, N. H., 3=22296
- Nath, N. See Gupta, J. B., 2=1896
- Nath, N. See Saha, N. K., 0=7492
- Nath, N. See Van Patter, D. M., 3=2466
- Nath, P., Shaw, G. L. and Iddings, C. K. The uncoupled phase method for interactions with hard cores, 4=11930
- Nath, R. See Mathur, V. S., 3=7862
- Nath, R. See Mathur, V. S., 4=12173
- Nathan, M. I. Current-voltage characteristics of germanium tunnel diodes, 2=10506
- Nathan, M. I. Anisotropy of the conductivity of n-type germanium at high electric fields, 3=15575
- Nathan, M. I. Recombination radiation and stimulated emission in GaAs, 4=3228
- Nathan, M. I. and Burns, G. Recombination radiation in GaAs, 3=4921
- Nathan, M. I. and Burns, G. Recombination radiation in GaAs by optical and electrical injection, 3=8617
- Nathan, M. I., Burns, G., Blum, S. E. and Marinace, J. C. Electroluminescence and photoluminescence of GaAs at 77° K, 4=4297
- Nathan, M. I., Dumke, W. P., Burns, G., Dill, F. H., Jr and Lasher, G. Stimulated emission of radiation from GaAs p-n junctions, 3=7735
- Nathan, M. I., Fowler, A. B. and Burns, G. Oscillations in GaAs spontaneous emission in Fabry-Perot cavities, 3=24523
- Nathan, M. I. and Marinace, J. C. Phonon and polaron interaction in germanium-gallium arsenide tunnel hetero-junctions, 3=6609
- Nathan, M. I. and Moss, S. H. Electron beam microanalysis of germanium tunnel diodes, 2=23427
- Nathan, M. I. and Paul, W. Effect of pressure on the energy levels of impurity in semiconductors. II. Gold in silicon, 2=23354
- Nathan, M. I. and Paul, W. The pressure dependence of tunneling in Esaki diodes, 2=23420
- Nathan, M. I., Paul, W. and Brooks, H. Interband scattering in n-type germanium, 1=14448
- Nathan, M. I. See Armstrong, J. A., 3=24515
- Nathan, M. I. See Burns, G., 3=14808
- Nathan, M. I. See Burns, G., 3=24519
- Nathan, M. I. See Burns, G., 4=5866
- Nathan, M. I. See Burns, G., 4=5870
- Nathan, M. I. See Burns, G., 4=14947
- Nathan, M. I. See Burns, G., 4=16702
- Nathan, M. I. See Burns, G., 4=30088
- Nathan, M. I. See Howard, W. E., 4=5871
- Nathan, M. I. See Koenig, S. H., 0=11689
- Nathan, M. I. See Michel, A. E., 4=5869
- Nathan, M. I. See Miller, S. L., 0=6104
- Nathan, M. I. See Smith, A. W., 4=14941
- Nathan, M. I. See Weiser, K., 4=24921
- Nathan, O. Multipole order of the 869 keV gamma ray in Sm<sup>152</sup>, 0=17548
- Nathan, O. Coulomb excitation of lead and bismuth with 20 MeV  $\alpha$ -particles, 2=8009
- Nathan, O. and Popov, V. I. Coulomb excitation with 14-20 MeV  $\alpha$ -particles: double excitations and systematics of vibrational states in the rare earth region, 1=4833
- Nathan, O. See Bertelsen, U., 1=10992
- Nathan, O. See Hansen, O., 3=12576
- Nathan, O. See Hansen, O., 2=1823
- Nathan, O. See Hansen, O., 2=20674
- Nathan, O. See Marklund, I., 0=7526
- Nathans, M. W. and Leider, M. Studies on bismuth alloys. I. Liquidus curves of the bismuth-copper, bismuth-silver, and bismuth-gold systems, 3=5554
- Nathans, R., Alperin, H. A., Pickart, S. J. and Brown, P. J. Measurement of the covalent spin distribution in manganous fluoride using polarized neutrons, 3=15736
- Nathans, R. and Pickart, S. J. Neutron magnetic scattering from F. C. C. iron alloys, 4=15628
- Nathans, R. and Pickart, S. J. Spin arrangements in metals, 4=17615
- Nathans, R., Pickart, S. J. and Alperin, H. A. Spin density distributions and Hartree-Fock calculations for the iron group series, 3=1103
- Nathans, R., Shull, C. G., Shirane, G. and Andresen, A. The use of polarized neutrons in determining the magnetic scattering by iron and nickel, 0=4492
- Nathans, R. See Alperin, H. A., 2=10684
- Nathans, R. See Alperin, H. A., 3=15896
- Nathans, R. See Komura, Y., 0=1915
- Nathans, R. See Komura, Y., 1=11561
- Nathans, R. See Pickart, S. J., 0=1797
- Nathans, R. See Pickart, S. J., 0=3043
- Nathans, R. See Pickart, S. J., 0=11828
- Nathans, R. See Pickart, S. J., 1=2467
- Nathans, R. See Pickart, S. J., 1=11448
- Nathans, R. See Pickart, S. J., 2=12729
- Nathans, R. See Pickart, S. J., 3=15859
- Nathans, R. See Pickart, S. J., 3=15860
- Nathans, R. See Pickart, S. J., 4=20552
- Nathans, R. See Pickart, S. J., 4=28814
- Nathans, R. See Pickart, S. J., 4=28859
- Nathans, R. See Shirane, G., 3=15733
- Nathans, R. See Shirane, G., 3=17632
- Nathans, R. See Shirane, G., 4=20544
- Nathans, R. See Will, G., 4=13182
- Nathans, R. See Will, G., 4=15660
- Nathanson, H. C. and Jordan, A. G. Voltage controlled minority carrier collection — the exponentially retrograded photo-diode, 3=13093
- Nathe, R., Schintmeister, J., Seidenfaden, H. and Weibrecht, R. Focusing properties of a short-lens  $\beta$ -spectrometer, 2=9636
- Nather, V. and Sangren, W. Codes for reactor computations, 2=3642
- Nation, J. A., Medhurst, D. and Twaites, S. W. Electrode and interaction processes in magnetohydrodynamic systems, 4=18665
- Nation, J. A. See Allen, J. E., 3=12169
- Nation, J. A. See Auer, P. L., 2=1431
- Nation, J. A. See Auer, P. L., 2=11652
- Nation, J. A. See Curzon, F. L., 0=19655
- Nation, J. A. See Latham, R., 0=15012
- Nation, J. A. See Latham, R., 0=19659
- Natkaniec, I. and Niewiadomski, T. Scintillation counter for low beta activity measurements in  $4\pi$  geometry, 4=12169
- Natsik, V. D. See Kosevich, A. M., 4=30561
- Natsume, H. See Takekoshi, E., 4=22076
- Natta, G. Precisely constructed polymers, 2=16574
- Natta, G. and Corradini, P. General considerations on the structure of crystalline polyhydrocarbons, 0=4668
- Natta, G. and Corradini, P. Structure and properties of isotactic polypropylene, 0=4669
- Natta, G. and Corradini, P. The crystal structure of cis, 1,4 polybutadiene, 0=4675
- Natta, G., Corradini, P. and Bassi, I. W. Crystal structure of isotactic poly-alpha-butene, 0=4670
- Natta, G., Corradini, P. and Bassi, I. W. Crystal structure of isotactic polystyrene, 0=4671
- Natta, G., Corradini, P. and Bassi, I. W. Crystal structure of poly-ortho-fluorostyrene, 0=4672
- Natterer, B. See Busch, G., 3=11027
- Natterer, B. See Busch, G., 4=28766
- Natterer, B. See Kneubühl, F. K., 2=10693
- Naudé, D. E. H. See Einhorn, H. D., 3=14354
- Naudin, F. See Thach Lan, T., 4=23566
- Naudin, F. See Zarzycki, J., 3=7206
- Naudin, F. See Zarzycki, J., 3=11796
- Naudin, F. See Zarzycki, J., 3=13158
- Naudin, F. See Zarzycki, J., 4=179
- Naudin, F. See Zarzycki, J., 4=5452
- Naudin, F. See Zarzycki, J., 4=16292
- Naudy, H. See Baranov, V., 4=15893
- Nauenberg, M. Extrapolation method to determine differential scattering cross sections of unstable particles, 1=456
- Nauenberg, M. Coupling constant for small binding energy in dispersion theory, 2=1665
- Nauenberg, M. A note on the theory of final state interactions, 3=10174
- Nauenberg, M. Note on the Electromagnetic current in SU<sub>3</sub> symmetry, 4=27796



- Nauenberg, M. and Nearing, J. C. Resonance poles near an inelastic two-particle threshold, 4=15027
- Nauenberg, M. and Pais, A. Correlations between cusps in differential cross sections and in polarizations, 1=10910
- Nauenberg, M. and Pais, A. Woolly cusps, 2=9802
- Nauenberg, M. and Pais, A. Remark on energy peaks in meson systems, 2=20390
- Nauenberg, M. See Ball, J. S., 3=562
- Nauenberg, M. See Bjorken, J. D., 1=3137
- Nauenberg, M. See Capps, R. H., 0=9406
- Nauenberg, M. See Gürsey, F., 4=25013
- Nauenberg, M. See Lee, T. D., 4=11067
- Nauenberg, M. See Lomon, E. L., 1=8454
- Nauenberg, U., Schmidt, P., Steinberger, J., Marateck, S., Plano, R. J., Blumenfeld, H. and Seidlitz, L.  $\beta$  decay of the  $\Sigma^+$  and  $\Sigma^-$  hyperons and the validity of the  $\Delta S = \Delta Q$  law, 4=25198
- Nauenberg, U. See Alff, C., 3=4432
- Nauenberg, U. See Alff, C., 3=4433
- Nauenberg, U. See Barshay, S., 4=15107
- Nauenberg, U. See Colley, D., 3=2322
- Naugle, J. E. and Kniffen, D. A. Flux and energy spectra of the protons in the inner Van Allen belt, 1=12701
- Naugle, J. E. and Kniffen, D. A. The flux and energy spectra of the protons in the inner van Allen belt, 2=15265
- Naugle, J. E. and Kniffen, D. A. Variations of the proton energy spectrum with position in the inner Van Allen belt, 4=2247
- Naugolnich, K. A. See Goldberg, Z. A., 4=14268
- Naugol'nikov, B. I. See R'ybakova, G. I., 1=2321
- Nauhol'nikov, B. I. See Morozov, V. P., 2=18446
- Naugolnykh, K. A. See Khokhlov, R. V., 4=27261
- Naugol'nykh, K. A. and Rozenberg, L. D. The optimum working conditions for a powerful [acoustic] concentrator, 1=4403
- Naugol'nykh, K. A. The problem of an expanding cylinder in a liquid, 3=107
- Naugolnykh, K. Compression wave surrounding an expanding sphere, 4=27246
- Naugol'nykh, K. A., Soluyan, S. I. and Khokhlov, R. V. Spherical waves of finite amplitude in a viscous thermally conducting medium, 4=278
- Naugol'nykh, K. A., Soluyan, S. I. and Khokhlov, R. V. Nonlinear interaction of sound waves in an absorbing medium, 4=5319
- Naugol'nykh, K. A. See Gol'dberg, Z. A., 4=272
- Naujoks, J. Speech transmission with the ear microphone, 0=3363
- Nault, Y. See Berger, J., 1=15192
- Naumann, H. Old and new designations for Schott glasses, 0=5156
- Naumann, H. R. and Schneider, H. Determination of the spin of the ground state of  $\text{Hg}^{203}$  by measurement of the transverse polarization of the K-conversion electrons following the  $\beta$ -transition, 4=6200
- Naumann, L. See Amato, G., 3=17135
- Naumann, R. See Kaufmann, C., 3=12375
- Naumann, R. A. See Diamond, R. M., 1=13752
- Naumann, R. A. See Graham, R. L., 2=10019
- Naumann, R. A. See Lewis, H. R., Jr., 4=17104
- Naumann, R. A. See Williams, D. C., 4=25359
- Naumann, R. J. Recent information gained from satellite orientation measurement, 2=11195
- Naumann, R. J., Fields, S. A. and Holland, R. L. Analysis of Explorer 11 orientation, 3=23716
- Naumann, R. J. See Lundquist, C. A., 3=9111
- Naumenko, Yu. P. Electron trajectories in the inverted magnetron, 3=21870
- Naumenkov, P. A. Use of a special low-voltage spark for determination of hard-to-excite elements, 3=25843
- Naumenkov, P. A. See Burakov, V. S., 4=21490
- Naumkin, O. P., Terekhova, V. F. and Savitskii, E. M. The anisotropy of the properties of scandium single crystals, 4=10143
- Naumkin, O. P. See Cherchernikov, V. I., 3=25508
- Naumkin, O. P. See Chechernikov, V. I., 4=1807
- Naumkin, O. P. See Savitskii, E. M., 4=1335
- Naumkina, N. I., Tartakovskii, B. D. and Efrussi, M. M. Experimental investigation of some vibration absorbing materials, 0=1013
- Naumkina, N. I., Tartakovskii, B. D. and Efrussi, M. M. A two-layer vibration-absorbing structure, 1=2804
- Naumov, A. F. See Berzina, I. G., 1=19819
- Naumov, A. I. Experimental investigation of the directivity of an ammonia molecular beam, 3=22615
- Naumov, A. I. Modulation method of detecting molecular beams, 3=25155
- Naumov, G. P. and Nikolaeva, O. V. The efficiency of direct conversion of solar radiation into electrical energy with the aid of a CdTe photocell, 2=8444
- Naumov, G. P. and Nikolaeva, O. V. The efficiency of direct conversion of solar radiation into electrical energy with the aid of a CdTe photocell, 2=14587
- Naumov, G. P. See Vodakov, Yu. A., 0=7937
- Naumov, G. P. See Vodakov, Yu. A., 0=11723
- Naumov, G. P. See Vodakov, Yu. A., 0=15948
- Naumov, S. S. See Gerasimov, F. M., 4=18424
- Naumov, V. A. The instrumental errors of a photographic zenith telescope and their investigation, 2=24071
- Naumov, V. A. See Broder, D. L., 2=14175
- Naumov, V. A. See Akishin, P. A., 0=15774
- Naumova, I. I. See Lbov, A. A., 2=867
- Naumova, I. I. See Mill', B. V., 3=18272
- Naumova, I. N. Calculation of stationary supersonic motion of air, 4=18229
- Naumovets, A. G. Desorption of potassium from tungsten in an electric field, 4=4675
- Naumovets, A. G. See Gavriluk, V. M., 4=7715
- Naumovets, A. G. See Morgulis, N. D., 0=15051
- Naumovets, A. G. See Morgulis, N. D., 0=21297
- Naumovets', A. H. Desorption of barium oxide molecules from tungsten in a strong electric field, 4=7722
- Naundorf, W. The possibilities of the introduction of heat insulating filters and cooled mirrors in projectors, 0=5151
- Naundorf, W. Use of heat filters and cold mirrors in projectors, 1=8216
- Naunton, R. F. See Butler, R. A., 2=24199
- Naunton, R. F. See Butler, R. A., 4=23965
- Naunton, R. F. See Elperin, B. S., 4=26993
- Naura, J. See Dunaitsev, A. F., 4=875
- Naurits, L. N. See Gukhman, A. A., 4=2867
- Nauta, E. and Perman, I. Increasing of sensitivity in copper spark method, 0=12122
- Nava, A. See Moreno y Moreno, A., 4=25215
- Nava, R., Azrt, R., Ciccarello, I. and Dransfeld, K. Hypersonic absorption in quartz at temperatures below 30° K, 4=17353
- Navalkar, M. P. See Ramanna, R., 0=3975
- Navarro, Q. O., Rasmussen, J. O. and Shirley, D. A. Preferential polar emission in the alpha decay of deformed  $\text{Cf}^{249}$  and  $\text{E}^{253}$ , 3=4608
- Navarro, Q. O. and Shirley, D. A. Nuclear orientation of  $\text{Dy}^{155}$  and  $\text{Dy}^{167}$ , 1=10958
- Navascués, F. and Tanarro, A. Portable transistorized gamma-radiation detector, 4=3377
- Navez, M. and Peyches, I. Study of the changes in the surface of a glass in the course of a polishing operation, 2=2417
- Navez, M. and Sella, C. Surface structure and internal structure of glass, 0=16339
- Navez, M. and Sella, C. Study of thin glass fibres and films, 0=18422
- Navez, M. and Sella, C. The study of the attack of glass by ionic bombardment, 3=17810
- Navez, M., Sella, C. and Chaperot, D. Study of the attack on glass by ionic bombardment, 2=4487
- Navez, M. See Legrand, C., 2=4477
- Navias, L. See Sears, G. W., 0=1057
- Navinšek, B., Požar, F. and Marinković, V. An ion bombardment apparatus with a high-frequency ion source, 3=9878
- Navrátil, E. The influence of the spin-orbital bond on direct photonuclear reactions ( $\gamma$ , n) and ( $\gamma$ , p), 3=4613
- Nawab, M. A. See Khadim, A. H. K., 3=109
- Nawata, S. Study on the anomaly of the Fraunhofer diffraction pattern by an Ebert optical arrangement, 2=2895
- Nawata, S. Complex degree of coherence in three-beam interference, 4=29767
- Nawijn, A. and Visser, M. P. Influence of precision of manufacturing of the aspherical corrector plates on the contrast transfer and resolving power of photographic objectives, 2=13471
- Nawijn, A. See Bouwers, A., 2=1288
- Nawrocki, P. J. Stress effects due to relativistic contraction, 3=1589
- Naya, R., Murakami, M. and Hirahara, E. Magnetic and electrical anomalies of iron telluride single crystals, 1=12531
- Naya, S. A general theory of inequalities based on a matrix of Karle and Hauptman's type, 2=10812
- Naya, S., Nitta, I. and Oda, T. On the statistical method of sign determination, 4=23366



- Naya, S., Nitta, I. and Oda, T. A study on the statistical method for determination of signs of structure factors, 4=23375
- Naya, S. See Oda, T., 1=20491
- Naya, S. See Syozi, I., 1=3885
- Naya, S. See Syozi, I., 1=11419
- Nayatani, Y. Calibration of the Donaldson colorimeter, 4=16202
- Nayatani, Y. and Kurioka, Y. Photometry of toroidal light source. I. Light distribution due to toroidal light source with finite thickness, 0=14785
- Nayatani, Y. and Wyszecski, G. Color of daylight from north sky, 3=11407
- Nayatani, Y. and Wyszecski, G. Color of fluorescent paints, 3=14307
- Nayatani, Y. See Kurioka, Y., 3=23997
- Naylor, J.L.[Ed.]. Advances in space technology, 3=16433
- Naylor, D. Primary cells, 1=267
- Naylor, D. A non-linear boundary value problem in hypersonic gas dynamics, 1=10529
- Naylor, M. See Langberg, E., 3=16780
- Naymovets, H. Study of self-desorption of residual gases from tungsten in an autoionic projector, 2=8887
- Nayroles, B. On the axioms and laws of force for a three-dimensional elastoplastic body, 2=15512
- Nayroles, B. Three-dimensional rheological model which takes into account structural hardening, 2=18989
- Nayroles, B. A development of elastic domains in structures, 3=13367
- Nayyar, N.K. Magnetogravitational instability of an infinite medium with finite electrical and thermal conductivity, 1=15610
- Nayyar, N.K. The stability of a gravitating cylinder with a pre-valent force free magnetic field, 2=20112
- Nayyar, N.K. and Murty, G.S. The stability of a dielectric liquid jet in the presence of a longitudinal electric field, 0=8618
- Nayyar, N.K. and Murty, G.S. The flattening of dielectric liquid drop in a uniform electric field, 1=132
- Nayyar, N.K. and Murty, G.S. The stability of an infinite gravitating cylinder of paramagnetic material in the presence of magnetic field, 1=5543
- Nayyar, N. K. and Trehan, S. K. Oscillations of a capillary jet of finite electrical conductivity in the presence of a uniform axial magnetic field, 4=5782
- Nayyar, N.K. See Auluck, F.C., 0=12687
- Nayyar, N.K. See Auluck, F.C., 1=16529
- Nayyar, N.K. See Auluck, F.C., 1=19001
- Nazarchuk, G.K. Accelerations in the tail of the Comet 1956h (Arend-Roland), 0=18730
- Nazarchuk, M.M. and Pol'skii, N.I. On the asymptotic behaviour of solutions of heat exchange problems, 0=5209
- Nazarenko, O.K. See Kucherenko, E.T., 0=1112
- Nazarenko, O.K. See Kucherenko, E.T., 1=12405
- Nazarenko, V.A. See Lobashev, V.M., 0=13200
- Nazarenko, V.A. See Lobashov, V.M., 1=13727
- Nazarenko, V.A. See Lobashov, V.M., 2=3526
- Nazarenko, V.A. See Lobashov, V.M., 2=10040
- Nazarenko, V.A. See Lobashov, V.M., 2=10048
- Nazarenko, V.A. See Lobashov, V.M., 3=2410
- Nazarenko, V.A. See Lobashov, V.M., 3=6203
- Nazarenko, V.A. See Lobashov, V.M., 3=6204
- Nazarenko, V.A. See Lobashov, V.M., 3=15085
- Nazarenko, V.A. See Sakharov, V.N., 0=4067
- Nazarenko, V.A. See Sakharov, V.N., 2=1675
- Nazarewicz, W., Rolland, P. da Silva, E. and Balkanski, M. Abac chart for fast calculation of the absorption and reflection coefficients, 2=17583
- Nazarewicz, W. See Balkanski, M., 1=2440
- Nazarewicz, W. See Balkanski, M., 2=16598
- Nazarewicz, W. See Balkanski, M., 3=23044
- Nazarewicz, W. See Balkanski, M., 4=1469
- Nazarewicz, W. See Balkanski, M., 4=17345
- Nazaroff, G.V. and Hirschfelder, J.O. Comparison of the Hartree-Fock orbital with the first natural spin orbital for two-electron systems, 3=22469
- Nazaroff, G.V. See Hirschfelder, J.O., 1=8054
- Nazarov, I.M. See Balyasny, N.D., 2=22142
- Nazarov, D.A. See Gavrilenko, L.M., 3=3979
- Nazarov, E. V. See Donskoi, K. V., 4=18801
- Nazarov, I.M. See Boltneva, L.I., 3=5185
- Nazarov, I.S. A high-frequency ion source, 2=1516
- Nazarov, M.S. See Strizhak, V.I., 2=7990
- Nazarov, N.I., Ermakov, A.E., Tolok, V.T. and Sinel'nikov, K.D. Propagation of ionic cyclotron waves in a plasma, 1=5487
- Nazarov, N.I., Ermakov, A.E., Tolok, V.T. and Sinel'nikov, K.D. Propagation of ionic cyclotron waves in a plasma, 1=11959
- Nazarov, N.I., Ermakov, A.I., Lobko, A.S., Bondarev, V.A., Tolok, V.T. and Sinel'nikov, K.D. Investigation of ion cyclotron waves, 3=7622
- Nazarov, N.I., Ermakov, A.I., Lobko, A.S., Bondarev, V.A., Tolok, V.T. and Sinel'nikov, K.D. Investigation of ion cyclotron waves, 4=8780
- Nazarov, N.I. See Bakaev, I. I., 4=2996
- Nazarov, N.I. See Bakaev, I. I., 4=19006
- Nazarov, N.I. See Dolgoplov, V. V., 4=5667
- Nazarov, N.I. See Khizhnyak, N.A., 2=11735
- Nazarov, N.I. See Sinel'nikov, K.D., 0=10924
- Nazarov, N.I. See Tolok, V.T., 2=17909
- Nazarov, N.S. See Strizhak, V.I., 2=18133
- Nazarov, V.P. See Kolbasov, V.A., 3=14788
- Nazarova, M.N. and Pereyaslova, N.K. Dependence of the parameters of a scintillation counter on temperature, 3=24548
- Nazarova, T.F. See Andriesh, A.M., 3=15635
- Nazarova, T.F. See Kolomic, B.T., 3=10802
- Nazarova, T.F. See Kolomiets, B.T., 0=15902
- Nazarova, T.F. See Kolomiets, B.T., 0=15944
- Nazarova, T.F. See Kolomiets, B.T., 0=15964
- Nazarova, T.N. Investigation of meteoric particles on Sputnik III, 2=9009
- Nazarova, T.N. Results of an investigation of meteoric matter by means of instruments on space rockets, 2=9010
- Nazarova, T.N. A study of meteor dust using rockets and artificial earth satellites, 3=3555
- Nazarova, T.N. A study of meteor dust using rockets and artificial earth satellites, 3=21064
- Nazarova, T. N., Bektabegov, A. K. and Komissarov, O. D. Preliminary results of a study of meteoric matter along the trajectory of the interplanetary stationary "Mars 1", 4=26928
- Nazarova, T.N. See Komissarov, O.D., 2=13118
- Nazarova, T.S. See Karyev, V.M., 4=3233
- Nazarova, T.S. See Klyucharev, A.P., 3=19501
- Nazarova, V.P. Cathodoluminescence of europium activated strontium phosphates, 2=23617
- Nazaryan, A.A. See Alihanyan, A.I., 4=5917
- Nazaryan, A.A. See Alikhanian, A.I., 4=9033
- Naze, J. Properties of linearized collision operators. Study of a special case, 0=18978
- Naze, J. Properties of the linearized collision operators. Study of the general case, 0=19191
- Naze, J. Properties of linear collision operators. Imperfect Lorentz gases, 1=1704
- Naze, J. Calculation of the electrical conductivity and temperature of a feebly ionized gas, 1=9422
- Naze, J. Propagation of waves in a weakly ionized gas with collisions, 4=14700
- Nazimova, N.A. See Sokolov, V.A., 2=7452
- Neagu, D., Okonov, E.O., Petrov, N.I., Rosanova, A.M. and Rusakov, V.A. Decay properties of  $K_1^0$  mesons, 1=10922
- Neagu, D. See Dragomirescu, D., 2=22369
- Neagu, D. See also Nyagu, D.
- Neagu, D.V. and Salucvadze, R.G. Interaction of 78 MeV  $\pi^+$  mesons with hydrogen and carbon, 2=5721
- Neagu, D.V. See Anikina, M. Kh., 4=12056
- Neal, J. P. Analog computer solutions for correction of ripple in magnetically-collimated electron beams, 4=5707
- Neal, K. J. See Martin, D. H., 4=22871
- Neal, R.A. See Lin, S.-C., 3=7431
- Neal, S.B.H.C. and Hitchcock, J.A. Large-scale model investigation of the axial heat transfer variation along the polyzonal spiral surface of fuel element cans used in gas-cooled nuclear power reactor systems, 3=4698
- Neal, W.E.J. The dependence of the thermal diffusion factor on temperature and pressure for binary gas mixtures, 3=21428
- Neale, D.J. See Powles, J.G., 1=9408
- Neale, D.J. See Powles, J.G., 1=15910
- Neale, D.M. A survey of cold cathode discharge tubes, 4=14582
- Neale, R.N. See Hall, J.M., 1=6657
- Neale, R.S. A correlation of bond dissociation energy with ionization potential and electron affinity, 4=9777
- Neale, S.M. See Weyl, D.A., 3=16635
- Neale, W.W. See Awunor-Renner, E.R.T., 0=15497
- Neale, W.W. See Goldsack, S.J., 2=9888
- Nealy, C. L. and Sheline, R. K. Energy levels in  $\text{Sn}^{122}$ ,  $\text{Sn}^{123}$ ,  $\text{Sn}^{124}$ , and  $\text{Sn}^{125}$ , 4=25314
- Neamtan, S.M., Darewych, G. and Oczkowski, G. Annihilation of positrons from the  $\text{H}^+e^-$  ground state, 2=18406



- Neamtan, S. M. and Verrall, R. I. Positronium in a LiH crystal, 4=20260
- Neamtan, S. M. See Darewych, G., 3=12083
- Neamu, I. See Hulubei, H., 2=5903
- Neamu, I. See Hulubei, H., 2=14092
- Neamu, I. See Hulubei, H., 3=6233
- Neamu, I. See Hulubei, H., 4=1076
- Neamu, I. See Hulubei, H., 4=9491
- Neamu, I. See Martalogu, N., 2=7794
- Neamu, I. See Martalogu, N., 2=9731
- Neamu, I. See Martalogu, N., 2=20635
- Nearing, J. Estimated cross section for the reaction  $p + p \rightarrow d + W$ , 4=6040
- Nearing, J. C. See Mani, H. S., 4=27765
- Nearing, J. C. See Nauenberg, M., 4=15027
- Nearn, M. R. See Spaul, A. J. B., 4=29610
- Neaves, A. See Lin, C. J., 3=1161
- Nebauer, E. See Böer, K. W., 2=2158
- Nebauer, E. See Böer, K. W., 2=4099
- Nebe, W. A method for the interferometric analysis of three-component mixtures, 1=4373
- Nebe, W. Moiré rings in the interference pattern of thick glass slabs, 2=11491
- Nebenzahl, I. and Rakavy, G. The correlation between spectra and the number of neutrons evaporated from an excited nucleus, 3=7980
- Nebert, D. W. See Allen, B. T., 4=30735
- Nebgen, J. W. See Verderame, F. D., 4=4280
- Nechaev, Yu. I. See Aleksandrov, Yu. A., 3=14939
- Nechaev, Yu. I. Device for measurement and automatic maintenance of level of liquid nitrogen and hydrogen, 2=19790
- Nechaeva, L. M. See Veyngerov, M. L., 0=3622
- Nechai, E. P., Popov, K. V. and Panenkova, L. S. The effect of the temper temperature on the diffusion and solubility of hydrogen in hardened steel, 1=6117
- Nechin, Yu. A. See Khristiansen, G. B., 3=4513
- Nechin, Yu. A. See Vernov, S. N., 0=9466
- Nechin, Yu. A. See Vernov, S. N., 0=15478
- Nechin, Yu. A. See Vernov, S. N., 1=3280
- Nechin, Yu. A. See Vernov, S. N., 1=3287
- Nechin, Ya. A. See Vernov, S. N., 1=3288
- Nechin, Yu. A. See Vernov, S. N., 2=20462
- Nechin, Yu. A. See Vernov, S. N., 3=19719
- Nechiporenko, E. P. See Efimenko, L. N., 4=13715
- Nechiporenko, E. P. See Ivanov, V. E., 4=7704
- Nechiporenko, E. P. See Ivanov, V. E., 4=12795
- Nechiporenko, E. P. See Ivanov, V. E., 4=13716
- Nechiporenko, E. P. See Verkhorobin, L. F., 2=23205
- Nechiporenko, V. G. See Gridnev, N. V., 2=6827
- Nechtschein, M. and Kester, T. Variation with temperature of the electron spin resonance signal of polycrystalline neutron-irradiated graphite, 4=20592
- Neckel, H. Photoelectric infrared colour indices of red stars, 2=19336
- Neckel, H. See Labs, D., 2=15333
- Neckel, H. See Labs, D., 2=21711
- Neckel, H. See Labs, D., 3=21106
- Neckel, H. See Labs, D., 4=2422
- Neckenbünger, E. Wave propagation by a longitudinally magnetized ferrite rod in an electrically anisotropic environment, 2=20156
- Néda, A. See Kelemen, F., 4=10666
- Nedderman, H. C., Kiang, Y. C. and Unterleitner, F. C. Control of ruby laser oscillation by an inhomogeneous magnetic field, 2=23548
- Nedderman, H. C. See Brock, E. G., 1=12489
- Neddermeyer, S. H. and Curtis, S. B. Interactions of cosmic-ray muons in a thick Pb absorber, 3=19735
- Neddermeyer, S. H. See Deery, R. F., 1=5743
- Nédelec, O. Interpretation of coherent Hertzian transmission in an atomic gas, 4=28143
- Nédelec, O., Deschizeaux, M. N. and Pebay-Peyroula, J. C. Observation of a coherent precession in the excitation of atomic levels by pulsed bombardment with electrons, 4=12381
- Nédelec, O. and Pebay-Peyroula, J. C. Modulation of light emitted during magnetic resonance of atomic levels excited by electronic bombardment, 2=12296
- Nédelec, O. See Faure, A., 4=1221
- Nedelkov, I. P. Representation of scattering amplitudes, 4=836
- Nederveen, C. J. A simple apparatus for producing a logarithmic time-scale, 3=9405
- Nederveen, C. J. Measurement of E and G moduli and Poisson's ratio of polymethylmethacrylate over a large frequency range, 4=7445
- Nederveen, C. J. New key mechanism for clarinet, 4=11310
- Nederveen, C. J. Calculations on location and dimensions of holes in a clarinet, 4=24329
- Nederveen, C. J. and Schwarzl, F. R. Corrections for shear and rotatory inertia on flexural vibrations of beams, 4=11268
- Nederveen, C. J. and van Wulfften Palthe, D. W. Resonance frequency of a gas in a tube with a short closed side-tube, 3=18910
- Nedjalkov, I. P. See Kalitzin, N. S., 0=18923
- Nedler, V. V. See Mandel'shtam, S. L., 2=863
- Nedlin, G. M. Theory of second-order phase transition from the ferromagnetic to the ferromagnetic and ferroelectric state, 3=23147
- Nedlin, G. M. See Bychkov, Yu. A., 0=10004
- Nedlin, G. M. See Gurevich, L. E., 0=10005
- Nedlin, G. M. See Gurevich, L. E., 2=655
- Nedlin, G. M. See Gurevich, L. E., 4=4238
- Nedlin, L. M. See Gurevich, L. E., 2=4078
- Nedlin, L. M. See Gurevich, L. E., 2=6505
- Nedochotov, V. S., Fedotov, Yu. V. and Shul'ha, S. Z. Effect of mechanical treatment on the N. M. R. spectra of para-dichlorobenzene, 4=15680
- Nedopil, E. See Fitzer, E., 2=12272
- Nedoseev, S. L. See Borodin, A. V., 1=18886
- Nedoseev, S. L. See Borodin, A. V., 2=22223
- Nedospasov, A. V. Velocity of striations in inert gases, 0=12596
- Nedospasov, A. V. On local perturbations of the field in traps with magnetic mirrors, 4=543
- Nedospasov, A. V. and Novik, A. E. Velocity of propagation of the ionization front on breakdown in discharge tubes, 1=5422
- Nedospasov, A. V., Pankova, G. I. and Konakh, V. F. Investigation of striations in argon, 0=14993
- Nedospasov, A. V. and Ponomarenko, Yu. B. The amplitude and shape of strata, 4=16446
- Nedospasov, A. V. and Ponomarenko, Yu. B. Ionization striations in the discharge positive column, 4=18736
- Nedospasov, A. V. See Artsimovich, L. L., 3=19240
- Nedospasov, A. V. See Artsimovich, L. L., 4=29953
- Nedospasov, A. V. See Kadomtsev, B. B., 1=9533
- Nedospasov, A. V. See Vdovin, V. L., 3=7476
- Nedovesov, V. G. See Dzhelepov, B. S., 2=3503
- Nedovesov, V. G. See Dzhelepov, B. S., 2=14015
- Nedovesov, V. G. See Dzhelepov, B. S., 3=4606
- Nedovesov, V. G. See Dzhelepov, B. S., 4=6299
- Nedovesov, V. G. See Dzhelepov, B. S., 4=19739
- Nedovesov, V. G. See Ivanov, R. B., 4=1054
- Nedovesov, V. G. See Ivanov, R. B., 4=9460
- Nedovessov, V. See Walen, R., 2=379
- Nedovessov, V. See Walen, R. J., 2=14020
- Neduzhii, S. A. Investigation of the dependence of the process of emulsification on ultrasonic intensity, 1=20774
- Neduzhii, S. A. Investigation of the process of forming emulsions by means of sonic and ultrasonic vibrations, 2=1237
- Neduzhii, S. A. Influence of ultrasonic intensity on the disperse phase of an emulsion at the instant of formation, 2=6896
- Neduzhii, S. A. Investigation of the process of forming emulsions by means of sonic and ultrasonic vibrations, 2=7303
- Neduzhii, S. A. Effect of ultrasonic intensity on the process of emulsification, 4=2641
- Neduzhii, S. A. The state of the disperse phase during the formation of an emulsion in an acoustic field, 4=7791
- Neduzhii, S. A. Effect of ultrasonic frequency on the composition of the disperse phase of an emulsion at the instant of formation, 4=13751
- Nedvedyuk, K., Salatskii, V. I. and Sizov, I. V. Investigation of the  $C^{14}(t, \alpha)B^{11}$  reactions, 3=24982
- Nedyalkov, I. Representation of the scattering amplitudes, 4=11929
- Nedyalkov, I. On some questions connected with the algebraization of the equations of pion-nucleon and pion-pion scattering, 4=12040
- Nedyalkov, I. P. Reduction of the solution of differential equations of elliptic type, 2=21782
- Nedyalkov, I. P. Reduction of the solution of differential equations of elliptic type, 3=1578
- Nedyalkov, I. P. and Byrnev, P. Kh. The analytic continuation of gravitational anomalies, 4=7810
- Nedyalkov, I. P. See Byrnev, P. Kh., 4=16792
- Nedzvetskii, D. S. See Gross, E. F., 2=10600
- Nedzvetskii, D. S. See Gross, E. F., 3=8618
- Nedzvetskii, D. S. See Gross, E. F., 4=4300



- Nedzvetskii, D.S. See Gross, E.F., 4=13074  
 Nedzvetskii, D.S. See Gross, E.F., 4=13075  
 Nedzvetskii, D.S. See Gross, E.F., 4=15462  
 Need, J.L. Analysis of the energy dependence of the isomer ratio in the  $\text{Sn}^{120}(\text{p}, \alpha)\text{In}^{117,117\text{m}}$  reaction, 3=8093  
 Need, J.L. and Linder, B. Cross sections for formation of the isomeric pair  $\text{In}^{117}$  and  $\text{In}^{117\text{m}}$  in the  $\text{Sn}^{120}(\text{p}, \alpha)$  reaction, 3=8092  
 Need, J.L. See Gleason, G.I., 2=20530  
 Need, J.L. See Snell, A.H., 0=4052  
 Needham, C.D. See Li, J.C.M., 0=13533  
 Needle, J.S. See Hein, R.A., 4=21578  
 Needler, G.T. and Opechowski, W. On the nuclear spin relaxation in hydrogen gas, 1=9424  
 Néel, L. Directional order and diffusion after effect, 0=2995  
 Néel, L. The effects of interactions between elementary ferromagnetic domains: tilting and creeping, 0=13791  
 Néel, L. Superposition of antiferromagnetism and superparamagnetism in a very small grain, 1=14757  
 Néel, L. Superparamagnetism of fine particle antiferromagnetics, 1=20155  
 Néel, L. Superantiferromagnetism in fine grains, 1=20156  
 Néel, L. Calculation of the additional superantiferromagnetic susceptibility of fine grains, and its temperature dependence, 1=20157  
 Néel, L. Effect of magnetocrystalline coupling on the superantiferromagnetism of small particles, 2=10679  
 Néel, L. A new method for measuring Bloch wall energies, 2=12770  
 Néel, L. Magnetic properties of fine-grained antiferromagnets: superparamagnetism and superantiferromagnetism, 3=1093  
 Néel, L. Observations on magnetic interactions, 3=3090  
 Néel, L. A magnetostatic problem concerning thin ferromagnetic films, 3=3110  
 Néel, L. A new method of coupling the magnetizations of two thin ferromagnetic films, 3=3111  
 Néel, L. Magnetocrystalline energy of a macro-crystal subdivided into tetragonal crystallites, 4=10271  
 Néel, L. On certain walls where the divergence of the magnetisation is not zero, 4=13136  
 Néel, L. Magnetic investigation and significance of point defects induced in a ferromagnetic metal by irradiation, 4=25920  
 Néel, L., Pauleve, J., Pauthenet, R., Laugier, J. and Dautreppe, D. Magnetic properties of an iron-nickel single crystal ordered by neutron bombardment, 4=13207  
 Néel, L., Pauthenet, R., Rimet, G. and Giron, V.S. On the laws of magnetization of ferromagnetic single crystals and polycrystals. Application to uniaxial compounds, 0=10128  
 Neel, L. See Aléonard, R., 3=15802  
 Néel, L. See Bruyère, J.C., 4=17657  
 Néel, L. See Bruyère, J.C., 4=20543  
 Néel, L. See Chambron, W., 3=3119  
 Néel, L. See Dautreppe, D., 3=11056  
 Néel, L. See Paulevé, J., 2=6830  
 Néel, L. See Paulevé, J., 3=8900  
 Néel, M.L. Point defects in ferromagnetic solids, and directional order, 4=1456  
 Néel, P. Fast neutron irradiation of semi-transparent photoelectric films, 3=14632  
 Neelakantan, K.A. and Shukla, P.G. The energy spectrum of nuclei with charge  $Z \geq 13$  in the primary cosmic radiation, 2=20450  
 Neelakantan, K.A. and Shukla, P.G. Energy spectrum of heavy nuclei of the primary cosmic radiation during solar maximum, 3=10187  
 Neelakantan, K.A. See Biswas, S., 0=9489  
 Neelakantan, K.A. See Biswas, S., 0=15468  
 Neelakantan, K.A. See Biswas, S., 1=3318  
 Neelakantan, K.A. See Friedlander, M.W., 4=3512  
 Neeland, J.K. See Èvtuhov, V., 2=18814  
 Neeley, V.I. and Kemp, J.C. Optical absorption in CaO single crystals, 4=7120  
 Neeley, V.I. See Kemp, J.C., 3=13169  
 Neeley, V.I. See Kemp, J.C., 3=25301  
 Neeley, V.I. See Mihalcz, J.T., 2=14156  
 Neely, H.H. See Sosin, A., 2=21097  
 Neely, W.C. See McGlynn, S.P., 1=11104  
 Neeman, E. See Aharoni, A., 4=7261  
 Ne'eman, Y. Derivation of strong interactions from a gauge invariance, 1=13327  
 Ne'eman, Y. Yukawa terms in the unitary gauge theory, 1=13328  
 Ne'eman, Y. Unified interactions in the unitary gauge theory, 2=7813  
 Ne'eman, Y. New lepton group, 3=7769  
 Ne'eman, Y. Higher symmetries and current conservation, 3=14870  
 Ne'eman, Y. The fifth interaction: origins of the mass breaking asymmetry, 4=21767  
 Ne'eman, Y. Meson bootstraps and  $G_2$ , 4=25015  
 Ne'eman, Y. and Goldberg, H. Two sets of  $T=1,0$  vector mesons, 3=4445  
 Ne'eman, Y. See Dothan, Y., 3=583  
 Ne'eman, Y. See Goldberg, H., 3=7785  
 Ne'eman, Y. See Goldberg, H., 3=14883  
 Ne'eman, Y. See Horn, D., 3=2190  
 Ne'eman, Y. See Horn, D., 3=24611  
 Ne'eman, Y. See Horn, D., 4=11912  
 Neeper, D.A. and Dillinger, J.R. Thermal resistance at indium-sapphire boundaries between 1.1 and 2.1°K, 4=28385  
 Neergaard, E.B. See Hooper, J.E., 0=15211  
 Neet, D. See Giesch, M., 3=17243  
 Nefedov, N.N. See Karal'nik, S.M., 2=17030  
 Nefedov, V.N. The mechanism of emission of prompt fission neutrons, 1=4879  
 Nefedov, V.D. See Murin, A.N., 0=7604  
 Nefedov, V.V., Popov, V.I. and Yazvitskii, Yu.S. Gamma-radiation in inelastic interaction between fast neutrons and atomic nuclei, 4=12133  
 Nefedov, V.V. See Bochkarev, V.N., 2=19856  
 Nefedov, W. Determination of atomic charges in molecules with the aid of X-ray emission spectra, 2=20765  
 Nefedov, W. The blackening curve of X ray films, 3=9632  
 Nefedov, W. See Meisel, A., 2=7695  
 Nefedov, W. See Meisel, A., 2=10212  
 Nefedov, W. See Meisel, A., 2=10213  
 Nefedov, W. See Meisel, A., 2=12262  
 Neff, H. Radiographic stress measurements on hardened steel. I. Determination of the macrostresses, 1=3967  
 Neff, L. See Blyholder, G., 2=19116  
 Neff, L.D. See Blyholder, G., 2=23963  
 Neff, S.H. Excitation in atomic collisions related to meteor radiation, 4=25590  
 Neff, S.H. and Carleton, N.P. Excitation and change of charge in ion molecule collisions in the adiabatic region, 4=25776  
 Neff, V.D. and Walnut, T.H. Effect of temperature on the intensity and structure of bands in the infrared spectrum of rhombic sulfur, 1=19990  
 Nefflen, K.F. See Gardner, I.C., 0=3644  
 Nefflen, K.F. See Mielenz, K.D., 4=16230  
 Nefflen, K.F. See Mielenz, K.D., 4=27688  
 Nefflen, K.F. See Morokuma, T., 3=9608  
 Nefkens, B.M.K. New  $\beta^-$  activity induced by photon bombardment of lithium, 3=12620  
 Nefkens, B.M.K. New  $\beta^-$  activities induced by the photon bombardment of Boron-11, 3=15136  
 Nefkens, B.M.K. and Moscati, G. Search for a long-lived  $H^+$ , 4=9443  
 Nefkens, B.M.K. See Palfrey, T.R., 1=8482  
 Nefkens, B.M.K. See Walker, R.J., 4=6101  
 Neft, W. See Gschwend, F., 4=20382  
 Neganov, B.S., Parfenov, L.B., Lushchikov, V.I. and Taran, Yu.V. Dynamic polarization of protons at 0.5°K, 4=6685  
 Neganov, B.S., Parfenov, L.B. and Tyapkin, A.A. Measurement of the relative nuclear activity of  $\pi^-$ -mesons near the point of creation, 0=15605  
 Neganov, B.S., See Azhgirey, L.S., 0=5742  
 Neganov, B.S. See Azhgirey, L.S., 0=13231  
 Neganov, B.S. See Goncharov, I.N., 3=2084  
 Neganov, B.S. See Goncharov, I.N., 3=14726  
 Negi, J.G. Radiation resistance of a vertical magnetic dipole over an inhomogeneous earth, 1=20802  
 Negi, J.G. Diffraction of electromagnetic waves by an inhomogeneous sphere, 2=20151  
 Negi, J.G. See Ben-Menahem, Ari., 4=5811  
 Negishi, K. Jump phenomenon in resonance curve of ferroelectric ceramics, 1=11343  
 Negishi, K. Phase relation between sonoluminescence and cavitating bubbles, 1=12889  
 Negishi, K. Experimental studies on sonoluminescence and ultrasonic cavitation, 1=15892  
 Negishi, K. See Hamano, K., 3=10885  
 Negita, H. and Bray, P.J.  $N^{14}$  pure quadrupole resonances of several nitriles, 1=4950  
 Negita, H., Casabella, P.A. and Bray, P.J.  $N^{14}$  pure quadrupole resonances of acetonitrile and hydrocyanic acid, 0=6283



- Negoiu, D. and Furlani, C. The electronic configuration of bivalent manganese in its tetrahedral complexes, 4=15349
- Negrete, P. and Prieto, F. E. Lattice energy of ionic crystals, 4=9805
- Negri, P. See Bellini, G., 2=22573
- Negri, P. See Bellini, G., 3=7899
- Negri, P. See Bellini, G., 4=1097
- Negri, P. See Bellini, G., 4=6114
- Negri, P. See Bellini, G., 4=21894
- Negri, P. See Fretter, W. B., 3=2301
- Negri, P. See Veillet, J. J., 3=10163
- Negri, P. See Veillet, J. J., 3=17313
- Neher, D. R., Prosser, F. W., Jr. and Krone, R. W. Gamma radiations from the proton capture of  $Mg^{25}$ , 2=10102
- Neher, H. V. Variable sensitivity automatic ionization chamber, 1=3075
- Neher, H. V. Busch tube for determining e/m for the electron, 1=10877
- Neher, H. V. Light-pressure tube, 1=12959
- Neher, H. V. Cosmic-ray knee in 1958, 2=3444
- Neher, H. V. The role of experimental work, 2=7101
- Neher, H. V. Air-bearing Maxwell top, 2=13291
- Neher, H. V. A summary of secular variations of cosmic rays, 2=13921
- Neher, H. V. Vibrating vane, absolute gas pressure gauge, 2=19634
- Neher, H. V. and Anderson, H. R. The knee of the latitude curve at balloon altitudes, 1=2148
- Neher, H. V. and Anderson, H. R. Two unusual events at high altitudes, 1=3342
- Neher, H. V. and Anderson, H. R. Cosmic rays at balloon altitudes and the solar cycle, 2=16275
- Neher, H. V. and Leighton, R. B. Linear air trough, 3=9383
- Neher, L. K. Notes on the design of glow discharge voltage stabilizers for photomultiplier tube power supplies, 0=19641
- Nehlig, J. J. See Bilwes, R., 0=17055
- Nehmtow, O. Heat conduction numbers of binary gas mixtures in a dimensionless representation, 2=9315
- Nehmtow, O. The dimensionless presentation of the thermal conductivity of binary liquid mixtures, composed of two organic liquids or one organic liquid with water, 4=8202
- Nehra, C. P. Wilson, B. G., 2=12023
- Nehra, C. P. See Wilson, B. G., 3=10190
- Nehra, C. P. See Wilson, B. G., 4=3517
- Nei, T. Investigation with the electron microscope of the sublimation of ice crystals at low temperatures, 2=5219
- Neiburger, M. and Wexler, H. Weather satellites, 2=15416
- Neidhardt, P. The practical effects of bandwidth limitation on colour TV images, 0=5858
- Neidigh, R. V. See Alexeff, I., 1=18861
- Neidigh, R. V. See Alexeff, I., 2=17819
- Neighbour, F. and Verdin, D. Automatic apparatus for measuring the absorption or evolution of gas at constant pressure, 4=13701
- Neighbours, J. R. and Alers, G. A. Magnetic effects on shear wave attenuation in single crystal copper, 0=523
- Neighbours, J. R. and Filson, D. H. Easily demountable pressure bomb for use at low temperatures, 2=2941
- Neighbours, J. R., Oliver, R. W. and Stillwell, C. H. Ultrasonic attenuation in MnF<sub>2</sub> near the Néel temperature, 4=1388
- Neighbours, J. R. See Alers, G. A., 0=3065
- Neighbours, J. R. See Alers, G. A., 0=11874
- Neighbours, J. R. See Featherston, F. H., 3=13325
- Neiburger, M. See Pruppacher, H. R., 4=5456
- Neiburger, M. See Shafir, U., 3=23844
- Neichi, Y. See Kubota, B., 3=1035
- Neidell, N. S. See Sutton, G. H., 4=2393
- Neidhardt, W. J. and Fajans, J. Electrohydrodynamics of superfluid helium in narrow channels, 3=312
- Neidigh, R. V. See Alexeff, I., 3=5658
- Neidigh, R. V. See Alexeff, I., 3=7457
- Neidigh, R. V. See Alexeff, I., 3=9802
- Neidigh, R. V. See Alexeff, I., 3=12176
- Neidigh, R. V. See Alexeff, I., 3=16937
- Neidigh, R. V. See Alexeff, I., 3=21802
- Neikam, W. C. and Dailey, B. P. N.M.R. spectra of some cyclohexyl derivatives, 3=8297
- Neil, V. K. Stability of thin electron layers, 2=1504
- Neil, V. K. Beam loading of a radio-frequency cavity, 2=7692
- Neil, V. K., Judd, D. L. and Laslett, L. J. Coherent electromagnetic effects in high current particle accelerators. II. Electromagnetic fields and resistive losses, 1=8365
- Neil, V. K. and Sessler, A. M. Coherent electromagnetic effects in high current particle accelerators. I. Interaction of a particle beam with an externally driven radio-frequency cavity, 1=8364
- Neil, V. K. See Laslett, L. J., 1=8366
- Neiler, J. H. See Gibbons, J. H., 1=7384
- Neiler, J. H. See Kjellman, J., 2=5967
- Neiler, J. H. See Moak, C. D., 3=21907
- Neiler, J. H. See Schmitt, H. W., 3=6313
- Neiler, J. H. See Walter, F. J., 4=12286
- Neilon, J. R. See Cain, J. C., 4=4820
- Neilson, A. H. See Coulson, C. A., 2=518
- Neilson, A. H. See Coulson, C. A., 4=6556
- Neilsen, A. H. See Herget, W. F., 2=20809
- Neilson, F. W. See Jones, O. E., 3=1224
- Neilson, G. C., Dawson, W. K. and Johnson, F. A. Fast neutron time-of-flight spectrometer, 0=2552
- Neilson, G. C., Dawson, W. K. and Sample, J. T. Some properties of the low-lying levels of  $C^{11}$  obtained from  $B^{10}$  (d, n')  $C^{11}$ , 1=8587
- Neilson, G. C. See Braben, D. W., 3=15100
- Neilson, G. C. See Riley, P. J., 3=24860
- Neilson, J. H. S. X-ray stress determination in austenitic steel, 1=1306
- Neilson, J. M. M. See Leach, D. F., 0=8976
- Neimala, L. See Ozaki, S., 0=13292
- Neiman, A. S. and Rothwell, W. S. Effect of an electric field on creep of MgO single crystals, 4=7433
- Neiman, L. R. and Demirchyan, K. S. Inequality of partial-capacitance charges and resultant-field fluxes, 0=19590
- Neiman, R. and Kivelson, D. E. S. R. line shapes in glasses of copper complexes, 1=11479
- Neiman, R. and Kivelson, D. E. S. R. spectra of solid phthalocyanines, 1=11486
- Neiman, R. See Kivelson, D., 1=11117
- Neimark, B. E. Influence of cold working and ageing on the density and coefficient of linear expansion of chrome-nickel austenitic steel, 4=1951
- Neimark, B. E., Lyusternik, V. E., Anichkina, E. Yu. and Bykova, T. I. Thermophysical properties of nickel-chromium-iron alloys, 4=15424
- Neimysheva, A. A. See Bystrov, V. F., 4=25742
- Neizvestny, I. G. See Rzhzanov, A. V., 0=2874
- Neizvestnyi, I. G. Effect of adsorption of ether molecules on germanium on the parameters of surface recombination centers, 4=20361
- Neizvestnyi, I. G. See Novototskii-Vlasov, Yu. F., 2=21143
- Neizvestnyi, I. G. See Rzhzanov, A. V., 1=14437
- Neizvestnyi, I. G. See Rzhzanov, A. V., 2=8329
- Neizvestnyi, I. G. See Rzhzanov, A. V., 2=10466
- Neizvestnyi, I. G. See Rzhzanov, A. V., 2=23330
- Nekhendzi, E. Yu. The effect of the concentration of impurities and alloying elements on the heat conductivity of nickel and its alloys, 1=9987
- Neklyudov, I. M. See Garber, R. I., 4=26514
- Nekrashevich, A. M. See Berezin, A. K., 0=9216
- Nekrashevich, A. M. See Berezin, A. K., 0=9217
- Nekrashevich, A. M. See Kharchenko, I. F., 0=5367
- Nekrashevich, A. M. See Lyubarskii, G. Ya., 2=5398
- Nekrashevich, A. M. See Silenok, G. A., 0=9218
- Nekrashevich, I. G. and Bakuto, I. A. Dependence of the electro-erosion effect on the length of the spark gap in apparatus with an r. c. type circuit, 3=7473
- Nekrashevich, I. G., Labuda, A. A., Plashchinskaya, R. V. and Ermakova, N. E. Time-resolved studies of the influence of "third" components in emission analysis, 3=25845
- Nekrashevych, O. M. See Berezin, A. K., 1=19038
- Nekrashevych, O. M. See Fainberg, Ya. B., 1=13139
- Nekrashevych, O. M. See Fainberh, Ya. B., 1=19037
- Nekrashevich, A. M. See Kharchenko, I. F., 3=21908
- Nekrasov, F. M. The non-linear theory of steady-state processes in electron plasma, 0=7128
- Nekrasov, F. M. The non-linear theory of electron-ion plasma oscillations, 0=19699
- Nekrasov, F. M. The non-linear theory of electron-ion plasma oscillations, 1=4625
- Nekrasov, F. M. The initial stage of development of disturbances in a plasma located in an external magnetic field, 3=2005
- Nekrasov, F. M. Periodic electrostatic fields in an electron plasma, 3=21873
- Nekrasov, F. M. A class of nonlinear solutions of the collisionless kinetic equation, 4=1706
- Nekrasov, K. G. See Andreev, E. M., 2=18041



- Nekrasov, K.G. See Andrejev, E.M., 2=3229
- Nekrasov, K.G. Morozov, A.G., 2=3426
- Nekrasov, M.M. and Kobtsev, Yu.D. Nonlinear ferroelectric systems with various Curie temperatures, 1=19931
- Nekrasov, M.M. and Poplavko, Yu.M. Solid solutions in the ternary ferroelectric system  $\text{Ba}(\text{Ti}, \text{Zr}, \text{Sn})\text{O}_3$ , 2=14606
- Nekrasov, Yu.V. See Ol'shanskaya, E.Ya., 3=20891
- Nekrot, A.A. Method of angular collective variables for computing the statistical sum of a mixed ion-dipole system. I. The classical case, 4=2697
- Nekrot, A.A. See Yukhnovskii, I.R., 4=21089
- Nekrot, A.O. See Yukhnovskii, I.R., 4=29550
- Nekrutkina, G.P. See Golant, V.E., 1=9687
- Nekrutkina, G.P. See Golant, V.E., 1=12019
- Nelipa, I.F. On the theory of the radioactive production of electron-positron pairs on nuclei, 3=17257
- Nelipa, N.F. Double dispersion relations and photoproduction of pions, 1=16852
- Nelipa, N.F. The theory of the double-Compton effect for electrons, 3=14935
- Nelipa, N.F. and Tsarev, V.A. Inverse dispersion relations for photoproduction of  $\pi$ -mesons on nucleons, 0=9422
- Nelipa, N.F. and Tsarev, V.A. Double dispersion relations and the photoproduction of  $\pi$ -mesons. II, 1=19231
- Nelipa, N.F. and Tsarev, V.A. Double dispersion relations and the photoproduction of  $\pi$ -mesons. II, 3=4426
- Nelipa, N.F. and Tsarev, V.A. Dispersion relations for photoproduction of K-mesons on nucleons and  $\pi$ -mesons on hyperons, 3=22196
- Nelipa, N.F. and Tsarev, V.A. Dispersion relations and KA photoproduction on a proton, 4=25176
- Nelissen, B.M. Basic principles of nuclear physics, 2=20695
- Nelissen, B.M. Development of atomic knowledge, 3=2512
- Nelken, J. See Hoch, M., 3=2785
- Nelkin, M. The diffusion cooling of neutrons in a finite moderator, 0=7373
- Nelkin, M. Scattering of slow neutrons by water, 0=12941
- Nelkin, M. Neutron thermalization. II. Heavy crystalline moderator, 0=12969
- Nelkin, M. Milne's problem for a velocity-dependent mean free path, 1=16800
- Nelkin, M. The decay of a thermalized neutron pulse, 1=13439
- Nelkin, M. Phonon-phonon interactions in Bose systems, 2=19467
- Nelkin, M. Asymptotic solutions of the transport equation for thermal neutrons, 3=12465
- Nelkin, M. and Ghatak, A. Simple binary collision model for Van Hove's  $G_s(r, t)$ , 4=21059
- Nelkin, M. See Yip, S., 4=27133
- Nelkin, M.S. and Parks, D.E. Effects of chemical binding on nuclear recoil, 0=13131
- Nelkin, M.S. See Hurwitz, H. Jr., 0=12968
- Nelkin, M.S. See Hurwitz, H. Jr., 0=12980
- Nelkowski, H. See Gobrecht, H., 0=1762
- Nelkowski, H. See Gobrecht, H., 2=6810
- Nelkowski, H. See Gobrecht, H., 2=14736
- Nellen, B. See Aderholz, M., 4=21914
- Nellen, B. See Aderholz, M., 4=21919
- Nellen, B. See Bartsch, J., 4=30264
- Nellen, B. See Bondar, L., 4=944
- Nellen, B. See Knop, G., 2=2076
- Nelly, H.H. See Sosin, A., 1=13030
- Nelms, G.L. Scale height of the upper ionosphere from top-side soundings, 3=16245
- Nelson, A.C., Jr. and Minkler, W.S. A general method for evaluating the effects of uncertainties in design variables on core thermal performance, 4=3737
- Nelson, B. See Chretien, M., 2=22610
- Nelson, C.H. See Whalen, J.F., 0=2145
- Nelson, C.M. and Crawford, J.H., Jr. Optical absorption in irradiated quartz and fused silica, 0=16060
- Nelson, C.M. and Weeks, R.A. Vacuum-ultraviolet absorption studies of irradiated silica and quartz, 1=7708
- Nelson, C.M. See Crawford, J.H., Jr., 1=997
- Nelson, C.M. See Weeks, R.W., 0=15876
- Nelson, D.C. and Mitchell, W.N. Raman spectra of small solid samples including lattice vibrations, 4=15581
- Nelson, D.C. See Mitchell, N., 4=4281
- Nelson, D.F. and Boyle, W.S., A continuously operating ruby optical maser, 2=11783
- Nelson, D.F. and Boyle, W.S., A continuously operating ruby optical maser, 3=14800
- Nelson, D.F. and Collins, R.J. Spatial coherence in the output of an optical maser, 1=12997
- Nelson, D.F., Gershenson, M., Ashkin, A., D'Asaro, L.A. and Sarace, J.C. Band-filling model for GaAs injection luminescence, 3=20514
- Nelson, D.F., Johnson, L.F. and Gershenson, M. Direct transition and exciton effects in the photoconductivity of gallium phosphide, 4=28644
- Nelson, D.F. and Remeika, J.P. Laser action in a flux-grown ruby, 4=11837
- Nelson, D.F. See Collins, R.J., 0=21007
- Nelson, D.F. See Collins, R.J., 3=17077
- Nelson, D.J. See Drummond, J.E., 4=18979
- Nelson, D.R. See Carter, J.G., 3=18052
- Nelson, D.R. See Carter, J.G., 4=8422
- Nelson, D.R. See Weinberg, C.J., 2=14758
- Nelson, D.T. and Legvold, S. Adiabatic demagnetization with yttrium-rare earth alloys, 1=11414
- Nelson, E.B., Carlson, R.R. and Schlenker, L.D. The  $\text{P}^{31}(\text{p}, \gamma)\text{S}^{32}$  reaction at 355 keV and 440 keV proton energy, 2=10103
- Nelson, E.B. See Valerio, J.I., 2=3569
- Nelson, E. Feynman integrals and the Schrödinger equation, 4=11070
- Nelson, F.A. See Anderson, W.A., 3=21999
- Nelson, F.C. Out-of-plane vibration of a clamped circular ring segment, 3=18871
- Nelson, H. and Dousmanis, G.C. Effect of impurity distribution on simultaneous laser action in GaAs at 0.84 and 0.88  $\mu$ , 4=24912
- Nelson, H. See Braunstein, R., 3=20476
- Nelson, H. See Dousmanis, G.C., 4=7012
- Nelson, H. See Dousmanis, G.C., 4=10082
- Nelson, H.M., Leavitt, J.A., Baker, M.R. and Ramsey, N.F. Nuclear interactions in deuterium fluoride, 1=7492
- Nelson, H.M. A hybrid cathode follower for vibration pick-ups, 4=8591
- Nelson, H.M. See Baker, M.R., 1=2347
- Nelson, H.M. See Leavitt, J.A., 1=19661
- Nelson, I.V. and Iwamoto, R.T. Experimental evaluation of liquid-junction potential, 3=23546
- Nelson, J.H. Discussion of paper by I.R. Shapiro, J.D. Stolarik, and J.P. Heppner, "The vector field proton magnetometer for I.G.Y. satellite ground stations", 1=1576
- Nelson, J.H. The gyromagnetic ratio of the proton, 1=2051
- Nelson, J.H. See Hurwitz, L., 0=15103
- Nelson, J.K. See Meyer-Arendt, J.R., 3=1788
- Nelson, J.R. See Gardner, M.B., 4=4969
- Nelson, J.T. and Irvin, J.C. Visible light from a germanium reverse biased p-n junction, 0=2875
- Nelson, J.W., Carter, E.B., Mitchell, G.E. and Davis, R.H. Thresholds observed in the  $\text{C}^{12}(\alpha, n)\text{O}^{16}$ ,  $\text{Si}^{28}(\alpha, n)\text{S}^{31}$ ,  $\text{S}^{32}(\alpha, n)\text{Ar}^{36}$ ,  $\text{S}^{34}(\alpha, n)\text{Ar}^{37}$ , and  $\text{Cl}^{35}(\text{p}, n)\text{Ar}^{36}$  reactions, 3=8131
- Nelson, J.W. and Hudspeth, E.L. Radiative proton capture in  $\text{O}^{18}$ , 2=3574
- Nelson, J.W., Plendl, H.S. and Davis, R.H. (p,n) reaction thresholds in  $\text{Ti}^{48}$ ,  $\text{Fe}^{56}$ , and  $\text{Sr}^{88}$ , 2=10105
- Nelson, J.W., Plendl, H.S. and Oberholtzer, J.D. One-minute positron decay activity from  $\text{K}^{39}(\alpha, n)\text{Sc}^{42}$ , 2=1929
- Nelson, K.A. See Greene, D., 3=19391
- Nelson, K.E. See Edwards, D.K., 1=16053
- Nelson, L.C. An automatic liquid level controller for use with liquid nitrogen, 3=24125
- Nelson, L.C., Jr.  $\gamma$ -ray absorptiometry determines total uranium in flat fuel elements, 4=6442
- Nelson, L.S. Intense rapid heating with flash discharge lamps, 2=19162
- Nelson, L.S. and Kuebler, N.A. Kinetic absorption spectra recorded through flash-heated grids, 0=17759
- Nelson, L.S. and Kuebler, N.A. Absorption spectra of gaseous species formed at flash-heated solid surfaces, 2=17088
- Nelson, L.S. and Kuebler, N.A. Kinetic absorption spectra recorded edgewise across flash-heated strips, 3=18982
- Nelson, L.S. and Kuebler, N.A. Nonelectrical explosion of metals induced thermally with flash lamps, 3=21628
- Nelson, L.S. and Kuebler, N.A. Vaporization of tungsten studied by flash heating and kinetic spectroscopy. I. Near-ultraviolet region, 3=24117
- Nelson, L.S., Kuebler, N.A. and Kornegay, R.L. Determination of wavelengths and wavenumbers from spectroscopic plates with a card-punching comparator, 3=18997
- Nelson, L.S. See Bass, A.M., 4=22359



- Nelson, L.S. See Kay, J.G., 2=15652  
 Nelson, L.S. See Kuebler, N.A., 2=108  
 Nelson, L.S. See Lundberg, J.L., 0=1962  
 Nelson, M. See Gardner, J.H., 3=24492  
 Nelson, M.E. See Kerlee, D.D., 0=11264  
 Nelson, M.P. Application of Feller's theorem to thermodynamics, 4=11093  
 Nelson, P. Turbulence in plasmas, 3=7523  
 Nelson, P. Instabilities due to radiation, 4=11669  
 Nelson, R. Microwave spectrum, molecular structure, and dipole moment of dimethyl phosphine, 4=6620  
 Nelson, R. See Rindner, W., 3=2940  
 Nelson, R.C. Sensitization of photoconductivity in glass by dyes, 0=20926  
 Nelson, R.C. Energy transfers between sensitizer and substrate. III. Sensitization by thick dye films, 1=17797  
 Nelson, R.C. Energy transfers between sensitizer and substrate. IV. Energy levels in solid dyes, 1=17798  
 Nelson, R.C. Organic photoconductors. IV. The nature of the conductive excited states, 2=6492  
 Nelson, R.C. Organic photoconductors. VII. Collective and localized conduction processes, 2=6493  
 Nelson, R.C. Electronic conduction in glass, 3=10870  
 Nelson, R.C. Photoelectric phenomena in hemoglobin and dyed gelatin, 3=20413  
 Nelson, R.C. Dark conductivity of cationic dye photoconductors, 3=25416  
 Nelson, R.C. See Cho, B.-Y., 3=23021  
 Nelson, R.C. See Petruzzella, N., 3=8531  
 Nelson, R.S. The effect of temperature on the propagation of focused collision sequences in gold, 2=12486  
 Nelson, R.S. See Barnfield, R.W., 2=11734  
 Nelson, R.S. See Thompson, M.W., 2=17900  
 Nelson, R.S. See Beevers, C.J., 2=18565  
 Nelson, R.H. Ferromagnetic resonance linewidth and internal biasing field in Ni-Fe films as a function of dispersion in the anisotropy field magnitude, 4=13288  
 Nelson, R.L. and Tench, A.J. Chemisorption and surface defects in irradiated magnesium oxide, 4=23600  
 Nelson, R.R., Webb, W. and Dixon, J.A. First-order phase transitions of six normal paraffins at elevated pressures, 1=2747  
 Nelson, R.S. Insulated terminals for high-vacuum systems using demountable glass-metal seals, 0=16743  
 Nelson, R.S. Determination of preferred orientation in polycrystalline metal foils using a sputtering technique, 0=18290  
 Nelson, R.S. Focused collision sequences in tungsten and molybdenum, 3=22881  
 Nelson, R.S. The observation of collision sequences in  $\text{UO}_2$ , 4=6902  
 Nelson, R.S. The sputtering of metals with noble gas ions; an experiment to determine the fate of the injected gas and its influence on the sputtering process, 4=17458  
 Nelson, R.S. and Thompson, M.W. Atomic collision sequences in crystals of copper, silver and gold revealed by sputtering in energetic ion beams, 1=14157  
 Nelson, R.S. and Thompson, M.W. Evidence for focused recoil trajectories from a high-energy sputtering experiment with Cu, 3=2049  
 Nelson, R.S. and Thompson, M.W. Focused collision sequences in aluminium, 3=2845  
 Nelson, R.S. and Thompson, M.W. The penetration of energetic ions through the open channels in a crystal lattice, 4=4086  
 Nelson, R.S., Thompson, M.W. and Montgomery, H. The influence of thermal vibration on focused collision sequences, 3=452  
 Nelson, R.S. See Beevers, C.J., 3=20159  
 Nelson, R.S. See Thompson, M.W., 3=6552  
 Nelson, S.M., Newman, A.C.D., Tomlinson, T.E. and Sutton, L.E. A dielectric study of the adsorption of water by magnesium hydroxide, 0=14945  
 Nelson, T.J. See Geusic, J.E., 3=17936  
 Nelson, T.M. See Bartley, S.H., 0=3383  
 Nelson, T.M. See Bartley, S.H., 1=6669  
 Nelson, W.F., Siegel, I. and Wagner, R.W. K X-ray absorption spectra of germanium in crystalline and in amorphous  $\text{GeO}_2$ , 2=21261  
 Nelson, W.F., Siegel, I. and Wagner, R. X-ray absorption fine structure in glass, 4=15591  
 Nelting, P. See Fucks, W., 3=7276  
 Nemashkalo, B.O. See Lavrentyev, O.O., 3=19274  
 Nemchenko, A.M. See Romanets', R.G., 2=17482  
 Nemchenko, R.L., Shul'man, A.R. and Grishin, V.S. Adsorption of barium on a polycrystalline gold substrate, 4=24731  
 Nemchenko, R.L. See Kapitsa, M.L., 2=13586  
 Nemchenko, V.F. See L'vov, S.N., 1=3707  
 Nemchenko, V.F. See L'vov, S.N., 2=8296  
 Nemchenko, V.F. See L'vov, S.N., 2=19825  
 Nemchenko, V.F. See L'vov, S.N., 2=23378  
 Nemchenko, V.F. See L'vov, S.N., 3=25210  
 Nemchenko, V.F. See Verkhoglyadova, T.S., 3=865  
 Nemchenok, R.L. See Shul'man, A.R., 1=13106  
 Nemchinov, S.V., Musaeljan, Sh.A. and Sadokov, V.P. Determination of the stream function from vertical motion, 3=25879  
 Nemchinov, S.V. and Sadokov, V.P. Establishment of a scheme stable in initial data to compute meteorological elements by means of solving thermohydrodynamic equations, 3=1427  
 Némec, J. See Bém, P., 3=2444  
 Némec, J. See Bém, P., 4=22125  
 Némec, J. See Bém, P., 4=25098  
 Nemenov, L.L., Solov'ev, L.D. and Khomskii, D.I. Role of the biphon  $\pi$ -meson production in nucleon collisions, 2=16188  
 Nemenov, L.L., Solov'ev, L.D. and Khomskii, D.I. Role of the biphon in  $\pi$ -meson production in nucleon-nucleon collisions, 3=5994  
 Nemenov, L.L. See Blokhintseva, T.D., 2=16227  
 Nemenov, L.L. See Blokhintseva, T.D., 3=6044  
 Nemenov, L.L. See Blokhintseva, T.D., 3=22176  
 Nemenov, L.L. See Blokhintseva, T.D., 3=22177  
 Nemenov, L.L. See Blokhintseva, T.D., 3=24558  
 Nemenov, L.L. See Blokhintseva, T.D., 4=11863  
 Nemenov, L.L. See Meshcheryakov, V.A., 4=6105  
 Nemenov, L.M. See Arzumanov, A.A., 2=7673  
 Nemenov, L.M. See Arzumanov, A.A., 2=7686  
 Nemenov, L.M. See Arzumanov, A.A., 2=13619  
 Nemenov, L.M. See Arzumanov, A.A., 2=20076  
 Nemenov, L.M. See Arzumanov, A.A., 3=9888  
 Nemenov, L.M. See Babichev, A.P., 2=2286  
 Nemenov, L.M. See Mescherov, R.A., 1=16455  
 Nemenov, L.M. See Mironov, E.S., 1=5512  
 Németh, L. See Dueprovskii, I.S., 0=20383  
 Németh, L. Determination of the K-shell conversion coefficient of the 143 keV transition in  $\text{Pr}^{141}$  by means of a  $4\pi$  scintillation spectrometer, 2=20563  
 Németh, E.M., Polanyi, J.C. and Sadowski, C.M. Self-absorption in the sodium plus active-hydrogen diffusion flame, 4=23654  
 Németh, G. Calculation of the replacement effect in the statistical theory of lattice damage, 2=611  
 Németh, G. See Fogarassy, B., 0=15688  
 Németh, G. See Pál, L., 3=9900  
 Németh, J. Modification of the form of potential in an excited nucleus and its effect on the barrier transmission coefficient, 0=11286  
 Németh, J. The effect of pairing energy on the temperature excitation energy of an interacting fermion system, 2=1081  
 Németh, J. The ground state energy of odd fermion systems, 4=18099  
 Németh, J. See Csikai, J., 3=10367  
 Németh, J. See Marx, G., 4=26899  
 Németh, T. See Lőrinczy, A., 2=18723  
 Némethy, G. and Scheraga, H.A. Structure of water and hydrophobic bonding in proteins. I. A model for the thermodynamic properties of liquid water, 2=17443  
 Némethy, G. and Scheraga, H.A. Structure of water and hydrophobic bonding in proteins. II. Model for the thermodynamic properties of aqueous solutions of hydrocarbons, 2=17444  
 Némethy, G. and Scheraga, H. Structure of water and hydrophobic bonding in proteins. IV. The thermodynamic properties of liquid deuterium oxide, 4=24200  
 Nemets', O.F. Interaction of deuterons with nuclei. Review., 4=1099  
 Nemets', O.F., Pasechnik, M.V. and Pucherov, N.N. Study of nuclear reactions in the cyclotron of the Institute of Physics of the Ukrainian Academy of Sciences, 3=19880  
 Nemets', O.F., Pasechnik, M.V. and Pucherov, N.N. Nuclear reaction studies with the cyclotron of the Physical Institute of the Academy of Sciences of the Ukrainian SSR, 4=3648  
 Nemets', O.F., Picard, F., Slyusarenko, L.I. and Tokarevskii, V.V. Angular distribution of 13.6 MeV deuterons elastically scattered by some light and medium nuclei, 4=25420  
 Nemets', O.F., Pikar, F., Slyusarenko, L.I. and Tokarevskii, V.V. Elastic scattering of deuterons by isotopes of strontium and tin, 4=22168



- Nemets, O. F., Pikar, F., Slyusarenko, L. I. and Tokarevskii, V. V. Elastic scattering of deuterons on nitrogen, oxygen and argon, 4=6368
- Nemets, O. F., Pikar, F. and Tokarevskii, V. V. Inelastic scattering of deuterons by certain even isotopes of tin, 4=22127
- Nemets, O. F. and Prokopets, G. A. Inelastic scattering of protons and deuterons by  $Mg^{24}$ , 0=13235
- Nemets, O. F. and Prokopets, G. A. Spin of the 1.38 MeV level of  $Mg^{24}$ , 2=16296
- Nemets, O. F., Salt'kov, L. S. and Sokolov, M. V. The (p, d) reaction and inelastic scattering of protons on Be<sup>9</sup>, 1=4866
- Nemets, O. F. and Topareskii, V. V. "Gross structure" of proton spectra in stripping reactions, 2=16431
- Nemets, O. F. and Tokarevskii, V. V. Spin and parity of some states of  $Cd^{112}$ ,  $Sn^{118}$  and  $Sn^{120}$ , 3=12592
- Nemets, O. F. See Bin'kovskii, Yu. A., 2=21564
- Nemets, O. F. See Dobrikov, V. N., 2=1534
- Nemets, O. F. See Gofman, Yu. V., 1=17139
- Nemets, O. F. See Gofman, Yu. V., 1=17140
- Nemets, O. F. See Gofman, Yu. V., 2=5924
- Nemets, O. F. See Gofman, Yu. V., 2=14127
- Nemets, O. F. See Gofman, Yu. V., 2=14132
- Nemets, O. F. See Gofman, Yu. V., 2=14134
- Nemets, O. F. See Gofman, Yu. V., 3=6283
- Nemets, O. F. See Gofman, Yu. V., 3=6284
- Nemets, O. F. See Gofman, Yu. V., 3=6285
- Nemets, O. F. See Gofman, Yu. V., 3=7744
- Nemets, O. F. See Kosinov, G. A., 2=7650
- Nemets, O. F. See Kosinov, G. A., 4=9553
- Nemets, O. F. See Naika, N. I., 2=16297
- Nemets, O. F. See Valter, A. K., 4=1101
- Nemets, O. F. See Zaika, N. I., 0=7573
- Nemets, O. F. See Zaika, N. I., 0=20458
- Nemets, O. F. See Zaika, N. I., 1=17148
- Nemets, O. F. See Zaika, N. I., 2=16317
- Nemets, O. F. See Zaika, N. I., 2=16333
- Nemets, O. F. See Zaika, N. I., 3=17405
- Nemets, O. F. See Zaika, N. I., 3=22271
- Nemets, O. F. See Zaika, N. I., 4=16761
- Nemhohov, S. A. and Kolobova, K. M. The character of interatomic bond forces in Fe-Al alloys, 0=1934
- Nemilov, A., Pisarevskii, A. N. and Soshin, L. D. The first excited state of  $Tb^{159}$ , 0=4035
- Nemilov, Y. A., Ovchinnikov, V. M., Pisarevsky, A. N. and Teterin, E. D. Use of the photomultiplier FEU-12 in scintillation spectrometry, 0=3789
- Nemilov, Yu. A. See Guseva, M. I., 3=24971
- Nemilov, Yu. A., Belozerskii, G. N. and Pisarevskii, A. N. The  $\alpha/\beta$  ratio of a liquid scintillator, 0=14660
- Nemilov, Yu. A., Belozerskii, G. N. and Soshin, L. D. On the stability of photomultipliers, 4=16523
- Nemilov, Yu. A., Gridnev, K. A. and Pisarevskii, A. N. The intensity of the slowly decaying component of stilbene luminescence excited with  $\alpha$ -particles, 1=6238
- Nemilov, Yu. A. and Litvin, V. F. Multispectrographs — a new magnetic analyzer for charged products of nuclear reactions, 4=16844
- Nemilov, Yu. A., Pisarevskii, A. N. and Soshin, L. D. Investigation of  $\gamma$ -rays from the decay of  $As^{76}$ , 0=4064
- Nemilov, Yu. A., Pisarevskii, A. N. and Soshin, L. D. A form of distortions of total energy lines by NaI:Tl crystals, 2=3211
- Nemilov, Yu. A. and Pobedonostsev, L. A. Polarization of 3 MeV protons elastically scattered on  $C^{12}$ , 3=2443
- Nemilov, Yu. A. and Pobedonostsev, L. A. Polarization of elastically scattered 6.5 MeV deuterons, 4=3687
- Nemilov, Yu. A. See Aleksandrov, Yu. A., 2=13988
- Nemilov, Yu. A. and Privalova, V. E. The effect of alkali metals on the properties of antimony photocathodes, 0=15056
- Nemilov, Yu. A. See Alekseev, N. V., 1=17144
- Nemilov, Yu. A. See Babenko, N. P., 3=22417
- Nemilov, Yu. A. See Babenko, N. P., 4=6371
- Nemilov, Yu. A. See Babenko, N. P., 4=30277
- Nemilov, Yu. A. See Belozerskii, G. N., 2=10302
- Nemilov, Yu. A. See Belozerskii, G. N., 4=9810
- Nemilov, Yu. A. See Blinov, V. A., 3=531
- Nemilov, Yu. A. See Blinov, V. A., 4=3252
- Nemilov, Yu. A. See Bochin, V. P., 4=12269
- Nemilov, Yu. A. See Didenko, A. A., 0=15968
- Nemilov, Yu. A. See Gridnev, K. A., 4=22172
- Nemilov, Yu. A. See Gustova, L. V., 3=22416
- Nemilov, Yu. A. See Lomonosov, I. I., 2=4188
- Nemilov, Yu. A. See Marov, G. I., 3=24993
- Nemilov, Yu. A. See Zherebtsova, K. I., 2=5962
- Nemilov, Yu. A. See Zherebtsova, K. I., 2=22849
- Nemilov, Yu. A. See Zherebtsova, K. I., 3=4667
- Nemilov, Yu. A. See Zherebtsova, K. I., 3=8128
- Nemiro, A. A. Reference stars in the southern hemisphere, 0=12307
- Nemiro, A. A. and Zverev, M. S. A plan of U.S.S.R. participation in astrometric observations in the southern hemisphere, 0=12303
- Nemirova, E. K. The role of resonance effects in the measurement of meteor velocities, 0=18714
- Nemirovskaya, S. A. See Geshkenbein, B. V., 0=5702
- Nemirovskii, P. E. Cross-sections for radiative capture of neutrons by heavy nuclei, 1=17117
- Nemirovskii, P. E. Neutron-proton interaction energy in odd-odd nuclei, 3=2359
- Nemirovskii, P. E. and Chepurinov, V. The spin-orbit interaction in spherical nuclei, 3=15095
- Nemirovskii, P. E. and Elagin, Yu. P. Cross-sections for elementary processes with large absorption, 3=24647
- Nemirovskii, P. E. and Fiveiskii, Yu. D. Influence of Coulomb attraction on the cross-section for absorption of anti-protons by nuclei, 0=20430
- Nemirovskii, P. E. and Strokov, Yu. F. Optical model for anti-nucleon-nucleon collisions, 4=19505
- Nemirovskii, P. E. See Elagin, Yu. P., 2=22825
- Nemirovskii, P. E. See Gurevich, I. I., 2=22533
- Nemirovskii, P. E. See Elagin, Yu. P., 1=19485
- Nemirovskii, P. E. See Gurevich, I. I., 2=294
- Nemirovsky, P. E. and Adamchuk, Yu. V. Neutron and proton pair interaction energy, 3=10199
- Nemirovsky, P. E. See Chepurinov, V. A., 4=9378
- Nemirovsky, P. E. and Yelagin, Yu. P. Optical model for cross sections of radiative capture and inelastic neutron scattering, 3=19855
- Nemirovsky, P. E. See Elagin, Ju. P., 4=9188
- Nemirovs'kii, P. E. See Yelagin, Yu. P., 3=19869
- Nemnonov, S. A. Fine structure of the principal K absorption edge of transition metals of the iron group, their alloys and
- Nemnonov, S. A. and Sorokina, M. F. Investigation of the principal J absorption edge of nickel in nickel-aluminium alloys, 2=21259
- Nemnonov, S. A. and Finkel'shtein, L. D. On the nature of the interatomic interaction in hydrides of certain transition metals, 1=891
- Nemnonov, S. A. and Finkel'shtein, L. D. The  $K\beta_x$  emission band and K absorption edge of aluminium in sole alloys with transition metals, 3=10974
- Nemnonov, S. A., Finkel'shtein, L. D. and Kolobova, K. M. X-ray diffraction and X-ray spectroscopic investigation of the interatomic bonding forces in iron-aluminium alloys, 0=18399
- Nemnonov, S. A. and Kolobova, K. M. Connection between certain X-ray and magnetic characteristics of iron-based alloys, 1=7719
- Nemnonov, S. A. and Kolobova, K. M. Nature of interatomic interactions and the state of the inner electrons in iron atoms of silicides, 3=20041
- Nemnonov, S. A., Sorokina, M. F. and Finkel'shtein, L. D. Investigation of the K-absorption spectrum of small zinc additions in aluminium-zinc alloys, 1=14616
- Nemnonov, S. A., Sorokina, M. F., Kolobova, K. M. and Men'shikov, A. Z. Structure of K-absorption spectra of transition metals in intermetallic compounds with aluminium and silicon, 4=7144
- Nemnonov, S. A., Sorokina, M. F., Men'shikov, A. Z., Kolobova, K. M. and Finkel'shtein, L. D. Problem of the nature of atomic interaction in the intermetallic compounds: transition metal-aluminium, and transition metal-silicon, 4=6679
- Nemnonov, S. A. See Finkel'shtein, L. D., 4=7127
- Nemnonov, S. A. See Gusatinskii, A. N., 4=20460
- Nemnonov, S. A. See Men'shikov, A. Z., 1=14617
- Nemnonov, S. A. See Men'shikov, A. Z., 3=23086
- Nemnonov, S. A. See Men'shikov, A. Z., 4=1427
- Nemoda, D. S. Separation of fission products and corrosion elements on aluminium oxide, 0=21301
- Nemoda, L. See Drimer, D., 3=25294
- Nemonov, L. M. See Babichev, A. P., 3=21913
- Nemoshkalenko, V. The structure of electron energy spectrum of iron-cobalt alloys, 2=16621
- Nemoshkalenko, V. The structure of electron energy spectrum of iron-cobalt alloys, 2=20955



- Nemoshkalenko, V.V. An X-ray spectroscopic study of the iron transition group metals, 3=25475
- Nemoshkalenko, V.V. See Borisov, N.D., 2=14692
- Nemoshkalenko, V.V. See Borisov, N.D., 2=16626
- Nemoshkalenko, V.V. See Borisov, N.D., 3=4236
- Nemoshkalenko, V.V. See Borisov, N.D., 3=4833
- Nemoto, C. See Sinno, K., 4=13848
- Nemoto, C. See Sinno, K., 4=26858
- Nemoto, M. See Koda, S., 3=22797
- Nemtsev, V.P. See Nakhodkin, N.G., 2=21101
- Nencetti, G., Nardini, G. and Zanelli, S. Pyrolytic stability of some boro-organic compounds, 4=22267
- Nene, M. G., Mishra, S. R. and Khenwar, G. S. Studies of Joshi effect in a gas discharge under d.c. excitation in a photo electric cell, 4=29876
- Nene, M.G. See Arnika, H.J., 3=14553
- Nene, M.G. See Arnika, H.J., 3=19207
- Nenno, S. and Kauffman, J.W. Detection and determination of equilibrium vacancy concentrations in aluminum, 1=7576
- Nenno, S. and Kaufman, J.W. Detection of equilibrium vacancy concentrations in aluminium, 0=20792
- Nenno, S., Saburi, T., Tagaya, M. and Nishiyama, Z. Observations of dislocation networks in an alloy of body-centered cubic lattice by electron microscopy, 1=1211
- Nenow, D. On the equilibrium form of dislocated crystals, 3=12973
- Nensberg, E. D. and Shtrum, E. L. Thermal conductivity of  $\text{AgSbTe}_2$ , 4=25868
- Nensberg, E.D. See Averkin, A.A., 3=22948
- Nensberg, E.D. See Smirnov, I.A., 0=20947
- Nensberg, E.D. See Smirnov, I.A., 2=23401
- Nentwig, G. and Weber, K.-H. Dose sensitivity of scintillation counters for gamma-rays, 4=21827
- Neo, Y. P. and Shepherd, G. G. Measurements of the daytime abundance of upper atmospheric sodium, 4=26806
- Neogy, D. Absolute determination of the principal magnetic susceptibilities of triclinic crystals, 3=17019
- Neogy, D. The principal magnetic susceptibilities of crystalline ytterbium sulphate octahydrate and the nature of its crystal field, 3=25510
- Neogy, D. Note on the absolute determination of the principal magnetic susceptibilities of triclinic crystals, 4=7207
- Neogy, D. and Lal, R.B. A sensitive magnetic balance for measuring absolute susceptibility of single crystals and dilute solutions, 2=11746
- Neogy, D. and Mookherji, A. A note on magnetic properties and crystal field in praseodymium ethyl sulphate, 4=13120
- Neogy, D. See Mookherji, A., 1=17968
- Neogy, D. See Mookherji, A., 2=16582
- Nepiras, E.A. Problems in the technology of ultrasonic cleaning, 2=21978
- Nepomuceno, L.X. On the acoustic rectifier, 0=19272
- Neporent, B.S. Recent development of molecular spectroscopy in the U.S.S.R., 0=9809
- Neporent, B.S. Developments in molecular spectroscopy in the U.S.S.R., 1=3534
- Neporent, B.S. and Bakhsheiev, N.G. The role of universal and specific intermolecular interactions in the effect of a solvent on the electronic spectra of molecules, 0=15784
- Neporent, B.S., Bakhsheiev, N.G., Lavrov, V.A. and Korotkov, S.M. Effect of the medium on the properties of electron spectra of complex molecules during the gradual transition from vapours to solutions, 3=1703
- Neporent, B. S. and Kiseleva, M. S. Measurement of the humidity of gas mixtures by infrared absorption spectra. I. The use of interpolation laws in the absorption of radiation by gases with unresolved spectral structure, 4=30407
- Neporent, B.S. and Mirumyants, S.O. A spectroscopic investigation of the processes of transformation of the vibrational energy of complex molecules during collisions. I. Determination of the amount of energy transferred and of the collision efficiency, 0=20607
- Neporent, B.S. and Stolbova, O.V. Reversible orientation photo-dichroism in viscous solutions of complex organic substances, 3=23881
- Neporent, B.S. See Bakhsheiev, N.G., 2=21947
- Neporent, B.S. See Kiseleva, M.S., 0=4789
- Neporent, B.S. See Klochkov, V.P., 2=16506
- Neporent, B.S. See Klochkov, V.P., 4=5198
- Neporent, B.S. See Mazurenko, Yu.T., 2=22943
- Neporent, B.S. See Mirumyants, S.O., 2=14260
- Neppiras, E.A. Very high energy ultrasonics, 0=6890
- Neppiras, E. A. Mechanical transformers for producing very large motion, 4=5272
- Neprimerov, N.N. See Imamutdinov, F.S., 0=2982
- Nercy, A. Bussiere de. See Bussiere de Nercy, A.
- Nercy, A. Bussiere De. See Bussiere De Nercy, A.
- Nerdel, F. See Schrader, B., 0=12484
- Nereson, N. See Arnold, G., 2=2385
- Nereson, N. See Arnold, G., 2=15011
- Nereson, N. See Arnold, G., 3=25201
- Nereson, N.G., Olsen, C.E. and Arnold, G.P. Neutron diffraction studies on  $\text{EuO}$ , 2=21334
- Nereson, N. G., Olsen, C. E. and Arnold, G. P. Magnetic structure of europium, 4=22983
- Nereson, N.G. See Olsen, C.E., 2=12667
- Neretina, N.A. and Klyarfel'd, B.N. Anode region in a low-pressure gas discharge. II. Role of plasma electron temperature, anode surface temperature, and anode molecular accommodation coefficient, 0=9037
- Neretina, N.A. See Klyarfel'd, B.N., 0=16984
- Neronova, N.N. and Belov, N.V. Symmetry of ferro-electrics, 0=1695
- Neronova, N.N. and Belov, N.V. Ferromagnetic and ferroelectric space groups, 1=20519
- Neronova, N.N. and Belov, N.V. A single scheme for the classical and black-and-white crystallographic symmetry groups, 2=4401
- Neronova, N.N. and Belov, N.V. Colour antisymmetry mosaics, 4=13512
- Neronova, N.N. See Belov, N.V., 3=1099
- Neronova, N.N. See Belov, N.V., 3=1100
- Neronova, N.N. See Belov, N.V., 4=4515
- Neronova, N.N. See Donnei, G., 0=16251
- Neronova, N.N. See Indenbom, V.L., 1=14943
- Nerses, V. See Huntington, H.B., 1=14306
- Nerurkar, N. See Escobar, V., I., 0=11258
- Nerurkar, N. See Escobar, I., V., 1=7305
- Nerurkar, N. See Roederer, J.G., 1=13587
- Nerurkar, N.W. See Escobar, I., 2=5769
- Nerurkar, N.W. See Escobar, I., 2=13907
- Nerurkar, N.W. An interpretation of the solar anisotropy of primary cosmic radiation, 0=5639
- Nerurkar, N.W. See Escobar, I., 0=15485
- Nervik, W.E. Spontaneous fission yields of  $\text{Cf}^{253}$ , 0=15609
- Nervik, W.E. See Hicks, H.G., 3=688
- Nervik, W.E. See Levy, H.B., 1=17167
- Nesbet, R.K. Ground state electronic wave function of methane, 0=7811
- Nesbet, R.K. Magnetic hyperfine structure of the ground state of lithium, 0=9744
- Nesbet, R.K. Antiferromagnetic superexchange effect, 0=13851
- Nesbet, R.K. Diatomic molecule project at Rias and Boston University, 0=17820
- Nesbet, R.K. Molecular model of the Heisenberg exchange interaction, 1=8854
- Nesbet, R.K. Approximate methods in the quantum theory of many-fermion systems, 1=9349
- Nesbet, R.K. See Kahalas, S.L., 1=12150
- Nesbet, R.K. Construction of symmetry-adapted functions in the many-particle problem, 1=15703
- Nesbet, R.K. Interaction of two ethylene molecules, 2=6236
- Nesbet, R.K. Approximate Hartree-Fock calculations for the hydrogen fluoride molecule, 2=8114
- Nesbet, R.K. See Freeman, A.J., 2=10294
- Nesbet, R.K. Theory of superconductivity. I. Electron-lattice interaction, 2=15844
- Nesbet, R.K. Theory of superconductivity. II. Properties of the modified electron-lattice states of low energy, 3=332
- Nesbet, R.K. Theory of inert-gas fluorides, 3=15357
- Nesbet, R. K. Computation of matrix elements of integrable nuclear two-particle interaction operators, 4=980
- Nesbet, R. K. Theory of hypochromism, 4=9795
- Nesbet, R. K. Computer programs for electronic wave-function calculations, 4=12334
- Nesbet, R. K. Electronic structure of  $\text{N}_2$ ,  $\text{CO}$ , and  $\text{BF}$ , 4=22363
- Nesbet, R. K. Electronic structure of  $\text{HCl}$ , 4=25649
- Nesbet, R. K. Heisenberg exchange interaction of two Mn atoms, 4=25654
- Nesbet, R. K. See Bessis, N., 4=25507
- Nesbet, R. K. See Carlson, K. D., 4=28204
- Nesbet, R.K. See Kahalas, S.L., 3=25099
- Nesbet, R. K. See Koehler, T. R., 4=25876
- Nesbet, R.K. See Lefebvre-Brion, H., 0=17764
- Nesbet, R.K. See Lefebvre-Brion, H., 1=9947
- Nesbet, R.K. See Lefebvre-Brion, H., 1=19643



- Nesbet, R.K. See Lefebvre-Brion, H., 3=19977  
 Nesbet, R.K. See Lefebvre-Brion, H., 4=30425  
 Nesbet, R.K. See Merryman, P., 0=5959  
 Nesbet, R.K. See Ullah, N., 3=6139  
 Nesbet, R.K. See Ullah, N., 4=16999  
 Nesbitt, E.A. and Gyorgy, E.M. Two-phase permalloy for high-speed switching, 1=10166  
 Nesbitt, E.A. and Gyorgy, E.M. Age-hardened gold Permalloy and gold Perminvar, 2=12734  
 Nesbitt, E.A., Heldenreich, R.D. and Williams, A.J. A necessary factor for heat treatment of the Permalloys in a magnetic field, 0=10330  
 Nesbitt, E.A., Williams, H.J., Wernick, J.H. and Sherwood, R.C. Magnetic moments of compounds of cobalt with rare-earth elements having a Cu<sub>2</sub>Ca structure, 1=6382  
 Nesbitt, E.A., Williams, H.J., Wernick, J.H. and Sherwood, R.C. Magnetic moments of intermetallic compounds of transition and rare-earth elements, 2=12749  
 Nesbitt, E.A., Williams, H.J., Wernick, J.H. and Sherwood, R.C. Magnetic properties of compounds of manganese with rare-earth elements having the cubic laves phase structure, 3=15910  
 Nesbitt, E.A. See Geller, S., 4=4376  
 Nesbitt, E.A. See Geller, S., 4=13234  
 Nesbitt, E.A. See Williams, H.J., 3=991  
 Nesbitt, E.A. See Williams, H.J., 4=13189  
 Nesbitt, L.B. See Bean, C.P., 0=1088  
 Neshpor, V.S. The relationship between certain thermal parameters of solids, 0=9854  
 Neshpor, V.S. Crystal structures of the monosilicides of the transition metals, 2=6809  
 Neshpor, V.S. and Barantseva, I.G. Study of heat conduction of molybdenum silicides, 3=25213  
 Neshpor, V.S., Korolenko, Yu.I. and Karal'nik, S.M. Study of the characteristic X-ray absorption of Group I transition elements and their silicides, 2=8546  
 Neshpor, V.S., Nyemchenko, V.K., L'vov, S.N. and Samsonov, G.V. Certain electrophysical properties of titanium compounds with non-metallic Group IV elements, 2=8305  
 Neshpor, V.S. and Samsonov, G.V. Electrical conductivity of transition metal silicides, 1=3709  
 Neshpor, V.S. and Samsonov, G.V. A study of the Hall effect in silicides of the transition metals, 1=3716  
 Neshpor, V.S. and Samsonov, G.V. Electrical, thermoelectric and magnetoelectric properties of transition-metal silicides, 1=5004  
 Neshpor, V.S. and Samsonov, G.V. Rhenium disilicide [ReSi<sub>2</sub>] as a new refractory semiconductor, 2=8372  
 Neshpor, V.S. and Samsonov, G.V. Rhenium disilicide as a new high melting-point semi-conductor, 3=872  
 Neshpor, V.S. See Samsonov, H.V., 1=13103  
 Neshpor, V.S. See Vainshtein, E.E., 1=2449  
 Nesis, E.I. Thermodynamics of a three-dimensional lattice with a weak interaction between planes in an ising model. I, 4=12637  
 Nesis, Ye.I. Order — disorder transitions in a binary ising lattice, 1=15140  
 Nesis, Ye.I. Thermodynamics of a three-dimensional lattice with a strong interaction between the planes in an ising model. II, 4=28366  
 Nesmelov, E.A. See Gisin, M.A., 3=19012  
 Nesmelova, E.S. See Nesterov, V.M., 3=15609  
 Nesmelova, L.I. Relationship between the field effect and properties of a point contact, 4=7009  
 Nesmelova, L.I. See Kosman, M.S., 3=20402  
 Nesmeyanov, A.N. and Dé Dýk Man. Measurement of the vapour pressure of solid chromium by a radioactive tracer method, 0=13473  
 Nesmeyanov, A.N. S.I. Vavilov — eminent scientist and leader of Soviet science, 3=16478  
 Nesmeyanov, A.N. See Belýkh, L.P., 0=6997  
 Nesmyanovich, A.T. The structure of the solar corona of February 15, 1961, from observations at Dzakoy, 2=24119  
 Nesmyanovich, A.T. Some peculiarities of the magnetic field in the solar corona, 3=9212  
 Ness, N., Fanucci, J.B. and Kijewski, L.J. Nonuniform expansion of a piston into an ionized medium with a weak magnetic field, 3=21776  
 Ness, N. See Kijewski, L.J., 4=11503  
 Ness, N.F., Skillman, T.L., Scarce, C.S. and Heppner, J.P. Magnetic field fluctuations on the earth and in space, 2=13080  
 Ness, N.F. See Harrison, J.C., 3=13637  
 Ness, N.F. See Heppner, J.P., 2=13064  
 Ness, N.F. See Heppner, J.P., 3=11466  
 Nessim, M., Kruse, T.H. and Eklund, K.E. Nuclear electric monopole transitions in O<sup>16</sup>, Ca<sup>40</sup>, Ge<sup>72</sup>, and Zr<sup>90</sup>, 2=3529  
 Nessim, M. See Benczer-Koller, N., 1=10986  
 Nesterenko, B.A., Pasechnik, Yu. A., Snitko, O. V. and Frolov, O. S. Investigation of the field effect in thin cadmium sulphide films, 4=10046  
 Nestarenko, B.A. See Kosenko, V.E., 1=11859  
 Nesterenko, E.G. and Chuistov, K.V. Characteristics of the initial stages of decomposition of a supersaturated solid solution of titanium in copper, 0=16353  
 Nesterenko, E.G. and Chuistov, K.V. Phase transformation during ageing of copper-titanium alloys, 1=1412  
 Nesterenko, E.G. and Chuistov, K.V. Influence of plastic deformation on phase transformations in the alloy Cu-Ti, 3=5126  
 Nesterenko, P.S. Concerning the dark polarization of polycrystalline cadmium sulphide, 3=20404  
 Nesterenko, P.S. A photoelectret state in single crystals CdS, 4=12971  
 Nesterenko, V.S. See Invanov, A.A., 3=24184  
 Nesterenko, Ye.H. and Chuistov, K.V. The effect of plastic deformation on crystal structure changes in the aging of the alloy Cu-Ti, 1=15136  
 Nesterikhin, Iu. E. See Dubovoi, L. V., 4=21549  
 Nesterikhin, Yu. E., Komel'kov, B.S. and Meilikhov, E. Z. Nanosecond pulse breakdown of small gaps, 4=14603  
 Nesterikhin, Yu. E. See Kurtmullaev, R. Kh., 4=14684  
 Nesterko, N.A. See Lyutiy, A.I., 3=23542  
 Nesterko, N.A. See Lyutiy, A.I., 3=23543  
 Nesterko, N.A. See Zhitkevich, V.F., 3=19925  
 Nesterko, S.N.A. See Lyutiy, A.I., 2=17679  
 Nesterov, A. F. See Konev, V. N., 4=26489  
 Nesterov, A.F. See Rýbalko, F.P., 1=10213  
 Nesterov, E. See Ėskin, V. E., 4=24216  
 Nesterov, G. See Serafimov, K., 4=26854  
 Nesterov, V.E. See Savenko, I.A., 1=19318  
 Nesterov, V.E. See Savenko, I.A., 2=18210  
 Nesterov, V.E. See Savenko, I.A., 2=22668  
 Nesterov, V.E. See Savenko, I.A., 2=18211  
 Nesterov, V.E. See Savenko, I.A., 3=7961  
 Nesterov, V.E. See Savenko, I.A., 3=22250  
 Nesterov, V.E. See Savenko, I.A., 4=26979  
 Nesterov, V.E. See Vernov, S.N., 2=920  
 Nesterov, V.E. See Vernov, S.N., 2=9028  
 Nesterov, V.E. See Vernov, S.N., 2=16256  
 Nesterov, V.E. See Vernov, S.N., 2=19250  
 Nesterov, V.E. See Vernov, S.N., 3=9108  
 Nesterov, V.E. See Vernov, S.N., 3=23636  
 Nesterov, V.E. See Vakulov, P. V., 4=7900  
 Nesterov, V.G. and Smirenkin, G.N. The fission cross section of <sup>240</sup>Pu for 0.04-4.0 MeV neutrons, 2=12232  
 Nesterov, V.G. See Blyumkina, Yu. A., 4=6397  
 Nesterov, V.G. See Blyumkina, Yu. A., 4=17211  
 Nesterov, V.G. See Kuz'minov, B.D., 0=9713  
 Nesterov, V.G. See Smirenkin, G.N., 3=6309  
 Nesterov, V.M., Nesmelova, E.S., Ol'shanskaya, N.I., Mikhailova, T.G. and Potakhova, G.I. Reversible effects of radiation on dielectric properties, 3=15609  
 Nesterov, V.P. See Fleishman, D. G., 4=1047  
 Nesterov, V.S. Visco-inertial dispersion and attenuation of sound in highly concentrated suspensions, 0=6869  
 Nesterov, V.S. Conductance of a group of holes, 0=19257  
 Nesterov, V.S. See Byzova, N.L., 0=19294  
 Nesterov, V.S. See Zakharov, L. N., 4=14276  
 Nesterov, V.V. New estimate of the Struve method of latitude determination from observations with a transit instrument in the prime vertical, 3=16318  
 Nesterova, L. N. See Slyusarev, P. N., 4=3755  
 Nesterova, N. M. and Nikol'skii, S. I. Investigation of the composition of primary cosmic radiation by means of fluctuations in Cherenkov light from extensive air showers, 4=21971  
 Nesterova, N.M. See Chudakov, A.E., 1=3282  
 Nesterova, N.M. See Chudakov, A.E., 2=20460  
 Nesterova, N.M. See Kulikov, G.V., 1=3283  
 Nesteruk, K. and Marks, J. A flashless getter of low operating temperature, 4=21199  
 Neştianu, T. See Atanasiu, G., 1=1574  
 Neştianu, T. See Atanasiu, G., 1=6647  
 Nestlerode, J.A. and Lumley, J.L. Initial response of the spectrum of isotropic turbulence to the sudden application of a strong magnetic field, 3=21952



- Nestor, O.H. Heat intensity and current density distributions at the anode of high current, inert gas arcs, 2=11634
- Nestorov, G. Influence of solar corpuscular radiation on the ionization in the lower ionosphere, 2=15216
- Nestorev, G. Correlation between nocturnal E-layer ionization, geomagnetic activity, and cosmic radiation in midgeomagnetic latitudes, 4=7922
- Nestorov, G. Absorption in the lower ionosphere and profile of electron density at the time of the eclipse of 15.2.1962, 4=7903
- Nestorov, G. Daily and seasonal variations in height of the ionospheric D-region, 4=26852
- Nestorov, G. Height of the underside of the ionospheric E-layer and the motion of the D2-layer after sunrise, 4=30959
- Nestorov, G. and Serafimov, K. Equivalent electron density in D-region of ionosphere, 4=26853
- Nestorov, G. and Tafradzieva, B. Sudden field strength anomalies in the long wave range, 4=15890
- Nestorov, G. and Taubenheim, J. Investigation of the ionospheric E-layer during the total solar eclipse of 15 February 1961, 2=21649
- Nestorov, G. and Taubenheim, J. A criterion for the recombination and the ionizing radiation of the ionospheric E-region from observations during a total eclipse of the sun, 4=30960
- Nestorov, G. and Taubenheim, J. Effective recombination coefficient and sources of ionizing radiation for E-region during solar eclipse of 15th Feb. 1961, 3=16271
- Nestorov, G. See Serafimov, K., 4=26855
- Nestorov, G. See Stanulov, N., 4=14023
- Neta, P. See Anbar, M., 3=5171
- Neta, P. See Anbar, M., 3=6928
- Netesov, G. B. See Belyaev, L. M., 4=15604
- Nethaway, D. R. and Winsberg, L. Interaction of high-energy protons with indium, 0=15573
- Nethaway, D. R. See Wahl, A. C., 2=12236
- Nethaway, D. R. See Wahl, A. C., 3=19894
- Nethercot, A. H. Jr. Superconducting-normal transition time, 2=140
- Nethercot, A. H., Jr. and Nickle, H. H. Microwave phonon attenuation and thermal conductivity, 4=17380
- Nethercot, A. H., Jr. and von Gutfeld, R. J. Nonlinear microwave effects and the switching speed of superconducting tin, 3=19123
- Nethercot, A. H., Jr. See Kaplan, R., 0=1080
- Nethercot, A. H., Jr. See Lasher, G. J., 3=20397
- Nethercot, A. H. Jr. See von Gutfeld, R. J., 4=25867
- Neto, J. R. P. See Porto, S. P. S., 0=16859
- Neto, J. R. P. See Porto, S. P. S., 0=19415
- Netschey, A. See Gutmann, F., 1=19875
- Netshev, A. See Gutmann, F., 2=14552
- Netsetsckii, A. M. and Sumbaev, O. I. An apparatus for automatically recording a number of impulses at low repetition rates, 4=16753
- Nettel, S. J. Interaction of a polarizable potassium chloride crystal with a valence-band hole, 1=3634
- Nettel, S. J. See Woll, E. J. Jr., 1=11422
- Nettel, S. J. Many-particle theory of impurity states in polar crystals, 3=4846
- Nettel, S. J. See Cooper, B. R., 2=14816
- Nettel, S. J. See Kohn, W., 0=16636
- Netter, F., Corge, C., Julien, J., Vinh-Dinh Huynh and Morgenstern, J. Origin of intense gamma radiation from the absorption of slow neutrons by  $U^{238}$ , 1=9870
- Netter, F. See Bianchi, G., 2=9865
- Netter, F. See Bianchi, G., 4=17153
- Netter, F. See Bianchi, G., 4=17154
- Netter, F. See Bianchi, G., 4=17155
- Netter, F. See Bianchi, G., 4=17156
- Netter, F. See Corge, C., 1=12090
- Netter, F. See Corge, C., 1=13828
- Netter, F. See Corge, C., 1=17112
- Netter, F. See Corge, C., 2=295
- Netter, F. See Corge, C., 2=388
- Netter, F. See Corge, C., 2=415
- Netter, F. See Corge, C., 2=416
- Netter, F. See Corge, C., 2=18334
- Netter, F. See Julien, J., 1=16699
- Netter, F. See Julien, J., 2=18332
- Netter, F. See Julien, J., 2=18333
- Netter, F. See Julien, J., 3=4645
- Netter, F. See Julien, J., 4=28036
- Nettleton, L. L. and Cannon, J. R. Investigation of upward continuation systems, 3=9000
- Nettleton, L. L., LaCoste, L. and Harrison, J. C. Tests of an airborne gravity meter, 0=8346
- Nettleton, L. L., LaCoste, L. J. B. and Glicken, M. Quantitative evaluation of precision of airborne gravity meter, 3=8996
- Nettleton, R. E. Relaxation theory of thermal conduction in liquids, 0=8824
- Nettleton, R. E. Casimir coefficients and minimum entropy production, 0=14643
- Nettleton, R. E. Density fluctuations and heat conduction in a pure liquid, 1=2903
- Nettleton, R. E. Corrected calculations of sound absorption in nonassociated liquids, 2=7208
- Nettleton, R. E. Irreversible processes in liquids and the density matrix: monatomic molecules, 2=13322
- Nettleton, R. E. Invalidity of Meixner's theorem in irreversible thermodynamics, 3=63
- Nettleton, R. E. Linear velocity-gradient term in time-dependent pair distribution function, 3=14150
- Nettleton, R. E. Inertial effects in the phenomenological theory of thermal diffusion in liquids, 3=16608
- Nettleton, R. E. Foundations of the Callaway theory of thermal conductivity, 4=6755
- Nettleton, R. E. Antireciprocity and memory in the statistical approach to irreversible thermodynamics, 4=11094
- Nettleton, R. E. Spin-wave scattering of phonons in antiferromagnets, 4=28852
- Nettleton, R. E.; Zwanzig, R. Molecular collision models and transition probabilities in liquids. Comment on Dr. Nettleton's letter, 2=17441
- Nettleton, R. S. Structural and internal state variables in the description of scalar rate processes in fluids, 2=1133
- Nettley, P. T., Bridge, H. and Simmons, J. H. W. Irradiation behaviour of graphite, 3=25027
- Nettley, P. T. See Berman, R., 0=9901
- Nettley, P. T. See Bridge, H., 4=30599
- Netzbund, D. Light conversion with a  $dE/dx$  counter and photomultiplier, 3=2157
- Netzbund, D. See Fülle, R., 4=30351
- Netzel, R. G. and Dillinger, J. R. Epoxy resin as a material for constructing cryogenic apparatus, 1=11867
- Neu, H. Electron heating in Hall fields of m.p.d. generators, 3=24459
- Neu, H. and Werner, H. Analytical approximation procedure for the calculation of the azimuthal periodic magnetic field in a circular accelerator, 2=3112
- Neubauer, W. G. Sound sources and probes for the measurement of pulsed acoustical waves in water, 2=9349
- Neubauer, W. G. Summation formula for use in determining the reflection from irregular bodies, 3=9560
- Neubauer, W. G. and Dragonette, L. R. Experimental determination of the freefield sound speed in water, 4=29624
- Neuberger, J. and Hatcher, R. D. Frequency spectrum for a two-dimensional lattice, 0=13484
- Neuberger, J. and Hatcher, R. D. Infrared optical constants of NaCl, 1=8977
- Neuberger, J. See Arase, E. M., 3=25188
- Neuberger, J. See Arenstein, M., 3=25204
- Neuberger, J. See Arenstein, M., 3=25205
- Neubert, A. and Klemm, A. Isotope enrichment of Mg, Ca, Sr and Ba by ion migration in molten halides, 1=19613
- Neubert, J. High-vacuum gallium valve, 2=19638
- Neubert, R. See Weber, G., 4=1302
- Neubert, T. J. and Lees, R. B. Stored energy in neutron-bombarded graphite, 0=11649
- Neubert, T. J. and Reffner, J. A. Thermal bleaching of  $Cl_2$ -centres, 2=14476
- Neubert, T. J. and Susman, S. Large transparent vacuum melting apparatus, 4=8490
- Neubert, T. J. and Susman, S. Zone-melting apparatus for alkali metal cyanides and alkali metal halides, 4=23324
- Neubert, T. J. and Susman, S. Purification and single-crystal growth of potassium cyanide, 4=26608
- Neubert, T. J. See Lomeline, J. M., 3=22983
- Neubert, V. H. Dynamic absorbers applied to a bar that has solid damping, 4=18313
- Neuburg, H. A. C. See Shen, S. P., 4=4776
- Neuburger, E. See Daniel, H., 3=22328
- Neudachin, V. G. and Orlin, V. N. Single particle excited states and the model description of light nuclei, 1=19364
- Neudachin, V. G. and Orlin, V. N. Single particle excited states and the model description of light nuclei, 2=22727
- Neudachin, V. G. and Orlin, V. N. Giant resonance of dipole absorption of  $\gamma$ -quanta by non-spherical light nuclei and spectroscopic data on excited one-particle



- levels, 2=10003
- Neudachin, V.G., Shevchenko, V.G. and Yudin, N.P. Position of the giant resonance in the dipole absorption of  $\gamma$ -quanta by atomic nuclei, 0=20477
- Neudachin, V.G., Shevchenko, V.G. and Yudin, N.P. On the position of the giant resonance in the dipole absorption of photons by medium weight nuclei, 1=8686
- Neudachin, V. G., Shevchenko, V. G. and Yudin, N. P. The orbital Young diagram as a shell model quantum number in light nuclei and some cluster phenomena in nuclear reactions, 4=22096
- Neudachin, V.G., Smirnov, Yu.F. and Yudin, N.P. Clustering of nucleons in light nuclei, 0=7452
- Neudachin, V.G., Teplov, I.B. and Tulinov, A.F. Use of the (d,p) reaction to excite states with large spins, 0=9634
- Neudachin, V.G. See Balashov, V.V., 0=9545
- Neudachin, V.G. See Balashov, V.V., 3=7963
- Neudachin, V.G. See Edakova, V.A., 0=13242
- Neudachin, V.G. See Kurepin, A.B., 0=11417
- Neudachin, V.G. See Matthies, S., 3=636
- Neudachin, V. G. See Matthies, S., 4=9344
- Neudachin, V. G. See Matkhez, S., 4=1011
- Neudachin, V.G. See Matkhez, Z., 2=10020
- Neudachin, V.G. See Matkhez, Z., 3=6163
- Neudachin, V. G. See Matkhez, S., 4=3524
- Neudachin, V. G. See Matkhez, S., 4=3926
- Neudachin, V. G. See Matkhez, Z., 4=3552
- Neudachin, V. G. See Mailing, L., 4=25368
- Neuenschwander, E. See Janz, G.J., 3=22663
- Neuer, H. and Urban, P. Nonrelativistic approximations of the Dirac equation, 4=54
- Neuer, H. and Urban, P. Corrections to the elastic electron-deuteron scattering cross-section, 4=3388
- Neuert, H. See Borman, M., 0=5771
- Neuert, H. See Bormann, M., 0=13289
- Neuert, H. See Bormann, M., 2=467
- Neuert, H. See Bormann, M., 2=7993
- Neuert, H. See Bormann, M., 2=9739
- Neuert, H. See Bormann, M., 3=15210
- Neuert, H. See Bormann, M., 4=12194
- Neuert, H. See Breuer, G., 1=3448
- Neuert, H. See Kraus, K., 2=11616
- Neuert, H. See Kraus, K., 3=7444
- Neuert, H. See Langkau, R., 2=20193
- Neuert, H. See Pollehn, H., 1=11018
- Neuert, H. See Trepka, L.V., 4=16438
- Neuert, H. See Warncke, J., 0=6203
- Neufeld, E.L. A Fourier analysis of winds in the lower E-region, 1=4123
- Neufeld, E.L. See Davies, J.G., 0=8528
- Neufeld, E.L. See Greenhow, J.S., 0=4788
- Neufeld, E.L. See Greenhow, J.S., 0=8368
- Neufeld, E.L. See Greenhow, J.S., 0=12175
- Neufeld, E.L. See Greenhow, J.S., 0=14313
- Neufeld, E.L. See Greenhow, J.S., 0=16466
- Neufeld, E.L. See Greenhow, V.S., 2=2498
- Neufeld, J. Propagation of electromagnetic waves in a multi-stream medium at gyromagnetic resonance, 0=1208
- Neufeld, J. Occurrence of Vavilov-Cherenkov radiation in a high-temperature plasma, 0=1268
- Neufeld, J. Radiation produced by an electron beam passing through a dielectric medium, 0=2520
- Neufeld, J. Space dispersive properties of plasma, 1=10695
- Neufeld, J. Electromagnetic properties of a plasma-beam system, 2=17835
- Neufeld, J. Constitutive equations for a plasma-like medium, 3=21947
- Neufeld, J. Energy density in a dispersive medium formulated in terms of constitutive and "electromagnetic" parameters, 4=3104
- Neufeld, J. Plasma-beam instability in the Hartree-Appleton approximation, 4=8784
- Neufeld, J. Interaction of a stationary plasma with an electron beam, 4=11677
- Neufeld, J. and Doyle, P.H. Electromagnetic interaction of a beam of charged particles with plasma, 1=2965
- Neufeld, J. and Wright, H. Vavilov-Cherenkov effect and "Bohr radiation" produced by a beam of charged particles in a dispersive medium, 1=16746
- Neufeld, J. and Wright, H. Instabilities in a plasma-beam system immersed in a magnetic field, 3=7625
- Neufeld, J. and Wright, H. Magnetodynamic instabilities in a plasma-beam system, 3=21834
- Neufeld, J. and Wright, H. Multiple instability in a plasma-beam system, 4=29954
- Neufeld, J. and Wright, H. Interaction of a beam of protons with plasma, 4=19012
- Neufeld, J. and Wright, H. Interaction of a plasma with a "Helical" electron beam, 4=27557
- Neugebauer, C.A. Saturation magnetization of nickel films of thickness less than 100 Å, 0=3062
- Neugebauer, C.A. Tensile properties of thin evaporated gold films, 0=10331
- Neugebauer, C.A. The temperature dependence of the saturation magnetization of nickel films of thickness less than 100 Å, 0=10159
- Neugebauer, C.A. Structural aspects of the magnetization in ultrathin ferromagnetic films, 2=12778
- Neugebauer, C.A. Study of the saturation magnetization and magnetic anisotropy of ultrathin films under ultrahigh vacuum conditions, 3=15822
- Neugebauer, C. A. and Ekvall, R. A. Vapor-deposited superconductive films of Nb, Ta, and V, 4=11481
- Neugebauer, C.A. and Webb, M.B. Electrical conduction mechanism in ultrathin evaporated metal films, 2=2119
- Neugebauer, C.A. and Webb, M.B. The mechanism of electrical conduction in ultrathin evaporated metal films, 3=15536
- Neugebauer, G., Wales, W. and Walker, R.L. Photoproduction of negative and positive pions from deuterium for photon energies 500 to 1000 MeV, 0=15413
- Neugebauer, G. See Chase, S.C., 4=10884
- Neugebauer, H.E.J. Coherence time of a maser, 2=13676
- Neugebauer, H.E.J. and Bachynski, M.P. Diffraction by smooth conical obstacles, 0=12697
- Neugebauer, H.E.J. Coherence time of a maser, 3=12338
- Neugebauer, H.E.J. Electrostatic fields in xerography, 4=14416
- Neugebauer, J. Calculation of the unification of two photons of equal frequency in the presence of matter by using the Klein-Gordon equation, 0=7316
- Neugebauer, M. Question of the existence of a lunar magnetic field, 0=4879
- Neugebauer, M. and Snyder, C.W. Solar plasma experiment, 3=7028
- Neugebauer, M. See Press, F., 1=15422
- Neugebauer, M. See Snyder, C.W., 4=13930
- Neugebauer, T. On the problem of the elementary charge and the meson masses, 0=9271
- Neugebauer, T. On the interference of photons, 1=18557
- Neugebauer, T. The calculation of the polarization energy of ionic lattices, 1=19688
- Neugebauer, T. Experimental possibility of a test for scattering with double frequency by means of the maser effect, 2=17647
- Neugebauer, T. Calculation of the scattering of light with doubled frequency from the Schrödinger equation, 4=14389
- Neugebauer, T. Calculation of the dispersion of light with doubled frequency on the basis of the Dirac equation, generalised for the n-body problem, 4=14390
- Neugebauer, Th. On the problem of absolute diamagnetism and superconductivity, 4=24482
- Neugebauer, G. See Chase, S.C., 3=18617
- Neugodov, L.N. See Komissarov, O.D., 2=13118
- Neuhaus, H. See Andersén, E., 3=25103
- Neuhaus, H. See Klynnig, L., 4=25639
- Neuhaus, H. See Lagerqvist, A., 4=15342
- Neuhaus, H. See Larsson, T., 3=8270
- Neuhaus, H. See Larsson, T., 4=30436
- Neuhäuser, H. See Schwink, C., 4=30773
- Neuimin, A.D. See Pal'guev, C.F., 2=18643
- Neuimin, A.D. See Pal'guev, C.F., 2=21107
- Neuimin, A. D. See Tkachenko, E. V., 4=25992
- Neuimin, G.G. See Glotov, V.P., 2=15690
- Neumaier, F. See Moser, H., 3=1669
- Neuman, C. H., Lawson, A. W. and Brown, R. F. Pressure dependence of the resistance of  $\text{VO}_2$ , 4=28576
- Neuman, C.H., Lazarus, D. and Fitch, D.B. Enhanced non-equilibrium diffusion in plastically deformed AgZn, 2=10408
- Neuman, F. Momentum transfer and cratering effects produced by giant laser pulses, 4=22638
- Neuman, M. Statistical models for high energy nuclear reactions, I. 0=7541
- Neuman, M. Statistical models for high-energy nuclear reactions, II. 0=15565
- Neuman, M. Causality and the Lorentz group, 1=5199
- Neumann, A.W. and Baschant, E. Boundary surface activity, adsorption and association, 2=23962



- Neumann, A. W. Methods for the determination of interface energy parameters. Part 1: Contact angle, 4=29606
- Neumann, A. W. and Sell, P. J. On the question of the formation of liquid lamellae in liquids, 0=8661
- Neumann, A. W. and Sell, P. J. Critical contact angle and critical work of adhesion, 4=24147
- Neumann, A. W. See Sell, P. J., 4=24148
- Neumann, A. W. See Wolf, K. L., 2=15142
- Neumann, E. G. Propagation of centimetre electromagnetic waves in an absorption parallel-wire structure, 2=9711
- Neumann, E. G. Electromagnetic field of a weakly guided dipole wave, 4=14901
- Neumann, E. G. and Volle, U. A Fabry-Perot interferometer for millimetre waves with free and constrained waves, 4=24843
- Neumann, E. G. See Kurtze, G., 0=19933
- Neumann, G. See Justi, E., 0=2904
- Neumann, G. N. See Uhler, J., 2=5873
- Neumann, H. and Valk, H. S. Non-spontaneous disintegration of hypernuclei in flight, 0=17509
- Neumann, H. See Fischer, R., 1=17649
- Neumann, H. See Kleint, C., 1=17650
- Neumann, H. A. and Schult, O. W. B. Simple arrangement for measurement of the breadth of the mosaic spread of crystals, 3=13428
- Neumann, H. J. Interpretation of surface eruptions, 3=1671
- Neumann, H. J. On the mechanism of coalescence 3=23858
- Neumann, K. See Dittmar, W., 0=13961
- Neumann, K. See Dittmar, W., 0=18309
- Neumann, K. See Dittmar, W., 1=20446
- Neumann, K. H. See Schmidt, G., 2=6532
- Neumann, L. and Huggins, R. A. Technique for the zone melting of insulators, 2=11229
- Neumann, M. J. and Sherrard, H. Spark chambers for electronic data retrieval, 2=18049
- Neumann, M. J. and Sherrard, H. Spark chamber for electronic information retrieval. II, 4=786
- Neumann, M. J. See Burns, J., 1=3002
- Neumann, J. P. On the order in the hexagonal  $\zeta$ -phase in the system silver-aluminium, 3=6862
- Neumann, K. and Hermann, P. Determination of the surface diffusion of potassium atoms from the rate of formation of crystal edges in supersaturated vapour, 3=25291
- Neumann, K. K. Thermodynamic equilibrium at high temperatures in air. I. Complete equilibrium between material particles and radiation, 3=4118
- Neumann, K. K. Thermodynamic equilibria at high temperatures in air. II. Equilibrium without reference to radiation, 3=24275
- Neumann, K. K. Entropy, enthalpy, free enthalpy, molecular weight and degree of ionization of air plasma, 3=21818
- Neumann, S. and Ewald, H. Focusing parabola spectrographs, 2=20048
- Neumann, W. Total radiation of a stationary and superimposed high-temperature argon arc, 1=18805
- Neumann, W. Total radiation of the stationary and impulse-loaded argon high-temperature arcs, 1=18806
- Neumann, W. Determination of the characteristics of a plasma jet emerging in the free atmosphere, 1=18893
- Neumann, W. Argon plasmajet power measurements, 2=1458
- Neumann, W. Discussion of the energy balance in modulated and unmodulated high pressure argon arcs, 2=19923
- Neumann, W. Characteristics of subsonic argon plasma jets, 3=5663
- Neumann, W. Absolute determination of the radiative component of high pressure arcs in heavy noble gases, 3=14555
- Neumann, W. On the radial temperature behavior in stationary and impulse-modulated high-temperature argon arcs, 3=16917
- Neumann, W. Plasma diagnostic procedures, 3=19275
- Neumann, W., Peters, A., Rademacher, K. and Rompe, R. A description of an arrangement for the generation of an argon plasma stream with stable electrodes and the measurement of the temperature distribution in the plasma stream, 0=1125
- Neumark, G. Efficiency of electroluminescence in ZnS, 0=2968
- Neumark, G. See Lempicki, A., 2=23591
- Neumark, G. F. Theory of the anomalous photovoltaic effect of ZnS, 2=4072
- Neumark, G. F. Extension of the theory of thin-film transistors, 4=30640
- Neumark, G. F. See Rittner, E. S., 3=17967
- Neumark, Z. Tribo-electricity and microphonic noise in infrared systems, 4=14560
- Neumayer, H. R. J. See Lewis, J. C., 2=24234
- Neupert, W. M. The effect of a coronal expansion on the computation of an electron temperature from emission-line intensities, 4=23924
- Neupert, W. M. and Behring, W. E. Solar observations with a soft X-ray spectrometer, 3=9152
- Neupert, W. M. See Kastner, S. O., 3=24055
- Neurath, P. W. Hysteresis and eddy losses in silicon iron as a function of sheet thickness, 0=3023
- Neurath, P. W. Simple recording torque magnetometer, 0=11011
- Neurath, P. W. Magnetic annealing and directional ordering, 3=15804
- Neurath, P. W. and Gibbs, T. W. Arc cathode emission mechanisms at high currents and pressures, 3=9755
- Neurath, P. W. See Lesensky, L., 3=12034
- Neuringer, J. L., Kraus, L. and Malamud, H. Electromagnetic diffusion into a cylindrical plasma column during the early stages of pinch formation, 1=11944
- Neuringer, J. L. and Migotsky, E. Skin effect in magneto-fluid dynamic traveling wave devices, 3=21967
- Neuringer, J. L. See Mostov, P. M., 1=11933
- Neuringer, L. J. and Bernard, W. Generation-recombination noise in p-type gold-doped germanium, 1=10045
- Neuringer, L. J. and Bernard, W. Generation-recombination noise and capture cross-sections in p-type gold-doped germanium, 2=8338
- Neuringer, L. J. and Little, W. J. Longitudinal magnetoresistance of n-type silicon in D.C. magnetic fields to 90 kilogauss, 3=10795
- Neuringer, L. J. and Long, D. Saturation magnetoresistance and impurity scattering anisotropy in n-type silicon, 4=26058
- Neuringer, L. J. See Holland, M. G., 3=10610
- Neuroth, N. See Schäfer, R., 1=18594
- Neustroev, V. D. See Almazov, V. Ya., 3=17120
- Neuvar, E. W. and Jache, A. W. Microwave spectrum and structure of pentafluorosulfur bromide, 3=22572
- Neuvazhaev, V. E. Flow of a gas into vacuum in the case of a power law of energy distribution, 2=5039
- Neuvazhaev, V. E. The propagation of a spherical blast wave in a heat-conducting gas, 3=18899
- Neuvazhev, V. E. Flow of a gas into a vacuum in the case of a power law of energy distribution, 2=11394
- Neuwirth, W. See Kerler, W., 2=10303
- Neuwirth, W. See Kerler, W., 3=12894
- Neuwirth, W. See Kerler, W., 3=22629
- Neuwirth, W. See Kettler, W., 4=12609
- Neuzil, E. F. and Fairhall, A. W. Fission product yields in helium ion-induced fission of  $\text{Au}^{197}$ ,  $\text{Pb}^{204}$ , and  $\text{Pb}^{208}$  targets, 3=10398
- Neuzil, E. F. See Lindsay, R. H., 2=18323
- Neuzil, E. F. and Lindsay, R. H. Emission of  $\text{Be}^+$  and competition processes at 30 to 42 MeV, 3=22383
- Neužilová, R. See Pátý, L., 0=3570
- Neve de Mevergnies, M. See Ceulemans, H., 3=6012
- Nève de Mévergnies, M. See Ceulemans, H., 4=17172
- Neve de Mevergnies, M. See Depuydt, H., 3=8116
- Nève De Mévergnies, M. See Van Assche, P., 4=17071
- Neve De Mevergnies, M. See Van Dingenen, W., 4=9754
- Nevedom-René, M. See Alitti, J., 2=16229
- Nevedomskaya, I. K. See Koptsik, V. A., 2=14917
- Neven, L. See de Jager, C., 0=847
- Neven, L. See de Jager, C., 1=18118
- Neven, L. See De Jager, C., 2=4803
- Neven, L. See De Jager, C., 4=29444
- Neven, L. See Delbouille, L., 4=2424
- Neves e Castro, M., Francon, M. and Rousseau, M. Apparatus for the spectral study of fluorescence in microscopy, 0=14805
- Neveu-René, M. See Alitti, J., 2=18156
- Nevill, G. E., Jr., Commerford, G. E. and Raben, I. A. Reduction in convective heat transfer due to vibration, 3=19048
- Neville, A. C. See Ryle, M., 3=9276
- Neville, D. E. Radiative modes of K-meson leptonic decay, 2=1719
- Neville, D. E.  $\Sigma^-$  capture in deuterium, 3=10177
- Neville, D. E. Elastic scattering of pseudoscalar mesons and  $\text{Su}_n$  symmetry, 4=817
- Neville, J. R. Electrochemical device for measuring oxygen, 2=4579
- Neville, R. A. See Krause, L., 3=18996
- Nevitt, M. V. Magnetization of the compound  $\text{TiFe}$ , 0=1788
- Nevitt, M. V. and Aldred, A. T. Ferromagnetism in V-Fe and Cr-Fe alloys, 3=11055
- Nevitt, M. V. See Lam, D. J., 3=23141



- Nevitt, M.V. See Rosen, S., 3=25747  
 Nevitt, M.V. See Rosen, S., 3=25748  
 Nevitt, M.V. See Rosen, S., 4=7508  
 Nevitt, M.V. See Ziegler, S.T., 0=14072  
 Nevolin, V.K. and Suetin, P.E. The surface ionization of potassium by diffusion through a globar, 4=16546  
 Nevonov, Yu. I. See Vuks, M. F., 4=21159  
 Nevstrueva, E.I. See Styrlikovich, M.A., 0=10805  
 Nevzazhskii, I. Kh. See Borzunov, N.A., 4=14691  
 Nevzazhsky, I. Kh. See Veksler, V.I., 0=5369  
 Nevzglyadov, V.G. A contribution to the theory of anisotropic turbulence, 1=4307  
 Nevzglyadov, V.G. A contribution to the theory of anisotropic turbulence, 1=10486  
 Nevzglyadov, V.G. Thermodynamics of turbulent systems, 1=18680  
 Nevzglyadov, V.G. Rotation of a deforming body, 2=4973  
 Nevzglyadov, V.G. Quantum theory of rotating and deforming particles, 2=11288  
 Nevzglyadov, V.G. Rotation of a deforming body, 2=11311  
 Nevzglyadov, V.G. Quantum theory of rotating and deforming particles, 2=13262  
 Nevzglyadov, V.G. Relativistic theory of motion in the external field for a system with integral degrees of freedom, 3=21204  
 Newbery, L. A. Effects of temperature rise on the flow of a viscous liquid through a concentric annulus with an inner cylinder rotating, 4=29602  
 Newbolt, W. B. and Hamilton, J. H. Internal conversion studies in the decay of  $\text{Ag}^{110m}$ , 4=19725  
 Newburgh, R. G. Improved cathode for extreme ultraviolet Schuele lamp, 4=320  
 Newburgh, R. G. Photoelectric emission phenomena in LiF and KCl in the extreme ultraviolet, 4=3032  
 Newburgh, R.G., Heroux, L. and Hinteregger, H.E. Two light sources for use in the extreme ultraviolet, 3=14355  
 Newbury, R. S. See Jackson, D. D., 4=24461  
 Newby, N.D. Jr. Tensor force effects in odd-odd spherical nuclei, 0=13111  
 Newby, N.D., Jr. Selection rules in the odd-even shift of certain nuclear rotational bands, 2=10004  
 Newcomb, P. C. A. Interaction of positive pions with hydrogen at 600 MeV, 4=3449  
 Newcomb, T.P. Transient temperatures attained in disk brakes, 0=6967  
 Newcomb, T.P. The radial flow of heat in an infinite cylinder, 0=6969  
 Newcomb, T.P. Flow of heat in a composite solid, 0=8820  
 Newcomb, T.P. Temperature reached in a bimetallic brake drum, 0=16915  
 Newcomb, W.A. Hydromagnetic stability of a diffuse linear pinch, 0=15014  
 Newcomb, W.A. Convective instability induced by gravity in a plasma with a frozen-in magnetic field, 1=5544  
 Newcomb, W.A. Lagrangian and Hamiltonian methods in magnetohydrodynamics, 3=12194  
 Newcomb, W.A. and Kaufman, A.N. Hydromagnetic stability of a tubular pinch, 1=4611  
 Newell, D.E. See Flynn, T.M., 4=14473  
 Newell, G.F. Theory of oscillation type viscometers. V. Disk oscillating between fixed plates, 0=16671  
 Newell, G.F. See Azpeitia, A.G., 0=16669  
 Newell, G.F. See Azpeitia, A.G., 0=16670  
 Newell, G.F. See Beckwith, D.A., 0=16668  
 Newell, G.F. See Kestin, J., 0=16667  
 Newell, G.S. See Castner, T., Jr., 0=6373  
 Newell, G.S. See Hicks, B.L., 0=12700  
 Newell, G.S. See Wun Jung., 4=1543  
 Newell, H.E. Capabilities for space research, 0=8523  
 Newell, H.E. Space science, 3=11609  
 Newell, H.E., Jr. The space environment, 0=6438  
 Newell, H.E., Jr. The United States programme in space research, 0=8522  
 Newell, J.A. and Wilks, J. The absorption of sound in liquid helium I under pressure, 0=19536  
 Newell, R.E. Preliminary study of quasi-horizontal Eddy fluxes from meteorological rocket network data, 3=18497  
 Newell, R.E. Transfer through the tropopause and within the stratosphere, 3=21033  
 Newell, R.E. The general circulation of the atmosphere and its effects on the movement of trace substances, 3=25869  
 Newell, R. E. See Starr, V. P., 4=13903  
 Newell, W. E. A simplified method of evaluating various piezo-electric semiconductors for use in an ultrasonic  
 Newey, C. W. A. The strengthening of NaCl crystals by additions of  $\text{Ca}^{2+}$ , 4=23207  
 Newey, C.W.A. See Pratt, P.L., 4=4486  
 Newgard, J.J. and Levoy, M.M. Considerations in the design of a nuclear rocket, 1=17181  
 Newgard, J.J. See Levoy, M.M., 2=4873  
 Newhouse, V.L. See Bremer, J.W., 0=1081  
 Newhouse, V.L. See De Sorbo, W., 2=7512  
 Newhouse, V.L. See Edwards, H.H., 2=7503  
 Newkirk, A.E. See Wihksne, K., 1=14393  
 Newkirk, G. See Weinberg, J.L., 2=4746  
 Newkirk, G., Jr. A model of electron corona with reference to radio observations, 1=2647  
 Newkirk, G., Jr. The airglow of Venus, 1=6699  
 Newkirk, G.Jr. The solar corona in active regions and the thermal origin of the slowly varying component of solar radio radiation, 1=7994  
 Newkirk, G.A., Curtis, G.W., Watson, D.K., Manning, R. and Shelby, J. The inner solar corona during June, 1959, 0=4897  
 Newkirk, G.A. and Eddy, J.A. Daytime sky radiance from forty to eighty thousand feet, 2=15195  
 Newkirk, G.A., Warwick, J.W. and Zirin, H. Backscatter of cosmic rays by the sun's H II sphere, 0=20279  
 Newkirk, G., Jr and Bohlin, D. Reduction of scattered light in the coronagraph, 3=9142  
 Newkirk, G., Jr and Bohlin, D. Scattered light in an externally occulted coronagraph, 4=23926  
 Newkirk, G., Jr and Eddy, J.A. Light scattering by particles in the upper atmosphere, 4=17921  
 Newkirk, G., Jr. See Zirin, H., 4=2445  
 Newkirk, H.L., Haseltine, W.R. and Pratt, A.V. Stability of rotating space vehicles, 0=14476  
 Newkirk, H.W. See Brenden, B.B., 0=8821  
 Newkirk, H. W. See Smith, D. K., 4=10525  
 Newkirk, H.W., Jr. Daniel, J.L. and Mastel, B. Electron microscope studies of damage in irradiated uranium dioxide, 1=17587  
 Newkirk, J. B. See Hendricks, R. W., 4=7592  
 Newkirk, J.B. See Jackson, D.M., 2=14965  
 Newkirk, J.B. See Maiya, P.S., 3=20976  
 Newkirk, J.N., Young, J.D. and Spencer, J.P. Defect structures on polished quartz surfaces as seen by X-ray diffraction microscopy, 4=17837  
 Newkirk, L.L. Calculation of low-energy neutron flux in the atmosphere by the  $S_n$  method, 3=17371  
 Newkirk, L.L. See Ashby, V.J., 3=8112  
 Newman, A. See Barakat, R., 4=5367  
 Newman, A. See Barakat, R., 4=29737  
 Newman, A.C.D. See Nelson, S.M., 0=14945  
 Newman, A.C.D. See Stuart, J.E.A., 0=14944  
 Newman, A.H. See Shannon, R.R., 3=11889  
 Newman, D. E. See Hope, D. A., 4=24422  
 Newman, D.J. See Kilmister, C.W., 1=18235  
 Newman, D.J. See Leech, J.W. (Transl.), 3=5318  
 Newman, D. S. Equation of state for a gas with a weak, long-range positive potential, 4=27209  
 Newman, E. Some properties of empty space-time, 1=6763  
 Newman, E. Proton transfers in the nitrogen-boron system at 27.5 MeV, 2=3626  
 Newman, E. and Penrose, R. An approach to gravitational radiation by a method of spin coefficients, 2=13254  
 Newman, E., Roll, P.G. and Steigert, F.E. Elastic scattering of heavy ions from several gas targets, 1=9886  
 Newman, E., Smith, A.M. and Steigert, F.E. Fluorescent response of scintillation crystals to heavy ions, 1=8404  
 Newman, E. and Steigert, F.E. Response of NaI(Tl) to energetic heavy ions, 0=11788  
 Newman, E., Tamburino, L. and Unti, T. Empty-space generalization of the Schwarzschild metric, 3=18716  
 Newman, E. and Toth, K.S. Nuclear reactions induced by the nitrogen bombardment of boron-11, fluorine, aluminum, silicon, phosphorus, and chlorine, 3=6301  
 Newman, E., Toth, K.S., Halbert, M.L. and Zucker, A. Single-nucleon transfer reactions induced by 28 MeV  $\text{N}^{14}$  ions, 1=19531  
 Newman, E., Toth, K. S. and Zucker, A. Proton transfer to specific final states in the reaction  $\text{Al}^{27}(\text{O}^{16}, \text{N}^{15})\text{Si}^{28}$  near the Coulomb barrier, 4=3706  
 Newman, E., Toth, K.S. and Zucker, A. Angular distribution of  $\text{N}^{13}$  particles from the transfer reaction



- Al<sup>27</sup>(O<sup>16</sup>,N<sup>15</sup>)Si<sup>28</sup>, 4=22228  
 Newman,E. See Roll,P.G., 2=5973  
 Newman,E. See Toth,K.S., 3=12703  
 Newman,E. See Toth,K.S., 4=22230  
 Newman,E.T. New approach to the Einstein and Maxwell—Einstein field equations, 1=15665  
 Newman,E.T. and Janis,A.I. Rigid frames in relativity, 0=3441  
 Newman,E.T. and Tamburino,L.A. New approach to Einstein's empty space field equations, 1=15664  
 Newman,E.T. and Tamburino,L.A. Empty space metrics containing hypersurface orthogonal geodesic rays, 2=21810  
 Newman,E.T. and Unti,T.W.J. Behavior of asymptotically flat empty spaces, 2=21809  
 Newman,E.T. and Unti,T.W.J. A class of null flat-space coordinate systems, 4=5046  
 Newman,J. and Oppenheimer,F. Absence of any temperature dependence in the ultraviolet reflectivity of platinum and gold, 2=18790  
 Newman,J. See Bonanomi,J., 4=24006  
 Newman,J.J. See Erteza,A., 2=11929  
 Newman,J.S. and Tobias,C.W. Theoretical analysis of current distribution in porous electrodes, 3=13614  
 Newman,P. Optical, electromagnetic, and satellite observations of high-altitude nuclear detonations. I, 0=10431  
 Newman,P.A. and Binder,R. Neutral optical attenuators, 1=16049  
 Newman,P.A. See Bay,Z., 1=16268  
 Newman,P.A. See Bay,Z., 1=18760  
 Newman,P.A. See Bay,Z., 2=5754  
 Newman,P.C. Ordering in A<sup>III</sup>B<sup>V</sup> compounds, 2=10868  
 Newman,P.C. Anomalous Seebeck effect in semiconductors, 2=16760  
 Newman,P.C. Crystal structures of adamantane compounds, 3=6847  
 Newman,P.C.,Brice,J.C. and Wright,H.C. The phase diagram of the gallium—tellurium system, 1=15134  
 Newman,P.C. and Cundall,J.A. Superlattice structure in Ga<sub>2</sub>Te<sub>3</sub>, 4=20759  
 Newman,P.C. See Wright,H.C., 3=10815  
 Newman,R. Excitation of the Nd<sup>3+</sup> fluorescence in CaWO<sub>4</sub> by recombination radiation in GaAs, 3=13199  
 Newman,R. and Chrenko,R.M. Effects of MnO and CoO on the 0.24 eV NiO absorption line, 0=653  
 Newman,R. and Chrenko,R.M. Infrared absorption from L.S. splittings in Co<sup>2+</sup> salts, 0=1732  
 Newman,R. See Franklin,A.R., 4=15548  
 Newman,R. See Holloway,W.W., Jr., 3=23102  
 Newman,R. See Holloway,W.W., 4=10219  
 Newman,R. See Loh,E., 1=6215  
 Newman,R. See Loh,E., 2=8529  
 Newman,R.B. Acoustics and architecture, 4=2805  
 Newman,R.B. See Johnson,F.R., 1=8205  
 Newman,R.C. The identification of precipitate particles in single crystals of silicon by reflection electron diffraction, 1=4087  
 Newman,R.C. and Wakefield,J. The diffusivity of carbon in silicon, 2=3939  
 Newman,R.C. and Wakefield,J. Vapor growth of germanium—silicon alloy films on germanium substrates, 4=7554  
 Newman,R.C. See Bullough,R., 0=7896  
 Newman,R.C. See Bullough,R., 0=20809  
 Newman,R.C. See Bullough,R., 0=20826  
 Newman,R.C. See Bullough,R., 1=8905  
 Newman,R.C. See Bullough,R., 2=6339  
 Newman,R.C. See Bullough,R., 2=6340  
 Newman,R.C. See Bullough,R., 2=10372  
 Newman,R.C. See Bullough,R., 2=23160  
 Newman,R.C. See Bullough,R., 3=5139  
 Newman,R.C. See Bullough,R., 3=22742  
 Newman,R.C. See Bullough,R., 4=12738  
 Newman,R.C. See Burcik,E.J., 1=4318  
 Newman,R.C. See Halliday,J.S., 0=6395  
 Newman,R.C. See Holmes,P.J., 0=590  
 Newman,R.C. See Kirton,J., 4=23058  
 Newman,R.C. See Wilson,A.D., 4=7624  
 Newman,R.L. and Goldsmith,N. Vapor growth of gallium arsenide, 2=4377  
 Newman,S.B. Moire fringes produced by a point projection X-ray microscope, 3=13578  
 Newman,S.B. and Wolock,I. Color phenomena in polymer fracture, 4=10398  
 Newmann,M.M. and Stevens,K.W.H. Magnetic susceptibilities of iron—chromium alloys, 0=4480  
 Newmark,R.A. and Sederholm,C.H. Time-weighted-average approximation in the n.m.r. spectrum of CF<sub>2</sub>BrCFBrCl, 4=5214  
 Newmark,R.A. See Thompson,D.S., 2=18483  
 Newnham,R. See Nomura,S., 4=28854  
 Newnham,R. See Shirane,G., 0=16148  
 Newnham,R.E., Fang,J.H. and Santoro,R.P. Crystal structure and magnetic properties of CoTiO<sub>3</sub>, 4=13586  
 Newnham,R.E. and Megaw,H.D. The crystal structure of celsian (barium feldspar), 0=8225  
 Newnham,R.E. See Linz,A.Jr., 1=11371  
 Newnham,R.E. See Puotinen,D., 2=8831  
 Newport,R.W. See Alston,M.H., 0=15200  
 Newport,R.W. See Cundy,D.C., 0=15201  
 Newport,R.W. See Cundy,D.C., 2=5716  
 Newsome,R.W., Jr. and Fischbeck,H.J. Inclusion of finite nuclear size effects in the analysis of beta—gamma directional correlation measurements in La<sup>140</sup> and Ga<sup>72</sup>, 4=9452  
 Newsome,R.W., Jr. See Fischbeck,H.J. 3=10289  
 News,H.C. On the stripping of two nucleons, 1=724  
 Newsome,R. See Jones,L.W., 1=3101  
 Newson,H.W. Correlations in nucleon motions, 1=8613  
 Newson,H.W. Symmetric and asymmetric fission, 1=8794  
 Newson,H.W.,Bilpuch,E.G.,Karriker,F.P.,Weston,L.W., Patterson,J.R. and Bowman,C.D. s- and p-wave neutron spectroscopy VI. Level density and neutron excess, 1=13653  
 Newson,H.W. Collective motion in highly excited nuclei, 2=1786  
 Newson,H.W.,Block,R.C.,Nichols,P.F.,Taylor,A.,Furr,A.K. and Merzbacher,E. s- and p-wave neutron spectroscopy. II. Even—even nuclei, 0=5786  
 Newson,H.W.,Gibbons,J.H.,Marshak,H.,Bilpuch,E.G.,Rohrer,R.H. and Capp,P. s- and p-wave neutron spectroscopy. V. Level spacings in heavy nuclei, 1=13652  
 Newson,H.W. and Williamson,R.M. High resolution neutron spectroscopy, 1=2067  
 Newson,H.W. See Bilpuch,E.G., 0=20487  
 Newson,H.W. See Bilpuch,E.G., 1=13654  
 Newson,H.W. See Bilpuch,E.G., 2=1901  
 Newson,H.W. See Biwman,C.D., 2=10116  
 Newson,H.W. See Merzbacher,E., 5785  
 Newson,H.W. See Nichols,P.F., 0=5788  
 Newson,H.W. See Parks,P.B., 4=19322  
 Newson,H.W. See Seth,K.K., 3=24954  
 Newson,H.W. See Weston,L.W., 0=20488  
 Newstein,M. See Gould,G., 4=18430  
 Newstein,M. See Senitzky,B., 1=12250  
 Newstein,M.C. See Kotik,J., 1=2853  
 Newth,J.A. Devices for the detection of energetic particles, 4=24935  
 Newth,J.A. See Binnie,D.M., 3=10081  
 Newth,J.A. See Binnie,D.M., 3=17153  
 Newth,J.A. See Montanet,L., 0=15498  
 Newton,A.A.,Niblett,G.B.F. Microwave investigation of a theta pinch preionization systems, 4=18950  
 Newton,A.A. See Bodin,H.A.B., 1=18826  
 Newton,A.A. See Bodin,H.A.B., 1=18880  
 Newton,A.A. See Bodin,H.A.B., 3=21799  
 Newton,A.C. See Fea,K., 4=14000  
 Newton,A.C. See Fea,K., 4=20961  
 Newton,A.S. Triple ionization in small molecules, 4=11511  
 Newton,A.S. and Sciamanna,A.F. Metastable state of the doubly charged carbon dioxide ion, 4=12526  
 Newton,A.S. See Olmsted,J., 4=18688  
 Newton,C. See Ogburn,F., 4=7669  
 Newton,C.J. and Vacher,H.C. X-ray diffraction measurement of intragranular misorientation in alpha brass subjected to reversed plastic strain, 2=4507  
 Newton,C.W. and Persson,A.V. Structural characteristics of the subtropical jet stream and certain lower-stratospheric wind systems, 2=15190  
 Newton,D.,Clegg,A.B. and Salmon,G.L. The <sup>19</sup>F(p,p') reaction at 140 MeV, 4=25388  
 Newton,D.,Clegg,A.B., Salmon,G.L., Fisher,P.S. and Foley,K.J. The <sup>7</sup>Li(p,p') reaction at 150 MeV, 2=3568  
 Newton,D.,Clegg,A.B., Salmon,G.L. and Rowe,D.J. The <sup>11</sup>B(p,p') reaction at 150 MeV and the unified model of <sup>11</sup>B, 4=19765  
 Newton,D. See Austin,S.M., 2=1870



- Newton, D. See Austin, S.M., 2=18318
- Newton, D. See Rowe, D.J., 2=1872
- Newton, D. See Rowe, D.J., 2=1873
- Newton, D. See Rowe, D.J., 3=10342
- Newton, D. See Rowe, D.J., 4=22124
- Newton, D.C., Sanders, J. and Tyrrell, A.C. Isotopic analysis of silicon by solid-source mass spectrometry using negative ions, 0=17679
- Newton, E. A. A. See Fessler, H., 4=8125
- Newton, G. P., Pelz, D. T., Miller, G. E. and Horowitz, R. Response of modified Redhead magnetron and Bayard-Alpert vacuum gauges aboard Explorer XVII, 4=20859
- Newton, J.C. See Hutchins, D.J., 2=13552
- Newton, J.O. Auger transitions in  $\text{Re}^{183}$  and in the M3 isomer in  $\text{Os}^{189}$ , 0=7521
- Newton, J.O. Decay of  $\text{Os}^{182}$  and  $\text{Os}^{183}$ . I. Gamma and beta spectroscopy, 0=7524
- Newton, J.O. Decay of  $\text{Os}^{182}$  and  $\text{Os}^{183}$ . II. Coincidences, conversion coefficients, and decay schemes, 0=7525
- Newton, J.O. Resonances in the reactions  $\text{Si}^{28} + p$ , 1=4867
- Newton, J.O. See Ferguson, A.T.G., 0=17553
- Newton, J.O. See Ferguson, A.T.G., 0=17561
- Newton, J.O. See Lisle, J.C., 3=24969
- Newton, P., Copeland, C.S. and Benson, S.W. Dielectric constant of ethanol in the neighbourhood of the critical temperature, 2=19575
- Newton, R. See Round, G.F., 4=72
- Newton, R.C. Structure of the many-channel S matrix, 1=4773
- Newton, R.C., Jayaraman, A. and Kennedy, G.C. The fusion curves of the alkali metals up to 50 kilobars, 2=17688
- Newton, R.C. See Jayaraman, A., 1=18678
- Newton, R.C. See Jayaraman, A., 3=6814
- Newton, R.C. See Jayaraman, A., 4=5448
- Newton, R.C. See Kennedy, G.C., 1=18753
- Newton, R.C. See Kennedy, G.C., 2=11544
- Newton, R.G. Analytic properties of radial wave functions, 0=17254
- Newton, R.G. The exponential decay law of unstable systems, 1=16611
- Newton, R.G. Construction of potentials from the phase shifts at fixed energy, 2=3278
- Newton, R.C. Nonrelativistic S-matrix poles for complex angular momenta, 2=22443
- Newton, R.G. Discontinuities across cuts in the complex angular momentum plane, 3=12427
- Newton, R.G. Remark on the "ghost" problem in the vacuum pole trajectory, 3=14918
- Newton, R.G. The total angular-momentum plane in the nonrelativistic three-body problem, 3=24662
- Newton, R.G. Angular momentum continuation in the three-body problem without cuts, 4=15028
- Newton, R.G. The complex j-plane, 4=30182
- Newton, R.G. and Fonda, L. Threshold discontinuities: Application to X-ray scattering, 0=11117
- Newton, R.G. See Desai, B.R., 3=7803
- Newton, R.G. See Desai, B.R., 3=7804
- Newton, R.G. See Desai, B.R., 3=14915
- Newton, R.G. See Fonda, L., 0=5610
- Newton, R.G. See Fonda, L., 0=15287
- Newton, R.G. See Fonda, L., 0=17567
- Newton, R.H.C. Comments on a paper by D.H.Trevena entitled "On space charge waves", 0=2385
- Newton, R.H.C. A comment on perturbation of electron flow by Gordon Kent, 3=24358
- Newton, R. H. C. On the Hamiltonian representation of a multi-velocity stream, 4=592
- Newton, R. H. C. Propagation of space-charge waves along a drifting multi-velocity beam immersed in an infinite magnetic field, 4=29985
- Newton, R.R. Applications of Doppler measurements to problems in relativity, space probe tracking, and geodesy, 0=14479
- Newton, R.R. Ellipticity of the equator deduced from the motion of transit 4A, 2=11193
- Newton, R.R., Hopfield, H.S. and Kline, R.C. Odd harmonics of the earth's gravitational field, 1=20781
- Newton, T.D. On the axial symmetry of the Nilsson model nucleus, 0=11289
- Nexsen, W.E. See Coensgen, F.H., 0=17000
- Nexsen, W.E., Jr., Cummins, W.F., Coensgen, F.H. and Sherman, A.E. Collision of two plasma streams, 0=17013
- Nexsen, W.E. Jr. See Coensgen, F.H., 1=5467
- Nexsen, W.E., Jr. See Coensgen, F.H., 3=12150
- Nexsen, W. E., Jr. See Coensgen, F. H., 4=27537
- Ney, E. P. and Gould, R. J. Infrared radiation from B stars, 4=29390
- Ney, E.P., Huch, W.F., Kellogg, P.J., Stein, W. and Gillett, F. Polarization and intensity studies of the eclipse of October 2, 1959, 1=5152
- Ney, E.P., Huch, W.F., Maas, R.W. and Thorness, R.B. Eclipse polarimeter, 1=2589
- Ney, E.P. and Stein, W.A. Solar protons, alpha particles, and heavy nuclei in November 1960, 2=18213
- Ney, E.P. and Stein, W. Solar protons in November, 1960, 2=20467
- Ney, E.P. See Blackwell, D.E., 0=8504
- Ney, E.P. See Freier, P.S., 0=9482
- Ney, E.P. See Freier, P., 1=2147
- Ney, E.P. See Freier, P.S., 1=7298
- Ney, E.P. See Freier, P.S., 1=7299
- Ney, E. P. See Gillett, F. C., 4=26956
- Ney, E.P. See Kroening, J.L., 2=17127
- Ney, E.P. See Pepin, T.J., 2=17601
- Ney, E.P. See Stein, W.A., 3=11549
- Ney, J. See Bucka, H., 0=11304
- Ney, J. See Bucka, H., 2=9996
- Ney, W.R. See Meyerson, M.R., 0=19037
- Neylan, A.A. An association between solar radio bursts at metre and centimetre wavelengths, 0=4856
- Neylan, A.A. See Wild, J.P., 0=4855
- Neyman, J., Page, T. and Scott, E. [Eds.]. Conference on the Instabilities of Systems of Galaxies, Santa Barbara, California, August 8-9, 1961, 2=2553
- Neyman, J. and Scott, E.L. Estimation of the dispersion of the redshift of field galaxies, 1=6723
- Neyman, J. and Scott, E.L. Magnitude-redshift relation of galaxies in clusters in the presence of instability and absorption, 2=9102
- Neymark, B. Ya. and Bykova, T. I. Effect of cold deformation and ageing on the thermal conductivity, electrical resistivity and Lorentz number of chromium-nickel austenitic steels, 4=12663
- Neymark, V.E. See Abramov, O.V., 3=18248
- Neynaber, R.H., Marino, L.L., Rothe, E.W. and Trujillo, S.M. Low-energy electron scattering from atomic oxygen, 1=11079
- Neynaber, R.H., Marino, L.L., Rothe, E.W. and Trujillo, S.M. Scattering of low-energy electrons by atomic hydrogen, 1=17279
- Neynaber, R.H., Marino, L.L., Rothe, E.W. and Trujillo, S.M. Low-energy electron scattering from atomic nitrogen, 3=8207
- Neynaber, R. H., Trujillo, S. M., Marino, L. L. and Rothe, E. W. Low-energy electron scattering from metastable helium, 4=25567
- Neynaber, R.H. See Rothe, E.W., 3=711
- Neynaber, R.H. See Rothe, E.W., 2=3001
- Neynaber, R.H. See Rothe, E.W., 2=10222
- Neynaber, R.H. See Rothe, E. W., 4=6531
- Neynaber, R. H. See Rothe, E. W., 4=25595
- Neynaber, R.H. See Smith, A.C.H., 2=22174
- Neyret, G. and Parain, J. The correction circuits of the "Saturne" synchrotron, 0=19849
- Neyret, G. See Bronca, G., 0=2412
- Neyret, G. See Bronca, G., 0=19851
- Nezlin, M.V. The mechanism of space-charge oscillations in quasi-compensated ion beams, 0=10976
- Nezlin, M.V. Electrostatic instability of an intense electron beam in a plasma, 2=213
- Nezlin, M. V. Electrostatic instability of an intense electron beam in a plasma, 3=436
- Nezlin, M. V. Formation of a virtual cathode in an electron beam passing through a plasma, 4=11678
- Nezlin, M. V. and Soltsev, A. M. Acceleration of ions in plasma beams, 4=5600
- Ng, C. F. See Barraclough, C.G., 4=20565
- Ng-yelim, J. See Cunningham, R.L., 3=10706
- Ng-Yelim, J. See Cunningham, R. L., 4=23303
- Ngee Pong Chang. Electromagnetic correction effects on the  $\pi^+ \rightarrow \pi^0 e^+ \nu$  decay, 3=19667
- Ngo, D. T. Measurement of ferromagnetic resonance of thin permalloy films at low bias field, 4=10307
- Ngoc, H., Nguyen. See Nguyen Ngoc, H.
- Ngoc Minh Dang. See Dang Ngoc Minh., 2=1197
- Nguyen Din Ty. See Belyakov, V. A., 4=19810
- Nguyen, Din Ty. See Belyakov, V. A., 4=27898
- Nguyen Din Ty. See Birger, N.G., 2=3391
- Nguyen Din Ty. See Van Gan-chan., 1=2099
- Nguyen Din Ty. See Van Gan-Chan, 1=16902



- Nguyen Din-Ty. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358  
 Nguyen Din Ty. See Van Gan-Chan [Pang Kang-Chang], 0=15455  
 Nguyen Din Ty. See Van Gan-Chan [Wang Kang-ch'ang], 3=2302  
 Nguyen Din Ty. See Van Gan-Chan, 3=19709  
 Nguyen Din Ty. See Van Yun-chan [Wang Yung-chang], 3=2305  
 Nguyen-Din Ty. See Veksler, V.I., 3=22211  
 Nguyen Din Ty. See Wang Kang-Ch'ang, 3=19702  
 Nguyen Din Ty. See Wang Kang-Ch'ang, 3=22208  
 Nguyen Dinh Tu. See Belyakov, V.A., 4=3489  
 Nguyen Fong. See Zadumkin, C.N., 4=28339  
 N'guen Ling Tai. See Nguyen Din Ty.  
 Nguyen Ting Tu. See Nguyen Dinh Tu.  
 Nguyen Van Kh'eu. Angular distributions of the decay products of intermediate vector mesons in the  $e^+ + e^- \rightarrow B^+ + B^-$  process, 2=16216  
 Nguyen Van Kh'eu. Experimental investigation of the structure of a vector current in weak interactions, 2=18072  
 Nguyen Van Kh'eu. Experimental investigation of the structure of a vector current in weak interactions, 3=5937  
 Nguyen Van Kh'eu. Angular distributions of the decay products of intermediate vector mesons in the  $e^+ + e^- \rightarrow B^+ + B^-$ , 3=6023  
 Nguyen Van Kh'eu [Nguyen Van Hieu]. Amplitudes for the  $KK \rightarrow \pi\pi$  process and  $K_{e4}$  decays, 3=22198  
 Nguyen Van Kh'eu. Regge poles and the asymptotic behaviour of the cross-sections of some weak interaction processes, 4=3343  
 Nguyen Van Kh'eu. Meson production in neutrino experiments and the isotropic structure of weak interactions, 4=3434  
 Nguyen Van Kheuu. See Arbuzov, B.A., 3=22193  
 Nguyen Van-Kh'eu. See Baldin, A.M., 2=20282  
 Nguyen Van Kh'eu. See Bilen'kii, S.M., 4=16948  
 Nguyen Van Kh'eu. See Logunov, A.A., 4=16829  
 Nguyen Van Kh'eu. See Markov, M.A., 2=7905  
 Nguyen Van Kh'eu. See Markov, M.A., 3=6085  
 Nguyen van Kh'ey and Smorodinskii, Ya.A. Radiative corrections in the  $\beta$ -decay of the neutron, 3=24735  
 Nguyen-Ba-Chanh. Phase diagram for the solid-state ternary system Na-K-Cl-Br, 1=20614  
 Nguyen bich Nho. See Cao Xuan Chuan, 1=16636  
 Nguyen Ca Dai. See Dai Ca Nguyen.  
 Nguyen-Chung-Tu. See Monod-Herzen, G., 0=13704  
 Nguyễn Chung-Tú. Experimental studies of the luminescence of cadmium iodide activated by lead, 0=16078  
 Nguyen Dai Ca. See Dai Ca Nguyen.  
 Nguyen, D.C. See Yanabu, T., 3=22418  
 Nguyen Dinh Tu. See Belyakov, V.A., 3=24798  
 Nguyen Dinh Tu. See Belyakov, V.A., 4=3491  
 Nguyen Dinh Tu. See Van Gan-Chan, 0=9415  
 Nguyen Dinh Tu. See Van Gan-Chan, 1=16902  
 Nguyen Dinh Tu. See Van Gan-Chan, 1=19284  
 Nguyen Din Ty. See Belyakov, V.A., 3=24764  
 Nguyễn Hoàng Phùng. On an internal motion of matter or on the internal degrees of freedom in the theory of matter, 4=802  
 Nguyen-Hoe, Banerjee, E., Drawin, H.W. and Herman, L. Influence of the electric field upon the dipolar moments and radiation frequencies of the hydrogen atom, 4=25481  
 Nguyen-huu Doan. Intensity ratio of the  $D_1$ ,  $D_2$  lines of sodium emitted in the upper atmosphere at twilight and during the night, 0=787  
 Nguyen-Huu-Doan. Variation of the ratio of the intensities of the atmospheric sodium D lines during twilight, 1=4130  
 Nguyen-Huu-Doan. Rotational temperature of the (9-3) and (6-1) OH band emitted in the upper atmosphere, 3=9097  
 Nguyen-Huu-Doan. Twilight excitation of the resonance line of lithium (6708 Å) observed at the Haute Provence Observatory during November 1962, 3=13781  
 Nguyen-Huu-Doan. Spectrophotometric study of the night and twilight airglow in the visible region, 4=7882  
 Nguyen-Huu-Doan. Spectrophotometric study of the glow of the night and twilight sky in the visible region. II. Study of the twilight spectrum, 4=17925  
 Nguyen Huu-Doan. See Dufay, J., 1=21028  
 N'guyen Huu Khanh., Goldman, L. and Bouchéz, R. Angular distribution of the reaction  $Li^6(p,\alpha)He^3$  from 100-300 keV, 1=13797  
 Nguyen-Huu-Tri. On the range-energy relation for  $^6Li^+$  ions in nuclear emulsions, 0=9108  
 Nguyen-huu Xuong, Lynch, G.R. and Hinrichs, C.K. Antiproton-proton inelastic interactions at 1.61 BeV/c and their use for a test of charge-conjugation invariance in strong interactions, 1=16788  
 Nguyen huu Xuong. See Abolins, M., 4=6128  
 Nguyen-Huu Xuong. See Carmony, D.D., 4=16959  
 Nguyen-Huu Xuong. See Frazer, W.R., 4=16957  
 Nguyen-Huu Xuong. See Lynch, G.R., 3=19633  
 Nguyen-Huu Xuong. See Lynch, G.R., 3=19634  
 Nguyen Huu Xyong and Lynch, G.R. Evidence confirming the  $T = 0$  three-pion resonance, 2=1705  
 Nguyen-Huu Xuong and Lynch, G.R. Search for a four-pion resonance, and some decay modes of the  $\rho$  and  $\omega$ -mesons, 2=20410  
 Nguyen-Khac, U. See Depommier, P., 1=17048  
 Nguyen-Khac, U. See Jauneau, L., 3=12511  
 Nguyen-Khac, U. See Jauneau, L., 3=19708  
 Nguyen-Long-Den. Cross-section for the formation of sodium in the reaction  $Al^{27}(p, 3p3n)Na^{22}$  at 155 MeV, 2=5918  
 Nguyen Ngoc, H., Hors, M. and Perez Y Jorba, J. Study of some excited levels of  $Be^8$  by inelastic electron scattering, 3=12580  
 Nguyễn Ngoc, H. and Perez y Jorba, J. Electrodisintegration of  $Be^9$ , 4=17119  
 Nguyen Ngoc, H. See Hors, M., 4=17050  
 Nguyen Ngoc, H. See Perez y Jorba, J.P., 2=433  
 Nguyen-Ngoc-Tran. On the form of the stationary, linearized, three-dimensional [magneto-hydrodynamic] flow equations, 3=21962  
 Nguyen Phong Chau. On the conservation identities of [Tonnelat's] generalization of the asymmetric unified field theory, 0=16591  
 Nguyen Phong Chau. Approximation to a generalization of the Einstein-Schrodinger theory, 0=16593  
 Nguyen Phong Chau. The projective invariance of a generalization of the non-symmetric unified field theory, 0=16595  
 Nguyen Phong Chau. The problem of motion in nonsymmetric unified field theory, 1=15663  
 Nguyen Phong Chau. Problem of movement in the asymmetric unified theory, 2=9181  
 Nguyen Phong-Chau. Contribution to the study of unified field theories of the Einstein-Schrödinger type, 4=24056  
 Nguyen Quat Ti. Evidence of two kinds of twins in copper layers by thermal evaporation on a (111) face of a copper single crystal, 0=4584  
 Nguyen Quat-Ti. See Baux, M., 3=16136  
 Nguyen Quat Ti. See Couderc, J.J., 0=8157  
 Nguyen Quat Ti. See Garigue, J., 0=13999  
 Nguyen Quat Ti. See Lafourcade, L., 0=733  
 Nguyen Quat Ti. See Lafourcade, L., 0=734  
 Nguyen Quat Ti. See Larroque, P., 1=15056  
 Nguyen Tan Tai. See Vagner-Dewulf, G., 1=18579  
 Nguyen Thien Chi. Thermoelectric solar converters, 2=19888  
 Nguyen-Trinh Dzoanh. Suppression of counter-emission in compressed air. Application to high-voltage generators and electrofilters, 0=7110  
 Nguyen-Trinh Dzoanh. Investigations on very high voltage generators using a stream of electrified particles under internal pressure. Construction of a prototype under 10 kg/cm<sup>2</sup>, 2=19882  
 Nguyen-Trinh Dzoanh. Suppression of counter-emission in compressed air. Application to high-voltage generators and electrofilters, 0=10888  
 Nguyen-Trinh-Dzoanh. The development of a high voltage generator with a current of electrified particles under an internal pressure of 10 kg/cm<sup>2</sup>, 1=16245  
 Nguyen Tuong Viet. Study of a superconducting cavity at 3160 Mc/s. Application to the realization of a frequency stabilised oscillator, 4=27439  
 Nguyen-Van-Dang. Experimental results on creeping and tilting in hysteresis loops, 0=13792  
 Nguyen Van Dong. Thermoelectric nuclear converters using semiconductors, 2=23489  
 Nguyen Van Dong and Barraud, A. Influence of fast neutrons on the recombination of electron-hole pairs in germanium, 0=4338  
 Nguyen Van Dong and Barraud, A. Recombination centres produced in Ge by fast neutrons, 0=6110  
 Nguyen Van Dong, Koch, L. and Nguyen Van Tuong. Variation of electron mobility in germanium irradiated at low temperature by fast neutrons, 2=4013  
 Nguyen van Dong and Pham Ngu Tung. Effect of fast neutrons on the transport properties of germanium, 4=10012  
 Nguyen Van Dong, Pham Ngu Tung and Vandevyver, M. The effect of fast neutrons on the thermal conductivity of germanium, 3=17674  
 Nguyen Van Dong, Vandevyver, M. and Pham Ngu Tung. Effect of fast neutrons on the thermal conductivity of germanium and silicon, 4=4003



- Nguyen van Dong See Bomal, R., 0=17156
- Nguyen-van-Hieu. On the renormalization of the beta-decay axial constant, 3=12618
- Nguyen Van-Hieu [Ngen Van Kh'eu]. Determination of the amplitudes for  $\pi$ -meson production in neutrino-nucleon collisions by means of dispersion relations, 3=15008
- Nguyen van Hieu. Production of pions and K-mesons in processes involving high energy neutrinos, 3=22163
- Nguyen-van-Hieu. Invariance properties and asymptotic relations between scattering amplitudes, 4=16830
- Nguyen-van-Hieu. Asymptotic relations between photo-production amplitudes, 4=16922
- Nguyen Van-Hieu and Fasutov, R.N. Quasi-optical potential in quantum field theory, 4=19360
- Nguyen Van Hieu and Shabalin, E.P. Role of the  $\gamma + \gamma \rightarrow \gamma + \nu + \bar{\nu}$  process in neutrino emission by stars, 3=24689
- Nguyen Van Hieu. See Arbuzov, B.A., 3=14891
- Nguyen Van Hieu. See Gershtein, S.S., 3=17244
- Nguyen-Van-Hieu. See Logunov, A.A., 4=21793
- Nguyen Van Hieu. See Logunov, A.A., 4=30180
- Nguyen, Van-Hieu. See Logunov, A.A., 4=9145
- Nguyen Van Hieu. See Ngen Van Kh'eu.
- Nguyen-Van-Kh'eu. See Baldin, A.M., 3=5973
- Nguyen-Van-Thanh, Haeusler, C. and Barchewitz, P. Vibration-rotation spectrum of nitrous oxide. Study of the band  $3\nu_3$  ( $00^0 \rightarrow 00^3$ ), 2=18463
- Nguyen van Thanh. See Arcas, P., 3=24023
- Nguyen-van-Thanh. See Arcas, P., 4=30450
- Nguyen Van Thanh. See Haeusler, C., 3=19983
- N'Guyen Van Tran See Blachier, B., 4=19244
- Nguyen van Trong. Measurement of the velocity of a shock wave by blocking h.f. triodes, 4=29698
- Nguyen Van Tuong. See Nguyen Van Dong, 2=4013
- Nguyen Vinh Mau. See Gillet, V., 2=3486
- Nguyen Xuan Xinh. The electromagnetic energy-momentum tensor in the presence of charged matter, in the case of the non-linear coupling equations of the Born-Infeld theory, 0=7195
- Nguyen Xuan Xinh. The thermal conductivity of a weakly ionic lattice, 4=20224
- Nhan, Tran an. See Tran an Nhan, 0=240
- Nibblett, E.R. See Whitham, K., 1=7949
- Niblack, W. and Wolf, E. Polarization modulation and demodulation of light, 4=11368
- Niblack, W. See De Angelis, X., 4=5359
- Nibler, F. The effect of neutrons on transistors, in particular Ge transistors, 2=21180
- Nibler, F. Some properties of ohmic metal-semiconductor contacts, 3=25386
- Nibler, F. and Hellinger, O. Measurement of the specific resistance of semiconductors, with special reference to pure silicon crystals of resistivities up to  $5 \times 10^5 \Omega \text{ cm}$  and for alternating currents of 0.3 to 300 Mc/s frequency, 4=10069
- Niblett, D.H. Low-frequency measurements on the Bordoni internal friction peak in copper, 1=7816
- Niblett, D.H. and Wilks, J. Dislocation damping in metals, 0=13532
- Niblett, D.H. See Lomer, J.N., 3=1218
- Niblett, D.H. See Lomer, J.N., 3=8758
- Niblett, E.R. Geomagnetic variations between November 12 and November 16, 1960, 1=10340
- Niblett, E.R. See Whitham, K., 1=7949
- Niblett, G.B.F. Rapid compression of a plasma with azimuthal current, 0=5307
- Niblett, G.B.F. and Fisher, D.L. Numerical calculations on reversed field heating in the thetatron, 3=413
- Niblett, G.B.F. and Green, T.S. Radial hydromagnetic oscillations, 0=7211
- Niblett, G.B.F. See Bodin, H.A.B., 3=12155
- Niblett, G.B.F. See Bodin, H.A.B., 3=12156
- Niblett, G.B.F. See Fisher, D.L., 3=2004
- Niblett, G.B.F. See Gabriel, A.H., 3=7505
- Niblett, G.B.F. See Green, T.S., 1=18888
- Niblett, G.B.F. See Kimmitt, M.F., 4=5643
- Niblett, G.B.F. See Newton, A.A., 4=18950
- Niblett, P.D. and Takayanagi, K. The calculation of some properties of hydrogen gas at low temperatures, 0=7815
- Nichimura, J. See Aizu, H., 1=3316
- Nichiporovich, G.A. Absorption leak detector, 4=16161
- Nichiporuk, B. and Strugal'sky, Z.S. Fluctuations of electron-photon showers in xenon, 4=3384
- Nichiporuk, W. and Brown, H. Platinum and iridium abundances in meteorites, 2=24107
- Nichol, A.W. See Garriott, O.K., 1=20940
- Nicolae, M. The influence of foreign ions absorbed in AgBr microcrystals upon the sensitivity of nuclear emulsions, 2=5556
- Nicholas, D.J. See Llewellyn Jones, F., 3=418
- Nicholas, D.J. See Llewellyn Jones, F., 3=7628
- Nicholas, J.F. Apparent activation energy and frequency factor for a process involving competing mechanisms, 0=1951
- Nicholas, J.F. (Conf. rep). Summarized proceedings of a conference on solid state physics — Melbourne, August 1959, 0=6002
- Nicholas, J.F. The dissipation of energy during plastic deformation, 0=16226
- Nicholas, J.F. Discussion of Williams' comments on "The influence of grain size on the stored energy and mechanical properties of copper". I-II, 1=6453
- Nicholas, J.F. Atomic configuration in ideally flat surfaces. II. Description of surface for an arbitrary crystal structure, 2=2382
- Nicholas, J.F. Some ball models of crystals and crystal surfaces, 2=19031
- Nicholas, J.F. Rearrangement of a flat surface without altering the number of broken bonds, 4=7521
- Nicholas, J.F. See Mackenzie, J.K., 2=14931
- Nicholas, J.F. See Mackenzie, J.K., 2=14932
- Nicholas, J.F. See Moore, A.J.W., 2=2381
- Nicholas, K.H. and Woods, J. The evaluation of electron trapping parameters from conductivity glow curves in cadmium sulphide, 4=22532
- Nicholas, M.E., Joyner, P.A., Tessem, B.M. and Olson, M.D. The effect of various gases and vapors on the surface tension of mercury, 2=1126
- Nicholas, N.C. See Vergara, W.C., 3=16135
- Nicholls, G.S. See Benjamin, P.W., 4=9229
- Nicholls, J. See Carruthers, J.A., 1=10656
- Nicholls, J.A. See Meetham, A.R., 0=19524
- Nicholls, J.A. See Ong, R.S., 1=15160
- Nicholls, J.M. See Gifkins, R.C., 1=1364
- Nicholls, M.J. See Dutt, T.L., 3=7550
- Nicholls, M.J. See Gibson, H., 4=5635
- Nicholls, N.S. See Armstrong, R.J., 0=7153
- Nicholls, R.W. Interpretation of intensity distributions in the  $\text{N}_2$  Lyman-Birge-Hopfield and Co fourth positive band systems, 0=20622
- Nicholls, R.W. Laboratory astrophysics, 3=10503
- Nicholls, R.W. The Franck-Condon factor ( $q\nu^1\nu''$ ) array to high vibrational quantum numbers for the  $\text{O}_2(\text{B}^3\Sigma_u^- - \text{X}^3\Sigma_g^-)$  Schumann-Runge band system, 1=7454
- Nicholls, R.W. Franck-Condon factors and r-centroids to high quantum numbers for bands of the  $^2\Pg - A^2\Pu$  system of  $\text{N}_2^+$ , 2=12322
- Nicholls, R.W. Franck-Condon factors to high vibrational quantum numbers. II.  $\text{SiO}$ ,  $\text{MgO}$ ,  $\text{SrO}$ ,  $\text{AlO}$ ,  $\text{VO}$ ,  $\text{NO}$ , 2=16521
- Nicholls, R.W. Franck-Condon factors and r-centroids to high vibrational quantum numbers for three band systems of  $\text{CO}^+$  and absolute band strengths for the comet-tail system, 3=4743
- Nicholls, R.W. Franck-Condon factor surface for the  $\text{I}_2(\text{B}^3\Pi_{u+} - \text{X}^1\Sigma_g^-)$  band system, 3=12823
- Nicholls, R.W. Einstein A coefficients, oscillator strengths and absolute band strengths for the  $\text{N}_2$  second positive and  $\text{N}_2^+$  first negative systems, 3=22546
- Nicholls, R.W. Primary and subsidiary Condon loci of molecular spectra, 4=3830
- Nicholls, R.W. Franck-Condon factors to high vibrational quantum numbers. III:  $\text{CN}$ , 4=15329
- Nicholls, R.W. Transition probabilities of aeronomically important spectra, 4=23778
- Nicholls, R.W., Fraser, P.A., Jarman, W.R. and McEachran, R.P. Vibrational transition probabilities of diatomic molecules: collected results. IV.  $\text{BeO}$ ,  $\text{BO}$ ,  $\text{CH}^+$ ,  $\text{CO}$ ,  $\text{NO}$ ,  $\text{SH}$ ,  $\text{O}_2$ ,  $\text{O}_2^+$ , 0=11518
- Nicholls, R.W. and Jarman, W.R. On r-centroids of molecular transitions, equilibrium internuclear separations and oscillator turning points, 0=7793
- Nicholls, R.W., Parkinson, W.H. and Reeves, E.M. The spectroscopy of shock-excited powdered solids, 3=24018
- Nicholls, R.W., Reeves, E.M. and Bromley, D.A. Excitation of  $\text{N}_2$  and  $\text{O}_2$  by 1/2 and 1 MeV protons, 0=5942
- Nicholls, R.W. and Watson, M.D. Shock excitation of solid aromatic hydrocarbons, 1=2310



- Nicholls, R.W. "Condon Parabola" in molecular spectra, 2=18445
- Nicholls, R.W. See Armstrong, B.H., 2=9318
- Nicholls, R.W. See Broida, H.P., 0=6200
- Nicholls, R.W. See Fallona, J.P., 1=4460
- Nicholls, R.W. See Hébert, G.R., 1=14050
- Nicholls, R.W. See Hébert, G.R., 2=543
- Nicholls, R.W. See Herman, L., 1=9927
- Nicholls, R.W. See Jarman, W.R., 0=7776
- Nicholls, R.W. See Jarman, W.R., 4=28273
- Nicholls, R.W. See Krishnamachari, S.L.N.G., 2=10251
- Nicholls, R.W. See McGregor, A.T., 1=17008
- Nicholls, R.W. See Parkinson, W.H., 0=12455
- Nicholls, R.W. See Reeves, E.M., 1=2311
- Nicholls, R.W. See Reeves, E.M., 1=17007
- Nicholls, R.W. See Robinson, D., 0=15750
- Nicholls, R.W. See Robinson, D., 2=3733
- Nicholls, R.W. See Watson, M.D., 3=24276
- Nichols, B. Evidence of elongated irregularities in the ionosphere, 0=12163
- Nichols, B.D. See Aamodt, R.L., 2=13584
- Nichols, D.L. See Heirtzler, J.R., 1=1593
- Nichols, G.M. See Hayes, W., 0=6051
- Nichols, H. and Rostoker, W. Mercury embrittlement of an Al-4.5% Mg alloy, 4=17723
- Nichols, I.A. See Williamson, D.E., 0=8799
- Nichols, J.H. See McClain, E.F., 3=7047
- Nichols, J.H. See Sloanaker, R.M., 0=12260
- Nichols, J.R. See Gibbons, M.G., 1=9187
- Nichols, J.R. See Gibbons, M.G., 2=2487
- Nichols, L. See Kelton, G., 4=358
- Nichols, L.W. Optical filtering, 0=14815
- Nichols, L.W. See Olsen, A.L., 4=20443
- Nichols, P.F. Absorption cross section of graphite, 1=17125
- Nichols, P.F. Effective resonance integral for  $\text{Pu}^{240}$  in plutonium-aluminum alloy rods, 4=3740
- Nichols, P.F., Bilpuch, E.G. and Newson, H.W. s- and p-wave neutron spectroscopy. IV. Experimental methods in the keV region, 0=5788
- Nichols, P.F. See Newson, H.W., 0=5786
- Nichols, R.C. See Cerny, J., 3=17279
- Nichols, R.T., McAdams, R.E. and Jensen, E.N. Small-order shape factors in  $\text{In}^{114}$ ,  $\text{P}^{32}$  and  $\text{Y}^{90}$ , 1=7346
- Nichols, R.T. and Jensen, E.N. Grounding of beta sources by an auxiliary alpha source, 1=5847
- Nichols, S. and Clube, S.V.M. Interferometric measurements of wavelengths. VI. Measurements in the region 3940-4450 Å, 0=19432
- Nichols, W.A. See Pragli, J., 0=14942
- Nicholson, A.F. Bound states and scattering in an  $r^{-2}$  potential, 2=17364
- Nicholson, A.F. Simple S and D deuteron ground state wave functions assuming central and  $r^{-2}$  tensor potentials, 2=18194
- Nicholson, A.F. Two-body bound state and scattering with non-central forces, 4=16974
- Nicholson, A.F. Longitudinal waves in a chain of atoms with arbitrary potential, 4=28342
- Nicholson, A.J.C. Photo-ionization efficiency curves. Measurement of ionization potentials and interpretation of fine structure, 3=24211
- Nicholson, A.J.C. See Dorman, F.H., 0=2318
- Nicholson, A.J.C. See Dorman, F.H., 0=3736
- Nicholson, A.J.C. See Morrison, J.D., 0=2317
- Nicholson, B.J. See Müller, E.K., 2=21492
- Nicholson, B.J. See Müller, E.K., 4=4562
- Nicholson, D. See Ash, R., 4=5140
- Nicholson, H. and Faust, J.W. Dendritic growth of InSb, 4=7569
- Nicholson, J.B. See Jones, J.L., 4=633
- Nicholson, J.L. Method for vacuum deposition of refractory metal films, 3=9524
- Nicholson, J.L. Method for vacuum deposition of high-purity oxides, 3=23955
- Nicholson, J.P. Covalent bonds. An explanation of the forces between atoms in terms of classical electrostatics, 4=17276
- Nicholson, J.R. and Steiger, W.R. On lunar semidiurnal tidal variations in the  $F_2$  layer of the ionosphere, 4=2309
- Nicholson, K.P. See Egelstaff, P.A., 0=7615
- Nicholson, M.E. See Chen Wei-Kong, 4=22684
- Nicholson, M.E. See Copeland, W.D., 4=13645
- Nicholson, M.E. See Rao, K.K., 4=7470
- Nicholson, M.E. See Sivertsen, J.M., 2=8365
- Nicholson, O.P. See Holt, R.M., 3=3337
- Nicholson, P.W. See Butt, D.K., 1=21164
- Nicholson, P.W. See Butt, D.K., 2=10078
- Nicholson, R.B. Quenching defects in solid solutions and their effect of precipitation, 3=8909
- Nicholson, R.B. Solution of the Vlasov equations for a plasma in an externally uniform magnetic field, 4=5594
- Nicholson, R.B., Thomas, G. and Nutting, J. The interaction of dislocations and precipitates, 0=17936
- Nicholson, R.B., Thomas, G. and Nutting, J. Electron-microscopic studies of precipitation in aluminium alloys, 0=21257
- Nicholson, R.B. See Embury, J.D., 3=6515
- Nicholson, R.B. See Embury, J.D., 3=10666
- Nicholson, R.B. See Embury, J.D., 3=12974
- Nicholson, R.B. See Embury, J.D., 3=17742
- Nicholson, R.B. See Kelly, A., 3=20893
- Nicholson, R.B. See Kelly, A., 4=13640
- Nicholson, R.B. See Merrick, H.F., 4=7504
- Nicholson, R.B. See Tufton, P.J., 3=20895
- Nicholson, R.W. See Goulding, F.S., 1=18730
- Nicholson, R.W. See Waugh, J.B.S., 0=19998
- Nicholson, S., Harris, D.G. and Stobo, J.J. The effect of ternary additions on the microstructures of dilute U-Mo alloys, 4=29168
- Nicholson, S. See Tate, E.F., 4=7517
- Nicholson, S.B. and Wulf, O.R. The diurnal variation of K indices of geomagnetic activity on quiet days in 1940-1948, 1=15342
- Nicholson, S.B. and Wulf, O.R. The diurnal variation of K indices of geomagnetic activity on disturbed days in 1940-1948, 1=21091
- Nicholson, S.B. and Wulf, O.R. The diurnal variation of K indices of geomagnetic activity on disturbed days in 1949-1957, 3=9126
- Nicholson, W. See Hazard, C., 4=26973
- Nicholson, W.J. Observation of the Mössbauer effect using coincidence techniques, 4=25269
- Nicholson, W.J. and Burns, G. Spin Hamiltonian parameter D versus axial crystal field for S-state ions, 3=8336
- Nicholson, W.J. and Burns, G. Quadrupole coupling constant, eq Q/h, of  $\text{Fe}^{3+}$  in several rare-earth iron garnets, 4=12575
- Nicholson, W.J. and Halpern, I. Direct-interaction effects in medium-energy fission of uranium, 0=1449
- Nicholson, W.J. See Burns, G., 3=22623
- Nicholson, W.J. See Friedman, E.A., 3=15734
- Nicholson, W.L., Schlosser, J.E. and Brauer, F.P. The quantitative analysis of sets of multicomponent time dependent spectra from decay of radionuclides, 4=12165
- Nichugovskii, G.F. See Mikhail'chenko, G.A., 3=4295
- Nickel, J.C., Parker, J.V. and Gould, R.W. Resonance oscillations in a hot nonuniform plasma column, 4=8758
- Nickel, J.C. See Wild, R.L., 1=5107
- Nickerson, D. Light sources and color rendering, 0=182
- Nickerson, J. and Goldberg, P. Preparation and properties of electroluminescent ZnS: Cu, Mn, Cl films, 4=20813
- Nickerson, J., Goldberg, P. and Baird, D.H. The influence of copper on structural transformations in ZnS: Cu, Cl, 4=10445
- Nickerson, J.W. See Goldberg, P., 3=15720
- Nickle, H. and Serber, R. Charged-scalar strong-coupling theory, 0=12867
- Nickle, H.H. See Nethercot, A.H., Jr., 4=17380
- Nicklow, R.M. and Young, R.A. Thermal expansion of  $\text{AgCl}$ , 3=1060
- Nickolds, A.M. See Cornish, D.C., 2=2668
- Nickols, N.A. and Barkas, W.H. Propagation of the single scattering distribution in multiple scattering; muon scattering in iron, 3=10138
- Nickols, N.A., Curtis, S.B. and Prowse, D.J. The observation of very heavy hyperfragments produced by 830 MeV/c  $K^-$ -mesons, 2=22716
- Nickols, N.A. See Barkas, W.H., 2=314
- Nicks, R. See Hage, W., 0=2703
- Nickson, A.F.B. and Muncey, R.W. Some experiments in a room and its acoustic model, 0=5118
- Nickson, A.F.B. and Muncey, R.W. The acoustic conditions accepted by listeners in an auditorium, 1=217
- Nickson, A.F.B. and Muncey, R.W. Measurements in room acoustics, 4=16192
- Nickson, A.F.B. and Muncey, R.W. Criteria for room acoustics, 4=24331
- Nickson, A.F.B. See Muncey, R.W., 1=8204
- Nickson, A.F.B. See Muncey, R.W., 4=16191
- Nicodemus, F.E. Radiance, 3=11880



- Nicol, J., Shapiro, S. and Smith, P.H. Direct measurement of the superconducting energy gap. 1=1860
- Nicol, J. See Hogan, W., 4=12947
- Nicol, J. See Shapiro, S., 2=9480
- Nicol, J. See Smith, P.H., 1=11886
- Nicol, M. and Jura, G. Mössbauer spectrum of iron-57 in iron metal at very high pressures, 4=9814
- Nicoladide, L. See Grigorovici, R., 2=6470
- Nicolae, I. and Záveta, K. Anisotropy of the electrical conductivity in hexagonal ba-ferrite, 4=10041
- Nicolae, I. See Rosenberg, M., 2=10519
- Nicolae, I. See Rosenberg, M., 4=26345
- Nicolae, M. Influence of ions adsorbed on AgBr microcrystals on the sensitivity of nuclear emulsions, 2=5555
- Nicolae, M. New method (photographic) for the estimation of  $\alpha$ -active elements in solution, 2=5558
- Nicolae, M. and Labau, V. Method of sensitization of photographic [AgBr] emulsions by means of triethanolamine, 2=17661
- Nicolae, M. and Labau, V. Adsorption of  $H^+$  and  $OH^-$  ions by silver bromide precipitates, 3=5165
- Nicolae, M. See Apostol, A., 3=24574
- Nicolae, M. See Labau, V., 1=415
- Nicolaide, L. See Grigorovici, R., 2=8282
- Nicolas, I. See Bourotte, B., 2=496
- Nicolas, I. See Linck, J., 2=495
- Nicolas, J. See Vassiliev, A., 1=14750
- Nicolas, J. See Vassiliev, A., 1=20144
- Nicolas, J. See Vassiliev, A., 2=750
- Nicolas, J. See Vassiliev, A., 2=6675
- Nicolas, J. See Vassiliev, A., 3=13268
- Nicolas-Linck, I. See Linck, J., 4=17199
- Nicolau, C. Research by electron paramagnetic resonance on Nicolau, F.M. The optical nuclear model, 1=16959
- Nicolau, P. See Rosenberg, M., 2=10519
- Nicolau, P. See Rosenberg, M., 3=8521
- Nicolau, P. See Rosenberg, M., 4=15555
- Nicolau, P. See Rosenberg, M., 4=17492
- Nicolau, P. See Rosenberg, M., 4=26052
- Nicolet, M. The thermosphere, 0=12151
- Nicolet, M. Constitution of the atmosphere at ionospheric levels, 0=12152
- Nicolet, M. Structure of the thermosphere, 1=9190
- Nicolet, M. Solar radiation at Uccle, 1=15231
- Nicolet, M. Helium, an important constituent in the lower exosphere, 1=20896
- Nicolet, M. Solar radiation at Uccle, 2=8971
- Nicolet, M. Density and energy in the upper atmosphere, 2=13017
- Nicolet, M. Effects of the solar far-ultraviolet on the atmosphere of the earth and other planets: introductory report, 2=15347
- Nicolet, M. Solar radiation at Uccle, 3=16221
- Nicolet, M. Diffusion in planetary atmospheres, 3=16347
- Nicolet, M. Solar radiation at Uccle, 4=7843
- Nicolet, M. Solar radiation at Uccle, 4=17891
- Nicolet, M. Solar radio flux and temperature of the upper atmosphere, 4=10736
- Nicolet, M. and Aikin, A.C. The formation of the D region of the ionosphere, 0=14226
- Nicolet, M. and Swider, W., Jr. Ionospheric conditions, 4=13846
- Nicolet, M. See Bates, D.R., 0=14200
- Nicolet, M. See Bates, D.R., 1=20890
- Nicolet, M. See Kockarts, G., 3=5209
- Nicolet, M. See Kockarts, G., 4=7872
- Nicolet, M.A. See Shumka, A., 4=12671
- Nicolić, M. See Jauneau, L., 3=19708
- Nicoll, D. See Fortescue, P., 0=5820
- Nicoll, F.H. Properties of a single-element light amplifier using sintered cadmium selenide photoconductive material, 0=2973
- Nicoll, F.H. The use of close spacing in chemical transport systems for growing epitaxial layers of semiconductors, 4=10487
- Nicoll, G.R. and Basu, J. Comparison of microwave and Langmuir probe measurements on a gaseous plasma, 2=3017
- Niculescu, D.Z. See Weiner, M., 1=5617
- Niday, J.B. Radiochemical study of the ranges in metallic uranium of the fragments from thermal neutron fission, 1=4883
- Niday, J.B. See Hicks, H.G., 3=688
- Niday, J.B. See Levy, H.B., 1=17167
- Niebuhr, K.E. Generation of laser axial mode difference frequencies in a nonlinear dielectric, 3=24508
- Niederauer, K. See Menzel, E., 2=16986
- Niederer, J.A. See Baker, W.F., 20627
- Niederer, J.A. See Lindenbaum, S.J., 1=16789
- Niederer, J.A. See Lindenbaum, S.J., 2=1713
- Niedermayer, R. See Mayer, H., 4=2510
- Niedermayer, R. See Mayer, H., 4=2511
- Niedermery, A. R. H. The diffusion coefficient of different concentrations of antimony and arsenic in germanium and the diffusion of specific impurity distributions by programme-diffusion, 4=30574
- Nief, G. See Ceccaldi, M., 3=18999
- Nief, G. See Facy, L., 3=25885
- Nief, G. See Merliyat, L., 4=29277
- Niegel, W. and Schubert, G.U. Investigation into the coupling between first and second sound in helium II, 3=5573
- Niegisch, W.D. and Swan, P.R. Hollow pyramidal crystals of polyethylene and a mechanism of growth, 0=21205
- Niehaus, A. See Beck, D., 3=4786
- Niehaus, D.J. See Hoge, R.R., 1=13053
- Niehl, E.W. See Riggs, L.A., 0=14347
- Niehhs, H. The formulation of electron diffraction by means of a scattering matrix and its practical applicability, 0=273
- Niehhs, H. Operators for electron diffraction by a crystal lattice, 0=3206
- Niehhs, H. On the contents of information from electron microscope images, especially from defocused series, of crystal lattice periods, 3=1297
- Niehhs, H. Remark on the diffracting power of net planes with very large spacing, 3=3286
- Niehhs, H. The problem of contrast and resolution for the electro microscopy of atoms and atomic groups respectively, 4=2100
- Niekisch, E.A. Modulated light method for measuring the capture cross-section of traps in cadmium sulphide, 1=1105
- Niekisch, E.A. The magnitude of the recombination coefficient in CdS, 1=3761
- Niekisch, E.A. Contribution to the question of the impurity centres and their nature in CdS, 2=10381
- Niekisch, E.A. The energy levels and the nature of lattice defects in unactivated CdS crystals, 2=10485
- Niekisch, E.A. Trap distributions of CdS crystals, 2=23154
- Niekisch, E.A. See Auth, J., 0=2910
- Niekisch, E.A. See Auth, J., 0=6118
- Niekisch, E.A. See Böer, K.W., 2=6311
- Niekisch, E.A. See Böer, K.W., 2=6312
- Nield, M.W., Reid, R. A. and Leck, J. H. Some observations of the effects of microplasma switching on the reverse characteristics of a silicon p-n junction, 4=7001
- Niels-Hakkenberg, G. G., Meermans, L. and Kramers, H. C. Influence of a small amount of  $He^3$  ( $10^{-5} < x < 3 \times 10^{-3}$ ) on the propagation of heat pulses through He II below  $1^\circ K$ , 4=14487
- Nielsen, A. See Levi, H., 3=17158
- Nielsen, A.H. See Herget, W.F., 1=853
- Nielsen, A.H. See Herndon, J.A., 2=20808
- Nielsen, E.J. and Dodd, R.A. Effects of composition on clustering kinetics in aluminum-copper alloys, 2=15065
- Nielsen, H.H. Infrared spectroscopy and molecular structure, 1=7469
- Nielsen, H.H. See Amat, G., 2=20778
- Nielsen, H.H. See Brim, W.W., 1=829
- Nielsen, H.H. See Garing, J.S., 0=5934
- Nielsen, H.H. See Grenier-Besson, M.L., 2=20779
- Nielsen, H.H. See Hanson, H.M., 0=15689
- Nielsen, H. H. See Narahari Rao, K., 4=2833
- Nielsen, H.K. See Gallagher, C.J., 1=8632
- Nielsen, H. L. See Bertelsen, U., 4=12186
- Nielsen, H. L. See Blinowska, K. J., 4=25361
- Nielsen, H.L. See Gallagher, C.J.Jr., 1=8621
- Nielsen, H.L. See Gallagher, C.J.Jr., 2=12153
- Nielsen, H.L. See Hansen, P.G., 2=5807
- Nielsen, H. L. See Hansen, P. G., 4=22079
- Nielsen, H. L. See Hansen, P. G., 4=25355
- Nielsen, H.L. See Sheline, R.K., 0=5650
- Nielsen, H.L. See Sheline, R.K., 0=11415
- Nielsen, J.M. See Perkins, R.W., 1=2033
- Nielsen, J.R. and Holland, R.F. The  $b_{1u}$  methylene wagging and twisting fundamentals in crystalline polyethylene, 0=15792
- Nielsen, J.R. and Holland, R.F. Dichroism and interpretation of the infrared bands of oriented crystalline polyethylene, 1=14608
- Nielsen, J.R. See Klabe, P., 0=5938



- Nielsen, J.R. See Klaboe, P., 1=3540  
 Nielsen, J.R. See Klaboe, P., 1=8839  
 Nielsen, J.R. See Klaboe, P., 1=14026  
 Nielsen, J.W. An improved method for the growth of yttrium-iron and yttrium-gallium garnets, 0=10286  
 Nielsen, J.W. and Dearborn, E.F. The growth of large single crystals of zinc oxide, 1=2525  
 Nielsen, J.W., Lepore, D.A., Zneimer, J. and Townsend, G.B. Effect of mechanical, thermal and chemical treatment of the ferrimagnetic resonance linewidth on lithium ferrite crystals, 2=14819  
 Nielsen, J.W. and Zneimer, J.E. Nickel aluminum gallium ferrites for use at high signal levels, 2=14805  
 Nielsen, J.W. See Dillon, J.F., 0=10211  
 Nielsen, J.W. See Dillon, J.F., Jr., 0=18211  
 Nielsen, K.B. See Bisgard, K.M., 4=6235  
 Nielsen, K.O. The development of magnetic ion sources for an electromagnetic isotope separator, 0=19777  
 Nielsen, K.O. and Skilbreid, O. Continuous scanning in two directions of the ion beam in an electromagnetic isotope separator, 0=19796  
 Nielsen, K.O. See Almén, O., 0=19778  
 Nielsen, L.P. Energy loss and straggling of protons and deuterons, 2=3336  
 Nielsen, L.P. See Borggreen, J., 3=24383  
 Nielsen, M. See Andersen, H.H., 4=1698  
 Nielsen, M. See Radhakrishna, P., 4=4006  
 Nielsen, M. L. and Pustinger, J. V., Jr. Phosphorus-31 nuclear magnetic resonance studies of phosphorus-nitrogen compounds, 4=9771  
 Nielsen, O. See Bryrup, E., 0=9716  
 Nielsen, O.B. The coupling of the K = 2 band to the ground state rotational band in deformed even nuclei, 2=1787  
 Nielsen, O.B. See Arbman, E., 1=4832  
 Nielsen, O.B. See Björnholm, S., 0=1363  
 Nielsen, O.B. See Björnholm, S., 2=7944  
 Nielsen, O.B. See Björnholm, S., 3=12604  
 Nielsen, O.B. See Björnholm, S., 3=15158  
 Nielsen, O.B. See Borggreen, J., 2=5806  
 Nielsen, O.B. See Christensen, P.R., 3=17445  
 Nielsen, O.B. See Gallagher, C.J. Jr., 1=8621  
 Nielsen, O.B. See Jensen, B.S., 1=2190  
 Nielsen, O.B. See Johansen, H.S., 4=12159  
 Nielsen, O.B. See Jørgensen, M., 1=8622  
 Nielsen, O.B. See Jørgensen, M., 2=20516  
 Nielsen, O.B. See Kristensen, L., 4=12158  
 Nielsen, O.B. See Marklund, I., 0=7526  
 Nielsen, O.B. See Toth, K.S., 0=428  
 Nielsen, O.B. See Toth, K.S., 0=1379  
 Nielsen, O.B. See Toth, K.S., 1=2200  
 Nielsen, O.B. See Toth, K.S., 1=3426  
 Nielsen, O.B. See Vandenbosch, S.E., 3=10315  
 Nielsen, P. See Passell, L., 4=13187  
 Nielsen, R.E. and Shepherd, W.B. Simple technique for examination of sputtering patterns, 4=8857  
 Nielsen, S. Reaction of indium solder with mercury telluride, 0=8462  
 Nielsen, S. See Fray, A.F., 1=20672  
 Nielsen, S. See Rennie, A.E., 0=6325  
 Nielsen, S. See Savage, J.A., 4=20457  
 Nielsen, S.E. and Bak, T.A. Hard-sphere model for the dissociation of diatomic molecules, 4=25744  
 Nielsen, T.H. and Leipold, M.H. Thermal expansion of yttria-stabilized zirconia, 4=22510  
 Nielsen, V. See Lindhard, J., 2=22354  
 Nielsen, V. See Linhard, J., 3=25305  
 Nielson, H.H. See Hoffman, J.M., 0=13440  
 Nieman, G.C. and Robinson, G.W. Rapid triplet excitation migration in organic crystals, 3=3058  
 Nieman, G.C. and Robinson, G.W. Direct determination of exciton interactions for triplet states of organic crystals, 3=25492  
 Nieman, G.C. See Sternlicht, H., 3=10981  
 Niemann, F.L. Low energy particle accelerators for precision nuclear physics research, 1=1932  
 Niemann, J. See Felbinger, K., 0=7327  
 Niemann, K. See Hellwege, K.H., 1=8881  
 Niemeck, F. See Gobrecht, H., 1=2547  
 Niemeck, F. See Gobrecht, H., 1=8951  
 Niemeck, F. See Gobrecht, H., 2=9492  
 Niemelä, L. An automatic magnetic field calibrator, 4=30017  
 Niemelä, L. See Hovi, V., 1=13716  
 Niemelä, L. See Hovi, V., 2=18282  
 Niemelä, L. See Hovi, V., 4=22075  
 Niemela, L.Q. See Boyarski, A.M., 3=6065  
 Niemela, L.Q. See Burleson, G.R., 3=17145  
 Niemela, L.Q. See Burleson, G.R., 3=17146  
 Niemela, L.Q. See Burleson, G.R., 3=17149  
 Nieminen, I. Generalized singular functions in lower Lorentz spaces, 2=19370  
 Niemoeller, A.F. Reciprocity calibration of electroacoustic transducers in the time domain, 2=2846  
 Niemyski, T., Olempska, Z. and Pracka, I. Preparation of pure crystalline boron, 3=11226  
 Niemyski, T. and Zawadzki, W. Some properties of pure polycrystalline boron, 2=21149  
 Nierhaus, R. See Mayer-Kuckuk, T., 1=5408  
 Nienhuis, K. See Martinides, H., 3=4034  
 Nier, A.O. Small general purpose double focusing mass spectrometer, 0=19792  
 Nier, A.O., Eckelmann, W.R. and Lupton, R.A. A mass spectrometer for isotope ratio analyses, 3=1407  
 Nier, A.O. See Bhanot, V.B., 0=17673  
 Nier, A.O. See Hoffman, J.H., 0=12271  
 Nier, A.O. See Signer, P., 1=15435  
 Nier, A.O. See Thorness, R.B., 1=10558  
 Nier, A.O. See Thorness, R.B., 3=3842  
 Nierenberg, W.A. Atomic beam research on radioactive atoms, 0=472  
 Nierenberg, W.A. See Brink, G.O., 0=17682  
 Nierenberg, W.A. See Cabezas, A.Y., 2=12295  
 Nierenberg, W.A. See Chan, Y.W., 2=18241  
 Nierenberg, W.A. See Ehlers, V.J., 2=9991  
 Nierenberg, W.A. See Ewbank, W.B., 0=20327  
 Nierenberg, W.A. See Garvin, H.L., 0=1352  
 Nierenberg, W.A. See Lipworth, E., 0=13120  
 Nierenberg, W.A. See Marrus, R., 0=20329  
 Nierenberg, W.A. See Marrus, R., 1=7434  
 Nierenberg, W.A. See Yau Wa Chan, 4=12116  
 Nierhaus, R. See Mayer-Kuckuk, T., 0=2634  
 Niese, H. The improvement of objective and subjective acoustic measuring techniques by the use of f.m. band noise, 0=14745  
 Niese, H. Dynamic behaviour of objective loudness measuring apparatus, 0=14764  
 Niese, H. Subjective measurements of the loudness of band pass noise, for equal and different bandwidths presented to each ear, to derive the laws of audibility measurement and their application to objective loudness measurement, 0=14765  
 Niese, H. Apparatus for measuring the acoustic merit of rooms, 1=2834  
 Niese, H. An investigation into a unified presentation of the loudness build-up law for arbitrary complex noise excitation, 1=21115  
 Niese, H. Techniques for measurement of the loudness level from the weighted sound level with regard to the effect of the time function and spectral profile, 2=78  
 Niese, H. Measurement of effective sound and degree of echo distribution in the determination of room acoustics, 2=2850  
 Niese, H. The derivation and quantitative testing of acoustical relationships in auditoria. I. 2=5130  
 Niese, H. The reproduction of directional hearing by microphones for measuring loudness, 4=5330  
 Niesel, W., Lübbbers, D.W., Schneewolf, D., Richter, J. and Botticher, W. Double beam spectrometer with 10 msec recording time, 4=18404  
 Niesen, E. D.C. differential current meter, 2=5253  
 Nieset, R.T. The basis of the Kalvar system of photography, 2=15759  
 Niesler, R.A. See Becker, K.A., 4=2024  
 Niesters, H. See Schmitz, G., 1=18813  
 Nieto, M.M. and Russell, A.M. Growth of whiskers due to solid-to-solid phase transformation in zirconium, 4=13554  
 Nieuwenhuijzen, H. Comments on H<sub>2</sub> emission in B stars, 4=26913  
 Nieuwmeyer, H. See Einhorn, H.D., 4=29727  
 Nieuwpoort, W.C. See Richardson, J.W., 2=6084  
 Nieuwpoort, W.C. See Richardson, J.W., 3=10435  
 Niewiadomski, T., Szkatula, A. and Sciesielski, J. A time of flight spectrometer for slow neutrons, 3=589  
 Niewiadomski, T. See Natkaniec, I., 4=12169  
 Niewodniczański, H., Nurzyński, J. and Strzałkowski, A. Elastic and inelastic scattering of 12.8 MeV deuterons by Si<sup>28</sup> nuclei and core excitation of Al<sup>27</sup> nucleus, 4=17183



- Niewodniczański, H., Nurzyński, J., Strzałkowski, A., Wilczyński, J., Rook, J. R. and Hodgson, P. E. Elastic and inelastic scattering of 12.8 MeV deuterons by  $^{27}\text{Al}$  and  $^{28}\text{Si}$  nuclei, 4=25421
- Niewodniczański, H., Szmidler, J. and Szymakowski, J. The polarization of neutrons from the  $\text{D(d,n)}\text{He}^3$  reaction for deuteron energies between 5.8 and 11.3 MeV, 4=16978
- Niewodniczański, H. See Bożek, E., 1=13728
- Niewodniczański, H. See Bożek, E., 1=16984
- Niewodniczański, H. See Bożek, E., 3=24905
- Niewodniczański, H. See Budzanowski, A., 1=719
- Niewodniczański, H. See Budzanowski, A., 1=13845
- Niewodniczański, H. See Budzanowski, A., 4=28060
- Niewodniczański, H. See Freindl, L., 2=1911
- Niewodniczański, H. See Freindl, L., 3=22412
- Niewodniczański, H. See Gabla, L., 3=11315
- Niewodniczański, H. See Kisiel, A., 0=14822
- Niewodniczański, H. See Kisiel, A., 1=17264
- Niewodniczański, H. See Kolonko, N., 3=10376
- Niewodniczański, H. See Kornalewski, T., 4=22312
- Niewodniczański, H. See Leś, Z., 0=17703
- Niewodniczański, H. See Leś, Z., 1=13952
- Niewodniczański, H. See Liszka, L., 0=15663
- Niewodniczański, H. See Łożyński, E., 2=22745
- Niewodniczański, T., Schürmann, P. and Steiger, M. P.  $n'-\gamma$  angular correlation for  $\text{Fe}^{56}(n, n'\gamma)$  at 2.0 MeV, 2=20641
- Niewodniczański, T. and Steiger, M. P.  $N'-\gamma$  angular correlation for  $\text{Fe}^{56}(n, n'\gamma)_{0.845}$  at 2.0 MeV, 4=6347
- Niewodniczański, T. See Brugger, H. R., 2=5940
- Niewodniczański, T. See Brugger, H. R., 2=14103
- Niewold, A. See Brodie, I., 3=423
- Nifenecker, H., Hazoni, Y., Michaudon, A. and Paya, D. Study of fluctuations of partial radiation widths in neutron resonances of  $\text{Th}^{232}$ , 2=464
- Nifenecker, H., Paya, D. and Fagot, J. Measurement of the fission cross-section of  $\text{U}^{233}$  between 1.7 and 57 eV, 3=19892
- Nifenecker, H. See Ribon, P., 1=16385
- Nifontoff, N. See Gouskov, L., 0=1896
- Nifontov, M. A. See Efimov, N. N., 3=4503
- Nifontov, M. A. See Krasilnikov, D. D., 3=4502
- Nifontov, M. A. See Krasil'nikov, D. D., 4=6160
- Nifontov, N. G. Some electric properties of very thin metal films, 2=14496
- Nifontov, N. G. Preparation of single crystal films, 2=19109
- Nifontov, Yu. L. See Strel'tsov, N. S., 4=14796
- Nigam, A. N. Distortion of the X-ray absorption edges in metals and alloys due to lattice vacancies, 1=3848
- Nigam, A. N. Effect of diffused hydrogen on the Kronig structure of the Ni K-edge, 4=17577
- Nigam, A. N. and Srivastava, K. S. Forbidden transition  $L_1 M_1$  in the spectrum of platinum (78), 1=3513
- Nigam, A. N. See Gokhale, B. G., 0=20584
- Nigam, A. N. See Gokhale, B. G., 2=12294
- Nigam, A. N. See Gokhale, B. G., 3=12766
- Nigam, B. P. Dependence of p-p scattering parameters on phase shifts, 1=3181
- Nigam, B. P. Information about the proton-proton scattering matrix from Coulomb interference, 1=9763
- Nigam, B. P. The theory of superconductivity in the Tamm-Dancoff approximation, 1=11873
- Nigam, B. P. The two-nucleon interaction, 3=14973
- Nigam, B. P. Calculation of the scattering constant from the theory of multiple scattering, 3=17211
- Nigam, B. P. Two-nucleon interaction in a common harmonic oscillator potential, 4=12106
- Nigam, B. P. and Mathur, V. S. Difference in the multiple scattering of electrons and positrons, 1=5714
- Nigam, B. P. See Klein, J. J., 4=27748
- Nigam, L. N. Constant shear flow past two circular cylinders, 0=14590
- Nigam, P. D. See Nigam, S. D., 2=4994
- Nigam, P. D. Magneto-elastic wave propagation, 4=5269
- Nigam, P. D. See Nigam, S. D., 3=9919
- Nigam, R. K. See Rastogi, R. P., 0=19502
- Nigam, R. K. See Rastogi, R. P., 3=296
- Nigam, R. K. See Rastogi, R. P., 4=5450
- Nigam, S. D. Appendix: rotation of an infinite plane lamina in non-Newtonian liquid: motion started impulsively from rest, 0=8616
- Nigam, S. D. and Nigam, P. D. Wave propagation in rotating liquids, 2=4994
- Nigam, S. D. and Nigam, P. D. Magnetohydrodynamic waves in rotating liquids, 3=9919
- Nigge, K. E. Effect of chromatic aberrations on the sighting accuracy of geodetic telescopes, 3=14328
- Niggli, A. See Arndt, R., 4=20757
- Nigh, H. E. A method for growing rare-earth single crystals, 4=4551
- Nigh, H. E., Legvold, S. and Spedding, F. H. Magnetization and electrical resistivity of gadolinium single crystals, 4=4358
- Nighan, W. L. See Warder, R. C., Jr., 4=18903
- Nigram, A. N. Quadrupole and forbidden lines in the L-emission spectrum of iridium-77, 3=12762
- Nigro, M. See Borgia, B., 4=19595
- Nihoul, J. The recovery of radiation damage in molybdenum, 2=10380
- Nihoul, J. The recovery of radiation damage in molybdenum, 3=8470
- Nihoul, J. The recovery of neutron-irradiated zinc, 4=4102
- Nihoul, J. Note on the paper of D. E. Peacock and A. A. Johnson, entitled: "Stage III recovery in neutron irradiated molybdenum and niobium", 4=12729
- Nihoul, J. See van Itterbeek, A., 0=5049
- Nihoul, J. C. J. Magnetodynamic propulsion of interplanetary rockets, 3=19424
- Nihoul, J. C. J. A note on magnetodynamic turbulence, 4=5777
- Nihoul, J. C. J. The propagation of magnetoacoustic energy in the atmosphere, 4=13832
- Nii, R. Azbel-Kaner cyclotron resonance in n-type  $\text{PbTe}$ , 3=17698
- Nii, R. Cyclotron absorption in lead telluride, 4=12715
- Nii, R. See Kanai, Y., 1=14379
- Nii, R. See Kanai, Y., 1=17747
- Nii, R. See Kanai, T., 3=867
- Niiler, P. P. and Pipkin, A. C. Finite amplitude shear waves in some non-Newtonian fluids, 4=27139
- Niimi, T. See Hayashi, T., 4=30637
- Niizeki, H. See Shoda, K., 2=20591
- Niizeki, N. and Hasegawa, M. Direct observation of anti-parallel  $180^\circ$  domains in  $\text{BaTiO}_3$  by X-ray anomalous dispersion method, 4=20418
- Niizeka, N. and Koizumi, H. On the ferroelectric-like behaviour of lithium hydrazinium sulphate ( $\text{LiHS}$ ), 4=20420
- Niizeki, N. See Kiriya, R., 4=20622
- Niizeki, N. See Kuroda, C., 1=7770
- Niizeki, N. See Toyoda, H., 1=11351
- Nijgh, G. J. See Lingeman, E. W. A., 2=12166
- Nijboer, B. R. A. and Kokkedee, J. J. J. Scattering of slow neutrons by crystals and fluids. I, 3=20829
- Nijboer, B. R. A. See de Wette, F. W., 0=7837
- Nijboer, B. R. A. See Kokkedee, J. J. J., 4=2063
- Nijboer, B. R. A. See Schram, K., 0=14533
- Nijenhuis, J. G. See Boersma, H. J., 4=9307
- Nikandrov, V. S. Effect of aluminum oxide on the electrical conductivity of alkali-free magnesia-lime glasses, 3=17880
- Nikanorov, S. P. and Stepanov, A. V. Temperature dependence of the elastic constants of monocrystals of potassium bromide, 0=11968
- Nikanorov, S. P. and Stepanov, A. V. Temperature dependence of the elastic constants of potassium iodide single crystals, 2=8701
- Nikanorov, S. P. and Stepanov, A. V. Temperature dependence of the elastic constants of potassium iodide single crystals, 2=10732
- Nikanorov, S. P. and Stepanov, A. V. Temperature dependence of the elastic constants of potassium chloride and sodium fluoride monocrystals, 3=18163
- Nikanorov, S. P., Tatarchenko, V. A. and Stepanov, A. V. Temperature dependence of the elastic constants of caesium bromide and iodide single crystals, 4=1932
- Nikanorov, V. I. The contribution of Regge poles to high-energy total cross-sections, 4=5991
- Nikanorov, V. I. Elastic  $\pi-\pi$  scattering at high energies, 4=941
- Nikanorov, V. I., Peter, G., Pisarev, A. F. and Poze, Kh. Measurement of the spin correlation coefficient for pp-scattering at 660 MeV, 2=16196
- Nikanorov, V. I., Peter, G., Pisarev, A. F. and Poze, Kh. Measurement of the spin correlation coefficient for pp-scattering at 660 MeV, 3=6006
- Nikanorov, V. I. See Govorov, A. M., 3=2182
- Nikiforov, A. E. See Cherepanov, V. I., 2=4140
- Nikiforov, A. E. See Cherepanov, V. I., 2=8513
- Nikerov, A. E. See Shishokin, V. P., 1=14923



- Nikiforov, A.S. Excitation of directional flexure waves in plates, 4=14236
- Nikiforov, A.S. Radiation from damped plates, 4=14270
- Nikiforov, A.S. See Budrin, S.V., 4=24295
- Nikiforov, A.V. See Likhachev, V.A., 4=13452
- Nikiforov, I.Ya. The form of the conduction band of iron, 2=8184
- Nikiforov, I.Ya. Optimum correction of X-ray spectra for dispersive distortion, 2=14982
- Nikiforov, I.Ya. The shape of conduction bands in iron, 2=20962
- Nikiforov, I.Ya. Concerning the shape of the  $K\beta$  emission band of iron. I., 3=10976
- Nikiforov, I. Ia., Noreland, E. and Ekstig, B. The X-ray  $L_{\alpha}$  emission band of 48 Cd, 4=19955
- Nikiforov, I.Ya., Sachenko, V.P. and Blokhin, M.A. Comparison of different methods of correcting the shape of spectra, 3=7324
- Nikiforov, I.Ya. See Blockhin, M.A., 3=17012
- Nikiforov, V.I. See Belov, I.P., 2=3218
- Nikiforov, V.N. See Efremov, A.I., 2=19298
- Nikiforov, V.N. See Efremov, A.I., 3=9151
- Nikiforova, M. See Andreiĉin, R., 4=12983
- Nikiforova, N.N. See Tikhonov, A.N., 1=20798
- Nikiforuk, P.N. Automatic control through signal polarities, 2=15868
- Nikiforuk, P. N. See Wenkoff, M. P., 4=29279
- Nikimina, L.M. Determination of mass-transfer potential, 3=24123
- Nikishin, B.K. See Azimov, S.A., 2=281
- Nikishov, A.I. A general formula for the electromagnetic scattering of two different particles of spin  $\frac{1}{2}$ , 0=12854
- Nikishov, A.I. On the production of pion and muon pairs by the annihilation of high-energy positrons, 0=15417
- Nikishov, A.I. Radiative corrections to the scattering of  $\mu$ -mesons on electrons, 1=3203
- Nikishov, A.I. Absorption of high energy photons in the universe, 1=16737
- Nikishov, A.I. Absorption of high energy photoons in the universe, 2=22473
- Nikishov, A.I. and Ritus, V.I. Quantum processes in the field of a plane electromagnetic wave and in a constant field. I, 4=16796
- Nikishov, A. I. and Ritus, V. I. Quantum processes in the field of a plane electromagnetic wave and in a constant field. II, 4=19369
- Nikishov, A.I., Rosenthal, I.L. and Slavatskiy, S.A. On the determination of the energy of fast particles from angular distribution of the interaction products, 1=3268
- Nikishov, A.I. See Gerasimova, N.M., 3=4494
- Nikitenko, N.I. Approximate method of calculation for transient temperature fields in flowing matter, 4=5427
- Nikitenko, V.I. and Indenbom, V.L. Comparison of stresses and dislocations in a germanium crystal, 1=20321
- Nikitenko, V.I. and Turubarov, V.I. An installation for the precipitation of zinc oxide aerosol particles in a low frequency acoustic field, 3=18462
- Nikitenko, V.I. See Dianov, D.B., 2=23974
- Nikitenko, V.I. See Indenbom, V.L., 2=6725
- Nikitenko, V.I. See Indenbom, V.L., 2=12431
- Nikitenko, V.I. See Indenbom, V.L., 2=14441
- Nikitin, A.A. The effect of self-ionization and its influence on the intensity of certain lines in stellar spectra, 0=846
- Nikitin, A.A. One possible estimation of the temperatures of hot stars according to the character of their NIII emission spectrum, 0=16551
- Nikitin, A.A. The investigation of the lines of heavy elements in the spectra of planetary nebulae, 0=18843
- Nikitin, A.A. Refining the spectral scheme of O III, used for the calculation of its recombination spectrum in stars and nebulae, 4=4867
- Nikitin, A. A. Spectra of coronal ions connected with  $sp^3$  configurations, 4=26958
- Nikitin, A.A. and Yakubovskii, O.A. Study of the N III recombination spectrum in stellar envelopes and nebulae. VI. The equations of statistical equilibrium for the lower excited levels of C II, N III, O IV, 3=21116
- Nikitin, A. A. and Yakubovskii, O. A. Forbidden transition lines associated with the first excited  $sp^2$  configurations in isoelectronic coronal sequences, 4=26959
- Nikitin, A.V. and Simonov, V.I. The influence of the temperature correction on the reliability coefficient in crystal structure analysis, 4=17797
- Nikitin, A.V. See Birger, N.G., 2=3391
- Nikitin, A.V. See Ilyukhin, V.V., 3=23430
- Nikitin, A.V. See Van Gan-Chan, 0=9415
- Nikitin, A.V. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
- Nikitin, A.V. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Nikitin, A.V. See Van Gan-cha., 1=2099
- Nikitin, A.V. See Van Gan-Chan, 1=16902
- Nikitin, A.V. See Van Gan-cha., 1=19284
- Nikitin, A.V. See Van Gan-cha [Wang Kang-ch'ang], 3=2302
- Nikitin, A.V. See Van Gan-Chan, 3=19709
- Nikitin, A.V. See Wang Kang-Ch'ang, 3=19702
- Nikitin, A.V. See Wang Kang-Ch'ang, 3=22208
- Nikitin, E.E. The band contours of forced rotational and vibrational spectra of non-polar molecules, 0=9790
- Nikitin, E.E. Mechanism of the intermolecular exchange of energy in the dissociation of diatomic gas, 0=14111
- Nikitin, E.E. A possible mechanism of electron excitation in slow atomic collisions, 0=15655
- Nikitin, E.E. The interpretation of induced infrared spectra of compressed gases, 0=17700
- Nikitin, E.E. Non-adiabatic vibrational excitation of molecules in molecular collisions, 0=19207
- Nikitin, E.E. Wave-functions of diatomic molecules with strong spin-orbit coupling, 2=546
- Nikitin, E.E. Nonadiabatic transitions near the turning point in atomic collisions, 2=8133
- Nikitin, E.E. Resonance and non-resonance intermolecular energy exchange in molecular collisions, 3=6430
- Nikitin, E.E. The probability of nonadiabatic transitions in the case of nondivergent terms, 3=15330
- Nikitin, E.E. The interaction of electrons in long molecules with conjugated bonds, 3=15402
- Nikitin, E.E. Resonant oscillatory relaxation of a system of harmonic oscillators, 3=18744
- Nikitin, E. E. Bimolecular pre-association of polyatomic molecules, 4=9798
- Nikitin, E. E. Theory of non-adiabatic vibrational relaxation in atom-molecular collisions. I. Weak spin-orbital coupling, 4=12404
- Nikitin, E. E. Mean lifetimes of active molecules and oscillator models of unimolecular reactions, 4=26733
- Nikitin, E.E. and Sokolov, N.D. Theory of thermal second-order decomposition of molecules, 0=3298
- Nikitin, E.E. and Sokolov, N.D. Theory of thermal dissociation of diatomic molecules, 2=20875
- Nikitin, E. E. See Bykhovskii, V. K., 4=22304
- Nikitin, E.N. Investigation of the semiconducting properties of the Si-Mn systems, 0=2884
- Nikitin, E.N. Investigation of the semiconducting properties in the silicon-cobalt system, 0=13604
- Nikitin, E.N. Thermoelectric properties of the silicon-chromium system, 1=3797
- Nikitin, E.N., Bazanov, V.G. and Tarasov, V.I. Thermoelectric properties of  $Mg_2Si-Mg_2Sn$  solid solutions, 2=8453
- Nikitin, E.N., Bazanov, V.G. and Tarasov, V.I. Thermoelectric properties of  $Mg_2Si-Mg_2Sn$  solid solutions, 2=14593
- Nikitin, E.N., Bazanov, V.G. and Tarasov, V.I. Measurement of the temperature dependence of electrical conductivity and thermoelectric power of semiconducting materials, 3=24159
- Nikitin, L.P. See Kogan, A.V., 0=2652
- Nikitin, L.P. See Kogan, A.V., 0=20787
- Nikitin, L.P. See Kogan, A.V., 1=14155
- Nikitin, L.P. See Kogan, A.V., 3=2417
- Nikitin, L. P. See Kogan, A. V., 4=3994
- Nikitin, L.P. See Kogan, A.V., 4=17331
- Nikitin, L. P. See Kogan, A. V., 4=20157
- Nikitin, M.K. See Aleksandrov, Yu.A., 2=13988
- Nikitin, M.K. See Aleksandrov, Yu.A., 3=8044
- Nikitin, M. K. See Anton'eva, N. M., 4=22033
- Nikitin, M.K. See Badalov, N.B., 3=22347
- Nikitin, M.K. See Bashilov, A.A., 2=16413
- Nikitin, M.K. See Berlovich, E.E., 1=2181
- Nikitin, M.K. See Berlovich, E.E., 1=3405
- Nikitin, M.K. See Berlovich, E.E., 1=5852
- Nikitin, M.K. See Berlovich, E.E., 1=17045
- Nikitin, M.K. See Berlovich, E.E., 1=19341
- Nikitin, M.K. See Berlovich, E.E., 2=13989
- Nikitin, M.K. See Berlovich, E.E., 2=13990
- Nikitin, M.K. See Berlovich, E.Ye., 2=22765
- Nikitin, M.K. See Berlovich, E.E., 3=6175
- Nikitin, M.K. See Berlovich, E.E., 3=8008
- Nikitin, M.K. See Berlovich, E.E., 3=12595
- Nikitin, M.K. See Berlovich, E.E., 3=12596



- Nikitin, M.K. See Berlovich, E.E., 3=15121  
 Nikitin, M.K. See Berlovich, E.E., 3=19788  
 Nikitin, M.K. See Berlovich, E.Ye., 3=4573  
 Nikitin, M.K. See Dzhelepov, B.S., 3=8047  
 Nikitin, M.K. See Dzhelepov, B.S., 3=17443  
 Nikitin, M.K. See Grigor'ev, E.P., 2=14012  
 Nikitin, M.K. See Grigor'ev, E.P., 2=14065  
 Nikitin, O.T. See Akishin, P.A., 4=16564  
 Nikitin, S.A. Magnetostriiction of Tb and Ho, 2=21331  
 Nikitin, S.A. Magnetostriction of Tb and Ho, 3=8680  
 Nikitin, S.A. Magnetic properties and hysteresis characteristics of dysprosium and terbium, 4=15646  
 Nikitin, S.A. See Belov, K.P., 1=14381  
 Nikitin, S.A. See Belov, K.P., 2=744  
 Nikitin, S.A. See Belov, K.P., 2=10666  
 Nikitin, S.A. See Belov, K.P., 2=21106  
 Nikitin, S.A. See Belov, K.P., 3=5017  
 Nikitin, S.A. See Belov, K.P., 3=6716  
 Nikitin, S.A. See Belov, K.P., 3=11091  
 Nikitin, S.A. See Belov, K.P., 4=4355  
 Nikitin, S.A. See Levitin, R.Z., 2=8646  
 Nikitin, S.A. See Levitin, R.Z., 3=6711  
 Nikitin, S.Ya. Modern methods of evaluation of bubble chamber photographs (Review), 2=18040  
 Nikitin, S.Ya. The hydrogen bubble chamber of the Institute of Theoretical and Experimental Physics, Moscow, 3=17124  
 Nikitin, S.Ya. See Ainutdinov, M.S., 1=10818  
 Nikitin, S.Ya. See Ainutdinov, M.S., 2=16234  
 Nikitin, S.Ya. See Ainutdinov, M.S., 2=18167  
 Nikitin, S.Ya. See Ainutdinov, M.S., 3=6053  
 Nikitin, S.Ya. See Ainutdinov, M.S., 3=6058  
 Nikitin, S.Ya. See Ainutdinov, M.S., 3=15018  
 Nikitin, S.Ya. See Ainutdinov, M.S., 3=24767  
 Nikitin, S.Ya. See Belonogov, A.V., 1=3097  
 Nikitin, V.A. See Ciulli, I., 2=22574  
 Nikitin, S.Ya. See Kolganov, V.Z., 1=3096  
 Nikitin, S.Ya. See Kolganov, V.Z., 2=3225  
 Nikitin, V.A., Sviridov, V.A., Strunov, L.N. and Shafranov, M.G. The possibility of studying interference between Coulomb and nuclear scattering during the collisions of particles with energies above  $10^{10}$  eV, 4=19460  
 Nikitin, V.A. and Tsynganov, E.M. Estimate of the upper limit of the charge-exchange cross-section for the pn interaction at 8.5 BeV, 1=16777  
 Nikitin, V.A. See Belyakov, V.A., 1=19244  
 Nikitin, V.A. See Dmitrievskii, O.D., 0=10776  
 Nikitin, V.A. See Dmitrievskii, O.D., 0=12487  
 Nikitin, V.A. See Kirillova, L.F., 4=12000  
 Nikitin, V.F. See Vladimirov, V.S., 1=15672  
 Nikitin, V.F. See Vladimirov, V.S., 1=18260  
 Nikitin, V.I. Long-time strength of steel in liquid sodium containing oxygen, 4=7457  
 Nikitin, V.I. Adsorption effect of a molten metal on a solid metal in the process of deformation, 4=23185  
 Nikitin, V.N. A vessel of variable thickness for the infrared region of the spectrum, 2=7362  
 Nikitin, V.N. Techniques and results of in situ investigations of the elastic properties of limestones by seismic and ultrasonic methods, 3=9003  
 Nikitin, V.N. See Maklakov, L.A., 4=10203  
 Nikitin, V.N. See Maklakov, L.I., 4=22904  
 Nikitin, V.O. See Vatset, P.I., 2=5536  
 Nikitin, V.O. See Vatset, P.I., 2=5546  
 Nikitin, V.O. See Vatset, P.I., 2=5549  
 Nikitin, V.V. An oscillator using two opposed beams of ammonia  $N^3H_3$  molecules, 3=12358  
 Nikitin, V.V. See Basov, N.G., 4=11826  
 Nikitin, V.V. See Berlovich, E.E., 2=13989  
 Nikitin, V.V. See Berlovich, E.Ye., 2=22765  
 Nikitin, V.V. See Berlovich, E.E., 3=6175  
 Nikitin, V.V. See Berlovich, E.E., 3=12597  
 Nikitin, V.V. See Berlovich, E.E., 3=19788  
 Nikitin, V.V. See Berlovich, E.Ye., 3=4573  
 Nikitin, Yu.P. Scattering of K-mesons on nucleons at large orbital momenta, 1=19268  
 Nikitin, Yu.P. Scattering of K-mesons on nucleons at large orbital momenta, 3=4452  
 Nikitin, Yu.P. Diffraction mechanism of the inverse  $\pi \rightarrow \mu + \nu$  decay in the field of a nucleus, 3=24688  
 Nikitin, Yu.P., Pomeranchuk, I.Ya. and Shmushkevich, I.M. The formation of high energy  $\pi$ -meson beams, 1=19478  
 Nikitin, Yu.P., Pomeranchuk, I.Ya. and Shmushkevich, I.M. The formation of high energy  $\pi$ -meson beams, 2=22818  
 Nikitin, Yu.P. and Shabalin, E.P. The inverse of the decay process  $\Pi^- \rightarrow \mu + \nu$  in the Coulomb field of the nucleus, 3=2293  
 Nikitin, Yu.P. and Shabalin, E.P. Production of  $\pi$ -meson pairs by high energy neutrinos on nuclei, 4=30214  
 Nikitin, Yu.P. See Barmin, V.V., 3=15007  
 Nikitin, Yu.P. See Barmin, V.V., 4=932  
 Nikitin, Yu.P. See Barmin, V.V., 4=9269  
 Nikitin, Yu.P. See Berkov, A.V., 3=24768  
 Nikitin, Yu.P. See Berkov, A.V., 4=6104  
 Nikitin, Yu.P. See Berkov, A.V., 4=27894  
 Nikitin, Yu.P. See Galanin, A.D., 3=17266  
 Nikitin, Yu.P. See Grashin, A.F., 1=3169  
 Nikitin, Yu.P. See Meshkovsky, A.G., 4=3471  
 Nikitin, Yu.P. See Zhizhin, E.D., 3=15169  
 Nikitina, A.N., Ter-Sarkisyan, G.S., Mikhailov, B.M. and Minchenkova, L.E. Fluorescence of solutions of certain substituted polyenes, 3=23891  
 Nikitina, I.I. See Lozinskii, M.G., 2=23777  
 Nikitina, I.I. See Lozinskii, M.G., 3=3234  
 Nikitina, I.I. See Rybakova, L.M., 4=28933  
 Nikitina, N.I. See Aërov, M.E., 0=12514  
 Nikitina, O.I. Investigation of the composition of the vapour phase in the spectral analysis of high iron alloys, 2=23981  
 Nikitina, O.I., Hudyrina, L.L., Horeva, A.E. and Ivanova, N.K. Effect of the material of the supplementary electrode on the ratio of the elements in the vapour phase in the spectral analysis of ferrous metals, 2=23982  
 Nikitina, S.A. See Vdovenko, V.M., 4=22386  
 Nikitina, S.V. See Kuz'min, R.N., 4=15791  
 Nikitina, T.N. and Telesnin, R.V. Apparatus for investigating pulse switching of thin ferromagnetic films, 2=19864  
 Nikitina, T.N. See Kolotov, O.S., 2=19865  
 Nikitina, T.N. See Kolotov, O.S., 2=19866  
 Nikitina, T.N. See Kolotov, O.S., 3=20601  
 Nikitina, T.N. See Telesnin, R.V., 3=23173  
 Nikitina, T.N. See Telesnin, R.V., 4=26326  
 Nikitina, T.S. See Kuzminskii, A.S., 0=6419  
 Nikitina, V.N. Some calculations of electromagnetic fields for the method of radioscopy, 3=18489  
 Nikitine, S. Experimental investigations of exciton. Spectra in ionic crystals, 0=16048  
 Nikitine, S. Exciton spectra in semiconductors and ionic compounds. I. Theoretical, 2=16820  
 Nikitine, S. Exciton spectra in semiconductors and ionic compounds. II. Experimental, 2=16821  
 Nikitine, S., Biellmann, J., Deiss, J.L., Grossman, M., Grun, J.B., Ringeissen, J., Schwab, C., Sieskind, M. and Wursteisen, L. Perturbed exciton spectra, 3=10932  
 Nikitine, S., Burckel, J., Biellmann, J. and Reiss, R. Some new observations about the absorption spectra, reflection and photoluminescence of  $PbI_2$  monocrystals at 4°K, 1=1160  
 Nikitine, S., Burckel, J., Grun, J.B., Hossenlopp, M.T., Peters, A., Reiss, R., Ringeissen, J., Schwab, C., Sieskind, M. and Wursteisen, L. Low temperature quantitative investigations of the exciton spectra of the halides of Cu, Pb and Hg, 3=10934  
 Nikitine, S. and Grossmann, M. Effect of defects caused by neutron bombardment on the exciton spectrum of  $Cu_2O$ , 4=1440  
 Nikitine, S., Grossmann, M. and Droulers, Y. Comparison of radiation effects due to fast and to thermal neutrons on the yellow exciton absorption spectral series of cuprite, 3=17998  
 Nikitine, S., Grossmann, M. and Grun, J.B. Application of exciton spectroscopy to the study of the damage produced in solids by nuclear radiation, 2=2105  
 Nikitine, S., Grossmann, M. and Grun, J.B. A comparison of the effects of irradiation with neutrons and  $\gamma$ -rays on the exciton absorption spectra of cuprous oxide, 2=23555  
 Nikitine, S., Grun, J.B. and Certier, M. Study of the oscillator strength of the quadrupolar absorption band  $n = 1$  of the yellow series of  $Cu_2O$  at 4.2 K, 3=23068  
 Nikitine, S., Grun, J.B., Certier, M., Deiss, J.L. and Grosman, M. New study of the spectrum of  $Cu_2O$ , 3=10936  
 Nikitine, S., Grun, J.B. and Sieskind, M. A spectrophotometric study of the yellow series for  $Cu_2O$  at low temperatures, 2=697  
 Nikitine, S., Grun, J.B. and Sieskind, M. The photometric study of the absorption spectra of  $Cu_2O$  at low-temperatures, 3=4972



- Nikitine, S., Grun, J. B., Sieskind, M., Certier, M. and Grosman, M.  
Low temperature quantitative investigation of class 1 and 2  
exciton spectra in  $\text{Cu}_2\text{O}$ , 3=10935
- Nikitine, S. and Haken, H. On the possibility of causing a directed  
migration of excitons, 0=4283
- Nikitine, S., Nitsche, R., Sieskind, M. and Vogt, J. Contribution  
to the study of the exciton absorption, reflection and  
emission spectra of crystals of gallium selenide, 4=1730
- Nikitine, S. and Reiss, R. Tentative interpretation of the photo-  
luminescence emissions of copper iodide at low  
temperatures, 0=21000
- Nikitine, S. and Reiss, R. Reflection spectroscopy and  
selective reflection of copper halides at low  
temperatures, 1=19960
- Nikitine, S., Reiss, R., Ringeissen, J., Peters, A., Biemann, J.,  
Burckel, J., Grun, J. B. and Sieskind, M. Study of the exciton  
spectra of  $\text{CuCl}$ ,  $\text{CuI}$ ,  $\text{PbI}_2$  and  $\text{HgI}_2$  at  $4 \cdot 2^\circ\text{K}$ . Measurement  
of oscillator strengths, 3=2765
- Nikitine, S., Ringeissen, J. and Deiss, J. L. Study of the  $\text{CuCl}$   
exciton spectrum. Effect of an electric field, 3=8405
- Nikitine, S., Schmitt-Burckel, J., Biemann, J. and Ringeissen, J.  
Spectrophotometric study of the ordinary excitation  
spectrum of  $\text{PbI}_2$  at  $4.2^\circ\text{K}$ , 4=30437
- Nikitine, S., Wenger-Wursteisen, L. and Eberhart, J. P. Study of  
the effect of crystallite dimensions on observation of the  
exciton spectral bands of  $\text{CuI}$ , 4=26187
- Nikitine, S. See Certier, M., 4=22854
- Nikitine, S. See Coret, A., 4=7065
- Nikitine, S. See Deiss, J. L., 3=20474
- Nikitine, S. See Grossmann, M., 4=1727
- Nikitine, S. See Grun, J. B., 1=14590
- Nikitine, S. See Grun, J. B., 2=4145
- Nikitine, S. See Grun, J. B., 2=8494
- Nikitine, S. See Grun, J. B., 2=12599
- Nikitine, S. See Grun, J. B., 3=25455
- Nikitine, S. See Reiss, R., 0=11761
- Nikitine, S. See Satten, R. A., 4=4245
- Nikitine, S. See Schwab, C., 3=932
- Nikitine, S. See Schwab, C., 4=22855
- Nikitine, S. See Sieskind, M., 2=6565
- Nikitine, S. See Vacek, K., 3=4959
- Nikitinskaya, T. I. and Bol'shakova, T. V. Dielectric losses and  
electrical conductivity of fluorite, 1=19920
- Nikitinskaya, T. I. and Bol'shakova, T. V. Dielectric losses and  
electrical conductivity of eluorite, 2=8459
- Nikitinskaya, T. I. See Zakharov, G. M., 0=11654
- Nikitinskaya, T. I. See Zakharov, G. M., 4=18395
- Nikitskii, N. I. See Kotelnikov, V. A., 3=9272
- Nikityuk, L. N. See Bonch-Osmolovskaya, N. A., 3=24912
- Niklaus, P., Huber, P. and Wagner, R. Inelastic scattering of  
neutrons from lead, mercury and uranium, 2=3583
- Nikliborc, J., Radoń, T. and Żebrowski, J. Study of absorption and  
thermal desorption of germanium on tungsten with the aid of  
a field-emission microscope, 3=8928
- Nikliborc, J. and Szaynok, A. Influence of F-center concentration  
on the electrification of the dust of  $\text{KCl}$  monocrystals  
irradiated with  $\beta$  rays, 2=8255
- Nikliborc, J. See Hofman, T., 1=11547
- Nikliborc, J. See Hoffmann, T., 1=20447
- Nikliborc, J. See Jakubiszyn, S., 2=14645
- Nikliborc, J. See Meclewski, R., 2=14460
- Nikliborc, J. See Meclewski, R., 3=7629
- Nikodem, N. An elastic impact as a linear three body  
problem, 4=11130
- Nikoforov, I. Ya. See Sachenko, V. P., 3=7670
- Nikolae, M. Methods of improvement of the quality of  
development of thick layers of emulsion (400 MK), 1=7181
- Nikolae, M. A new method for the determination of the alpha  
activity of elements in solution, 2=5828
- Nikolaenko, G. M. See Narbutt, K. I., 3=4235
- Nikolaenko, V. A. See Karpukhin, V. I., 4=17822
- Nikolaenko, V. A. See Pravydyuk, N. F., 2=18389
- Nikolaev, A. G. See Vakulov, P. V., 4=7900
- Nikolaev, A. G. See Vernov, S. N., 0=10397
- Nikolaev, A. G. See Vernov, S. N., 1=4815
- Nikolaev, A. G. See Vernov, S. N., 1=10939
- Nikolaev, A. G. See Vernov, S. N., 2=9029
- Nikolaev, F. A. See Bogdankevich, O. V., 2=1862
- Nikolaev, F. A. See Bogdankevich, O. V., 4=6315
- Nikolaev, F. A. See Burgov, N. A., 0=11431
- Nikolaev, F. A. See Burgov, N. A., 2=20594
- Nikolaev, F. A. See Burgov, N. A., 3=8077
- Nikolaev, F. A. See Burgov, N. A., 4=9476
- Nikolaev, F. A. See Dolbilkin, B. S., 3=24684
- Nikolaev, F. A. See Fisher, P. S., 3=19846
- Nikolaev, F. A. See Measday, D. F., 3=19838
- Nikolaev, G. I. and Aleskovskii, V. B. Atomic absorption spectral  
method of determining the coefficient of diffusion of metal  
atoms in an inert gas atmosphere, 4=18244
- Nikolaev, G. T. See Borovik, E. S., 4=27233
- Nikolaev, I. N. Photomagnetic effects in germanium in strong  
magnetic fields, 4=10130
- Nikolaev, I. N. See Grindberg, A. A., 3=10846
- Nikolaev, I. N. See Kikoin, I. K., 2=6503
- Nikolaev, I. N. See Kikoin, I. K., 3=2980
- Nikolaev, L. V. See Lopyrev, V. A., 2=21959
- Nikolaev, M. N. and Filippov, V. V. Measurement of the  
resonance structure parameters of the total cross-sections  
of several elements in the neutron energy range of  
 $0.3-2.7$  MeV, 4=9522
- Nikolaev, M. N. and Filippov, V. V. Measurement of the  
resonance structure parameters of the total cross-sections  
of several elements in the neutron energy range of  
 $0.3-2.7$  MeV, 4=28040
- Nikolaev, M. N. See Guseinov, A. G., 2=13806
- Nikolaev, N. S. and Duk'yan'chev, Yu. A. Determination of the  
solubility product for thorium tetrafluoride, 2=19554
- Nikolaev, P. N. See Rabinovich, I. B., 2=13324
- Nikolaev, R. M. See Kharchenko, I. F., 0=5367
- Nikolaev, R. M. See Kharchenko, I. F., 0=12619
- Nikolaev, R. M. See Kharchenko, I. F., 2=11665
- Nikolaev, V. See Dobryakov, D., 4=28096
- Nikolaev, V. I., Karchevskii, A. I., Tsinoev, V. G. and Vasiliev, B. V.  
Investigation of magnetostriction of the metamagnetic alloy  
 $\text{MnAu}_2$ , 4=4362
- Nikolaev, V. I., Shcherbina, Yu. I. and Karchevskii, A. I. The  
Mössbauer effect in  $\text{FeSn}_2$ , 4=3969
- Nikolaev, V. I., Shcherbina, Yu. I. and Yakimov, S. S. Temperature  
investigations of Mössbauer spectra of nuclei of  $\text{Fe}^{57}$  and  
 $\text{Sn}^{119}$  in the antiferromagnetic compound  $\text{FeSn}_2$ , 4=7300
- Nikolaev, V. I. and Yakimov, S. S. Investigation of the tempera-  
ture dependence of the Mössbauer effect in impurity nuclei  
of  $\text{Fe}^{57}$  in the crystalline lattice of Au, 4=15401
- Nikolaev, V. I. See Karchevskii, A. I., 2=8292
- Nikolaev, V. I. See Karchevskii, A. I., 2=23243
- Nikolaev, V. I. See Karchevskii, A. I., 3=2854
- Nikolaev, V. S., Dmitriev, I. S., Fateeva, L. N. and Teplova, Ya. A.  
Experimental investigation of electron capture by  
multiply-charged ions, 1=18779
- Nikolaev, V. S., Dmitriev, I. S., Fateeva, L. N. and Teplova, Ya. A.  
Investigation of the equilibrium charge distribution in a  
fast ion beam, 1=18940
- Nikolaev, V. S., Dmitriev, I. S., Fateeva, L. N. and Teplova, Ya. A.  
Change in the charge of different ions as a result of their  
interaction with residual gas, 4=8852
- Nikolaev, V. S., Fateeva, L. N., Dmitriev, I. S. and Teplova, Ya. A.  
Capture of several electrons by fast multicharged  
ions, 2=163
- Nikolaev, V. S., Fateeva, L. N., Dmitriev, I. S. and Teplova, Ya. A.  
Capture of several electrons by fast multicharged  
ions, 2=22168
- Nikolaev, V. S. See Dmitriev, I. S., 1=8358
- Nikolaev, V. S. See Dmitriev, I. S., 2=15892
- Nikolaev, V. S. See Dmitriev, I. S., 3=712
- Nikolaev, V. S. See Dmitriev, I. S., 3=21706
- Nikolaev, V. S. See Dmitriev, I. S., 3=29990
- Nikolaev, V. S. See Teplova, Ya. A., 3=5722
- Nikolaev, V. S. See Teplova, Ya. A., 2=7674
- Nikolaev, Yu. G. and Davidenko, D. F. Calculation of neutron  
spectra of the reactors VVR-S and IRT, 4=1143
- Nikolaev, Yu. N. Investigation of a high-voltage vacuum discharge  
at 25 Mc/s, 3=24228
- Nikolaeva, E. L. See Abel's, V. R., 2=8623
- Nikolaeva, L. G. See Karal'nik, S. M., 2=17030
- Nikolaeva, O. V. See Naumov, G. P., 2=8444
- Nikolaeva, O. V. See Naumov, G. P., 2=14587
- Nikolaeva, S. M. See Iveronova, V. I., 3=23526
- Nikolaeva, T. V. See Rumanova, I. M., 1=15101
- Nikolaeva, Z. P. See Sergeev, G. Ia., 2=12927
- Nikolaeva-Pedorovich, N. V. See Frumkin, A. N., 3=11349
- Nikolai, P. See Callan, E. J., 4=25477
- Nikolaichuk, A. D. See Bondar', A. D., 2=17978
- Nikolaichuk, A. D. See Bondar', A. D., 4=16715
- Nikolaichuk, A. D. See Bondar', A. D., 4=16716
- Nikolaichuk, A. D. See Klyucharev, A. P., 3=19501
- Nikolaichuk, A. D. See Medyanik, V. N., 3=24533



- Nikolaishvili, Sh.S. See Kukhtevich, V.I., 0=9327  
 Nikolayev, H.T. and Sharevs'kii, B.A. Effect of the operating conditions of an MM-1000 oil diffusion pump on the composition of the decomposition products of D-IA oil, 2=9323  
 Nikolayev, H.T. See Sharevs'kii, B.A., 4=14228  
 Nikolayev, R.M. See Kharchenko, I.F., 4=8782  
 Nikolayev, V.S. See Dmitriev, I.S., 2=9535  
 Nikolayeva, E.L. See Abel's, V.R., 2=23656  
 Nikolaeva, L.H. and Karal'nyk, S.M. A study of the characteristic absorption of X-rays in binary alloys of iron with nickel, cobalt and chromium, 1=11388  
 Nikolaeva, L.H. and Karal'nyk, S.M. Study of the basic K-edge of X-rays of iron and vanadium atoms in their alloy in two modifications, 1=20585  
 Nikolaeva, L.H. See Karal'nik, S.M., 1=14621  
 Nikolaeva, L.H. See Karal'nik, S.M., 2=6590  
 Nikoleishvili, U.D. See Chkuaseli, D.V., 1=278  
 Nikoleishvili, U.D. See Chkuaseli, D.V., 1=4566  
 Nikoleishvili, U.D. See Chkuaseli, D.V., 2=17788  
 Nikoleychvili, U.D. See Tchkouaceli, D.V., 4=16430  
 Nikolić, M., Eisenberg, Y., Koch, W., Schneeberger, M. and Winzeler, H. Interactions of  $K^-$ -mesons at rest in nuclear emulsions. V. The multi-nucleon capture mode, 0=17413  
 Nikolić, M., Koch, W., Schneeberger, M. and Winzeler, H. An unusual double star from a  $K^-$ -capture in emulsion, 0=9427  
 Nikolić, M. See Baglin, C., 4=3487  
 Nikolić, M. See Bellière, J., 3=24775  
 Nikolic, M. See Breitenlohner, P., 4=6046  
 Nikolić, M. See Cvijanovich, G., 1=16778  
 Nikolić, M. See Cvijanovich, G.B., 2=5638  
 Nikolić, M. See Cvijanovich, G., 2=22515  
 Nikolic, M. See Dyer, J., 0=5562  
 Nikolić, M. See Gorgé, V., 1=4829  
 Nikolic, M. See Koch, W., 0=5612  
 Nikolic, M. See Koch, W., 0=17414  
 Nikolić, M. See Ronne, B., 4=19458  
 Nikolic, M. See Winzeler, H., 0=15346  
 Nikolić, M.M. Hypernuclei produced by  $K^-$  interactions in nuclear emulsions. I. Mesic decays, 1=4828  
 Nikolić, M.M., Povh, B. and Zupančić, C. On the reaction  $O^{17}(p, \gamma) F^{18}$ , 0=17591  
 Nikolic, N., Lidofsky, L.J. and Kruse, T.H. Scattering of protons from  $C^{12}$  in the energy range of 5-6 MeV, 4=6331  
 Nikolic, N.M. See Yoshiki, H., 1=2210  
 Nikolic, P. See Rosenberg, A.J., 4=23262  
 Nikolín, B.I. See Lysak, L.I., 4=13494  
 Nikolitch, K., de la Garanderie, H.P. and Schlivitch, S. The fluorescence of certain halogenated complexes of manganese and pyridine, 0=16088  
 Nikolitch, K. See Velachevitch, X., 4=13092  
 Nikolov, N.S. See Shēnaich, V., 4=4871  
 Nikolov, P. See Kānev, V., 4=24279  
 Nikolskaia, A.V. See Guérassimov, J.I., 0=1956  
 Nikol'skaya, A.V., Geiderikh, V.A. and Gerasimov, Ya.I. Thermodynamic properties of indium antimonide, 0=10354  
 Nikol'skaya, A.V. See Abbasov, A.S., 4=25850  
 Nikol'skaya, A.V. See Gerasimov, Ya.I., 3=22657  
 Nikol'skaya, K.I. See Gulyaev, R.A., 4=2435  
 Nikol'skaya, K.I. See Mogilevskii, É.I., 1=18088  
 Nikol'skaya, V.I. See Smagin, A.G., 4=15715  
 Nikol'skii, A.A. Three-dimensional homogeneous expansion or compression of a rarefied gas with a power law interaction potential, 4=227  
 Nikol'skii, A.A. Invariant transformation of the equations of motion of an ideal monatomic gas and new classes of their exact solutions, 4=8232  
 Nikol'skii, A.A. Motion of monatomic rarefied gas in a uniformly expanding region, 4=11220  
 Nikol'skii, A.P. Solar protons as the cause of the morning and nocturnal magnetic disturbances at high latitudes, 0=1989  
 Nikol'skii, B.A. and Mishakova, A.P. Fluctuations in the angular distribution of secondary particles of explosive showers, 0=20267  
 Nikol'skii, B.A., Surkova, L.V., Varfolomeev, A.A. and Sulkovskaya, M.M. Search for  $D^+$ -mesons, 2=20415  
 Nikol'skii, B.A., Surkova, L.V., Varfolomeev, A.A. and Sulkovskaya, M.M. Search for  $D^+$ -mesons, 3=6061  
 Nikol'skii, B.A. See Ali-Zade, S.A., 0=15378  
 Nikol'skii, B.A. See Ali-Zade, S.A., 1=16832  
 Nikol'skii, B.A. See Gurevich, I.I., 0=13009  
 Nikol'skii, B.A. See Gurevich, I.I., 3=2290  
 Nikol'skii, B.A. See Ivanov, Yu., 3=7877  
 Nikolskii, B.A. See Mishakova, A.P., 0=7432  
 Nikol'skii, B.A. See Mishakova, A.P., 3=17273  
 Nikol'skii, B.A. See Mishakova, A.P., 3=19622  
 Nikol'skii, E.N. Schwartz's algorithm in stress problems of the theory of elasticity, 1=5240  
 Nikol'skii, E.N. Schwartz's algorithm in stress problems of the theory of elasticity, 1=10456  
 Nikolskii, G.A. See Kondrat'ev, K.Ya., 4=7841  
 Nikol'skii, G.M. Ultraviolet radiation and the excitation of oxygen lines in the chromosphere, 0=8507  
 Nikol'skii, G.M. The coronal emission line  $\lambda 5694$ , 0=18776  
 Nikol'skii, G.M. Solar resonance lines, 304 Å of HeII and 584 Å of He I, 3=11534  
 Nikol'skii, G.M. Soft stellar X-radiation, 4=2364  
 Nikolskii, G.M. The structure and extreme ultraviolet radiation of upper atmospheres of stars. I. Hydrogen and helium continuous emission, 4=4860  
 Nikol'skii, G.M. The structure and extreme U.V. radiation of Stellar upper atmospheres. II. Electron density and temperature distributions, 4=23855  
 Nikol'skii, G.M. See Gulyaev, R.A., 4=2435  
 Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 1=19595  
 Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 1=19596  
 Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 2=978  
 Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 2=24116  
 Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 3=23686  
 Nikol'skii, G.M. See Mogilevskii, É.I., 1=18088  
 Nikolskii, I.K. See Pavlichenko, O.S., 4=19048  
 Nikol'skii, S.I. Extensive air showers of cosmic radiation, 3=22235  
 Nikolskii, S.I., Murzina, E.A., Tukish, E.I. and Yakovlev, V.I. Nuclear-interacting particles and electron-photon cascades of high energy in the cores of extensive air showers, 3=19730  
 Nikol'skii, S.I. and Pomanskii, A.A. Calculation of average parameters of extensive cosmic-ray air showers, 1=19313  
 Nikol'skii, S.I. and Smorodin, Yu.A. Interpretation of the experimental data on the spectra of electron-photon cascades with energies  $>10^{12}$  eV in the upper layers of the atmosphere, 1=5806  
 Nikol'skii, S.I. See Danilova, T.V., 4=19620  
 Nikol'skii, S.I. See Denisov, E.V., 1=16938  
 Nikolskii, S.I. See Dovzhenko, O.I., 0=20265  
 Nikol'skii, S.I. See Mishnev, S.I., 0=15477  
 Nikol'skii, S.I. See Muzina, E.A., 0=2602  
 Nikol'skii, S.I. See Nesterova, N.M., 4=21971  
 Nikol'skii, S.I. See Zatsepina, G.T., 0=9471  
 Nikol'skii, V.G. and Buben, N.Ya. Radiothermoluminescence of organic compounds, 0=21018  
 Nikol'skii, V.G., Tochinn, V.A. and Buben, N.Ya. Stabilization of electrons in the low-temperature radiolysis of organic substances, 4=1416  
 Nikol'skii, V.K. Atomic centres in NaCl:Ag and KBr:Ag crystal phosphors, 2=14728  
 Nikol'skii, V.K. See Kats, M.L., 0=10065  
 Nikol'skii, V.V. See Mash, D.I., 0=10171  
 Nikol'skii, Yu.V. See Berezin, A.A., 1=19547  
 Nikolsky, A.P. On the geophysical distribution of the areas of the solar corpuscular impingements in the Arctic, 2=15281  
 Nikolsky, B.A. See Gurevich, I.I., 1=8468  
 Nikol'sky, B.A. See Gurevich, I.I., 4=30246  
 Nikolsky, B.A. See Mishakova, A.P., 1=3261  
 Nikolsky, G.M. See Livschitz, M.A., 4=13935  
 Nikolsky, S.I., Murzina, E.A. and Yakovlev, V.I. High energy nuclearactive particles and the extensive air showers which accompany them, 2=22673  
 Nikolsky, S.I. and Pomansky, A.A. Dependence of various extensive air shower characteristics on total particle number, 1=2138  
 Nikolsky, S.I. and Tukish, E.I. Spatial distribution of the energy flow of E.A.S. electron-photon and nuclear-active components at an altitude of 3860 m above sea level, 1=3289  
 Nikolsky, S.I. See Danilova, T.V., 3=4497  
 Nikolsky, S.I. See Dovzhenko, O.I., 1=2129  
 Nikolsky, S.I. See Dovzhenko, O.I., 1=3290  
 Nikolsky, S.I. See Kalachyov, B.V., 1=2131  
 Nikolsky, S.I. See Kulikov, G.V., 1=3283  
 Nikolsky, S.I. See Tukish, E.I., 3=4498  
 Nikolsky, Y.V. See Katkov, V.P., 0=2692  
 Nikonenko, A.S. The effect of deformation on the phase transformations in ferritic iron-manganese alloys, 4=13493  
 Nikonov, A.G. See Oding, I.A., 2=16966  
 Nikonov, A.G. See Oding, I.A., 2=21439  
 Nikotin, O.P. See Petrzhak, K.A., 4=6402



- Nikshov, A.I. The statistical theory of multiple production of particles, 0=9323
- Nikulesku, D. See Krucheanu, E., 4=15798
- Nikulin, E. I. and Kir'enin, I. A. Measurements of the resistance of aluminium in a magnetic field at low temperatures, 4=28528
- Nikulin, E.I. See Mikhailov, Yu.G., 0=2290
- Nikulin, V.K. See Kobelev, L.Ya., 3=8482
- Nikulina, L.N. See Zoré, V.A., 3=18687
- Nikulina, R. A. See Averina, L. N., 4=7168
- Nikuradse, A. and Kugler, K. Influence of the molecular or atomic nature of the surface layer of a solid wall on the interaction between incident gas molecules and the wall, 0=10369
- Nilan, T.G. See Granato, A.V., 1=7605
- Nilender, R.A. Phosphor research at the Moscow electric lamp plant, 3=15700
- Nilender, R.A.; Troshenskii, D.P. Improvement of phosphors for light sources, 3=972
- Niles, F. E. and Robertson, W. W. Spectral emission of the helium afterglow, 4=20049
- Niles, F. E. and Robertson, W. W. Atomic emission of the helium afterglow, 4=22298
- Nileshwar, V. B. Some observations on the kinetics of ageing reactions during creep of aluminium alloys, 4=23249
- Nileshwar, V.B. See Garstone, J., 2=830
- Nilima Basu and Sinha, M.S. Absolute differential range-spectrum of sea-level muons at 12°N, 2=13932
- Nillius, O. See Fischer, H., 2=9392
- Nillius, O. See Fischer, H., 3=249
- Nilsson, R. Experimental determination of the effective threshold energy of some reactions, 4=6351
- Nilov, A.S. See Kunin, N.F., 3=8777
- Nilov, E.V. See Balashov, I.F., 1=4456
- Nilov, E.V. See Balashov, I.F., 2=1272
- Nilov, E.V. See Muratov, V.R., 3=14648
- Nilov, E.V. See Volosov, V.D., 3=24370
- Nilsen, W.G. Operation of a traveling-wave maser in a transverse field superconducting electromagnet, 2=20142
- Nilson, W.G. The effect of quenching and neutron irradiation on internal friction of aluminum-5% magnesium alloy, 1=2507
- Nilsen, W. G. and Kurtz, S. K. Paramagnetic resonance spectra of  $\text{Fe}^{3+}$  in  $\text{ZnWO}_4$ , 4=30734
- Nilsen, W.G. See Kurtz, S.K., 3=3169
- Nilsen, W. G. See LeCraw, R. C., 4=10306
- Nilson, J.A. and Shepherd, G.G. Upper atmospheric temperatures from Doppler line widths. I. Some preliminary measurements on OI 5577 Å in aurora, 2=4677
- Nilson, J.A. See Shepherd, G.G., 2=4666
- Nilson, K. See Kronenberg, S., 2=1495
- Nilsson, A. Angular distribution of the neutrons from the reaction  $\text{Li}^7(\text{p}, \text{n})\text{Be}^7$ , 1=19470
- Nilsson, A. and Kjellman, J. A study of the reaction  $\text{C}^{13}(\alpha, \text{n})\text{O}^{16}$  at 14.1, 13.7 and 12.8 MeV, 2=12220
- Nilsson, A. and Kjellman, J. Neutron angular distributions from the  $\text{Be}^9(\alpha, \text{n})\text{C}^{12}$  reaction at 14.1, 13.9 and 13.5 MeV, 2=12222
- Nilsson, A. See Alväger, T., 4=18373
- Nilsson, A. See Alväger, T., 4=29470
- Nilsson, A. See Kjellman, J., 1=19528
- Nilsson, A. See Kjellman, J., 2=3618
- Nilsson, A. See Kjellman, J., 2=5969
- Nilsson, A. See Kjellman, J., 2=12221
- Nilsson, A. See Malmfors, K.G., 0=17349
- Nilsson, C. S. The Sextanid meteor stream, 4=20939
- Nilsson, C. S. A southern hemisphere radio survey of meteor streams, 4=20940
- Nilsson, C.S. and Weiss, A.A. Radio-echo observations of meteors in the antarctic, 2=11161
- Nilsson, G. Improved fission counting method for uranium isotope analysis, 2=5989
- Nilsson, J. The three-body K-meson decay, 0=3998
- Nilsson, J. On the  $\mu^- \rightarrow 3e$  decay as a test of the applicability of the perturbation expansion in the theory of weak interactions, 1=13322
- Nilsson, J. The mass difference of the neutral k-mesons and the validity of the perturbation expansion in the theory of weak interactions, 2=1721
- Nilsson, J. Forbidden weak interactions at very high energies, 2=9781
- Nilsson, J. On the structure of weak interactions, 2=16136
- Nilsson, J. The renormalization group and Regge behaviour, 4=5990
- Nilsson, N.E.L. See Lagerqvist, A., 0=9800
- Nilsson, N. G. Determination of carrier lifetime, diffusion length, and surface recombination velocity in semiconductors from photo-excited infrared absorption, 4=22527
- Nilsson, N. R. See Brouillard, F., 4=18964
- Nilsson, R. Half-life measurements of  $\text{Tl}^{204}$  and  $\text{Ag}^{110\text{m}}$ , 2=3497
- Nilsson, R., Olsson, I., Berggren, A. and Siegbahn, K.  $\text{S}^{35}$  and  $\text{Be}^7$  contents in rain and snow, 0=7500
- Nilsson, R. See Berglung, S., 0=17645
- Nilsson, S. Loading device for irradiated samples at a bend crystal gamma-ray spectrometer, 2=20293
- Nilsson, S. See Bartke, J., 1=8515
- Nilsson, S. See Bartke, J., 2=13883
- Nilsson, S. See Bartke, J., 3=22206
- Nilsson, S. See d'Andlau, C., 3=17328
- Nilsson, S. See Ekspong, A.G., 1=5728
- Nilsson, S. See Frisk, Å., 2=1711
- Nilsson, S. See Hardell, R., 3=19905
- Nilsson, S. See Persson, L., 3=655
- Nilsson, S. G. The nuclear energy gap and fluctuations in particle number in pairing wave functions, 4=25252
- Nilsson, S.G. and Prior, O. The effect of pair correlation on the moment of inertia and the collective gyromagnetic ratio of deformed nuclei, 1=7313
- Nilsson, S.G., Sawicki, J. and Glendenning, N.K. The giant E1 resonance for deformed nuclei, 2=16383
- Nilsson, S.G. See Glendenning, N.K., 2=1798
- Nilsson, S.G. See Kramer, G., 2=14055
- Nilsson, S.G. See Mottelson, B.R., 0=5766
- Nilsson, T. and Sjöstrand, N.G. The diffusion parameters of thermal neutrons in heptane, 3=22143
- Nilsson, T. See Sjöstrand, N.G., 0=5826
- Nilsson-Fröman, N. On the two-phonon scattering of X-rays in aluminium, 0=7864
- Nimeroff, I. Field trial of the 1959 CIE supplementary standard observer proposal, 4=20987
- Nimeroff, I. Colorimetry in parafoveal fields. I Color-matching functions, 4=20990
- Nimeroff, I. Colorimetry in parafoveal fields. II Additivity failure, 4=20991
- Nimeroff, I., Rosenblatt, J.R. and Dannemiller, M.C. Variability of spectral tristimulus values, 2=5136
- Nimeroff, I., Rosenblatt, J.R. and Dannemiller, M.C. Variability of spectral tristimulus values, 2=15439
- Nimomiya, T. See Celli, V., 3=23288
- Nimura, H. Crystal texture of LiF single crystals by X-ray technique, 1=9131
- Nimura, H. See Fukushima, E., 1=20659
- Nimura, H. See Fukushima, E., 2=21503
- Nimura, H. See Fukushima, E., 3=23525
- Nine, H.D. Photosensitive ultrasonic attenuation in CdS, 0=11574
- Nine, H. D. and Bendler, H. M. Effect of strain amplitude on fatigue in copper single crystals, 4=23140
- Nine, H.D. and Schubring, N.W. Photographic verification of ultrasonic plane wave scattering by cylinders, 0=12462
- Nine, H.D. and Truell, R. Photosensitive-ultrasonic properties of cadmium sulfide, 1=11157
- Nine, H.D. See Bendler, H.M., 3=1245
- Nine, H.D. See Bendler, H.M., 3=20747
- Ning Hu. Modified meson propagation function in pseudo-vector coupling theory, 0=339
- Ning Hu. Symmetries in strong interactions and the  $\text{KK}\pi\pi$ -interaction, 0=11222
- Ning Hu. Up-Down asymmetries of  $\Lambda$ - and  $\Sigma$ -decays, 2=7904
- Ning Hu. See Hu, N.
- Ninham, B.W. Asymptotic form of the coefficients of some ising-model series, 3=16546
- Ninham, B.W. Charged Bose gas in astrophysics, 3=18590
- Ninham, B. W. Charged Bose gas, 4=18095
- Ninham, B. W. Specific heat of a degenerate electron gas, 4=24101
- Ninham, B. W. See Takimoto, N., 4=29569
- Ninio, F. Field dependence of the dielectric susceptibility of ionic crystals, 2=12554
- Ninomiya, K. An extrapolation method for estimating steady-flow viscosity and steady-state compliance from creep data, 3=25636
- Ninomiya, T. Association of vacancies with calcium impurities in potassium chloride crystals, 1=12373
- Ninomiya, T. and Kanzaki, H. Photoconductivity in thallous chloride at low temperatures, 3=10891
- Ninomiya, T. See Celli, V., 3=17730
- Ninomiya, T. See Kanzaki, H., 2=3981



- Ninomiya, T. See Kanzaki, H., 2=8423  
 Ninoyan, Zh. O. See Bezirganyan, P. A., 4=15777  
 Nio, Lee Eng and Sen, K. K. On the estimate of optical thickness of electron atmosphere from the study of Compton shift, 3=5264  
 Nir, A. See Avinur, P., 1=2306  
 Nir, A. See Bhattacharjee, S. K., 3=4603  
 Nira, K. Temperature dependence of the magnetization of dysprosium metal, 0=4473  
 Niri, Yu. The  $\pi^+ + p \rightarrow \pi + \pi + N$  reaction near the threshold, 4=16937  
 Nisbet, J. S. Electron-density distribution in the upper ionosphere from rocket measurements, 1=15296  
 Nisbet, J. S. Factors controlling the shape of the upper F-region under daytime equilibrium conditions, 4=10765  
 Nisbet, J. S. and Bowhill, S. A. Electron densities in the F region of the ionosphere from rocket measurements. I. Methods of analysis, 1=15287  
 Nisbet, J. S. and Bowhill, S. A. Electron densities in the F region of the ionosphere from rocket measurements. II. Results of analysis, 1=15283  
 Nisbet, J. S., Brennan, J. N. and Tarpley, H. I. High-frequency strain gauge and accelerometer calibration, 0=2146  
 Nisbet, J. S. and Quinn, T. P. The recombination coefficient of the nighttime F layer, 3=13770  
 Nisbet, S. K. A dead weight gauge utilizing an air loading device to measure varying pressures, 4=24008  
 Nisenoff, M. and Fan, H. Y. Electron spin resonance in neutron-irradiated silicon, 3=2849  
 Nisenoff, M. and Terhune, R. W. Experimental studies of standing spin-wave modes in ferromagnetic films, 4=13280  
 Nisenoff, M. See Maker, P. D., 2=8512  
 Nishi, K. The observation of the structure of the magnetic field in sunspots, 3=11538  
 Nishi, K. and Nakagomi, Y. A model of the coronal condensation, 3=16385  
 Nishi, M. Emission spectra from the positive column in the glow discharge through vapors of monohalogen benzenes. I, 1=16286  
 Nishi, M. Emission spectra from the positive column in the glow discharge through vapors of monohalogen benzenes. II, 2=7257  
 Nishi, M. and Hamamura, S. On the glow discharge through the vapors of benzene, toluene, and chlorobenzene, 0=9017  
 Nishi, M., Hamamura, S. and Araki, H. Emission spectra from glow discharge through vapors of aromatic hydrocarbons and n-hexane, 1=14044  
 Nishi, M. See Hamamura, S., 0=7307  
 Nishi, M. See Ryu, N., 2=17905  
 Nishi, R. Y. and Brown, R. F. Behavior of piezoceramic projector materials under hydrostatic pressure, 4=26117  
 Nishi, T. See Fujiwara, I., 4=9453  
 Nishi, T. See Iwata, S., 3=22341  
 Nishi, Y. See Kato, T., 4=25967  
 Nishibori, Y. See Nagata, S., 4=6188  
 Nishida, A. On the earth storms. II. Stability of solar corpuscular stream, 1=15352  
 Nishida, A. and Fukushima, N. Three-dimensional consideration for current-system of geomagnetic variations, 1=1596  
 Nishida, A. and Jacobs, J. A. World-wide changes in the geomagnetic field, 2=9036  
 Nishida, A. and Jacobs, J. A. World-wide changes in the geomagnetic field, 2=13070  
 Nishida, A. and Jacobs, J. A. Equatorial enhancement of world-wide changes, 3=11470  
 Nishida, A. and Young, J. H. Explorer XII observations of magnetic sudden impulses in the earth's magnetosphere, 4=29337  
 Nishida, J., Hamada, H. and Terada, M. Anode aperture effect on emission current density of electron gun, 4=14759  
 Nishida, M. On stellar models with double energy-sources, 1=2626  
 Nishida, M. and Sugimoto, D. Evolution of population II stars in the helium-burning phase, 2=9086  
 Nishida, M., Tsuda, H. and Tsuji, H. Synthesis of iron group elements by the rapid nuclear process, 1=15516  
 Nishida, M. See Amai, S., 0=11280  
 Nishida, M. See Hayakawa, S., 1=3328  
 Nishida, M. See Hayakawa, S., 1=18122  
 Nishida, M. See Hayashi, C., 0=8516  
 Nishida, M. See Hayashi, C., 0=14466  
 Nishida, M. See Hayashi, C., 0=18867  
 Nishida, M. See Hayashi, C., 1=38  
 Nishida, M. See Hayashi, C., 1=18119  
 Nishida, M. See Hayashi, C., 2=987  
 Nishida, M. See Hayashi, C., 2=15363  
 Nishida, N. The relaxation phenomena of poly-electrolyte solutions, 2=2727  
 Nishida, N. Relaxation phenomena in concentrated polyelectrolyte, 2=11380  
 Nishida, Y. Elastic scattering of deuterons by heavy nuclei, 0=13236  
 Nishida, Y. Inelastic scattering of high energy nucleons by nuclei, 3=15184  
 Nishida, Y., Herling, G. H. and Breit, G. Theory of transfer reactions, 2=1855  
 Nishida, Y., Shimauchi, M. and Tanaka, H. An approximation method for high-energy potential scattering, 4=11088  
 Nishida, Y. and Tanaka, H. A note on the elastic scattering of high energy deuterons by complex nuclei, 0=15578  
 Nishigaki, M., Yamanaka, C. and Yamamura, Y. The acceleration of plasma by the travelling magnetic wave, 2=11680  
 Nishiguchi, K., Arata, Y. and Okada, M. Studies of plasma in heavy current linear pulse discharges, 2=9572  
 Nishiguchi, K., Arata, Y. and Okada, M. The behavior of plasma in heavy current linear pulse discharges. II, 2=22213  
 Nishiguchi, H., Nakai, Y., Nakamura, K., Ishizu, K., Deguchi, Y. and Takaki, H. Alkali metal hyperfine structure in the e.s.r. spectra of biphenyl mononegative ions, 4=15378  
 Nishiguchi, K. See Husimi, K., 1=12539  
 Nishiguchi, K. See Itô, H., 4=24675  
 Nishihara, H. and Ukai, S. A study on the space and energy dependent reactor kinetics, with direct physical interpretation of the effective neutron lifetime and criticality factor, 4=3721  
 Nishihara, H. See Kobayashi, K., 4=30231  
 Nishihara, H. See Ohta, M., 4=12303  
 Nishihara, S. Exact construction of the quantum-mechanical transformation function of one-dimensional motion under inverse cube repulsive force, 3=3745  
 Nishijima, K. On the asymptotic conditions in quantum field theory, 0=11083  
 Nishijima, K. Asymptotic conditions and perturbation theory, 0=15300  
 Nishikawa, K. A jet shower with energy of  $5 \times 10^{13}$  eV found in emulsion chamber, 0=20272  
 Nishijima, K. Time-ordered Green's functions and electromagnetic interactions, 1=7202  
 Nishijima, K. Renormalization of time-ordered Green's functions, 1=16690  
 Nishijima, K. Unitarity condition and anomalous vertex functions, 2=11894  
 Nishijima, K. Theorem on the product of field operators, 4=9049  
 Nishijima, K. Unsubtracted dispersion relations in weak interactions and the Goldberger-Treiman relation, 4=11913  
 Nishijima, K.  $K_1$ - $K_2$  mass difference and a possible di-pion resonance at about 400 MeV, 4=12057  
 Nishijima, K. See McCliment, E. R., 3=2197  
 Nishijima, K. See Muraskin, M., 1=7203  
 Nishijima, Y. and Oster, G. Moiré patterns: their application to refractive index and refractive index gradient measurements, 4=8379  
 Nishikawa, K. Approach to equilibrium of a large fermion system, 1=7222  
 Nishikawa, K. On the optical absorption by impurities in semiconductors, 2=18807  
 Nishikawa, K. and Barrie, R. Phonon broadening of impurity spectral lines. I. General theory, 3=20457  
 Nishikawa, K. and Kusuda, H. Heat transfer in surface boiling under free convection, 4=27380  
 Nishikawa, K., Patterson, D. and Delmas, G. Critical phenomena in thin films using the Bragg-Williams approximation, 1=16179  
 Nishikawa, K. and Shimomura, R. Boiling heat transfer at the coexistence of nucleate and film regions, 4=27379  
 Nishikawa, K. and Urakawa, K. An experiment of nucleate boiling under reduced pressure, 0=14891  
 Nishikawa, K. and Yamagata, K. On the correlation of nucleate boiling heat transfer, 1=18676  
 Nishikawa, K. See Barrie, R., 4=4276  
 Nishikawa, K. See Brisbout, F. A., 1=13562  
 Nishikawa, K. See Brisbout, F. A., 1=16844  
 Nishikawa, K. See Brisbout, F. A., 3=6109  
 Nishikawa, K. See Farrow, E., 3=19724  
 Nishikawa, M. See Getoff, N., 2=23225  
 Nishikawa, M. See Shirai, T., 1=20764  
 Nishikawa, O. See McLane, S. B., 4=29997



- Nishikawa, T., Tanaka, J., Miyahara, A. and Kumagai, H.  
A linear electron accelerator as the injector of 1 BeV  
synchrotron, 2=229
- Nishikawa, T. See Kabe, S., 4=25372
- Nishikawa, T. See Kubota, B., 3=11054
- Nishikawa, T. See Kubota, B., 4=13174
- Nishikawa, T. See Kumagi, H., 3=460
- Nishikori, K., Nakata, Y. and Sakurazawa, A. Radio observations  
on the high-altitude nuclear explosion over Johnston Island  
on July 9, 1962, 3=25924
- Nishikori, K., Nakata, Y. and Sakurazawa, A. Radio observa-  
tions on the high-altitude nuclear explosion over Johnston  
island on July 9 1962, 4=10760
- Nishikubo, T. and Motizuki, K. Internal magnetic field at Co nuclei  
in Co-ferrite, 3=1154
- Nishimaki, N., Kojima, K. and Kojima, T. Nature of A-centres  
in KCl, 1=17353
- Nishimaki, N. See Kojima, K., 1=14339
- Nishimaki, N. See Kojima, K., 1=19810
- Nishimaki, N. See Kojima, K., 3=22838
- Nishimura, H. See Fukui, S., 2=22665
- Nishimoto, H. See Reed, R. J., 3=25875
- Nishimoto, K. and Fujishiro, R. Electronic spectra of  
naphthols, 2=18470
- Nishimura, A. See Kuwahara, K., 4=7270
- Nishimura, A. See Kuwahara, K., 4=13203
- Nishimura, A. See Okamoto, T., 2=21103
- Nishimura, A. See Tatsumoto, E., 0=3067
- Nishimura, H. Thermal conductivity of Fermi particle  
systems, 2=15494
- Nishimura, H. Investigation of platinum-molybdenum  
alloys, 2=23880
- Nishimura, H. and Mori, H. Viscosity of Fermi particle  
systems, 2=4962
- Nishimura, H. See Fukui, S., 2=13897
- Nishimura, H. See Tomura, M., 3=23103
- Nishimura, J. The dislocation etch pits of CdS  
crystals, 1=11213
- Nishimura, J. On the growth of ZnS crystals, 1=20434
- Nishimura, J. X-ray initiated photoconductivity of CdS  
single crystals, 2=10530
- Nishimura, J. Edge dislocation of CdS crystals, 3=2792
- Nishimura, J. and Tanabe, Y. Synthesis of large CdS and ZnS  
crystals, 0=21165
- Nishimura, J. See Aizu, H., 0=1338
- Nishimura, J. See Aizu, H., 1=3317
- Nishimura, J. See Aizu, H., 1=13548
- Nishimura, J. See Aizu, H., 2=22664
- Nishimura, J. See Akashi, M., 2=12083
- Nishimura, J. See Fujimoto, Y., 1=7296
- Nishimura, J. See Kamata, K., 0=389
- Nishimura, K. Spin and size of  $\Lambda^0$  particle, 0=9440
- Nishimura, K. Inelastic scattering of high-energy protons  
exciting a collective level of nucleus, 0=11409
- Nishimura, K. Effects of potential well parameters on the  
polarization of elastically scattered protons, 1=686
- Nishimura, K. Effects of K-meson interactions on the  
nucleon anomalous magnetic moment, 1=7235
- Nishimura, K. Gamma-rays from inelastic scattering of  
neutrons by Fe, Cu, Zn, Ge and Se, 1=13809
- Nishimura, K. Breakup of deuterons by the reactions  $H(d, p)pn$   
with  $E_d = 18$  MeV and  $D(p, p)pn$  with  $E_p = 9$  MeV, 2=3417
- Nishimura, K. Anodes on Landau curves for deuteron  
photodisintegration, 2=13892
- Nishimura, K. On the  $Y^*_1$  resonance, 3=17343
- Nishimura, K. Resonance model for photoproduction of  
 $\eta$ -particles, 4=3473
- Nishimura, K. Effect of a KK resonance on the interpretation  
of the  $\Phi$ -meson, 4=25168
- Nishimura, K. See Barbout, I. M., 4=949
- Nishimura, K. See Kikuchi, S., 1=7113
- Nishimura, K. See Okano, K., 4=6339
- Nishimura, S., Hiraoka, T. and Kuwahara, K. Spontaneous  
magnetization and Hall effect in thin films of  
Ni-Fe, 3=22907
- Nishimura, S. See Hatanaka, T., 2=13148
- Nishimura, S. See Hayakawa, S., 3=11507
- Nishimura, S. See Takayanagi, K., 1=6693
- Nishimura, S. See Takayanagi, K., 2=4725
- Nishina, Y. and Danielson, G. C. Microwave measurement of  
Hall mobility: experimental method, 1=11292
- Nishina, Y., Kolodziejczak, J. and Lax, B. Oscillatory inter-  
band Faraday rotation and Voigt effect in semi-  
conductors, 2=21230
- Nishina, Y. See Halpern, J., 4=13011
- Nishina, Y. See Kolodziejczak, J., 3=4963
- Nishina, Y. See Lax, B., 1=11356
- Nishina, Y. See Lax, B., 1=17740
- Nishina, Y. See Liu, S. H., 1=11291
- Nishinaga, T. See Arizumi, T., 4=7555
- Nishino, K. Strain age hardening of aluminium alloys, 4=17722
- Nishioka, A. A short review of discussions of the glass  
transition, second-order transition, and relaxation  
phenomena in high polymers, 1=15165
- Nishioka, A., Koike, Y., Owaki, M., Naraba, T. and Kato, Y. Proton  
magnetic resonance and X-ray diffraction studies of  
polypropylene, 1=9154
- Nishioka, A. and Takeuchi, M. Dielectric property of  
triglycine sulfate single crystal at 9000 Mc/s  
region, 1=1135
- Nishioka, K. See Yoneda, Y., 1=15121
- Nishitake, T. See Hughes, D. S., 4=4470
- Nishiwaki, J. Notes on the lustre of moiré patterns, 1=16105
- Nishiwaki, Y., Kawai, H., Oshima, Y. and Koyama, M. Liquid scintil-  
lation counter with cooled photomultiplier, 3=2156
- Nishiyama, A. and Okada, T. The crystal structures of the  
compounds  $(\text{SnSe})_{1-x-y}(\text{SnTe})_x(\text{PbTe})_y$ , 0=18364
- Nishiyama, S. See Adachi, I., 2=7330
- Nishiyama, S. See Adachi, I., 2=22050
- Nishiyama, S. See Masuda, T., 2=14649
- Nishiyama, S. See Masuda, T., 3=21528
- Nishiyama, T. Electrostatic interactions in an electron-ion  
gas at high density, 0=13507
- Nishiyama, T. Equivalent Hamiltonian of an electron gas at  
high density, 0=20762
- Nishiyama, T. Some properties of dielectric constant and  
phonon frequency of a superconductor, 3=19098
- Nishiyama, T. Electronic polarizability and repulsive ion-core  
potential, 4=22547
- Nishiyama, T., Sekiya, T. and Watanabe, Y. Stationary fusion  
reactions at low temperatures, 0=11467
- Nishiyama, Y. The relation between classical mechanics and  
wave mechanics, 4=5061
- Nishiyama, Y. See Kuwabara, G., 0=20937
- Nishiyama, Y. See Nakamura, S., 4=27777
- Nishiyama, Z. and Fujita, H. Dislocation images in pure iron  
observed by transmission electron microscopy, 3=801
- Nishiyama, Z. and Kajiwar, S. Electron microscope study of the  
crystal structure of the martensite in a copper-aluminium  
alloy, 3=25736
- Nishiyama, Z., Kore'eda, A., Eguchi, I. and Kato, K. Direct  
observation of the lattice imperfections in pearlites by  
electron microscopy, 1=14281
- Nishiyama, Z. and Shimizu, K. Direct observation of  
substructures in martensite, 0=18418
- Nishiyama, Z., Shimizu, K. and Kumada, A. Transmission electron  
microscope study of the deformation twin in silicon  
iron, 4=17432
- Nishiyama, Z. and Simizu, K. Direct observation of lattice defects  
in cold-worked high manganese steels by means  
of electron microscopy, 1=12394
- Nishiyama, Z. See Fujita, H., 1=19786
- Nishiyama, Z. See Nenno, S., 1=11211
- Nishizaki, T. See Barrington, R. E., 1=1549
- Nishizaki, T. See Barrington, R. E., 1=15238
- Nishizawa, J., Iwasa, S. and Watanabe, Y. Simplified theory on the  
inductive impedance of p-n junction, 3=882
- Nishizawa, J., Yamoguchi, Y., Shoji, N. and Tominaga, Y. Appli-  
cation of Siemens method to measure the resistivity and the  
lifetime of small slices of silicon, 4=28568
- Nishizawa, J. See Sukegawa, T., 3=8536
- Nishizawa, Y. See Sugiyama, H., 3=14474
- Nisimura, K., Sanada, J., Catillon, P., Fukunaga, K., Hasegawa, T.,  
Hasai, H., Ruy, N., Worth, D. C. and Imada, H. Measurement  
of spin correlation coefficients in p-p scattering at  
52 MeV, 4=15056
- Nisimura, K., Sanada, J., Kobayashi, S., Fukunaga, K., Ryu, N., Hasai, H.,  
Worth, D. C., Imada, H., Hirata, Y. and Hasegawa, T. A  
measurement of the spin correlation coefficient  $C_{KP}$   
in p-p scattering at 52 MeV, 3=24720
- Nisimura, K. See Kikuchi, S., 1=8516
- Nisimura, K. See Sanada, J., 1=8457
- Nisimura, K. See Suwa, S., 0=19856
- Nisimura, K. See Suwa, S., 1=7241
- Nisiyama, Y. See Okabayashi, T., 1=13302
- Nisle, R. G. Neutron-absorption alignment chart, 0=9372
- Nissan, A. H. The rheological behaviour of hydrogen-  
bonded solids. III. A theory of tensile strength, 0=13918



- Nissan, A.H. and Higgins, H.G. A molecular approach to the problem of viscoelasticity, 0=6308
- Nissan, A.H. See Brewster, D.B., 0=8627
- Nissan, A.H. See Yeraunis, S., 2=19388
- Nissen, J. Observatory at San Juan, 0=12240
- Nissim-Sabat, C. See Cohen, R.C., 4=25600
- Nistor, N. See Cruceanu, E., 4=13543
- Nistor, N. See Krucheanu, E., 4=15798
- Nitardy, J.H. See Peterson, L.E., 2=1370
- Nitkin, L.P. See Kogan, A.V., 0=11299
- Nitsche, R. The growth of single crystals of binary and ternary chalcogenides by chemical transport reactions, 1=20443
- Nitsche, R., Bölsterli, H.U. and Lichtensteiger, M. Crystal growth by chemical transport reactions. I. Binary, ternary, and mixed-crystal chalcogenides, 2=6773
- Nitsche, R. and Merz, W.J. Photoconduction in ternary V-VI-VII compounds, 0=11722
- Nitsche, R. and Merz, W.J. Zinc-indium-sulphide, a new photoconductor, 2=23475
- Nitsche, R., Roetschi, H. and Wild, P. New ferroelectric V, VI, VII compounds of the SbSI type, 4=26114
- Nitsche, R. See Berlincourt, D., 4=12973
- Nitsche, R. See Beun, J.A., 1=10066
- Nitsche, R. See Beun, J.A., 1=11321
- Nitsche, R. See Beun, J.A., 2=6495
- Nitsche, R. See Fatuzzo, E., 0=4380
- Nitsche, R. See Fatuzzo, E., 0=6155
- Nitsche, R. See Fatuzzo, E., 2=4093
- Nitsche, R. See Fatuzzo, E., 2=21214
- Nitsche, R. See Nikitine, S., 4=1730
- Nitschke, J. See Fricke, K., 4=25057
- Nitsovich, M.V. On the theory of the diamagnetism of the electron gas in crystals, 0=6212
- Nitsovich, M.V. See Samoilovich, A.G., 0=8029
- Nitsovich, M.V. See Samoilovich, A.G., 4=6775
- Nitsovich, V.M. Statistical properties of an electron gas with a narrow energy band, 4=6813
- Nitsovich, V.M. See Samoilovich, A.G., 4=26021
- Nitta, I. See Akasaka, K., 4=20591
- Nitta, I. See Naya, S., 4=23366
- Nitta, I. See Naya, S., 4=23375
- Nitta, I. See Ohnishi, S., 2=23022
- Nitta, I. See Ohnishi, S., 3=2670
- Nitta, I. See Ohnishi, S., 4=4712
- Nitta, I. See Ohnishi, Shun-ichi, 4=6640
- Nitta, I. See Takaki, Y., 0=21203
- Nitta, S. See Hayashi, T., 3=22963
- Nitta, T. See Hara, J., 4=21488
- Nitti, L. See Ferrari, F., 4=25144
- Nitz, R. See Klebe, J., 2=7335
- Nitz, R. See Klebe, J., 3=1792
- Nitzan, D. Flux switching in overdriven multipath cores, 3=15870
- Nitzsche, R. See Landsberg, R., 3=20940
- Niu, H. See Shimizu, M., 2=14866
- Niu, K. A model for multiple meson production in nucleon-nucleon collisions, 1=3278
- Niu, K. Flow of a condensing vapour with heat exchange, 1=8099
- Niu, K. Flow of condensing vapour with temporary supersaturated state due to heat-removal effect, 1=12847
- Niu, K. On the motion of a cylindrical plasma-layer, 2=17831
- Niu, K. A model for multiple meson production in nucleon-nucleon collisions, 3=4541
- Niu, K. Pinch motion of a cylindrical plasma, 3=19262
- Niu, K. Structure of plane shock wave in plasma, 4=27525
- Niu, K. See Akashi, M., 2=12083
- Niu, K. See Fujimoto, Y., 1=7296
- Niu, K. See Simasaki, T., 1=118
- Niukkanen, A.V. See Aleksandrov, I.B., 3=21263
- Niven, C.D. The electrical conductivity of gelatin film humidified with heavy water vapor, 1=8927
- Niven, C.D. A psychrometer table for heavy water humidities, 1=9505
- Niven, C.D. The friction of heated bismuth, 2=801
- Nivière, P. See Lalau-Keraly, F., 4=30466
- Niwa, H. See Shinji, K., 3=7644
- Niwa, H. See Tanaka, K., 2=6313
- Niwa, K. See Nozaki, T., 4=29619
- Niwa, S. See Hirai, M., 4=7860
- Nix, J.R. Estimates of fission-fragment kinetic-energy distributions on the basis of the liquid-drop model, 4=22245
- Nix, W.D. and Huggins, R.A. Domain configurations about nonmagnetic particles in iron, 1=3899
- Nix, W.D. and Huggins, R.A. Coercive force of iron resulting from the interaction of domain boundaries with large nonmagnetic inclusions, 4=26305
- Nixon, C.W., Sommer, H.C. and Cashin, J.L. Use of the aural reflex to measure ear-protector attenuation in high-level sound, 4=4976
- Nixon, E.R. and Verderame, F.D. Infrared spectrum of cyanogen  $^{15}\text{N}_2$  and intermolecular coupling in the crystal, 4=28211
- Nixon, E.R. See Verderame, F.D., 4=4280
- Nixon, J. and Plane, R.A. A Raman study of gallium bromide solutions, 3=5444
- Nixon, J.C. and Glorig, A. Noise-induced permanent threshold shift at 2000 cps and 4000 cps, 1=11659
- Nixon, J.D. See Machlup, S., 2=23454
- Nixon, W.C. X-ray microscopy, 2=23926
- Nixon, W.C. Reversibility of rays through electron lens systems, 3=19339
- Nixon, W.C. and Buchanan, R. An experimental electron optical bench for electron microscopy and X-ray microanalysis, 4=27574
- Nixon, W.C., Ely, R.V. and Legg, C.R.E. The "intercol" electron beam system, 3=19330
- Nixon, W.C. See Grigson, C.W.B., 3=18404
- Nixon, W.C. See Swift, D.W., 2=13594
- Niyazova, O.R. and Kaneev, M.A. Radiation defects in cadmium sulphide crystals, 4=9985
- Nizhenko, V.I. See Eremenko, V.N., 4=8190
- Nizhnik, L.P. The problem of inelastic scattering, 2=31
- Nizhnik, L.P. Non-stationary one-dimensional Schrödinger equation, 2=7809
- Nizhnik, S.B. Austenitic transformation mechanism under the conditions for the formation of "white" layers, 4=23269
- Nizioł, B. See Babecki, J., 4=19628
- Nizioł, B. See Babetski, Ya., 4=27928
- Nizioł, B. See Grigorov, N.L., 4=19627
- Nizioł, B. See Grigorov, N.L., 4=27927
- Nizioł, B. See Łoskiewicz, J., 3=7956
- No Hsieng Ch'ang. See Vasil'ev, S.S., 1=17032
- No Sen Chan [No Seng Ch'ang]. See Baskova, K.A., 2=3518
- No Sen Chan. See Baskova, K.A., 2=10042
- No Sen Chan. See Baskova, K.A., 3=2407
- No Sen' Chan. See Baskova, K.A., 3=6192
- No Sen Chan. See Vasil'ev, S.S., 1=17032
- No Sen Chan. See Vasil'ev, S.S., 3=8032
- No Seng Ch'ang. See No Sen Chan.
- No Seng-Ch'ang. See No Sen Chan, 2=10042
- No Seng Ch'ang. See No Sen Chan, 3=2407
- Noack, C. Level structure of  $\text{Ca}^{42}$ , 3=22301
- Noack, C. Seniority selection rules of magnetic dipole transitions and allowed beta decay in  $\text{lf}_{7/2}$  nuclei, 4=3596
- Noack, C. "Quark" particles and unitary symmetry, 4=19390
- Noack, C. and Roether, W. A cable amplifier for large amplitude impulses, 2=5282
- Noack, F. See Haeberlen, U., 4=4430
- Noack, F. See Haeberlen, U., 4=4431
- Noack, F. See Laukien, G., 0=14666
- Noack, J. See Peibst, H., 3=5084
- Noakes, G.R. The 1961 exhibition of the Institute of Physics and the Physical Society, 1=4226
- Noakes, G.R. Annual exhibition of the Institute of Physics and the Physical Society, London, January 1963, 3=9313
- Noakes, J.E. and Arrott, A. Initial susceptibility of ferromagnetic iron and iron-vanadium alloys just above their Curie temperatures, 4=13186
- Noakes, J.E. See Arrott, A., 0=3015
- Noakes, J.E. See Haakana, C.H., 3=14710
- Nobata, K. Characteristics of Langmuir probe in a strong magnetic field, 4=5636
- Nobe, K., Baum, E. and Seyer, W.F. Transient strain-induced electrode potentials, 1=6571
- Nobe, K. See Chance, D.A., 3=18451
- Nobel, B. Integral equation perturbation methods in low frequency diffraction, 2=7748
- Nobel, J.de. See de Nobel, D.
- Nobel, J.de. See de Nobel, J.
- Nobel, P.S. See Bearden, A.J., 4=12576
- Nobili, D. and Guyot, P. Effect of recovery and grain size on the mechanical properties of S.A.P. [Sintered Aluminium Product], 4=30767
- Noblanc, J.P. See Bernard, M., 4=5864



- Noble, B. See Jones, D.S., 1=19030  
 Noble, B. See Wilson, D.J., 1=6907  
 Noble, C.M. See Keefe, D., 3=17326  
 Noble, F.W., Hayes, J.E., Jr and Eden, M. Repetitive analog computer for analysis of sums of distribution functions, 0=4839  
 Noble, F.W. and Hull, D. Stress dependence of dislocation velocity from stress relaxation experiments, 4=28457  
 Noble, G.A. Paramagnetic resonance of F centres in potassium iodide, 0=1826  
 Noble, G.A. Saturation and recovery of a portion of the electron spin resonance of F centers in KCl at 4°K, 0=10236  
 Noble, G.A. and Markham, J.J. An analysis of paramagnetic resonance properties of pure and bleached F centres in potassium chloride, 2=6386  
 Noble, G.A. and Markham, J.J. Effect of impurities on the F band in KCl, 4=30585  
 Noble, G.A. See Markham, J.J., 2=23214  
 Noble, G.A. See Stungis, G.E., 4=22634  
 Noble, G.A. See Watts, H.V., 4=17450  
 Noble, J.D. See Lees, J., 1=8136  
 Noble, J.D. See Muller, B.H., 3=18835  
 Noble, L.M. and Scarf, F. Authors' reply to preceding discussion, 3=16391  
 Noble, L.M. and Scarf, F.L. Hydrodynamic models of the solar corona, 3=9217  
 Noble, L.M. and Scarf, F.L. Conductive heating of the solar wind, 4=10903  
 Noble, P.J.W. See Dyson, J., 4=18017  
 Noble, R. See Daniel, E.D., 2=12725  
 Noble, R. See Jacob, L., 1=1953  
 Noble, V.E. and Thomas, J.E.Jr. Effect of gaseous ambients upon 1/f noise in germanium filaments, 1=14440  
 Nobles, R.A. Long-range particles from nuclear fission, 2=12230  
 Nobles, R.G. See Smith, A.B., 0=1454  
 Nobusawa, T. See Sasakura, H., 4=17462  
 Nocentini, A. See Bisiacchi, G., 4=21733  
 Noch, R. and Hühn, H. Investigations of the influence of temperature variations on the readings of a comparator with large mechanical magnification, 0=4980  
 Noci, G. The partition function of neutral sodium, 0=20551  
 Noci, G. Spectra of light scattered in the atmosphere at the heights of 5 and 16 km, 2=6913  
 Noci, G. Ionospheric effects due to the earth's orbital position, 4=4806  
 Noci, G. and Rigutti, G. Observations of prominences and the height of the solar chromosphere carried out in 1958, 0=18756  
 Noci, G. and Rigutti, M. Observation of solar prominences, 1959, at Arcetri Observatory, 1=18096  
 Noci, G. and Rigutti, M. Observations of prominences performed in 1960, 3=9223  
 Noci, G. See Drago, F., 1=18584  
 Noci, G.C. See Drago, F.G., 4=2460  
 Nocilla, S. Interaction between a rigid body and a free molecule flow. I. Energy exchanges. II. Momentum exchanges, 0=19172  
 Nocilla, S. Interaction between a rigid body and a free molecule flow. III. Relations between the interaction coefficients and the time of the molecule on the surface, 1=2770  
 Nocilla, S. On the interaction between stream and body in free-molecule flow, 2=5036  
 Noda, T., Omura, I. and Morito, N. Multiple dispersion mass spectrometer with ion mirror, 3=21903  
 Noda, T. See Inagaki, M., 4=13516  
 Noda, T. See Morito, N., 3=12259  
 Noda, T. See Suglura, T., 4=24758  
 Noddack, W. and Hecker, W. Origin and distribution of latent images arising from pressure and halide substitution in the emulsion, 4=5405  
 Noddack, W., Meier, H. and Haus, A. The quantum yield of the internal photoeffect in organic dyes, 0=1684  
 Noderer, L.C. See Drawbaugh, D.W., 0=15617  
 Nodvik, J.S. Optical constants of germanium, 3=2987  
 Nodvik, J.S. A covariant formulation of classical electrodynamics for charges of finite extension, 4=24799  
 Nodvik, J.S., Duke, C.B. and Melkanoff, M.A. Optical-model analysis of elastic scattering of protons on carbon at intermediate energies, 2=3564  
 Nodvik, J.S. and Saxon, D.S. Analysis of elastic cross-sections and polarization of 10 MeV protons, 0=7549  
 Nodvik, J.S. See Frantz, L.M., 3=23053  
 Nodvik, J.S. See Melkanoff, M.A., 1=19448  
 Nodvik, J.S. See Reed, R.D., 4=21838  
 Nodvik, J.S. See Rustgi, O.P., 1=8978  
 Noé, J.A. See Maycock, J., 2=13672  
 Noel, J.P. See Bok, J., 2=5530  
 Noel, J.P. See Bok, J., 2=5686  
 Noel, J.P. See Schuttler, R.J., 3=22044  
 Noell, W.K. Cellular physiology of the retina, 3=5289  
 Noer, R. J. and Knight, W.D. Nuclear magnetic resonance and relaxation in superconducting vanadium, 4=20627  
 Noerdlinger, P.D. Stability of uniform plasmas with respect to longitudinal oscillations, 0=10929  
 Noerdlinger, P.D. Concerning certain collisionless plasma-shock wave models, 1=8328  
 Noerdlinger, P.D. Elimination of the electromagnetic potentials, 2=7807  
 Noerdlinger, P.D. Growing transverse waves in a plasma in a magnetic field, 3=14606  
 Noerdlinger, P.D. Quasilinear theory of plasma oscillations in an electric field, 4=5662  
 Noga, K. Field emission studies on kinetics of barium oxide on tungsten, 2=17074  
 Nogama, U.S. Fragmentation of glass plates, 0=2070  
 Nogami, Y. The  $\Sigma$ - $\Lambda$  relative parity and the  $\bar{K}$ -N reaction, 0=17424  
 Nogami, Y. A note on the signs of the  $K^\pm$ -p interactions, 0=20230  
 Nogami, Y. The  $\Sigma$ - $\Lambda$  relative parity and the  $\bar{K}$ -N reaction. II, 1=13511  
 Nogami, Y. Interpretation of  $\rho$  and  $\zeta$  mesons, 3=4447  
 Nogami, Y. Improved superconductivity approximation for the pairing interaction in nuclei, 4=16995  
 Nogami, Y. On Lipkin's treatment of pairing forces in nuclei, 4=975  
 Nogami, Y. Possible existence of  $\bar{K}$ NN bound states, 4=9277  
 Nogami, Y. and Bloore, F.J. Effect of the baryon excited states on the N- $\Lambda$  and  $\Lambda$ - $\Lambda$  forces, 4=9293  
 Nogami, Y. and Sugano, R. An interpretation of the peak in the cross-section of  $\pi^- + p \rightarrow K^0 + \Lambda$ , 0=20189  
 Nogami, Y. and Varshni, Y.P. Heavy mesons and the charge independence of the nuclear forces, 2=18076  
 Nogami, Y. See Ejiri, H., 4=15212  
 Nogami, Y. See Ejiri, H., 4=17046  
 Nogami, Y. See Etoh, K., 2=1888  
 Nogami, Y. See Hiida, K., 0=17319  
 Nogami, Y. See Hiida, K., 0=20116  
 Nogami, Y. See Hiida, K., 0=20117  
 Nogami, Y. See Huang, K.K., 3=17472  
 Nogami, Y. See Huang, K.K., 3=19843  
 Nogami, Y. See Komatsuzawa, A., 0=15427  
 Nogami, Y. See Komatsuzawa, A., 0=15428  
 Nogami, Y. See Komatsuzawa, A., 0=15433  
 Nogami, Y. See Komatsuzawa, A., 0=20200  
 Nogami, Y. See Ohmura, H., 1=13801  
 Nogami, Y. See Yagi, K., 2=16397  
 Noggle, J.H. Spin decoupler for N.M.R., 4=27674  
 Noggle, J.H., Baldeschwieler, J.D. and Colburn, C.B. Analysis of the N.M.R. and double-resonance spectra of the isomers of  $N_2F_2$ , 2=16559  
 Noggle, T.S. Dislocations in  $UO_2$ , 3=17733  
 Noggle, T.S. and Stiegler, J.O. Electron microscope observations of fission fragment tracks in thin films of  $UO_2$ , 1=2003  
 Noggle, T.S. and Stiegler, J.O. Fission fragment tracks in metal films, 2=12484  
 Noggle, T.S. See Stiegler, J.O., 0=18423  
 Noggle, T.S. See Stiegler, J.O., 1=7896  
 Noggle, T.S. See Stiegler, J.O., 2=18622  
 Noggle, T.S. See Young, F.W., Jr, 0=7883  
 Noguchi, H. Interactions of plasma proteins and polymeric materials, 2=7049  
 Noguchi, S. The thermoelectric power of magnesium-cadmium alloys, 1=14531  
 Noguchi, S. The thermoelectric power of the gamma-brasses, 1=19915  
 Noguchi, S. An experimental study of the stability of the  $\zeta$ -phase in the silver-zinc system, 3=8396  
 Noguchi, S. and Sato, T. Concentration dependence of the Hall coefficient in the magnesium-cadmium alloys, 1=12417  
 Noguchi, S. and Sato, T. Thermoelectric power of titanium- and vanadium- carbides, 1=14532  
 Noguchi, T. See Hayashi, H., 4=30797  
 Noguchi, Y. See Nakashima, S., 3=25257  
 Nohara, N. See Higashimura, T., 3=4293



- Nohara, S. Relaxation phenomena and molecular motion in solid state of high polymers, 1=15166
- Nohel, J.A. See Ergen, W.K., 1=765
- Noimann, Kh. On the theory of field emission of a metal covered with a thin layer of a semiconductor, 2=7641
- Noimann, Kh. On the theory of field emission of a metal covered with a thin layer of semiconductor, 2=9614
- Noiro, Y. See Gourdin, M., 1=7275
- Nojarov, P. Magnetization of ferromagnetic ellipsoids in strong homogeneous magnetic fields, 4=1820
- Nolan, F.J., Sidran, M. and Blaker, J.W. Table of reduced energies for asymmetric-top molecules. III., 4=25615
- Nolan, F.J. See Sidran, M., 4=3835
- Nolan, P.J. The equilibrium of ionization in the atmosphere and nuclear combination coefficients, 0=780
- Nolan, P.J. and Scott, J.A. Observations on the heterogeneity of condensation nuclei, 4=10715
- Nolan, P.J. See Keefe, D., 0=7073
- Nolan, P.J. See Keefe, D., 2=22164
- Nöldeke, G. and Saksena, G.D. Relative isotope position of  $\text{Os}^{184}$ , 2=3705
- Nöldeke, G., Steudel, A., Wallach, K.E. and Walther, H. Relative isotope position of  $\text{Os}^{186}$ , 2=22910
- Nöldeke, G. See Goodman, L., 2=8061
- Nöldeke, G. See Guthöhrlein, G., 0=1356
- Nöldeke, G. See Guthöhrlein, G., 2=1779
- Nöldeke, G. See Heftt, K., 3=24050
- Nöldeke, G. See Horstmann, U., 4=3793
- Nolden, H.W. See Will, G., 4=7595
- Nolder, R.L. and Thomas, G. Mechanical twinning in nickel, 3=25621
- Nolder, R.L. and Thomas, G. The substructure of plastically deformed nickel, 4=10587
- Noli, P. See Bieger, W., 3=21780
- Noll, A.M. Effects of head and air-leakage sidetone during monaural-telephone speaking, 4=15973
- Noll, A.M. Short-time spectrum and "cepstrum" techniques for vocal-pitch detection, 4=10948
- Noll, P. Electronic instruments in nuclear physics, 2=7780
- Noll, P. See Bieger, W., 2=11677
- Noll, P. See Bieger, W., 3=7591
- Noll, P. See Bieger, W., 3=21811
- Noll, P. See Bieger, W., 4=19052
- Noll, W. See Coleman, B.D., 1=11737
- Noll, W. See Coleman, B.D., 2=15547
- Nolle, A.W. Effect of pressure on the dynamic shear behavior of polyisobutylene, 0=18249
- Nolle, A.W. and Mahendroo, P.P. Effects of pressure on proton spin-lattice relaxation in several degassed organic liquids, 0=16720
- Nolle, A.W. and Morgan, L.O. E.S.R. linewidths in dilute hexaaquomanganese (II) solutions at 9.4 and 24 kMc, 2=2732
- Nolle, A.W. See Mahendroo, P.P., 2=8680
- Nolle, A.W. See Thompson, B.C., 4=3192
- Nolle, A.W. See Wakim, F.G., 3=6748
- Nolle, A.W. See Wrotenbery, P.T., 2=18653
- Nolle, E.L. and Galkin, G.N. Generation centres in diffused silicon p-n junctions, 1=19891
- Nolle, E.L. and Galkin, G.N. Generation centres in diffused silicon p-n junctions, 2=4043
- Nolle, E.L., Malovetskaya, V.M. and Vavilov, V.S. Influence of oxygen on the lifetime of non-equilibrium carriers in p-type silicon, 2=18690
- Nolle, E.L., Malovetskaya, V.M. and Vavilov, V.S. Influence of oxygen on the lifetime of non-equilibrium carriers in p-type silicon, 2=23364
- Nolle, E.L. See Galkin, G.N., 2=637
- Nolle, E.L. See Galkin, G.N., 2=4025
- Noller, H. See Schwab, G.M., 4=17869
- Noller, H. See Schwab, G.M., 4=23652
- Nöller, H.G. The problem of specially large systematic errors in the measurement of pumping speeds of high vacuum pumps of large output, 4=8263
- Nöller, H.G. See Murtz, H.J., 1=17295
- Nolta, J.P. and Schubring, N.W. Ferroelectricity in potassium nitrate at room temperature, 3=2958
- Nolta, J.P. See Dork, R.A., 4=26124
- Nolta, J.P. See Haak, F.A., 3=17916
- Noltmeyer, H.C. Calibration of a spinner magnetometer with a wire loop, 4=8883
- Nölting, J. Adiabatic calorimeter for study of poor heat conductors in the temperature range, 3=16831
- Nölting, J. Diffusion of  $\text{Cl}^{36}$  in silver chloride, 4=9996
- Nöltingk, B.E. The measurement of small displacements by electrical screening, 1=11732
- Nomaki, K. See Koda, S., 3=22797
- Nomicos, G. See Parzen, P., 2=9821
- Nomicos, G.N. See Hughes, J.V., 2=11187
- Nomofilov, A.A. See Kirillova, L.F., 4=12000
- Nomofilov, A.A. See Van Shu-fen., 1=19182
- Nomofilov, A.A. See Vishky, T., 2=1684
- Nomofilov, A.A. See Vishky, T., 2=22512
- Nomofilov, E.V. See Subbotin, V.I., 2=15769
- Nomofilov, E.V. See Subbotin, V.I., 4=339
- Nomoto, M. Pairing energy of nuclear particles, 0=11285
- Nomoto, M. Pairing energy for deformed nuclei, 0=20323
- Nomoto, M. Physical theory of meteor, 1=18065
- Nomoto, M. Angular distribution of  $\gamma$  radiation following  $\text{C}^{12}(\text{P}_1, \text{P}_2) \text{C}^{12}$ , 2=7979
- Nomoto, M. Angular distribution of  $\gamma$  radiation following direct nuclear reaction, 2=20608
- Nomoto, O. Sound velocity in liquids in relation to the cell model theory, 4=151
- Nomoto, O. Sound velocity in liquids and solutions in relation to the cell model theory of liquids, 4=5171
- Nomoto, O. Theory of the diffraction of light by ultrasonic waves of finite amplitude: a parametric expansion method, 4=24392
- Nomura, K.C. Optical activity in tellurium, 1=5044
- Nomura, K.C. Analytic solution of the double-diffusion problem, 1=11219
- Nomura, K.C. and Blakemore, J.S. Decay of excess carriers in semiconductors. II, 1=2406
- Nomura, K.C. See Blakemore, J.S., 0=6143
- Nomura, K.C. See Blakemore, J.S., 0=7954
- Nomura, K.C. See Blakemore, J.S., 1=3666
- Nomura, K.C. See Blakemore, J.S., 1=11534
- Nomura, K.C. See Blakemore, J.S., 2=16732
- Nomura, K.C. See Blakemore, J.S., 2=18805
- Nomura, M. Direct observation of Ge epitaxial growth, 4=4564
- Nomura, M., Goto, M. and Tatsumoto, E. Effect of the rise time of pulsed magnetic fields on switching, 4=23004
- Nomura, M. See Iida, S., 4=15750
- Nomura, M. See Kuwahara, K., 4=7270
- Nomura, M. See Shirai, S., 1=20671
- Nomura, M. See Tatsumoto, E., 3=24426
- Nomura, M. See Tatsumoto, E., 4=23003
- Nomura, M. See Tatsumoto, E., 4=26299
- Nomura, S. Thermal properties of  $\text{NaNO}_2$ , 1=14181
- Nomura, S. Some experimental and theoretical studies of ferroelectricity in  $\text{NaNO}_2$ , 2=4091
- Nomura, S., Asao, Y. and Sawada, S. Domain structure of  $\text{NaNO}_2$ , 1=14552
- Nomura, S. and Kawakubo, T. Some properties of complex oxides  $\text{AB}_{n-1}\text{B}'_n\text{O}_3$  of perovskite type, 1=20548
- Nomura, S. and Kawakubo, T. Dielectric properties of  $\text{Pb}(\text{FeTa})_{0.5}\text{O}_3$ — $\text{PbTiO}_3$  and  $\text{Pb}(\text{FeTa})_{0.5}\text{O}_3$ — $\text{PbZrO}_3$  systems, 2=12567
- Nomura, S. and Kawakubo, T. Phase transition in  $\text{Sr}(\text{NiW})_{0.5}\text{O}_3$ — $\text{Ba}(\text{NiW})_{0.5}\text{O}_3$  system, 3=8864
- Nomura, S., Kawakubo, T. and Yanagi, T. Specific heat of  $\text{Ti}_2\text{O}_3$ , 1=14183
- Nomura, S., Santoro, R., Fang, J. and Newnham, R. Antiferromagnetism in cobalt orthosilicate, 4=28854
- Nomura, S. See Hamano, K., 3=10885
- Nomura, S. See Ishiguro, K., 1=11831
- Nomura, S. See Kawakubo, T., 1=17640
- Nomura, S. See Nakagawa, T., 4=1399
- Nomura, S. See Sawada, S., 0=639
- Nomura, S. See Sawada, S., 2=2207
- Nomura, S. See Sawada, S., 2=4092
- Nomura, Y. and Harumi, K. Eigenvibration for the membrane between two eccentric circles, 2=5094
- Nomura, T. and Horii, M. On the stability of quiescent prominences, 3=16383
- Nomura, Y. and Katsura, S. Diffraction of electric waves by circular plate and circular hole, 3=493
- Nomura, Y. and Osanai, T. Diffraction of plane sound wave by many equal circular holes arbitrarily distributed in an infinitely large rigid plane plate, 1=12945
- Nomura, Y. and Takaku, K. Propagation of elastic waves in a layered inhomogeneous earth sphere, 4=4741
- Nomura, Y., Yamamura, I. and Inawashiro, S. On the acoustic radiation from a flanged circular pipe, 1=9446



- Nonaka, I., Saji, Y., Suzuki, A., Yamaguchi, H., Eisberg, R., Ishisaki, Y., Kikuchi, K., Matsuda, K., Mikumo, T. and Nakajima, Y. An experimental survey of nuclear reactions induced by 57 MeV protons. I, 3=8100
- Nonaka, I., Yamaguchi, H., Mikumo, T., Umeda, I., Tabata, T. and Hitaka, S. Angular distributions of protons from the reaction  $^{12}\text{C}(\alpha, p)^{15}\text{N}$ , 0=20466
- Nonaka, I., Yamaguchi, H., Mikumo, T., Umeda, I., Tabata, T. and Hitaka, S.  $(\alpha, p)$  reactions near  $Z = 26$ , 2=498
- Nonaka, I. See Kikuchi, S., 1=7113
- Nonaka, I. See Mikumo, T., 1=8771
- Nonaka, I. See Mikumo, T., 1=9881
- Nonaka, I. See Mikumo, T., 1=9882
- Nonaka, I. See Yagi, K., 4=25305
- Nonaka, M. and Kashima, T. Linearity characteristics of multiplier phototubes, 4=5699
- Nonaka, T. See Kawamoto, M., 4=23211
- Nonnenmacher, Th. See Kellner, H.A., 3=22146
- Nonoyama, M. See Kamiya, Y., 0=21259
- Nonoyama, M. See Kamiya, Y., 1=12387
- Nonoyama, M. See Kimoto, K., 4=4645
- Nonweiler, T. Effect of a resisting couple on the rotational motion of a rigid body, 0=16658
- Nooijen, B. van. See van Nooijen, B.
- Noon, J. H. See Burton, C. H., 4=239
- Noon, J. H. See Burton, C. H., 4=20089
- Noonan, D. See La Placa, S., 4=7649
- Noor El Din Abd El Aziz. See Bishara, L.B., 1=7258
- Noor El-Din Abd Aziz. See Bishara, L.B., 1=7259
- Noorman, P. See Chabbal, R., 0=16850
- Noorman, P.E., Geurts, H.L., Simons, W.B. and Van Kleef, Th.A.M. Zeeman effect of doubly ionized hafnium, Hf III, 3=22480
- Noorman, P.E. See Klinkenberg, P.F.A., 1=9899
- Noorman, P.E. See Klinkenberg, P.F.A., 1=19590
- Noothoven van Goor, J.M. See Bülger, B., 0=10223
- Noothoven van Goor, J.M. See Bülger, B., 1=9065
- Noothoven van Goor, J.M. See Bülger, B., 1=9066
- Noothoven van Goor, J.M. See Schultz, B. H., 4=30619
- Norbeck, E. Lithium-induced reaction yields below 4 MeV, 1=3462
- Norbeck, E., Blair, J.M., Pinsonneault, L. and Gerbracht, R.J. Angular distribution of  $\text{Li}^8$  from  $\text{Be}^9(\text{Li}^7, \text{Li}^8)\text{Be}^9$ , 0=4108
- Norbeck, E., Coon, S.A., Carlson, R.R. and Berkowitz, E. Gamma rays from lithium bombardment of  $\text{Be}^9$ ,  $\text{B}^{10}$ ,  $\text{B}^{11}$ , and  $\text{C}^{12}$ , 3=15238
- Norbeck, E. See Berkowitz, E., 3=685
- Norbeck, E. See Carlson, R.R., 3=19767
- Norbeck, E. See Carlson, R.R., 4=22217
- Norbeck, E. See Mendelson, R.A., Jr., 4=28069
- Norberg, A.L., Jr. See Crowell, A.D., 2=20011
- Norberg, R.E. See Gaines, J.R., 3=19085
- Norberg, R.E. See Gaines, J.R., 4=16317
- Norberg, R.E. See Luszczyński, K., 3=178
- Norberg, R.E. See Luszczyński, K., 4=16152
- Norberg, R.E. See Sher, A., 0=9224
- Norberg, R.E. See Yen, W.M., 3=18154
- Norbury, J. See Booker, G.R., 0=4625
- Norbury, J. See Booker, G.R., 0=10339
- Norbury, J.R. See Goldsack, S.J., 2=9888
- Nordberg, L. See Jacobson, B., 3=14702
- Nordberg, M.E., Morinigo, F.B. and Barnes, C.A. Comparison of the  $\beta$ - $\alpha$  angular correlations in  $\text{Li}^8$  and  $\text{B}^8$ , 1=639
- Nordberg, M.E., Povh, B. and Barnes, C.A. Beta-alpha angular correlations in  $\text{B}^8$  and  $\text{Li}^8$ , 0=5692
- Nordberg, M.E., Jr., Morinigo, F.B. and Barnes, C.A. Comparisons of the beta-alpha angular correlations in the  $\text{Li}^8$  and  $\text{B}^8$  beta decays, and the conserved vector current theory, 2=3508
- Nordberg, M.E. See Elmer, T.H., 4=22889
- Nordberg, M.E. See Gotow, K., 4=21608
- Nordberg, W. and Bandeen, W.R. Reply, 3=18494
- Nordby, D.H. See Hwang, C.F., 2=20337
- Nordby, D.H. See Hwang, C.F., 3=24731
- Nordby, H. See Bjørnholm, S., 0=19843
- Nordby, H. See Bjørnholm, S., 4=25331
- Nordby, H. See Borggreen, J., 2=5806
- Nordby, H. See Christensen, P.R., 3=17445
- Nordby, H. See Vandebosch, S.E., 3=10315
- Nordby, K.S. See Lang, W.W., 4=8358
- Nordemann, D. See Julliot, C., 1=2259
- Norder, W.A. Induction apparatus for the continuous measurement of magnetic susceptibility, 0=15105
- Nordfors, B. The statistical error in X-ray absorption measurements, 1=5711
- Nordfors, B. A discussion of the L-absorption spectra of 47 Ag-52 Te, 1=20000
- Nordfors, B. and Noreland, E. The X-ray L-absorption spectra of 48 Cd-52 Te, 1=19999
- Nordfors, B. The X-ray L-absorption spectrum of silver. A study with bent crystal and proportional counter, 2=1959
- Nordgren, R.P. See Naghdi, P.M., 3=21270
- Nordhagen, R. The spin and parity of the 648 keV resonance in  $\text{Mg}^{26}(p, \gamma)\text{Al}^{27}$ , 1=17099
- Nordhagen, R. Simple scheme for using the selective storage of a multi-channel pulse height analyser in coincidence counting, 2=2971
- Nordhagen, R. Proton resonance suitable to shape calibrate a scintillation  $\gamma$ -ray spectrometer, 2=5605
- Nordhagen, R. The 936 and 1261 keV resonances in the  $^{27}\text{Al}(p, \gamma)^{28}\text{Si}$  reaction and the properties of the 6.88 MeV doublet state in  $^{28}\text{Si}$ , 3=19844
- Nordhagen, R. A rule limiting the complexity of  $(p, \gamma, \gamma)$  angular correlations, 4=25392
- Nordhagen, R. and Tveter, A. The 1315, 1362 and 1363 keV resonances in the  $\text{Al}^{27}\text{Al}(p, \gamma)\text{Si}^{28}$  reaction and the properties of the 6.88 MeV doublet state in  $\text{Si}^{28}$ , 4=28025
- Nordhagen, R. See Andersen, S.L., 2=20612
- Nordheim, L.W. A new calculation of resonance integrals, 2=12249
- Nordheim, L.W. Resonance absorption in materials with grain structure (addendum), 4=912
- Nordheim, L.W. See Lane, R.K., 3=6263
- Nordin, P., Jr. S- and P-wave interactions of  $\text{K}^-$  mesons in hydrogen, 1=13499
- Nordin, P., Jr. See Leitner, J., 0=384
- Nordio, P.L. See Favero, P., 2=16551
- Nordio, P.L. See Giacometti, G., 2=8115
- Nordio, P.L. See Giacometti, G., 3=15343
- Nordling, C. Energy shifts of L-levels in some 5th period elements due to oxidation and alloying, 0=7690
- Nordling, C. K and L energy levels in some fourth and fifth period elements, 0=7691
- Nordling, C. and Hagström, S. Electron binding energies in uranium, 0=7692
- Nordling, C. and Hagström, S. Electron binding energies in thorium, 4=17252
- Nordling, C., Hagström, S. and Siegbahn, K. Application of electron spectroscopy to chemical analysis, 4=23694
- Nordling, C., Siegbahn, K. and Hagström, S. Electron spectroscopy for chemical analyses, 4=23686
- Nordling, C. See Bergvall, P., 0=17717
- Nordling, C. See Brogren, G., 2=19079
- Nordling, C. See Fahiman, A., 3=2590
- Nordling, C. See Hagström, S., 3=1575
- Nordling, C. See Hagström, S., 4=19979
- Nordling, C. See Hörnfeldt, O., 3=2592
- Nordling, C. See Siegbahn, K., 4=25066
- Nordling, C. See Sokolowski, E., 0=7719
- Nordling, C.L. See Hollander, J.M., 3=638
- Nordling, J. See Ohn, Y., 4=1177
- Nordling, J.O. Calculation of eigenvalues by a successive partitioning technique, 4=21014
- Nordling, J.O. and Faulkner, J.S. Approximate linear dependence, scaling and operator convergence in the harmonic oscillator problem, 4=14050
- Nordmark, J. Some analogies between pitch and lateralization phenomena, 4=4977
- Nordö, J. See Trefall, H., 0=5632
- Nordon, P. Rotational vibroscope for the comparison of the torsional properties of thin fibres, 1=15775
- Nordon, P. Forced convective mass transfer in absorption and desorption, 4=23597
- Nordon, P. and Bainbridge, N.W. Direct relative humidity indication from dry and wet bulb temperatures, 3=9017
- Nordon, P. See Downes, J.G., 4=2718
- Nordtvedt, K. and Pagels, H. Electromagnetic plane wave solutions in general relativity, 2=9163
- Noreika, A.J. and Francombe, M.H. Factors influencing coercive force values in sputtered Permalloy films, 2=12660
- Noreika, A.J. See Francombe, M.H., 1=6324
- Noreika, A.J. See Francombe, M.H., 3=15819
- Norel, G. See Desbrandes, R., 1=16254
- Noreland, E. The X-ray L-absorption spectrum of 46 Pd, 3=4710
- Noreland, E. A discussion of the L-absorption spectra and the L-emission bands of 46 Pd-52 Te, 4=19964



- Noreland, E. and Ekstig, B. The X-ray l-emission bands of 46 Pd-52 Te, 4=15288
- Noreland, E., Ekstig, B. and Auleytner, J. The X-ray L-absorption spectrum of CdTe, 3=25472
- Noreland, E. See Nordfors, B., 1=19999
- Noreland, E. See Nikiforov, I. Ia., 4=19955
- Norem, P.C. and Wertheim, G.K. Mössbauer effect isomer shift of Fe<sup>57</sup> in silicon and germanium, 2=20907
- Norén, B. and Beckman, O. Measurement of thermoelectric power and thermal conductivity according to the absolute method, 4=14424
- Norinder, H. and Knudsen, E. Lightning discharges as a source of whistlers, 0=16479
- Norinder, H. and Knudsen, E. Multiple lightning discharges followed by whistlers, 0=16480
- Norinder, H. and Knudsen, E. The relation between lightning discharges and whistlers, 1=6593
- Norinder, H. and Knudsen, E. Recent results in the investigation of the relation between lightning discharges and whistlers, 1=10312
- Norinder, H. and Knudsen, E. The dispersion of whistlers compared with the geomagnetic latitudes of their sources, 2=4609
- Norinder, H. and Knudsen, E. Comments on distinct types of musical atmospherics in their relation to thunderstorm activity, 3=23599
- Norinder, H. and Knudsen, E. Some different types of whistlers in relation to simultaneous thunderstorm activity, 4=7851
- Norinder, H. See Knudsen, E., 3=13680
- Norinelli, A. On the determination of the coefficient of torsion of the Eötvös balance. New procedure, 1=6583
- Norkus, F.J., Derbyshire, A.J., Mills, P.J. and Carter, R.L. Frequency measure of the E.E.G., 0=16509
- Norman, A. and Spiegler, P. Thermal spikes in protein, 2=18575
- Norman, A. and Spiegler, P. Radiation nucleation of bubbles in water, 3=23864
- Norman, A. See Ingalls, R. B., 4=26762
- Norman, A. See Spiegler, P., 2=10990
- Norman, D.A. Sensory thresholds and response bias, 3=26000
- Norman, E. See Wei, J., 3=11664
- Norman, F. H. See Eichenbaum, A. L., 4=27236
- Norman, G.E. A basis for the quantum defect method, 2=18395
- Norman, G.E. Free-free transitions of an electron in an ion field, 3=22497
- Norman, G.E. Photoionization cross-sections of the lower excited states and oscillator strengths of certain lines of carbon and nitrogen atoms, 3=25048
- Norman, G.E. See Biberman, L.M., 0=19609
- Norman, G.E. See Biberman, L.M., 1=19598
- Norman, G.E. See Biberman, L.M., 2=20751
- Norman, G.E. See Biberman, L.M., 3=19232
- Norman, G.E. See Biberman, L.M., 4=2980
- Norman, G.E. See Biberman, L.M., 4=9671
- Norman, G.E. See Vainshtein, L.A., 0=15654
- Norman, J. H. and Staley, H. G. Vaporization studies on the mixed trioxides of antimony and arsenic, 4=27383
- Norman, J. H., Winchell, P. and Staley, H. G. Thermodynamics of liquid In-Sb-Zn solutions from mass spectrometry of Knudsen-cell effusates, 4=24201
- Norman, K. See Bowen, P. J., 4=29463
- Norman, P.W. Perturbation methods applied to the reflections of radio waves from the ionosphere, 3=21053
- Norman, R.H. The rolling friction of cylinders on planes, 2=15521
- Norman, S.L., Zwicker, E.F. and Grossweiner, L.I. Measurement of surface energies of alkali halide crystals, 2=2347
- Norman, S.M. The advantages of interference spectroscopy over conventional infrared spectroscopy, 4=14353
- Norman, R.S. See Mendelsohn, L.I., 0=3037
- Normand, C.E. See Yonts, O.C., 0=9110
- Normand, C.W.B. See Dobson, G.M.B., 3=13660
- Normantas, E. and Pikus, G.E. Thermomagnetic effects in semiconductors with degenerate bands, 3=17832
- Normantas, E. See Bir, G.L., 2=18661
- Normantas, E. See Bir, G.L., 2=23245
- Normantas, E. See Bir, G.L., 3=17855
- Norment, H.G. and Henderson, P.I. Controlled atmosphere sample chamber for the Norelco diffractometer, 0=21180
- Norment, H.G., Henderson, P.I. and South, R.L. Twenty-one new X-ray diffraction powder patterns, 0=18355
- Norment, H.G., Jr. Unit cells and space groups for two etherates of sodium tridecayhdrodecaborate (1-), 0=3244
- Norr, M.K. An electrolytic polish and etch for lead telluride, 2=19045
- Norr, M.K. See Houston, B.B., 0=8171
- Norreys, J. J. and Wheeler, M. J. Compressive creep and some physical properties of uranium monocarbide, 4=23225
- Norreys, J.J. See Brown, A., 1=15089
- Norris, G.F., Meiller, F.H., Bolen, K.T. and Crisp, L.R. Photo-micrographic microscope for both micro and macro application, 1=4449
- Norris, J.A. and Laurie, V.W. Energy levels of a slightly asymmetric top, 0=13431
- Norris, J.A. and Laurie, V.W. Erratum: Energy levels of a slightly asymmetric top, 0=20604
- Norris, J.A. See Herschbach, D.R., 1=12336
- Norris, J.A. See Wilson, K. R., 4=28288
- Norris, N.J. See Hubbard, E.L., 1=10749
- Norris, T.P. and Dowling, J.M. Calculation of the  $\nu_2$  and inversion energy levels for ammonia and some of its isotopically substituted species, 1=17327
- Norris, W.G. See James, T.C., 0=5935
- Norris, W.G. See Klemperer, W., 0=20620
- Norris, W.G. See Klemperer, W., 1=7470
- Norris, W.T. Work function of the (110) face of tantalum in a cesium vapor, 4=11686
- Norrish, K. and Radoslovich, E.W. A curved-crystal fluorescence X-Ray spectrograph, 3=461
- Norrish, K. See Rausell-Colom, J.A., 2=8805
- Norrish, R.G.W. and Oldershaw, G.A. The absorption spectrum of SO and the flash photolysis of sulphur dioxide and sulphur trioxide, 0=8318
- Norrish, R.G.W. and Simons, J.P. The polymerization of styrene sensitized by molecules in the triplet state. II. Kinetics and mechanism, 0=8317
- Norrish, R.G.W. See Basco, N., 1=14007
- Norrish, R.G.W. See Basco, N., 2=20817
- Norrish, R.G.W. See Briggs, A. G., 4=1259
- Norrish, R.G.W. See Callear, A.B., 2=6877
- Norrish, R.G.W. See Edgecombe, F.H.C., 0=10357
- Norrish, R.G.W. See McGrath, W.D., 0=8319
- Norscini, R. and Iribarne, J. V. Potential differences in interphases in the presence of space charge, 4=21353
- Norseev, Yu. See Zylicz, J., 1=13720
- Norseev, Yu.V. See Abdurazakov, A.A., 2=14025
- Norseev, Yu.V. See Božek, E., 1=1684
- Norseev, Yu.V. See Dalkhsuren, B., 2=14023
- Norseev, Yu.V. See Dalkhsuren, B., 3=8048
- Norseev, Yu. See Abdurazakov, A., 1=646
- North, A.C.T. X-ray crystallography of large molecules of biological importance, 3=23438
- North, A.C.T. Computer processing of automatic diffractometer data, 4=7593
- North, A.C.T. See Arndt, U.W., 4=23405
- North, G.R. See Gauster, W.F., 3=12154
- North, R.J. and Cash, R.F. Colour Schlieren photography in high-speed wind tunnels, 3=271
- Northcliffe, L.C. Energy loss and effective charge of heavy ions in aluminum, 1=337
- Northcliffe, L.C. See Bromley, D.A., 1=19533
- Northcliffe, L.C. See Martin, F.W., 3=1937
- Northcliffe, L.C. See Michael, I., 0=2405
- Northcliffe, L.C. See Schambr, P.E., 1=338
- Northcote, R. S. and Potts, R. B. Energy sharing and equilibrium for nonlinear systems, 4=11099
- Northcote, R.S. and Potts, R.B. Isobaric partition function of a generalized Tonks' gas, 4=16053
- Northover, E.W. Mechanical trace reader, 1=10361
- Northover, F.H. The propagation of electromagnetic waves in ionized gases (with special reference to "whistlers"). I-II, 0=15157
- Northover, F.H. Reflection of electromagnetic waves from thin ionized gaseous layers, 2=16035
- Northover, W.R. See Flaschen, S.S., 0=1923
- Northover, W. R. See Pearson, A. D., 4=24924
- Northrip, J.W. High-temperatures discharges in ferro-electric ceramics, 1=1141
- Northrop, D.A. Translating device for an X-ray powder camera, 0=18336
- Northrop, D.C. Conduction processes in condensed aromatic hydrocarbons, 0=6071
- Northrop, D.C. and Simpson, O. Semiconductor counters. I. Theory, 2=18026
- Northrop, D.C., Thornton, P.R. and Trezise, K.E. Electrical transients in high resistivity gallium arsenide, 4=12894



- Northrop, D.C. See Clarke, H.B., 2=6636  
 Northrop, D.C. See Gibbons, P.E., 1=3154  
 Northrop, D.C. See Gibbons, P.E., 2=6637  
 Northrop, D.C. See Gibbons, P.E., 2=18027  
 Northrop, D.C. See Harding, W.R., 0=17287  
 Northrop, D.C. See Moncaster, M.E., 3=14829  
 Northrop, J., Tyson, L. E. and Ransone, M. A. Long-range multiple arrivals received at deep hydrophones from shots in the Gulf of Maine, 4=10632  
 Northrop, J.A. and Gursky, J.C. Relative scintillation efficiencies of noble gas mixtures, 0=17147  
 Northrop, J.A., Stokes, R.H. and Boyer, K. Measurement of the fission thresholds of  $\text{Pu}^{239}$ ,  $\text{U}^{233}$ ,  $\text{U}^{235}$  and  $\text{U}^{238}$  using the (d,p) reaction, 0=1415  
 Northrop, T.G. The guiding center approximation to charged particle motion, 1=16405  
 Northrop, T.G. Adiabatic charged-particle motion, 4=665  
 Northrop, T.G. and Teller, E. Stability of the adiabatic motion of charged particles in the earth's field, 0=3837  
 Northrop, T.G. and Whiteman, K. J. Minimum-B plasma equilibria with finite pressure, 4=24672  
 Northwood, T.D. Sound-insulation ratings and the new ASTM sound-transmission class, 2=9356  
 Northwood, T.D. Absorption of diffuse sound by a strip or rectangular patch of absorptive material, 3=18927  
 Northwood, T. D. Sound insulation and the apartment dweller, 4=18364  
 Norton, F.J. and Tucker, C.W. Jr. Krypton evolution from metallic uranium, 1=19570  
 Norton, F.J. See Tucker, C.W., Jr, 1=17551  
 Norton, J.F. Jitter-free presentation of segment of raster, 2=17761  
 Norton, J. F. and McMullen, J. G. Laser-formed apertures for electron beam instruments, 4=8842  
 Norton, J. T. See Duffin, W. J., 4=26676  
 Norton, K.A. Carrier-frequency dependence of the basic transmission loss in tropospheric forward scatter propagation, 0=15154  
 Norton, K.A. Recent experimental evidence favouring the  $\rho K_1(\rho)$  correlation function for describing the turbulence of refractivity in the troposphere and stratosphere, 1=1519  
 Norton, K.A. Radio-wave propagation during World War II, 2=16048  
 Norton, K.A., Barrows, E.C., Thompson, M.C., Jr and Janes, H.B. Variance of radio frequency caused by atmospheric turbulences in line-of-sight transmissions, 3=12321  
 Norton, L. J. See Darby, J. B., Jr, 4=7513  
 Norton, R. See Fronsda, C., 2=20272  
 Norton, R.B., Van Zandt, T.E. and Denison, J.S. A model of the atmosphere and ionosphere in the E- and F1-regions, 3=13746  
 Norton, R.B. See Chilton, C. J., 4=7919  
 Norton, R.B. See Van Zandt, T.E., 0=16447  
 Norton, R.E.  $K^*$  and  $K$  meson pole contributions to leptonic decay, 2=12005  
 Norton, R.E. and Watson, W.K.R. Commutation rules and spurious eigenstates in soluble field theories, 0=3913  
 Norton, R.E. See Coleman, S., 2=4918  
 Norton, R.E. See Fronsda, C., 3=19558  
 Norton, R.E. Locations of Landau singularities, 4=27741  
 Norton, R.E. See Fronsda, C., 4=9112  
 Norville, L.R. Electron microprobe analysis utilizing the electron beam scanning system, 3=23532  
 Norwick, A.S. See Sutter, P.H., 3=10872  
 Norwood, J., Jr. See Thom, K., 3=5598  
 Norwood, J.M. and Little, R.N. The  $P_\infty$  point-source solution of the neutron slowing-down problem in a sphere, 3=24740  
 Norwood, M.H. A comparison of theory and experiment for a thermoelectric cooler, 2=1380  
 Norwood, M.H. Theory of Nernst generators and refrigerators, 3=10863  
 Norwood, M.H. See Briscoe, C.V., 0=6855  
 Norwood, M.H. See Huffman, D.R., 0=6018  
 Norwood, M.H. See Squire, C.F., 0=9842  
 Northwood, T.D. See Leggett, R.F., 0=2217  
 Nosaka, K. See Wang, S., 3=22967  
 Nosanow, L.H. Metastable states in strongly coupled quantum systems with continuous spectra, 1=8081  
 Nosanow, L.H. and Shaw, G.L. Hartree calculations for the ground state of solid He and other noble gas crystals, 3=320  
 Nosanow, L.H. and Vasudevan, R. Nuclear paramagnetic susceptibility of the possible low-temperature phase of liquid He<sup>3</sup>, 1=2919  
 Nosanow, L.H. See Balian, R., 2=17376  
 Nosanow, L.H. See Baur, M.E., 2=16576  
 Nosanow, L.H. See Baur, M.E., 3=8322  
 Nosar', A.I. and Smirnov, A.A. A theory of residual electrical resistance in multicomponent alloys capable of ordering, with allowance for lattice distortions due to differences in dimensions of atoms, 1=6122  
 Nosar', A.N. and Smirnov, A.A. Theory of the residual electrical resistivity of alloys with a body-centred cubic lattice, having two ordering temperatures, 3=3317  
 Nosar, O.I. and Smirnov, A.A. Theory of residual electrical resistance of multicomponent ordered alloys, taking into account the distortions of the crystal lattice by different sizes of atoms, 2=6406  
 Nosé, H. Spin wave resonance in Cu-Ni alloy films, 1=14768  
 Nosé, H. Spin wave resonance in Ni films, 1=14771  
 Nosé, H. Spin wave resonance in Pd-Ni alloy films, 1=14772  
 Noše, H. Exchange integral in Ni and its alloy film from spin wave resonance, 2=4241  
 Nosé, H. See Kimura, R., 3=1169  
 Nosenko, A. E. See Bilen'kyi, B. F., 4=7142  
 Nosenko, B.M., Revzin, L.S., Yaskolko, V.Ya. and Krasnaya, A.R. Thermostimulated luminescence with different forms of excitation, 2=23623  
 Nosenko, B.M. and Strukov, N.A. Concerning excitation of crystal phosphors by ions, 2=23614  
 Nosenko, B.M. See Krasnaya, A.R., 3=2013  
 Noskov, M.M. A reflecting phase compensator for optical measurements on metals, 1=6958  
 Noskov, M.M. See Bolotin, G.A., 3=17977  
 Noskov, M.M. See Kirillova, M.M., 3=13146  
 Noskov, M.M. See Levkov, A.N., 0=4400  
 Noskov, M.M. See Zhuravleva, L.I., 0=8802  
 Noskov, M.M. See Zverev, L.P., 1=943  
 Noskov, M.M. See Zverev, L.P., 2=10541  
 Noskov, Yu.O. See Savel'ev, V.Ya., 1=10804  
 Noskova, L.M. See Isyumov, Yu.A., 2=12754  
 Noskova, L.M. See Izyumov, Yu.A., 2=14760  
 Noskova, L.M. See Karpenko, B.V., 1=3917  
 Noskova, M.N. See Bundel' A.A., 2=10621  
 Noskova, N.I. and Pavlov, V.A. Investigation of the fine structure of Al-Mg and Ni-Cu solid solutions, 0=6380  
 Noskova, N.I. and Pavlov, V.A. X-ray diffraction analysis of the microstructure of ferro-nickel after  $\gamma$ - $\alpha$  and  $\gamma$ - $\alpha$ - $\gamma$  transformations, 2=23929  
 Noskova, N.I. and Pavlov, V.A. Stacking faults in solid solutions of nickel, 3=20206  
 Noskova, N.I. See Pavlov, V.A., 2=23760  
 Noskova, R.I. See Amenitskii, N.A., 0=18649  
 Noskova, R.I. See Kuz'min, A.D., 2=1021  
 Nosov, V.G. Alpha-decay constants of non-spherical nuclei, 0=11337  
 Nosov, V.G. On the determination of nuclear deformation from the alpha-decay fine structure, 0=13186  
 Nosov, V.G. Theory of  $\alpha$ -decay of nonspherical nuclei, 0=20373  
 Nosov, V.G. Determination of the deformation and quadrupolarization of alpha-active nuclei from the energy and angular distributions of the alpha particles, 1=17012  
 Nosov, V.G. Effect of zero vibrations of the shape of heavy nuclei on the probability of  $\alpha$ -decay, 1=19385  
 Nosov, V.G. Effect of zero vibrations of the shape of heavy nuclei on the probability of  $\alpha$ -decay, 2=22757  
 Nosov, V.G. and Yakovleva, I.V. Depolarization of  $\mu^+$ -mesons in solids, 3=15416  
 Nosov, V.I. The efficiency of absorbing rod systems in a reactor with a reflector, 2=18382  
 Nosov, Yu.R. Neutron irradiation of silicon p-n junctions, 3=22959  
 Nosov, Yu.R. and Ramus, L.T. Generation of recombination centres in silicon by rapid quenching, 3=22932  
 Nosova, G.I. and Rozenberg, V.M. A study of the effect of a preliminary cold deformation on creeping, 0=6312  
 Nosova, G.I. See Magaryatskii, Yu.A., 3=8892  
 Nosova, V.O. See Kir'yashkina, Z. I., 4=22709  
 Nosova, V.O. See Kir'yashkina, Z. I. 4=26147  
 Nossal, R. Time-relaxed probability densities and correlation functions for moderately dense fluids, 4=27113  
 Nosseir, A. Pre-breakdown conduction current pulses in liquid dielectrics, 4=2705  
 Nossek, R. The mean free path of conduction electrons in the alkali metals K, Rb and Cs, 0=1615  
 Nossek, R. An experimental contribution to the theory of the electrical resistance of metals, 2=6405



- Nossek, R. Characteristic thermoelectric power of boundary surface atoms, 3=17968
- Nosulenko, N.A. See Shklyarevskii, I.N., 1=16119
- Nosulenko, N.A. See Shklyarevskii, I.N., 3=14358
- Nosulenko, N.A. See Shklyarevskii, I.N., 3=21557
- Nosulenko, N.A. See Shklyarevskii, I.N., 4=2843
- Nosulenko, N.A. See Shklyarevskii, I.N., 4=28709
- Nosworthy, J.M., Magee, J.L. and Burton, M. On the luminescence minimum in certain scintillator solutions, 1=4349
- Notarrigo, S., Parisi, R., Ricamo, R. and Rubbino, A. Neutrons from Po-Be sources, 2=5690
- Notarrigo, S. See Cuzzocrea, P., 1=5925
- Notarrigo, S. See Cuzzocrea, P., 4=25411
- Notarys, H.A. Effect of tensile strain on superconducting transition temperature of Al films, 4=14517
- Notis, M.R. and Conard, G.P. Effect of growth rate on stacking-fault density in epitaxial silicon layers, 4=12771
- Notley, M.J.F. See Robertson, J.A.L., 3=10432
- Notni, P. and Oleak, H. Alternation of the light [reflected] from the rocket-case of Sputnik III, 1=18227
- Notni, P. and Oleak, H.; Faulkner, C.R. Rotation period of the artificial satellite, 195861, 1=9301
- Notni, W. Results of centering measurements on optical systems and the influence of centering errors on the image quality of photographic objectives, 0=5144
- Noto, K. See Muto, Y., 4=10026
- Nottage, H.B. See Long, R.K., 4=15538
- Notterman, J.M. See Mandriota, F.J., 3=3690
- Nottingham, W.B. Comments on the Barnes cold cathode, 1=11797
- Nouailhat, A. See Davoine, F., 4=14954
- Nouailhat, A. See Macqueron, J.L., 4=14449
- Nouchi, G. See Lochet, R., 4=10149
- Nougé, P. 3 cm band study of the variation of applied resonance field of some ferrite rods as a function of temperature, 4=23037
- Nourse, H.M.E. See Hawksworth, W.A., 2=21936
- Novack, R. See Huffman, R.E., 3=7462
- Novack, R.L. See Huffman, R.E., 1=12248
- Novais, H.M. See do Carmo Anta, M., 2=22476
- Novák, C. See Líněk, A., 1=15028
- Novák, C. See Líněk, C., 3=6836
- Novák, I.I. See Vettegren, V.J., 3=19002
- Novák, J. See Caufová, P., 4=30807
- Novák, J. See Šícha, M., 4=24615
- Novák, L. See Šroubek, Z., 4=26396
- Novák, M. A note on the theory of the successive production of moving striations in the plasma of inert gases, 0=2335
- Novák, M. Spatial period of moving striations as function of electric field strength in glow discharge, 1=16289
- Novák, M., Pernegr, J. and Šimák, V. On peripheral proton-nucleon interactions at 9 GeV, 4=25090
- Novák, M. and Ružička, T. The change in the parameters of striations in a wave of stratification, 2=7574
- Novák, M. and Wojaczek, K. The relationship between stimulated running striations and the striation waves in low-pressure discharges, 3=19191
- Novák, M. and Wojaczek, K. The interpretation of the characteristic time parameter for striation formation in argon at higher discharge current strengths, 3=19194
- Novák, M. See Glanc, A., 4=22788
- Novak, M. See Pekarak, L., 0=5292
- Novák, M. See Pekárek, L., 0=10890
- Novák, M. See Šícha, M., 4=8646
- Novák, M. See Wojaczek, K., 4=474
- Novak, P.E. See Aline, P.G., 1=13817
- Novak, R.L. See Cullen, G.W., 4=18597
- Novak, R.L. See McEvoy, J.P., 4=11475
- Novak, S. and Sperling, G. Visual thresholds near a continuously visible or a briefly presented light-dark boundary, 3=23720
- Novak, Z. See Bogatin, V.I., 3=15219
- Novakov, R. and Stepić, R. Penetration effects in the internal conversion of the M-I transition between rotational states, 3=6176
- Novakov, T., Hollander, J.M. and Graham, R.L. An electrostatic method for the recoil measurement of sub-nano-second nuclear lifetimes, 4=22006
- Novakov, T. See Mladjenović, M., 1=13742
- Novakov, T.M. and Mladjenovic, M.S. Preparation of thin beta-ray sources by evaporation and cathode sputtering, 0=17516
- Nováková-Dvorská, M. See Brdička, M., 1=15985
- Nováková-Dvorská, M. See Brdička, M., 1=15986
- Novakovic, L. See Blin-Stoyle, R.J., 4=12178
- Novaković, M. A method for optimizing gas-cooled reactor parameters, 3=17512
- Novaković, M. and Stefanović, M. Boiling from a mercury surface, 4=24447
- Novalovic, M. Instrument for null-method current measurement, 4=14542
- Novatsky, B.G. See Bochin, V.P., 4=12269
- Novchan, Ye.O. and Miselyuk, O.H. Inversions of the sign of the Hall coefficient in tellurium, 4=12916
- Noven, H. Realization of an electron optical focusing system with a conical section focus, 3=24362
- Noven, H. and Lenz, F. Theoretical investigation of the imaging aberrations in electron diffraction patterns, 0=2390
- Novey, T.B. See Burgy, M.T., 1=500
- Novey, T.B. See Faissner, H., 3=17141
- Novey, T.B. See Faissner, H., 3=24690
- Novey, T.B. See Kernan, W., 3=6084
- Novey, T.B. See Kuskowski, R.L., 1=10761
- Novgorodov, A. See Urbanec, J., 4=6294
- Novice, M.A. Effect of atmospheric exposure on stress in evaporated silicon monoxide films, 3=1365
- Novick, A.W. Derivative of travel time with respect to source angle for a layer of constant-velocity gradient, 4=21243
- Novick, D.T. See Seraphim, D.P., 1=16200
- Novick, M. See Kittel, J.H., 0=13380
- Novick, D.T. See Roessler, B., 4=7485
- Novick, D.T. See Seraphim, D.P., 2=2413
- Novick, R. See Byron, F.W., 4=3537
- Novick, R. See Byron, F.W., Jr., 4=15294
- Novick, R. See Byron, F.W., Jr., 4=17245
- Novick, R. See Feldman, P., 4=3783
- Novick, R. See Feldman, P., 4=25538
- Novick, R. See Holloway, W.W., Jr., 2=14202
- Novick, R. See Landman, A., 4=15295
- Novick, R. See Lurio, A., 2=14188
- Novick, R. See Lurio, A., 4=17244
- Novick, R. See McDermott, M.N., 1=11846
- Novick, R. See McDermott, M.N., 3=19931
- Novick, R. See McDermott, M.N., 4=15162
- Novick, R. See Thaddeus, P., 2=14193
- Novik, A.E. See Nedospasov, A.V., 1=5422
- Novik, E.S. See Novikov, I.I., 3=18183
- Novik, F.T. High-voltage photo-emf in "single-crystal" films of cadmium telluride, 3=17957
- Novik, F.T. High-voltage photo-e.m.f. in "monocrystalline" films of cadmium telluride, 4=10126
- Novik, F.T., Rumsh, M.A. and Zimkina, T.M. The structure of CdTe layers sublimated onto the natural cleavage surface of NaCl, KCl, and KBr single crystals, 4=10531
- Novik, F.T. See Berlaga, R.Ya., 0=619
- Novik, F.T. See Rumsh, M.A., 3=20944
- Novik, K.M. See Kaminskii, D.L., 4=12378
- Novikov, A.G. See Doil'nitsyn, E.Ya., 4=911
- Novikov, A.G. See Doil'nitsin, E.Ya., 4=6068
- Novikov, A.K. Spatial correlation of plane bending waves, 2=15671
- Novikov, A.S. See Evdokimov, G.S., 2=15673
- Novikov, B. See Grillot, E., 1=7666
- Novikov, B.M. and Zyabrikov, V.A. Requirements on the accuracy of derivation of meteorological data from artificial earth satellites, 4=26785
- Novikov, B.V., Sokol'skaya, I.L. and Shcherbakov, G.P. Fine structure of the spectrum of field emission from CdS single crystals, 3=16972
- Novikov, B.V. See Griio [Grillot], E., 2=10527
- Novikov, B.V. See Grillot, E., 1=7667
- Novikov, B.V. See Gross, E.F., 0=7955
- Novikov, B.V. See Gross, E.F., 0=15984
- Novikov, B.V. See Gross, E.F., 1=17794
- Novikov, B.V. See Gross, E.F., 2=8400
- Novikov, B.V. See Gross, E.F., 2=18738
- Novikov, B.V. See Gross, E.F., 2=23455
- Novikov, D.L. See Danilov, V.I., 4=14792
- Novikov, E.A. Turbulent diffusion in a stream with a [uniform] transverse velocity gradient, 1=6835
- Novikov, E.A. Fluctuations of electron density in the ionosphere, 1=20961
- Novikov, E.A. Random force method in turbulence theory, 4=128
- Novikov, E.A. and Styuart, R.W. The intermittency of turbulence and the spectrum of energy dissipation fluctuations, 4=29592
- Novikov, G.S. See Grigor'ev, E.P., 4=12156



- Novikov, I.D. Note on the space-time metric inside the Schwarzschild singular sphere, 2=23
- Novikov, I.D. Properties of the curvature of the comoving space of some cosmological models considered in a quasi-Newtonian approximation, 2=24080
- Novikov, I.D. On the evolution of a semi-closed world, 4=4834
- Novikov, I.D. The possibility of appearance of large-scale inhomogeneities in the expanding universe, 4=17966
- Novikov, I.D. and Ozernoi, L.M. Propagation of light inside and outside the singular sphere of Schwarzschild, 4=5045
- Novikov, I.D. See Doroshkevich, A.G., 4=17965
- Novikov, I.D. See Zel'dovich, Ya. B., 4=23830
- Novikov, I.I. A relationship for the viscosity and thermal conductivity of liquids and gases, 0=6734
- Novikov, I.I., Lyuttsau, V. G. and Zolotarevskii, V. S. Concentration microheterogeneity in the grains of aluminium-copper alloys solidified at various cooling rates, 4=26690
- Novikov, I.I. and Novik, E.S. The mechanism of plastic deformation in the melting temperature interval, 3=18183
- Novikov, I.I. and Rozelberg, I.L. On the activation energy of grain growth during collective recrystallization of nickel of various degrees of purity, 1=9108
- Novikov, I.I., Soloviev, A. N., Khabakhasheva, E. M., Gruzdev, V. A., Pridantzev, A. I. and Vasenina, M. Ya. The heat-transfer and high-temperature properties of liquid alkali metals, 0=3526
- Novikov, I. I., Zolotarevskii, V. S. and Tykochinskii, D. S. Study of the ductility of intermetallic compounds in bending and tension, 4=23129
- Novikov, I.I. See Avdonin, V.I., 2=11427
- Novikov, I.V. See Indenbaum, G.V., 2=12885
- Novikov, I.V. See Indenbaum, G.V., 2=19043
- Novikov, I.I. See Indenbaum, G.V., 3=3335
- Novikov, I.I. See Kutateladze, S.S., 0=8825
- Novikov, L.S. See Strigachev, A.T., 3=10302
- Novikov, L.S. See Tsin Ch'en-Zhui, 2=10044
- Novikov, L.S. See Tsin Ch'en-Zhui, 3=6201
- Novikov, M.I. See Pivovarov, L.I., 3=5631
- Novikov, M.M. See Hertzriken, S.D., 2=6344
- Novikov, M.T. See Pivovarov, L.I., 0=17054
- Novikov, M.T. See Pivovarov, L.I., 1=16266
- Novikov, M.T. See Pivovarov, L.I., 2=162
- Novikov, M.T. See Pivovarov, L.I., 2=17792
- Novikov, M.T. See Pivovarov, L.I., 2=22169
- Novikov, M.T. See Pivovarov, L.I., 4=16431
- Novikov, M. T. See Pivovarov, L. I., 4=25593
- Novikov, N.N. See Gertsriken, S.D., 0=17955
- Novikov, N.N. See Gertsriken, S.D., 1=958
- Novikov, N.N. See Gertsriken, S.D., 1=978
- Novikov, N.N. See Gorid'ko, N. Ya., 2=8757
- Novikov, N.N. See Gorid'ko, N. Ua., 2=14910
- Novikov, N.N. See Kuz'menko, P. P., 3=18218
- Novikov, N.P. Generation of strong shock waves under laboratory conditions, 3=7280
- Novikov, P.A. An investigation of the process of sublimation in vacuum conditions with motion of solids, 2=9459
- Novikov, P.A. The influence of the radiative component on the nature of the heat exchange in vacuum sublimation, 3=16841
- Novikov, S.A. See Ivanov, A.G., 2=2758
- Novikov, S.A. See Ivanov, A.G., 2=12865
- Novikov, S.A. See Ivanov, A.G., 2=14904
- Novikov, S.A. See Ivanov, A.G., 3=3852
- Novikov, S.A. See Ivanov, A.G., 3=18885
- Novikov, S.R. See Grinberg, A.A., 1=5026
- Novikov, S.R. See Grinberg, A.A., 1=10063
- Novikov, S.R. See Grinberg, A.A., 1=11263
- Novikov, S.R. See Konopleva, R. F., 4=1433
- Novikov, S.R. See R'yvkin, S.M., 0=1628
- Novikov, S.R. See R'yvkin, S.M., 0=15905
- Novikov, S.S., and Riazantsev, Iu. S. The reflection of a plane sound wave from the open end of a circular tube, 3=16710
- Novikov, S.S. and Ryazantsev, Yu. S. Interaction of weak pressure waves with the flame front, 1=11854
- Novikov, S.S. and Ryazantsev, Yu. S. Interaction of a weak entropy wave with the front of a flame, 1=18664
- Novikov, V.I. See Efimova, B.A., 1=19869
- Novikov, V.I. See Efimova, B.A., 2=6462
- Novikov, V.I. See Efimova, B.A., 2=14547
- Novikov, V.I. See Efimova, B.A., 2=18694
- Novikov, V.I. See Efimova, B.A., 3=10804
- Novikov, V.I. See Krest'yankin, V. D., 4=16310
- Novikov, V.M. Excitation of nuclei by muons in heavy mesic atoms, 2=363
- Novikov, V.M. Excitation of nuclei by muons in heavy mesic atoms, 2=22722
- Novikov, V.M. See Zaretskii, D.F., 0=11491
- Novikov, V.M. See Zaretskii, D.F., 2=362
- Novikov, V.M. See Zaretskii, D.F., 2=511
- Novikov, V.M. See Zaretskii, D.F., 2=1908
- Novikov, V.M. See Zaretskii, D.F., 2=10232
- Novikov, V.M. See Zaretskii, D.F., 2=22721
- Novikov, V.M. See Zaretskii, D.F., 3=6372
- Novikov, V.M. See Zaretsky, D. F., 0=4128
- Novikov, V. T. See Biryukov, E. I., 4=27996
- Novikov, V. Yu. Determination of the orientation dependence of the surface energy of silicon iron, 4=28338
- Novikov, V. Yu. See Livshits, B. G., 4=2114
- Novikov, Yu. M. See Zolototrubov, I. M., 2=3046
- Novikov, Yu. M. See Zolototrubov, I. M., 3=1757
- Novikov, Yu. M. See Zolototrubov, I. M., 4=24640
- Novikova, A.S. See Vvedenskii, L.E., 3=25846
- Novikova, G.E. and Trapeznikova, O. N. A new type of crystalline structure in gutta-percha, 0=6342
- Novikova, G.E. See Trapeznikova, O. N., 2=6544
- Novikova, G.I., Volkova, E. A., Gol'din, L. L., Ziv, D. M. and Tret'yakov, E. F. Radioactive decay of  $Ac^{227}$  and excited levels of  $Fr^{223}$  and  $Th^{227}$ , 0=11338
- Novikova, G.I. See Gol'din, L. L., 0=13187
- Novikova, G.I. See Tret'yakov, E. F., 0=11372
- Novikova, G. I. See Tret'yakov, E. F., 4=9176
- Novikova, G. V. See Gryaznov, A. I., 4=627
- Novikova, I.V. See Kolomiitsova, T. S., 0=16896
- Novikova, N.R. See Perfilov, N. A., 0=9244
- Novikova, N.R. See Perfilov, N. A., 0=12736
- Novikova, S.I. Thermal expansion of germanium at low temperatures, 0=7854
- Novikova, S.I. Thermal expansion of  $\alpha$ -Sn, InSb and CdTe, 1=916
- Novikova, S.I. Thermal expansion of  $\alpha$ -Sn, InSb and CdTe, 1=4969
- Novikova, S.I. A study of thermal expansion of GaAs and ZnSe, 1=8885
- Novikova, S.I. Thermal expansion of diamond between 25° and 750°K, 0=15816
- Novikova, S.I. Thermal expansion of some technical materials at lower temperatures, 4=17367
- Novikova, S. I. and Abrikosov, N. Kh. Investigation of the thermal expansion of lead chalcogenides, 4=1403
- Novikova, S. I. and Abrikosov, N. Kh. Thermal expansion of AlSb, GaSb, ZnTe and HgTe at low temperatures, 4=1404
- Novikova, S.I. and Strelkov, P. G. Thermal expansion of silicon at low temperatures, 0=13494
- Novikova, S.I. See Astrov, D. N., 0=8073
- Novikova, S.I. See Leksina, I. E., 0=6376
- Novikova, S.I. See Leksina, I. E., 3=17663
- Novikova, T. A. See Tumanov, V. I., 4=15720
- Novikova, Z.I. See Rabkin, L. I., 3=8684
- Novikovskii, B. S. Voltage regulation in a high-voltage accelerator by means of a braking gap, 2=5409
- Novitskii, B. G. See Kotlyarskii, L. B., 4=24312
- Novitsky, B. G. See Fridman, V. M., 4=14273
- Novobatzky, K. F. Statistical derivation of quantized radiation and gas energy, 0=6702
- Novobrantsev, I.V. See Veklenko, B. A., 3=2576
- Novogrudskii, V. N. and Fakidov, I. G. Magnetocaloric effect and magnetization of the ferrimagnetic sulphide of chromium, 1=10173
- Novogrudskii, V. N. and Fakidov, I. G. Temperature dependence of the hall effect in  $MnAu_3$ , 1=14386
- Novogrudskii, V. N. and Fakidov, I. G. Hall effect in the metamagnetic compound  $MnAu_2$ , 2=8291
- Novogrudskii, V. N. and Fakidov, I. G. Hall effect in the metamagnetic compound  $MnAu_3$ , 2=10441
- Novogrudskii, V. N. and Fakidov, I. G. The temperature-dependence of the magnetic resistance of  $MnAu_3$ , 4=20515
- Novogrudskii, V. N. and Fakidov, I. G. Hall effect in a ferrimagnetic with a compensation point. I. Experiment with  $Mn_6Ge_2$ , 4=26052
- Novogrudskii, V. N. See Fakidov, I. G., 1=10029
- Novogrudskii, V. N. See Gaidukov, L. G., 0=14065
- Novogrudskii, V. N. See Levina, S. S., 3=13028
- Novogrudskii, V. N. See Levina, S. S., 3=15775
- Novogrudskii, V. N. See Levina, S. S., 4=4119
- Novogrudskii, V. N. See Vasil'eva, I. N., 0=566
- Novokreshchenov, P. D. See Zubekhin, B. P., 4=23179
- Novoselova, A. V. See Grigor'ev, A. I., 4=10161



- Novosil'tsev, N.S., Khodakov, A.L., Sholokhov, M.L., Fesenko, E.G. and Kramarov, O.P. Experimental work on growing single crystals of ferroelectric substances, 0=708
- Novotockij-Vlasov, J.F. See Ržanov, A.V., 2=23330
- Novototskii-Vlasov, Yu.F. and Neizvestnyi, I.G. Apparatus for study of surface states in germanium, 2=21143
- Novototskii-Vlasov, Yu. F. and Sinyukov, M. P. Effect of adsorption of polar molecules on the surface properties of germanium, 4=20793
- Novototski-Vlasov, Yu.F. See Ržanov, A.V., 0=2874
- Novototskii-Vlasov, Yu.F. See Ržanov, A.V., 1=14437
- Novozhilov, A.I. and Shikhov, S.B. A method of averaging nuclear constants in fast reactor calculations taking into account neutron weighting, 2=12255
- Novozhilov, V.V. See Kadashevich, Yu.I., 1=3976
- Novozhilov, Yu. On the construction of the S matrix for dressed particles, 0=7293
- Novozhilov, Yu.V. Isospin symmetry as a consequence of the quantum field theory axioms, 2=22402
- Novozhilov, Yu.V. Gauge invariance in the axiomatic approach to quantum field theory, 3=5908
- Novozhilov, Yu.V. The four-dimensional group of isospin and hypercharge in axiomatic quantum field theory, 3=5909
- Novozhilov, Yu.V. See Braun, M.A., 1=19085
- Novy, V. See Vickery, R.C., 0=11824
- Novýkov, M.M. See Hertsriken, S.D., 1=11209
- Novýkov, M.M. See Hertsriken, S.D., 1=14247
- Novýkov, M.M. See Hertsriken, S.D., 1=14248
- Novýkov, M.M. See Hertsriken, S.D., 1=14254
- Novýkov, M.M. See Hertsriken, S.D., 1=14255
- Novýkov, M.M. See Hertsriken, S.D., 1=14525
- Novýkov, M.M. See Hertsriken, S.D., 3=20885
- Novýkov, M.M. See Kuz'menko, P. P., 4=1588
- Novýkov, N.N. See Hertsriken, S.D., 1=11206
- Novýkov, N.N. See Hertsriken, S.D., 1=12386
- Novýkov, N.N. See Kuz'menko, P. P., 4=7396
- Nowacki, P.J. The theory of the magnetohydrodynamic generator with constant area, 2=7728
- Nowacki, P.J., Brzozowski, W.S. and Celiński, Z. Experimental M.H.D.-generator using combustion gases (gasburner) as heat source, 3=2117
- Nowacki, W. Thermal stress propagation in viscoelastic bodies. II, 1=195
- Nowacki, W. Formulation of a boundary problem of the theory of elasticity with mixed boundary conditions, 2=14864
- Nowacki, W. Two dimensional problem of magnetothermoelasticity. I, 3=18762
- Nowacki, W. The plane problem of magnetothermoelasticity. II, 3=23816
- Nowacki, W. Mixed boundary problems in heat conduction, 4=27352
- Nowacki, W. See Ignaczak, J., 2=13287
- Nowacki, W. See Iitaka, Y., 2=15035
- Nowacki, W. See Kalishi, S., 2=11439
- Nowacki, W. See Kalishi, S., 2=19645
- Nowak, B. On a new method of determining the focal plane of a spectrograph, 2=2878
- Nowak, H. See Łunc, M., 4=2775
- Nowak, M.J. The general critical reactor equations, 0=13324
- Nowak, S. See Grote, C., 4=25166
- Nowak, W. See Tietz, T., 4=19988
- Nowell, D.V. See Dollimore, D., 3=13550
- Nowell, J.C. See Badessa, R.S., 0=12361
- Nower, T.M. See Abuzeid, M.A., 3=19847
- Nower, T.M. See Abuzeid, M.A., 4=9490
- Nower, T.M. See Abuzeid, M.A., 4=22177
- Nowick, A.S. and Berry, B.S. The Zener relaxation as a distribution of relaxation times, 2=21399
- Nowick, A.S. and Heller, W.R. Anelasticity and stress-induced ordering of point defects in crystals, 4=6824
- Nowick, A.S. and Roswell, A.E. Kinetics of vacancy precipitation in a silver-zinc solid solution, 0=18387
- Nowick, A.S. See Bron, W.E., 0=11633
- Nowick, A.S. See D'Heurle, F.M., 3=22739
- Nowick, A.S. See Dreyfus, R.W., 2=3900
- Nowick, A.S. See Dreyfus, R.W., 2=12501
- Nowick, A.S. See Mader, S., 4=10422
- Nowick, A.S. See Seraphim, D. P., 4=23235
- Nowick, I. Influence of a resonant absorber whose thickness varies linearly with time on the spectral shape of an incident Lorentzian wave packet, 2=13760
- Nowicki, L. High performance laboratory electromagnet, 0=17064
- Nowicki, L. Electrical relaxation in Ni-Zn ferrite, 0=18096
- Nowicki, L. Growth of single crystals of nickel-ferrite, 3=3270
- Nowicki, L.J. See Lloyd, L. T., 4=7533
- Nowik, I. and Ofer, S. Hyperfine interactions in the ground state and 21.7-keV state of  $\text{Eu}^{151}$  in europium iron garnet, 4=1343
- Nowik, I. and Ofer, S. Hyperfine interactions in the ground state and first excited state of  $\text{Tm}^{169}$  in thulium iron garnet, 4=3966
- Nowik, I. See Cohen, S. G., 4=20172
- Nowik, I. See Gilat, G., 3=12904
- Nowik, I. See Ofer, S., 4=28777
- Nowinski, J. Cylindrically orthotropic circular plates with large deflections, 0=19025
- Nowinski, J. Thermoelastic problem for an isotropic sphere with temperature dependent properties, 1=1717
- Nowinski, J. Biharmonic solutions to the steady-state thermoelastic problems in three dimensions, 2=7154
- Nowinski, J. Axisymmetric problem of the steady-state thermal stresses in elastic media with temperature dependent properties, 4=24127
- Nowinski, J.L. Non-linear vibrations of elastic circular plates exhibiting rectangular orthotropy, 3=18872
- Nowitzky, B.G. and Friedmann, W.M. Excitation of oscillations of large sound intensity in gases by means of magnetostrictive acoustic generators, 4=5306
- Nowlin, C.H. and Jones, R.V. Magnetism of piezoelectric  $\text{Ga}_{2-x}\text{Fe}_x\text{O}_3$ , 3=15777
- Nowotny, H. See Schob, O., 2=17045
- Noxon, J.F. Observation of the  $(b^1\Sigma_g^- \rightarrow a^1\Delta_g)$  transition in  $\text{O}_2$ , 1=17112
- Noxon, J.F. Active nitrogen at high pressure, 2=6099
- Noxon, J.F. Observation of daytime aurora, 4=7889
- Noxon, J.F. and Goody, R.M. Observation of day airglow emission, 3=1467
- Noxon, J.F., Harrison, A.W. and Jones, A.V. The infra-red spectrum of the night airglow from  $1.4\mu$  to  $4.0\mu$ , 0=14295
- Noxon, J.F. and Jones, A.V. An auroral emission in the 2.0-2.2  $\mu$  region, 1=1563
- Noxon, J.F. and Jones, A.V. A balloon-borne spectrometer for study of the airglow beyond 2.0  $\mu$ , 2=4661
- Noxon, J.F. and Jones, A.V. Observation of the (0,0) band of the  $(^1\Delta_g - ^3\Sigma_g^-)$  system of oxygen in the day and twilight airglow, 3=18553
- Noxon, J.F. and Markham, T. P. Airglow emission during a total solar eclipse, 4=13822
- Noya, H., Arima, A. and Horie, H. Nuclear moments and configuration mixing, 0=11300
- Noyce, R. H., Mosburg, E. R., Jr, Garfinkel, S. B. and Caswell, R. S. Absolute calibration of the National Bureau of Standards photoneutron source. III. Absorption in a heavy water solution of manganous sulphate, 4=920
- Noyce, R.H. See Barnes, M.W., 1=12859
- Noyce, R.H. See Ruthberg, R.H., 3=10958
- Noyce, R.H. See Ruthberg, S., 3=25463
- Noyes, H. Nuclear forces, 2=1757
- Noyes, H.P. Energy dependence of the nucleon-nucleon phase shifts, 0=15340
- Noyes, H.P. The three-pion resonance and its implications, 2=1704
- Noyes, H.P. Determination of the proton-proton  $^1S_0$  shape parameter, 4=16891
- Noyes, H.P. Neutron-proton scattering below 20 MeV. 3=14986
- Noyes, H.P. and Edwards, D.N. Puppi-Stanghellini discrepancy, 0=11207
- Noyes, H.P. See Chew, G.F., 0=13020
- Noyes, H.P. See MacGregor, M.H., 1=16771
- Noyes, H.P. See Wong, D.Y., 2=13790
- Noyes, J.C. Solar active regions and solar cosmic rays, 2=13136
- Noyes, R.M. Entropy of mixing of interconvertible species. Some reflections on the Gibbs paradox, 1=10290
- Noyes, R.M. Thermodynamics of ion hydration as a measure of effective dielectric properties of water, 2=10982
- Noyes, R.M. Some conditions for validity of statistical thermodynamic treatments of reaction kinetics, 2=1580
- Noyes, R. M. Assignment of individual ionic contributions to properties of aqueous ions, 4=24197
- Noyes, R.W. and Leighton, R. B. Velocity fields in the solar atmosphere. II. The oscillatory field, 4=10900
- Noyes, R.W. See Leighton, R.B., 2=15330
- Noyes, W.A., Jr, Mulac, J.W.A. and Matheson, M.S. Photochemical primary process in biacetyl vapor at 4358 Å, 2=6890
- Noyes, W.A., Jr. See Ishikawa, H., 2=20844



- Noyes, W.F. Observation of nuclear particle tracks in the electron microscope, 2=22374
- Nozaki, T., Nakamura, Y., Shimoji, M. and Niwa, K. Thermodynamic properties of liquid thallium-antimony system, 4=29619
- Nozaki, T., Tanaka, S., Furukawa, M. and Saito, K. Radio-activation analysis of oxygen in silicon by irradiation with  $\alpha$ -particles in a cyclotron, 1=6581
- Nozaki, T. See Furukawa, M., 1=12195
- Nozal, V. See Connes, J., 1=16074
- Nozawa, M. Study of the cadmium isotopes. IV. Beta- and gamma-ray spectroscopy of  $\text{In}^{109}$ , 2=18254
- Nozawa, M., Yamamoto, H., Yoshizawa, Y. and Koh, Y. Search for weak gamma-rays in the positron decay of  $\text{Mn}^{51}$ , 1=12174
- Nozawa, M. See Katoh, T., 1=12175
- Nozawa, M. See Katoh, T., 2=12177
- Nozawa, M. See Katoh, T., 2=18253
- Nozawa, M. See Sakai, M., 4=19702
- Nozdrachev, M. G. See Kalmykov, A. A., 4=19070
- Nozdrev, U. F. See Belinski, B. A., 4=27174
- Nozdrev, V. F., Osadchii, A. P. and Rubtsov, A. S. Investigation of the ultrasonic velocity in water along the saturation line; including the critical region, 2=1145
- Nozdrev, V. F., Osadchii, A. P. and Rubtsov, A. S. Investigation of the ultrasonic velocity in water along the saturation line, including the critical region, 2=7209
- Nozdrev, V. F. and Tarantova, G. D. Velocity of ultrasound in the benzene-methyl alcohol system in the critical region, 2=15584
- Nozdrev, V. F. See Grechkin, V. I., 4=14160
- Nozdrev, V. F. See Gorbunov, M. A., 3=21355
- Nozdrev, V. F. See Kal'yanov, B. I., 0=8652
- Nozdrev, V. F. See Zalivchii, V. N., 1=2825
- Nozières, P. Effect of Coulomb interaction on elementary excitations in solids, 0=530
- Nozières, P. Theory of Fermi liquids, 4=11113
- Nozières, P. Theory of interacting Fermi systems, 4=18055
- Nozières, P. A collective approach to the dielectric constant, 4=29853
- Nozières, P. and Luttinger, J. M. Derivation of the Landau theory of Fermi liquids. I. Formal preliminaries, 2=19457
- Nozières, P. See Betheder-Matibet, O., 1=16195
- Nozieres, P. See Bok, J., 3=17693
- Nozières, P. See Gavorret, J., 4=27100
- Nozières, P. See Luttinger, J. M., 2=19458
- Nozières, P. See Miller, A., 2=19796
- Nozières, P. See Morel, P., 2=15831
- Nozik, V. Z. See Dubovskii, B. G., 4=12300
- Nozik, Yu. Z. and Yamzin, I. I. The structure of manganese ferrite, 3=13463
- Nozik, Yu. Z. and Yamzin, I. I. Measurement of integral diffraction intensities, 3=20818
- Nozik, Yu. Z. See Yamzin, I. I., 1=15091
- Nozik, Yu. Z. See Yamzin, I. I., 2=4519
- Nozik, Yu. Z. See Yamzin, I. I., 3=1114
- Nozik, Yu. Z. See Yamzin, I. I., 3=13433
- Nozova, V. A. See Kir'yashkina, Z. I., 3=25363
- Nran'yan, A. A. The calculation of integrals in the method of equivalent orbits and the estimation of the parameters of the valency zones in semiconductors of the type A III BV, 0=11553
- Nran'yan, A. A. On the band structure of a crystal of the diamond type, 1=929
- Nran'yan, A. A. Third-order elastic constants of NaCl-type crystals, 3=18164
- Nran'yan, A. A. Third-order elastic constants of CsCl-type crystals, 4=1933
- Nran'yan, A. A. See Gubanov, A. I., 0=6030
- Nran'yan, A. A. See Gubanov, A. I., 3=20078
- Nücker, N. See Finckh, E., 4=6147
- Nudel'man, S. The detectivity of infrared photo-detectors, 2=22089
- Nudel'man, S., Brown, D. and Currie, D. The sign of charge carriers in luminescent transitions, 3=10979
- Nudel'man, S. L. A unified graphical method of indexing X-ray diffraction patterns of polycrystals. I. Orthorhombic system, 0=18339
- Nudel'man, S. L. A unified graphical method of indexing X-ray diffraction patterns of polycrystals. II-III. Monoclinic and triclinic systems, 0=18340
- Nudel'man, S. L. The lattice parameters of chrysotile, 0=18365
- Nudel'man, S. L. A letter to the editor of "Fizika Tverdogo Tela", 1=1392
- Nudel'man, S. L. An instrument for working up the X-ray patterns given by polycrystalline triclinic substances, 1=20515
- Nugent, L. J., Bhaumik, M. L., George, S. and Lee, S. M. Ligand field spectra of some new laser chelates, 4=28753
- Nugent, L. J. and Cornwell, C. D. Microwave spectrum in methyl-difluoroarsine, 2=20852
- Nugent, L. J., Mann, D. E. and Lide, D. R., Jr. Microwave structure determinations on tertiary butyl acetylene and tertiary butyl cyanide, 2=6127
- Nugent, L. J. See Bhaumik, M. L., 4=28754
- Nukushina, H. Space-charge layer width and junction capacitance of a hyper-abrupt p-n junction, 2=16742
- Nukushima, H. See Fukui, S., 3=17155
- Nukushina, H. See Fukui, S., 3=5647
- Null, M. R. and Lozier, W. W. Carbon arc as a radiation standard, 2=19762
- Numarkura, K. Young's moduli in ordering and in disordering states of Fe-Al single crystals, 2=4308
- Numata, T. On the non-isothermal diffusion theory of rectifiers, 0=20881
- Numata, T. Corrosion of AlSb crystals and growth of needles and ribbons of Al(OH)<sub>3</sub>, 2=16993
- Numata, T. Phenomenological theory of turnover in point-contract rectifiers, 2=10518
- Numata, T. Turnover phenomena in plate rectifiers, 3=6607
- Nunamaker, T. A. See Baker, S. C., 2=2986
- Nunamaker, T. A. See Birk, M., 3=24175
- Nunamaker, T. A. See Bjerke, A. E., 2=17993
- Nunamaker, T. A. See Bjerke, A. E., 2=19863
- Nundal, A. See Vegard, L., 0=794
- Nunes, J. and Larson, F. R. Low-temperature hardness and flow-stress relationships of metals, 3=6789
- Nunes, J. and Larson, F. R. Tensile flow and fracture temperature dependence of some iron-base alloys, 4=13418
- Núñez, F. See Craik, D. J., 1=14709
- Nunez-Lagos, R. See Galindo, A., 2=11294
- Nunez-Lagos, R. See Hung Cheng, 2=22430
- Núñez-Lagos, R. See Rodríguez Máiques, E., 1=16620
- Nung Sung, B. The energy spectrum of photoprotons from Ne<sup>20</sup>, 3=10327
- Nunley, A. E. See Makin, S. M., 0=12668
- Nunn, F. A. and Campbell, D. S. A masking jig for multiple film deposition, 3=13982
- Nunn, M. and Wynne, C. G. Lens designing by electronic digital computer. II, 0=5142
- Nunn, W. M., Jr. Substitution method of measuring standing Nunnemann, E. See Rollnik, H., 0=17221
- Nunnink, H. J. C. A. See van der Maesen, F., 3=10751
- Nunnink, H. J. C. A. See Vlaardingerbroek, M. T., 3=2127
- Nuovo, M. Dynamic measurements of elastic and anelastic constants, 2=10730
- Nuovo, M. See Barducci, I., 1=6445
- Nuovo, M. See Bordoni, P. G., 0=1590
- Nuovo, M. See Bordoni, P. G., 0=5074
- Nuovo, M. See Bordoni, P. G., 0=16800
- Nuovo, M. See Bordoni, P. G., 0=17944
- Nuovo, M. See Bordoni, P. G., 1=11504
- Nuovo, M. See Bordoni, P. G., 1=14850
- Nuovo, M. See Bordoni, P. G., 1=17533
- Nuovo, M. See Bordoni, P. G., 4=15417
- Nuovo, M. See Fanti, F., 4=12634
- Nuralieva, R. D. See Krinchik, G. S., 0=6172
- Nuralieva, R. D. See Krinchik, G. S., 0=10046
- Nuralieva, R. D. See Krinchik, G. S., 2=16807
- Nuralieva, R. D. See Krinchik, G. S., 3=6645
- Nurmia, M., Kauranen, P., Karras, M., Siivola, A., Isola, A., Graeffe, G. and Lyyjynen, A. Mercury-206: a new natural radionuclide, 1=13714
- Nurmia, M., Kauranen, P. and Siivola, A.  $\text{Pm}^{145}$ : a new alpha activity, 2=18280
- Nurmia, M. See Graeffe, G., 2=5836
- Nurmia, M. See Karras, M., 0=11346
- Nurmia, M. See Karras, M., 3=659
- Nurmia, M. See Taagepera, R., 2=5837
- Nurmukhametov, R. N., Popova, E. G. and Dokunikhin, N. S. Luminescence of chrysene powders and solutions at 77°K, 1=10114
- Nurmukhametov, R. N., Shigorin, D. N. and Dokunikhin, N. S. Luminescence of solutions of thioindigo and its di-derivatives at 77°K, 2=17473
- Nurmukhametov, G. M. See Malevskaya, L. A., 0=11929



- Nuromskii, A.B. See Bredov, M.M., 2=21146  
 Nurushev, S.B. Determination of the p-p scattering matrix at  $90^\circ$ , 0=15353  
 Nurushev, S.B. See Azhgirei, L.S., 3=4630  
 Nurushev, S.B. See Azhgirei, L.S., 3=17265  
 Nurushev, S.B. See Azhgirei, L.S., 3=22374  
 Nurushev, S.B. See Azhgirei, L.S., 4=1061  
 Nurushev, S.B. See Azhgirei, L.S., 4=3408  
 Nurushev, S.B. See Azhgirei, L.S., 4=6042  
 Nurushev, S.B. See Azhgirei, L.S., 3=15189  
 Nurushev, S.B. See Azhgirei, L.S., 3=24723  
 Nurushev, S.B. See Azhgirei, L.S., 4=16889  
 Nurushev, S.B. See Kumekin, Yu.P., 0=20205  
 Nurushev, S.B. See Kumekin, Yu.P., 3=14982  
 Nurushev, S.B. See Kumekin, Yu.P., 4=11996  
 Nurushev, S.B. See Meshcheryakov, M.G., 4=3411  
 Nurzynski, J. See Budzanowski, A., 1=719  
 Nurzynski, J. See Budzanowski, A., 1=13845  
 Nurzyński, J. See Freindl, L., 2=1911  
 Nurzyński, J. See Freindl, L., 3=22412  
 Nurzyński, J. See Niewodniczański, H., 4=17183  
 Nurzyński, J. See Niewodniczański, H., 4=25421  
 Nusimovici, M. See Balkanski, M., 4=22895  
 Nusimovici, M. See Balkanski, M., 4=25837  
 Nussbaum, A. Group theory and the energy band structure of semiconductors, 2=21122  
 Nussbaum, A. and Hager, R.J. Galvanomagnetic coefficients of single-crystal tellurium, 1=14374  
 Nussbaum, A. and Long, D. The galvanomagnetic coefficients of tellurium at  $4.2^\circ\text{K}$ , 3=835  
 Nussbaum, A. See Blakemore, J.S., 2=16732  
 Nussbaum, C., Lunke, C. and Zangger, C. Development of a new type of spectrometer for fast neutrons, 3=10130  
 Nussbaum, M. See Block, M.M., 1=15500  
 Nussbaum, M. See Gelfand, N., 4=9264  
 Nussbaum, M. See Gelfand, N., 4=9266  
 Nussbaum, M. See Gelfand, N., 4=25154  
 Nussbaum, M. See Pevsner, A., 2=5719  
 Nussbaum, M. See Pevsner, A., 2=22572  
 Nussbaum, M. See Shafer, J.B., 3=15028  
 Nussenzweig, H.M. Diffraction theory in the k-representation, 0=15142  
 Nussenzweig, H.M. Causality and dispersion relations for fixed momentum transfer, 0=17261  
 Nussenzweig, H.M. Solution of a diffraction problem. I. The wide double wedge. II. The narrow double wedge, 0=19930  
 Nussenzweig, H.M. On the physical interpretation of complex poles of the S-matrix, 1=12806  
 Nussenzweig, H.M. Soluble model of a break-up process, 1=19114  
 Nussenzweig, H.M. On Mandelstam's program in potential scattering, 3=10039  
 Nussenzweig, H.M. See Beck, G., 0=14520  
 Nussinov, S. A possible indication for "Regge-pole" behaviour of the pion, 3=22173  
 Nussinov, S. See Dar, A., 4=15057  
 Nussinov, S. See Dar, A., 4=27811  
 Nussinow, S. See Dothan, Y., 3=10173  
 Nussinov, S. See Goldberg, H., 3=17280  
 Nussli, J. Detection of modulated light by means of fast response photomultipliers, 3=21509  
 Nutant, J. See Hama, F.R., 1=2739  
 Nutant, J. See v.Krzywoblocki, M.Z., 0=5382  
 Nutley, H. and Gerhart, J.B. Decay of  $\text{Ag}^{104}$  and levels in  $\text{Pd}^{104}$ , 1=631  
 Nutsch, J. See Cremer, L., 3=7299  
 Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. III. Knocking-on collisions in the collimating chambers, 2=20889  
 Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. IV. Appearance potential and scattering cross-section of oxygen atoms from an r.f. discharge (10 Mc/sec), 2=20890  
 Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. V. Reaction of atomic oxygen with nitrogen dioxide, 2=20891  
 Nutt, C.W., Botterill, J.S.M., Thorpe, G. and Penmore, G.W. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. I. Molecular-beam formation by multiple aperture collimating systems, 0=2758  
 Nutt, C.W., Penmore, G.W. and Biddlestone, A.J. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. II. Molecular-beam formation by adiabatic expansion of gas through apertures in thin diaphragms, 0=2759  
 Nutt, G. L. Ground-state energy of a two-nucleon system, 4=846  
 Nutt, G. L. Fredholm determinants applied to electron-hydrogen scattering, 4=25562  
 Nuttall, J. The deuteron form factor and dispersion theory, 4=960  
 Nuttall, J. and Whippman, M.L. Final-state interactions in the electrodisintegration of deuterium, 3=17351  
 Nuttall, J. See Fairlie, D.B., 2=19424  
 Nuttall, J. See Fairlie, D.B., 3=4351  
 Nuttall, J.A. See Blake, C., 3=24462  
 Nuttall, P.M. See Steadman, R., 3=8854  
 Nuttall, P.M. See Steadman, R., 4=10542  
 Nuttall, R. The dependence on deposition conditions of the dopant concentration of epitaxial silicon layers, 4=23356  
 Nutting, J. and Rouze, S.R. Grain growth and boundary migration rates of austenite, 3=23482  
 Nutting, J. See Armitage, W.K., 4=7482  
 Nutting, J. See Baker, R.G., 0=20825  
 Nutting, J. See Brandon, D.G., 0=4690  
 Nutting, J. See Brandon, D.G., 0=17943  
 Nutting, J. See Kelly, P.M., 0=21255  
 Nutting, J. See Nicholson, R.B., 0=17936  
 Nutting, J. See Nicholson, R.B., 0=21257  
 Nutting, J. See Pollard, G., 4=28934  
 Nutting, J. See Swann, P.R., 2=3924  
 Nutting, J. See Thomas, G., 0=18390  
 Nuvar'eva, V.V. See Ramazanov, P.E., 3=3074  
 Nuyts, J. Note on polarization in the interaction of form fermions, 2=3257  
 Nuyts, J. Weak electromagnetic and pionic decay of hyperons, 2=18183  
 Nuyts, J. Decays of the intermediate boson, 4=25010  
 Nuyts, J. and de Rafael, E. Some remarks concerning antihyperon-hyperon production by antiprotons in hydrogen, 4=6138  
 Nuyts, J. See Amati, D., 4=30159  
 Nuyts, J. See Bacry, H., 4=21750  
 Nuyts, J. See Bouchiat, C., 3=6064  
 Nuyts, J. See Géhéniau, J., 1=9720  
 Nuyts, J. See Lannoy, F.G., 2=22411  
 Nyagu (Neagu), D. Problem of stereoscopy in the bubble chamber. Correction for refraction, 0=1232  
 Nyagu, D. and Salukvadze, R.G. The question of stereoscopic photographs with bubble chambers. Graphs of the correction of refraction errors, 2=5548  
 Nyagu, D. See Anikina, M.Kh., 4=3477  
 Nyagu, D. See Salyukvadze, R.G., 2=476  
 Nyagu, D. See Salyukvadze, R.G., 2=22829  
 Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. Experimental verification of the  $\Delta I = \frac{1}{2}$  selection rule for lepton decay of K-mesons, 1=19261  
 Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. Production of hyperons in lead by  $\text{K}_2^0$  mesons with mean energy of 100 MeV, 2=10131  
 Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. Experimental verification of the  $\Delta I = \frac{1}{2}$  selection rule for lepton decay of K-mesons, 3=4451  
 Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. Production of hyperons in lead by  $\text{K}_2^0$  mesons with a mean energy of  $\sim 100$  MeV, 3=6280  
 Nyagu, D.V. and Salukvadze, R.G. The use of two-component systems in bubble chambers, 0=17161  
 Nyagu, D.V. and Salukvadze, R.G. Calculated energy losses and ranges of particles in propane, 1=19201  
 Nyagu, D.V. See Anikina, M.Kh., 2=7898  
 Nyagu, D.V. See Anikina, M.Kh., 3=6071  
 Nyamu, I. See Hulubei, H., 4=9489  
 Nyamu, I. See Khulubei, Kh., 2=16403  
 Nyamu, I. See Khulubei, Kh., 3=6240  
 Nyashin, Yu.I. The spin absorption in various paramagnetic  
 Nybakken, T.W. and Vali, V. Low-energy gamma ray spectroscopy, 4=19474  
 Nybakken, T.W. See Vali, V., 4=28325  
 Nyberg, D. See Leger, E.G., 1=2727  
 Nyberg, D.W. and Burgess, R.E. Electrodeless techniques for semiconductor measurements, 3=342  
 Nybø, K. See Grottdal, T., 4=30352



- Nybo, K.H. See Anderson, D.W., 3=17453
- Nyborg, P. On classical theories of spinning particles, 2=5590
- Nyborg, P. Thomas precession and classical theories of spinning particles, 2=9809
- Nyborg, P. Macroscopic motion of classical spinning particles, 3=2094
- Nyborg, P. Approximate relativistic equations of motion for an extended charged particle in an inhomogeneous external electromagnetic field, 4=14869
- Nyborg, W.L. See Brackenridge, J.B., 1=11741
- Nyborg, W.L. See Gould, R.K., 0=10643
- Nyborg, W.L. See Jackson, F.J., 0=19307
- Nyburg, S.C. See Halliwell, H.F., 3=21337
- Nyburg, S. C. Intermolecular forces and the space group of solid chlorine, 4=23432
- Nydal, R. Proportional counting technique for radio-carbon measurements, 3=6949
- Nydal, R. Increase in radiocarbon from the most recent series of thermonuclear tests, 4=20855
- Nye, P.W. Aural recognition time for multi-dimensional signals, 3=9300
- Nye, S.D., Banus, M.D. and Gatos, H.C. Superconductivity in the high-pressure InSb-beta-Sn system, 4=16345
- Nye, W.T. See Toman, L., Jr., 3=20759
- Nyemchenko, V. F. See L'vov, S.M., 4=12906
- Nyemchenko, V.P. See L'vov, S.M., 2=18649
- Nyemchenko, V.P. See Neshpor, V.S., 2=8305
- Nyemets', O.F., Pavlenko, Ye.A. and Sokolov, M.V. Calculation of ionization chambers with grids, 1=12033
- Nyemets, O. F., Slyusarenko, L. I. and Tokarevs'kii, V. V. Excitation of a single-phonon quadruplet in the inelastic scattering of deuterons on copper isotopes  $[\text{Cu}^{63,65}]$ , 4=25422
- Nyemets', O.F. See Zaika, M.I., 1=13842
- Nyemetz, O.F. See Habovych, M.D., 1=11979
- Nygaard, K. and Malmskog, S. A nanosecond light-pulse generator using a discharge lamp, 3=18977
- Nygaard, K.J. A liquid scintillation coincidence counter for radiocarbon, 1=13216
- Nygaard, K.J. The variation of the quantum efficiency of sodium salicylate with thickness of material, 4=17613
- Nygaard, K. J. On the emission of H $\alpha$  radiation from self-sustained Townsend discharges in hydrogen, 4=18710
- Nygard, J.C. and Post, R.F. Recent advances in high power microwave electron accelerators for physics research, 2=5403
- Nygren, D.R. Method of constructing thin-foil spark chamber plates, 2=9760
- Nygren, P. See Berglund, S., 4=21523
- Nygren, T. See Agdur, B., 3=19204
- Nyholm, R.S. See Figgis, B.N., 0=21022
- Nyholm, R.S. See Figgis, B.N., 3=148
- Nykolaichuk, A.D. See Karyev, V.M., 4=3233
- Nylund, O. A gamma-ray density gauge for measuring water-steam mixtures, 3=4689
- Nymmm, U.Kh. See Kiis, V.I., 4=16231
- Nyr'kov, V.G. See Kushnir, Yu.M., 1=4648
- Nysäter, H. Dynamic measurements of low magnetic fields with special reference to the strong focusing 1.2 GeV electron synchrotron at Lund, 1=16476
- Nysten, K.E. Resonances in and gamma rays from  $\text{Mg}^{25}(\text{p}, \gamma)\text{Al}^{26}$ , 1=9861
- Nysten, K.E. See Simons, L., 1=17061
- Nystén, K.E. See Simons, L., 2=1842
- Nystén, K.E. See Simons, L., 3=8097
- Nystén, K.E. See Simons, L., 3=12668
- Nysten, K.E. See Simons, L., 3=14867
- Nystén, K.E. See Simons, L., 3=22307
- Nystén, K. E. See Simons, L., 4=9513



- Oades, G. C. Pion-nucleon scattering and the  $J = 2, T = 0$  pion-pion interaction, 4=3458
- Oakes, D. A. See Schamp, H. W., Jr, 0=3388
- Oakes, M. B. A note on the frictional boundary condition at the earth's surface in relation to a model of the general atmospheric circulation, 4=2190
- Oakes, M. B. See Davies, D. R., 3=3456
- Oakes, R. J. Magnetic shielding by superconducting films, 2=1336
- Oakes, R. J. Baryon-baryon interactions and the eightfold way, 3=24604
- Oakes, R. J. Unitary symmetry and electromagnetic interactions, 4=5963
- Oakes, R. J. and Yang, C. N. Meson-baryon resonances and the mass formula, 3=24782
- Oakes, R. J. See Berman, S. M., 4=3398
- Oakes, R. J. See Berman, S. M., 4=27822
- Oakes, R. J. See Griffy, T. A., 4=27827
- Oakes, R. J. See Hiida, K., 3=17345
- Oakes, R. J. See Jurisson, J., 2=22114
- Oakland, L. J. and Rossing, T. D. Coincident-current non-destructive readout from thin magnetic films, 0=3831
- Oates, G. and Wilson, D. V. The effects of dislocation locking and strain ageing on the fatigue limit of low-carbon steel, 4=10382
- Oates, W. See Truell, R., 3=23984
- Oates, W. A. See Todd, D. D., 4=21123
- Oba, J. and Gotō, T. Proton-proton scattering in the GeV region, 0=15352
- Obala, J. A mass-dispersion of speed relation for an isotropic cluster of stars, 4=15923
- Obala, J. Some relations expressing the moments of velocity for a globular cluster, 4=26918
- Obashev, S. O. An electromagnetic mechanism of heating solar prominences, 0=18758
- Obashi, M. Fine structures of X-ray K absorption spectra in some covalent complexes of the first transition series, 3=8609
- Obashi, M. See Sawada, M., 1=11386
- Obasi, G. O. P. Poleward flux of atmospheric angular momentum in the southern hemisphere, 4=13783
- Obata, H. See Yoshiyama, Y., 4=8005
- Obata, Y. Intensity variation of paramagnetic resonance lines of rare earth ions in garnet, 3=15937
- Obata, Y. Nuclear magnetic relaxation in transition metals, 3=25595
- Obata, Y. See Silverman, J. N., 3=12775
- Obayashi, H. On the possibility of the two-fermion interaction, 0=20038
- Obayashi, H. Motion of a charged particle in a static magnetic field with axial symmetry, 1=13131
- Obayashi, H. See Fukui, S., 2=13897
- Obayashi, H. See Fukui, S., 2=22665
- Obayashi, H. See Hayakawa, S., 4=2245
- Obayashi, T. The acceleration of particles in the outer atmosphere, 0=1981
- Obayashi, T. Very low-frequency spectra of atmospheric propagations through the ionosphere, 0=2010
- Obayashi, T. Measured frequency spectra of very-low-frequency atmospheric, 0=8426
- Obayashi, T. Physical state of outer atmosphere and the origin of radiation belts, 0=14270
- Obayashi, T. Geomagnetic pulsations and the earth's outer atmosphere, 0=18502
- Obayashi, T. A possibility of the long distance h.f. propagation along the exospheric field-aligned ionizations, 0=19946
- Obayashi, T. The S.I.D. effect on the v.h.f. scatter propagation associated with the great solar outburst of July 29, 1958, 0=21346
- Obayashi, T. Entry of high energy particles into the polar ionosphere, 0=21352
- Obayashi, T. Geomagnetic storms and the earth's outer atmosphere, 0=21379
- Obayashi, T. The acceleration of particles in the outer atmosphere, 1=2576
- Obayashi, T. V.L.F. spectra of atmospheric propagations through the ionosphere, 1=4119
- Obayashi, T. Propagation of solar cosmic rays through interplanetary magnetic field, 1=20956
- Obayashi, T. Entry of high energy particles into the polar ionosphere, 1=20957
- Obayashi, T. Solar corpuscular radiation and polar ionospheric disturbances, 2=2500
- Obayashi, T. Propagation of solar particles through interplanetary magnetic fields, 2=13917
- Obayashi, T. Propagation of solar corpuscles and interplanetary magnetic fields, 2=16261
- Obayashi, T. Particle precipitations and geomagnetic storms, 2=18206
- Obayashi, T. The solar geophysical events of November 1960, 2=18216
- Obayashi, T. Geomagnetic storm effects on charged particles, 2=18217
- Obayashi, T. Some notes on cosmic radiations and magnetic fields measured by Pioneer, V., 2=21680
- Obayashi, T. Widespread ionospheric disturbances due to nuclear explosions during October 1961, 3=9069
- Obayashi, T. Upper atmospheric disturbances due to high altitude nuclear explosions, 3=13696
- Obayashi, T. Wide-spread ionospheric disturbances due to nuclear explosions during October, 1961, 3=13738
- Obayashi, T. The electrical state of the upper atmosphere, 4=23790
- Obayashi, T. Streaming of solar particles between Sun and Earth, 4=26935
- Obayashi, T. Morphology of storms in the ionosphere, 4=29324
- Obayashi, T., Coroniti, S. C. and Pierce, E. T. Geophysical effects of high-altitude nuclear explosions, 0=3343
- Obayashi, T. and Hakura, Y. Enhanced ionization in the polar ionosphere caused by solar corpuscular emissions, 0=14223
- Obayashi, T. and Hakura, Y. Enhanced ionization in the polar ionosphere associated with geomagnetic storms, 0=16435
- Obayashi, T. and Hakura, Y. Polar ionospheric disturbances and solar corpuscular emissions, 1=9191
- Obayashi, T. and Hakura, Y. Propagation of solar cosmic rays through interplanetary magnetic field, 1=13541
- Obayashi, T. and Hakura, Y. Propagation of solar cosmic rays through interplanetary magnetic field, 1=13542
- Obayashi, T. and Hakura, Y. Solar corpuscular radiation and polar ionospheric disturbances, 1=15494
- Obayashi, T. and Hakura, Y. Polar ionospheric blackouts associated with intense solar flares, 1=20944
- Obayashi, T. and Hakura, Y. Propagation of solar cosmic rays through the interplanetary magnetic field, 2=3429
- Obayashi, T. and Hakura, Y. Enhanced ionization in the polar ionosphere caused by solar corpuscular emissions, 2=8996
- Obayashi, T. See Uyeda, H., 0=16412
- Obchinnikov, O. N. A laminar boundary layer on a plate situated in a non-uniform stream, 0=14591
- Ob'edkov, V. D. A variational method for constructing the polarization potential in collision theory, 3=713
- Ob'edkov, V. D. See Adamov, M. N., 4=20043
- Obenaus, F. Breakdown strength of thick insulating layers in non-uniform fields, 1=286
- Obenaus, F. Flash-over in air as a model for breakdown in insulating materials, 1=17848
- Obenshain, F. See Reier, M., 0=12983
- Obenshain, F. E. and Page, L. A. Strong electric field experiments on positronium in gases, 2=3325
- Obenshain, F. E. and Wegener, H. H. F. Mössbauer effect with  $Ni^{61}$ , 1=5830
- Obenshain, F. E. and Wegener, H. H. F. Mössbauer effect with  $Ni-61$ , 4=12582
- Obenshain, F. E. See Wegener, H. H. F., 1=9807
- Obenshain, F. E. See Wegener, H. H. F., 4=15135
- Ober, H. See Albers, W., 2=14940
- Oberai, M. M. Hypersonic, viscous, compressible flow in the shock layer of a rounded nose cone travelling in a moderately rarefied atmosphere, 4=11288
- Oberai, M. M. and Peyret, R. Spherically symmetric flow of a viscous gas in a gravitational field, 4=27204
- Oberdorfer, G. Special treatment of physical units with regard to their boundary position between quantities and pure numbers, 4=5005
- Oberg, P. and Lingsjö, J. Crystal film thickness monitor, 0=3481
- Oberg, P. E. Mechanical rate of deposition monitor, 4=253
- Oberg, P. E. See Horst, R. L., 3=2076
- Oberg, P. E. See Paul, M. C., 4=27361
- Oberg, P. E. See Toman, C. H., 4=20539
- Oberguggenberger, H. Registration of cosmic radiation by means of a counter telescope, 2=9943
- Oberhausen, E. See Onstead, C. O., 2=21749
- Oberholtzer, J. D. See Glaubman, M. J., 4=27972
- Oberholtzer, J. D. See Nelson, J. W., 2=1929
- Oberländer, S. A method for the qualitative discussion of solution curves for systems of differential equations, 1=6082



- Oberländer, S. Examples of application of the premission method to reaction-kinetic problems in solid-state physics, 1=19732
- Oberländer, S. See Böer, K.W., 1=6176
- Oberlin, M. See Pacault, A., 1=3764
- Oberly, J.J. Epitaxial films produced on germanium and silicon surfaces by the vacuum deposition of silver, 4=29188
- Oberly, W.N. and Roy, G.M. Nuclear power plants: how far can we go with B.W.R's?, 4=6408
- Obermair, G. Generalized exchange coupling, 3=16547
- Obermair, G. and Schwink, C. The magnetization and field of cylindrical bodies, 1=1955
- Oberman, C. On the radiations from co-operative phenomena in plasmas, 1=9632
- Oberman, C. and Dawson, J. Plasma stability criteria from conservation laws, 4=18988
- Oberman, C. and Ron, A. High-frequency conductivity of quantum plasma in a magnetic field, 3=14580
- Oberman, C., Ron, A. and Dawson, J. High-frequency conductivity of a fully ionized plasma, 3=7606
- Oberman, C. and Shure, F. High-frequency plasma conductivity in a magnetic field, 3=19244
- Oberman, C. See Dawson, J., 2=11667
- Oberman, C. See Dawson, J., 3=9769
- Oberman, C. See Guernsey, R., 4=21499
- Oberman, C. See Ron, A., 4=560
- Obermayer, K. See Klages, G., 4=5210
- Obermoeller, W.C. and Barker, W.A. Calculated specific heat contribution of  $F_2^-$  centers in  $LiF$ , 3=15439
- Obern timer, H. See Boer, K.W., 2=2263
- Oberski, J. See Wapstra, A.H., 2=12168
- Oberski, J.E.J. See Lark, N.L., 2=16330
- Oberst, E. Materials of extremely high internal damping, 0=19290
- Oberst, H. See Bohn, L., 1=1296
- Oberst, H. See Linhardt, F., 2=5127
- Obert, W.J. See Aebischer-Néoschil, 0=19370
- Obin-Lecourtois, A. See Fretter, W.B., 3=2301
- Obinyakov, B.A. See Sklyarevskii, V.V., 0=9673
- Obinyakov, B.A. See Sklyarevskii, V.V., 1=3427
- Oblogina, T.I. The form and spectrum of diffracted seismic waves, 4=24291
- Obodovskii, I.M. See Lyapidevskii, V.K., 4=784
- Obodovskii, M.M. See Lyapidevskii, V.K., 3=2171
- Oboukhov, A.M. Scattering of waves and microstructure of turbulence in the atmosphere, 0=12176
- Oboznyi, V.A. See Myaé, É.A., 3=24405
- Oboznyi, V.A. See Zhuravlev, A.A., 3=9889
- Oboznyi, V.A. See Zhuravlev, A.A., 3=24403
- Oboznyi, V.A. See Zhuravlev, A.A., 3=24404
- Obrazov, Yu.N. See Mocan, I.V., 2=23319
- Obraztsov, Yu.N., Mocan, I.V. and Smirnova, T.V. Phonon [part of the] transverse thermomagnetic Nernst effect in p-type germanium, 0=15823
- Obraztsov, Yu.N. See Drichko, I.L., 3=17820
- Obraztsov, Yu.N. See Mocan, I.V., 0=2873
- Obraztsov, Yu.N. See Mocan, I.V., 2=18757
- Obraztsov, Yu.N. See Mocan, I.V., 2=21204
- Obaidko, V.N. Excitation of the Ca II K line in the solar chromosphere, 2=977
- Obaidko, V.N. See Ioshpa, B.A., 4=5402
- Obaidko, V.N. The  $K_{232}$  line profile and the structure of the solar atmosphere, 4=2436
- O'Brien, E.J. Southern-hemisphere observations of sodium emission throughout twilight, 0=12200
- O'Brien, B.J. Direct observations of dumping of electrons at 1000-kilometer altitude and high latitudes, 2=17201
- O'Brien, B.J. Lifetimes of outer-zone electrons and theory precipitation into the atmosphere, 3=9118
- O'Brien, B.J. A large diurnal variation of the geomagnetically trapped radiation, 3=13811
- O'Brien, B.J. and de La Harpe, G. Portable airglow photometer, 0=8416
- O'Brien, B.J. and Laughlin, C.D. An extremely intense electron flux at 1000-kilometer altitude in the auroral zone, 3=1472
- O'Brien, B.J., Laughlin, C.D. and Van Allen, J.A. Geomagnetically trapped radiation produced by a high-altitude nuclear explosion on July 9, 1962, 3=5224
- O'Brien, B.J., Laughlin, C.D., Van Allen, J.A. and Frank, L.A. Measurements of the intensity and spectrum of electrons at 1000-kilometer altitude and high latitudes, 2=17200
- O'Brien, B.J. and Ludwig, G.H. Development of multiple radiation zones on October 18, 1959, 1=15328
- O'Brien, B.J., Van Allen, J.A., Laughlin, C.D. and Frank, L.A. Absolute electron intensities in the heart of the earth's outer radiation zone, 2=11087
- O'Brien, B.J., Van Allen, J.A., Roach, F.E. and Gartlein, C.W. Correlation of an auroral arc and a subvisible monochromatic 6300 Å arc with outer-zone radiation on November 28, 1959, 1=15308
- O'Brien, B.J. See Maehlum, B., 2=22687
- O'Brien, B.J. See Maehlum, B., 3=13812
- O'Brien, B.J. See Pieper, G.F., 3=7952
- O'Brien, B.J. See Pizzella, G., 2=24052
- O'Brien, B.J. See Rosser, W.G.V., 3=9115
- O'Brien, B.J. See Van Allen, J.A., 3=13809
- O'Brien, E.E. Turbulent transport of a passive scalar with a variable mean gradient, 2=13313
- O'Brien, E.E. Initial spectral behavior of a scalar field transported by turbulence, 3=18783
- O'Brien, E.E. and Pergament, S. Note on the unphysical spectral predictions of the joint normal distribution hypothesis, 4=16074
- O'Brien, E.J. and Litovitz, T.A. Ultrasonic relaxation near the Curie temperature of ferroelectric triglycine sulfate, 4=6728
- O'Brien, H.G. See Mesler, R.B., 2=5995
- O'Brien, J.F. See Wasley, R.J., 4=14258
- O'Brien, J.L. and Kuczynski, G.C. X-ray study of the kinetics of ordering in AuCu, 0=16316
- O'Brien, J.P. See Meiboom, S., 3=21648
- O'Brien, K., Lowder, W.M. and Solon, L.R. A semiempirical method for calculating the energy absorption buildup factor with an application to a uniformly contaminated space having spherical boundaries, 0=12892
- O'Brien, K.B. Automatic optical design of desired image distributions using orthogonal constraints, 4=29735
- O'Brien, K.B. See Mengers, P.E., 4=16214
- O'Brien, M.C.M. The E.S.R. spectrum of a  $d^9$  ion in an octahedral environment, 4=26365
- O'Brien, M.C.M. The dynamic Jahn-Teller effect in octahedrally co-ordinated  $d^9$  ions, 4=28867
- O'Brien, M.C.M. See Baker, J.M., 0=8088
- O'Brien, M.C.M. See Delbecq, C.J., 3=5044
- O'Brien, P.A. See Clarence, N.D., 1=20859
- O'Brien, R.N. Interferometer for electrochemical investigations, 4=21313
- O'Brien, R.R. See Kennedy, D.P., 2=2186
- O'Brien, V. Steady spheroidal vortices—more exact solutions to the Navier-Stokes equation, 1=12851
- O'Brien, V. Why raindrops break up—vortex instability, 1=20829
- O'Brien, V. Axi-symmetric magnetic fields and related problems, 3=12290
- O'Brien, V. Slow forced scalar transfer from falling drops, 4=134
- Obrink, K.J. See Bill, A., 0=12804
- Obrowsky, W. B2-phases of aluminium with transition metals of groups VII and VIII of the periodic table, 0=6357
- Obrowski, W. Studies of iron-ruthenium alloys, 0=6385
- Obsieger, R. Experimental investigations of the influence of low temperatures on the intensity of X-rays reflected from crystals, 4=4249
- Obstra, A.V. See Psar'ov, V.I., 4=4543
- Obukhov, A.A. Non-linearity of some ferroelectrics at high frequencies, 0=10018
- Obukhov, A.I. The asymmetric fission of uranium nuclei by high-energy protons, 0=13296
- Obukhov, A.I. Determination of the momentum and excitation energy acquired by a heavy nucleus on interaction with fast nucleon, 0=2689
- Obukhov, A.I. and Perfilov, N.A. Anisotropy in the fission of bismuth and uranium by 660 MeV protons, 1=19553
- Obukhov, A.I. and Perfilov, N.A. Anisotropy in the fission of bismuth and uranium by 660 MeV protons, 3=4679
- Obukhov, A.I. See Gorichev, P.A., 2=14151
- Obukhov, A.I. See Perfilov, N.A., 0=13297
- Obukhov, A.M. Some specific features of atmospheric turbulence, 3=3453
- Obukhov, A.S. See Kolotov, O.S., 4=16414
- Obukhov, B.I. and Mal'kov, A.I. Spark temperature at solid dielectric breakdown, 3=25408
- Obukhov, B.V. See Balats, M.Ya., 0=20567
- Obukhov, G.G. The effect of periodic irregularities in a relief on the dispersion curves of seismic surface waves, 4=264



- Obukhov, Yu.L. See Benda, F., 2=15971  
 Obukhov, Yu.L. See Kotov, V.I., 2=1540  
 Obukhov, Yu.L. See Zhuravlev, A.A., 3=9889  
 Obukhov, Yu.L. See Zhuravlev, A.A., 3=24404  
 Obukhov, Yu.V. See Alikhanov, A.I., 2=11969  
 Obukhov, Yu.V. See Alikhanov, A.I., 3=6024  
 Obukhov, Yu.V. See Babaev, A.I., 2=18147  
 Obukhov, Yu.V. See Babaev, A.I., 3=6025  
 Obukhov, Yu.V. See Babaev, A.I., 3=17298  
 Obukhov, Yu.V. See Balats, M.Ya., 0=9493  
 Obukhov, Yu.V. See Balatz, M.Ya., 1=4919  
 Obukhov-Denisov, V.V. and Cheremisniov, V.P. The Raman spectra and structure of glassy polyphosphate, 3=15695  
 Obukhov-Denisov, V.V. See Kitaeva, V.F., 2=17844  
 Obukhov-Denisov, V.V. See Kitaeva, V.F., 3=14558  
 Obukhov-Denisov, V.V. See Kolesnikov, V.N., 2=14219  
 Obukhov-Denisov, V.V. See Kolesnikov, V.N., 3=6360  
 Obukhova, E.S. See Rudnevskii, N.K., 3=24255  
 Obukhovskii, V.V. See Rakhman, B.M., 1=6462  
 Obuszko, Z. Magnetic balance for measuring the magnetic susceptibility of para- and ferromagnetics, 3=24422  
 Occhini, G. See Masani, A., 2=15369  
 Ochi, I. See Mizushima, Y., 3=15537  
 Ochi, O. See Mizushima, Y., 3=15538  
 Ochi, O. See Mizushima, Y., 4=7277  
 Ochi, O. See Mizushima, Y., 4=7278  
 Ochiai, H. See Wada, Y., 2=6732  
 Ochiai, Y. Essential characteristics of the ratio and product of the frequencies of the two principle formants in the perception of vowel sounds, 3=9294  
 Occhialini, G. See Heughebaert, J., 0=12753  
 Occhialini, G. See Igiuni, A., 0=12750  
 Occhialini, G. See K<sup>-</sup>-collaboration, 0=1308  
 O'Ceallaigh, See K<sup>-</sup>-collaboration, 0=1308  
 Occhieppo, K. Ferrari d'. See Ferrari d'Occhieppo, K.  
 Ochkin, D.V. See Nakhutin, I.E., 1=19418  
 Ochkin, D.V. See Ovechkin, V.V., 4=16858  
 Ochkur, A.P. See Sokolov, M.M., 0=12121  
 Ochkur, V.I. and Petrun'kin, A.M. Classical calculation of the probabilities of excitation and ionization of atoms by electron impact, 3=22492  
 Ochs, G.R., Farley, D.T., Jr., Bowles, K.L. and Bandyopadhyay, P. Observations of synchrotron radio noise at the magnetic equator following the high-altitude nuclear explosion of July 9, 1962, 3=16226  
 Ochs, G.R. See Bowles, K.L., 0=18490  
 Ochs, G.R. See Bowles, K.L., 2=16075  
 Ochs, G.R. See Carpenter, R.J., 2=16062  
 Ochs, G.R. See Klemperer, W.K., 4=13950  
 Ochs, G.R. See Sugar, G.R., 2=1601  
 Ochs, S.A. See Meyerhofer, D., 3=22976  
 Ochsenfeld, R. An optical magnetostriction measuring device, 0=3824  
 Ocken, H. and Aqua, E.N. A demonstration of a moiré pattern and a pure twist boundary model, 4=1502  
 Ockhur, V.I. The Born-Oppenheimer method in atomic collision theory, 4=3817  
 Ockman, N. and Sutherland, G.B.B.M. Infra-red and Raman spectra of single crystals of ice, 0=10044  
 Ockman, N. See Braunstein, R., 4=15584  
 O'Connell, D.J.K. The Green flash, 2=15199  
 O'Connell, J., Dyal, P. and Goldemberg, J. ( $\gamma, 2n$ ) reactions in light elements, 0=1432  
 O'Connell, J.S. Simple broad-range magnetic spectrometer, 2=1521  
 O'Connell, J.S., Tipler, P.A. and Axel, P. Elastic scattering of 11.5-17.7 MeV photons by Au measured with a bremsstrahlung monochromator, 2=10081  
 O'Connell, J.S. See Shannon, J., 4=15198  
 O'Connell, R.F. K shell internal conversion coefficients at threshold, 3=19803  
 O'Connell, R. F. and O'Raifeartaigh, L. On a generalisation of the Gell-Mann Rosenfeld triangle for  $\Sigma$ -decays, 4=9298  
 O'Connell, R.F. See Carroll, C.O., 4=6461  
 O'Connell, R.F. See Johnson, W.R., 2=536  
 O'Conner, J.R. A theory of thermoluminescence of fluorite (CaF<sub>2</sub>:Y). Radiative recombination from highly associated electron-hole pairs, 4=17600  
 O'Connor, A. See Frank, F.C., 0=16333  
 O'Connor, D. A simplified method of solution for a random walk problem of a few unequal steps, 0=4958  
 O'Connor, D. and Bońkowski, L. A universal double-crystal neutron spectrometer, 0=15369  
 O'Connor, D.A. The theory and operation of the rotating crystal slow neutron chopper, 1=5738  
 O'Connor, D.A. The effect of line broadening of Mössbauer resonant sources and absorbers on the resonance absorption, 3=12567  
 O'Connor, D.A. and Black, P.J. The theory of the nuclear resonant and electronic scattering of resonant radiation by crystals, 4=20166  
 O'Connor, D.A. and Butt, N.M. The detection of the inelastic scattering of gamma rays at crystal diffraction maxima using the Mössbauer effect, 4=13570  
 O'Connor, D.A. and Sosnowskii, J. Measurement of the slow neutron spectrum of a neutron beam from the W.W.R.S. reactor by means of a crystal neutron spectrometer, 1=10897  
 O'Connor, D.A. and Sosnowski, J. Parasitic multiple Bragg scattering in the neutron crystal spectrometer, 1=20498  
 O'Connor, D.A. See Black, P.J., 2=23038  
 O'Connor, D.A. See Black, P.J., 4=17113  
 O'Connor, D.A. See Black, P.J., 4=20165  
 O'Connor, D.A. See Black, P.J., 4=20167  
 O'Connor, D.A. See Moon, P.B., 4=30502  
 O'Connor, J.J. See Cali, J.P., 4=4729  
 O'Connor, J.R. Peltier coefficient at a solid-liquid interface, 0=19600  
 O'Connor, J.R. Silicon carbide, 0=20715  
 O'Connor, J.R. The use of thermoelectric effects during crystal growth, 1=14992  
 O'Connor, J.R. Phenomena at a solid-melt interface, 3=25679  
 O'Connor, J.R. and Bostick, H.A. Radiation effects in CaF<sub>2</sub>:Sm, 2=12597  
 O'Connor, J.R. and Chen, J.H. Color centers in alkaline earth fluorides, 3=16516  
 O'Connor, J.R. and Chen, J.H. Optical spectra of several d<sup>1</sup>-electron systems, 4=10167  
 O'Connor, J.R. and Hargreaves, W.A. Lattice energy transfer and stimulated emission from CeF<sub>3</sub>:Nd<sup>3+</sup>, 4=30093  
 O'Connor, L.P. and Large, R.S. Sensitivity of  $\beta$  counters to the  $\gamma$  and conversion spectra of certain  $\alpha$  emitters, 3=22110  
 O'Connor, L.P. See Barry, J.F., 0=5800  
 O'Connor, P.V. and Wolfendale, A.W. The characteristics of a solid iron magnet for use in a cosmic ray spectrograph, 0=15463  
 O'Connor, S. The rotational analysis of the (2,1), (0,0) and (0,1) bands of the <sup>1</sup>H-<sup>3</sup>Σ<sup>-</sup> system of OD<sup>+</sup>, 3=12829  
 O'Connor, T. See Hultberg, S., 1=5875  
 O'Connor, T.C. and Sharkey, W.P. Ionization equilibrium in maritime air, 1=12689  
 O'Connor, T.E. See Thomas, J.Jr., 3=11201  
 Oczkowski, G. See Neamtan, S.M., 2=18406  
 Oda. See Fukui, 1=2125  
 Oda, F. See Ackerman, E., 2=2845  
 Oda, J. Vapour growth of silicon-germanium crystals, 3=3281  
 Oda, M. Tokyo air shower project, 3=4515  
 Oda, M. and Hasegawa, H. On the configuration of relativistic particles generated by a supernova in the galactic arm, 2=17301  
 Oda, M. and Hasegawa, H. Propagation of cosmic rays in the galactic arm, 2=22666  
 Oda, M. and Tanaka, Y. Fine structure of the core of extensive air showers, 2=12075  
 Oda, M. See Fukui, S., 1=16111  
 Oda, M. See Hasegawa, H., 2=13929  
 Oda, M. See Hasegawa, H., 2=18207  
 Oda, M. See Hasegawa, H., 3=4496  
 Oda, M. See Higashi, S., 3=4523  
 Oda, M. See Higashi, S., 4=16989  
 Oda, N. and Suzuki, H. The energy spectra of secondary electrons in various materials irradiated by gamma rays from <sup>60</sup>Co and <sup>137</sup>Cs, 1=15120  
 Oda, T. Spectra from plasmas produced by magnetically driven shock waves, 4=24648  
 Oda, T., Furukane, U. and Hasikuni, M. Influence of transverse magnetic field on plasma in a radial discharge tube, 4=24645  
 Oda, T., Naya, S. and Taguchi, I. Matrix theoretical derivation of inequalities. II, 1=20491  
 Oda, T. See Horie, H., 4=30309  
 Oda, T. See Naya, S., 4=23366  
 Oda, T. See Naya, S., 4=23375  
 Oda, T. See Takeyama, H., 4=24307  
 Oia, Y. See Takeyama, M., 1=289  
 Oda, Y., Takeda, M., Hu, C. and Kato, S. Scattering of protons by silicon and sulphur, 0=20452



- Oda, Y., Takeda, M., Takano, N., Yamazaki, T., Hu, C., Kikuchi, K., Kobayashi, S., Matsuda, K. and Nagahara, Y. Elastic and inelastic scattering of protons from N, Ne, Mg, Si, S and Ar in the energy range from 7.6 MeV to 14.2 MeV. 1=8724
- Oda, Y. See Hu, C., 0=17607
- Oda, Y. See Hu, C., 0=20453
- Oda, Z., Sugiyama, K., Arata, H. and Kobayashi, A. Anomalous conduction of cleaned germanium surfaces at low temperatures. 2=23333
- Oda, Y. See Kobayashi, S., 1=8852
- Oda, Y. See Matsuda, K., 1=17095
- Oda, Z. See Kobayashi, A., 1=1048
- Oda, Z. See Kobayashi, A., 2=3894
- Oda, Z. See Mizushima, Y., 0=2188
- Odajima, A. Study of segmental motion in polymer solutions by nuclear magnetic resonance. 0=19166
- Odajima, A. Effects of distribution of correlation times upon  $T_1$  and  $T_2$  in nuclear magnetic resonance [of polymers], 1=7806
- Odajima, A. See Kawai, T., 1=14830
- Odajima, A. See Sasaki, M., 1=11602
- Ođani, H. See Fujita, H., 1=15168
- Odani, Y. Magnetic properties of cube-textured 6-81.3 Mo-Permalloy. 4=13214
- Odani, Y. and Gomi, Y. Observations of uniaxial anisotropy in ferromagnetic thin films by means of bitter technique. 2=6669
- Odani, Y. See Gomi, Y., 1=10156
- Odani, Y. See Gomi, Y., 1=15175
- Oddson, J.K. Diffusion of a magnetic field into a conductor, with a moving boundary condition. 3=17025
- Odé, H. See Biot, M.A., 2=14886
- Odeh, F. Uniqueness and existence of the solution to the static London-Maxwell equations in two dimensions. 3=7400
- Odeh, F. See Liniger, W., 3=9680
- Odeh, F. See Liniger, W., 4=5500
- Odeh, F.M. Principles of limiting absorption and limiting amplitude in scattering theory. I. Schrödingers' equation. 2=32
- Odeh, F.M. Principles of limiting absorption and limiting amplitude in scattering theory. II. The wave equation in an inhomogeneous medium. 2=33
- Odeh, F.M. An existence theorem for the BCS integral equation. 4=24486
- Odeh, F.M. On the integrodifferential equations of the nonlocal theory of superconductivity. 4=27410
- Odehnal, M. Nuclear polarization by electron paramagnetic resonance in paramagnetic crystals. 0=4506
- Odehnal, M. Proposal for maser with emission frequency higher than pumping frequency. 3=9991
- Odehnal, M. Forbidden lines in the hyperfine spectrum of the electron paramagnetic resonance of  $Mn^{2+}$  in  $BaTiO_3$ . 4=7330
- Odehnal, M. See Burget, J., 1=20192
- Odehnal, M. See Burget, J., 1=20247
- Odehnal, M. See Burget, J., 2=4247
- Odehnal, M. See Burget, J., 3=10114
- Odehnal, M. See Burget, J., 3=25580
- Odell, A., Rosenberg, A., Fink, R. D. and Wolfgang, R. Steric effect in hot hydrogen displacement reaction with isobutane. 4=26753
- O'Dell, A.W. See Homer, R.J., 0=17334
- O'Dell, A.W. See Homer, R.J., 2=9844
- O'Dell, A.W. See Homer, R.J., 4=16933
- O'Dell, A.W. See McFarlane, W.K., 3=17276
- O'Dell, C.R. Emission-band and continuum photometry of comet Burnham, 1959 k. 1=10383
- O'Dell, C.R. A distance scale for planetary nebulae based on emission line fluxes. 2=15382
- O'Dell, C.R. The evolution of the central stars of planetary nebulae. 4=2370
- O'Dell, C.R. and Osterbrock, D.E. Emission-band and continuum photometry of comet Seki (1961f). 3=3551
- O'Dell, E.W. See Hofstadter, R., 4=19470
- O'Dell, F.W., Shapiro, M.M. and Stiller, B. Abundance ratio of lithium, beryllium and boron to the heavier primary nuclei in the cosmic radiation. 1=3321
- O'Dell, F.W., Shapiro, M.M. and Stiller, B. Relative abundances of the heavy nuclei of the galactic cosmic radiation. 2=12060
- O'Dell, F.W. See Hildebrand, B., 1=3320
- O'Dell, T.H. The field invariants in a magneto-electric medium. 3=17811
- O'Dell, T.H. The electrodynamics of magneto-electric media. 3=2855
- Oden, L., Henderson, D. and Coleman, J. Quantum cell model for hard spheres. 4=18088
- Odencrantz, F.K. Electromagnetic effects from high-altitude nuclear explosions. 4=2326
- Odencrantz, F.K. and Cronin, H.E. 6300A airglow induced by hydromagnetic waves from a thermonuclear explosion. 4=13823
- Odencrantz, F.K., Lee, J.B. and Devereaux, H.L. Visible sodium airglow on the night of January 30-31, 1960. 3=9096
- Odencrantz, F.K., St., Amand, P. and Moore, J.G. Zenith airglow observations during the high altitude nuclear explosion of July 9, 1962. 3=13778
- Odencrantz, F.K. See Moore, J.G., 1=21050
- Odenthal, D.W. Simultaneous dichotic frequency discrimination. 1=6665
- Odera, M. Photoprotons from sodium. 3=4617
- Odera, M. and Yamamuro, N. Angular distribution of photo-protons from Al and Cu. 3=10326
- Odera, M. See Mikumo, T., 1=9881
- Odera, M. See Mikumo, T., 1=9882
- Odescalchi, M.U. See Ascoli, A., 0=3174
- Odgers, G.J. and Stewart, R.W. Possible mechanisms of single and multiple star formation. 0=10514
- Odian, A., Stoppini, G. and Yamagata, T. Low-energy neutral pion photoproduction in  $H_2$  and He. 0=20209
- Odian, A. See Alberigi-Quaranta, A., 3=7879
- Odian, A. See Blumenthal, R.B., 4=9473
- Odian, A. See Del Fabbro, R., 4=25088
- Odian, A.C. See Bernardini, G., 1=5792
- Odian, A.C. See Stein, P.C., 0=13260
- Odian, G. and Bernstein, B.S. Monomers improve radiation cross-linking in polymers. 3=22618
- Odian, G. and Chandler, H.W. Radiation-induced graft polymerization. 3=8959
- Odier, M. On some laboratory applications of progressive chemical machining. 1=1624
- Oding, I.A. and Aleksanyan, I.T. Mechanical properties of copper films. 4=7416
- Oding, I.A., Ivanova, V.S. and Liberov, Yu.P. Basic assumptions for establishing a correlation between the criteria for static and cyclic strengths of metals. 3=23347
- Oding, I.A., Nikonov, A.G. and Mar'yanovskaya, T.S. Influence of cyclic loading on the threshold of cold brittleness in carbon steel. 2=16966
- Oding, I.A., Nikonov, A.G. and Mar'yanovskaya, T.S. Influence of cyclic loading on the threshold of cold brittleness in carbon steel. 2=21439
- Oding, I.A. and Zubarev, P.V. The effect of  $\gamma$ -radiation on high temperature strength of low-carbon steels. 2=19005
- Oding, I.A. and Zubarev, P.V. The effect of  $\gamma$ -radiation on high temperature strength of low-carbon steels. 2=23775
- Odintsov, A.I. Hyperfine structure and isotopic shift in the Tl I spectrum. 1=2295
- Odintsov, A.I. Measurement of the oscillator strength of the resonance line of calcium by the absorption method in an atomic beam. 3=19932
- Odintsov, A.I. See Korolev, F.A., 0=11508
- Odintsov, D.D. Dependence of sputtering of single crystals on the direction of incident particles. 3=19374
- Odintsov, D.D. See Mashkova, E.S., 4=3035
- Odintsov, D.D. See Mashkova, E.S., 4=25983
- Odintsov, V.I. An atomic beam as light source for studying spectra of gases. 2=110
- Odintsov, V.I. The use of reflected light in work with a Fabry-Perot etalon. 2=11494
- Odintsov, V.I. See Korolev, F.A., 4=28133
- Odiot, S. Study of the correlations between the positions of electrons. 0=11484
- Odiot, S. and Saint-James, D. Paramagnetic diffraction of neutrons by rare-earth ions. 1=20054
- Odle, R.L. See Flynn, C.P., 3=9371
- Odom, W.J. See Savage, W.R., 2=21955
- Odom, W.J. See West, F.G., 3=14722
- O'Donnel, E.A. and Lukaszewski, G.M. The powder method of X-ray analysis and its applications. IV. The interpretation of powder photographs. 3=16065
- O'Donnell, A. and Lukaszewski, G.M. The powder method of X-ray analysis and its applications. III. The Debye Scherrer powder camera. 3=6943
- O'Donnell, P.J. Covariant description of the photo-disintegration of the deuteron. 4=9306
- O'Donnell, P.J. See Donnachie, A., 4=19603
- O'Donnell, R.M., Frisch, D.H. and Smith, S.R. High resolution differential Čerenkov counter. 4=16743



- Odqvist, F.K.G. Membrane creep of circular plates, 0=6310  
 Odqvist, F.K.G. Non-steady membrane creep of circular plates, 0=13911  
 Odqvist, F.K.G. and Hult, J. Some aspects of creep rupture, 2=4342  
 O'Driscoll, E. S. Simple and pure shear, 4=23711  
 O'Dwyer, J.J. High-temperature dielectric breakdown of alkali halides, 1=1140  
 O'Dwyer, J.J. See Lloyd, P., 3=17665  
 O'Dwyer, J.J. See Lloyd, P., 3=23773  
 O'Dwyer, J.J. See Lloyd, P., 4=2579  
 O'Dwyer, M.F., El-Bayoumi, M.A. and Strickler, S.J. Observation of anomalous phosphorescence-fluorescence intensity ratio in excitation of upper electronic states of certain aromatic hydrocarbons, 2=10628  
 Oechsli, R. See Hill, R.M., 1=12988  
 Oechsner, H. See Fetz, H., 0=14980  
 Oechsner, H. See Fetz, H., 4=19124  
 Oehler, E. See Vogt, E., 4=17624  
 Oehlschl  gel, H. K. See Burgdorf, W., 4=26990  
 Oehme, R. Some analytic properties of the vertex function, 0=5470  
 Oehme, R. Partial wave dispersion relations for meson-nucleon scattering, 0=9409  
 Oehme, R. Continuation of scattering amplitudes and form factors through two-particle branch lines, 1=5685  
 Oehme, R. Resonance poles and the reaction matrix, 1=8424  
 Oehme, R. Two channel reactions in relativistic dispersion theory, 1=9737  
 Oehme, R. Regge poles in relativistic Schr  dinger theory, 2=18074  
 Oehme, R. Moving poles and elementary particles, 3=4345  
 Oehme, R. Regge trajectories and elementary poles, 3=10048  
 Oehme, R. The problem of branch-point trajectories in the complex angular momentum plane, 3=14908  
 Oehme, R. On a model for high energy scattering, 4=15058  
 Oehme, R. Weak currents and broken unitary symmetry, 4=21773  
 Oehme, R. Complex angular momentum in elementary particle scattering, 4=27801  
 Oehme, R. and Segr  , G. On the commutation relations of weak currents, 4=27795  
 Oehme, R. and Tiktopoulos, G. Complex angular momentum in relativistic dispersion theory, 2=22438  
 Oehme, R. See Bernstein, J., 1=12125  
 Oehme, R. See Bremermann, H.J., 0=7267  
 Oehme, R. See Freund, P.G.O., 3=22121  
 Oehme, R. See Freund, P.G.O., 3=22153  
 Oehme, R. See Freund, P.G.O., 3=10045  
 Oehme, R. See Freund, P.G.O., 3=17295  
 Oehme, R. See Freund, P.G.O., 3=17321  
 Oehme, R. See Goldberger, M.L., 0=15293  
 Oehrl, W. Theory of electromagnetic wave propagation in the direction of a magnetic field for cylindrical plasmas, 4=515  
 Oel, H.J. Viscosity of glass at low temperatures, 4=4683  
 Oelkrug, D. See Kort  m, G., 4=17556  
 Oelsner-Ryde, K. See Persson, L., 2=10068  
 Oelsner-Ryde, K. See Persson, L., 3=19823  
 Oelsner-Ryde, K. See Persson, L., 3=22342  
 Oelsner-Ryde, K. See Ryde, H., 3=2414  
 Oelsner-Ryde, K. See Ryde, H., 3=2415  
 Oelsner-Ryde, K. See Ryde, H., 4=3614  
 Oen, O.S., Holmes, D.K. and Robinson, M.T. Ranges of energetic atoms in solids, 3=10571  
 Oen, O.S. and Robinson, M.T. The effect of channeling on displacement cascade theory, 3=13019  
 Oen, O. S. and Robinson, M. T. Monte Carlo range calculations for a Thomas-Fermi potential, 4=25977  
 Oen, O.S. See Leibfreid, G., 2=15458  
 Oen, O.S. See Robinson, M.T., 2=6039  
 Oen, O.S. See Robinson, M.T., 3=22879  
 Oen, O. S. See Robinson, M. T., 4=6891  
 Oertel, G. On the structure of caesium-bismuth photocathodes, 1=15142  
 Oertel, G. Measurements of the conductivity and photosensitivity of the systems K-Sb and Cs-Sb in thin films, 3=8495  
 Oertel, G. Sensitive null-balance pressure transducer, 4=2516  
 Oertel, G. and Leidel, O. A simple apparatus for producing cinematic electron diffractographs, 4=20776  
 Oertel, G. See Griem, H.R., 2=3698  
 Oertel, G. K. Photons in magnetic fields, 4=21817  
 Oertel, K. See Witzmann, H., 3=10993  
 Oertle, D.H. See Radd, F.J., 0=18276  
 Oertle, F. See L  thi, B., 4=9846  
 Oeschger, H. See Geiss, J., 1=12744  
 Oeschger, H. See Geiss, J., 2=4752  
 Oeschger, H. See Geiss, J., 4=25230  
 Oeschger, H. See Gfeller, C., 2=4751  
 Oeschger, H. See Gfeller, C., 2=22750  
 Oeschger, H. See Renaud, A., 3=24887  
 Oeser, J. See Crannell, H., 1=679  
 Oeser, J. See Crannell, H., 1=10965  
 Oeser, J. See Kendall, H.W., 3=10333  
 Oestreicher, H. L. On acoustic wave propagation in horns, 4=14280  
 Oestreicher, H.L. See Cole, J.N., 3=9569  
 Oettinger, R. The excitation of hearing by sustained sounds and by short impulses, 0=3364  
 Oettinger, R. The limits of audibility for frequency and tone number variations in sound pulses, 1=1611  
 Oettinger, R. and Hauser, H. Electrical chain network to investigate the mechanical vibrations of the inner ear, 2=2579  
 Oettinger, R. See Feldtkeller, R., 0=18533  
 Oetjen, R.A., Bell, E.E., Young, J. and Eisner, L. Spectral radiance of sky and terrain at wavelengths between 1 and 20 microns. II. Instrumentation, 1=1511  
 Oetjen, R.A. See Bell, E.E., 1=1512  
 Oetjen, R.A. See Eisner, L., 2=4590  
 Oetken, L. See J  ger, F.W., 4=8459  
 Oetting, F. L. Low-temperature heat capacity and related thermodynamic functions of propylene oxide, 4=22496  
 Oetting, F. L. and McDonald, R. A. The thermodynamic properties of magnesium orthophosphate and magnesium pyrophosphate, 4=9860  
 Oetzmann, W. See Bloess, D., 3=9406  
 Ofelt, G.S. Intensities of crystal spectra of rare-earth ions, 2=18831  
 Ofelt, G.S. Structure of the  $f^8$  configuration with application to rare-earth ions, 3=15292  
 Ofenhenden, R.H. See Pasechn  k, M.V., 1=16229  
 Ofer, S., Avivi, P., Bauminger, R., Marinov, A. and Cohen, S.G. Nuclear resonance absorption in  $Dy^{161}$  situated in  $Dy_2O_3$  and dysprosium iron garnet, 0=17920  
 Ofer, S., Khurgin, B., Rakavy, M. and Nowik, I. Magnetic hyperfine interactions and relaxation phenomena in paramagnetic  $Dy_2O_3$ , 4=28777  
 Ofer, S. and Schwarzschild, A. Nuclear resonance fluorescence with solid sources:  $Mg^{24}$ ,  $Si^{28}$ ,  $Cr^{52}$ ,  $Sr^{86}$  and  $Ce^{140}$ , 0=413  
 Ofer, S. and Schwarzschild, A. Nuclear resonance fluorescence in  $Ce^{140}$ , 0=1367  
 Ofer, S. See Bauminger, R., 1=7769  
 Ofer, S. See Bauminger, R., 1=9037  
 Ofer, S. See Bauminger, R., 1=11454  
 Ofer, S. See Bauminger, S., 2=1777  
 Ofer, S. See Bauminger, R., 4=12581  
 Ofer, S. See Burde, J., 2=1803  
 Ofer, S. See Cohen, S.G., 4=4009  
 Ofer, S. See Cohen, S.G., 4=20172  
 Ofer, S. See Elwyn, A., 0=4100  
 Ofer, S. See Elwyn, A.J., 1=720  
 Ofer, S. See Kaplan, N., 4=15163  
 Ofer, S. See Nowik, I., 4=1343  
 Ofer, S. See Nowik, I., 4=3966  
 Offenbacher, E.L. Visiting Foreign Staff Project (V.F.S.P.) at Temple University, 0=3429  
 Offenbacher, E.L. 1960 visiting foreign staff project (V.F.S.P.) Temple University, 1=4227  
 Offenbacher, E.L. See Levin, E.R., 0=10011  
 Offergeld, G. See Gilles, J.M., 2=12547  
 Ofengenden, R.G. and Konenko, L.D. Multichannel amplitude analyser for the simultaneous measurement of several spectra, 3=1922  
 Ofenhenden, R.H. Principle of design of a multichannel pulse analyser, 3=21686  
 Ofenhenden, R.H. See Berezin, F.N., 3=21687  
 Ofer, S. See Bauminger, R., 3=994  
 Ofer, S. See Kaplan, N., 3=8002  
 Offenberger, A. See Smy, P.R., 3=9773  
 Offergeld, G. and Van Cakenberghe, J. Determination of the composition at congruent fusion of binary semi-conductors by differential thermal analysis. Application to  $Bi_2Te_3$ ,  $Sb_2Te_3$  and  $Bi_2Se_3$ , 0=12081  
 Offergeld, G. See Hatwell, H., 4=13489  
 Offerhaus, M.J. Theory of transport and relaxation phenomena in a gas mixture. I-III, 1=15953



- Offerhaus, M.J. A note on Kihara's method for calculating transport coefficients of a gas, 2=5060
- Offerhaus, M.J. Theory of relaxation phenomena in a monatomic gas, I, 2=5061
- Offerhaus, M.J. Theory of relaxation phenomena in a monatomic gas, II, 2=5062
- Offerhaus, M.J. Theory of relaxation phenomena in a monatomic gas, III, 2=5063
- Offerhaus, M.J. Theory of relaxation phenomena in a monatomic gas, IV, 2=5064
- Offner, A. A null corrector for paraboloidal mirrors, 3=7305
- Offret, S. A contribution to the study of the influence of the adsorption of gas on the electrical conductivity of very thin metallic films, 1=17611
- Offret, S. and Vodar, B. Effect of the adsorption of gas on the electrical conductivity of very thin metallic films prepared under very high vacuum, 3=15549
- Offret, S. See Sen Sik Minn, 1=17612
- Offret, S. See Sen Sik Minn, 1=17613
- O'Friel, Z. See Alumkal, A., 0=17575
- O'Friel, Z. See Barkow, A.G., 3=17312
- O'Friel, Z. See Kane, G., 3=7946
- Ofte, D. and Wittenberg, L. J. Viscosity of bismuth, lead, and zinc to 1000°C, 4=5160
- Oganesian, Yu. Ts., Lobanov, Yu. V., Markov, B.N. and Flerov, G.N.  $\gamma$ -radiation from high spin nuclei, 3=24986
- Oganesyan, A.G. See Ispiryay, K.A., 3=14500
- Oganesyan, K.O. and Yarka, V.A. Spectra of charged mesons emitted at an angle of 90° in n-p collisions involving ~ 600 MeV neutrons, 4=9208
- Oganesyan, K.O. See Kiselev, V.S., 0=2550
- Oganesyan, R.S. The prevailing orientation of fragments formed by stratification of a homogeneous gravitating medium in a magnetic field, 1=17999
- Oganesyan, R.S. Gravitational instability of a layer relative to two-dimensional transverse disturbances, 2=16
- Oganesyan, R.S. See Vardanyan, V.A., 3=2112
- Oganesyan, R.S. See Vardanyan, V.A., 4=4849
- Oganesyan, Y. See Indreas, G., 2=7687
- Oganesyan, Yu. See Indreash, G., 3=4228
- Oganesyan, Yu. Ts. The range-energy relation for the ions  $C^{12}$ ,  $N^{14}$ ,  $O^{16}$ , in aluminium, copper and gold in the energy interval 50-110 MeV, 0=1171
- Oganesyan, Yu. Ts. See Flevov, G.N., 0=7497
- Oganesyan, Yu. Ts. See Indreash, G., 2=7688
- Oganesyan, Yu. Ts. See Indreash, G.I., 2=11738
- Oganesyan, Yu. Ts. See Indreash, G., 3=24419
- Oganesyan, Yu. Ts. See Karnaukhov, V.A., 0=13250
- Oganesyan, Yu. Ts. See Polikanov, S.M., 3=24984
- Oganezov, K.A. and Shvangiradze, R.R. Intensity distribution in the rotational structure of spectra of isotopic nitrogen molecules and isotopic analysis, 1=19633
- Oganezov, K.A. See Shvangiradze, R.R., 0=15713
- Oganezov, K.A. See Shvangiradze, R.R., 3=1953
- Oganezov, K.A. See Shvangiradze, R.R., 3=16922
- Oganov, M.N. See Akhmatov, A.P., 1=4628
- Oganov, M.N. See Nastyukha, A.I., 1=16432
- Ogasahara, T. See Yasukochi, K., 4=16365
- Ogasawara, K. See Ozawa, M., 3=14512
- Ogasawara, K. See Sugiyra, M., 4=29957
- Ogasawara, M. Relaxation of velocity distribution of ions in a plasma, 3=4111
- Ogasawara, M. Collisional damping of plasma oscillation, 3=24311
- Ogata, H. Angular distributions of the reaction  $F^{19}(p, \alpha)O^{16}$  at 8.0 ~ 14.2 MeV, 0=20443
- Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A. and Kumabe, I. Energy dependence of angular distributions of the reaction  $Al^{27}(p, \alpha)Mg^{24}$  in the energy region between 10.5 and 14.5 MeV, 1=11006
- Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A. and Kumabe, I. Angular distributions of the reactions  $Co^{59}(p, \alpha)Fe^{58}$  at 7.7-14.1 MeV and  $Mn^{55}(p, \alpha)Cr^{53}$  at 7.6-12.9 MeV, 1=11012
- Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A. and Kumabe, I. Numerical differential cross-sections of the (p,  $\alpha$ ) reactions on  $Al^{27}$ ,  $Mn^{55}$ , and  $Co^{59}$ , 2=10099
- Ogata, H. See Kimura, K., 2=5898
- Ogata, H. See Kumabe, I., 0=20435
- Ogata, H. See Kumabe, I., 3=24934
- Ogata, H. See Kumabe, I., 3=24935
- Ogata, H. See Kumabe, I., 4=15236
- Ogata, K. See Matsuda, H., 4=21585
- Ogata, T. Relation between angular distribution of shower particles and motion of fire ball, 4=15119
- Ogata, T. See Akashi, M., 2=12083
- Ogata, T. See Yamada, K., 4=7918
- Ogata, Y. See Tsukamoto, K., 0=21337
- Ogawa, A. and Sone, Y. On the commencement of the Hartmann flow of conducting fluid, 1=16508
- Ogawa, H. See Kikuchi, S., 1=7113
- Ogawa, H. See Suwa, S., 0=19856
- Ogawa, I. Waveforms and pulse-height distributions of the grid pulses from gridded ionization chambers, 2=3198
- Ogawa, I. On the resonance acceleration of a charged particle in a modulated magnetic field, 3=474
- Ogawa, I. and Abe, N. Electron cyclotron resonances in a radio-frequency ion source, 2=20039
- Ogawa, I. and Doke, T. The double-grid ionisation chamber, 1=13211
- Ogawa, I., Doke, T. and Tsukuda, M. The double-grid ionization chamber, 2=5507
- Ogawa, K. Preparation of anodic oscillator tube using glow discharge, 0=7090
- Ogawa, K. Anodic oscillation in glow discharge. I. Simple correspondences of the internal phenomena to the oscillation, 1=285
- Ogawa, K. The observation of oscillating anode glow by means of high-speed camera, 2=5315
- Ogawa, K. Anodic oscillation in glow discharge. II. The gap properties analogous to an ordinary electric oscillator with linear circuit elements, 2=5316
- Ogawa, K. and Maddin, R. Direct observations of dislocations in molybdenum and molybdenum-rhenium alloys, 3=22781
- Ogawa, K. and Maddin, R. Signal phase precipitates in Mo-Re alloys, 4=29013
- Ogawa, K. and Maddin, R. Transmission electron-microscopic studies of twinning in Mo-Re alloys, 4=23308
- Ogawa, K. and Matsuura, K. Non-linear effects in plasma oscillations, 4=11656
- Ogawa, K. See Adachi, T., 2=16212
- Ogawa, K. See Hasegawa, A., 4=23420
- Ogawa, K. See Kato, K., 4=14681
- Ogawa, K. See Kojima, S., 4=14713
- Ogawa, K. See Matsuura, K., 4=8755
- Ogawa, K. See Terashima, Y., 0=13075
- Ogawa, M. Vibrational isotope shifts of absorption bands of  $N_2$  in the spectral region 720-830 Å, 4=22362
- Ogawa, M. and Cairns, R.B. The absorption of hydrogen Lyman gamma radiation by molecular nitrogen, 4=26787
- Ogawa, M. and Tanaka, Y. Rydberg absorption series of  $N_2$ , 3=4754
- Ogawa, M. and Tanaka, Y. New emission bands of forbidden systems of nitrogen in the vacuum ultraviolet region, 0=5955
- Ogawa, M. See Tanaka, Y., 2=6177
- Ogawa, M. See Tanaka, Y., 2=16524
- Ogawa, M. See Tanaka, Y., 4=22364
- Ogawa, S. A possible symmetry in Sakata's composite model, 0=15255
- Ogawa, S. Antiferromagnetism in  $KMnF_3$ , 1=1247
- Ogawa, S. The electron paramagnetic resonance of  $Mn^{2+}$  ions surrounded by an octahedron of fluorine ions, 1=11480
- Ogawa, S. Magnetic transition in  $TiCl_3$ , 1=14671
- Ogawa, S. Weak ferromagnetism of  $NaNiF_3$ , 1=14702
- Ogawa, S. E.S.R. Spectra of irradiated polyvinylalcohol and its related compounds, 1=20226
- Ogawa, S. A possible symmetry in Sakata's composite model, 2=16133
- Ogawa, S. On the anti-phase domain structures in ordered alloys, 3=1357
- Ogawa, S. and Fessenden, R.W. Ring inversion in cyclohexyl radical, 4=28278
- Ogawa, S. and Ohi, K. Zeeman quadrupole spectra in p-dichlorobenzene and p-chlorobenzoic acid, 1=8857
- Ogawa, S. and Morimoto, S. Nuclear magnetic resonance of  $Fe^{57}$  in fine powdered iron, 2=2307
- Ogawa, S. and Morimoto, S. Nuclear magnetic resonance of  $Fe^{57}$  in various ferrimagnetic oxides, 2=16939
- Ogawa, S., Morimoto, S. and Kimura, Y. Nuclear magnetic resonance of  $Fe^{57}$  in lithium ferrite and magnetite, 3=8733
- Ogawa, S. and Oka, S. Theory of electric birefringence in dilute solutions of tobacco mosaic virus, 1=8121
- Ogawa, S., Watanabe, D., Watanabe, H. and Komoda, T. Anti phase domains in gold-copper-zinc ordered alloys revealed by electron microscope, 0=21235



- Ogawa, S. and Yokozawa, Y. Paramagnetic resonance of manganese in  $KMnF_3$ , 1=1262
- Ogawa, S. See Fujime, S., 4=23434
- Ogawa, S. See Fujimoto, Y., 2=11910
- Ogawa, S. See Fukano, Y., 0=21238
- Ogawa, S. See Ikeda, M., 0=20053
- Ogawa, S. See Ikeda, M., 1=3119
- Ogawa, S. See Ikeda, M., 1=10845
- Ogawa, S. See Ikeda, M., 1=10846
- Ogawa, S. See Ikeda, M., 1=13324
- Ogawa, S. See Ikeda, M., 2=11911
- Ogawa, S. See Ino, S., 2=16996
- Ogawa, S. See Ino, S., 4=29070
- Ogawa, S. See Iwasaki, H., 1=11579
- Ogawa, S. See Nagasawa, A., 1=11530
- Ogawa, S. See Oka, S., 4=26479
- Ogawa, S. See Sato, K., 3=3321
- Ogawa, S. See Takahashi, M., 1=2480
- Ogawa, S. See Takahashi, M., 1=11438
- Ogawa, S. See Takahashi, M., 1=20103
- Ogawa, S. See Takahashi, M., 3=1068
- Ogawa, S. See Watanabe, D., 3=1351
- Ogawa, S. See Yamaguchi, S., 2=17047
- Ogawa, S. See Yamaguchi, S., 3=13532
- Ogawa, T. The structure of the atmospheric electric field, 0=18521
- Ogawa, T. Types of diurnal variation of the air-earth current, 0=18522
- Ogawa, T. Diurnal variation in atmospheric electricity, 1=1514
- Ogawa, T. Electricity in rain, 1=1515
- Ogawa, T. Measurement of the electrical conductivity and dielectric constant without contacting electrodes, 1=8286
- Ogawa, T. The texture of vapour phase grown ZnS crystals, 2=6354
- Ogawa, T. Internal friction of CdS crystal caused by photoconductivity, 2=10739
- Ogawa, T. Ionosphere observations by Doppler effect, 2=17156
- Ogawa, T. A circularly polarized maser oscillator, 3=9989
- Ogawa, T. See Saga, S., 1=15229
- Ogawa, Y. See Kurobe, T., 4=685
- Ogaza, S. See Božek, E., 1=13728
- Ogaza, S. See Božek, E., 1=16984
- Ogaza, S. See Božek, E., 2=20557
- Ogaza, S. See Božek, E., 3=24905
- Ogaza, S. See Božek, E., 4=1049
- Ogaza, S. See Božek, E., 4=25317
- Ogaza, S. See Karlsson, E., 2=12137
- Ogborn, L.L. See Friedlaender, F.J., 3=25528
- Ogbuehi, P.O. and Onwumechilli, A. Recent measurements of the magnetic field of the equatorial electrojet in Nigeria, 3=25938
- Ogbuehi, P.O. See Onwumechilli, A., 2=11092
- Ogburn, F. and Newton, C. Relation of partial (110) pole figures to thickness and microstructure of electrodeposited copper, 4=7669
- Ogburn, F., Paretzkin, B. and Peiser, H.S. Pseudopentagonal twins in electrodeposited copper dendrites, 4=23306
- Ogburn, F. See Giron, L., 1=20523
- Ogburn, F. See Reid, W.E., Jr., 0=4699
- Ogden, C.P. See Corkill, J.M., 3=9433
- Ogden, H.R. See Holden, F.C., 0=8143
- Ogden, H.R. See Ratliff, J.L., 4=23220
- Ogden, H.R. See Williams, D.N., 4=17771
- Ogden, J.S. See Alexander, C.A., 4=5474
- Ogden, P.M. See Hinrichs, C.K., 2=18142
- Ögder, M. See Kutlu, H., 1=5025
- Ogg, R.A., Jr. See Franconi, C., 1=12308
- Ogg, R.A., Jr. See Ortenburger, I.E., 0=14969
- Oggero, M. See Robotti, A.C., 2=11635
- Oggero, M. See Robotti, A.C., 3=407
- Oggero, M. See Robotti, A.C., 3=408
- Oggero, M. See Robotti, A.C., 3=409
- Oggioni, R. and Spinolo, G. Luminescence of pure and Cu-doped alkali halide single crystals, 3=20505
- Oggioni, R. See Fieschi, R., 3=23130
- Ogier, W.T., Lucas, G.J., Murray, J.S. and Holzer, T.E. Soft X-ray production by 1.5 MeV protons, 4=17593
- Ogier, W.T. See Wild, R.L., 1=5107
- Ogievetskii, V.I. See Grishin, V.G., 0=20062
- Ogievetskii, V.I., Okonov, E.O. and Podgoretskii, M.I. Note on the properties of K-meson pairs, 3=2319
- Ogievetskii, V.I. and Podgoretskii, M.I. Certain interference phenomena in  $K^0\bar{K}^0$  systems, 3=15031
- Ogievetskii, V.I. and Polubarinov, I.V. Wave-equations with zero and non-zero rest masses, 0=9301
- Ogievetskii, V.I. and Polubarinov, I.V. A gauge invariant formulation of neutral vector field theory, 1=19090
- Ogievetskii, V.I. and Polubarinov, I.V. Gauge transformations of Green's functions, 1=19155
- Ogievetskii, V.I. and Polubarinov, I.V. On the meaning of gauge invariance, 2=7811
- Ogievetskii, V.I. and Polubarinov, I.V. A gauge invariant formulation of neutral vector field theory, 2=22387
- Ogievetskii, V.I. and Polubarinov, I.V., Quantum electrodynamics in terms of electromagnetic field intensities, 3=14856
- Ogievetskii, V.I. and Polubarinov, I.V. The theory of a neutral vector field of spin 1, 4=3291
- Ogievetskii, V.I. and Polubarinov, I.V. Interacting spin 1 fields and symmetry properties, 4=9117
- Ogievetskii, V.I. and Polubarinov, I.V. On choosing vector field propagators, 4=27743
- Ogievetskii, V.I. See Chzhou Guan-chzhao [Chou Kuang-Chao], 0=11221
- Ogievetskii, V.I. See Grishin, V.G., 0=20091
- Ogievetskij, V.I. and Polubarinov, I.V. Interacting fields of definite spins, 4=3273
- Ogievetskij, V.I. and Polubarinov, I.V. Interacting fields of spin 1 and symmetry properties, 4=9118
- Ogievetskij, V.I. and Ting-Chang, H. Possibility of hyper-nuclei of large strangeness, 4=25270
- Ogievetskij, V.I. See Kopylov, G.L., 4=9254
- Ogihara, H. and Ikegami, S. Some phenomena of poling process in reduced  $BaTiO_3$  crystal, 2=18775
- Ogilvie, A. See Childs, B.G., 4=22664
- Ogilvie, G.J. The surface structure of silver crystals after argon-ion bombardment, 0=4311
- Ogilvie, G.J. Bombardment of metals by inert-gas ions, 0=19803
- Ogilvie, G.J. and Ridge, M.J. The cathodic sputtering of silver, 0=3815
- Ogilvie, G.J., Sanders, J.V. and Thomson, A.A. The bombardment of gold films by inert gas ions, 3=10707
- Ogilvie, G.J. and Thomson, A.A. Influence of temperature and bombardment rate on disorientation of silver single crystals by ion bombardment, 1=17591
- Ogilvie, K.W. The half-value period of radium C'  $Po^{214}$ , 1=3407
- Ogilvie, K.W. Solar protons, 4=26937
- Ogilvie, K.W., Bryant, D.A. and Davis, L.R. Rocket observations of solar protons during the November 1960, events, 1, 2=12091
- Ogilvie, K.W., Bryant, D.A. and Davis, L.R. Rocket observations of solar protons during the November 1960 events, 2=13900
- Ogilvie, K.W., McIlwraith, N., Zwally, H.J. and Wilkerson, T.D. A probe for the interplanetary plasma, 4=20965
- Ogilvie, K.W. and Winn, M.M. Evidence for cosmic ray energy spectrum changes during a Forbush decrease, 0=5638
- Ogilvie, K.W. See Campbell, M.J., 2=12079
- Ogilvie, K.W. See Campbell, M.J., 2=13935
- Ogilvie, K.W. See Campbell, M.J., 3=17372
- Ogilvie, K.W. See Davis, L.R., 1=10937
- Ogilvie, K.W. See Davis, L.R., 2=16259
- Ogilvie, K.W. See Davis, L.R., 2=16260
- Ogilvie, K.W. See Fichtel, C.E., 3=10189
- Ogilvie, K.W. See Herz, A.J., 0=854
- Ogilvie, K.W. See Herz, A.J., 1=3307
- Ogilvie, K.W. See Murdoch, H.S., 0=2457
- Ogilvie, K.W. See Murdoch, H.S., 1=2120
- Ogilvie, K.W. See Winn, M.M., 0=4928
- Ogilvie, R.E. Parafocusing diffractometry, 4=7594
- Ogilvie, R.E. See Brown, D.B., 4=11738
- Ogilvie, R.E. See Elion, H.A., 2=20086
- Ogilvie, R.E. See Hanneman, R.E., 2=10429
- Ogilvie, R.E. See Lin, S.T., 3=15791
- Ogilvie, R.E. See Teeg, R.O., 2=4322
- Ogilvie, R.E. See Ziebold, T.O., 3=18466
- Ogimoto, J. See Kunimasa, T., 4=21850
- Ogimoto, T. Macroscopic causality and lower limit for the momentum derivative of the scattering phase shift, 1=10857
- Ogimoto, T. Macroscopic causality and lower limit for the energy derivative of the scattering phase shift, 2=3279
- Ogimoto, T. Continuation of S-matrix into second Riemann sheet, 2=11900



- Ogimoto, T. Relations among pole residues of scattering amplitudes in multichannel scattering, 3=17216
- Ogimoto, T. Construction of the Jost function including inelastic processes, 4=25043
- Ogimoto, T. and Shimizu, T. On the heavy meson production in the  $\pi^- \rightarrow$  proton reaction, 0=11204
- Ogimoto, T. and Yamaguchi, Y. Some remarks on the charged mesic decay of  $\Lambda H^3$ , 0=13155
- Ogimoto, T. and Yamamoto, K. Removal of ghost-pole and unitarity of S-matrix, 1=3115
- Ogimoto, T. See Abe, H., 4=30188
- Ogimoto, T. See Kanko, T., 3=10062
- Ogimoto, T. See Kitazoe, T., 3=10063
- Ogimoto, T. See Konisi, G., 0=14516
- Ogimoto, T. See Konisi, G., 0=18955
- Ogimoto, T. See Konisi, G., 0=20071
- Ogimoto, T. See Konisi, G., 3=19581
- Ogino, Y. See Yamaguchi, J., 1=14301
- Ogiso, S. See Hayashi, H., 4=30798
- Ogiso, S. See Nakayama, N., 4=23983
- Ogita, N. See Fukui, 1=2125
- Ogita, N. A study on the extensive air showers, 2=9959
- Ogita, N. See Akashi, M., 2=12083
- Ogita, N. See Fujimoto, Y., 1=7296
- Ogita, N. See Fukuda, H., 0=15475
- Ogita, N. See Fukuda, H., 1=3297
- Ogita, N. See Fukuda, H., 3=4511
- Ogita, N. See Hayakawa, S., 1=3296
- Ogita, N. See Imai, T., 2=13919
- Ogita, N. See Ueda, A., 0=11265
- Ogita, N. See Ueda, A., 0=15473
- Ogland, J. W., Baugh, C. W. and Horn, W. E. Cathodoluminescence for  $\text{CaWO}_4$ :Nd laser pumping, 4=19310
- Ogle, H. M. In-reactor tests of plasma diodes, 4=27465
- Ogle, K. N. Blurring of the retinal image and contrast thresholds in the fovea, 0=6515
- Ogle, K. N. Foveal contrast thresholds with blurring of the retinal image and increasing size of test stimulus, 1=12721
- Ogle, K. N. Peripheral contrast thresholds and blurring of the retinal image for a point light source, 2=1032
- Ogle, K. N. Blurring of retinal image and foveal contract thresholds of separated point light sources, 2=21763
- Ogle, K. N. Stereoscopic depth perception and exposure delay between images to the two eyes, 4=4986
- Ogle, K. N. and Reiher, L. Stereoscopic depth perception from after-images, 3=9306
- Oglobin, A. A. On the mechanism of the (d, t) reaction, 4=1105
- Ogloblin, A. A. and Chuev, V. I. Measurement of triton spectra in nuclear reactions, 2=20440
- Ogloblin, A. A. See Vlasov, N. A., 0=9638
- Ogloblin, A. A. See Vlasov, N. A., 0=9639
- Ogloblin, A. A. See Vlasov, N. A., 0=9640
- Ogloblin, A. A. See Vlasov, N. A., 1=728
- Ogloblin, A. A. See Vlasov, N. A., 1=17142
- Ogloblin, A. A. See Vlasov, N. A., 1=17149
- Ogloblin, A. A. See Vlasov, N. A., 2=14133
- Ogorelec, Z. See Celustka, B., 2=18678
- Ogorodnik, A. F. See Barchuk, I. F., 2=14170
- Ogorodnik, A. F. See Pasechnik, M. V., 4=1149
- Ogreba, A. A. See Barashenkov, V. S., 1=13404
- Ogreba, A. A. See Barashenkov, V. S., 3=571
- Ogryzlo, E. A. and Schiff, H. I. Electrically discharged  $\text{CO}_2$  as a source of oxygen atoms, 0=6404
- Ogryzlo, E. A. See Arnold, S. J., 4=20056
- Ogryzlo, E. A. See Elias, L., 0=2332
- Ogrzewalski, Z., Rzesot, T., Warda, E. and Graffstein, A. Measurements of neutron diffusion parameters in water using a fast-chopper, 4=9216
- Oguchi, H. Blunt body viscous layer with and without a magnetic field, 0=14671
- Oguchi, H. The sharp leading edge problem in hypersonic flow, 2=2742
- Oguchi, T. Theory of spin-wave interactions in ferro- and antiferromagnetism, 0=2984
- Oguchi, T. The equivalence of Hamiltonians of Holstein-Primakoff and Dyson in spin-wave theory in ferromagnetics, 1=14680
- Oguchi, T. Antiferromagnetic ground state, 3=25548
- Oguchi, T. Antiferromagnetic linear chain with spin 1/2, 4=4388
- Oguchi, T. Exchange interactions in  $\text{Cu}(\text{NH}_4)_2\text{SO}_4 \cdot \text{H}_2\text{O}$ , 4=10245
- Oguchi, T. and Honma, A. Theory of ferro- and antiferromagnetic resonance absorption, 1=12552
- Oguchi, T. and Honma, A. Theory of ferro- and antiferromagnetism by the method of Green functions, 3=15767
- Oguchi, T. and Keffer, F. Theory of the Overhauser effect in ferro- and antiferromagnets, 4=17691
- Oguchi, T. See Keffer, F., 0=1817
- Oguchi, T. See Keffer, F., 0=1837
- Oguchi, T. See Keffer, F., 0=6223
- Oguey, H. J. Mechanical model for uniaxial magnetic anisotropy, 0=13810
- Oguey, H. J. Analysis of the frequency and power performances of tunnel diode generators, 4=19203
- Ogura, H. and Yoshida, Y. Cavity theory of Fabry-Perot resonator, 4=29765
- Ogura, I. Crystal growth of vacuum evaporated thin films of sodium chloride on the cleavage surface of mica, 2=8786
- Ogura, I. See Shimazu, M., 4=19314
- Ogura, S., Mukae, M., Imamura, G., Fujita, H., Yokota, Y., Gotoh, M., Akiba, T. and Nagai, A. 300 keV Cockcroft-Walton type neutron generator, 4=30226
- Ogura, Y. Energy transfer in a normally distributed and isotropic turbulent velocity field in two dimensions, 2=9239
- Ogura, Y. Energy transfer in an isotropic turbulent flow, 2=24015
- Ogura, Y. Convection of isolated masses of a buoyant fluid: a numerical calculation, 3=5549
- Ogura, Y. The evolution of a moist convective element in a shallow, conditionally unstable atmosphere: a numerical calculation, 4=7828
- Ogura, Y. and Phillips, N. A. Scale analysis of deep and shallow convection in the atmosphere, 2=17132
- Oguri, T. Chemisorption of nitrogen on tungsten, 4=4702
- Oguri, T. Chemisorption of nitrogen on molybdenum, 4=13694
- Oguri, T. Studies on chemisorption of nitrogen on tungsten with the field emission microscope, 4=13695
- Oguri, T. and Kanomata, I. Studies on chemisorption of nitrogen on molybdenum with the field emission microscope, 4=29195
- Ogurtani, T. O. See Stoebe, T. G., 4=17697
- Ogurtsov, G. N. and Flaks, I. P. Charge exchange of  $\text{Xe}^{3+}$  and  $\text{Xe}^{4+}$  in neon, 2=15891
- Ogurtsov, G. N. and Flaks, I. P. Charge exchange of  $\text{Xe}^{3+}$  and  $\text{Xe}^{4+}$  in neon, 3=5630
- Ogurtsov, G. N. See Flaks, I. P., 2=154
- Ogurtsov, G. N. See Flaks, I. P., 2=3718
- Ogurtsov, G. N. See Flaks, I. P., 3=366
- Ogurtsov, G. N. See Flaks, I. P., 3=2583
- Ogurtsov, G. N. See Flaks, I. P., 3=7426
- Ogurtsov, G. N. See Flaks, I. P., 4=8628
- Ogurtsov, K. I. The calculation of wave fields in elastic homogeneous media with plane parallel dividing boundaries, 3=16690
- Ogurtsov, O. F. See Kotelnikov, K. A., 3=6096
- Ogurtsov, V. V. See Barkov, L. M., 3=6080
- Ogurtsova, L. A. See Kutsyna, L. M., 4=11207
- Ogurtsova, N. N., Podmoshenskii, I. V. and Shelemina, V. M. Characteristics of the plasma jet of a powerful capillary discharge, 4=19071
- Ogushi, T., Goto, T., Mitsuoka, T., Onodera, Y., Oizumi, J., Muto, Y., Fukuroi, T. and Shibuya, Y. Three terminal active element using the tunnelling effect between the superconductors, 3=24151
- Oguti, T. On the earth storms. V. Inter-relations among the upper atmosphere disturbance phenomena over the polar regions, 1=15355
- Oguti, T. Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone. II. Spiral pattern of the polar aeronomical disturbances, 3=23611
- Oguti, T. Geomagnetic bay disturbance and simultaneous increase in ionospheric absorption of cosmic radio noise in the auroral zone, 4=23818
- Oguti, T. and Nagata, T. Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone, 2=4670
- Oguti, T., Tohmatsu, T. and Nagata, T. Inter-relations among aurora, sporadic ionization and magnetic disturbance, 2=13043
- Oguti, T. See Fukushima, N., 3=13830
- Oguti, T. See Nagata, T., 0=14179
- Oguti, T. See Nagata, T., 1=21104
- Oguzer, T. An empirical relation between the frequency and the velocity of axial propagation in long solenoids, 4=24851
- O'Halloran, T. See Chinowsky, W., 3=4457
- O'Halloran, T. See Goldhaber, S., 2=22635
- O'Halloran, T. See Goldhaber, G., 3=24791



- O'Halloran, T. See Slater, W., 2=3403
- Ohama, T. See Kimura, K., 2=5898
- Ohana, N. See Weinreb, A., 4=28621
- Ohanian, M. J. and Daitch, P. B. Eigenfunction analysis of thermal-neutron spectra, 4=25107
- Ohara, S. Negative resistance due to Ramsauer-effect in plasmas, 3=5635
- Ohara, S. Negative resistance in rare gases, 3=21449
- O'Hara, S. Dislocations in webs of germanium and silicon, 4=12749
- O'Hara, S. Zinc tungstate crystal growth, dislocations, and crystallography, 4=15477
- O'Hara, S. and Bennett, A. I. Web growth of semiconductors, 4=13533
- O'Hara, S. See Bennett, A. I., 2=21486
- O'Hara, S. See Gibbons, T. B., 0=16211
- O'Hara, S. See Melngailis, J., 2=21076
- Ohara, T. Longitudinal magnetoresistance effect of single-crystals of biogen-iron at low temperatures, 4=1563
- O'Hare, P. A. G. See Mackle, H., 3=14210
- O'Hare, P. A. G. See Mackle, H., 4=8494
- O'Hare, P. A. G. See Mackle, H., 4=18246
- Ohashi, N. See Ogaki, K., 3=22736
- Ohba, Y. Radiation from a current filament clad by an anisotropic plasma sheath, 3=19438
- Ohba, Y. Diffraction by a conducting circular cylinder clad by an anisotropic plasma sheath, 3=19446
- Ohba, I. See Kobayashi, T., 4=25029
- Ohme, R. See Iizuka, J., 2=9923
- Ohh, S. Note on solute diffusion in face-centered cubic metals, 1=17554
- Ohh, S. and Carroll, K. G. Thickness of anodic oxide films by electron microscopy, 0=3279
- Ohi, K. and Nakamura, T. Domain walls caught in sudarés in Rochelle salt crystal, 3=2959
- Ohi, K. See Nakamura, T., 1=11533
- Ohi, K. See Nakamura, T., 1=12393
- Ohi, K. See Nakamura, T., 1=14971
- Ohi, K. See Nakamura, T., 3=25657
- Ohi, K. See Ogawa, S., 1=8857
- Ohigashi, S. See Nagao, F., 1=18668
- Ohji, M. On four-point dynamical equations in homogeneous turbulence, 2=19525
- Ohji, M. Effect of a very strong uniform magnetic field on magneto-fluid dynamic turbulence, 4=30033
- Ohkawa, T., Forsen, H. K., Schupp, A. A., Jr. and Kerst, D. W. Toroidal discharge experiments with rapid programming, 3=19247
- Ohkawa, T. and Kerst, D. W. Stable plasma confinement by multipole fields, 1=13091
- Ohkawa, T. and Kerbst, W. D. Multipole magnetic field configurations for stable plasma confinement, 2=3044
- Ohkawa, T., Schupp, A. A., Jr., Voorhies, H. G. and Duesterhoeft, W. C., Jr. Plasma injection into a multipole field, 4=5648
- Ohkawa, T. See Kerst, D. W., 0=19837
- Ohki, K. A quantum chemical picture of biosynthesis, 2=7049
- Ohkohchi, M. See Taoka, T., 3=18972
- Ohkubo, Y. Electron spin resonance spectra of divalent manganese ions in natural apatite single crystals, 4=10326
- Ohkura, H. Experimental studies on electronic trapping processes associated with dislocation lines in alkali halide crystals, 1=14271
- Ohkura, H. and Awane, K. On a centers in coloured KCl crystals, 1=11233
- Ohkura, H., Awane, K. and Miyamoto, S. On the F<sup>+</sup>F<sup>-</sup> conversion in the presence of A-, M-, R-, and Z<sub>1</sub>-centers, 1=11236
- Ohkura, H. and Murase, K. Electron spin resonance of the M centre in potassium chloride, 2=3966
- Ohkura, H. and Murase, K. Electron spin resonance of electron-excess color centers in KCl crystals, 3=23234
- Ohkura, H., Murase, K. and Sugimoto, H. Electron spin resonance of the A center in KCl crystals, 2=21365
- Ohkura, H. and Nagata, S. Trapping role of the M centre in coloured KCl crystal, 2=18619
- Ohkura, H. and Uchida, T. On the reversible optical conversion between A- and B-centres in coloured KCl, 1=17572
- Ohkura, H. See Onuki, M., 1=11232
- Ohl, A. I. Pulsations during sudden commencements of magnetic storms and long-period pulsations in high latitudes, 2=15285
- Ohl, G. On techniques for linear and parabolic smoothing of observed data, 0=10549
- Ohl, G. See Scheibe, A., 0=2092
- Ohlendorf, W. Penetration of a glow discharge into cracks, 2=9550
- Ohlendorf, W. See Barrault, M. R., 4=21524
- Ohlendorf, W. See Weizel, W., 0=9016
- Ohlin, P. and Händel, S. Experiments with a low inductance high vacuum X-ray flash tube set, 0=17295
- Ohlin, P., Siegbahn, K., Sundström, T. and Svennerstedt, S. Studies of neutron production in linear deuterium pinches, 1=749
- Ohlin, P. See Berglung, S., 0=17645
- Ohlmann, R. C. and Charles, R. G. Fluorescence properties of europium dibenzoylmethide and its complexes with Lewis bases, 4=22934
- Ohlmann, R. C. and Tinkham, M. Antiferromagnetic resonance in FeF<sub>3</sub> at far-infrared frequencies, 1=11469
- Ohlmann, R. C. See Murphy, J., 4=30539
- Ohlsen, G. G. Electroproduction of pions from hydrogen and deuterium, 0=17402
- Ohlsen, G. G. and Shamu, R. E. The elastic scattering of deuterons by carbon, 3=22413
- Ohlsen, G. G. and Young, P. G. Deuteron-alpha elastic scattering, 4=15108
- Ohlsen, G. G. See Shamu, R. E., 3=15099
- Ohlsen, G. G. See Young, P. G., 3=17281
- Ohlsen, G. G. See Young, P. G., 4=15112
- Ohlsen, W. D. and Holcomb, D. F. Low-temperature paramagnetic relaxation of color centers in KCl, 2=14471
- Ohm, E. A. See De Grasse, R. W., 0=3855
- Ohmae, A. Tentative compound model for all baryons and mesons, 1=515
- Ohmae, A. On mass formula of elementary particles, 1=13367
- Ohmae, A. On mass formula and new image of elementary particles, 1=16667
- Ohmae, A. On the new constant and the strangeness, 1=16668
- Ohmae, A. See Ouchi, T., 4=9077
- Ohman, G. P. Universal curves for the horizontal polarization reflection coefficient, 2=22344
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish Astrophysical Station in Anacapri in the year 1958, 0=6599
- Ohman, Y. On the possibility of measuring radiation by using thermomagnetic effects below and close to the Curie point, 0=19494
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish astrophysical station in Anacapri in the year 1959, 1=4200
- Ohman, Y. Polarized thermal emission from narrow tungsten filaments, 2=122
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish Astrophysical Station in Anacapri in the year 1960, 2=9079
- Ohman, Y. Optics in Sweden, 2=13422
- Ohman, Y. A sensitive visual photometer for solar research, 3=9140
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish astrophysical station in Anacapri in the year 1961, 3=9221
- Ohman, Y. and Ahnström-Sandgren, B. A solar flare photometer using a Savart polariscope, 1=15400
- Ohman, Y., Lindgren, A. and Lindgren, U. A photometric study of activations of prominences probably due to moving disturbances on the sun, 3=9222
- Ohman, Y. and Rydgren, B. Measuring radiation with the Cahn automatic electrobalance, 4=2884
- Ohman, Y. See Agdur, B., 3=13159
- Ohmori, Y. See Kimura, K., 2=5898
- Ohmura, H., Ejiri, H., Nakajima, Y., Horie, K., Etoh, K., Ohuchi, A. and Nogami, Y. Resonance levels in the reactions <sup>28</sup>Si(p, γ)<sup>28</sup>P, <sup>28</sup>Si(p, γ)<sup>28</sup>P and <sup>30</sup>Si(p, γ)<sup>31</sup>P, 1=13801
- Ohmura, H. and Ohmura, T. Coulomb energy of He<sup>3</sup> and charge distribution of nucleon, 3=613
- Ohmura, H. See Ejiri, H., 4=17046
- Ohmura, H. See Etoh, K., 2=1888
- Ohmura, H. See Ohmura, T., 0=7076
- Ohmura, H. See Ohmura, T., 0=9752
- Ohmura, H. See Ohmura, T., 1=2277
- Ohmura, H. See Sakai, M., 0=5665
- Ohmura, T. Minimum property in the Hulthén-type variational methods, 0=5498
- Ohmura, T. Stationary expression for effective range, 0=5499
- Ohmura, T. Effect of hard cores on the binding energies of H<sup>3</sup> and He<sup>3</sup>. Corrected values, 0=17433
- Ohmura, T. Effect of the finite size of the proton on the Coulomb energy of the He<sup>3</sup>, 1=2105
- Ohmura, T. Variational method for scattering length, 1=15700



- Ohmura, T. Evaluation of free-free absorption coefficient of the negative hydrogen ion, 4=25563
- Ohmura, T., Hara, Y. and Yamanouchi, T. Low energy electron-hydrogen scattering, 0=11503
- Ohmura, T., Hara, Y. and Yamanouchi, T. Note on the low energy electron-hydrogen scattering, 0=20578
- Ohmura, T. and Ohmura, H. Free-free absorption coefficient of the negative hydrogen ion, 0=7076
- Ohmura, T. and Ohmura, H. Continuous absorption due to free-free transitions in hydrogen, 1=2277
- Ohmura, T. and Ohmura, H. Electron-hydrogen scattering at low energies, 0=9752
- Ohmura, T. See Hara, Y., 1=12260
- Ohmura, T. See Nakamura, S., 0=14465
- Ohmura, T. See Ohmura, H., 3=613
- Ohmura, Y. and Matsudaira, N. Influence of Coulomb correlation on the scattering of X-ray by an electron gas. I. R.P.A. approximation, 4=30012
- Ohnesorge, A. See Adler, P., 4=19521
- Ohnishi, H. and Teranishi, T. Crystal distortion in copper ferrite-chromite series, 1=12378
- Ohnishi, H., Teranishi, T. and Miyahara, S. On the transition temperature of copper ferrite, 0=1807
- Ohnishi, H. See Takeda, Y., 4=18960
- Ohnishi, H. See Uchida, T., 2=15905
- Ohnishi, Shun-ichi and Nitta, I. E.s.r. study of free radicals produced in irradiated cyclopentadiene and cyclohexene; the cyclopentadienyl and cyclohexenyl radicals, 4=6640
- Ohnishi, S., Sugimoto, S. and Nitta, I. Temperature dependence of the e.s.r. spectrum of irradiated oriented polyethylene, 2=23022
- Ohnishi, S., Sugimoto, S. and Nitta, I. Photoinduced change of organic free radicals as studied by e.s.r. I. Conversion of allyl-type to alkyl-type radicals in irradiated polyethylene, 4=4712
- Ohnishi, S., Tanei, T. and Nitta, I. E.S.R. study of free radicals produced by irradiation in benzene and its derivatives, 3=2670
- Ohnishi, S. See Akasaka, K., 4=20591
- Ohnishi, T. Contraction of actin with A.T.P., 4=4965
- Ohnishi, T. The physical properties of skis, 4=23230
- Ohnishi, T. Measurement of the forces playing between the ski and the foot, 4=24117
- Ohnishi, T., Imai, N. and Oosawa, F. Interaction between rod-like polyelectrolytes, 1=8114
- Ohnishi, T. and Kawamura, H. Role of contractile proteins and phospholipids in active transport of cations in erythrocyte membranes, 4=13981
- Ohno, A. Cluster expansion of relaxation function and its application to the theory of pressure broadening, 2=3689
- Ohno, E. See Hagihara, S., 2=11963
- Ohno, K. See Sasaki, F., 3=23785
- Ohno, K. See Tsuchida, A., 3=22565
- Ohno, K.A. See McWeeny, R., 0=7786
- Ohno, R. Behaviour of sulfur in cast iron, 3=11300
- Ohno, T. See Nagami, H., 4=9614
- Ohnuki, Y., Maki, Z. and Yamamoto, H. Quantum mechanical approach to the composite model of elementary particles, 2=11912
- Ohnuki, Y., Takao, Y. and Umezawa, H. On the redundant solutions of the Bethe-Salpeter equation, 1=3130
- Ohnuki, Y. See Hara, O., 0=11202
- Ohnuki, Y. See Hara, O., 0=15250
- Ohnuki, Y. See Ikeda, M., 0=20053
- Ohnuki, Y. See Ikeda, M., 1=3119
- Ohnuki, Y. See Ikeda, M., 2=11911
- Ohnuki, Y. See Ishii, C., 0=9326
- Ohnuki, Y. See Kaneko, T., 4=3317
- Ohnuki, Y. See Maki, Z., 1=3120
- Ohnuki, Y. See Maki, Z., 1=12120
- Ohnuki, Y. See Maki, Z., 2=11909
- Ohnuki, Y. See Maki, Z., 4=30153
- Ohnuki, Y. See Mutsuro, N., 0=20476
- Ohnuki, Y. See Mutsuro, N., 1=2206
- Ohnuki, Y. See Takabayasi, T., 4=9257
- Ohnuma, H. See Huang, K.K., 3=17472
- Ohnuma, H. See Huang, K.K., 3=19843
- Ohnuma, H. See Kamitsubo, H., 4=15385
- Ohnuma, H. See Kobayashi, S., 4=25116
- Ohnuma, H. See Yagi, K., 2=16397
- Ohnuma, H. See Yamazaki, T., 2=20571
- Ohnuma, S. On the small-angle scattering of high-energy protons, 1=13417
- Ohnuma, S. Mass of a neutral vector meson and p-p scattering, 1=16707
- Ohnysty, B. and Rose, F. K. Thermal expansion measurements on thoria and hafnia to 4500°F, 4=30525
- Ohnysty, B. See Golding, R.D., 3=892
- Ohori, Y. See Robbins, R. F., 4=12653
- Ohorodnyk, A. F. See Barchuk, I. F., 2=18104
- Ohoyama, T. X-ray and magnetic studies of the manganese-germanium system, 1=20043
- Ohoyama, T., Kanematsu, K. and Yasukochi, K. A new intermetallic compound FeGe, 4=7621
- Ohoyama, T., Yasukochi, K. and Kanematsu, K. A new phase of an intermetallic compound Mn<sub>3</sub>Ge and its magnetism, 1=15144
- Ohoyama, T. See Kanematsu, K., 1=14761
- Ohoyama, T. See Kanematsu, K., 2=16891
- Ohoyama, T. See Kanematsu, K., 4=1833
- Ohoyama, T. See Kanematsu, K., 4=4330
- Ohoyama, T. See Kimura, R., 1=20114
- Ohoyama, T. See Kimura, R., 2=21551
- Ohoyama, T. See Yasukochi, K., 1=1249
- Ohoyama, T. See Yasukochi, K., 1=12544
- Ohoyama, T. See Yasukochi, K., 1=14682
- Ohoyama, T. See Yasukochi, K., 1=14764
- Ohoyama, T. See Yasukochi, K., 3=1005
- Ohr, S. M. and Beshers, D. N. Crystallography of dislocation networks in annealed iron, 3=20200
- Ohring, G. Theoretical estimates of the average surface and atmospheric temperatures of mars, 3=18607
- Ohring, G., Wen Tang and DeSanto, G. Theoretical estimates of the average surface temperature on Mars, 3=7022
- Ohrn, Y. and Nordling, J. On the calculation of some atomic integrals containing functions of  $\vec{r}_{12}$ ,  $\vec{r}_{13}$ , and  $\vec{r}_{23}$ , 4=1177
- Öhrn, Y. See Reid, C. E., 4=12333
- Ohshio, M., Fukushima, N. and Nagata, T. Solar flare effect on geomagnetic variation, 4=10775
- Ohta, K. Time decrease of magnetic permeability in some mixed ferrites, 1=12540
- Ohta, K. Magnetocrystalline anisotropy and magnetic permeability of Mn-Zn-Fe ferrites, 3=20619
- Ohta, K., Hoshino, M. and Araki, Y. Measurement on magnetocrystalline anisotropy of Mn-Zn-Fe ferrites, 2=18919
- Ohta, K. and Yamadaya, T. Induced magnetic anisotropy and disaccommodation of manganese-zinc ferrites, 3=1034
- Ohta, K. See Azuma, K., 4=4621
- Ohta, M. and Hashimoto, F. Clustering in Al-Zn-Mg alloys, 4=28995
- Ohta, M. and Hashimoto, F. Effect of copper or silver on the clustering in Al-10 wt.% Zn alloys, 4=17753
- Ohta, M. and Hashimoto, F. Effect of magnesium on the clustering of Al-Zn-Mg alloys, 4=17754
- Ohta, M., Nishihara, H. and Deguchi, Y. The  $S_4$  and few-group diffusion calculations of fast reactors, 4=12303
- Ohta, M. See Araki, G., 0=1470
- Ohta, M. See Araki, G., 0=2711
- Ohta, M. See Araki, G., 0=20547
- Ohta, M. See Hashimoto, F., 4=28994
- Ohta, M. (T).  $^6\text{Li}$  emission from nuclear disintegrations produced by 4.3 GeV negative  $\pi$ -mesons, 1=15834
- Ohta, M. T. Multiple meson production in nucleon-nucleon interactions at energies around 200 GeV, 3=24711
- Ohta, T. Effect of charged dislocation on the thermoelectric power of semiconductors, 1=10070
- Ohta, T. Theory of Seebeck effect in plastically deformed semiconductors, 1=17807
- Ohta, T. Phonon-drag Seebeck effect in a strong magnetic field. I. Longitudinal case, 3=25424
- Ohta, T. Phonon-drag Seebeck effect in a strong magnetic field, 3=25246
- Ohta, T. Thermal resistivity maximum of superconductors in the intermediate state and the Peltier cooling below 4°K, 4=5499
- Ohta, T. Phonon-drag Seebeck effect in a transverse magnetic field, 4=26159
- Ohta, T. and Miyakawa, T. Line shapes of interband magneto-optical absorption in the semiconductors, 1=1148
- Ohta, T. and Miyakawa, T. Collision broadening of the Landau levels, 1=12365
- Ohta, T., Nagae, M. and Miyakawa, T. Theory of line-shapes of interband magneto-optical absorption in semiconductors, 1=5823
- Ohta, T. See Yamashita, T., 1=17692
- Ohtani, K. See Nakano, T., 4=13531



- Ohtsubo, A., Haseda, T. and Kanda, E. Adiabatic demagnetization of  $\text{MnSiF}_6 \cdot 6\text{H}_2\text{O}$ , 0=10096
- Ohtsubo, A. and Kanda, E. Adiabatic demagnetization of cobaltous fluosilicate, 3=1059
- Ohtsubo, A. and Kanda, E. Use of a recording fluxmeter for adiabatic demagnetization experiments, 3=14709
- Ohtsuka, M. See Ono, K., 0=3129
- Ohtsuka, T. Crystalline field splitting in ferrous, fluosilicate, 1=3888
- Ohtsuka, T. Interaction effects in  $\text{K}_2\text{Fe}(\text{CN})_6$ , 1=12559
- Ohtsuka, T. Interaction effects in potassium ferricyanide, 1=20224
- Ohtsuka, T. Interaction effects in potassium ferri-cyanide, 3=1054
- Ohtsuka, Y., Shibuya, Y. and Fukuroi, T. Superconductivity of dilute primary solid solutions of In-Mg and In-Pb, 4=403
- Ohtsuki, Y. H. Impurity effects on the plasma oscillation of an electron gas, 2=19998
- Ohuchi, A. See Ohmura, H., 1=13801
- Ohyama, H. See Koizumi, T., 3=21063
- Ohyama, N. Propagation of shock waves in inhomogeneous medium. IV. Second order approximation, 2=1181
- Ohyama, N. On the explosion of type II supernova, 4=2366
- Ohyama, N. See Hayakawa, S., 1=3328
- Ohyama, N. See Hayashi, C., 0=14466
- Ohyama, N. See Hayashi, C., 0=18867
- Ohyama, N. See Ono, Y., 2=17288
- Ohyama, T. Interior regularity of weak solutions of the time-dependent Navier-Stokes equation, 0=16672
- Ohzawa, Y. and Wada, Y. Mechanical relaxations and transitions in polytetrafluorethylene, 4=28975
- Ohzora, S. See Kanzaki, H., 3=22749
- Ohzu, H. See Hübner, H. J., 0=5189
- Oi, I. See Kostyshyn, B., 0=8047
- Øines, S. Power supply for the expander of the betatron, 3=14480
- Oishi, J. High temperature determination by a new gas thermometer with constant bulb temperature. I. Measuring methods, 2=1299
- Oishi, M. See Ato, Y., 4=7169
- Oishi, M. See Huzimura, R., 2=10463
- Oishi, M. See Huzimura, R., 4=26233
- Oishi, Y. Chirality and the structure of the pion-nucleon interaction, 3=7897
- Oishi, Y. and Kingery, W. D. Self-diffusion of oxygen in single crystal and polycrystalline aluminum oxide, 0=13562
- Oishi, Y. and Kingery, W. D. Oxygen diffusion in periclase crystals, 0=15873
- Oishi, Y. See Kikuchi, S., 0=12733
- Oizumi, J. See Ogushi, T., 3=24151
- Ojalvo, I. U. Relativistic oscillator with natural forcing functions, 1=10408
- Ojalvo, I. U. Conduction with time-dependent heat sources and boundary conditions, (A modified separation-of-variables technique), 3=1852
- Ojog, A. See Bursuc, I., 4=17647
- Oka, M. See Asada, T., 1=7609
- Oka, S. The steady slow motion of a viscous fluid through a tapered tube, 4=29586
- Oka, S. and Ogawa, S. Theory of a parallel-plate plastometer for Bingham body, 4=26479
- Oka, S. See Ogawa, S., 1=8121
- Oka, T. Microwave spectrum of formaldehyde. II. Molecular structure in the ground state, 1=12286
- Oka, T., Hirakawa, H. and Shimoda, K. Microwave spectrum of formaldehyde. I. K-type doubling spectra, 1=12285
- Oka, T. and Morino, Y. Calculation of inertia defect. I. General formulation, 1=13994
- Oka, T. and Morino, Y. Microwave spectrum of formaldehyde III. Vibration-rotation interaction, 1=14041
- Oka, T. and Morino, Y. Calculation of inertia defect. II. Nonlinear symmetric  $\text{XY}_2$  molecules, 2=6140
- Oka, T. and Morino, T. Analysis of the microwave spectrum of hydrogen selenide, 2=14264
- Oka, T. and Morino, Y. Inertia defect. III. Inertia defect and planarity of four-atomic molecules, 4=6533
- Oka, T. See Kasuya, T., 1=838
- Oka, T. See Kasuya, T., 1=7463
- Oka, T. See Kondo, K., 1=7464
- Oka, T. See Kondo, K., 1=7465
- Oka, T. See Matsumura, C., 3=6408
- Oka, T. See Morino, Y., 2=10266
- Oka, T. See Takagi, K., 3=25123
- Oka, T. See Toyama, M., 4=25609
- Okabavashi, T., Hamamoto, I., Hatano, A. and Saikan, T. The effect of the collective motion of pion cloud on weak interactions, 3=19553
- Okabavashi, T., Nakamura, S. and Nisiyama, Y. A remark on the strangeness and isotopic spin for leptons, 1=13302
- Okabayashi, T. New interpretation of hyperonic charge and its generalization to leptons, 0=15450
- Okabayashi, T. A note on the fundamental symmetry of elementary particles, 0=17237
- Okabayashi, T. The conservation law of parity and the classes of coupling constants, 4=19410
- Okabayashi, T. Pion as the field of heaviness, 3=4588
- Okabe, H. Intense resonance line sources for photochemical work in the vacuum ultraviolet region, 4=14349
- Okabe, H. and Becker, D. A. Vacuum ultraviolet photochemistry. VII. Photolysis of n-butane, 4=4709
- Okabe, H. and McNesby, J. R. Vacuum ultraviolet photolysis of ethane: molecular detachment of hydrogen, 1=6573
- Okabe, H. and McNesby, J. R. Vacuum ultraviolet photochemistry. II. Photolysis of ethylene, 2=4549
- Okabe, H. and McNesby, J. R. Vacuum ultraviolet photochemistry. IV. Photolysis of propane, 2=23969
- Okabe, H. See Groth, W., 4=23676
- Okabe, H. See McNesby, J. R., 2=4550
- Okabe, S., Tabata, T. and Ito, R. Nonobstructive low energy electron beam monitor, 2=1503
- Okabe, S., Tabata, T. and Ito, R. Anomalous emission in secondary emission beam monitors, 4=27570
- Okabe, T. One the experiment on the analysis of the heavy water by infra-red spectrometry, 2=10997
- Okada, E. See Wakatsuki, T., 1=8591
- Okada, E. See Wakatsuki, T., 1=9858
- Okada, E. See Wakatsuki, T., 1=13661
- Okada, F. Rectangular cavities for measurement of dielectric constants and tensor permeabilities of ferrites, 2=22155
- Okada, J. Effect of external illumination on carrier lifetime in semiconductors, 0=20882
- Okada, J. and Machino, H. Oscillations in cadmium sulphide, 4=7062
- Okada, J. and Suzuki, T.  $\alpha^-$  trapping centers in n-type silicon, 1=14457
- Okada, J. M. Laboratory experiments concerning a polar cap injection mechanism, 1=20952
- Okada, K. Some properties of X-ray damaged Rochelle salt, 1=10077
- Okada, K. Ferroelectric properties of X-ray damaged Rochelle salt, 1=14555
- Okada, K. Etch pits on X-ray damaged Rochelle salt, 1=19793
- Okada, K. Photo-micrographic observations on X-irradiated Rochelle salt crystals, 4=2018
- Okada, K. See Matsuda, H., 4=28166
- Okada, M. Data sheet no. 43 - forty-two gamma spectra of short-lived nuclides, 1=19417
- Okada, M. 14 gamma-spectra of short-lived nuclides, 3=19809
- Okada, M. Data sheet No. 49-22 gamma spectra of short-lived nuclides, 4=9374
- Okada, M. and Arata, Y. The Transtron accelerator S-1. I, 4=14774
- Okada, M. and Kikuchi, M. Observations of impurity precipitation in CdSe single crystals, 4=29004
- Okada, M., Maruo, H. and Masaki, T. Fundamental researches on the plasma jet and its application. III. On the characteristics and cutting application of air plasma jet generator, 4=14738
- Okada, M. and Watanabe, T. Grain boundary migration and dimensional change of low carbon steel, 0=1860
- Okada, M. See Ariyasu, T., 2=3051
- Okada, M. See Fujino, S., 4=5447
- Okade, M. See Nishiguchi, K., 2=9572
- Okada, M. See Nishiguchi, K., 2=22213
- Okada, O. See Maruyama, S., 4=28978
- Okada, S. Symmetrical property of eigen-functions of an electron in a one-dimensional periodic potential
- Okada, T. Vapor growth of GaAs in the polar direction, 3=20806
- Okada, T., Kano, T. and Kikuchi, S. Kinetics of vapor growth in the system, 4=7551
- Okada, T., Kano, T. and Sasaki, Y. Epitaxial vapour growth of GaAs on Ge single crystal, 2=8801
- Okada, T., Sekizawa, H. and Iida, S. Ferromagnetic resonance in garnet  $\text{Y}_3\text{Fe}_5\text{Co}_{x/2}\text{Ge}_{x/2}\text{O}_{12}$ , 4=28864
- Okada, T. and Suita, T. Ultrasonic attenuation and some related behaviors in irradiated alkali halide crystals, 3=22649



- Okada, T., Yamadaya, T. and Miyahara, S. Role of cation vacancies in disaccommodation of manganese ferrite, 3=11097
- Okada, T. See Nishiyama, A., 0=18364
- Okada, T. See Umeda, J., 3=6861
- Okada, T. See Yamadaya, T., 3=11205
- Okada, Y., Ito, T. and Amemiya, A. Post-irradiation effect in visible absorption spectra of polyvinyl chloride sheets, 1=10103
- Okada, Y. See Sawaragi, Y., 0=984
- Okade, E. See Wakatsuki, T., 2=3567
- Okado, T. See Akashi, T., 1=20136
- Okai, S. A model for the inelastic scattering of nucleons, 0=11406
- Okai, S. On the relations between spin polarizations and distorted wave theory of the direct reactions, 0=17574
- Okai, S. and Tamura, T. Consequences of the channel coupling in the scattering of nucleons by nuclei, 2=10094
- Okamoto, F. Optical absorption of M centers in potassium chloride crystals, 1=17581
- Okamoto, F., Koike, T. and Tosima, S. Experimental evidence for helical instabilities in a semiconductor plasma, 2=16698
- Okamoto, F. and Scott, A.B. Formation and optical bleaching of F centers: impurity effects, 3=22841
- Okamoto, H. Determination of molecular weight distributions of high polymers by fractionation, 0=20702
- Okamoto, H. Theory of solutions of chain molecules, 1=8106
- Okamoto, H. See Murakami, Y., 4=18306
- Okamoto, H. See Ōse, M., 0=8394
- Okamoto, J. See Sugiura, T., 4=24758
- Okamoto, K. Effect of nuclear forces on the cross-sections of photonuclear reactions, 0=1427
- Okamoto, K. Electron linear accelerator as a source of intense secondary particle beams, 1=16444
- Okamoto, K. Axial asymmetry of the nucleus and the triple split giant resonance, 2=20596
- Okamoto, K. Coulomb energy of  $\text{He}^3$  and possible charge asymmetry of nuclear forces, 4=30293
- Okamoto, K. and Hasegawa, K. Effect of the tensor force on the photo-nuclear sum rule, 2=20583
- Okamoto, K. See Enjōji, H., 3=5656
- Okamoto, K. See Enjōji, H., 3=12088
- Okamoto, N. See Kumagai, S., 2=11788
- Okamoto, S. and Ikebe, Y. The measurements of gamma ray dose rate, 0=431
- Okamoto, S. and Takeuchi, K. On the dielectric loss of oxidized high-density polyethylene, 0=7985
- Okamoto, S. See Hara, T., 4=30648
- Okamoto, T. Hall effect in iron and nickel, 3=2853
- Okamoto, T., Tange, H., Nishimura, A. and Tatsumoto, E. Temperature dependence of the Hall effect in iron and nickel, 2=21103
- Okamoto, T., Tange, H. and Tatsumoto, E. Forced magneto-resistance in silicon iron at low temperatures, 3=22905
- Okamoto, T. See Hasuo, M., 4=22675
- Okamoto, T. See Tatsumoto, E., 0=3067
- Okamoto, T. See Tatsumoto, E., 0=3068
- Okamoto, T. See Tatsumoto, E., 0=6082
- Okamoto, T. See Tatsumoto, E., 0=21049
- Okamoto, T. See Tatsumoto, E., 1=3720
- Okamoto, T. See Tatsumoto, E., 1=3721
- Okamoto, T. See Tatsumoto, E., 1=14726
- Okamoto, T. See Tatsumoto, E., 2=8287
- Okamoto, Y., Huang, F. T., Gordon, A., Brenner, W. and Rubin, B. Effect of impurities on the electrical conductivity of simple polycyclic aromatic hydrocarbons, 4=26064
- Okamura, H. See Fukushima, S., 3=10389
- Okamura, H. See Yoshizawa, Y., 3=19822
- Okamura, K. and Templeton, I.M. The De Haas-Van Alphen effect in caesium, 3=20557
- Okamura, S. and Futami, S. Ionic polymerization of styrene in methylene dichloride by ionizing radiation, 1=15203
- Okamura, S. and Manabe, T. Sensitization and protection observed in G-value and radiation induced luminescence, 1=147
- Okamura, S. See Komaki, A., 2=12837
- Okamura, S. See Takeda, M., 0=17849
- Okamura, T. See Torizuka, Y., 1=6388
- O'Kane, D. F. and Mason, D. R. Semiconducting properties of peritectic compounds from the pseudo-binary system of  $\text{CdTe-In}_2\text{Te}_3$ , 4=6950
- O'Kane, D. F. and Mason, D. R. Semiconducting properties of  $\text{AgIn}_3\text{Te}_8$ , 4=26060
- O'Kane, D. F. See LaBotz, R.J., 3=13142
- O'Kane, D. F. See Mason, D. R., 3=864
- Okanishi, S. and Kanamori, H. Simplified representations on the firing characteristics of vibrational-ignitor tubes, 0=3748
- Okano, K. Odd variables and thermodynamics, 1=79
- Okano, K. Gamma-rays from the reaction  $\text{Al}^{27}(\text{p}, \gamma)\text{Si}^{28}$ , 1=7372
- Okano, K. Thermodynamic basis of relaxation spectrometry, 1=7812
- Okano, K. Non-linear constitutive equations for isotropic viscoelastic materials, 3=7159
- Okano, K. Note on the lamellar twist in polymer spherulites, 4=26581
- Okano, K. and Nakada, O. Theory of non-linear responses of many variable systems, 2=1070
- Okano, K. and Nishimura, K. (p, n) threshold measurements on Na, Al, Cu, Ga, Ge, Se, Y, and Sn, 4=6339
- Okano, K., Tabata, T. and Fukuda, K. The low levels in  $\text{Si}^{28}$  and  $\text{P}^{30}$ , 1=8588
- Okano, K., Tabata, T., Fukuda, K. and Muto, J. Lower excited states in  $\text{P}^{30}$  from the  $\text{Si}^{28}(\text{p}, \gamma)\text{P}^{30}$  reaction, 1=12159
- Okano, K. and Wada, E. Theory of light scattering by thin rodlike macromolecules in a liquid subjected to shear, 1=4342
- Okano, K. See Tabata, T., 1=9817
- Okano, K. See Tabata, T., 1=12155
- Okano, K. See Muto, J., 3=24936
- Okano, M. See Ishiyama, M., 3=12431
- Okano, M. See Izumi, I., 3=24167
- Okano, S. See Doke, T., 1=12036
- Okano, T. See Ikeda, T., 4=7049
- Okano, T. See Ikeda, T., 4=12974
- Okano, T. See Ikeda, T., 3=3255
- Okawati, A. The atmospheric electric field on the summit of Mt. Hiei (860 m), 2=11031
- Okaya, A. E.s.r. spectra of OH,  $\text{Ti}^{3+}$  ions and color centers in rutile as revealed by a high sensitivity dielectric resonance spectrometer, 4=28887
- Okaya, A. and Barash, L.F. The dielectric microwave resonator, 3=487
- Okaya, A. See Carter, D.L., 0=11951
- Okaya, A. See Hansen, J. R., 4=29750
- Okaya, A. See Lecar, H., 4=24865
- Okaya, Y. See Cole, H., 3=23425
- Okaya, Y. See Vedam, K., 0=14032
- Okazaki, A. The superstructures of iron selenide  $\text{Fe}_2\text{Se}_3$ , 1=20596
- Okazaki, A. and Suemune, Y. The crystal structure of  $\text{KCuF}_3$ , 1=12642
- Okazaki, A. and Suemune, Y. The crystal structures of  $\text{KMnF}_3$ ,  $\text{KFeF}_3$ ,  $\text{KCoF}_3$ ,  $\text{KNiF}_3$  and  $\text{KCuF}_3$  above and below their Néel temperatures, 1=15095
- Okazaki, A. and Suemune, Y. Electron distribution in  $\text{KMnF}_3$ ,  $\text{KFeF}_3$ ,  $\text{KCoF}_3$ , and  $\text{KNiF}_3$ , 1=20559
- Okazaki, A. and Suemune, Y. The crystal structure of  $\text{KMF}_3$ , 3=1332
- Okazaki, A., Suemune, Y. and Fuchikami, T. The crystal structures of  $\text{KMnF}_3$ ,  $\text{KFeF}_3$ ,  $\text{KCoF}_3$ ,  $\text{KNiF}_3$  and  $\text{KCuF}_3$ , 1=2538
- Okazaki, A., Turberfield, K. C. and Stevenson, R. W. H. Neutron inelastic scattering measurements of antiferromagnetic excitations in  $\text{MnF}_2$  at 4.2°K, 4=15661
- Okazaki, A. See Asanabe, S., 1=8953
- Okazaki, A. See Austin, S.M., 1=5912
- Okazaki, A. See Low, G.G.E., 3=17288
- Okazaki, A. See Low, G. G., 4=13272
- Okazaki, B. See Yoshinaga, H., 0=6928
- Okazaki, C. X-ray studies on the ferrite-haematite solid solutions, 1=12641
- Okazaki, C., Mori, S. and Nanamaru, F. Magnetic and crystallographic properties of hexagonal barium monoferrite,  $\text{BaO} \cdot \text{Fe}_2\text{O}_3$ , 1=14735
- Okazaki, I. See Kanaya, K., 4=11708
- Okazaki, I. See Kanaya, K., 4=29998
- Okazaki, K. See Takamura, J., 3=22745
- Okazaki, M. A theory of the magneto-optical absorption, 1=11359
- Okazaki, M. Landau levels and cyclotron resonance of holes in germanium, 3=8505
- Okazaki, M. See Suzuki, K., 4=28706
- Okazaki, N. See Takasaki, H., 4=24397
- Okazaki, S. Confirmation of lifetimes by noise and by Haynes-Shockley method, 1=7638
- Okazaki, S. Microwave breakdown of air, 2=9557
- Okazaki, S. Q value of a resonant cavity for microwave breakdown experiment, 2=11636



- Okazaki, S. Microwave breakdown of air, nitrogen and argon, 3=5648
- Okazaki, S. and Hiramatsu, M. Spontaneous fluctuations and life-path in silicon, 3=20317
- Okazaki, S. and Oki, H. Measurement of lifetime in Ge from noise, 0=9962
- Oke, J.B. Standard stars for photoelectric spectro-photometry, 0=6617
- Oke, J.B. Model for a helium star of 1 solar mass, 1=2629
- Oke, J.B. Absolute energy distribution in the optical spectrum of 3C 273, 3=13907
- Oke, J.B. Photoelectric spectrophotometry of stars suitable for standards, 4=29364
- O'Keefe, J.A. North-South asymmetry of the earth's figure, 0=4907
- O'Keefe, J.A. Determination of the earth's gravitational field, 0=8519
- O'Keefe, J.A. Zonal harmonics of the earth's gravitational field and the basic hypothesis of geodesy, 0=12125
- O'Keefe, J.A. Tektites as natural earth satellites, 1=5144
- O'Keefe, J.A., Eckels, A. and Squires, R.K. The gravitational field of the earth, 0=6627
- O'Keefe, J.A. and Shute, B.E. Origin of tektites, 3=13878
- O'Keefe, J.A. See Cameron, W.S., 3=23591
- O'Keefe, J.A. See Carpenter, M.S., 3=11445
- O'Keefe, J.A. See Glenn, J.H., Jr., 2=24193
- O'Keefe, J.G. See Bray, P.J., 1=12568
- O'Keefe, J.G. See Bray, P.J., 3=18147
- O'Keefe, M. Cation valencies and distributions in spinel structures containing manganese, 2=6792
- O'Keefe, M. and Moore, W.J. Diffusion of oxygen in single crystals of nickel oxide, 2=2100
- O'Keefe, M. and Moore, W.J. Thermodynamics of the formation and migration of defects in cuprous oxide, 2=14434
- O'Keefe, M. and Stone, F.S. The magnetochemistry and stoichiometry of the copper-oxygen system, 2=12756
- O'Keefe, M. and Stone, F.S. The magnetic susceptibility of cupric oxide, 2=14811
- O'Keefe, T.W., Rigby, M. and Worhalf, J.R. Search for the process  $\mu^+ \rightarrow e^+ + \gamma$ , 0=5578
- O'Keefe, M. Madelung constants for the C3 and C9 structures, 3=20047
- O'Keefe, M. Infrared optical properties of cuprous oxide, 4=1726
- O'Keefe, M., Ebisuzaki, Y. and Moore, W.J. The defect structure of cuprous oxide, 3=22735
- O'Keefe, M. and Moore, W.J. Electrical conductivity of monocrystalline cuprous oxide, 1=17727
- Okel, J.G.R. See Verheul, H., 3=15155
- O'Kelley, G.D., Bromley, D.A. and Goodman, C.D. The role of multiparameter pulse-height analyzers in radioactivity studies, 4=22054
- O'Kelley, G.D. See Bromley, D.A., 4=24765
- O'Kelley, G.D. See Eichler, E., 2=16321
- O'Kelley, G.D. See Goodman, C.D., 2=9496
- O'Kelley, G.D. See Johnson, N.R., 1=8640
- O'Kelley, G.D. See Johnson, N.R., 4=22068
- O'Kelley, G.D. See Robinson, R.L., 4=1017
- O'Kelley, G.D. See Troutner, D.E., 3=12708
- O'Kelley, G.D. See Wolke, R.L., 3=10180
- O'Kelly, L.B. See Hurst, G.S., 1=13065
- O'Kelly, L.B. See Hurst, G.S., 2=22170
- O'Kelly, L.B. See Hurst, G.S., 3=16902
- O'Kelly, L.B. See Hurst, G.S., 3=23940
- O'Kelly, M.E.J. See Caughey, T.K., 1=18498
- Oketani, S. and Nagakura, S. Electron diffraction studies on the crystal structures of carbides of iron, cobalt and nickel, 3=1324
- Oketani, S. See Nagakura, S., 3=20884
- Okhotsimskii, D.E. and Beletskii, V.V. Utilization of an earth-oriented satellite for investigations appertaining to the sun, 4=15968
- Okhotsimskii, D.E. and Vlasova, Z.F. Behaviour of shock waves at large distances from the location of explosion, 4=18345
- Okhotsimskii, D.E. See Duboshin, G.N., 4=26888
- Okhrimenko, B.A. See Bel'yi, M.U., 2=21912
- Okhrimenko, B.A. See Bil'yi, M.U., 2=17468
- Okhrimenko, L.S. See Gramenitskii, I.M., 4=28054
- Okhrimenko, L.S. See Konovalova, L.P., 3=2174
- Okhura, H. See Onuki, M., 2=8424
- Okhuysen, P.L. and Prud'homme, J.T. Compound-elastic scattering of 4.2-MeV neutrons in lead, 0=2685
- Okhuysen, P.L. See Haas, G.M., 4=3666
- Okhuysen, P.L. See Minami, S., 3=17337
- Okhuysen, P.L. See Prud'homme, J.T., 0=9667
- Okhuysen, P.L. See Young, P.G., 3=17281
- Oki, H. See Okazaki, S., 0=9962
- Öki, T. On the magnetohydrodynamic instability of a gaseous cylinder, 0=19903
- Øki, T. On the electromagnetic field of a rotating magnet, 2=3132
- Öki, T., Fujimoto, F. and Hitotuyanagi, Z. Magnetogravitational theory of galaxy, 3=7041
- Øki, T. See Kimura, M., 2=3018
- Okiguchi, A. See Shoda, K., 2=20591
- Okiji, A. and Kanamori, J. Theoretical analysis of the Mössbauer data in some Fe<sup>2+</sup> compounds, 4=28410
- Okimura, H. See Sakai, Y., 4=4229
- Okimura, H. See Sakai, Y., 4=15567
- Okita, T. Size distribution of large droplets in precipitating clouds, 2=8968
- Okita, T. Observations of the vertical structure of a stratus cloud and radiation fogs in relation to the mechanism of drizzle formation, 3=1442
- Okkerse, B. A method of growing dislocation-free germanium crystals, 1=1378
- Okkerse, B. Anomalous transmission of X-rays in germanium. I. The imaginary part of the atomic scattering factor, 3=11257
- Okkerse, B. Consecutive Laue and Bragg reflexions in the same perfect crystal, 4=13563
- Okkerse, B. and Penning, P. Anomalous transmission of X-rays in germanium. II. Effects due to elastic deformation, 3=20197
- Okolovich, V.N., Bol'shov, V.I., Gordeeva, L.D. and Smirenkin, G.N. Dependence of the fission fragment mean kinetic energy on the mass of the fissioning nucleus, 4=9582
- Okolovich, V.N. and Smirenkin, G.N. Comparison of the mean kinetic energies of the fission fragments of U<sup>235</sup> produced by thermal neutrons and neutrons with a mean energy of 15 MeV, 2=20687
- Okolovich, V.N. and Smirenkin, G.N. Kinetic energy of fragments emitted in subbarrier fission, 3=15246
- Okolovich, V.N. and Smirenkin, G.N. The channel effect in the energy dependence of the mean kinetic energy of fission fragments of U<sup>235</sup>, 4=6394
- Okolovich, V.N., Smirenkin, G.N. and Bondarenko, I.I. Precision comparison of the average kinetic energy of the products of U<sup>235</sup> fission by thermal neutrons and by neutrons with 5 MeV average energy, 2=20690
- Okolovich, V.N. See Blyumkina, Yu.A., 4=6397
- Okolovitch, V.N. See Blyumkina, Yu.A., 4=17211
- Okolovich, V.N. See D'yachenko, P.P., 4=3714
- Okoniewski, S. Purification of metals by methods involving phase transformations, 1=4071
- Okonogi, H. See Hayashi, H., 3=22182
- Okonogi, H. See Nakagawa, M., 4=15041
- Okonov, E.O. Some characteristics of the annihilation of an antiproton in the deuteron, 0=12936
- Okonov, E.O. Decay properties of heavy mesons and hyperons, 1=2094
- Okonov, E.O. Annihilation of an antiproton-proton system, 1=19202
- Okonov, E.O. The suppression of two-meson annihilation in antiproton-proton interaction, 1=19203
- Okonov, E.O. Limits for the possible magnetic moment of the K<sup>-</sup>-meson, 2=16240
- Okonov, E.O. The suppression of two-meson annihilation in antiproton-proton interaction, 3=4391
- Okonov, E.O. Limits for the possible magnetic moment of the K<sup>0</sup>-meson, 3=6074
- Okonov, E.O., Petrov, N.I., Rozanova, L.M. and Rusakov, V.A. Four-prong decay of the long-lived K<sup>0</sup> meson, 0=20223
- Okonov, E.O., Podgoretzkii, M.I. and Khurstalev, O.A. Concerning the gravitational masses of K<sup>0</sup>- and K<sup>-</sup>-mesons, 2=13876
- Okonov, E.O., Podgoretzkii, M.I. and Khurstalev, O.A. Concerning the gravitational masses of K<sup>0</sup>- and K<sub>s</sub>-mesons, 3=6073
- Okonov, E.O. See Anikina, M.Kh., 2=7898
- Okonov, E.O. See Anikina, M.Kh., 3=6071
- Okonov, E.O. See Anikina, M.Kh., 4=3477
- Okonov, E.O. See Anikina, M.Kh., 4=12056
- Okonov, E.O. See Neagu, D., 1=10922
- Okonov, E.O. See Nyagu, D.V., 1=19261
- Okonov, E.O. See Nyagu, D.V., 2=10131
- Okonov, E.O. See Nyagu, D.V., 3=4451
- Okonov, E.O. See Nyagu, D.V., 3=6280



- Okonov, E.O. See Ogievetskii, V.I., 3=2319  
 Okonov, E.O. See Shirokov, M.I., 1=496  
 O'Konski, C.T. and Bergmann, K. New electro-optic effect: colour change produced by an electric field, 3=3804  
 O'Konski, C.T. See Higuchi, W.I., 0=6425  
 Okorokov, I.S. See Kleopov, I.F., 4=14799  
 Okorokov, I.S. See Sokolovskii, V.V., 4=14838  
 Okorokov, V.V. Crystal-controlled pulse generator, 2=1350  
 Okorokov, V.V. Time analysers, 2=1366  
 Okorokov, V.V. Automation of measurements on charged-particle spectrometers, 4=16845  
 Okorokov, V.V. See Kirpichnikov, I.V., 0=7635  
 Okorokov, V.V. See Levintov, I.I., 3=24963  
 Okorokov, V.V. See Yurova, L.N., 3=2271  
 Okoshi, T. An improved design theory of a magnetron-injection gun, 4=27571  
 Okoye, S.E. See Hewish, A., 4=30984  
 Okrainets', P.M. See Kozýrs'kii, H.Ya., 1=14895  
 Okrasinski, M. See Cole, H., 2=21499  
 Okrent, D. See Dickerman, C.E., 1=12254  
 Oksengorn, B. and Vodar, B. Perturbation of lines of the vibration-rotation band of hydrofluoric gas in the presence of compressed rare gases, 0=20632  
 Oksengorn, B. and Vodar, B. Line shifts and line broadening in the 2.5  $\mu$  absorption band of HF, perturbed by hydrogen and deuterium at moderate pressures, 3=23935  
 Oksengorn, B. See Klyuev, Yu.A., 3=25116  
 Oksengorn, B. See Schuller, F., 0=20633  
 Oksengorn, B. See Schuller, F., 3=6377  
 Oksengorn, B. See Vu, H., 4=25634  
 Oksman, J. Studies on the auroral sporadic E ionization at Sodankylä, 3=18535  
 Oksman, J. and Kataja, E. Geophysical effects of nuclear explosions at Sodankylä, 3=9070  
 Oksman, J. and Rose, G. Studies on the auroral ionosphere with the aid of vertical and oblique soundings combined with field strength measurements, 4=23804  
 Oksman, J. See Dieminger, W., 3=1461  
 Oksman, J. See Rose, G., 2=6927  
 Oksman, Ya.A. and Burlakov, A.V. Investigation of photoconductivity of powdered semiconductors using the photodielectric effect, 0=20924  
 Oksman, Ya.A. and Burlakov, A.V. Photodielectric properties of polycrystalline cadmium selenide. I. High temperatures, 0=20953  
 Oksman, Ya.A. and Burlakov, A.V. The negative photodielectric effect, 1=2434  
 Oksman, Ya.A., Burlakov, A.V. and Aleksandrov, E.B. The photodielectric properties of polycrystalline cadmium selenide at low temperatures, 2=661  
 Oksman, Ya.A., Kiseleva, M.N. and Martinson, B.M. Drift dispersion of the photodielectric effect in alloyed germanium, 3=17959  
 Oksman, Yu. A., Smirnov, V. N. and Shmartsev, Yu. V. Photodielectric effect in doped germanium, 4=7068  
 Oksman, Ya.A. and Tikhomirov, G.P. Cathode conductivity of antimony sulphide films, 0=11707  
 Oksman, Ya.A. See Aleksandrov, E.B., 2=17738  
 Oksyuk, Yu. D. and Gerasimenko, V. I. Dissociation of diatomic molecules during  $\beta$ -decay, 4=12530  
 Oku, T. See Asada, T., 1=7609  
 Okubo, A. and Feldman, D. Some aspects of the covariant two-body problem. I. The bound-state problem, 0=3922  
 Okubo, H., Murakami, S. and Hosono, K. Microscopic strain distribution and endurance limit in alpha-brass, 3=6799  
 Okubo, S. Pion-pion and pion-kaon scattering, 0=9414  
 Okubo, S. Dispersion relation for the photoproduction of K-mesons, 0=11225  
 Okubo, S. The gauge properties of Green's functions in quantum electrodynamics, 0=15240  
 Okubo, S. Some aspects of particle mixture of strange particles, 0=15299  
 Okubo, S. Graphical analysis of infrared divergences, 0=20022  
 Okubo, S. Green's function in some covariant soluble problems, 1=5682  
 Okubo, S. Note on unitary symmetry in strong interactions, 2=16148  
 Okubo, S. Note on unitary symmetry in strong interaction, 2=20252  
 Okubo, S. Some consequences of analyticity and unitarity conditions in scattering problems. I, 3=5938  
 Okubo, S. Some consequences of analyticity and unitarity conditions in scattering problems. II, 3=10119  
 Okubo, S. Some consequences of unitary symmetry model, 3=12396  
 Okubo, S. Complex angular momentum and domain of holomorphy, 3=12417  
 Okubo, S.  $\phi$ -meson and unitary symmetry model, 4=813  
 Okubo, S. Intermediate vector mesons and unitary symmetry, 4=15017  
 Okubo, S. and Feldman, D. Some aspects of covariant two-body problem. II. The scattering problem, 0=3923  
 Okubo, S. and Marshak, R.E. Composite model and partially conserved currents in weak interactions, 1=10839  
 Okubo, S. and Marshak, R.E. Note on the  $\Delta I = \frac{1}{2}$  selection rule in the composite model of elementary particles, 1=13303  
 Okubo, S. and Marshak, R.E. R-invariances of strong and weak interactions, 3=12400  
 Okubo, S. and Sakita, B. Unitary symmetry and decay of  $\eta$  meson, 3=19690  
 Okubo, S. and Sato, S. Spin-orbit potential with pion scattering correction, 0=15296  
 Okubo, S. See Caianiello, E.R., 0=18953  
 Okubo, S. See Caianiello, E.R., 1=5658  
 Okubo, S. See Galzenati, E., 0=15307  
 Okubo, S. See Gotow, K., 3=2264  
 Okubo, S. See Hatsukade, S., 0=15423  
 Okubo, S. See Lee, B. W., 4=21759  
 Okubo, S. See Marshak, R.E., 1=8415  
 Okubo, S. See Marshak, R.E., 1=19104  
 Okubo, S. See Schechter, J., 4=27889  
 Okubo, S. See Sugawara, M., 0=5509  
 Okubo, S. See Sugawara, M., 0=5510  
 Okubo, S. See Ueda, Y., 4=9151  
 Okubo, Y. See Kawabura, H., 2=4261  
 Okuda, A. On the R centers in lithium fluoride, 1=19814  
 Okuda, A. and Asai, K. Relative concentration of F, M, and R centers, 2=14472  
 Okuda, A. See Fukuda, D., 1=10102  
 Okuda, A. See Fukuda, K., 1=995  
 Okuda, A. See Fukuda, K., 3=25300  
 Okuda, F. See Hyodo, S., 1=12603  
 Okuda, H. Geomagnetic effects of cosmic ray electron intensity, 4=6168  
 Okuda, H. See Hayakawa, S., 3=616  
 Okuda, H. See Kondo, I., 2=12068  
 Okuda, H. See Sekido, Y., 2=12067  
 Okuda, H. See Sekido, Y., 2=12069  
 Okuda, M. Solar cycle variation of intensity of the oxygen green line in night airglow, 4=13827  
 Okuda, M. Solar cycle variation of intensity of the oxygen green line in night airglow. II, 4=23786  
 Okuda, S. The velocity distribution at the interface between two liquids, 1=12846  
 Okuda, S. Internal friction peaks in silver and platinum at low temperatures, 3=18166  
 Okuda, S. Study of the Bordoni peak in f.c.c. metals after deformation at 4.2° K and subsequent low temperature annealing, 3=23298  
 Okuda, S. Study on dislocation relaxation peaks in gold and copper, 3=25613  
 Okuda, S. Dislocation relaxation peaks in f. c. c. metals after deformation at 4.2° K, 4=7429  
 Okuda, S. and Hasiguti, R.R. Internal friction peaks of cold worked gold and copper at low temperatures, 3=11136  
 Okuda, S. and Hasiguti, R.R. Mechanism of relaxation due to interaction between dislocation and point defect, 4=1913  
 Okuda, S. and Hasiguti, R.R. Studies of internal friction and dynamic moduli of cold worked gold and copper at low temperatures (above 80° K), 4=1941  
 Okuda, S. and Hasiguti, R. R. Internal friction peak in quenched gold, 4=20657  
 Okuda, S., Inoue, K. and Uei, I. Measurement of surface mean diameter of powders by heat of immersion method, 1=18337  
 Okuda, S. See Hasiguti, R.R., 0=4559  
 Okuda, S. See Hasiguti, R.R., 0=6297  
 Okuda, T. Equilibrium temperature of particles in partially ionized plasma, 3=24267  
 Okuda, T. Collection of charged particles on probe in high pressure plasma, 4=18926  
 Okuda, T., Carlson, R. W. and Oskam, H. J. Studies of the dynamic properties of Langmuir probes. II. Experimental results, 4=11638  
 Okuda, T. and Yamamoto, K. Asymmetrical triple probe method for determining energy distribution of electron in plasma, 0=1134



- Okuda, T. and Yamamoto, K. Penetration of ion sheath into plasma, 3=24298
- Okuda, T. and Yamamoto, K. Low frequency wave propagation in a drifting plasma, 3=24319
- Okuda, T. and Yamamoto, K. Electroacoustic wave in quasi-steady approach, 3=24320
- Okuda, T. and Yamamoto, K. Propagation of temperature disturbance in gaseous plasma, 3=24321
- Okuda, T. and Yamamoto, K. Response of drifting plasma to density perturbation, 4=18799
- Okuda, T. See Carlson, R.W., 3=1993
- Okuda, T. See Carlson, R.W., 4=11637
- Okuda, T. See Nakano, T., 4=13531
- Okuda, T. See Oskam, H.J., 4=11639
- Okui, T. The proton-neutron mass difference, 2=13794
- Okulov, B.V. See Moskalov, V.A., 3=17007
- Okuma, J. See Asada, T., 0=21009
- Okuma, Y. See Kumabe, I., 4=15236
- Okumoto, T. See Takeya, Y., 0=1978
- Okumoto, T. See Takeya, Y., 1=10315
- Okumura, K. Paramagnetic resonance of diluted  $[\text{Cr}(\text{NH}_3)_6]\text{Cl}_3$ , 3=1182
- Okumura, K. Magnetic susceptibility of Wurster's blue perchlorate, 3=11034
- Okumura, K. and Hensley, E.B. Drift and diffusion of activation in oxide-coated cathodes, 3=9831
- Okumura, K. and Templeton, I.M. The De Haas-van Alphen effect in rubidium, 3=1122
- Okumura, K. See Dugdale, J.S., 1=17608
- Okumura, M. See Asada, T., 0=21009
- Okun, L. See Gribov, V., 4=6113
- Okun', L.B. Properties of the axial vector interaction and  $\Sigma \rightarrow \Lambda + e + \nu$  decay, 0=20239
- Okun', L.B. See Kobzarev, I.Yu., 2=18065
- Okun', L.B. and Pomeranchuk, I.Ya. Determination of the parity of the K-meson, 0=1307
- Okun, L.B. and Pontecorvo, B. [Pontecorvo, B.]. Which is heavier: "muonium one" or "muonium two", 1=19221
- Okun, L.B. and Pontecorvo, B. Which is heavier: "Muonium one" or "Muonium two"? 2=22553
- Okun, L.B. and Rudik, A.P. On a method of finding singularities of Feynman graphs, 0=7276
- Okun', L.B. and Rudik, A.P. The  $\Sigma^0 \rightarrow \Lambda^0 + 2\gamma$  decay and the magnetic moment of the  $\Sigma^0$ -hyperon, 0=20240
- Okun', L.B. and Rudik, A.P.  $K^+ \rightarrow \pi^+ + e^+ + e^-$  and  $K^+ \rightarrow \pi^+ + \mu^+ + \mu^-$  decays, 1=3226
- Okun', L.B. and Shabalin, E.P. The  $K_{e4}$  decay, 0=7414
- Okun, L.B. and Tsukerman, I.S. Weak  $i_1$ -meson decays, 4=25163
- Okun', L.B. See Gribov, V.N., 2=3308
- Okun', L.B. See Gribov, V.N., 3=4376
- Okun, L.B. See Ioffe, B.L., 0=4149
- Okun, L.B. See Kobsarev, I.Yu., 4=19427
- Okun', L.B. See Kobzarev, I.Yu., 0=20092
- Okun', L.B. See Kobzarev, I.Yu., 1=3230
- Okun', L.B. See Kobzarev, I.Yu., 1=16674
- Okun', L.B. See Kobzarev, I.Yu., 2=299
- Okun', L.B. See Kobzarev, I.Yu., 2=3397
- Okun', L.B. See Kobzarev, I.Yu., 2=16139
- Okun', L.B. See Kobsarev, I.Yu., 2=16144
- Okun', L.B. See Kobzarev, I.Yu., 2=22403
- Okun', L.B. See Kobzarev, I.Yu., 3=593
- Okun', L.B. See Kobzarev, I.Yu., 3=4450
- Okun', L.B. See Kobzarev, I.Yu., 3=5928
- Okun', L.B. See Kobzarev, I.Yu., 3=5959
- Okun', L.B. See Kobzarev, I.Yu., 3=14068
- Okun', L.B. See Kobzarev, I.Yu., 3=14992
- Okun', L.B. See Kolkunov, V.A., 0=12876
- Okun, L.B. See Kolkunov, V.A., 1=2089
- Okun', L.B. See Matinyan, S.G., 0=11218
- Okun', Yu.B. See Kobzarev, I.Yu., 1=16826
- Okun, Yu.B. See Kobzarev, I.Yu., 2=22544
- Okunis, Yu. and Baršauskas, K. Electron diffraction investigation of thin layers of the Ag-In system, 4=2002
- Okuno, E. See Lattes, C.M.G., 3=15058
- Okuno, E. See Lattes, C.M.G., 4=25231
- Okura, K. See Tarui, Y., 4=10488
- Okuzawa, T. On the isotropic hydromagnetic waves in the exosphere, 3=1474
- Okuzawa, T. See Namikawa, T., 4=7944
- Okuzawa, T. See Namikawa, T., 4=7946
- Okuzumi, H., Perio, P. and Tournarie, M. Ordered structure of an alloy of composition near  $\text{Au}_3\text{Cu}$ , 0=3228
- Okuzumi, H. See Hauptman, A., 2=10835
- Ol', A.I. The possible periodicity of solar activity, 1=19073
- Olaf, J. Ultrasonic surface cleaning, 0=14358
- Olafson, R.A., Thomas, M.A. and Welsh, H.L. The Raman spectrum of methane- $d_4$ , 1=6018
- Olah, G.A. See Cook, D., 1=2325
- Olander, D.R. The influence of physical property variations on liquid-phase mass transfer for various laminar flows, 2=19545
- Olander, D.R. Analysis of liquid diffusivity measurements to account for volume changes on mixing — the diaphragm cell, 3=21328
- Olbert, S. See Hersil, J., 1=3368
- Olbert, S. See Hersil, J., 3=4507
- Olbrychski, K. Representations of the space group of rutile ( $\text{TiO}_2$ ), 2=2392
- Olbrychski, K. Abstract definition and representations of a space group, 4=4567
- Olbrychski, K. Representations of 16 space groups from the class  $D_{4h}$ , 4=4568
- Ölçer, Y. On the theory of conductive heat transfer in finite regions, 4=14421
- Olcse, G.L. Structure and magnetic properties of MX compounds of terbium with the metalloids of groups V and VI, 2=8827
- Olcse, G.L. On the magnetic behaviour of cerium in intermetallic compounds. I. The systems Ce-Cu, Ce-Ag and Ce-Au, 4=10244
- Olcse, G.L. The magnetic behaviour of cerium in intermetallic compounds. II. The systems Ce-Zn, Ce-Cd, and Ce-Hg, 4=13115
- Olcse, G.L. See Colombo, L., 4=13116
- Olcott, R.N. Homogeneous heavy water moderated critical assemblies. I. Experimental, 0=13335
- Olde, G.L. and Brannen, E. Three-dimensional scintillation dosimeter, 0=2463
- Olde, G.L. See Brannen, E., 2=7792
- Ol'dekop, L.G. See Gorn, L.S., 2=17753
- Oldekop, W. Exact multigroup diffusion theory of the finite heterogeneous, laminated reactor, 1=13894
- Oldekop, W. Simple formula for calculation of the effective resonance integral, 2=8034
- Oldekop, W. Calculation of thermal neutron spectra in heterogeneous reactors, 4=9600
- Oldekop, W. See Behrens, E., 4=22257
- Oldekop, W. See Dio, W.H., 4=1165
- Oldekop, W. See Dušek, H., 0=13347
- Oldekop, W. See Eberth, E., 2=10177
- Oldenberg, O. A short duration afterglow of nitrogen; survey of afterglows, 1=6022
- Oldenberg, O., Bills, D.G. and Carleton, N.P. Measurement of weak absorption by molecules, 1=8831
- Oldenberg, O. See Carleton, N.P., 2=16516
- Oldenberg, O. See Innes, F.R., 3=2570
- Oldenberg, O. See Innes, F.R., 4=3796
- Oldenberg, O. See Junge, C.E., 2=13018
- Oldenberg, O. See Sheridan, W.F., 4=25655
- Oldershaw, G.A. See Norrish, R.G.W., 0=8318
- Oldfield, D.E.S. See Davies, M.G., 3=1767
- Oldfield, D.E.S. See Davies, M.G., 3=1768
- Oldfield, L.F. See Edge, J., 0=11651
- Oldham, I.B., Young, F.J. and Osterle, J.F. Streaming potential in small capillaries, 3=14179
- Oldham, J.W.H. See Fenn, R.H., 3=16087
- Oldham, W.G. and Milnes, A.G. N-N semiconductor heterojunctions, 3=13088
- Oldham, W.G. and Milnes, A.G. Interface states in abrupt semiconductor heterojunctions, 4=12925
- Olds, D.W. Polarized phosphorescence in crystalline hexachlorobenzene at 77°K, 2=4185
- Oleak, H. Gas-dynamical explanation of meteor spectra, 4=13926
- Oleak, H. See Notni, P., 1=8301
- Oleak, H. See Notni, P., 1=18227
- Oleari, L. and Fiorani, M. Thermodynamical investigations on metallic systems. XI. Determination of the miscibility gap by calculation from the thermodynamical functions for the ternary system Zn-Sn-Bi, 1=142
- Oleari, L. and Fiorani, M. Correlation between electrical resistivity and interactions between the components of liquid metallic systems. Ternary system Zn-Cd-Sb, 1=5284
- Oleari, L. and Giacometti, G. An "open shell" type wave function for the hydrogen molecule ground state, 3=25095
- Oleari, L. See Fiorani, M., 1=6529



- O'Leary, A.J. Condition that temperature defined by an equation of state by equal to absolute thermodynamic temperature, 2=1297
- O'Leary, A.J. Redshift and deflection of photons by gravitation: A comparison of relativistic and Newtonian treatments, 4=5026
- Olechna, D.J. and Ehrenreich, H. Mobility and thermo-electric power in many-valley polar semiconductors, 3=2871
- Olechna, D.J. See Ehrenreich, H., 3=25331
- Olechna, D.J. See Hall, R.N., 3=24465
- Olehy, D.A. See Schmitt, R.A., 0=14402
- Oleinik, M.I. See Frolov, A.P., 3=20815
- Oleinik, M.I. See Grazhdankina, N.P., 1=17619
- Oleinik, M.I. See Vereshchagin, L.F., 1=20390
- Olekhnovich, H.M. See Sirota, N.N., 2=12911
- Olekhnovich, N.M. See Sirota, N.N., 0=13994
- Olekhnovich, N.M. See Sirota, N.N., 1=7865
- Olekhnovich, N.M. See Sirota, N.N., 1=12638
- Olekhnovich, N.M. See Sirota, N.N., 1=20116
- Olekhnovich, N.M. See Sirota, N.N., 2=3866
- Olekhnovich, N.M. See Sirota, N.N., 3=18058
- Olekhnovich, N.M. See Sirota, N.N., 4=7215
- Oleksa, S. The variation of  $\alpha$  of  $^{22}\text{U}^{235}$  with energy in the intermediate-energy range, 0=5807
- Oleksuk, L.W. See Storey, R.S., 1=9814
- Oleksiv, G.I. See Cherkashin, E.E., 4=23452
- Olempska, Z. See Niemyski, T., 3=11226
- Olendzkaya, N.F. See Aleksandrov, D.D., 0=12435
- Oleś, A. On the dependence of the photon-electron ratio on the distance from the axis of extensive air showers of cosmic radiation, 1=13552
- Oleś, A. See Babayan, H.P., 3=6103
- Oleś, A. See Grigorov, N.L., 2=16254
- Oleś, A. See Grigorov, N.L., 3=10197
- Oleś, A. See Grigorov, N.L., 4=19627
- Oleś, A. See Grigorov, N.L., 4=27927
- Oleś, A. See Łoskiewicz, J., 3=7956
- Oleś, A.A. See Babayan, Kh.P., 3=19595
- Oleś, A.A. See Babetski, S.Yu., 1=19314
- Oleś, A.A. See Babetski, S.Yu., 3=4487
- Oleś, A.A. See Babetski, Ya.S., 2=331
- Oleś, A.A. See Babetski, Ya.S., 2=22675
- Olesen, J.K. and Wright, J.W. The relationship of low-height ionosonde echoes to auroral-zone absorption and v.h.f. D scatter, 1=20981
- Olesen, K. See Bisgård, K.M., 2=14021
- Olesen, M.C. and Elbek, B. Inelastic scattering from odd-mass rare earths, 0=7559
- Olesen, M.C. See Borggreen, J., 4=22223
- Olesen, M.C. See Elbek, B., 1=689
- Olesen, M.C. See Hansen, O., 1=15787
- Olesen, M.C. See Skurnik, E.Z., 1=5908
- Olesen, M.C. See Yoshizawa, Y., 4=22040
- Oleson, N.L. See Putnam, L.H., 1=15081
- Olesen, P. On the description of bound states in quantum field theory, 4=21742
- Olesen, P. A relation between self interaction and mutual interaction, 4=24966
- Olesen, P. On the high-energy behaviour of partial wave amplitudes, 4=25031
- Oleson, N.L. See Cooper, A.W., 3=4062
- Oleson, N.L. See Gardner, A.L., 2=17821
- Olette, M. See Ferrier, A., 2=12383
- Olette, M. See Ferrier, A., 2=20934
- Olette, M. See Geoffroy, H., 3=8359
- Olfe, D.B. Mean beam length calculations for radiation from non transparent gases, 2=9446
- Olfe, D.B. Equilibrium emissivity calculations for a hydrogen plasma at temperatures up to  $10\,000^\circ\text{K}$ , 2=9568
- Olfe, D.B. and Penner, S.S. Some comments on "radiation slip", 4=14090
- Olinyk, I.M. See Pyeskovats'kii, S.A., 2=19057
- Olijnychenko, P. On static solutions in general relativity, 1=15644
- Olijnychenko, P. Theory of measurement in moving systems, 2=11255
- Olimpiev, I.V. Estimates of the field in the dark region in the diffraction of a cylindrical wave by a bounded convex cylinder, 4=29516
- Olin, H.J. See Anderson, G.S., 4=6903
- Oliner, A.A. Leaky waves in electromagnetic phenomena, 4=3156
- Oliner, A.A. and Tamir, T. Backward waves on isotropic plasma slabs, 2=5471
- Oliner, A.A. See Cassidy, E.S., 4=16653
- Oliner, A.A. See Goldstone, L.O., 0=5413
- Oliner, A.A. See Tamir, T., 4=8710
- Oliner, A.A. See Tamir, T., 4=24830
- Oliphant, T.A. An implicit, numerical method for solving two-dimensional time-dependent diffusion problems, 2=9208
- Oliphant, T.A. and Tobocman, W. Gauge invariant formulation of the Bardeen-Cooper-Schrieffer theory of superconductivity, 0=12555
- Oliphant, T.A. See Baker, G.A., Jr., 0=3667
- Oliphant, T.A. See Bendt, P.J., 1=6663
- Oliphant, T.A. See Cranberg, L., 4=3536
- Oliphant, T.A., Jr. Entropy production and heat flow in liquid He II, 3=21641
- Olive, D.I. Unitarity and the evaluation of discontinuities, 2=22427
- Olive, D.I. On the analytic continuation of the scattering amplitude through a three-particle cut, 3=19561
- Olive, D.I. Unitarity and the evaluation of discontinuities. II, 3=24629
- Olive, D.I. Exploration of S-matrix theory, 4=25036
- Olive, D.I. and Taylor, J.C. Singularities of scattering amplitudes at isolated real points, 2=13728
- Olive, G. Concerning a proton source with multiple beams, 1=3021
- Olive, G., Cameron, J.F. and Clayton, C.G. A review of high intensity neutron sources and their application in industry, 2=22542
- Oliveira, C.D.de. See de Oliveira, C.G.de
- Oliveira, C.G. and Vidal, A. On Bargmann-Wigner theory for particles of spin  $\frac{3}{2}$ , 4=5926
- Oliveira, C.G.de. See de Oliveira, C.G.de
- Oliver, A.J. The laboratory production of a fine-grain emulsion, 0=12737
- Oliver, B.H. See Brown, F., 1=9890
- Oliver, B.H. See Brown, F., 2=3593
- Oliver, C.B. and White, E.A.D. An internal circulatory method for growing water-soluble crystals, 4=4535
- Oliver, D.J. Nuclear magnetic resonance in gallium antimonide, 0=11954
- Oliver, D.J. Electrical properties of n-type gallium arsenide, 2=18705
- Oliver, D.J. Non-ohmic effects in gallium arsenide at low temperatures, 3=10813
- Oliver, D.J., Rayner, M.J. and Rhoderick, E.H. Speed of the superconducting-normal transition in tin films, 0=16950
- Oliver, D.J. See Broom, R.F., 3=19491
- Oliver, D.J. See Hilsum, C., 4=27700
- Oliver, D.R. Sedimentation and effective viscosity, 0=10366
- Oliver, D.R. Influence of particle rotation on radial migration in the Poiseuille flow of suspensions, 2=21887
- Oliver, D.R. and Ward, S.G. Studies of the viscosity and sedimentation of suspensions. V. The viscosity of settling suspensions of spherical particles, 0=4987
- Oliver, D.W. See Spiegel, V.Jr., 0=12986
- Oliver, J. Long earthquake waves, 0=12129
- Oliver, J. A summary of observed seismic surface wave dispersion, 2=12986
- Oliver, J., Pomeroy, P. and Ewing, M. Long-period seismic waves from nuclear explosions in various environments, 0=14158
- Oliver, J.E. See Brune, J.N., 0=10714
- Oliver, J.H. See Halperin, J., 3=22404
- Oliver, J.H. See Halperin, J., 4=22434
- Oliver, J.W. See Denney, J.M., 2=13195
- Oliver, J.W. See Grainger, R.J., 1=3090
- Oliver, P.R. and Girifalco, L.A. Void growth kinetics in strained silver, 2=20997
- Oliver, R. and Warner, G.T. A count-integrator for direct indication of relative activities, 4=27985
- Oliver, R. See Warner, G.T., 2=11829
- Oliver, R.J. See Andreae, J.H., 0=6791
- Oliver, R.W. See Neighbours, J.R., 4=1388
- Olivetti, M. See Bisi, V., 4=25195
- Olivier, J.P. and Ross, S. On physical adsorption. XVI. The physical interaction of  $\text{H}_2$ ,  $\text{D}_2$ ,  $\text{CH}_4$ , and  $\text{CD}_4$  with graphite, 2=4497
- Olivier, J.P. See Ross, S., 2=15096
- Olivier, M. Study of a phase stabilization system for a klystron, 3=9926
- Ol'khov'skii, V.S. and Tsekhmistrenko, Yu.V. Polarization in the scattering of neutrons on nuclei with rotational and vibrational spectra, 4=17141



- Ol'Khov, O.A. and Provotorov, B.N. Quantum statistical theory of magnetic resonance in systems with strong exchange interaction, 3=23214
- Ol'khov, O. A. Quantum-statistical theory of ferromagnetic resonance at high temperatures, 4=10304
- Ol'khov, O.A. and Provotorov, B.N. Quantum statistical theory of ferromagnetic resonance, 4=10303
- Ol'khovskii, I.I. Boundary conditions in generalized hydrodynamics, 0=96
- Ol'khovskii, I.I. A particular case of a linear boundary problem in generalized hydrodynamics. A contribution to the theory of the ultrasonic interferometer, 0=97
- Ol'khovskii, I.I. A generalized hydrodynamical theory of an ultrasonic interferometer, 0=6873
- Olkhovskii, V.S. Scattering of nucleons by nuclei with shell properties, 4=22123
- Ol'khovskii, V.S. and Tsekhmistrenko, Yu.V. The analytical structure of the S-function of elastic scattering in the case of infinite potentials, 2=5583
- Ol'khovskii, V.S. and Tsekhmistrenko, Yu.V. Elastic scattering of neutrons by nonspherical nuclei with a rotating spectrum, 3=22396
- Ol'khovskii, V.S. and Tsekhmistrenko, Yu.V. Inelastic scattering of neutrons on nonspherical nuclei with a rotational spectrum, 3=22397
- Olkhovskii, V.S. and Tsekhmistrenko, Yu. V. Elastic and inelastic scattering of neutrons by nuclei with rotational and vibrational spectra, 4=22145
- Olkowsky, B. A source of ions, in particular  $\text{He}^{++}$ , for an electrostatic accelerator, 1=18937
- Olkowsky, B. Movement of an ion source by remote control while operating an electrostatic accelerator, 2=5394
- Olkowsky, B. See Grjebine, T., 0=10974
- Olkowsky, B. See Phillips, G.C., 0=19773
- Olkowsky, J., Cindro, N. and Strohal, P. Cross sections induced by 11 MeV protons, 3=22382
- Olkowsky, J., Gratot, I. and Le Pape, M. Cross-section for the reactions (p,n) and (p,2n) on  $\text{Nd}^{150}$ , 1=8731
- Olkowsky, J., Gratot, I., Le Pape, M. and Cohen, L. Determination of the cross-sections of reactions proceeding by direct interaction, involving the rare earths, 1=13794
- Olkowsky, J., Le Pape, M. and Gratot, I. The excitation function of  $\text{Pr}^{141}(p, n)\text{Nd}^{141}$  up to 11.1 MeV, 1=5913
- Olkowsky, J. and Raynal, J. The determination of the imaginary potential in the optical model, 1=855
- Olkowsky, J. See Gratot, I., 0=5689
- Olkowsky, J. See Jeronimo, J.M.F., 3=24949
- Olkowsky, J. See Jeronimo, J.M.F., 4=17151
- Ollendorff, F. Contribution to the knowledge of ion movement in semiconductors, 0=11677
- Ollendorff, F. Electrodynamics of the image force, 0=17077
- Ollendorff, F. The electrostatic field in metals, in particular at the surface next to a non-conductor, 1=17387
- Ollerhead, R., Chasman, C. and Bromley, D.A. Dissociation reactions in light nuclei, 4=22222
- Ollerhead, R. See Bromley, D.A., 1=19533
- Ollerhead, R.W., Chasman, C. and Bromley, D.A. Dissociation of  $\text{Li}^6$ , 4=15241
- Olley, J. See Herz, A.J., 0=854
- Olley, J. See Herz, A.J., 1=3307
- Olley, J.W. A phenomenological model for hypernuclear binding energies, 1=16975
- Olley, J.W. and Butler, S.T. Semi-phenomenological model for meson production in high-energy nucleon-nucleon collisions, 3=6019
- Ollom, J.F. and Goldstein, H.L. Effect of frequency modulation on subsidiary resonance in ferrites, 2=6685
- Ollom, J.F. and Goldstein, H.L. Relation of spin wave linewidth to optimum modulating frequency required for suppression of subsidiary resonance in ferrites, 3=18119
- Olmen, R.W. and Mitchell, E.N. Slow domain wall motion in homogeneous vacuum-deposited iron-nickel films, 0=3053
- Olmen, R.W. and Rubens, S.M. Angular dispersion and its relationship with other magnetic parameters in Permalloy films, 2=12654
- Olmen, R.W. See Rubens, S.M., 3=15812
- Olmos, L.F. Resistance to thermal shock in ceramic materials, 1=3997
- Olmstead, W.E. and Raynor, S. Solar heating of a rotating spherical space vehicle, 3=7056
- Olmsted, J., III, Street, K., Jr. and Newton, A.S. Excess-kinetic-energy ions in organic mass spectra, 4=18688
- Olness, D. and Spomer, H. Phosphorescence lifetime studies in some organic crystals at low temperatures, 3=13211
- Olness, D. See Silver, M., 2=23259
- Olness, D. See Silver, M., 3=20339
- Olness, D. See Silver, M., 3=10887
- Olness, J.W. See Segel, R.E., 1=9826
- Olness, J.W. See Segel, R.E., 1=10971
- Olness, J.W. See Segel, R.E., 1=12166
- Olness, J.W. See Sprenkel, E.L., 1=16980
- Olness, J.W. See van Oostrum, K.J., 1=12158
- Olness, J.W. See Vorona, J., 0=4032
- Olness, J.W. See Warburton, E.K., 4=17027
- Olness, R.J., Seth, K.K. and Lewis, H.W. Elastic scattering polarization for 1.5 MeV neutrons, 4=16902
- Olofsson, S. An ultrasonic optical mirror system, 4=8349
- Olovsson, I. A low-temperature study of some simple hydrogen-bonded structures, 1=20555
- Olovsson, I. and Templeton, D.H. The crystal structure of ammonia monohydrate, 0=4633
- Olovsson, I. and Templeton, D.H. X-ray study of solid ammonia, 0=4634
- Olsen, A. L., La Baw, K. B. and Nichols, L. W. Effect of sample wedge on transmittance measurements in the 2- to 15- $\mu$  range, 4=20443
- Olsen, A.L. and McBride, W.R. Transmittance of single-crystal magnesium fluoride and Irtran-1 in the 0.2 to 15 micron range, 3=20480
- Olsen, B. See Lindgren, I., 3=19342
- Olsen, B. See Matthias, E., 3=12614
- Olsen, C.E. Magnetic properties of uranium digermanide, 0=11834
- Olsen, C.E. The electrical resistivity of  $\text{ZrZn}_2$ , 2=2118
- Olsen, C.E. and Elliott, R.O. Effects of impurities and self-irradiation on the electrical resistivity of alpha-phase plutonium below 300°K, 2=23237
- Olsen, C.E., Nereson, N.G. and Arnold, G.P. Neutron diffraction studies on Europium metal, 2=12667
- Olsen, C.E., Sandenaw, T.A. and Matthias, B.T. Magnetic properties of plutonium hydride and deuteride, 3=15783
- Olsen, C. E. See Dillon, J. F., Jr., 4=26358
- Olsen, C.E. See Elliott, R.O., 2=21094
- Olsen, C.E. See Elliott, R.O., 4=1537
- Olsen, C. E. See Elliott, R.O., 4=20335
- Olsen, C. E. See Elliott, R.O., 4=22651
- Olsen, C.E. See Nagle, D.E., 2=4216
- Olsen, C.E. See Nereson, N.G., 2=21334
- Olsen, C. E. See Nereson, N. G., 4=22983
- Olsen, C.W. See Nash, C.P., 4=11556
- Olsen, D.A. and Johnson, D.C. The surface tension of mercury-thallium and mercury-indium amalgams, 4=8158
- Olsen, D.A., Joyner, P.A. and Olson, M.D. The sliding of liquid drops on solid surfaces, 2=15560
- Olsen, D.A. See Person, W.B., 0=8003
- Olsen, D.P. See Crossman, L.D., 3=8281
- Olsen, E.D. See Blaedel, W.J., 0=17515
- Olsen, H. Opening angles of electron-positron pairs, 3=17258
- Olsen, H. and Maximon, L.C. Pair production as an analyses of circular polarization of  $\gamma$ -rays from neutral particle decays, 2=12012
- Olsen, H. See Budal, K., 0=141
- Olsen, H. See Kolbenstvedt, H., 1=19601
- Olsen, H. See Maximon, L.C., 2=9813
- Olsen, H. See Mork, K., 1=490
- Olsen, H. See Mork, K., 2=20755
- Olsen, H.N. Thermal and electrical properties of an argon plasma, 0=1126
- Olsen, H.N. Partition function cutoff and lowering of the ionization potential in an argon plasma, 2=1423
- Olsen, H.N. Measurement of argon transition probabilities using the thermal arc plasma as a radiation source, 3=10447
- Olsen, H. N. The electric arc as a light source for quantitative spectroscopy, 4=8434
- Olsen, J.L. Magnetoresistance and size-effects in indium, 0=9941
- Olsen, J.L. Superconductivity of cadmium isotopes, 3=12030
- Olsen, J.L. Recent work on size effects in electronic conduction, 3=15448
- Olsen, J.L., Andres, K., Meier, H. and de Salaberry, H. The influence of pressure on the superconductivity of rhenium, 3=14461



- Olsen, J. L., Bucher, E., Levy, M., Muller, J., Corenzwit, E. and Geballe, T. Superconductivity under pressure, 4=21420
- Olsen, J. L. and Rohrer, H. The volume dependence of the electron level density and the critical temperature of superconductors, 1=5398
- Olsen, J. L. See Andres, K., 2=7507
- Olsen, J. L. See Bucher, E., 2=7495
- Olsen, J. L. See Bucher, E., 4=16366
- Olsen, J. L. See Cotti, P., 4=15521
- Olsen, J. L. See Daunt, J. G., 1=6998
- Olsen, J. L. See Daunt, J. G., 2=17725
- Olsen, J. L. See Gygax, S., 4=14520
- Olsen, J. M. See Bellière, P., 4=3493
- Olsen, J. S. See Lassen, N. O., 3=24975
- Olsen, K. H. See Sallo, J. S., 1=6286
- Olsen, K. H. See Stokes, R. J., 3=17724
- Olsen, L. O. Citations for distinguished service, 1=10403
- Olsen, L. O. Francis Weston Sears: Oersted Medallist for 1961, 2=13230
- Olsen, L. O. The AAPT-AIP regional counselor program in physics, 3=6
- Olsen, L. O. See Cunningham, D. E., 0=13400
- Olsen, L. O. See Cunningham, D. E., 0=17691
- Olsen, R. G. See Talbot, J. H., Jr., 1=2262
- Olsen, T. Lattice thermal conductivity in copper alloys, 0=6024
- Olsen, T. Electronic structure of tin investigated by ultrasonic attenuation, 0=9847
- Olsen, T. The Fermi surface in tin from ultrasonic attenuation, 1=19740
- Olsen, T. Attenuation of longitudinal soundwaves by conduction electrons, 3=10593
- Olsen, T. Fermi surface of white tin from magnetoacoustic measurements, 3=15469
- Olsen, T. See Amundsen, T., 3=20123
- Olsen, T. See Amundsen, T., 3=25215
- Olsen, T. See Fosheim, K., 4=30547
- Olsen, W. C. See Zimmerman, R. L., 2=5692
- Olsen, W. O. See Dallos, P. J., 4=20969
- Olshaker, A. E. Experimental investigation in lead of the Whipple "meteor bumper", 1=1665
- Ol'shanskaya, E. Ya., Nekrasov, Yu. V. and Umanski, Ya. S. Investigation of order in W+44 at. % Mo alloy by measurement of diffuse X-ray scattering, 3=20891
- Ol'shanskaya, N. I. See Nesterov, V. M., 3=15609
- Olshchanski, P. J., Shombert, D. J. and Weingarten, I. R. Use of Hall measurements in evaluating polycrystalline silicon, 1=7642
- Ol'shevskii, V. V. Probability distribution of sea reverberation levels, 4=23712
- Olsmats, C. M., Axensten, S. and Liljegren, G. Hyperfine structure investigation of  $\text{Po}^{205}$  and  $\text{Po}^{207}$ , 2=523
- Olsmats, C. M. See Axensten, S., 2=347
- Olson, A. L. See Torok, E. J., 4=26301
- Olson, B. E. Variations in radiant energy and related ocean temperatures, 3=9010
- Olson, E. C. Observations of solar-line asymmetries, 3=3568
- Olson, D. N., Schopper, H. F. and Wilson, R. R. Electromagnetic properties of the proton and neutron, 1=7232
- Olson, D. N. See Wilson, R. R., 1=3165
- Olson, F. A. Study of magnetoelastic interactions by parallel pumping, 3=15884
- Olson, F. A. and Yaeger, J. R. Propagation, dispersion, and attenuation of backward-traveling magnetostatic waves in  $\text{YiG}$ , 4=28365
- Olson, F. A. See Morgenthaler, F. R., 3=1164
- Olson, F. C. W. Resonant frequency of a water-loaded circular plate, 0=6849
- Olson, H. F. Loudspeakers, 2=15699
- Olson, H. F. and Belar, H. Aid to music composition employing a random probability system, 1=12947
- Olson, H. F. and Belar, H. Phonetic typewriter III, 1=18527
- Olson, H. F. and Belar, H. A printout system for the automatic recording of the spectral analysis of spoken syllables, 2=7059
- Olson, H. F., Belar, H. and de Sobrino, R. Demonstration of a speech processing system consisting of a speech analyzer translator, typer, and synthesizer, 3=1551
- Olson, H. F., Belar, H. and Timmens, J. Electronic music synthesis, 0=5114
- Olson, J. R., Boade, R. R. and Legvold, S. Electric field effect on sound dispersion, 2=15650
- Olson, J. R. and Legvold, S. Sound dispersion in substituted methane-inert gas mixtures, 4=5246
- Olson, K. H. See Ziegler, C. A., 4=14198
- Olson, M. D. See Nicholas, M. E., 2=1126
- Olson, M. D. See Olsen, D. A., 2=15560
- Olson, N. Acoustic properties of anechoic chamber, 1=9462
- Olson, O. D. and Skarsgard, H. M. Probe studies of helium afterglows dominated by Coulomb interactions, 3=7440
- Olson, O. H. Selected ordinates for solar absorptivity calculations, 3=7031
- Olson, O. H. and Pontarelli, D. A. Asymmetry of an integrating sphere, 3=16778
- Olson, R. A. Rapid scanning microspectrofluorimeter, 0=14826
- Olson, R. A. and Lary, E. C. Electrodeless plasma conductivity probe apparatus, 3=5677
- Olson, R. M. See Friedland, S. S., 2=18198
- Olson, W. B. and Allen, H. C., Jr. On the fourth order Hamiltonian of an asymmetric rotor molecule of orthorhombic symmetry, 3=25083
- Olson, W. B., Allen, H. C., Jr. and Plyler, E. K. Analysis of two infrared bands of  $\text{CH}_3\text{D}$ , 3=12855
- Olson, W. B. See Allen, H. C., Jr., 2=18435
- Olson, W. B. See Redington, R. L., 2=6159
- Olsson, I. See De Vries, H., 0=17134
- Olsson, I. See Nilsson, R., 0=7500
- Olsson, I. U., Karlén, I., Turnbull, A. H. and Prosser, N. J. D. A determination of the half-life of  $\text{C}^{14}$  with a proportional counter, 2=10034
- Olsson, I. U. See Caini, C., 2=11589
- Olsson, M. and Yodh, G. B. Isobar model analysis of single pion production in pion-nucleon collisions below 1 BeV, 3=15005
- Olsson, P. See Hultberg, S., 2=3709
- Olsson, P. See Nagel, B., 3=3756
- Olsson, P. O. M. On Coulomb wave functions, 0=4946
- Olsson, P. O. M. On transition matrix elements between states in a Coulomb field. I-II, 0=4947
- Olsson, P. O. M. Expansions of wave functions in terms of Bessel functions, 2=1060
- Olsson, P. O. M. Integration of the partial differential equations for the hypergeometric functions  $F_1$  and  $F_2$  of two and more variables, 4=11017
- Olsson, P. O. M. Solutions in a special case of the partial differential equations associated with the Appell function  $F_2$ , 4=11018
- Olsson, P. O. M. See Nagel, B. C. H., 1=4910
- Olszak, W. and Perzyna, P. Variational theorems in general viscoelasticity, 0=4560
- Olszak, W. and Perzyna, P. Extremum theorems in general viscoelasticity, 1=20336
- Olszak, W. and Stepień, A. Phenological effect in prestressed bound elements, 2=12855
- Olzowski, S. Pi-sigma interaction in the free-electron model. I. Theory, 0=5975
- Olzowski, S. Nuclear charge effect on the free-electron model energy states, 0=15744
- Olzowski, S. Simplified self-consistent field equations with correlations, 1=1702
- Olzowski, S. Exchange correlations and compressibilities of metallic lithium and sodium, 3=23282
- Olzowski, S. Exchange correlations in statistical model and the cohesive energy of solids, 4=6676
- Olzowski, S. Exchange correlations in statistical model and equation of state of elements at high pressures, 4=6677
- Olzowski, S. and Wierzbicki, A. Exchange correlations and compressibilities of Mg, Al, Si and Zn, 4=28966
- Olzowski, S. See Friedel, J., 1=7738
- Olzowski, S. On the Coulomb and exchange operators in the free-electron model, 0=15745
- Olt, R. D. Synthetic maser ruby, 2=6561
- Olte, A., King, J. S. and Miller, E. K. A coaxial low-density plasma experiment, 2=13575
- Olte, A. and Siegel, K. M. Distinction between the electromagnetic constants of tektites and Libyan Desert glass and their effect on lunar surface theory, 1=5145
- Olteanu, I. See Bally, D., 0=11186
- Olteanu, I. See Bally, D., 0=15370
- Olteanu, I. See Bally, D., 2=7698
- Olteanu, I. See Benes, L., 3=21919
- Olthuis, R. W. See Macek, W. M., 4=21007
- Oltman, B. G. See Beriman, I. B., 4=2693
- Oltmans, F. See Corbet, H. C., 4=30409
- Olumoto, T. See Maeda, K., 2=4593
- Olving, S. Electromagnetic and space charge waves in a sheath helix, 1=16403
- Olving, S. On the nonlinear theory of the plane traveling-wave tube, 4=16542



- O'Mahony, G. Singularities in daily rainfall, 3=3460
- O'Malley, T.F. Extrapolation of electron-rare gas atom cross sections to zero energy, 3=12777
- O'Malley, T.F. Low-energy expansion of the scattering amplitude for long-range quadrupole potentials, 4=19981
- O'Malley, T.F., Rosenberg, L. and Spruch, L. Low-energy scattering of a charged particle by a neutral polarizable system, 2=6075
- O'Malley, T.F., Spruch, L. and Rosenberg, L. Modification of effective-range theory in the presence of a long-range ( $r^{-4}$ ) potential, 1=10852
- O'Malley, T.F. See Hahn, Y., 3=53
- O'Malley, T.F. See Hahn, Y., 3=9352
- O'Malley, T.F. See Hahn, Y., 4=16831
- O'Malley, T.F. See Hahn, Y., 4=19438
- O'Malley, T.F. See Hahn, Y., 4=25560
- O'Malley, T.F. See Rosenberg, L., 0=9288
- O'Malley, T.F. See Rosenberg, L., 0=13405
- O'Malley, T.F. See Spruch, L., 1=455
- Oman, R. A. and Leng, J. Chamber for continuous mixing of high pressure combustible gases, 4=21169
- Oman, R.M. See Dillon, J.A., Jr., 0=1898
- Oman, R.M. See Dillon, J.A., Jr., 2=23203
- Oman, R.M. See Dillon, J.A., Jr., 4=19074
- Omar, H. M., Zalubovskiy, I. I., Bakr, M. H. S., Zaghloul, R. and Gontchar, V. J. Investigation of the (d, p) reaction on magnesium isotopes at low deuteron energies, 4=28058
- Omar, M. and Youssef, T. H. Etch figures on alum and the diamond pattern, 1=14957
- Omar, M.A. See Miller, S.C., 1=11294
- Omar, M.H. and Dokoupil, Z. Some supplementary measurements on the vapour-liquid equilibrium of the system hydrogen-nitrogen at temperatures higher than the triple point of nitrogen, 2=1311
- Omar, M.H. and Dokoupil, Z. Solubility of nitrogen and oxygen in liquid hydrogen at temperatures between 27 and 33°K, 2=11365
- Omar, M.H. and Dokoupil, Z. Solid-gas equilibrium of the binary oxygen-hydrogen system, 2=11541
- Omar, M.H., Dokoupil, Z. and Schrotten, H.G.M. Determination of the solid-liquid equilibrium diagram for the nitrogen-methane system, 2=9461
- O'Mara, B. J. See Aller, L. H., 4=29441
- O'Mara, J. I. and McIntyre, D. Temperature dependence of the refractive index increment of polystyrene in solution, 0=14658
- Omarov, S.Z. The calculation of the combined effect of differential refraction and aberration, 0=18593
- Omarov, T. B. Motion of two bodies with corpuscular radiation, 4=10796
- Omarov, T. B. The restricted problem of perturbed motion of two bodies with variable mass, 4=13873
- Omarov, T. G. See Kogan, V. S., 4=2085
- Ombrellaro, P. A. and Federighi, F. D. A variational procedure for calculating fast group constants, 3=25003
- Ombrellaro, P. A. See Calame, G. P., 2=5658
- O'Meara, T. R. Comments on wide-band shielded r.f. transformers, 2=9516
- Omel'chenko, Yu. A. See Lukirskii, A. P., 0=17293
- Omel'yanovskii, E. M. See Fistul', V. I., 3=17861
- Omel'yanovskii, E. M., Fistul', V. I. and Mil'vidskii, M. G. Electron mobility in heavily doped silicon, 3=25347
- Omel'yanovskii, E. M. See Fistul', V. I., 2=21133
- Omel'yanovskii, E. M. See Fistul', V. I., 2=23336
- Omel'yanovskii, E. M. See Fistul', V. I., 2=23338
- Omel'yanovskii, E. M. See Domanskaya, L. I., 4=6961
- Omholt, A. Studies on the excitation of Aurora Borealis. I. The hydrogen lines, 0=791
- Omholt, A. The red and near-infrared auroral spectrum, 0=800
- Omholt, A. Studies on the excitation of Aurora Borealis. II. The forbidden oxygen lines, 0=4810
- Omholt, A. The time delay of the red [OI] lines in the aurora, 1=10334
- Omholt, A. On the excitation of the first positive  $N_2$  bands in aurorae, 1=21055
- Omholt, A. Velocities of very active auroral rays, 2=21670
- Omholt, A. Observations and experiments pertinent to auroral theories, 3=13797
- Omholt, A. and Stoffregen, W. Norwegian-Swedish collaboration in auroral and ionospheric research, 2=8997
- Omholt, A., Stoffregen, W. and Derblom, H. Hydrogen lines in auroral glow, 2=11077
- Omholt, A. See Harang, L., 2=4668
- Omholt, A. See Holt, O., 2=17185
- Omholt, A. See Johansen, O. E., 4=7891
- Omholt, A. See Stoffregen, W., 0=14227
- Omidvar, K. 2s and 2p electron impact excitation in atomic hydrogen, 4=9659
- Omidvar, K. Electron impact 2s and 2p excitations of atomic hydrogen, 4=25523
- Omidvar, K. and Sullivan, E. Electron impact ionization of highly excited atomic hydrogen, 4=12392
- Omidvar, K. and Sullivan, E. Electron impact ionization of highly excited atomic hydrogen, 4=24580
- Omini, M. See Gallina, V., 4=28346
- Omini, M. See Gallina, V., 4=28445
- Omini, M. See Gallina, V., 4=30509
- Omini, M. See Malvano, R., 2=22785
- Omnès, R. Generalization of the proof of dispersion relations, 0=7270
- Omnès, R. On a mathematical problem encountered in quantum field theory, 1=16699
- Omnès, R. A classification of resonances, 2=18070
- Omnès, R. Some remarks about unitarity, 2=21830
- Omnès, R. Asymptotic behavior of partial-wave amplitudes, 4=11950
- Omnès, R. and Vallados, G. Analysis of pion-nucleon interactions from 500-1200 MeV, 3=2300
- Omnès, R. See Barloutaud, R., 2=5711
- Omnès, R. See Barloutaud, R., 2=9893
- Omnès, R. See Jacob, M., 2=9896
- Omnès, R. See Jacob, M., 2=22594
- Omnès, R. L. Three-body scattering amplitude. I. Separation of angular momentum, 4=21787
- Omohundro, J. E. See Hunt, A. L., 4=13686
- Omont, A. Coherent multiple diffusion of the optical resonance light of the  $6^3P_1$  level of mercury in a strong magnetic field, 1=9906
- Omont, A. Displacement of the magnetic resonance line of the  $6^3P_1$  level of mercury by multiple coherent scattering, 4=15282
- Omont, A. and Brosseau, J. Optical anisotropy of a metal vapour in the neighbourhood of an absorption line, 1=9904
- Omont, A. See Archambault, Y., 1=17260
- Omori, S. Studies on the high frequency voltage standard, 3=344
- Omori, Y. An investigation of psychrometer, II, 1=9183
- Omori, Y. See Muto, J., 3=24936
- Oms, J. and Chédin, P. Determination of low energy gamma transition intensities by external conversion, 4=17017
- Omura, H. See Naruoka, M., 1=93
- Omura, I. and Morito, N. On the measurement of isotope abundance of lithium with mass spectrometer, 0=7706
- Omura, I. and Morito, N. Mass spectrometric measurements of negative ions, 3=12070
- Omura, I. See Koyano, I., 4=23671
- Omura, I. See Morito, N., 3=12259
- Omura, I. See Noda, T., 3=21903
- Omura, K. See Asada, T., 1=7609
- Omura, Y. and Wakatsuki, M. Pressure dependence of the characteristics of InSb Esaki diode, 2=23431
- Onak, T. P. and Shapiro, I. Nuclear magnetic resonance spectrum of the "diammoniate of diborane", 0=7808
- Onaka, R. and Ejiri, A. A density-recording vacuum ultraviolet spectrophotometer, 3=18993
- Onaka, R. and Fujita, I.  $\alpha$  and  $\beta$  bands in NaF, NaCl, and KCl, 0=16064
- Onaka, R. and Fujita, I. A vacuum spectrophotometer for solid state physics, 2=2889
- Onaka, R. and Fujita, I. Studies of the Greek bands in the alkali halides, 3=8590
- Onaka, R., Fujita, I. and Fukuda, A.  $\alpha$  centers in alkali halide crystals, 3=22837
- Onaka, R., Fukuda, A. and Ejiri, A. The fundamental absorption of lithium fluoride and sodium fluoride, 1=14585
- Onaka, R. See Fukuda, A., 4=28698
- Onat, E. T. On a variational principle in linear viscoelasticity, 2=21860
- Onat, E. T. See Breuer, S., 2=14887
- Onat, E. T. See Breuer, S., 4=16069
- Onat, E. T. See Breuer, S., 4=26480
- Oncescu, M. The resistivity temperature coefficient of thin films of tin, 1=6127
- Oncescu, M. and Apostol, I. Shielding for neutron sources used in industry, 2=9873
- Oncescu, M. See Apostol, I., 2=22539
- Oncescu, M. See Balea, E., 0=20307
- Oncescu, M. See Blănuș, D., 2=7937
- Oncescu, M. See Cohen, J., 4=6264



- Oncescu, M. See Comănescu, V., 3=21028  
 Oncescu, M. See Comănescu, V., 4=30107  
 Oncescu, M. See Gaspar, E., 4=3587  
 Oncescu, M. See Grigorovici, R., 1=626  
 Oncescu, M. See Iorgulescu, A., 2=7936  
 Oncescu, M. See Literat, R., 2=4617  
 Onchesku, M. See Asavineț, I., 4=9006  
 Onchi, M. Conductivity and surface potential change of cadmium films due to adsorption, 4=20326  
 Onchi, Y. Mechanism of the middle ear, 1=9218  
 Ondik, H. M. The structure of the triclinic form of sodium tetrametaphosphate tetrahydrate, 4=29139  
 Ondik, H. M. See Eanes, E. D., 3=8858  
 Ondoh, T. On the origin of v.l.f. noise in the earth's exosphere, 1=20893  
 Ondoh, T. Variations of the earth's exosphere and geomagnetic disturbances during the geomagnetic storm of 4 September 1958, 1=20897  
 Ondoh, T. A possible explanation of S.C.\* observed at high geomagnetic latitudes, 1=21098  
 Ondoh, T. Ionospheric currents responsible for sudden commencements observed at the geomagnetic equator, 2=4698  
 Ondoh, T. A possibility of the generation of v.l.f. emissions in the outer earth's exosphere, 2=13054  
 Ondoh, T. Geomagnetic bay-like disturbances before geomagnetic sudden commencements or sudden impulses, 2=17216  
 Ondoh, T. V.L.F. emissions and geomagnetic disturbances at the auroral zone. II. Chorus increases and geomagnetic pulsation at the auroral zone, 3=11472  
 Ondoh, T. Ionospheric absorption of cosmic radio noise and chorus at the auroral zone, 3=23618  
 Ondoh, T. Longitudinal distribution of s.s.c. rise times, 3=25951  
 Ondoh, T. A note on the v.l.f. emissions in the outer exosphere, 4=2222  
 Ondoh, T. The ionospheric absorption of the v.l.f. emissions at the auroral zone, 4=10757  
 Ondoh, T. and Hashizume, S. The effect of proton gyration in the outer atmosphere represented on the dispersion curve of whistler, 1=20857  
 Ondoh, T. and Maeda, H. Geomagnetic-storm correlation between the northern and southern hemispheres, 3=1491  
 Ondoh, T. See Maeda, H., 1=6658  
 Ondoh, T. See Maeda, H., 3=11475  
 Ondoh, U. See Maeda, H., 2=17218  
 Drejcin, R. S. See Albenesius, E. L., 0=20511  
 Ondris, M. and Frait, Z. Ferromagnetic resonance in thin permalloy films, 2=10685  
 Ondris, M. and Kamberský, V. On the problem of the dependence of uniaxial magnetic anisotropy of thin films on the angle of deposition, 1=20101  
 Ondris, M. See Frait, Z., 1=17962  
 Ondris, M. See Frait, Z., 2=18912  
 Ondris, M. See Frait, Z., 2=23694  
 Ondris, M. See Frait, Z., 3=3155  
 Ondris, M. See Frait, Z., 3=8700  
 Ondris, M. See Frait, Z., 3=20596  
 Ondris, M. See Kaczér, J., 3=1062  
 Ondris, M. See Kamberský, V., 1=14718  
 Ōne, Y. See Abe, Y., 4=10874  
 O'Neal, C., Jr. and Brokaw, R. S. Relation between thermal conductivity and viscosity for some nonpolar gases, 2=11423  
 O'Neal, C., Jr. and Brokaw, R. S. Relation between thermal conductivity and viscosity for nonpolar gases. II. Rotational relaxation of polyatomic molecules, 4=5241  
 O'Neal, C., Jr. See Brokaw, R. S., 4=5240  
 O'Neal, E. and Benson, S. W. Photolysis of acetone in the presence of HI and the decomposition of the acetyl radical, 2=12980  
 O'Neal, E. and Benson, S. W. Mechanism of the  $I_2$ -catalyzed decompositions of acetaldehyde and propionaldehyde in the vapor phase, 4=10642  
 O'Neal, E. See Benson, S. W., 1=5108  
 Oneal, G., Jr. "Hot finger" zone refining, 4=4538  
 Oneal, G., Jr. See Liang, C. Y., 2=21197  
 O'Neal, H. E. and Benson, S. W. Kinetics of the reaction between acetyl iodide and HI and the heat of formation of the acetyl radical, 2=19142  
 O'Neal, E. R., Senozan, N. M. and Phillips, N. E. Lattice heat capacity, isotope effect and similarity principle in indium, 4=16343  
 O'Neal, H. R. See Ho, J. C., 3=20107  
 Oneda, S. Remarks on strangeness non-conserving weak leptonic interactions, 4=27792  
 Oneda, S., Chiba, S., Hori, S. and Hiraki, H.  $K-\pi$  resonance and the strangeness violating weak interactions, 3=6069  
 Oneda, S. and Hori, S. Violation of  $|\Delta I| = \frac{1}{2}$  rule in the  $K_{\pi 3}^0$  decay and the  $K_2^0 \rightarrow \gamma + \gamma$  decay, 4=3474  
 Oneda, S., Hori, S., Nakagawa, M. and Toyoda, A.  $K_1^0-K_2^0$  mass difference and the boson-pole approximation in strangeness violating nonleptonic weak processes, 2=22623  
 Oneda, S., Pati, J. C. and Sakita, B.  $|\Delta I| = \frac{1}{2}$  rule and the weak four-fermion interaction, 0=12839  
 Oneda, S., Pati, J. C. and Sakita, B. Asymmetry parameter of  $\Lambda$  decay and the intermediate boson of weak interactions, 1=3238  
 Oneda, S. See Chadan, K., 0=377  
 Oneda, S. See Chadan, K., 0=13053  
 Oneda, S. See Chiba, S., 1=16905  
 Oneda, S. See Hiraki, H., 2=12000  
 Oneda, S. See Hori, S., 2=13869  
 Oneda, S. See Hori, S., 3=22201  
 Oneda, S. See Kim, Y. S., 4=12055  
 Oneda, S. See Kim, Y. S., 4=19586  
 Oneda, S. See Kim, Y. S., 4=27895  
 Oneda, S. See Nakagawa, M., 2=13734  
 Oneda, S. See Pati, J. C., 0=17231  
 Oneda, S. See Pati, J. C., 0=20221  
 Oneda, S. See Sakita, B., 0=11231  
 O'Neill, E. L. and Asakura, T. Optical image formation in terms of entropy transformations, 1=12965  
 O'Neill, E. L. and Bradley, L. C. Coherence properties of electromagnetic radiation, 1=16048  
 O'Neill, E. L. and Walther, A. The question of phase in image formation, 3=7310  
 O'Neill, E. L. See Brouwer, W., 4=8389  
 O'Neill, E. T. Pressure-balanced high-pressure hydrophone, 3=228  
 O'Neill, G. K. Report on spark chamber work at Princeton, 1=10824  
 O'Neill, G. K. Storage rings, 4=8872  
 O'Neill, G. K., Murphy, F. V., Wright, K. and Yount, D. Magnetic-field spark chambers, 3=17144  
 O'Neill, G. K. See Murphy, F. V., Jr., 3=14838  
 O'Neill, J. S., Hey, A. W. and Livey, D. T. Density and permeability relationships in fabricated beryllia, 2=4480  
 O'Neill, M. J. The analysis of a temperature-controlled scanning calorimeter, 4=24424  
 O'Neill, M. J. See Watson, E. S., 4=26773  
 O'Neill, P. L. See Cassels, J. M., 0=5583  
 O'Neill, P. L. See Jones, D. P., 1=3223  
 Ong, R. S. and Nicholls, J. A. On the flow of a hydromagnetic fluid near an oscillating flat plate, 1=13160  
 Ong, R. S. B. On the reflection and refraction of hydromagnetic waves in interstellar medium, 2=15996  
 Ong, R. S. B. An integral equation occurring in plasma oscillations, 4=3005  
 Ong, R. S. B. See Coburn, N., 1=9670  
 Ong Sing Poen. Microprojection with X-rays, 0=7331  
 Onicescu, O. Anti-Minkowskian universes, 2=21  
 Onicheck, I. L. See Prishivalko, A. P., 2=9365  
 Onions, W. J. and Ellingham, B. Measurement of fibre diameter variation by optical diffraction, 0=4978  
 Onions, W. J., Woods, H. J. and Woods, P. B. Meridional reflexions in the X-ray diffraction photographs of  $\alpha$ -keratin, 0=10296  
 Onishchenko, I. N. See Grishaev, I. A., 0=11146  
 Onishchenko, I. N. See Voitsenya, V. S., 4=14639  
 Onishchenko, L. M. See Glazov, A. A., 4=3076  
 Onishchenko, L. M. See Glazov, A. A., 4=5727  
 Onishchenko, L. M. See Glazov, A. A., 4=30003  
 Onishi, T. and Krimm, S. Origins of characteristic bands in the infrared spectra of isotactic polystyrene and isotactic poly (ring-d<sub>5</sub> styrene), 1=17902  
 Onley, D. See Shafer, J. B., 3=15028  
 Onley, D. S., Griffy, T. A. and Reynolds, J. T. Partial-wave analysis of the inelastic scattering of electrons by nuclei. II. Application to the liquid drop model, 3=8081  
 Onley, D. S., Reynolds, J. T. and Wright, L. E. Partial-wave analysis of the inelastic scattering of electrons by nuclei. III. Systematics of electric multipole excitation, 4=19757  
 Onley, D. S. See Griffy, T. A., 3=665  
 Onley, D. S. See Reynolds, J. T., 4=11933  
 Onley, J. W. Analytical densitometry for color print evaluation, 0=2259



- Onley, J.W. Light adaptation and the brightness of brief foveal stimuli, 1=9232
- Onley, J.W. and Boynton, R.M. Visual responses to equally bright stimuli of unequal luminance, 2=17325
- Onley, J.W., Klingberg, C.L., Dainoff, M.J. and Rollman, G.B. Quantitative estimates of saturation, 3=11642
- Onley, J.W. See Boynton, R.M., 3=9305
- Onley, R.E. See Sedlewicz, P.G., 4=17503
- Onno, P. and Bell, R.E. Dependence of line widths of scintillation counters on integrating time constant, 3=4294
- Ono, A. Stress concentration v. fatigue strength in view of yielding of material, 2=8753
- Ono, A. Note to the condition of yielding assumed in investigating the effect of stress concentration on the fatigue strength, 2=8754
- Ono, A. Strength of metals in view of the internal energy, 3=13377
- Ono, A. Formulating strengths by stresses. IV, 4=13380
- Ono, A. See Kimura, M., 3=22376
- Ono, A. See Sugawara, M., 3=12653
- Ono, K. On the decay interaction of baryons, 3=10068
- Ono, K., Ishikawa, Y., Ito, A. and Hirahara, E. The Mössbauer effect in some iron compounds, 3=995
- Ono, K. and Ito, A. A Mössbauer study of the internal field at  $\text{Fe}^{57}$  in  $\alpha\text{-Fe}_2\text{O}_3$ , 2=16918
- Ono, K. and Ito, A. Mössbauer study of magnetic properties in ferrous compounds, 4=28768
- Ono, K., Ito, A. and Hirahara, E. Mössbauer study of hyperfine field, quadrupole interaction, and isomer shift of  $\text{Fe}^{57}$  in  $\text{FeS}_{1.00}$ ,  $\text{FeS}_{1.05}$  and  $\text{FeS}_{1.07}$ , 3=2698
- Ono, K. and Kuroda, K. Cross sections and angular distributions for the  $\text{B}^{10}(\alpha, d)\text{C}^{12}$  reaction from 3.2 MeV to 3.8 MeV, 0=4103
- Ono, K., Meshii, M. and Kauffman, J.W. Effect of electron irradiation on mechanical properties of aluminum single crystals at 80° K, 4=15701
- Ono, K. and Ohtsuka, M. Paramagnetic resonance absorption in two copper salts at wavelengths of 5.4 mm and 6.6 mm, 0=3129
- Ono, K. See Furusho, K., 3=2942
- Ono, K. See Ito, A., 2=10008
- Ono, K. See Ito, A., 4=4510
- Ono, K. See Kamitsubo, H., 4=25385
- Ono Ken-Ichi. C.P. invariance and the concept of anti-particles, 3=24623
- Ono, M. See Takakura, T., 2=13159
- Ono, M. See Takakura, T., 2=13931
- Ono, N. and Hirota, K. Correlation between Stokes shift and stability constant of 6, 7-dihydroxynaphthalene-2-sulphonic acid metal chelates, 4=5194
- Ono, N. See Koike, M., 4=22032
- Ono, S. A note on the derivation of the generalized Boltzmann equation, 4=27207
- Ono, S. and Shizume, T. Statistical mechanics of transport phenomena in gases at moderate densities, 3=9497
- Ono, S. See Prigogine, I., 0=8565
- Ono, S. See Prigogine, I., 0=10617
- Ono, T., Takahama, T. and Irie, T. The thermoelectric properties of  $\text{AgSbTe}_2$ - $\text{AgBiTe}_2$ - $\text{PbTe}$  and  $\text{-SnTe}$  systems, 2=18759
- Ono, T. See Irie, T., 3=10900
- Ono, Y. Propagation of shock waves in inhomogeneous gases. III. Spherical shock waves, 1=18455
- Ono, Y. and Sakashita, S. On the mechanism of stellar explosion, 2=21722
- Ono, Y. and Sakashita, S. On the mechanism of supernova explosion, 3=11559
- Ono, Y., Sakashita, S. and Ohyama, N. On the mechanism of stellar explosion, 2=17288
- Ono, Y., Sakashita, S. and Yamazaki, H. Propagation of shock waves in inhomogeneous gases. I, 1=2780
- Ono, Y., Sakashita, S. and Yamazaki, H. Propagation of shock waves in inhomogeneous gases. II. Hydromagnetic shock, 1=10774
- Ono, Y. See Sakashita, S., 0=14464
- Ono, Y. See Yamazaki, H., 0=18870
- Onodera, G.C., Corrigan, W.J. and Warner, R.M., Jr., 2=23440
- Onodera, M. On the quasicheical method in mixtures 4=11173
- Onodera, S. Numerical analysis of relative resistivity for a horizontally layered earth, 3=16195
- Onodera, Y. See Ogushi, T., 3=24151
- Onoe, M. Frequency of edge mode of isotropic thin rectangular plate, circular disk and rod, 1=18502
- Onoe, M. Theory of ultrasonic delay lines for direct-current pulse transmission, 3=205
- Onoe, M. Mechanical input admittance of ultrasonic delay lines operating in torsional or shear modes, 3=18923
- Onoe, M. and Meitzler, A. H. Effects of high electromechanical coupling on characteristics of piezoelectric ceramic transducers, 4=16180
- Onoe, M. and Pao, Y. H. Edge mode of thin rectangular plate of barium titanate, 1=18503
- Onoe, M., Tiersten, H. F. and Meitzler, A. H. Shift in the location of resonant frequencies caused by large electro-mechanical coupling in thickness-mode resonators, 3=7266
- Onogi, S. See Kotaka, T., 1=15783
- Onogi, S. See Stein, R. S., 3=10915
- Onoguchi, A. See Masuda, T., 4=13626
- Onoguchi, A. See Shirai, S., 3=4237
- Onoguchi, A. See Tochigi, H., 3=24165
- Onopriienko, L. G. Theory of ferromagnetic resonance on uniaxial single crystals of ferrites, 3=3152
- Onoprienko, L. G. The theory of the magnetization curve of uniaxial single crystals, 3=1118
- Onoprienko, L. G. The effect of magnetic crystal anisotropy upon some magnetic properties of uniaxial ferromagnetics, 4=20536
- Onoprienko, M. I. See Broude, V. L., 2=695
- Onopriyenko, L. G. See Vlasov, K. B., 4=13298
- Onopriyenko, M. I. The analysis of electron spectra of molecular crystals, 2=18822
- Onosovskii, K. K. Adjustment of the vacuum chamber and pumping system of the 7 BeV proton synchrotron, 4=14802
- Onosovskii, K. K. See Vladimirovskii, V. V., 4=14840
- Onosovskii, K. K. See Vladimirovskii, V. V., 4=16600
- Onsager, L. Magnetic flux through a superconducting ring, 1=13045
- Onsager, L. and Dupuis, M. The electrical properties of ice, 0=16652
- Onsager, L. and Runnels, L. K. Mechanism for self-diffusion in ice, 4=4074
- Onsager, L. See Dupuis, M., 0=20748
- Onsager, L. See Fuoss, R. M., 3=20998
- Onsager, L. See Fuoss, R. M., 3=20999
- Onsager, L. See Fuoss, R. M., 4=10643
- Onsager, L. See Whitman, D. R., 0=4227
- Onstead, C. O., Oberhausen, E. and Keary, F. V. Cesium-137 in man, 2=21749
- Onton, A. A. See Miksic, M. G., 4=28746
- Onuchin, A. P. A nanosecond light impulse generator, 3=1805
- Onuchin, A. P. and Khabakhpashev, A. G. Collection of light in the Cherenkov counter, 4=3245
- Onufriev, V. G. See Khulelidze, D. E., 4=30357
- Onuki, M. Photoconductive Hall effect in potassium bromide, 1=14385
- Onuki, M. and Kawamura, H. Polaron mobility in potassium bromide, 1=950
- Onuki, M. and Miyake, T. Photoconductivity of CdS in blocking electrodes, 3=17955
- Onuki, M. and Ohkura, H. Pulse photoconductivity of additively colored KBr, 1=11232
- Onuki, M. and Ohkura, H. Pulse and steady photoconductivities of colored alkali halides, 2=8424
- Onuki, M. and Shiga, K. Hole photoconductivity in CdS crystals, 4=22796
- Onuki, M. and Shiga, K. Schubwegs of photo-carriers in CdS crystals, 4=22795
- Onuma, Y. See Tokuyasu, T., 3=20955
- Onwumechilli, A. Fluctuations in the geomagnetic horizontal field near the magnetic equator, 0=14167
- Onwumechilli, A. Lunar effect on the diurnal variation of the geomagnetic horizontal field near the magnetic equator, 3=9128
- Onwumechilli, A. Separation of the semidiurnal tidal effect on individual days and some equatorial features of the geomagnetic lunar tide, 3=25943
- Onwumechilli, A. and Ogbuehi, P. O. Fluctuations in the geomagnetic horizontal field, 2=11092
- Onwumechilli, A. See Ogbuehi, P. O., 3=25938
- Onwumechilli, C. A. Possible asymmetry in the daily range of the geomagnetic vertical intensity around the magnetic equator, 0=2002
- Onwumechilli, C. A. A study of the equatorial electrojet. I. An experimental study, 0=6444
- Onwumechilli, C. A. A study of the equatorial electrojet. II. A model electrojet that fits H-observations, 0=6445
- Onwumechilli, C. A. The relation between H- and Z-variations near the equatorial electrojet, 0=14164



- Onwumechilli, C.A. and Alexander, N.S. Variations in the geomagnetic field at Ibadan, Nigeria. I. Solar variations, 0=14175
- Onwumechilli, C.A. and Alexander, N.S. Variations in the geomagnetic field at Ibadan, Nigeria. II. Lunar and luni-solar variations in H and Z, 0=14176
- Ooba, N. Note on the photometry of fluorescent materials, 3=18019
- Ooba, N. Experimental study on diffraction in the measurement of the primary standard of light, 4=14329
- Oohashi, K. See Aono, S., 3=25138
- O-ohata, K. The binding energy of the  $\sigma$  bond. I. General theory, 1=8851
- O-ohata, K. The binding energy of the  $\sigma$  bond. II. Application to the diamond crystal, 1=9964
- O-ohata, K. The polarity of the diatomic molecule, 1=12304
- O-ohata, K. The binding energy of the  $\sigma$  bond. III. Discussion on the ionic structures, 1=17336
- O-ohata, K. The binding energy of the  $\sigma$  bond. IV. Discussion on the higher order terms, 1=17337
- Ooi, T. See Oosawa, F., 2=7049
- Ookawa, A. A model theory of liquid, 1=12866
- Ookawa, A. and Yazu, K. The energy radiated from a dislocation by an accelerated motion through impurity fields, 3=23304
- Oort, J.H. Very accurate positions of selected stars, 0=12304
- Oort, J.H. A summary and assessment of current 21 cm results concerning spiral and disk structures in our galaxy, 1=18013
- Oort, J.H. Some remarks on the transition region between disk and halo, 4=10849
- Oort, J.H. Radio data on the distribution and motion of interstellar gas, 4=10922
- Oort, J.H. Measurement of polarization of the continuous radiation at 75-cm wavelength, 4=10923
- Oort, J.H. Spiral structure, 4=13902
- Oort, J.H. and Rougoor, G.W. The position of the galactic centre, 0=18658
- Oort, J.H. See Muller, C.A., 4=13968
- Oort, J.H. See Rougoor, G.W., 0=8509
- Oort, J.H. See Rougoor, G.W., 1=18014
- Oosawa, F., Asakura, S. and Ooi, T. Physical chemistry of muscle protein "actin", 2=7049
- Oosawa, F. See Ohnishi, T., 1=8114
- Ooshika, Y. A semi-empirical theory of the conjugated systems. III. Bond alternation and electron fixation, 0=20699
- Oost, W.A. See Born, P., 3=12624
- Oostens, J. See Grégoire, G., 4=30111
- Oosterhoff, L.J. See Bennema, P., 0=21290
- Oosterhoff, L.J. See Hamelka, H.F., 0=506
- Oosterhoff, L.J. See van der Hoek, J.A., 1=17718
- Oosterhout, G.W. van. See van Oosterhout, G.W.
- Oosterhuis, W.T. Simple method for measuring the Curie point, 3=8636
- Oosthuizen, J.C. See Blair, G.W.S., 0=14575
- Oosting, P.H. See Trappeniers, N.J., 4=23064
- Oostrum, K.J. van. See van Oostrum, K.J.
- Oove, S. Determination of acutance by the Fraunhofer diffraction method, 4=332
- Opalenko, A.A. See Bryukhanov, V.A., 3=2368
- Opanowicz, A. See Czajkowski, M., 4=7061
- Oparin, E.M., Saukov, A.I. and Shuvalov, R.S. Inelastic scattering of 14 MeV neutrons on light nuclei, 4=9517
- Oparin, E.M. See D'yachkov, B.A., 3=24743
- Oparin, E.M. See Petrov, V.I., 3=74395
- Oparin, V.A. See Afrosimov, V.V., 2=153
- Oparin, V.A. See Afrosimov, V.V., 3=365
- Oparin, V.A. See Ilyin, R.N., 4=20118
- Oparin, V.A. See Solov'ev, E.S., 2=13540
- Oparin, V.A. See Solov'ev, E.S., 3=5620
- Oparin, V.A. See Solov'ev, E.S., 4=2944
- Oparin, V.A. See Solov'ev, E.S., 4=24566
- Opaska-Burnicka, A. See Iwanowska, W., 4=2347
- Opat, G.I. The electric dipole sum rule, 0=4110
- Opat, G.I. Electromagnetic sum rules, 2=5788
- Opat, G.I. Radiative muon capture in hydrogen, 4=169.5
- Opatovski, A. See Chernevski, M., 4=6437
- Opatowski, A. See Opatovski, A.
- Opauszky, I. See Kiss, I., 3=21632
- Opechowski, W. On the calculation of the partition function of a ferromagnetic crystal, 0=8038
- Opechowski, W. On the theory of the temperature dependence of the magnetization of an ideal ferromagnet at low temperatures, 0=10140
- Opechowski, W. Group representations and solid state physics, 1=6508
- Opechowski, W. On the temperature dependence of the shape of paramagnetic resonance lines at low temperatures, 4=26366
- Opechowski, W. See McMillan, M., 0=16156
- Opechowski, W. See McMillan, M., 2=762
- Opechowski, W. See Needler, G.T., 1=6424
- Opekunov, A.A. See Gonikberg, M.G., 0=3384
- Opfer, J.E. See Luszczyński, K., 3=178
- Opfer, J.E. See Luszczyński, K., 4=16152
- Ophel, T.R. Response curves of alkali halide scintillators with special reference to the  $\text{Li}^6(n, \alpha)$  reaction in lithium iodide, 0=17146
- Ophel, T.R., Glover, R.N. and Titterton, E.W. Gamma ray yields from the proton bombardment of  $\text{B}^{10}$ , 2=16406
- Ophel, T.R. and Lawergren, B.T. The 721, 809, 839 and 954 keV resonances of the  $\text{Mg}^{26}(p, \gamma)$  reaction, 2=7982
- Ophel, T.R. and Lawergren, B.T. The 661 keV resonance of the  $\text{Mg}^{26}(p, \gamma)$  reaction, 2=20818
- Ophel, T.R. and Lawergren, B.T. The decay of  $\text{Mg}^{27}$ , 3=24892
- Ophel, T.R. and Lawergren, B.T. The low-lying levels of  $\text{Al}^{27}$ . I, 4=17043
- Ophel, T.R. See Bashkin, S., 1=17097
- Ophel, T.R. See Bashkin, S., 2=16100
- Ophel, T.R. See Hwang, C.F., 0=12926
- Ophel, T.R. See Lawergren, B.T., 2=12132
- Ophel, T.R. See Lawergren, B.T., 3=4567
- Ophel, T.R. See Thorndike, E.H., 0=12927
- Ophir, D. Fast transistorized time to amplitude converter, 4=30121
- Ophir, D. See Galil, U., 1=16230
- Opie, J.D. See Luborsky, F.E., 3=15773
- Opik, E. Dissipation of the solar nebula, 4=7966
- Öpik, E.J. Surface conditions on the nearest planets, 0=16533
- Öpik, E.J. The lunar surface as an impact counter, 0=18693
- Öpik, E.J. Tidal deformations and the origin of the moon, 1=5133
- Öpik, E.J. The atmosphere and haze of Mars, 1=15428
- Öpik, E.J. The aerosphere and atmosphere of Venus, 1=18042
- Öpik, E.J. The survival of stray bodies in the solar system, 2=4729
- Öpik, E.J. The lunar atmosphere, 2=17243
- Öpik, E.J. The survival of comets and cometary material, 1=18049
- Opik, E.J. Jupiter: chemical composition, structure and origin of a giant planet, 3=16337
- Öpik, E.J. Selective escape of gases, 3=21099
- Öpik, E.J. and Singer, S.F. Distribution of density in a planetary exosphere. I, 0=835
- Öpik, E.J. and Singer, S.F. Distribution of density in a planetary exosphere, 0=14399
- Öpik, E.J. and Singer, S.F. Distribution of density in a planetary exosphere. II, 1=2602
- Öpik, E.J. and Singer, S.F. Density of the lunar atmosphere, 1=7980
- Öpik, E.J. and Singer, S.F. Escape of gases from the moon, 1=15421
- Öpik, U. Mean energies of hybridized valence states, 2=6211
- Öpik, U. See Chisholm, C.D.H., 4=15271
- Opinsky, A.J., Orehtsky, J.L. and Hoffman, C.W.W. X-ray diffraction analysis of crystalline size and lattice strain in tungsten wire, 2=6861
- Opinsky, A.J. See Seigle, L.L., 0=11650
- Opitz, H. See Sommermeyer, K., 1=4838
- Opitz, H.J. Interaction of continuous sound and sound pulses and the resulting directional effects in binaural hearing, 4=2485
- Oplenko, B.F. See Basichnyk, M.V., 2=12186
- Oplinger, D.W. Frequency response of a nonlinear stretched string, 1=1776
- Opower, H. See Fwald, H., 4=28078
- Opower, H. See Konecny, E., 4=28079
- Oppegard, A.L., Darnell, F.J. and Miller, H.C. Magnetic properties of single-domain iron and iron-cobalt particles prepared by borohydride reduction, 1=6305
- Oppegard, A.L. See Swoboda, T.J., 1=6272
- Oppel, R. See Stein, R., 2=20211
- Oppenhauser, H. See Westwood, A.R.C., 2=12886
- Oppenhauser, H., Jr. See Westwood, A.R.C., 2=8229
- Oppenheim, A.K. and Stern, R.A. The characteristic fundamentals of propagation of waves in reactive media, 2=1114
- Oppenheim, A.K. and Stern, R.A. The characteristics of simple waves in reactive media, 2=19528
- Oppenheim, A.K. See Baumann, W., 2=6884



- Oppenheim, A.K. See Bevans, J.T., 0-2184  
 Oppenheim, A.K. See Hecht, G.J., 0-18436  
 Oppenheim, A.K. See Laderman, A.J., 1-11623  
 Oppenheim, A.K. See Laderman, A.J., 4-5294  
 Oppenheim, A.K. See Rosciszewski, J., 3-16945  
 Oppenheim, A.K. See Seicher, C.A., Jr., 0-10631  
 Oppenheim, A.K. See Smith, H.P., Jr., 4-18332  
 Oppenheim, A.K. See Stern, R.A., 0-3680  
 Oppenheim, I. Approximate quantum-mechanics law of corresponding states, 4-5080  
 Oppenheim, I. Transport equations for the upper atmosphere, 4-10733  
 Oppenheim, I. and Bloom, M. Nuclear spin relaxation in low-temperature liquids, 0-5033  
 Oppenheim, I. and Bloom, M. Nuclear spin relaxation in gases and liquids. I. Correlation functions, 1-9410  
 Oppenheim, I., Bloom, M. and Torrey, H.C. Nuclear spin relaxation in gases and liquids. III. Momentum-dependent interactions, 4-8256  
 Oppenheim, I. and Friedman, A.S. Quantum statistical mechanics of isotope effects, 1-10435  
 Oppenheim, I. and Hafemann, D.R. Thermodynamic properties of a monatomic hydrogen gas at high temperatures, 3-18855  
 Oppenheim, I. and van Kampen, N.G. Field correlation functions in a plasma, 4-18803  
 Oppenheim, I. See Andersen, H.C., 4-2575  
 Oppenheim, I. See Andersen, H.C., 4-16060  
 Oppenheim, I. See Bloom, M., 0-8719  
 Oppenheim, I. See Bloom, M., 4-2734  
 Oppenheim, I. See Crawford, B.Jr., 1-8268  
 Oppenheim, I. See Kawasaki, K., 4-27213  
 Oppenheim, I. See Lifson, S., 0-15790  
 Oppenheim, R.M. See Sapoff, M., 4-7024  
 Oppenheim, U. See Jaffe, J.H., 0-83  
 Oppenheim, U.P. Spectral emissivity of the  $4.3 \mu$  CO<sub>2</sub> band at 1200°K, 4-6585  
 Oppenheim, U.P. and Ben-Aryeh, Y. Statistical model applied to the region of the  $\nu_3$  fundamental of CO<sub>2</sub> at 1200°K, 3-5467  
 Oppenheim, U.P. and Ben-Aryeh, Y. A general method for the use of band models, with applications to infrared atmospheric absorption, 4-25602  
 Oppenheim, U.P. and Even, U. Infrared properties of sapphire at elevated temperatures, 2-21237  
 Oppenheim, U.P. and Goldman, A. Infrared spectral transmittance of MgO and BaF<sub>2</sub> crystals between 27° and 1000°C, 4-10178  
 Oppenheim, U.P. and Goldring, H. The strengths of absorption lines in the 2-0 band of carbon monoxide, 3-4744  
 Oppenheimer, F. Sophomore-laboratory experiment on the viscosity of air, 4-21161  
 Oppenheimer, F. and Correll, M. A library of experiments, 4-11005  
 Oppenheimer, F. See Bussian, A.E., 4-24998  
 Oppenheimer, F. See Cole, T.T., 3-14375  
 Oppenheimer, F. See Knight, W.L., 4-19805  
 Oppenheimer, F. See Newman, J., 2-18790  
 Oppenheimer, F. See Piekenbrock, L., 4-25197  
 Oppenheimer, F. See Wilson, J.R., 4-27307  
 Oppermann, H. See Lange, W., 2-21900  
 Oppliger, L. See Salisbury, S.R., 2-16405  
 Oppliger, L.D. See Dangle, R.L., 4-9508  
 Oppliger, L.D. See Hardie, G., 3-4631  
 Oppliger, L.D. See Silverstein, E.A., 2-493  
 Oprea, F. and Balta, P. Researches on some metal oxide semiconductors, 2-6465  
 Opsahl-Andersen, P. See Grimeland, B., 4-12244  
 Optics group of the Posdam Pädagogische Hochschule. Method for determining the focal lengths of optical systems, 2-7334  
 Oraevskii, A.N. Absorption and dispersion in molecular crystals, with consideration of the saturation effect, 3-20455  
 Oraevskii, A.N. Production of negative temperatures in chemical reactions, 4-4689  
 Oraevskii, A.N. See Basov, N.G., 0-1201  
 Oraevskii, A.N. See Basov, N.G., 0-11040  
 Oraevskii, A.N. See Basov, N.G., 2-16572  
 Oraevskii, A.N. See Basov, N.G., 3-6442  
 Oraevskii, A.N. See Basov, N.G., 3-21214  
 Oraevskii, A.N. See Basov, N.G., 3-23782  
 Oraevskii, A.N. See Belenov, E.M., 3-12359  
 Oraevskii, I.N. See Grigor'Yants, V.V., 3-12884  
 Oraevskii, V.N. On resonance photon-photon scattering, 1-19165  
 Oraevskii, V.N. Stability of steady-state oscillations of a plasma with no magnetic field, 3-549  
 Oraevskii, V.N. On the instability of Langmuir electron plasma oscillations in the presence of a magnetic field, 4-24698  
 Oraevskii, V.N. and Sagdeev, R.Z. Stability of steady-state longitudinal plasma oscillations, 3-14613  
 Oraevskii, V.N. and Sagdeev, R.Z. Influence of "drift" waves on the diffusion of plasma in magnetic field, 3-23422  
 Oraevskii, V.N. See Galeev, A.A., 3-5822  
 Oraevskii, V.N. See Galeev, A.A., 3-24313  
 Oraevskii, V.N. See Galeev, A.A., 4-16637  
 Oraevsky, A.N. See Basov, N.G., 4-8968  
 O'Raifeartaigh, L. The S-matrix in the non-local field theory of Arnous and Heitler, 1-5628  
 O'Raifeartaigh, L. The Dirac matrices and the signature of the metric tensor, 2-3250  
 O'Raifeartaigh, L. On the validity of the crossing theorem, 2-17358  
 O'Raifeartaigh, L. and Rasche, G. Probability-conserving transformations and superselection rules in quantum theory, 4-5057  
 O'Raifeartaigh, L. and Ryan, C. On a generalised commutation relation, 3-11693  
 O'Raifeartaigh, L., Šredniawa, B. and Terreaux, C. The proton-neutron mass-difference according to meson-theory, 0-1275  
 O'Raifeartaigh, L. and Takahashi, Y. Further investigations on the non-local convergent field theory, 2-3238  
 O'Raifeartaigh, L. See Arnous, E., 0-15234  
 O'Raifeartaigh, L. See Kamefuchi, S., 2-3240  
 O'Raifeartaigh, L. See O'Connell, R.F., 4-9298  
 Oran, F.M. See Seelbach, H., Jr., 4-294  
 Oranovskaya, T.V. Luminescence properties of cerium activated aluminum oxide and helenite under cathode-ray excitation, 2-23612  
 Oranovskii, V.E. Investigation of the electroluminescence of zinc sulfide single crystals, 2-16872  
 Oranovskii, V.E. and Khmelinin, B.A. Investigation of electroluminescence of ZnS:Cu monocrystals, 0-10080  
 Oranovskii, V.E. and Khmelinin, B.A. Study of electroluminescence of ZnS-Cu single crystals, 2-8554  
 Oranovskii, V.E. and Trapeznikova, Z.A. Investigation of the electroluminescence and photoluminescence spectra of phosphors activated with rare-earth elements, 0-1767  
 Oranowski, W.E. Investigation of electroluminescence in single crystals of ZnS, 3-4992  
 Oravec, J. and Sikolenko, V.F. Generator of high-power pulses of nanosecond length with a steep front and its use in measuring the mobility of electrical charges in gases, 4-18650  
 Oravets, Yu. See Dvoretzki, A.S., 3-17159  
 Orayevs'kyi, V.M. See Volkov, D.V., 1-13469  
 Orbach, R. Antiferromagnetic magnon dispersion law and Bloch wall energies in ferromagnets and antiferromagnets, 0-1811, 3102  
 Orbach, R. Spin wave spectra for canted antiferromagnets and ferromagnets, 0-1822  
 Orbach, R. On the scattering of phonons by spins at low temperatures. Theoretical, 1-3613  
 Orbach, R. On the theory of spin-lattice relaxation in paramagnetic salts, 1-9062  
 Orbach, R. Spin-lattice relaxation in rare-earth salt, 2-778  
 Orbach, R. Spin-lattice relaxation in rare-earth salts: field dependence of the two-phonon process, 2-779  
 Orbach, R. Spin-lattice relaxation time of samarium ethyl sulfate, 2-12828  
 Orbach, R. Thermal resistance of holmium ethyl sulphate, 2-14397  
 Orbach, R. Spin-lattice relaxation time of rare-earth ions in strong exchange fields, 2-23711  
 Orbach, R. A note on the thermal resistance of Kramers salts, 3-12933  
 Orbach, R. Second-order nonradiative processes in CaF<sub>2</sub>: Sm<sup>2+</sup>, 4-8985  
 Orbach, R. Some aspect of the spin-phonon interaction, 4-15409  
 Orbach, R. Spin-lattice relaxation times for exchange split rare earth ion levels, 4-26427  
 Orbach, R. and Blume, M. Spin-lattice relaxation in multi-level spin systems, 3-3184  
 Orbach, R. and Pincus, P. Effect of anisotropic paramagnetic impurities on nuclear relaxation in non-cubic metals, 4-10340



- Orbach, R. See Blume, M., 2=18955  
 Orbach, R. See Cooke, A.H., 1=14809  
 Orbach, R. See Finn, C.B.P., 1=6423  
 Orbach, R. See Finn, C.B.P., 1=14808  
 Orbach, R. See Leask, M.J.M., 3=8333  
 Orbach, R. See Leask, M.J., 4=26381  
 Orbach, R. See Nai Li Huang, 4=23025  
 Orbach, R. See Powell, M.J.D., 2=552  
 Orbach, R. See Van Vleck, J.H., 3=23216  
 Orbach, R.L. See Cooke, A.H., 3=1194  
 Orcel, J. See Cauchois, Y., 3=4230  
 Orcel, J. See Jérémme, E., 3=3559  
 Orcutt, D. See Stammier, M., 4=13477  
 Orcutt, R.H. Influence of molecular quadrupole moments on the second virial coefficient, 3=21436  
 Ordahl, D.D. Electrically-controlled demand-thrust rockets for satellite guidance, 0=12336  
 Ordan'yan, S.S. See Moskalev, V.I., 2=16792  
 Ordway, F. Condensation model producing crystalline or amorphous tetrahedral networks, 4=16299  
 Ordzovensky, S. See Matiasovsky, K., 4=29643  
 Ore, A. Quantum yield for energy transfer by resonance, 0=13701  
 Ore, A. and Larsen, A. Relative frequencies of ion clusters containing various numbers of ion pairs, 4=19337  
 Ore, A. See Holtsmark, T.W., 2=13452  
 Ore, A. See Peersen, E., 4=22731  
 Orear, J. Transverse momentum distribution of protons in p-p elastic scattering, 4=25091  
 Orear, J. See Baker, W.F., 3=7854  
 Orear, J. See Baker, W.F., 4=25093  
 Orear, J. See Connolly, P.L., 1=10899  
 Orear, J. See Cocconi, G., 4=9193  
 Orear, J. See Kotelchuck, D., 3=6028  
 Orear, J. See Lynch, G.R., 0=9388  
 Orear, J. See Read, A.L., 4=3331  
 Orecher, S. Measurement of the low-energy  $\gamma$ -spectrum of  $\text{Cd}^{114}$ ,  $\text{Ho}^{166}$  and  $\text{Eu}^{154}$ , 4=1022  
 Oredson, H. N. and Torok, E. J. Inhomogeneity in the magnitude of the anisotropy field in thin nickel-iron films, 4=13200  
 Oredson, H.N. See Torok, E.J., 2=23664  
 Oredson, H. N. See Torok, E. J., 4=26301  
 Orehtsky, J. L. See Berry, B.S., 4=12847  
 Orehtsky, J.L. See Opinsky, A.J., 2=6861  
 O'Reilly, B. D. and Lewis, R. C. Decoupling the energy-dependent spherical harmonics equations, 4=19468  
 O'Reilly, D.E. N.M.R. chemical shifts of aluminium: experimental data and variational calculation, 0=7803  
 O'Reilly, D.E. Paramagnetic relaxation in metal-ammonia solutions, 2=1167  
 O'Reilly, D.E. Calculation of electron-coupled nuclear spin-spin interactions in molecules by a variational procedure, 2=2025  
 O'Reilly, D.E. Calculation of n.m.r. chemical shifts, 2=6223  
 O'Reilly, D. E. Electronic paramagnetic relaxation times of metal-ammonia solutions, 4=8222  
 O'Reilly, D. E. and Poole, C. P., Jr. Nuclear magnetic resonance of alumina containing transition metals, 4=7342  
 O'Reilly, D. E. and Schacher, G. E. Rotational correlation times for quadrupolar relaxation in liquids, 4=210  
 O'Reilly, D. E., Schacher, G. E. and Schug, K. Rate of exchange of halide nuclei with mercury (II) in aqueous solution, 4=2142  
 O'Reilly, D.E. and Tsang, T. Vibrational corrections to nuclear magnetic resonance second moments, 3=25587  
 O'Reilly, D. E. and Tsang, T. Oxygen-17 nuclear magnetic resonance in paramagnetic MnO and CoO, 4=13349  
 O'Reilly, D.E. and Tung Tsang. Analysis of nuclear magnetic resonance line shapes by lattice harmonics, 3=5047  
 O'Reilly, D.E. See Hutchison, C.A., Jr., 1=4332  
 O'Reilly, D.E. See Hutchison, C.A., Jr., 1=6873  
 O'Reilly, D.E. See Poole, C.P.Jr., 1=10801  
 O'Reilly, J.M. and Pierce, L. Microwave spectrum, structure, dipole moment, and internal barrier of vinyl silane, 1=6008  
 O'Reilly, T.J. Effect of the transport factor on the transient response of junction transistors, 3=8539  
 Orekhov, Yu. P. See Aksenov, G.I., 3=3118  
 Orem, T. H. Planar twin boundary in aluminium, 4=10453  
 Oren, R. See Grover, N.B., 3=15574  
 Oren, Y. On the geomagnetic effect in extensive air showers, 0=2608  
 Oren, Y. See Barnes, V.E., 4=16969  
 Oren, Y. See Kasha, H., 2=12063  
 Oren, Y. See Sitte, K., 0=11241  
 Orenstein, A. See Kallmann, H., 4=22811  
 Oreshkin, P. T. See Bykov, S. B., 4=4194  
 Oreshonkova, T.I. See Frishberg, A.A., 3=24257  
 Orestano, F. See Caglioti, V., 4=12520  
 Orevkov, Yu. See Kaminsky, V., 4=6180  
 Orfanov, I.V. and Teplyakov, V.A. A 50 kV ion source, 4=16548  
 Orfanov, I.V. See Yurasova, V.E., 0=10990  
 Organova, N.L. See Semenov, E.I., 3=18325  
 Orgass, R.J. See Hahn, H., 3=16886  
 Orgel, L.E. Ferroelectricity and the structure of transition-metal oxides, 0=20954  
 Orgel, L.E. The Van Vleck temperature-independent magnetism of metals, 2=4205  
 Orgel, L. E. The visible spectrum of the hypomanganate ion, 4=20068  
 Orgel, L.E. See Forman, A., 0=2743  
 Orgnani, F. V. See Ghilardotti, G., 4=9597  
 Orgnani, F. V. See Gualandi, M. P., 4=6438  
 Oria, M. The teaching of vacuum techniques, 1=2791  
 Oriani, R.A. Nucleation in recrystallization phenomena, 1=1370  
 Oriani, R.A. Delineation of the problem of soret diffusion, 1=8913  
 Oriani, R.A. Heats of formation of liquid Na-Cs alloys, 0=21229  
 Oriani, R.A. and Hall, R.N. Endothermicity and positive excess entropy in solid solutions in germanium and silicon, 0=1641  
 Oriani, R.A. and Murphy, W.K. The heats of formation of solid nickel-copper and nickel-gold alloys, 0=16343  
 Oriani, R. and Murphy, W.K. Thermodynamics of ordering alloys. IV. Heats of formation of some alloys of transition metals, 2=21540  
 Oriani, R.A. and Sundquist, B.E. Emendations to nucleation theory and the homogeneous nucleation of water from the vapor, 3=14426  
 Oriani, R.A. See Sundquist, B.E., 2=13489  
 Oriel, P. See Schellman, J.A., 3=2681  
 Orient, O. The work function of cathodes for electrons and the performance characteristics of Geiger-Müller counting tubes, 0=5438  
 Orient, O.J. On the mechanism of multiple discharges in self-quenching Geiger counters, 1=390  
 Orient, O.J. On the mechanism of multiple discharges in halogen-quenched G.M. Counters, 1=19053  
 Origlio, G.F. See Hyndman, D., 0=21225  
 Origlio, S. See della Porta, P., 2=845  
 Origlio, S. See della Porta, P., 2=5086  
 Origlio, S. See Giorgi, T.A.G., 1=4103  
 Orkin-Lecourtois, A. See Aubert, B., 2=18187  
 Orkin-Lecourtois, A. See Aubert, B., 2=22647  
 Orkin-Lecourtois, A. See Baglin, C., 1=9764  
 Orkin-Lecourtois, A. See Bellière, J., 3=24775  
 Orkin-Lecourtois, A. See Bellini, G., 2=22573  
 Orkin-Lecourtois, A. See Bellini, G., 3=7899  
 Orkin-Lecourtois, A. See Bellini, G., 3=15011  
 Orkin-Lecourtois, A. See Di Corato, M., 2=22627  
 Orkin-Lecourtois, A. See Lloret, A., 4=12036  
 Orlando, A. See Ciccarello, I.S., 1=9490  
 Orlenko, B.F. See Pasechnik, M.V., 1=19454  
 Orlenko, B.F. See Val'ter, A.K., 2=443  
 Orlenko, B.F. See Val'ter, A.K., 2=22805  
 Orlenko, B.F. See Val'ter, A.K., 3=17457  
 Orlin, V.N. See Neudachin, V.G., 1=19364  
 Orlin, V.N. See Neudachin, V.G., 2=10003  
 Orlin, V.N. See Neudachin, V.G., 2=22727  
 Orlinov, V. The method of retardation curves with the use of an intermediate accelerating grid, 1=16408  
 Orlinov, V. See Djakov, E., 4=11504  
 Orlinov, V. See Djakov, E., 4=29865  
 Orlinski, D.V. See Borzunov, N.A., 1=7246  
 Orlinskii, D.V. See Borzunov, N.A., 0=5306  
 Orlinsky, D.V. See Borzunov, N.A., 0=9041  
 Orloff, M.K. and Fitts, D.D. Semiempirical SCF-LCAO-MO treatment of furan, 3=17599  
 Orloff, M. K. and Fitts, D. D. A new semiempirical approach to the quantum theoretical study of unsaturated molecules, 4=6546  
 Orłóś, Z. and Dyląg, Z. Photoelastic investigations of thermal stresses, 4=116  
 Orlov, A.A. A generalization of the Roche Model, 2=988  
 Orlov, A.G. See Golikova, O.A., 3=22923  
 Orlov, A.G. See Golikova, O. A., 4=4151  
 Orlov, A.N. Long term strength and stationary creep of polycrystalline materials, 1=10222



- Orlov, A.N. Long term strength and stationary creep of polycrystalline materials, 1=11518
- Orlov, A.N. Kinetics of dislocations with jogs in a simple cubic lattice, 2=18579
- Orlov, A.N. Kinetics of dislocations with jogs in a simple cubic lattice, 2=21029
- Orlov, A.N. Theory of Frank-Read sources, 2=23175
- Orlov, A.N. Generation of defects on motion of unsplit screw dislocations, 3=17727
- Orlov, A.N. and Men', A.N. A statistical theory of the binding energy of spinel-type crystals, 0=2772
- Orlov, A.N. and Shvarte, I.A. Mechanical stability of large-angle dislocation grain boundaries, 1=15116
- Orlov, A.N. See Grinberg, B.A., 2=8215
- Orlov, A.N. See Grinberg, B.A., 2=21025
- Orlov, A.N. See Indenborn, V.L., 2=18993
- Orlov, A.N. See Indenborn, V.L., 4=13373
- Orlov, A.N. See Kelareva, I.A., 4=22578
- Orlov, A.N. See Men', A.N., 0=1936
- Orlov, A.N. See Vasil'yev, L.I., 4=22582
- Orlov, B.I. See Adamov, M.N., 1=17338
- Orlov, B.I. See Adamov, M.N., 4=3776
- Orlov, B.M. See Levshin, V.L., 0=10089
- Orlov, B.M. See Levshin, V.L., 2=16855
- Orlov, E.F. See Zverev, V.A., 4=2521
- Orlov, E.F. See Zverev, V.A., 4=14009
- Orlov, I.N. and Taborko, N.I. An experimental study of amplification of light using a device consisting of a photoreistor, a ferroelectric and an electroluminescent phosphor, 1=12981
- Orlov, I.N. See Golovin, B.M., 0=10001
- Orlov, I.N. See Golovin, B.M., 0=13661
- Orlov, I.N. See Lyamichev, I.Ya., 0=10086
- Orlov, I.N. See Lyamichev, I.Ya., 2=16871
- Orlov, L.G. Electron microscope analysis of the dislocation structure of  $\alpha$ -iron, 3=4875
- Orlov, L.G., Sakvarelidze, L.G. and Utevskii, L.M. Local X-ray spectral analysis when electron diffraction patterns formed by reflection are obtained, 1=20702
- Orlov, L.G., Usikov, M.P. and Utevskii, L.M. Observations of dislocations in metals with the aid of an electron microscope, 2=12442
- Orlov, L.G. and Utevskii, L.M. The observation of dislocation movement in  $\alpha$ -iron with the electron microscope, 1=19785
- Orlov, L.G. and Utevskii, L.M. The observation of dislocation movement in  $\alpha$ -iron with the electron microscope, 2=8227
- Orlov, L.G. and Utevskii, L.M. Notes on microtwins in iron deformed at low temperatures, 4=20719
- Orlov, N.F. See Byurganovskaya, G.V., 2=16667
- Orlov, N.I. See Golant, V.E., 2=7605
- Orlov, V.G. See Valitov, R.A., 2=17951
- Orlov, V.V. Screening of fuel elements at neutron absorption resonances in a close-packed lattice, 0=9720
- Orlov, V.V. Albedo equations in the theory of the diffusion and the slowing down of neutrons, 4=15065
- Orlov, V.V. See Broder, D.L., 0=3971
- Orlov, V.V. See Broder, D.L., 1=19213
- Orlov, V.V. See Gordeev, I.V., 0=7375
- Orlov, V.V. See Gromova, Z.I., 0=7667
- Orlov, V.V. See Kochergin, V.P., 1=16811
- Orlov, V.V. See Marchuk, G.L., 4=11125
- Orlov, V.Yu. Linearization of the scales of semiconductor thermoresistor thermometers, 2=19752
- Orlov, Yu. See Kaminsky, V., 4=6180
- Orlov, Yu.F. On the mechanism of the damping of free oscillations in a cyclic accelerator, 1=13143
- Orlov, Yu.F. Stable betatron oscillations in a nonlinear magnetic field, 3=14699
- Orlov, Yu.F. Movement of charged particles in a spiral cubic straight field, 4=5761
- Orlov, Yu.F. and Kheifets, S.A. Depolarization of electrons due to radiation in a magnetic field, 0=353
- Orlov, Yu.F. and Kheifets, S.A. Particle loss due to multiple Coulomb scattering in a cyclical accelerator, 3=8991
- Orlov, Yu.F. and Kheifets, S.A. Radiation damping of free oscillations, 4=2560
- Orlov, Yu.F. and Tarasov, E.K. Excitation of oscillations in an orbital electron accelerator by quantum radiation fluctuations, 2=1535
- Orlov, Yu.F. and Tarasov, E.K. Instability produced by a high gradient in a strong-focusing electron accelerator, 2=1536
- Orlov, Yu.F. See Kheifets, S.A., 2=5420
- Orlov, Yu.F. See Kheifets, S.A., 4=6021
- Orlov, Yu.F. See Koshkarev, D.G., 2=1537
- Orlov, Yu.F. See Simonyan, Kh.A., 4=3115
- Orlov, Yu.I. See Vasil'ev, E.N., 4=29903
- Orlov, Yu.L. See Urusovskaya, A.A., 4=15707
- Orlov, Yu.V. Theory of the direct nuclear photo-effect, 0=9658
- Orlov, Yu.V. Direct nuclear photoeffect and the optical model of the nucleus, 2=7965
- Orlov, Yu.V. Direct nuclear photoeffect and the optical model of the nucleus, 3=6136
- Orlov, Yu.V. See Kaminskii, V.A., 3=15164
- Orlov, Yu.V. See Kaminsky, V.A., 3=22352
- Orlov, Yu.V. See Kaminskii, V.A., 4=1059
- Orlov, Yu.V. See Luk'yanov, A.V., 2=3458
- Orlov, Yu.V. See Luk'yanov, A.V., 2=13945
- Orlov, Yu.V. See Luk'yanov, A.V., 3=2354
- Orlov, Yu.V. See Veselkin, A.P., 4=12312
- Orlova, I.N. See Gerlov, Ya.I., 4=20070
- Orlova, I.V. See Godnev, I.N., 0=1498
- Orlova, I.V. See Ushanova, N.I., 0=1496
- Orlova, M.P., Astrov, D.N. and Medvedeva, L.A. Indium resistance thermometers for the temperature range 3.4-300°K, 4=21341
- Orlova, M.P. See Astrov, D.N., 0=8073
- Orlova, M.P. See Astrov, D.N., 2=18926
- Orlova, M.P. See Giterman, M.Sh., 2=18704
- Orlova, M.P. See Giterman, M.Sh., 2=23391
- Orlova, N.D. See Bulanin, M.O., 2=9280
- Orlova, N.D. See Bulanin, M.O., 4=5190
- Orlova, N.N. See Sof'ina, V.V., 0=14024
- Orlova, N.P. See Malov, N.N., 1=2673
- Orlova, N.S. and Tuchkevich, V.M. The relationship between the magnetic field intensity and Hall effect in silicon, 0=1647
- Orlova, T.V. See Guseva, M.I., 3=24971
- Orlova, Yu.V. See Grigor'ev, A.I., 4=10161
- Orlovic, M. See Kolk, A.J., 3=15654
- Orlovskaya, N.A. See Golub, S.I., 2=23600
- Orlovskaya, N.O. See Golub, S.I., 2=18866
- Orlyanskii, A.D. See Katasev, L.A., 0=18684
- Orman, P.R. The pulse sampling oscilloscope, 0=17199
- Orman, P.R. A synchronising discriminator for scintillation counter pulses, 3=9704
- Ormancey, G. See Flechon, J., 2=14497
- Ormancey, G. See Flechon, J., 2=10725
- Ormandzhiev, S. See Bonchev, T., 4=30302
- Ormandzhiev, S. See Bonchev, Ts., 4=3544
- Orme, G.R. See Harris, F.S., Jr., 4=8454
- Ormerod, A.; Berenbaum, R. and Brodie, I. Measurement of the tensile strength of brittle materials, 1=7828
- Ormerod, H. and Tegart, W.J. McG. Substructure formation in aluminium, copper, and nickel during deformation at high temperatures and high strain rates, 4=26492
- Ormerod, M.G. and Stoodley, L.G. Observation of trapped electrons in polymethacrylic acid, 3=2684
- Ormerod, M.G. See Libby, D., 1=20227
- Ormerod, T. See Campbell, R.H., 4=6434
- Ormestad, H.J., Shankland, R.S. and Benade, A.H. Reverberation time characteristics of Severence Hall, 0=5116
- Ormonde, S. and Crane, G.E. Motion of fission fragments from high altitude nuclear explosions, 4=13811
- Ormonde, S. and Smith, K. Close coupling approximation cross sections for the scattering of electrons by hydrogen atoms ( $n = 3, 4, 5, 6$ ), 4=25558
- Ormont, B.F. On the relationship between energetic, electro-physical and mechanical properties of semiconductors, 0=573
- Ormont, B.F. Role of modern thermodynamic concepts of structure in the investigation of semiconductors, 3=25824
- Ormont, B.F. The maximum concentration of vacancies and the saturated vapour pressure of simple substances at the melting point, 4=11405
- Ormont, B.F. See Godik, E.E., 1=12363
- Ormod, J.H. and Duckworth, H.E. Stopping cross-sections in carbon for low-energy atoms with  $Z \leq 12$ , 3=22510
- Ormod, J.H. and Hogg, B.G. Time spectra of positrons annihilating in organic liquids containing halogens, 1=4363
- Ormod, J.H. See Barber, R.C., 2=20760
- Ormod, J.H. See Cambey, L.A., 4=8859
- Ornatskaya, Z.I. Electrical properties of some ternary compounds, 3=25350
- Orndoff, J.D. Prompt neutron periods of metal critical assemblies, 0=13307
- Orndoff, J.D. See Linenberger, G.A., 1=13898



- Ornstein, L. T. M., Hugenholtz, C. A. J. and Van Der Laan, H. A. Measurements at 33 kMc/s of Doppler frequency shift, 4=18914
- Orobinskyl, M. P. See Blahoi, Yu. P., 4=11410
- Orofino, T. A. and Mickey, J. W., Jr. Dilute solution properties of linear polystyrene in  $\theta$ -solvent media, 3=16616
- Orofino, T. A. and Wenger, F. The effect of impurities on the molecular weight distributions of anionic polymers, 1=12339
- Orofino, T. A. See Berry, G. C., 4=17328
- Oroshnik, J. and Many, A. Quantitative photovoltaic evaluation of the resistivity homogeneity of germanium single crystals, 1=14514
- O'Rourke, J. See Zukas, E. G., 4=7497
- O'Rourke, M. J., Marinace, J. C., Anderson, R. L. and White, W. H. Electrical properties of vapor-grown Ge junctions, 0=18023
- O'Rourke, M. J. See Anderson, R. L., 0=18024
- O'Rourke, M. J. See Anderson, R. L., 2=6474
- O'Rourke, R. C. See Beach, L. A., 0=12960
- Orowan, E. See Argon, A. S., 2=2089
- Orr, C., Hendrix, W. P., Mullins, J. C. and Birstein, S. J. Inhibition of "spontaneous" nucleation, 3=303
- Orr, C., Jr. See Burson, J. H., 4=4999
- Orr, C., Jr. See Keng, E. Y. H., 4=18375
- Orr, C., Jr. See Rosen, M. H., 4=11320
- Orr, D. Electron model studies of particle motions in spiral ridge magnetic fields, 3=4225
- Orr, D. Aberrations in electrostatic quadrupoles, 4=8836
- Orr, J. C. Pressure and high current effects on a graphite contact, 4=20331
- Orr, J. R. See Platner, E. D., 3=7751
- Orr, J. R. See Platner, E. D., 3=19530
- Orr, R. L. Heats of formation of solid Au-Cu alloys, 1=4063
- Orr, R. L., Luciat-Labry, J. and Hultgren, R. Energy of the order-disorder transformation in AuCu, 1=2541
- Orr, R. L. and Rovel, J. Thermodynamics of the structural modifications of AgZn, 3=1352
- Orr, R. L. See Roy, P., 2=2402
- Orr, R. S. See DeLuca, L. B., 2=15086
- Orr, W. H. See Bachmann, L., 0=14046
- Orrall, F. Q. and Zirker, J. B. The coefficient of thermal conductivity in the sun's atmosphere, 1=11677
- Orrall, F. Q. and Zirker, J. B. Heat conduction and the fine structure of solar prominences. I. Optically thin model prominences, 1=11680
- Orrall, F. Q. See Aly, M. K., 3=3577
- Orrall, F. Q. See Aly, M. K., 3=18638
- Orrall, F. Q. See Dunn, R. B., 1=1649
- Orrall, F. Q. See Jefferies, J. T., 1=7990
- Orrall, F. Q. See Jefferies, J. T., 1=7991
- Orrall, F. Q. See Jefferies, J. T., 2=4784
- Orrall, F. Q. See Jefferies, J. T., 2=4785
- Orrall, F. Q. See Jefferies, J. T., 3=16384
- Orrall, F. Q. See Jensen, E., 4=2420
- Orshanskaya, N. S. See Markovskii, L. Ya., 0=21008
- Orsini, C. Q. On the relative abundance of carbon, nitrogen and oxygen in the cosmic rays, 0=15469
- Orsini, C. Q. See Lattes, C. M. G., 3=15058
- Orsini, C. Q. See Lattes, C. M. G., 4=25231
- Orsini, L. Q. and Mazzilli, R. H. Sudden increase in the ionosphere F2 region ionization associated with solar flares, 2=9007
- Orszag, A. See Borie, J. C., 2=4125
- Orszag, A. See Borie, J. C., 2=22053
- Orszag, A. See Borie, J. C., 3=14336
- Ort, W. Changes in electrical resistance of very thin bismuth films especially during the adsorption of oxygen, 1=11253
- Ortalli, I. See Barbaro-Galtieri, A., 1=17102
- Ortalli, I. See Castagnoli, C., 1=12088
- Ortalli, I. See Castagnoli, C., 2=20328
- Ortalli, I. See Dascola, G., 0=15525
- Ortalli, I. See Lamborizio, C., 1=12089
- Ortenberg, F. S. Distribution of intensities of the  $\alpha$ -system bands of the TiO molecule, 1=3550
- Ortenberg, F. S. Calculation of the relative transition probabilities for some band systems of Group II oxides and hydrides, 1=3553
- Ortenberg, F. S. The relative intensity of the ZrO bands as a criterion for the temperature of M and S stars, 2=994
- Ortenberg, F. S. The question of thermodynamic equilibrium in an arc discharge, 2=5317
- Ortenberg, F. S. The dependence of the electronic moment of the transition  ${}^1\Sigma^+ \rightarrow {}^1\Sigma$  on the internuclear distance for molecules of BaO, CaO, MgO, 2=6192
- Ortenberg, F. S. The possibility of measuring temperature by means of the relative intensity of bands of the  $B^1\Sigma^+ \rightarrow X^2\Sigma^+$  system of the BeO molecule, 2=7441
- Ortenberg, F. S. On the relative vibrational transition probabilities in the  ${}^2\Delta \rightarrow {}^2\Delta$  band system of the VO molecule, 2=14254
- Ortenberg, F. S. Investigation of electron-vibrational systems of the bands of some diatomic molecules, 3=22534
- Ortenberg, F. S. and Glasko, V. B. Vibrational transition probabilities for band systems of some diatomic oxides, 3=22536
- Ortenberg, F. S., Glasko, V. B. and Dmitriev, A. I. Vibrational transition probabilities for band systems of some diatomic oxides. II, 4=25660
- Ortenburger, I. and Sparks, M. Spin-wave contribution to low-temperature specific heat of yttrium iron garnet in zero applied fields, 4=9855
- Ortenburger, I. B., Hertzberg, M. and Ogg, R. A., Jr. Secondary reactions in a gas discharge, 0=14969
- Ortenburger, I. B. See Hertzberg, M., 1=8313
- Ortenburger, I. B. See Rapp, D., 0=19623
- Orth, C. J. Diffusion of lanthanides and actinides from graphite at high temperatures, 2=6370
- Orth, C. J., Bunker, M. E. and Starner, J. W. Decay of  $Tm^{173}$ , 4=1051
- Orth, C. J. and Dropesky, B. J. Decay of  $Er^{172}$  and  $Tm^{172}$ , 1=8639
- Orth, E. D. See Mendelsohn, L. I., 4=13185
- Orth, J. W. See Fauska, H., 2=3113
- Ortiz, E. Students method for determining the binding energy of the deuteron, 1=13523
- Ortiz, E. An inelastic neutron scattering experiment, 2=18330
- Ortmann, H. Diffusion of activators in luminescent zinc sulphide, 0=655
- Ortmann, H. and Hartmann, H. Luminescent properties of ZnS:Cu in its dependence on the mode of preparation, 2=6622
- Ortmann, H. and Treptow, H. The spectral displacement of emission bands of various activators in (Zn:Cd)S mixed crystal phosphors, 2=4180
- Ortmann, H. and Treptow, H. Emission shift in the zinc-cadmium sulphide series in relation to the nature of the incorporated activator, 2=6614
- Ortmann, H. and Treptow, H. Emission shifts of ZnS phosphors with various activators due to lattice extension and compression, 3=8625
- Ortmann, H. and Witzmann, H. [Eds.]. Physics and chemistry of crystalline phosphors, 2=4163
- Ortner, J. Around-the-world echoes observed on a transpolar transmission path, 0=15162
- Ortner, J., Hartz, T. R., Holt, O., Hultqvist, B., Brown, R. R., Leinbach, H. and Little, C. G. Sudden commencement noise absorption at the moment of geomagnetic storm sudden commencements, 2=15284
- Ortner, J., Hultqvist, B., Brown, R. R., Hartz, T. R., Holt, O., Landmark, B., Hook, J. L. and Leinbach, H. Cosmic noise absorption accompanying geomagnetic storm sudden commencements, 3=9135
- Ortner, J., Leinbach, H. and Sugiura, M. The geomagnetic storm effect on polar cap absorption, 1=20946
- Ortner, J. See Brown, R. R., 1=15349
- Ortner, J. See Egeland, A., 0=10444
- Ortner, J. See Egeland, A., 1=20953
- Ortner, J. See Egeland, A., 2=19243
- Ortner, J. See Hultqvist, B., 0=2036
- Ortner, J. See Hultqvist, B., 1=6615
- Ortner, J. See Hultqvist, B., 1=20945
- Ortner, J. See Keppler, E., 3=11471
- Ortner, J. See Pfozter, G., 2=9023
- Ortner, M. H. Infrared spectrum and thermodynamic properties of ruthenium tetroxide, 1=4934
- Ortolano, T. R., Selbin, J. and McGlynn, S. P. Electronic structure, spectra, and magnetic properties of oxyanions. V. The electronic spectra of some Vanadyl complexes, 4=22901
- Orton, B. R. Liquid metals, 4=149
- Orton, B. R., Shaw, B. A. and Williams, G. I. An X-ray structure investigation of the liquids of sodium, potassium and sodium-potassium alloys, 0=16692
- Orton, B. R. See Furukawa, K., 3=7197
- Orton, D. A. See Seraphin, B. O., 3=15572
- Orton, G. W. Phase transitions in the system tungsten-carbon, 4=26570



- Orton, J.W. The application of paramagnetic resonance to non-destructive testing, 1=13190
- Orton, J.W., Auzins, P., Griffiths, J.H.E. and Wertz, J.E. Electron spin resonance studies of impurity ions in magnesium oxide, 1=17536
- Orton, J.W., Auzins, P. and Wertz, J.E. Double-quantum electron spin resonance transitions of nickel in magnesium oxide, 0=6270
- Orton, J.W., Auzins, P. and Wertz, J.E. Estimate of the nuclear moment of  $\text{Ni}^{61}$  from electron spin resonance, 0=15513
- Orton, J.W., Wertz, J.E. and Auzins, P. On the nuclear moment of  $\text{Ni}^{61}$ , 4=3542
- Orton, J.W. See Auzins, P., 4=26377
- Orton, J.W. See Coles, B.A., 0=6274
- Orton, J.W. See Griffiths, J.H.E., 0=6262
- Orton, J.W. See Wertz, J.E., 0=21075
- Orton, J.W. See Wertz, J.E., 1=3653
- Orton, J.W. See Wertz, J.E., 2=3907
- Orton, J.W. See Wertz, J.E., 2=12479
- Orton, J.W. See Wertz, J.E., 3=22717
- Orton, K.F. and Wilkins, K. Automatic live-time measurement and background subtraction for the Hutchinson-Scarrott pulse height analyser, 1=18737
- Orttung, W.H. Theory of the anomalous heat capacity in solid hydrogen and deuterium at low  $\alpha$ -hydrogen and  $\beta$ -deuterium concentration, 2=6276
- Orttung, W.H. Radius and polarizability of water from refractive index data, 3=23899
- Orttung, W.H. and Meyers, J.A. The Kerr constant of water, 4=5180
- Orttung, W.H. See Ahlers, G., 4=12644
- Orudzhaliyev, E.A. Certain relationships in the trans-sonic region of flow under high pressures, 2=5042
- Orville, H.D. See McDonald, J.E., 2=21634
- Orville, R.E. See Salanave, L.E., 2=17148
- Orville, R.E. See Uman, M.A., 4=23765
- Orville-Thomas, W.J. Semiempirical calculation on the electronic structure of the nitrogen-containing heterocyclic molecules. III. Lower triplet levels of pyrazine, 0=5966
- Orville-Thomas, W.J. A bond-order/bond-length relation for oxygen-oxygen bonds, 0=5980
- Orvinovski, S.Z. See Laberrigue-Frolow, J., 1=7281
- Ory, H.A. Franck-Condon factors and electronic oscillator strengths for nitric oxide ultraviolet band systems, 4=9715
- Ory, H.A. and Gittleman, A.P. Unusual variation of Franck-Condon factors for the  $\text{O}_2$  Schumann-Runge band system, 4=9721
- Ory, H.A., Gittleman, A.P. and Maddox, J.P. Franck-Condon factors for the NO beta and gamma band systems, 4=9719
- Orzalesi, C.A. Invariance of quantum field theory under point transformations of the field variables. I. Boson fields, 4=5937
- Orzalesi, C.A. See Bocchieri, P., 4=24098
- Orzhevskii, O.B. See Fistul', V.I., 0=20880
- Orzhevskii, O.B. See Fistul', V.I., 1=6141
- Orzhevskii, O.B. See Fistul', V.I., 1=19890
- Osada, J. Fermion-like treatments of fermion pairs, 2=13279
- Osada, J. and Fujino, H. Effect of the non-relativistic recoil of a source particle in quantum field theories, 0=12866
- Osada, J., de Oliveira, D.R., Martins, N. and Miyazima, T. A model of  $\alpha$ -decay consistent with  $\alpha$ -reactions, 1=13696
- Osada, J., Hama, Y. and Redondo, D.M. Bound states by pure repulsive forces, 3=19562
- Osada, J. and Takeda, M. Nuclear potential in many-body problems, 1=10866
- Osada, J. See Fujino, H., 0=11113
- Osada, J. See Hama, Y., 2=20270
- Osada, J. See Kobayashi, T., 0=11105
- Osada, J. See Redondo, D.M., 2=13965
- Osada, J. See Sawaguri, T., 0=11189
- Osada, K. Thermoluminescence of zinc sulfide, 1=7732
- Osada, K. Method of displaying spectral energy distribution on the cathode-ray tube, 2=2881
- Osadchii, A.P. See Nozdrev, V.F., 2=1145
- Osadchii, A.P. See Nozdrev, V.F., 2=7209
- Osadin, B.A. See Gurov, S.V., 4=21479
- Osad'ko, Z.M. See Sirotenko, I.G., 3=3374
- Osaka, Y. Exciton structures in alkali halides, 0=20780
- Osaka, Y. Polaron state at a finite temperature, 0=20783
- Osaka, Y. Theory of polaron mobility, 1=14228
- Osaka, Y. The effect of short-range order on paramagnetic resonance, 1=20198
- Osaka, Y. The effect of short range order on paramagnetic resonance, 2=4246
- Osaka, Y. Higher order correction to screening constant, 2=10363
- Osaka, Y. Effect of Coulomb interaction on longitudinal ultrasonic attenuation, 3=4814
- Osaka, Y. Effect of Coulomb interaction on transverse ultrasonic attenuation, 3=4815
- Osaka, Y. Dispersion coefficient of frequency, 3=6501
- Osaka, Y. Renormalization constant of electron gas, 3=20147
- Osaka, Y. Ultrasonic attenuation in normal metals, 3=22651
- Osaka, Y. Effect of Coulomb interaction on plasma frequency, 4=9929
- Osaka, Y. Effect of the Coulomb interaction on ultrasonic attenuation, 4=20198
- Osaka, Y. Note on plasmon damping, 4=9930
- Osaka, Y. Temperature dependence of plasma frequency, 4=9931
- Osaka, Y. Absorption of electromagnetic radiation by an electron gas, 4=9932
- Osaka, Y., Osaka, Y.S. and Gotô, F. Exciton structure in alkali-halide crystals, 3=8406
- Osaka, Y. See Abe, Y., 3=2944
- Osaka, Y. See Morita, A., 2=8457
- Osaka, Y.S. See Osaka, Y., 3=8406
- Osaki, K., Nakai, Y. and Watanabé, T. The crystal structure of monoclinic formate dihydrates, 3=25730
- Osaki, K., Nakai, Y. and Watanabé, T. The crystal structures of magnesium formate dihydrate and manganous formate dihydrate, 4=23506
- Osaki, K. See Kotaka, T., 2=15583
- Osaki, T. See Kogure, T., 2=2544
- Osaki, Y. Evolution of helium burning stars of 0.8 solar masses, 4=13884
- Osaki, Y. Secular stability condition and entropy-temperature variation in degenerate stars, 4=2339
- Osaki, K. See Koizumi, H., 3=11273
- Osaki, T. The thermal equilibrium in high-excitation planetary nebula, 3=1536
- Osaki, T. See Kogure, T., 3=3848
- Osakiewicz, W. See Jaskóła, M., 4=19801
- Osanai, T. See Nomura, Y., 1=12945
- Osanov, B.A. See Oshchepkov, P.K., 4=16533
- Osanov, D.P. The effect of shape of shielding barrier on the attenuation of  $\gamma$ -rays from volume sources, 4=11961
- Osanov, D.P. and Kovalev, E.E. The shielding of rectangular  $\gamma$ -ray sources, 1=7331
- Osanov, D.P. and Kovalev, E.E. The dose factor of adsorption for a cylindrical source in the presence of a protection, 2=20532
- Osanov, D.P. and Popov, V.I. Correction for self-absorption of  $\alpha$ -particles in activity measurements on plane specimens, 2=1825
- Osanov, D.P. See Larichev, A.V., 2=22474
- Osantowski, J. See Walker, W.C., 4=13033
- Osantowski, J. See Walker, W.C., 4=26180
- Osawa, K. Spectral classification and three-color photometry of A-type stars, 4=2362
- Osawa, S. and Takanami, M. Ribonucleic acid and protein synthesis, 2=7049
- Osawa, T. See Aramaki, S., 3=10015
- Osawa, Y. See Auskern, A., 3=2834
- Osberghaus, O. See Beck, D., 1=9963
- Osberghaus, O. See Brehm, B., 1=17272
- Osberghaus, O. See Ehrhardt, H., 0=20711
- Osberghaus, O. See Paul, W., 0=9106
- Osborn, A. See Scott, D.W., 2=3732
- Osborn, A. See Scott, D.W., 3=8291
- Osborn, A.B. 7kW plasma jet for laboratory use, 0=3779
- Osborn, J.A. [Ed.]. Proceedings of the Ninth Annual Conference on Magnetism and Magnetic Materials, 4=13104
- Osborn, J.E. See Hsiao, C.C., 1=14909
- Osborn, J.E. See Robinson, A., 0=16235
- Osborn, J.R. and Bethel, H.E. Technique for measuring burning rates of solid propellants, 4=27359
- Osborn, R.K. Some characteristics of the thermal neutron scattering probability, 0=12946
- Osborn, R.K. Transport in dilute gases and chemical forces, 0=14547
- Osborn, R.K. A discussion of theoretical analyses of probe-induced thermal flux perturbations, 3=12726
- Osborn, R.K. Kinetic equations for fully ionized, inhomogeneous plasmas, 3=16925
- Osborn, R.K. and Klevans, E.H. Photon transport theory, 1=18315



- Osborn, R. K. and Yip, S. The physical theory of noise in reactors and reactor-like systems, 4=19860
- Osborn, R. K. See Dalton, G. R., 2=5651
- Osborn, R. K. See Yip, S., 3=17284
- Osborn, R. K. See Yip, S., 3=23869
- Osborne, C. See White, H. S., 3=24562
- Osborne, D. G. Equatorial electrojet in Ghana, 2=11093
- Osborne, D. G. Position and movement of the equatorial electrojet over Ghana, 2=17165
- Osborne, D. G. Daily variability in strength of the equatorial electrojet, 4=2237
- Osborne, D. G. and Skinner, N. J. Equatorial drift and the electrojet, 4=2238
- Osborne, D. G. and Thornton, S. Viscous properties of thixotropic materials, 0=6735
- Osborne, D. V. Liquid-vapour equilibrium in helium II, 2=17713
- Osborne, D. V. Measurement of the vapour velocity near the surface of liquid helium II, 3=1883
- Osborne, D. V. See Brown, N. J., 0=226
- Osborne, D. V. See Turkington, R. R., 3=19083
- Osborne, D. V. See Turkington, R. R., 3=23845
- Osborne, D. W. 15th Calorimetry Conference, 1=5370
- Osborne, D. W. and Weinstock, B. The heat of vaporization and entropy of liquid  $^3\text{He}$ , 0=8880
- Osborne, D. W. See Betts, D. S., 3=16849
- Osborne, D. W. See Betts, D. S., 4=14489
- Osborne, D. W. See Burns, J. H., 0=15811
- Osborne, D. W. See Flotow, H. E., 1=7538
- Osborne, D. W. See Flotow, H. E., 2=6278
- Osborne, D. W. See Flotow, H. E., 3=17658
- Osborne, D. W. See Leask, M. J. M., 1=11412
- Osborne, F. J. F., Shkarofsky, I. P. and Gore, J. V. Laboratory simulation of the solar wind magnetosphere interaction, 4=7936
- Osborne, J. L. Cosmic-ray muon polarization studies of the  $K/\pi$  ratio, 4=19629
- Osborne, J. M. The origin of the magnetic field, 4=8901
- Osborne, J. M. An experiment to demonstrate the finite velocity of light (Education Exhibit), 4=21270
- Osborne, L. S. See Alvarez, R., 4=25161
- Osborne, L. S. See Alvarez, R., 4=25162
- Osborne, L. S. See Hill, D. A., 1=4747
- Osborne, L. S. See Luckey, P. D., 0=373
- Osborne, M. F. See Morgan, J. G., 2=22873
- Osborne, P. W. Pseudo yield point effects, 2=21419
- Osborne, P. W. Thermal activation energies for the low temperature deformation of metals, 3=25622
- Osborne, P. W. On the nature of long-range back stress in copper, 4=26505
- Osborne, R. V. and Hill, C. R. High resolution alpha particle spectroscopy at very low specific activities, 4=30283
- Osborne, W. Z. and Howard, R. A.  $^3\text{H}$  decay in flight, 2=10001
- Ose, M. On the auroral  $E_s$  and blackout observed at Syowa Base, 4=7893
- Öse, M., Aida, K. and Okamoto, H. Latitude dependence of  $f_oF_2$  over the range of  $20^\circ\text{N}$  to  $69^\circ\text{S}$ , obtained by ship-borne ionospheric sounder, 0=8394
- Ose, T. On the measurement of response function from the contrast of chart, 2=2869
- Ose, T. Recent developments in photographic optics in Japan, 4=24400
- Oselka, M. See Ramler, W. J., 1=5514
- Oser, H. and Marvin, R. S. Effect of molecular weight on viscoelastic properties of polymers as predicted by a molecular theory, 3=23339
- Oser, H. See Börsch-Supan, W., 3=14538
- Oser, H. See Marvin, R. S., 3=11167
- Oser, N. and Westwig, R. The high vacuum system using epoxy resin and glass cloth for the Princeton-Pennsylvania proton synchrotron, 4=19151
- Osetinski, G. M. See Li Ga En [Li Ka Yen], 1=555
- Osetinskii, G. M. Method of controlling the operation of an ion source, 1=4655
- Osetinskii, G. M. and Savenkova, M. V. Measurement of the thickness of thin foils, 1=8357
- Osetinskii, G. M. See Govorov, A. M., 1=19292
- Osetinskii, G. M. See Govorov, A. M., 2=22659
- Osetinskii, G. M. See Govorov, A. M., 3=6091
- Osgood, C. F. See Ajzenberg-Selove, F., 0=4096
- Osgood, D. R., Patterson, J. R. and Titterton, E. W. Total cross-section of the reaction  $\text{B}^{10}(\text{He}^1, t)\text{C}^{10}$  between threshold and 10.5 MeV, 4=22186
- Osgood, T. H. and Hirst, H. S. Rutherford and his alpha particles, 4=27003
- Oshchepkov, P. K., Skvortsov, B. N., Osanov, B. A. and Siprikov, I. V. Application of continuous secondary electron multiplication for amplifying small currents, 4=16533
- Oshcherin, B. N. The relation of the activation energy for self-diffusion with some physical properties, 3=20218
- Oshcherin, B. N. Calculation of the characteristic temperature of compounds, 4=22499
- Oshcherin, B. N. Calculation of a boiling point, 4=365
- Oshcherin, B. I. Calculation of boiling points of crystals of inert gases and molecular crystals, 4=5473
- Osher, J. E. Trapping and prolonged confinement of an energetic deuterium plasma in a static cusped magnetic field, 2=19971
- Osher, J. E. See Hagerman, D. C., 1=10712
- Osher, J. E. See Hagerman, D. C., 3=7520
- Osher, J. E. See Karr, H. J., 1=5465
- Oshero, V. I. A contribution to the theory of chemical adsorption, 0=10367
- Oshero, V. I. Calculation of the energy change in a system of electrons in a lattice when defects are formed, 1=14206
- Oshero, V. I. Contribution to the theory of localized perturbations in large systems, 1=18304
- Oshero, V. I. Glukhovskii, B. M. and Shpakov, N. S. Concerning the effect of temperature upon the spectral sensitivity of photomultipliers, 4=580
- Oshero, V. I. and Petelin, G. M. Measurement of the life-times of the terms  $3^1\text{S}_0$ ,  $3^3\text{P}_2$ ,  $3^3\text{D}_2$ ,  $3^1\text{P}_1$  and  $3^1\text{D}_2$  of Ne by the method of delayed coincidences, 0=7702
- Oshero, V. I. and Rodionov, S. F. Some parameters of modern telephotometric systems, 3=23655
- Oshida, I. Theory of electrochemical diodes, 1=12678
- Oshida, I. and Yoshida, M. Photogalvanic cells with ion-exchanger membrane electrolytes, 4=2163
- Oshida, I. See Saito, T., 1=4
- Oshida, T. See Maekawa, S., 4=20303
- Oshima, H. See Yamaguchi, Y., 0=18472
- Oshima, K. Self-similar and pseudosimilar solutions of strong blast waves in electrodynamics, 4=27526
- Oshima, K. Wave patterns in a supersonic plasma flow pervaded by a uniform magnetic field, 4=8757
- Oshima, M. See Horie, C., 4=21081
- Oshima, N. On unsteady particle motions in flowing fluid and the application to problems of particle conveyance. Part A (Analysis of fluid forces and motion of a particle in flows), 4=2634
- Oshima, Y. See Nishiwaki, Y., 3=2156
- Oshio, T. See Higashi, S., 1=3294
- Oshio, T. See Higashi, S., 2=3436
- Oshio, T. See Higashi, S., 3=4499
- Oshio, T. See Higashi, S., 3=4530
- Oshio, Y. See Otsuka, E., 1=2497
- Oshiyama, H. See Kōji Uo, K., 3=1990
- Oshiyama, H. See Mohri, A., 4=8785
- Oshurkov, P., Kashcheev, V. and Chestnykh, L. A ferromagnetic cylinder in a constant magnetic field, 1=5067
- Osial, T. A. See Church, C. H., 3=22011
- Osiecki, J. Propagation of plastic strain waves in a semi-infinite bar produced by a periodic load, 3=5484
- Osiecki, J. See Ottenberg, A., 3=15364
- Osika, L. M. See Kouvel, J. S., 3=15752
- Osika, L. M. See Schadler, H. W., 4=30524
- Osiko, V. V. The low-temperature luminescence of zinc oxide in the red part of the spectrum, 0=10068
- Osiko, V. V. Intracrystalline reactions in crystalline phosphors and the structure of luminescence centres, 2=10612
- Osiko, V. V. and Maksimova, G. V. Valence of the manganese activator in crystal phosphors, 1=12502
- Osiko, V. V. See Gorbacheva, N. A., 2=14727
- Osinski, Z. A nonlinear rheological model, 2=6736
- Osipenko, B. P. See Golovin, B. M., 3=2165
- Osipenko, B. P. See Golovin, B. M., 4=28648
- Osipenko, A. N. See Grechishkin, V. S., 3=23272
- Osipenko, N. N. See Iveronova, V. I., 1=6541
- Osipenkov, V. T. See Ivanov, V. G., 0=11450
- Osipenkov, V. T. See Arefyev, A. V., 4=6109
- Osipov, A. D. See Ivanov, V. E., 4=7704
- Osipov, A. I. Relaxation of periodic motion in an isolated system of harmonic oscillators, 0=6832
- Osipov, A. I. Vibrational relaxation of  $\text{I}_2$  in  $\text{I}_2$ -He mixtures, 2=16568



- Osipov, A.I. and Stupochenko, E.V. Energy transfer in molecular collisions, 2=18496
- Osipov, A. I. and Stupochenko, E. V. Non-equilibrium energy distributions over the vibrational degrees of freedom in gases, 4=226
- Osipov, A. I. See Generalov, N. A., 4=30438
- Osipov, A. I. See Losev, S. A., 3=16695
- Osipov, B. D. The possibility of measuring the gravitational displacement of frequency in the field of gravitation of the sun, 0=14495
- Osipov, B. D. and Khvoshchev, A. N. An optical study of magnetic constriction of the electron-hole plasma in InSb, 3=15590
- Osipov, B. D. See Basov, N. G., 0=491
- Osipov, B. D. See Basov, N. G., 2=643
- Osipov, B. D. See Basov, N. G., 2=652
- Osipov, B. D. See Basov, N. G., 2=23474
- Osipov, B. D. See Basov, N. G., 3=4924
- Osipov, B. D. See Basov, N. G., 3=20538
- Osipov, B. D. See Danilychev, V. A., 4=1614
- Osipov, B. S. See Tolstoi, N. A., 2=23461
- Osipov, B. S. See Tolstoi, N. A., 3=6630
- Osipov, I. O. Features of the variation of propagation velocities of elastic waves in anisotropic media, 2=17539
- Osipov, I. O. Transfer of Seismic energy in anisotropic media, 2=19189
- Osipov, I. O. Rayleigh waves at the interface of two media with cubic anisotropy, 3=7268
- Osipov, I. O. The method of functionally invariant solutions for problems in the dynamic theory of elasticity for anisotropic media, 3=21274
- Osipov, I. O. Love waves in an anisotropic layer with monoclinic symmetry, 4=2758
- Osipov, I. S. See Dokuchaev, I. A. P., 2=396
- Osipov, K. A. The structure and energy of grain boundaries in metals, 0=6040
- Osipov, K. A. Grain growth and creep in metals, 0=6041
- Osipov, K. A. See Ivanov, V. I., 1=20608
- Osipov, K. A. See Ivanov, V. I., 2=8452
- Osipov, K. A. See Ivanov, V. I., 2=23485
- Osipov, M. V. See Bravinskii, V. G., 2=18975
- Osipov, V. B. See Trinkler, E. I., 3=11095
- Osipov, V. P. See Voronkov, R. M., 3=5727
- Osipov, V. P. See Voronkov, R. M., 4=622
- Osipov, Yu. G. See Kachurin, L. G., 3=18252
- Osipova, L. P. See Zhdanov, G. S., 4=1542
- Osipova, L. P. See Zubov, V. G., 2=2243
- Osipova, L. P. See Zubov, V. G., 2=23540
- Osipova, L. P. See Zubov, V. G., 3=18009
- Osipova, L. P. See Zubov, V. G., 3=3026
- Osipova, L. P. See Zubov, V. G., 4=26216
- Osipova, V. A. See Gorbunov, A. N., 2=14077
- Osipova, V. A. See Gorbunov, A. N., 2=20593
- Osipova, V. A. See Gorbunov, A. N., 3=6227
- Osipova, V. A. See Gorbunov, A. N., 3=8076
- Osipova, V. B. See Petrzhak, K. A., 4=12291
- Osipow, B. D. See Basov, N. G., 3=4923
- Osip'yan, Ya. A. and Usikov, M. P. Quenching defects in a solid solution of nickel and aluminium, 2=18574
- Osip'yan, Yu. A. See Kritskaya, V. K., 0=6292
- Osip'yan, Yu. A. See Kurdyumov, G. V., 0=728
- Osip'yan, Yu. A. See Molotilov, B. V., 1=20304
- Osip'yan, Yu. A. See Molotilov, B. V., 2=4309
- Osis, N. and Prokof'ev, P. Obtaining a uniform constant magnetic field in a  $\beta$ -spectrograph, 1=4650
- Ositins'ka, T. D., Pervakov, V. O. and Khotkevich, V. G. Crystal lattice defects arising on the quenching of silver heated in air, 4=6823
- Oskam, H. J. Pressure dependence of the cataphoretic effect in the rare gases, 3=14513
- Oskam, H. J., Carlson, R. W. and Okuda, T. Studies of the dynamic properties of Langmuir probes. III. Discussion of the results, 4=11639
- Oskam, H. J. and Jongerius, H. M. Helium-neon bands, 0=9813
- Oskam, H. J. and Mittelstadt, V. R. Influence of negative ions on ambipolar diffusion of electrons, 0=12585
- Oskam, H. J. and Mittelstadt, V. R. Ion mobilities in helium, neon, and argon, 4=2948
- Oskam, H. J. and Mittelstadt, V. R. Recombination coefficient of molecular rare-gas ions, 4=2951
- Oskam, H. J. See Carlson, R. W., 3=1993
- Oskam, H. J. See Carlson, R. W., 4=11637
- Oskam, H. J. See Jongerius, H. M., 0=7766
- Oskam, H. J. See Mittelstadt, V. R., 2=2802
- Oskam, H. J. See Okuda, T., 4=11638
- Osken, H. Mechanical-acoustical behaviour of polystyrene foam, 2=17523
- Oskotskii, V. S. The possibility of investigating the density of distribution of phonons in non-cubic crystals with the aid of incoherent neutron scattering, 0=13505
- Oskotskii, V. S. The method homogeneous static deformation for the calculation of the elastic, piezoelectric and dielectric tensors of ionic crystals, 2=4303
- Oskotskii, V. S. The method of homogeneous static deformation for the calculation of the elastic, piezoelectric and dielectric tensors of ionic crystals, 2=8700
- Oskotskii, V. S. Theory of quasi-elastic scattering of cold neutrons in a liquid, 3=18797
- Oskotskii, V. S. Exclusion of coherent scattering from the cross-section for scattering of slow neutrons by simple crystal lattices, 3=22642
- Oskotskii, V. S. and Efros, A. L. On the theory of crystal lattices with non-central interatomic forces, 1=14158
- Oskotskii, V. S. See Zhurkov, I. S., 3=15484
- Osland, K. C. See Muhleman, D. O., 1=51
- Osman, E. and Raab, D. H. Temporal masking of clicks by noise bursts, 4=10959
- Osman, E. See Raab, D. H., 2=24209
- Osman, E. See Raab, D. H., 3=1555
- Osman, E. See Raab, D. H., 3=3676
- Osman, E. See Raab, D. H., 3=21159
- Osman, E. See Raab, D. H., 4=10960
- Osmanov, E. O. See Goryunova, N. A., 4=1593
- Osmanov, S. A. See Atakhodzhaev, A. K., 4=25700
- Os'minin, Yu. P. Thermophysical properties of molten metals, 2=17445
- Os'minin, Yu. P. Heat capacities of liquid alkali metals, 3=23870
- Osmon, P. E. See Heymann, F. F., 2=277
- Osmond, W. P. Sublattice magnetic moments in manganese ferrite, 2=748
- Osmond, W. P. Indirect magnetic exchange interactions in  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> and Cr<sub>2</sub>O<sub>3</sub>, 2=6681
- Osmond, W. P. Magnetic exchange interactions in Nb<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub> and Nb<sub>2</sub>Co<sub>4</sub>O<sub>9</sub>, 4=10300
- Osokina, R. M. Photoprotons from Nb<sup>93</sup>, 3=24922
- Osokina, R. M. See Linkova, N. V., 0=13263
- Osovets, S. M. See Borzunov, N. A., 0=5306
- Osovets, S. M. Dynamic stabilization of a plasma ring, 0=19673
- Osovets, S. M. A plasma ring in an electromagnetic field, 1=7047
- Osovets, S. M. The theory of rapid processes, 1=7059
- Osovets, S. M. On the mechanism of the observed neutron radiation, 1=9582
- Osovets, S. M. Use of high-frequency electromagnetic fields for maintenance and stabilization of plasma, 4=8728
- Osovets, S. M. Use of high-frequency electromagnetic fields for maintenance and stabilization of plasma, 4=29937
- Osovets, S. M., Petrov, Yu. F. and Shchedrin, N. I. The study of a gas discharge in a simply connected region, 1=7039
- Osovets, S. M. and Shchedrin, N. I. A plasma ring with a resistance, 1=7060
- Osovets, S. M. See Borzunov, N. A., 0=9041
- Osovets, S. M. See Borzunov, N. A., 4=14691
- Osovets, S. M. See Leontovich, M. A., 0=5302
- Osovets, S. M. See Nasedkin, Yu. F., 1=7036
- Osredkar, M. and Stephenson, R. A low-power, high-thermal-flux experimental nuclear reactor, 0=7652
- Osselton, J. W. See Molyneux, L., 2=15867
- Ossip, M. See Shafer, H. J., 2=17123
- Ossowski, H. v. See v. Ossowski, H.,
- Ostanevich, Yu. M. See Aksenov, S. I., 1=13633
- Ostanevich, Yu. M. See Alfimenkov, V. P., 2=14357
- Ostanevich, Yu. M. See Alfimenkov, V. P., 2=14358
- Ostanevich, Yu. M. See Alfimenkov, V. P., 3=6459
- Ostanevich, Yu. M. See Alfimenkov, V. P., 3=6460
- Ostanevich, Yu. M. See Alfimenkov, V. P., 4=17068
- Ostanevich, Yu. M. See Alfimenkov, V. P., 4=28321
- Ostantowski, J. See Walker, W. C., 3=8582
- Ostapkovich, P. L. and Ranaldi, M. Relation between optical orientation accuracy and etch time, 0=3186
- Ostaszewicz, E. On the fluorescence of Sb- and Mn-activated calcium halophosphates, 1=14628
- Ostaszewicz, E. Absorption in thallium bromide vapour, 1=15959



- Ostaszewicz, E. Luminescent properties of copper-activated zinc sulphide in their dependence on the activator concentration, 4=20491
- Östberg, G. and Attermo, R. Structure transformations in Zircaloy-2 during hot working processes, 2=4460
- Östberg, G., Möller, M. and Schöning-Christiansson, B. Metallographic study of the transformation of  $\gamma$  phase into ( $\alpha + \gamma'$ ) phases in a U-1.6 wt% Mo alloy, 4=13506
- Ostenburg, D.O. Van. See Van Ostenburg, D.O.
- Oster, A. The influence of radioactive [clouds] on atmospheric electricity at ground level, 4=10729
- Oster, C.F., Jr. and Skillman, D.C. Determination and control of electron microscope magnification, 3=19358
- Oster, G., Geacintov, N. and Khan, A.U. Luminescence in plastics, 3=7213
- Oster, G., Wasserman, M. and Zwerling, C. Theoretical interpretation of Moiré patterns, 4=11353
- Oster, G. See Buddenhagen, D.A., 2=13448
- Oster, G. See Nishijima, Y., 4=8379
- Oster, G.K. See Buddenhagen, D.A., 2=13448
- Oster, L. Spectral and angular distribution of cyclotron radiation emitted by colliding particles, 0=2500
- Oster, L. Linearized theory of plasma oscillations, 0=9048
- Oster, L. Effects of collisions on the cyclotron radiation from relativistic particles, 0=15316
- Oster, L. Cyclotron radiation from relativistic particles with an arbitrary velocity distribution, 1=3157
- Oster, L. Emission and absorption of thermal radio radiation, 2=7031
- Oster, L. Emission, absorption, and conductivity of a fully ionized gas at radio frequencies, 2=7565
- Oster, L. Comments on radiation law for plasmas with non-Maxwellian distributions, 2=7596
- Oster, L. Note on thermal radio radiation, 3=12133
- Oster, L. Radiative transfer in dispersive media, 4=2607
- Oster, L. Departures from local thermodynamic equilibrium in a fully ionized gas, 4=11575
- Oster, L. Bremsstrahlung cross sections in the neighborhood of the plasma frequency, 4=11611
- Oster, L. Theoretical models for magnetic fields in the solar atmosphere, 4=15941
- Oster, L. Emission and absorption of radiation in the neighborhood of the plasma frequency, 4=18850
- Oster, L. and Phillip K.W.; Bailey, V.A. Existence of net electric charges on stars, 1=5147
- Oster, L. See Beeken, B., 3=14535
- Osterberg, H. and Smith, L.W. Diffraction theory for images of disk-shaped particles with Köhler illumination, 0=6947
- Osterberg, H. and Smith, L.W. Retrograde property of low reflecting monolayers, 0=8803
- Osterberg, H. and Smith, L.W. Effects of numerical aperture on contrast in ordinary microscopy, 1=10578
- Osterberg, H. and Smith, L.W. Closed solutions of Rayleigh's diffraction integral for axial points, 1=12968
- Osterberg, H. and Smith, L.W. Defocusing images to increase resolution, 2=5146
- Osterberg, H. and Smith, L.W. Optical measurement of self-radiant line elements by the method of steepest slopes, 4=14335
- Osterberg, H. and Smith, L.W. Effects of arbitrarily located phase errors upon contrast in the image, 4=14338
- Osterberg, H. and Smith, L.W. Resolution of shape of self-radiant line elements, 4=16211
- Osterberg, H. and Smith, L.W. Transmission of optical energy along surfaces. I. Homogeneous media, 4=27324
- Osterberg, H. and Smith, L.W. Transmission of optical energy along surfaces. II. Inhomogeneous media, 4=27325
- Osterberg, H. See Kane, J., 4=14381
- Osterberg, H. See Koester, C.J., 0=6920
- Osterberg, H. See Smith, L., 1=4438
- Osterberg, H. See Smith, L.W., 4=14337
- Osterberg, H. See Smith, L.W., 4=16210
- Osterberg, H. See Snitzer, E., 1=8225
- Osterbrock, D.E. Proton flux during the great aurora of 3-4 September 1959, 0=4816
- Osterbrock, D.E. Interstellar matter in elliptical galaxies, II. 0=18611
- Osterbrock, D.E. On ambipolar diffusion in H I regions, 1=15414
- Osterbrock, D.E. The heating of the solar chromosphere, plages, and corona by magnetohydrodynamic waves, 1=15492
- Osterbrock, D.E. The escape of resonance-line radiation from an optically thick nebula, 2=4831
- Osterbrock, D.E. On para- and orthohydrogen molecules in interstellar space, 3=3535
- Osterbrock, D.E. Expected ultraviolet emission spectrum of a gaseous nebula, 4=2372
- Osterbrock, D.E. Gas in elliptical and SO galaxies, 4=10869
- Osterbrock, D.E., Capriotti, E.R. and Bautz, L.P. Balmer-line ratios in planetary nebulae, 4=2357
- Osterbrock, D.E. and Rogerson, J.B. The helium and heavy-element content of gaseous nebulae and the sun, 1=15518
- Osterbrock, D.E. and Stockhausen, R.E. Photoelectric photometry of diffuse nebulae, 0=6616
- Osterbrock, D.E. and Stockhausen, R.E. Photometry and radiometry of gaseous nebulae, 1=2640
- Osterbrock, D.E. See O'Dell, C.R., 3=3551
- Ostergaard, P.B., Cardinell, R.L. and Goodfriend, L.S. Transmission loss of leaded building materials, 3=18951
- Ostergaard, P.B. and Donley, R. Background-noise levels in suburban communities, 4=14313
- Østergård, P. See Bisgård, K.M., 2=14021
- Osterle, F. See Hornbeck, R.W., 4=5131
- Osterle, J.F. A unified treatment of the thermodynamics of steady-state energy conversion, 4=27460
- Osterle, J.F. See Hughes, W.F., 1=2735
- Osterle, J.F. See Oldham, I.B., 3=14179
- Osterle, J.F. See Shohet, J.L., 2=11770
- Ostertag, H., Lauterjung, K.H. and Gruhle, W. Evaluation device for a pulse-height analyser, 3=353
- Ostic, R.G., Russell, R.D. and Reynolds, P.H. A new calculation for the age of the earth from abundances of lead isotopes, 4=15860
- Ostic, R.G. See Russell, R.D., 4=21437
- Ostrander, H.W. See Yntema, J.L., 2=20074
- Ostriker, J.P. Radiative transfer in a finite gray atmosphere, 3=21267
- Ostriker, J.P. and Davey, J.E. Optical heating system for high vacuum annealing studies, 0=14900
- Ostroborodova, V.V. See Dik, V.B., 1=7851
- Ostroukhov, A.A. A theory of non-stationary emission of a semiconducting thermionic cathode. II. 0=17025
- Ostroukhov, A.A. Theory of non-stationary thermionic emission of a semiconducting cathode, 1=16370
- Ostroukhov, A.A. Effect of space charge on load characteristics and e.m.f. of thermionic energy converter, 3=9718
- Ostroukhov, A.A. Potential and concentration distributions in a low-pressure thermionic energy converter, 3=24208
- Ostroukhov, A.A. and Tolpygo, K.B. Theory of the additional electrical conductivity and thermionic emission of a semiconductor, due to bombardment with fast electrons, 0=15901
- Ostroukhov, A.A. and Tolpygo, K.B. A theory of non-stationary emission of a semiconducting thermionic cathode. I. The linear approximation, 0=17024
- Ostroukhov, A.A. and Tomasevych, O.F. Light absorption by F'-centres in ionic crystals with a cubic lattice, 1=14581
- Ostroukhov, A.A. See Nakhodkin, N.G., 2=22266
- Ostroukhov, A.A. See Nakhodkin, N.G., 3=2781
- Ostroukhov, A.A. See Nakhodkin, N.G., 3=20153
- Ostroumov, A.G. See Efimova, B.A., 1=19869
- Ostroumov, A.G. See Efimova, B.A., 2=6462
- Ostroumov, A.G. See Efimova, B.A., 2=14547
- Ostroumov, A.G. See Efimova, B.A., 2=18694
- Ostroumov, A.G. See Efimova, B.A., 3=10804
- Ostroumov, A.G. See Krest'yankin, V.D., 4=18310
- Ostroumov, G.A. Theory of thermal processes during liquid drawing of wire under steady-state conditions, 0=12534
- Ostroumov, G.A. The results of measurement of the electrical conductivity of electrically insulated liquids, 1=18429
- Ostroumov, G.A. The results of measurement of the electrical conductivity of electrically insulated liquids, 2=21923
- Ostroumov, G.A. On the theory of acoustic streaming, 3=214
- Ostroumov, G.A. Approximation of a point detonation in air by an equivalent spherical radiator, 3=14248
- Ostroumov, G.A. Some aspects of the propagation of moderate-strength shock waves, 3=14249
- Ostroumov, G.A. On the mechanism of cavitation destruction, 4=7467
- Ostroumov, G.A. See Mel'nikov, N.P., 3=9473
- Ostroumov, G.A. See Mel'nikov, N.P., 4=2967
- Ostroumov, G.A. See Mel'nikov, N.P., 4=21155
- Ostroumov, V.I. and Filov, R.A. Knock-on alpha particles produced by fast nucleons, 0=9620



- Ostroumov, V.I., Perfilov, N.A. and Filov, R.A. Energy spectrum of cascade  $\alpha$ -particles in photographic emulsion stars produced by high energy protons, 0-20433
- Ostroumov, V.I. See Bogatin, V.I., 3=15219
- Ostroumov, V.I. See Darovskikh, V.F., 2=3535
- Ostroumov, V.I. See Darovskikh, V.F., 2=7956
- Ostroumov, V.I. See Gagarin, Yu. F., 4=19850
- Ostroumov, V.I. See Ivanova, N.S., 0=7630
- Ostroumov, V.I. See Perfilov, N.A., 0=9622
- Ostrovskaya, V.Z. See Bogorodskii, O.V., 1=4467
- Ostrovskaya, G.V. and Ostrovskii, Yu.I. Determination of the oscillator strengths of the absorption bands of gadolinium ions, 3=19935
- Ostrovskaya, G.V. See Zaidel', A.N., 1=2305
- Ostrovskaya, G.V. See Zaidel', A.N., 2=1971
- Ostrovskii, E.I. See Z'kov, A.I., 4=8871
- Ostrovskii, E.K., Z'kov, A.I., Kononenko, S.G., Makhnenko, L.A., Dem'yanenko, G.K., Manovets, Yu. N. and Rubtsov, K.S. Investigation of a forming section with a constant wave phase velocity, 4=8870
- Ostrovskii, E.K. See Z'kov, A.I., 4=14776
- Ostrovskii, E.K. See Z'kov, A.I., 4=16573
- Ostrovskii, E.K. See Z'kov, A.I., 4=21573
- Ostrovskii, L.A. A certain type of magnetohydrodynamic waves, 3=24452
- Ostrovskii, L.A. Formation and development of electromagnetic shock waves in transmission lines containing unsaturated ferrite, 4=21224
- Ostrovskii, L.A. Electromagnetic waves in nonlinear media with dispersion, 4=11796
- Ostrovskii, L.A. and Stepanov, N.S. Parametric generation of electromagnetic waves in a magnetoactive plasma, 4=5628
- Ostrovskii, L.A. and Yakubovich, E.I. Averaged laser equations and their stationary solutions, 4=16684
- Ostrovskii, L.F. and Kuz'menko, P.P. Mobility of silver and antimony in bismuth and tin, respectively, 4=12785
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=18597
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=18608
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=23209
- Ostrovskii, L.F. See Kuz'menko, P.P., 3=8433
- Ostrovskii, L.F. See Kuz'menko, P.P., 3=22831
- Ostrovskii, N.A. See Monoszon, N.A., 4=14795
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the oscillator strengths of barium lines, 1=5973
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the absolute oscillator strengths of the resonance lines of calcium, strontium and barium ions, 1=13954
- Ostrovskii, Yu.I. and Penkin, N.P. Oscillator strengths of the spectral lines of calcium, 1=19588
- Ostrovskii, Yu.I. and Penkin, N.P. The measurement of the absolute values of oscillator strengths at atomic spectra. I. Sodium, 2=6098
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the absolute values of oscillator strengths in atomic spectra. II. Resonance lines of atoms of Group II, 2=10209
- Ostrovskii, Yu.I. and Penkin, N.P. The measurement of absolute oscillator strengths in atomic spectra. III. Potassium, 3=17532
- Ostrovskii, Yu.I. See Ostrovskaya, G.V., 3=19935
- Ostrov'skiy, L.F. See Kuz'menko, P.P., 2=10416
- Ostrowski, J.W. Impact recombination in  $Tl_2S$ , 1=6164
- Ostrowski, J.W. Collision recombination in  $Tl_2S$ , 1=12463
- Ostrowski, J.W. Collision (Auger) recombination in semiconductor layers of  $Tl_2S$ , 2=23411
- Ostrowski, K.W. Efficiency, stability, and characteristics of photosensitive g.m. counters, 0=14833
- Ostrowski, K.W. Rectification of photoelectric spectrometer, 1=12989
- Ostrowski, K.W. Sources of instability in operation of window g-m counters, 4=11848
- Ostrowski, K.W. and Turek, L. [Ultraviolet] radiation accompanying pulses in a Geiger-Müller counter, 0=15183
- Ostwald, L.T. See Wickersham, P.D., 1=13452
- Osukhovskii, V.E. See Butkevich, L. M., 4=20649
- O'Sullivan, D. See Danyasz, M., 3=22276
- O'Sullivan, D. See Danyasz, M., 4=9364
- O'Sullivan, D. See Fletcher, E.R., 3=10232
- O'Sullivan, W. See Keffer, F., 0=1837
- O'Sullivan, W.J., Robinson, W.A. and Simmons, W.W. Sublattice switching in antiferromagnets, 1=20163
- O'Sullivan, W.J. and Schirber, J.E. Pressure dependence of the electric field gradient in metallic indium, 4=28313
- O'Sullivan, W.J., Simmons, W.W. and Robinson, W.A. Cl n.m.r. in antiferromagnetic  $CuCl_2 \cdot 2H_2O$ , 3=20680
- O'Sullivan, W.J. See Narath, A., 4=14918
- O'Sullivan, W.J. See Simmons, W.W., 2=18954
- Osvay, M. See Berényi, D., 3=14961
- Oswald, F. Optical investigations of the semiconducting mixed-crystal series  $In(As_{\gamma}P_{1-\gamma})$ , 0=1717
- Oswald, F. The accuracy of determination of absorption constants of semiconductors in the infrared region of the spectrum, 0=1734
- Oswald, G. Methodology of wear measurement, 3=1248
- Oswald, L. See Muller, F., 0=11220
- Oswald, L. See Powell, W. M., 4=5914
- Oswald, L.O. See Ely, R.P., 3=19703
- Oswald, R. See Lichtman, D., 4=2744
- Oswald, R.B., Jr. See Alexopoulos, K. D., 4=10059
- Oswald, W. See Jahr, R., 1=3455
- Oswin, H.G. See Conway, B. E., 4=4703
- Osyayeva, L.I. See Vlasov, V.A., 4=12293
- Ota, E. See Nakayama, N., 4=23983
- Ota, M. A statistical treatment of the intensity fluctuation of random noise current, 3=11706
- Otake, S. Experimental study on the anisotropic resistance due to a dislocation in bismuth, 2=18631
- Otake, S. See Kukuda, N., 0=14926
- Otani, M. and Ideguchi, Y. A proposal on the interpretation of the mechanism of fracture transition in notched specimen, 4=15696
- Otani, S. and Miura, M. Effect of additives on the crystallization and crystal habit of lead sulfate, 3=23402
- Otani, S. and Miura, M. Spherulitic growth of strontium sulfate in the presence of EDTA, 4=7563
- Otani, S. See Miura, M., 2=10794
- Otani, S. See Takano, Y., 0=3180
- Oterma, L. Anastigmatic telescope designed for exact measurements, especially astronomical triangulation, 2=9377
- Oterma, L. A stable aplanatic objective, 3=18583
- Oterma, L. Manufacture and performance of a fixed aplanatic objective, 4=26892
- Otero, J. L. See Mendez-Peñalosa, R., 4=28954
- Otero, M.J. See Terol, S., 2=2254
- Otero, M.J. See Terol, S., 2=6619
- Othaz, R. See El-Nesr, M.S., 1=19404
- Othaz, R. See Gerholm, T.R., 2=10032
- Othiner, D. F. See Chen, N.H., 4=29671
- Othmer, D.F. and Hung Tsung Chen. Correlating diffusion coefficients in binary gas systems. Use of viscosities in a new equation and nomogram, 3=7231
- Othmer, D.F. and Zudkevitch, D. Correlating latent heats and entropies of vaporization with temperature, 0=1065
- Oti, N. Study on [OI]- $\lambda$  5577 of night airglow. I. Height of [OI]- $\lambda$  5577 emitting layers, 2=4665
- Oti, N. Photoelectric photometer for observing night airglow [OI]- $\lambda$  5577, 2=19231
- Oti, N. Study on [OI]- $\lambda$  5577 of night airglow. II. Diurnal variation of [OI]- $\lambda$  5577 line, 2=19232
- Oti, N. Study on [OI]- $\lambda$  5577 of night airglow. III. Seasonal variation of [OI]- $\lambda$  5577 line, 2=19233
- Otis, D.R. See McCool, W.J., 0=13342
- Otmakhov, Yu. A. See Genkin, G. M., 4=7296
- Otnes, K. See Holmryd, S., 2=5691
- Otnes, K. See Larsson, K.E., 0=7021
- Otnes, K. See Larsson, K.E., 0=7387
- Otnes, K. See Larsson, K.E., 0=8918
- Otnes, K. See Mozer, B., 2=12373
- Otnes, K. See Palevsky, H., 3=17285
- Otokozawa, J. New analyses of anomalous imaginary part, 1=12061
- Otokozawa, J. Dispersion relations for the elastic scattering amplitude with the anomalous imaginary part, 2=16172
- Otokozawa, J. A comment on the analytic continuation of scattering amplitudes in the external mass variable, 4=19429
- Otokozawa, J., Masuda, N. and Yamazaki, M. Analyticity of the production amplitude in the higher order diagram, 4=6103
- Otokozawa, J. See Yamazaki, M., 4=27813
- Tomoto, M. See Wada, Y., 1=12578
- Tomoto, Y. and Kasai, P.H. Electron paramagnetic resonance studies of luminescent centers and traps in self-activated  $ZnS$  phosphors, 3=23112
- Tomoto, Y., Kusumoto, H. and Kasai, P.H. Thermoluminescence and electron spin resonance studies of  $ZnS$ -Ga phosphors, 3=23131



- Otomo, Y. See Kasai, P.H., 1=14642  
 Otomo, Y. See Kasai, P.H., 2=23605  
 O'Toole, J.T. and Dahler, J.S. On the kinetic theory of a fluid composed of rigid spheres, 0=6698  
 O'Toole, J.T. and Dahler, J.S. Boltzmann equation and inverse collisions, 0=18977  
 O'Toole, J.T. and Dahler, J.S. Molecular friction in dilute gases, 0=19195  
 O'Toole, J.T. and Dahler, J.S. Boltzmann equation and inverse collisions. II. A model for association and dissociation, 4=6662  
 Otouma, H. See Hirota, K., 3=12870  
 Otozai, K. See Fukushima, S., 3=10389  
 Otpushchennikov, N.F. Determination of the size of the elementary crystallization nucleus from acoustic measurements, 3=18251  
 Otrin, B. See Kanský, E., 4=21564  
 Otroshchenko, G.A. and Shigin, V.A. Effective cross sections and fission anisotropy of  $\text{Np}^{237}$  and  $\text{Th}^{230}$ , 4=12290  
 Otroshchenko, G.A. See Gokhberg, B.M., 0=1452  
 Otroshchenko, G.A. See Gokhberg, B.M., 0=4132  
 Otroshchenko, G.A. See Gokhberg, B.M., 4=2990  
 Otroshchenko, G.A. See Gorlov, G.V., 1=17171  
 Otryashenkov, Yu.M. See Efimov, A.A., 0=18583  
 Ostavnov, I.S. On the problem of the polarization of neutrons during passage through matter, 4=6058  
 Ostavnov, P.S. Polarization of d-d neutrons, 0=9376  
 Ostavnov, P.S., Lovchikova, G.N. and Popov, V.I. Asymmetry of double scattering of neutrons on helium, 4=9211  
 Ostavnov, P.S. and Popov, V.I. Polarization of 3.5 MeV neutrons upon scattering, 3=2470  
 Ostavnov, P.S. See Bondarenko, I.I., 4=25204  
 Otsuka, E. A nuclear resonance study of the recovery process of the plastically deformed potassium iodide, 2=21427  
 Otsuka, E. and Day, S.M. Nuclear multi-relaxation at low magnetic fields, 2=18966  
 Otsuka, E., Oshio, Y., Kobayashi, T. and Kawamura, H. Nuclear magnetic resonance of  $\text{Na}^{23}$  in sodium chloride crystals, 1=2497  
 Otsuka, M. Fuel-importance function and minimum critical mass, 4=19887  
 Otsuka, M. See Hayashi, I., 3=352  
 Otsuka, M. See Horie, T., 1=8869  
 Otsuka, R. See Yamaguchi, S., 1=9743  
 Otsuka, Y. See Mitsuishi, A., 4=307  
 Otsuka, Y. See Uchiyama, F., 0=7194  
 Otsuki, S. Proton-proton scattering and pion theory of nuclear forces, 0=12929  
 Otsuki, S. On the quadratic spin-orbit force in p-p scattering, 4=25095  
 Otsuki, S., Taketani, M., Tamagaki, R. and Watari, W. Pion theory of nuclear forces and low energy p-wave phase shifts, 1=12067  
 Otsuki, S., Tamagaki, R. and Wada, M. Nuclear interaction of core region, 4=30292  
 Otsuki, S., Tamagaki, R. and Watari, W. On the applicability of the pion-theoretical nuclear potential, 0=12872  
 Otsuki, S., Tamagaki, R. and Watari, W. Two-nucleon potential with full recoil. III, 2=11939  
 Otsuki, S. See Hamada, T., 0=20072  
 Otsuki, S. See Hamada, T., 0=20126  
 Otsuki, S. See Hamada, T., 1=3172  
 Otsuki, S. See Hayashi, H., 3=22182  
 Otsuki, S. See Hoshizaki, N., 2=16151  
 Otsuki, S. See Hoshizaki, N., 3=24721  
 Otsuki, S. See Hoshizaki, N., 4=3405  
 Otsuki, S. See Iwadare, J., 0=5625  
 Otsuki, S. See Kanada, H., 4=3498  
 Otsuki, S. See Kaneda, H., 3=22256  
 Otsuki, T. See Kawai, N., 3=21495  
 Otsuki, S. See Konuma, M., 0=12864  
 Otsuki, S. See Matsumoto, K., 0=13023  
 Otsuki, T. See Hakura, Y., 0=21344  
 Otsuki, T. See Hamaguchi, C., 4=30620  
 Ott, A. and Lundén, A. Thermal diffusion of isotopes in pure molten lithium metal, 4=24195  
 Ott, D.G., Richmond, C.R., Trujillo, T.T. and Foreman, H. Cab-O-Sil suspensions for liquid scintillation counting, 0=3889  
 Ott, D.G. See Birkeland, S.P., 0=16710  
 Ott, H. The propagation of spherical waves in thin plates and fine cracks, 2=9340  
 Ott, H. Lorentz transformation of heat and temperature, 3=24070  
 Ott, K. The effect of configuration mixing in the shell model study of  $\text{C}^{14}$ ,  $\text{N}^{14}$  and  $\text{O}^{14}$  nuclei, 0=2618  
 Ott, K. Theory of a delayed supercritical excursion for measuring the Doppler coefficient of a fast reactor, 4=12309  
 Ott, K. See Küsters, H., 2=14169  
 Ott, K. See Meetz, K., 1=17224  
 Ott, W. Study of the plasma boundary layer in a low-pressure discharge, 3=12113  
 Ott, W. See Gierke, G.v., 3=7574  
 Ottar, B. and Ruigh, W.L. The structure of boric oxide and borate glasses—a preliminary communication, 2=15078  
 Ottavi, H. Measurement of the variation of the longitudinal relaxation time ( $T_1$ ) of protons in chloroform as a function of magnetic field, 1=6872  
 Ottavi, H. Nuclear magnetic resonance parasitic lines produced by modulation of the static field, 1=19049  
 Ottavi, H. The form of the dispersion signals obtained using a nuclear magnetic resonance spectrograph with circulating prepolarized liquid, 2=3183  
 Ottavi, H. Nuclear magnetic resonance of  $\text{C}^{13}$  in benzene in a weak field, 3=22601  
 Ottavi, H. Parasite rays produced by amplitude modulation of the exciting field, 4=27671  
 Ottavi, H. See Benoit, H., 0=11066  
 Ottavi, H. See Benoit, H., 0=12672  
 Ottavi, H. See Benoit, H., 1=12567  
 Ottavi, H. See Benoit, H., 3=13589  
 Otte, H.M. Lattice parameter determinations with an X-ray spectrometer by the Debye-Scherrer method and the effect of specimen condition, 1=11553  
 Otte, H.M. Estimation of a crystallographic orientation relationship, 1=20509  
 Otte, H.M. Lattice parameter studies of annealed, of aged and of cold-worked alpha brass, 2=10902  
 Otte, H.M. X-ray diffraction line shifts in the Debye-Scherrer pattern from wire specimens with preferred orientation, 2=21501  
 Otte, H.M. Faulting in sodium azide, 3=8443  
 Otte, H.M. Determination of the dilation parameters in martensitic transformations, 3=8889  
 Otte, H.M. and Cahn, R.W. Improved microbeam back-reflexion X-ray camera with arrangement for irradiating a pre-selected area, 0=4606  
 Otte, H.M., Dash, J. and Schaafe, H.F. Electron microscopy and diffraction of thin films: interpretation and correlation of images and diffraction patterns, 4=23409  
 Otte, H.M., Montague, W.G. and Welch, D.O. X-ray diffractometer determination of the thermal expansion coefficient of aluminium near room temperature, 4=3997  
 Otte, H.M., Welch, D.O. and Bolling, G.F. Measurement of stacking-fault probabilities in bulk specimens, 3=12992  
 Otte, H.M. and Welch, D.O. Formation of stacking faults in polycrystalline silicon bronze under tensile deformation, 4=12774  
 Otte, H.M. See Dash, J., 3=23474  
 Otte, H.M. See Drazin, M.P., 3=16023  
 Otte, H.M. See Wagner, C.N.J., 2=23840  
 Otte, H.M. See Wechsler, M.S., 3=22701  
 Otte, H.M. See Welch, D.O., 4=10577  
 Ottelet, I. Study of non-radial oscillations of Roche's model, 0=18862  
 Ottelet, I. and Wautelet, A. The theoretical and observed periods of free oscillations of the terrestrial globe, 4=7808  
 Otten, E.W. Determination of the  $g_J$  factor in the  $4s4p^3P_1$  term of the Ca I spectrum with optical double resonance, 3=2564  
 Otten, E.W. Sharpening of double-resonance signals by coherent multiple scattering of light quanta, 4=19960  
 Otten, E.W. See Bucka, H., 2=10208  
 Ottenberg, A., Hoffman, C.J. and Osiecki, J. Relation between the chemical composition and the electronic properties of the charge-transfer complex, p-chloranil: p-phenylene-diamine, 3=15364  
 Ottens, E., Eland, A.J. and Burgers, W.G. Influence of the irradiation temperature on the position of the F-band in mix-crystals of KCl and NaCl, 0=557  
 Ottens, E., Eland, A.J., Zeedijk, H.B. and Burgers, W.G. Absorption band at 420 mμ in X-ray coloured KCl-crystals and in mix-crystals of KCl and NaCl, 0=558  
 Ottens, E. See Zeedijk, H.B., 2=3965  
 Ottensmeyer, F.P., Bratsberg, H.G., Graham, G.M. and Hallett, A.C. Hollis. The effect of strain on the residual resistivity of aluminium, 4=22667



- Otter, F.A. and Mapother, D.E. Low-temperature heat capacity of a superconducting alloy of aluminum, 2=6281
- Otter, G. Investigation of the stream theory of the diurnal variation, 2=339
- Otter, M. The growth of nickel oxide on spherical single crystals of nickel with smooth, untouched surfaces, 0=1894
- Otter, M. Optical constants of massive metals, 1=6201
- Otter, M. The temperature dependence of the optical constants of solid metals, 1=10088
- Otter, M., Stössel, W. and Moritz, W. Horizontal arrangement for electron diffraction on freshly molten single crystals, 4=5714
- Otter, M. See Menzel, E., 0=4390
- Otter, R.J. See Mysels, K.J., 2=4569
- Otterman, J. See Bandeen, W.R., 0=14197
- Otterson, D.A. On the presence of NaOH in crystalline NaCl, 0=13943
- Otterson, D.A. Neutralization of hydroxide ion in melt-grown NaCl crystals, 1=12403
- Otterson, D.A. Influence of room-temperature atmospheric reaction products on the ductility of sodium chloride single crystals, 3=13355
- Ottewill, R.H. and Parreira, H.C. On the determination of Micellar charge from light scattering experiments, 1=20773
- Ottewill, R.H. and Overbeek, J.Th.G. On the calculation of the mean effective pressure head for capillary viscometer, 0=63
- Ottewill, R.H. See Blank, M., 4=29616
- Ottewill, R.H. See Haydon, D.A., 4=17846
- Ottewill, R.H. See Horne, R.W., 3=1268
- Ottewill, R.H. See Matijević, E., 1=2889
- Ottewill, R.H. See Napper, D.H., 3=13629
- Ottewill, R.H. See Napper, D.H., 4=2855
- Ottewill, R.H. See Napper, D.H., 4=15852
- Ottinger, C. and Ziöck, K. Measurement of the oscillator strengths of the gallium lines 4033 Å and 4172 Å and the iron line 3720 Å, 1=17271
- Otlyk, A.A. See Eisner, S., 4=4438
- Otto, A. and Steinmann, W. Film thickness dependence of the lowest characteristic energy loss of 25 keV electrons passing through thin Ag films, 2=22267
- Otto, A.N. Automatic electrophotometric recording of night-sky luminance, 1=10330
- Otto, A.N. See Bol'shakova, L.G., 0=788
- Otto, G. See Koch, D., 3=16880
- Otto, G. See Müller, C., 4=27438
- Otto, G.N. See Aagard, R.L., 4=12181
- Otto, G.W. See Engel, T.K., 4=21349
- Otto, J. and Thomas, W. Measurement of the thermal expansion of gases. Equation of state of gases, 0=5210
- Otto, J. and Thomas, W. The thermal expansion of quartz glass in the temperature range 0° to 1060°C, 4=3998
- Otto, J. See Moser, H., 4=351
- Otto, J.L., Cagnard, R., Echard, R. and der Agobian, R. Stimulated emission of several new infrared transitions in the rare gases, 4=16696
- Otto, J.L. See Cagnard, R., 4=767
- Otto, J.L. See der Agobian, R., 4=21681
- Otto, J.L. See Der Agobian, R., 4=28130
- Otto, J.L. See Der Agobian, R., 4=28131
- Otto, J.L. See der Agobian, R., 4=12383
- Otto, K. See Flotow, H.E., 2=6278
- Otto, K. See Flotow, H.E., 3=17658
- Otto, W. See Jäger, G., 2=22172
- Ottolenghi, M., Bar-Eli, K., Linschitz, H. and Tuttle, T.R., Jr. Species present in alkali-metal amine solutions, 4=21156
- Ottolenghi, M. See Jortner, J., 3=3405
- Otvinskii, S.Z. See Laberrig-Frolova, J.V., 0=9694
- Otvinskii, S.Z. See Van Gan-Chan, 0=9415
- Otvinskii, S.Z. See Van Gan-Chan, 0=15358
- Otvos, J.W., Guinn, V.P., Lukens, H.R., Jr. and Wagner, C.D. Photo-activation and photoneutron activation analysis, 2=5891
- Otvos, J.W. and Mendel, H. Investigation of structure in liquid hydrocarbons by X-ray diffraction, 2=15564
- Otvos, J.W. See Lukens, H.R., Jr., 2=5889
- Otwinowski, S. See Hofmök, T., 3=12488
- Otwinowski, S. See Hofmök, T., 4=25152
- Otwinowski, W. and Allina, Z. Determination of trace amounts of copper, zinc, arsenic and iron in selenium of high purity by neutron activation analysis, 4=23692
- Oualid, J. On a method of determination of the coefficient of thermal diffusion of metals or semiconductors, 1=17568
- Oualid, J. See Touchais, M., 0=19601
- Ouannès, C. See Berthelot, A., 1=19281
- Ouannès, O. See Alitti, J., 2=16229
- Ouannès, O. See Alitti, J., 2=18156
- Ouboter, R. De Bruyn. See De Bruyn Ouboter, R.
- Ouchi, C. See Sinno, K., 4=13848
- Ouchi, C. See Sinno, K., 4=26858
- Ouchi, T. Selection rule imposed by mass reversal, 0=11082
- Ouchi, T. Mass reversal and weak interactions, 0=15251
- Ouchi, T. and Senba, K. Strange neutrino and a composite model for elementary particle. I, 1=13308
- Ouchi, T. and Senba, K. Strange neutrino and a composite model for elementary particle. II, 4=9076
- Ouchi, T., Senba, K. and Ohmae, A. Strange neutrino and a composite model for elementary particle. III, 4=9077
- Oudar, J. See Cabane-Brouty, F., 4=26724
- Oudar, J. See Hondros, E., 3=16130
- Oudemans, G.J. See Johnston, D.R., 0=19204
- Oudet, C. Study of a "diapason" correct to a second approximation, 4=24310
- Oudin, J. On Carnot's principle as generalized by Brillouin in its application to the precision of measuring apparatus, 1=15592
- Ouseph, P.J. and Canavan, F.L. Quadrupole interaction in 0.48 MeV level of Ta<sup>181</sup> in hafnium single crystals, 3=6454
- Outi, C. See Takenoshita, Y., 3=25925
- Outmans, H.D. On Darcy's law, 3=14128
- Outsu, J. and Iwai, A. Ionizations in the outer atmosphere inferred from whistling atmospheric, 0=1983
- Outsu, J. and Iwai, A. V.L.F. phenomena in lower latitudes during magnetically high active periods, 2=13007
- Ouvarova, V.M., Krestovnikova, T., Myltseva, V.A. and Romanovskaya, K.M. The photographic processing of thick films of NIKFI materials used for nuclear studies, 0=12749
- Ouvarova, V.M. and Myltseva, V.A. Studies on improvement of the mechanical properties and the structure of photographic films for nuclear research, 0=12742
- Ouvarova, V.M. See Bogomolov, C.S., 0=15216
- Ouyang, M. Effect of corona on travelling waves, 0=7101
- Ovadia, J. See Bess, L., 0=2406
- Ovander, L.M. Temperature dependence of the intensity of Raman scattering lines in gases. I, 1=19642
- Ovander, L.N. The anti-Stokes components of the Raman spectra of compounds with hydrogen bonds, 0=15718
- Ovander, L.N. The form of the Raman scattering tensor, 1=14613
- Ovander, L.N. Raman scattering in crystals, 1=19997
- Ovander, L.N. The connection between the absorption spectrum and the dependence of the Raman spectrum on the frequency of the incident light, 2=3748
- Ovander, L.N. Raman diffusion in crystals, 2=4114
- Ovander, L.N. Temperature dependence of the intensity of Raman lines in gases. II, 2=7259
- Ovander, L.N. The temperature dependence of infrared absorption lines, 2=9279
- Ovander, L.N. Absorption spectrum of crystal due to the decay of "polaritons", 2=12590
- Ovander, L.N. Absorption spectrum of crystal due to the decay of "polaritons", 2=14670
- Ovander, L.N. Raman scattering in piezoelectric crystals of tetragonal system, 2=21254
- Ovander, L.N. Resonance Raman scattering in crystals, 2=21255
- Ovander, L.N. Resonance Raman scattering in crystals, 3=3024
- Ovander, L.N. Raman scattering in piezoelectric crystals of tetragonal system, 3=3025
- Ovander, L.N. Temperature dependence of infrared absorption lines. II, 3=15662
- Ovander, L.N. Raman scattering in piezoelectric crystals, 3=15693
- Ovander, L.N. Rayleigh scattering in crystals, 3=17989
- Ovander, L.N. Concerning the theory of nonlinear optical effects, 3=25429
- Ovander, L.N. On the incoherence of Rayleigh scattering, 4=15316
- Ovander, L.N. The form of the raman tensor, 4=29752
- Ovander, L.N. See Grechko, L.G., 2=12606
- Ovander, L.N. See Grechko, L.G., 2=14691
- Ovcharenko, I.E. and Kuzyakov, Yu.Ya. Bands of the SiCl<sub>4</sub> molecule in the region 3220-2735 Å., 3=10522
- Ovcharenko, L.I. See Lavrentyev, O.O., 3=19274



- Ovcharenko, N.I. Galvanomagnetic D.C. amplifier, 3=3977  
 Ovcharenko, N.M. See Hehuzin, Ya. Ye., 1=15170  
 Ovcharenko, N.N. See Geguzin, Ya. E., 0=6047  
 Ovcharenko, N.N. Geguzin, Ya. E., 1=9159  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=2420  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=2784  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=3928  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=4484  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=8234  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=8874  
 Ovcharenko, N.N. See Geguzin, Ya. E., 2=12368  
 Ovcharenko, N.N. See Geguzin, Ya. E., 3=15506  
 Ovcharenko, N.N. See Geguzin, Ya. E., 3=16029  
 Ovcharenko, N.N. See Geguzin, Ya. E., 4=12744  
 Ovcharenko, N.N. See Geguzin, Ya. E., 4=25963  
 Ovcharenko, O.M. Determination of the energy of vacancy formation in silver, 2=6316  
 Ovcharenko, O.N. Quenching experiments with pure silver, 2=8208  
 Ovcharenko, O.N. Quenching experiments with pure silver, 2=20999  
 Ovcharenko, O.N. See Dyakov, I.G., 4=16354  
 Ovcharenko, O.N. See Kogan, V.S., 4=13498  
 Ovcharenko, O.N. See Lazarev, B.G., 3=16874  
 Ovcharenko, O.N. See Lazarev, B.G., 4=13649  
 Ovcharenko, V.I. See Konstantinov, V.D., 1=8604  
 Ovcharenko, V.I. See Konstantinov, B.D., 2=16355  
 Ovcharenko, V.I. See Korol'ov, O.M., 2=22847  
 Ovcharov, V.T. Equations of electron optics for plane and axially symmetric electron beams of large current density, 4=593  
 Ovchinnikov, A. A. and Khomskii, D. I. Expression of atomic effects by means of Green's function, 4=19969  
 Ovchinnikov, A. A. See Misurkin, I. A., 4=22392  
 Ovchinnikov, I.V. The Stark effect and spin-phonon interaction in paramagnetic crystals, 2=21378  
 Ovchinnikov, I. V. The Stark effect and spin-phonon interaction in paramagnetic crystals, 3=3182  
 Ovchinnikov, I.V. Spin-lattice relaxation in  $K_3(\text{Co, Fe})(\text{CN})_6$ , 3=18140  
 Ovchinnikov, I. V. Effect of the degree of covalency of the bonds on the spin-lattice relaxation of an octahedral complex with a single magnetic electron, 4=1868  
 Ovchinnikov, I. V. See Kessel', A.R., 4=1863  
 Ovchinnikov, S.S. See Dubovoi, L.V., 1=16351  
 Ovchinnikov, S.S. See Dubovoi, L.V., 4=16610  
 Ovchinnikov, V.M. See Nemilov, Y.A., 0=3789  
 Ovchinnikov, Yu. V. See Stesikov, V. P., 4=20827  
 Ovchinnikova, T.L. See Belov, K.P., 3=15867  
 Ovchynnikov, I.K. and Zinchenko, M.S. Vibrating probe method for investigating axisymmetrical electron beams, 1=11972  
 Ovechkin, A.P. See Mash, D.I., 3=15918  
 Ovechkin, V.V., Pirkina, I.A., Polyakov, A.S. and Ochkin, D.V. A method of calibrating a scintillation gamma-spectrometer, 4=16858  
 Ovechkin, V.V. See Nakhutin, I.E., 1=19418  
 Ovechkis, N.S. See Antonov, S.M., 2=17245  
 Ovenall, D.W. Electron paramagnetic resonance at 4.2°K of  $\gamma$ -irradiated polymethyl methacrylate and polymethacrylic acid, 0=501  
 Ovenall, D.W. Paramagnetic resonance absorption in molecular crystals: some comments on the paper by Wigen and Cowen, 2=8666  
 Ovenall, D. W. E.P.R. spectrum of irradiated oriented polytetrafluoroethylene, 3=17608  
 Ovenall, D.W. and Müller, K.A. Electron spin resonance in  $\gamma$ -irradiated troglycine sulfate, 2=8673  
 Ovenall, D. W. See Müller, K. A., 4=26723  
 Overas, H. See Citron, A., 2=5703  
 Overas, H. See Citron, A., 2=13841  
 Overas, H. See Citron, A., 2=20658  
 Overbeck, C.J. Robert Wichard Pohl: Oersted medalist for 1959, 0=14482  
 Overbeek, J. Th. G., Vrij, A. and Huisman, H. F. Light scattering by electrolyte solutions containing charged colloidal particles, 4=14144  
 Overbeek, J.T.G. See Black, W., 1=20397  
 Overbeek, J.T.G. See Lyklema, J., 2=2997  
 Overbeek, J.T.G. See Ottewill, R.H., 0=63  
 Overbeek, J.T.G. See Vrij, A., 2=23978  
 Overberg, R.J. and Leaderman, H. Viscoelastometer for measurement of flow and elastic recovery, 2=4984  
 Overend, G.E. See Jackson, R.S., 3=23284  
 Overend, J. and Scherer, J.R. Transferability of Urey-Bradley force constants. I. Calculation of force constants on a digital computer, 0=11514  
 Overend, J. and Scherer, J.R. Transferability of Urey-Bradley force constants. II. Carbonyl halides and related molecules, 0=11515  
 Overend, J. and Scherer, J.R. Transferability of Urey-Bradley force constants. IV. Methyl halides, 0=15685  
 Overend, J. and Scherer, J.R. Repulsive potential between nonbonded methyl groups, 1=828  
 Overend, J. and Scherer, J.R. Transferability of Urey-Bradley force constants. VI. The silyl halides, 1=5990  
 Overend, J. See Crawford, B., Jr., 4=20010  
 Overend, J. See Pariseau, M., 3=22552  
 Overend, J. See Scherer, J.R., 0=15684  
 Overend, J. See Scherer, J.R., 0=17753  
 Overend, J. See Scherer, J.R., 1=2313  
 Overend, J. See Zerbi, G., 3=8292  
 Overend, J. See Zerbi, G., 3=8293  
 Overhauser, A.A. New mechanism of antiferromagnetism, 0=1810  
 Overhauser, A.W. Structure of nuclear matter, 0=11125  
 Overhauser, A.W. Mechanism of antiferromagnetism in dilute alloys, 0=11909  
 Overhauser, A.W. Giant spin density waves, 0=13513  
 Overhauser, A.W. Note on the magnetic structure of AuMn, 2=23690  
 Overhauser, A.W. Spin density waves in an electron gas, 3=2772  
 Overhauser, A.W. Spin-density-wave mechanisms of antiferromagnetism, 3=15903  
 Overhauser, A.W. and Arrott, A. Mechanism of antiferromagnetism in chromium, 0=11910  
 Overhauser, A.W. See Brailsford, A.D., 0=2844  
 Overhauser, A.W. See Brailsford, A.D., 1=17602  
 Overhauser, A.W. See Brailsford, A.D., 2=3979  
 Overhauser, A.W. See McIrvine, E.C., 0=1536  
 Overington, I. and Williams, D. J. Colour densitometry applied to temperature measurement, 4=8481  
 Overlay, J.C. and Whaling, W. Highly excited states in  $\text{C}^{11}$ . Elastic scattering of protons by  $\text{B}^{10}$ , 2=22729  
 Overlay, J.C. Neutrons from the  $\text{B}^{10}(\text{d}, \text{n})\text{C}^{11}$  reaction, 4=9555  
 Overman, R.F. Coincidence counting of special samples, 3=5990  
 Overmeyer, J. Microwave resonance in tetragonally distorted manganese-iron spinel, 1=6394  
 Overmeyer, J. and Gambino, R. J. The cubic field splitting of the ground state of  $\text{Eu}^{2+}$  in alkaline earth oxides, 4=20152  
 Overmeyer, J., Giess, E. A., Freiser, M. J. and Calhoun, B. A. Paramagnetic resonance of  $\text{Gd}^{3+}$  in garnet crystals and its relation to the anisotropy of  $\text{GdI}_3$ , 4=26398  
 Overmeyer, J. See Calhoun, B. A., 4=13315  
 Overn, W.M. and Korkowski, V.J. Study of the residual states of ferrite cores in computer memory operation, 0=2422  
 Overn, W.M. See Hewitt, F.G., 3=15869  
 Overn, W.M. See James, R.H., 1=1721  
 Overseth, O.E., Jr. and Peck, R.A., Jr. Angular distributions of proton groups from the  $\text{Al}^{27}(\text{n}, \text{p})\text{Mg}^{27}$  reaction at 14 MeV, 0=460  
 Overseth, O.E. See Cronin, J.W., 3=7929  
 Overshott, K. J. and Smith, I. R. A solenoid with a nearly uniform axial magnetic field, 4=24790  
 Overton, H.L. Lithium-iodide scintillators for fast neutron detection, 2=20360  
 Overton, L.J. See Glower, D.D., 3=22998  
 Overton, W.C., Jr. Solutions of the secular determinant on the Brillouin zone faces for face-centered cubic lattice vibrations, 0=2784  
 Overton, W.C., Jr. Relation between ultrasonically measured properties and the coefficients in the solid equation of state, 2=16578  
 Overton, W.C., Jr. Correlation between the electron gas bulk modulus and  $\text{C}_{12}$ - $\text{C}_{44}$  of monovalent metals, 2=18979  
 Overton, W.C., Jr. Conversion of  $\text{C}_V[\text{T}, \text{V}(\text{T})]$  to  $\text{C}_V[\text{T}, \text{V}(0^\circ\text{K})]$  with application to Na and Cu, 3=6476  
 Overton, W.C., Jr. F.C.C. elastic constants for arbitrary central forces by the method of long waves, 3=18158  
 Overton, W.C., Jr. See Schuch, A.F., 3=16853  
 Ovodova, A.V. See Fomin, V.G., 2=2363  
 Ovodova, A.V. See Maslov, V.N., 3=16028  
 Ovodova, A. V. See Maslov, V. N., 4=30896  
 Ovrutskaya, R. M., Kotlyar, B. I. and Vainshtein, E. E. The shape and width of the  $\text{K}_{\alpha 1,2}$  X-ray lines of manganese in MnTe in the antiferromagnetic transformation temperature



- range, 4=15662
- Ovrutskaya, R.M. See Vainshtein, E.E., 1=6218
- Ovrutskaya, R.M. See Vainshtein, E.E., 4=6691
- Ovshinnikov, Yu.V. See Igonin, L.A., 0=2927
- Ovsienko, D.E. and Alfintsev, G.A. Mechanism of growth of crystals of salol from a melt, 4=26605
- Ovsienko, D.E. and Sosnina, E.I. Effect of the mosaic structure of melt-grown aluminium single crystals on their critical shear stress, 3=23350
- Ovsienko, D.E. and Zashchuk, I.K. The effect of mosaic structure on diffusion of zinc in aluminium monocrystals, 1=6110
- Ovsienko, D.E. See Alfintsev, G.A., 4=29050
- Ovsienko, D.Yu. The growth and certain properties of metal whiskers, 1=15010
- Ovsienko, D.Ye. and Sosnina, Ye.I. The influence of mosaic structure on creep in melt-grown aluminium single crystals, 4=7405
- Ovsyannikov, V.A., Bul'ginskii, D.G., Galaktionov, B.V. and Dolmatova, K.A. Method of measuring plasma temperature in magnetic mirror system. I. Electron model, 2=5356
- Ovsyannikov, V.A. See Bul'ginskii, D.G., 4=523
- Ovsyannikova, I.A. See Borovskii, I.B., 0=14934
- Ovsyannikova, L.P. See Dymnikov, A.D., 3=24363
- Ovsyannikova, L.P. See Yavor, S.Ya., 4=14761
- Ovsyannikova, L.P. See Yavor, S.Ya., 4=18553
- Ovsyannikova, I.A. and Borovskii, I.B. Investigation of the fine structure of the K X-ray spectra of some sulphides, 2=21258
- Ovsyannikova, S.P. See Mil'vidskii, M.G., 2=803
- Ovs'enko, D.E. and Sosnina, E.Ye. Method of growing single crystals of definite shape and orientation, 4=7536
- Ovsyuk, Z.Sh. See Strakhov, L.P., 3=23014
- Owada, S. A problem on high speed projectiles, 0=6719
- Owaki, M. See Nishioka, A., 1=9154
- Owe Berg, T.G., Fernish, G.C. and Gaukler, T.A. The mechanism of coalescence of liquid drops, 3=14131
- Owe Berg, T.G., Fernish, G.C. and Flood, W.J. Charge analyzer for aerosols and sprays, 4=23683
- Owen, A.E. Properties of glasses in the system  $\text{CaO}-\text{B}_2\text{O}_3-\text{Al}_2\text{O}_3$ . I. The d.c. conductivity and structure of calcium boroaluminate glasses, 1=14397
- Owen, A.E. Properties of glasses in the system  $\text{CaO}-\text{B}_2\text{O}_3-\text{Al}_2\text{O}_3$ , 2=658
- Owen, A.E. Comments on the paper "volume conductivity of borosilicate glass" by Julius J. Murray, 4=1648
- Owen, A.E. See Albon, N., 3=23411
- Owen, A.E. See Schmidt, P.F., 4=26713
- Owen, B.B., Miller, R.C., Milner, C.E. and Cogan, H.L. The dielectric constant of water as a function of temperature and pressure, 2=1163
- Owen, B.G. See Holmes, J.E.R., 1=16922
- Owen, B.G. See Holmes, J.E.R., 1=16945
- Owen, G.E. See Bardes, R., 0=20457
- Owen, G.E. See Finlay, R.W., 3=6288
- Owen, G.E. See Lambert, J.M., 2=1890
- Owen, G.E. See Reichelt, W., 1=2232
- Owen, G.E. See Tisinger, R.M., 4=28056
- Owen, G.E. See Willen, E.H., 4=12264
- Owen, G.E. See Zdanis, R., 1=3459
- Owen, G.E. See Zdanis, R.A., 2=1920
- Owen, H.A. See Vail, C.R., 2=1341
- Owen, H.A.Jr. See Lucas, M.S.P., 1=6688
- Owen, J. Exchange interactions in antiferromagnetic salts of iridium, 0=13876
- Owen, J. Experiments on charge transfer and exchange interactions, 0=21067
- Owen, J. Paramagnetic resonance measurements of exchange interactions, 1=6418
- Owen, J. Spin resonance of ion pairs in crystal lattices, 2=4245
- Owen, J. First International Conference on Paramagnetic Resonance, Jerusalem, July 1962, 3=1177
- Owen, J., Brown, M.R., Coles, B.A. and Stevenson, R.W.H. Paramagnetic resonance from pairs of  $\text{Mn}^{2+}$  ions in  $\text{Mn}, \text{ZnF}_2$ , 3=3176
- Owen, J. See Brown, M.R., 2=4218
- Owen, J. See Cipollini, E., 2=12337
- Owen, J. See Coles, B.A., 0=6274
- Owen, J. See Cooke, A.H., 0=8068
- Owen, J. See Griffiths, J.H.E., 0=8067
- Owen, J. See Harris, E.A., 3=20627
- Owen, J. See Harris, E.A., 4=26403
- Owen, J. See Rodbell, D.S., 3=20628
- Owen, J. See Rodbell, D.S., 4=13271
- Owen, J. See Thornley, J.H.M., 2=6248
- Owen, J. See Windsor, C.G., 2=20832
- Owen, J. See Windsor, C.G., 3=10564
- Owen, L.W. and Satchler, G.R. Multipole moments of a rounded charge-distribution, 4=12118
- Owen, L.W. See Scott, V.D., 0=8280
- Owen, N.B., Smith, P.L., Martin, J.E. and Wright, A.J. X-ray diffraction at ultra-high pressures, 4=15779
- Owen, R.B. Pulse-shape discrimination identifies particle types, 0=3909
- Owen, R.B. The variation of phosphor decay time with specific ionization and its applications, 0=17150
- Owen, R.B. Scintillation counters, 1=8401
- Owen, R.B. Pulse shape discrimination—a survey of current techniques, 2=17747
- Owen, S.J.T. and Standley, K.J. The design of a simple electro-magnet for moderate fields, 3=14727
- Owen, S.J.T., Standley, K.J. and Walker, A. Electron spin resonance in anhydrous copper nitrate, 4=11216
- Owen, T., Richardson, E.H. and Spinrad, H. A new ammonia band in the Jovian spectrum, 4=23894
- Owen, T.D. Measurement of power and burn-up in irradiated nuclear reactor fuel by a non-destructive method, 3=19907
- Owen, T.B. See Karle, I.L., 4=29151
- Owen, T.C. Comparisons of laboratory and planetary spectra. I. The spectrum of Jupiter from 9000 Å to 10100 Å, 4=20909
- Owen, T.C. and Staley, D.O. A possible Jovian analogy to the terrestrial equatorial stratospheric wind reversal, 4=4886
- Owen, W.D. and Llewellyn-Jones, F. Cathode electron emission and vacuum breakdown, 4=18753
- Owen, W.D. See Jones, F. Llewellyn, 4=8652
- Owen, W.S. See Gilbert, A., 2=8840
- Owen, W.S. See Reid, C.N., 2=10743
- Owen, W.S. See Hull, D., 4=28985
- Owen, W.S. See Rosenfield, A.R., 3=11163
- Owen, W.S. See Rosenfield, A.R., 4=7460
- Owens, A.R. International Solid-State Circuits Conference, Philadelphia, February, 1963, 3=14465
- Owens, B.B. Melting properties of silver nitrate to 10000 atm., 3=24110
- Owens, B.B. See Yosim, S.J., 4=2893
- Owens, B.B. See Yosim, S.J., 4=29621
- Owens, D.R. See Phillips, T.R., 3=19080
- Owens, E.B. Mechanical developer for mass spectrographic plates, 2=1287
- Owens, E.B. The effect of ion mass and ion energy on the sensitivity of Ilford Q<sub>3</sub> plates as ion detectors in mass spectrography, 3=5725
- Owens, E.B. and Giardino, N.A. Quantitative mass spectrometry of solids, 4=3061
- Owens, H.C. Three computer programs for calculating cyclotron orbits, 3=5763
- Owens, M.L. Symposium on the physics of graphite-moderated reactors, Bournemouth, April, 1962, 2=16447
- Owings, D. See Gehrels, T., 2=15318
- Owren, L. Multiple scattering in the auroral ionosphere, 3=13716
- Owren, L. See Hook, J.L., 3=11437
- Owren, L. See Hunsucker, R.D., 3=1463
- Owsienko, D.E. and Sosnina, E.I. Growing aluminium single crystals of known orientation from the melt, 0=13948
- Owston, P.G. and Rowe, J.M. The crystal structure of the binuclear thiocyanate complex  $\alpha - [\text{Pt}_2(\text{SCN})_2\text{Cl}_2(\text{P}(\text{C}_2\text{H}_5)_3)_2]$ , 0=8237
- Owston, P.G., Partridge, J.M. and Rowe, J.M. The crystal structure of a complex hydride of platinum,  $[\text{Pt}(\text{C}_2\text{H}_5)_3\text{P}]_2\text{HBr}$ , 0=8236
- Owston, P.G. See Alderman, P.R.H., 0=8235
- Owyang, G.H. Theory and design of a coaxial supporting bead made of composite dielectrics, 1=9686
- Oxenham, J.K. Electronic simulation of the effect of lens aberrations on electron beam cross sections. Appendix, 2=13598
- Oxenius, J. See Cuperman, D., 2=22206
- Oxenius, J. See Cuperman, S., 3=7605
- Oxenius, J. See Cuperman, S., 4=14653
- Oxenius, J. See Cuperman, S., 4=18851
- Oxenius, J. See Engelmann, F., 2=3058
- Oxenius, J. See Engelmann, F., 3=9817
- Oxley, A.J. See Bugg, D.V., 4=15055
- Oxley, A.J. See Frisch, O.R., 1=16630



- Oxley, A.J. See Rushbrooke, J.G., 4=30227  
 Oxley, C.L. See Albares, D.J., 1=11948  
 Oxley, D.L. See Bigg, P.H., 2=19364  
 Oxley, D.P., Slack, C.T., Tebble, R.S. and Williams, K.C. An antiferromagnetic Heusler alloy,  $\text{Cu}_2\text{MnSb}$ , 2=14812  
 Oxley, D.P., Tebble, R.S. and Williams, K.C. Heusler alloys, 3=15778  
 Oxley, J.H. See Dayton, R.W., 4=12320  
 Oya, H. See Maeda, K., 3=16259  
 Oya, H. See Maeda, K., 3=23813  
 Oyama, I. See Taoka, T., 0=21112  
 Oyama, S. See Akashi, M., 2=12083  
 Oyamada, M. See Shoda, K., 3=15172  
 Oyarzun, R. See García-Riquelme, O., 1=13940  
 Oyasato, M. and Hamamura, S. Note on the interrelation between the moving striations in a cross type discharge tube, 2=7571  
 Ozaki, A. See Itô, H., 4=24675  
 Ozaki, H.T. See Platzman, P.M., 0=17018  
 Ozaki, M., Tanaka, M. and Teramoto, E. Dependence of the transition temperatures of DNA molecules upon their base compositions, 3=22616  
 Ozaki, S. Latitude effect on extensive air showers of cosmic rays, 0=5633  
 Ozaki, S. On the consistency of quantization in quantum electrodynamics, 0=7272  
 Ozaki, S. On a non-adiabatic approximate method in the non-linear interaction theory, 0=12814  
 Ozaki, S. The latitude effect on extensive air showers of cosmic rays, 1=2135  
 Ozaki, S. Selection rules for interaction types in quantum field theory, 1=3129  
 Ozaki, S., Weinstein, R., Glass, G., Loh, E., Neimala, L. and Wattenberg, A.  $\pi^-$  capture in complex nuclei and nuclear pair correlations, 0=13292  
 Ozaki, S. See Baker, W.F., 2=20627  
 Ozaki, S. See Boyarski, A.M., 3=6065  
 Ozaki, S. See Davidson, G., 0=2378  
 Ozaki, S. See Foley, K.J., 3=17323  
 Ozaki, S. See Foley, K.J., 3=19688  
 Ozaki, S. See Foley, K.J., 4=9194  
 Ozaki, S. See Foley, K., 4=9202  
 Ozaki, S. See Lindenbaum, S.J., 1=16789  
 Ozaki, S. See Lindenbaum, S.J., 2=1713  
 Ozaki, S. See Lindenbaum, S.J., 3=17106  
 Ozaki, S. See Pak, W., 1=3375  
 Ozaki, S. See Roe, B.P., 0=2531  
 Ozaki, Y. See Kuwahara, K., 4=13203  
 Ozanich, A.M., Jr. See Bean, B.R., 1=15240  
 Ozarov, V. See Gleichauf, P.H., 1=7658  
 Ozarov, V. and Hysell, R.E. Space-charge-limited currents in single-crystal silicon carbide, 2=23408  
 Ozarov, V. See Addamiano, A., 3=25485  
 Ozawa, K. Effects of gamma-radiation on alkali halide crystals, 3=25449  
 Ozawa, K. See Kubo, K., 3=22868  
 Ozawa, K. See Kubo, K., 4=9946  
 Ozawa, M., Morita, T. and Ogasawara, K. Measurements on vacuum thermo-electron generator, 3=14512  
 Ozawa, M. See Kimura, M., 3=14252  
 Ozawa, M. See Kimura, M., 4=2772  
 Ozawa, T. A new method for the characterization of a powdered system of distributed radius and density, 4=26702  
 Ozawa, Y., Kaji, I. and Kito, M. Stability criterion for longitudinal plasma waves in a magnetic field, 3=14611  
 Ozawa, Y., Kaji, I. and Kito, M. Detailed solutions of periodic waves for nonlinear stationary plasma waves with small amplitude, 4=18983  
 Ozawa, Y. See Tsuge, K., 3=6781  
 Özdoğan, I. Geomagnetic bays in Turkey. I. Statistical study, 2=17222-3  
 Özdoğan, I. See Ferraro, V.C.A., 0=2020  
 Özemre, A.Y. Time-dependent neutron fluxes according to multigroup diffusion theory, 0=7355  
 Özemre, A.Y. Elementary introduction to the study of the time-dependent material buckling, 1=3190  
 Özemre, A.Y. The neutron flux formed by the introduction of source neutrons into a pure multiplying medium, 1=3491  
 Özemre, A.Y. The expression for the extrapolation length in the case of one-group time-dependent neutron diffusion, 2=7863  
 Özemre, A.Y. On a direct and intuitive method for the derivation of the relation between  $k_\infty$  and  $k_{\text{eff}}$ , and its generalization to media with reflector, 3=22447  
 Özemre, A.Y. See Suhubi, E., 3=2273  
 Ozernoi, L.M. The gravitational instability of an inhomogeneous plasma medium, 4=24704  
 Ozernoi, L.M. See Novikov, I.D., 4=5045  
 Ozernoy, L.M. Remarks on the gravitational instability of filaments of gas-dust nebulae, 4=13897  
 Ozeroff, W.J. See Blue, E., 3=5820  
 Ozerov, E.B. See Medved', S.V., 3=24171  
 Ozerov, R.P. The chemical crystallography of the oxygen-vanadium bronzes given by group-one elements, 0=14029  
 Ozerov, R.P., Cogan, V.S., Zhdanov, G.S. and Lazarev, G.B. Neutron diffraction study of the crystal structure of solid hydrogen and deuterium, 3=1319  
 Ozerov, R.P., Fykin, L.E., Rannev, M.V. and Zhdanov, G.S. Neutron diffraction localization of hydrogen atoms in the structure of lithium sulphate monohydrate,  $\text{Li}_2\text{SO}_4 \cdot \text{H}_2\text{O}$ , 3=16080  
 Ozerov, R.P., Kiselev, S.V., Karpovich, I.R., Goman'kov, V.I. and Loshmanov, A.A. A remotely controlled neutron diffractometer based on a Gur-3 unit, 1=11551  
 Ozerov, R.P., Kogan, V.S., Zhdanov, G.S. and Kukhto, O.L. The crystalline structure of solid isotopes of hydrogen, 3=18306  
 Ozerov, R.P. See Goman'kov, V.I., 4=17805  
 Ozerov, R.P. See Kiselev, S.V., 3=5018  
 Ozerov, R.P. See Kiselev, S.V., 4=10239  
 Ozerov, R.P. See Kogan, V.S., 1=11865  
 Ozerov, R.P. See Kogan, V.S., 1=20528  
 Ozerov, R.P. See Rannev, N.B., 4=23504  
 Ozerov, R.P. See Zhdanov, G.S., 4=1816  
 Ozerov, V.D. See Gringauz, K.I., 0=14381  
 Ozerov, V.D. See Gringauz, K.I., 2=8988  
 Ozerov, V.D. See Gringauz, K.I., 2=9070  
 Ozerov, V.D. See Gringauz, K.I., 2=15301  
 Ozerov, V.D. See Gringauz, K.I., 4=7982  
 Ozerov, V.D. See Gringauz, K.I., 4=13931  
 Ozerova, G.A. See Shigorin, D.N., 3=25086  
 Ozhdyan, L., Pantuev, V.S., Khachaturyan, M.N. and Chuvilo, I.V. Total cross-section for interaction between protons and 8.3 BeV neutrons, 2=9841  
 Ozhdyan, L., Pantuev, V.S. and Khachaturyan, M.N. Tracing of neutral particle beams by means of gamma sources, 2=20217  
 Ozhdyan, L., Pantuev, V.S. and Khachaturyan, M.N. Time characteristics of photomultipliers with large photocathodes, 3=24338  
 Ozhdyan, L., Pantuev, V.S. and Khachaturyan, M.N. Application of spark discharges to scintillation techniques, 3=24549  
 Ozhdyan, L., Pantuev, V.S., Khachaturyan, M.N. and Chuvilo, I.V. Total cross-section for interaction between protons and 8.3 BeV neutrons, 3=6004  
 Ozhigov, G.E., Smirnov, V.G. and Sokovishin, Yu.A. The production of a thermopile and a method of experimentally determining its relaxation time, 2=10548  
 Ozhogin, V.I. The antiferromagnetics  $\text{CoCO}_3$ ,  $\text{CoF}_2$  and  $\text{FeCO}_3$  in strong magnetic fields, 4=7298  
 Ozhogin, V.I. Magnetic moment relaxation in an antiferromagnetic with anisotropy of the "easy plane" type, 4=17665  
 Ozhogin, V.I. See Borovik-Romanov, A.S., 0=21039  
 Ozias, Y., Roux, H., Boivin, P. and Calvet, E. Microcalorimetric determination of the characteristics of radioactive element, 2=5819  
 Ozias, Y. See Boivin, P., 3=12626  
 Ozias, Y. See Brin, A., 0=1130  
 Ozima, M., Ozima, M. and Nagata, T. Low temperature treatment as an effective means of "Magnetic cleaning" of natural remanent magnetization, 4=29344  
 Ozima, M. See Donnelly, R.J., 0=12686  
 Ozima, M. See Donnelly, R.J., 2=5454  
 Ozima, M. See Nagata, T., 3=11065  
 Ozima, M. See Ozima, M., 4=29344  
 Ozima, M. See Sawada, M., 3=11049  
 Ozima, M. See Yama-Ai, M., 4=4380  
 Oziraner, S.N. See Golovanov, Yu. N., 4=5469  
 Oziraner, S.N. See Golovanov, Yu. N., 4=5470  
 Özizmir, E. See Imre, K., 4=18806  
 Özizmir, E. See Imre, K., 4=29901  
 Özkök, Ş. The size distribution of reduced neutron widths and level spacings distribution of nuclear energy levels, 3=22282



PHYSICS ABSTRACTS CUMULATIVE INDEX 1960-1964

- Ozol, Ya., Vimba, S. and Ievins, A. The crystal structure of calcium monoborate,  $\text{Ca}[\text{B}(\text{OH})_4]_2 \cdot 2\text{H}_2\text{O}$ , 4=30848
- Ozol, Ya., Vimba, S. and Ievin'sh, A. The crystal structure of rubidium tetraphenylborate, 3=20862
- Ozolin', Ya. See Prosvirin, V., 4=28919
- Ozolin'sh, G. V., Averkieva, G. K., Goryunova, N. A. and Ievin'sh, A. F. An X-ray diffraction investigation of gallium and indium antimonides, 4=4606
- Ozolin'sh, G. V., Averkieva, G. K., Ievin'sh, A. F. and Goryunova, N. A. An X-ray study of some  $\text{A}^3\text{B}^5$  compounds which show deviations from stoichiometry, 3=20836
- Ozsváth, I. Solutions of the Einstein field equations with simply transitive groups of motions, 3=16509
- Ozsváth, I. and Schücking, E. Finite rotating universe, 2=13255
- Ozsváth, I. and Schücking, E. Finite universe and Mach's principle, 3=5348



- Paal, G. On the relativistic theory of the metagalaxy, 3=23663  
 Paál, G. See Balázs, B., 1=9249  
 Paalassalo, P. See Hovi, V., 0=17899  
 Paalassalo, P. See Hovi, V., 4=23277  
 Paalman, H.H. and Pings, C.J. Numerical evaluation of X-ray absorption factors for cylindrical samples and annular sample cells, 2=17434  
 Paalman, H.H. and Pings, C.J. Fourier analysis of X-ray diffraction data from liquids, 3=18799  
 Paalman, H.H. See Pings, C.J., 2=21894  
 Paananen, R. See Statz, H., 2=16025  
 Paananen, R.A. and Bobroff, D.L. Very high gain gaseous (Xe-He) optical maser at  $3.5 \mu$ , 3=17089  
 Paananen, R.A., Statz, H., Bobroff, D.L. and Adams, A., Jr. Noise measurement in an He-Ne laser amplifier, 4=16698  
 Paananen, R.A., Tang, C.L., Horrigan, F.A. and Statz, H. Optical maser action in He-Hg r.f. discharges, 4=3210  
 Paananen, R.A., Tang, C.L. and Horrigan, F.A. Laser action in  $\text{Cl}_2$  and He- $\text{Cl}_2$ , 4=8977  
 Pabbi, S.D. Analogy between nuclear chain reacting systems and vibrating strings and membranes, 3=4680  
 Pablo, M.R. See Hein, R.A., 3=3959  
 Pabst, K. Investigation of the light yield of solid scintillators excited by  $\alpha$ -,  $\beta$ - and  $\gamma$ -rays, 1=8403  
 Pac, P.Y. On the transformation properties of the Dirac equation, 0=17241  
 Pac, P.Y. Remarks on the transformation properties of the Dirac equation, 0=20047  
 Pac, P.Y. A note on Regge trajectory in  $\lambda\phi^4$  theory, 3=24656  
 Pacák, M. See Čermák, V., 0=2404  
 Pacáková, L. See Horák, Z., 1=15770  
 Paccanoni, F. and Pagiola, E. KN and KN energy dependent s-wave scattering lengths, 2=22638  
 Pacault, A. Elements of statistical thermodynamics, 3=7134  
 Pacault, A. and Marchand, A. Electronic properties of pre-graphite carbons, 1=3763  
 Pacault, A., Marchand, A., Bothorel, P., Zanchetta, J., Boy, F., Cherville, J. and Oberlin, M. A study of the electronic structure of pre-graphite carbons, 1=3764  
 Pacault, A. See Labat, J., 4=28756  
 Pacault, A. See Marchand, A., 3=1120  
 Pacault, A. See Poquet, E., 1=6254  
 Pacault, A. See Poquet, E., 4=10240  
 Pacault, A. See Zanchetta, J.V., 4=20097  
 Pacault, A. See Zanchetta, J.V., 4=25725  
 Pacca, I.G. See Lattes, C.M.G., 3=15058  
 Pacca, I.G. See Lattes, C.M.G., 4=25231  
 Paccanoni, F. See Ferrari, F., 3=7922  
 Paccanoni, F. See Ferrari, F., 4=25144  
 Pace, E.L. and Bobka, R.J. Thermodynamic properties of trifluoroacetonitrile from 12°K to its boiling point, 1=11861  
 Pace, E.L. and Mosser, J.S. Thermodynamic properties of silicon tetrafluoride from 15°K to its triple point. The entropy from molecular and spectroscopic data, 3=21636  
 Pace, E.L. and Petrella, R.V. Thermodynamic properties of trifluorophosphine from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 2=13484  
 Pace, E.L. See Bockhoff, F.J., 0=5016  
 Pace, E.L. See Buckhoff, F.J., 2=20935  
 Pace, E.L. See Dininny, R.E., 0=4205  
 Pace, E.L. See Dininny, R.E., 0=5017  
 Pace, J.H., Sampson, D.F. and Thorp, J.S. Spin-lattice relaxation times in ruby at 34.6 kMc/sec, 0=4513  
 Pace, J.H., Sampson, D.F. and Thorp, J.S. Spin-lattice relaxation times in ruby at 34.6 Gc/s, 1=1265  
 Pace, J.H., Sampson, D.F. and Thorp, J.S. Spin-lattice relaxation times in sapphire and chromium-doped rutile at 34.6 Gc/s, 1=6422  
 Pace, J.H. See Thorp, J.S., 2=2372  
 Pace, S. See Bassani, C., 1=10006  
 Pačes, J. and Šuda, P. The influence of plastic deformation on the magnetostriction constant of nickel, 1=14727  
 Pačes, J. See Kaczér, J., 3=1062  
 Pačes, J. See Šuda, P., 1=20107  
 Pačes, J. See Šuda, P., 2=16915  
 Pacey, A.J. See Bates, L.F., 1=9035  
 Pacey, A.J. See Bates, L.F., 2=739  
 Pacey, A.J. See Bates, L.F., 3=466  
 Pacey, D.J. A piezoelectric oscillator manometer, 1=6817  
 Pacey, D.J. A simple test to distinguish between metals used to seal hard glasses, 3=9311  
 Pacey, D.J. A wide pressure range McLeod gauge, 3=18775  
 Pacey, D.J. The interpretation of gauge readings, 3=16671  
 Pacey, D.J. A self-extracting search gas probe for the location of leaks in vacuum apparatus, 4=18305  
 Pacheva, I.Kh. Isotope shift in the spectrum of gadolinium, 2=6095  
 Pacheva, I.Kh. See Kaliteevskii, N.I., 0=13420  
 Pacheva, I.Kh. See Kaliteevskii, N.I., 0=13123  
 Pacheva, I.Kh. See Kaliteevskii, N.I., 2=16298  
 Pachler, K.G.R. See Freeman, R., 3=736  
 Pachner, J. The unified field theory of gravitation and electricity, 0=4937  
 Pachner, J. Notes on the unified field theory, 1=2693  
 Pachner, J. Dynamics of the universe, 1=11672  
 Pachner, J. On the influence of a magnetic dipole upon the gravitational field, 1=15655  
 Pachner, J. On relativistic cosmology, 1=17997  
 Pachner, J. Some questions of relativistic cosmology, 1=18001  
 Pachner, J. The gravitational field of a point mass in the expanding universe, 2=1054  
 Pachner, J. General relativity theory of time dilatation for accelerated straight-line motion, 2=11261  
 Pachner, J. Erratum: On the influence of a magnetic dipole upon the gravitational field, 2=13256  
 Pachner, J. Formation and stability of nebular clusters, 2=21735  
 Pachner, J. On the geodesics in an expanding universe, 3=5232  
 Pachner, J. Cosmological considerations on the relativity of inertia, 3=11497  
 Pachner, J. Mach's principle in classical and relativistic physics, 4=4841  
 Pachner, J. Nonconservation of energy during cosmic evolution, 4=15924  
 Pacholczyk, A.G. The magnetogravitational instability of an infinite compressible cylinder. The formulation of the local instability condition, 1=355  
 Pacholczyk, A.G. On the hydromagnetic wave-fronts in the solar atmosphere. Wave-fronts of small amplitude in the nonuniform medium with weak magnetic field, 1=6710  
 Pacholczyk, A.G. Magneto-gravitational instability of a compressible non-uniform medium in non-uniform rotation, 0=19889  
 Pacholczyk, A.G. On the upper limit of the galactic magnetic field, 1=18125  
 Pacholczyk, A.G. The magneto-gravitational instability of a stratified medium, 2=7723  
 Pacholczyk, A.G. The upper limit of the intensity of the magnetic field in a protogalaxy, 2=9106  
 Pacholczyk, A.G. Faraday rotation effect in extragalactic radio sources, 4=20953  
 Pacholczyk, A.G. and Stodołkiewicz, J.S. The magneto-gravitational instability of an infinite homogeneous medium when a Coriolis force is acting and viscosity is taken into account, 1=1959  
 Pacholczyk, A.G. and Stodołkiewicz, J.S. The magneto-gravitational instability of a medium in non-uniform rotation, 1=1960  
 Pacholczyk, A.G. and Stodołkiewicz, J.S. The magneto-gravitational instability of the medium of finite electrical conductivity, 1=1961  
 Pacholczyk, A.G. and Stodołkiewicz, J.S. Remarks concerning the Anand, Kushwaha and Talwar's papers on gravitational instability of nonuniform media, 3=9158  
 Pačowska, R. See Blaquiére, A., 1=7415  
 Pačowska, R. See Blaquiére, A., 2=1945  
 Pačowska, R. See Blaquiére, A., 2=6003  
 Pachucki, C.F. See Dietz, L.A., 3=22337  
 Pack, A.K. See Richardson, J.W., 4=30417  
 Pack, A.R. See Stearns, C.A., 0=6306  
 Pack, D.C. See Helliwell, J.B., 2=16006  
 Pack, H. See Sugata, E., 3=432  
 Pack, J.L. and Phelps, A.V. Drift velocities of slow electrons in helium, neon, argon, hydrogen, and nitrogen, 1=2300  
 Pack, J.L., Voshall, R.E. and Phelps, A.V. Drift velocities of slow electrons in krypton, xenon, deuterium, carbon monoxide, carbon dioxide, water vapor, nitrous oxide, and ammonia, 2=19900  
 Pack, J.L. See Phelps, A.V., 0=3350  
 Pack, J.L. See Phelps, A.V., 0=5862  
 Pack, J.L. See Phelps, A.V., 1=5420  
 Packard, J.R. and Swenson, C.A. An experimental equation of state for solid xenon, 4=15436



- Packard, M.E. and Swartz, B.E. The optically pumped rubidium vapor frequency standard, 3=13991
- Packard, W.B. and Wootan, G.G. Error analysis in a general physics laboratory, 3=7082
- Packer, C.M. See Bragg, R.H., 3=6820
- Packer, C.M. See Bragg, R.H., 4=4579
- Packer, C.M. See Bragg, R.H., 4=15747
- Packer, D.M. Altitudes of the night airglow radiations, 2=910
- Packer, D.M. See Koomen, M.J., 3=18556
- Packer, D.M. See Purcell, J.D., 0=841
- Packer, M. E. and Wood, W. A. A slip process peculiar to fatigue, 4=26504
- Packer, M. E. and Wood, W. A. Room-temperature creep in cold-drawn copper under alternating torsion and tensile load, 4=28945
- Packman, G. See Brown, G., 4=6433
- Packman, J.E. The growth of bismuth single crystals by pulling, 1=1377
- Packman, P. See Weiss, V., 3=20753
- Pacault, A., Marchand, A., Boy, F. and Poquet, E. Increase of diamagnetism of a natural graphite by grinding, 2=12755
- Pacuraru, T. See Bychkov, Yu.A., 3=17160
- Paczynski, B. See Preston, G. W., 4=29387
- Padalia, B.D. See Deodhar, G.B., 2=10214
- Padalia, B.D. See Deodhar, G.B., 2=14212
- Padalia, B.D. See Deodhar, G.B., 2=20746
- Padalia, B.D. See Deodhar, G.B., 3=2566
- Padalia, B.D. See Deodhar, G.B., 3=8163
- Padalia, B.D. See Deodhar, G.B., 3=8192
- Padalia, B.D. See Deodhar, G.B., 3=10443
- Padalia, B.D. See Deodhar, G. B., 4=9632
- Padalka, V.G. and Shklyarevskii, I.N. A contribution to the technique of measuring the optical constants of metals at low temperatures, 0=20966
- Padalka, V.G. and Shklyarevskii, I.N. Determination of the micro-characteristics of silver and gold from the infrared optical constants and the conductivity at 82 and 295°K, 2=6538
- Padalka, V.G. and Shklyarevskii, I.N. Determination of the microcharacteristics of copper from its infrared optical constants and its conductivity at 82 and 295°K, 2=16624
- Padalka, V.G. See Borisov, M.D., 2=14657
- Padalka, V. G. See Demidenko, I. I., 4=27520
- Padalka, V. G. See Sinel'nikov, D. K., 4=18918
- Padalka, V. H. See Demidenko, Y. Y., 4=2989
- Padalka, V.G. See Shklyarevskii, I.N., 0=6078
- Padday, J.F. Apparatus for measuring the spreading coefficient of a liquid on a solid surface, 0=5003
- Padday, J.F. Heights of sessile drops and meniscus properties, 3=14134
- Padday, J.F. and Russell, D.R. The measurement of the surface tension of pure liquids and solutions, 1=6847
- Padden, F.J., Jr. See Keith, H.D., 3=23390
- Padden, F.J., Jr. See Keith, H.D., 4=15753
- Padden, F.J., Jr. See Keith, H.D., 4=15754
- Padden, T.R. and Schnizler, P.S. Microstructural changes associated with irradiation burn-up of uranium dioxide, 3=20960
- Paderno, V. N. See Rakitin, S. P., 4=14743
- Paderno, V. N. See Samsonov, G. V., 4=25902
- Paderno, Yu. B., Pomanyuk, L. I. and Fomenko, V. C. Use of lanthanum hexaboride on the cathode of an ion source, 4=3050
- Paderno, Yu.B., Samsonov, G.V. and Fomenko, V.S. Electrical properties of lanthanum hexaboride, 1=5005
- Paderno, Yu.B., Serebryakova, T.I. and Samsonov, G.V. Compounds of terbium with boron and the electronic configuration of the terbium atom, 0=1502
- Paderno, Yu.B. See L'vov, S.N., 3=25210
- Paderno, Yu.B. See Samsonov, G.V., 0=13468
- Paderno, Yu.B. See Samsonov, G.V., 0=14020
- Paderno, Yu.B. See Samsonov, H.V., 1=13103
- Paderno, Yu.B. See Samsonov, G.V., 3=10763
- Paderno, Yu. B. See Samsonov, G. V., 4=3027
- Paddi Reddy, S. and Tiruvenganna Rao, P. The band spectra of NiCl and NiBr in the visible, 0=5944
- Paddi Reddy, S. See Krishna Rao, S.V., 2=6160
- Padfield, D.G. and Dickinson, N.B. Stresses and strains in an infinite elastic sheet under a tension applied at two rigid pairs of square jaws, 0=6710
- Padgett, A. and Krauss, M. Electronic structure of CH<sub>2</sub> and CH<sub>3</sub>, 0=4216
- Padgett, D.W. See Caswell, R.S., 0=12972
- Padgett, D.W. See Frank, W.M., 4=15050
- Padgham, C.A. The role of the retinal receptors in the formation of the positive visual after-image, 3=13970
- Padley, P.J. and Sugden, T.M. Photometric investigations of alkali metals in hydrogen flame gases. IV. Thermal and chemiluminescent effects produced by free radicals, 0=1518
- Padley, P.J. See Bulewicz, E.M., 1=20738
- Padley, P.J. See Bulewicz, E.M., 2=22946
- Padley, P.J. See Bulewicz, E.M., 4=5553
- Padlo, I. See Leciejewicz, J., 3=1329
- Padmanaban, R.A. Ultrasonic relaxation due to rotational isomerism in organic liquids, 0=19125
- Padmanaban, R.A. A method for the determination of dielectric constants of single crystals at v.h.f., 1=16231
- Padmanabhan, R.A. and Heasell, E.L. Ultrasonic relaxation in triethylamine, 1=1741
- Padmanabhan, S.C. See Chandrashekar Aiya, S.V., 0=21398
- Padmanabhan, V. See Srinivasan, D., 2=11454
- Padmanabhan, V. See Srivastava, S.S., 0=1061
- Padmanabhan, V.M. See Amirthalingam, V., 0=8238
- Padmanabhan, V.M. See Amirthalingam, V., 4=13587
- Padmanabhan, V.M. See Luthra, J.M., 1=9130
- Padmanabhan, V.M. See Shankar, J., 0=3258
- Padmanabhan, V. M. See Shankar, J., 4=23416
- Padmini, P.R.K.L. Study of ultrasonic velocity in high polymer solutions, 3=14161
- Padmini, P.R.K.L. and Ramachandra Rao, B. Investigation of molar sound velocity [R] in melts and solutions, 1=6857
- Padmini, P.R.K.L. and Ramachandra Rao, B. Ultrasonic velocity in some aqueous solutions of electrolytes, 1=12877
- Padmini, P.R.K.L. and Ramachandra Rao, B. Molar sound velocity in molten hydrated salts, 1=15869
- Padmini, P.R.K.L. and Ramachandra Rao, B. Study of ultrasonic velocity in liquids, 1=18406
- Padmini, P.R.K.L. and Ramachandra Rao, B. Study of temperature variation of ultrasonic velocity and adiabatic compressibility in some liquids. I, 1=18406
- Padmini, P.R.K.L. and Ramachandra Rao, B. Molar sound velocity in solutions of metal organic compounds, 2=15589
- Padmini, P.R.K.L. and Ramachandra Rao, B. Study of temperature variation of ultrasonic velocity and adiabatic compressibility. II, 3=7204
- Padmini, P.R.K.L., Seshagiri Rao, M.G. and Ramachandra Rao, B. Study of temperature variation of ultrasonic velocity in liquids at low temperatures, 3=21357
- Padmini, P.R.K.L., Subba Rao, K. and Ramachandra Rao, B. Molar sound velocity in inorganic acids, 0=19133
- Padmini, P.R.K.L., Subba Rao, K. and Ramachandra Rao, B. Study of molar sound velocity in liquids, 0=19134
- Padmini, P.R.K.L. See Rao, B.R., 0=16768
- Pado, G.S. See Gitterman, M.Sh., 2=18704
- Pado, G.S. See Gitterman, M.Sh., 2=23391
- Padova, J. Ion-solvent interaction in mixed solvents. II. The viscosity of electrolytes in mixed solvents, 3=16612
- Padova, J. Densities and molar volumes of electrolytes in mixed solvents, 4=2659
- Padova, J. Ion-solvent interaction. II. Partial molar volume and electrostriction, a thermodynamic approach, 4=14149
- Padova, J. Solvation approach to ion solvent interaction, 4=11183
- Paé, A. Ya. and Uibo, L. Ya. Luminescence of ammonium halide phosphors, 3=946
- Paé, A. Ya. See Kiis, V. I., 4=16231
- Pae, K.D. See Hu, L.W., 3=25625
- Paemel, O. Van. See Van Paemel, O.
- Paetzold, H.K. The fluctuations of the acceleration of satellites, 0=14474
- Paetzold, H.K. Observations of the Russian satellites and the structure of the outer terrestrial atmosphere, 1=5174
- Paetzold, H.K. An annual variation of density in the highest layers of the earth's atmosphere, 1=10316
- Paetzold, H.K. Air density in the ionosphere and exosphere, 1=10318
- Paetzold, H.K. A preliminary model for the variations of upper air densities, 1=10335
- Paetzold, H.K. On the composition of the terrestrial exosphere, 1=20895
- Paetzold, H.K. Corpuscular heating of the upper atmosphere, 3=1457
- Paetzold, H.K. The high atmosphere and the solar wind, 3=9068



- Paetzold, H.K. A working model illustrating density of the upper air, 3=18523
- Paetzold, H.K. On the problems of a Martian ozonosphere, 3=18608
- Paetzold, H.K. and Piscalar, F. Vertical distribution of atmospheric ozone. Comparison of various methods. D. Optical ozone sonde, 1=1504
- Paetzold, H.K. and Piscalar, F. Meridional ozone distribution and stratospheric circulation, 1=20814
- Paetzold, R. Vibrational spectroscopic studies of selenium-oxygen compounds, 3=15352
- Paff, R.J. See Fischer, A.G., 3=4886
- Paffrath, L. See Jarrett, A.H., 4=26828
- Pafomov, V.E. Radiation from a charged particle moving through a plate, 1=2036
- Pafomov, V.E. Effect of multiple scattering on transient radiation, 1=2037
- Pafomov, V.E. Effect of multiple scattering on transient radiation, 1=3152
- Pafomov, V.E. Transition radiation and Cherenkov radiation, 0=11018
- Pafomov, V.E. Radiation interference effects in stratified media, 4=3116
- Pafomov, V.E. Effect of multiple scattering on transition radiation, 4=30211
- Pafomov, V.E. See Muzikár, C., 2=4113
- Pafomova, L.A. See Kuznetsov, A.Ya., 1=1088
- Pafomova, L.A. See Kryzhanovskii, V.P., 4=22888
- Pagani, A. Stabilization of the output voltage of an alternator by an electronic method, 1=16212
- Pagani, A. The ionic sensitometry of calcium silicate screens bombarded by lithium ions, 2=724
- Pagani, A. See Coucet, G., 2=21279
- Pagano, R., Damerell, C.J.S. and Cherry, R.D. Effect of photocathode-to-first dynode voltage on photomultiplier noise pulses, 2=22133
- Pagden, I.M.H., Jakeways, R. and Flack, F.C. The decays of  $Pm^{143}$ ,  $Pm^{144}$  and  $Pm^{146}$ , 4=6290
- Page, C.H. Physical entities and mathematical representation, 2=4910
- Page, D.E. See McCusker, C.B.A., 0=1331
- Page, D.E. See McCusker, C.B.A., 1=2152
- Page, D.E. See Reid, R.J., 1=12138
- Page, D.E. See Reid, R.J., 3=4504
- Page, D.J., Kayali, A.A. and Wright, G.T. Some observations of space charge limited current in cadmium sulphide crystals, 3=861
- Page, E.J. and Rutschmann, J. Notes on a technique for the determination of high-frequency hearing thresholds, 1=7904
- Page, L.A. See Obenshain, F.E., 2=3325
- Page, M. See Martinez, P., 4=22917
- Page, R.M. See Blitzer, L., 2=7042
- Page, T. Recent statistical studies in astronomy, 1=1623
- Page, T. M/L for double galaxies, a correction, 3=3606
- Page, T., Dahn, C.C. and F.F. Morrison. Statistics of the double galaxies, and their formation, 2=7023
- Page, T. See Neyman, F. [Eds.], 2=2553
- Pagel, B. Colours, spectral types and the identification of sub-dwarfs, 2=24145
- Pagel, B.E.J. Note on collisional dissociation of the  $H^-$  ion in the solar atmosphere, 0=18747
- Pagel, B.E.J. The surfaces of stars, 1=40
- Pagel, B.E.J. The influence of the chromosphere on solar limb darkening, 1=2619
- Pagel, B.E.J. The distribution of temperature in the neighborhood of the solar limb, 1=7984
- Pagel, B.E.J. The distribution of temperature near the solar limb from continuum observations, 2=4802
- Pagel, B.E.J. The recombination spectrum of OI, 2=4804
- Pagel, B.E.J. Ultra-violet emission from the sun, 3=23685
- Pagel, B.R. and Petritz, R.L. Noise in InSb photodiodes, 1=14484
- Pagels, H. See Nordtvedt, K., 2=9163
- Pagels, H.R. Divergence conditions and the gravitational field equations, 3=16500
- Pagels, H.R. See Crawford, F.W., 3=14536
- Pages, A. The interest of magnetic storage in nuclear physics, 1=7176
- Pages, A. Multidimensional transfer analysers, 1=16228
- Pages, A., Avril, M. and Moreau, R. Problems in treatment of data in nuclear physics: the multidimensional analyzer at S.P.N.B.E. (Saclay), 4=16720
- Paghis, I. Sun-earth relations and associated periodicities, 2=4702
- Paghis, I. Magnetic impulses and sun-earth relations, 2=13067
- Paghis, I. On the selection of solar-flare radio-burst events that are associated with polar-cap absorption, 3=13920
- Paghis, I. See Jenkins, R.W., 3=21110
- Pagiola, E. Effects of the  $Y^*$  on the K-N low energy S-wave parameters, 2=16242
- Pagiola, E. See Paccanoni, F., 2=22638
- Paglia, S.R.La. Rydberg levels of polyatomic molecules: oxygen-containing molecules, 3=15321
- Pagnamenta, A. Regularity of the T matrix in the case of Dirac potential scattering, 3=21246
- Pagni, M. A uniqueness theorem relating to the equation of conduction of heat, 1=8251
- Pagnia, H. Production of thin hydrocarbon polymerized films with varying specific electric conductivity, 1=20664
- Pagnia, H. Structure investigations in thin polymerized and hydrocarbon films, 2=12920
- Pagnia, H. The hole conduction in evaporated germanium films, 2=14539
- Pagnia, H. Electrical properties of thin indium antimonide layers, 4=6980
- Pagnia, H. Preparation of unsupported InSb layers for infrared measurements, 4=26200
- Pahl, J. See Breitenlohner, P., 4=6046
- Pahl, M. The formation of molecular ions in static [electrical] discharges in the rare gases, 0=243
- Pahl, M. New results on secondary processes of slow ions in gases, 2=15881
- Pahl, M. New results on secondary processes of slow ions in gases, 4=2939
- Pahor, J. See Blinc, R., 0=13433
- Pahor, J. See Horvat, P., 0=11437
- Pahor, S. and Strnad, J. Nusselt number for laminar flow in a cylindrical tube with constant wall temperature, 0=19061
- Pahor, S. and Strnad, J. Heat transfer from laminar flow through cylindrical tubes, 1=18651
- Pai, G.L. and Sarabhai, V.A. Periodic fluctuations in the geomagnetic field during magnetic storms, 4=29339
- Pai, G.L. See Sarabhai, V.A., 2=13904
- Pai, G.L. See Sarabhai, V.A., 2=18221
- Pai, H.L., Ma, P.Y., Wang, S.C. and Lee, W.S. Measurement of epithermal neutron spectra by resonance
- Pai, S.I. The wave motions of small amplitude in a fully ionized plasma without external magnetic field, 1=5483
- Pai, S.I. Some considerations on the fundamental equations of electro-magneto-gasdynamics, 1=16542
- Pai, S.I. Wave motions of small amplitude in a fully ionized plasma under applied magnetic field, 2=5364
- Pai, S.I. Some considerations on radiation magnetogasdynamics, 3=19425
- Pai, S.I. Laminar jet mixing in radiation gasdynamics, 4=218
- Pai, S.I. Plane couette flow in radiation magneto-gasdynamics, 4=18816
- Pai, S.I. and Speth, A.I. Shock waves in radiation-magneto-gasdynamics, 1=16543
- Paic, G., Slaus, I. and Thomaš, P.  $O^{16}(n, d)N^{15}_g$  and  $O^{16}(n, p)N^{16}$  reactions at 14.4 MeV, 4=19792
- Paic, M., Antolković, B., Tomaš, P. and Turk, M. Comparative measurements of yields of d-d neutrons from different targets, 3=19652
- Paic, M., Thuro, G. and Turk-Zivkovic, M. A method of avoiding corrosion during fixing, 0=194
- Paic, M. See Antolković, B., 0=19829
- Paic, M. See Antolković, B., 2=7876
- Paic, M. See Paic, V., 4=16778
- Paic, M. See Stipčić, N., 3=19382
- Paic, V. Film  $\gamma$ -ray dosimetry using a shielded device for calibration, 0=3892
- Paic, V. and Paic, M. Discrimination of low energy protons and alpha particles in Ilford KO nuclear emulsions, 4=16778
- Paige, E.G.C. The anisotropy of the conductivity of hot electrons and their temperature in germanium, 0=6111
- Paige, E.G.C. The drift mobility of electrons and holes in germanium at low temperatures, 1=17696
- Paige, E.G.S. See Baynham, A.C., 3=25342
- Paige, E.G.S. See Brown, M.A.C.S., 1=14580
- Paige, E.G.S. See Brown, M.A.C.S., 3=10767
- Paige, E.G.S. See Gibson, A.F., 2=2199
- Paige, E.G.S. See Gibson, A.F., 3=2883
- Paige, E.G.S. See Maines, J.D., 3=17858
- Paige, E.G.S. See McLean, T.P., 1=17664
- Paige, E.G.S. See McLean, T.P., 1=19853
- Paige, E.G.S. See McLean, T.P., 2=16829



- Paige, E.G.S. See McLean, T.P., 3=2857  
 Paige, E.G.S. See McLean, T.P., 3=10951  
 Paik, S.F. A note on the parametric amplifier theory for plasmas, 2=9567  
 Paik, S.F. Coupling of modes between a slow-wave plasma mode and a helix, 2=17857  
 Paik, S.F. Backward waves in annular plasma columns, 3=4276  
 Paik, S.F. and Gilbert, K.D. A microwave study of moving striations using cavity techniques, 4=14601  
 Paik, S.F., Shapiro, J.N. and Gilbert, K.D. Microwave absorption and density variation in moving striations, 4=27499  
 Paik, S.F., Wallace, R.N. and McClees, H.C. Quieting of discharge tube noise by externally applied radio-frequency energv, 3=12091  
 Paik, S.F. See Kino, G.S., 3=503  
 Paillère, P. See Lacoste, R., 0=7058  
 Paillette, M. See Gires, F., 3=22475  
 Paillette, M. See Grudzinski, R., 4=11351  
 Paillette, M. See Grudzinski, R., 4=14935  
 Pailloux, H. Piezoelectricity. Calculation of the speeds of propagation, 0=10024  
 Pain, H.J. and Rogers, E.W.E. Shock waves in gases, 2=13358  
 Pain, H.J. and Smy, P.R. Magnetic field interactions with shock-ionized argon, 1=1970  
 Pain, H.J. See Fearn, D.G., 4=11586  
 Paine, S.H. See Kittel, J.H., 0=12084  
 Paine, S.H. See Kittel, J.H., 0=14044  
 Paine, T.O. Structure and properties of Alnico and E.S.D. permanent magnets, 1=1236  
 Paine, T.O. and Luborsky, F.E. "Interaction anisotropy" model of the structure of alnico magnet alloys, 0=10117  
 Paine, T.O. See Luborsky, F.E., 0=10122  
 Paine, T.O. See Luborsky, F.E., 0=10133  
 Paine, W.L. Acoustic measurements under transient temperature conditions, 1=9456  
 Painter, D.W., II. Ambient noise in a coastal lagoon, 3=25863  
 Pair, C.Le. See Le Pair, C.  
 Pais, A. The many  $\pi$ -meson problem, 0=11199  
 Pais, A. On symmetries shared by strong and weak interactions, 1=5660  
 Pais, A. Theoretical aspects of nonleptonic hyperon decays, 1=7285  
 Pais, A. On symmetries shared by strong and weak interactions, 1=16677  
 Pais, A. Remark on the algebra of interactions, 2=260  
 Pais, A. Theorem on local action of lepton currents, 2=20254  
 Pais, A. On spinors in  $n$  dimensions, 3=5922  
 Pais, A. On a plane Ising lattice with first and second interactions, 3=14044  
 Pais, A. The many  $\pi$ -meson problem. II, 3=17310  
 Pais, A. Approximate unitary symmetry and the parity question, 4=19385  
 Pais, A. Notes on  $W_3$  and related symmetries, 4=24975  
 Pais, A. Classical example of essentially singular coupling, 4=29514  
 Pais, A. and Tai Tsun Wu. Scattering formalism for singular potential theory, 4=21782  
 Pais, A. and Uhlenbeck, G.E. On the quantum theory of the third virial coefficient, 0=903  
 Pais, A. and Wu, Tai Tsun. Singular potentials and peratization. II, 4=25007  
 Pais, A. See Feinberg, G., 2=265  
 Pais, A. See Feinberg, G., 2=13865  
 Pais, A. See Feinberg, G., 2=20277  
 Pais, A. See Feinberg, G., 3=24620  
 Pais, A. See Feinberg, G., 4=9107  
 Pais, A. See Goldhaber, G., 0=17339  
 Pais, A. See Khuri, N.N., 4=21725  
 Pais, A. See Nauenberg, M., 1=10910  
 Pais, A. See Nauenberg, M., 2=9802  
 Pais, A. See Nauenberg, M., 2=20390  
 Paithankar, M.G. Use of oil immersion objective in the determination of refractive index of mineral fragments by immersion method, 4=27301  
 Paix, D. Temperature rise in a barrier-layer photocell exposed to sunlight, 2=6504  
 Paix, D. A simple voltage amplifier for photovoltaic cells, 3=19134  
 Paix, D. See Weston, E.T., 0=19598  
 Pajak, Z. Dielectric investigation of perovskite type ferroelectrics. I. Ferroelectric systems with small temperature coefficient of permittivity, 0=13655  
 Pajak, Z. Dielectric investigation of perovskite type ferroelectrics. II. Ageing process in ferroelectrics, 0=13656  
 Pajak, Z. Intermolecular  $\pi$  effect in aromatic and heterocyclic compounds, 1=11118  
 Pajak, Z. See Kinastowski, S., 4=208  
 Pajares, J.A. A medium-rate coincidence circuit, 1=13056  
 Pajot, B. Conversion of an infrared prism spectrometer to a grating spectrometer, 2=19713  
 Pajot, B. Impurity lines of boron and phosphorus in silicon, 4=28673  
 Pak, N.G. and Rusova, S.G. The effect of ultrasonic vibrations upon some magnetic properties of thin films, 4=22978  
 Pak, N.G. See Ivlev, V.F., 3=20600  
 Pak, W. and Greisen, K. Nuclear interactions of high-energy cosmic rays observed near Sea level, 2=5771  
 Pak, W., Ozaki, S., Roe, B.P. and Greisen, K. Momentum spectrum of muons, 1=3375  
 Pakarek, L. and Krejčí, V. The physical mechanism of a wave of stratification in a discharge plasma, 3=9735  
 Pake, G.E. Can four-year colleges prepare physics majors for graduate work in physics, 1=12791  
 Pake, G.E. and Tuttle, T.R., Jr. Anomalous loss of resolution of paramagnetic resonance hyperfine structure in liquids, 0=90  
 Pake, G.E. See Anderson, M.E., 1=878  
 Pake, G.E. See Anderson, M.E., 1=19668  
 Pake, G.E. See Goldsborough, J.P., 0=3123  
 Pake, G.E. See Hamilton, W.O., 4=4391  
 Pake, G.E. See Rogers, R.N., 0=19167  
 Pakhimov, V.I. Radiation from ions moving through a non-isothermal magnetised plasma, 4=14656  
 Pakhol'chik, A.Zh. Problem of the gravitational instability of a compressible medium, 3=9156  
 Pakhomov, A.S. See Belov, K.P., 1=12414  
 Pakhomov, A.S. See Gusev, A.A., 3=6720  
 Pakhomov, A.S. See Gusev, A.A., 3=23188  
 Pakhomov, L.P. See Golant, V.E., 2=7605  
 Pakhomov, V.I. Cyclotron radiation of a sonic wave by ions in a nonisotropic plasma, 4=508  
 Pakhomov, V.I. Crystal structure of  $\alpha$ - $C_{10}H_8HgI$ , 4=23507  
 Pakhomov, V.I., Aleksin, V.F. and Stepanov, K.N. The radiation from an electron moving in a spiral in a magnetoactive plasma. I, 2=22210  
 Pakhomov, V.I. and Stepanov, K.N. Radiation of low frequency waves by ions and electrons in a magnetoactive plasma, 3=16938  
 Pakhomov, V.I. and Stepanov, K.N. Radiation of electrons moving on a spiral in a magnetoactive plasma. II, 3=22106  
 Pakhomov, V.I. and Stepanov, K.N. Radiation of an electron moving in a helical path in a magnetoactive plasma. III, 3=24308  
 Pakhomov, V.I. See Stepanov, K.N., 0=19681  
 Pakhomov, V.I. See Tkach, V.S., 2=1231  
 Pakhomov, V. Ya. See Savitskiĭ, E.M., 4=27612  
 Pakhomychева, L.A. See Alentsev, M.N., 2=17475  
 Pakhomychева, L.A. See Alentsev, M.N., 2=22941  
 Pakoushko, I. See Vendrovsky, K., 4=18439  
 Pakswier, S. and Pratinidhi, K. Negative resistance in thin anodic oxide films, 3=20321  
 Pal, A.K. See Ghosh, U.S., 4=19247  
 Pal, B. See Dutta, A.K., 3=10202  
 Pal, B. See Dutta, A.K., 4=3590  
 Pal, B. See Dutta, A.K., 4=25259  
 Pal, B. See Dutta, A.K., 4=25260  
 Pal, H.K. An analysis of the J-phenomenon in X-rays. I, 4=27602  
 Pál, L. and Tarnóczy, T. Investigation of the anomalous magnetic properties due to the ordering process in iron-rich aluminum alloys, 2=16902  
 Pál, L. Statistical theory of neutron chain reactions. I, 3=12717  
 Pál, L. Statistical theory of neutron chain reactions. II, 3=12718  
 Pál, L. Statistical theory of neutron chain reactions. III, 3=12719  
 Pál, L. Determination of the prompt neutron period from the fluctuations of the number of neutrons in a reactor, 4=6421  
 Pal, L. Statistical theory of chain reactions in nuclear reactors. I., 4=1144  
 Pal, L. Statistical theory of chain reactions in nuclear reactors. II., 4=1145  
 Pal, L. Statistical theory of chain reactions in nuclear reactors. III., 4=1146  
 Pál, L., Bata, L. and Kiss, I. Investigations on the moderating parameters of "Dowtherm A" at different temperatures, 0=5825  
 Pál, L., Szabó, F., Gyimesi, Z., Bata, L. and Turi, L. Investigation of the SR-1 heterogeneous subcritical assembly, 1=13875



- Pál, L., Tarnóczy, T. and Németh, G., Calculation and experimental determination of the magnetic correction factor for ballistic measuring coils used with spheroidal specimens, 3=9900
- Pál, L. See Ádám, A., 1=13445
- Pál, L. See Békéssy, A., 0=312
- Pál, L. See Krén, E., 4=23031
- Pal Lee Kun. See Kun Pal Lee, 3=9506
- Pal, M.K. Electron scattering by the quadrupole charge distribution of  $N^{14}$ , 0=5763
- Pal, M.K. and Mitra, D., Pairing model for Pr-isotopes, 3=12555
- Pal, M.K. See Fallieros, S., 0=7593
- Pal, M.K. See Ferrell, R.A., 0=9396
- Pal, M.K. See Goswami, A., 2=16301
- Pal, M.K. See Goswami, A., 3=17398
- Pal, M.K. See Mitra, D., 2=18236
- Pal, M.K. See Mukherjee, P.N., 0=7161
- Pal, P.C. Some observations regarding the relation between the specific heat and the thermal conductivity of metals (solids) at ordinary temperature, 0=17897
- Pal, R. C. A study of characteristic curves of magnetic materials, 4=30710
- Pal, R. N. See Amirthalingam, V., 4=13587
- Pal, Y. and Peters, B. Meson production at high energies and the propagation of cosmic rays through the atmosphere, 4=25243
- Pal, Y., Ray, A.K. and Rengarajan, T.N. A pulsed magnetic study of the properties of surviving baryons in 25 GeV/c proton interactions, 3=19626
- Pal, Y. and Rengarajan, T.N. Observations on neutral  $\pi$  mesons produced in nuclear interactions of 24 GeV protons with carbon nuclei, 2=303
- Pal, Y. and Rengarajan, T.N. Observations on neutral  $\pi$ -mesons produced in nuclear interactions of 24 GeV protons with carbon nuclei, 2=12192
- Pal, Y. See Babu, P., 2=12078
- Pal, Y. See Babu, P., 4=928
- Pal, Y. See Lal, S., 2=9890
- Pal, Y. See Lal, S., 3=4533
- Pal Puri, S. and Gill, P.S. Firing characteristics of halogen-quenched Geiger-Müller counters, 0=7239
- Pal Varshni, Y. See Srivastava, G.P., 0=3528
- Pal Varshni, Y. Range-energy relation for protons in various substances, 0=5557
- Pal Varshni, Y. See Sodha, M.S., 0=5861
- Pal Varshni, Y. Spectroscopic constants of molecules. VI. Dependence of force constant on electronegativity, 0=5895
- Pal Varshini, Y. Landau's equation for the alpha decay intensities, 2=14019
- Palabiyik, Z. A dynamo-theory of  $S_q$  in an ionosphere of finite thickness, 3=11424
- Palacios, J. Revision of the theory of relativity, 0=10574
- Palacios, J. The universal constants of physics, 0=18900
- Palacios, J. The Postulates of a new theory of relativity, 1=15626
- Palacios, J. The fundamental experiments of the theory of relativity, 4=24031
- Paladino, A. E. Preparation of crystal and glass laser materials. I, 4=24908
- Paladino, A.E. and Kingery, W.D. Aluminium ion diffusion in aluminium oxide, 2=21056
- Paladino, A. E., Roiter, B. D. and de Mars, G. Dependence of the optical-maser threshold on neodymium concentration in sodium-compensated calcium tungstate, 4=10168
- Paladino, A. E. See Harman, T. C., 4=14472
- Paladino, A. E. See Harman, T. C., 4=22704
- Paladino, A.E. See Mozzi, R.L., 3=25720
- Paladino, A.E. See Mozzi, R.L., 4=17810
- Palais, J. C. Radiation from a ferrite cylinder, 4=11785
- Palais, J. C. Scattering from a gyrotropic cylinder, 4=711
- Palamarchuk, Yu. D. See Dubovskii, B. G., 4=12300
- Palamarchuk, Yu. D. See Dubovskii, B. G., 4=12316
- Palatnik, I. B. See Vulis, L.A., 2=9293
- Palatnik, I. B. See Vulis, L.A., 2=15624
- Palatnik, L.S. and Boiko, B.T. Equilibrium diagram of Al-Cu alloys in thin films, 2=21530
- Palatnik, L.S., Boiko, B.T., Fuks, M. Ya. and Pariiskii, V. B. Electron diffraction analysis of the substructure of thin films of aluminium, silver and gold condensed in a vacuum, 2=23937
- Palatnik, L.S., Fedorov, G.V. and Fedorenko, A.I. X-ray diffraction analysis of Zn-Sb alloys using specimens of variable composition, 3=8895
- Palatnik, L.S., Fedorov, G. V. and Il'inskii, A. I. The substructure and microhardness of vacuum condensates of copper, 3=1366
- Palatnik, L.S., Fedorov, G.V. and Ravlik, A.G. Electron diffraction analysis of iron-carbon alloys of variable composition prepared by the electron bombardment method, 2=23800
- Palatnik, L.S., Fuks, M. Ya., Boiko, B.T. and Pariiskii, V. B. An electron-diffraction study of the block structure of thin aluminium condensates using the "microbeam" method, 2=8877
- Palatnik, L.S., Fuks, M. Ya., Boiko, B.T. and Pariiskii, V. B. Electron diffraction investigation of the substructure of fine aluminium condensates with the microbeam method, 2=23936
- Palatnik, L. S., Fuks, M. Ya., Boiko, B. T. and Pugachev, A. T. Electron-diffraction study of the elastic deformation in thin condensed polycrystalline films of aluminium and silver, 4=1928
- Palatnik, L. S., Fuks, M. Ya., Boiko, B. T. and Pugachev, A. T. Electron and X-ray diffraction studies of the substructure of thin, vacuum-deposited nickel and iron films, 4=26696
- Palatnik, L.S., and Gladkikh, N.T. Microheterogeneous condensation of metals in vacuum, 2=1308
- Palatnik, L.S. and Gladkikh, N.T. The mechanism of condensation of Cu-Ni alloys, 2=4449
- Palatnik, L.S. and Gladkikh, N.T. Microheterogeneous condensation of metals in vacuum, 2=7468
- Palatnik, L.S. and Gladkikh, N.T. Conditions during condensation of zinc and cadmium in the second (lower) limiting temperature range, 2=17697
- Palatnik, L.S. and Gladkikh, N.T. Effect of the position of the triple point on the mechanism of condensation of metals in vacuum and some properties of Zn and Cd condensates, 3=16036
- Palatnik, L. S., Gladkikh, N. Y. and Litovchenko, T. T. Influence of the concentration of components on the condensation mechanism of alloys of variable composition, 4=23239
- Palatnik, L.S., Gladkikh, N.T. and Naboka, M.N. The second (lower) boundary temperature of condensation for indium, tin, lead and bismuth, 2=15811
- Palatnik, L.S., Gladkikh, N.T. and Naboka, M.N. The second (lower) boundary temperature of condensation for indium, tin, lead and bismuth, 2=17696
- Palatnik, L.S. and Gorban', N.D. Investigation of corrosion processes on specimens of variable composition, 3=8953
- Palatnik, L.S. and Il'inskii, A.I. Strength of vacuum-deposited copper films, 1=20374
- Palatnik, L.S. and Il'inskii, A.I. Strength of vacuum-deposited copper films, 2=6745
- Palatnik, L.S. and Il'inskii, A.I. Strength properties of vacuum evaporated copper and silver films, 3=6783
- Palatnik, L.S. and Il'inskii, A.I. Effect of quenched-in vacancies in vacuum-deposited copper and silver, 3=22733
- Palatnik, L. S. and Il'inskii, A. I. Strength of vacuum condensates of copper-chromium alloys, 4=23149
- Palatnik, L. S. and Il'inskii, I. On the stabilization of high-strength vacuum condensates, 4=23571
- Palatnik, L.S. and Komnik, Yu. F. Kinetics of condensation of metals in vacuum, 0=1943
- Palatnik, L.S. and Komnik, Yu. F. Investigation of the melting points of thin, vacuum-deposited tin and bismuth films, 0=19505
- Palatnik, L.S. and Komnik, Yu. F. A critical temperature in condensation of Bi, Pb, and Sn, 1=5379
- Palatnik, L.S. and Komnik, Yu. F. Texture of material deposited on an amorphous backing, 1=15176
- Palatnik, L.S., Komnik, Yu. F., Belova, E. K. and Atroshchenko, L. V. Ternary semiconducting compounds containing copper and elements from Groups IV and VI, 3=13513
- Palatnik, L. S., Komnik, Yu. F., Belova, E. K. and Atroshchenko, L. V. X-ray investigations of ordering processes in three-component semiconductor compounds, 4=2066
- Palatnik, L.S., Komnik, Yu. F., Koshkin, V. M. and Belova, E. K. On a group of ternary semiconducting compounds, 1=12443
- Palatnik, L.S., Kononov, O.M., Gladkikh, N.T. and Kolesnikov, V.N. Investigation of the ternary semiconducting compound  $PbBiSe_3$ , 2=8366
- Palatnik, L.S., Kononov, O.M., Gladkikh, N.T. and Kolesnikov, V.N. Investigation of the ternary semiconductor compound  $PbBiSe_3$ , 2=21155
- Palatnik, L.S. and Finkel', V.A. Some regularities in the structures of ternary metallic compounds, 0=14025
- Palatnik, L.S. and Kosevich, V.M. Investigation of crystallization of antimony in thin films. II. Influence of different substrates, 0=738
- Palatnik, L.S. and Kosevich, V.M. Study of the crystallization of antimony in thin films. I.  $\alpha$ - and  $\beta$ -transformations, 0=13949



- Palatnik, L.S. and Kosevich, V.M. Study of the crystallization of antimony in thin films. III. Influence of various additions, 0=14080
- Palatnik, L.S., Kosevich, V.M. and Litvinenko, Yu. G. Influence of base temperature and film depth on the structure of bismuth condensates, 4=23568
- Palatnik, L.S., Kosevich, V.M. and Moskalev, V.M. A study of the structure of poly- and monocrystalline, vacuum-deposited antimony films, 4=10609
- Palatnik, L.S., Kosevich, V.M. and Moskalev, V.M. Vacuum deposition of monocrystalline films on bismuth, 4=23333
- Palatnik, L.S., Kosevich, V.M. and Tyrina, L.V. Electron diffraction examination of the metastable phases in the alloys Au-Sb, In-Sb, In-Bi and In-Bi-Sb, 2=23865
- Palatnik, L.S., Koshkin, V.M., Gal'chinet'skii, L.P., Kolesnikov, V.I. and Komnik, Yu.F. Some properties of semiconducting compounds of  $A_2B^{IV}X_3^{VI}$  type, 2=23370
- Palatnik, L.S., Koshkin, V.M. and Gal'chinet'skii, L.P. Mechanism of ordering in ternary semiconducting compounds, 3=18350
- Palatnik, L.S., Koshkin, V.M., Gal'chinet'skii, L.P., Kolesnikov, V.I. and Komnik, Yu.F. Some properties of semiconducting compounds of  $A_2B^{IV}X_3^{VI}$  type, 3=2881
- Palatnik, L.S., Koshkin, Y.M. and Komnik, Yu.F. Isoelectronic series of semiconductor compounds, 3=20297
- Palatnik, L.S. and Landau, A.I. Heterogeneous multi-component systems with a concentration matrix of non-maximum rank, 0=4706
- Palatnik, L.S. and Levchenko, A.A. Electrical erosion on monocrystals, 0=16985
- Palatnik, L.S. and Levchenko, A.A. A vacancy-quenching effect in metals under the action of spark discharges, 2=8204
- Palatnik, L.S. and Levchenko, A.A. A vacancy-quenching effect in metals under the action of spark discharges, 2=10378
- Palatnik, L.S., Levchenko, A.A. and Kosevich, V.M. The production of dislocations by electric erosion of single crystals, 1=14282
- Palatnik, L.S., Levchenko, A.A. and Kosevich, V.M. The production of dislocations by electric erosion of single crystals, 1=17531
- Palatnik, L.S., Levchenko, A.A. and Kosevich, V.M. Formation of dislocations in crystals of bismuth, antimony and zinc by the action of spark discharges, 3=12969
- Palatnik, L.S. and Tananko, I.A. Ordering of the second kind produced in austenite by intermediate transformation, 0=18397
- Palatnik, L.S. and Tananko, I.A. Ordering of the second kind produced in austenite by intermediate transformation, 1=7832
- Palatnik, L.S. and Zorin, V.S. A theory of the nucleation of new phases on the decay of solid solutions, 0=1929
- Palatnik, L.S. See Boiko, B.T., 3=9440
- Palatnik, L.S. See Kuz'min, A.A., 4=8524
- Palatnik, L.S. See Levchenko, A.A., 0=16352
- Palatnik, L.S. See Papirov, I.I., 3=16045
- Palatnik, L.S. and Il'yins'kii, O.I. Wear properties of vacuum-evaporated Cu films, 2=19021
- Palazzi, F. An approximate relation between kinetic and activation neutron temperatures, 3=22390
- Paldus, J. See Koutecký, J., 2=16538
- Palečková, J. See Lehar, F., 1=13651
- Paleev, V.I. See Zandberg, E.Ya., 2=19904
- Paleev, V.I. See Zandberg, E.Ya., 3=2016
- Palenik, G.J. See Caron, A., 4=10561
- Paleolog, E.A. See Deryagin, O.G., 1=7657
- Paleolog, E.N., Fedotova, A.Z. and Tomashov, N.D. Electrode processes on germanium in solutions of sulphuric acid in the presence of oxidizing agents, 0=8310
- Palev, Ch.D. See Patera, J., 0=13032
- Palčvich, L.G. The use of cavity circuits for controlling the level of fluids, 3=16568
- Palevsky, H. Lattice dynamics of the ammonium halides, 3=750
- Palevsky, H. Inelastic scattering of neutrons in solids and liquids, 3=8326
- Palevsky, H., Moore, J.A., Stearns, R.L., Muether, H.R., Sutter, R.J., Chrien, R.E., Jain, A.P. and Otnes, K. n-p elastic charge exchange in the BeV energy region, 3=17285
- Palevsky, H. See Brajovic, V., 3=15418
- Palevsky, H. See Chrien, R.E., 2=3581
- Palevsky, H. See Chrien, R.E., 2=20524
- Palevsky, H. See Hughes, D.J., 0=80
- Palevsky, H. See Hughes, D.J., 0=14649
- Palevsky, H. See Hughes, D.J., 1=8667
- Palevsky, H. See Jain, A.P., 4=17166
- Palevsky, H. See Janik, J.A., 4=30413
- Palevsky, H. See Moore, J.A., 4=1092
- Palevsky, H. See Parsson, K.E., 0=7654
- Palevsky, H. See Seidl, F.G.P., 0=17348
- Palevsky, H. See Zimmerman, R.L., 2=5692
- Palfrey, T.R., Nefkens, B.M.K., Mortara, L. and Loeffler, F.J. Photoproduction of pions in carbon, 1=8482
- Palfrey, T.R. See Liu, F.F., 3=4624
- Palfrey, T.R., Jr. See Kim, Y.S., 3=8079
- Palfrey, T.R., Jr. See Loeffler, F.J., 3=22217
- Palfrey, T.R., Jr. See Uretsky, J.L., 1=5757
- Palfrey, T.R., Jr. See Walker, R.J., 4=6101
- Pal'guev, C.F. and Neumin, A.D. Nature of electrical conductivity of beryllium, magnesium, calcium and strontium oxides at high temperatures, 2=18643
- Pal'guev, C.F. and Neumin, A.D. Nature of electrical conductivity of beryllium, magnesium, calcium and strontium oxides at high temperatures, 2=21107
- Paligé, Ya. See Andreev, L.A., 2=1475
- Paligé, Ya. See Andreev, L.A., 2=7636
- Paligé, Ya. See Andreev, L.A., 4=8796
- Palik, E.D. A far-infrared bibliography, 1=2855
- Palik, E.D. The use of polarized infrared radiation in magneto-optical studies of semiconductors, 3=14377
- Palik, E.D. Anisotropic, free carrier Voigt effect in n-type germanium, 4=26194
- Palik, E.D., Picus, G.S., Teitler, S. and Wallis, R.F. Infrared cyclotron resonance absorption in compound semiconductors, 2=23129
- Palik, E.D., Mitchell, D. L. and Zemel, J.N. Magneto-optical studies of the band structure of PbS, 4=25904
- Palik, E.D., Picus, G.S., Teitler, S. and Wallis, R.F. Infrared cyclotron resonance in InSb, 1=7572
- Palik, E.D. and Stevenson, J.R. Infrared cyclotron resonance in n-type InAs, 3=12955
- Palik, E.D., Stevenson, J.R. and Wallis, R.F. Infrared cyclotron resonance absorption in n-type GaAs, 1=17490
- Palik, E.D., Teitler, S., Henvis, B.W. and Wallis, R.F. Magneto-optical studies of semiconductors using polarized radiation, 3=10822
- Palik, E.D., Teitler, S. and Wallis, R.F. Free carrier cyclotron resonance, Faraday rotation, and Voigt double refraction in compound semiconductors, 1=17741
- Palik, E.D. and Wallis, R.F. Infrared cyclotron resonance in n-type InAs and InP, 1=11187
- Palik, E.D. and Wallis, R.F. Magneto-optical oscillations in the free carrier and interband absorption of semiconductors, 3=10917
- Palik, E.D. See Mitchell, D.L., 3=17984
- Palik, E.D. See Teitler, S., 1=3819
- Palik, E.D. See Teitler, S., 1=12481
- Palilla, F.C. and Baird, D.H. Red-emitting (Zn, Cd) (S, Se) electroluminescent phosphors, 3=13217
- Palilla, F.C. and Rinkevics, M. Field-induced luminescence of powdered phosphors, 4=1764
- Palinchak, S. and Bennett, B. Digest of literature on dielectrics. Rubber and plastic insulation, 0=2300
- Palistrant, A.F. Groups of layer symmetry and antisymmetry of different types, 4=23358
- Palistrant, A.F. and Zamorzaev, A.M. The symmetry and antisymmetry groups of layers, 4=2004
- Palistrant, A.F. See Zamorzaev, A.M., 1=14941
- Palistrant, A.F. See Zamorzaev, A.M., 2=2374
- Palistrant, M.E. On the theory of the F-band in ionic crystals calculation of the higher approximations of the adiabatic theory, 4=20310
- Palistrant, M.E. See Perlin, Yu.E., 1=10018
- Palit, P. Calculated energies of 2p-1s  $\mu$ -mesonic
- Palit, P. See Filippas, T.A., 4=924
- Palit, P. See McWhirter, R.W.P., 0=2456
- Palit, S.R. See Bhattacharyya, S.N., 2=17455
- Palkar, G.D., Sitharamarao, D.N. and Dasgupta, A.K. Self-diffusion of bismuth in bismuth oxide, 4=6867
- Palkina, K.K. See Kuznetsov, V.G., 3=25734
- Palko, A.A., Begun, G.M. and Landau, L. Equilibrium constant for boron isotope exchange between  $BF_3$  and  $BF_3 \cdot O(CH_3)_2$ , 2=19137
- Palko, A.A. and Drury, J.S. Separation of boron isotopes. IV. The methyl sulfide- $BF_3$  system, 0=17676
- Palko, A.A. and Drury, J.S. Separation of boron isotopes. VI. Ethyl ether, ethyl sulfide, and triethylamine- $BF_3$  systems, 4=10633
- Palko, A.A., Drury, J.S. and Bull, W.E. Separation of boron isotopes. V. The phenol- $BF_3$  system, 1=11611



- Palko, A.A. See Begun, G.M., 3-15361
- Palla, G. See Ádám, A., 4-9524
- Palla, G. See Ádám, A., 4-16910
- Palla, P. See Lapluye, G., 0-4381
- Palla, P. See Lapluye, G., 0-6156
- Palla, P. See Lapluye, G., 0-7982
- Palladino, R.W. See Hirschberg, J.G., 2-1454
- Palladino, R.W. See Stix, T.H., 0-15046
- Pallinger, E. See Breitenlohner, P., 4-6046
- Pallone, A. and Van Tassell, W. Effects of ionization on stagnation-point heat transfer in air and in nitrogen, 3-18853
- Palm, A. and Silver, S. On observations of lunar magnetic storms, 4-29423
- Palm, A. and Strom, R.G. Possible elemental abundances of the lunar crust, 3-3546
- Palm, A. and Strom, R.G. The craters in the lunar walled plain Ptolemaeus, 3-21091
- Palm, A. See Kubát, J., 4-26765
- Palm, K. The I.R. spectra of benzoic acid and the o-Halogen benzoic acids [in the region 400-4000  $\text{cm}^{-1}$ ], 3-733
- Palm, U.V. and Past, V.E. Determination of the capacitance of a smooth lead electrode from measurements of the potential drop, 3-16178
- Palma, F. E., Piotrowski, E. A., Sundaram, S. and Cleveland, F. F. Substituted methanes. XXXIV. Raman and infrared spectral data and calculated thermodynamic properties for  $\text{CH}_2\text{Cl}_2$ ,  $\text{CHDCl}_2$ , and  $\text{CD}_2\text{Cl}_2$ , 4-22396
- Palma, M.U. See Agnetta, G., 2-8522
- Palma, M. U. See Aiello, G., 4-28880
- Palma, M.U. See Bellomonte, L., 1-10179
- Palma, M. U. See Bellomonte, L., 4-25888
- Palma, M.U. See Ciccarello, I.S., 0-19465
- Palma, M.U. See Ciccarello, I.S., 1-9490
- Palma, M. U. See Garofano, T., 4-26418
- Palma, M.U. See Palma-Vittorelli, M.B., 1-7775
- Palma, M.U. See Bellomonte, L., 2-20968
- Palma, M.U. See Palma-Vittorelli, M.B., 3-1188
- Palma-Vittorelli, M.B., Palma, M.U., Drewes, G.W.J. and Koerts, W. Unusual low-temperature magnetic behaviour of some cubic crystals, 1-7775
- Palma-Vittorelli, M.B., Palma, M.U. and Persico, F. Electron spin resonance linewidths of face centred cubic  $\text{Ni}^{2+}$  crystals, 3-1188
- Palma-Vittorelli, M.B. See Agnetta, G., 2-8522
- Palma-Vittorelli, M.B. See Bellomonte, L., 1-10179
- Palma-Vittorelli, M.B. See Bellomonte, L., 2-20968
- Palma-Vittorelli, M. B. See Bellomonte, L., 4-25888
- Palma-Vittorelli, M.B. See Ciccarello, I.S., 0-19465
- Palma-Vittorelli, M. B. See Garofano, T., 4-26418
- Palmai, M. See Adler, A., 2-5276
- Palmatier, E.D. See Viswanathan, S.P., 3-17300
- Palmberg, P. W., Johnson, D. C. and Boll, H. J. Construction of hemispherical grids, 4-20777
- Palme, D. See Klümmel, U., 0-14938
- Palmeira, R. See Sarabhai, V., 0-5637
- Palmeira, R.A.R. and McCracken, K.G. Observation of a short-lived cosmic-ray solar flare increase with a high-counting-rate meson detector, 0-17451
- Palmeira, R.A.R. See McCracken, K.G., 1-13582
- Palmeira, R.A.R. See McCracken, K.G., 1-18017
- Palmeira, R.A.R. See Roederer, J.G., 1-13587
- Palmén, E. On generation and frictional dissipation of kinetic energy in the atmosphere, 1-12691
- Palmer, A. J. and Roberts, C. A. Mixing entropy of multi-component charged systems, 4-14157
- Palmer, A.R. The emission of fission product rare gases from  $\text{UO}_2$ -BeO and  $\text{UO}_2$ -ThO<sub>2</sub>-BeO specimens during neutron irradiation in BEPO [Reactor], 2-20727
- Palmer, A. R. See Cooper, M. K., 4-6762
- Palmer, C.E. and Taylor, R.C. The antarctic stratospheric vortex in 1958, 2-2475
- Palmer, C.E. See Libby, W.F., 2-873
- Palmer, C.E. See Libby, W.F., 2-875
- Palmer, C.H. Note on the use of gratings as broad-band infrared filters, 3-19021
- Palmer, C. H. and Evering, F. C., Jr. Diffraction anomalies with a dielectric grating, 4-21315
- Palmer, C.H., Jr. Experimental transmission functions for the pure rotation band of water vapor, 1-831
- Palmer, C.H., Jr. Comment on the article by Yakovlev and Gerasimov on the intensity distribution in the spectrum of diffraction gratings, 2-1276
- Palmer, D.A. Moiré fringe reading head for use with a fine grating, 0-14844
- Palmer, D.A. Binocular eye movements and stereoscopic depth discrimination, 3-5302
- Palmer, D.A. See Burch, J.M., 1-5353
- Palmer, D.R., Morrison, S.R. and Dauenbaugh, C.E. Electrical properties of cleaved germanium surfaces, 1-1047
- Palmer, D.R., Morrison, S.R. and Dauenbaugh, C.E. Surface states on cleaved silicon, 1-6157
- Palmer, D.R., Morrison, S.R. and Dauenbaugh, C.E. Density and energy of surface states on cleaved surfaces of germanium, 3-6497
- Palmer, D.W., Skofronick, J.G., Costello, D.G., Morsell, A.L., Kane, W.E. and Herb, R.G. Monte Carlo calculation of resonance yield curves and resonance energy determination, 3-12673
- Palmer, D. W. See Costello, D. G., 4-12223
- Palmer, D. W. See Skofronick, J. G., 4-28030
- Palmer, D.W. See Walters, W.L., 2-449
- Palmer, D.W. See Walter, W.L., 2-10106
- Palmer, F. Electric production of ripples, 2-2688
- Palmer, G.H. The thermal-emission ion source in solid source mass spectrometry, 0-9098
- Palmer, G.H. See Aitken, K.L., 0-4125
- Palmer, H.B. and Miller, W.J. Energy distribution in products of the reaction of C atoms with CH and  $\text{CCl}_4$ , 3-11346
- Palmer, H. B. See Gaydon, A. G., 4-22428
- Palmer, H. B. See Miller, W. J., 4-7755
- Palmer, H. B. See Miller, W. J., 4-22406
- Palmer, H.P. See Allen, L.R., 3-7051
- Palmer, H.P. See Allen, L.R., 3-9279
- Palmer, H.P. See Anderson, B., 2-21739
- Palmer, J.G. See Mooradian, A.J., 0-5824
- Palmer, J.L. Laminar flow in magnetically-focused cylindrical electron beams, 0-5346
- Palmer, J.L. and Süsskind, C. Effect of transverse velocities in magnetically-focused cylindrical electron beams, 3-5706
- Palmer, K. J. See Tomimatsu, Y., 4-2854
- Palmer, L.D. See Poppendiek, H.F., 0-12513
- Palmer, N.S. See Hayman, P.J., 3-4490
- Palmer, N.S. See Hayman, P.J., 3-24820
- Palmer, P. See Hirota, N., 4-23053
- Palmer, P.E. See McMasters, O.D., 3-8896
- Palmer, P.L. See Tims, D.W., 2-19589
- Palmer, R. See Bertanza, L., 2-13854
- Palmer, R. See Hunt, J.N., 1-7928
- Palmer, R. B. A flying spot film measuring machine employing crossed glass fibers, 4-5910
- Palmer, R.B. See Androulakis, J.G., 3-17125
- Palmer, R.B. See Barford, N.C., 2-284
- Palmer, R.B. See Barnes, V.E., 4-16969
- Palmer, R.B.J. The stopping power for alpha particles of ethyl alcohol and carbon tetrachloride in the liquid and vapour states, 2-326
- Palmer, R.B.J. and Simons, H.A.B. The experimental determination of the range-energy relations for alpha particles in water and water vapour, and the stopping power of water and water vapour for alpha particles at energies below 8.78 MeV, 0-1322
- Palmer, R.C. and Carter, R.W. A high intensity cesium-137 research irradiator, 1-13668
- Palmer, R. G. A direct method of calculating the effective delayed neutron fraction in a fast reactor, 4-28034
- Palmer, R.G. and Platt, A. Fast reactors, 1-12233
- Palmer, R.S. See Crawford, F. W., 4-18703
- Palmer, R.T. See Harcombe, D., 3-21741
- Palmer, R.W. See Dutton, J., 1-18757
- Palmer, T.M. Automatic compensation for thermal e.m.f.s and galvanometer zero drift in a feedback fluxmeter, 1-7006
- Palmer, T.M. and Freiheiter, J. A versatile switching arrangement for a permeameter, 2-17923
- Palmer, W. Kinetics of magnetic annealing in cobalt-substituted magnetite, 0-18188
- Palmer, W. Low temperature anisotropy of manganese-iron ferrites, 2-12693
- Palmer, W. Magnetocrystalline anisotropy of magnetite at low temperature, 3-20582
- Palmer, W. Flux reversal in rare-earth-substituted yttrium iron garnets, 4-13253
- Palmier-Gerber, M. See Henry, G., 1-15146
- Palmieri, G. Electronic circuits and memory of the first PAPA machine, 2-21791
- Palmieri, G. A proposal for a high-speed PAPA, 2-21793
- Palmieri, G. Papa No. 3, 4-8016
- Palmieri, G. and Sanna, R. Light-to-light discriminator switch, 1-16093



- Palmieri, G. and Sanna, R. A new PAPA machine, 2=21792  
 Palmieri, G. See Gamba, A., 2=2588  
 Palmieri, G. See Gamba, A., 2=2589  
 Palmieri, J. N. Calibration of 30-cm Faraday cup, 4=25100  
 Palmieri, J. N., Goloskie, R. and Cormack, A. M. Normalization of p-p, p-d and p-He differential cross-sections measured at the Harvard Cyclotron Laboratory, 4=3410  
 Palmieri, J. N. and Strach, K. An experiment on angular momentum for the introductory laboratory, 3=5398  
 Palmieri, J. N. See Goloskie, R., 4=25096  
 Palmieri, J. N. See Steinberg, D. J., 4=28023  
 Palmieri, L. Ultrasonic measurements of elastic moduli of polycrystalline tantalum and niobium, 4=28977  
 Palmork, K. H. See Brun, T. S., 2=8919  
 Palomares Casado, M. Physical similarity and two-dimensional study of meteorological phenomena of medium scale, 2=17125  
 Palowitch, B. L. and Frantz, F. S., Jr. Measurements of the temperature coefficient of resonance absorption in uranium metal and uranium oxide, 3=12688  
 Palsedge, J. A. See Boley, F. I., 2=330  
 Palsedge, J. A. See Boley, F. I., 2=9954  
 Palser, W. E. A wide-angle, linear-output horizon sensor optical system, 4=10938  
 Palti, S. See Burde, J., 3=17417  
 Paltruchev, B. I. See Kovan, I. A., 2=19953  
 Palumbo, C. J. See Sodha, M. S., 3=500  
 Palumbo, C. J. See Sodha, M. S., 3=9789  
 Palumbo, C. J. See Sodha, M. S., 3=9792  
 Palumbo, C. J. See Sodha, M. S., 4=520  
 Palumbo, C. J. See Sodha, M. S., 4=5620  
 Palumbo, C. J. See Sodha, M. S., 4=10933  
 Palumbo, C. J. See Sodha, M. S., 4=11614  
 Palumbo, C. J. See Sodha, M. S., 4=19218  
 Palumbo, C. J. See Sodha, M. S., 4=21511  
 Palumbo, C. J. See Sodha, M. S., 4=27529  
 Palumbo, D. T. See Slavin, W., 1=2865  
 Palyukh, B. M. See Kushnir, R. M., 0=7703  
 Pamfilova, L. A. See Ivanenko, V. V., 4=8170  
 Pamplin, B. R. Super-cell structure of semiconductors, 1=1386  
 Pamplin, B. R. Summarized proceedings of a Conference on Thermoelectricity — Durham, July 1961, 1=18750  
 Pamplin, B. R. A systematic method of deriving new semiconducting compounds by structural analogy, 4=26026  
 Pamplin, B. R. See Spencer, P. M., 3=11301  
 Pamplin, B. R. See Woolley, J. C., 1=17744  
 Pamplin, B. R. See Woolley, J. C., 1=19880  
 Pan, C. H. T. Some general characteristics of two-dimensional incompressible magnetohydrodynamic flows, 3=2102  
 Pan Gui-sheng. See Zhuang Wei-hwa, 4=1610  
 Pan Liang, C. Y. See Wood, D. L., 1=20508  
 P'an Pin-yao. See Tolstoi, D. M., 4=10367  
 Pan, Q. M. See Lee, Z. Y., 4=252  
 Pan, S. K. A note on the small deformation in the interior of different earth models, 3=25859  
 Pan, S. K. Finite deformation in the interior of the earth, 4=15859  
 Pan' Shi-Lin. See Chzhou De-Syan., 4=13567  
 Pan, V. M. Polymorphous transformation in the metalloid NbCr<sub>2</sub>, 3=5119  
 Pan, Y.-L. See Ely, R. P., 2=5747  
 Panaiotov, L. A. The compensation of refraction effects with the aid of a vacuum prism, 2=926  
 Panaiotov, L. A. A camera with a moving film for photographing faint artificial satellites—design and results of preliminary tests, 2=1030  
 Panaite, V. The minimal attractive force of single-phase electromagnets, 4=650  
 Panaitescu, D. and Pauker, V. Determination of the thermal conductivity of a viscous material, 3=16825  
 Panasyuk, P. V. See Dutchak, Ya. I., 4=21110  
 Panasyuk, A. D. and Samsonov, G. V. Thermocouples with electrodes of refractory carbides for use up to 3000°C, 4=18466  
 Panasyuk, I. S. The determination of the age of the elements and the time required for their formation, 2=938  
 Panasyuk, I. S. Measuring absolute activity by the method of double coincidences, 3=14501  
 Panasyuk, I. S. See Konakhovich, Yu. Ya., 0=5572  
 Panasyuk, L. M. See Simashkevich, A. V., 1=17722  
 Panasyuk, L. M. See Symashkevych, A. V., 2=6463  
 Panasyuk, P. V. See Dutchak, Ya. I., 4=21153  
 Panasyuk, V. S. Motion of charged particles in the central region of a cyclotron, 0=9120  
 Panasyuk, V. S. Suggestions for the utilization of the ion beam modulation in a cyclotron for control purposes, 0=9121  
 Panasyuk, V. S. See Antonov, A. V., 1=4679  
 Panasyuk, V. S. See Antonov, A. V., 1=16457  
 Panasyuk, V. V. and Kovchik, S. E. Effect of a surface-active medium on the surface energy of a brittle solid, 3=6879  
 Panat, C. V. See Joshi, M. C., 1=641  
 Panat, C. V. See Kulkarni, V. G., 3=653  
 Panat, C. V. See Kulkarni, V. G., 4=6284  
 Panattoni, C. and Frasson, W. Automation of crystallographic computations. Programmes for class 9000 Elea computers Note IV: Programme for the correction of intensities and for the computation of the atomic scattering factors, 2=10854  
 Panattoni, C. and Frasson, E. Automation of crystallographic computing. Programmes for electronic computers ELEA 9000. VI. Calculation of bond distances and angles, 3=3294  
 Panattoni, C. and Frasson, E. Programming crystallographic calculations for electronic computation, 3=13445  
 Panattoni, C., Frasson, E. and Amati, L. Application to the "Rimsky retigraph" of a mechanism which permits centring of single crystals by an X-ray method, 1=10246  
 Panattoni, C., Grubissich, C. and Frasson, E. Programming of crystallographic problems for electronic computers. I. Programme for computing the spatial atomic coordinates on the basis of the coordinates of a projection and the bond-length, 4=2050  
 Panattoni, C. See Frasson, E., 0=3252  
 Panattoni, C. See Frasson, E., 2=10855  
 Panchapakesan, N. See Kothari, D. S., 2=22116  
 Panchapakesan, N. See Mathur, V. S., 3=3945  
 Pancharatnam, S. Light propagation in absorbing crystals possessing optical activity — electromagnetic theory, 0=1046  
 Pancharatnam, S. Generalized theory of interference and its applications. II. Partially coherent pencils, 0=2242  
 Pancharatnam, S. Generalised theory of interference and its applications. III. Interference figures in transparent crystals, 0=2243  
 Pancharatnam, S. Generalised theory of interference and its applications. IV. Interference figures in absorbing biaxial crystals, 0=2244  
 Pancharatnam, S. Partial polarisation, partial coherence and their spectral description for polychromatic light. I, 3=21573  
 Pancharatnam, S. Partial polarisation, partial coherence and their spectral description for polychromatic light. II, 3=21574  
 Pancharatnam, S. See Raman, C. V., 1=1513  
 Panchekha, P. A. See Bolko, B. T., 4=20802  
 Panchenko, A. M. See Kimel', L. R., 4=9155  
 Panchenko, A. M. See Leipunskii, O. I., 4=6009  
 Panchenko, O. A. See Bol'shov, V. G., 3=2023  
 Panchenko, O. A. See Ptushinskii, Yu. G., 3=20271  
 Panchenko, V. E. See Sinel'nikov, K. D., 4=24684  
 Panchenko, V. V. Permittivity and dielectric losses of alkali-halide crystals, 0=11737  
 Panchenko, V. V. The thermal expansion, dielectric constant and losses of alkali halide crystals, 0=17900  
 Panchenko, Yu. M. See Zevin, L. S., 1=20469  
 Panchenkov, G. M. and Erchenkov, V. V. Dependence of coordination numbers and diffusion coefficients on temperature, 3=21329  
 Panchenkov, G. M., Kolchin, A. M. and Akishin, P. A. Mass-spectrometric investigations of the thermionic emission of caesium for various emitters, 0=276  
 Panchenkov, G. M. and Kolchin, A. M. The role of chemical reactions in thermionic emission, 0=10934  
 Panchev, S. Interrelations between pressure and velocity at single points in isotropic turbulent flow, 0=19065  
 Panchev, S. Interrelations between pressure and velocity at two [different] points in isotropic, turbulent flow, 0=19066  
 Panchev, S. Mutual correlation between pressure and temperature in a turbulent stream, 0=19069  
 Panchev, S. Theory of locally isotropic turbulence of intermediate scale, 1=1728  
 Panchev, S. On the solution of a particular differential equations of the statistical theory of turbulence, 2=13302  
 Panchev, S. Application of the method of similarity and dimensional analysis to the investigation of the macro-structure of meteorological fields, 3=9016



- Panchev, S. Free fall velocity of small drops with varying mass, 4=27150
- Pancheva, N. See Dragnev, T., 4=25441
- Pancholi, S.C. A new type of liquid anode gamma and beta halogen counter, 1=16615
- Pancholi, S.C. and Saha, N.K. Study of a diode bridge nanosecond resolution coincidence circuit, 1=16223
- Pancholi, S.C. and Saha, N.K. Fast clipped pulses from photo-multiplier tubes, 1=16386
- Pancholi, S.C. and Saha, N.K. Internal conversion coefficients for some pure E2 transitions, 1=17052
- Pancholi, S.C. and Saha, N.K. Design and use of a self-monitoring coincidence arrangement of nanosecond resolution, 2=10025
- Pancholi, S.C. See Bashandy, E., 3=10272
- Pancholi, S.C. See Han, K.S., 3=8015
- Pancholi, S.C. See Saha, N.K., 1=16224
- Pancholy, M. and Mathur, S.S. Adiabatic compressibility and ultrasonic velocity in esters, 3=11795
- Pancholy, M. and Mathur, S.S. Frequency and temperature variation of ultrasonic absorption in esters, 3=14159
- Pancholy, M. and Saksena, T.K. Influence of various liquids on the decomposition of potassium iodide by ultrasonics, 3=16162
- Pancholy, M. and Singal, S.P. Ultrasonic studies in aqueous solutions of electrolytes, 2=11369
- Pancholy, M. and Singal, S.P. Ultrasonic studies in aqueous solutions of zinc acetate, 3=3803
- Pancholy, M. and Singal, S.P. Ultrasonic studies in aqueous solutions of formates, acetates and propionates of sodium and calcium, 3=14162
- Pancholy, M. and Singal, S.P. Ultrasonic absorption due to chemical relaxation in aqueous solutions of electrolytes, 4=177
- Pancholy, M. and Singal, S.P. Studies of ultrasonic velocity in aqueous solutions of electrolytes, 4=2678
- Pancholy, M. and Singal, S.P. Ultrasonic studies in aqueous solutions of acetic acid, 4=18196
- Pancholy, M. and Singal, S.P. Ultrasonic studies and chemical kinetics. I. Application of Freedman's theory, 4=26739
- Pancholy, M. and Singal, S.P. Ultrasonic studies and chemical kinetics. II. Application of Tabuchi's theory, 4=26740
- Pancholy, M. See Parthasarathy, S., 2=17460
- Panchvidze, M. V. See El'tekov, V. A., 4=21824
- Pandarese, F. and Villa, F. Tunnel diode fast discriminator circuit, 3=19146
- Pandarese, F. See Garmire, E., 3=24524
- Pande, C. S. See Saksena, B. M. L., 4=21347
- Pande, D. N. Fluorescence of various modifications of uranyl sulphate, 1=6229
- Pande, K. C. See Laskar, A. L., 4=1719
- Pande, L. K. Neutron-proton mass difference, 3=6009
- Pande, L. K. See Choudhury, S. R., 4=27905
- Pande, L. K. See Narayanaswamy, P., 4=25146
- Pande, M. C. and Varma, S. S. Study of variations of the forbidden oxygen lines in the nightglow, 1=21030
- Pandey, B. See Dieke, G. H., 4=19296
- Pandey, B. See Dieke, G. H., 4=30685
- Pandey, H. D. and Dayal, B. Bradburn-Fürth equation of state and thermal expansion of face-centered metals, 4=20219
- Pandey, S. N. Equations of Stephenson and spherical symmetry, 0=6667
- Pandey, S. N. Geometrical significance of the electro-magnetic energy momentum tensor, 3=25
- Pandey, S. N. Photon fluid models in relativistic cosmology, 3=1505
- Pandey, S. N. Study of silver fulminate by X-ray diffraction, 3=13478
- Pandey, S. N. and Rao, J. K. Some relativistic field of electromagnetic and gravitational radiation, 2=21802
- Pandey, S. N. See Singh, K. P., 1=15597
- Pandey, S. N. See Singh, K. P., 1=15605
- Pandeya, D. C. and Tolansky, S. Micro-disk patterns on diamond dodecahedra, 1=11531
- Pandhare, N. H. See Desai, D. D., 4=12495
- Pandharipande, V. R. See Chandra, G., 3=19784
- Pandit, L. K. Linear vector spaces with indefinite metric, 1=16644
- Pandit, L. K. See Biswas, S. N., 0=5603
- Pandit, L. K. See Dallaporta, N., 0=17226
- Pandit, L. K. See Dallaporta, N., 1=5659
- Pandolfo, J. Polarization of sunlight reflected from the sea surface, 3=9626
- Pandolfo, J. P. A formula relating various nondimensional parameters of turbulent fields in the atmospheric surface layer under diabatic conditions, 3=23586
- Pandorf, R. C., Lerner, E. and Daunt, J. G. Resistance minimum in Evanohm wire, 4=30608
- Pandres, D. See Bierman, A., 3=21513
- Pandres, D., Jr. Derivation of admissibility conditions for wave-functions from general quantum-mechanical principles, 2=9806
- Pandres, D., Jr. On forces and interactions between fields, 2=19425
- Pandres, D., Jr. Tensor virial theorems for variational wave functions, 3=18726
- Pandres, D., Jr. and Matsen, F. A. Interaction of degenerate configurations, 2=20777
- Panduranga Rao, M. See Raja Rao, K. S., 4=10776
- Pandya, B. G. Exact magnetostatic spherical models for rotating liquid stars, 2=9087
- Pandya, I. M. and Vaidya, P. C. Wave solutions in general relativity, I, 2=7130
- Pandya, I. M. See Vaidya, P. C., 0=18932
- Pandya, I. M. See Vaidya, P. C., 1=15652
- Pandya, N. V. See Pathak, P. D., 1=14185
- Pandya, J. R. See Pandya, N. S., 0=4602
- Pandya, N. S. and Balasubramanian, A. P. Inclined dislocations in zinc crystals, 2=21024
- Pandya, N. S. and Balasubramanian, A. P. Some interesting growth features on antimony crystals, 4=2022
- Pandya, N. S. and Balasubramanian, A. P. Growth spirals and closed-loop patterns on zinc single crystals, 4=17789
- Pandya, N. S. and Bhatt, V. P. Etch figures on cleavage plane of bismuth, 0=18332
- Pandya, N. S. and Pandya, J. R. Etching of calcite, 0=4602
- Pandya, N. S. and Shah, C. J. Etch figures on tin and zinc, 0=18331
- Pandya, N. S., Shah, C. J. and Bhatt, V. P. Micro-hardness along tricrystal boundaries in tin, 2=4346
- Pandya, N. S. and Thattey, A. S. Growth and etch spirals on cadmium single crystals, 4=29044
- Pandya, N. V. See Pathak, P. D., 0=3192
- Pandya, N. V. See Pathak, P. D., 0=6026
- Pandya, N. V. See Pathak, P. D., 4=3996
- Pandya, S. P. Low lying levels of  $P^{32}$  and jj coupling, 0=9537
- Pandya, S. P. Low level of some nuclei in the  $d_{5/2}-f_{7/2}$  shell, 0=11324
- Pandya, S. P. The unified model for  $Si^{28}$ , 0=15505
- Pandya, S. P. Effective nuclear interactions, 3=15071
- Pandya, S. P. An S-state interaction with pairing-type properties in the nuclear shell model, 4=9352
- Pandya, S. P. Neutron proton interactions in  $Nb^{92}$ , 4=25313
- Pandya, S. P. and Shah, S. K. Nuclear interactions in the shell model, 1=9796
- Pandya, S. P. See Mitra, A. N., 1=2167
- Pandya, S. P. See Narasimham, V. L., 2=18225
- Pandya, S. P. See Shah, S. K., 2=1754
- Pandya, S. P. See Shah, S. K., 3=2373
- Pandya, S. P. See Thankappan, V. K., 0=20319
- Pandya, S. P. See Thankappan, V. K., 1=17001
- Pandya, S. P. See Thankappan, V. K., 2=1784
- Pandya, S. P. See Thankappan, V. K., 3=6167
- Pandya, S. P. See Waghmare, Y. R., 1=13776
- Pandya, T. P. and Weinberg, F. J. The study of the structure of laminar diffusion flames by optical methods, 4=8479
- Pandya, T. P. and Weinberg, F. J. The structure of flat, counter-flow diffusion flames, 4=24410
- Panenko, V. V. Influence of the pH medium upon the absorption and luminescence spectra of fluorescein, 2=19565
- Panenkova, L. S. See Nechai, E. P., 1=6117
- Panevin, I. G. See Kulik, F. P., 4=18241
- Panfilov, V. V. and Vereshchagin, L. F. Paramagnetic resonance of manganese sulphide in a broad temperature range, 4=15676
- Pang Ju-ch'uan. See Van Zhu-Tsyuan, 4=18231
- Pang, S. C. See Chu, C. M., 4=14019
- Pangarov, N. and Dobrev, D. Predominant orientation of crystals of electrolytically deposited iron, 4=29030
- Pangarov, N. See Christov, S., 4=29228
- Pangonis, W. J., Heller, W. and Economou, N. A. Theoretical investigations on the light scattering of colloidal soheres. IX. Lateral scattering at  $90^\circ$  from incident natural and linearly polarized light, 1=5359
- Pangonis, W. J. See Heller, W., 1=5360
- Panichi, U. Harmonicity of orbitals and coordination, 1=3618
- Panichi, U. Harmonicity of orbitals, 4=9878



- Panin, B.V. Secondary-ion emission from metals under the action of ions with energies between 10 and 100 keV, 2=220
- Panin, B.V. Interaction between medium energy (10-100 keV) atomic particles and solid bodies (energy spectra of secondary ions), 2=9640
- Panin, B.V. Secondary-ion emission from metals under the action of ions with energies between 10 and 100 keV, 2=22273
- Panin, B.V. Interaction between medium energy (10-100 keV) atomic particles and solid bodies (energy spectra of secondary ions), 3=5713
- Panin, V. E. Theory of the contribution of short-range order to the strength of alloys constituting solid solutions, 4=13379
- Panin, V. E., Dudarev, E. F., Sidorova, T. S. and Bol'shanina, M. A. On the problem of Suzuki atmospheres and their contribution to hardening of solid solutions, 4=20638
- Panin, V. E. and Fadin, V. P. Effect of the purity of the alloy on the nature of ordering in solid Cu-Al solutions, 4=1985
- Panin, V. E., Fadin, V. P., Bushnyev, L. S. and Minaeva, G. G. Incompleted long-range order in solid Cu-Al solutions, 4=1986
- Panin, V. E., Fadin, V. P. and Dudarev, E. F. Influence of quenching temperature on ordering kinetics in solid solutions of Cu-Al, 3=18349
- Panin, V. E., Fadin, V. P. and Dudaryev, E. F. Effect of the quenching temperature on the ordering processes in solid Cu-Al solutions, 4=1984
- Panin, V. E., Fadin, V. P., Red'kin, V. P. and Ignatyuk, V. A. The temperature dependence of the short-range order in solid Cu-Al solutions, 4=15723
- Panin, V. E., Fadin, V. P. and Solov'yev, L. A. Ordering in Cu-Al alloys. II. Alloys close to the solubility boundary, 3=5132
- Panin, V. E. and Kuznetsova, L. D. The nature of transformations in undeformed  $\alpha$ -brasses, 4=26571
- Panin, V. E., Sidorova, T. S. and Bol'shanina, M. A. The nature of the strengthening of alloys with low stacking fault energy, 3=23349
- Panin, V. E., Zenkova, E. K. and Fadin, V. P. Study of the ordering effect in the alloy Cu-Al. I. Homogeneous solid solutions, 2=23882
- Panin, V. E. See Bushnev, L. S., 4=1487
- Panin, V. E. See Dudarev, E. F., 4=23233
- Panin, V. E. See Fadin, V. P., 3=20868
- Panin, V. E. See Fadin, V. P., 4=1987
- Panin, V. E. See Fadin, V. P., 4=7484
- Panin, V. E. See Fadin, V. P., 4=17747
- Panin, V. E. See Sidorova, T. S., 4=7487
- Panin, V. E. and Zenkova, E. K. On the problem of superstructure in aluminium bronze, 0=8270
- Panin, V. Ye. On the paper "The abnormal electrical resistivity of brasses and aluminium bronzes" by Presnyakov, Dautova and Klyuchnikova, 3=15535
- Panish, M. B. Vaporization of several rare earth oxides, 1=8263
- Panish, M. B. Vaporization of the rare earth oxides, 1=13022
- Panish, M. B. and Reif, L. Vaporization of iridium and rhodium, 1=9506
- Panish, M. B. and Reif, L. High temperature Knudsen effusion sampling system, 1=10626
- Panish, M. B. and Reif, L. Vaporization of ruthenium and osmium, 2=17694
- Panish, M. B. and Reif, L. Thermodynamics of the vaporization of Hf and HfO<sub>2</sub>: dissociation energy of HfO, 3=7590
- Pankey, T. Suspension balance employing a large permanent magnet, 2=9229
- Pankey, T. Magnetic suspension balance method for measuring resistivities of metals, 4=2929
- Pankey, T., Senftle, F. E. and Cuttitta, F. Antiferromagnetism of UO<sub>2</sub>·2H<sub>2</sub>O, 4=4395
- Pankey, T. See Davey, J. E., 3=20926
- Pankey, T. See Davey, J. E., 4=23579
- Pankey, T. See Senftle, F. E., 0=18165
- Pankey, T., Jr. Anisotropy of the magnetic susceptibility of gallium, 0=18158
- Pankeyeva, A. Yu. Influence of the temperature upon the phosphorescence of organic dyes, 2=18875
- Pankova, A. A. See Uvarova, V. M., 3=24064
- Pankova, G. I. See Nedospasov, A. V., 0=14993
- Pan'kova, T. F. See Zolotarev, V. F., 2=22134
- Pankove, J. I. Radiative surface effect in germanium, 0=1642
- Pankove, J. I. Influence of degeneracy on recombination radiation in germanium, 0=3879
- Pankove, J. I. Optical absorption by degenerate germanium, 0=13683
- Pankove, J. I. A contribution to the study of infrared emission in germanium, 1=17899
- Pankove, J. I. Some new measurements of infrared luminescence in tunnel diodes, 2=10631
- Pankove, J. I. Optical and electrical properties of very impure germanium, 2=23561
- Pankove, J. I. Tunneling-assisted photon emission in gallium arsenide p-n junctions, 3=4933
- Pankove, J. I. Carrier transport across electroluminescent p-n junctions in GaAs, 4=22740
- Pankove, J. I. and Aigrain, P. Optical absorption of arsenic-doped degenerate germanium, 2=12587
- Pankove, J. I. and Berkeyheiser, J. E. A light source modulated at microwave frequencies, 3=5895
- Pankove, J. I. See Braunstein, R., 3=20476
- Pankowski-Fern, R. See Bauwens, J. C., 0=6300
- Pankrat'ev, Yu. I. See Kalmykov, A. A., 4=19070
- Pankrat'ev, Yu. V. See Egorov, Yu. A., 2=5684
- Pankrat'ev, Yu. V. See Veselkin, A. P., 4=12312
- Pankratov, A. K. See Dvoryashin, A. S., 2=24124
- Pankratov, A. K. See Dvoryashin, A. S., 3=3579
- Pankratov, A. K. See Dvoryashin, A. S., 1=18093
- Pankratov, N. A. Nonselective optico-acoustic radiation detectors with electrodynamic microphone, 2=13483
- Pankratov, N. A. and Vasil'ev, E. F. A non-selective optico-acoustic receiver with a capacitor microphone, 1=12984
- Pankratov, N. A. and Vinogradova, L. M. The maximum possible sensitivity of a selective optico-acoustic receiver, 0=12526
- Pankratov, N. A. A selective optico-acoustic receiver with an electrodynamic microphone, 0=12527
- Pankratov, V. M. Fission cross-sections of Th<sup>232</sup>, U<sup>233</sup>, U<sup>235</sup>, Np<sup>237</sup>, U<sup>238</sup> by neutrons in the energy range 5-37 MeV, 4=3711
- Pankratov, V. M. Fission cross sections of Th<sup>232</sup>, U<sup>233</sup>, U<sup>235</sup>, Np<sup>237</sup> and U<sup>238</sup> by neutrons in the energy range 5-37 MeV, 4=22241
- Pankratov, V. M. and Serikov, I. N. Elastic scattering of 26-33 MeV He<sup>3</sup> on C<sup>12</sup>, Na<sup>23</sup>, Mg and Al<sup>27</sup> nuclei, 3=24974
- Pankratov, V. M. and Serikov, I. N. (He<sup>3</sup>,  $\alpha$ ) reaction on C<sup>12</sup> and Mg<sup>24</sup> nuclei, 4=6377
- Pankratov, V. M. and Strutinskii, V. M. On the possibility of studying fission at a definite excitation energy of the compound nucleus, 4=3717
- Pankratov, V. M., Vlasov, N. A. and Rybakov, B. V. Fission cross-section of Th<sup>232</sup>, U<sup>235</sup>, Np<sup>237</sup> and U<sup>238</sup> for 10-22 MeV neutrons, 3=10395
- Pankratov, V. M. See Brill, O. D., 4=19605
- Pankratov, Yu. F. See Popil'skii, R. Ya., 4=20788
- Pankratov, N. A. See Veyngerov, M. L., 0=3622
- Pankrushina, D. K. See Yalovlev, K. A., 2=19871
- Pannbacker, R. G. and Kiser, R. W. Characteristic parameters of Geiger-Müller counter gases. Propane-argon and propane-helium mixtures, 3=14816
- Pannell, J. Solvent effects in the electron spin resonance spectra of nitric oxide radicals and para-substituted nitrobenzene anions, 4=11218
- Pannell, J. H. See Balser, M., 4=2250
- Pannetier, G., Deschamps, P. and Marsigny, L. On the system of fluted bands emitted by luminous reactions of tin tetrachloride, 3=20990
- Pannetier, G., Goudmand, P., Dessaux, O. and Arditi, I. Extension of the <sup>3</sup>H-<sup>1</sup>Σ' system of the molecule BCl, 4=12443
- Pannetier, G., Goudmand, P., Dessaux, O. and Guénebaud, H. Pyrolysis of N<sub>2</sub>H and N<sub>2</sub>D in shock waves. Observation of two new bands of the ND radical, 3=12876
- Pannetier, G., Goudmand, P., Dessaux, O. and Tavernier, N. Spectroscopic study of the reaction of active nitrogen with H<sub>2</sub>S. Observation of emission of band-system ascribed in the NS radical, 2=20818
- Pannetier, G., Goudmand, P., Guénebaud, H. and Marsigny, L. The observation of postluminescence obtained at low temperature in the reaction of active nitrogen or the active mixture (N<sub>2</sub>+H<sub>2</sub>) with simple organic substances, 1=15961
- Pannetier, G. and Marsigny, L. Rotational analysis of the band (20, 16) of the violet system CN, 2=12331
- Pannetier, G. and Marsigny, L. Observation and characterisation of new bands of the (B<sup>2</sup>Σ<sub>u</sub><sup>+</sup>-X<sup>2</sup>Σ<sub>g</sub><sup>+</sup>) system CN in the spectrum of the high voltage discharge through acetonitrile, 2=18452
- Pannetier, G. and Marsigny, L. Molecular spectroscopy. Spectroscopic study of a high tension electric discharge through pure nitrogen, N<sub>2</sub>H<sub>4</sub>, NH<sub>3</sub> and the mixture (N<sub>2</sub> + H<sub>2</sub>), 3=4762



- Pannetier, G., Marsigny, L. and Brémond, M. Rotational temperature measurements of  $\text{CN}(\Sigma_u^+ - \Sigma_g^-)^+$  in the electrical discharge through acetonitrile double origin of this radical, 3=12846
- Pannetier, G., Marsigny, L. and Deschamps, P. The reaction between active nitrogen and some chlorinated hydrocarbons and the observation of new bands due to an unidentified emitter, 1=20731
- Pannetier, G., Marsigny, L., Gaydon, A. G. and Brémond, M. Identification of several new bands from the transition  $\text{B}^2\Sigma_u^+ \rightarrow \text{X}^2\Sigma_g^+$  in the CN radical electric discharges through several nitrogenous organic substances, 3=12850
- Pannetier, G., Marsigny, L. and Guenebaut, H. Observations of the second positive system of nitrogen in the reactions of atomic nitrogen with some aliphatic amines; assignment of a newly identified band to the (5,5) transition, 1=13943
- Pannetier, G., Marsigny, L. and Mohamed Ben Caid. Spectroscopic study of the reaction of atomic oxygen and active nitrogen with chlorinated or brominated hydrocarbons. Observation of the  $\text{B}^2\Sigma^+ - \text{X}^2\Sigma_g^-$  transition of  $\text{N}_2^+$  in certain reactions, 2=12961
- Pannetier, G., Marsigny, L. and Rebejkow, I. Observation and classification of four new bands of the system ( $^2\Sigma^- - ^2\Pi_1$ ) of  $\text{HBr}^+$ , 4=3857
- Pannetier, G. See Guenebaut, H., 0=15699
- Pannetier, G. See Guenebaut, H., 1=2557
- Pannetier, G. See Guenebaut, H., 1=6057
- Pannetier, P. Study of the emission of electrically charged particles produced by the pulverization of electrolytic solutions, 0=10666
- Panofsky, H. A. On the structure of turbulence in electrically neutral, hydrostatically stable layers, 0=14196
- Panofsky, H. A. Similarity theory and temperature structure in the lower atmosphere, 2=2470
- Panofsky, H. A. Scale of analysis of atmospheric turbulence at 2 m, 2=12999
- Panofsky, H. A. The budget of turbulent energy in the lowest 100 meters, 2=24017
- Panofsky, H. A. Determination of stress from wind and temperature measurements, 3=11396
- Panofsky, W. K. H. Photon and electron high-energy physics: present and future, 3=14932
- Panofsky, W. K. H. See Alvarez, R. A., 0=9252
- Panofsky, W. K. H. See Hand, L. N., 0=2401
- Panov, A. A. Probability of triple fission of  $\text{U}^{233}$  nuclei induced by resonance neutrons, 3=2506
- Panov, A. A. Probability of triple fission of  $\text{Pu}^{239}$  induced by 0.05-0.7 eV neutrons, 3=17505
- Panov, A. A. See Sokolovsky, V. V., 0=7647
- Panov, A. A. See Vladimirovskii, V. V., 1=7406
- Panov, A. A. See Vladimirovskii, V. V., 0=15595
- Panov, A. V. See Blistanov, A. A., 4=10389
- Panov, A. V. See Elyutin, V. P., 3=25612
- Panov, D. A. See Bezrukov, L. S., 0=7574
- Panov, D. A. See Bogdanov, G. F., 1=9614
- Panov, D. A. See Bogdanov, G. F., 3=12201
- Panov, D. A. See Golovin, I. N., 2=7632
- Panov, D. A. See Kucheriaev, Yu. A., 3=21812
- Panov, E. A. See Dulin, V. A., 3=2274
- Panov, E. A. See Dulin, V. A., 3=7865
- Panov, E. A. See Egorov, Yu. A., 2=9816
- Panov, E. A. See Egorov, Yu. A., 2=20298
- Panov, E. V. See Gorodyskii, A. V., 3=16168
- Panov, L. M. See Popov, L. E., 2=15058
- Panov, M. N. See Afrosimov, V. V., 4=12399
- Panov, M. N. See Gordeev, Yu. S., 4=21461
- Panov, V. S. See Funke, V. F., 3=3316
- Panov, Yu. N. See Adrova, N. A., 0=4447
- Panov, Yu. N. See Zaitseva, A. D., 2=8585
- Panova, A. N. See Lutsikii, A. E., 1=2755
- Panova, G. Kh., Sekoyan, S. S. and Vereshchagin, L. F. Phase diagram of bismuth at 500°C and pressures up to 100 000 kg/cm<sup>2</sup>, 2=8845
- Panova, G. Kh., Sekoyan, S. S. and Vereshchagin, L. F. Phase diagram of bismuth at pressures of up to 100 000 kg/cm<sup>2</sup> and temperatures of 500°C, 2=23872
- Panova, L. M. See Kudravytseva, L. A., 4=23283
- Panova, L. M. See Popov, L. E., 2=10909
- Panova, L. M. See Popov, L. E., 4=1998
- Panova, L. M. See Sukhovarov, V. F., 4=23284
- Panova, N. M. See Adamovich, M. I., 1=17084
- Panova, N. M. See Adamovich, M. I., 2=5713
- Panova, N. M. See Adamovich, M. I., 3=4428
- Panova, V. P. See Belyaev, L. M., 0=13939
- Panova, V. P. See Belyaev, L. M., 1=14632
- Panova, V. P. See Belyaev, L. M., 2=9937
- Panova, Ya. I. See Mimmel'man, E. L., 3=25217
- Panovkin, B. N. A model of the inner corona based on radio data, 0=18631
- Panovkin, B. N. See Vitkevich, V. V., 0=18752
- Panseri, C., Ceresara, S. and Federighi, T. Recovery of aluminium cold-worked by compression at 78°K, 4=4037
- Panseri, C. and Federighi, T. A resistometric of pre-precipitation in Al-10% Zn, 1=1426
- Panseri, C. and Federighi, T. Evidence for the interaction between Mg atoms and vacancies in Al-Zn 10%-Mg 0.1% alloy, 3=20167
- Panseri, C., Federighi, T. and Gelli, D. Effect of quenching on room-temperature dislocation damping in aluminium, 3=15976
- Panson, A. J. A study of the telluride ion system, d 4=29225
- Panson, G. S. and Sullivan, P. B. The enrichment of water in  $\text{H}_2\text{O}^{18}$  by liquid thermal diffusion, 1=821
- Pant, A. K. The crystal structure of 3,5-dibromo para-amino benzoic acid, 3=13490
- Pant, D. D. and Bist, H. D. Some luminescence phenomena in uranyl nitrate, 0=18138
- Pant, D. D. and Bist, H. D. Hydrolytic uranyl species and their emission spectra, 4=27183
- Pant, D. D. and Khandelwal, D. P. Fluorescence spectra of solutions of uranyl nitrate at liquid air temperature. I. Rapidly cooled solutions, 1=14637
- Pant, D. D., Khandelwal, D. P. and Bist, H. D. Temperature dependence of fluorescence bands of uranyl nitrate solutions, 0=3539
- Pant, D. D. See Bist, H. D., 4=22383
- Pant, J. C. and Mishra, R. S. Determination of gradients behind shock-waves in three-dimensional steady gas flow, 4=29692
- Pant, L. M. See Jose, P., 4=7654
- Pant, L. M. See Milledge, H. J., 0=8246
- Pantchev, S. On the statistical theory of turbulence, 0=4999
- Pantchev, S. New system of dynamic equations of isotropic turbulence, 1=2737
- Pantchev, S. Spatial correlation of local temperature variations in free atmosphere, 4=26788
- Pantelev, L. D. See Konobeevskii, S. T., 0=10332
- Pantelev, L. D. See Konobeevskii, S. T., 2=12926
- Pantelev, V. A. See Pavlov, P. V., 3=20223
- Panteleyev, L. D. See Dubrovina, K. P., 2=23769
- Pantell, R. H. Multimoding in lasers, 4=19260
- Pantell, R. H., DiDomenico, M., Jr and Svelto, O. The theory of direct transitions in semiconductors, 4=20234
- Pantell, R. H. and Smith, R. G. Multiple quantum effects at millimeter wavelengths, 4=19252
- Pantell, R. H. See Auld, B. A., 3=4277
- Pantell, R. H. See DiDomenico, M., Jr., 2=12563
- Pantell, R. H. See DiDomenico, M. Jr., 3=9970
- Pantell, R. H. See Fontana, J. R., 2=13674
- Pantell, R. H. See Fontana, J. R., 2=20143
- Pantell, R. H. See Svelto, O., 4=4230
- Panter, C. H. See Yates, B., 1=6982
- Panter, C. H. See Yates, B., 2=18534
- Pantoflíček, J. Contribution to the measurement of luminescence growth in  $\text{AgCl}$  crystals, 3=18033
- Pantev, V. S. and Khachatryan, M. N. Cross-section for the interaction of neutrons with atoms at energies of 8.3 BeV, 2=16416
- Pantev, V. S. and Khachatryan, M. N. Cross-section for the interaction of neutrons with atoms at energies of 8.3 BeV, 3=6257
- Pantev, V. S. and Khachatryan, M. N. Pulse height analysis by photographic recording on moving film, 4=30122
- Pantev, V. S., Khachatryan, M. N. and Chuvilo, I. V. A Cherenkov spectrometer for measuring the energy of gamma-quanta, 4=15037
- Pantev, V. S. See Bekker, B. I., 4=6337
- Pantev, V. S. See Bekker, B. I., 4=19717
- Pantev, V. S. See Dunaitsev, A. F., 3=24769
- Pantev, V. S. See Khachatryan, M. N., 4=3412
- Pantev, V. S. See Khachatryan, M. N., 4=9207
- Pantujev, V. S. See Khachatryan, M. N., 4=11969
- Pantev, V. S. See Ozhdyan, L., 2=9841
- Pantev, V. S. See Ozhdyan, L., 2=20217
- Pantev, V. S. See Ozhdyan, L., 3=6004
- Pantev, V. S. See Ozhdyan, L., 3=24338
- Pantulu, P. V. See Bhagavantam, S., 3=25081
- Pantulu, P. V. See Bhagavantam, S., 4=6827
- Pantulu, P. V. See Bhagavantam, S., 4=13141



- Pantulu, P. V. See Bhagavantam, S., 4=30601  
 Pantuyev, V. S. See Khachatryan, M. N., 4=9206  
 Pantyushin, A. A. See Granovskii, Ya. I., 3=15033  
 Pantyushin, A. A. See Zyrjanova, L. N., 3=10282  
 Pantyushkova, E. V. See Gryaznov, A. I., 4=627  
 Pantzer, G. See Gobrecht, H., 4=7609  
 Panussi, P. See Daniel, H., 1=17023  
 Panussi, P. See Jung, H., 2=1486  
 Pao-Hstleh-Hsin, See Bao-Syue-Sin', 1=17557  
 Pao, Lu. See Carlson, B. C., 2=3536  
 Pao Shih-mao. See Bao Shchi-mao, 2=21132  
 Pao, Y.-H. Quantum mechanical description of maser action at optical frequencies, 2=17604  
 Pao, Y.-H. and Mow, C. C. Scattering of plane compressional waves by a spherical obstacle, 3=9542  
 Pao, Y. H. See Corcoran, V. J., 3=1810  
 Pao, Y.-H. See Menefee, E., 2=16673  
 Pao, Y. H. See Onoe, M., 1=18503  
 Pao Yih-Ho. Growth of a weak magnetic field in a turbulent conducting fluid with large magnetic Prandtl number, 3=17038  
 Pao, Yoh-Han. The stability of optical cavity maser power, 4=24889  
 Pao, Yoh-Han and Bjorklund, R. F. Wave functions and energy eigenvalues for the polytetrafluoroethylene chain, 0=20700  
 Pao Yoh-Han. See Menefee, E., 4=22729  
 Paoletti, A. and Passari, L. A polarized neutron investigation of the Fe<sub>3</sub>Si alloy, 4=17656  
 Paoletti, A. and Pickart, S. J. Study of rhombohedral V<sub>2</sub>O<sub>3</sub> by neutron diffraction, 0=6363  
 Paoletti, A. and Ricci, F. P. Some considerations on the proper use of the polarized neutron spectrometer, 4=16918  
 Paoletti, A. and Vicentini, M. Self diffusion in liquid In-Pb alloys, 0=2166  
 Paoletti, A. and Vicentini, M. Diffusion in a liquid indium-tin alloy at the eutectic concentration, 1=2751  
 Paoletti, A. and Vincentini-Missoni, M. Diffusion in a liquid indium-tin alloy at several concentrations, 1=8113  
 Paoletti, A. See Antonini, B., 4=28238  
 Paoletti, A. See Antonini, B., 4=28794  
 Paoletti, A. See Caglioti, G., 0=18335  
 Paoletti, A. See Caglioti, G., 1=20470  
 Paoletti, A. See Caglioti, G., 2=9868  
 Paoletti, A. See Menzinger, F., 3=18099  
 Paoletti, A. See Vicentini, M., 0=12417  
 Paolini, A. Jr. See Kennedy, R. M., 3=16756  
 Paolini, F. See Bertozzi, W., 1=8689  
 Paolini, F. R. See Giacconi, R., 3=7941  
 Paolini, F. R. See Gursky, H., 4=12085  
 Paoluzi, L. See Beneventano, M., 2=22558  
 Paoluzi, L. See Beneventano, M., 3=19669  
 Paoluzi, L. See Muller, A., 4=25148  
 Paoluzzi, L. See Beneventano, M., 0=17398  
 Papa, R. J. and Allis, W. P. Waves in a plasma in a magnetic field, 2=3057  
 Papa, T. See Bertolotti, M., 4=4060  
 Papa, T. See Cortini, G., 0=1430  
 Papaconstantopoulos, D. See Pincherle, L., 4=12665  
 Papadakis, E. P. Influence of grain structure on ultrasonic attenuation in steel, 0=726  
 Papadakis, E. P. Ultrasonic attenuation in S.A.E. 3140 and 4150 steel, 1=902  
 Papadakis, E. P. Grain-size distribution in metals and its influence on ultrasonic attenuation measurements, 1=18520  
 Papadakis, E. P. Rayleigh and stochastic scattering of ultrasonic waves in steel, 3=10590  
 Papadakis, E. P. Diffraction of ultrasound in elastically anisotropic NaCl and in some other materials, 3=12918  
 Papadakis, E. P. Attenuation of pure elastic modes in NaCl single crystals, 3=17656  
 Papadakis, E. P. Ultrasonic internal conical refraction in rocksalt and calcite, 3=21500  
 Papadakis, E. P. Undergraduate experiment on elasticity of rubber bands, 4=7367  
 Papadakis, E. P. Diffraction of ultrasound radiating into an elastically anisotropic medium, 4=14294  
 Papadakis, E. P. Ultrasonic attenuation and velocity in three transformation products in steel, 4=20205  
 Papadakis, E. P. Ultrasonic study of simulated crystal symmetries in polycrystalline aggregates, 4=29026  
 Papadakis, E. P. From micrograph to grain-size distribution with ultrasonic applications, 4=23512  
 Papadakis, E. P. and Bernstein, H. Elastic moduli of pyrolytic graphite, 3=13321  
 Papadakis, E. P. and Reed, E. L. Ultrasonic detection of changes in the elastic properties of a 70-30 iron-nickel alloy upon heat treatment, 1=7813  
 Papadakis, E. P. See Sullivan, P. F., 1=20627  
 Papadimitraki, H. Change of thermal and electrical conductivity of ferromagnetics in a magnetic field, 1=9034  
 Papadimitraki, H. See Knappwost, A., 4=20541  
 Papadopoulos, M. The reflection and refraction of point-source fields, 3=11866  
 Papadopoulos, M. The use of singular integrals in wave propagation problems; with application to the point source in a semi-infinite elastic medium, 4=5276  
 Papadopoulos, M. N. and Giaque, W. F. The low temperature heat capacity and entropy of mercurous sulfate to 300°K, 3=6477  
 Papadopoulos, V. M. Wave propagation in a coaxial system, 0=3860  
 Papadopoulos, V. M. The diffraction and refraction of pulses, 0=8752  
 Papadopoulos, V. M. A line source on an interface between a fluid and an elastic solid, 0=19263  
 Papadopoulos, V. M. Diffraction of a pulse by a resistive half-plane. I. Normal incidence, 0=19301  
 Papadopoulos, V. M. Diffraction of a pulse by a resistive half-plane. II. Oblique incidence, 0=19302  
 Papadopoulos, V. M. Diffraction and refraction by a transparent wedge, 3=14001  
 Papadopolov, Zh. See Grigorov, B. G., 4=24939  
 Papadoyannis, M. and Higham, J. B. Spark channels in liquids — interim report, 0=15002  
 Papageorge, G. E. See Berg, J. W., Jr., 4=21219  
 Papaliolios, C. See Carleton, N. P., 2=20811  
 Papapetrou, A. Representation of a weak radiation field in general relativity and in the Einstein-Schrödinger theory, 0=16584  
 Papapetrou, A. A field representation of electromagnetic radiation, 0=17072  
 Papapetrou, A. A theorem in unified field theory with non-symmetric g<sub>μν</sub>, 1=15659  
 Papapetrou, A. A simple normal form for the gravitational field in the first approximation, 1=18243  
 Papapetrou, A. The question of the existence of non-singular solutions of the field equations of general relativity. III, 2=15471  
 Papapetrou, A. A formula for gravitational radiation in the first approximation, 3=5334  
 Papapetrov, A. Spherically symmetric gravitational field with electromagnetic radiation, 4=24048  
 Papapetrou, A. Gravitational radiation in the first approximation, 4=27034  
 Papapetrou, A. Shock waves and spherical symmetry in general relativity, 4=5042  
 Papapetrou, A. Some remarks on stationary gravitational fields, 4=5043  
 Papapetrou, A. Some identities in general relativity and in unified field theory, 4=18046  
 Papapetrou, A. Stationary gravitational fields of axial symmetry, 4=14029  
 Papapetrou, A. and Schoepf, H. G. The energy of non-stationary gravitational fields, 1=4239  
 Papapetrou, A. and Treder, H. The existence of singularity-free solutions of the general relativity field equations, which can represent particle models. II, 1=2686  
 Papapetrou, A. and Treder, H. Non-existence of static, everywhere regular solutions in general relativity, 2=19408  
 Papapetrou, A. and Treder, H. Problem of everywhere regular stationary solutions in general relativity, 3=35  
 Papapetrou, A. See Dautcourt, G., 3=5333  
 Paparoditis, C. Properties of thin films of silver telluride, 3=833  
 Papas, C. H. The role of dyadic Green's functions in the theory of electromagnetic wave propagation, 3=21971  
 Papas, C. H. and Lee, K. S. H. The coherent scattering of electromagnetic waves by free electrons, 3=7702  
 Papas, C. H. See Lee, K. S. H., 4=8712  
 Papazachos, B. Angle of incidence and amplitude ratio of P and PP waves, 4=13767  
 Papazian, H. A. The colors of Jupiter, 0=3411  
 Papazian, H. A. Nitrogen chained compounds as intermediates in space the photolysis of solid HN<sub>3</sub>, 0=4727  
 Papazian, H. A. Infrared spectra of alkali metal azide crystals, 1=8994  
 Papazian, H. A. Color centers in the alkali metal azides, 2=3961



- Papazian, H.A. The optical F absorption band, 2=8253  
 Papazian, H.A. See Gray, B.F., 4=17551  
 Papazian, H.A. See Jacobs, P.W.M., 2=19161  
 Pape, L. See Jacobs, M.L., 1=15363  
 Pape, M. Le. See Le Pape, M.  
 Papée, H.M. The role of activated salts in ice nucleation, 2=14948  
 Papée, H.M., Montefinale, A. and Zawidzki, T.W. A new laboratory all-glass circulation pump for gases, 2=17497  
 Papée, H.M., Zawidzki, T.W., Petriconi, G.L. and Montefinale, A.C. Some possible chemical contributions towards the formation of the atmospheric electric charge, 3=25890  
 Papee, H.M. See Petriconi, G.L., 3=13558  
 Papée, H.M. See Zawidzki, T.W., 3=5089  
 Papet-Lépine, J. Calculation of the rate of ionization in a feebly ionized gas in the presence of an electric field, 1=18755  
 Papet-Lépine, J. Electromagnetic radiation and physical structure of lightning discharges, 2=4607  
 Papet-Lépine, J. Ionization conditions in a lightning channel in relation to multiple strokes, 4=7849  
 Papet-Lépine, J. See Bertin, F., 3=25923  
 Papet-Lépine, J. See Vassy, A., 4=13838  
 Papike, J.J., Bright, R.C. and Zoltai, T. Crystal sphere orienter, 3=8821  
 Papillon, Y. See De Montgolfier, C., 2=11577  
 Papina, R. Transitory response of transistors to small signals or under commutation conditions, 3=17919  
 Papineau, A., Benezech, P. and Maillard, R. Multicharged ion source for a cyclotron, 1=18938  
 Papineau, A. See Beurtey, R., 0=4092  
 Papineau, A. See Beurtey, R., 1=9883  
 Papineau, A. See Beurtey, R., 1=13853  
 Papineau, A. See Beurtey, R., 1=16786  
 Papineau, A. See Beurtey, R., 2=20073  
 Papineau, A. See Beurtey, R., 3=10374  
 Papineau, A. See Beurtey, R., 4=3495  
 Papineau, A. See Beurtey, R., 4=3688  
 Papineau, A. See Beurtey, R., 4=19602  
 Papineau, A. See Chaminade, R., 1=13207  
 Papineau, A. See Chaminade, R., 2=3194  
 Papineau, A. See Saudinos, J., 1=7402  
 Papineau, A. See Saudinos, J., 1=7403  
 Papineau, A. See Saudinos, J., 1=15858  
 Papineau, A. See Thirion, J., 2=5750  
 Papineau, L. See Ballini, R., 1=695  
 Papineau, L. See Cassagnou, Y., 2=452  
 Papineau, L. See Cassagnou, Y., 2=1887  
 Papineau, L. See Cassagnou, Y., 2=22845  
 Papineau, L. See Cassagnou, Y., 4=3694  
 Papineau, L. See Cassagnou, Y., 4=6374  
 Papineau, L. See Cassagnou, Y., 4=15233  
 Papineau, L. See Cassagnou, Y., 4=17155  
 Papineau, L. See Cassagnou, Y., 4=17188  
 Papineau, L. See Cassagnou, Y., 4=22098  
 Papineau, L. See Levi, C., 0=9533  
 Papini, G. On the neutron-proton mass difference, 1=16767  
 Papirno, R. Stress and strain in thin films bulged over circular openings, 1=1728  
 Papirov, I.I. and Palatnik, L.S. The question of the epitaxy of metallic and ionic crystals, 3=16045  
 Papirov, I.I. and Tikhinskii, G.F. Temperature dependence on the coefficient of condensation [of molecules on a solid surface], 2=7476  
 Papirov, I.I. and Tikhinskii, G.F. Dependence of condensation coefficient on temperature, 3=301  
 Papirov, I.I., Tikhinskii, G.F. and Finkel', V.A. Diffusionless phase transformation in the alloy Be-8 at. % Ni, 4=23254  
 Papirov, I.I. See Amonenko, V.M., 3=18278  
 Papkov, S.F., Pisarenko, N.F., Savenko, I.A., Tupikin, A.F. and Shavrin, P.I. Radiometric apparatus on board the second Soviet spaceship, 2=19357  
 Papkov, S.F. See Savenko, I.A., 3=23638  
 Papkov, V.S. See Govorkov, V.G., 2=21031  
 Papkov, V.S. See Govorkov, V.G., 3=6516  
 Papkow, A. A small electrostatic generator using a fluid to transport the charge, 3=14507  
 Papkow, A. and Pietsch, E. The study of primary nuclear reactions inside the cyclotron vacuum tank, 3=10321  
 Papkow, A. See Melchior, K., 4=19114  
 Pappmehl, N. Simple procedure for calculation of the Fermi age of light water, 1=16804  
 Pappmehl, N. and Schwalm, D. Calculation of fast neutron spectra in hydrogen containing media, 2=18116  
 Papon, P. See Korringa, J., 4=2526  
 Papon, P. See Korringa, J., 4=15663  
 Papoular, M. Homogenization of the magnetic field vector on the axis of a helix, 2=7711  
 Papoular, M. Role of the optical branches in the diagram of phonon dispersion in the thermal conductivity of holmium ethyl sulphate, 3=10613  
 Papoular, M. Antiferromagnetism of a system of spins  $S = \frac{1}{2}$  in the presence of an external field; Néel temperature, 4=15657  
 Papoular, M. Critical magnetic scattering of phonons-ferromagnetic case, 4=26284  
 Papoular, M. Absorption of ultrasonics and thermal resistance in the neighbourhood of a ferromagnetic transition point, 4=28787  
 Papoular, M. Absorption and critical magnetic diffusion of phonons. Case of an antiferromagnetic below Néel's temperature, 4=30725  
 Papoular, M. and Seiden, J. Coherent and Raman magnetic scattering of phonons by ions of iron in hydrated zinc sulphate, 4=1383  
 Papoular, M. See Seiden, J., 2=3980  
 Papoular, M. See Seiden, J., 2=14392  
 Papoular, M. See Sieden, J., 3=15427  
 Papoular, M. See Seiden, J., 4=10294  
 Papoular, R. Propagation of a plane electromagnetic wave in a plasma at cutoff and beyond, 2=5343  
 Papoular, R. Dielectric properties of some plastic materials for millimetre waves, 2=12556  
 Papoular, R. Interference spectrometry of plasmas between 0.1 and 10 mm wavelength, 3=9957  
 Papoular, R. Far i. r. reference sources for the evaluation of high temperatures, 4=24412  
 Papoular, R. and Wegrowe, J. Use of focusing lenses for microwave measurement of plasmas, 3=7576  
 Papoular, R. See Cano, R., 4=18781  
 Papoular, R. See Faugeras, P.E., 4=18906  
 Papovyan, A.K. See Subbotin, V.I., 3=3909  
 Papp, A. Contribution to the study of a method of measuring the angle of loss of a dielectric, based on an accurate method for measuring the conductance of a parallel oscillating circuit, 2=7548  
 Papp, G. Control of the thickness of evaporated layers during evaporation, 0=3280  
 Papp, G. Limits of resolution in magnetically focused image converter tubes, 2=11699  
 Papp, M. See Stierstadt, K., 1=20770  
 Pappademos, J. S-wave  $\Lambda$ - $\Lambda$  interaction for odd  $\Sigma$ - $\Lambda$  parity, 4=19594  
 Pappademos, J. Low-energy  $\Xi$ -N interactions, 4=19598  
 Pappademos, J.N. The radius and Coulomb energy of the He<sup>3</sup> nucleus, 3=12519  
 Pappademos, J.N. The radius and Coulomb energy of the He<sup>3</sup> nucleus, 4=30280  
 Pappalardo, G. See Agodi, A., 2=12178  
 Pappalardo, G. See Agodi, A., 3=24855  
 Pappalardo, G. See Cuzzocrea, P., 0=15601  
 Pappalardo, G. See Cuzzocrea, P., 4=6356  
 Pappalardo, G. See Gadioli, E., 4=28059  
 Pappalardo, R. Ligand field theory and the absorption spectra of MnCl<sub>2</sub> and MnBr<sub>2</sub>, 0=1728  
 Pappalardo, R. On the low temperature optical absorption of CoCl<sub>2</sub>·6H<sub>2</sub>O and CoBr<sub>2</sub>·6H<sub>2</sub>O, 0=16051  
 Pappalardo, R. Note on the optical absorption of MnCl<sub>2</sub> and MnBr<sub>2</sub>, 0=16059  
 Pappalardo, R. Cubic-field splitting and cubic-symmetry ortho-normal sets of wave functions for J manifolds (J half-integer), 1=7516  
 Pappalardo, R. Absorption spectra of Cu<sup>2+</sup> in different crystal coordinations, 1=14609  
 Pappalardo, R. Crystal-field calculation for the three sites of yttrium iron garnet, 3=2693  
 Pappalardo, R. Absorption spectra of Er<sup>3+</sup> in yttrium gallium garnet, 3=13172  
 Pappalardo, R. and Dietz, R.E. Absorption spectra of transition ions in CdS crystals, 1=11380  
 Pappalardo, R. and Jørgensen, C. K. Absorption spectra of uranium (IV) in octahedral coordination, 4=22900  
 Pappalardo, R. and Wood, D.L. Spectrum of Yb<sup>3+</sup> in yttrium gallium garnet, 1=2442  
 Pappalardo, R. and Wood, D.L. Crystal field calculation for the Ca site of the Scheelite structure, 3=12902



- Pappalardo, R., Wood, D.L. and Linares, R.C., Jr. Optical absorption spectra of Ni-doped oxide systems. I, 1=17887
- Pappalardo, R., Wood, D.L. and Linares, R.C., Jr. Optical absorption study of Co-doped oxide systems. II, 2=4142
- Pappalardo, R. See Jørgensen, C.K., 4=1276
- Pappalardo, R. See Jørgensen, C.K., 4=20462
- Pappalardo, R. See Sinha, S.P., 4=20501
- Pappas, A.C. and Rudstam, G. An approach to the systematics of delayed neutron precursors, 1=4882
- Pappas, A.C. See Rudstam, G., 1=5854
- Pappas, A.C. See Rudstam, G., 1=5946
- Pappas, A.C. See Rudstam, G., 2=14097
- Pappas, C.F., Vogler, L.E. and Rice, P.L. Graphical determination of radio ray bending in an exponential atmosphere, 1=5596
- Pappert, R.A. LCAO treatment of exciton structure in alkali halide crystals, 0=13524
- Pappert, R.A. Charge excitation of plasma motion in a magnetic field, 1=304
- Pappert, R.A. Incoherent scatter from a hot plasma, 4=521
- Pappert, R.A. and Penner, S.S. Approximate continuous opacity calculations for polyelectronic atoms at high temperatures, 2=9317
- Paproditis, C. Properties and structure of thin films of semi-conducting compounds, 4=23580
- Papulov, Yu.G. Interactions of pairs of atoms and the properties X-substituted methanes and their radicals, 2=18490
- Păpureanu, V. Differential one-channel amplitude analyser with proved resolving power, 2=7545
- Paquet, P. See Melchior, P., 4=7809
- Paquet, P. See Melchior, P., 4=15858
- Paquette, D.R. and Wiese, W.L. Data processing system for the automatic transformation of observed plasma intensities into their radial distribution, 4=11608
- Paquette, D.R. See Wiese, W.L., 3=4108
- Paquette, D.R. See Wiese, W.L., 3=8176
- Paquette, G. On the theory of radiative capture of 1S orbital electrons, 3=4589
- Paquin, R. See Weil, R., 0=4393
- Paracheva, G.T. See Zelikin, Ya.M., 3=8633
- Parain, J. See Bronca, G., 0=2412
- Parain, J. See Neyret, G., 0=19849
- Parameswaran, V.R. Ultra-high strength in steel, 3=1235
- Paramonova, R.A. and Plotnikov, A.F. Some problems in the kinetics of impurity photoconductivity in copper-doped germanium, 3=20410
- Paramonova, R.A. and Rzhano, A.V. Investigation of volume recombination in germanium crystals with copper as an impurity, 2=21137
- Paramonova, R.A. and Rzhano, A.V. Investigation of volume recombination in germanium crystals with copper as an impurity, 3=6582
- Paranichev, V.N. Spin-lattice relaxation of an exciton in an ionic crystal, 0=20781
- Paranjape, B.V. Behavior of hot electrons in microwave fields, 1=8935
- Paranjape, B.V. Theory of attenuation of sound waves in metals, 4=1389
- Paranjape, B.V. Production of hot electrons by ultrasonic waves, 4=28393
- Paranjape, B.V. and Levinger, J.S. Theory of the Ettingshausen effect in semiconductors, 0=18012
- Paranjape, B.V. and Stewert, B.U. Role of electron-electron collisions in galvanomagnetic effects, 2=14503
- Paranjape, V.V. Low temperature electric field effects in semiconductors, 1=17701
- Paranjape, V.V. Field enhanced lattice scattering in semiconductors, 3=856
- Paranjape, V.V. and Ambrose, T.P. Decrease of electron temperature by electric fields, 4=17388
- Paranjape, V.V. See De Alba, E., 4=25875
- Parashar, D.C. See Jain, S.C., 3=13012
- Parasnis, A.S. Generation of prismatic dislocations during photolysis of silver halides, 3=2798
- Parasnis, A.S., Frank, F.C. and Mitchell, J.W. Linear compounds of dislocations in silver chloride with cupric ions, 3=25280
- Parasnis, A.S. and Mitchell, J.W. Some properties of crystals of silver chloride containing traces of copper chlorides, 0=15847
- Parasnis, D.S. Principles of applied geophysics, 3=3424
- Parasyuk, O.S. The generalization of a theorem of Regge, 3=5940
- Paratella, A. A mercury column with  $\pm 10^{-5}$  accuracy, 2=11319
- Parbrook, H.D. and Tempest, W. Sound absorption in nitrogen and oxygen, 0=16737
- Parbrook, H.D. See Bryan, M.E., 1=9226
- Parbrook, H.D. See Fletcher, E.D., 4=16188
- Parbrook, H.D. See Holmes, R., 1=8160
- Parbrook, H.D. See Tempest, W., 0=14739
- Parcelier, P. A quartz frequency standard: application of a new comparison technique, 2=11320
- Pardeshi, P.A. See Saxena, S.C., 1=12918
- Pardeshi, P.A. See Saxena, S.C., 2=13364
- Pardeshi, P.A. See Saxena, S.C., 3=3821
- Pardhasaradhi, T.V. A condition for achromatism of three lenses, 1=16056
- Pardhasaradhi, T.V. Systematic design of a triplet photographic objective, 3=24069
- Pardhasaradhi, T.V. and Geevarughese, K.O. Short communications. Determination of design variables for specified values of spherical aberration and coma for single lenses, 3=9578
- Pardo, G. See Catalá, J., 4=3400
- Pardo, G. See Catalá, J., 4=3701
- Pardo, G. See Catalá, J., 4=21853
- Pardo, G. See Catalá, J., 2=8008
- Pardo, G. See García, A., 3=7860
- Pardo, M.P. See Flahaut, J., 4=4625
- Pardo, R. See Catalá, J., 3=24716
- Pardoe, B. See Laskar, W., 1=9739
- Paré, V.K. Study of the Bordoni internal friction peaks in copper, 1=5080
- Paré, V.K. and Thompson, D.O. Temperature dependence from 250°K to 370°K of dislocation pinning in copper single crystals by radiation defects, 2=21015
- Paré, V.K. See Thompson, D.O., 0=8103
- Pare, X. New discoveries of nuclear magnetic resonance in zeolites, 3=23262
- Paré, X. See Averbuch, P., 0=4535
- Pare, X. See Ayant, Y., 4=1903
- Pare, X. See Ayant, Y., 4=30481
- Pare, X. See Ducros, P., 1=11768
- Paré, X. See Montmory, M.C., 4=13501
- Parekh, C.H. On the operational characteristics of a gas flow counter, 2=20179
- Parette, G. See Cribier, D., 3=1117
- Paretzkin, B. See Ogburn, F., 4=23306
- Parfanovich, B.N. See Deryagin, B.V., 4=7696
- Parfanovich, D.M. See Flevov, G.N., 0=7497
- Parfen'ev, P.V., Farbshtein, I.I. and Shalyt, S.S. The galvanomagnetic properties of tellurium. II. The effect of annealing on the temperature dependence of the mobility, 1=3773
- Parfen'ev, R.V., Pogarskii, A.M., Farbshtein, I.I. and Shalyt, S.S. The effect of annealing on the anisotropy of galvanomagnetic properties of tellurium, 1=17623
- Parfen'ev, R.V., Pogarskii, A.M., Farbshtein, I.I. and Shalyt, S.S. The effect of annealing on the anisotropy of galvanomagnetic properties of tellurium, 2=3990
- Parfen'ev, R.V., Pogarskii, A.M., Farbshtein, I.I. and Shalyt, S.S. Galvanomagnetic properties of tellurium. Structure of valence band, 3=22953
- Parfen'ev, R.V., Shalyt, S.S. and Muzhdaba, V.M. An experimental confirmation of the magnetophonon resonance in n-type InSb, 4=28563
- Parfen'ev, R.V. See Moizhes, B.Ya., 2=10312
- Parfeniev, R.V. See Firsov, Yu. A., 4=26049
- Parfenov, L.B. See Goncharov, I.N., 3=2084
- Parfenov, L.B. See Goncharov, I.N., 3=14726
- Parfenov, L.B. See Neganov, B.S., 0=15605
- Parfenov, L.B. See Neganov, B.S., 4=6685
- Parfenov, V.A. A study of plastic deformation of metals under cyclic loading, 0=6302
- Parfenov, V.V. The process of magnetization of ferromagnetics in strong magnetic fields. IV. A study of the law of approach to the saturation magnetization in alloys, 4=13148
- Parfenov, V.V., Lobanov, Yu. A. and Shimolin, L.V. Investigation of the law governing the approach to saturation of specimens of fine ferromagnetic powders, 4=7250
- Parfenov, V.V. and Lobastov, Yu. P. Magnetization of ferromagnetics in high magnetic fields. III. A study of the law of approach to saturation magnetization for single crystals, 4=22992
- Parfenov, V.V. and Voroshilov, V.P. Investigation of the influence of uniaxial elastic tension and compression



- on saturation induction and paraprocess susceptibility in ferromagnetic materials, 3=3102
- Parfenov, V.V. and Voroshilov, V.P. Magnetization processes of ferromagnetics in high magnetic fields. I. Effect of elastic and plastic deformation on the law governing the approach of magnetization to saturation, 3=8669
- Parfenov, V.V. and Voroshilov, V.P. Magnetization of ferromagnetics in high magnetic fields. II. Influence of elastic and plastic deformations on the law governing the approach of magnetization to saturation at various different temperatures, 3=13247
- Parfenova, V.P. Circular polarization of the internal bremsstrahlung accompanying K-capture in  $\text{Fe}^{55}$ , 0=7518
- Parfenova, V.P., Anishchenko, V.N. and Shpinel, V.S. Oriented  $\text{Tb}^{160}$  nuclei in metallic terbium, 4=17070
- Parfianovich, I.A. The de-exciting action of X-rays, 0=1750
- Parfianovich, I.A. and Shuraleva, E.I. The effect of an activator on the stability of F-centres, 0=9907
- Parfianovich, I.A. and Shuraleva, E.I. Details of the mechanism of phosphorescence stimulated by light from the F-band region, 2=714
- Parfianovich, I.A. and Shuraleva, E.I. The ratio of the optical and thermal light sums in a  $\text{NaCl:Ni}$  phosphor, 2=2251
- Parfianovich, I.A. and Shuraleva, E.I. Concerning the mechanism of optical flash decay, 2=14709
- Parfianovich, I.A. and Shuraleva, E.I. Correlation between the luminescence and structure of some alkali halide phosphors, 3=20517
- Parfianovich, I.A., Shuralyeva, E.I. and Krongauz, V.G. New data on the thermal and optical stability of M-centres, 3=25303
- Parfitt, G.G. Recent studies of noise problems, 0=6891
- Parfitt, G.G. and Snowden, J.C. Incidence and prevention of damage due to mechanical shock, 2=9224
- Pargamanik, L.E. The energy level shift in plasma atoms, 2=517
- Pargamanik, L.E. The energy level shift in plasma atoms, 2=22890
- Pargamanik, L.E. and Pyatigorskii, G.M. Shift and the broadening of energy levels of single-electron atoms and ions in a high-temperature plasma, 4=1199
- Pargamanik, L.E. See Daich, A.R., 0=14807
- Pargamanik, L.E. See Tsirlin, Yu.A., 2=15748
- Pargas, P. Phenomena of image sharpness recognition of CdS and CdSe photoconductors, 4=15573
- Parham, A.G. Factors affecting the velocity resolution of gas Cerenkov counters, 2=22362
- Parham, A.G. See Cranshaw, T.E., 1=3292
- Parham, A.G. See De Beer, J.F., 2=7914
- Parham, A.G. See Diddens, A.N., 4=11989
- Parham, A.G. See Galbraith, W., 3=2297
- Parham, A.G. See Galbraith, W., 3=4297
- Paria, B.N. Pair production on the basis of hole theory without Dirac matrices, 0=17314
- Paria, B.N. See Kar, K.C., 0=17290
- Paria, B.N. See Kar, K.C., 0=17302
- Paria, B.N. See Kar, K.C., 1=7210
- Paria, G. Deformation of a porous visco-elastic body containing a fluid under steady pressures, 0=10622
- Paria, G. Thin anisotropic elastic shells. I. Circular cylinder of cylindrical anisotropy, 0=1562
- Paria, G. Rotary flow of viscoplastic material of Bingham type. I. Flow between coaxial circular cylinders, 0=16227
- Paria, G. On magneto-thermo-elastic plane waves, 2=15677
- Paria, G. Study of the transient effect on a superconducting sphere under the influence of a varying magnetic field, 3=16865
- Paria, H. See Nag, B.R., 3=10760
- Paria, H. See Nag, B.R., 4=4129
- Paria, H. See Nag, B.R., 4=4158
- Paria, H. See Nag, B.R., 4=4160
- Parickij, L.G. See Ardadyeva, E.N., 2=23453
- Pariiskii, G.B. See Kazanskii, V.B., 3=3419
- Pariiskii, G.B. See Kazanskii, V.B., 4=1321
- Pariiskii, N.N. The influence of earth tides on the secular retardation of the earth's rotation, 2=871
- Pariiskii, N.N. Earth tides and the internal structure of the earth, 3=21025
- Pariiskii, N.N. On the detection of diurnal nutation of the earth, 4=2391
- Pariiskii, N.N. and Gindilis, L.M. New constant-brightness phosphors for spectrophotometry of faint [celestial] objects. Energy distribution in the spectrum of these phosphors, 0=18589
- Pariiskii, N.N. and Gindilis, L.M. Energy distribution in the gegenschein spectrum, 1=1634
- Pariiskii, N.N. See Gindilis, L.M., 2=912
- Pariiskii, V.B., Landau, A.I. and Borzhkovskaya, V.M. Spontaneous jumps of dislocations in LiF single crystals, 4=9957
- Pariiskii, V.B., Landau, A.I. and Startsev, V.I. Jump motion of dislocations in LiF single crystals, 3=20201
- Pariiskii, V.B. See Palatnik, L.S., 2=8877
- Pariiskii, V.B. See Palatnik, L.S., 2=23936
- Pariiskii, V.B. See Palatnik, L.S., 2=23937
- Pariiskii, Y.N. See Soboleva, N.S., 4=23936
- Pariiskii, Yu.N. Observations of the radio source Sag A with high resolving power, 0=10483
- Pariiskii, Yu.N. Peculiarities of the radio radiation of NGC 4486, 1=10396
- Pariiskii, Yu.N. Peculiarities of the radio radiation of NGC 4486, 1=11687
- Pariiskii, Yu.N. Structure of the nucleus of the galaxy, 2=1012
- Pariiskii, Yu.N. The distribution of optical and radio emission in M 17, 2=1024
- Pariiskii, Yu.N. The exchange of gas between the nucleus and the corona of the galaxy, 2=2551
- Pariiskii, Yu.N. See Apushkinskii, G.P., 0=18668
- Pariiskii, Yu.N. See Korol'kov, D.V., 3=16426
- Pariiskii, Yu.N. See Zakharenkov, V.F., 3=13933
- Pariisky, G.B. See Kazanskii, V.B., 2=12482
- Parikh, J.C. Decay of an electric current in a superconductor, 3=1892
- Parikh, P. See Müller-Warmuth, W., 0=6815
- Parikh, P. See Müller-Warmuth, W., 1=17770
- Parikh, P. See Müller-Warmuth, W., 2=5500
- Parikh, V. The activities induced in beryllium, oxygen and fluorine by protons of 220 MeV to 362 MeV, 0=20439
- Parikh, V. Absolute cross-sections of  $\text{C}^{12}(\text{p}, \text{pn})\text{C}^{11}$  from 288 to 383 MeV, 0=20440
- Parikh, V. Cross-sections for  $\text{Al}^{27}(\text{p}, \text{3pn})\text{Na}^{24}$ ,  $\text{Al}^{27}(\text{p}, \text{5pn})\text{F}^{18}$  and  $\text{C}^{12}(\text{p}, \text{3pn})\text{Be}^7$  relative to  $\text{C}^{12}(\text{p}, \text{pn})\text{C}^{11}$ , 0=20441
- Parikh, V. High energy photo-protons from carbon, 3=2434
- Parilis, E.S. and Kishinevskii, L.M. The theory of electron emission by ions, 1=16392
- Parilis, E.S. See Kishinevskii, L.M., 4=8798
- Parini, V.P. See Balabanov, E.I., 1=3728
- Paris, C.H. See Piraino, D., 0=13147
- Paris, D. Investigations on thin alkali metal films. IX. Vector-dependent absorption properties of potassium films. (Optical constants, changes with time, aggregates), 3=25437
- Paris, D.P. Approximation of the sine-wave response of photographic emulsions, 1=11848
- Paris, D.P. See Lohmann, A.W., 4=29734
- Paris, J.P., Hirt, R.C. and Schmitt, R.G. Observed phosphorescence and singlet-triplet absorption in s-triazine and trimethyl-s-triazone, 1=10126
- Paris, P. A second-order focusing  $\beta$ -spectrograph, 1=13398
- Paris, P. Determination of the decay periods of ytterbium 165 and 164, 4=27998
- Paris, P. and David, F. Gamma-rays emitted in the decay of ytterbium 166 to thulium 166, 3=24908
- Parise, M. See Malinge, A., 0=827
- Pariseau, M., Wu, E. and Overend, J. Adaptation of the Urey-Bradley force field to  $\text{NH}_3$ ,  $\text{PH}_3$ ,  $\text{SbH}_3$ , and  $\text{AsH}_3$ , 3=22552
- Pariser, R. See Frensdorff, H.K., 4=3947
- Parish, G.J. Apparent slip between metal and rubber-covered pressure rollers, 0=8134
- Parish, G.J. Calculation of the behaviour of rubber-covered pressure rollers, 1=11729
- Parisi, R. See Notarrigo, S., 2=5690
- Pariiskii, Yu.N. See Soboleva, N.S., 3=11606
- Pariset, G. See Balkanski, M., 4=26208
- Pariset, J.M. See Steckelmacher, W., 1=4473
- Paritskaya, L.N. See Geguzin, Ya.E., 2=3928
- Paritskaya, L.N. See Geguzin, Ya.E., 2=4354
- Paritskaya, L.N. See Geguzin, Ya.E., 2=8234
- Paritskaya, L.N. See Geguzin, Ya.E., 2=12876
- Paritskaya, L.N. See Geguzin, Ya.E., 3=3336
- Paritskaya, L.N. See Geguzin, Ya.E., 3=10683
- Paritskii, L.G. Characteristics of impurity photoconductivity in the presence of several types of local levels in the forbidden band of a semiconductor, 2=18729
- Paritskii, L.G. and Pyvkin, S.M. The study of "non-linear" relaxation processes of photoconduction in the presence of trapping levels, 2=4057
- Paritskii, L.G., Rogachev, A.A. and Rývkin, S.M. The kinetics of the "external" photoeffect [directed] from metal to semiconductor in photocells, 1=17796



- Paritskii, L.G. and Rȳvkin, S.M. The influence of trapping levels on the relaxation of photoconductivity in CdS single crystals, 0=18067
- Paritskii, L.G. and Rȳvkin, S.M. The study of "non-linear" relaxation processes of photoconduction in the presence of trapping levels, 1=19896
- Paritskii, L.G. See Afanas'ev, V. F., 4=10134
- Paritskii, L.G. See Arkad'eva, E.N., 0=15985
- Paritskii, L.G. See Arkad'eva, E.N., 2=21125
- Paritskii, L.G. See Arkad'eva, E.N., 3=2878
- Paritskii, L.G. See Grinberg, A.A., 0=18060
- Paritskii, L.G. See Mekhtiev, R.F., 2=18745
- Paritskii, L.G. See Mekhtiev, R.F., 2=23462
- Paritskii, L.G. See Mekhtiev, R.F., 3=20412
- Paritskii, L.G. See Rȳvkin, S.M., 1=12456
- Paritskii, L.G. See Zibuts, Yu. A., 4=10067
- Parizet, J. Geometrical study of the discontinuities in general relativity. Application to the perfect fluid representation, 3=23755
- Parizet, J. Shocks in perfect fluids with infinite conductivity, 4=8310
- Park, D. Relation between the parabolic and spherical eigenfunctions of hydrogen, 0=13390
- Park, F.R. An all-sky camera for auroral photography, 2=19238
- Park, G.L. and Lambert, R.F. Distribution of response crests in a bimodal system, 3=5477
- Park, J.G. The principal g values of ytterbium ions in yttrium acetate a triclinic crystal, 0=1835
- Park, J.G. Superconducting transition of tin alloys in an alternating field, 4=18611
- Park, J.G. See Chambers, R.G., 1=16204
- Park, J.G. See Griffiths, J.H.E., 0=8067
- Park, J.H.Jr. Moments of the generalized Rayleigh distribution, 1=17986
- Park, J.J. See Wolfson, J.L., 3=6171
- Park, J.J. See Wyman, L.L., 2=21536
- Park, J.J.H. See Salgueiro, L., 1=9845
- Park, J.J.H. See Wolfson, J.L., 3=24702
- Park, J. J. H. See Wolfson, J. L., 4=25328
- Park, J. T. Mechanical McLeod gauge for accurate measurement of pressures in the 5 to 500  $\mu$  range, 4=21194
- Park, J.T. and Zimmerman, E.J. Stopping cross-sections of some hydrocarbon gases for 40-250 keV protons and helium ions, 3=22133
- Park, J.Y. See Van Der Zwan, L., 3=19881
- Park, J.Y. The theory of direct nuclear knock-out reactions, 3=24918
- Park, K., Weyl, P. K. and Bradshaw, A. Effect of carbon dioxide on the electrical conductance of sea-water, 4=26782
- Park, K. See Hopfield, J.J., 4=7151
- Park, K. C. The extreme values of reflectivity and the conditions for zero reflection from thin dielectric films on metal, 4=24380
- Park, K.C. See Garland, C.W., 2=18977
- Park, R.A. See Mickelwait, A.B., 0=10535
- Park, R.A. See Mickelwait, A.B., 2=19354
- Park, R. L. and Farnsworth, H. E. The interaction of O<sub>2</sub> with a clean (111) nickel surface, 4=7702
- Park, R. L. and Farnsworth, H. E. Co adsorption and interaction with oxygen on (110) nickel, 4=20820
- Park, R. L. and Farnsworth, H. E. Interaction of oxygen with (110) nickel, 4=23556
- Park, R.M. Selective photography in spark chambers, micro-second decision-making and refiring, 4=16777
- Park, S.C. See McIntosh, J.S., 0=7586
- Park, S.C. See McIntosh, J.S., 4=19830
- Park, Y.S. and Reynolds, D. C. Exciton structure in photoconductivity of CdS, CdSe, and CdS:Se single crystals, 4=7063
- Parkash, S. See Puri, B.R., 2=15102
- Parke, N. G. See Kennedy, J. K., 4=23318
- Parke, S. The velocities of elastic waves in solid argon, 2=14375
- Parke, S. Anelasticity and viscoelasticity in glass, 3=13334
- Parke, S. Davies, R.O., 0=15798
- Parke, W., De Croës, M. and Sevier, K., Jr. Some methods in the preparation of radioactive materials for use in beta-spectroscopy, 1=629
- Parke, W. C. See Jehle, H., 4=24019
- Parker, A. B. and Poole, D. E. Cooling of high current spark channels in hydrogen and argon, 4=27503
- Parker, A.B. See Churchill, R.J., 2=3012
- Parker, A.B. See Poole, D.A., 3=21739
- Parker, A.W. Sum-coincidence measurements on <sup>154</sup>Eu, 1=17044
- Parker, A.W. and Shute, G.G. Proton-capture gamma rays from nitrogen 13, 3=12666
- Parker, C.A. Spectrofluorometer calibration in the ultra violet region, 2=11483
- Parker, C. A. Sensitized p-type delayed fluorescence, 4=191
- Parker, C.A. and Hatchard, C.G. Delayed fluorescence from solutions of anthracene and phenanthrene, 3=142
- Parker, C.A. and Hatchard, C.G. Triplet-singlet emission in fluid solution, 3=11800
- Parker, C.A. and Hatchard, C.G. Delayed fluorescence of pyrene in ethanol, 3=14174
- Parker, C.M. and Sullivan, J.W.W. Steels for low temperatures, 3=16847
- Parker, D. See Hopkins, B. J., 4=23598
- Parker, D. See Purcell, R. B., 4=5896
- Parker, D.G. See Santirocco, R. A., 4=13802
- Parker, D.G. See Santirocco, R. A., 4=15899
- Parker, D.J., McLaren, G.A. and Conradi, J.J. Observation of the Overhauser effect on carbon-13 nuclear resonance signals, 0=16716
- Parker, E. Extension of the solar corona into interplanetary space, 0=10504
- Parker, E.N. The hydrodynamic treatment of the expanding solar corona, 0=14424
- Parker, E.N. The hydrodynamic theory of solar corpuscular radiation and stellar winds, 1=2611
- Parker, E.N. Sudden expansion of the corona following a large solar flare and the attendant magnetic field and cosmic-ray effects, 1=7995
- Parker, E.N. A quasi-linear model of plasma shock structure in a longitudinal magnetic field, 1=9567
- Parker, E.N. Geomagnetic fluctuations and the form of the outer zone of the Van Allen radiation belt, 1=15357
- Parker, E.N. Transresonant electron acceleration, 1=20856
- Parker, E.N. The distribution of trapped particles in a changing magnetic field, 1=21078
- Parker, E.N. Effect of hydromagnetic waves in a dipole field on the longitudinal invariant, 1=21087
- Parker, E.N. The solar wind, 2=7008
- Parker, E.N. Interplanetary dynamics and cosmic ray modulation, 2=13914
- Parker, E.N. Theory of magnetic storms, 2=15282
- Parker, E.N. Kinetic properties of interplanetary matter, 2=21691
- Parker, E.N. Discussion of paper by L.M. Noble and F.L. Scarf, "Hydrodynamic models of the solar corona", 3=16390
- Parker, E. N. Coronal expansion and solar corpuscular radiation, 4=26936
- Parker, E. N. Dynamical properties of stellar coronas and stellar winds. I. Integration of the momentum equation, 4=10820
- Parker, E. N. Dynamical properties of stellar coronas and stellar winds. II. Integration of the heat-flow equation, 4=10821
- Parker, E. N. Dynamical properties of stellar coronas and stellar winds. III. The dynamics of coronal streamers, 4=20928
- Parker, E. N. The perturbation of interplanetary dust grains by the solar wind, 4=23902
- Parker, E.N. Kinematical hydromagnetic theory and its application to the low solar photosphere, 4=2419
- Parker, E.N. A kinematical theory of turbulent hydromagnetic fields, 4=2418
- Parker, E. N. Plasma physics and astrophysics, 4=20922
- Parker, E. N. Theory of streaming of cosmic rays and the idurnal variation, 4=29353
- Parker, E.N. and Tidman, D.A. Radio emission from plasma shocks, 0=10480
- Parker, E.N. See Dessler, A.J., 0=12138
- Parker, E.N. See Dessler, A.J., 1=15348
- Parker, E.N. See Dessler, A.J., 2=4695
- Parker, E.N. See Dessler, A.J., 2=13076
- Parker, E.N. See Hines, C.O., 1=1580
- Parker, E. N. See Miller, R. H., 4=29400
- Parker, E.R. Plastic flow and fracture of crystalline solids, 3=25628
- Parker, E. R. See Bokros, J. C., 4=7495
- Parker, F. R. See Wood, W. W., 4=29558
- Parker, F.W. See Lindsay, P.A., 0=7152
- Parker, F.W. See Lindsay, P.A., 0=19732
- Parker, G.W. See Dabbs, J.W.T., 0=11341
- Parker, G.W. See Hanauer, S.H., 2=393
- Parker, G.W. See Roberts, L.D., 1=8791
- Parker, G.W. See Smith, E.C., 0=1444



- Parker, H.M., Bullock, B.W. and Dancy, W.H., Jr. Measurements of rotational magnetic losses in ferrites at very low frequencies, 0-3080
- Parker, H.M. See Jenkins, A.W., 0-2425
- Parker, J.B., Towle, J.H., Sams, D. and Jones, P.G. Multiple scatter corrections by Monte Carlo, 2-5653
- Parker, J.B., White, P.H. and Webster, R.J. The interpretation of recoil proton spectra, 3-19631
- Parker, J.B. See Batchelor, R., 2-5524
- Parker, J.G. Effect of several light molecules on the vibrational relaxation time of oxygen, 1-8163
- Parker, J.G. Effect of adsorption on acoustic boundary-layer losses, 2-7255
- Parker, J.G. Comparison of experimental and theoretical vibrational relaxation times for diatomic gases, 4-28181
- Parker, J.H., Jr. Exciton-induced F-center growth in KI and KBr crystals, 1-17576
- Parker, J.H., Jr. Spatially-dependent energy distributions for electrons drifting through a gas in a uniform electric field, 4-5252
- Parker, J.H., Jr., Kelly, F. and Bolef, D.I. An ultrasonic - optical determination of the third order elastic constant  $C_{111}$  for NaCl single crystals, 4-26528
- Parker, J.H., Jr. and Warren, R.W. Kelvin device to scan large areas for variations in contact potential, 2-22131
- Parker, J.H., Jr. See Warren, R.W., 3-4023
- Parker, J.L. See van Oostrum, K.J., 1-12158
- Parker, J.T. See Mathias, L.E.S., 3-19499
- Parker, J.T. See Mathias, L.E.S., 4-8976
- Parker, J.V. Collisionless plasma-sheath in cylindrical geometry, 4-8730
- Parker, J.V. See Nickel, J.C., 4-8758
- Parker, K. The Aldermaston nuclear data library as at May 1963, 4-6342
- Parker, K. Neutron cross sections of  $U^{238}$  in the energy range 1 keV - 15 MeV, 4-25415
- Parker, K. Neutron cross-sections of  $U^{235}$  and  $U^{238}$  in the energy range 1 keV-15 MeV. I. Best cross-sections for  $U^{238}$  based on microscopic experimental and theoretical data available at December 1961, 4-12251
- Parker, K. Neutron cross sections of  $U^{235}$  and  $U^{238}$  in the energy range 1 keV-15 MeV. II. Best cross sections for  $U^{235}$  based on microscopic experimental and theoretical data available at March 1962, 4-12252
- Parker, K. Neutron cross-sections of U-234 in the energy range 1 keV - 15 MeV, 4-28048
- Parker, K. See Bell, V.J., 4-30333
- Parker, K. See Johansson, A., 1-3444
- Parker, K. See Lane, A.M., 0-11309
- Parker, P.D., Bahcall, J.N. and Fowler, W.A. Termination of the proton-proton chain in stellar interiors, 4-17976
- Parker, P.D. and Kavanagh, R.W.  $He^+(\alpha, \gamma)Be^7$  reaction, 3-24809
- Parker, P.D. See Alburger, D.E., 4-25293
- Parker, P.D. See Bashkin, S., 0-2660
- Parker, P.D. See Tombrello, T.A., 3-12522
- Parker, P.D. See Tombrello, T.A., 3-24810
- Parker, P.M. Symmetry properties of the asymmetric-rotator centrifugal-distortion constants, 3-2595
- Parker, P.M. Note concerning ruby maser-type Hamiltonians, 1-10182
- Parker, P.M. and Brown, L.C. Computation of asymmetric rotator constants from energy moments. III. First-order centrifugal stretching effects, 0-2740
- Parker, P.M. and Mayer, W.G. Method for the determination of elastic constants for some crystallographic groups, 2-10729
- Parker, P.M. See Chung, K.T., 3-8229
- Parker, P.M. See Genusa, V.A., 3-4737
- Parker, P.M. See Mayer, W.G., 2-10728
- Parker, P.M. See Meyer, V.E., 1-7507
- Parker, R. and Lord, H. The electrical resistivity of oxygen deficient nickel ferrite, 0-7945
- Parker, R. and Lord, H. The electrical properties of nickel ferrites containing a manganese impurity, 2-6471
- Parker, R. and Smith, M.C. The solubility of nickel in nickel ferrite, 2-2415
- Parker, R. See Elwell, D., 4-6982
- Parker, R. See Lord, H., 1-1082
- Parker, R.A. Lorentz corrections in rutile, 2-2201
- Parker, R.A. Static dielectric constant of rutile ( $TiO_2$ ) 1.6-1060°K, 2-2202
- Parker, R.A. and Wasilik, J.H. Dielectric constant and dielectric loss of  $TiO_2$  (rutile) at low frequencies, 1-1133
- Parker, R.A.R. The spectrum of a nebula under conditions of collisional excitation and ionization, 4-10841
- Parker, R.B. See Bixler, H.J., 0-19227
- Parker, R.G., Burnett, L.L., Wootton, P. and McIntyre, D.J. Radiation cataract in clinical therapeutic radiology, 4-26982
- Parker, R.J. See Arnold, R.R., 1-20347
- Parker, R.J. See Foy, J.E., 0-9143
- Parker, R.L. Growth rates of potassium crystal from the vapor phase, 3-3271
- Parker, R.L., Anderson, R.L. and Hardy, S.C. Growth and evaporation kinetics and surface diffusion of K and Hg crystal whiskers, 4-4559
- Parker, R.L. and Hardy, S.C. Vapor-phase growth kinetics of potassium whiskers by field emission, 3-3276
- Parker, R.L. and Krinsky, A. Electrical resistance-strain characteristics of thin evaporated metal films, 3-22902
- Parker, R.L. and Kushner, L.M. Growth rates of zinc crystals from the vapor phase, 1-20432
- Parker, R.L. See Simmons, J.A., 4-29063
- Parker, R.P. An improved anti-coincidence shield for use in low background counting, 1-16612
- Parker, R.P. Beryllium-7 and fission products in surface air, 2-17150
- Parker, R.P. and Crookall, J.O. Seasonal variation and age of radioactive fall-out, 1-10313
- Parker, S., Anderson, H.L. and Rey, C. Search for the decay  $\mu^+ \rightarrow e^+ + \gamma$ , 4-9231
- Parker, S. and Penman, S. Search for the decay  $\mu^+ \rightarrow e^+ + e^- + e^+$ , 2-9879
- Parker, S. See Rey, C., 3-17143
- Parker, S.G. See Houzvicka, F., 4-17785
- Parker, V.E. 1964 citations for distinguished service, 4-18008
- Parker, W. An apparatus for the vacuum deposition of radioactive materials, 0-17514
- Parker, W. A method for the separation of gold irradiated mercury isotopes, 1-17296
- Parker, W. Gamma-recoil products from the neutron irradiation of colloidal silver, 3-6929
- Parker, W., Andreen, C.J. and Slätis, H. A simple electron gun for use in electron scattering studies, 2-13595
- Parker, W., Bildstein, H. and Getoff, N. Molecular plating. I. A rapid and quantitative method for the electro-deposition of thorium and uranium, 4-17866
- Parker, W., Bildstein, H. and Getoff, N. Molecular plating. III. The rapid preparation of radioactive reference samples, 4-22056
- Parker, W., Bildstein, H. and Getoff, N. Quantitative electro-deposition of thorium and uranium, 4-20836
- Parker, W., Bildstein, H., Getoff, N., Fischer-Colbrie, H. and Regal, H. Molecular plating. II. A rapid and quantitative method for the electrodeposition of the rare-earth elements, 4-17867
- Parker, W. and Grunditz, Y. An improved apparatus for the vacuum deposition of radioactive materials, 3-15125
- Parker, W. See Andreen, C.J., 2-16087
- Parker, W. See Andreen, C.J., 3-12443
- Parker, W. See De Croës, M., 1-630
- Parker, W. See Erman, P., 0-17288
- Parker, W.C. and Grunditz, Y. Rapid carrier free separation technique, 2-4545
- Parker, W.E. and East, L.V. Automatic processing system for acoustical data, 1-2828
- Parker, W.E. See East, L.V., 0-19584
- Parker, W.J., Jenkins, R.J., Butler, C.P. and Abbott, G.L. Flash method of determining thermal diffusivity, heat capacity, and thermal conductivity, 1-13006
- Parker, W.J. See Rudkin, R.L., 2-2906
- Parkerson, C.R. See Wieder, H.H., 2-12564
- Parkerson, C.R. See Wieder, H.H., 4-15767
- Parkes, A.S. and Hughes, R.E. The crystal structure of cyanogen, 3-25729
- Parkes, A.S. and Hughes, R.E. Irradiated volume in Weissenberg and precession techniques, 4-7586
- Parkes, D.J. See Leroy, C.C., 3-9552
- Parkhomenko, E.I. and Bondarenko, A.T. An investigation of the electric resistivity of rocks at pressures up to 40 000 kg/cm<sup>2</sup> and temperatures up to 400°, 4-22663
- Parkhomenko, E.I. See Volarovich, M.P., 0-2928
- Parkhomovskii, S.I. Impact on a grid of plates in symmetrical cavitation flow, 1-6834
- Parkhouse, P.G.J.T. See Finney, P.J., 2-5717
- Parkin, D.W., Hunter, W. and Brownlow, A.E. Metallic cosmic dust with amorphous attachments, 2-11121



- Parkin, D.W. See Hunter, W., 0=6582
- Parkin, I.A. See Briggs, B.H., 3=21124
- Parkin, P.H. Loudness of common noise, 0=6892
- Parkin, P.H. and Scholes, W.E. Oblique air-to-ground sound propagation over buildings, 0=14769
- Parkin, P.H. See Evans, E.J., 0=14775
- Parkins, R.N. See Hardie, D., 0=21195
- Parkins, W.E. Surface film formation in heterogeneous and homogeneous reactors, 2=6042
- Parkinson, D. Atomic polarizabilities, 0=5849
- Parkinson, D. See Dalgarno, A., 0=9736
- Parkinson, D. See Dalgarno, A., 1=1888
- Parkinson, D. See Ferguson, A.F., 3=23628
- Parkinson, D.H. Summarized proceedings of a symposium on electronic devices at helium temperatures — London, November, 1960, 1=16219
- Parkinson, D.H. Very low temperature engineering, 2=2940
- Parkinson, D.H. International Conference on high magnetic fields, Massachusetts Institute of Technology, November 1961, 2=22296
- Parkinson, D.H. Some aspects of the infra-red absorption spectra of semiconductors, 2=23569
- Parkinson, D.H. Infra-red spectroscopy and low temperatures, 3=15667
- Parkinson, D.H. Superconductors in instrumentation, 4=8577
- Parkinson, D.H. See Lock, J.M., 3=340
- Parkinson, M. An axiomatic approach to dimensions in physics, 4=11008
- Parkinson, R.W., Jones, H.H. and Shapiro, I.I. Effects of solar radiation pressure on earth satellite orbits, 0=8530
- Parkinson, T.F. and Grant, L.G. Activation analysis of particulate air contaminants, 3=9019
- Parkinson, T.F. See Karam, R.A., 4=19537
- Parkinson, W.C. Comments on the interpretation of gross structure studied, 2=1790
- Parkinson, W.C. and Bilaniuk, O.M. Solid state detectors for high resolution nuclear spectroscopy, 1=16618
- Parkinson, W.C. and Maxwell, J.R. Gross structure and 1d-shell nuclei, 2=12111
- Parkinson, W.C. and Tickle, R.S. The University of Michigan 83-inch cyclotron. I. General description, 3=5741
- Parkinson, W.C. See Bardwick, J., 3=5744
- Parkinson, W.C. See Bruinsma, P., 3=5743
- Parkinson, W.C. See Green, J.A., 2=18350
- Parkinson, W.C. See Knoll, G.F., 3=17494
- Parkinson, W.C. See Maxwell, J.R., 4=22028
- Parkinson, W.D. The influence of continents and oceans on geomagnetic variations, 2=15276
- Parkinson, W.H. Time resolved absorption studies in a shock tube: a new band system of BaO, 2=696
- Parkinson, W.H. and Nicholls, R.W. Spectroscopic temperature measurements in a shock tube using CN as a thermometric molecule, 0=12455
- Parkinson, W.H. and Reeves, E.M. Brightness temperatures and intensity measurements in flash discharges, 1=16084
- Parkinson, W.H. and Reeves, E.M. The spectrum of titanium nitride, 3=19999
- Parkinson, W.H. See Garton, W.R.S., 2=22897
- Parkinson, W.H. See Nicholls, R.W., 3=24018
- Parkinson, W.H. See Reeves, E.M., 3=4047
- Parkinson, W.H. See Reeves, E.M., 3=16800
- Parks, A.M. [Ed.]. Digest of literature on dielectrics. Volume 25, 1961, 3=13102
- Parks, A.M. See Callinan, T.D., 0=18089
- Parks, A.M. See Callinan, T.D. [Eds.], 2=5289
- Parks, D.E. The effects of atomic motions on the moderations of neutrons, 2=5669
- Parks, D.E., Beyster, J.R. and Wikner, N.F. Thermal neutron spectra in graphite, 2=20355
- Parks, D.E. See Boffi, V.C., 3=12727
- Parks, D.E. See Nelkin, M.S., 0=13131
- Parks, D.E. See Wikner, N.F., 4=19897
- Parks, G.A. See Anderson, J.H., Jr., 4=26271
- Parks, G.S. and Moscher, H.P. Heats of combustion and formation of seven organic compounds containing oxygen, 2=21585
- Parks, J. See Feld, B.T., 1=13419
- Parks, J.G. See Blue, M.H., 1=8456
- Parks, J.G. See Blue, M.H., 2=5637
- Parks, J.K. Toward a simple mathematical model for microwave backscatter from the sea surface at near-vertical incidence, 4=30054
- Parks, J.M. and Parr, R.G. Theory of electronic excitation and reorganization in the formaldehyde molecule, 0=15710
- Parks, J.R. Criticality criteria for various configurations of a self-heating chemical as functions of activation energy and temperature of assembly, 1=4092
- Parks, P.B., Beard, P.M., Bilpuch, E.G. and Newson, H.W. Cryogenic system for the production of very thin targets, 4=19322
- Parks, P.E. See Carome, E.F., 4=21128
- Parks, P.N. See Schiffer, J.P., 4=12579
- Parks, R. and Maunder, L. Damped free oscillations of a gyroscopic system, 1=19462
- Parks, R. See Collard, H., 3=25065
- Parks, R.D. Recent progress in magnetic cooling with paramagnetic metals, 4=16305
- Parks, R.D. and Little, W.A. Magnetic cooling with paramagnetic metals, 1=11415
- Parks, R.D. and Little, W.A. Fluxoid quantization in a multiply-connected superconductor, 4=8556
- Parks, R.D. and Mochel, J.M. Direct evidence for quantized vortices in a thin superconductor, 4=18610
- Parks, R.D. and Mochel, J.M. Evidence for quantized vortices in a superconducting strip, 4=5529
- Parks, R.D. See Little, W.A., 2=22124
- Parks, R.D. See Little, W.A., 4=18542
- Parkyn, D.G. Satellite orbits in an oblate atmosphere, 0=10539
- Parkyn, D.G. Analysis of satellite data, 1=20880
- Parkyn, D.G. Satellite 1958<sub>2</sub> data analysis, 2=11181
- Parkyn, D.G. Forced oscillations in a cylindrical atmosphere, 4=17879
- Parlag, A.M., Suvorov, A.D., Shkoda, Ul'yanov, V.A. and Shabalina, L.A. Calculation of the photoneutron yield in mixtures of SiO<sub>2</sub> with small amounts of Be, H<sub>2</sub>O, Li, C, U, and Th, 4=7802
- Parlag, A.M. See Dorosh, M.M., 4=19755
- Parlah, O.M. See Hrishayev, I.O., 2=18317
- Parlange, F. See Bardet, R., 4=27558
- Parlange, F. See Consoli, T., 4=5619
- Parlange, F. See Consoli, T., 4=18981
- Parlange, F. See Lepechinsky, D., 4=18977
- Parlange, J.Y. See Chu, B.T., 3=11980
- Parlier, B. See Agrinier, B., 3=19525
- Parlinski, K. Application of the classical selfcorrelation function to determine the slow neutron scattering cross-section of free molecules, 3=4732
- Parliński, K. See Maniawski, F., 4=9755
- Parmee, J.L. Preparation of high purity single crystal silicon. The floating-zone technique, 0=16268
- Parmeggiani, A. See Adorni, N., 3=11983
- Parmenter, C.S. Primary photochemical processes in glyoxal at 4358 Å, 4=25756
- Parmenter, R.H. High-current superconductivity, 0=3702
- Parmenter, R.H. Theory of superconducting contacts, 0=10851
- Parmenter, R.H. Enhancement of superconductivity by extraction of normal carriers, 1=18700
- Parmenter, R.H. Position-dependent superconductivity, 4=5502
- Parmenter, R.H. See Herman, F., 0=20891
- Parnell, D.R. See Katz, R., 0=1258
- Parnell, T.M. Film carrier for the analysis of oscillograms by means of a travelling microscope, 0=19391
- Parodi, J.A. See Aven, M., 0=11998
- Parodi, O. See Benoit à la Guillaume, C., 3=2900
- Parolini, G. Radioluminescence from  $\beta$  radiation, 0=2962
- Parouty, J.C. See Raoult, G., 3=25567
- Parr, J.G. Martensite, 3=11288
- Parr, J.G. See Bibby, M.J., 4=10440
- Parr, J.G. See Bibby, M.J., 4=13495
- Parr, J.G. See Bibby, M.J., 4=26569
- Parr, J.G. See Goldak, G.R., 4=23299
- Parr, J.G. See Singh, K.P., 3=5121
- Parr, J.G. See Singh, K.P., 3=5123
- Parr, J.G. See Swanson, W.D., 4=13496
- Parr, J.G. See Yurko, G.A., 0=4648
- Parr, J.G. See Yurko, G.A., 3=8845
- Parr, R.G. Papers from the conference on molecular quantum mechanics, held at The University of Colorado, Boulder, Colorado, U.S.A., June 21-27, 1959, 0=17804
- Parr, R.G. Three remarks on molecular orbital theory of complex molecules, 0=20678
- Parr, R.G. Theorem governing changes in molecular conformation, 4=25606
- Parr, R.G. and Snyder, L.C. Perturbation theory calculations, 2=3681
- Parr, R.G. See Bishop, D.M., 3=22564
- Parr, R.G. See Companion, A.L., 2=3769



- Parr, R. G. See Del Re, G., 4=12440  
 Parr, R. G. See Hauk, P., 4=1244  
 Parr, R. G. See Hoyland, J. R., 3=17565  
 Parr, R. G. See Karplus, M., 3=12801  
 Parr, R. G. See Ludwig, O. G., 1=12302  
 Parr, R. G. See Parks, J. M., 0=15710  
 Parr, R. G. See Saturno, A. F., 0=15769  
 Parr, R. G. See Snyder, L. C., 1=5957  
 Parr, R. G. See Snyder, L. C., 1=8850  
 Parr, R. G. See Turner, A. G., 4=17306  
 Parr, R. G. See Turner, A. G., 4=22291  
 Parr, W. E. See Conlan, J., 1=4550  
 Parra, F. Apparatus for the measurement of differential chromatic thresholds of the human eye, 2=17328  
 Parra, F. See Chanu, J., 0=8664  
 Parra, F. See Chanu, J., 2=17592  
 Parra, F. See Matsuo, H., 2=17331  
 Parratt, L. G. See Wainfan, N., 0=14089  
 Parratt, M. E. M. L. See Gordon, J. E., 0=3261  
 Parravano, G. See Lee, V. J., 0=1958  
 Parravano, G. See Perakis, N., 0=4476  
 Parreira, H. C. Light scattering by solutions of surface active agents, 1=4477  
 Parreira, H. C. See Ottewill, R. H., 1=20773  
 Parrent, G., Jr. See Beran, M., 2=2856  
 Parrent, G. B., Jr. Studies in the theory of partial coherence, 0=19352  
 Parrent, G. B., Jr. Imaging of extended polychromatic sources and generalized transfer functions, 1=4433  
 Parrent, G. B., Jr. A bibliography on coherence theory, 2=7315  
 Parrent, G. B., Jr. Some fundamental questions of coherence theory, 4=3130  
 Parrent, G. B. Jr. and Roman, P. On the matrix formulation of the theory of partial polarization in terms of observables, 0=12675  
 Parrent, G. B., Jr. Shore, R. A. and Skinner, T. J. On the mutual coherence function in an inhomogeneous medium, 2=20132  
 Parrent, G. B. Jr. and Skinner, T. J. Diffraction of partially coherent light by a plane aperture, 1=5358  
 Parrent, G. Jr. See Beran, M., 3=9574  
 Parrent, G. B., Jr. See Edwards, S. F., 0=19359  
 Parrish, J. R. Packing of spheres, 2=1130  
 Parrish, M., Jr. See Bird, G. R., 0=14852  
 Parrish, W. Results of the I.U.Cr. Precision lattice-parameter project, 1=15068  
 Parrish, W., Mack, M. and Taylor, J.  $K\alpha$  satellite interference in X-ray diffractometer lines profiles, 3=23426  
 Parrish, W. See Ladell, J., 0=2524  
 Parrish, W. See Mack, M., 4=15771  
 Parrish, W. See Taylor, J., 4=7585  
 Parrish, W. See Taylor, J., 4=30833  
 Parrott, J. E. Critical scattering in semiconductor  
 Parrott, J. E. The high temperature thermal conductivity of semiconductor alloys, 3=10616  
 Parrott, J. E. See Gasson, D. B., 2=23417  
 Parrott, J. E. See Gasson, D. B., 3=1345  
 Parrott, J. E. See Gasson, D. B., 3=10828  
 Parrott, J. E. See Holmes, P. J., 2=10917  
 Parrott, L. Experimental studies of glass breakage due to sonic booms, 3=16692  
 Parrott, T. L. See Maglieri, D. J., 4=4778  
 Parry, E. See Todd, G., 4=23449  
 Parry, G., Scott, H. D. and Swierszczewski, S. The elastic scattering of  $^3\text{He}$  by C, Mg, Al and Cu, 1=5796  
 Parry, G., Scott, H. D. and Swierszczewski, S. The angular distributions of alpha particle groups from the reaction  $^{24}\text{Mg}(^3\text{He}, \alpha)^{21}\text{Mg}$ , 1=9885  
 Parry, G. See Dalton, A. W., 0=7577  
 Parry, G. See Dalton, A. W., 1=9878  
 Parry, G. See Dalton, A. W., 1=13851  
 Parry, G. See Dalton, A. W., 1=17145  
 Parry, G. S. Studies in domain crystallography. I. The composite reciprocal lattice of a multidomain ("hybrid") crystal, 2=15004  
 Parry, G. S. Studies in domain crystallography. II. A new low-temperature crystal structure of potassium cyanide, 2=15005  
 Parry, G. S. See Bottomley, M. J., 4=22506  
 Parry, G. S. See Cimino, A., 0=21196  
 Parry, G. S. See Cimino, A., 1=7834  
 Parry, J. V. L. See Essen, L., 0=21  
 Parry, J. V. L. See Essen, L., 0=6635  
 Parry, J. V. L. See Essen, L., 0=10547  
 Parry, L. G. See Stacey, F. D., 1=18061  
 Parry, L. G. See Stacey, F. D., 2=11119  
 Parry, W. E. Some comments on the reaction matrix for a many-boson system, 1=18312  
 Parry, W. E. and Haar, ter. D. On the theory of relaxation processes in liquid helium, 3=309  
 Parry, W. E. and Turner, R. E. Temperature-dependent Green functions and neutron scattering in liquid helium II, 2=7488  
 Parry, W. E. and Turner, R. E. Nonideal bose gas at nonzero temperatures, 3=76  
 Parry, W. E. and Turner, R. E. Some analytical properties of Green functions and self-energy parts for a system of interacting bosons, 3=11725  
 Parry, W. E. and Turner, R. E. Green functions in statistical mechanics, 4=24081  
 Parry, W. E. See Brenig, W., 3=21647  
 Parry, W. E. See ter Haar, D., 2=15497  
 Parry, W. E. See Ter Haar, D., 3=1621  
 Parsanov, A. P. See Cecernikov, V. I., 0=13757  
 Parsegian, V. L. Role of physics in revision of engineering curricula, 0=857  
 Parsegian, V. L. Versatile accelerator facility for research at R.P.I., 3=19380  
 Parshad, R. See Kundra, K. D., 4=2869  
 Parshin, A. M., Kolosov, I. E., Marinets, T. K. and Pechnikov, I. I. Discontinuities in long-term strength curves, 3=23349  
 Parshin, P. F. Apodization in Fourier spectrometry, 3=9612  
 Parshin, P. F. An instrumental function for discrete analysis in Fourier spectrometry, 3=18987  
 Parshin, P. F. Distortion of the intensity distribution in a spectrogram as a function of the interferometer exit aperture in the Fourier-spectrometry method, 3=18995  
 Parshin, P. F. Signal-to-noise ratio in spectra obtained by the method of Fourier spectroscopy, 4=24365  
 Parshin, P. F. See Kiselev, B. A., 2=15729  
 Parsonage, N. G. and Scott, R. L. Contribution of octopole-octopole interactions to the excess properties of mixtures of tetrahedral molecules, 2=16499  
 Parsons, A. S. L. See Aitken, D. K., 4=3247  
 Parsons, A. S. L. See Heddle, D. W. O., 3=14214  
 Parsons, C. T. See Muggleton, A. H. F., 4=30099  
 Parsons, D. Variation of magnetic moment with composition in the iron-vanadium sigma phase, 0=10134  
 Parsons, D., Sucksmith, W. and Thompson, J. E. The magnetization of cobalt-aluminium, cobalt-silicon, iron-aluminium and iron-silicon alloys, 0=677  
 Parsons, D. See Crangle, J., 1=1207  
 Parsons, J. L. Vibrational spectra of orthorhombic metaboric acid, 1=3542  
 Parsons, J. L., Silver, A. H. and Milberg, M. E. Some structural data for cubic metaboric acid, 1=11569  
 Parsons, J. R. and Balluffi, R. W. Displacement spike crystallization of amorphous germanium during irradiation, 4=17461  
 Parsons, J. R., Balluffi, R. W. and Koehler, J. S. Direct observation of neutron damage in germanium, 3=6553  
 Parsons, L. W. and Wiatr, Z. M. Rubidium vapour magnetometer, 2=13646  
 Parsons, N. R. Phase changes in the daily variation of the cosmic ray nucleonic component, 1=3370  
 Parsons, N. R. Effects of short-term world-wide modulation of the primary cosmic radiation on observed daily intensity variations, 1=13569  
 Parsons, N. R. See Phillips, J., 2=12052  
 Parsons, N. R. See Edwards, P. J., 3=6191  
 Parsons, P. L. Junction diodes made on plastically deformed germanium, 2=16735  
 Parsons, R. See Mott, N. F., 2=8922  
 Parsons, R. B., Wardzynski, W. and Yoffe, A. D. The optical properties of single crystals of cadmium selenide, 1=14570  
 Parsons, R. B. See Chadderton, L. T., 3=6652  
 Parsons, R. W. The photodisintegration of manganese and rhodium, 0=1436  
 Parsons, R. W. See Burton, C. H., 4=239  
 Parsons, R. W. See Burton, C. H., 4=20089  
 Parsons, R. W. See King, J. D., 0=2679  
 Parsons, T. T. See Muggleton, A. H. F., 3=22043  
 Parsy, F. See Mandel, J., 2=19478  
 Parsy, F. See Mandel, J., 2=19479  
 Parsy, F. See Mandel, J., 4=5119  
 Parthasarathy, N. V. See Sanchi, I., 0=3624  
 Parthasarathy, R. "Anomalous dispersion" effects in electron diffraction and their possible applications, 1=20496  
 Parthasarathy, R. Determination of the anomalous scattering factor  $\Delta f'$  for chlorine, 2=10860



- Parthasarathy, R. Effect  $\alpha$  to errors of atomic co-ordinates on structure amplitude and Bijvoet inequality, 2=21507
- Parthasarathy, R. and Berkey, F.T. Radio noise from the auroral electrons, 1, 4=17933
- Parthasarathy, R., Lerfeld, G.M. and Little, C.G. Derivation of electron-density profiles in the lower ionosphere using radio absorption measurements at multiple frequencies, 4=2274
- Parthasarathy, R. and Ramachandran, G.N. Determination of space groups using anomalous dispersion, 3=13425
- Parthasarathy, R., Ramachandran, G.N. and Mallikarjunan, M. Intensity of X-ray reflections from perfect and mosaic crystals, 4=23380
- Parthasarathy, R. See Little, C.G., 3=5881
- Parthasarathy, R. See Little, C.G., 4=26849
- Parthasarathy, R. See Ramachandran, G.N., 3=8826
- Parthasarathy, R. See Ramachandran, G.N., 3=8828
- Parthasarathy, R. See Swarup, G., 0=4851
- Parthasarathy, S. and Bindal, V.N. Ultrasonic absorption in acetic acid at 450 kc/s by the calorimetric method, 0=5096
- Parthasarathy, S. and Bindal, V.N. Ultrasonic propagation constants in supercooled salol, 0=10723
- Parthasarathy, S. and Bindal, V.N. Ultrasonic velocity in supercooled liquids, 1=12876
- Parthasarathy, S., Pancholy, M., Bindal, V.N. and Saksena, T.K. Ultrasonic absorption in chloral and chloral hydrate, 2=17460
- Parthé, E. and Sadagopan, V. The structure of dimolybdenum carbide by neutron diffraction technique, 3=11264
- Parthé, E. See Arbuckle, J., 3=8842
- Parthé, E. See Boller, H., 3=25725
- Parthé, E. See Boller, H., 4=4617
- Parthé, E. See Duffin, W.J., 4=26676
- Parthé, E. See Schob, O., 4=26650
- Parthé, Ed. See Parthé, Er., 3=11258
- Parthe, Er. and Parthe, Ed. Note on the structure of ScP and Yp, 3=11258
- Partlová, M. and Eckertová, L. The thermoemission and photoemission maxima in silver-caesium photocathodes, 0=5338
- Partlow, W.D. and Moulton, W.G. Temperature dependence of the  $\text{Cl}^{35}$  pure quadrupole resonance in  $\text{NaClO}_3$ , 4=4435
- Partovi, F. Note on perturbation of a uniform magnetic field by a cube of magnetic material, 0=19874
- Partovi, F. Theoretical treatment of ellipsometry, 2=17652
- Partovi, F. Deuteron photodisintegration and n-p capture below pion production threshold, 4=16975
- Partovi, F. Effects of parity nonconserving internucleon potentials on the photoeffect in  $\text{H}^2$ , 4=16976
- Partridge, A.T. See Eaton, G.K., 3=2917
- Partridge, J.A. See May, C.E., 4=13084
- Partridge, J.M. See Owston, P.G., 0=8236
- Partridge, M.F. See Griffiths, J.H.E., 0=8067
- Partridge, P.G. and Roberts, E. The microhardness anisotropy of magnesium and zinc single crystals, 4=1955
- Partridge, P.G. See Forsyth, P.J.E., 0=21168
- Partridge, P.G. See Harris, J.E., 2=18996
- Partridge, P.G. See Harris, J.E., 4=30872
- Partridge, P.G. See Hirsch, P.B., 0=21117
- Partridge, P.G. See Lally, J.S., 3=17751
- Partridge, P.G. See Segall, R.L., 0=21118
- Partridge, P.G. See Segall, R.L., 2=6335
- Partridge, R.B. See Field, G.B., 2=4856
- Partridge, R.H. See Charlesby, A., 3=4994
- Partridge, R.H. See Charlesby, A., 3=4995
- Partridge, W.S. and Vanfleet, H.B. Similarities between lunar and high-velocity-impact craters, 0=6
- Paruz, H. Measurement of crystal lattice parameters in the solid solution uranium-plutonium, 2=19087
- Pârvan, R. Fast electrons in a continuous current discharge in a gas, 2=15894
- Parvov, V.F. See Shubnikov, A.V., 2=4387
- Parvova, E.V. See Rozhanskii, V.N., 3=13409
- Parvova, E.V. See Rozhanskii, V.N., 4=1478
- Parzen, G. Accelerators with a general magnetic field, 1=16449
- Parzen, G., Anderson, J.C., Storm, M.R., Maynard, J.M. and Carlson, H.L. A computer program to investigate orbit stability in circular accelerators, 3=5769
- Parzen, G. and Morton, P. Choice of betatron oscillation frequencies in a spiral sector F.F.A.G. accelerator, 4=8877
- Parzen, G. See Cole, F.T., 4=14793
- Parzen, P. Radiation from a modulated electron beam with a plasma background, 1=18856
- Parzen, P. Scattering of an electron beam by a neutral gas, 2=13601
- Parzen, P. Noise power radiation from non-equilibrium cylindrical plasmas with one-dimensional thermal velocities, 3=4130
- Parzen, P. Multiple charge exchange of an accelerated positive-ion beam in a neutral gas, 3=21716
- Parzen, P. Effect of ion engine exhaust on telemetry systems, 4=14908
- Parzen, P. and Nomicos, G. Traveling-wave technique of cyclotron radiation, 2=9821
- Parzonka, W. Variation of the rheological constants of suspensions of Serre-Ponçon clay as a function of concentration, 4=15854
- Pasachoff, J.M. See Ingrao, H.C., 1=16387
- Păsărică, V. See Andreescu, I., 3=17311
- Pasarca, V. See Andreescu, I., 4=27880
- Pascal, J., Morin, J. and Lacombe, P. Determination of the anisotropy of the electrical resistivity of  $\alpha$ -uranium at 18°C, 3=22899
- Pascal, P., Gallais, F. and Labarre, J.F. The diamagnetic susceptibility of ethylenic and acetylenic hydrocarbons, 1=14074
- Păscălu, M. and Müller, A. Adaptation of a type PTI-4A leak detector to mass spectrometric analysis, 2=5391
- Păscălu, M., Weissman, E. and Tătaru, E. Fabry-Perot interferometry magnetostriuctive scanning, 2=9403
- Păscălu, M. See Weissman, E., 2=9393
- Pascard, H. and Berteaud, A.J. Study of the dispersion of spin-waves in thin ferromagnetic films, 4=17673
- Pascaru, I. E. s. r. spectrometer with high frequency field modulation, 4=21662
- Pascaru, I. and Valeriu, A. Spectrograph for the study of electronic paramagnetic resonance in the domain of microwaves, 2=3179
- Pascaru, I. See Constantinescu, M., 3=8707
- Pascaru, I. See Valeriu, A., 4=14916
- Pascaud, C. See Aubert, B., 4=21930
- Paschen, K.W. See Jones, J.L., 4=633
- Pasciutti, E.R. See Thun, R.E., 0=7005
- Pasechnik, L.L., Kozak, O.V. and Yagola, V.V. The confinement of a dense plasma with a current in a magnetic field, 4=21529
- Pasechnik, L.L. See Gabovich, M.D., 0=10922
- Pasechnik, L.L. See Gabovich, M.D., 0=19697
- Pasechnik, M.V. See Barchuk, I.F., 0=9679
- Pasechnik, M.V. See Val'ter, A.K., 0=20450
- Pashchenko, V.P. See Gus'kov, Yu. K., 4=24540
- Paschke, F. Note on the mechanism of the multipactor effect, 1=16299
- Paschke, F. Non-linear phenomena in electron beams, 3=5698
- Paschke, F. Nonlinear coupling of pure plasma oscillations and parametric amplification, 4=547
- Paschke, F. See Caulton, M., 2=7662
- Päschke, R. Measurement of the L-Auger fluorescence, and Coster-Kronig yields of gold, 4=1227
- Paschkis, V. See Calcaterra, P., 1=11668
- Pascual, P. Particles and symmetries, 2=3245
- Pascual, P. On the mass difference of the electron and the muon, 4=921
- Pascual, P. and Falicov, L.M. Dielectric formulation for many particle systems with general interactions, 3=14051
- Pascual, P. See Galindo, A., 4=9067
- Pascual, P. See Nambu, Y., 4=3322
- Pasechnik, L.L. See Gabovich, M.D., 1=5470
- Pasechnik, L.L. See Gabovich, M.D., 1=11647
- Pasechnik, L.L. See Gabovich, M.D., 2=9575
- Pasechnik, M.V., Barchuk, I.F., Belykh, G.V., Gol'yskin, V.I., Ogorodnik, A.F., Veretbn'yi, V.P., Vlasov, M.F., Kolot'yi, V.V. and Maistrenko, A.N. Gamma-ray and neutron spectra in the horizontal beamhole of the VVR-M reactor of the Institute of Physics, Academy of Sciences, Ukrainian SSR, 4=1149
- Pasechnik, M.V., Batalin, V.A., Korzh, I.A. and Totskii, I.A. Scattering of neutrons of 0.5 and 0.8 MeV energy by medium and heavy nuclei, 4=19787
- Pasechnik, M.V. and Ivanitskii, P.G. Investigation of the stripping reaction on nickel isotopes, 3=2489
- Pasechnik, M.V. and Ivanitskii, P.G. Investigation of the stripping reaction on chromium isotopes, 3=24972
- Pasechnik, M.V., Pucherov, N.N. and Chirko, V.I. Angular distribution of protons inelastically scattered from Cr and Ni isotopes, 2=16394
- Pasechnik, M.V., Pucherov, N.N., Orlenko, B.F. and Prokopenko, V.S. Polarization of 6.8 MeV protons scattered on carbon, 1=19454



- Pasechnik, M.V., Salt'kov, L.S. and Tambovtsev, D.I. Polarization of protons in stripping reactions on light and medium nuclei, 3=15222
- Pasechnik, M.V. See Korzh, I.A., 4=19786
- Pasechnik, M.V. See Korzh, I.O., 4=12230
- Pasechnik, M.V. See Nemets, O.F., 3=19880
- Pasechnik, M.V. See Nemets, O.F., 4=3648
- Pasechnik, M.V. See Val'ter, A.K., 2=443
- Pasechnik, M.V. See Val'ter, A.K., 2=22805
- Pasechnik, M.V. See Val'ter, A.K., 3=17457
- Pasechnik, Yu. A. See Nesterenko, B. A., 4=10046
- Pasechnyk, M.V., Ofenhenden, R.H. and Konenko, L.D. Alma-2 pulse-height analyser, 1=16229
- Pasechnyk, M.V. See Barchuk, I.F., 1=12204
- Pasetchnik, M.V., Putcherov, N.N., Kashuba, I.E. and Tchirko, V.I. Elastic scattering of 6.8 MeV protons by atomic nuclei, 1=8707
- Pasetchnik, M.V. See Val'ter, A.K., 1=8706
- Pashaev, B.P. On the change in the thermal conductivity of tin, bismuth and gallium on melting, 1=9990
- Pashaev, B.P. On the change in the thermal conductivity of tin, bismuth and gallium on melting, 1=11171
- Pashaev, B.P. Change of thermal conductivity of some Cd-Sn and Bi-Sn alloys on melting, 1=19730
- Pashaev, B.P. Change of thermal conductivity of some Cd-Sn and Bi-Sn alloys on melting, 2=3856
- Pashinin, P.P. and Prokhorov, A.M. Measurement of the spin-lattice relaxation time in compounds with strong covalent bonding, 1=14810
- Pashinin, P.P. and Prokhorov, A.M. Spin-lattice relaxation of  $\text{Yb}^{3+}$  in  $\text{CdF}_2$ , 3=18138
- Pashinin, P.P. and Prokhorov, A.M. Spin-lattice relaxation of the  $\text{Fe}^{3+}$  ion in  $\text{K}_2(\text{Co, Fe})(\text{CN})_6$ , 4=10323
- Pashinin, P.P. and Prokhorov, A.M. Electron spin resonance and spin-lattice relaxation for the  $\text{Yb}^{3+}$  ion in  $\text{CdF}_2$ , 4=26442
- Pashinin, P.P., Prokhorov, A.M. and Udovenchik, V.T. Electron paramagnetic resonance of  $\text{Tm}^{2+}$  in  $\text{CaF}_2$ , 3=18134
- Pashinin, P.P. See Konyukhov, V.K., 2=14826
- Pashinin, P.P. See Konyukhov, V.K., 2=18948
- Pashinin, P.P. See Kornienko, L.S., 2=6696
- Pashinin, P.P. See Kornienko, L.S., 3=6752
- Pashinkin, A.S. and Kovba, L.M. The polymorphic forms of cadmium sulphide and selenide, 3=18233
- Pashinkin, A.S., Tishchenko, G.B., Korneeva, I.V. and Ryzhenko, B.N. The polymorphism of some chalcogenides of zinc and cadmium, 1=4006
- Pashintsev, Yu.I. See Sirota, N.N., 0=1563
- Pashitskii, É.A. Interaction of an electron beam with a plasma in a magnetic field. I. Longitudinal oscillations, 3=21847
- Pashitskii, É.A. Interaction of an electron beam with a plasma in a magnetic field. II. Transverse oscillations, 3=21848
- Pashkov, P.P. See Putsykin, G. G., 4=23344
- Pashkov, P.P. See Shaskol'skaya, M.P., 2=4376
- Pashkovskii, M.V., Rybalka, V.V. and Savitskii, I.V. Processes of conduction in mercury sulphide monocrystals, 2=23405
- Pashkovskii, M.V., Rybalka, V.V. and Savitskii, I.V. Processes of conduction in mercury sulphide monocrystals, 3=6630
- Pashkovskii, M.V., Rybalka, V.V. and Volzhenskii, D.S. A simple apparatus for controlling a temperature under laboratory conditions, 4=16279
- Pashkovskii, M.V., Tsai', N.A. and Tkachuk, A.D. Effect of anion impurities containing oxygen on the electrical conductivity of alkali-halide crystals, 3=17944
- Pashkovskii, M.V. See Tsai', N.A., 4=26589
- Pashkovskiy, M.V., Savyt'skiy, I.V. and Lutsiv, R.V. Growing single crystals of mercuric sulphide, 2=8797
- Pashkovskiy, M.V. and Volzhenskii, D.S. A study of the properties of the semiconductor systems  $\text{Cu}_2\text{O} \cdot \text{Nb}_2\text{O}_5$  and  $\text{Cu}_2\text{O} \cdot \text{V}_2\text{O}_5$ , 2=8359
- Pashkovskiy, M.V. See Bilen'kiy, B. F., 4=7142
- Pashley, D.W. A study of the deformation and fracture of single-crystal gold films of high strength inside an electron microscope, 0=8286
- Pashley, D.W. The observation of dislocations in thin single crystal films of gold prepared by evaporation, 0=15839
- Pashley, D.W. The preparation of smooth single crystal surfaces of silver by an evaporation technique, 0=16271
- Pashley, D.W. and Presland, A.E.B. The observation of anti-phase boundaries during the transition from  $\text{CuAu I}$  to  $\text{CuAu II}$ , 0=21212
- Pashley, D.W. and Presland, A.E.B. Ion damage to metal films inside an electron microscope, 1=20709
- Pashley, D.W. and Presland, A.E.B. The movement of dislocation during the observation of metal films inside an electron microscope, 2=23195
- Pashley, D.W. and Stowell, M.J. The growth of evaporated silver layers inside an electron microscope, 3=18381
- Pashley, D.W. and Stowell, M.J. Electron microscopy and diffraction of twinned structures in evaporated films of gold, 4=4524
- Pashley, D.W. See Bassett, G.A., 0=21246
- Pashley, D.W. See Bassett, G.A., 1=2554
- Pashley, D.W. See Dickson, E.W., 3=1376
- Pashley, D.W. See Glossop, A.B., 0=8278
- Pashley, D.W. See Hunt, A.M., 3=8902
- Pashley, D.W. See Jacobs, M.H., 3=20930
- Pashley, D.W. See Menter, J.W., 2=23150
- Pashos, T.J., Ritland, G.D. and Russell, J.L.Jr. A method for comparing reactor control materials, 1=11054
- Pashuk, A.I. See Broder, D.L., 4=17042
- Pashutin, V.P. See Sobolev, B.P., 3=23455
- Pasichnyk, H.V. See Veretbnii, V. P., 4=24166
- Pasichnyk, L.L. and Kozak, O.V. Investigation of the escape of charged particles from a plasma in a magnetic field, 3=21772
- Pasichnyk, M.V., Barchuk, I.F. and Kl'ymentov, V.B. Experimental investigation of the physical parameters of the VVR-M reactor of the Institute of Physics of the Academy of Sciences of the Ukrainian SSR, 2=18387
- Pasichnyk, M.V. and Chyrko, V. I. Polarization of 6.9 MeV protons elastically scattered on nickel isotopes  $[\text{Ni}^{58, 60, 62, 64}]$ , 4=25390
- Pasichnyk, M.V. and Ivan'yts'kyi, P.I. Ground-state spins and parities of Ni isotopes, 2=10138
- Pasichnyk, M.V., Oplenko, B.F., Prokolenki, V.S., Pucherov, M.M. and Chyrko, V.I. Scattering of [6.8 MeV] protons by Pb isotopes  $[\text{Pb}^{116, 117, 118, 124}]$ , 2=12186
- Pasichnyk, M.V. and Tambovtsev, D.I. Proton polarization in the reaction  $\text{Be}^9(d, p)\text{Be}^{10}$ , 2=18353
- Pasichnyk, M.V. See Val'ter, A.K., 1=19455
- Pasinetti, L.E. On the possibility of using microphotograms in the study of the solar corona, 1=15485
- Pasinetti, L.E. See Fracassini, M., 2=11124
- Pasinetti, L.E. See Fracassini, M., 2=17297
- Pask, J.A. See Budworth, D.W., 4=17739
- Pask, J. A. See Budworth, D. W., 4=23172
- Paskar', B. L. See Agapova, N. I., 4=8246
- Paskievici, W. The principle of an analysis of complex experimental curves and its application to the measurement of the grain density of heavily ionizing tracks in nuclear emulsion, 0=5462
- Paskin, A. Long-range magnetic interactions via conduction electrons, 0=11819
- Paskin, A. Effect of long-range interactions on order, 4=13482
- Paskin, A. and Weiss, R.J. Image of the Fermi surface in lead, 2=23115
- Paskin, A. See Chipman, D.R., 0=1920
- Paskin, A. See Chipman, D.R., 0=1921
- Paskin, A. See Chipman, D.R., 0=12026
- Paskin, A. See Goland, A. N., 4=22639
- Paskin, A. See Harrison, R.J., 1=14245
- Paskin, A. See Harrison, R.J., 3=8899
- Paskin, A. See Harrison, R. J., 4=23385
- Paskin, A. See Sagalyn, P.L., 1=17389
- Paskin, A. See Strongin, M., 4=18582
- Pas'ko, É. B. See Karandeev, K. B., 4=29256
- Paslay, P.R. See Saunders, H., 0=10710
- Päsler, M. New proof of a hydrodynamical minimum theorem and an extension of its range of validity, 0=2147
- Päsler, M. Observation on the wave-mechanical treatment on the H-atom by the Laplace-transformation, 4=17241
- Päsler, M. See Lübbig, H., 4=27016
- Pasnak, M. and Lundsten, R.H. Effects of high temperature on magnetic properties of core materials, 0=2989
- Pasotti, G., Sacchetti, N., Sacerdoti, G. and Sanna, G. Some experimental results of superconducting solenoids, 4=27611
- Pasotti, G. See Evangelisti, R., 2=20100
- Pasqualini, L. See Baciú, G., 4=22106
- Pasquarelli, A. See Bernardini, M., 0=2640
- Pasquarelli, A. See Bonazzola, G. C., 4=12239
- Pasquier, R. See Radvanyi, P., 2=1892
- Pasquill, F. Some observed properties of medium-scale diffusion in the atmosphere, 2=12996



- Pasquill, F. Recent broad-band spectral measurements of turbulence in the lower atmosphere, 3=3454
- Pasquill, F. The determination of eddy diffusivity from measurements of turbulent energy, 3=11395
- Pasquill, F. Relations between the Lagrangian and Eulerian properties of turbulence, 4=13786
- Pasquill, F. and Butler, H. E. A note on determining the scale of turbulence, 4=10710
- Pasquinelli, A. See Alberigi Quaranta, A., 3=24152
- Passaglia, E. and Kevorkian, H. K. Specific heat of atactic and isotactic polypropylene and the entropy of the glass, 3=10587
- Passaglia, E. See McCrackin, F. L., 3=24062
- Passaglia, E. See Stromberg, R. R., 4=30888
- Passari, L. See Antonini, B., 4=28794
- Passari, L. See Bordin, G., 4=22678
- Passari, L. See Federighi, T., 0=17994
- Passari, L. See Paoletti, A., 4=17656
- Passarini, C. See Casini, G., 0=15623
- Passatore, G. On the longitudinal depolarization of beams of spin  $\frac{1}{2}$  particles by multiple Coulomb scattering, 1=5899
- Passatore, G. See Bbbel, G., 0=17692
- Passatore, G. See Carrassi, M., 0=327
- Passatore, G. See Carrassi, M., 0=15248
- Passatore, G. See Carrassi, M., 2=7839
- Passatore, G. See Carrassi, M., 3=6046
- Passatore, G. See Carrassi, M., 3=10155
- Passatore, G. See Carrassi, M., 4=21807
- Passelecq, J. Change of total enthalpy in laminar motion, 0=221
- Passell, L., Blinowski, K., Brun, T. and Nielsen, P. Critical magnetic scattering of neutrons in iron, 4=13187
- Passell, L., Dickinson, W. C. and Bartolini, W. Effect of reflection on the performance of mechanical neutron monochromators, 1=10896
- Passell, L., Sailor, V. L. and Schermer, R. I. Nuclear polarization in EuS and Eu, 4=28318
- Passell, L. See Brown, W., 2=7254
- Passell, L. See Dickinson, W. C., 2=9853
- Passell, L. See Möller, H. B., 3=22140
- Passell, T. O. and Heath, R. L. Cross sections of threshold reactions for fission neutrons: nickel as a fast flux monitor, 2=5941
- Passell, T. O. and Perry, C. L. Upstream diffusion in Hagen-Poiseuille flow, 1=5254
- Passmore, T. R. See Price, W. C., 3=8303
- Passon, B. An application of the magneto-optical Kerr effect for the investigation of fast magnetization processes, 3=25536
- Passon, B. See Kranz, J., 1=11433
- Passon, B. See Kranz, J., 1=11434
- Pasoth, G. On the Jones-Ray effect and the surface tension of dilute solutions of electrolytes, 0=2160
- Passow, C. See Citron, A., 2=6043
- Past, V. E. See Pal'm, U. V., 3=16178
- Pasternack, S. and Sternheimer, R. M. An orthogonality property of hydrogenlike radial functions, 3=6341
- Pasternak, J., Davisson, J. W. and Vaughan, W. H. Structure of <100> dielectric breakdown dendrites, 2=8775
- Pasternak, M. and Nardi, E. A search for an intermediate level in  $\text{Ag}^{10m}$ , 4=27971
- Pasternak, M. and Sonnino, T. Decay of  $\text{Br}^{83}$ , 3=19817
- Pasternak, M. See Hazoni, Y., 3=4807
- Pasternak, M. See Ruby, S. L., 3=6172
- Pasternak, R. A. Crystallographic evidence for the existence of  $\text{B}_7\text{O}$ , 0=1906
- Pasternak, R. A., Fraser, E. C., Bergsnov-Hansen, B. and Wiesendanger, H. U. D. Controlled flash heating of metal filaments, 3=7379
- Pasternak, R. A. and Wiesendanger, H. U. D. Interaction of hydrogen and of nitrogen with a molybdenum ribbon, 1=11600
- Pasternak, R. A., Wiesendanger, H. U. D. and Bergsnov-Hansen, B. A dynamic method for measuring total emissivities and specific heats of electrical conductors, 4=5433
- Pasternak, R. A. See Gibson, R., 4=26718
- Pasternak, R. A. See Hopkins, T. E., 2=17060
- Pastels, R. Contribution to the study of the problem of actinometric methods, 0=4780
- Pastmyak, I. Some physical properties of AlN, 4=25896
- Pastor, A. Esteve. See Esteve Pastor, A.
- Pastor, J. The tolerance solid of an optical system functioning at low spatial frequencies, 0=19401
- Pastor, J. Influence of sight limitation on the measurement of the modulation function of an optical system, 2=17594
- Pastor, J. and Ramos, C. Removal of cross-hatching, 2=15753
- Pastor, J. and Ramos, C. Half-tone screens and information content. Tramado, Destramado E Informacion, 2=17669
- Pastor, J. See Hidalgo, A., 2=22056
- Pastor, L. and Perrin, N. Two levels in  $\text{Ru}^{101}$ , 4=17059
- Pastor, R. C. and Hoskins, R. H. Paramagnetic resonance in charred dextrose, 0=3310
- Pastor, R. C. See Devor, D. P., 0=4507
- Pastor, R. C. See Hoskins, R. H., 0=16159
- Pastore, N. Color phenomena, 1=1621
- Pastore, N. Induction of a stereoscopic depth effect, 4=26995
- Pastrana de Rivera, L. See Cano Corona, O., 3=8989
- Pastrňák, J. Refractive index of  $\text{Cu}_2\text{O}$  crystals in region up to  $10\ \mu$ , 1=19947
- Pastrňák, J. The spectral distribution of quantum yield of infrared luminescence of  $\text{Cu}_2\text{O}$  at low temperatures, 1=20005
- Pastrňák, J. The structure of the absorption curve and the character of optical transitions in cuprous oxide crystals, 2=23553
- Pastrňák, J. Photo-luminescence and growth defects in  $\text{ZnS} : \text{Cu}$  monocrystals, 3=3055
- Pastrňák, J. Polarization of photo-luminescence of  $\text{ZnZ} : \text{Cu}$  monocrystals, 3=3056
- Pastrnak, J., and Souckova, L. Production of thin films of aluminium-gallium- and indium nitride in a gas discharge, 3=13565
- Pastrnyak, I. The temperature dependence of the visible-light absorption coefficient in copper oxide crystals, 0=643
- Pastrnyak, I. The absorption and reflection of light, and the nature of the optical electron transitions in crystals of  $\text{Cu}_2\text{O}$ , 1=19966
- Pastrnyak, I. and Titov, R. A. The spectral distribution of photoelectric sensitivity of crystals of  $\text{Cu}_2\text{O}$  at low temperatures, 1=12457
- Pastrnyak, I. See Gross, E. F., 0=644
- Pastrnyak, I. See Gross, E. F., 0=1678
- Pastrnyak, I. See Gross, E. F., 0=1679
- Pastrnyak, I. See Gross, E. F., 0=6162
- Pastukhov, E. A. See Churchmavrev, S. K., 4=2654
- Pastukhova, Z. V. Preparation of targets and radioactive sources from cobalt, copper, and silver, 3=24532
- Pastur, A. L. See Kosevich, A. M., 2=21466
- Pastur, A. L. See Kosevich, A. M., 3=3258
- Pastur, L. A., Fel'dman, E. P., Kosevich, A. M. and Kosevich, V. M. A straight dislocation near the plane of discontinuity of elastic constants in an infinite anisotropic medium, 3=17716
- Pastur, L. A. See Kosevich, A. M., 1=12382
- Pastur, L. A. See Kosevich, A. M., 2=2345
- Pastur, L. A. See Kosevich, A. M., 4=1472
- Pastushuk, N. S. See Korsunskii, M. I., 0=18073
- Pastushuk, N. S. See Korsunskii, M. I., 1=14517
- Pastushuk, N. S. See Korsunskii, M. I., 1=17803
- Pastushuk, N. S. See Korsunskii, M. I., 1=19907
- Pastushuk, N. S. See Korsunskii, M. I., 4=1686
- Pastushuk, N. S. See Korsunskii, M. I., 4=30667
- Pasýnkov, R. E. An investigation of nonlinear properties in a  $\text{BaTiO}_3$  single crystal and a polarized  $\text{BaTiO}_3$  ceramic in strongly alternating fields, 2=672
- Pasýnkov, R. E. See Velyukhanova, G. A., 2=14627
- Pasýnkov, R. E. See Velyukhanova, G. A., 4=1909
- Pasýnkov, R. E. See Zaitseva, V. I., 2=14626
- Pasýnkov, V. V., Kholuyanov, G. F. and Chirkin, L. K. Dynamic current-voltage characteristics of silicon carbide resistors, 0=15886
- Pasyuk, A. S. See Flevov, G. N., 0=7497
- Paszkowski, B. and Woliński, W. Semi-transparent Ag-O-Cs photocathode, 4=3029
- Pásztor, E. See Ádám, A., 4=16910
- Pásztor, G. See Bodó, Z., 4=6763
- Pataki, G. On the time dependence of irreversible processes in Knudsen gas, 1=15711
- Pataki, G. Application of irreversible thermodynamics in the theory of recombination in semiconductors, 1=19841
- Pataki, G. On the time dependence of irreversible processes, 2=2642
- Pataki, G. Transient lifetime in case of recombination through excited states in non-degenerated semiconductors, 3=20287
- Pataki, G. Remark on the theory of the bulk photoeffect in inhomogeneous semiconductors, 3=20395
- Pataki, G. and Sebeni, P. Phenomena [observed] in heterogeneous semiconductors, 0=9950
- Pataki, G. See Lörinczy, A., 1=14478
- Pataki, G. See Lörinczy, A., 3=10858



- Patankar, A.V. See Das, M.R., 1=9951
- Patapoff, M. See Barth, C.A., 3=6989
- Patarala, A.D. Propagation of a solitary wave in a plasma along a magnetic field, 3=24325
- Pataraja, A.D. See Tsintsadze, N.L., 1=4606
- Pataraya, A.D. The propagation along a magnetic field of non-linear oscillations in a plasma, 2=20006
- Pataraya, A.D. Propagation of nonlinear plasma oscillations along a magnetic field. II, 3=7623
- Pataraya, A.D. Instability of an isolated wave propagating along a magnetic field in a plasma, 4=550
- Pataraya, A.D. The structure of an isolated wave propagating across a magnetic field, 4=19026
- Patarāya, A.D. Structure of solitary waves propagated along a magnetic field, 4=24697
- Pataraya, A.D. and Lominadze, D.G. Excitation of magnetohydrodynamic waves in an anisotropic plasma, 2=22239
- Patashinskii, A.Z. Symmetry of the solutions obtained in determining the singularities of Feynman diagrams by Landau's method, 1=16714
- Patashinskii, A.Z. The position of singularities of Feynman diagrams, 2=16152
- Patashinskii, A.Z. The position of singularities of Feynman diagrams, 3=5927
- Patashinskii, A.Z. Integral representations in perturbation theory, 3=14850
- Patashinskii, A.Z. and Pokrovskii, V.L. Phase transitions of the second kind in a Bose fluid, 4=16312
- Patashinskii, A. Z., Podrovsii, V. L. and Khalatnikov, I. M. Investigation of the S-matrix: in complex angular momentum space in the quasi-classical case, 4=3347
- Patashinskii, A. Z., Pokrovskii, V. L. and Khalatnikov, I. M. Quasiclassical scattering in a centrally symmetric field, 4=5969
- Patashinskii, A. Z., Pokrovskii, V. L. and Khalatnikov, I. M. Regge poles in nonrelativistic quantum mechanics, 4=8076
- Patashinskii, A.Z., Rudik, A.P. and Sudakov, V.V. Singularities of the scattering amplitude in perturbation theory, 1=13345
- Patashinskii, A. Z. See Bat'ev, É. G., 4=27414
- Patashinskii, A. Z. See Bat'ev, É. G., 4=29822
- Patashinsky, A. Z., Pokrovsky, V. L. and Khalatnikov, I. M. Regge poles in the problem of a quasiclassical potential well, 4=860
- Patat, F. and Wittmann, E. Base catalysed epoxide splitting, 3=20997
- Patch, R.W. Modification of a photomultiplier for use in the far ultraviolet, 1=13117
- Patch, R.W. Shock-tube measurement of dissociation rates of hydrogen, 2=12346
- Patch, R.W., Shackleford, W.L. and Penner, S.S. Approximate spectral absorption coefficient calculations for electronic band systems belonging to diatomic molecules, 3=2606
- Pate, B.D. and Poskanzer, A.M. Spallation of uranium and thorium nuclei with BeV-energy protons, 1=11016
- Pate, B.D. See Hurwitz, C., 4=22190
- Pátek, K. On the photo-electroluminescence of ZnS-Cu, 0=2964
- Pátek, K. Temperature dependence of secondary peak of electroluminescence of ZnS-Cu, 0=4462
- Pátek, K. The electroluminescence of ZnS:Cu single crystals excited with pulses of alternating polarity, 1=17920
- Pátek, K. The influence of a small electric perturbation on the electroluminescence curve of ZnS:Cu, 1=17921
- Pátek, K. On the electroluminescence of ZnS at low voltages, 1=17922
- Pátek, K. A new method of growing ZnS single crystals by sublimation, 2=4384
- Pátek, K. The basic growth parameters of ZnS single crystal grown by sublimation, 2=10789
- Pátek, K., Kubátová, J. and Jehlicka, B. Microscope with photo-electric recording for the study of the luminescence of single crystals, 4=7167
- Pátek, K., Skála, M. and Součková, L. The growing of luminescent and electroluminescent ZnS-Cu, Cl crystals, 2=16987
- Pátek, K. See Damašková, S., 1=17923
- Pátek, K. See Damašková, S., 1=19988
- Pátek, K. See Damašková, S., 3=6655
- Pátek, K. See Hauptmanová, K., 3=8804
- Pátek, K. See Kubátová, J., 5=8631
- Pátek, K. See Kubátová, J., 3=11016
- Patel, A.R. Structure of etch-pits on diamond surfaces, 1=20409
- Patel, A.R. Mechanism of etching and development of etch figures on octahedral faces of diamond, 2=2349
- Patel, A.R. Trigons on a twin boundary, 4=15749
- Patel, A.R. and Goswami, K.N. Some micro-disk patterns on topaz, 2=8774
- Patel, A.R. and Goswami, K.N. Etching of calcite cleavages, 2=10786
- Patel, A.R. and Goswami, K.N. Structure of etch-pits on calcite, 3=8802
- Patel, A.R. and Goswami, K.N. Optical and interferometric studies on the cleavages of synthetic diamonds and their etch patterns, 3=13406
- Patel, A. R. and Goswami, K. N. Spirals on octahedral faces of synthetic diamonds, 4=23312
- Patel, A. R. and Goswami, K. N. Etching of topaz cleavages, 4=23315
- Patel, A.R., Goswami, K.N. and Ramanathan, S. Spiral patterns on synthetic diamonds, 3=15661
- Patel, A.R. and Ramanathan, S. Etching of mica cleavages, 3=807
- Patel, A.R. and Ramanathan, S. Etch pits on diamond surfaces, 3=1259
- Patel, A.R. and Ramanathan, S. Triangular pyramids on the octahedral faces of synthetic diamonds, 3=23381
- Patel, B.S. See Kim, H., 3=5434
- Patel, C. C. See Rama Murthy, P., 4=4632
- Patel, C.K.N. Optical power output in He-Ne and pure Ne maser, 3=525
- Patel, C.K.N. Determination of atomic temperature and Doppler broadening in a gaseous discharge with population inversion, 3=22493
- Patel, C. K. N. Collision processes leading to optical masers in gases, 4=24895
- Patel, C. K. N. Interpretation of CO<sub>2</sub> optical maser experiments, 4=24896
- Patel, C.K.N., Bennett, W.R., Jr., Faust, W.L. and McFarlane, R.A. Infrared spectroscopy using stimulated emission techniques, 3=9507
- Patel, C.K.N., Faust, W.L. and McFarlane, R.A. High gain gaseous (Xe-He) optical masers, 3=17074
- Patel, C. K. N., Faust, W. L., McFarlane, R. A. and Garrett, C. G. B. Laser action up to 57.355  $\mu$  in gaseous discharges (Ne, He-Ne), 4=11823
- Patel, C. K. N., Faust, W. L., McFarlane, R. A. and Garrett, C. G. B. CW optical maser action up to 133  $\mu$  (0.133 mm) in neon discharges, 4=30086
- Patel, C. K. N., McFarlane, R. A. and Faust, W. L. Optical maser action in C, N, O, S, and Br on dissociation of diatomic and polyatomic molecules, 4=11828
- Patel, C.K.N. See Bennett, W.R., Jr., 2=22908
- Patel, C.K.N. See Faust, W.L., 3=17075
- Patel, C. K. N. See Faust, W. L., 4=11820
- Patel, C.K.N. See Fork, R.L., 3=8202
- Patel, C.K.N. See Fork, R.L., 3=17076
- Patel, C.K.N. See Fork, R.L., 4=16691
- Patel, C.K.N. See McFarlane, R.A., 3=6358
- Patel, C.K.N. See McFarlane, R.A., 3=14806
- Patel, C. K. N. See McFarlane, R. A., 4=27689
- Patel, H. See Borst, L.B., 1=19687
- Patel, J. C. See Ellison, F. O., 4=6551
- Patel, J. C. See Ellison, F. O., 4=26738
- Patel, J.R. and Batterman, B.W. Impurity clustering effects on the anomalous transmission of X-rays in silicon, 3=23098
- Patel, J.R. and Chaudhuri, A.R. Oxygen precipitation effects on the deformation of dislocation-free silicon, 2=16956
- Patel, J.R. and Chaudhuri, A.R. Macroscopic plastic properties of dislocation-free germanium and other semiconductor crystals. I. Yield behavior, 3=23322
- Patel, J.R., Wagner, R.S. and Moss, S. X-ray investigation of the perfection of silicon, 2=21574
- Patel, J.R. See Chaudhuri, A.R., 2=21033
- Patel, J.R. See Chaudhuri, A.R., 3=10660
- Patel, J.R. See Pfann, W.G., 2=16991
- Patel, M.M. Vibrational analysis of the (B<sup>2</sup>  $\Pi$   $\rightarrow$  X<sup>2</sup>  $\Pi$ ) system of NS, 3=12825
- Patel, M. M. See Patel, S. P., 4=30427
- Patel, M.M. See Sankaranarayanan, S., 3=6389
- Patel, M. M. See Sankaranarayanan, S., 4=28182
- Patel, N.J. and Bhavsar, C.M. The elastic scattering of 426 MeV electrons by lithium-6, 1=17086
- Patel, P.M., Carroll, A., Strax, N. and Miller, D. Measurement of the triple scattering parameter Dt in the free n-p system, 2=18122
- Patel, P.M. See Carroll, A.S., 4=16900
- Patel, S.A. and Venkatraman, B. Creep bending of compressible plates, 2=14889



- Patel, S.A., Venkatraman, B. and Bentson, J. A stress-strain relation for inelastic material behavior, 3=14076
- Patel, S. P. and Patel, M. M. Electronic transition moment variation of CrO molecule, 4=30427
- Patel, V.L. and Cahill, L.J., Jr. Evidence of hydromagnetic waves in the earth's magnetosphere and of their propagation to the earth's surface, 4=17957
- Patel, V.L. and Maeda, K. Short-term variations in meson and nucleon component of cosmic rays, 2=341
- Patel, V.L. See Maeda, K., 1=16933
- Patel, V.L. See Maeda, K., 1=16946
- Patel, V.L. See Maeda, K., 2=337
- Patell, R. See Cohen, B. L., 4=25261
- Pater, M., Blüch, R. and Krainer, E. Studies of the structural constituents of AlNi and AlNiCo permanent magnet materials by microsonde and microhardness, 3=16090
- Patera, I. and Palev, Ch.D. A theoretical interpretation of elastic  $\pi^-p$  scattering experiments on the J.I.N.R. O.I.Ya.I. synchrophasotron of the joint institute for nuclear research, 0=13032
- Patera, I. See Barashenkov, V.S., 4=21900
- Patera, I. See Belyakov, V.A., 3=24798
- Patera, I. See Belyakov, V.A., 4=27898
- Patera, J. See Barashenkov, V.S., 4=3488
- Patera, J. See Barashenkov, V.S., 4=30222
- Paterson, J.M. See Rutherglen, J.G., 1=9702
- Paterson, J.M. See Rutherglen, J.G., 1=9703
- Paterson, J.M. See Rutherglen, J.G., 2=9758
- Paterson, J.M. See Walker, J.K., 3=4423
- Paterson, M.S. X-ray line broadening in plastically deformed calcite, 0=21130
- Paterson, M.S. Effect of pressure on Young's modulus and the glass transition in rubbers, 4=7454
- Paterson, M. S. See Bullen, F. P., 4=23133
- Paterson, M.S. See Kemsley, D.S., 1=2515
- Paterson, W. J., Etherington, E. W. and Berenbaum, R. Thermal neutron diffusion measurements in concrete by the pulsed source method, 4=6061
- Paterson, W. L. Multiplication and logarithmic conversion by operational amplifier-transistor circuits, 4=8592
- Pathak, K.M. See Deka, G.C., 2=22836
- Pathak, K.M. See Deka, G.C., 3=22325
- Pathak, K. M. See Deka, G. C., 4=25418
- Pathak, P.D. and Bhavsar, C.M. A gradientless furnace, 0=14899
- Pathak, P.D. and Pandya, N.V. A small furnace for use with Seifert X-ray diffractometer, 0=3192
- Pathak, P.D. and Pandya, N.V. Thermal expansion of caesium iodide by X-ray diffraction and the Grüneisen's parameters, 0=6026
- Pathak, P.D. and Pandya, N.V. Thermal expansion of some alkali halides by X-ray diffraction, 1=14185
- Pathak, P.D., Pandya, N. V. and Ghadiali, M. P. Thermal expansion of some alkali fluorides and magnesium oxide by X-ray diffraction, 4=3996
- Pathria, R.K. A note on the (relativistic) statistical mechanics of an assembly in mass-motion, 0=2138
- Pathria, R.K. On the (relativistic) statistical thermodynamics of an assembly in mass-motion, 0=8571
- Pathria, R.K. and Kawatra, M.P. Quantum statistical mechanics of a many-body system with square-well interaction, 2=11299
- Pathria, R.K. and Kawatra, M.P. Quantum statistical mechanics of a many-body system of interacting particles, 2=15495
- Pathria, R.K. and Kawatra, M.P. Quantum statistical mechanics of a many-body system with several components, 3=5379
- Pathria, R.K. and Singh, A.D. Low-temperature behaviour of a Bose gas with hard-sphere interaction, 1=15737
- Pathria, R.K. See Nanda, V.S., 1=12340
- Pathria, R.K. See Nanda, V.S., 1=15164
- Pathria, R.K. See Nanda, V.S., 2=23961
- Pathria, R.K. See Singh, A.D., 1=10635
- Pati, J.C. Test of global symmetry in pion-baryon interactions by  $K^- + p$  reactions, 1=10909
- Pati, J.C. Nonleptonic hyperon decays in the pole approximation and the strong-coupling constants, 3=15036
- Pati, J.C. Dynamical model of the 1535-Mev  $\Xi^*$  hyperon, 4=16972
- Pati, J.C. and Oneda, S. An attempt at universal four-fermion interaction, 0=17231
- Pati, J.C., Oneda, S. and Sakita, B. On the leptonic and non-leptonic decay models of K-mesons, 0=20221
- Pati, J.C. See Chiba, S., 1=16905
- Pati, J. C. See Kim, Y. S., 4=27895
- Pati, J.C. See Oneda, S., 0=12839
- Pati, J.C. See Oneda, S., 1=3238
- Patil, B.S. See Tawde, N.R., 0=17763
- Patil, H.N. An optical method of measuring convective air velocity, 0=6986
- Patil, R. N. See Mande, C., 4=10192
- Patil, S. See Frazer, W.R., 4=6127
- Patil, S.H. Energy dependence of proton electro-magnetic form factors, 3=17277
- Patil, S.H. See Frazer, W.R., 4=16957
- Patla, N. An electronic apparatus for the study of X-rays with proportional counter, 0=17299
- Patla, N. See Kiss, A.E., 0=5439
- Patla, N. See Kiss, A.E., 1=4686
- Patlach, A.M. See Hutchinson, D.P., 1=16833
- Patlach, A.M. See Hutchinson, D.P., 3=19663
- Patlach, A.M. See Hutchinson, D.P., 3=19664
- Patočka, J. and Tuček, J. Contribution to the interactions of fast pions with atomic nuclei, 3=2482
- Paton, A. and Millar, W. Compression of magnetic field between two semi-infinite slabs of constant conductivity, 4=14848
- Paton, J. Aurorae seen in daylight, 0=12190
- Paton, J. Notes on auroral data for July 1959 in W.D.C. Edinburgh, 2=21040
- Paton, J. Exploring the upper atmosphere, 2=15246
- Paton, J. E. See Chan, H.-M., 4=9101
- Paton, J. E. See Chan, Hong-Mo, 4=25030
- Paton, J. E. See Dowker, J. S., 4=5929
- Paton, J.E. See Mandelstam, S., 2=16155
- Patou, C., Bermond, J. and Scherer, M. A method of determining the momentum of a high energy particle in nuclear emulsions, 3=24668
- Patou, C. See Bermond, J., 0=19982
- Patou, C. See Bermond, J., 1=13251
- Patou, C. See Brou, R., 3=12381
- Patrakhin, N.P. The reasons for the development of a transverse temperature difference in a ferromagnetic carrying a longitudinal thermal current, 0=10138
- Patrakhin, N.P. A theory of the transverse thermal galvanomagnetic effect in a ferromagnetic conductor, 0=19597
- Patrakis, L. and Bernstein, H.J. Medium effects in n.m.r. III. Fluorine resonance in gases, 3=12865
- Patrakova, A. Ya. See Dorin, V. A., 4=1629
- Pătrașcu, Ș. The stability of an astatic system; the influence of the value of the magnetic moment, 1=1956
- Pătrașcu, S. See Atanasiu, G., 0=9133
- Pătrașcu, S. See Atanasiu, G., 0=19869
- Patrick, B. H., Patterson, J. M., Rutherglen, J. G. and Garvey, J. Photoproduction of  $\pi^+$  mesons from hydrogen at constant momentum transfer, 4=21892
- Patrick, F.B. Performance prediction of range finder systems, 3=18773
- Patrick, F. B. and Scidmore, W. H. Optical system design for telescopes, 4=14342
- Patrick, J.W. and Barkas, W.H. The grain-density of emulsion tracks, 2=11843
- Patrick, J.W. See Barbaro-Galtieri, A., 2=10434
- Patrick, J.W. See Barbaro-Galtieri, A., 4=3485
- Patrick, L. Polarization of the luminescence of donor-acceptor pairs, 0=8013
- Patrick, L. Electron emission from reverse-biased p-n junctions in SiC, 1=16360
- Patrick, L. Inequivalent sites and multiple donor and acceptor levels in SiC polytypes, 2=23124
- Patrick, L. and Choyke, W.J. Lattice absorption bands in SiC, 1=11372
- Patrick, L., Hamilton, D. R. and Choyke, W. J. Optical properties of 15 R SiC: luminescence of nitrogen-exciton complexes, and interband absorption, 4=7157
- Patrick, L. See Choyke, W.J., 0=8012
- Patrick, L. See Choyke, W.J., 2=23123
- Patrick, L. See Choyke, W.J., 2=23562
- Patrick, L. See Choyke, W. J., 4=10218
- Patrick, L. See Hamilton, D.R., 3=18034
- Patrick, R.M. High-speed shock waves in a magnetic annular shock tube, 0=1194
- Patrick, R.M. Experimental dependence of the collision-free shock thickness upon Alfvén Mach number, 0=10904
- Patrick, R.M. See Camac, M., 3=12216
- Patrick, R.M. See Gerry, E. T., 4=18323
- Patrick, R.M. See Powers, W.E., 3=1954
- Patrick, W.J. See Glang, R., 3=23508
- Patrie, M. See Flahaut, J., 4=4625



- Patrikeev, G.A. Molecular mechanism of formation and development of the division surface during deformations of polymeric substances in the highly elastic state, 3=5074
- Patrina, I.B. See Ioffe, V.A., 0=15942
- Patro, A.P. and Basu, B. Decay of antimony-113, 2=16358
- Patro, A.P. and Basu, B. Decay of  $\text{Ag}^{103}$ , 2=18293
- Patro, A.P. and Basu, B. Decay of yttrium-85, 2=20554
- Patro, A.P. See Basu, B., 2=5871
- Patro, A.P. See Basu, B., 2=16357
- Patro, A.P. See Basu, B., 3=19819
- Patro, A.P. See Dutt, P.K., 2=20036
- Patronic, E.T., Jr and Marshak, H. Low-energy capture gamma rays of  $\text{Eu}^{152}$  and  $\text{Eu}^{154}$ , 0=1393
- Patronis, E.I. See Wyly, L.D., 2=406
- Patronis, E.T., Jr. An economical double-delay-line amplifier, 3=14483
- Patronis, E.T., Jr. See Dulaney, H., 3=4600
- Patrushev, B.I., Rusanov, V.D., Kovan, I.A., Savichev, V.V. and Frank-Kamenetskii, D.A. Gyrotropic properties of a plasma in propagation of the extraordinary wave, 1=18905
- Patrushev, B.I. See Khmatov, A.P., 1=4628
- Patrushev, B.I. See Bartov, A.V., 4=8778
- Patrushev, B.I. See Borodin, A.V., 1=18886
- Patrushev, B.I. See Kovan, I.A., 3=7544
- Patrushev, B.I. See Rusanov, V.D., 1=18858
- Patrushev, B.I. See Zavoiskii, E.K., 2=3063
- Patrushev, S.L. See Borodin, A.V., 2=22223
- Patry, J.P., Seguinot, J. and Scherer, M. Collection times of light from a Cherenkov detector with diffusing walls, 1=1989
- Patry, J. P. See Bizard, G., 4=30344
- Patser, G.V. and Swann, P.R. Double tilting specimen holder for the Siemens Elmiskop I, 2=4511
- Patskevich, V.M. See Vavilov, V.S., 0=9965
- Patskevich, V.M. See Vavilov, V.S., 0=18030
- Patston, G.E. See Slee, O.B., 4=4956
- Patt, H.J. See Schmitz, G., 2=15646
- Patt, H.J. See Schmitz, G., 3=7589
- Patt, H.J. See Schmitz, G., 3=14557
- Pattee, H. H., Cosslett, V. E. and Engström, A. [Eds.]. X-ray optics and X-ray microanalysis, 4=24773
- Patten, C.G. See Gardner, M.E., 0=17066
- Patten, C.G. See Jungerman, J.A., 0=5374
- Patten, C.G. See Jungerman, J.A., 2=13774
- Patten, C.G. See Jungerman, J.A., 3=5747
- Patten, F. and Gordy, W. Temperature effects on free radical formation and electron migration in irradiated proteins, 0=20706
- Patten, F.W. See Hughes, F., 4=13742
- Patten, R.A. See Bouldin, W.V., 2=20917
- Pattenden, N.J. Neutron cross section measurements on fission product samarium and iodine, 4=17173
- Pattenden, N.J. and Harvey, J.A. The resonance energy cross section of  $\text{U}^{233}$ , 1=8790
- Pattenden, N.J. and Harvey, J.A. Measurement of the neutron total cross section of  $\text{U}^{233}$  from 0.07 to 10 000 eV, 4=17174
- Pattenden, N.J. and Rainey, V.S. The slow neutron total cross-section of  $^{240}\text{Pu}$ , 0=20497
- Pattenden, S.K. and Patterson, C.R. Measurement of the fission ratio for several configurations of uranium oxide rod clusters, 2=20699
- Pattenden, S.K. See Moore, P.G.F., 3=2544
- Pattenson, C.F. See Swail, J.C., 3=14093
- Patter, D.M. Van. See Van Patter, D.M.
- Patterson, A., Jr. See Berns, D.S., 2=1142
- Patterson, A., Jr. See Ettinger, R., 1=2350
- Patterson, A. L. Treatment of anomalous dispersion in X-ray data, 4=13565
- Patterson, C.L. Application of the lateral photoeffect to a tracking system, 2=21200
- Patterson, C.R. See Pattenden, S.K., 2=20699
- Patterson, D. Modern trends in the design of balances, 2=17404
- Patterson, D. See Bhattacharyya, S. N., 4=24199
- Patterson, D. See Nishikawa, K., 1=16179
- Patterson, D.A. Excitation and high-temperature absorption of  $\text{KCl} : \text{Ti}$ , 0=13709
- Patterson, D.A. Effects of oxygen and water vapor on the "OH" absorption in melt-grown alkali halides, 2=18834
- Patterson, D.A. Controlled atmosphere Kypoulos growth of alkali halide single crystals, 2=19051
- Patterson, D.A. and Vaughan, W.H. Influence of crystal surface on the optical transmission of lithium fluoride in the vacuum-ultraviolet spectrum, 3=15682
- Patterson, D.A. See Klick, C.C., 3=15517
- Patterson, D.A. See Klick, C.C., 3=22835
- Patterson, D.A. See Klick, C.C., 4=12809
- Patterson, G.W. See Serrell, R., 2=15455
- Patterson, H. and Tomlin, D.H. Experiments by radioactive tracer methods on sputtering by rare-gas ions, 2=3098
- Patterson, H. and Wilson, H.W. New mass spectrometer solid source arrangement for the simultaneous analysis of two samples, 2=3099
- Patterson, H.T. See Fort, T., Jr., 3=11774
- Patterson, H.W. See Hess, W.N., 0=1326
- Patterson, J. See Anderson, R., 2=22907
- Patterson, J.D. Use of a pseudopotential in color center calculations, 2=3955
- Patterson, J.D. Density matrix representations, 3=3762
- Patterson, J.D. Modern study of solids, 4=15395
- Patterson, J.H. See Kennedy, S.W., 1=9128
- Patterson, J.H. See Kennedy, S.W., 2=21047
- Patterson, J. M. See Patrick, B. H., 4=21892
- Patterson, J.R. See Newson, H.W., 1=13653
- Patterson, J.R. See Osgood, D. R., 4=22186
- Patterson, P. See Beaty, E. C., 4=11532
- Patterson, R. B. Backscatter of sound from a rough boundary, 4=5323
- Patterson, R. B. Model of a rough boundary as a backscatterer of wave radiation, 4=21247
- Patterson, R. L. and Wayman, C.M. Study of contamination rates in an electron microscope, 4=4641
- Patterson, R.L., Jr. See Lockhart, L.B., Jr., 0=14322
- Patterson, T.N.L. Whistler dispersions for a model of the ionic distribution in the exosphere, 2=9026
- Patterson, T. N. L., Johnson, F. S. and Hanson, W. B. The distribution of interplanetary hydrogen, 4=2412
- Patterson, T.N.L. See Bates, D.R., 2=4680
- Patterson, T.N.L. See Bates, D.R., 2=4682
- Patterson, T.N.L. See Bates, D.R., 3=3482
- Patterson, T.N.L. See Best, G.T., 2=24006
- Patterson, T.N.L. See Best, G.T., 3=9188
- Patterson, T.N.L. See Dalgarno, A., 0=20647
- Patterson, T. N. L. See Hanson, W. B., 4=7874
- Patterson, T. N. L. See Hanson, W. B., 4=10749
- Patterson, W.L., Jr and Greene, E.F. Kinetic study of the formation and reaction of CN molecules in shock waves, 2=6879
- Pattison, J. B. M. See Ashton, F., 4=970
- Patton, B.J. and Fitch, J.L. An hysteretic remanent magnetization in small steady fields, 2=6671
- Patton, C. E., III and Humphrey, F. B. Wall motion by reverse Néel walls in thin films, 4=13162
- Patton, V.A. See Piller, H., 3=8586
- Patty, M. and Rousset, A. Photonuclear interactions of cosmic muons in heavy liquid bubble chambers, 3=17299
- Patty, R.R. and Williams, D. Further studies of pressure-Patty, R.R. and Williams, D. Use of pressure modulation in studies of "hot bands", 2=2777
- Patty, R.R. and Williams, D. Infrared emission from a pressure-modulated gas, 2=11429
- Patty, R.R. and Williams, D. Pressure-modulation study of the absorption on non-black thermal radiation, 2=11430
- Patwardhan, P.K. A multi-channel pulse height analyser, 2=11587
- Patwardhan, P.K. and Mahajan, M.D. Some considerations of the address logic of a kicksorter employing ADC, 3=24197
- Patý, L. Cooling-water-flow alarm, 0=3500
- Pátý, L. An experimental equipment for obtaining a very low pressure, 0=6841
- Pátý, L. Pumping effect of a gas discharge high-vacuum pump, 0=8720
- Patý, L. High vacuum gas-leak valves, 0=19236
- Pátý, L. and Neužilová, R. A new construction of a high-vacuum high-speed ion pump, 0=3570
- Patý, L. The measurement of ultrahigh vacuum, I. Review, 1=5304
- Pátý, L. Heat transfer in a molecular manometer, 1=15979
- Pátý, L. and Schürer, P. The influence of the initial conditions on the pressure decrease during ionic pumping, 1=15972
- Paty, M. See Bellière, P., 4=3493
- Patyanin, S. I. and Regel, A. R. The manifestation of structural viscosity in the surface layers of liquid metals, 4=24230
- Patyanin, S. I. See Regel, A. R., 4=200
- Patzak, W. and Vonach, H. The  $\text{Al}^{27}(\text{n}, \alpha)\text{Na}^{24}$  and  $\text{Co}^{59}(\text{n}, \alpha)\text{Mn}^{56}$  reactions with 14 MeV neutrons, 3=6264
- Patzelt, R. Pulse measuring bridge for calibration of scintillation spectrometers, 4=5902



- Pauchard, R. See Alfandari, R., 1=3062  
 Pauculo, L. See Carrelli, A., 3=18826  
 Paufler, P. See Kirsten, C., 4=28920  
 Paufler, P. See Schulze, G. E. R., 4=13465  
 Pauflve, E. H. See Betts, J. F., 1=333  
 Pauflve, E. H. See Hunt, W. W., Jr., 4=8864  
 Pauker, V. See Panaitescu, D., 3=16825  
 Paul, A. See Argence, E., 4=13845  
 Paul, A. See Bibl, K., 0=15169  
 Paul, A. See Bibl, K., 3=5879  
 Paul, A. K. and Wright, J. W. Some results of a new method for obtaining ionospheric N(h) profiles and their bearing on the structure of the lower F region, 4=7927  
 Paul, A. P., House, A. S. and Stevens, K. N. Automatic reduction of vowel spectra: an analysis-by-synthesis method and its evaluation, 4=10949  
 Paul, D. A. L. Possible chemical reaction of orthopositronium with oxygen, 0=3292  
 Paul, D. A. L. and Saint-Pierre, L. Rapid annihilations of positrons in polyatomic gases, 4=11259  
 Paul, D. A. L. and Sawyer, W. D. Curve fitting using a digital computer, 4=21003  
 Paul, D. E. and Dalby, F. W. Kinetics of disappearance of the CN radical formed from  $C_2N_2$ , 2=20882  
 Paul, D. I. Theory of magnetism and the ground-state energy of a linear chain, 0=18175  
 Paul, D. I. Magnetism and the ground-state energy of a linear chain. II. Configuration interaction effects, 0=18176  
 Paul, D. I. Nuclear magnetic resonance within an antiferromagnetic Bloch wall, 2=16937  
 Paul, D. I. Spin waves and nuclear magnetic resonance enhancement in  $NiF_2$  domain walls, 3=18114  
 Paul, E. See Aderholz, M., 4=21919  
 Paul, E. See Bartsch, J., 4=21920  
 Paul, E. See Hulpke, E., 4=6469  
 Paul, E. Jr. and Humphreys, C. J. Newly observed lines of argon I and krypton I in the lead-sulfide region, 0=478  
 Paul, E. Jr. See Humphreys, C. J., 0=477  
 Paul, E., Jr. See Humphreys, C. J., 0=16854  
 Paul, E., Jr. See Humphreys, C. J., 3=18983  
 Paul, E., Jr. See Humphreys, C. J., 4=28116  
 Paul, E. B. Nuclei in the lp shell and near closed shells [properties of individual levels], 1=8573  
 Paul, E. B. International Conference on Instrumentation for High Energy Physics, Geneva, July 1962, 3=527  
 Paul, E. B., Evans, J. E. and Montague, J. H. The 2.2 MeV level in  $Al^{27}$ , 2=1793  
 Paul, E. B. and Montague, J. H. The reaction  $Ne^{22}(d,n)Na^{23}$ , 4=22176  
 Paul, E. B. See Clarke, R. L., 0=4098  
 Paul, E. B. See Ferguson, A. T. G., 1=702  
 Paul, E. B. See Montague, J. H., 2=5923  
 Paul, E. B. See Phillips, G. C., 0=19773  
 Paul, F. W. Temperature measurements with an optical pyrometer under adverse conditions, 4=11393  
 Paul, H. Beta-gamma directional correlations in the decay  $Sb^{124} \rightarrow Te^{124}$ , 1=3420  
 Paul, H. Higher order chance coincidences in a fast-slow coincidence arrangement, 1=18736  
 Paul, H. Reduction of noise in the 6342 Å photo-multiplier, 2=22243  
 Paul, H. Time operators in quantum mechanics, 3=42  
 Paul, H. Induced emission with strong irradiation, 4=3204  
 Paul, H. The coherence of induced radiation, 4=11883  
 Paul, H. and Brunner, W. Contribution to the theory of gamma-gamma angular correlations under combined magnetic and inhomogeneous electric fields. I. The general form of the correlation function, 3=15132  
 Paul, H. and Brunner, W. Contribution to the theory of gamma-gamma angular correlations under combined magnetic and inhomogeneous electric fields. II. The interaction operator, 3=15133  
 Paul, H. and Brunner, W. Theory of the  $\gamma$ - $\gamma$  angular correlation by a combined magnetic and inhomogeneous electric field. III. Numerical results, 4=6216  
 Paul, H., Brunner, W. and Richter, G. Interference between independent photons, 4=21265  
 Paul, H. and Hofmann, I. Backscattering and noise in a scintillation detector for a beta-ray spectrometer, 3=14964  
 Paul, H., Viehböck, F. P., Skarek, P., Baier, H., Hofmann, I. and Wotke, H. Measurement of the  $Na^{24}$  beta-spectrum, 4=1041  
 Paul, H. See Ashkin, J., 0=367  
 Paul, H. See Ashkin, J., 0=13005  
 Paul, H. See Ashkin, J., 0=15389  
 Paul, H. See Brunner, W., 1=3467  
 Paul, H. See Brunner, W., 1=4878  
 Paul, H. See Brunner, W., 1=4881  
 Paul, H. See Brunner, W., 1=7409  
 Paul, H. See Brunner, W., 1=13867  
 Paul, H. See Brunner, W., 1=19550  
 Paul, H. See Brunner, W., 2=5978  
 Paul, H. See Brunner, W., 2=8019  
 Paul, H. See Brunner, W., 2=10159  
 Paul, H. See Fazzini, T., 0=19858  
 Paul, H. S. Deformation of piezoelectric plates, 2=10566  
 Paul, H. S. Rotating disk of piezoelectric crystals, 2=16795  
 Paul, M. Remarks on "The Mössbauer-effect and the Hubble constant", 4=10789  
 Paul, M. C. and Oberg, P. E. Modified pyrometer temperature measurement technique, 4=27361  
 Paul, M. C. See Lins, S. J., 4=27588  
 Paul, P., Blatt, S. L. and Kohler, D. Evidence for the isotopic spin assignment  $T = 0$  for the level at 16.93 in  $Be^9$ , 4=22009  
 Paul, P. and Kohler, D. Alpha-particle spectra produced in the reactions of deuterons on  $Li^7$ , 3=10383  
 Paul, P. and Lieb, K. P. The excited state at 25 MeV in  $Be^9$ , 4=19668  
 Paul, P. and Stierlin, U. Gamma resonance scattering on the 17.22 MeV level in  $C^{12}$ , 0=5770  
 Paul, R. Solutions of concentration-dependent diffusion equation, 1=175  
 Paul, R. Force constants for unlike molecular interactions on exp-six model from inter-diffusion, 1=8864  
 Paul, R. Multicomponent diffusion in the systems  $^{86}Kr-Ne-Kr$  and  $^{86}Kr-A-Kr$ , 3=3822  
 Paul, R., Howard, A. J. and Watson, W. W. Isotopic thermal-diffusion factor of argon, 4=5239  
 Paul, R. and Srivastava, I. B. Mutual diffusion of the gas pairs  $H_2-Ne$ ,  $H_2-Ar$ , and  $H_2-Xe$  at different temperatures, 2=1194  
 Paul, R. and Srivastava, I. B. Studies in binary diffusion of the gas pairs  $O_2-A$ ,  $O_2-Xe$  and  $O_2-He$ , 2=5050  
 Paul, R. and Srivastava, I. B. Studies in binary diffusion of the gas pairs  $N_2-A$ ,  $N_2-Xe$  and  $N_2-He$ , 2=5051  
 Paul, R. See Srivastava, B. N., 2=17506  
 Paul, W. Band structure of the intermetallic semiconductors from pressure experiments, 1=17706  
 Paul, W., Benedek, G. B. and Warschauffer, D. M. Nonmagnetic high-pressure vessels, 0=3386  
 Paul, W. and Brooks, H. Effect of pressure on the properties of germanium and silicon, 4=12895  
 Paul, W., Demeis, M. and Finegold, L. X., Effect of pressure on the properties of  $PbS$ ,  $PbSe$  and  $PbTe$ , 3=10833  
 Paul, W., Osberghaus, O. and Fischer, E. An ion cage, 0=9106  
 Paul, W. See Althoff, K., 3=22165  
 Paul, W. See Bennewitz, H. G., 4=6664  
 Paul, W. See Cardona, M., 0=18028  
 Paul, W. See Cardona, M., 1=17447  
 Paul, W. See Deutsch, T., 1=17625  
 Paul, W. See Drees, J., 4=30006  
 Paul, W. See Feinleib, J., 3=25495  
 Paul, W. See Freitag, C., 3=22164  
 Paul, W. See Groves, S., 4=6790  
 Paul, W. See Holland, M. G., 2=23353  
 Paul, W. See Holland, M. G., 2=23355  
 Paul, W. See Horlitz, G., 0=17162  
 Paul, W. See Hulpke, E., 4=6469  
 Paul, W. See Hutson, A. R., 0=6085  
 Paul, W. See Koenig, S. H., 0=11689  
 Paul, W. See Nathan, M. I., 1=14448  
 Paul, W. See Nathan, M. I., 2=23354  
 Paul, W. See Nathan, M. I., 2=23420  
 Paul, W. See v. Busch, F., 2=228  
 Paul, W. See v. Busch, F., 2=535  
 Paul, W. See Zallen, R., 4=20243  
 Paula e Silva, P. R. and Tati, T. On unusual statistics of elementary particles, 3=7816  
 Paulauskas, V. K., Ilgūnas, V. I. and Barshauskas, K. M. Problem of choosing and tuning electric circuits of an ultrasonic interferometer, 4=290  
 Paule, R. C. and Margrave, J. L. A Langmuir determination of the sublimation pressure of boron, 4=5468  
 Paule, R. C. and Margrave, J. L. Vapor pressures of platinum metals. III. Iridium and ruthenium, 4=8510  
 Paule, R. C. See McCarty, L. D., 3=22553  
 Paulett, G. S. and Ettinger, R. Mass spectra and appearance potentials of diazirine and diazomethane, 3=24216



- Paulevé, J. and Dautreppe, D. Orientation superlattice formed by neutron irradiation in a magnetic field of a (50–50%) Fe–Ni alloy, 0=13769
- Paulevé, J. and Dautreppe, D. Study of annealing of defects by measuring the magnetic anisotropy of AN Fe–Ni alloy after irradiation, 4=1457
- Paulevé, J., Dautreppe, D., Laugier, J. and Neel, L. The establishment of ordered structure in Fe–Ni irradiation with neutrons, 2=6830
- Paulevé, J., Dautreppe, D., Laugier, J. and Néel, L. A new order–disorder transition in Fe–Ni (50–50), 3=8900
- Paulevé, J., Dreyfus, B. and Soutif, M. Ferrimagnetic resonance of ferrites and garnets at the compensation temperature, 0=13862
- Paulevé, J. See Cassayre, C., 0=20864
- Paulevé, J. See Chambron, W., 3=3119
- Paulevé, J. See Dautreppe, D., 2=12475
- Paulevé, J. See Dautreppe, D., 2=21084
- Paulevé, J. See Dautreppe, D., 3=11056
- Paulevé, J. See Laugier, J., 4=10272
- Paulevé, J. See Néel, L., 4=13207
- Paulevé, P. See Marchand, A., 4=7496
- Pauli, E. See Good, R. H., 2=13875
- Pauli, E. See Muller, A., 4=25148
- Pauli, G. See Cernigoi, C., 0=17137
- Pauli, R. and Flinta, J. Pulsed high-intensity ion source. II, 0=19776
- Pauli, W. and Touschek, B. Report and comment on F. Gürsey's "Group structure of elementary particles", 0=3912
- Paulikas, G. A. and Pyle, R. V. Macroscopic instability of the positive column in a magnetic field, 2=7582
- Paulikas, G. A. See Allen, T. K., 1=284
- Paulikas, G. A. See Berkner, K. H., 4=25527
- Paulikas, G. A. See Kaplan, S., 1=16267
- Paulikas, G. A. See Kaplan, S. N., 3=19176
- Paulikas, G. A. See Kaplan, S. N., 3=24213
- Paulikas, G. A. See Mozer, F. S., 3=16288
- Paulin, A. The optimum length of a microtron accelerating gap, 1=18963
- Paulin, A. Operating conditions of a microtron with a composite magnet, 2=3118
- Paulin, A. Length of accelerating gap for the microtron, 2=7918
- Paulin, A. State of development of the microtron, 2=11744
- Paulin, A. A possible way of increasing the beam current of an electron synchrotron, 4=19147
- Pauling, L. Nature of the metallic orbital, 1=11141
- Pauling, L. Nuclear nomenclature: Helion for alpha-particle, 4=15111
- Pauling, L. The architecture of molecules, 4=25631
- Pauliny-Toth, I. I. K., Baldwin, J. E. and Shakeshaft, J. R. Some attempts to detect linear polarization of galactic radio emission from the spur at  $\mu=30^\circ$ , 1=10398
- Pauliny-Toth, I. I. K. and Shakeshaft, J. R. A survey of the background radiation at a frequency of 404 Mc/s, 2=15393
- Pauliny-Toth, I. I. K. See Turtle, A. J., 2=24177
- Pauliny-Toth, I. I. K. See Wielebinski, R., 3=1542
- Pauliny-Tothová, V. See Kessler, A., 4=12803
- Paulmier, D. and Gosse, J. Influence of the surface condition on the heat radiation from a metal, 3=7385
- Paulmier, D. and Gosse, J. A comparison of the influence of the state of the surface of a metal on thermal emissivity and on the accommodation [coefficient] of gaseous molecules, 4=2126
- Paulnack, C. L. and Chaplin, N. J. Minimal maintenance probe for precise resistivity measurement of semi-conductors, 2=21128
- Paulsen, A. and Liskien, H. Angular distribution for the  $T(d, n)He^+$  reaction at 1 and 3 MeV deuteron energy, 4=30278
- Paulson, C. T. See Lutz, H. F., 3=17497
- Paulson, J. F. Low energy charge exchange and ion-molecule reactions, 4=12539
- Paulson, K. V. See Forsyth, P. A., 1=9195
- Paulson, K. V. See Shepherd, G. C., 2=4666
- Paulson, R. See Ginsburg, N., 1=1840
- Paulson, R. See Kelton, G., 4=358
- Paulus, M.  $\pi$  walls in ferrites, 0=6239
- Paulus, M. The elementary domains in a single crystal of magnetoplumbite ( $6Fe_2O_3 \cdot PbO$ ), 0=10150
- Paulus, M. Crystal growth and the energy of dislocations in ferrites, 2=23174
- Paulus, M. Kinetics of normal crystal growth in polycrystalline ferrites, 2=23821
- Paulus, M. Effect of voids and inclusions on the growth of ferrite crystals, 3=3269
- Paulus, M. The stoppage of growth of crystals in polycrystalline ferrites as a function of their porosity, 3=6822
- Paulus, M. Variation of the standard deviation for the distribution of crystallite diameters due to locking of boundary movements by pores in a polycrystalline aggregate of ferrite, 3=11242
- Paulus, M. Granular structure of ferrites, 4=17832
- Paulus, M. Magnetic investigations from the "Laboratoire de Magnetisme et Physique du Solid" C.N.R.S. Bellevue (S. and O), France, 4=26332
- Paulus, M. and Guillaud, C. Granular structure and properties of ferrites, 3=1083
- Paulus, M. and Reverchon, F. An ion bombardment device for micrographic samples, 1=20718
- Paulus, M. See Villers, G., 3=3125
- Pauly, H. Small-angle scattering in collisions between neutral atoms, 0=2723
- Pauly, H. Scattering experiments on molecular beams at various beam velocities, 0=11499
- Pauly, H. Investigation of scattering of molecular beams and of intermolecular forces, 4=3935
- Pauly, H. See Berkling, K., 2=6238
- Pauly, H. See Düren, R., 3=22612
- Pauly, H. See Düren, R., 4=6508
- Pauly, H. See Gersing, E., 0=5866
- Pauly, H. See Gersing, E., 3=4788
- Pauly, H. See Helbing, R., 4=20134
- Pauly, H. See Hundhausen, E., 4=30487
- Pauly, H. See Schwan, H. P., 3=13627
- Pauly, J. Study of the isotopic effect on the course of the electromigration of lithium in vitreous silica, 1=13972
- Pauly, J. See Lantelme, F., 0=3171
- Pauly, T. See Herb, R. G., 4=18270
- Pauly, T. See Mourad, W. G., 4=18289
- Pauncz, R. Studies on the alternant molecular orbital method. IV. Generalization of the method to states with different multiplicities, 3=8242
- Pauncz, R., de Heer, J. and Löwdin, P. O. Studies on the alternant molecular orbital method. I. General energy expression for an alternant system with closed-shell structure, 2=14306
- Pauncz, R., de Heer, J. and Löwdin, P. O. Studies on the alternant molecular orbital method. II. Application to cyclic systems, 2=14307
- Pauncz, R. See de Heer, J., 1=4942
- Pauncz, R. See de Heer, J., 4=3889
- Pauncz, R. See Löwdin, P. O., 1=4173
- Pauncz, R. See Ritter, Z., 0=15642
- Pauncz, R. See Ritter, Z. W., 1=12243
- Paund [Pound] R. V. On the weight of photons, 2=7837
- Pauri, M. See Amar, V., 0=2501
- Pauri, M. See Amar, V., 1=16899
- Pauri, M. See Ghirardi, G. C., 3=10041
- Paus, H. and Thommen, K. Density change and F-centre formation in X-rayed sodium chloride crystals, 3=22844
- Păușescu, P. See Rosenberg, M., 3=8521
- Păușescu, P. See Rosenberg, M., 4=15555
- Pautamo, Y. On the temperature variation of volume and compressibility of solids, 4=1401
- Pautamo, Y. See Hovi, V., 0=18351
- Pautamo, Y. See Hovi, V., 1=14161
- Pautamo, Y. See Hovi, V., 1=14162
- Pauthenet, R. Magnetic properties of the rare earth garnets, 0=3088
- Pauthenet, R. Experimental results on the quenching of the magnetic moment of the rare earth ion in garnets, 0=13831
- Pauthenet, R. A new apparatus for measuring magnetizations: application to a cobalt crystal, 2=8625
- Pauthenet, R., Barnier, Y. and Rimet, G. Magnetic study of a cobalt single-crystal in the hexagonal phase, 3=1141
- Pauthenet, R. and Rimet, G. The variation of the magnetization of a single crystal of  $PbO \cdot 6Fe_2O_3$  as a function of field, 0=675
- Pauthenet, R. and Rimet, G. Temperature variation of the anisotropy constants and spontaneous magnetization of magnetoplumbite, 0=4479
- Pauthenet, R. See Airoidi, G., 4=23309
- Pauthenet, R. See Aléonard, R., 1=2488
- Pauthenet, R. See Aléonard, R., 2=12695
- Pauthenet, R. See Aléonard, R., 3=6693
- Pauthenet, R. See Ballestracci, R., 3=13283
- Pauthenet, R. See Barnier, Y., 1=14695



- Pauthenet, R. See Barnier, Y., 1=14699  
Pauthenet, R. See Barnier, Y., 1=20069  
Pauthenet, R. See Bertaut, E. F., 0=13829  
Pauthenet, R. See Bertaut, E. F., 2=6814  
Pauthenet, R. See Bertaut, E. F., 2=12662  
Pauthenet, R. See Bertaut, E. F., 3=3139  
Pauthenet, R. See Bertaut, E. F., 3=3320  
Pauthenet, R. See Bertaut, E. F., 4=4354  
Pauthenet, R. See Bertaut, E. F., 4=7294  
Pauthenet, R. See Bertaut, E. F., 4=13267  
Pauthenet, R. See Bertaut, E. F., 4=28800  
Pauthenet, R. See Bertaut, E. F., 4=28802  
Pauthenet, R. See Bertaut, E. F., 4=28820  
Pauthenet, R. See Bertaut, E. F., 4=28855  
Pauthenet, R. See Bin, M., 2=14809  
Pauthenet, R. See Bin, M., 3=15770  
Pauthenet, R. See Bin, M., 3=15788  
Pauthenet, R. See Bloch, D., 2=12753  
Pauthenet, R. See Cohen, J., 3=1094  
Pauthenet, R. See Cohen, J., 3=3137  
Pauthenet, R. See Cohen, J., 3=8697  
Pauthenet, R. See Fontaine, R., 2=8604  
Pauthenet, R. See Guillot, M., 4=19154  
Pauthenet, R. See Laugier, J., 4=10272  
Pauthenet, R. See Néel, L., 0=10128  
Pauthenet, R. See Néel, L., 4=13207  
Pauthenet, R. See Villers, G., 0=13827  
Pauthenier, M. and Cochet, R. The twofold physical aspect of the influence of dust deposit on the electrical purification of aerosols, 1=15209  
Pauthier, M., Gautier, R., Deiness, S. and Amat, G. Experimental study of the light emitted by a ruby laser, 2=10585  
Pauthier-Camier, S. Detection of the variation in elastic constants by mean of transverse ultrasonic waves, 4=13363  
Pauthier-Camier, S. See Lucas, R., 1=20282  
Pautova, G. N. See Bol'shov, V. G., 0=19716  
Pauty, M., Hartmann, P. and Vernier, P. Method of studying the vectorial effect of the photoelectric emission with the aid of an electron image converter, 2=7647  
Pauty, M. and Vernier, P. A study with the aid of the Lallemand electron camera of the photoelectric emission of thin gold films, 4=3030  
Pauty, M. See Hartmann, P., 2=13590  
Pauw, L. J. van der. See van der Pauw, L. J.  
Pauzha, A. S. See Matulionis, A. I., 4=1784  
Pavageau, J. Diffusion by reflection of a plane wave on an irregular surface, 3=9622  
Pavageau, J. Reflection and transmission of a plane electromagnetic wave by a transparent grating of sinusoidal profile, 4=8450  
Pavageau, J. Reflection and transmission powers of an imperfectly polished dioptré, 4=18385  
Pavageau, J. Reflection and transmission powers of a dielectric grating of sinusoidal profile and with steps less than the wavelength, 4=18423  
Pavageau, J. Reflection and transmission of a plane electromagnetic wave by a transparent grating with sinusoidal profile and parallel grooves in the plane of incidence, 4=21654  
Pavageau, J. Diffusion by imperfectly plane surfaces, 4=27654  
Pavanati, G. See Luccio, A., 3=5738  
Pavelka, C. See Bueche, F., 4=11131  
Pavlovich, J. and Kino, G. S. R.F. theory of the plasma sheath, 4=18942  
Pavlovich, J. See Harp, R. S., 4=5626  
Pavlenko, N. A. See Yakovleva, A. V., 3=23581  
Pavlenko, V. A., Rafal'son, A. E. and Shereshevskii, A. M. Industrial mass spectrometers. Production and new developments [in USSR]. Review, 1=4664  
Pavlenko, V. A., Rafal'son, A. E. and Shumov, M. D. A new line of compact mass spectrometers for space studies of the composition of neutral and ionized gases in the upper layers of the atmosphere, 4=26978  
Pavlenko, V. A., Rafal'son, A. E., Slutskii, M. E., Tsveiman, G. A. and Shutov, M. D. Radiofrequency mass spectrometer for analysis of ionic and molecular composition of upper atmosphere, 4=16558  
Pavlenko, Ye. A. See Nyemets', O. F., 1=12033  
Pavelesku, M. See Purika, I., 3=25011  
Pavlichenko, O. S. and Dushin, L. A. Spectroscopic study of the plasma in the Phillips pulse discharge, 2=22181  
Pavlichenko, O. S., Dushin, L. A., Nikolskii, I. K. and Brzhechko, L. V. The macroscopic instability of plasma in a reflex discharge, 4=19048  
Pavlichenko, O. S. See Adamov, I. Yu., 4=16443  
Pavlichenkov, I. M. Moments of inertia of  $\beta$ - and  $\gamma$ -vibrational bands, 4=909  
Pavlichenkov, I. M. Microscopic model of vibration-rotation interaction in deformed nuclei, 4=25281  
Pavlichenkov, I. M. See Grin', Yu. T., 1=19344  
Pavlichenkov, I. M. See Grin, Yu. T., 2=22710  
Pavlichenkov, I. M. See Grin', Yu. T., 3=2350  
Pavlichenkov, I. M. See Grin, Yu. T., 4=19662  
Pavlicsek, I. See Nagy, T., 4=9218  
Pavlik, B. M. See Lubchenko, A. F., 3=20464  
Pavlik, N. High-temperature stability of magnetic materials, 1=6344  
Pavlik, P. M. Elementary proof of Weyl's relation, 4=11972  
Pavlikovski, A. The separation of self-consistent field in the superconducting model of atomic nuclei, 3=12547  
Pavlikovski, A. and Rybarska, V. Accuracy of the Bogolyubov method in the theory of even-even nonspherical nuclei, 3=2377  
Pavlina, T. S. See Ryazanova, E. F., 2=14749  
Pavlinchuk, V. A. See Usachev, L. N., 4=1116  
Pavlinov, L. V. See Lyashenko, V. S., 1=6115  
Pavlinov, L. V. See Lyashenko, V. S., 1=6116  
Pavlopoulos, T. and El-Sayed, M. A. Spectroscopic investigation of the mechanism of the intramolecular heavy atom effect on the phosphorescence process. I. Naphthalene emission, 4=28249  
Pavlopoulos, T. See El-Sayed, M. A., 3=23082  
Pavlopoulos, T. See El-Sayed, M. A., 4=4314  
Pavlotskaya, F. I. and Lavrukhina, A. K. The isotopic composition of rare-earth elements formed by fission of uranium, thorium, and bismuth with 680 MeV protons, 0=5805  
Pavlotskii, I. P. On the question of the existence of a two-fold spectral representation, 0=6540  
Pavlov, A. A. See Vitman, V. D., 2=14051  
Pavlov, B. V. See Kolomiets, B. T., 0=13609  
Pavlov, B. V. See Vashko, A., 2=18845  
Pavlov, D. and Belloni, J. Repulsion of ions in dilute aqueous solutions by metallic oxides and hydroxides, 3=13608  
Pavlov, D. See Christov, S., 4=29228  
Pavlov, E. I. See Nasedkin, Yu. F., 1=7035  
Pavlov, K. B. Some properties of stationary flows in magnetogasdynamics, 0=19913  
Pavlov, L. P. See Shalimova, K. V., 4=20803  
Pavlov, N. M. See Rzhannov, A. V., 1=14438  
Pavlov, P. V. and Belov, N. V. The structures of herderite, datolite and gadolinite determined by direct methods, 0=14030  
Pavlov, P. V. and Panteleev, V. A. Diffusion of antimony on the surface of germanium, 3=20223  
Pavlov, P. V. and Uskov, V. A. Gamma-spectral method as a possibility for studying the simultaneous diffusion processes of two components, 4=12779  
Pavlov, S. T. See Gurevich, L. E., 0=11020  
Pavlov, S. T. See Kudinov, E. K., 2=14420  
Pavlov, S. T. See Kudinov, E. K., 3=6502  
Pavlov, V. A. Study of the defects of a crystal lattice by means of internal friction, 0=1582  
Pavlov, V. A. Increasing the strength of alloys by plastic deformation in the temperature range of the anomalous variation of their mechanical properties, 4=28936  
Pavlov, V. A., Gaidukov, M. G., Noskova, N. I. and Mel'nikova, B. Shear and diffusion plastic deformation during creep in alloys of nickel and copper, 2=23760  
Pavlov, V. A., Gaydukov, M. G. and Mel'nikova, V. V. Dependence of the mechanism of plastic deformation in creep on conditions of deformation in Ni-Al and Ni-Co alloys, 3=23332  
Pavlov, V. A., Kryuchkov, N. F. and Fedotov, I. D. New internal friction peaks at low temperatures, 0=1847  
Pavlov, V. A. and Pereturina, I. A. The effect of alloying additions on the magnitude and temperature dependence of the yield point, 0=18259  
Pavlov, V. A. and Pereturina, I. A. Effect of impurities on the mechanism of plastic deformation and the shape of the load-elongation curve of alloys, 3=20710  
Pavlov, V. A. See Datsko, O. I., 1=3962  
Pavlov, V. A. See Grin', A. V., 0=1931  
Pavlov, V. A. See Grin', A. V., 0=1932  
Pavlov, V. A. See Ketova, V. P., 1=10208  
Pavlov, V. A. See Kuznetsov, R. L., 3=3218  
Pavlov, V. A. See Noskova, N. I., 0=6380  
Pavlov, V. A. See Noskova, N. I., 2=23929  
Pavlov, V. A. See Noskova, N. I., 3=20206



- Pavlov, V. E. The atmospheric scattering function in the region of small and large scattering angles, 4=13798
- Pavlov, V. E. The atmospheric scattering indicatrix in the visual and ultraviolet spectral region, 4=26793
- Pavlov, V. N. See Efimenko, L. N., 4=13715
- Pavlov, V. P. Physical region of a five-tail in terms of five invariants, 4=5978
- Pavlov, V. P. See Vinogradov, G. V., 0=916
- Pavlov, V. P. See Zav'yalov, O. I., 1=19236
- Pavlov, V. P. See Zav'yalov, P. I., 1=16861
- Pavlov, V. P. See Zav'yalov, O. I., 3=24650
- Pavlov, V. S. See Kovtun, H. P., 2=11537
- Pavlov, V. S. See Kovtun, H. P., 2=19784
- Pavlov, V. S. See Kovtun, H. P., 2=19786
- Pavlov, V. S. See Kruglykh, A. A., 0=16265
- Pavlov, V. S. See Kruglykh, A. A., 4=16302
- Pavlov, V. S. See Kruhlykh, A. A., 2=12445
- Pavlov, Yu. V. See Ivanov, N. S., 0=7630
- Pavlova, E. N. See Nabokin, Yu. V., 0=18140
- Pavlova, E. N. See Vlasenko, N. A., 3=8624
- Pavlova, N. P. See Boos, E. G., 2=7856
- Pavlova, N. P. See Boos, E. G., 3=6002
- Pavlova, N. P. See Botvin, V. A., 2=288
- Pavlova, N. P. See Botvin, V. A., 2=22511
- Pavlova, O. I. See Petrushevich, R. L., 2=18588
- Pavlova, V. P. See Arkharov, V. I., 1=14311
- Pavlova, Z. I. See Kreimer, G. S., 3=18184
- Pavlova, Z. I. See Krimer, G. S., 4=23221
- Pavlova, Z. I. See Tumanov, V. I., 4=15720
- Pavlovic, A. S. Some dielectric properties of tantalum pentoxide, 4=12964
- Pavlovic, A. S. See Coleman, W. E., 4=26302
- Pavlovic, D. and Foster, K. Study of heat treatments for low coercive force 14 to 17% aluminium iron alloys, 0=10131
- Pavlovic, D. See Foster, K., 3=15855
- Pavlovskaya, E. A. See Yurasova, V. E., 1=4017
- Pavlovskaya, E. D., Sokol'skaya, I. L. and Shishkin, Yu. G. Determination of the activation energy for the process of stabilization of the work function of the gold-barium system, 0=17023
- Pavlovskaya, V. S. and Gel'man, Yu. A. Ageing of aluminium-zinc alloys investigated by the nuclear magnetic resonance method, 3=11295
- Pavlovskaya, V. S., Podd'yakov, V. N. and Finkel'shtein, B. N. A study of ageing of duralumin using nuclear magnetic resonance, 1=6540
- Pavlovskaya, V. S. and Stark, Yu. S. A study of work hardening of copper using nuclear magnetic resonance, 2=12860
- Pavlovskaya, V. S. and Stark, Yu. S. A study of work hardening of copper using nuclear magnetic resonance, 2=14897
- Pavlovskaya, V. V. See Gol'danskii, V. I., 1=4786
- Pavlovskaya, V. V. See Goldansky, V. I., 0=20137
- Pavlovskaya, V. V. See Gol'danskii, V. I., 4=16852
- Pavlovskii, A. I., Sklizkov, G. V., Kuleshov, G. D. and Gerasimov, A. I. Dependence of intensity of a betatron on injection energy, 4=630
- Pavlovskii, A. I. See Sklizkov, G. V., 2=22146
- Pavlovskii, E. S. See Gandel'man, G. M., 0=11551
- Pavlovskii, F. A. See Levintov, I. L., 3=24964
- Pavlovskii, F. A. See Lyubimov, V. A., 4=19339
- Pavlovskii, M. N. See Al'tshuler, L. V., 0=20730
- Pavlovskii, M. N. See Al'tshuler, V. L., 3=18179
- Pavlyna, V. S. See Pidstryhach, Ya. S., 2=8857
- Pavlyna, V. S. See Pidstryhach, Ya. S., 2=23896
- Pavlyuchenko, M. M. Crystal lattice energy and the reactivity of solids, 2=15139
- Pavlyuchenko, M. M. and Filonov, B. O. Use of radioactive isotopes for investigating the vaporization of salts in an A. C. arc, 4=484
- Pavlyukov, A. A. See Arbuzov, M. P., 4=17806
- Pawar, R. See Deshpande, V. T., 3=15441
- Pawel, R. E. and Lundy, T. S. A submicron sectioning technique for analyzing diffusion specimens of tantalum and niobium, 4=12804
- Pawelczyk, J. See Kraśnicki, S., 3=1281
- Pawelski, B. and Stobo, J. J. The prediction of irradiation growth rates in uranium by resistivity and expansion measurements, 3=6310
- Pawelski, B. See Stobo, J. J., 2=6392
- Pawlak, K. See Preibisz, Z., 4=15191
- Pawlek, F. and Seeger, D. On the influence of non-metallic inclusions on the demagnetization losses of silicon-iron transformer laminations, 1=6284
- Pawley, G. S. Mosaics for colour antisymmetry groups, 2=4403
- Pawley, G. S. Coloured polyhedra, 2=8766
- Pawley, G. S. Plane groups on polyhedra, 2=10811
- Pawley, G. S. On the least-squares analysis of the rigid body vibrations of non-centrosymmetrical molecules, 4=6523
- Pawley, G. S. Least-squares structure refinement assuming molecular rigidity, 4=26619
- Pawley, G. S. See Cochran, W., 4=26171
- Pawley, G. S. See Mackay, A. L., 3=8815
- Pawlicki, G. S. See Smith, E. C., 0=1444
- Pawlicki, S. S. Shielding C.V.T.R. — a heavy water pressure tube-reactor, 3=19903
- Pawlikowski, A. On magnetization direction in isotropic Heisenberg ferromagnets, 4=30709
- Pawlowicz, A. T. See Blackman, M., 4=5518
- Pawlowicz, A. T. See Curzon, A. E., 4=13589
- Pawlowicz, A. T. See Curzon, A. E., 4=23439
- Pawlowicz, A. T. See Curzon, A. E., 4=27400
- Pawlowska, M. See Auleytner, J., 2=6860
- Pawlowski, Z. Pulse ion chamber application to the analysis of the energy of particles originating in the disintegration of the compound nuclei obtained by bombardment with thermal neutrons, 3=674
- Pawlowski, Z. Internal friction of metals and the problem of damage cumulation with static and variable loadings, 4=7373
- Pawsey, J. L. Radar observations of lightning on 1.5 metres, 0=804
- Pawsey, J. L. The question of radio emission by the ionosphere, 0=12180
- Pawsey, J. L. Radio evidence on the large-scale structure of our own and external galaxies. [Introductory lecture to Part IV — the large-scale structure of galaxies], 1=18183
- Pawsey, J. L. and Harting, E. An attempt to detect linear polarization in the galactic background radiation at 215 Mc/s, 1=5254
- Pawsey, J. L. and Hill, E. R. Cosmic radio waves and their interpretation, 1=8012
- Pawsey, J. L. See Blaauw, A., 0=18582
- Pawsey, J. L. See Christiansen, W. N., 0=18732
- Pawsey, J. L. See McGee, R. X., 1=10372
- Paxman, D. H. Spin-lattice relaxation time measurements in dilute potassium ferricyanide, 1=14811
- Paxton, G. W. and Fowler, R. G. Theory of breakdown wave propagation, 3=1956
- Paxton, G. W. See Fowler, R. G., 1=2785
- Paxton, G. W. See Rocard, J. M., 1=11969
- Paxton, H. C. See Linenberger, G. A., 1=13898
- Paxton, H. W. See Cooper, H. W., 2=2291
- Paxton, H. W. See Horne, G. T., 3=11156
- Paxton, H. W. See Meyrick, G., 4=4452
- Paxton, H. W. See Pound, G. M., 1=11220
- Paya, D. See Michaudon, A., 3=15241
- Paya, D. See Nifenecker, H., 2=464
- Paya, D. See Nifenecker, H., 3=19892
- Payan, R. Experimental study of the absorption of very thin films of silver in the ultraviolet, 4=1749
- Payan, R. and Rasigni, G. Variations in the optical constants of very thin films of copper as a function of wave-lengths, 2=12576
- Payan, R. and Rasigni, G. The optical properties of certain thin metallic films in relation to their electronic structure, 4=22867
- Payen de la Garanderie, H. Emission spectra of mixed cadmium and zinc sulphides activated with silver: the existence of two emission bands, 1=19978
- Payen de la Garanderie, H. Luminescent complexes of manganese chloride with amines, 2=12620
- Payer, K. See Kalló, D., 4=23636
- Payewski, W. See Malecki, I., 4=14269
- Paymal, J. Action corpuscular radiations on vitreous structure, 2=8869
- Paymal, J. and Susse, C. Attempt to interpret the influence of pressure on the modulus of rigidity of two glasses irradiated by neutrons, 1=20301
- Paymal, J. See Susse, C., 2=792
- Payne, E. G. See Purcell, J. R., 3=21931
- Payne, G. L. and Snider, D. R. Theoretical neutron cross sections for the direct excitation of the  $3^-$  collective state in  $O^{16}$  and  $Pb^{208}$ , 2=18264
- Payne, H. On the correlation correction to the Fermi-Thomas-Dirac equation, 0=17648
- Payne, H. Nature of the quantum corrections to the statistical model, 4=5101



- Payne, H. and Czyzak, S.J. On the torsion of a thin-wall cylinder following a plastic extension, 1=1311
- Payne, H. See Czyzak, S.J., 1=20320
- Payne, J. One-dimensional fermion density formula, 3=14055
- Payne, J.A. See Cook, C.B., 0=10630
- Payne, J.B. The investigation of an electron resonance spectrometer utilizing a generalized feedback microwave oscillator, 4=24863
- Payne, K.G. and Weinberg, F.J. A preliminary investigation of field-induced ion movement in flame gases and its applications, 0=8851
- Payne, L.E. See Bramble, J.H., 2=4971
- Payne, L.E. See Bramble, J.H., 4=2622
- Payne, L.E. See Pell, W.H., 0=19054
- Payne, R.M. and Kaufman, S. Physical measurements on heavy-current discharges, 0=5304
- Payne, R.M. See Allen, N.L., 3=7596
- Payne, R.M. See Allen, N.L., 4=5685
- Payne, R.M. See Jordan, B., 2=7631
- Payne, R.T. and Lawson, A.W. Cation mobility and thermal contraction in AgI, 1=12357
- Payne, W.B. See Taylor, G.R., 0=11511
- Payten, W.J. See Labrum, N.R., 4=4931
- Payten, W.J. See Labrum, N.R., 4=30988
- Payton, A.D. and Turner, J.C.R. Soret coefficients and heats of transport of some salts of alkaline earth metals in water at 25°C, 2=7200
- Payton, R.G. Transient interaction of an acoustic wave with a circular cylindrical elastic shell, 0=10716
- Payton, R.G. Shock-wave propagation in solid and compactible media, 3=11856
- Pazhin, Y.F. See Voitovetskii, V.K., 4=25105
- Pazienza, G. The "divergence" attenuation in the propagation of sound in the sea, 0=5094
- Pazienza, G. The shadow zone in the propagation of sound in the sea, 1=2826
- Pazienza, G. Possibilities and limitations of the use of low frequencies for echo-location, 1=2830
- Pazy, A. The thermal utilization and flux ratios in complex lattices, 3=8158
- Pazy, A. and Goshen, S. The thermal utilization in a rectangular cell, 2=6028
- Pchelin, V.A. See Polevoi, R.M., 2=9730
- Peabody, C.O., Fraser, V.M. and Speight, R.G. The A.E.E. Winfrith whole body monitor, 3=17118
- Peach, G. Continuous absorption coefficients for non-hydrogenic atoms, 3=3599
- Peach, G. and McDowell, M.R.C. Ionizations of lithium by electrons, 4=24585
- Peach, G. See McDowell, M.R.C., 0=5278
- Peach, G. See McDowell, M.R.C., 1=4556
- Peach, G. See McDowell, M.R.C., 1=18769
- Peach, G. See Seaton, M.J., 2=15485
- Peacher, J.L. See Bonham, R.A., 3=17549
- Peacher, J.L. See Bonham, R.A., 4=20029
- Peacock, A.G. See Moss, T.S., 2=10568
- Peacock, D.E. and Johnson, A.A. Point defects in niobium, molybdenum and tantalum, 2=23151
- Peacock, D.E. and Johnson, A.A. Stage III recovery in neutron irradiated molybdenum and niobium, 3=22769
- Peacock, D.E. See Johnson, A.A., 0=21106
- Peacock, N.J. Time-resolved interferometric measurements of emission line profiles from transient discharges, 4=18917
- Peacock, N.J., Cooper, J. and Greig, J.R. Emission-line profile measurements in transient plasmas, using a scanning Fabry-Perot interferometer, 4=18863
- Peacock, N.J. See Bodin, H.A.B., 1=9589
- Peacock, N.J. See Bodin, H.A.B., 1=18826
- Peacock, N.J. See Bodin, H.A.B., 1=18880
- Peacock, N.J. See Bodin, H.A.B., 3=12155
- Peacock, N.J. See Bodin, H.A.B., 3=12156
- Peacock, N.J. See Fawcett, B.C., 4=25490
- Peacock, N.J. See Gabriel, A.H., 3=7505
- Peacock, R.D. See Adams, D.M., 4=3877
- Peacock, R.D. See Figgis, B.N., 0=21022
- Peacock, R.N., Hahn, B., Hugentobler, E. and Steinrisser, F. Total inelastic cross-section for negative pions and protons in Cu, Cd, and Pb at high energies, 2=8002
- Peacock, R.N. See DePasquali, G., 0=7465
- Peacock, R.N. See Hahn, B., 3=14122
- Peacock, R.N. See Hahn, B., 3=17132
- Peacock, R.N. See Lewis, H.R., 0=5232
- Peacock, R.N. See Sherwin, C.W., 0=10569
- Peacock, R.N. See von Goeler, E., 3=23521
- Peacock, R.V. See Burfoot, J.C., 0=6150
- Peacock, T.E. The  $\pi$  electron properties of graphite, 1=3624
- Peacock, T.E. The electronic structure and spectrum of nitrobenzene, 1=14064
- Peacock, T.E. The effect of bond length variations in molecular orbital calculations of  $\pi$ -electron spectra—*aniline*, 1=14085
- Peacock, T.E. The effective number of electrons in the  $\pi$  band of graphite, 1=14211
- Peacock, T.E. and McWeeny, R. A self-consistent calculation of the graphite  $\pi$  band, 0=4277
- Peacock, T.E., Rias-ur-Rahman, Sleeman, D.H. and Tuckley, E.S.G. Electronic structure and spectrum of the  $\text{HCO}_2$  radical, 4=6622
- Peacock, T.E. and Wilkinson, P.T. The electronic structure and spectrum of benzonitrile, 2=3756
- Peacock, T.E. and Wilkinson, P.T. The electronic structure and spectrum of sym-trinitrobenzene, 4=15361
- Peacock, T.E. and Wilkinson, P.T. The electronic structure and spectra of the polycenes, 4=15375
- Peacor, D.R. and Prewitt, C.T. Drilling coordinates for crystal structure models, 2=12910
- Peacor, D.R. See Buerger, M.J., 2=15032
- Peak, L.S. See Brisbourn, F.A., 1=13562
- Peak, L.S. See Brisbourn, F.A., 3=6109
- Peak, L.S. See Day, G., 3=7849
- Peak, L.S. See Farrow, E., 3=19724
- Peak, L.S. See Gould, C.F., 3=17367
- Peak, L.S. See McCusker, C.B.A., 4=11983
- Peake, N.G. See Salem, S.I., 2=15977
- Peake, W.T., Goldstein, M.H., Jr and Kiang, N.Y.S. Responses of the auditory nerve to repetitive acoustic stimuli, 2=13212
- Peake, W.T., Kiang, N.Y.S. and Goldstein, M.H., Jr. Rate functions for auditory nerve responses to bursts of noise: effect of changes in stimulus parameters, 2=13213
- Peaple, L.H.J. See Gale, H.J., 4=9180
- Pearce, J.H. and Mardon, P.G. Apparatus for combined thermal analysis and dilatometry, 0=3675
- Pearce, J.H. See Lee, J.A., 0=12056
- Pearce, R.M. The Doppler effect in thermal reactors, 2=3676
- Pearce, R.M. The transfer cross section between overlapping thermal groups, 3=8168
- Pearce, R.M. Xenon oscillations in finite reactors, 4=3732
- Pearce, R.M. and Kennedy, J.M. Thermal neutron spectrum in a moderator with a temperature discontinuity, 4=19896
- Pearce, R.M. and Walker, D.H. A direct measurement of the uranium metal temperature coefficient of reactivity, 0=13330
- Pearce, R.M. See Bigham, C.B., 1=2266
- Pearce, R.M. See Critoph, E., 0=5829
- Pearce, R.P. See Mitchell, A.R., 4=2863
- Pearce, V.F. See Allen, J.H., 3=16759
- Pearce, V.F. See Edmonds, P.D., 3=230
- Pearl, J. The effect of crossed fields on the velocity distribution of hollow electron beams, 4=29968
- Pearlstein, E. New bridge circuit for comparing four-terminal resistors, 2=17737
- Pearlstein, E. Dynamical theory of atom jumps in crystals, 4=4069
- Pearlstein, E. See Phelps, F.T., Jr, 3=2839
- Pearlstein, E. See Skov, C.E., 4=24522
- Pearlstein, F., Wick, R. and Gallaccio, A. Electrophoretic deposition of metals, 4=7789
- Pearlstein, L.D. Longitudinal instability in a semi-infinite inhomogeneous plasma, 4=29948
- Pearlstein, L.D. and Klein, A. Theory of the photodisintegration of the deuteron, 0=9443
- Pearlstein, L.D. and Stuart, G.W. Effect of collisional energy loss on ionization growth in  $\text{H}_2$ , 1=16265
- Pearlstein, L.D., Tang, Y.C. and Wildermuth, K. Energy levels of  $\text{He}^+$  and  $\text{Li}^+$ , 0=17496
- Pearlstein, L.D., Tang, Y.C. and Wildermuth, K. Low lying levels of  $\text{Li}^+$  and  $\text{Be}^+$  in the cluster model, 0=17497
- Pearlstein, L.D. See Rosenbluth, M.N., 3=21763
- Pearlstein, L.D. See Tang, Y.C., 1=10968
- Pearlstein, L.D. See Tang, Y.C., 2=13957
- Pearlstein, L.D. See Wildermuth, K., 2=1763
- Pearlstein, R.M. See Bay, Z., 3=9724
- Pearlstein, S. Application of the absorption area method to three-group diffusion theory problems, 0=12985
- Pearsall, G.W. See Enstrom, R.E., 4=406
- Pearsall, G.W. See Loeb, A.L., 3=11653
- Pearsall, G.W. See Shiffman, C.A., 4=18612



- Pearse, A.G.E. Rapid freeze-drying of biological tissues with a thermoelectric unit, 3=11619
- Pearson, A. Note on search coil errors in the measurement of axial magnetic fields, 2=1546
- Pearson, A. See Davis, H.L., 2=20717
- Pearson, A.D. and Porto, S.P.S. Non-radiative energy exchange and laser oscillation in  $\text{Yb}^{3+}$ ,  $\text{Nd}^{3+}$ -doped borate glass, 4=27711
- Pearson, A.D., Porto, S.P.S. and Northover, W.R. Laser oscillations at 0.818, 1.057, and 1.401 microns in  $\text{Nd}^{3+}$ -doped borate glasses, 4=24924
- Pearson, A.D. See Flaschen, S.S., 0=1923
- Pearson, A.D. See Flaschen, S.S., 0=6105
- Pearson, B.D. See Doyle, W.P., 2=12598
- Pearson, C.A. and Butler, S.T. Extensive air showers and the upper atmosphere, 1=575
- Pearson, C.A. See Butler, S.T., 1=10946
- Pearson, C.A. See Butler, S.T., 1=12199
- Pearson, C.A. See Butler, S.T., 2=1879
- Pearson, C.A. See Butler, S.T., 2=14098
- Pearson, C.A. See Butler, S.T., 3=6253
- Pearson, C.A. See Butler, S.T., 4=25202
- Pearson, C.J. See Kaus, P., 3=14902
- Pearson, D., Copeland, C.S. and Benson, S.W. The electrical conductance of aqueous sodium chloride in the range 300 to 383°, 3=18449
- Pearson, D., Copeland, C.S. and Benson, S.W. The electrical conductance of aqueous hydrochloric acid in the range 300 to 383°, 3=18450
- Pearson, D.B., and Taylor, J.C. Radiative corrections to weak interactions, 3=549
- Pearson, F.J. The theory of critical opalescence in binary mixtures, 0=10786
- Pearson, F.J. Some notes on theories of helium, 1=5385
- Pearson, F.J. The electron theory of metals. I, 3=12953
- Pearson, F.J. The electron theory of metals. II, 4=4026
- Pearson, G. See Burnham, J., 0=16938
- Pearson, G.A. and Kunkel, W.B. Electron velocity distribution in a slightly ionized gas with crossed electric and strong magnetic fields, 3=12079
- Pearson, G.A. See Kunkel, W.B., 4=11577
- Pearson, G.L. and Vogel, F.L. Plastic deformation of semiconductors, 2=16951
- Pearson, G.L. See Chang, L.L., 4=12790
- Pearson, G.L. See Chang, L.L., 4=13458
- Pearson, G.L. See Chang, L.L., 4=22617
- Pearson, G.L. See Chynoweth, A.G., 0=9961
- Pearson, G.W. See Elliot, F., 3=21021
- Pearson, H. See Lewis, D., 3=8833
- Pearson, H. See Lewis, D., 3=8934
- Pearson, H. See Lewis, D., 4=23523
- Pearson, I.M. and Garner, C.S. Exchange of radiochlorine between hydrogen chloride and carbon tetrachloride. "Red form" of solid hydrogen chloride, 0=8300
- Pearson, I.M. and Garner, C.S. Vapour-phase G-M counters for studying isotopic exchange, 2=4526
- Pearson, J.D., Almqvist, E. and Kuehner, J.A. Levels in  $\text{Ne}^{20}$  from the  $\text{C}^{12}(\text{C}^{12}, \alpha)\text{Ne}^{20}$  reaction, 4=15149
- Pearson, J.D. and Spear, R.H. A study of the gamma radiation produced in the alpha-particle bombardment of  $\text{O}^{16}$ , 4=22187
- Pearson, J.D. See Kuehner, J.A., 4=15148
- Pearson, J.D. See Spear, R.H., 3=10390
- Pearson, J.E. See Lane, J.A., 1=5579
- Pearson, J.J. Theory of the magnetic anisotropy in  $\text{KMnF}_2$ , 1=2465
- Pearson, J.J. Anisotropic superexchange in  $\beta$   $\text{MnS}$ , 2=12797
- Pearson, J.J. See des Cloizeaux, J., 3=6730
- Pearson, J.J. See Gelbard, E.M., 1=2064
- Pearson, J.M. The effects of weak magnetism and the induced pseudoscalar interaction on the shapes of high-energy beta-spectra, 2=12162
- Pearson, J.M. Induced pseudoscalar interaction and the low-energy anomalies in beta spectra, 2=12164
- Pearson, J.M. Vacuum polarization induced by the nuclear quadrupole moment in mu-meson atoms, 3=22515
- Pearson, J.M. and Preston, M.A. The electric quadrupole interaction in beta decay, 0=17530
- Pearson, J.M. See Bloore, F.J., 3=8217
- Pearson, J.M. See Preston, M.A., 0=13194
- Pearsons, K.S. See Kryter, K.D., 2=13210
- Pearsons, K.S. See Kryter, K.D., 3=18674
- Pearson, M.D. See Brady, J.J., 0=17101
- Pearson, M.J. See Rabinovitch, B.S., 4=30484
- Pearson, M.L. See Bruce, W.R., 3=7062
- Pearson, M.L. See Bruce, W.R., 3=7063
- Pearson, M.L. See Bruce, W.R., 4=871
- Pearson, R.F. The magnetocrystalline anisotropy of cobalt-substituted manganese ferrite, 0=1808
- Pearson, R.F. Magnetic anisotropy in ferrimagnetic crystals, 0=10180
- Pearson, R.F. The magnetocrystalline anisotropy of gallium and aluminium substituted magnetite, 0=13828
- Pearson, R.F. Magnetocrystalline anisotropy of rare-earth iron garnets, 2=12710
- Pearson, R.F. and Cooper, R.W. Torque measurements on rare-earth doped yttrium iron garnet, 1=6364
- Pearson, R.F. and Cooper, R. Magnetic anisotropy and rotational hysteresis in single crystals of magnetite below the transition temperature, 1=12529
- Pearson, R.F. and Cooper, R.W. Magnetic anisotropy of rare earth doped yttrium iron garnet at low temperatures, 3=1049
- Pearson, R.F. and Teale, R.W. A comparison of static and microwave measurements of magnetocrystalline anisotropy in cobalt manganese ferrite, 0=10119
- Pearson, R.F. and Teale, R.W. Magnetic resonance and magnetocrystalline anisotropy in yttrium iron garnet, 1=3925
- Pearson, R.F. See Clarke, B.H., 3=15925
- Pearson, R.F. See Teale, R.W., 1=6404
- Pearson, R.G. and Buch, T. Electron paramagnetic relaxation in ionic solutions, 2=7231
- Pearson, S., Board, A.J. and Wheeler, C. The effect of fatigue stressing on the diffusion rate of zinc in aluminium, 1=19807
- Pearson, T. See Tompkins, L.M., 3=23522
- Pearson, W.B. Interpretation of relative thermoelectric phenomena at low temperatures with special consideration of the effects of cold-work on copper, 0=13640
- Pearson, W.B. The thermoelectric power of annealed and cold-worked silver and gold at low temperatures, 0=18081
- Pearson, W.B. Experiments on the resistance minimum. The effects of certain solutes in copper, silver and gold, 0=20862
- Pearson, W.B. Relative atomic size in semiconductor chemistry, 2=10462
- Pearson, W.B. Activation energies of semiconductors with diamond and sphalerite-type structures, 2=23307
- Pearson, W.B. Comments on "Evidence of metallic bonding in  $\text{TiN}$ ", 3=8331
- Pearson, W.B. The crystal structures of semiconductors and a general valence rule, 4=7601
- Pearson, W.B. Electrical resistivity, Hall coefficient, and thermoelectric power of  $\text{AuSb}_2$  and  $\text{Cu}_2\text{Sb}$ , 4=15520
- Pearson, W.B., Rimek, D.M. and Templeton, I.M. The resistance minimum in dilute alloys of tin in copper, 0=20861
- Pearson, W.B. and Templeton, I.M. The effect of dissolved iron on the thermoelectricity of silver at very low temperatures, 1=17815
- Pearson, W.B. and Wolff, G.A. Departures from the ideal chemical and physical structure of a semiconductor considered in relation to chemical reactivity, 1=3736
- Pearson, W.B. See Beck, A., 3=12944
- Pearson, W.B. See Gold, A.V., 0=20945
- Pearson, W.B. See Gold, A.V., 1=6070
- Pearson, W.B. See Jan, J.P., 3=10718
- Pearson, W.B. See Jan, J.-P., 3=17972
- Pearson, W.B. See Jan, J.P., 4=7619
- Pearson, W.B. See Kjekshus, A., 2=4081
- Pearson, W.B. See MacDonald, D.K.C., 0=2916
- Pearson, W.B. See MacDonald, D.K.C., 0=10003
- Pearson, W.B. See MacDonald, D.K.C., 0=18076
- Pearson, W.B. See MacDonald, D.K.C., 0=19569
- Pearson, W.B. See MacDonald, D.K.C., 1=1114
- Pearson, W.B. See MacDonald, D.K.C., 1=3796
- Pearson, W.B. See MacDonald, D.K.C., 1=17806
- Pearson, W.B. See MacDonald, D.K.C., 2=6508
- Pearson, W.B. See MacDonald, D.K.C., 2=6509
- Pearson, W.B. See Mooser, E., 0=3219
- Pearson, W.B. See Mooser, E., 1=11111
- Pearson, W.B. See Mooser, E., 2=6244
- Pearson, W.B. See Pirson, U.B., 1=14526
- Pearson, W.B. See Pirson, U.B., 1=17809
- Pearsons, K.S. See Kryter, K.D., 4=10971
- Pear, M. See Rishbeth, H., 4=2304
- Pear, R.F., Graham, D. and Tomlin, D.H. Tracer diffusion in niobium and molybdenum, 2=14463



- Peart, R.F. and Tomlin, D.H. Diffusion of solute elements in beta-titanium, 2=6375
- Peart, R.F. and Tomlin, D.H. The Kirkendall effect in the B.C.C. phase of the titanium-chromium system, 3=4887
- Pease, G. See Rubin, V.C., 2=24151
- Pease, M.C. Time-dependent electron flow, 0=1155
- Pease, M.C. Conservation laws of an interacting electron beam, 0=19735
- Pease, M.C. Conservation laws of uniform linear homogeneous systems, 0=19915
- Pease, M.C. Transduction of noise, theory of a generalized traveling-wave coupler, 1=10786
- Pease, M.C. Generalized coupled mode theory, 1=13177
- Pease, M.C. A method for the study of nonuniform conservative linear systems, 2=15669
- Pease, R.S. Sputtering of solids by penetrating ions, 1=7108
- Pease, R.S. Experiments on the problem of controlled thermonuclear reactions, 3=7597
- Pease, R.S. See Burton, W.M., 4=8787
- Pease, R.S. See Butt, E.P., 0=5837
- Pease, R.S. See Butt, E.P., 3=24293
- Peaslee, D.C. Seven-dimensional charge space, 0=5479
- Peaslee, D.C. Two-body potential in nuclear matter, 2=344
- Peaslee, D.C. Nuclear E1 peak splitting, 3=6222
- Peaslee, D.C. Particle change symmetries as  $R_8$  subgroups, 3=19548
- Peaslee, D.C. Uniqueness of 4- and 8-dimensional spaces, 4=24965
- Peaslee, D.C. and Vaughn, M.T. Boson Furry theorem, 0=12825
- Peaslee, D.C. See Bashkin, S., 2=4718
- Peaslee, D.C. See Carver, J.H., 1=608
- Peaslee, D.C. See Carver, J.H., 2=20506
- Peaslee, D.C. See King, R.W., 0=7336
- Peavler, R.J. See Ananthanarayanan, N.I., 0=3274
- Pebay-Peyroula, J.C. Magnetic resonance of atomic levels excited by electron bombardment. I, 0=20557
- Pebay-Peyroula, J.C. Magnetic resonance of atomic levels excited by electron bombardment. II, 0=20558
- Pébay-Peyroula, J.C. See Archambault, Y., 1=17260
- Pebay-Peyroula, J.C. See Barrat, M., 0=17663
- Pebay-Peyroula, J.C. See Decomps, B., 1=2280
- Pebay-Peyroula, J.C. See Decomps, B., 1=7431
- Pebay-Peyroula, J.C. See Decomps, B., 1=12258
- Pebay-Peyroula, J.C. See Faure, A., 4=1221
- Pebay-Peyroula, J.C. See Goullet, G., 4=28128
- Pebay-Peyroula, J.C. See Nédélec, O., 2=12296
- Pebay-Peyroula, J.C. See Nédélec, O., 4=12381
- Pebler, A. and Wallace, W.E. Crystal structures of some lanthanide hydrides, 2=6812
- Pebnev, A. K. See Vladimirkii, V. V., 4=14804
- Pecastaings, J. See Lehmann, R., 3=3653
- Pecastaings, J. See Lehmann, R., 4=26987
- Pečený, T. Proposal for semiconductor laser with wide-gap emitters, 4=30091
- Pech, M. Electronic specific heat of a Pb-Bi and an isoelectronic Pb alloy, 3=6478
- Pech, M. and Zarudiansky, A. Anomalies found in the cyclotron resonance of a beam of electrons, 2=22259
- Pech, P. Investigations on the time-dependent changes of normal cathode fall of a glow-discharge in neon with a polycrystalline molybdenum cathode, 4=11549
- Pechacek, R. E., Mann, L. G., Bloom, S. D. and Rodrigues, R. M. Gamma-ray circular polarization analyzer using a rapidly alternating magnetic field, 4=9165
- Pechenov, A. N. See Kudryavtsev, E. M., 4=15330
- Pechenov, A. N. See Kudryavtsev, E. M., 4=22349
- Pechenov, A. N. See Kudryavtsev, E. M., 4=30429
- Pécheux, M. Pathological bound states in the Bosco-Stroffolini model of the meson-nucleon interaction, 0=9387
- Pechhold, W. Method of measuring the complex shear modulus in frequency range 1-100 kc/s, 0=16195
- Pechhold, W. Treatment of the excitation and perturbation problems in acoustic resonators, 0=16794
- Pechhold, W. See Haeblerlen, U., 4=17700
- Pechnikov, I. I. See Parshin, A. M., 3=23349
- Pecht, I. See Anbar, M., 4=13745
- Pečijare, O. Specific electrical conductance of alloys of the system Al-Zn and its phase diagram, 0=2851
- Pecile, C. See Foffani, A., 0=490
- Pecina, R. J. and Weldemann, W. A multiple input counting station with central core memory, 4=27725
- Peck, A. J. See de Vries, D. A., 0=5203
- Peck, C. C., Jones, L. W. and Perl, M. L. Evidence concerning pion-pion interactions below the 765 MeV pion-pion resonance, 2=13844
- Peck, C. W.  $K^+ \Lambda$  photoproduction from hydrogen at 1200 MeV, 4=25177
- Peck, E. R. The method and results of wavelength measurements with a corner-reflector interferometer, 0=16846
- Peck, E. R. The mean wave number of a narrow spectral distribution measured by a double-beam interferometer, 0=16847
- Peck, E. R. Polarization properties of corner reflectors and cavities, 2=5190
- Peck, E. R. and Khanna, B. N. Dispersion of air in the near-infrared, 2=7343
- Peck, E. R., Khanna, B. N. and Anderholm, N. C. Secondary standards of Ar I and Hg<sup>198</sup>I in the near infrared, 2=10207
- Peck, J. M. See Aarajs, S., 1=10129
- Peck, J. M. See Aarajs, S., 2=12739
- Peck, J. M. See Colvin, R. V., 1=7734
- Peck, R. A. Jr. Single particle effects in (n,p) spectra of medium weight nuclei, 1=8742
- Peck, R. A. Jr. (n,d) and (n,p) reactions near Z = 50, 1=12209
- Peck, R. A. Jr. Gross structure in reactions of deformed nuclei, 1=19423
- Peck, R. A. Jr., Eubank, H. P. and Howard, R. M. Distribution correlations in Sb(n,p)Sn, 0=1443
- Peck, R. A. Jr. See Al-Kital, R. A., 3=12691
- Peck, R. A. Jr. See Hassler, F. L., 2=3598
- Peck, R. A. Jr. See Iyengar, K. V. K., 2=3582
- Peck, R. A. Jr. See Overseth, O. E., 0=460
- Peck, V. G. and Carter, W. L. Interference microscopy in polymer research, 4=13700
- Peck, W. F., Jr and Dewald, J. F. The Hall effect in semiconducting glasses, 4=26029
- Peck, W. G. See Pegis, R. J., 2=17590
- Peckenkina, R. S. See Florinskaya, V. A., 2=4124
- Pecker, C. Research into the resonance line of Fe X the solar ultraviolet spectrum, 0=14436
- Pecker, C. Study of the spectra taken by Bernard Lyot of the eclipse at Khartoum of 28 February 1952. II. Study of a coronal condensation, 1=28
- Pecker, C. The excitation of the red coronal line  $\lambda$  6374, 1=4199
- Pecker, C. A study of Si X emission from the outer layers of the sun, 1=6712
- Pecker, C. Identification of some weak coronal lines, 4=2443
- Pecker, C. and Röhrlich, F. Forbidden lines in the ground configurations with special regard to the coronal emission spectrum, 2=15336
- Pecker, C. and Röhrlich, F. Identification of permitted lines in the solar ultraviolet spectrum, 2=15342
- Pecker, C. and Thomas, R. N. The ratio of intensities of the green and red coronal lines, 1=15486
- Pecker, C. and Thomas, R. N. Excitation of the red and green coronal lines, 2=15352
- Pecker, C. and Thomas, R. N. Some limits on the effect of coronal self-emission on the excitation state of coronal ions, 3=13891
- Pecker, C. and Thomas, R. N. Radiation transfer problems in the rocket ultraviolet lines, 4=2441
- Pecker, C. See Divan, L., 0=14433
- Pecker, C. See Röhrlich, F., 4=6457
- Pecker, C. W. See Jefferies, J. T., 2=17280
- Pecker, J. C. Charts of the balance and abundances in the stellar and solar photospheres. I. The spectrum of neutral titanium — charts of local thermodynamic equilibrium, 0=14414
- Pecker, J. C. The determinations of abundances and their experimental needs, 0=18859
- Pecker, J. C. The convective zone in stars, 2=4818
- Pecker, J. C. Effects and equilibrium of circumstellar dust envelopes, 2=9091
- Pecker, J. C. Prediction of the ultraviolet spectrum of the stars, and of the sun: introductory report, 2=17294
- Pecker, J.-C. Possible interpretation of the oscillatory phase of novae, 4=29397
- Pecker, J. C. and Vogel, L. Charts of the balance and abundances in the stellar and solar photospheres. II. The case of neutral atoms of titanium, vanadium, and chromium in the solar atmosphere, 0=14415
- Pecker, J. C. See Balli, E., 1=18082
- Pecker, J. C. See Blamont, J., 2=13041
- Pecker, J. C. See Cuny, Y., 2=4776
- Pecker, J. C. See Débarbat, S., 0=6555



- Pecker, J.C. See Dumont, S., 0=14432  
 Pecker, J.C. See Dumont, S., 2=17271  
 Pecker, J.C. See Eugène-Praderie, F., 0=14416  
 Pecker, J.C. See Gökdoğan, N., 3=5253  
 Pecker, J.C. See Gökdoğan, N., 4=4836  
 Pecker, J.C. See Jorand, M., 4=15939  
 Pecker, J.C. See Lefevre, J., 1=15453  
 Pecker-Wimel, C. Coronal lines observed in novae, 4=29395  
 Peckham, G. A graphical aid to focussing a triple axis spectrometer, 4=22475  
 Peckham, J.K. See Peckham, R.H., 3=21175  
 Peckham, R.H., Hart, W.H. and Peckham, J.K. Independence and interdependence in on and off visual stimuli, 3=21175  
 Pecora, R. Doppler shifts in light scattering from pure liquids and polymer solutions, 4=16111  
 Pecoraro, R.P. See Bohan, W.A., 0=583  
 Pěčová, J., Petr, V. and Praus, O. Determination of the electrical conductivity by magnetotelluric measurements, 4=30921  
 Pecul, K. See Kolos, W., 2=1965  
 Peculea, M. Thermodynamic behaviour of the principal cooling cycles with cold gas permitting the obtaining of low and very low temperatures, and indications of some constructive principles, 2=19789  
 Peculea, M. See Hanganut, M., 2=2673  
 Pedenko, N.S. See Kharchenko, I.F., 0=12619  
 Pedenko, N.S. See Kharchenko, I.F., 2=11665  
 Pedenko, N.S. See Kharchenko, I.F., 4=8782  
 Pedenko, N.S. See Kharchenko, I.F., 4=24690  
 Pedersen, A. Time, height, and latitude distribution of D layers in the subauroral zone and their relation to geomagnetic activity and aurora, 3=1460  
 Pedersen, A. See Riedler, W., 4=3188  
 Pedersen, A.K. See Bryrup, E., 0=9714  
 Pedersen, A.K. See Bryrup, E., 0=9715  
 Pedersen, B. N.M.R. in hydrate crystals: structural information from second moments, 3=23268  
 Pedersen, B. and Grønvold, F. The crystal structures of  $\alpha$ -V<sub>3</sub>S and  $\beta$ -V<sub>3</sub>S, 0=4629  
 Pedersen, B. and Holcomb, D.F. N.M.R. in hydrate crystals: structural information from broadened fine-structure lines, 3=8728  
 Pedersen, B. See Holcomb, D.F., 1=14822  
 Pedersen, B. See Holcomb, D.F., 2=16934  
 Pedersen, B. See Holcomb, D.F., 3=8727  
 Pedersen, B.O. See Morris, R.M., 1=7948  
 Pedersen, G. See Kjekshus, A., 2=10875  
 Pedersen, J.C. See Greenberg, J.M., 1=2887  
 Pedersen, K. On quantitative precipitation forecasting with a quasi-geostrophic model, 4=23728  
 Pedersen, M.A. Acoustic intensity anomalies introduced by constant velocity gradients, 1=6928  
 Pedersen, M.A. Remarks on Mr. Stewart's comments on my paper entitled "acoustic intensity anomalies, etc.", 1=12939  
 Pedersen, M.A. Comparison of experimental and theoretical image interference in deep-water acoustics, 3=213  
 Pedersen, N.E. See Greenberg, J.M., 1=2887  
 Pedersen, S.B. Some results on using a signal with a continuous spectrum for distortion measurements, 4=14308  
 Pederson, B. N.M.R. in hydrate crystals: correction for vibrational motion, 4=23059  
 Pederson, E.C.B. and Bell, R.E. The half-life of the first excited state of Tl<sup>203</sup>, 1=5879  
 Pederson, E.C.B. and Bell, R.E. Corrigendum: the half life of the first excited state of Tl<sup>203</sup>, 2=5835  
 Pedinoff, M.E. Absorption of ultrasonic waves in pure methylcyclohexane, 2=5014  
 Ped'ko, A.V. Anomalies in the physical properties of gadolinium ferrite garnet in the low temperature region, 1=20123  
 Ped'ko, A.V. Anomalies in the physical properties of gadolinium ferrite garnet in the low temperature region, 2=23682  
 Pedko, A.V. See Belov, K.P., 0=10164  
 Ped'ko, A.V. See Belov, K.P., 0=11884  
 Ped'ko, A.V. See Belov, K.P., 1=20145  
 Ped'ko, A.V. See Belov, K.P., 2=744  
 Ped'ko, A.V. See Belov, K.P., 2=6680  
 Ped'ko, A.V. See Belov, K.P., 3=3150  
 Ped'ko, A.V. See Belov, K.P., 3=5017  
 Ped'ko, A.V. See Belov, K.P., 3=6732  
 Ped'ko, A.V. See Belov, K.P., 4=4355  
 Pedlosky, J. Spectral considerations in two-dimensional incompressible flow, 2=15548  
 Pedlosky, J. Baroclinic instability in two layer systems, 3=16212  
 Pedlosky, J. The stability of currents in the atmosphere and the ocean. I, 4=23739  
 Pedlosky, J. The stability of currents in the atmosphere and the ocean. II, 4=29273  
 Pedlosky, J. See Charney, J.G., 4=13785  
 Pedos, F.Z., Sventitskii, N.S. and Shlepkova, Z.I. A low-voltage pulse discharge in vacuo used for production of spectra, 0=3628  
 Pedos, F.Z. See Kaporskii, L.N., 3=25035  
 Pedretti, E. See Ascari, A., 0=2700  
 Pedrotti, F.L. and Reynolds, D.C. Spin-orbit splitting in CdS:Se single crystals, 2=20956  
 Pedrotti, L.S. and Reynolds, D.C. Change in structure of blue and green fluorescence in cadmium sulfide at low temperatures, 0=16080  
 Pedrotti, L.S. and Reynolds, D.C. Energy model for edge emission in cadmium sulfide, 1=1176  
 Pedrotti, L.S. See Reynolds, D.C., 1=17912  
 Pedrotti, L.S. See Reynolds, D.C., 3=949  
 Pedyash, E.M. See Subashiev, V.K., 0=9997  
 Peebles, J. The Eötvös experiment, spatial isotropy, and generally covariant field theories of gravity, 3=3714  
 Peebles, J. and Dicke, R.H. The temperature of meteorites and Dirac's cosmology and Mach's principle, 3=11523  
 Peebles, P.J. Description of particles in quantized field theory, 3=2189  
 Peebles, P.J. and Dicke, R.H. Significance of spatial isotropy, 2=17338  
 Peebles, P.J. and Dicke, R.H. Cosmology and the radioactive decay ages of terrestrial rocks and meteorites, 3=7017  
 Peebles, P. J. E. The structure and composition of jupiter and saturn, 4=26927  
 Peebles, P. J. E. See Dicke, R. H., 4=20882  
 Peechey, C. J. See Leech, J. W., 4=22502  
 Peed, W. F. See Alexeff, L., 3=16937  
 Peek, J.M. Inelastic scattering of electrons by the hydrogen molecule ion, 4=17279  
 Peek, J.M. and Lassette, E.N. Molecular orbital treatment of hydrogen with central potentials and modified boundary conditions, 1=3559  
 Peek, J.M. and Lassette, E.N. Molecular orbitals for H<sub>2</sub> based on central potentials. Average Hamiltonian and correlation energy, 3=17573  
 Peek, J.M. and Lassette, E.N. Correlation diagram for H<sub>2</sub>. Oscillator strengths, 3=17574  
 Peek, J.M. See Lassette, E.N., 3=17575  
 Peek, N.F. See Jungerman, J.A., 2=13774  
 Peek, N.F. See Jungerman, J.A., 3=5747  
 Peelaers, W. See Van Itterbeek, A., 0=13736  
 Peelaers, W. See van Itterbeek, A., 1=17933  
 Peelaerts, G. Van Itterbeek, A., 0=10100  
 Peele, R.W. and Love, T.A. Method for detecting non-proportionality of response for gamma-ray scintillators, 0=7244  
 Peers, A.M. Oxygen adsorption on zinc oxide, 4=10623  
 Peersen, E. and Ore, A. Semiconduction in albumin, gelatin and gelatin-dyestuff complexes, 4=22731  
 Peet, C.S. See Bulloff, J.J., 1=17643  
 Peet, C.S. See Gorton, H.C., 0=20916  
 Peet, C.S. See Gorton, H.C., 1=7651  
 Peet, C.S. See Wieber, R.H., 0=9915  
 Peetz, C.V. See Ellison, J. McK., 0=5135  
 Peetermans, A. Determination of the absolute and relative efficiency of a 2" x 2" NaI:Ti crystal by the graphic method, 4=24945  
 Peeters, B. See Van Itterbeek, A., 3=23205  
 Peeters, E. Isomeric transition of Al<sup>30</sup> isotope, 4=17044  
 Peeters, E. Possible isomeric transition in the isotope Al<sup>30</sup>, 4=6225  
 Peeva, A. and Karatoteva, T. On the temperature accommodation of self quenching G.M. counters, 1=13202  
 Peeva, A. and Karatoteva, T. Temperature stable region and ageing of the self-quenching G.M. counters, 1=13203  
 Peeva, A. and Karatoteva, T. Effect of the anode material on the temperature dependence of self-quenching G.M. counters, 2=13701  
 Peeva, A. See Hauser, I., 0=15496  
 Peeva, A.T. See Zlateva, A.I., 2=9842  
 Pefhany, J. Pneumatic gauges for in-pile measurements, 1=2269



- Pegis,R.J. An exact design method for multilayer dielectric films, 1=16101
- Pegis,R.J. The modern development of Hamiltonian optics, 1=18545
- Pegis,R.J. and Peck,W.G. First-order design theory for linearly compensated zoom systems, 2=17590
- Pegis, R. J. and Rao, M. M. Analysis and design of plane-mirror systems, 4=8391
- Peguin, P. See Lindveit, T., 4=28913
- Pehek, J. See Bratt, P., 2=7454
- Pehl, R. H. See Cerny, J., 2=3616
- Pehl, R. H. See Cerny, J., 4=9560
- Pehl, R. H. See Cerny, J., 4=25396
- Pehl, R. H. See Elliott, J. H., 2=18029
- Pehl, R. H. See Garvey, G. T., 4=27963
- Pehl, R. H. See Harvey, B. G., 3=4566
- Pehland, H. and Hager, H. The theory of the determination of dry weight of biological objects using the interference microscope, 0=5149
- Pehland, H. See Schwink, C., 0=5170
- Pehlke, R. D. See Dealy, J. M., 3=16603
- Pehlke, R. D. See Dealy, J. M., 4=7766
- P'ei Wang. See Tso-hsiung, Ho., 3=17301
- Peibst, H. Comments on the theory of crystallization from the melt and on the origin of imperfections which arise during crystal growth, 3=20790
- Peibst, H. On the influence of lattice vibrations on crystal growth: the formation of polytypes, 4=7544
- Peibst, H. Crystal faults produced during growth and their origin, 4=9938
- Peibst, H. and Noack, J. Growth rate and nucleation frequency of KCl from solution at high supersaturations, 3=5084
- Peibst, H. See Kleber, W., 1=1084
- Peibst, H. See Kleber, W., 1=10106
- Peibst, H. See Möhling, W., 4=20281
- Peierls, R. E. Complex eigenvalues in scattering theory, 0=9293
- Peierls, R. E. The atomic nucleus, 0=13099
- Peierls, R. E. Professor H. W. B. Skinner, F. R. S. (1900-1960), 1=5180
- Peierls, R. E. Open problems [in nuclear structure], I, 1=8530
- Peierls, R. E. Velocity-dependent nuclear forces, 2=3450
- Peierls, R. E. Nuclear matter, 4=3525
- Peierls, R. E. An appreciation of Niels Bohr, 3=13986
- Peierls, R. E. Where do we stand in our knowledge of the laws of nature? 4=11003
- Peierls, R. E. and Thouless, D. J. Variational approach to collective motion, 3=627
- Peierls, R. F. Higher resonances in pion-nucleon interactions, 0=9401
- Peierls, R. F. Isotopic spin dependence of the pion-nucleon higher resonance, 0=17381
- Peierls, R. F. Possible mechanism for the pion-nucleon second resonance, 1=12108
- Peierls, R. F. Erratum: Possible interpretation of the  $\pi\omega$  resonance at 1220 MeV, 4=16953
- Peierls, R. F. Possible interpretation of the  $\pi\omega$  resonance at 1220 MeV, 4=16952
- Peierls, R. F. and Tarski, J. Overlapping final-state interactions, 3=5934
- Peierls, R. F. and Treiman, S. B. Pionic nuclei, 2=13863
- Peierls, R. F. and Trueman, T. L. Restrictions imposed by the optical theorem on exchanged quantum numbers, 4=21789
- Peierls, R. F. See Ashmore, A., 2=18118
- Peierls, R. F. See Foldy, L. L., 3=14914
- Peierls, R. F. See Levinger, J. S., 4=21847
- Peierls, R. F. See Mandelstam, S., 2=16155
- Peiffer, H. R. Effect of prior deformation and recovery on the defect concentration increase during plastic deformation, 3=11154
- Peiffer, H. R. A possible verification of dislocation uncertainty as applied to point defect production, 3=12960
- Peiffer, H. R. and Stevenson, F. Cold work and subsequent electrical resistivity increases in pure aluminum, 1=6123
- Peiffer, H. R. and Stevenson, F. R. Recovery of defects from 78° to 300° K in cadmium elongated at 78° K, 3=22713
- Peiffer, H. R. See Stevenson, F. R., 4=13401
- Peiffer, H. R. See Stevenson, F. R., 4=17470
- Peinemann, B. See Gobrecht, H., 1=17752
- Peintre, M. Le. See Le Peintre, M.
- Peirson, D. H. Interpretation of  $\gamma$ -ray scintillation spectra from fission-product mixtures, 0=15610
- Peirson, D. H. Transfer of stratospheric fission products into the troposphere, 2=4615
- Peirson, D. H. Beryllium 7 in air and rain, 3=25904
- Peirson, D. H., Crooks, R. N. and Fisher, E. M. R. Radioactivity of the atmosphere due to distant nuclear test explosions, 0=11331
- Peirson, D. H. and Keane, J. R. Characteristics of early fall-out from the Russian nuclear explosions of 1961, 3=8024
- Peisakh, I. See Amiel, S., 4=7801
- Peisakhson, I. V. Optical systems for focusing infrared radiation on to a receiver of small dimensions, 0=3607
- Peisakhson, I. V. Determination of the parameters which give the true profiles of absorption bands, 0=12486
- Peisakhson, I. V. Effect of spectrographic camera objective distortion on spectral line curvature, 2=7363
- Peisakhson, I. V. and Gurevich, D. B. Optical system for a large aperture spectral instrument for the visible and ultraviolet regions, 3=24028
- Peisakhson, I. V. See Chulanovskii, V. M., 0=12481
- Peisakhson, I. V. See Chulanovskii, V. M., 0=12482
- Peischl, F. and Werner, E. Velocity dependent nucleon-nucleon interactions and the ground state of nuclear matter, 3=17382
- Peiser, H. S. and Levine, E. P. The characterization of large single crystals by high-voltage X-ray Laue photographs, 4=10506
- Peiser, H. S., Wachtman, J. B., Jr and Dickson, R. W. Reduction of space groups to subgroups by homogeneous strain, 4=4514
- Peiser, H. S. See Almer, H. E., 2=9228
- Peiser, H. S. See Almer, H. E., 4=29505
- Peiser, H. S. See Bolz, L. H., 0=1914
- Peiser, H. S. See Ogburn, F., 4=23306
- Peiser, H. S. See Wachtman, J. B., 3=3213
- Peiser, H. S. See Wachtman, J. B., Jr, 3=25614
- Peisl, H. Investigations of lattice defects in neutron-irradiated lithium fluoride, 2=23158
- Peisl, H. Monitor-controlled arrangement for fully automatic point by recording of X-ray diffraction patterns, 3=25687
- Peisl, H. and Waidelich, W. Low-temperature camera for structure investigations with a counter goniometer, 0=4611
- Peisl, H. and Waidelich, W. Changes in lattice constant by colour centre formation due to neutron bombardment in LiF, 2=23218
- Peisl, H. and Waidelich, W. Experiments on the effect of illumination on the lattice constant of AgCl single crystals, 4=4622
- Peissker, E., Haasen, P. and Alexander, H. Anisotropic plastic deformation of indium antimonide, 2=23189
- Petrokowsky, P. The partial constitutional diagram TiAu<sub>2</sub>-Au: lattice parameters of the alpha solid solutions and the intermediate phase TiAu<sub>4</sub>, 2=17031
- Peixoto, J. P. Application of spectral analysis to the study of the planetary circulation of the atmosphere, 3=25877
- Peka, G. P. Investigation of the effect of an electric field, applied at the surface, on luminescence and electrical conductivity of cuprous oxide, 2=18859
- Peka, G. P. Investigation of the effect of an electric field, applied at the surface, on luminescence and electrical conductivity of cuprous oxide, 2=23592
- Peka, G. P. Effect of adsorption of molecules on the luminescence electrical conductivity and the luminescent field effect in Cu<sub>2</sub>O, 4=1770
- Peka, G. P. and Karkhanin, Yu. I. The dependence of luminescence of cuprous oxide on external electric field, 2=4172
- Peka, G. P. and Karkhanin, Yu. I. The dependence of luminescence of cuprous oxide on external electric field, 2=8572
- Peka, G. P. See Karkhanin, Yu. I., 2=23380
- Peka, G. P. and Karkhanin, Yu. I. Effect on the luminescence and electrical conductivity of cuprous oxide of an electric field applied to the surface, 3=22942
- Peka, G. P. See Karkhanin, Yu. I., 3=18028
- Peka, H. P. See Karkhanin, Yu. I., 2=8437
- Pekar, S. I. The energy of excitons for very small quasi-moments, 0=1573
- Pekar, S. I. Contribution to the theory of absorption and dispersion of light in crystals, 0=1730
- Pekar, S. I. Identification of excitons with light waves in a crystal and a macroscopic theory of excitons with and without account of retardation, 1=4981
- Pekar, S. I. Theory of the additional electromagnetic waves in crystals in a region of excited absorption, 2=18792
- Pekar, S. I. Theory of local electron centres in crystals, 2=23213
- Pekar, S. I. Theory of the additional electromagnetic waves in crystals in a region of excited absorption, 2=23519



- Pekar, S.I. Additional light waves in crystals in the region of exciton absorption, 3=10913
- Pekar, S.I. Supplementary light waves in crystals and exciton absorption, 3=20429
- Pekar, S.I. and Perlin, Yu.I. On the question of the lifetime of excited F-centres, 3=6546
- Pekar, S.I. and Strizhevskii, V.L. A theory of temperature dependences of the optical dispersion and of the exciton absorption of light in crystals, 0=16042
- Pekar, S.I. and Strizhevskii, S.I. A contribution to the theory of the temperature dependence of dispersion and exciton absorption of light in crystals, 1=19951
- Pekar, S.I. and Suhakov, V.I. Supplementary boundary conditions in the theory of secondary electromagnetic waves in crystals, 3=20430
- Pekar, S.I. and Tsekava, B.E. Dispersion of light in the exciton absorption region of cubic crystals taking account of the anisotropy in effective mass of the exciton, 0=13681
- Pekar, S.I. See Brodin, M.S., 0=6176
- Pekar, S.I. See Brodin, M.S., 0=13678
- Pekar, S.I. See Dykman, I.M., 0=9988
- Pekar, S.I. See Erezhepov, M.E., 3=20288
- Pekar, S.I. See Kventse, G.F., 3=20465
- Pekara [Piekara], A. Dielectric constant of dielectric liquids in strong fields, 0=19141
- Pekárek, L. The influence of external illumination on moving striations in a discharge in neon, 0=2334
- Pekárek, L. Experimental verification of the theory of the successive production of striations in a glow discharge, 0=2336
- Pekárek, L. The successive production of striations in a glow discharge in hydrogen, 0=3753
- Pekárek, L. Low frequency waveform phenomena in the plasma of a glow discharge, 0=7089
- Pekárek, L. Time production and spatial distribution of macroscopic space charges in d.c. discharge plasma, 2=19933
- Pekarek, L. The development of a pulse-disturbance in a d.c. discharge plasma, 4=18980
- Pekárek, L. and Krejčí, V. The physical nature of the production of moving striations in a d.c. discharge plasma, 2=1399
- Pekárek, L. and Krejčí, V. The mechanism of the amplification of moving striations in a d.c. discharge, 2=15895
- Pekárek, L. and Krejčí, V. Theory of moving striations in plasma d.c. discharge. I. Basic equation and its general solution, 2=19910
- Pekárek, L. and Krejčí, V. A possible explanation of the nature of standing striations in a high-frequency discharge, 3=4043
- Pekarek, L. and Krejci, V. Diffusion of electrons by temperature gradient in plasma of positive column, 3=12100
- Pekárek, L. and Krejčí, V. The theory of moving striations in a d-c discharge plasma. II. High current approximation, 4=14600
- Pekárek, L., Krejčí, V., and Štirand, O. Direction of motion of striations in an inert gas-hydrogen mixture, 3=19196
- Pekárek, L. and Krpata, V. Time changes in velocity and length of striations in wave of stratification in hydrogen discharge, 2=7573
- Pekarak, L. and Novak, M. Microphysical processes causing fast striation waves in neon glow discharges, 0=5292
- Pekárek, L. and Novák, M. A new type of moving striations in neon [glow discharges], 0=10890
- Pekárek, L. and Šícha, M. The connection between low-gradient form of the positive column in oxygen and moving striations, 1=16285
- Pekárek, L. See Šícha, M., 4=24615
- Pekarev, A. I. See Gurov, K. P., 4=21555
- Peker, L. See Rzhazanka, I., 3=8010
- Peker, L.K. Rotational levels in deformed odd-odd nuclei, 2=13987
- Peker, L.K. Contribution to the interpretation of the high-lying levels of  $W^{182}$ , 2=14003
- Peker, L.K. and Varshalovich, D.A. Magnetic moments of deformed nuclei with  $K=\frac{1}{2}$ , 2=13968
- Peker, L.K. See Dueprovskii, I.S., 0=20383
- Peker, L.K. See Gol'danskii, V.I., 2=7928
- Peker, L.K. See Varshalovich, D.A., 3=10236
- Pekeris, A. Note on the square-integrability of the kernel of the linearised Boltzmann integral equation for rigid sphere molecules, 3=14058
- Pekeris, C.L.  $1^1S$  and  $2^1S$  states of helium, 0=1469
- Pekeris, C.L.  $1^1S$ ,  $2^1S$  and  $2^3S$  states of  $Li^+$ , 2=10203
- Pekeris, C.L.  $1^1S$ ,  $2^1S$  and  $2^3S$  states of  $H^+$  and of He, 2=12284
- Pekeris, C.L. Excited S states of helium, 2=16472
- Pekeris, C.L., Alterman, Z. and Abramovici, F. Propagation of an SH-torque pulse in a layered solid, 3=11850
- Pekeris, C.L., Alterman, Z., Finkelstein, L. and Frankowski, K. Propagation of sound in a gas of rigid spheres, 3=5466
- Pekeris, C.L., Alterman, Z. and Jarosch, H. Rotational multiplets in the spectrum of the earth, 1=10302
- Pekeris, C.L., Alterman, Z. and Jarosch, H. Terrestrial spectroscopy, 1=20797
- Pekeris, C.L., Schiff, B. and Lifson, H. Fine structure of the  $2^3P$  and  $3^3P$  states of helium, 2=12285
- Pekeris, C.L. See Alterman, Z., 0=8518
- Pekeris, C.L. See Alterman, Z., 1=9182
- Pekeris, C.L. See Schiff, B., 4=17243
- Pekerman, F. M. and Petoshina, L. N. Investigation of the luminous efficiency of electroluminescent capacitors, 4=2625
- Pekerman, F.M. See Kazankin, O.N., 0=10083
- Pelah, I., Dattner, J. and Fischler, J. Mass-abundance ratio meter for a single-beam mass spectrometer, 3=21904
- Pelah, I. See Arad (Huëbschmann), B., 4=9386
- Pelah, I. See Ben-David (Davis), G., 4=21821
- Pelah, I. See Peretti, J., 3=12917
- Pelanne, C.M. and Bradley, C.B. A rapid heat-flow meter thermal-conductivity apparatus, 2=19744
- Peled, S., Harnik, E., Ben-Sira, M.Y. and Pratt, B. Investigation of polarization processes and electric-field distribution in photoconducting insulators, 3=10869
- Peleshov, V.I. and Malov, A.F. Magnetic spectrometer for detecting internal conversion electrons from the  $(n, \gamma)$  reaction, 3=7831
- Peleshov, V.I. See Groshev, L.V., 0=4115
- Peleshov, V.I. See Groshev, L.V., 0=7628
- Peleshov, V.I. See Groshev, L.V., 0=9592
- Peleshov, V.I. See Groshev, L.V., 0=9674
- Peleshov, V.I. See Groshev, L.V., 0=13285
- Peleshov, V.I. See Groshev, L.V., 2=5799
- Peleshov, V.I. See Groshev, L.V., 2=7930
- Peleshov, V.I. See Groshev, L.V., 3=15118
- Peleshov, V.I. See Groshev, L.V., 3=24959
- Peleshov, V.I. See Groshev, L.V., 4=6239
- Peleshov, V.I. See Groshev, L.V., 4=12246
- Peleshov, V.I. See Groshev, L.V., 4=13756
- Peleshov, V.I. See Ivanov, V.A., 4=9415
- Pelekis, L. See Bakhmat, A., 2=20565
- Pelekis, L. See Bakhmat, A., 3=10265
- Pelenc, Y. Behaviour of air-break circuit-breakers when breaking short-circuit currents between two or three phases and earth, 0=5424
- Peletier, L.A. and Van Wijngaarden, L. Couette flow of a fully ionized gas, considered as a two-component fluid, 1=16541
- Peletier, L.A. See Broer, L.J.F., 0=19897
- Peletinskii, S.V. Coupled magneto-elastic oscillations in antiferromagnetics, 0=10163
- Peletinskii, S.V. Relaxation of photons and plasma electrons in a strong magnetic field, 3=22107
- Peletinskii, S.V. Contribution to the theory of singularities in nonlinear electrodynamics, 3=24439
- Peletinskii, S.V. and Bar'yakhtar, V.G. Theory of the high-frequency susceptibility of uniaxial ferromagnets, 4=30727
- Peletinskii, S.V. and Yatsenko, A.A. Structure of singularities and their motion in nonlinear electrodynamics, 4=5762
- Peletinskii, S.V. See Akhiezer, A.I., 0=4497
- Peletinskii, S.V. See Akhiezer, I.A., 1=5236
- Peletinskii, S.V. See Akhiezer, A.I., 2=9585
- Peletinskii, S.V. See Akhiezer, A.I., 3=5671
- Peletinskii, S.V. See Akhiezer, A.I., 3=14583
- Peletinskii, S.V. See Akhiezer, A.I., 4=4338
- Peletinskii, S.V. See Akhiezer, I.A., 1=14683
- Peletinskii, S.V. See Akhiezer, I.A., 1=18314
- Peletinskii, S.V. See Akhiezer, A.I., 3=23208
- Peletinskii, S.V. See Bar'yakhtar, V.G., 1=3921
- Peletinskii, S.V. See Volkov, D.V., 0=10601
- Peletinskii, S.V. Volume and surface magneto-elastic waves in metals, 1=11444
- Peletinskii, S.V. See Yatsenko, A.A., 4=24021
- Peligrý, C. Numerical calculation of the potential distribution due to a grid placed between two parallel plates, 0=14949
- Pelissier, J. See Pluchery, M., 3=18403
- Pelka, V.[W.]. See Chernevski, M., 4=6437
- Pell, E.M. Ion drift in an n-p junction, 0=6103
- Pell, E.M. Diffusion of Li in Si at high T and the isotope effect, 0=13560
- Pell, E.M. Diffusion rate of Li in Si at low temperatures, 0=13561



- Pell, E.M. Effect of Li-B ion pairing on Li<sup>+</sup> ion drift in Si, 0=15940
- Pell, E.M. Study of Li-O interaction in Si by ion drift, 1=11301
- Pell, E.M. and Ham, F.S. Recombination kinetics for thermally dissociated Li-B ion pairs in Si, 1=11302
- Pell, W.H. and Payne, L.E. The Stokes flow about a spindle, 0=19054
- Pellam, J.R. Evidence of the nature of rotating liquid helium, 0=19533
- Pellam, J.R. Lev Davydovich Landau. Winner of the Second Fritz London Award, 1=6758
- Pellam, J.R. Theory of second sound absorption in rotating helium, 3=12019
- Pellam, J.R. Theory of torsional oscillations in rotating liquid helium, 3=19090
- Pellam, J.R. See Koehler, T.R., 2=2947
- Pellam, J.R. See Rogers, J.D., 3=17433
- Pellas, P. See Maurette, M., 4=23708
- Pellat, R. See Laval, G., 4=533
- Pellat, R. See Laval, G., 4=5779
- Pellat, R. See Laval, G., 4=18946
- Pellat, R. See Laval, G., 4=19031
- Pellat, R. See Laval, G., 4=19040
- Pellat, R. See Laval, G., 4=27510
- Pelle, J.S. Ultramicroanalysis, 2=6852
- Pellegrini, C. The total energy-momentum vector of a closed system in general relativity, 2=2616
- Pellegrini, C. A calculation of radiation effects on electron oscillations in a circular accelerator, 2=11737
- Pellegrini, C. and Plebanski, J. Tetrad fields and gravitational fields, 3=23740
- Pellegrini, C. and Stoppini, G. Remarks on neutral pion photoproduction in the high energy region, 0=17397
- Pellegrini, C. and Tau, L. On the connection between scattering and photoproduction of pions at high energies, 0=17396
- Pellegrini, C. See Amman, F., 3=12267
- Pellegrini, C. See Amman, F., 4=16582
- Pellegrini, F. (d,  $\alpha$ ) reactions on C<sup>12</sup>, O<sup>16</sup> and Mg<sup>24</sup>, 1=8767
- Pellegrini, F. and Wiktor, S. The Al<sup>27</sup>(d, He<sup>3</sup>)Mg<sup>26</sup> reaction, 2=22844
- Pellegrini, F. and Wiktor, S. A study of the (d, <sup>3</sup>He) reaction leading to <sup>26</sup>Mg, 3=8125
- Pellegrini, F. See Budzanowski, A., 4=19819
- Pellegrini, F. See Facchini, U., 0=19966
- Pellegrini, G. See Pelsmaekers, J., 4=4039
- Pellegrini, U. Evolution of multichannel pulse height analysers as data handling and processing systems, 2=19843
- Pellegrini, U. and Rispoli, B. Two pulse frequency dividers with high resolving power, 0=17200
- Pellegrini, U. See Beneventano, M., 0=17285
- Pellegrini, U. See Bologna, G., 2=5610
- Pellegrini, U. See Bonsignori, C., 3=19148
- Pellegrini, U. See Caglioti, G., 2=9868
- Peller, L. Matrix formulation of copolymerization statistics, 2=14343
- Peller, M.L. See Blinder, S.M., 2=3778
- Pelletier, C. See Awunor-Renner, E.R.T., 0=15497
- Pelletier, C. See Brandt, S., 3=17324
- Pelletier, E., Chabbal, R. and Giacomo, P. Influence of a variation in the thickness of the reflecting coating on the optical thickness of a Fabry-Perot interferometer, 4=21312
- Pelletier-Allard, N. Zeeman spectrum of single crystals of double chloride of cobalt and caesium, CoCs<sub>2</sub>Cl<sub>3</sub>, at low temperature, 3=13166
- Pelletier-Allard, N. Decomposition through a magnetic field of the lowest level of the ion Co<sup>2+</sup> in the double chloride of cobalt and caesium CoCs<sub>2</sub>Cl<sub>3</sub>, 4=15585
- Pellet, D. and Stump, R. Operation of bubble chamber with liquid nitrogen and liquid argon, 3=19524
- Pelliccioni, M. See Corazza, M.L., 3=12368
- Pelliccioni, M. See Ladu, M., 3=24749
- Pelliccioni, M. See Ladu, M., 4=19535
- Pellicori, S.F. Transmittances of some optical materials for use between 1900 and 3400 Å, 4=14346
- Pellier, L. Direct examination by electron transmission of Inconel-X, 3=20872
- Pellin, R.A. See Braun, J.H., 2=8793
- Pellini, W.S., Steele, L.E. and Hawthorne, J.R. Analysis of engineering and basic research aspects of neutron embrittlement of steels, 3=11181
- Pells, G.P. The palladium-uranium phase diagram up to 25 at.-% uranium, 4=29014
- Pells, G.P. See Montgomery, H., 1=19720
- Pells, G.P. See Montgomery, H., 3=19082
- Peloke, J.R. See Alexander, F.B., 4=12933
- Peloschek, H.P. Square loop ferrites and their applications, 4=1840
- Peloschek, H.P. See Stuijts, A.L., 4=28846
- Pelosi, V. See Baldassarre, F., 2=2562
- Pelosi, V. See Evans, D., 2=22492
- Pelsmaekers, J. and Amelinckx, S. Simple apparatus for comparative density measurements, 1=10470
- Pelsmaekers, J., Pellegrini, G. and Amelinckx, S. A determination of the formation energy of vacancies in sodium chloride by quenching, 4=4039
- Pelt, G. See Ziemba, F.P., 2=18016
- Pelte, D., Povh, B. and Scholz, W. Angular correlation measurements in Ne<sup>22</sup>, 4=15150
- Pelte, D., Povh, B. and Scholz, W. Angular correlation measurements in Ne<sup>21</sup>, 4=25299
- Pelte, D. See Brauer, P., 3=5446
- Peltola, E.I. See Laurikainen, K.V., 4=11981
- Pelupessy, B. See Poulis, J.A., 4=18019
- Pelykh, A.N. and Pronyushkin, A.V. An instrument for the measurement of time intervals, 2=19510
- Pelykh, N.A., Pronyushkin, A.V., Golovkov, V.P. and Dobrovolskii, G.V. Instrument for measuring time intervals with a high accuracy, 3=14094
- Pelz, D.T. See Newton, G.P., 4=20859
- Pelzer, H. On the contributions of dissociation and ionization to the thermal conductivity of gases, 3=3831
- Pelzner, D. Theory of dipole antenna as a boundary problem, 3=12318
- Pemberton, D. See Lambert, J.D., 3=6434
- Pemberton, E.V. See Hay, D.R., 2=24004
- Pemberton, L.H. Further consideration of emergent column correction in mercury thermometry, 4=14431
- Pement, F.W. See Lindsay, W.T., Jr., 2=6410
- Pemova, F.D. See Bogomolov, S.G., 2=17472
- Pemsler, J.P. and Rappoport, E.J. Hydrogen in proton-bombarded beryllium: agglomeration and diffusion, 4=15484
- Peña, M.D. Mixing processes, 4=24173
- Peña, M.D. and McGlashan, M.L. An apparatus for the measurement of the isothermal compressibility of liquids. The compressibility of mercury, of carbon tetrachloride, and of water, 0=12400
- Pena Diaz, M. See Diaz Pena, M.
- Penaranda, F.E. See Barkow, A.G., 3=17312
- Pence, D.T. See Laurie, V.W., 3=6410
- Pence, D.T. See Laurie, V.W., 3=12836
- Pence, D.T. See Laurie, V.W., 3=17595
- Pence, E.A. and Corwin, R.E. Prestressed electrodes for spherical transducers, 3=5504
- Penchko, E.A. Wide-range ionization manometer, 2=7266
- Penchko, E.A. An emission stabilizer for the cathodes of ionization gauges which are based on crystal triodes, 2=21956
- Penchko, E.A., Khavkin, L.P. and Borodkin, A.S. Problem of producing an ultra-high vacuum, 2=2783
- Penciolelli, G. See Bergeron, C., 1=4441
- Pendlebury, E.D. Neutron cross sections of Li<sup>7</sup> in the energy range 0.001 eV - 15 MeV, 4=25408
- Pendlebury, E.D. Neutron cross sections of Li-6 in the energy range 0.001 eV - 15 MeV, 4=28043
- Pendlebury, E.D. The mechanized application of perturbation theory in multigroup neutron transport calculations, 4=30232
- Pendlebury, E.D. See Lane, A.M., 0=5660
- Pendleton, H., III. See Barshay, S., 1=8491
- Pendleton, H.N. Pion-deuteron elastic scattering at 142 MeV and the form-factor approximation, 3=22180
- Pendleton, H.N. See Barshay, S., 2=1710
- Pené, L. See Spighe, M., 0=3907
- Penelle, R., Mion, J. and Lacombe, P. Relationships between plastic deformation by rolling and the recrystallisation of iron single crystals, 3=13359
- Penet, F. See Duvaux, Y., 0=2412
- Penev, V.N. See Arbuzov, B.A., 2=13888
- Penev, V.N. See Arbuzov, B.A., 3=8086
- Penev, V.N. See Belyakov, V.A., 3=24764
- Penev, V.N. See Belyakov, V.A., 3=24798
- Penev, V.N. See Belyakov, V.A., 4=19810
- Penev, V.N. See Belyakov, V.A., 4=27890
- Penev, V.N. See Belyakov, V.A., 4=27898
- Penev, V.N. See Van Yun-chang [Wang Yung-chang], 3=2305
- Penfield, P. See Bers, A., 2=11642



- Penfield, P., Jr. Available power from a nonideal thermal source, 1=16181
- Penfold, A.S. and Garwin, E.L. Gamma rays from the nuclear photoeffect in carbon, oxygen, and copper, 0=1433
- Penfold, A.S. and Garwin, E.L. Betatron energy calibration by magnetic field measurement, 0=3822
- Penfold, A.S. See Garwin, E.L., 0=15320
- Penfold, B.R. and Grigor, J.A. The crystal structure of iron (II) chloride tetrahydrate, 0=4643
- Penfold, B.R. See Einstein, F.W.B., 4=29134
- Penfold, J. See Childs, B.G., 0=21029
- Penfold, J. See Childs, B.G., 1=1195
- Penfold, J. See Childs, B.G., 3=18062
- Peng Hong-An. Low energy pion-nucleon scattering and pion-pion interaction, 3=24778
- Peng Hong-an. See Tzu Pao-ru, 4=30247
- Peng Tse Kim. See Kim Tse Peng.
- Pengelly, A.E. Apparatus for the measurement of gas velocity in furnaces and models, 0=14680
- Pengelly, R.M. Recombination spectra. I. Calculations for hydrogenic ions in the limit of low densities, 4=12351
- Pengelly, R.M. and Seaton, M.J. Recombination spectra. II. Collisional transitions between states of degenerate energy levels, 4=12352
- Pengra, J.G. and Crasemann, B. Energy spectrum of atomic electrons ejected in electron-capture decay of  $\text{Fe}^{55}$ , 3=24895
- Penhale, L.G. Neutron-induced effects in semiconductors, 3=25336
- Penhale, L.G. and Vaughan, D.E. The suppression of resonance absorption in indium antimonide, 2=20642
- Penin, N.A. See Anufriev, B.F., 4=425
- Penin, N.A. See Belova, N.A., 1=1091
- Penkin, N.P. Determination of oscillator strengths in atomic spectra, 4=12341
- Penkin, N.P. and Red'ko, T.P. Relative oscillator strengths of some Zn I and Cd I lines, 1=13953
- Penkin, N.P. and Shabanova, L.N. The oscillator strengths of spectral lines of magnesium, strontium and barium, 2=14200
- Penkin, N.P. and Shabanova, L.N. Oscillator strengths of spectral lines of the aluminum, gallium, and indium atoms, 3=15279
- Penkin, N.P. and Shabanova, L.N. The oscillator strengths of the Tl I spectral lines, 3=17534
- Penkin, N.P. and Slavenas, I.-Yu. Yu. Absolute oscillator strengths of the resonance doublets of Ag I and Au I, 4=6485
- Penkin, N.P. and Slavenas, I. Yu. Yu. Oscillator strengths of the spectral lines Sn I and Pb I, 4=6487
- Penkin, N.P. See Ostrovskii, Yu.I., 1=5973
- Penkin, N.P. See Ostrovskii, Yu.I., 1=13954
- Penkin, N.P. See Ostrovskii, Yu.I., 1=19588
- Penkin, N.P. See Ostrovskii, Yu.I., 2=6098
- Penkin, N.P. See Ostrovskii, Yu.I., 2=10209
- Penkin, N.P. See Ostrovskii, Yu.I., 3=17532
- Penkina, N.V. See Gurov, K.P., 3=15467
- Penkina, N.V. See Leksina, I.E., 2=8478
- Penkina, N.V. See Leksina, I.E., 3=2991
- Penkina, N.V. See Leksina, I.E., 3=13153
- Pen'kov, I.N. and Safin, I.A. Nuclear quadrupole resonance in orpiment, 4=23079
- Pen'kov, I.N. See Safin, I.A., 3=11128
- Pen'kov, N.V. On the theory of the area effect in ferromagnetics with a non-sinusoidal field, 4=19153
- Pen'kov, N.V. See Veksler, A.Z., 3=18078
- Pen'kov, S.N. Method for measuring small optical anisotropy, 1=18559
- Pen'kov, S.N. On the possibility of measuring optical anisotropy of liquids in the field of the sound velocity gradient, 2=54
- Pen'kov, S.N. and Stepanenko, V.Z. Photoelectric compensation in measurements of flow birefringence, 3=16811
- Pen'kovskii, V.V. See Samsonov, G.V., 2=7453
- Pen'kovs'kii, V.V. See Frantsevych, I.N., 1=12655
- Pen'kovs'kii, V.V. See Frantsevych, I.N., 1=12656
- Pen'kovs'kii, V.V. See Frantsevych, I.N., 1=12657
- Penko, J. See Szepeke, R., 2=10029
- Penley, J. Aging of Al-aluminum oxide-Al thin film sandwiches, 2=16963
- Penley, J.C. A note on the anomalous capacitance of thin dielectric structures, 2=22152
- Penley, J.C. Tunneling through thin films with traps, 3=825
- Penley, J.C. and Witte, R.S. Thermal bleaching of additively coloured KCl, 2=19171
- Penley, J.C. and Witte, R.S. Diffusion and reaction of water in additively colored KCl, 4=17445
- Penman, S. The muon, 2=13828
- Penman, S. See Garwin, R.L., 0=9392
- Penman, S. See Hutchinson, D.P., 1=16833
- Penman, S. See Lathrop, J., 0=20173
- Penmore, G.W. See Nutt, C.W., 0=2758
- Penmore, G.W. See Nutt, C.W., 0=2759
- Penman, S. See Parker, S., 2=9879
- Penn, A.W. The corrections used in the adiabatic measurement of thermal conductivity using the Peltier effect, 4=30529
- Penn, A.W. See Gasson, D.B., 3=1345
- Penn, A.W. See Gasson, D.B., 3=10828
- Penn, D.R. Wave-number dependent dielectric function of semiconductors, 3=6577
- Penn, S. and Martell, E.A. An analysis of the radioactive fallout over North America in late September 1961, 3=23602
- Penn, T.C. Continuously adjustable constant current source, 4=27458
- Penn, T.C. See Hasty, T.E., 3=15826
- Penn, T.C. See West, F.G., 3=14722
- Penndorf, R. Angular Mie scattering, 2=7406
- Penndorf, R. Spread F over the polar cap on a quiet day, 2=9089
- Penndorf, R. Mie Scattering in the forward area, 2=17650
- Penndorf, R. Scattering and extinction coefficients of small spherical aerosols, 2=19169
- Penndorf, R. Geographic distribution of spread F in the arctic, 2=19226
- Penndorf, R. Diurnal and seasonal variation of spread F in the arctic, 2=19227
- Penndorf, R. A spread-F index, 2=20165
- Penndorf, R. Classification of spread-F ionograms, 2=24040
- Penndorf, R. Scattering diagrams in the MIE region, 4=14891
- Penndorf, R. and Hill, G.E. The absorption effect in the Arctic during a severe ionospheric storm, 3=5874
- Penndorf, R.B. Approximation formula for forward scattering, 2=15747
- Penndorf, R.B. Scattering and extinction coefficients for small absorbing and nonabsorbing aerosols, 2=17104
- Penné, J. On the classical model of Bopp and Haag for Pauli particles, 1=9726
- Penné, J. On a nonrelativistic wave equation for spin-1 particles, 1=13293
- Penné, J. See Geurmeur, R., 4=26361
- Pennebaker, W.B. See Jones, R.E., 4=9867
- Pennebaker, W.B. See Lindenfeld, P., 2=20948
- Pennebaker, W.B. See Lindenfeld, P., 4=17362
- Pennella, F. and Taylor, W.J. Ultraviolet spectrum of  $\text{VCl}_4$  vapour, 4=9749
- Penner, S. Calculations of properties of magnetic deflection systems, 1=4661
- Penner, S. See Schrack, R.A., 0=15412
- Penner, S. See Schrack, R.A., 2=20597
- Penner, S.S. Radiant energy emission from excited harmonic oscillators, 0=6680
- Penner, S.S. Oscillator strengths of the ultraviolet  $\gamma$  bands of NO, 0=9819
- Penner, S.S. On iraser detectors for radiation emitted from diatomic gases and coherent infrared sources, 2=9449
- Penner, S.S. and Gray, L.D. Approximate infrared emissivity calculations for HCl at elevated temperatures, 1=12926
- Penner, S.S., Sulzmann, K.G.P. and Ludwig, C.B. Approximate infrared emissivity calculations for NO at elevated temperatures, 2=10256
- Penner, S.S. See Goldstein, R., 4=21137
- Penner, S.S. See Goldstein, R., 4=21138
- Penner, S.S. See Gray, L.D., 3=11993
- Penner, S.S. See Gutfman, A., 2=2027
- Penner, S.S. See Olfe, D.B., 4=14090
- Penner, S.S. See Pappert, R.A., 2=9317
- Penner, S.S. See Patch, R.W., 3=2606
- Penner, S.S. See Porter, J.W., 4=7729
- Penner, S.S. See Thomas, M., 4=5108
- Penney, C.J. See Gerstein, B.C., 3=4799
- Penney, G.W. See Murphy, A.T., 0=241
- Penney, R.V. Current-induced mass transport aluminum, 4=17539
- Penney, T. See Comly, J.B., 3=15922
- Penney, W. See Hunt, J.N., 1=7928
- Penning, P. Rate of diffusion-limited annihilation of excess vacancies, 0=2864
- Penning, P. and de Wind, G. Plastic creep of germanium single crystals in bending, 0=13913



- Penning, P. and Polder, D. Anomalous transmission of X-rays in Penning, P. See Bloem, J., 0=11692
- Penning, P. See Bramer, B. R., 4=7156
- Penning, P. See Okkerse, B., 3=20197
- Penning, P. See Polder, D., 4=26195
- Pennington, E. M. Collision probabilities in cylindrical lattices, 4=22263
- Pennington, G. A. See Spikes, R. H., 1=124
- Pennington, K. S. and Petch, H. E. Nuclear magnetic resonance spectrum of  $B^{11}$  in inderite, 0=13889
- Pennington, K. S. and Petch, H. E. Nuclear magnetic resonance spectrum of  $B^{11}$  in lesserite, 2=14851
- Pennington, K. S. See Petch, H. E., 2=8691
- Pennington, R. H. Equation of a charged particle shell in a perturbed dipole field, 1=15340
- Penny, C. J. A. Comparison of time determined by the rotation of the earth with time obtained from atomic frequency standards, 1=18022
- Penny, F. D. and McHugo, J. W. Analogue computer for the solution of product integrals, 0=4840
- Penny, R. Geometrisation of a massless spinless boson, 4=30168
- Penny, S. K. and Satchler, G. R. Inelastic effects in stripping and other direct reactions, 4=19744
- Penny, S. K. and Zerby, C. D. Examination of the range of applicability of conditional Monte Carlo to deep penetration problems, 2=5602
- Penotet, H. Getter flashing with bombardment of electrodes, 4=21201
- Penoyer, R. F. and Shafer, M. W. On the magnetic anisotropy in manganese-iron spinels, 0=2998
- Penoyer, R. F. See Calhoun, B. A., 2=12716
- Penrod, E. B. and Cho Yen Ho. Mathematical theory of a Peltier effect refrigerator and a thermoelectric generator, 1=16252
- Penrose, O. A variation principle for computations on the ground state of liquid  $^4\text{He}$ , 0=8891
- Penrose, O. Electrostatic instabilities of a uniform non-Maxwellian plasma, 0=9025
- Penrose, O. A variational method for the ground state of a Bose fluid, 0=18985
- Penrose, O. Convergence of fugacity expansions for fluids and lattice gases, 4=83
- Penrose, O. The remainder in Mayer's fugacity series, 4=5090
- Penrose, O. Two inequalities for classical and quantum systems of particles with hard cores, 4=29559
- Penrose, O. and Percival, I. C. The direction of time, 2=9144
- Penrose, O. See Lebowitz, J. L., 4=24094
- Penrose, R. A spinor approach to general relativity, 0=14500
- Penrose, R. Asymptotic properties of fields and spacetimes, 3=9342
- Penrose, R. See Newman, E., 2=13254
- Pensak, L. See Buehler, M. G., 4=22694
- Penselin, S. Measurement of the Zeeman  $g_J$  factors for the two yttrium ground states  $^2D_{3/2}$  and  $^2D_{5/2}$  with the atomic beam resonance method, 0=1484
- Penselin, S., Moran, T., Cohen, V. W. and Winkler, G. Hyperfine structure of the electronic ground states of  $\text{Rb}^{85}$  and  $\text{Rb}^{87}$ , 2=16478
- Penselin, S. See Bender, I., 4=19966
- Penselin, S. See Cohen, V. W., 2=16477
- Penselin, S. See Fricke, G., 0=401
- Penselin, S. See Fricke, G., 0=1485
- Penselin, S. See Fricke, G., 0=9517
- Penselin, S. See v. Ehrenstein, D., 0=13121
- Penso, G. See Bacci, C., 3=22187
- Penso, G. See Conforto, G., 2=22831
- Penso, G. See Conversi, M., 2=13834
- Penstone, S. R. See Heikkilä, W. J., 2=4639
- Penther, C. J. and Husing, W. H. Extended range extensometer for determining elongation of elastometer, 2=7163
- Pentin, Yu. A. and Tatevskii, V. M. Investigation of internal rotation and rotational isomerism of molecules by spectroscopic methods, 4=6525
- Pentin, Yu. A. See Kotov, Yu. I., 4=12486
- Pentkovska, Ya. See Mazur, Yu., 4=4124
- Penton, W. A. See Allan, A. H., 0=304
- Penyaz'kova, V. See Briskman, V., 0=6531
- Penyev, V. N. See Belyakov, V. A., 4=3491
- Penzar, I. Empirical relation between global radiation and cloudiness, 2=17142
- Penzlin, F. Method of Feynman graphs, 4=11867
- Peperle, W. See Jaecckel, R., 0=11994
- Peperle, W. See Jaecckel, R., 2=7477
- Peperone, S. J. X-band measurement of shock-tube plasma temperature, 2=7243
- Pepin, P., Tertian, L. and Trillat, J. J. Changes observed in thin films of iron-aluminium alloys heated in air or a vacuum, 1=11576
- Pépin, P. See Cabane, G., 3=6798
- Pepin, R. O. See Merrihue, C. M., 2=17267
- Pepin, T. J. and Ney, E. P. Manufacture of solid organic standard light sources of low intensity, 2=17601
- Pepinsky, R. and Vedam, K. Ferroelectric transition in rubidium bisulphate, 0=7980
- Pepinsky, R. See Futama, H., 2=23523
- Pepinsky, R. See Vedam, K., 0=14032
- Peppard, D. F. See Ziomek, J. S., 2=12330
- Pepper, A. R. See Munday, B. C., 4=17646
- Pepper, S. V. and Ueda, Y. Decay mode  $K \rightarrow 2\pi + \gamma$ , 4=30268
- Pepper, S. V. See Jordan, T. F., 3=21253
- Pepperhoff, W. Optical pyrometry in polarized light, 0=12537
- Pepperhoff, W. Making a grain structure visible by means of interference [-forming] evaporated layers, 1=1422
- Pepperhoff, W. Microscopic study of ferromagnetic domain structure by means of the meridional Kerr rotation, 3=23162
- Pepperhoff, W. and Pusch, R. Contrast improvement in incident-light microscopy by reflection-increasing evaporated films, 2=7351
- Peppitt, J. W. An inexpensive voltage stabilizer for photometric work, 3=9698
- Pépuryanu, V. See Filip, A., 3=24540
- Perakis, N. and Parravano, G. Ferromagnetism reproducible at will in the region of stoichiometric impurity of nickel oxide, 0=4476
- Perakis, N. Antiferromagnetic behaviour of the nickel oxide-oxygen system, 2=10681
- Peralta, L. A. and Raynor. Initial response of a fluid-filled, elastic, circular, cylindrical shell to a shock wave in acoustic medium I 4=14300
- Pérano, J. L. See Janz, G. J., 4=8501
- Perche, J. C. Methods of observing the solar corona without eclipses, 4=23928
- Perche, J. C. Methods of observing the solar corona without eclipses, 4=26953
- Perchereau, J. See Barjon, R., 2=9866
- Perchereau, J. See Barjon, R., 2=18329
- Percival, I. C. Effect of mutual distortion on phase shifts of colliding systems, 0=13399
- Percival, I. C. A variational principle for scattering phases, 1=454
- Percival, I. C. Waves in a conducting sheet situated in a strong magnetic field, 1=1967
- Percival, I. C. Almost periodicity and the quantal H theorem, 1=5216
- Percival, I. C. Addendum: Almost periodicity and the quantal H theorem, 2=9202
- Percival, I. C. Energy moments of scattering phase shifts, 3=2220
- Percival, I. C. and Roberts, M. J. Energy moments of scattering phase shifts. II. Higher partial waves, 3=24634
- Percival, I. C. and Seaton, M. J. The polarization of atomic line radiation excited by electron impact, 0=17699
- Percival, I. C. See Bernstein, R. B., 3=22611
- Percival, I. C. See Burke, P. G., 0=3981
- Percival, I. C. See Burke, P. G., 2=18409
- Percival, I. C. See Castillejo, L., 0=7715
- Percival, I. C. See Lovelace, C., 4=25028
- Percival, I. C. See Penrose, O., 2=9144
- Percus, J. See Auffray, J. P., 2=18412
- Percus, J. K. Approximation methods in classical statistical mechanics, 3=59
- Percus, J. K. Macroscopic modes of He II., 4=14495
- Percus, J. K. [Edited by]. The many-body problem, 4=27090
- Percus, J. K. and Rotenberg, A. Exact eigenfunctions of angular momentum by rotational projection, 2=21828
- Percus, J. K. See Auffray, J. P., 2=16465
- Percus, J. K. See Lebowitz, J. L., 1=9345
- Percus, J. K. See Lebowitz, J. L., 2=1074
- Percus, J. K. See Lebowitz, J. L., 3=7135
- Percus, J. K. See Lebowitz, J. L., 3=11722
- Percus, J. K. See Lebowitz, J. L., 4=11109
- Percus, J. K. See Shin-R Lin, 3=22494
- Percy, J. R. See Demarque, P. R., 4=29435
- Perdijk, H. J. R. Structure of barium getter films, 2=839
- Perdok, W. G. and Boom, G. Improved eye-piece graticule for measuring X-ray powder diffraction patterns, 0=8186



- Perdok, W. G. See Arends, J., 4=6883
- Perdriel, G. See Grognot, P., 1=21139
- Perdrisat, C.F., Brunner, J.H. and Leisi, H.J. Study of the position spectra of  $\text{Bi}^{205}$  and  $\text{Bi}^{206}$  decays, 2=16356
- Perdrisat, C.F., Leisi, H.J. and Brunner, J.H. Mono-energetic positions in  $\text{Bi}^{205}$ , 2=10052
- Perdrisat, C.F., Leisi, H.J., Brunner, J.H. and Piaggio, L. Mono-energetic positions in  $\text{Eu}^{152}$ , 2=10053
- Perdrisat, C.F. See Brunner, J.H., 2=10050
- Perdrisat, C.F. See Hess, R., 4=22074
- Perdrisat, C.F. See Leisi, H.J., 1=9832
- Perego, G. See Allegra, G., 3=11272
- Peregood, B.P. See Kelman, V.M., 4=25067
- Peregud, B.P. and Abramova, K.B. An instrument for the automatic operation of a magnetic spectrometer, 1=5713
- Peregud, B.P. See Grigor'ev, E.P., 4=12188
- Peregud, B.P. See Kel'man, V.M., 0=9087
- Peregud, B.P. See Kel'man, V.M., 0=10959
- Peregud, B.P. See Kel'man, V.M., 3=19363
- Peregud, B.P. See Kel'man, V.M., 3=19364
- Peregud, B.P. See Kel'man, V.M., 4=14791
- Pereira, A.N.G. and Raw, C.J.G. Heat conductivities of poly-atomic gases and their binary mixtures, 3=21443
- Perekalina, T.M., Askochinskii, A.A. and Sannikov, D.G. Resonance of domain walls in cobalt ferrite, 1=20092
- Perekalina, T. M. and Zalesskii, A. V. Magnetocrystalline anisotropy in single crystals of hexagonal ferrites  $\text{BaCo}_x\text{Fe}_{2-x}\text{W}$  system, 4=26336
- Perekalina, T.M. See Askochenskii, A.A., 3=3156
- Perekalina, Z.B. See Belyaev, L.M., 1=14632
- Perel, J., Englander, P. and Bederson, B. Measurement of total cross sections for the scattering of low-energy electrons by lithium, sodium and potassium, 3=2582
- Perel, J. and Schieber, M. Magnetic moments of some mixed rare earth iron garnets, 3=6725
- Perel, J. See Alexander, E., 4=4258
- Perel, J. See Rabinovitch, K., 3=20500
- Perel, J. See Rubin, K., 0=4166
- Perel', V.I. and Eliashberg, G.M. Absorption of electromagnetic waves in a plasma, 1=18867
- Perel', V.I. and Eliashberg, G.M. Absorption of electromagnetic waves in a plasma, 3=405
- Perel', V.I. and Pinski, Ya.M. Effect of an inhomogeneous a.c. field on a high-frequency discharge, 3=24227
- Perel', V.I. See Aleksandrov, E.B., 4=6499
- Perel, V.I. See Aleksandrov, E.B., 4=21267
- Perel, V.I. See Kagan, Yu.M., 2=17602
- Perel', V.I. See Kagan, Yu.M., 4=18931
- Perel', V.I. See Kagan, Yu.M., 4=27542
- Perel', V.I. See Konstantinov, O.V., 0=7228
- Perel', V.I. See Konstantinov, O.V., 0=9150
- Perel', V.I. See Konstantinov, O.V., 0=20086
- Perel', V.I. See Konstantinov, O.V., 1=4605
- Perel', V.I. See Konstantinov, O.V., 1=9610
- Perel, V.I. See Konstantinov, O.V., 2=177
- Perel', V.I. See Konstantinov, O.V., 3=385
- Perel', V.I. See Konstantinov, O.V., 4=3806
- Perel', V.I. See Vandakurov, Yu.V., 0=8990
- Perel', V.I. See Zakharova, V.M., 0=5283
- Perel', V.I. See Zakharova, V.M., 0=19690
- Perel, V.I. See Zakharova, V.M., 2=15901
- Perel'man, A. Ya. See Shifrin, K.S., 4=7783
- Perel'man, A. Ya. See Shifrin, K.S., 4=13748
- Perelman, A. Ya. See Shifrin, K.S., 4=15849
- Perel'man, A. Ya. See Shifrin, K.S., 4=20839
- Perel'man, A. Ya. See Shifrin, K.S., 4=20840
- Perel'man, M.E. See Chavchanidze, V.V., 0=2525
- Perel'man, S.M., Malinin, V.I. and Shytte, N.M. A photon counter with a control grid, 1=9742
- Perel'man, T.L. and Anisimov, S.I. The density distribution of charged particles in meteor trails, 1=6704
- Perel'man, T.L., See Ermakov, V.S., 3=10411
- Perelló, M. See Lozano, J., 2=3047
- Perel'man, A.M. See Mukharev, L.A., 2=22156
- Perel'man, T.L. A boundary value problem for equations of mixed type in the theory of heat transfer, 2=9425
- Perelomov, A.M. Depolarization of  $\mu^+$ -mesons and polarization of  $\Sigma^+$ -particles in a magnetized paramagnetic gas, 1=19225
- Perelomov, A.M. Rotation of the plane of polarization of light in the case of nonconservation of parity, 2=512
- Perelomov, A.M. Rotation of the plane of polarization of light in the case of nonconservation of parity, 2=22892
- Perelomov, A.M. Possible determination of the additional characteristics of the unstable particle, 3=4335
- Perelomov, A.M. See Gribov, V.N., 1=16687
- Perelomov, A.M. See Zel'dovich, Ya.B., 1=19120
- Perelygin, V.P., Almazova, S.P., Gvozdev, B.A. and Chuburkov, Yu.T. Spontaneous fission with an anomalously small period. II, 2=16443
- Perelygin, V.P., Myachkova, S.A. and Tolstov, K.D. Loading of photographic emulsion with beryllium grains, 2=22373
- Perelygin, I.S. Influence of ions on the absorption band of the O-H bond, 3=8285
- Perelygin, I.S. Infrared spectra of some non-aqueous solutions of electrolytes, 3=21375
- Perelygin, I.S. Infrared spectra of ionic solutions of acetone, 4=18203
- Perelygin, I.S. Investigation of the interaction of ions with acetone molecules with the aid of infrared absorption spectra, 4=26749
- Perelygin, V.P., Almazov, S.P., Gvozdev, B.A. and Chuburkov, Yu.T. Spontaneous fission with an anomalously small period. II, 3=6316
- Perelygin, V.P., Donets, E.D. and Flerov, G.N. Experiments on the production of a new fermium isotope, 0=7592
- Perelygin, V.P. and Tolstov, K.D. The cross-section of the  $\text{Li}^6(n, \alpha)\text{H}^3$  reaction for 2.15 MeV neutrons, 3=8119
- Perelygin, V.P. and Tret'yakova, S.P. Half-life of a spontaneously fissioning isomer, 4=6391
- Perelygin, V.P. See Druin, V.A., 1=19541
- Perelygin, V.P. See Druin, V.A., 3=4676
- Perelygin, V.P. See Flerov, G.N., 4=6392
- Perelygin, V.P. See Myachkova, S.A., 1=17118
- Perepechko, I.I. and Yakovlev, V.F. Interferometer measurement of ultrasonic absorption in gases, 1=18531
- Perepechko, I.I. and Yakovlev, V.F. Absorption of ultrasound in monatomic gases, 2=7256
- Perepelkin, V.V. See Konstantinov, A.A., 2=14045
- Perepelkin, V.V. See Konstantinov, A.A., 2=14213
- Perepukhov, V.A. Resistance of a flat plate in the stream of a highly rarefied gas, 4=14200
- Peres, A. On gravitational radiation, 0=34
- Peres, A. Some gravitational waves, 0=3438
- Peres, A. On electromagnetic radiation reaction, 0=5530
- Peres, A. Null electromagnetic fields in general relativity theory, 0=10580
- Peres, A. Gravitational radiation, 0=12352
- Peres, A. Three-dimensional formulation of general relativity theory, 0=12357
- Peres, A. On electromagnetic radiation reaction, 0=12673
- Peres, A. Invariants of general relativity. I. Canonical formalism, 0=18927
- Peres, A. Invariants of general relativity. II. Classification of spaces, 0=18928
- Peres, A. Absence of bound states in a gravitational field, 0=20057
- Peres, A. Quantum limitations of Mach's principle, 1=1684
- Peres, A. Problem of Rainich for scalar fields, 1=4236
- Peres, A. Electromagnetic radiation from a freely gravitating charge, 1=5534
- Peres, A. Nonlinear electrodynamics in general relativity, 1=6775
- Peres, A. Neutrino and cosmology, 1=10369
- Peres, A. On geometrodynamics and null fields, 1=16496
- Peres, A. Gauge covariance of spinor geometry, 1=18266
- Peres, A. Electromagnetism, geometry, and the equivalence principle, 2=19045
- Peres, A. On Cauchy's problem in general relativity. II, 2=21811
- Peres, A. On Cauchy's problem in general relativity. III, 2=21812
- Peres, A. Classical radiation recoil, 3=5838
- Peres, A. Spinor fields in generally covariant theories, 3=10025
- Peres, A. Spurious nature of ultraviolet divergences, 3=12401
- Peres, A. Mechanical model for quantum field theory, 3=12410
- Peres, A. Polynomial expansion of gravitational Lagrangian, 3=16502
- Peres, A. Gyro-gravitational ratio of Dirac particles, 3=17180
- Peres, A. Coulomb and Lorentz gauges in gravitodynamics, 3=23744
- Peres, A. Interaction of quantized and unquantized systems, 4=5065
- Peres, A. On Dirac's wave equation in a gravitational field, 4=18058



- Peres, A. and Rosen, N. Nonlinear effects of gravitational radiation, 0=35
- Peres, A. and Rosen, N. Quantum limitations on the measurement of gravitational fields, 0=8539
- Peres, A. and Rosen, N. Gravitational radiation damping of non-gravitational motion, 0=12350
- Peres, A. and Rosen, N. Covariant formalism for particle dynamics, 1=5186
- Peres, A. and Rosen, N. Macroscopic bodies in quantum theory, 4=27057
- Peres, A. and Singer, P. On possible experimental tests for the paradox of Einstein, Podolsky and Rosen, 0=14517
- Peres, A. See Grossman, Z., 4=6020
- Peres, A. See Leibovitz, C., 4=8904
- Peres, A. See Morgan, T.A., 3=5350
- Peres, A. See Morgan, T.A., 3=16501
- Peres, A. See Morgan, T.A., 3=16515
- Peresada, V.I. Thermodynamic averaging of the displacement function of atoms in an imperfect crystal lattice, 0=11571
- Peresada, V.P. Diffraction in a non-uniform field, 1=5591
- Peressini, E.R. Ruby laser giant-pulse generation by gain-switching, 4=8994
- Peressini, E.R. and Hartwick, T.S. Multiple magnon processes in yig, 3=18122
- Peressini, E.R., Hartwick, T.S. and Weiss, M.T. An experimental study of the parallel pumped ferromagnetic amplifier, 3=490
- Peressini, E.R. See Hartwick, T.S., 1=6407
- Peressini, E.R. See Hartwick, T.S., 1=7780
- Peressutti, G. See Andreassi, G., 3=2251
- Peressutti, G. See Furlan, G., 0=2527
- Peressutti, G. See Furlan, G., 0=15330
- Peressutti, G. See Furlan, G., 0=17372
- Peressutti, G. See Furlan, G., 1=8747
- Perestoronin, I.G. See Solitmov, U.B., 0=7958
- Peretti, J. Remark on dilute Bose systems, 0=3461
- Peretti, J. Some remarks about frequency spectra of crystal lattices, 0=11567
- Peretti, J. Change of the Debye temperature of germanium with donor concentration, 2=14384
- Peretti, J. Superconductivity of transition elements, 3=5593
- Peretti, J., Pelah, I. and Kley, W. Kohn effect and the lattice vibration frequency distribution in metals, 3=12917
- Peretti, J. See Colin, L., 0=2135
- Peretti, J. See Dreyfus, B., 0=11585
- Peretti, J. See Garcia-Colin, L.S., 0=16628
- Peretto, P., Moser, P. and Dautreppe, D. Magnetic drag effect in pure nickel irradiated by neutrons at 28°K, 4=13196
- Pereturina, I.A. See Grin', A.V., 0=1931
- Pereturina, I.A. See Grin', A.V., 0=1932
- Pereturina, I.A. See Pavlov, V.A., 0=18259
- Pereturina, I.A. See Pavlov, V.A., 3=20710
- Pereue, J. See Wikner, E.G., 3=20312
- Pereue, J.H. See Boley, F.L., 2=330
- Pereue, J.H., Jr. See Snowden, D.P., 4=30625
- Pereverzev, N.A. See Saparin, G.V., 4=10074
- Pereverzyeva, A.V. See P'ybalka, V.V., 2=12519
- Perey, C.M. and Perey, F.G. Deuteron optical-model analysis in the range of 11 to 27 MeV, 4=1100
- Perey, C.M. and Perey, F.G. Optical-model analysis of 15-MeV deuteron elastic scattering, 4=17182
- Perey, F. and Buck, B. A non-local potential model for the scattering of neutrons by nuclei, 2=14105
- Perey, F. and Satchler, G.R. Validity of the D.W.B.A. for inelastic scattering from nuclei, 3=19829
- Perey, F., Silva, R.J. and Satchler, G.R. Excited-core model of odd-a nuclei and the Cu<sup>63</sup> (p, p) reactions, 3=10338
- Perey, F. See Buck, B., 2=20655
- Perey, F.G. Optical-model analysis of proton elastic scattering in the range of 9 to 22 MeV, 3=19839
- Perey, F.G. and Saxon, D.S. The local energy approximation to non-locality and finite range effects, 4=22099
- Perey, F.G. See Dickens, J.K., 4=1001
- Perey, F.G. See Dickens, J.K., 4=3567
- Perey, F.G. See Perey, C.M., 4=1100
- Perey, F.G. See Perey, C.M., 4=17182
- Perey, F.G.J. Distorted wave born calculation for inelastic scattering of 14 MeV neutrons, 1=8736
- Pérey, M., Goldsztaub, S. and Baltzinger, C. Composition and structure of thin gold-silicon films, 3=3354
- Pereyaslova, N.K. and Kirdina, G.A. The growth of CsI crystals and the investigation of their luminescent properties, 2=2249
- Pereyaslova, N.K. See Kirdina, G.A., 2=2259
- Pereyaslova, N.K. See Nazarova, M.N., 3=24548
- Pérez, C.S.M. and Pitarch, A.G. Study of a magnetron-type evaporation-ionization pump, 4=8268
- Pérez, J.M. See Catalá, J., 3=24976
- Perez, J.P. See Delcourt, B., 4=6122
- Perez, M. See Bergström, I., 1=5855
- Perez, M. See Salomon, M., 3=20069
- Perez, M. See Salomon, M., 4=3570
- Pérez, R. See Catalá, J., 3=24716
- Perez, R.B. and Uhrig, R.E. Propagation of neutron waves in moderating media, 4=3426
- Perez, V. See Bartholin, F., 4=15207
- Perez, V.V. See Bartholin, F., 4=12216
- Perez-Albuerné, E.A., Forsgren, K.F. and Drickamer, H.G. Apparatus for X-ray measurements at very high pressure, 4=10518
- Perez-Belles, R., Kington, J.D. and DeSaussure, G. A measurement of the effective delayed neutron fraction for the bulk shielding reactor-I, 2=12253
- Perez-Belles, R. See DeSaussure, G., 2=6036
- Pérez Del Notario, P. and Sánchez Tarifa, C. On the structure of premixed and diffusion laminar spherico-symmetrical flames, 4=8477
- Perez Ferreira, E. Pion production in pion-nucleon collisions and the pion-pion interaction, 2=3379
- Perez-Ferreira, E. See Abbattista, N., 2=5951
- Perez-Ferreira, E. See Mongelli, S., 3=6276
- Perez-Mendez, V. See Adler, A., 2=5276
- Perez-Mendez, V. See Atkinson, J.H., 0=2461
- Perez-Mendez, V. See Atkinson, J.H., 1=12206
- Perez-Mendez, V. See Barish, B.C., 1=8486
- Perez-Mendez, V. See Barish, B.C., 4=25138
- Perez-Mendes, V. See Caris, J.C., 1=2086
- Perez-Mendes, V. See Caris, J.C., 1=7270
- Perez-Mendez, V. See Caris, J.C., 2=10125
- Perez-Mendez, V. See Devlin, T.J., 2=3386
- Perez-Mendez, V. See Devlin, T.J., 0=11206
- Perez-Mendez, V. See Goodwin, L.K., 0=2581
- Perez-Mendez, V. See Goodwin, L.K., 1=7277
- Perez-Mendez, V. See Helland, J.A., 4=19567
- Perez-Mendez, V. See Kenney, R.W., 1=8484
- Perez-Mendez, V. See Longo, M.J., 0=3984
- Perez-Mendez, V. See Longo, M.J., 1=10921
- Perez-Mendez, V. See Melkonian, E., 0=13294
- Perez-Mendez, V. See Perkins, W.A., 0=9426
- Perez-Mendez, V. See Perkins, W.A., III, 0=11213
- Perez-Mendez, V. See Swift, D.F., 0=2472
- Perez y Jorba, J. Study of electron Bremsstrahlung in the case of nuclear excitation, 2=3307
- Perez y Jorba, J. See Bizot, J.C., 4=9171
- Perez y Jorba, J. See Hoan Nguyen, Ngoc, 3=4628
- Perez y Jorba, J. See Hors, M., 4=17050
- Perez Y Jorba, J. See Nguyen Ngoc, H., 3=12580
- Perez y Jorba, J. See Nguyễn Ngoc, H., 4=17119
- Perez y Jorba, J.P. and Nguyen Ngoc, H. Study of the giant resonance of Ca<sup>40</sup> by the inelastic scattering of electrons, 2=433
- Perez y Jorba, M., Tarte, P. and Collongues, P. Structure and properties of the intermediate phases of the system alumina-germanium oxide, 4=13475
- Perfil'ev, V.P. See Feinberg, S.M., 3=10421
- Perfilov, G.A. See Gorichev, P.A., 1=17177
- Perfilov, G.A. See Gorichev, P.A., 2=22860
- Perfilov, H.A., Solov'eva, Z.I. and Filov, R.A. Spectrum of  $\alpha$ -particles from the triple spontaneous fission of Cm<sup>244</sup>, 4=28073
- Perfilov, N.A. Fissionability of nuclei by high-energy protons, 1=19548
- Perilov, N.A. Fissionability of nuclei by high energy protons, 2=22861
- Perfilov, N.A., Darovskikh, V.F., Denisenko, G.F. and Obukhov, A.I. Fission of uranium nuclei induced by 9 BeV protons, 0=13297
- Perfilov, N.A., Ivanova, N.S., Lozhkin, O.V., Makarov, M.M., Ostroumov, V.I., Solov'eva, Z.I. and Shamov, V.P. Fragmentation of Ag and Br nuclei by 9 BeV proton energy, 0=9622
- Perfilov, N.A., Lozhkin, O.V. and Shamov, V.P. Processes of fragmentation and fission in interactions between high energy particles and nuclei, 1=3468
- Perfilov, N.A., Novikova, N.R. and Prokof'eva, E.I. Extra fine-grained nuclear research emulsions, 0=9244



- Perfilov, N.A., Prokofyeva, E.I., Novikova, N.R., Lojkin, O.V., Darovskikh, V.F. and Denissenko, G.F. The preparation and properties of ultra-fine grain emulsions for nuclear research, 0=12736
- Perfilov, N.A., Romanov, Yu.F. and Solov'eva, Z.I. Fission of heavy nuclei with emission of range  $\alpha$ -particles, 1=8798
- Perfilov, N.A. and Serebrennikov, Yu.I. The interaction of 660-MeV protons with carbon, nitrogen and oxygen nuclei, 1=17108
- Perfilov, N.A. and Solov'eva, Z.I. Angular distribution of long-range alpha-particles; connected with the fission process, 0=15608
- Perfilov, N.A., Solov'eva, Z.I., Filov, R.A. and Khlebnikov, G.I. The triple spontaneous fission of  $\text{Cm}^{248}$ , 1=5944
- Perfilov, N.A., Solov'eva, Z.I. and Filov, R.A. Triple fission of uranium [ $\text{U}^{238}$ ] induced by fast [14 MeV] neutrons, 2=508
- Perfilov, N.A., Solov'eva, Z.I. and Filov, F.A. Triple fission of uranium [ $\text{U}^{238}$ ] induced by fast [14 MeV] neutrons, 2=22858
- Perfilov, N.A., Solov'eva, Z.I. and Filov, R.A. Ternary fission of  $\text{U}^{235}$  produced by 14 MeV neutrons, 4=6395
- Perfilov, N.A., Solov'eva, Z.I., Filov, R.A. and Khlebnikov, G.I. The triple spontaneous fission of  $\text{Cm}^{248}$ , 1=11042
- Perfilov, N.A., Solov'eva, Z.I., Filov, R.A. and Khlebnikov, G.I. Triple fission of plutonium, 4=1115
- Perfilov, N.A. and Solov'eva, Z.I. The complex fission of uranium by 14 MeV neutrons, 1=5945
- Perfilov, N.A. See Arifkhanov, U.R., 0=13234
- Perfilov, N.A. See Bogatin, V.I., 4=17132
- Perfilov, N.A. See Darovskikh, V.F., 0=9623
- Perfilov, N.A. See Gorichev, P.A., 2=448
- Perfilov, N.A. See Gorichev, P.A., 2=22814
- Perfilov, N.A. See Gorichev, P.A., 2=14151
- Perfilov, N.A. See Gorichev, P.A., 4=6307
- Perfilov, N.A. See Gorichev, P.A., 4=9502
- Perfilov, N.A. See Gorichev, P.A., 4=22132
- Perfilov, N.A. See Lozhkin, O.V., 0=20434
- Perfilov, N.A. See Lozhkin, O.V., 4=1081
- Perfilov, N.A. See Obukhov, A.I., 1=19553
- Perfilov, N.A. See Obukhov, A.I., 3=4679
- Perfilov, N.A. See Ostroumov, V.I., 0=20433
- Pergament, M.I. See Aretov, G.N., 4=19069
- Pergament, M.I. See Aretov, G.N., 4=27506
- Pergament, S. See O'Brien, E.E., 4=16074
- Pergola, J. See Gilden, M., 4=24620
- Périchon, J. See Perron, R., 1=17901
- Perilhou, J. See Auphan, M., 4=5368
- Peřina, J. General covariant theory of optical images using Lie groups, 4=8396
- Peřina, J. Dispersion relations in the theory of optical images, 4=8397
- Périneau, A. Results of ionospheric observations carried out during the total eclipse of 15th February 1961, 1=20916
- Perio, P., Dubois, M., Berge, P. and Blanc, G. Electrical conductivity of irradiated  $\text{LiF}$ , 3=22981
- Perio, P. and Tournarie, M. Diffraction by periodic antiphases of one and two directions of the  $\text{AuCu}_3$  type, 0=3227
- Perio, P. and Tournarie, M. Periodic antiphases of one direction in the system  $\text{AuCu}$ , 0=3229
- Perio, P. and Tournarie, M. Periodic antiphase structures or alloys of long periods, 1=12646
- Pério, P. See Belbeoch, B., 2=10885
- Perio, P. See Jehanno, G., 3=8880
- Perio, P. See Hauptman, A., 2=10835
- Perio, P. See Okuzumi, H., 0=3228
- Perisco, F. See Garovano, T., 4=26418
- Perkal'skis, B.S. and Larin, V.L. A demonstration Fabry-Perot interferometer, 4=8449
- Perkal'skis, B.Sh. Demonstration of the properties of saturated vapours, 3=19071
- Perkal'skis, B.Sh. A simple demonstration of the addition of harmonic oscillations, 4=8283
- Perkampus, H.H. U.V. absorption spectra of some simple quinoxaline compounds, 2=22996
- Perkampus, H.H. and Pohl, L. On a tempering effect in the fluorescence of thin anthracene films, 4=17611
- Perkampus, H.H. See Stegemeyer, H., 4=10236
- Perkas, M.D. Structure and properties of the  $\alpha$ -phase of iron-nickel base alloys, 4=23168
- Perkas, M.D. and Snitsar', V.I. The effect of alloying elements upon the hardening of martensite in iron-nickel alloys during heating, 4=20662
- Perkas, M.D. See Il'inskii, A.I., 0=18262
- Perkas, M.D. See Kardonskii, V.M., 0=16253
- Perkas, M.D. See Kardonskii, V.M., 2=8740
- Perkas, M.D. See Kardonskii, V.M., 2=8741
- Perkas, M.D. See Kardonskii, V.M., 2=23790
- Perkas, M.D. See Kardonskii, V.M., 2=23791
- Perkas, M.D. See Kardonskii, V.M., 3=8903
- Perkas, M.D. See Kardonskii, V.M., 4=15806
- Perkin, J.L. The radiative capture cross section of  $^{45}\text{Sc}$  for fast neutrons, 4=6357
- Perkin, J.L. and Coleman, R.F. Cross-section for the  $(n, 2n)$  reactions of  $^{232}\text{Th}$ ,  $^{238}\text{U}$  and  $^{237}\text{Np}$  with 14 MeV neutrons, 2=3610
- Perkin, J.L., Coleman, R.F. and Herbert, D.N. An experimental survey of ( $^{19}\text{F}$ ,  $^{18}\text{F}$ ) neutron transfer reactions, 2=10148
- Perkin, J.L. See Allen, K.W., 2=3637
- Perkin, J.L. See Barry, J.F., 0=1446
- Perkin, J.L. See Barry, J.F., 0=5800
- Perkin, J.L. See Barry, J.F., 2=473
- Perkin, J.L. See Brown, F., 3=19858
- Perkin, J.L. See Coleman, R.F., 1=5943
- Perkin, J.L. See Coleman, R.F., 2=3628
- Perkin, J.L. See Deuchars, W., 3=24742
- Perkins, B.L. See Heckman, H.H., 0=4105
- Perkins, C.W. See Shapiro, I.L., 4=30995
- Perkins, D. See Bowler, M., 3=4537
- Perkins, D.H. Conference on ultra high energy nuclear physics, Bristol, January 1963, 3=12646
- Perkins, D.H. See Baldassarre, F., 1=16862
- Perkins, D.H. See Bowler, M.G., 3=4536
- Perkins, D.H. See Bowler, M.G., 3=6112
- Perkins, D.H. See Duthie, J., 1=3257
- Perkins, D.H. See Duthie, J., 1=3258
- Perkins, D.H. See Duthie, J.G., 1=3364
- Perkins, D.H. See Duthie, J.G., 1=3365
- Perkins, D.H. See Duthie, J., 2=12102
- Perkins, D.H. See Fowler, P.H., 0=20101
- Perkins, D.H. See Fowler, P.H., 1=3301
- Perkins, D.H. See Fowler, P.H., 1=5803
- Perkins, D.H. See Fowler, P.H., 1=10343
- Perkins, D.H. See Fowler, P.H., 4=16882
- Perkins, F.C. See Leighly, H.P., Jr., 4=23327
- Perkins, G., Jr., Yang, K. and Folmer, O.F., Jr. Measurement of ion formation during combustion, 4=4700
- Perkins, J.F. Monte Carlo calculation of transport of fast electrons, 2=14423
- Perkins, J.F. Variational calculations of some S states in two-electron atoms, 3=22471
- Perkins, J.F. and King, R.W. Energy release from the decay of fission products, 0=13301
- Perkins, J.F. See King, R.W., 0=7336
- Perkins, M. See Takaki, R., 1=3361
- Perkins, M.A. See Tuzzolino, A.J., 2=2195
- Perkins, M.H. See Giedd, G.R., 0=12533
- Perkins, R.A. See Hickman, R.S., 0=2477
- Perkins, R.B. and Simmons, J.E.  $\text{T}(d, n)\text{He}^4$  reaction as a source of polarized neutrons, 2=293
- Perkins, R.B. and Simmons, J.E. Polarization in neutron-proton scattering at 23.1 MeV, 3=10121
- Perkins, R.B. See Fitch, V.L., 2=5733
- Perkins, R.B. See Simmons, J.E., 1=19216
- Perkins, R.B. See Simmons, J.E., 2=9863
- Perkins, R.W., Nielsen, J.M. and Diebel, R.N. Total absorption gamma-ray spectrometers utilizing anticoincidence shielding, 1=2033
- Perkins, W.A., Caris, J.C., Kenney, R.W., Knapp, E.A. and Perez-Mendez, V. Pion production by pions, 0=9426
- Perkins, W.A. III, Caris, J.C., Kenney, R.W. and Perez-Mendez, V. Pion production by pions, 0=11213
- Perkins, W.A. and Post, R.F. Observations of plasma instability with rotational effects in a mirror machine, 4=5676
- Perkins, W.A. See Caris, J.C., 2=10125
- Perkins, W.A. See Kenney, R.W., 1=8484
- Perkins, W.A. See Post, R.F., 1=7085
- Perkins, W.A. III. See Caris, J.C., 1=2086
- Perkins, W.A. III. See Caris, J.C., 1=7270
- Perkins, W.H. See Lohmann, W., 2=5523
- Perkins, W.H. See Shapira, J., 0=5687
- Perko, A. See Laurikainen, K.V., 3=4383
- Perkof'eva, N.I. See Sverdlov, L.M., 4=15367
- Perks, A.J. and Simmons, J.H.W. Radiation-induced creep in graphite, 4=28955
- Perks, A.J. See Gogglin, P.R., 4=20760
- Perks, M.A. See Ackroyd, R.T., 1=784
- Perks, M.A. See Ackroyd, R.T., 1=17226



- Perl, M.L. The status of the scintillation chamber, 2=18046
- Perl, M.L. and Jones, L.W. Recording particle tracks with the luminescent chamber, 0=15197
- Perl, M.L., Jones, L.W. and Ting, C.C. Evidence for the reaction  $\pi^- + p \rightarrow \bar{p} + d$  and some methods of investigating virtual nucleon exchange processes, 4=3448
- Perl, M.L., Jones, L.W. and Ting, C.C. Pion-proton elastic scattering from 3 GeV/c to 5 GeV/c, 4=3463
- Perl, M.L. See Bleuler, E., 3=24565
- Perl, M.L. See Cook, V., 3=12490
- Perl, M.L. See Damouth, D.E., 4=3460
- Perl, M.L. See Jones, L.W., 1=3101
- Perl, M.L. See Jones, L.W., 2=3204
- Perl, M.L. See Lai, K.W., 1=16870
- Perl, M.L. See Peck, C.C., 2=13844
- Perl, M.L. See Ting, C.C., 3=6050
- Perl, W. A method for curve-fitting by exponential functions, 1=13669
- Perlman, A.S. See Mazurek, M., 4=24450
- Perlman, P.I. A generalisation to the three-dimensional case of a method of solving a fundamental plane problem in the theories of potential and elasticity, 4=18032
- Perlman, Yu.E. Calculation of the polaron effect in the theory of multiphonon thermal ionization, 0=11605
- Perlman, Yu.E. The energy spectrum of an F-centre in the continuum theory, 0=15858
- Perlman, Yu.E. Impurity fluorescence in crystals, 0=20993
- Perlman, Yu.E. Allowance for radiationless transitions in the theory of impurity fluorescence, 0=20994
- Perlman, Yu.E. Modern methods in the theory of many-phonon processes, 4=20183
- Perlman, Yu.E. and Cheban, A.G. Capture of polarons by F-centres, 3=2838
- Perlman, Yu.E. and Cheban, A.G. Theory of field ionization of local levels, 3=15453
- Perlman, Yu.E. and Kovarskii, V.A. The theory of the impurity scattering of slow polarons, 1=17478
- Perlman, Yu.E., Marinchuk, A.E. and Kon, A.Z. The theory of thermoluminescence of impurity crystals, 1=20034
- Perlman, Yu.E., Marinchuk, A.E. and Zon, A.Z. The theory of thermoluminescence of impurity crystals, 2=4194
- Perlman, Yu.E. and Palistrant, M.E. On the theory of photo-ionization of F-centres, 1=10018
- Perlman, Yu.I. See Pekar, S.I., 3=6546
- Perlman, H.S. Relativistic K-shell stopping power theory, 1=816
- Perlman, H.S. The relativistic theory of K ionization by electrons, 1=2302
- Perlman, H.S. and Robson, B.A. Dirac continuum radial wave functions, 0=5542
- Perlman, I. Particle states in strongly deformed nuclei, 1=8593
- Perlman, I., Asaro, F., Ghiorso, A., Larsh, A. and Latimer, R. Isomeric state of  $\text{Po}^{212}$ , 2=18268
- Perlman, I. See Asaro, F., 0=5708
- Perlman, I. See Asaro, F., 0=20372
- Perlman, I. See Asaro, F., 1=8660
- Perlman, I. See Asaro, F., 2=1831
- Perlman, I. See Asaro, F., 4=9462
- Perlman, I. See Bjørnholm, S., 3=15129
- Perlman, I. See Gilmore, J., 3=6312
- Perlman, I. See Stephens, F.S., 0=13184
- Perlman, I. See Stephens, F.S., Jr., 0=448
- Perlman, M.L. See Chu, Y.Y., 4=12184
- Perlman, M.L. See Chu, Y.Y., 4=25285
- Perlman, M.L. See Crasemann, B., 4=3618
- Perlman, M.L. See Emery, G.T., 3=10313
- Perlman, M.L. See Harmer, D.S., 1=7339
- Perlman, M.L. See Lark, N.L., 0=17539
- Perlman, M.M. Decay of wax electrets, 0=5261
- Perlmutter, A. Evidence for the mesonic decay of heavy hyperfragments, 3=19758
- Perlmutter, A. See Blau, M., 0=2571
- Perlmutter, A. See Blau, M., 0=7256
- Perlmutter, A. See Blau, M., 3=8121
- Perlmutter, A. See Deschia, M., 4=25086
- Perlmutter, M. See Deissler, R.G., 1=18375
- Perlmutter-Hayman, B. and Stein, G. Specific ionic effects on reaction rates. The reaction between persulfate and iodide ions in the presence of high concentrations of
- Perlmutter-Hayman, B. and Stein, G. Specific ionic effects on reaction rates, the reaction between persulfate and iodide ions in the presence of high concentrations of added salts, 4=13730
- Perlmutter-Hayman, B. and Wolff, M.A. Modification of the continuous flow apparatus for the measurement of rapid chemical reactions, 4=26737
- Perloff, A. See Block, S., 4=7641
- Perloff, A. See Block, S., 4=15787
- Perlomov, A.M. Depolarization of  $\mu^+$ -mesons and polarization of  $\Sigma^+$ -particles in a magnetized paramagnetic gas, 3=4416
- Perlow, G.J. Ratio of the quadrupole moment of the first excited state of  $\text{Xe}^{131}$  to that of the ground state of  $\text{Xe}^{131}$ , 4=27974
- Perlow, G.J., Hanna, S.S., Hamermesh, M., Littlejohn, C., Vincent, D.H., Preston, R.S. and Heberle, J. Polarization of nuclear resonance radiation in ferromagnetic  $\text{Fe}^{57}$ , 0=7466
- Perlow, G.J. and Perlow, M.R. The Mössbauer effect in xenon compounds, 4=20170
- Perlow, G.J., Ramler, W.J., Stehney, A.F. and Yntema, J.L. Delayed neutrons from  $\text{N}^{17}$ , 1=7362
- Perlow, G.J. See Chernick, C.L., 3=17634
- Perlow, G.J. See Hanna, S.S., 0=7463
- Perlow, G.J. See Hanna, S.S., 0=11827
- Perlow, G.J. See Hanna, S.S., 3=2132
- Perlow, G.J. See Holland, R.E., 0=7464
- Perlow, G.J. See Johnson, C.E., 2=12123
- Perlow, G.J. See Johnson, C.E., 4=15157
- Perlow, M.R. See Chernick, C.L., 3=17634
- Perlow, M.R. See Perlow, G.J., 4=20170
- Perls, T.A., Miles, D.O. and Wilner, L.B. Sinusoidal pressure generator with wide amplitude and frequency ranges, 0=3586
- Perls, T.A. and Wilner, L.B. Effects of pressure on dielectric relaxation in a chlorinated diphenyl, 0=16702
- Perls, T.A. See Mattes, B.L., 1=8256
- Perls, T.A. See Rule, E., 0=115
- Perls, T.A. See Rule, E., 0=8757
- Perls, T.A. See Rule, E., 0=14750
- Perls, T.A. See Rule, E., 1=2813
- Perl'shtein, V.A. See Belyaev, L.M., 0=13939
- Perl'shtein, V.A. See Khaimov-Mal'kov, V.Ya., 1=20421
- Perman, I. See Nauta, E., 0=12122
- Permogorov, S.A. See Gross, E.F., 4=17558
- Permogorov, V.I. See Kizel, V.A., 2=2902
- Permogorov, S.A. See Gross, E.F., 3=8594
- Permyakov, V.A. See Vasil'ev, E.N., 4=29903
- Permyakov, V.G. See Apaev, V.G., 4=17749
- Permyakov, V.G. See Belous, M.V., 4=10030
- Pernegr, J. Consequences of the two-centre model of particle emission in cosmic ray jets, 0=9453
- Pernegr, J., Petržílka, V., Sedláč, J. and Vrána, J. Energy spectrum of electron pairs in a high energy photon-electron cascade, 1=13553
- Pernegr, J., Petržílka, V. and Simak, V. Asymmetries in the angular distribution of jet particles, 1=3264
- Pernegr, J., Šimák, V. and Votruba, M. On the momentum spectrum of particles in cosmic ray jets, 0=15480
- Pernegr, J., Šimák, V. and Votruba, M. The two-centre models of particle emission in cosmic-ray jets, 1=16925
- Pernegr, J. See Fenyves, E., 0=13096
- Pernegr, J. See Lanius, K., 3=4485
- Pernegr, J. See Novák, M., 4=25090
- Pernegr, Ya., Sedlak, Ya., Tuckek, I. and Shimak, V. Consecutive interactions of heavy nuclei of the primary cosmic radiation, 2=1745
- Perengr, Ya. See Votruba, M., 2=342
- Pernick, B.J. Luminescent processes and decay laws in crystalline materials, 3=15698
- Pernick, B.J. See Jameson, R.L., 4=14267
- Pernick, B.J. See Schwartz, F.R., 2=19710
- Pernoux, E. An interpretation of "feather-like patterns" observed on an electron micrograph of  $\text{MoO}_3$  crystals, 0=3286
- Perny, G. Method for the rapid preparation of thin films of metal halides, 0=14081
- Perny, G. Spectroscopic research on silver iodide and lead iodide in the crystalline state, 1=17892
- Perny, G. Preparation of thin films of  $\text{Cu}_2\text{O}$  by synthesis in the gaseous phase, 3=16138
- Perny, G. Anomaly of the first kind in the refractive index of thin films of  $\gamma$ -AgI, 4=28710
- Perny, G., Brendle, M. and Lorang, R. Variation of the absolute absorption coefficient of thin films of semiconductors as a function of thickness, 0=9951
- Perny, G., Laville-Saint-Martin, B., Roesler, P. and Haller, B. The preparation and structure of thin copper-oxide films obtained by reactive cathode sputtering, 4=23572



- Perny, G. and Lorang, R. Anomalies in the absolute absorption index of CuI, PbI<sub>2</sub>, and AgI at the critical thickness, 2=689
- Perny, G. and Roesler, P. Preparation of thin films of Cu<sub>2</sub>O by synthesis in the gaseous phase, 3=16139
- Perona, G. Non-destructive testing of solid fuel elements, 0=2697
- Perona, G. See Brutto, E., 0=6965
- Perov, A. A. See Kupriyanov, S. E., 3=15391
- Perov, A. A. See Kupriyanov, S. E., 3=1931
- Perov, A. A. See Kupriyanov, S. E., 4=9783
- Perov, A. A. See Kupriyanov, S. E., 4=25514
- Perov, A. A. See Kupriyanov, S. E., 4=25752
- Perov, A. A. See Kupriyanov, S. E., 4=28274
- Perova, L. Ya. Threshold sensitivity and noise spectrum of germanium junction photodiodes, 0=9995
- Perović, B. Cathode sputtering of metal single crystals by high energy A<sup>+</sup> ions, 3=7756
- Perović, B. and Čobić, B. Cathode sputtering of Cu and Ag by A<sup>+</sup> ions of energies from 10–200 keV, 3=7655
- Perović, B. and Jokić, T. The measurement of ranges and depth distribution of ions in the kiloelectronvolt energy region in metals by means of the radioactive tracer technique, 4=19120
- Perović, B. See Čobić, B., 4=8849
- Perović, B. See Čobić, B., 4=11726
- Perović, B. D. See Ševarac, I. F., 0=19797
- Perrault, G. Conductivity of the proton in aqueous solution, 1=15901
- Perrault, G. Protonic conductivity in pure water, 1=15902
- Perrault, G. A bitetrahedral structure of (H<sub>2</sub>O)<sub>4</sub> and the formation of the dipole p<sup>+</sup>/e<sup>-</sup> in water, 3=23868
- Perreau, J. M. See Lynch, G. R., 4=25181
- Perret, C. J. See Marshall, C. G. A., 4=26835
- Perrin, A. L. On some inertial effects of steady currents, 2=7552
- Perrier, F. See Dupouy, G., 0=11138
- Perrier, F. See Dupouy, G., 1=7090
- Perrier, F. See Dupouy, G., 1=20714
- Perrier, F. See Dupouy, G., 2=4434
- Perrier, F. See Dupouy, G., 2=23941
- Perrier, F. See Dupouy, G., 3=3372
- Perrier, F. See Dupouy, G., 3=16110
- Perrier, F. See Dupouy, G., 3=19343
- Perrier, F. See Dupouy, G., 3=19348
- Perrier, F. See Dupouy, G., 3=20951
- Perrier, F. See Dupouy, G., 3=20953
- Perrier, F. See Dupouy, G., 4=11710
- Perrier, F. See Dupouy, G., 4=21571
- Perrier, F. See Dupouy, G., 4=3049
- Perrier, F. See Dupouy, G., 4=29158
- Perrin, A. Rapid detector for intermediate neutrons (1 to 100 keV) and its use in time-of-flight spectrometry, 2=5688
- Perrin, A. and Chery, R. Construction of a stable gaseous scintillator using argon, without a wavelength shifter, 0=19967
- Perrin, A., Surget, G., Thibault, C. and Verrière, F. Neutron cross-section for beryllium in the neighbourhood of 200 keV, 2=20640
- Perrin, A., Surget, G. and Thibault, C. Total cross-sections of nickel for neutrons in the energy range 175–300 keV, 4=17167
- Perrin, A. See Chery, R., 0=17031
- Perrin, H. On the interpretation of shock relations in relativistic magnetohydrodynamics, 4=18322
- Perrin, M. Interferometric measurements upon the green line of the night airglow, 0=10445
- Perrin, N. Contributions to the study of nuclear spectroscopy by the coincidence method, 0=11334
- Perrin, N. Lifetime of the 123.6 keV level of Lu<sup>175</sup>, 4=15182
- Perrin, N. See Abou-Leila, H., 4=17066
- Perrin, N. See Abou-leila, H., 4=17106
- Perrin, N. See Foucher, R., 0=5675
- Perrin, N. See Pastor, L., 4=17059
- Perrin, P. See Bouchez, R., 1=13791
- Perrin, P. See Bouchez, R., 1=13796
- Perrin, P. See Bouchez, R., 2=12133
- Perrin, P. See Bouchez, R., 3=15206
- Perrin, P. See Bouchez, R., 4=17144
- Perrin, P. See Fleury, J., 1=13534
- Perrin, R. The mechanism of the diffusion of matter in the interior of the earth's crust, 3=18479
- Perrin, R. and Stewart, A. L. The correlation energies of excited states of the helium sequence, 3=4704
- Perrin, R. See Rose, M. E., 3=2402
- Perring, J. K. An analysis of proton-proton scattering from 68 to 142 MeV, 2=7857
- Perring, J. K. and Phillips, R. J. N. Intermediate mesons in nucleon-nucleon scattering, 2=20332
- Perring, J. K. Nucleon-nucleon phase shifts at 142 MeV, 3=12454
- Perring, J. K. and Phillips, R. J. N. On the hard core in nuclear forces, 1=5811
- Perring, J. K. and Skyrme, T. H. R. A model unified field equation, 2=11877
- Perron, J. C. Measurement of thermal conductivities in the unsteady state, 1=16133
- Perron, J. C. Electrical resistance of liquid selenium-tellurium alloys, 4=24234
- Perron, R. and Périchon, J. Infrared spectra of fatty acids in the solid state in the region 700–900 cm<sup>-1</sup>, 1=17901
- Perrot, M., David, J. P., Brincourt, G. and Balladore, J. L. Electron microscopic determination of the structure of thin metallic films, 4=23560
- Perrot, M., Gallet, P., Gervais, J. and Ropké, A. Theoretical comments on the cell structure of G. Francia, 4=2937
- Perrot, M., Millett, J. and Jarry, G. An experiment on thermionic conversion using a Cs vapour valve, 2=7553
- Perrot, M. See Cortes, H., 2=11469
- Perrot, M. See Martinuzzi, S., 4=22857
- Perroud, P. and de La Harpe, A. Heat transfer by liquids carried along in a turbulent gas flow (theoretical study), 0=6978
- Perroud, P., Rebière, J. and Weil, L. Thermal exchange coefficients for liquid hydrogen in forced convection, 3=16605
- Perroud, P. See de La Harpe, A., 1=6973
- Perry, A. J. and Bray, H. J. The effect of aluminium on the lattice parameters of tin-rich tin-cadmium phases, 4=10556
- Perry, A. J. and Bray, H. J. The constitution of solid tin-rich aluminium-cadmium-tin alloys, 4=13471
- Perry, B. W. See McDermott, M. N., 4=15162
- Perry, B. W. See Byron, F. W., Jr., 4=15294
- Perry, C. H., Khanna, B. N. and Rupprecht, G. Infrared studies of Perovskite titanates, 4=26184
- Perry, C. H. See Bloor, D., 1=16077
- Perry, C. H. See Dean, T. J., 0=8837
- Perry, C. H. See Dean, T. J., 0=19495
- Perry, C. H. See Hunt, G. R., 4=17579
- Perry, C. H. See Jones, G. O., 1=17894
- Perry, C. L. See Adams, R. O., 2=11418
- Perry, C. L. See Passell, T. O., 1=5254
- Perry, D. C. See McNiven, H. D., 2=9333
- Perry, D. L. See White, A. D., 1=10739
- Perry, J. E., Jr. See Bame, S. J., Jr., 0=20163
- Perry, K. E. G. See Croft, J. F., 2=20536
- Perry, R. B. See Beyer, N. S., 2=5427
- Perry, R. L. Experimental evidence for the existence of two distinct field emission characteristics from silicon emitters, 1=8341
- Perry, R. L. Experimental determination of the current-density-electric field relationship of silicon field emitters, 2=11688
- Perry, R. R., Mainsbridge, B. and Rickards, J. Li<sup>7</sup>(p,γ)Be<sup>8</sup> excitation curve from 1.5 MeV to 11 MeV, 3=22378
- Perry, R. R. See Kashy, E., 0=7474
- Perry, R. R. See Kashy, E., 1=7324
- Perry, R. R. See Mani, G. S., 3=19770
- Perry, R. R. See Mani, G. A., 4=17026
- Perry, R. R. See Phillips, G. C., 3=15050
- Perry, W. E. See Dale, J. W. G., 1=13208
- Perry-Whittingham, A. See Caner, B., 3=13822
- Perryman, E. C. W. Discussion of "shear along grain boundaries of an aluminium-10% zinc alloy deformed at room temperature", 0=18269
- Persen, L. N. See Brand, R. S., 4=29591
- Persen, L. N. See Kestin, J., 2=15770
- Persen, L. N. See Kestin, J., 3=23833
- Persham, P. S. Absence of antiferromagnetic domain walls in MnF<sub>2</sub>, 2=758
- Pershan, P. S. Cross relaxation in LiF, 0=4521
- Pershan, P. S. Nonlinear optical properties of solids: energy considerations, 3=13155
- Pershan, P. S. and Bloembergen, N. Electrically induced shift of the F<sup>19</sup> resonance frequency in MnF<sub>2</sub>, 1=20262
- Pershan, P. S. and Bloembergen, N. Frequency response of the photomixing process, 4=11819
- Pershan, P. S. and Bloembergen, N. Electric shift of the F<sup>19</sup> hyperfine interaction in antiferromagnetic MnF<sub>2</sub>, 4=26450



- Pershan, P.S. See Armstrong, J.A., 2=19665  
 Pershan, P.S. See Bloembergen, N., 1=1149  
 Pershan, P.S. See Bloembergen, N., 3=231  
 Pershikov, A.V. Lazarev, V.B., 3=5425  
 Pershin, G.G. See Lyamichev, I.Ya., 2=16871  
 Pershin, I.I. Physical measurements on photographs of particle tracks in bubble chambers, 2=7803  
 Pershin, I.I., Barmin, V.V., Kanavets, V.P. and Morozov, B.V. Application of the method of second differences in the measurement of multiple scattering in a propane bubble chamber, 2=3227  
 Pershin, I.I. and Golubchikov, V.M. Determination of particle mass from measurements of multiple scattering and range in a propane bubble chamber, 4=16772  
 Pershin, I.I. See Barmin, V.V., 1=19273  
 Pershina, E.V. and Raskin, Sh.Sh. Raman spectra of  $\text{AlCl}_3$  and  $\text{AlBr}_3$  in different phases, 3=8591  
 Pershina, E.V. and Raskin, Sh.Sh. Raman spectra of some adsorbed compounds, 4=7100  
 Pershits, Ya.N. Mechanism of the conductivity variation during ageing of rutile ceramics and electrolysis of alkali-halide crystals, 3=20380  
 Persico, F. and Stevens, K.W.H. The thermodynamics of spins coupled to lattices, 4=6739  
 Persico, F., Stevens, K.W.H. and Tucker, J.W. Some consequences of strong spin-lattice interactions, 3=18139  
 Persico, F. See Aiello, G., 4=28880  
 Persico, F. See Bellomonte, L., 1=10179  
 Persico, F. See Palma-Vittorelli, M.B., 3=1188  
 Persky, A. See Klein, F.S., 4=29206  
 Person, H. See Foucaud, A., 4=15603  
 Person, J.C. See Mahan, B.H., 4=8629  
 Person, J.C. See Mahan, B.H., 4=18694  
 Person, L.W. and Rasmussen, J.O. Rotational energies for the asymmetric rotor model for odd-mass nuclei, 2=20505  
 Person, L.W. See Marshalek, E., 3=15073  
 Person, S., Hutchinson, F. and Marvin, D. Range of low-energy protons in protein, 3=14984  
 Person, W.B. Thermodynamic properties of donor-acceptor complexes, 2=10968  
 Person, W.B. Electron affinities of some halogen molecules and the charge-transfer frequency, 3=8257  
 Person, W.B., Anderson, G.R., Fordemwalt, J.N., Stammreich, H. and Forneris, R. Infrared and Raman spectra, force constants, and the structures of some polyhalide ions:  $\text{ICl}_3^-$ ,  $\text{ICl}_4^-$ ,  $\text{BrCl}_3^-$ , and  $\text{Br}_3^-$ , 1=14029  
 Person, W.B. and Olsen, D.A. Infrared studies of crystal benzene. III. Assignment of  $705\text{ cm}^{-1}$  band and crystal splitting of  $\nu_{11}$ , 0=8003  
 Person, W.B. and Swenson, C.A. Infrared studies of crystal benzene. IV. Absolute intensities, 0=13691  
 Person, W.B. See Anderson, G.R., 2=4149  
 Person, W.B. See Friedrich, H.B., 3=25460  
 Person, W.B. See Swenson, C.A., 0=2939  
 Person, W.B. See Swenson, C.A., 0=13690  
 Person, W.B. See Yamada, H., 3=13191  
 Person, W.B. See Yamada, H., 4=10202  
 Personov, R.I. Absorption and fluorescence spectra of perylene at low temperatures, 2=16867  
 Personov, R.I. Emission and absorption line spectra of phthalocyanine in frozen crystalline solutions, 4=7163  
 Personov, R.I. See Litvin, F.F., 1=7707  
 Personov, R.I. See Litvin, F.F., 1=11361  
 Persoz, B. Birefringence of a polystyrene submitted to a constant pulling force, 1=14575  
 Persson, A. Heat of combustion and burning rate of blasting gelatine at pressures between 1 and  $11\text{ kp/cm}^2$ , 3=3394  
 Persson, A. Rational microtomy, 3=18424  
 Persson, A. See Astner, G., 3=19798  
 Persson, A.V. See Newton, C.W., 2=15190  
 Persson, B. Internal bremsstrahlung from  $\text{P}^{32}$ ,  $\text{Sr}^{90}$ ,  $\text{Y}^{90}$ ,  $\text{Yb}$  and  $\text{Bi}^{210}$ , 4=25344  
 Persson, B. See Ask, L., 1=19064  
 Persson, B. See v.Friesen, S., 1=16638  
 Persson, H. Electric field along a magnetic line of force in a low-density plasma, 4=8696  
 Persson, K.B. A method for measuring the conductivity in a high electron density plasma, 2=1446  
 Persson, K. -B. and Mosburg, E.R., Jr. Non-linear ambipolar diffusion across a magnetic field, 4=11595  
 Persson, K.B. Inertia-controlled ambipolar diffusion, 3=5462  
 Persson, L. On the  $5/2 - [523] - 7/2 - [523]$  electron capture transition in the decay of  $\text{Er}^{163}$ , 4=3613  
 Persson, L. Levels in  $\text{Tb}^{158}$  populated in the decay of  $\text{Gd}^{156}$ , 4=6292  
 Persson, L., Hardell, R. and Nilsson, S. The decay of the ground state of  $\text{Dy}^{165}$ , 3=655  
 Persson, L., Ryde, H. and Oelsner-Ryde, K. The K auger electron spectrum of terbium, 2=10068  
 Persson, L., Ryde, H. and Oelsner-Ryde, K. The positron spectrum of  $\text{Dy}^{165}$ , 3=19823  
 Persson, L., Ryde, H. and Oelsner-Ryde, K. Levels in  $\text{Tb}^{157}$  populated in the decay of  $\text{Dy}^{157}$ , 3=22342  
 Persson, L. and Stockendal, R. A determination of the K-conversion coefficient of the 6.1 sec M4 transition in  $\text{Pb}^{203}$ , 1=19414  
 Persson, L. and Sujkowski, Z. K- and L-electron capture probabilities and the decay energy of  $\text{Pb}^{203}$ , 1=19415  
 Persson, L. See Ryde, H., 3=2414  
 Persson, L. See Ryde, H., 3=2415  
 Persson, L. See Ryde, H., 4=3614  
 Persson, P.A. See Berg, U., 3=7275  
 Persson, P.A. See Bowden, F.P., 1=14897  
 Persson, P.O. See Arnell, S.E., 4=19685  
 Persson, P.O. See Arnell, S.E., 4=19783  
 Persson, R., Wikdahl, C.E., Landergård, O. and Cavallin, K. The Swedish zero-power reactor R0, 0=4140  
 Persyn, G.A. See Thompson, B.C., 4=3192  
 Perthel, R. The ferrimagnetism of non-stoichiometric iron sulphides, 0=6245  
 Perthel, R. Field induced anisotropy in cobalt-substituted nickel ferrite, 2=12791  
 Perthel, R. Determination of the constants F and G of the uniaxial induced anisotropy for finite field strengths, 2=23654  
 Perthel, R. Magnetic field-induced anisotropy in cobalt-substituted nickel ferrite, 3=1033  
 Perthel, R. Preferred directions of magnetization in cubic ferrimagnets, 4=13225  
 Perthel, R. and Keilig, W. Crystal anisotropy in cobalt ferrite single crystals, 4=1842  
 Pertsov, A.V. See Shchukin, E.D., 3=23316  
 Pertsov, N.V. See Goryunov, Yu.V., 0=1871  
 Pertsov, N.V. See Goryunov, Yu.V., 0=6313  
 Pertsov, N.V. See Goryunov, Yu.V., 3=5427  
 Pertsov, N.V. See Goryunov, Yu.V., 4=10353  
 Pertsov, N.V. See Shchukin, E.D., 1=14910  
 Pertsov, N.V. See Summ, B.D., 4=7465  
 Perunskii, S.S. Classification of open star clusters, 3=11579  
 Perucca, E. and Gentile, C. Expression of the laws of thermal radiation, 3=1865  
 Perucca, E. and Gentile, C. Expression of the laws of thermal radiation. I, 3=11994  
 Perucca, E. and Gentile, C. Expression of the laws of thermal radiation. II, 3=11995  
 Perulli, M. See Étievant, C., 2=22199  
 Perulli, M. See Étievant, C., 3=7641  
 Perulli, M. See Étievant, C., 4=584  
 Perulli, M. See Étievant, C., 4=19013  
 Peruzzo, L. See Carrara, R., 2=22559  
 Peruzzo, L. See Chadwick, G.B., 4=6135  
 Pervakov, B.A. See Khotkevich, V.I., 1=1020  
 Pervakov, V.A. and Khotkevich, V.I. Calorimetric determination of the formation energy of vacancies in gold, 1=3654  
 Pervakov, V.A. and Khotkevich, V.I. Calorimetric determination of the formation energy of vacancies in gold, 1=7577  
 Pervakov, V.A., Khotkevich, V.I. and Shepelev, A.G. Latent energy of plastic deformation of silver at  $-196^\circ$  and  $20^\circ\text{C}$ , 1=9091  
 Pervakov, V.A., Merisov, B.A. and Khotkevich, V.I. Influence of the nature of lattice distortion on the temperature of the electrical resistivity in silver and gold, 2=23235  
 Pervakov, V.A., Petrenko, N.S. and Khotkevich, V.I. The influence of plastic deformation on the liquidation of excess vacancies in quenched gold, 3=4862  
 Pervakov, V.O. and Khotkevich, V.H. Application of the pulse calorimetric method for the determination of the energy of solution of oxygen in silver, 2=12928  
 Pervakov, V.O. and Khotkevich, V.H. Thermal capacity of plastically deformed copper, 2=6274  
 Pervakov, V.O. See Blyashenko, G.S., 4=13436



- Pervakov, V.O. See Khotkevych, V.H., 1=14358  
Pervakov, V.O. See Ostits'ka, T.D., 4=6823  
Pervova, L.Ya. and Makarov, V.N. Generation-recombination noise in p-type germanium containing zinc, 4=1608  
Perović, B.Dj. Cathode sputtering of Cu and Pb single crystals by high energy  $A^+$  ions, 2=3094  
Pervushin, I.I. and Filippov, L.P. Method of measuring ultrasonic velocity in solid bodies and in liquids, 2=1239  
Pervushin, I.I. and Filippov, L.P. Method of measuring ultrasonic velocity in solid bodies and in liquids, 2=7312  
Pery, G. See Apelblat, A., 4=12414  
Pery-Thorne, A. Absorption and interference measurements in the vacuum ultraviolet, 3=9592  
Pery-Thorne, A. and Chamberlain, J.E. Transition probabilities in the spectra of neutral neon, argon and krypton, 3=19943  
Pery-Thorne, A. and Garton, W.R.S. Absorption of krypton in the extreme ultraviolet, 1=2291  
Perz, J.M. See Dobbs, E.R., 4=14526  
Perz, J.M. See Dobbs, E.R., 4=18588  
Perzhnyanko, E.A. The wave impedance of a body in circular motion, 0=6765  
Perzyna, P. The constitutive equations for rate sensitive plastic materials, 3=11738  
Perzyna, P. On the constitutive equations for work-hardening and rate sensitive plastic materials, 4=28925  
Perzyna, P. On the propagation of stress wave in a rate-sensitive plastic medium, 4=8299  
Perzyna, P. On the dynamic behaviour of rate sensitive plastic materials, 4=30750  
Perzyna, P. and Bejda, J. The propagation of spherical stress waves in a work-hardening and rate sensitive plastic medium, 4=30747  
Perzyna, P. and Wierzbicki, T. On temperature-dependent and strain-rate sensitive plastic materials, 4=28918  
Perzyna, P. See Olszak, W., 0=4560  
Perzyna, P. See Olszak, W., 1=20336  
Pescetti, D. See Biorci, G., 0=13780  
Pesch, J. See Koves, G., 4=2109  
Peschansky, V.G. and Lekhtsier, V.S. Theory of cyclotron resonance in metals, 4=17410  
Peschanskii, V.G. and Privorotskii, I.A. Ultrasonic absorption by metals in electric and magnetic fields, 3=2722  
Peschanskii, V.G. See Kaganov, M.I., 0=2848  
Peschanskii, V.G. See Kaganov, M.I., 4=9841  
Peschanskii, V.G. See Kaner, E.A., 1=14172  
Peschanskii, V.G. See Litshits, I.M., 0=6076  
Peschel, M. The properties of a longitudinal wave at an interface, 0=14716  
Peshev, P.D. and Tsyrnorchki, O.St. Investigations of raw materials for the preparation of ferrites with rectangular hysteresis loops, 2=14798  
Peschew, P. See Arsichinow, I., 4=28815  
Pescia, J. A high power microwave spectrograph (amplitude modulated and frequency stabilized) for diverse applications, 1=13186  
Pescia, J. and Hervé, J. A new method of measuring spin lattice relaxation time in electron spin resonance, 4=747  
Pescia, J. and Hervé, J. Measurement of the spin-lattice relaxation time in the case of inhomogeneous line-broadening. Application to coals, 4=1869  
Pescia, J. See Bassompierre, A., 2=20168  
Pescia, J. See Herve, J., 1=3071  
Pescia, J. See Hervé, J., 3=9962  
Pescia, J. See Hervé, J., 4=1870  
Peselnick, L. and Robie, R.A. Elastic constants of calcite, 2=21390  
Peselnick, L. and Robie, R.A. Elastic constants of calcite, 3=23278  
Peshikov, E.V. and Starodubtsev, S.V. Effects of radiation on properties of Rochelle salt crystals (in weak electric fields), 2=12565  
Peshikov, E.V. and Starodubtsev, S.V. Effects of radiation on properties of Rochelle salt crystals (in weak electric fields), 2=14609  
Peshkin, M. Symmetry theorems for isospin-invariant reactions, 1=2014  
Peshkin, M. Angular asymmetry theorems for decay products, 1=10868  
Peshkin, M. Possible determination of the spin of the  $\Xi^-$  from the angular asymmetry of its decay, 3=7936  
Peshkin, M. Fluxoid quantization, pair symmetry, and the gap energy in the current-carrying Bardeen-Cooper-Schrieffer state, 3=24137  
Peshkin, M. Spin and parity analysis at all production angles, 4=9152  
Peshkin, M., Talmi, I. and Tassie, L.J. The quantum mechanical effects of magnetic fields confined to inaccessible regions, 1=8373  
Peshkin, M. and Tobocman, W. Flux quantization and time-reversal degeneracy, 2=19807  
Peshkin, M. See Lipkin, H.J., 2=9477  
Peshkin, M. See Tassie, L.J., 2=1068  
Peshkov, V.P. On processes of the transport of masses in the separation of helium isotopes, 0=471  
Peshkov, V.P. Observations of boundaries between phases of liquid helium, 0=8921  
Peshkov, V.P. Second sound in helium II, 0=12553  
Peshkov, V.P. Critical velocities in superfluid helium, 1=16190  
Peshkov, V.P. On the superfluidity of  $He^3$ , 4=21385  
Peshkov, V.P. and Stryukov, V.B. Is  $v_s$  or  $v_n - v_s$  the cause of destruction of superfluidity? 2=2946  
Peshkov, V.P. and Stryukov, V.B. Is  $\vec{V}_s - \vec{V}_n$  the cause of destruction of superfluidity?, 3=1885  
Peshkov, V.P. and Tkachenko, V.K. Kinetics of destruction of superfluidity in helium, 2=2948  
Peshkov, V.P. and Tkachenko, V.K. Kinetics of destruction of superfluidity in helium, 3=1884  
Peshkov, V.P. and Tkachenko, V.K. Critical velocities in capillary tubes and quantized vortexes, 4=16322  
Peshkov, V.P. and Zinov'eva, K.N. Experimental research with  $He^3$ , 1=4523  
Peshkov, V.P. Zinov'eva, K.N. and Filimonov, A.I.  $He^3$  cryostats, 0=10856  
Peshkov, V.P. See Zinov'eva, K.N., 0=8862  
Peshori, L.H. See Kuchela, K.S., 1=2176  
Pešić, D., Ratković, B. and Marinković, M. A 2.2 meter modified Eagle grating spectrograph, 3=16774  
Pešić, D.S. Isotope effect in band spectra of magnesium oxide, 1=2328  
Pešić, D.S. Green bands of  $^{24}Mg^{16}O$  and  $^{26}Mg^{16}O$  molecules, 4=20053  
Pesin, M.S. and Fabelinskii, I.L. Dispersion of sound velocity and the propagation of hypersound in liquids, 0=127  
Pesin, M.S. and Fabelinskii, I.L. Fine structure of the Rayleigh line and the dispersion of hypersound in viscous liquids, 0=5011  
Pesin, M.S. and Fabelinskii, I.L. Spectroscopic investigation of the propagation of hypersonic vibrations in viscous liquids, 1=8183  
Pesin, M.S. and Fabelinskii, I.L. Spectroscopic investigation of the propagation of hypersonic vibrations in viscous liquids, 1=10570  
Pesin, M.S. See Ablekov, V.K., 0=19360  
Pesin, M.S. See Ablekov, V.K., 2=17633  
Pesket, G.D. and Rollin, B.V. Energy exchange between hot carriers and the lattice in indium antimonide, 3=22946  
Peski-Tinbergen, T. Van. See Van Peski Tinbergen, T.  
Peskina, R.L. Hydromagnetic free jet, 3=17040  
Peskina, R.L. Hydromagnetic free jet, 4=19177  
Peskina, R.L. and Raco, R.J. Ultrasonic atomization of liquids, 3=23850  
Peskova, D.I. See Dmitriev, A.B., 0=3891  
Peskovatskii, S.A. and Chernets, A.N. Spin lattice relaxation in gadolinium ethylsulphate, 2=18950  
Peskovatskii, S.A. and Chernets, A.N. Concentration dependence of relaxation times of gadolinium ethylsulphate at helium temperatures, 2=18951  
Pesotskaya, E.A. See Vaisenberg, A.O., 2=298  
Pesotskaya, E.A. See Vaisenberg, A.O., 2=18042  
Pesotskaya, E.A. See Vaisenberg, A.O., 2=22545  
Pessall, N., Gupta, K.P., Cheng, C.H. and Beck, P.A. Low temperature specific heat of b.c.c. alloys of 3d transition elements and aluminum, 4=30518  
Pessall, N. See Jones, D.W., 1=10130  
Pestaner, J.F. See Gevantman, L.H., 0=3324  
Pestell, L. The fluorescence spectra of naphthalene and of octodeuteronaphthalene solutions in pentane at 20°K, 0=6812  
Pestell, L., Vergnes, J. and Pestell, P. Determination of the symmetry types of several vibrations of naphthalene, 3=17605  
Pestell, P. and Clais, A. The fluorescence spectrum of naphthalene solution in octodeuteronaphthalene at 20°K, 0=6811  
Pestell, P. See Clais, A., 0=8000



- Pestil, P. See Ciais, A., 2=12595  
 Pestil, P. See Ciais, A., 4=187  
 Pestil, P. See Pestil, L., 3=17605  
 Pestel, E. Rectangular transfer matrices, 4=254  
 Pestel, E. See Leckie, F., 1=5317  
 Petarra, D.P. and Beshers, D.N. Correlation between the cold-work peak and the Snoek peak in the iron-nitrogen and iron-carbon systems, 2=21409  
 Petarra, D.P. and Beshers, D.N. Damping spectrum of iron, 3=23287  
 Petch, H.E. and Pennington, K.S. Nuclear quadrupole coupling tensors for  $\text{Na}^{23}$  and  $\text{Al}^{27}$  in natrolite, a fibrous zeolite, 2=8691  
 Petch, H.E. See Brodie, D.E., 2=12629  
 Petch, H.E. See Cuthbert, J.D., 3=15963  
 Petch, H.E. See Cuthbert, J.D., 3=25591  
 Petch, H.E. See Cuthbert, J.D., 4=1902  
 Petch, H.E. See Holuj, F., 0=8089  
 Petch, H.E. See Lal, K. C., 4=20628  
 Petch, H.E. See Pennington, K.S., 0=13889  
 Petch, H.E. See Pennington, K.S., 2=14851  
 Petch, H.E. See Pieczonka, W.A., 1=2495  
 Petch, H.E. See Torrie, B. H., 4=13603  
 Petch, N.J. The ductile-brittle transition in the fracture of  $\alpha$ -iron. I, 0=690  
 Petch, N.J. The upper yield stress of polycrystalline iron, 4=10383  
 Petch, N.J. See Armstrong, R., 2=6733  
 Petch, N.J. See Codd, I., 0=20811  
 Petch, N.J. See Heslop, J., 0=691  
 Petelin, M. See Osheroch, A.L., 0=7702  
 Petelina, N.G. See Zverev, G.M., 2=14824  
 Petelina, N.G. See Zverev, G.M., 3=6745  
 Peter, G., Muller, G. and Rabben, H. H. Measurements with the high-frequency resonance probe in a cesium plasma, 4=18932  
 Peter, G., Tyapkin, A.A., Pisarev, A.F. and Tzou Chu-Lyang. The appearance of inclined discharge channels along an ionizing particle track, 3=24564  
 Peter, G. See Govorov, A.M., 3=2182  
 Peter, G. See Nikanorov, V.I., 2=16196  
 Peter, G. See Nikanorov, V.I., 3=6006  
 Peter, H. Thermoluminescence and dosimetry in samarium-activated  $\text{CaSO}_4$ , 1=16621  
 Peter, J. See Dubost, H., 4=19785  
 Peter, J.R. Intermittent electric discharges in a gas between two dielectrics, 3=9741  
 Peter, K. The growth of etch pits on glass as a result of a uniform etching attack, 2=23902  
 Peter, M. Paramagnetic resonance and crystal field in two nickel chelate crystals, 0=3135  
 Peter, M. Paramagnetic resonance of  $^6\text{S}$  state ions in metals, 1=6417  
 Peter, M. Paramagnetic resonance of dilute  $\text{Gd}^{3+}$  in Pd in the presence of rare earth impurities, 3=8709  
 Peter, M. and Matthias, B.T. Paramagnetic resonance in metallic europium and intermetallic compounds, 0=13874  
 Peter, M. and Mock, J.B. Paramagnetic resonance of  $\text{Ni}^{++}$ ,  $\text{V}^{++}$ , and  $\text{Cr}^{+++}$  in  $\text{ZnF}_2$ , 0=10233  
 Peter, M. and Moriya, T. Antiferromagnetic and paramagnetic resonance in  $\text{CuF}_2 \cdot 2\text{H}_2\text{O}$ , 2=12808  
 Peter, M., Shaltiel, D., Wernick, J.H., Williams, H.J., Mock, J.B. and Sherwood, R.C. Paramagnetic resonance of S-state ions in metals, 2=12821  
 Peter, M., Shaltiel, D., Wernick, J.H., Williams, H.J., Mock, J.B. and Sherwood, R.C. Long-range polarization effects in rare-earth-doped palladium, 2=21372  
 Peter, M., Venkates, H.G.R. and Strandberg, M.W.P. Molecular trajectories in electric fields and state selection in a beam of sodium chloride, 0=7827  
 Peter, M. See Clogston, A.M., 0=6272  
 Peter, M. See Clogston, A.M., 2=4197  
 Peter, M. See Clogston, A.M., 3=993  
 Peter, M. See Giovannini, B., 4=26400  
 Peter, M. See Jaccarino, V., 0=18229  
 Peter, M. See Jaccarino, V., 1=1277  
 Peter, M. See Jaccarino, V., 3=3964  
 Peter, M. See Koide, S., 4=22522  
 Peter, M. See Matthias, B.T., 1=3882  
 Peter, M. See Shaltiel, D., 4=28873  
 Peter, M. See Sugano, S., 1=7549  
 Peter, M. See Wolff, P.A., 2=12683  
 Peter, R. See Dreizler, H., 4=3834  
 Peterkop, R. Ionisation of the hydrogen atom by slow electrons, 0=1101  
 Peterkop, R. Excitation of the S-levels of the hydrogen atom, 0=5853  
 Peterkop, R. Asymptotic expansions of charged-particle wave-functions, 1=3116  
 Peterkop, R. Consideration of exchange in ionization, 1=16260  
 Peterkop, R. Consideration of exchange in ionization, 1=16262  
 Peterkop, R. See Damburg, R., 2=22921  
 Peterkop, R. See Damburg, R., 3=15297  
 Peterkop, R.K. On the inclusion of exchange in the theory of collisions, 0=13402  
 Peterkop, R.K. Ionization of hydrogen atoms by electrons taking account of interference, 2=5303  
 Peterkop, R.K. Role of exchange in the excitation of 2s and 2p levels in the hydrogen atom by electrons, 2=14218  
 Peterkop, R.K. Partial excitation cross-sections for hydrogen atoms, 2=16471  
 Peterkop, R.K. Asymptotic behaviour of charged particle wave-functions, 3=2225  
 Peterkop, R.K. The wave function of the e-H collision, 3=2577  
 Peterkop, R.K. Ionization of hydrogen atoms by electrons taking account of interference, 3=4018  
 Peterkop, R.K. See Damburg, R.Ya., 3=2555  
 Peterkop, R.K. See Damburg, R.Ya., 3=10472  
 Peterkop, R.K. See Damburg, R.Ya., 3=15298  
 Peterkop, R.K. See Damburg, R.Ya., 3=22508  
 Peterlin, A. Short and long-range interactions in the linear macromolecule, 0=13457  
 Peterlin, A. Chain folding and free energy density in polymer crystals, 0=18293  
 Peterlin, A. Deviations from equipartition of energy with nonquadratic Hamiltonian, 0=18962  
 Peterlin, A. Gradient dependence of intrinsic viscosity of freely flexible linear macromolecules, 1=2730  
 Peterlin, A. Viscosity and dynamic birefringence of flexible macromolecules, 1=15877  
 Peterlin, A. Mean dimensions of micromolecular coil in laminar flow, 3=21348  
 Peterlin, A. Secondary crystallization and annealing of polyethylene, 4=7561  
 Peterlin, A. Light scattering by non-Gaussian macromolecular coils, 4=15392  
 Peterlin, A. and Fischer, E.W. Thermodynamic stability of macromolecular crystals. I. Effect of the longitudinal oscillations of chain molecules, 0=14054  
 Peterlin, A., Fischer, E.W. and Reinhold, C. Thermodynamic stability of polymer crystals. II. Torsional vibrations of chain molecules, 2=23801  
 Peterlin, A. and Pintar, M. Temperature dependence of N.M.R. Absorption in solid acetic acid and in some of its chloro and acid chloride derivatives, 1=8856  
 Peterlin, A. and Reinhold, C. Light scattering by linear macromolecules oriented in laminar flow. III. Perfectly flexible necklace model with no hydrodynamic interaction, 4=14140  
 Peterlin, A., Ribarič, M. and Herman, F. Albedo of non-homogeneous one-group neutron currents, 0=12965  
 Peterlin, A., Ribarič, M. and Strnad, J. Albedo and transparency of reflectors in one-dimensional two-group diffusion theory, 0=12964  
 Peterlin, A. and Roeckl, E. N.M.R. and dilatometric studies of polyethylene recrystallization, 3=11232  
 Peterlin, A. and Turner, D.T. Shear stress dependence of the intrinsic viscosity of polymethylmethacrylate in an extremely viscous solvent, 3=16619  
 Peterlin, A. See Kiho, H., 4=20679  
 Peterlin, A. See Reinhold, C., 4=7660  
 Peterlin, A. See Ribarič, M., 0=12963  
 Peterman, A. On quantum theory of radiation, 4=19376  
 Peterman, A. See Eriksson, K.E., 1=422  
 Peterman, L. A. Gas desorption efficiency under electron bombardment, 4=21209  
 Petermann, A. On the muon g-factor, 1=8469  
 Petermann, A. and Ruegg, H. Meson group and parity conservation, 0=12870  
 Petermann, L.A., Lux, B., Degras, D.A. and Schram, A. The pulsed thermal desorption of stainless NS-225 in high vacuum, 2=23920  
 Petermann, L.A., Lux, B., Degras, D.A. and Schram, A. The pulsed thermal desorption of stainless steel NS-22S in high vacuum, 3=16147  
 Peters, A. See Neumann, W., 0=1125  
 Peters, A. See Nikitine, S., 3=2765



- Peters, A.J. See Logan, R.A., 0=1601  
 Peters, A.J. See Logan, R.A., 0=1652  
 Peters, B. Cosmic-ray produced radioactive isotopes as tracers for studying large-scale atmospheric circulation, 0=6441  
 Peters, B. Origin of cosmic radiation, 0=7428  
 Peters, B. Primary energy spectrum and air showers, 1=2142  
 Peters, B. Primary cosmic radiation and extensive air showers, 2=5758  
 Peters, B. The role of hyperons in extensive air showers and in other high-energy phenomena, 2=5763  
 Peters, B. The role of hyperons in extensive air showers and other high-energy cosmic ray phenomena, 3=4547  
 Peters, B. See Goldhaber, G., 1=12083  
 Peters, B. See Lal, D., 0=2041  
 Peters, B. See Pal, Y., 4=25243  
 Peters, B. See Murthy, G.T., 1=3327  
 Peters, B. [Ed.]. Cosmic rays, solar particles and space research [proceedings of the International School of Physics "Enrico Fermi", Varenna, 1961; Course 19], 4=20883  
 Peters, B. F. and Wiles, D. R. A vapor pressure study of the alloys of manganese with copper, 4=2898  
 Peters, C. R. and Milberg, M. E. The refined structure of orthorhombic metaphoric acid, 4=13582  
 Peters, C. W. and Snyder, A. L. Optimum location of  $\text{BF}_3$  counters in a neutron moderator, 2=5693  
 Peters, C. W. See Baker, J. A., 3=7316  
 Peters, C. W. See Bass, M., 2=9388  
 Peters, C. W. See Edwards, D. F., 2=23528  
 Peters, C. W. See Fox, K., 2=16544  
 Peters, C. W. See Franken, P. A., 1=18556  
 Peters, C. W. See Terhune, R. W., 1=8228  
 Peters, D. Population analyses of the S.C.F. wave functions of ammonia, 2=14317  
 Peters, D. The population analysis of valence bond wave functions, 3=6375  
 Peters, D. Problem of the lengths and strengths of carbon-fluorine bonds, 3=8244  
 Peters, D. Overlap charge potential energy as a guide to bond strengths, 4=25626  
 Peters, D. Some comments on the photolysis of saturated hydrocarbons, 4=29230  
 Peters, D. T., Bisseliches, J. C. and Spretnak, J. W. Some observations of grain boundary relaxation in copper and copper-2 Pct cobalt, 4=23141  
 Peters, F. G. See Sinclair, W. R., 2=17901  
 Peters, H. E. See Vessot, R. F. C., 3=12343  
 Peters, J. L. Mass spectrometer leak detector with improved sensitivity, 0=2191  
 Peters, J. L. Mass spectrometer tests tightness of seals, 0=14702  
 Peters, J. L. and Denton, R. A. An improved positive ion source for mass spectrometers, 4=19134  
 Peters, J. T. Emission spectroscopy as an elective for science majors and engineers, 4=29751  
 Peters, L., Jr and Green, R. B. Echo area of a plasma-coated sphere, 2=3170  
 Peters, L., Jr. See Kouyoumjian, R. G., 4=5816  
 Peters, L., Jr. See Swarnen, W. G., 4=8937  
 Peters, P. C. and Mathews, J. Gravitational radiation from point masses in a Keplerian orbit, 3=16514  
 Peters, R. See Hubbard, E. L., 1=10749  
 Peters, R. J. W., Jamieson, W. D. and Whiteway, S. G. Simple method of improving gas-melt contact in a crucible-furnace assembly, 4=23660  
 Peters, R. W. Dimensions of perception for consonants, 4=10964  
 Peters, S. A. See Nikitine, S., 3=10934  
 Peters, T. Arc models and Steenbeck's minimum principle, 3=4074  
 Peters, T., Singer, J., Brophy, V. A. and Birman, J. L. Faulting and electroluminescence in hexagonal ZnS phosphors, 3=23123  
 Peterse, W. J. A. M. See De Wolff, P. M., 4=7632  
 Petersen, D. H. See Pierce, L., 0=17744  
 Petersen, E. E. See Acrivos, A., 0=10633  
 Petersen, E. E. See Grove, A. S., 4=24141  
 Petersen, E. E. See Knott, R. F., 0=5201  
 Petersen, E. L. See Clark, D. J., 2=9662  
 Petersen, E. L. See Mackenzie, K. R., 3=5754  
 Petersen, F. R., Ehlers, V. J., Ewbank, W. B., Marino, L. L. and Shugart, H. A. Nuclear spin, hyperfine-structure separation, and magnetic moment of 22-hour potassium-43, 0=1353  
 Petersen, F. R. and Shugart, H. A. Nuclear spin, hyperfine structure, and nuclear moments of 64-hour yttrium-90, 2=3462  
 Petersen, F. R. and Shugart, H. A. Nuclear spin, hyperfine structure, and nuclear moments of 6.8-day lutetium-177, 2=9994  
 Petersen, F. R. and Shugart, H. A. Nuclear spins, hyperfine structures, and nuclear moments of scandium-46 and yttrium-91, 3=2361  
 Petersen, G. F. See Cathcart, J. V., 2=17066  
 Petersen, G. T. and Benedict, M. Deuterium enrichment in the distillation of ammonia, 3=8940  
 Petersen, H. L. See Kretschmer, C. B., 0=18430  
 Petersen, H. L. See Kretschmer, C. B., 4=1319  
 Petersen, H. L. See Kretschmer, C. B., 4=2950  
 Petersen, J. S. See Garg, J. B., 4=19802  
 Petersen, N. Determination of the Curie point of the ferromagnetic mineral component of rock by a high frequency method, 4=28830  
 Petersen, O. See Jespersen, M., 4=26856  
 Petersen, R. See Arp, V., 0=517  
 Petersen, R. E. and Emmons, H. W. Stability of laminar flames, 1=707  
 Petersen, R. G. and Phillips, N. E. Heat capacity of antiferromagnetic  $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$  in the spin wave region, 1=9978  
 Peterson, A. M. Optical, electromagnetic, and satellite observations of high-altitude nuclear detonations. II, 0=10432  
 Peterson, A. M. and Hower, G. L. Synchrotron radiation from high-energy electrons, 3=16228  
 Peterson, A. M. See Egan, R. D., 2=9020  
 Peterson, A. M. See Eshleman, V. R., 2=15394  
 Peterson, A. M. See Presnell, R. I., 0=10440  
 Peterson, A. W. Three-color photometry of the zodiacal light, 1=5146  
 Peterson, A. W. Thermal radiation from interplanetary dust, 4=10889  
 Peterson, C. W. and Riggs, F. B., Jr. Precise alignment using teflon-coated steel, 3=9393  
 Peterson, D. G. Noise performance of transistors, 2=16745  
 Peterson, D. L. See Barrer, R. M., 4=26725  
 Peterson, D. L. See Taimuty, S. I., 0=5454  
 Peterson, D. T. and Fattore, V. G. Calcium-calcium hydride phase system, 2=2405  
 Peterson, E. L. See Balk, P., 4=9910  
 Peterson, F. L. See Kerst, D. W., 0=19837  
 Peterson, G. A. Magnetic form-factors by 180° electron scattering, 2=22798  
 Peterson, G. A. and Barber, W. C. Inelastic electron scattering from the deuteron, 1=19285  
 Peterson, G. A. and Barber, W. C. Deuteron magnetic dipole disintegration by 180° electron scattering, 2=22658  
 Peterson, G. A. See Barber, W. C., 3=10332  
 Peterson, G. A. See Edge, R. D., 3=4625  
 Peterson, G. A. See Knight, B. W., 4=4015  
 Peterson, G. E. and Bridenbaugh, P. M. Direct observation of rise of fluorescence in  $\text{Tb}^{3+}$  following a short burst of ultraviolet excitation, 2=23602  
 Peterson, G. E. and Bridenbaugh, P. M. Fluorescent lifetime of terbium in the presence of other rare-earth ions, 3=8620  
 Peterson, G. E. and Bridenbaugh, P. M. Effects of rare-earth-ion substitution upon the fluorescent lifetime of terbium in the compound terbium hexa-antipyrene tri-iodide, 3=13205  
 Peterson, G. E. and Bridenbaugh, P. M. Some studies of relaxation processes in  $\text{Tb}^{3+}$  using pulsed excitation, 3=25176  
 Peterson, G. E. and Bridenbaugh, P. M. Study of relaxation processes in Nd using pulsed excitation, 4=17604  
 Peterson, G. E. and Bridenbaugh, P. M. Wideband feedback coherence control for superregenerative n. q. r. spectrometers, 4=19249  
 Peterson, G. E. and Bridenbaugh, P. M. Application of resonance cooperation of rare-earth ions  $\text{Nd}^{3+}$  and  $\text{Yb}^{3+}$  to lasers ( $\text{Na}_0.8\text{RE}_{0.2}\text{WO}_4$ ), 4=27702  
 Peterson, G. E. and Lehist, I. Duration of syllable nuclei in English, 0=12218  
 Peterson, G. E. See Lehist, I., 1=6662  
 Peterson, G. E. See Lehist, I., 1=7952  
 Peterson, H. A. See Van Beyer, J. B., 0=6721  
 Peterson, J., Steinrauf, L. K. and Jensen, L. H. Direct determination of the structure of L-cystine dihydrobromide, 0=8234  
 Peterson, J. L. See Jerger, J. F., 0=4826  
 Peterson, J. M. Neutron giant resonances—nuclear Ramsauer effect, 2=3588  
 Peterson, J. M. Hydrodynamic alignment of rodlike macromolecules during ultracentrifugation, 4=20139



- Peterson, J.M., Bratenahl, A. and Stoering, J.P. Neutron total cross sections in the 17 to 29 MeV region, 0=17623
- Peterson, J.M. and Fixman, M. Viscosity of polymer solutions, 4=2661
- Peterson, J.M. See Gerson, R., 4=4215
- Peterson, J.M. See Hernandez, H.P., 1=18956
- Peterson, J.P., Jr. See Rider, B.F., 3=12631
- Peterson, J.R. Electron-impact ionization of atoms and molecules using a fast crossed-beam method, 4=24589
- Peterson, J.R. See Cook, C.J., 2=17897
- Peterson, J.R. See Cook, C.J., 2=22175
- Peterson, J.W. See Jones, L.M., 0=12160
- Peterson, J.W. See Jones, L.M., 2=24001
- Peterson, L. See Anderson, K.A., 0=9483
- Peterson, L. See Winkler, J.R., 0=8402
- Peterson, L. See Winckler, J.R., 1=13585
- Peterson, L.E. and Nitardy, J.H. Simple circuit for a phoswich scintillation counter, 2=1370
- Peterson, L.E. The 0.5 MeV gamma-ray and the low-energy gamma-ray spectrum to 6 grams per square centimeter over Minneapolis, 3=12533
- Peterson, L.E. and Howard, R.L. Gamma-ray astronomy in space in the 50 keV 3 MeV region, 2=4707
- Peterson, L.E. and Winckler, J.R. Gamma-ray burst from a solar flare, 0=8399
- Peterson, M.A. and Gregor, H.P. Diffusion-exchange of exchange ions and nonexchange electrolyte in ion-exchange membrane systems, 0=4714
- Peterson, N.K. See Rothman, S.J., 3=10691
- Peterson, N.L. Diffusion of palladium in copper and silver, 4=6870
- Peterson, R.E. See Allred, J.C., 0=13365
- Peterson, R.L. Weak-coupling rate equations and initial conditions, 3=12935
- Peterson, R.L. and Quay, P.M. Generalized master equations for the density matrix, 4=8093
- Peterson, R.L. See Schieve, W.C., 2=13282
- Peterson, R.W. The field induced by eddy currents in a semi-infinite solid, 2=11751
- Peterson, R.W. and Glass, N.W. Some  $N^{12}$  and  $B^{12}$  beta-decay measurements, 3=10284
- Peterson, R.W. See Glass, N.W., 3=10285
- Peterson, S.W., Sadana, V.N. and Korst, W.L. Neutron diffraction study of nickel zirconium hydride, 4=29125
- Peterson, S.W. and Smith, H.G. Anomalous neutron diffraction in  $\alpha$  cadmium sulfide, 1=4046
- Peterson, S.W. and Smith, H.G. Coherent Bragg scattering of resonant nuclides, 3=1312
- Peterson, S.W. See Busing, W.R., 4=29089
- Peterson, S.W. See Smith, H.G., 4=29098
- Peterson, T.J., Jr, McGuire, E.J. and Tomboulion, D.H. Photoelectric K-absorption cross section of beryllium, 3=6350
- Peterson, T.J., Jr and Tomboulion, D.H. Low-energy continuous X-ray spectrum in the 80 A and 180 A region, 2=3311
- Peterson, T.J., Jr, and Tomboulion, D.H. A photomultiplier investigation of the low energy continuous X-ray spectrum, 4=5733
- Peterson, T.J., Jr. See Deslattes, R.D., 3=7348
- Peterson, V.K. Calculation of the scattering phase shifts, 0=20060
- Peterson, V.L. and Bahcall, J.N. Exclusion principle inhibition of beta decay in stellar interiors, 4=2342
- Peterson, V.Z. See Bertanza, L., 1=7265
- Peterson, V.Z. See Bertanza, L., 2=13799
- Peterson, V.Z. See Maloy, J.O., 1=8483
- Peterson, V.Z. See Roos, C.E., 2=428
- Peterson, V.Z. See Roos, C.E., 4=27904
- Peterson, B. See Minnagen, L., 0=12479
- Petford, A.D. Micrometer measurement of high dispersion spectra, 1=12734
- Petford, A.D. True intensity attachment for a M811 micro-photometer, 2=22010
- Petford, A.D. and Smith, G. Use of a microphotometer for accurate wavelength measurement, 4=14373
- Petford, A.D. See Jelley, J.V., 3=18609
- Pether, J.A. See Wade, R.D., 4=6074
- Petherbridge, P. See Longmore, J., 1=10610
- Pethica, B.A. See Bell, G.M., 2=17429
- Pethica, B.A. See Hill, M.P., 2=15942
- Pethica, B.A. See Hill, M.P., 3=12226
- Pethica, B.A. See Hockey, J.A., 3=1382
- Pethica, B.A. See Jones, P.L., 1=1479
- Pethica, B.A. See Levine, S., 4=18186
- Petiau, G. Some simple corpuscle-field models in the nonlinear theory of particles with spin, 0=11092
- Petiau, G. Nonlinear generalizations of the wave-equations of wave mechanics, 0=12365
- Petiau, G. Certain types of non-linear wave equations which generalize the equations of the theory of particles with spin, 0=15261
- Petiau, G. On the introduction of the concept of a generalized potential in nonlinear theory of particles with spin and its application to the study of simple-structure corpuscle-field models, 1=15691
- Petiau, G. Study of a model capable of giving a unified representation of a system of elementary particles, 3=10021
- Petiau, G. Research on a model of unified representation of a system of elementary particles, 3=17176
- Petiau, J. Dielectric dispersion in crystals of lithium fluoride irradiated with neutrons, 2=23492
- Petiau, J. Recovery kinetics of dielectric defects in LiF, 4=1650
- Petiau, J. See Le Bilhan, M.T., 1=4050
- Petiau, J. See Curien, H., 3=22702
- Petiau, P. See Aubert, B., 4=25175
- Petiau, P. See Bellière, P., 4=3493
- Petiau, P. See Jauneau, L., 3=12511
- Peticolas, W.L. Molecular weight distribution of polymers from rheological measurements in dilute solution, 2=2036
- Peticolas, W.L. Order-disorder theory for linear colloids, 3=3416
- Peticolas, W.L. Molecular weight distribution of linear polymers from stress relaxation in polymer melts, 4=7738
- Peticolas, W.L. Order-disorder transitions in bio-colloids, 4=15851
- Peticolas, W.L., Goldsborough, J.P. and Rieckhoff, K.E. Double photon excitation in organic crystals, 3=11002
- Peticolas, W.L. and Menefee, E. Molecular-weight dependence of the viscoelastic properties of whole polymers, 1=14134
- Peticolas, W.L. and Rieckhoff, K.E. Double-photon excitation of organic molecules in dilute solution, 4=5193
- Peticolas, W.L. See Evleth, E.M., 4=28250
- Peticolas, W.L. See Menefee, E., 1=14133
- Petin, G.P. Waves in electron streams, 2=20010
- Petin, G.P. Measurement of counting-rate ratios, 4=14976
- Petit, C. Study of diffusion phenomena in the course of the anodic polishing of copper, 3=11351
- Petit, G. Statistical thermodynamic theory of the fusion of some salts which melt at high temperature, 4=11406
- Petit, G. Study of melting; critique of the concept of communal entropy, and a new theory, 4=24432
- Petit, G., Bourlange, C. and Seyyedi, A. Study, by cryometry at high temperature in molten salt media ( $NaCl$  and  $NaF$ ), of the interactions between sulphide ion  $S^{2-}$  and certain complex oxygenated particles, 3=8967
- Petit, G. and Delbove, F. Determination of the heat and entropy of fusion of alkaline-earth fluorides, by the cryometric method at high temperature, 2=9463
- Petit, G. and Seyyedi, A. Study, by the cryometric method at high temperatures, of the interaction between the ions and various metallic ions, in a molten salt strong electrolyte (sodium fluoride), 3=5156
- Petit, G. See Blanc, M., 4=14145
- Petit, G. See Bourlange, C., 1=20722
- Petit, G. See Seyyedi, A., 0=19507
- Petit, G.Y. Some levels obtained in the course of the alpha disintegration of  $Th^{232}$  ( $RaAc$ ), 1=13705
- Petit, G.Y. See Bragança Gil, F., 1=13754
- Petit, G.Y. See Bragança, F., 2=410
- Petit, G.Y. See Roturier, J., 4=17145
- Petit, J. and Lumbroso, R. On the uranium-thorium separation with an ion exchange resin which is specific for the thorium ion, 0=21302
- Petit, J. See Cabane, G., 3=6798
- Petit, J.L., Sicard, L. and Eyraud, L. A simple device for differential enthalpic analysis, 1=9504
- Petit, J.L. See Eyraud, L., 2=20933
- Petit, M. On the study of certain ionospheric parameters by means of electron diffusion, 3=6971
- Petit, M. Application of "quasi-incoherent" scattering to the measurement of the temperature, ionic composition and electron concentration of the ionosphere, 3=16244



- Petit, P. See Adde, R., 4=10329  
 Petit, P. See Weil, L., 0=75  
 Petit, R. Contribution to the study of diffraction of a plane wave by a metallic grating, 4=2853  
 Petit, R. Diffraction of a plane monochromatic wave by a perfectly conducting periodic grating, 4=3148  
 Petit, R. Diffraction of a plane monochromatic wave by a metallic diffraction grating, 4=14888  
 Petit, S. The procedure of uniform dephasing and its application to the study of thin magnetic films with an oscilloscope, 3=9901  
 Petitjean, C. See Curien, H., 1=17821  
 Petitjean, C. See Curien, H., 3=22702  
 Petkanchin, I. See Malinowski, J., 4=18440  
 Petkov, I. Z. See Lukyanov, V. K., 4=9570  
 Petley, B. W. and Morris, K. The use of pneumatic gauging for aligning an electromagnet, 4=3090  
 Petmezas, G. See Dowell, J. D., 2=22641  
 Pető, G. See Csikai, J., 3=15228  
 Petoshina, L. N. See Kazankin, O. N., 0=10083  
 Petoshina, L. N. See Pekerman, F. M., 4=26257  
 Petot-Ervas, G. See Bonnier, E., 3=5116  
 Petr, V. See Pěčová, J., 4=30921  
 Petrakis, L. Lattice energy and stability of chromium monohalides, 2=10296  
 Petrakis, L. and Bernstein, H. J. Medium effects in nuclear magnetic resonance. II. Protons resonance of gaseous CHF<sub>3</sub>, 3=9517  
 Petrakis, L. and Rao, A. Rotational transition and self-diffusion in polycrystalline succinonitrile, 4=1898  
 Petrakis, L. and Sederholm, C. H. Temperature-dependent chemical shifts in the N.M.R. spectra of gases, 1=17354  
 Petrakis, L. and Sederholm, C. H. N.M.R. fluorine-fluorine coupling constants in saturated organic compounds, 1=17355  
 Petrakis, L. and Sederholm, C. H. Remarks on J. I. Musher's comments to our paper, 2=10282  
 Petraitis, L. J. See Lamport, J. E., 2=5756  
 Petralia, S. See Cevolani, M., 0=15596  
 Petralia, S. See Cevolani, M., 1=16445  
 Petralia, S. See Cevolani, M., 3=6260  
 Petrás, M. Singularities of Jost functions and potentials, 2=11244  
 Petrás, M. A class of scattering amplitudes which satisfy the unitarity condition, 3=22085  
 Petrás, M. A note on the De Alfano, Regge and Rossetti dynamical equation for lost functions, 4=11907  
 Petraşcu, E. Calculation of the performance of travelling-wave linear accelerators, 2=20067  
 Petraşcu, E. See Teoderescu, I., 3=16996  
 Petraşcu, M. See Petrashku, M.  
 Petraşcu, M. G. See Beşliu, C., 0=19989  
 Petraşcu, M. G. See Ignatenko, A. E., 2=14228  
 Petraşcu, M. G. See Ignatenko, A. E., 2=14232  
 Petraşcu, M. G. See Mihul, A. C., 1=745  
 Petrasek, D. W. and Weeton, J. W. Effects of alloying on room-temperature tensile properties of tungsten-fiber-reinforced copper-alloy composites, 4=30777  
 Petrash, G. G. Selection of the scanning rate, optimum time constant and slit widths in spectrometric measurements, 0=3625  
 Petrash, G. G. The effect of scanning and selection of the optimum measurement conditions, 0=10770  
 Petrash, G. G. Optimum conditions for measurement of absorption band widths, 1=2874  
 Petrash, G. G. Optimum condition for recording of spectra, 1=4453  
 Petrash, G. G. and Knyazev, I. N. Pulsed radiation from a laser operating on neon or a neon-helium mixture, 4=5851  
 Petrash, G. G. See Zubov, V. A., 0=3620  
 Petrash, G. G. See Zubov, V. A., 2=1264  
 Petrashen', M. I., Abarenkov, I. V. and Kristofel' N. N. Approximate wave-functions of free ions and of ions in a crystal, 1=14200  
 Petrashen', M. I. See Abarenkov, I. V., 2=608  
 Petrashku, M. See Kozhokaru, V., 3=24870  
 Petrashku, M. See Kozhokaru, V., 4=22041  
 Petrashku, M. G. See Belovitskii, G. E., 0=9709  
 Petrashku, M. G. See Egorov, L. B., 1=5988  
 Petrashku, M. G. See Egorov, L. B., 1=17298  
 Petrashku, M. G. See Egorov, L. B., 1=19226  
 Petrashku, M. G. See Egorov, L. B., 2=22548  
 Petrashku, M. G. See Egorov, L. B., 3=2593  
 Petrashku, M. G. See Egorov, L. B., 3=15312  
 Petrashku, M. G. See Ignatenko, A. E., 3=6373  
 Petrashku, M. G. See Ignatenko, A. E., 2=22930  
 Petrashku, M. G. See Mikhul, A. K., 0=11464  
 Petrashku, M. G. See Mikhul, A. K., 1=12228  
 Petrauskas, A. A. See Barnaby, B. E., 4=23611  
 Petravić, M. See Ilakovac, K., 1=7290  
 Petravić, M. See Ilakovac, K., 2=1689  
 Petravić, M. See Ilakovac, K., 2=1728  
 Petravić, M. See Ilakovac, K., 2=1729  
 Petravić, M. See Ilakovac, K., 2=1900  
 Petravić, M. See Ilakovac, K., 3=4652  
 Petravić, M. See Ilakovac, K., 3=17350  
 Petravić, M. See Kuo, L. G., 2=3200  
 Petravić, M. See Kuo, L. G., 4=24715  
 Petravichyute, G. B. See Tolutis, V. B., 4=1630  
 Pétré, G. See Defay, R., 2=21884  
 Petree, M. C. Degradation of luminescence in neutron-irradiated GaAs diodes, 4=1771  
 Petrella, R. V. See Bockhoff, F. J., 0=5016  
 Petrella, R. V. See Pace, E. L., 2=13484  
 Petrenko, I. I. See Todes, O. M., 3=21425  
 Petrenko, I. I. See Vetrov, B. M., 0=10686  
 Petrenko, M. S. See Blyashenko, G. S., 4=13436  
 Petrenko, N. S. See Pervakov, V. A., 3=4862  
 Petrenko, P. V. and Kuz'menko, P. P. Certain anomalies in the electrical resistance of iron-aluminium alloys due to the iron corner, 1=12412  
 Petrenko, P. V. See Kuz'menko, P. P., 1=15129  
 Petrenko, V. A. See Alikhanyan, A. I., 4=3389  
 Petrenko, V. I. See Mitin, R. V., 4=14612  
 Petrenko, V. V. See Alikhanian, A. I., 4=20261  
 Petrenko, V. V. See Mocheshnikov, N. I., 4=16614  
 Petrescu, P. Exoelectron emission spectra in alkali halides, 3=14618  
 Petrescu, P. Some transitory phenomena shown by the photo-stimulated exo-electron emission from thin layers of Al<sub>2</sub>O<sub>3</sub>, 4=24733  
 Petrescu, P. and Kovács, P. Electron emission from electroluminescent single crystals of ZnS, 4=21558  
 Petrescu, V., Babel, N., Antoniu, M. and Vasilache, V. Permittivity and dielectric losses in some polar substances under the influence of a continuous electric field, 0=20950  
 Petrescu, V. See Iliescu, G., 0=10132  
 Petrescu, V. See Savin, G., 0=21043  
 Petriaa, D. Ya. Analytical properties of partial waves of scattering amplitude in perturbation theory, 3=1619  
 Petříček, V. See Burget, J., 1=20192  
 Petříček, V. See Burget, J., 2=4247  
 Petříček, V. See Burget, H., 3=10114  
 Petříček, V. See Burget, J., 3=25580  
 Petrich, G. See Dobler, H., 4=27978  
 Petrick, M. See Marchaterre, J. F., 1=18675  
 Petriconi, G. L., Zawidzki, T. W., Montefinale, A. C. and Papee, H. M. Change of sodium chloride surfaces in electric discharges, 3=13558  
 Petriconi, G. L. See Papée, H. M., 3=25890  
 Petrie, C. D., Storm, M. L. and Zweifel, P. F. Calculation of thermal group constants for mixtures containing hydrogen, 0=12978  
 Petrie, D. P. R. The dependence of spherical aberration of electron lenses on the conjugate positions, 3=21878  
 Petrie, D. P. R. See Chick, D. R., 0=19831  
 Petrie, D. P. R. See Rout, V. M., 2=5535  
 Petrie, H. E. See Koch, J. W., 2=16064  
 Petrie, L. E. Top-side spread echoes, 3=11431  
 Petrie, L. E. See Fulton, B. J., 0=17118  
 Petrie, L. E. See Fulton, B. J., 1=21065  
 Petrie, L. E. See Lockwood, G. E. K., 3=25926  
 Petrie, M. See Hamilton, W. C., 2=4358  
 Petrie, R. M. The Scorpio-Centaurus cluster and the galactic distance scale, 2=4830  
 Petrie, R. M. Peculiar motions of B stars determined from radial velocities, 4=20890  
 Petrie, S. E. See Garfield, L. J., 4=27161  
 Petrie, S. L. See Fishburne, E. S., 4=6572  
 Petrii, O. A. See Frumkin, A. N., 3=11349  
 Petrina, D. Ya. Analytical properties of partial waves of scattering amplitude in perturbation theory, 2=21833  
 Petrina, D. Ya. Analytic properties of the contributions of feynman diagrams, 3=14865



- Petrina, D.Ya. Analytic properties of the scattering amplitude on the first "unphysical" sheet, 3=22078
- Petrina, D.Ya. The Mandelstam representation and the continuity theorem, 4=16791
- Petrina, D.Ya. A proof of the Mandelstam representation for a sixth order ladder diagram, 4=30190
- Petriz, R.L. Fundamentals of infrared detectors, 0=8838
- Petriz, R.L. Contributions of materials technology to semiconductor devices, 2=16748
- Petriz, R.L. See Adams, H.D., 2=407
- Petriz, R.L. See Pagel, B.R., 1=14484
- Petriz, R.L. See Pruett, G.R., 0=14883
- Petriu, I. See Literat, R., 2=4617
- Petrocelli, A.W. See Fineman, M.A., 2=1385
- Petrocelli, A.W. See Fineman, M.A., 2=3788
- Petrocelli, A.W. See Kraus, D.L., 1=6814
- Petroff, I. See Hershberger, W.D., 2=3035
- Petroff, J. F. See Authier, A., 4=1460
- Pétoff, J.-F. See Authier, A., 4=25943
- Petrolo, J. See Johnston, W.D., 1=20420
- Petrone, F. J. See Price, D., 4=11298
- Petropoulos, G.M. Growth of positive channels in non-uniform fields during impulse breakdown, 3=19206
- Petropoulos, G.M. Constriction of a spark discharge during impulse breakdown, 4=8656
- Petropoulos, G. M., Menemenlis, C. and Menemenlis, P. Effect of the electrode surface conditions on the impulse breakdown of non-uniform field gaps, 4=5576
- Petropoulos, J. H. See Ash, R., 4=12777
- Petropoulos, J.H. See Barrer, R.M., 1=19799
- Pétrossian, Z. See Vartapétian, H., 3=17420
- Petrosyan, Z.A. See Vartapetyan, G.A., 2=3489
- Petrosyan, Z.A. See Vartapetyan, G.A., 3=4577
- Petrov, A. A. Oscillations of fluid in a circular cylindrical vessel whose axis is horizontal, 4=14122
- Petrov, A. A. Approximate method of calculation of self-oscillations of fluids in arbitrarily shaped pumps and of Zhukovski potentials for such pumps, 4=18165
- Petrov, A. A. See Elsakov, N. V., 4=29648
- Petrov, A.A. See Yakovleva, T. V., 2=16547
- Petrov, A. A. See Yakovleva, T. V., 4=30458
- Petrov, A.A. See Zaidel', A.N., 2=1971
- Petrov, A.M. Angular distribution of  $\alpha$ -particles from the  $\text{Li}^7(p, \alpha)\text{He}^4$  reaction, 2=20624
- Petrov, A.M. Angular distribution of  $\alpha$ -particles from the  $\text{Li}^7(p, \alpha)\text{He}^4$  reaction, 3=8099
- Petrov, A. M. See Bel'skii, S. A., 4=3014
- Petrov, A.M. See Konstantinova, M.P., 3=2500
- Petrov, A.N., Taluts, G.G. and Giterman, M.Sh. The theory of the Stark effect of excitons in ionic crystals, 1=7558
- Petrov, A.P. See Veingerov, M.L., 0=1055
- Petrov, A. V. and Shtum, E.L. Thermal conductivity and chemical binding of ABX<sub>2</sub> compounds, 2=20947
- Petrov, A.V. and Shtum, E.L. Thermal conductivity and chemical binding of ABX<sub>2</sub> compounds, 3=2739
- Petrov, A.V. See Devyat'kova, E.D., 0=10795
- Petrov, A.V. See Devyat'kova, E.D., 1=14189
- Petrov, A.V. See Devyat'kova, E.D., 1=17432
- Petrov, A.V. See Gulmyayev, P.V., 0=1557
- Petrov, A.V. See Moizhes, B. Ya., 3=2985
- Petrov, A.Z. Central-symmetric gravitational fields, 3=23745
- Petrov, A. Z. On the gravitational fields with spherical symmetry, 4=24040
- Petrov, D.A. Some problems of growth, structure and properties of semiconductor monocrystals, 0=13465
- Petrov, D.A. and Bukhanova, A.A. Supercooling in a melt and the growth of crystals by the Czochralski method, 1=20437
- Petrov, D.A. and Bukhanova, A.A. The determinative part played by supercooling of the melt in the formation of helical macroinhomogeneities in crystals grown by the Czochralski method, 3=20786
- Petrov, D.A., Rusakov, T.A. and Yacheva, S.K. The formation of facets on germanium and silicon crystals under Czochralski growth conditions, 3=6823
- Petrov, D.A. See Potemkin, A. Ya., 0=2872
- Petrov, G.G. See Gol'danskii, V.I., 1=492
- Petrov, G.M. See Kotel'nikov, V.A., 3=9272
- Petrov, G.M. See Kotel'nikov, V. A., 4=2459
- Petrov, G.V. Resonance absorption in a close-packed lattice, 0=7666
- Petrov, I. A. See Abrosimov, N. K., 4=14841
- Petrov, I.N. See Shul'man, A.R., 3=24343
- Petrov, I. P. See Grechushnikov, B.N., 3=1837
- Petrov, I.P. See Grechushnikov, B.N., 3=16810
- Petrov, I. P. See Grechushnikov, B. N., 4=14367
- Petrov, I. P. See Grechushnikov, B. N., 4=14368
- Petrov, Iu. G. See Bak, M.A., 2=1939
- Petrov, Iu. I. Discriminator losses in proton-recoil fast-neutron dosimeters, 0=7249
- Petrov, L. A. See Flerov, G. N., 4=30319
- Petrov, L. A. See Karnaukhov, V. A., 4=6279
- Petrov, L. V. The use of Chebyshev polynomials in the design of arrays for seismic exploration, 4=7813
- Petrov, M. P. See Afrosimov, V. V., 1=9609
- Petrov, M. P. See Afrosimov, V. V., 3=24996
- Petrov, M. P. See Afrosimov, V. V., 4=8701
- Petrov, M. P. See Moskalev, V. V., 3=20679
- Petrov, N.A. See Kryazhev, F.I., 1=16016
- Petrov, N.I., Ivanov, V.G. and Rusakov, V.A. Inelastic scattering and absorption of  $195 \pm 15$  MeV  $\pi^-$ -mesons by carbon and lithium nuclei, 0=11451
- Petrov, N.I. See Anikina, M. Kh., 2=7898
- Petrov, N.I. See Anikina, M. Kh., 3=6071
- Petrov, N.I. See Anikina, M. Kh., 4=3477
- Petrov, N.I. See Anikina, M. Kh., 4=12056
- Petrov, N.I. See Ivanov, V.G., 0=11450
- Petrov, N.I. See Neagu, D., 1=10922
- Petrov, N.I. See Nyagu, D.V., 1=19261
- Petrov, N.I. See Nyagu, D.V., 2=10131
- Petrov, N.I. See Nyagu, D.V., 3=4451
- Petrov, N.I. See Nyagu, D.V., 3=6280
- Petrov, N.I. See Okonov, E.O., 0=20223
- Petrov, N.N. Secondary emission from metallic surfaces bombarded with positive ions, 0=12632
- Petrov, N.N. Secondary emission from an incandescent metal due to the action of caesium and potassium ions, 0=15059
- Petrov, N.N. Investigation of collision of ions with metal surfaces, 0=19806
- Petrov, N. N. Secondary emission from metals under the influence of positive ions, 4=8822
- Petrov, N.N. and Dorozhkin, A.A. Emission of electrons from tungsten bombarded with positive ions, 1=16391
- Petrov, N.N. See Batanov, G.M., 0=10939
- Petrov, N.N. See Dorozhkin, A. A., 3=24347
- Petrov, N.S. Inhomogeneous waves in transparent uniaxial crystals, 3=15642
- Petrov, N. S. and Fedorov, F. I. A new kind of plane electromagnetic waves in absorbing crystals, 4=20440
- Petrov, N.S., Goncharenko, A.M. and Sotskii, B.A. Self-excitation of a plane parallel anisotropic layer in the presence of total reflection, 4=16259
- Petrov, N. S., Goncharenko, A. M. and Sotskii, B. A. On the self-excitation of a plane-parallel layer with total reflection, 4=24887
- Petrov, N.S. See Fedorov, F.I., 3=15645
- Petrov, R.V. See Emel'yanenko, O.V., 1=11266
- Petrov, T.G. and Treibus, E.B. Crystal growing by the temperature difference method with free convection conditions of the solution, 1=4027
- Petrov, T.G. See Kasatkin, A., 3=23405
- Petrov, V. A., Chekhovskoi, V. Ya. and Sheinblin, A. E. Experimental determination of the integral emissivity of metals and alloys at high temperatures, 4=14444
- Petrov, V. A., Chekhovskoi, V. Ya. and Sheindlin, A. E. Experimental determination of the degree of blackness of Nb at temperatures of 1200-2500°K, 4=30687
- Petrov, V.A. See Kirillin, V.A., 2=18528
- Petrov, V.G. Second conference on computers in structure analysis, 3=16063
- Petrov, V.I. Characteristics of an ion beam from a radio-frequency source, 2=223
- Petrov, V.I. Zirconium targets on copper and silver base-layers, 2=17979
- Petrov, V.I. A high output generator of 14 and 2\*5 MeV neutrons, 3=2286
- Petrov, V.I. and Oparin, E.M. A study of the temperature distribution in a target, 3=24395
- Petrov, V.I. See Komarov, R.M., 2=222
- Petrov, V.I. See Serbinov, A.N., 2=1515
- Petrov, V. I. See Vasil'ev, R. D., 4=6085
- Petrov, V.M. Some properties of ferroelectrics at 3000 Mc/s, 0=16012
- Petrov, V.M. Nonlinear properties of ferroelectrics at microwave frequencies, 2=16786
- Petrov, V.M. The dielectric and nonlinear properties of Rochelle salt at ultra-high frequencies, 3=20385



- Petrov, V.M. The frequency properties of triglycine sulfate, 3=20386
- Petrov, V.M. Measurement of  $\epsilon$  and  $\tan \delta$  of dielectrics by means of semicoaxial resonators and coaxial measuring lines, 4=16384
- Petrov, V.M. See Baiborodov, Yu. T., 4=5644
- Petrov, Yu. F. See Borzunov, N. A., 4=14691
- Petrov, Yu. F. See Osovet, S. M., 1=7039
- Petrov, Yu. G. See Petrzhak, K. A., 1=5948
- Petrov, Yu. G. See Petrzhak, K. A., 4=12291
- Petrov, Yu. I. Gamma radiation from  $U^{235}$  and  $Pu^{239}$  fission fragments, 0=4081
- Petrov, Yu. I. Gamma radiation from  $U^{235}$  and  $Pu^{239}$  fission fragments, 1=17174
- Petrov, Yu. I. A new method of evaporation of aluminium from tungsten wire, 2=22093
- Petrov, Yu. I. Melting of small lead crystals, 4=24436
- Petrov, Yu. I. Thermal expansion and melting anomalies of small aluminium crystals, 4=9861
- Petrov, Yu. I. See Gen, M. Ya., 0=14144
- Petrov, Yu. I. See Gen, M. Ya., 2=3337
- Petrov, Yu. K. See Kuz'min, V. N., 4=3063
- Petrov, Yu. M. See Dubovits'ka, N. V., 3=20794
- Petrov, Yu. N. See Motulevich, V. P., 4=16271
- Petrov, Yu. V. Possibility of investigating the levels of the compound nucleus produced by interactions between slow neutrons and isomers, 0=15622
- Petrova, A. G. and Aidarov, T. K. Effect of the form of impurity compounds on the line intensity in analysis of high-purity sulphur, selenium and tellurium, 3=25847
- Petrova, E. F. and Shvartsman, L. A. Thermodynamics of solid solutions in the system Fe-Ni-C, 3=5117
- Petrova, G. M. and Berlyand, O. S. Estimation of the coefficient of vertical dispersion of a settling admixture in the atmosphere, from its distribution on the surface of the earth, 3=9031
- Petrova, G. N. On magnetic stability of rocks (The influence of the coercive force on the stability of rocks), 0=4774
- Petrova, G. P. See Prokof'ev, V. K., 0=15658
- Petrova, L. A. See Ageev, N. V., 4=25948
- Petrova, L. N. Problem of the thermo-e.m.f. of alloys, 3=4957
- Petrova, L. N. Thermal conductivity of ferromagnetic metals, 3=20119
- Petrova, N. N. See Prokof'ev, V. K., 3=16355
- Petrova, R. See Nanev, K., 4=27564
- Petrova, S. N., Gaidukov, M. G. and Smirnov, L. V. Effect of thermomechanical treatment on the long-term strength of nickel, 3=8778
- Petrovichev, V. I. Heat transfer to mercury in a circular tube and annular channels with sinusoidal heat load distribution, 1=13644
- Petrov'kh, N. V. See Grechanik, L. A., 1=10047
- Petrucchi, R. H. See Callahan, J. L., 1=9119
- Petrucchi, G. See Amato, G., 3=17001
- Petrucchi, G. See Barbier, M., 3=17002
- Petrucchi, G. See Montanet, L., 0=15498
- Petrukhin, A. A. and Rozental', I. L. Angular distribution of cosmic-ray muons under thick filters, 3=24822
- Petrukhin, V. I. and Prokoshkin, Yu. D. Pion absorption in hydrogenous substances, 3=12494
- Petrukhin, V. I. and Prokoshkin, Yu. D. Measurement of the mass difference of charged and neutral pions, 4=9237
- Petrukhin, V. I. and Prokoshkin, Yu. D. On the charge exchange of stopped negative pions on complex nuclei, 4=22162
- Petrukhin, V. I. See Dunaitsev, A. F., 2=11973
- Petrukhin, V. I. See Dunaitsev, A. F., 2=11974
- Petrukhin, V. I. See Dunaitsev, A. F., 2=20383
- Petrukhin, V. I. See Dunaitsev, A. F., 2=20384
- Petrukhin, V. I. See Dunaitsev, A. F., 2=22587
- Petrukhin, V. I. See Dunaitsev, A. F., 2=22588
- Petrukhin, V. I. See Dunaitsev, A. F., 3=6030
- Petrukhin, V. I. See Dunaitsev, A. F., 3=6031
- Petrukhin, V. I. See Dunaitsev, A. F., 3=7884
- Petrukhin, V. I. See Dunaitsev, A. F., 3=12495
- Petrukhin, V. I. See Dunaitsev, A. F., 3=24754
- Petrukhin, V. I. See Dunaitsev, A. F., 4=25130
- Petrinin, A. P. See Al'tshuler, L. V., 2=2759
- Petrinin, A. P. See Al'tshuler, L. V., 2=12847
- Petrinin, A. P. See Al'tshuler, L. V., 3=1756
- Petrin'kin, A. M. See Ochur, V. I., 3=22492
- Petrin'kin, V. A. Scattering of low-energy photons on a system with spin  $\frac{1}{2}$ , 1=16732
- Petrin'kin, V. A. Scattering of low-energy photons on a zero-spin particle, 4=25054
- Petrin'kin, V. A. See Gerasimov, S. B., 3=15204
- Petrin'kin, V. A. See Lebedev, A. E., 0=15418
- Petrus, H. M. See Fryburg, G. C., 0=6400
- Petrusevič, V. A. See Zuze, V. P., 2=23399
- Petrusevich, P. L. and Sollertinskaya, E. S. Detecting dislocations on the (111) and (111) planes of gallium arsenide single crystals by the etch method, 4=1497
- Petrusevich, R. L., Sollertinskaya, E. S. and Pavlova, O. I. Detection of dislocations on the plane (111) of gallium arsenide by means of etching, 2=18588
- Petrusevich, R. L., Sollertinskaya, E. S. and Pavlova, O. I. Detection of dislocations on the plane (111) of gallium arsenide by means of etching, 2=23196
- Petrusevich, R. L. See Bendik, M. A., 4=9986
- Petrusevich, R. L. See Lainer, D. I., 1=1375
- Petrusevich, R. L. See Lainer, D. I., 4=20773
- Petrusevich, V. A. The effect of surface treatment on the photoconductivity spectrum of n-type silicon, 0=6141
- Petrusevich, V. A. The effect of surface treatment on the spectral response of the photoconductivity of n- and p-germanium, 0=15990
- Petrusevich, V. A. The determination of certain parameters of a semiconductor from the slope of the spectral response of the photoconductivity, 1=14425
- Petrusevich, V. A., Sorokin, O. V. and Kruglov, V. I. Concerning the applicability of "the effective surface recombination velocity" parameter in Ge and Si, 2=10476
- Petrusevich, V. A. Determination of semiconductor parameters by means of the photoconductive compensation of the photo-magnetic effect, 2=18669
- Petrusevich, V. A. and Lobanova, T. N. Investigation of nonlinear photoconductivity in silicon, 2=10538
- Petrusevich, V. A. and Sergeeva, V. M. Optical and photoelectric properties of  $In_2Te_3$ , 1=11366
- Petrusevich, V. A., Sergeeva, V. M. and Smirnov, I. A. Connection between thermal and optical properties of  $In_2Te_3$ , 1=11169
- Petrusevich, V. A. and Sorokin, O. V. Effective surface recombination velocity and criteria for its validity, 4=22695
- Petrusevich, V. A., Subashiev, V. K. and Morozov, G. P. Investigation of germanium by photo-electric methods, 1=11325
- Petrusevich, V. A., Subashiev, V. K. and Morozov, G. P. Investigation of germanium by photoelectric methods, 1=17801
- Petrusevich, V. A. See Subashiev, V. K., 0=13634
- Petrusevich, V. A. See Subashiev, V. K., 0=18062
- Petrushkevich, I. S. See Kudzin, A. Yu., 4=30651
- Petruska, J. Changes in the electronic transitions of aromatic hydrocarbons on chemical substitution. I. Perturbation theory for substituted cyclic polyenes, 1=6030
- Petruska, J. Changes in the electronic transitions of aromatic hydrocarbons on chemical substitution. II. Application of perturbation theory to substituted-benzene spectra, 1=6031
- Petruscella, N. and Nelson, R. C. Sign of the charge carrier in ionic photoconductive dyes, 3=8531
- Petry, R. F. See Sastry, K. S. R., 1=10987
- Petrzhak, K. See Adamov, V. M., 2=10111
- Petrzhak, K. See Graudinya, L., 2=22819
- Petrzak, K. A. and Flerov, G. N. Spontaneous fission of nuclei, 4=3707
- Petrzhak, K. A. and Flerov, G. N. Spontaneous fission of nuclei, 2=8012
- Petrzhak, K. A. and Yakunin, M. I. Investigation of the  $\alpha$ -radioactivity of a natural platinum, 2=3502
- Petrzhak, K. A. and Yakunin, M. I. Investigation of the  $\alpha$ -radioactivity of a natural platinum, 3=4602
- Petrzhak, K. A., Kondrat'ko, M. Ya., Nikotin, O. P. and Teplykh, V. F. Delayed neutrons in  $U^{238}$  photofission, 4=6402
- Petrzhak, K. A., Petrov, Yu. G. and Shlyamin, E. A. Range and kinetic energy distributions of  $U^{235}$  fission fragments, 1=5948
- Petrzhak, K. A. and Sedletskii, R. V.  $4-\pi$  counter for measuring weak activities, 2=20203
- Petrzhak, K. A. and Sedletskii, R. V. Radiochemical study of the yields of rare-earth group elements in the photofission of  $U^{238}$ , 4=9586
- Petrzhak, K. A. and Sedletskii, R. V. Counters for measuring low activities, 4=17079
- Petrzhak, K. A., Tolmachev, G. M., Ushat'skii, V. N., Bak, M. A., Blinova, N. I., Bugorkov, S. S., Moskal'kova, E. A., Osipova, V. B., Petrov, Yu. G., Sorokina, A. V., Chernysheva, L. P. and Shiryayeva, L. B. Yields of certain fragments in the fission of  $U^{235}$ ,  $U^{238}$ , and  $Pu^{239}$  by fission neutrons, 4=12291
- Petrzhak, K. A. See Adamov, V. M., 2=16446
- Petrzhak, K. A. See Adamov, V. M., 3=6317



- Petrzhak, K. A. See Aron, P. M., 4-22248  
Petrzhak, K. A. See Bak, M. A., 2=1939  
Petrzhak, K. A. See Bak, M. A., 2=16417  
Petrzhak, K. A. See Dmitriev, V. M., 0=20515  
Petrzhak, K. A. See Dmitriev, V. N., 1=3475  
Petrzhak, K. A. See Dmitriev, V. N., 4=1118  
Petrzhak, K. A. See Dmitriev, V. N., 4=3716  
Petrzhak, K. A. See Dmitriev, V. N., 4=6393  
Petrzhak, K. A. See Drapchinskii, L. V., 4=19839  
Petrzhak, K. A. See Gaudynya, L. Ya., 2=10114  
Petrzhak, K. A. See Gaudynya, L. Ya., 3=6256  
Petrzhak, K. A. See Gaudynya, L. Ya., 3=8106  
Petrzhak, K. A. See Kovalenko, S. S., 4=3710  
Petrzhak, K. A. See Kovalenko, S. S., 4=9580  
Petrzhak, K. A. See Malkin, L. Z., 4=6387  
Petrzhak, K. A. See Malkin, L. Z., 4=6386  
Petrzhak, K. A. See Malkin, L. Z., 4=19837  
Petrzhak, K. A. See Vasil'ev, I. A., 2=20316  
Petrzhik, G. G. See Morozov, A. S., 4=114  
Petrzhilka, V. See Belyakov, V. A., 1=19244  
Petrzhilka, V. Preliminary remarks on the consequence of the two-centers model of multiple meson production, 0=2557  
Petrzhilka, V. See Böhm, J., 4=6106  
Petrzhilka, V. See Böhm, J., 4=27879  
Petrzhilka, V. See Ciulli, I., 2=22574  
Petrzhilka, V. See Fenyves, E., 0=13096  
Petrzhilka, V. See Glagolev, V. V., 1=8453  
Petrzhilka, V. See Pernegr, J., 1=3264  
Petrzhilka, V. See Pernegr, J., 1=13553  
Petschauer, R. J., Rausch, W. V. and Morawetz, P. L. Optimization of magnetic parameters in thin films dro storage elements, 4=11754  
Petschek, A. G. Interpretation of satellite detector counter rates, 3=16436  
Petschek, A. G. Fluctuations in multiple capture processes, 4=25407  
Petschek, A. G. See Bethe, H. A., 3=4551  
Petschek, H. See Fishman, F. J., 2=13363  
Petschek, H. E. Dissipation in high temperature plasmas, 3=7540  
Petschek, H. E. See Camac, M., 3=12216  
Petschek, H. E. See Fishman, F. J., 1=5453  
Petschek, H. E. See Fishman, F. J., 3=2100  
Petschek, H. E. See Gerry, E. T., 4=18323  
Petschek, H. E. See Kemp, N. H., 0=1195  
Petschek, H. E. See Levy, R. H., 3=18901  
Petshek, A. G. Calculation of some fourth-order diagrams in nuclear matter, 4=12107  
Pettengill, G. and Price, R. Radar echoes from Venus and a new determination of the solar parallax, 1=10395  
Pettengill, G. H. A new technique for investigation of meteor echoes at u.h.f., 2=9114  
Pettengill, G. H., Briscoe, H. W., Evans, J. V., Gehrels, E., Hyde, G. M., Kraft, L. G., Price, R. and Smith, W. B. A radar investigation of Venus, 2=13174  
Pettengill, G. H. and Henry, J. C. Enhancement of radar reflectivity associated with the lunar crater Tycho, 3=9267  
Pettengill, G. H. See Arthur, J. S., 2=13202  
Pettengill, G. H. See Evans, J. V., 3=11598  
Pettengill, G. H. See Evans, J. V., 4=4939  
Petter, G. A new attempt at visual presentation of magnetic field lines for measurement applications, 1=16477  
Petter, G. See von Ardenne, M., 3=12786  
Petter, P. J. See Blythe, A. R., 0=6839  
Pettersen, G. W. E. See Jull, G. W., 4=20864  
Pettersson, A. V. The TiO-band 11032 Å, 0=5936  
Pettersson, A. V. and Lindgren, B. The TiO band at 10 025 Å, 1=11098  
Pettersson, A. V. and Lindgren, B. The  $b^1\Pi-d^1\Sigma$  transition of TiO, 2=22975  
Pettersson, B. G., Croft, W. L. and Hamilton, J. H. Search for the anomalous beta-gamma directional correlation in  $Au^{198}$ , 2=18296  
Pettersson, B. G., Gerholm, T. R., Grabowski, Z. and van Nooijen, B. Penetration matrix elements and nuclear structure effects in  $Tl^{201}$ , 1=9838  
Pettersson, B. G., Gerholm, T. R., Thun, J. and Siegbahn, K. Decoupling of a time-dependent perturbation caused by aftereffects of hole formation, 1=3421  
Pettersson, B. G., Hamilton, J. H. and Thun, J. E. Higher-order effects in an allowed positron decay in  $Co^{56}$ , 1=2185  
Pettersson, B. G., Thun, J. E. and Gerholm, T. R. Magnetic and quadrupole interactions in  $Hg^{199m}$ . Angular correlations, 1=9839  
Pettersson, B. G., Thun, J. E. and Gerholm, T. R. Experimental determination of the conversion coefficient of the 412 keV E2 transition in  $Hg^{198}$ , 1=9840  
Pettersson, B. G. See Croft, W. L., 4=3620  
Pettersson, B. G. See Gerholm, T. R., 0=17517  
Pettersson, B. G. See Gerholm, T. R., 1=9837  
Pettersson, B. G. See Gerholm, T. R., 2=10060  
Pettersson, B. G. See Grabowski, Z., 1=9841  
Pettersson, B. G. See Hamilton, J. H., 1=7349  
Pettersson, B. G. See Hamilton, J. H., 1=19406  
Pettersson, B. G. See Thun, J. E., 0=17549  
Pettersson, E. Dissociation of n-propanol molecule ions formed in charge exchange collisions with positive ions, 4=6652  
Pettersson, E. and Lindholm, E. Dissociation of propane molecule ions formed in charge exchange collisions with positive ions. Ion-molecule reactions of propane, 3=10549  
Pettersson, G. See Lindgren, I., 3=14674  
Pettersson, G. See Lindgren, I., 3=19342  
Pettersson, H. Cosmic spherules and meteoritic dust, 2=17269  
Pettersson, R. See Fröman, P. O., 0=10237  
Pettie, M. Observation of nuclear magnetic resonance in emission, 1=4358  
Pettig, M. and Köhler, H.-J. A method for spin decoupling in high resolution proton magnetic resonance, 3=24496  
Pettig, M. See Kohler, H. J., 0=3865  
Pettit, F. S. Thermodynamic and electrical investigations on molten antimony sulfide, 4=8197  
Pettit, F. S. and Wagner, J. B., Jr. Transition from the linear to the parabolic rate law during the oxidation of iron to Wüstite in CO-CO<sub>2</sub> mixtures, 4=10635  
Pettit, G. D. See Keller, S. P., 0=2950  
Pettit, G. D. See Keller, S. P., 1=1151  
Pettit, G. D. See Keller, S. P., 1=5055  
Pettit, G. D. See Sorokin, P. P., 2=16815  
Pettit, G. D. See Title, R. S., 2=23708  
Pettit, G. D. See Turner, W. J., 4=4296  
Pettit, G. D. See Turner, W. J., 4=4301  
Pettit, H. B. See Manring, E. R., 0=18513  
Pettit, R. See Collins, R. L., 4=6625  
Pettit, R. M. See Burke, E. A., 0=20105  
Pettisold, É. G. Some electroluminescent properties of ZnO-Bi<sub>2</sub>O<sub>3</sub> mixtures, 1=6242  
Pettus, W. G. Age of U<sup>235</sup> fission neutrons in water, 1=17205  
Pettus, W. G. The Dancoff effect in H<sub>2</sub>O-D<sub>2</sub>O moderated lattices, 1=17212  
Pettus, W. G. Neutron age measurements in metal-water lattices, 2=5680  
Pettus, W. G. See Dayton, I. E., 0=13274  
Petty, C. M. and Breakwell, J. V. Satellite orbits about a planet with rotational symmetry, 0=18879  
Petty, E. R. Microhardness and other properties of magnesium compounds with the calcium fluoride structure, 1=6464  
Petty, E. R. Hot hardness and other properties of some binary intermetallic compounds of aluminium, 2=2337  
Petty, E. R. The hardness anisotropy of aluminium single crystals, 3=3246  
Petty, E. R. Comments on "Factors affecting the high temperature strength of polycrystalline solids", 3=13374  
Petty, E. R. The deformation behaviour of some aluminium alloys containing intermetallic compounds, 3=20707  
Petty, R. L. See Pretzel, F. E., 1=11195  
Petty, R. L. See Pretzel, F. E., 2=18572  
Petukhov, B. S. and Popov, V. N. Theoretical calculation of heat exchange and frictional resistance in turbulent flow in tubes of an incompressible fluid with variable physical properties, 4=18457  
Petukhov, B. S. and Yushin, A. Ya. Heat transfer during the flow of a liquid metal in the laminar and transition regions, 1=8250  
Petukhov, B. S. and Yushin, A. Ya. Heat transfer during the flow of a liquid metal in the laminar and transition regions, 1=10616  
Petukhov, I. V. The numerical integration of equations for a laminar boundary layer, 0=14673  
Petukhov, V. A. Measurement of the effect of electrostriction in sundry liquids, 0=934



- Petukhov, V.A. On a possible mechanism of solar non-stable processes leading to neutron eruptions, 0=18767
- Petukhov, V.A. and Yakimenko, M.N. Search for the Dirac monopole, 4=9150
- Petukhov, V.A., et al. Model of a ring phasotron, 2=3120
- Petukhov, V.A. See Benda, F., 2=15971
- Petukhov, V.A. See Burshtein, E.L., 2=5412
- Petukhov, V.A. See Burshtein, E.L., 2=9660
- Petukhov, V.A. See Burshtein, E.L., 2=17913
- Petukhov, V.A. See Burshtein, E.L., 3=7666
- Petukhov, V.A. See Bychkov, Yu.A., 3=17160
- Petukhov, V.A. See Gryaznov, A.I., 4=627
- Petukhov, V.A. See Veksler, V.I., 0=5369
- Petukhov, V.A., See Zhuravlev, A.A., 3=9889
- Petukhova, N.I. See Bunyatov, S.A., 0=2597
- Petukhova, N.I. See Dzhanelidze, L.P., 0=15445
- Petukhova, N.I. See Dzhanelidze, L.P., 1=19282
- Petukhova, N.I. See Kopylova, D.K., 0=9690
- Petukhova, N.I. See Kopylova, D.K., 0=13003
- Petukhova, T.M. See Bogachev, I.N., 2=21441
- Petushkov, A.A. and Estulin, I.V. Circular polarization of the  $\gamma$ -rays accompanying the  $\beta$ -decay of  $\text{Nd}^{147}$ , 1=15715
- Petushkov, A.A. and Estulin, I.V. Nuclear matrix elements for the  $\text{La}^{140}$   $\beta$ -transition, 2=16354
- Petushkov, A.A. and Estulin, I.V. Nuclear matrix elements for the  $\text{La}^{140}$   $\beta$ -transition, 3=6207
- Petushkov, A.A. See Estulin, I.V., 2=18288
- Petushkov, A.A. See Melioranskii, A.S., 2=7544
- Petviashvili, V.I. Anomalous diffusion of a plasma in the presence of oscillations, 4=546
- Petviashvili, V.I. Nonlinear oscillations and some effects due to a longitudinal current in a plasma, 4=5668
- Petviashvili, V.I. See Kadomtsev, B.B., 3=16968
- Petz, J.I., Kruh, R.F. and Amstutz, G.C. X-ray diffraction study of lead sulfide-arsenic sulfide glasses, 1=5101
- Petz, J.I. See Brady, G.W., 1=6854
- Petz, J.I. See Kruh, R.F., 4=24168
- Petz, J.I. See Sharrah, P.C., 0=3521
- Petzel, B. Measurements of the secondary electron emission of KCl and KBr, 0=12628
- Petzel, B. The temperature dependence of secondary electron emission from ionic crystals, 2=7652
- Petzel, B. Application of a low-noise ballistic impulse amplifier to measure the secondary electron emission of insulators, 3=14635
- Petzel, B. The angular distribution of photoelectrons released from Cs-Sb layers, 3=19313
- Petzold, J. The initial value problem of decaying states, 0=2140
- Petzinger, K.G. See Dousmanis, G.C., 4=10082
- Petzold, J. Some comments on the theory of the Mössbauer effect, 1=8876
- Petzold, J. The theory of the Mössbauer effect, 1=13631
- Petzold, J. Some aspects of gamma emission, 4=20160
- Petzold, J. See Grawert, G., 0=11109
- Petzold, K. See Blank, H., 4=18264
- Petzold, K. See Bollinger, H., 4=8260
- Petzold, W. Measurements of counter losses by comparison of two independent counting circuits, 3=14814
- Petzold, W. The reflectivity of glass (BK7) and of evaporated aluminium layers for  $\text{Cu K}\alpha$  X-rays, 3=23093
- Petzold, W. The selective detection of  $\text{Cu K}\alpha$  radiation with a proportional counter and single channel discriminator, 3=24421
- Petzold, W. and Hink, W. Substratum influence on the reflectance of aluminum vacuum-deposited films for X-rays, 4=26708
- Petzolt, E. See Krumbiegel, J., 3=5534
- Petow, G. See Haessner, F., 3=4699
- Petow, G. See Steeb, S., 4=10558
- Peube, J.L. On the conditions of application of Poiseuille's law in a variable system, 3=7178
- Peube, J.L. Differential manometer of high sensitivity, 4=5258
- Peube, J.-L. The absorption of gas by the free surface of a liquid in laminar flow, 4=8161
- Peube, J.-L. The transfer of heat in Hele Shaw flow, 4=18456
- Peuckert, K. Investigations of the short-lived decay of organic scintillators excited by  $\gamma$ -rays, protons or  $\alpha$ -particles, 3=6682
- Peureux, J.M., and Régnier, J. Approximate determination of flame temperature, 3=16921
- Peverley, R.W. Vibration problems with microphones for rocket-engine noise measurements, 3=14282
- Pevnev, A.K. See Marfenko, S.V., 4=14803
- Pevsner, A., Kraemer, R., Nussbaum, M., Richardson, C., Schlein, P., Strand, R., Toohig, T., Block, M., Engler, A., Gessaroli, R. and Meltzer, C. Evidence for a three-pion resonance near 550 MeV, 2=5719
- Pevsner, A., Kraemer, R., Nussbaum, M., Schlein, P., Toohig, T., Block, M., Kovacs, A. and Meltzer, C. Three-pion resonances in  $\pi^+-D$  reactions, 2=22572
- Pevsner, A., Strand, R., Madansky, L. and Toohig, T. Auger rate in  $\mu$ -mesic atoms, 1=7450
- Pevsner, A. See Block, M.M., 0=1372
- Pevsner, A. See Block, M.M., 0=17416
- Pevsner, A. See Block, M.M., 1=15500
- Pevsner, A. See Leitner, J., 1=16801
- Pevsner, A. See Lodge, J., 0=20241
- Pevsner, A. See Shafer, J.B., 3=15028
- Pevzner, M.I., Adamchuk, Yu.V., Danelian, L.S., Efimov, B.V., Moskalev, S.S. and Muradian, G.V. Neutron spectroscopy investigations of nuclear levels. I. Neutron cross-sections of molybdenum isotopes in the 7-15000 eV energy range, 3=24956
- Pevzner, M.I., Danelian, L.S. and Adamchuk, Yu.V. The total neutron cross-section of  $\text{Ra}^{226}$ , 0=4123
- Pevzner, M.I. See Adamchuk, Yu.V., 1=19492
- Pevzner, M.I. See Danelian, L.S., 4=15226
- Pevzner, M.I. See Efimov, B.V., 2=18140
- Pevzner, M.I. See Erokolimsky, B.G., 0=4135
- Pevzner, M.I. See Kalashnikov, V.I., 0=2693
- Pevzner, M.I. See Voronkov, R.M., 3=5727
- Pevsner, M.I. See Voronkov, R.M., 4=622
- Pevzner, M.Sh. Some problems of phenomenological electrodynamics, 4=3113
- Pevsner, P.L. Absorption spectra of immersion preparations of electrocorundum, 3=15515
- Pewitt, E.G., Fields, T.H., Yodh, G.B., Fetkovich, J.G. and Derrick, M.  $\pi^-D$  scattering at 142 MeV, 3=22179
- Pewitt, E.G. See Fetkovich, J.G., 4=3466
- Pexton, R.L. See Levee, R.D., 4=25017
- Pexton, R.L. See Pratt, R.H., 4=17254
- Pexton, R.L. See Pratt, R.H., 4=17255
- Peyses, I. See Navez, M., 2=2417
- Peyerimhoff, S. Calculations on the HF molecule, 4=9781
- Peyerimhoff, S. See Löb, H., 2=20042
- Peyret, R. On a correspondence between certain magnetohydrodynamic flows and those of the dynamics of gases [in the absence of a magnetic field], 0=9157
- Peyret, R. On transition régimes in certain flows of a perfectly conducting fluid, 1=16520
- Peyret, R. Elliptic-Hyperbolic transition regions in certain magnetohydrodynamic flows, 3=480
- Peyret, R. Certain similar flows in the magnetohydrodynamics of fluids and in gas dynamics, 3=2118
- Peyret, R. Conditions for shocks in a magnetodynamic flow of weakly dissipative fluids, 3=18893
- Peyret, R. The character of slow shock waves in a two-fluid system with dissipation, 4=18839
- Peyret, R. On the structure of a slow shock in a two-fluid non-dissipative model, 4=18838
- Peyret, R. See Oberai, M.M., 4=27204
- Peyron, A. See Reich, R., 4=17475
- Peyron, M., Horl, E.M., Brown, H.W. and Broida, H.P. Spectroscopic study of the products of electric discharge in nitrogen condensed to the solid state at very low temperature; tests in favour of the existence of triatomic nitrogen in the solid, 0=4419
- Peyron, M. See Broida, H.P., 0=6195
- Peyron, M. See Broida, H.P., 0=7770
- Peyron, M. See Broida, H.P., 0=13711
- Peyron, M. See Brunel, L.C., 4=28269
- Peyron, M. See Thanh My, L., 4=15346
- Peyrou, C. High-energy physics above 10 GeV, 3=4360
- Peyrou, C. See Bartke, J., 1=8513
- Peyrou, C. See Bartke, J., 2=13883
- Peyrou, C. See Budde, R., 0=2465
- Peyrou, Ch. See Bartke, J., 3=22206
- Peyrou, Ch. See Bigi, A., 4=30254
- Peyrou, Ch. See Bigi, A., 4=30255
- Peyturaux, R. The absolute measurement of monochromatic energy between 6000 Å and 8600 Å emitted from the centre of the solar disk, 1=6711
- Peyturaux, R. Study of the continuous background of the solar spectrum. V. The standard black body, 1=15448
- Peyturaux, R. The absolute measurement of the energy emitted by the centre of the solar disc between 4500 and 8600 Å, 4=23909



- Pezaris, S.D. See Carabateas, E.N., 1=4641
- Pezzoli, G. The energy method in the study of wave motions, 2=13315
- Pfaff, S. See Linde, H., 4=21083
- Pfafflin, S.M. and Mathews, M.V. Energy-detection model for monaural auditory detection, 3=7066
- Pfafflin, S.M. See David, E.E., Jr., 4=13391
- Pfahnl, A. Electronic switching of the exposure times in X-ray apparatus, 0=16500
- Pfahnl, A. Preparation and properties of ZnO phosphors, 2=16854
- Pfahnl, A. Properties of ZnO phosphors doped with Li, Ni, and Cu, 3=23111
- Pfalz, R.K.J. Centrifugal inhibition of afferent secondary neurons in the cochlear nucleus by sound, 3=3663
- Pfander, H. See Matt, E., 4=19715
- Pfann, W.G. Improvement of semiconducting devices by elastic strain, 2=10499
- Pfann, W.G. Zone melting, 2=13229
- Pfann, W.G. Isotropically piezoresistive semiconductor, 2=14540
- Pfann, W.G. Significance of the term "zone length" and the ratio of density of solid to liquid in the mathematics of zone melting, 4=10465
- Pfann, W.G. and Garrett, C.G.B. Semiconductor varactors using surface space-charge layers, 0=7952
- Pfann, W.G., Patel, J.R. and Theurer, H.C. Batch evaporation of crystallization at constant composition by a two-container method, 2=16991
- Pfann, W.G. and Thurston, R.N. Semiconducting stress transducers utilizing the transverse and shear piezoresistance effects, 1=14495
- Pfann, W.G. See van Roosbroeck, W., 2=14520
- Pfann, Ya. Possibilities of increasing locally the irradiating power of the VVR-S reactor, 4=1148
- Pfannenschmid, O. Distribution of atoms in liquid Hg, Ag and Au, 0=19123
- Pfannschmidt, P. See Schmidt, G., 4=7051
- Pfau, S. and Rutscher, A. The build-up of successive standing striations in glow discharges, 0=5291
- Pfau, S. and Rutscher, A. The connection between static and moving striae in the positive columns of glow discharges, 1=4577
- Pfau, S. and Rutscher, A. Striations in low pressure discharges in neon-hydrogen mixtures, 4=16448
- Pfaue, J. Oscillographic investigation of the current growth in Townsend discharges in the space-charge range, 3=21756
- Pfaue, J. and Raether, H. Oscillographic investigations of canal [discharge] build-up in vapours. I, 0=239
- Pfeffer, G., Lami, H., Laustriat, G. and Coche, A. A spectro-photometer for low-intensity pulsed light sources, 2=7357
- Pfeffer, G., Lami, H., Laustriat, G. and Coche, A. Generator of luminous pulses in the nanosecond region, 3=18979
- Pfeffer, G., Lami, H., Laustriat, G. and Coche, A. Determination of the time constants of scintillators, 4=774
- Pfeffer, G., Laustriat, G. and Coche, A. Apparatus for analysis of the pulse of a fast photomultiplier, 2=5266
- Pfeffer, R.L. A multi-layer model for the study of acoustic-gravity wave propagation in the earth's atmosphere, 2=15185
- Pfeffer, R.L. and Zarichny, J. Acoustic-gravity wave propagation from nuclear explosions in the earth's atmosphere, 2=15186
- Pfeffer, W. Specific heats of  $\text{HoCl}_3 \cdot 6\text{H}_2\text{O}$  and  $\text{ErCl}_3 \cdot 6\text{H}_2\text{O}$  in the temperature range between 1.2°K and 230°K, 1=9979
- Pfeffer, W. Specific heats of  $\text{DyCl}_3 \cdot 6\text{H}_2\text{O}$  and  $\text{NdCl}_3 \cdot 6\text{H}_2\text{O}$  in the temperature region between 1.2°K and 220°K, 1=17415
- Pfeffer, W. Specific heat of  $\text{LuCl}_3 \cdot 6\text{H}_2\text{O}$  between 1.4°K and 220°K—the upper ground state levels of Ho-, Er- and Nd-chlorides, 2=16606
- Pfeffer, W. See Hellwege, K.H., 1=8881
- Pfeffer, W. See Hellwege, K.H., 2=20936
- Pfefferkorn, G. and Trüb, F. Envelope replicas [produced] without vacuum apparatus, 3=18413
- Pfefferkorn, G. See Dachsel, W.D., 0=16277
- Pfefferkorn, G. See Desler, H., 4=2105
- Pfefferkorn, G. See Schur, K., 3=18279
- Pfeifer, F. Permalloy alloys with rectangular hysteresis loops, 1=11447
- Pfeifer, H. Proton relaxation and hydration in aqueous solutions of  $\text{Mn}^{++}$  ions, 1=12901
- Pfeifer, H. The translational part of the proton relaxation in aqueous solutions of paramagnetic ions, 1=18430
- Pfeifer, H. Spin echoes, 2=7776
- Pfeifer, H. Proton relaxation and hydration in aqueous solutions of manganese ions, 2=15620
- Pfeifer, H. Method for measuring nuclear magnetic relaxation times in two phase systems, 3=4282
- Pfeifer, H. Proton relaxation and hydration in water solutions of paramagnetic ions, 4=204
- Pfeifer, H. Redfields' semi-classical theory of relaxation effects, 4=21053
- Pfeifer, H. and Rothe, O. The noise of undamped tuned circuits, 1=2928
- Pfeifer, H. See Frigge, K., 2=5501
- Pfeifer, H. See Lindner, U., 4=209
- Pfeifer, W. See Meyer, V., 3=24966
- Pfeiffer, A. The proof of Schuler's theorem, 2=13296
- Pfeiffer, A. On the optimal forms of mechanical motions, 2=17391
- Pfeiffer, A. A new method for high-speed motion-picture photography of transparent drops, 4=8468
- Pfeiffer, H. Investigation of the flow past cylinders at high velocities, 2=15534
- Pfeiffer, H. and Sommer, G. Phenomena following the annealing of some austenitic alloys in carbonizing gases, 3=3347
- Pfeiffer, I. Surface energies of metal crystals, 0=4258
- Pfeiffer, I. See Mager, A., 3=16101
- Pfeiffer, L. M. and Porter, J. R., Jr. Fluorescence of red glass filters, 4=13073
- Pfeiffer, T. New sound volume meter, 4=21252
- Pfeiffer, W. Transmission electron microscopy of thin specimens of deformed zinc single crystals, 3=4873
- Pfeiffer, W. Diffraction contrast electron microscope images of dislocation loops in zinc, 3=6525
- Pfeiffer, W. Step dislocation in an elastically isotropic half-space, 4=22575
- Pfeiffer, W. and Seeger, A. Plastic properties of nickel-cobalt single crystals, 2=16958
- Pfeil, P.C.L. and Griffiths, L.B. The effect of inclusions on the arcing behaviour of metals, 0=9012
- Pfeil, P.C.L. See Griffiths, L.B., 0=9007
- Pfende, E. The making visible of nodes and the measurement of the amplitudes on vibrating metal plates using an interference microscope, 0=5069
- Pfender, E. Generation of an almost fully ionized spectrally clean, high density hydrogen plasma, 4=19060
- Pfender, E. and Bez, W. A whirl-stabilized arc in a pure hydrogen atmosphere for a high-current pulse discharge, 3=4075
- Pfender, E. and Bloss, W. On the possibility of continuous control of electron-currents in rarified gases, 2=9627
- Pfenninger, H.H. Elastic vibrations of quartz plates in stationary electric fields, 1=187
- Pfenninger, H.H. and Laves, F. Changes of refractive index of quartz plates during electrolysis, 1=10092
- Pfenninger, H.H. and Laves, F. Defect channels along the optic axis of quartz, 1=11212
- Pfenninger, H.H. and Laves, F. Cationic movement and colour centre formation during the electrolysis of quartz plates perpendicular to the c-axis, 0=13551
- Pfirsch, D. Electrostatic stability of a non-Maxwellian homogeneous plasma, 2=13560
- Pfirsch, D. Mirror-type microinstabilities in inhomogeneous plasmas, 3=1970
- Pfirsch, D. and Biermann, L. Cooperative phenomena and diffusion of a plasma in a transverse magnetic field. II, 0=5310
- Pfirsch, D. and Tutter, M. Generation of longitudinal plasmawaves by means of transversal electromagnetic waves, 4=18995
- Pfirsch, D. See Biermann, L., 0=5309
- Pfirsch, D. See Frank, D., 4=11122
- Pfirsch, D. See Lüst, R., 1=10603
- Pfister, G.R. See Ertl, M.E., 3=10896
- Pfister, H. Measurements of the intensity of X-ray diffraction patterns with the aid of a GaAs barrier layer cell, 0=3198
- Pfister, H. Difference of X-ray reflection intensities from opposite directions of the [III]-planes of InP, 1=11565
- Pfister, H. Determination of diffusion lengths and of the average energy required for the formation of an electron-vacancy pair by X-ray irradiation of P-N layers, 3=20165
- Pfister, H. See Fleischmann, H., 0=4646
- Pfister, H. See Folberth, O.G., 0=8224
- Pfister, H. See Heiland, G., 4=6680



- Pfister, H. See Krieglstein, W., 4=26580  
 Pfister, H. Crystal structure of  $\text{AnSnAs}_3$ , 3=11267  
 Pfister, J.C. and Baruch, P. Radiation enhanced diffusion in silicon, 3=22825  
 Pfister, J.C. See Authier, A., 4=1544  
 Pfister, J.C. See Baruch, P., 2=12458  
 Pfister, J.C. See Baruch, P., 4=9995  
 Pfister, W. and Ulwick, J.C. Analysis of pulse-delay data from rockets for the determination of electron density, 0=14208  
 Pfister, W., Ulwick, J.C. and Vancour, R.P. Some results of direct probing in the ionosphere, 1=20962  
 Pfister, W. See Ulwick, J.C., 3=5213  
 Pfisterer, H., Fuchs, E. and Liesch, W. Electron microscopy of ferroelectric domains in thin single-crystal laminae of  $\text{BaTiO}_3$ , 2=14642  
 Pfisterer, H. See Dietrich, I., 3=14460  
 Pfisterer, H. See Fuchs, E., 3=23167  
 Pfeleger, E. See Bauer, J., 1=10490  
 Pfeleger, J., Schmidt-Rohr, U., Spiegel, V., Turek, P. and Zuckschwerdt, W. Shape and angular distribution of proton groups at  $Q = 0$  MeV in the proton spectra of (d, p) reactions on heavy nuclei, 4=3689  
 Pfeleger, J., Schmidt-Rohr, U. and Turek, P. The proton spectra of (d, p) reactions on heavy nuclei with deuteron energies less than 12 MeV, 2=10135  
 Pfeleiderer, H. Linear elasticity theory and Thomas-Fermi model for the characteristic stresses in metals, 3=2801  
 Pfeleiderer, H. Elastic constants and third-order coupling parameters, 3=3208  
 Pfeleiderer, H. Quadratic elasticity theory and electron density in metals, 3=5053  
 Pfeleiderer, H., Seeger, A. and Krüner, E. Nonlinear elasticity theory with linear transformations, 1=6810  
 Pfeleiderer, J. Gravitational effects in the passing of two galaxies, 4=2381  
 Pflug, H.D. Analysis of laminar textures with the aid of micro-photometric recording, 4=26684  
 Pflug, K. See Jäger, F.W., 2=11127  
 Pfohl, R., Gegauff, C. and Lonchamp, J. A preliminary study of nuclear interactions induced by 200 MeV  $\text{Ne}^{20}$  ions in nuclear track emulsions, 0=20470  
 Pfohl, R., Gegauff, C. and Lonchamp, J.P. Reactions of 200 MeV  $\text{Ne}^{20}$  with the constituents of nuclear emulsions, 2=505  
 Pfohl, R. and Lonchamp, J.P. Photographic study of fission tracks of  $\text{U}^{235}$  in nuclear emulsions, 1=8409  
 Pfohl, R., Winter-Gegauff, C. and Lonchamp, J.P. Compound nuclei and tangential collisions in  $\text{Ne}^{20}$  reactions with photographic emulsion Ag and Br nuclei, 4=17207  
 Pfohl, R., Winter-Gegauff, C. and Lonchamp, J.P. Interaction mechanisms of 200-MeV  $\text{Ne}^{20}$  with Ag and Br nuclei, 4=22232  
 Pfohl, R. See Cüer, P., 2=504  
 Pfozter, G., Ehmert, A., Erbe, H., Keppler, E., Hultqvist, B. and Ortner, J. A contribution to the morphology of X-ray burst in the auroral zone, 2=9023  
 Pfozter, G. See Ehmert, A., 1=13583  
 Pfozter, G. See Ehmert, A., 1=19310  
 Pfozter, G. See Keppler, E., 3=11471  
 Pfozter, G. See Keppler, E., 4=7865  
 Pfozter, G. See Keppler, E., 4=20854  
 Pfozter, G. See Sen Chaudhury, P.K., 0=1343  
 Pfrenger, E. See Stierstadt, K., 4=20537  
 Pfund, G. Two new photoelectric multipliers for investigation of short-life plasmas, 4=522  
 Pfundner, J. Strike notes of bells, 2=19657  
 Phaal, C. See Evans, T., 2=23180  
 Phaal, C. See Evans, T., 3=2783  
 Phaal, C. See Evans, T., 3=17731  
 Phadke, K.R. See Chandrashekar Aiya, S.V., 0=21398  
 Pham Dinh-Hoi. Mass spectrometry of hydron diffusing through palladium, 3=2829  
 Pham Dinh-Lien and Marquez, L. Study of the reaction  $\text{C}^{12}(\text{Li}^6, \alpha)\text{N}^{14}$ , 2=16440  
 Pham Dinh-Lien. See Blair, J.M., 4=19832  
 Pham Dinh-Lien. See Marquez, L., 2=502  
 Pham, F. See Bessis, D., 4=825  
 Pham, F. See Iztykson, C., 2=13868  
 Pham Huu Hiep. Possibility of extinguishing the discharge in hot cathode gas thyatrons by the application of positive pulses to the grid, 3=4188  
 Pham Khac Ham. See Roturier, J., 4=17145  
 Pham Mau Quan. On analytic particle dynamics in special relativity, 0=18921  
 Pham Mau Quan. On the relativistic analytical dynamics of a particle, 1=18247  
 Pham Mau Quan. On an electromagnetic fluid-field scheme, 4=48  
 Pham Ngu Tung. See Nguyen Van Dong, 3=17674  
 Pham Ngu Tung. See Nguyen Van Dong, 4=4003  
 Pham Ngu Tung. See Nguyen Van Dong, 4=10012  
 Pham Tan Hoang. On the equations of motion in general relativity, 0=6659  
 Pham Xuân Yem. Interactions between matter and radiation in functional theory, 1=7194  
 Pham Xuan Yen. Graviton-electron interaction in functional theory, 1=13298  
 Pham Xuan Yem. Lorentz condition and Coulomb interaction in non-local theory, 2=9762  
 Pham Xuan Yem. Nucleon-nucleon potential resulting from K-meson exchange in a non-local theory, 3=14974  
 Pham Xuan Yem. Non-local effects in Möllen and Bhabha scattering at high energies, 4=19374  
 Pham Xuan Yem. On the reactions  $e^+ + e^- \rightarrow 2\gamma$  and  $e^+ + e^- \rightarrow \mu^+ + \mu^-$  and the possibility of verifying the validity of quantum electrodynamics at small distances, 4=25071  
 Pham Zuy Hien. See Fam Zyn Kien, 4=1350  
 Pham Zuy Hien. See Fam Zui Khiem.  
 Phan Van Chuong. See Colombie, N., 2=1494  
 Phan-Van-Loc. Source density and Huygen's principle in Dirac's electron theory, 0=1248  
 Phan-Van-Loc. Physical interpretation of the mathematical expression of Huygens' principle in the electron theory of Dirac, 0=9268  
 Phan-Van-Loc. Generalization of the Cini-Touschek transformation (extreme relativistic limit of the Dirac equations) by the method of G. Morpurgo, 1=15682  
 Phan Van-Loc. Concerning the amplitude-phase diagram in the dynamical theory of electron diffraction, 4=26637  
 Phaneuf, J.P. See Brash, M.P., 0=14834  
 Phaneuf, L.E. See Chaudhuri, A.R., 3=22770  
 Phansalkar, G.R. Specific heat of colloids. I, 0=18443  
 Phansalkar, G.R. Specific heat of colloids. II. Influence of colloid concentration, 0=18444  
 Phansalkar, G.R. Specific heat of colloids. III. Influence of temperature, 0=18445  
 Phares, L. See Brown, J.L., 0=18553  
 Phariseau, P. On the diffraction of light by progressive supersonic waves, 0=2253  
 Phariseau, P. Diffraction of light by a three-dimensional system of ultrasonics, 0=8808  
 Phariseau, P. The diffraction of light by ultrasonic waves, 0=5180  
 Phariseau, P. The diffraction of light by two non-orthogonal ultrasonic waves, 0=16897  
 Phariseau, P. The diffraction of light by an amplitude modulated ultrasonic beam, 0=16898  
 Phariseau, P. Diffraction of light by a three-dimensional system of ultrasonics, 0=16899  
 Phariseau, P. Surface states in a one-dimensional perfect semi-infinite crystal, 1=7548  
 Phariseau, P. Subsurface states in one-dimensional crystals, 1=7555  
 Phariseau, P. The energy spectrum of an amorphous substance, 1=9153  
 Phariseau, P. The band structure of amorphous solids, 1=11176  
 Phariseau, P. Surface states in a finite crystal, 1=14156  
 Phariseau, P. On the theory of surface states—a Green's function method, 4=6799  
 Phariseau, P. Surface states in III-V compounds, 4=15460  
 Phariseau, P. On the diffraction of light by amplitude modulated ultrasonic waves. Intensities in the neighbourhood of the Bragg angle, 4=29769  
 Phariseau, P. and Zilman, J.M. The theory of the electronic structure of liquid metals, 3=23901  
 Pharo, W. See Mandelkorn, J., 2=10543  
 Phat Vinh, A. Le. See Le Phat Vinh, A.  
 Phelan, R. See Arp, V.D., 1=9513  
 Phelan, R. J., Calawa, A. R., Rediker, R. H., Keyes, R. J. and Lax, B. Infrared InSb laser diode in high magnetic fields, 4=8990  
 Phelan, R. J., Jr. and Love, W. F. Negative resistance and impact ionization impurities in n-type indium antimonide, 4=10058  
 Phelan, R. J., Jr. and Rediker, R. H. Magnetic tuning of C.W. InSb diode laser, 4=14946  
 Phelps, A. V. Role of molecular ions, metastable molecules, and resonance radiation in the breakdown of rare gases, 0=5300



- Phelps, A.V. Propagation constants for electromagnetic waves in weakly ionized, dry air, 0=17117
- Phelps, A.V. Elastic and inelastic cross sections from electron transport coefficients, 4=11509
- Phelps, A.V. and McCoubrey, A.O. Experimental verification of the "incoherent scattering" theory for the transport of resonance radiation, 0=13394
- Phelps, A.V. and Pack, J.L. Electron collision frequencies in nitrogen and in the lower ionosphere, 0=3350
- Phelps, A.V. and Pack, J.L. Collisional detachment in molecular oxygen, 1=5420
- Phelps, A.V., Pack, J.L. and Frost, L.S. Drift velocity of electrons in helium, 0=5862
- Phelps, A.V. See Chanin, L.M., 3=362
- Phelps, A.V. See Engelhardt, A.G., 3=23942
- Phelps, A.V. See Engelhardt, A.G., 4=11257
- Phelps, A.V. See Engelhardt, A.G., 4=27228
- Phelps, A.V. See Frost, L.S., 2=20885
- Phelps, A.V. See Frost, L.S., 3=6391
- Phelps, A.V. See Pack, J., 2=19900
- Phelps, A.V. See Pack, J.L., 1=2300
- Phelps, C.G. and Craig, B.G. Technique for lapping thin metal disks, 3=23721
- Phelps, D.H. See Christy, R.W., 1=17583
- Phelps, F.M., III.  $Kr^{86}$  vacuum wavelengths, 4=19957
- Phelps, F.T. Midwest Solid State Conference, 1=14141
- Phelps, F.T. 1961 Midwest Solid State Conference, 2=12359
- Phelps, F.T., Jr. and Pearlstein, E. Measurement of the stored energy in X-rayed sodium chloride, 3=2839
- Phelps, J.P. See Weinstock, E.V., 4=21879
- Philbert, G. Interaction between 1 GeV protons and heavy and light nuclei. I. Using dilute photographic emulsions. Interaction cross-sections. Reaction modes, 0=2659
- Philbert, G. and Meschonnic, M. The properties and use of diluted nuclear emulsions, 0=190
- Philbert, G., van Rossum, L. and Meschonnic, M. Photo-metric measurements of particle tracks in diluted emulsions, 0=12779
- Philbert, G. See Bastard, C., 2=5715
- Philbert, G. See Burdet, A., 2=14094
- Philbert, G. See Laverrière, R., 3=12487
- Philbert, M. Applications of the interference strioscope to metrology, 0=19436
- Philibert, J. Self-diffusion and point defects, 4=1504
- Philibert, J. and Guy, A. Diffusion in a system of n components, 4=4070
- Philibert, J. and Weinryb, E. Study of the secondary electron emission in the Castaing microprobe, 3=7637
- Philibert, J. See Adda, Y., 1=982
- Philibert, J. See Pinard, J., 3=21015
- Philibert, J. See Weinayb, E., 4=7666
- Philibert, J. See Weinryb, E., 4=25379
- Philberth, B. The gradient of time as a fundamental magnitude in the [special] theory of relativity, 3=16505
- Philip, A.G.D. Effect of viscosity on the splash caused by a drop of water falling into a mixture of glycerol and water, 0=8644
- Philip, J.R. A very general class of exact solutions in concentration-dependent diffusion, 0=6695
- Philip, J.R. General method of exact solution of the concentration-dependent diffusion equation, 0=12367
- Philip, J.R. The function  $\text{inverfc}\theta$ , 0=12368
- Philip, J.R. Atmospheric diffusion and natural radon, 0=14319
- Philip, J.R. Analysis of turbulent boundary layers with zero pressure gradient, 0=19068
- Philip, J.R. n-diffusion, 1=8085
- Philip, J.R. The theory of dispersal during laminar flow in tubes. I, 3=23847
- Philip, J.R. The theory of dispersal during laminar flow in tubes. II, 3=23848
- Philip, J.R. The damping of a fluctuating concentration by continuous sampling through a tube, 4=8140
- Philip, J.R. Kinetics of capillary condensation in wedge-shaped pores, 4=27386
- Philip, J.R. and Wooding, R.A. On the validity of a proposed transformation, 4=16011
- Philip, J.R. See Rider, N.E., 4=4753
- Philip, K.W. Decametric observation of a moving type IV burst, 4=15957
- Philip, R. Effect of the speed of formation of a thin layer of gold on the charges of phase that a light wave undergoes when reflected by the metal into air or a quartz substrate, 0=1036
- Philip, R. Changes in the optical properties of a thin layer of gold when it is examined first under vacuum and then under atmospheric pressure, 0=1722
- Philip, R. Variation of the properties of thin gold films as a function of their speed of formation, 0=18114
- Philip, R. Optical constants and phase variations of thin gold films, 0=18115
- Philip, R. Variation of the optical constants and structure of a thin gold layer with the rate of formation, 0=18409
- Philip, R. Influence of the rate of formation of thin films of silver, obtained by thermal evaporation, on their transmission and reflection factors, 1=7701
- Philip, R. Optical and structural properties of thin metal films. Influence of speed of formation, 1=19939
- Philip, R. Speed of formation and structure of thin Ag layers, 3=20923
- Philip, R. See Barras, H., 2=23917
- Philip, R. See Barras, H., 3=3358
- Philipp, H., Taft, E.A. and Apker, L. Photoemission and valence band structure of alkali iodides, 0=17029
- Philipp, H.R., Dash, W.C. and Ehrenreich, H. Piezoreflectance in Ge, 2=18799
- Philipp, H.R. and Ehrenreich, H. Observation of d bands in 3-5 semiconductors, 2=16809
- Philipp, H.R. and Ehrenreich, H. Optical properties of semiconductors, 3=8584
- Philipp, H.R. and Ehrenreich, H. Intrinsic optical properties of alkali halides, 3=25433
- Philipp, H.R. and Ehrenreich, H. Optical constants in the X-ray range, 4=20439
- Philipp, H.R. and Taft, E.A. Optical constants of silicon in the region 1 to 10 eV, 0=18116
- Philipp, H.R. and Taft, E.A. Optical properties of diamond in the vacuum ultraviolet, 2=16831
- Philipp, H.R. See Ehrenreich, H., 2=16673
- Philipp, H.R. See Ehrenreich, H., 3=2986
- Philipp, H.R. See Ehrenreich, H., 3=10908
- Philipp, H.R. See Ehrenreich, H., 3=25331
- Philipp, H.R. See Ehrenreich, H., 4=7108
- Philipp, H.R. See Ehrenreich, H., 4=12682
- Philipp, H.R. See Taft, E.A., 1=3815
- Philipp, W. Evidence of metallic bonding in TiN, 2=14350
- Philipp, W.H. Reply to comments on "evidence of metallic bonding in TiN", 4=22452
- Philippe, M. See Cottier, J.M., 1=13447
- Philippe, R.J. and Ruth, J.M. Force constants and normal vibrational modes of a simplified molecular model of methyl thionitrite, 4=6630
- Philippe, R.J. See Ruth, J.M., 4=28165
- Philippoff, W. Determination of the anisotropy of bond-polarizability of liquids using flow-birefringence measurements, 1=4351
- Philippoff, W. Viscoelasticity of polymer solutions at high pressures and ultrasonic frequencies, 3=14156
- Philippoff, W. See Gerrard, J.E., 2=19523
- Philippot, J. Irreversibility in the theory of measurement, 0=4950
- Philippot, J. Irreversibility in the space of angular variables, 0=4951
- Philippot, J. Irreversibility in interacting spin systems, 0=16639
- Philippot, J. Initial conditions in the theory of irreversible processes, 1=15710
- Philippot, J. Spin-spin relaxation and spin temperatures, 4=8961
- Philippot, J., Deltour, R. and Jeener, J. N.M.R. in solids. One photon-two spins processes, 3=23254
- Phillips, L.F., King, R.J. and Cowan, F.P. Depth-dose studies with 3 BeV and 33 BeV proton beams, 4=13979
- Philipson, C. On a generalized model of dark-adaptation following glare, 3=7072
- Phillip, H.R. See Taft, E.A., 0=1544
- Phillip, K.W. See Oster, L., 1=5147
- Phillips, C.A., Jr. See Jenkins, A.W., Jr., 0=16407
- Phillips, D.C. On the design of single crystal diffractometers to measure a number of reflections simultaneously, 4=13573
- Phillips, D.C. See Arndt, U.W., 2=10814
- Phillips, D.C. See Arndt, U.W., 3=13429
- Phillips, D.C. See Arndt, U.W., 4=23405
- Phillips, D.C. See Chandrasekhar, S., 1=15040
- Phillips, D.C. See Fenn, R.H., 3=16087
- Phillips, D.L. See Fricke, H., 0=6421
- Phillips, D.L. See Fricke, H., 1=5274
- Phillips, D.L. See Lane, R.O., 1=17982



- Phillips, D.T. See Griem, H.R., 3=12158  
 Phillips, D.T. See Kolb, A.C., 3=12159  
 Phillips, D.T. See Lupton, W.H., 3=7563  
 Phillips, E. See Gerstein, B. C., 4=25861  
 Phillips, E.A. See Grodzins, L., 1=17868  
 Phillips, E. A. See Grodzins, L., 4=12599  
 Phillips, G.C. and Biedenharn, L.C. The significance of the generalized density of states function for nuclear spectra, 1=8589  
 Phillips, G.C., Griffy, T.A. and Biedenharn, L.C. The significance of the generalized density of states function for nuclear spectra, 1=3402  
 Phillips, G. C., Marion, J. B. and Risser, J. R. [Edited by]. Progress in fast neutron physics, 4=22142  
 Phillips, G.C. and Miller, P.D. Measurement of spin polarization by nuclear scattering, 0=1408  
 Phillips, G.C., Paul, E.B., Ferguson, A.T.G., Whitehead, A.B., Grjebine, T., Moreau, R. and Olkowsky, B. Natural modulation of high frequency ion source beams, 0=19773  
 Phillips, G.C., Perry, R.R., Windham, P.M., Walters, G.K., Schearer, L.D. and Colegrove, F.D. Demonstration of a polarized He<sup>3</sup> target for nuclear reactions, 3=15050  
 Phillips, G.C. and Tombrello, T.A. Two-body cluster states in nuclei, 1=584  
 Phillips, G.C. and Tombrello, T.A. Cluster model interpretation of energy width variations near threshold, 1=19427  
 Phillips, G.C. See Barnard, A.C.L., 4=12082  
 Phillips, G.C. See Beckner, E.H., 1=11007  
 Phillips, G.C. See Beckner, E.H., 1=13798  
 Phillips, G.C. See Givens, W.W., 3=15102  
 Phillips, G.C. See Givens, W.W., 3=24863  
 Phillips, G.C. See Harris, R.W., 3=2446  
 Phillips, G.C. See Jones, C.M., 0=4005  
 Phillips, G.C. See Jones, C.M., 2=10673  
 Phillips, G.C. See Pitts, A. E., 4=3692  
 Phillips, G.C. See Spencer, R.R., 1=3396  
 Phillips, G.C. See Szeinsznajder, D., 0=9677  
 Phillips, G.C. See Tombrello, T.A., 0=13228  
 Phillips, G.C. See Tombrello, T.A., 1=585  
 Phillips, G.C. See Tombrello, T.A., 1=7312  
 Phillips, G.C. See Tombrello, T.A., 3=6005  
 Phillips, G.C. See Young, T.E., 0=2624  
 Phillips, J. and Bratoz, S. The calculation of vibration wave functions for OH...O systems linked by hydrogen bonds, 2=12315  
 Phillips, J. and Parsons, N.R. Some experiments with a mobile neutron monitor, 2=12052  
 Phillips, J.A. New type of search coil for metal-pipe location, 0=4833  
 Phillips, J.A. The (n, 2n) cross-section of <sup>232</sup>Th for fission neutrons, 0=7618  
 Phillips, J.A. See Dreicer, H., 3=12122  
 Phillips, J.C. Cyclotron resonance in metals, 0=538  
 Phillips, J.C. Optical absorption in germanium, 0=8005  
 Phillips, J.C. On the calculation of crystal field parameters, 0=11599  
 Phillips, J.C. Giant spin density fluctuations, 1=3640  
 Phillips, J.C. Generalized Koopmans' theorem, 1=11175  
 Phillips, J.C. Cyclotron resonance. Theory, 1=17484  
 Phillips, J.C. Direct observation of open magnetic orbits, 1=19733  
 Phillips, J.C. Band structure of silicon, germanium, and related semiconductors, 2=8345  
 Phillips, J.C. Crystal hybridisation and the covalent bond, 2=23027  
 Phillips, J.C. Exciton-induced images of phonon spectra in ultraviolet reflectance edges, 3=20442  
 Phillips, J.C. Interband exciton and scattering structure in the ultraviolet spectra of alkali halides and solid rare gases, 4=3020  
 Phillips, J.C. Fermi surface of ferromagnetic nickel, 4=9905  
 Phillips, J. C. Interference between resonance and potential scattering in U. V. spectra of insulators, 4=22826  
 Phillips, J. C., Brust, D. and Bassani, F. Energy bands and line shape of ultra-violet reflectivity of Ge and Si, 3=17865  
 Phillips, J.C. and Cohen, M.H. A new approach to ionic character in solids, 2=3806  
 Phillips, J.C. and Kleinman, L. New method for calculating wave functions in crystals and molecules, 0=1538  
 Phillips, J.C. and Kleinman, L. Crystal potential and energy bands of semiconductors. IV. Exchange and correlation, 3=6578  
 Phillips, J.C. and Liu, L. Bonding and antibonding spin-orbit splittings, 2=14537  
 Phillips, J. C. and Mattheiss, L. F. Many-electron effects and exchange splittings in nickel, 4=9908  
 Phillips, J.C. See Brust, D., 2=21117  
 Phillips, J.C. See Brust, D., 3=4960  
 Phillips, J.C. See Cochran, W., 4=20366  
 Phillips, J.C. See Cohen, M.H., 2=2041  
 Phillips, J.C. See Cohen, M.H., 2=15847  
 Phillips, J. C. See Cohen, M. H., 4=18560  
 Phillips, J. C. See Cohen, M. H., 4=26210  
 Phillips, J.C. See Ehrenreich, H., 2=18673  
 Phillips, J.C. See Kleinman, L., 0=1629  
 Phillips, J.C. See Kleinman, L., 0=4354  
 Phillips, J.C. See Kleinman, L., 0=9970  
 Phillips, J.C. See Kleinman, L., 2=3808  
 Phillips, J.C. See Loh, E., 3=13135  
 Phillips, J.C. See Rowell, J.M., 3=326  
 Phillips, K. The scattering of fast charged particles. IV. On the measurement of the detour factor for 10 MeV electrons and positrons, 0=9336  
 Phillips, K. and Allen, K.R. The scattering of fast charged particles. V. Multiple scattering of fast electrons and positrons in xenon, 0=5764  
 Phillips, K. and Ambasankaran, C. The scattering of fast charged particles VI. The multiple scattering of 10 MeV electrons and positrons in nuclear emulsions, 0=7337  
 Phillips, K. See Allen, K.R., 0=16974  
 Phillips, K. See Allen, K.R., 3=21711  
 Phillips, K. See Allen, K. R., 4=14607  
 Phillips, K. See Allen, K. R., 4=14608  
 Phillips, L. See Brandt, R., 3=24990  
 Phillips, L. See Hemenway, C.L., 1=15441  
 Phillips, L.F. Intensities of emission lines in flames of metal halides with active nitrogen, 3=22605  
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atom reactions. I. Reactions in the atomic nitrogen-ozone system, 2=8909  
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atom reactions. II. Vibrationally excited N<sub>2</sub> formed by the reaction of N atoms with NO, 2=17086  
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atomic reactions. III. Reactions of hydrogen atoms with nitrogen dioxide and with ozone, 2=23953  
 Phillips, L.F. and Schiff, H.I. Vibrationally excited O<sub>2</sub> molecules from the reactions of O atoms with NO<sub>2</sub> and with O<sub>3</sub>, 2=23954  
 Phillips, L.S. Transparent conductive metal oxide films, 4=4110  
 Phillips, L.W. Some results of a survey made in preparation for the conference on curricula for undergraduate majors in physics, 2=7104  
 Phillips, M. See Gillam, E., 2=2426  
 Phillips, M. See Squires, R.L., 3=16116  
 Phillips, N.A. See Ogura, Y., 2=17132  
 Phillips, N.E. Nuclear quadrupole and electronic heat capacities of bismuth, 0=9856  
 Phillips, N.E. Low-temperature heat capacities of gallium, cadmium, and copper, 4=15426  
 Phillips, N. E., Lambert, M. H. and Gardner, W. R. Lattice heat capacity of superconducting mercury and lead, 4=18585  
 Phillips, N.E. and Matthias, B.T. Heat capacity of ferromagnetic superconductors, 1=1863  
 Phillips, N.E. See Catalano, E., 2=23075  
 Phillips, N.E. See Ho, J.C., 3=20107  
 Phillips, N.E. See Lien, W.H., 0=9858  
 Phillips, N.E. See Lien, W.H., 1=7537  
 Phillips, N.E. See Lien, W.H., 4=12643  
 Phillips, N.E. See O'Neal, H.R., 4=16343  
 Phillips, N.E. See Petersen, R.G., 1=9978  
 Phillips, N.J. The current sheet in a gas discharge, 0=7091  
 Phillips, N.J. Ionization by ion impact in a collapsing current sheet, 0=9030  
 Phillips, N.J. Plasma diffusion in systems with particle losses, 1=9553  
 Phillips, N.J. The formation and implosion of a current sheet in a gas discharge containing reversed magnetic fields, 2=3039  
 Phillips, N.J. On the initial stages of a pinch discharge, 2=19967  
 Phillips, N.J. New theoretical models of precursor effects in intense gas discharges, 4=8638



- Phillips, N.J. See Wright, J.K., 1=10719
- Phillips, N.J. See Reynolds, J.A., 3=7565
- Phillips, O.M. The mean horizontal momentum and surface velocity of finite-amplitude random gravity waves, 1=15811
- Phillips, O.M. Recent developments in the theory of wave generation by wind, 3=3446
- Phillips, O.M. Energy transfer in rotating fluids by reflection of inertial waves, 3=11758
- Phillips, P.R. Microwave separator for high energy particle beams, 1=4675
- Phillips, R. Selected-area diffraction in the electron microscope, 0=18420
- Phillips, R. Diamond knife ultra microtomy of metals and the structure of microtomed sections, 1=20626
- Phillips, R. The structure of microtome sections of metal, 3=18425
- Phillips, R. and Lucas, J.H. Diamond knife trough for the ultra microtome, 1=21157
- Phillips, R. and Lucas, J.H. Apparatus for the controlled orientation of crystallographic specimens for ultra-thin sectioning, 2=2373
- Phillips, R. and Lucas, J.H. Jigs to shape tips of hard specimens for use with the ultra microtome, 2=11235
- Phillips, R. See Lucas, G., 3=8936
- Phillips, R. See Marchand, E., 3=11888
- Phillips, R.G. See Stubbs, H.E., 0=3673
- Phillips, R.H. See Baker, W.F., 3=10169
- Phillips, R.J.N. Nucleon polarization from charge-exchange reactions in deuterium, 0=3963
- Phillips, R.J.N. Complex phase shifts in proton-proton scattering, 0=3968
- Phillips, R.J.N. On the measurement of deuteron polarization, 0=7422
- Phillips, R.J.N. n-p polarization and low energy p-p phase shifts, 1=4793
- Phillips, R.J.N. On the  $\pi^- + p \rightarrow \Lambda^0 + K^0$  amplitude, 1=5769
- Phillips, R.J.N. Antinucleon-nucleon annihilation to two mesons, 1=13408
- Phillips, R.J.N. On the analysis of the reaction  $\pi^- + p \rightarrow \Lambda^+ + K^-$ , 2=3385
- Phillips, R.J.N. Complex phase shifts and peripheral processes in N-N scattering, 2=5634
- Phillips, R.J.N. Neutron-neutron scattering length from final state interactions, 2=11949
- Phillips, R.J.N. A remark on peripheral interactions, 2=16142
- Phillips, R.J.N. Triangle inequalities for spin effects, 2=22429
- Phillips, R.J.N. Estimate of NN $\omega$  coupling from a Regge trajectory, 3=4449
- Phillips, R.J.N. Coulomb interference in high-energy p-p scattering, 3=5999
- Phillips, R.J.N. The backward peak in high-energy n-p scattering, 3=12464
- Phillips, R.J.N. Spin-dependent analogues of the optical theorem, 3=17208
- Phillips, R. J. N. Diffraction shrinking and Regge trajectories, 4=853
- Phillips, R. J. N. Role of the  $\rho$  in high energy n-p charge exchange, 4=9261
- Phillips, R. J. N. Comparison of p-p and n-n final state interactions, 4=19508
- Phillips, R. J. N. Consequences of the N-N charge-exchange peak for elastic scattering, 4=25080
- Phillips, R. J. N. See Burke, P. G., 4=25016
- Phillips, R. J. N. See Downs, B. W., 4=25196
- Phillips, R.J.N. See Hadjiannou, F., 2=20339
- Phillips, R.J.N. See Perring, J.K., 1=5811
- Phillips, R.J.N. See Perring, J.K., 2=20332
- Phillips, R.L., DeLosh, R.G. and White, D.E. Microwave propagation through a magnetoplasma, 1=7156
- Phillips, T. G. and Rosenberg, H.M. Line widths in spin-wave resonance, 4=15664
- Phillips, T. G. and Rosenberg, H.M. Spin-wave resonance in nickel films: temperature dependence, 4=7306
- Phillips, T.G. See Lewis, M.F., 2=18913
- Phillips, T.J. See Coles, J.A., 3=18409
- Phillips, T. G. See Lewis, M. F., 4=23035
- Phillips, T.R. and Owens, D.R. A simply constructed cryostat for laboratory use, 3=19080
- Phillips, V.A. Polyhedral holes in evaporated AuCu films, 0=8285
- Phillips, V.A. Direct observation of defects in evaporated silver, 0=17927
- Phillips, V.A. Role of defects in evaporated silver films on the nucleation of sulfide "patches", 2=6846
- Phillips, V.A. Observations on a precipitation hardening Cu-3% Co alloy, 3=20898
- Phillips, V. A. Electron-microscope observations on precipitation in a Cu-3.1 wt Pct Co alloy, 4=30776
- Phillips, V. A. New evidence for segregation at grain boundaries, subgrain boundaries and dislocations in dilute iron-carbon-nitrogen alloys, 4=1503
- Phillips, V.A. and Cannon, P. Dislocations in layer structures, 0=15843
- Phillips, V.A. and Dash, W.C. Electron microscopy of prismatic dislocations in silicon, 2=6347
- Phillips, V.A. and Hugo, J.A. Tilting stretching stage for the Elmiskop electron microscope, 2=19129
- Phillips, V.A. and Hugo, J.A. A tilting specimen heating stage for the Elmiskop electron microscope, 3=25795
- Phillips, V.A. and Livingston, J.D. Direct observation of coherency strains in a copper-cobalt alloy, 3=1222
- Phillips, V.A. See Ainslie, N.G., 1=3691
- Phillips, V.A. See Hugo, J.A., 3=11333
- Phillips, V.J. See Cherry, E.C., 1=12719
- Phillips, W.C. See Wang, S.P., 2=6868
- Phillips, W.D. and Benson, R.E. Ligand spin densities and magnetic properties of some aminotroponeimine chelates of nickel, 0=15762
- Phillips, W.D., Rowell, J.C. and Weissman, S.I. EPR studies of the tetracyanoethylene anion radical, 0=16715
- Phillips, W.D. See Anderson, J.M., 3=12864
- Phillips, W.D. See Chesnut, D.B., 1=9056
- Phillips, W.D. See Chesnut, D.B., 1=14804
- Phillips, W.D. See Eaton, D.R., 2=18466
- Phillips, W.D. See Eaton, D.R., 4=6649
- Phillips, W.E. and Hopkins, J.I. Study of the gamma-ray and inner bremsstrahlung transitions in the decay of  $\text{tin-113}$ , 0=15564
- Phillips, W.E. See Thomas, H.C., 3=17431
- Phillips, W.L., Jr. Lattice parameter studies of impurity effects on plastic properties of lithium fluoride, 1=12376
- Phillips, W.L., Jr. The deformation of single crystals of 70% silver-30% zinc, 3=15986
- Phillips, W. L., Jr. "Ghost" grain boundaries as markers in nickel, 4=7675
- Phillips, W. L., Jr. Mechanical properties of several nickel-platinum group metal alloys, 4=23188
- Phillips, W. L., Jr and Hanlon, J. E. Oxygen penetration into single crystals of calcium fluoride, 4=12786
- Phillips, W. R. The Conference on low and medium energy Nuclear Physics, Manchester, September 1963, 4=5882
- Phillips, W.R. and Read, F.H. The ranges of nitrogen ions in gold, 3=4211
- Phillips, W.R. See Dietzsch, O., 0=15535
- Phillips, W.R. See Johnson, C.M.P., 0=9560
- Phillips, W.R. See Lisle, J.C., 3=24969
- Phillips, W.R. See Marques, A., 2=18285
- Phillips, W.R. See Policarpo, A.J.P.L., 1=19534
- Phillipson, P. Electronic bases of molecular vibrations. I. General theory for diatomic molecules, 4=6532
- Phillipson, P. and Mulliken, R.S. Note on Hurley's "Improved molecular orbitals and the valence bond theory", 1=862
- Phillipson, P.E. Repulsive interaction between two ground-state helium atoms, 2=10221
- Phillipson, P.E. See Ehrenson, S., 1=6038
- Philp, S.F. Negative hydrogen and deuterium ion beam, 0=17047
- Philp, S.F. See Ingraham, J.C., 1=13059
- Philpot, J. L. and Hughes, R. H. Spectroscopic study of controlled proton impact on molecular nitrogen, 4=9716
- Philpot, J.L. See Hughes, R.H., 1=13944
- Phinney, R.A. and Smith, S.W. Processing of seismic data from an automatic digital recorder, 3=18473
- Phipps, J. A., Boring, J. W. and Lowry, R. A. Total ionization in argon by heavy ions of energies 8 to 100 keV, 4=21459
- Phipps, L.W. Semi-automatic control system for producing constant cooling rates, 0=3687
- Phipps, R.L. and Bloom, J.H. Self degassing oil manometer, 2=5083
- Phipps, R.L. See Bloom, J.H., 2=5087
- Phipps, R. L. See Bloom, J. H., 4=21594
- Phipps, T.E. Re-entrant motion in special relativity, 2=19403
- Phipps, T. E. and Stopes-Roe, H. V. Interpretation of quantum physics, 3=3743
- Phipps, T.E. See Belford, G.G., 3=424



- Phipps, T.E. Jr. Generalization of quantum mechanics, 0=12366  
 Phipps, T.E., Jr. See Boyer, R.H., 4=5031  
 Phlman, R. Ultrasonic transmission at boundary surfaces, 1=8180  
 Phong Chau Nguyen. See Nguyen Phong Chau.  
 Phuong, N.H. Internal motion of matter, 4=801  
 Piacente, V. See De Maria, G., 4=2941  
 Piaggio, L. See Perdrisat, C.F., 2=10053  
 Pianelli, A. See Gantois, M., 3=20871  
 Piattelli, M. Results of radio observations made during the total eclipse of the sun, February 15, 1961, 2=4838  
 Piattelli, M. Solar radioastronomy research at Arcetri. IIIa. Measurement at 186 Mc/s-general principles, 2=7037  
 Piatti, H. Non-destructive leak control of small sealed enclosures, 3=184  
 Piaud, J.J. Apparatus for measurement of molecular optical anisotropy by Rayleigh scattering, 2=18474  
 Piazza, R.S. Characteristic parameters of propagation in lined ducts, 0=16762  
 Piazza, R.S. The relation between the attenuation constant of a lined duct and the absorption coefficient of the lining material, 3=18918  
 Piazzesi, G. See Bassi, A., 2=17057  
 Piazzesi, G. See Bassi, A., 3=3240  
 Piazzoli, A. See Argan, P.E., 1=13242  
 Piazzoli, A. See Argan, P.E., 3=4425  
 Piazzoli, A. See Argan, P.E., 3=19714  
 Picard, E. The treatment of results in reactor control, 1=13900  
 Picard, F. See Jastrzebski, J., 3=8124  
 Picard, F. See Jeronymo, J.M.F., 3=678  
 Picard, F. See Jeronymo, J.M.F., 3=17400  
 Picard, F. See Nemets, O. F., 4=25420  
 Picard, J. and Williamson, C. Cross-sections for  $(n,p)$ ,  $(n,\alpha)$  and  $(n,2n)$  [reactions] for  $F^{19}$  and  $Na^{23}$  between 13 and 21 MeV, 3=17160  
 Picard, J. See Souhere, G., 4=17164  
 Picard, J. See Williamson, C., 2=470  
 Picard, J.C. See Mercouff, W., 0=7875  
 Picasso, E. See Argan, P.E., 1=13242  
 Picasso, E. See Ciurlo, S., 3=8120  
 Picasso, E. See Marzari-Chiesa, A., 3=7848  
 Picca, R. See Bardeau, H., 2=11690  
 Picca, R. See Bardeau, H., 3=9832  
 Picciarelli, V. See Daudin, A., 4=30260  
 Piccioni, O. See Good, R.H., 0=19784  
 Piccioni, O. See Good, R.H., 2=317  
 Piccioni, O. See Good, R.H., 2=22628  
 Piccioni, O. See Muller, F., 0=11220  
 Piccirelli, J. H. See Furukawa, G. T., 4=30517  
 Piccirelli, J. H. See Furukawa, G. T., 4=30521  
 Piccirelli, R. A. See Green, M.S., 4=2603  
 Piccirelli, R.A. See Jackson, J.L., 2=5334  
 Pichakhchi, L.D. The stability of the tangential burst in a rarefied plasma, 2=5336  
 Pichakhchi, L.D. Magnetohydrodynamic waves in the second approximation, 2=11775  
 Pichakhchi, L.D. See Gordon, I.M., 3=11569  
 Pichanick, F.M., Sandars, P.G.H. and Woodgate, G.K. The nuclear magnetic dipole moments of the stable isotopes of europium and the hyperfine structure anomaly, 1=804  
 Pichanick, F.M.J. and Woodgate, G.K. Zeeman effect in the ground multiplet of samarium, 1=13947  
 Picherit, F. Faraday effect of various ferrite rods, 0=1806  
 Pichon, G. The characteristic surfaces of viscous fluids in general relativity, 3=14099  
 Pichon, G. Characteristic surfaces of charged fluids with finite conductivity in general relativity, 3=18714  
 Pichon, G. The singular electromagnetic field in the presence of inductions, 4=47  
 Picht, J. Considerations on the theory of reflection by a mirror rotating with constant angular velocity, 0=2224  
 Picht, J. A generalization of the Schrödinger equation of wave mechanics, 1=2702  
 Picht, J. Further results on the wave theory of electrons, photons and other elementary particles, 1=16664  
 Picht, J. Appendix to the "Correction" [Optik, 19 (1962) 535-538] of the paper "Remarks on mass, energy and momentum..." [Optik, 10 (1959) 257-275.], 3=17229  
 Picht, J. Observations on the mass, energy and momentum of the photon, electron and other elementary particles, 4=9153  
 Picht, W. See Gobrecht, H., 2=23406  
 Picinbono, B. See Ballot, J.L., 4=15230  
 Picinbono, B. See Blanc-Lapierre, A., 3=11871  
 Pick, H. Colour centre associates in alkali halides, 0=11636  
 Pick, H. See Lüty, F., 3=22839  
 Pick, M. and Steinberg, J.L. Array of sixteen aerials working at 9300 Mc/s at the Nançay radioastronomy station, 1=15525  
 Pick, M. See Avigon, Y., 4=15946  
 Pick, M. See Boischot, A., 2=13158  
 Pick, M. See Martres, M.J., 3=1522  
 Pick, R. Study of the electric resistivity of binary ordered alloys, 3=17814  
 Pick, R. Study of antiphases in f.c.c. metallic alloys. I, 3=20881  
 Pick, R. Study in antiphases in f.c.c. metallic alloys. II, 4=10414  
 Pick, R. and Saint-James, D. On the transparency of Bloch walls, 2=12771  
 Pick, R. and Sarma, G. Orthogonalized plane wave method and total energy of a metal, 4=28298  
 Pick, R. and Savelli, M. Study of surface phenomena in semiconductors by the field effect, 1=8931  
 Pick, U. See Gould, P. A., 4=21314  
 Pick, V.J. See Howarth, J.L., 0=8437  
 Pick-Gutmann, M. On the structure of type IV bursts: the continuum storms, 0=10478  
 Pick-Gutmann, M. Evolution of solar radio-wave emissions of type IV and their relationship with other solar and geophysical phenomena, 1=15542  
 Pick-Gutmann, M. See Avignon, Y., 0=4858  
 Pick-Gutmann, M. See Martres-Trope, M.J., 2=21716  
 Pick-Gutmann, M. See Martres-Trope, M.J., 2=21725  
 Pickar, A. D. Zero-field spin absorption in paramagnetic salts, 4=10242  
 Pickard, R.M. See Turner, J.A., 2=1213  
 Pickard, R.W. See Simms, D.L., 2=11535  
 Pickard, W.F. Experimental investigation of the sumoto effect, 1=15893  
 Pickard, W.F. On the Born-Lertes rotational effect, 1=16505  
 Pickard, W.F. An explanation of the d.c. Sumoto effect, 2=7547  
 Pickard, W.F. Ion drag pumping. I. Theory, 3=11778  
 Pickard, W.F. Ion drag pumping. II. Experiment, 3=11779  
 Pickard, W. F. Electrical noise in the conduction of currents through organic liquids, 4=21151  
 Pickart, S. See Bertaut, E.F., 0=13829  
 Pickart, S.J. Fourier projections of unpaired electron densities, 3=11255  
 Pickart, S. J., Alperin, H. A. and Nathans, R. Magnetic structure of binary fluorides containing  $Mn^{2+}$ , 4=28859  
 Pickart, S. J., Alperin, H. H., Shirane, G. and Nathans, R. Itinerant electron ferromagnetism in  $ZrZn_2$ , 4=20552  
 Pickart, S.J. and Nathans, R. Neutron study of the crystal and magnetic structures of  $MnFe_{2-x}Cr_xO_4$ , 0=1797  
 Pickart, S.J. and Nathans, R. Neutron diffraction investigation of a possible ferro-antiferromagnetic transition in  $Mn_{0.8}Cr_{0.2}Sb$ , 0=3043  
 Pickart, S.J. and Nathans, R. Magnetic-form factor of  $Fe_3Al$ , 0=11828  
 Pickart, S.J. and Nathans, R. Unpaired spin density in ordered  $FeAl$ , 1=11448  
 Pickart, S.J. and Nathans, R. Alloys of the first transition series with Pd and Pt, 2=12729  
 Pickart, S.J. and Nathans, R. Neutron diffraction investigation of Pt-based alloys of the first transition series, 3=15860  
 Pickart, S. J., Nathans, R. and Alperin, H. A. Spin density of the canted moment in  $\alpha-Fe_2O_3$ , 4=28814  
 Pickart, S.J., Nathans, R., Brown, P.J. and Alperin, H.A. Domain studies in hematite with polarized neutrons, 3=15859  
 Pickart, S.J., Nathans, R. and Shirane, G. Magnetic structure transitions in  $Li_xMn_{1-x}Se$ , 1=2467  
 Pickart, S.J. and Turnock, A.C. Magnetic properties of solid solutions of  $Fe_3O_4$  and  $FeAl_2O_4$ , 0=11829  
 Pickart, S.J. See Alperin, H.A., 2=10684  
 Pickart, S.J. See McGuire, T.R., 4=15653  
 Pickart, S.J. See Nathans, R., 3=1103  
 Pickart, S.J. See Nathans, R., 3=15736  
 Pickart, S.J. See Nathans, R., 4=15628  
 Pickart, S.J. See Nathans, R., 4=17615  
 Pickart, S.J. See Paoletti, A., 0=6363  
 Pickart, S.J. See Shirane, G., 0=16148  
 Pickart, S.J. See Shirane, G., 0=21200  
 Pickart, S. J. See Shirane, G., 4=13268



- Pickart, S. J. See Will, G., 4=15660
- Pickavance, T. G. The work of the Rutherford Laboratory, 3=24393
- Pickavance, T. G. Nimrod, 4=16599
- Pickelner, S. B. and Shklovsky, I. S. On the problem of the nature of the gas corona of the Galaxy, 1=30
- Picken, J. S. and Swarup, G. The Stanford compound-grating interferometer, 4=23933
- Pickering, F. B., Burns, K. W. and Keown, S. R. The effect of heat treatment on the precipitation of NbC in austenitic creep resisting steels, 3=18359
- Pickett, J. M. Backward masking, 0=2054
- Pickles, B. W. See Higgins, G. T., 3=25761
- Picklesimer, M. L. A note on some of the intermediate phases in the Nb-Sn system, 3=8893
- Picklesimer, M. L. and Sekula, S. T. Superconducting transition temperature of purified technetium, 3=334
- Picklesimer, M. L. See Stiegler, J. O., 4=13507
- Picknett, R. G. See Cross, N. L., 3=23860
- Pickup, E., Ayer, F. and Salant, E. O. Single pion production in  $0.96 \text{ GeV } \pi^-p$  interactions, 0=17405
- Pickup, E., Rappe, E. F., Wall, G. and Ayer, F. II. Bubble chamber track-centering device with digitized output, 3=4302
- Pickup, E., Robinson, D. K. and Salant, E. O.  $\pi^-p$  resonance in  $\pi^-p$  interactions at 1.25 BeV, 1=19255
- Pickup, E., Robinson, D. K. and Salant, E. O. Erratum:  $\pi^-p$  resonance in  $\pi^-p$  interactions at 1.25 BeV, 2=5720
- Pickup, E., Robinson, D. K. and Salant, E. O.  $p-p$  interactions at 2 BeV. II. Multiple pion production, 2=9839
- Pickup, E., Robinson, D. K. and Salant, E. O. Evidence for a  $\pi-\pi$  resonance, 2=22571
- Pickup, E., Robinson, D. K. and Salant, E. O. Departures from one-pion exchange in 1.25 BeV  $\pi^-p$  interactions, 2=22576
- Pickup, E., Robinson, D. K., Salant, E. O., Ayer, F. and Munir, B. A.  $\pi^-p$  interactions at 905, 960, and 1100 MeV, 4=3452
- Pickup, E. See Fickinger, W. J., 1=19193
- Pickup, E. See Fickinger, W. J., 2=9838
- Pickup, E. See Fickinger, W. J., 2=22505
- Pickup, E. See Munir, B. A., 1=5756
- Pickup, E. See Salant, E. O., 1=16848
- Pickus, M. See Wells, M., 4=21427
- Piĉman, L. Linear response, density oscillation and two-particle Green's function of fermion systems. I, 4=2591
- Picman, L. See Gottfried, K., 2=4961
- Picot, P. See Lévy, C., 2=2397
- Picou, J. L. See Barloutaud, R., 0=5661
- Picou, J. L. See Barloutaud, R., 0=9662
- Picou, J. L. See Cotton, E., 2=351
- Picou, J. L. See Gastebois, J., 2=487
- Picou, J. L. See Jastrzebski, J., 3=8124
- Picq, M. See Lecoin, M., 3=10078
- Picquendar, J. E. The role played by electron optics in the design of vacuum tubes, 3=5703
- Picus, G. E. and Bir, G. L. The theory of deformation potential for semiconductors with complex bands, 2=23271
- Picus, G. S. Recombination processes in far infrared photoconductors, 2=8406
- Picus, G. S. Carrier generation and recombination processes in copper-doped germanium photoconductors, 3=13132
- Picus, G. S. See Palik, E. D., 1=7572
- Picus, G. S. See Palik, E. D., 2=23129
- Pidd, R. W., Grover, G. M., Salmi, E. W., Roehling, D. J. and Erickson, G. F. Characteristics of a plasma thermocouple, 0=1139
- Pidd, R. W. See Garvin, H. L., 0=15066
- Pidd, R. W. See Schupp, A. A., 1=1921
- Piddington, J. H. The transmission of geomagnetic disturbances through the atmosphere and interplanetary space, 0=9180
- Piddington, J. H. Geomagnetic storm theory, 0=12140
- Piddington, J. H. A theory of polar geomagnetic storms, 0=21309
- Piddington, J. H. The cis-lunar magnetic field, 2=19277
- Piddington, J. H. Cosmic magnetic fields, 2=24081
- Piddington, J. H. A hydromagnetic theory of geomagnetic storms, 3=7001
- Piddington, J. H. A hydromagnetic theory of geomagnetic storms and auroras, 3=13842
- Piddington, J. H. An ionospheric drift theory of aurora and airglow, 3=21066
- Piddington, J. H. Connexions between geomagnetic and auroral activity and trapped ions, 3=23641
- Piddington, J. H. Ionospheric drifts and E-region irregularities, 4=2300
- Piddington, J. H. Theories of the geomagnetic storm main phase, 4=7942
- Piddington, J. H. Recurrent geomagnetic storms, solar M-regions and the solar wind, 4=15896
- Piddington, J. H. Irregularities in the upper ionosphere, 4=17953
- Piddington, J. H. Ionospheric and magnetospheric anomalies and disturbances, 4=26865
- Piddington, J. H. The magnetic fields and radio emission of galaxies, 4=30992
- Pidgeon, C. R. and Smith, S. D. Infra-red Faraday rotation in semiconductors: double beam phase-sensitive method for the measurement of infra-red Faraday rotation, ellipticity and Voigt effect, 4=15583
- Pidgeon, C. R. See Smith, S. D., 2=23530
- Pidgeon, C. R. See Smith, S. D., 3=10823
- Pidgeon, C. R. See Smith, S. D., 4=27310
- Pidgeon, L. M. See Cox, J. H., 3=23445
- Pidorya, M. M. See Andrievskii, A. I., 2=12392
- Pidorya, M. M. See Andrievskii, A. I., 2=14393
- Pidorya, M. M. See Andrievskii, A. I., 4=1494
- Pidstrýgach, T. S. Calculation of the collision integral in the transfer equation for a shock wave, 4=2764
- Pidstrýgach, T. S. See Kaplan, S. A., 1=13167
- Pidstrýgach, Y. S. and Pavlyna, V. S. Diffusion in a non-uniformly heated strained layer in the presence of mass exchange with the surrounding medium, 2=23896
- Pidstrýgach, Ya. S. and Pavlyna, V. S. General relations of the thermodynamics of solid solutions, 2=8857
- Pidzirailo, M. S. See Brilins'kiĭ, M. I., 4=15616
- Pidzirailo, M. S. See Vishnevs'kii, V. N., 2=6540
- Pidzirailo, M. S. See Vishnevs'kiĭ, V. N., 3=21552
- Pidzirailo, M. S. See Vishnevs'kyi, V. N., 3=23107
- Pidzirailo, M. S. See Vŷshnevs'kiĭ, V. N., 3=20519
- Pidzirailo, M. S. See Vŷshnevs'kiĭ, V. N., 3=20520
- Pidzyrailo, N. S. See Belikovich, B. O., 1=11542
- Pidzirailo, N. S. See Vishnevsky, V. N., 2=8570
- Pidzyrailo, N. S. See Vishnevsky, V. N., 4=243
- Pearcey, B. J., Jackson, R. and Argent, B. B. The mechanical properties and structure of cobalt-nickel-niobium alloys, 3=20724
- Piech, K. R. and Levinger, J. S. Sum rules for neon photoeffect, 4=25544
- Piech, T. On a new type of condenser for measuring the dielectric permittivity of solids by the method of immersion, 1=16234
- Piech, T. See Hańderek, J., 4=20424
- Piechele, P. See Bisi, F., 2=3719
- Piechocki, W. A certain dynamic problem of thermoelasticity concerning the circular disc, 1=85
- Piechocki, W. and Ignaczak, J. Thermal stresses due to a thermal inclusion in a circular ring and a spherical shell, 1=86
- Piechocki, W. and Zorski, H. Thermoelastic problem for a wedge, 1=1716
- Pieczonka, W. A., Petch, H. E. and McLay, A. B. An electron spin resonance study of manganese impurity in brucite, 1=2495
- Piedmont, J. R. See Bylander, E. G., 4=6965
- Piedmont, J. R. See Hemmer, F. J., 3=5553
- Piefke, G. Reflection at incidence of an  $H_{mn}$ -wave at junction of circular waveguide and conical horn, 4=717
- Piegger, E. and Craig, R. S. Structural and magnetic characteristics of  $\text{TiFe}_2$ -ZrFe<sub>2</sub> and  $\text{ZrCo}_2$ -ZrFe<sub>2</sub> alloys, 3=20880
- Piekara, A. The dielectric constant of liquid dielectrics in intense electric fields. A discussion of theory and experiment, 0=8663
- Piekara, A. Hydrogen bonding and dielectric saturation, 1=12891
- Piekara, A. Physics education in Poland, 1=15588
- Piekara, A. Dielectric saturation and hydrogen bonding, 2=13350
- Piekara, A. Dielectric saturation in solids containing hydrogen bonds, 3=22972
- Piekara, A. The nonlinearity of gaseous and liquid dielectrics, 4=194
- Piekara, A. and Chelkowski, A. Effect of a magnetic field on the dielectric constant of pure liquids, 1=12890
- Piekara, A. and Kielich, S. The theory of magnetic birefringence and other phenomena of molecular orientation in diamagnetic liquids, 0=6813
- Piekara, A. and Kielich, S. A non-linear theory of the electric permittivity and refractivity of dielectric liquids in electric and magnetic fields, 0=14652
- Piekara, A. and Konopka, R. Pulse method for measuring Kerr's constant, 1=4480



- Piekara, A. See Kielich, S., 0=19152
- Piekara, A. See Pekara, A., 0=19141
- Piekara, B. Electric and magnetic properties of plasma of low-power pulse discharges, 1=7079
- Piekarski, C. See Belbeoch, B., 2=10885
- Piekarz, H. See Sowiński, M., 4=3682
- Piekenbrock, L. and Oppenheimer, F.  $\Lambda$ -p elastic scattering, 4=25197
- Piekoszewski, J. and Czachor, A. Recombination-trapping properties of centres introduced into germanium by bombardment with reactor fast neutrons, 4=12900
- Piekoszewski, J. See Czachor, A., 1=14442
- Pien Nang-hau. See Byan'Nan-khua, 2=13446
- Piepenbring, R. See Monsonego, G., 4=30308
- Pieper, G.F. A fast storage system for multichannel pulse height analysis, 0=17201
- Pieper, G.F. A second radiation belt from the July 9, 1962, nuclear detonation, 3=16289
- Pieper, G.F., Williams, D.J. and Frank, L.A. Traac observations of the artificial radiation belt from the July 9, 1962, nuclear detonation, 3=16287
- Pieper, G.F., Zmuda, A.J., Bostrom, C.O. and O'Brien, B.J. Solar protons and magnetic storms in July 1961, 3=7952
- Pieper, G.F. See Zmuda, A.J., 3=22225
- Pieper, H.P. Catheter-tip blood flowmeter for measurement of pulmonary arterial blood flow in closed-chest dogs, 3=23717
- Pieper, T. See Reimer, L., 3=18089
- Pieragostini, F. See Gelli, D., 3=4868
- Pieraccini, F. See Quaranta, A.A., 0=1290
- Pieragostini, F. See Ceresara, S., 4=1560
- Pieragostini, F. See Ceresara, S., 4=4091
- Pierce, A.D. Propagation of acoustic-gravity waves from a small source above the ground in an isothermal atmosphere, 4=4777
- Pierce, C. and Ewing, B. Physical adsorption in the multilayer region on heterogeneous and homogeneous surfaces, 3=6888
- Pierce, C.B. Effect of hydrostatic pressure on ionic conductivity in doped single crystals of sodium chloride, potassium chloride, and rubidium chloride, 1=11271
- Pierce, C.B. Discrete phonon and zero-phonon optical absorption spectra in alkali halides, 4=22843
- Pierce, C.B. and Kantz, A.D. Defects introduced in neutron-irradiated Esaki diodes, 3=17918
- Pierce, C.B., Sander, H.H. and Kantz, A.D. Radiation induced hump structure in the I-V characteristics of Esaki diodes, 2=23428
- Pierce, E.T. The propagation of radio waves of frequency less than 1 kc, 0=7234
- Pierce, E.T. Some e.l.f. [extremely low frequency] phenomena, 0=12212
- Pierce, E.T. Atmospherics from lightning flashes with multiple strokes, 0=16482
- Pierce, E.T. Attenuation coefficients for propagation at very low frequencies (v.l.f.) during a sudden ionospheric disturbance (s.i.d.), 2=5491
- Pierce, E.T. Excitation of earth-ionosphere cavity resonances by lightning flashes, 4=2279
- Pierce, E.T. Collisional detachment and the formation of an ionospheric C region, 4=2290
- Pierce, E.T. See Schmidt, V.A., 2=9331
- Pierce, E.T. See Large, M.I., 0=1116
- Pierce, E.T. See Obayashi, T., 0=3343
- Pierce, J.B. See Brook, A.G., 4=12491
- Pierce, J.G. Stability of potential flow, 4=29590
- Pierce, J.M. See Fairbank, W.M., 4=14777
- Pierce, J.R. Critical points in the theory of electron beam devices, 1=9638
- Pierce, J.R. Instabilities and growing waves in electron beam devices, 1=9639
- Pierce, J.R. Momentum and energy of waves, 2=1043
- Pierce, J.R. Modes in sequences of lenses, 2=5140
- Pierce, J.R. Communication satellites, 2=15417
- Pierce, J.R. History of the microwave-tube art, 2=16051
- Pierce, J.R. and Walker, L.R. Waves in electron clouds, 0=19916
- Pierce, L. Note on the use of ground-state rotational constants in the determination of molecular structures, 0=5984
- Pierce, L. Energy levels for internal and over-all rotation of two-top molecules. I. Microwave spectrum of dimethyl silane, 1=5995
- Pierce, L. Calculation of the eigenvalues of a tridiagonal Hermitian matrix, 1=15677
- Pierce, L. and DiCianni, N. Spin-rotational hyperfine structure in the microwave spectrum of oxygen difluoride, 3=19995
- Pierce, L., Di Cianni, N. and Jackson, R.H. Centrifugal distortion effects in asymmetric rotor molecules. I. Quadratic potential constants and average structure of oxygen difluoride from the ground-state rotational spectrum, 3=8278
- Pierce, L. and Hayashi, M. Microwave spectrum, dipole moment, structure, and internal rotation of dimethyl sulfide, 1=12283
- Pierce, L., Jackson, R. and DiCianni, N. Microwave spectrum, structure, and dipole moment of  $F_2O$ , 2=3737
- Pierce, L. and Krisher, L.C. Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, 0=2762
- Pierce, L. and Petersen, D.H. Microwave spectrum, structure, dipole moment, and internal rotation of trimethyl silane, 0=17744
- Pierce, L. See Flanagan, C., 3=17597
- Pierce, L. See Hayashi, M., 1=19622
- Pierce, L. See Krisher, L.C., 0=15777
- Pierce, L. See O'Reilly, J.M., 1=6008
- Pierce, L. See Swalen, J.D., 1=15676
- Pierce, P.E. See Maron, S.H., 4=4716
- Pierce, R.D. and Friedberg, S.A. Magnetic susceptibility of  $FeCl_3 \cdot 4H_2O$  at low temperatures, 1=6385
- Pierce, W.L. See Brun, E., 2=18961
- Pierce, W.L. See Brun, E., 2=22709
- Pierce, W.L. See Brun, E., 3=8747
- Piercey, D.C. The transmission of thermal neutrons along air filled ducts in water, 2=22536
- Piercey, D.C. and Bendall, D.E. The transmission of fast neutrons along air filled ducts in water, 2=22535
- Piercy, G.R. Point defects in platinum, 0=20798
- Piercy, G.R. The use of precipitation-hardened materials in Piercy, G.R. The detection of displacement spikes by measuring the effect of particle size on the dissolution of precipitate particles by fast-neutron irradiation, 2=16647
- Piercy, G.R. A direct measurement of the size of temperature spikes produced by fast neutron irradiation, 3=22853
- Piercy, G.R., Brown, F., Davies, J.A. and McCargo, M. Experimental evidence for the increase of heavy ion ranges by channeling in crystalline structure, 3=15521
- Piercy, G.R., Gilbert, R.W. and Howe, L.M. A liquid helium cooled finger for the Siemens electron microscope, 3=24126
- Piercy, G.R., McCargo, M., Brown, F. and Davies, J.A. Experimental evidence for the channeling of heavy ions in monocrystalline aluminum, 4=22642
- Piercy, G.R. and Whitton, J.L. Investigation of radiation damage in pure aluminium and aluminium-1% magnesium alloy by transmission electron microscopy, 2=16660
- Piercy, G.R. See Domeij, E., 4=19119
- Piercy, G.R. See Howe, L.M., 4=6897
- Piercy, G.R. See Swanson, M.L., 3=6554
- Piercy, G.R. See Swanson, M.L., 4=4097
- Piercy, G.R. See Swanson, M.L., 4=28503
- Piercy, J.E. Ultrasonic relaxation and axial-equatorial isomerization in methyl cyclohexane, 1=4340
- Piermarini, G.J. and Block, S. Radial distribution study of vitreous barium borosilicate, 3=13483
- Piermarini, G.J. and Weir, C.E. A diamond cell for X-ray diffraction studies at high pressures, 2=23834
- Piermarini, G.J. and Weir, C.E. High-pressure transition in RbF, 3=5077
- Piermarini, G.J. and Weir, C.E. Allotropy in some rare-earth metals at high pressures, 4=26560
- Piermarini, G.J. See Weir, C.E., 4=15786
- Pierno, A. See Bolognesi, G.P., 4=10064
- Pieroen, A.P. See Korvezee, A.E., 2=17081
- Pieron, H. Nomenclature of retinal ganglion cells, 1=10347
- Pieron, H. Neurophysiological mechanisms of critical flicker frequency and harmonic phenomena, 2=11222
- Pieroni, J.J. See Attree, R.W., 2=5834
- Pierotti, R.A. Verification of the inverse cube law in physical adsorption, 2=17070
- Pierotti, R.A. Multilayers of argon and nitrogen on hexagonal boron nitride, 3=6894
- Pierotti, R.A. The solubility of gases in liquids, 4=5155
- Pierotti, R.A. See McAlpin, J.J., 4=23592
- Pierpaoli, V. See Basso, P., 4=9611
- Pierpaoli, V. See Diana, E., 0=11471
- Pierrard, J.M. See Rosinski, J., 3=6958
- Pierrard, J.M. See Rosinski, J., 4=10714
- Pierre, J. Calibration systems in vacuum technique, 0=19232



- Pierre, J. Fluid traps in vacuum technique, 0=19233
- Pierre, J. Metallo-plastic joints in vacuum technique, 1=2800
- Pierre, J. Barkhausen oscillations in ionization gauges, 1=11799
- Pierrot, A. See Delyon, G., 0=2412
- Pierrot, M. See Simon, B., 4=13585
- Pierroux, A., Guébin, G. and Govaerts, J. The standardisation of radioisotopes—measurement of decay-periods using a vibrating reed electrometer, 0=7495
- Pierson, G. See Evans, M.H., 0=16903
- Pierson, W.J., Jr. Perturbation analysis of the Navier-Stokes equations in Lagrangian form with selected linear solutions, 2=24016
- Pierson, W.R. and Coryell, C.D. Decay of 6.3 min  $\text{Br}^{78}$ , 0=13174
- Pierson, W.R., Griffin, H.C. and Coryell, C.D. Characterization of  $\text{Ru}^{107}$ ,  $\text{Ru}^{108}$ ,  $\text{Rh}^{107}$ , and  $\text{Rh}^{108}$ , 2=20539
- Pierson, W.R. and Sugarman, N. Recoil properties of  $\text{Bi}^{209}(\text{p}, \text{pxn})$  spallation products, 3=17475
- Pierson, W.R. and Sugarman, N. Yields of polonium and bismuth nuclides from  $\text{Bi}^{209}$  and recoil studies of  $\text{Bi}^{209}(\text{p}, \text{p2n})\text{Bi}^{207}$  reaction at 450 MeV, 4=9516
- Pierucci, M. Further estimation of the age of universe: contemporaneity problem in relativistic physics, 2=6981
- Pierucci, M. Circularity tendency due to relativistic effects in the orbits of low-velocity charged material particles in particular Coulomb fields, 2=7557
- Piesbergen, U. The mean atomic heats of the III-V semiconductors AlSb, GaAs, InP, InAs, and InSb and the element Ge between 12 and 273°K, 3=12928
- Piesbergen, U. See Clusius, K., 0=1560
- Piesbergen, U. See Clusius, K., 0=1562
- Piesbergen, U. See Clusius, K., 0=12416
- Piesbergen, U. See Clusius, K., 0=20752
- Pietenpol, J.L. Auto-ionization of the  $(1s2s2p)^4\text{P}_{3/2}$  level in Li and  $\text{He}^+$ , 1=13928
- Pietenpol, J.L. See Lapidus, I.R., 0=29
- Pietenpol, W.B. The positively charged earth, 4=26780
- Pieterse, A.C. See Aten, A.H.W., Jr., 0=15558
- Pietra, F. See Foffani, A., 0=490
- Petrass, B. See Macke, W., 3=21768
- Pietri, G. Study and design of a photomultiplier for the nanosecond region, 0=19723
- Pietri, G. Glimpse of some problems encountered in the study and construction of photomultipliers with fast response, 1=5492
- Pietri, G. Progress in photomultiplier tubes for scintillation
- Pietri, G. and Arvin, C. An apparatus for the measurement of the local sensitivity of photomultipliers, 0=19726
- Pietri, G. See Auphan, M., 4=5368
- Pietrokowsky, P. Novel mechanical device for producing rapidly cooled metals and alloys of uniform thickness, 3=20911
- Pietrokowsky, P. and Youngkin, F.G. Ordering in the intermediate phases TiFe, TiCo and TiNi, 0=18352
- Pietrzak, J. On variations in the domain structure and dielectric permittivity of  $\text{BaTiO}_3$  single crystals due to one-dimensional pressure, 2=2209
- Pietrzak, J. See Klimowski, J., 0=18103
- Pietrzak, J. See Klimowski, J., 1=12472
- Pietsch, E. See Papkow, A., 3=10321
- Pietsch, P. See von Ehrenstein, D., 0=288
- Pietsch, P. See von Ehrenstein, D., 0=15671
- Pietschmann, E. The explanation of the electron-muon mass difference, 0=15380
- Pietschmann, H. Renormalization of two-component quantum electrodynamics, 2=1650
- Pietschmann, H. Renormalization of two component quantum electrodynamics, 2=20225
- Pietschmann, H. W-induced anomalous magnetic moment of leptons, calculated with  $\xi$ -limiting formalism, 4=16809
- Pietschmann, H. See Balachandran, A.P., 2=22651
- Pietschmann, H. See Balachandran, A.P., 3=17259
- Pietschmann, H. See Balachandran, A.P., 3=24670
- Pietschmann, H. See Balachandran, A.P., 4=3395
- Pietschmann, H. See Czapek, G., 2=20266
- Piette, L.H., Johnson, F.A., Booman, K.A. and Colburn, C.B. An e.p.r. study of the tetrafluoro-hydrazine-difluoramine equilibrium, 1=17343
- Piette, L.H. and Landgraf, W.C. Steady-state studies by e.p.r. on the photodissociation of some alkyl hydroperoxides, 0=8314
- Piette, L.H., Sharp, J.H., Kuwana, T. and Pitts, J.N., Jr. Paramagnetic resonance of some benzophenone derivatives in their phosphorescent state, 2=18476
- Pietzcker, A. See von Klitzing, K.H., 4=22980
- Piga, W. Zinc sulphide-selenide phosphor activated with copper, 4=13086
- Pigache, D. See Geller, R., 3=4041
- Pigache, D. See Geller, R., 3=9745
- Pigarov, Yu.D. and Morozov, P.M. Ionization of nitrogen and oxygen in a pulsed discharge, 2=1387
- Pigarov, Yu.D. and Morozov, P.M. Ionization of neon, argon, helium, and hydrogen in a pulsed discharge, 2=1388
- Pigeat, G. See Courtel, R., 2=21449
- Pigeaud, P. Equations of motion in the Jordan-Thiry theory, 1=9321
- Pigeaud, P. The two-body problem in the Jordan-Thiry theory, 1=15660
- Pigeaud, P. Study of a perfect fluid distribution in the Jordan-Thiry unified field theory, 2=9180
- Pigeaud, P. See Mariot, L., 3=23759
- Pigeaud, P. See Mariot, L., 4=3319
- Pigeaud, P. See Mariot, L., 4=16030
- Pigeon, J., El-Baz, E. and Lafourcrière, J. Study and influence of the second term of the Born series on the effective differential stripping cross-section, 4=25428
- Pigg, J.C. and Crawford, J.H., Jr. Radiation effects and their annealing in  $\text{Co}^{60}$ -gamma-irradiated Sb-doped germanium, 4=28508
- Piggott, M.R. A method of determining plastic deformation in near-brittle materials, 4=23100
- Piggott, M.R. The rebinder effect, 4=23111
- Piggott, W.R. A rapid method of obtaining accurate virtual heights from an ionogram, 0=6446
- Piggott, W.R. The gyro-frequency in the E-layer above Slough, England, 0=21356
- Piggott, W.R. and Barclay, L.W. The reflection of radio waves from an iceshelf, 1=16562
- Pigott, W.R. Note on the autocorrelation coefficients of Kp and its relation to regions, 2=4766
- Piggott, W.R. and Barclay, L.W. Ionospheric drifts at Halley Bay during the International Geophysical Year, 3=13720
- Piggott, W.R. and Bhattacharyya, J. On the mode of propagation in the E-layer, 0=15166
- Piggott, W.R. See Bellchambers, W.H., 1=1533
- Pignanelli, M. See Colli, L., 0=1439
- Pignanelli, M. See Colli, L., 0=1442
- Pignanelli, M. See Colli, L., 0=5792
- Pignanelli, M. See Colli, L., 1=8749
- Pignanelli, M. See Colli, L., 1=1045
- Pignataro, S. See Foffani, A., 4=1291
- Pigneret, J. See Samuelli, J.J., 4=30118
- Pignotti, A.  $K^*$  spin and the isovector kaon charge, 3=7920
- Pignotti, A. Does the  $f^0$  particle lie on the pomeranchuk trajectory? 3=17314
- Pignotti, A. Hitherto overlooked  $\text{SU}_3$  octet of Regge poles implied by bootstrap dynamics, 4=16820
- Pignotti, A. and Teplitz, V. Unitary spin assignment for the  $\omega$  meson, 4=21921
- Pignotti, A. See Ball, N., 1=13482
- Pigon, K. A graphical method for determination of mobility ratio in the semiconductors from Hall effect measurements only, 1=17663
- Pigott, M.T., Whitmarsh, D.C. and Brown, J.L., Jr. Scanned line hydrophone method of determining angle of arrival of sound in water, 2=9350
- Pigulevskii, E.D. and Sazonov, A.M. Resonance absorption of ultrasound in NaCl crystals, 4=12623
- Pigulevskii, E.D. See Moskovenko, I.B., 4=7786
- Piguzov, Yu.V. and Blanter, M.S. The effect of quenching temperature on the nitrogen peak of internal friction in iron, 1=14855
- Piguzov, Yu.V., Krishtal, M.A. and Golovin, S.A. On the nature of the internal friction peak in heat treated steel, 1=10207
- Piguzov, Yu.V. See Beilin, V.M., 4=1391
- Piguzov, Yu.V. See Estrin, E.I., 2=23873
- Piguzov, Yu.V. See Vekilov, Yu.Kh., 2=18984
- Piguzov, Yu.V. See Vekilov, Yu.Kh., 2=23737
- Pik-Pichak, G.A. Fission barrier of a rotating nucleus, 2=16293
- Pik-Pichak, G.A. Fission barrier of a rotating nucleus, 3=6135
- Pik-Pichak, G.A. Equilibrium figures and fission of a rotating nucleus, 3=15239
- Pikar, F. See Nemets, O.F., 4=6368
- Pikar, F. See Nemets, O.F., 4=22127
- Pikar, F. See Nemets, O.F., 4=22168



- Pike, E.M. and Drake, F.D. A high-resolution radio map of the Cygnus X region, 4=15958
- Pike, E.R. Introduction to soft X-ray spectroscopy, 0=4272
- Pike, E.R. The Lorentz factor in powder diffraction, 1=20474
- Pike, E.R. Focusing geometry in X-ray powder diffractometers, 2=10821
- Pike, E.R. Second quantization of the general many fermion operator, 3=9372
- Pike, E. R. A new identity in the Green's function approach to the many body problem, 4=21055
- Pike, E. R. A fundamental extension of Einstein's diffusion-mobility relationship, 4=27116
- Pike, E.R. and Hughes, J.W. Monitored Geiger counter X-ray diffractometer with automatic recording, 0=4609
- Pike, E.R. and Wilson, A.J.C. Counter diffractometer — the theory of the use of centroids of diffraction profiles for high accuracy in the measurement of diffraction angles, 0=8187
- Pike, E. R. See Beu, K. E., 4=23399
- Pike, E. R. See Butcher, P. N., 4=25871
- Pike, E. R. See Langford, J. I., 4=23398
- Pike, H. A. See Worrell, F. T., 4=5569
- Pikel'ner, C. B. and Gintsburg, M. A. Mechanism of type II bursts of solar radio emission, 4=10916
- Pikel'ner, L. B. See Van Nai-yan', 4=25406
- Pikel'ner, L. B. See Wang Nai-yan, 4=9537
- Pikel'ner, L. B. See Zeliger, D., 4=6359
- Pikel'ner, S. B. On the gravitational damping of sound, 0=8736
- Pikel'ner, S. B. Structure of a magnetohydrodynamic shock wave in a partially ionized gas, 0=11034
- Pikel'ner, S. B. The origin of the outer radiation band of the earth, 1=4133
- Pikel'ner, S. B. The mechanism of formation of active regions in the presence of a magnetic field, 1=18075
- Pikel'ner, S. B. Formation of coronal condensations above active regions, 2=973
- Pikel'ner, S. B. The influence of cosmic rays on the character of magnetic fields and filament formation in the shells of supernovae, 2=1022
- Pikel'ner, S. B. Formation of a chromospheric network and the structure of the magnetic field, 3=9209
- Pikel'ner, S. B. An analysis of possible mechanisms for development of magnetic fields in radio sources, 4=4868
- Pikel'ner, S. B. and Gershberg, R. E. On the possibility of the formation of filamentary structures by twisting, 0=18821
- Pikel'ner, S. B., Shklovskii, I. S. and Ivanov-Kholodnyi, G. S. On possible mechanisms of emission of discrete galactic objects in the spectral region, 0=18839
- Pikel'ner, S. B. See Livschitz, M. A., 4=26947
- Piketty, C. A. See Guérin, F., 4=19509
- Piketty-Rives, C. A., Grossetête, F. and Brosset, J. Measurement, by magnetic resonance, of the effective collision cross section, between an atom of mercury, excited in the state  $6^3P$ , and various gases, 4=15304
- Pikler, A. G. Musical transfer functions, 4=14297
- Pikler, A. G. and Harris, J. D. Compensatory and pursuit tracking of loudness, 0=16508
- Pikler, A. G. See Harris, J. D., 3=13953
- Pik-Pichak, G. A. Nucleon emission by a rotating nucleus, 0=13168
- Pikor, A., Elie, G. and Glicksman, R. Some factors affecting the degradation of GaAs tunnel diodes, 3=2035
- Piksis, A. H. See Schawlow, A. L., 1=9007
- Pikulik, L. G. Effect of temperature on the electronic spectra of complex molecules in solutions, 2=14291
- Pikulik, L. G. and Sevchenko, A. N. Temperature dependence of the fluorescence efficiency of some phthalimides in different solvents, 2=17474
- Pikulik, R. G. See Konoplev, K. A., 4=1156
- Pikus, G. A new method for calculation of the energy spectrum of current carriers in semiconductors. I. Case when spin-orbit interaction is not taken into account, 2=633
- Pikus, G. E. A new method for calculating the energy spectrum of current carriers in semiconductors. II. Spin-orbit coupling is taken into account, 2=4010
- Pikus, G. E. Energy spectrum in crystals with tellurium lattice, allowing for spin-orbit interaction, 2=18711
- Pikus, G. E. A new method for calculation of the energy spectrum of current carriers in semiconductors. I. Case when spin-orbit interaction is not taken into account, 2=23302
- Pikus, G. E. A new method for calculating the energy spectrum of current carriers in semiconductors. II. Spin-orbit coupling is taken into account, 3=2877
- Pikus, G. E. and Bir, G. L. The effect of deformation on the energy spectrum and electrical properties of p-type germanium and silicon, 0=587
- Pikus, G. E. and Bir, G. L. The effect of deformation on the energy spectrum of holes in germanium and silicon, 0=11694
- Pikus, G. E. and Bir, G. L. The influence of deformation on the electrical properties of p-type germanium and silicon, 0=13596
- Pikus, G. E. and Bir, G. L. Cyclotron and paramagnetic resonance in strained crystals, 1=6097
- Pikus, G. E. and Bir, G. L. Cyclotron and paramagnetic resonance in deformed crystals, 1=10178
- Pikus, G. E. and Bir, G. L. Cyclotron and paramagnetic resonance in deformed crystals, 1=11472
- Pikus, G. E. and Bir, G. L. Piezoresistance effects in crystals of PbS and PbTe type, 3=15592
- Pikus, G. E. and Fiks, V. B. Electrokinetic effects in liquid metals. I, 0=5268
- Pikus, G. E. and Fiks, V. B. The analysis of micro-impurities with a magnetic-resonance mass spectrometer. II. Calculation of the noise current, 1=12682
- Pikus, G. E., Skvortsov, N. S. and Yur'ev, V. G. Measurement of electron mobility according to the variation of plasma resistance in a magnetic field, 2=9537
- Pikus, G. E., Skvortsov, N. S. and Yur'ev, V. G. Measurement of electron mobility according to the variation of plasma resistance in a magnetic field, 3=5633
- Pikus, G. E. See Bir, G. L., 1=1030
- Pikus, G. E. See Bir, G. L., 1=6142
- Pikus, G. E. See Bir, G. L., 2=18661
- Pikus, G. E. See Bir, G. L., 2=21152
- Pikus, G. E. See Bir, G. L., 2=23245
- Pikus, G. E. See Bir, G. L., 3=15594
- Pikus, G. E. See Bir, G. L., 3=17855
- Pikus, G. E. See Bir, G. L., 4=15674
- Pikus, G. E. See Bir, G. L., 4=15675
- Pikus, G. E. See Fiks, V. B., 0=4997
- Pikus, G. E. See Fiks, V. B., 0=6096
- Pikus, G. E. See Fiks, V. B., 0=14157
- Pikus, G. E. See Martsinovskii, A. M., 3=21820
- Pikus, G. E. See Mirlin, D. N., 3=22509
- Pikus, G. E. See Moizhes, B. Ya., 0=15067
- Pikus, G. E. See Normantas, E., 3=17832
- Pikus, G. E. See Zhuze, V. P., 0=2861
- Pikus, G. Ya. Investigation of the process of evaporation from oxide-coated cathodes, 1=16369
- Pikus, G. Ya. Mass spectrometer with a high-vacuum mass analyzer, 4=16556
- Pikus, H. Ya. Effect of electron bombardment on gas generation and on the thermionic emission of an oxide cathode, 1=13105
- Pil Hyon Kim. See Namba, S., 3=22008
- Pilant, W. L. See Knopoff, L., 0=12126
- Pilar, F. L. Bond-order/bond-length and bond-energy/bond-length relations for carbon-oxygen bonds, 0=17852
- Pilar, F. L. and Morris, J. R. II. Choice of parameters for the Hückel  $\pi$ -electronic structure of furan: tentative extension to pyrrole and thiophene, 1=6037
- Pilat, I. M. The type of the conductivity and the nature of the chemical bonds in CdSb, 3=25357
- Pilat, I. M., Antychuk, L. I. and Lyubchenko, A. V. Thermal conductivity of cadmium antimonide, 3=2740
- Pilat, I. M. and Anatychuk, L. I. Physical properties of some alloys of the CdSb-ZnSb system, 4=1592
- Pilat, I. M. and Anatychuk, L. I. Properties of cadmium antimonide doped with gold, 4=28555
- Pilat, I. M. and Anatychuk, L. I. Anisotropy of the thermal conductivity of cadmium antimonide, 4=30530
- Pilat, I. M., Anatychuk, L. I. and Lyubchenko, A. V. Thermal conductivity of cadmium antimonide, 2=20949
- Pilat, I. M., Borodinet, G. S., Kosyachenko, L. A. and Maiko, V. I. On some properties of the CdSb-ZnSb system, 0=18401
- Pilat, I. M., Iskra, V. D. and Shuman, V. B. Electrical properties of cadmium antimonide alloyed with indium, 0=1660
- Pilbrow, J. R. Instrument for measuring liquid flows of less than a millilitre per hour, 0=4990
- Pilcher, F., Schinke, D. and Friauf, R. J. Optical absorption of color centers in lithium fluoride containing magnesium additive, 4=15501
- Pilcher, M. L. See Barber, P. B., 4=18923



- Pilecki, S. The motion of vacancies under fatigue loads and the problem of evaluation of the probability of vacancy meetings, 4=4036
- Pilecki, S. A tentative probabilistic explanation of the formation of fatigue micro-cracks, 4=4450
- Pilet, S.C. Note concerning an equation in E.W. Brown's lunar theory, 3=13857
- Pilgunov, L.N. See Morosov, P.M., 3=7646
- Pil'gunov, L.N. See Morozov, P.M., 3=24377
- Pilie, R.J. See Rogers, R.R., 3=18508
- Pilipenko, D.V. and Fogel', Ya.M. Electron capture and loss by fast hydrogen atoms passing through molecular gases, 2=14182
- Pilipenko, D.V. and Fogel', Ya.M. Electron capture and loss by fast hydrogen atoms passing through molecular gases, 3=6342
- Pilipenko, D.V. and Fogel', Ya.M. Electron loss and capture by fast atoms in their passage through molecular gases, 4=463
- Pilipenko, D.V. See Fogel', Ya.M., 0=7079
- Pilipenko, Yu.K. See Buyanov, R.A., 2=9469
- Pilipenko, Yu.K. See Buyanov, R.A., 2=17706
- Pilipenko, Yu.K. See Zel'dovich, A.G., 2=7467
- Pilipenko, Yu.K. See Zel'dovich, A.G., 2=17708
- Pilipovich, V.A. On the anti-stokes phosphorescence of organic substances, 1=6235
- Pilipovich, V.A. Polarization of phosphorescence in organo-phosphors, 1=17916
- Piliya, A.D. Excitation of rotational nuclear levels by charged particles, 0=9522
- Piliya, A.D. Excitation of vibrational levels in nuclei by charged particles, 0=9614
- Piliya, A.D. The nuclear interaction in the scattering of charged particles from nonspherical nuclei, 0=11392
- Piliya, A.D. On the cross-section for compound nucleus formation by charged particles, 0=11402
- Piliya, A.D. Damping of cyclotron waves in a nonuniform magnetic field, 4=14664
- Pilkington, J.D.H. Radio sources and rich clusters of galaxies, 4=29489
- Pilkington, T.C., See Artley, J.L., 3=11025
- Pilkuhn, H. Isospin for  $N + \bar{N} \rightarrow K + \bar{K} + \pi$  and similar reactions, 1=2048
- Pilkuhn, H. Recurrence relations in isospin for statistical weights, 1=13460
- Pilkuhn, H. a model for  $K^0/K^+$  branching ratios for  $\Sigma$  production in high energy  $\pi^-p$  collisions, 1=13476
- Pilkuhn, H. Charge branching ratios for peripheral meson-nucleon collisions, 2=5633
- Pilkuhn, H. Differences between cross-sections in the multi-peripheral model, 2=22599
- Pilkuhn, H. Theoretical studies in antinucleon annihilation structures, 3=4386
- Pilkuhn, H. Heavy mesons in antinucleon annihilation, 3=6081
- Pilkuhn, H. Perturbation theory of antinucleon annihilation, 3=7844
- Pilkuhn, H. Nucleon-antinucleon potential and three-pion annihilation at rest, 4=6036
- Pilkuhn, H. See Jackson, J.D., 4=25120
- Pilkuhn, H. See Joseph, J., 4=20353
- Pilkuhn, M. On recombination noise of germanium single crystals in the range of extrinsic semiconductivity, 1=8944
- Pilkuhn, M. Fluctuations during the formation of impact ionization avalanches in Ge single crystals between  $5^\circ$  and  $10^\circ K$ , 1=8945
- Pilkuhn, M. Low temperature  $1/f$  noise in germanium single crystals, 3=4912
- Pilkuhn, M. Electronic fluctuations in semiconductor single crystals, 3=4913
- Pilkuhn, M., Rupprecht, H. and Woodall, J. Continuous stimulated emission from GaAs diodes at  $77^\circ K$ , 4=5877
- Pilkuhn, M. See Ainslie, N., 4=7183
- Pilkuhn, M. See Lautz, G., 0=11684
- Pilkuhn, M. See Lautz, G., 1=1054
- Pilkuhn, M. See Lautz, G., 3=853
- Pilkuhn, M.H. Slow surface relaxation of germanium, 4=4149
- Pilkuhn, M.H. Study of gallium arsenide surfaces, 4=12893
- Pilkuhn, M.H. and Rupprecht, H. Diffusion problems related to GaAs injection lasers, 4=22613
- Pilkuhn, M.H. and Rupprecht, H. Light emission from GaAs  $P_{1-x}$  diodes, 4=24919
- Pilla, A.A. See Bonnemay, M., 3=8969
- Pillai, M.G.K. and Cleveland, F.F. Potential energy constants, rotational distortion constants, and calculated thermodynamic properties for some planar XYZ<sub>2</sub> molecules, 1=13986
- Pillai, M.G. Krishna. See Krishna Pillai, M.G.
- Pillai, P.K.C. See Ramakrishna, V., 3=16839
- Piller, H. Electron effective mass in gallium antimonide determined by Faraday rotation measurements, 3=12936
- Piller, H. and Patton, V.A. Interband Faraday effect in aluminium antimonide, germanium, and gallium antimonide, 3=8586
- Piller, H. and Potter, R.F. Faraday rotation near the band edge of silicon, 2=23534
- Pillet, G. Contribution to the study of ionospheric absorption at a fixed frequency. II, 1=4120
- Pillet, G. Anomalies in the measurement of ionospheric absorption, 3=5866
- Pillinger, W.L., Hentges, J.J. and Blair, J.A. Tritium decay energy, 1=554
- Pillow, M.E. and Rogers, A.J. Some factors affecting the decay rate of the Lewis-Rayleigh afterglow in nitrogen, 3=24244
- Pillow, M.E. and Rowlett, A.L. Intensities in the triplet system of CO bands, 0=9812
- Pillow, M.E. and Smallwood, S.E.F. Intensity ratios in a  $v'$  progression of the second positive system of N<sub>2</sub>, 2=20812
- Pillow, M.E. and Smith, B.E. Some investigations of the nitric oxide afterglow, 3=24245
- Pil'nik, G.P. Determination of the position of the collimation line, 0=18594
- Pil'nik, G.P. Collimation errors in astronomical observations, 1=17987
- Pil'nik, G.P. The origin of  $\Delta\alpha$  errors, 2=21683
- Pilod, P. A stable current source for a laboratory electromagnet, 0=15109
- Pilod, P. and Sonier, F. Electron sources with high brilliance, 2=3067
- Pilon, A.M. Phosphorescence of solid nitrogen, 0=4456
- Pilot, J. See Bornkessel, K., 1=20784
- Pilowski, K. Concerning an objection by R. Kurth about my statements about the mass-luminosity relationship, 4=15914
- Pilpel, N. A guide to techniques for rheological measurements, 4=8182
- Pilsäter, U. See Hulthén, E., 0=7757
- Pil'schikov, A.I., Dunaev, N.M. and Sedletskaia, N.S. Magnetostatic oscillations of magnetization in a hollow ferrite cylinder, 3=3131
- Pil'schikov, A.I., Slovokhotova, Z.D. and Bazaron, U.B. Dependence of the resonance field in ferrite monocrystals on temperature and sample dimensions, 2=16929
- Pil'schikov, A.I., Slovokhotova, Z.D. and Bazaron, U.B. Dependence of the resonance field in ferrite monocrystals on temperature and sample dimensions, 2=18935
- Pil'schikov, A.I. See Krivchenkov, V.D., 3=1173
- Pilyankevich, A.N. Resolving power of titanium replicas used in electron microscopy, 0=3290
- Pilyankevich, A.N. Scattering of electrons by light atoms, 0=11504
- Pilyankevich, A.N. The question of electron scattering in the electron microscope, 0=11505
- Pilyankevich, A.N. Calculation of the characteristics of inelastic scattering of medium-energy electrons, 1=5979
- Pilyankevich, A.N. Calculation of the characteristics of inelastic scattering of medium-energy electrons, 1=11081
- Pilyankevich, A.N. Some regularities in the elastic scattering of medium-energy electrons, 1=20495
- Pilyankevich, A.N. On the calculation of cross sections for inelastic electron scattering, 4=25548
- Pilyankevich, A.N. See Vyatskin, A.Ya., 2=17891
- Pilyankevich, A.N. See Vyatskin, A.Ya., 2=20035
- Pilyankevich, A.N. See Vyatskin, A.Ya., 4=4032
- Pilz, F. The technology of the present-day television charge storage tubes, orthicon and superorthicon, supericonoscope, vidicon, 1=7091
- Pimbley, W.T. Optical properties of thin adsorbed films on metal surfaces undergoing stress, 3=4962
- Pimbley, W.T. and Francis, E.E. Effect of temperature on the exoemission of electrons from abraded aluminum surfaces, 1=13098
- Pimbley, W.T. and Müller, E.W. A search for polarization of field emitted electrons, 2=5368
- Pimbley, W.T. See Ku, T.C., 1=5489
- Pimenov, M.I. See Vasil'ev, R.D., 4=6085



- Pimenov, Yu.V. The plane problem of the diffraction of electromagnetic waves by two ideally conducting [infinitely thin] strips of finite width, located one below the other, 0=7225
- Pimenov, Yu.V. The plane problem of diffraction of electromagnetic waves by an ideally conducting strip of finite width, 0=11052
- Pimenov, Yu.V. See Grinberg, G.A., 0=9208
- Pimentel, G.C., Bulandin, M.O. and Van Thiel, M. Infrared spectra of ammonia suspended in solid nitrogen, 2=4151
- Pimentel, G.C. See Baldeschwieler, J.D., 0=21286
- Pimentel, G.C. See Brocklehurst, B., 2=12637
- Pimentel, G.C. See Ewing, G.E., 0=5930
- Pimentel, G.C. See Ewing, G.E., 1=14600
- Pimentel, G.C. See Goldfarb, T.D., 0=13723
- Pimentel, G.C. See Hall, R.T., 3=16159
- Pimentel, G.C. See Leroy, G.E., 4=20039
- Pimentel, G.C. See Milligan, D.E., 3=3402
- Pimentel, G.C. See Moore, C.B., 3=17600
- Pimentel, G.C. See Moore, C.B., 4=9756
- Pimentel, G.C. See Moore, C.B., 4=10204
- Pimentel, G.C. See Moore, C.B., 4=15365
- Pimentel, G.C. See Van Thiel, M., 0=3320
- Pimonow, L. Contribution to the study of the problem of the tonal selectivity of the ear, 1=1609
- Pimonow, L. Use of the synthetic word in auditory correction, 3=3682
- Pimoshin, A.A. See Komel'kov, V.S., 4=478
- Pimsner, V. and Cserveny, I. On the method of determining the humidity in two phases, by heating moist gas, 3=7252
- Pin Tsun'-Tsin. See Vysochanskii, M., 2=19860
- Pinaev, V.S. Some neutrino pair-production processes in stars, 4=4855
- Pinaev, V.S. See Gandel'man, G.M., 0=11141
- Pinaeva, G.V. The isentrope of matter at high temperatures, 4=14469
- Pinajian, J.J. The exchange transfer reaction  $Al^{27}(N^{14}, Mg^{27})O^{14}$ , 0=17610
- Pinajian, J.J. See Harling, O.K., 4=1024
- Pinard, J., Thomas, F., Weinryb, E. and Philibert, J. Device for the formation of an electron image using the Castaing microprobe, 3=21015
- Pinard, J. See Bouchareine, P., 4=29363
- Pinard, J. See Connes, P., 2=11492
- Pinard, J. See Connes, P., 2=15740
- Pinard, P. See Bernard, R., 0=1763
- Pinard, P. See Bernard, R., 1=1463
- Pinard, P. See Davoine, F., 1=7725
- Pinch, H.L. and Pinto, A.A. Stress effects in evaporated Permalloy films, 4=13211
- Pinch, H.L. See Coutts, M.D., 3=20931
- Pinchak, A.C. and Zukoski, E.E. Gas phase and surface phenomena observed with a seeded plasma, 4=18814
- Pinchas, S., Halmann, M. and Stoicheff, B.P. Fundamental vibration frequencies of  $D_2O^{18}$  vapor, 0=7755
- Pinchas, S. See Laulicht, I., 4=25680
- Pincherle, L. Band structure calculations in solids, 0=20774
- Pincherle, L. Recent progress in band theory of semiconductors, 3=10746
- Pincherle, L. Band structure of semiconductors, 4=28406
- Pincherle, L. and Lee, P.M. The electronic band structure of a model of a cubic crystal, 2=2063
- Pincherle, L. and Lee, P.M. On the momentum eigenfunctions for the periodic problem, 2=20963
- Pincherle, L. and Lee, P.M. The effect of the potential on the band structure of a model of a simple cubic lattice, 2=23104
- Pincherle, L. and Papaconstantopoulos, D. On the momentum eigenfunctions for the periodic problem, 4=12665
- Pincherle, L. See Lee, P.M., 3=10627
- Pincus, A.G. See Bean, C.P., 2=22119
- Pincus, P. Excitation of spin waves in ferromagnets: eddy current and boundary condition effects, 0=10212
- Pincus, P. Theory of magnetic resonance in  $\alpha Fe_2O_3$ , 0=16153
- Pincus, P. Propagation effects on ferromagnetic resonance in dielectric slabs, 2=6684
- Pincus, P. Resonance and relaxation in ferromagnetics and antiferromagnetics, 3=3154
- Pincus, P. Correlation effect on the nuclear magnetic resonance linewidth in magnetic materials, 3=20670
- Pincus, P. Magnetic field quenching of the Suhl-Nakamura width in antiferromagnets, 4=13300
- Pincus, P. and Winter, J. Influence of magnon-phonon coupling on the low-temperature magnetic properties of an antiferromagnet, 2=755
- Pincus, P. See Grimes, C.C., 4=9934
- Pincus, P. See Heeger, A.J., 3=11108
- Pincus, P. See Loudon, R., 4=1850
- Pincus, P. See Orbach, R., 4=10340
- Pincus, P.A. See de Gennes, P.G., 2=12829
- Pincus, P.A. See de Gennes, P.G., 2=21353
- Pincus, P.A. See de Gennes, P.G., 3=8726
- Pindera, J.T. Some rheological problems associated with photoelastic measurements, 4=2624
- Pindzola, D. See Cartier, R., 0=4588
- Pine, C., Zoellner, W.G. and Rohrbaugh, J.H. Measurement of the complex index of refraction of liquids below 5 mm wavelength, 0=81
- Pine, J. and Bazin, M. Determination of the  $\gamma$ - $\pi$ - $\rho$  coupling constant from the  $\gamma$  + ratio for photoproduction from deuterium, 4=6005
- Pine, J. and Bazin, M.  $\pi^-/\pi^+$  ratio for photoproduction from deuterium, 4=6102
- Pine, J., Davisson, R.J. and Greisen, K. Momentum spectrum and positive excess of  $\mu$ -mesons, 0=13088
- Pine, J., Davisson, R.J. and Greisen, K. Implications of the high-energy meson spectrum and plus-minus ratio, 1=2119
- Pine, J. See Bazin, M.J., 4=931
- Pine, J. See Browman, A., 3=7836
- Pine, J. See Goldemberg, J., 4=1067
- Pine, J. See Gomez, R., 4=9163
- Pine, J. See Poirier, J.A., 0=3958
- Pine, J. See Yount, D., 2=16187
- Pine, J. See Yount, D., 3=2248
- Pinel, J. Optics of the deflection of a beam of high energy charged particles. II, 0=10984
- Pineo, V.C. and Briscoe, H.W. Discussion of incoherent backscatter power measurements at 440 Mc/s, 2=7767
- Pineo, V.C. and Hynek, D.P. Spectral widths and shapes and other characteristics of incoherent backscatter from the ionosphere observed at 440 megacycles per second during a 24-hour period in May 1961, 3=7720
- Pineo, V.C., Hynek, D.P. and Millman, G.H. Geomagnetic effects on the frequency spectrum of incoherent backscatter observed at 425 megacycles per second at Trinidad, 4=2268
- Pineo, V.C., Kraft, L.G. and Briscoe, H.W. Ionospheric backscatter observation at 440 Mc/s, 0=16432
- Pineo, V.C., Kraft, L.G. and Briscoe, H.W. Some characteristics of ionospheric backscatter observed at 440 Mc/s, 1=20919
- Pineo, V.C. See Millman, G.H., 4=2271
- Pines, B.Ya. A more precise evaluation of longevity of a solid under tension, 0=3155
- Pines, B.Ya. More on the theories of sintering, 0=3168
- Pines, B.Ya. Mechanism of diffusion of chemical compounds in crystals and kinetics of reactive diffusion, 0=6055
- Pines, B.Ya. The problem of directional self-diffusion in solids under the action of a temperature gradient, 2=8237
- Pines, B.Ya. The problem of oriented self-diffusion in solids in a temperature gradient, 3=2819
- Pines, B.Ya. Diffusion and the mechanical properties of solids, 3=23329
- Pines, B.Ya. Notes on the kinetics of sintering in the solid state, 4=20787
- Pines, B.Ya., Badiyan, E.E. and Khizhkovyi, V.P. Investigation of the kinetics of creep of single crystals of metals and alloys at high temperatures, 4=7440
- Pines, B.Ya. and Chaikovskii, E.F. The effect of plastic deformation of nickel on the rate of diffusion in the nickel-sulphur system, 1=983
- Pines, B.Ya. and Chaikovskii, E.F. Does plastic deformation accelerate or slow down diffusion in metals? 2=8250
- Pines, B.Ya. and Chaikovskii, E.F. Investigation of the recrystallization kinetics of cold-deformed iron, 2=8851
- Pines, B.Ya. and Chaikovskii, E.F. Do plastic deformations accelerate or retard diffusion in metals? 2=23210
- Pines, B.Ya. and Chaikovskii, E.F. Investigation of the kinetics of recrystallization in cold-deformed iron, 2=23888
- Pines, B.Ya., Chaikovskii, E.F. and Kaluzhina, N.V. Dislocation and diffusion phenomena in recrystallization of deformed copper, 0=15855
- Pines, B.Ya. and Den Ge Sen [Teng Ko Seng]. Investigation of internal friction in sintered materials. V. Low temperature effects due to plastic deformation, 1=9084
- Pines, B.Ya. and Den Ge Sen [Teng Ko Seng]. Investigation of internal friction of sintered substances. III. The effects of plastic deformation, 1=9085



- Pines, B. Ya. and Grebennik, I. P. A new crystalline phase in thin films of Fe-Ni alloys, 0=14013
- Pines, B. Ya. and Grebennik, I. P. High-temperature electron diffraction apparatus with three magnetic lenses and an evaporation chamber, 2=8900
- Pines, B. Ya. and Grebennik, I. P. An electron-diffraction study of hetero-diffusion in the Ge-Si system, 3=22808
- Pines, B. Ya., Grebennik, I. P. and Smushkov, I. V. Electron and X-ray diffraction measurements of the hetero-diffusion coefficients in the Ni-Cr system, 1=12402
- Pines, B. Ya. and Gumen, N. M. An X-ray study of cobalt ferrite subjected to thermomagnetic treatment, 3=13264
- Pines, B. Ya. and Gumen, N. M. X-ray determination of the magnetostriction constants of iron-cobalt ferrites, 4=26337
- Pines, B. Ya. and Ivanov, I. G. "Aftereffect" in metal specimens which were subjected to diffusion creep at high temperatures, 0= 16224
- Pines, B. Ya. and Ivanov, I. G. Diffusion spreading and the phenomenon of reactive condensation, 0=17972
- Pines, B. Ya. and Ivanov, I. G. Mechanical properties of alloys of the copper-nickel system at high temperatures, 3=15996
- Pines, B. Ya., Ivanov, I. G. and Smushkov, I. V. Partial diffusion and self-diffusion coefficients of alloys of the copper-nickel system, 2=21059
- Pines, B. Ya., Ivanov, I. G. and Smushkov, I. V. Partial diffusion and self-diffusion coefficients of alloys of the copper-nickel system, 3=6532
- Pines, B. Ya. and Kuznetsova, R. I. Change in submicroporosity in electrolytic metal films on heating and under load, 1=20670
- Pines, B. Ya. and Kuznetsova, R. I. Variation of submicroscopic porosity in electrodeposited iron films after annealing under a load, 2=19108
- Pines, B. Ya. and Kuznetsova, R. I. Variation of submicroscopic porosity in electrodeposited iron films after annealing under a load, 2=23916
- Pines, B. Ya., Kuznetsova, R. I. and Dubovik, M. F. Formation of submicroporosity in composite electrolytic films of the Cu-Ni system on heating and under load, 3=23510
- Pines, B. Ya. and Sirenko, A. F. Temperature dependence of the mechanical properties and time-to-rupture characteristics of metalloceramic bodies, 0=1866
- Pines, B. Ya. and Sirenko, A. F. The dependence of lifetime under load on applied stress for sintered specimens of iron in the alpha- and gamma-phases, 0=8126
- Pines, B. Ya. and Sirenko, A. F. The question of the conditions of reversibility of the rupture process in metals under load, 0=11982
- Pines, B. Ya. and Sirenko, A. F. Self-diffusion and heterodiffusion in non-homogeneous porous bodies. III. Occurrence of the Frenkel and Kirkendall effects in the sintering of specimens of powder mixtures of mutually diffusing metals, 0=12070
- Pines, B. Ya. and Sirenko, A. F. The calculated and empirical values of the lifetime of metals and alloys under load, 0=16223
- Pines, B. Ya. and Sirenko, A. F. The mechanism of fracture of metals in creep, 1=3992
- Pines, B. Ya. and Sirenko, A. F. A correlation between the rate of creep and the lifetime of a metal under load, 1=6461
- Pines, B. Ya. and Sirenko, A. F. The mechanism of fracture of metals in creep, 1=9095
- Pines, B. Ya. and Sirenko, A. F. Dependence of the rate of creep and life-time under load on the composition of the metal alloy systems iron-carbon and iron-copper at high temperatures, 2=23761
- Pines, B. Ya. and Sirenko, A. F. Dependence of the rate of creep and life-time under load on the composition of the metal alloy systems iron-carbon and iron-copper at high temperatures, 3=6791
- Pines, B. Ya. and Sirenko, A. F. Derivation of the lattice distortion and spread in block size by means of harmonic analysis applied to X-ray reflections, 3=12995
- Pines, B. Ya. and Sirenko, A. F. Determination of dispersivity and lattice distortions in U-10 steel after quenching and tempering, 3=16106
- Pines, B. Ya. and Sirenko, A. F. The problem of relationships governing the kinetics of creep in metals at high temperatures, 3=18191
- Pines, B. Ya. and Sirenko, A. F. Problem of the mechanical properties of metal specimens in equilibrium and non-equilibrium states at elevated temperatures, 4=7439
- Pines, B. Ya. and Sirenko, A. F. Diffusion creep rate in metals at submelting temperatures, 4=23164
- Pines, B. Ya. and Sivochub, V. A. Structural changes in copper single crystals during creep at elevated temperatures, 1=20358
- Pines, B. Ya. and Sivochub, V. A. Structural changes in copper single crystals during creep at elevated temperatures, 2=21435
- Pines, B. Ya. and Smushkov, I. V. The coefficients of self-diffusion in alloys, 1=7551
- Pines, B. Ya. and Surovtsev, I. Ya. The problem of determining the particle size and the microdeformation in a crystal lattice from the data on the harmonic analysis of the shape of the X-ray diffraction lines, 4=15801
- Pines, D. Plasma oscillations of electron gases, 1=6093
- Pines, D. Coherent excitation of plasma oscillations in solids, 1=7565
- Pines, D. Classical and quantum plasmas, 1=9538
- Pines, D. Elementary excitations in solids, 4=9803
- Pines, D. Elements of the many-body problem, 4=11106
- Pines, D. Elementary excitations in a system of interacting bosons, with application to liquid helium II, 4=24474
- Pines, D. and Schrieffer, J. R. Collective behavior in solid-state plasmas, 1=19847
- Pines, D. and Schrieffer, J. R. Approach to equilibrium of electrons, plasmons, and phonons in quantum and classical plasma, 2=3881
- Pines, D. See Drummond, W. E., 4=8748
- Pines, D. See Drummond, W. E., 4=27550
- Pines, D. See Hugenholtz, N. M., 0=2132
- Pines, D. See Ichimaru, S., 2=11683
- Pines, D. See Miller, A., 2=19796
- Pines, D. See Wyld, H. W., Jr., 2=19937
- Pines, S. Variation of parameters for elliptic and near circular orbits, 1=4185
- Pines, S. See Morrison, J., 1=4186
- Pines, Ya. B. The kinetics of sintering in the solid phase, 1=6556
- Pingel, H. and Siekmeier, E. W. Determination of line form from the line contour of self-reversing lines. III. Confirmation of the method by direct measurements, 2=7366
- Pingel, H. See Böttger, O., 3=22514
- Pingel, H. See Böttger, O., 4=3819
- Pingel, H. See Böttger, O., 4=3820
- Pingel, H. See Böttger, O., 4=19998
- Pings, C. J. Polynomial representation of thermodynamic tables, 0=2278
- Pings, C. J. A sufficient condition for non-trivial chemical coupling, 3=11345
- Pings, C. J. and Paalman, H. H. Structure of liquid nitrogen, 2=21894
- Pings, C. J. See Honeywell, W. L., 4=27156
- Pings, C. J. See Kendig, A. P., 4=14162
- Pings, C. J. See Knobler, C. M., 4=8484
- Pings, C. J. See Paalman, H. H., 2=17434
- Pings, C. J. See Paalman, H. H., 3=18799
- Pings, C. J. See Rodriguez, S. E., 3=7669
- Pings, C. J. See Smith, B. L., 3=11147
- Pings, C. J. See Smith, B. L., 3=15647
- Pinho, A. De. See De Pinho, A.
- Pinho, A. G. De. See De Pinho, A. G.
- Pinkau, K. The development of cascades initiated by nuclear interaction, 1=13768
- Pinkau, K. The three-dimensional development of nucleonic cascades, 3=12529
- Pinkau, K. Limitations to methods of energy determination of electromagnetic cascades, 4=25225
- Pinkau, K. Significance of some cosmic ray measurements for nuclear physics, 4=25218
- Pinkau, K. and Selk, H. Radiosonde for exact measurement of air pressure and various temperature values, 4=7832
- Pinkau, K. See Bowler, M., 3=4537
- Pinkau, K. See Duthie, J., 1=3257
- Pinkau, K. See Duthie, J., 1=3258
- Pinkau, K. See Duthie, J., 2=12102
- Pinkau, K. See Duthie, J. G., 1=3364
- Pinkau, K. See Duthie, J. G., 1=3365
- Pinkau, K. See Fowler, P. H., 0=20101
- Pinkau, K. See Fowler, P. H., 1=3301
- Pinkau, K. See Fowler, P. H., 1=5803
- Pinkel, B. and Young, G. B. W. A discussion of the correlation of critical conditions for bare homogeneous reactors, 2=8023
- Pinker, R. See Halperin, A., 1=11231
- Pinkerton, J. N. See Johnson, C. S., Jr., 1=17349
- Pinkerton, P. See Gross, B., 0=10868



- Pinkhasik, M. S. See Bagdasarov, Yu. E., 4=25456
- Pinkston, E. R. See Smithson, J. R., 0=18897
- Pinkston, W. T. Shell-model theory of inelastic scattering on  $\text{Be}^9$ , 0=446
- Pinkston, W. T. Nuclear parameters of the  $\text{Be}^9(\text{d,p})\text{Be}^{10}$  reaction, 2=5960
- Pinkston, W. T. Shell theory and  $\text{Pb}^{208}$  II, 2=20517
- Pinkston, W. T. Isobaric analogue states and the shell model, 4=19648
- Pinkston, W. T. and Satchler, G. R. Collective effects in inelastic scattering, 1=8676
- Pinkston, W. T. and Satchler, G. R. Collective effects in inelastic scattering from nuclei, 1=19424
- Pinkston, W. T. and True, W. W. Two-hole two-particle levels in  $\text{Pb}^{208}$ , 3=10275
- Pinkston, W. T. See Carter, J. C., 0=17500
- Pinkston, W. T. See Warburton, E. K., 0=9531
- Pinney, J. E. and Demarsh, L. E. The study of colour reproduction by computation and experiment, 4=336
- Pinnington, E. H. The argon II spectrum enhanced by a magnetic field, 2=20744
- Pinnington, E. H. Zeeman-effect analysis of the neutral spectrum of lutetium, 3=22481
- Pinnington, E. H. Zeeman effect data for singly ionized lutetium, 3=22482
- Pinnock, P. R. and Ward, I. M. Dynamic mechanical measurements on polyethylene terephthalate, 3=8754
- Pinnow, D. A., Li Che-Yu and Spencer, C. W. Determination of thermal diffusivity by utilization of the thermoelectric effect, 2=4080
- Piñon, R. See Islam, M. M., 4=9235
- Piñon, R. See Islam, M. M., 4=19556
- Pinot, M. See Bacchella, G. L., 4=28833
- Pinsker, Z. G. International symposium on electron diffraction at the Federov session, 1959, 0=18334
- Pinsker, Z. G. Concerning disordered structures and ordering processes, 1=15027
- Pinsker, Z. G. and Abrosimova, L. N. Electron diffraction study of the isometric chromium nitride  $\text{CrN}$ , 0=14010
- Pinsker, Z. G. and Kurdyumova, R. N. Nature of the chemical bond in crystalline  $\text{LiH}$ , 0=14017
- Pinsker, Z. G. See Alieva, A. G., 2=2393
- Pinsker, Z. G. See Baranova, R. V., 4=30880
- Pinsker, Z. G. See Butorina, L. N., 1=15083
- Pinsker, Z. G. See Chou Chiang-liang, 3=13563
- Pinsker, Z. G. See Chzhou Tsein-Lyan [Chou Ching-Liang], 3=18383
- Pinsker, Z. G. See Dvoryankina, G. G., 0=14014
- Pinsker, Z. G. See Dvoryankina, G. G., 0=18344
- Pinsker, Z. G. See Khitrova, V. I., 0=14022
- Pinsker, Z. G. See Khitrova, V. I., 0=14023
- Pinsker, Z. G. See Khitrova, V. I., 1=15086
- Pinsker, Z. G. See Khitrova, V. I., 3=13462
- Pinsker, Z. G. See Li Sen-Dzhun, 1=4081
- Pinsker, Z. G. See Troitskaya, N. V., 0=12043
- Pinsker, Z. G. See Troitskaya, N. V., 2=4416
- Pinsker, Z. G. See Zhukova, L. A., 4=30853
- Pinski, G. Test for pion-pion resonance, 1=5762
- Pinski, G. Resonant statistical model of particle production, 2=13731
- Pinskii, Ya. M. Effect of collisions on the localization of electrons in a high-frequency field, 4=8673
- Pinskii, Ya. M. See Perel', V. I., 3=24227
- Pinsky, M. A. See Jordan, T. F., 2=21816
- Pinsley, E. A. Characteristics of a surface contact Hall current accelerator, 4=14729
- Pinson, E. N. Pitch-synchronous time-domain estimation of formant frequencies and bandwidths, 3=21152
- Pinson, W. E. See Bray, R., 4=4157
- Pinsonneault, L. See Hobbie, R. K., 4=11862
- Pinsonneault, L. See Norbeck, E., 0=4108
- Pintacuda, N. Do magnetic monopoles violate parity? 3=21205
- Pintar, M. Magnetic shielding transition in solid  $\text{CeF}_4$ , 4=23068
- Pintar, M. See Blinc, R., 1=17833
- Pintar, M. See Blinc, R., 1=19924
- Pintar, M. See Blinc, R., 2=2208
- Pintar, M. See Gosar, P., 4=12699
- Pintar, M. See Maricic, S., 2=14855
- Pintar, M. See Peterlin, A., 1=8856
- Pinte, R. and Simon, R. The radial oscillations and stability of cylindrical plasma, 0=5323
- Pinteau, B. and Cizeron, G. Study of the first stage of natural sintering of uranium powder in  $\beta$  and  $\alpha$  phases by isothermal dilatometry, 4=13664
- Pinteau, B. and Cizeron, G. Comparative study of allotropic transformations of sintered and massive uranium, 4=17772
- Pinter, D. The Molière multiple scattering 'constants' for a xenon bubble chamber, 3=2175
- Pinter, T. On an osmotic deviation coefficient, 2=17454
- Pinto, A. A. See Pinch, H. L., 4=13211
- Pinto, G. See Giannini, M., 4=3680
- Pinus, G. N. See Arkhangel'skii, M. E., 1=4106
- Pinus, N. Z. Statistical characteristics of the horizontal component of the wind velocity at heights of 6-12 km, 3=18502
- Pion, P. A. See Androulakis, J. G., 3=17125
- Piotrowski, E. A. See Gilbert, R. L., 0=4207
- Piotrowski, E. A. See Gilbert, R. L., 1=14008
- Piotrowski, E. A. See Palma, F. E., 4=22396
- Piotrowski, E. A. See Ziomek, J. S., 1=6016
- Piotrowski, K. Application of the kinetic theory of liquids to the study of the viscosity curves of transformer oils, 1=8094
- Piper, J. Hall effect in single-crystal  $\text{TiC}$ , 2=16684
- Piper, J. See Harris, L., 2=4153
- Piper, J. See Harris, L., 4=4252
- Piper, T. C. and Dyben, J. High temperature vacuum furnace for diffusion studies, 4=2877
- Piper, T. S. Analysis of polarized crystal spectra. The spectrum of cobalt (III) acetylacetonate, 1=17883
- Piper, T. S. Intensities and optical activity of trisoxalatometallates, 2=18796
- Piper, T. S. and Carlin, R. L. Polarized visible spectra of crystalline trisoxalatometallates: the source of intensity, 0=16067
- Piper, T. S. and Carlin, R. L. Axial crystal fields in the ionic model, 0=17870
- Piper, T. S. and Carlin, R. L. Polarized visible spectra of crystalline trisoxalatometallates, 1=19976
- Piper, T. S. and Carlin, R. L. Crystal spectrum of chromium acetylacetonate and the ligand field in trigonal coordination compounds, 2=16836
- Piper, T. S. and Drago, R. S. Spin-forbidden transition of NO observed in solution spectra, 2=1148
- Piper, T. S. and Karipides, A. Optical activity of trigonal coordination compounds, 2=23524
- Piper, T. S. and Koertge, N. Simultaneous electronic and vibrational transitions in the spectra of hydrated nickel(II) ion, 0=4415
- Piper, T. S. See Ferguson, J., 3=3027
- Piper, T. S. See Johnson, K. E., 2=17463
- Piper, T. S. See Karipides, A. G., 4=12419
- Piper, W. W. Hartree-Fock atomic wave functions from  $\text{Cu}^+$  to  $\text{Kr}^{+4}$ , 1=12241
- Piper, W. W. and Halsted, R. E. Intrinsic electrical properties of n-type  $\text{CdS}$ , 3=863
- Piper, W. W. and Marple, D. T. F. Optical properties of free electrons in  $\text{CdS}$ , 1=17864
- Piper, W. W. and Polich, S. J. Vapour-phase growth of single crystals of II-VI compounds, 1=10238
- Piper, W. W. See Halsted, R. E., 2=23593
- Pipes, L. A. The principle of complementary energy in nonlinear elasticity, 3=92
- Pipinis, P. A. A simultaneous study of photostimulated and thermostimulated luminescence and electron emission in alkali halide phosphors, 2=4167
- Pipinis, P. A. Photostimulation in alkali halide crystal phosphors, 4=1766
- Pipinis, P. A. See Levshin, V. L., 2=16846
- Pipinis, P. A. See Levshin, V. L., 2=16877
- Pipinis, P. A. See Levshin, V. L., 4=570
- Pipinis, P. A. See Shamovskii, L. M., 2=14711
- Pipkin, A. C. Electrical conductivity of partially ionized gases, 1=2790
- Pipkin, A. C. Diffusion from a slightly ionized region in a uniform flow, 1=16275
- Pipkin, A. C. Precursor waves in shock tubes, 4=270
- Pipkin, A. C. Annular effect in viscoelastic fluids, 4=29598
- Pipkin, A. C. and Rivlin, R. S. Electrical conduction in deformed isotropic materials, 0=16964
- Pipkin, A. C. and Rivlin, R. S. Galvanomagnetic and thermomagnetic effects in isotropic materials, 1=5006



- Pipkin, A.C. and Rivlin, R.S. Electrical conduction in a stretched and twisted tube, 1=10662
- Pipkin, A.C. and Rivlin, R.S. Electrical conduction in a non-circular rod, 2=2995
- Pipkin, A.C. and Rivlin, R.S. Non-rectilinear current flow in a straight conductor, 2=9515
- Pipkin, A.C. See Niiier, P.P., 4=27139
- Pipkin, A.C. See Rogers, T.G., 4=8130
- Pipkin, E.L. Amplitude-distribution analyzer, 1=10663
- Pipkin, F. See Blumenthal, R.B., 4=9473
- Pipkin, F.M., Bradley, G.E. and Simpson, R.E. Beta decay matrix elements in  $\text{As}^{76}$ , 1=19390
- Pipkin, F.M. and Lambert, R.H. Hyperfine splittings of hydrogen and tritium. II, 2=18407
- Pipkin, F.M., Sanderson, J. and Weyhmann, W. Beta-decay matrix elements in  $\text{Sb}^{22}$ , 3=10292
- Pipkin, F.M. See Anderson, L.W., 0=1482
- Pipkin, F.M. See Anderson, L.W., 0=7725
- Pipkin, F.M. See Anderson, L.W., 0=20543
- Pipkin, F.M. See Balling, L.C., 4=9654
- Pipkin, F.M. See Balling, L.C., 4=30391
- Pipkin, F.M. See Bradley, G.E., 1=12173
- Pipkin, F.M. See Frankel, S., 2=13831
- Pipkin, F.M. See Lambert, R.H., 2=22911
- Pipkin, F.M. See Lambert, R.H., 3=8188
- Pipkorn, D.N., Edge, C.K., Debrunner, P., De Pasquali, G., Drickamer, H.G. and Frauenfelder, H. Mössbauer effect in iron under very high pressure, 4=28327
- Pippard, A.B. Experimental criteria for the theory of superconductivity, 0=10834
- Pippard, A.B. Theory of ultrasonic attenuation in metals and magneto-acoustic oscillations, 1=904
- Pippard, A.B. Experimental analysis of the electronic structure of metals, 1=2383
- Pippard, A.B. Theory of ultrasonic attenuation in metals, 1=17458
- Pippard, A.B. Experimental summary [Fermi surface conference], 1=17463
- Pippard, A.B. Quantization of coupled orbits in metals, 2=23101
- Pippard, A.B. Acoustic amplification in semiconductors and metals, 3=8354
- Pippard, A.B. Commentary on a conjecture of Shoenberg's concerning the de Haas-van Alphen effect, 3=8641
- Pippard, A.B. Metals in high magnetic fields, 4=1425
- Pippard, A.B. Unsolved problems of superconductivity, 4=18527
- Pippard, A.B. Quantization of coupled orbits in metals. II. The two-dimensional network, with special reference to the properties of zinc, 4=28299
- Pippel, W. See Lange, W., 0=5008
- Pippel, W. See Lange, W., 2=21900
- Pippel, W. See Lange, W., 3=5432
- Pippig, E.E. Pressure and temperature coefficients of the electrical resistance of some rhenium alloys, 1=19831
- Pippin, J.E. and Thiess, G.H. Initial permeability processes in nickel-cobalt ferrites of various densities, 0=3083
- Pippin, J.E. See Rodrigue, G.P., 2=14804
- Piquemal, J. Application of the electrical analogy to the determination of pressure along pipes in forced characteristic vibration, 1=9436
- Piquendar, J.E., Dioeulesaint, E. and Defranould, P. Characteristics of space-charge compensated thermionic converter with a caesium plasma, 3=9714
- Piquet, A. See Déjardin, G., 4=19078
- Piragino, G. Ionization measurements of diffusion cloud-chamber tracks, 4=14986
- Piragino, G. See Argan, P.E., 1=13242
- Piragino, G. See Argan, P.E., 3=4425
- Piragino, G. See Baciu, G., 4=22106
- Piragino, G. See De Marco, A., 4=22119
- Pirano, D., Paris, C.H. and Buechner, W.W. Excited states of  $\text{P}^{32}$ , 0=13147
- Pirani, F.A.E. Gravitational waves in general relativity. IV. The gravitational field of a fast-moving particle, 0=8548
- Pirani, F.A.E. A note on Fermi coordinates, 1=4250
- Pirani, F.A.E. and Schild, A. Geometrical and physical interpretation of the Weyl conformal curvature tensor, 1=18250
- Pirani, F.A.E. See Bondi, H., 0=8547
- Pirc, R. See Bezic, N., 4=19469
- Pircher, G. Comparison of the sensitivity of radio and optical detector (receiver) systems, 3=3921
- Pircher, G. Problems of reception connected with the spatio-temporal spectrum of an electromagnetic wave, 4=19241
- Pirenne, J. Thermodynamic properties of an isotopic mixed crystal, 1=8878
- Pirenne, J. and Longe, P. Contribution of the double electron transitions to the soft X-ray emission bands of metals, 4=12687
- Pirenne, J. and Renson, P. Thermodynamic properties of the monoatomic linear chain, 2=10332
- Piret, P. See Culot, J.P., 3=6851
- Piret-Meunier, J., Léonard, A. and van Meerssche, M. Structure of dumontite, 3=16086
- Piret-Meunier, J. and van Meerssche, M. Structure of jachimovite  $\text{Cu}_2(\text{UO}_2, \text{SiO}_3)_2 \cdot 5\text{H}_2\text{O}$ , 4=7614
- Piret-Meunier, J. See Huynen, A.M., 4=7622
- Pirie, N.W. Solar wind and terrestrial oxygen, 1=20811
- Pirinchieva, R. See Kŭnev, S., 4=26037
- Pirinchieva, R. See Kŭnev, S., 1=14503
- Pirinchieva, R. See Kŭnev, S., 3=17872
- Piriou, B. and Cabannes, F. Reflection from gallium arsenide, 3=6641
- Pirkin, I.A. See Ovechkin, V.V., 4=16858
- Pirkin, I.A. See Tsenter, E.M., 0=13207
- Pirkmajer, E. See Blinc, R., 0=13453
- Pirkmajer, E. See Blinc, R., 3=18153
- Pirkmajer, E. See Blinc, R., 3=23256
- Pirlogea, P. See Bally, D., 1=7254
- Pirlogea, P. See Teutsch, H., 2=5694
- Pirlogea, P. See Teutsch, H., 2=5695
- Pirogov, V. Method of constructing a statistical model of a semiconductor rectifier, 4=28594
- Pirogova, L.B. See Shapochkin, V.A., 3=6784
- Pirogova, L.B. See Shapochkin, V.A., 3=13375
- Pirogova, L.B. See Vereschchagin, L.F., 2=23780
- Pirogova, N.I. See Gol'din, L.L., 0=13187
- Pirogova, N.I. See Tret'yakov, E.F., 0=11372
- Pirogova, N.I. See Tret'yakov, E.F., 3=8056
- Pirogova, N.V. Fine structure of absorption spectra of polycrystalline CdS films, 2=4133
- Pirogova, N.V. Reflection spectra of polycrystalline cadmium sulphide films at 77.3°K, 2=4134
- Pirogova, N.V. See Shalimova, K.V., 2=4132
- Piron, C. Lattice structure of certain quantum variables, 2=15483
- Piron, C., Gailloud, M., Rosselet, P. and Biasutti, M. Numerical evaluation of the pseudotridents production cross-section, 1=5716
- Piron, C. See Emch, G., 3=9344
- Piron, C. See Emch, G., 3=11687
- Piron, C. See Gailloud, M., 3=12446
- Piron, C. See Jauch, J.M., 4=8061
- Piron, C. See Stueckelberg, E.C.G., 2=2629
- Piron, H. See Cayrel, R., 4=4901
- Piroué, P.A. Possible existence of a  $B = 2, S = -1$  resonance, 4=30263
- Piroué, P.A. See Fitch, V.L., 2=5733
- Piroué, P.A. See Fitch, V.L., 2=14095
- Piroué, P.A. See Hendel, A.Z., 1=16924
- Piroué, P.A. See von Dardel, G., 1=2053
- Piroué, P.A. See von Dardel, G., 1=16863
- Piroué, P.A. See Von Dardel, G., 2=22592
- Pirozhkov, B.I. The measurement of sound velocity and absorption in solids, 2=19653
- Pirozhkov, B.I. Plotting of the resonance deformation curve for a piezoelectric vibrator, 4=15683
- Pirozhkov, S.V. See Baranov, S.A., 2=3490
- Pirozhkov, S.V. See Baranov, S.A., 2=3501
- Pirozhkov, S.V. See Baranov, S.A., 3=2420
- Pirozhkov, S.V. See Baranov, S.A., 3=4581
- Pirozhnaya, L.N. See Chulanovskii, V.M., 4=4697
- Pirson, A. and Wert, C. The Zener relaxation in ternary Au-Ag-Zn alloys, 2=21397
- Pirson, U.B. [Pearson, W.B.]. Review of studies of the thermoelectric properties of group I metals at low temperatures, carried out in the National Research Council Laboratories at Ottawa, 1=14526
- Pirson, U.B. [Pearson, W.B.]. Review of studies of the thermoelectric properties of group I metals at low temperatures, carried out in the National Research Council Laboratories at Ottawa, 1=17809
- Pirvu, V. See Andreescu, I., 1=2076
- Pisani, M. See Allan, T.D., 3=8995



- Pisani, M. See Gantar, C., 3=8994  
 Pisanko, A.I. See Averin, V.G., 2=170  
 Pisanko, A.I. See Averin, V.G., 2=22189  
 Pisanko, A. I. See Averin, V. G., 4=18865  
 Pisanko, P. I. See Averin, V. G., 4=14651  
 Pisarenko, N. F. See Papkov, S. F., 2=19357  
 Pisarenko, N. F. See Savenko, I. A., 1=19318  
 Pisarenko, N. F. See Savenko, I. A., 2=18210  
 Pisarenko, N. F. See Savenko, I. A., 2=18211  
 Pisarenko, N. F. See Savenko, I. A., 2=19356  
 Pisarenko, N. F. See Savenko, I. A., 2=22668  
 Pisarenko, N. F. See Savenko, I. A., 3=7961  
 Pisarenko, N. F. See Savenko, I. A., 3=22250  
 Pisarenko, N. F. See Savenko, I. A., 3=23637  
 Pisarenko, N. F. See Savenko, I. A., 3=23638  
 Pisarenko, N. F. See Savenko, I. A., 4=26979  
 Pisarenko, N. F. See Vakulov, P. V., 4=7900  
 Pisarenko, N. F. See Vernov, S. N., 1=21067  
 Pisarenko, N. F. See Vernov, S. N., 2=920  
 Pisarenko, N. F. See Vernov, S. N., 2=9028  
 Pisarenko, N. F. See Vernov, S. N., 2=11084  
 Pisarenko, N. F. See Vernov, S. N., 2=16256  
 Pisarenko, N. F. See Vernov, S. N., 2=19250  
 Pisarenko, N. F. See Vernov, S. N., 2=19252  
 Pisarenko, N. F. See Vernov, S. I., 3=9109  
 Pisarenko, N. F. See Vernov, S. N., 3=9108  
 Pisarenko, N. F. See Vernov, S. N., 3=23636  
 Pisarenko, V. F. Prebreakdown phenomena in KCl at temperatures of 250-350°C, 1=19933  
 Pisarenko, V. F. Prebreakdown phenomena in KCl at temperatures of 250°-350°C, 2=8470  
 Pisarenko, V. F. See Brekhovskikh, L. M., 1=5327  
 Pisarenko, Zh. G. and Sheinkman, M. K. Revealing dislocations in CdS single crystals by the etching method, 1=12392  
 Pisarenko, Zh. G. and Sheinkman, M. K. Revealing dislocations in CdS single crystals by the etching method, 1=14286  
 Pisarev, A. F. See Govorov, A. M., 3=2182  
 Pisarev, A. F. See Nikanorov, V. I., 2=16196  
 Pisarev, A. F. See Nikanorov, V. I., 3=6J06  
 Pisarev, A. F. See Peter, G., 3=24564  
 Pisarev, V. E. See Gryaznov, A. I., 4=627  
 Pisareva, L. P. See Viryasov, N. M., 1=4751  
 Pisareva, V. V. Fluctuations in the intensity of radio emissions scattered by coronal irregularities, 0=18648  
 Pisareva, V. V. Limits of applicability of the method of "smooth" perturbations in the problem of radiation propagation through a medium containing inhomogeneities, 0=19265  
 Pisareva, V. V. On the question of the limits of applicability of the method of smooth perturbations in the problem of propagation of radiation through a medium containing inhomogeneities, 2=1229  
 Pisareva, V. V. On the question of the limits of applicability of the method of smooth perturbations in the problem of propagation of radiation through a medium containing inhomogeneities, 2=7290  
 Pisarevskii, A. N. and Selyaninov, Yu. E. A nonoverloading amplifier with an improved pulse-time rise, 4=14552  
 Pisarevskii, A. N. and Soshin, L. D. A device for automatization of a single channel scintillation gamma spectrometer, 0=4040  
 Pisarevskii, A. N. and Soshin, L. D. Optimum conditions for photomultipliers FEU-13, 0=7143  
 Pisarevskii, A. N. and Soshin, L. D. Fast coincidence technique with slow scintillators (review), 4=16739  
 Pisarevskii, A. N., Soshin, L. D. and Firsov, E. I. Use of P-N junctions for recording nuclear radiation (survey), 3=2168  
 Pisarevskii, A. N., Soshin, L. D. and Selyaninov, Yu. E. A transistorized automatic single-channel scintillation gamma-spectrometer, 4=16856  
 Pisarevskii, A. N. See Belozerskii, G. N., 2=8586  
 Pisarevskii, A. N. See Lomonosov, I. I., 2=5522  
 Pisarevskii, A. N. See Nemilov, A., 0=4035  
 Pisarevskii, A. N. See Nemilov, Yu. A., 0=4064  
 Pisarevskii, A. N. See Nemilov, Yu. A., 0=14660  
 Pisarevskii, A. N. See Nemilov, Yu. A., 1=6258  
 Pisarevskii, A. N. See Nemilov, Yu. A., 2=3211  
 Pisarevskii, A. N. See Vyazemskii, V. O., 2=1353  
 Pisarevskii, A. N. See Vyazemskii, V. O., 2=1367  
 Pisarevskii, A. N. See Vyazemskii, V. O., 2=19858  
 Pisarevskii, A. N. See Vyazemskii, V. O., 2=22360  
 Pisarevskii, V. E. See Lebedev-Krasin, Yu. M., 4=14809  
 Pisarevskii, Yu. P. See Erkovich, S. P., 1=2334  
 Pisarevskii, Yu. V. See Erkovich, S. P., 0=15753  
 Pisarevsky, A. N. See Nemilov, Y. A., 0=3789  
 Piscalar, F. See Paetzold, H. K., 1=1504  
 Piscalar, F. See Paetzold, H. K., 1=20814  
 Piscitelli, R. A. See Blann, M., 4=9574  
 Pisent, G. Phaseshift analysis in single-channel reactions, 3=12650  
 Pisent, G. and Saruis, A. M. Elastic scattering of neutrons by  $^4\text{He}$ ,  $^{12}\text{C}$  and  $^{16}\text{O}$  nuclei. Phase shift analysis, 3=15205  
 Pisent, G. See Barducci, I., 0=14706  
 Pisent, G. See Barone, A., 0=6789  
 Pisent, G. See Demanins, F., 2=342J  
 Pisent, G. See Malaroda, R., 3=19644  
 Pisent, G. See Nardi, V., 3=13419  
 Piserchio, R. J. and Kalbach, R. M. Proton-proton collisions at 3-5 GeV, 3=2260  
 Piserchio, R. J. See Kalbach, R. M., 3=19624  
 Pisharoty, P. R. Geomagnetic disturbances associated with the nuclear explosion on July 9, 3=9133  
 Pisharoty, P. R. and Srivastava, B. J. Rise times versus magnitudes of sudden commencements of geomagnetic storms, 2=19263  
 Piskarev, E. V. See Akhmatov, A. P., 1=4628  
 Piskarev, V. I. See Kubarev, A. M., 4=16711  
 Piske, P. Identity of the statistical parameter of space irregularity and frequency irregularity in a diffuse sound-field, 3=7286  
 Piskorz, S. See Bochin, V. P., 4=12269  
 Piskorz, Sh. See Aleksandrov, Yu. A., 2=13988  
 Piskov, M. P. and Usova, I. N. Differential ionization chamber as a bremsstrahlung monitor for a synchrotron, 2=1623  
 Piskovoi, U. N. See Buimistrov, V. M., 0=13685  
 Piskovoi, V. N. Frenkel exciton in crystals of various symmetries, 2=20973  
 Piskovoi, V. N. Frenkel exciton in crystals of various symmetries, 3=2766  
 Piskovoi, V. N. Crystal optics and exciton theory, 3=17692  
 Piskovoi, V. N. Theory of permittivity, 3=17922  
 Piskovoi, V. N. Dependence of the dispersion frequencies of a crystal on the direction of propagation of light, 3=20431  
 Piskovoi, V. N. Dispersion of light in the region of exciton absorption, 3=25431  
 Piskunov, A. K., Manenkov, A. A. and Bagdasar'yan, Z. A. Paramagnetic resonance in potassium ozonide, 0=21077  
 Piskunov, A. K. See Muromtsev, V. I., 2=19841  
 Piskunov, A. K. See Muromtsev, V., 3=21993  
 Piskunov, A. K. See Shigorin, D. N., 3=962  
 Piskunov, A. K. See Shigorin, D. N., 3=25086  
 Pis'menniy, V. A. See Shafranovskii, I. I., 2=4365  
 Pismenniy, V. D., Podgorniy, I. M., and Sukever, Sh. Investigation of vacuum ultraviolet rays from a powerful pulsed discharge, 3=16931  
 Pis'menniy, V. D. See Zemtsov, Yu. K., 4=18704  
 Pissanetzky, S. See Buyle-Bodin, M., 3=25597  
 Pistol'kors, A. A., Kaplun, V. A. and Knyazeva, L. V. The diffraction of electromagnetic waves by dielectric or semiconducting sheets, 1=5592  
 Pistorius, C. A. Influence of plastic stretching on the resistivity of aluminium, 1=11252  
 Pistorius, C. W. F. T. Potential function of boric acid, 0=4180  
 Pistorius, C. W. F. T. Powder data, unit cell and space group for ferrous sulphate, 0=18357  
 Pistourius, C. W. F. T. Phase relations of some potassium compounds to very high pressures, 3=25655  
 Pistorius, C. W. F. T. and Haarhoff, P. C. Vibrational assignment and potential field of iron pentacarbonyl, 0=4188  
 Pistorius, C. W. F. T., Pistorius, M. C., Blakey, J. P. and Admiraal, L. J. Melting curve of ice VII to 200 kbar, 3=9655  
 Pistorius, C. W. F. T. See Haarhoff, P. C., 0=1501  
 Pistorius, M. C. See Pistorius, C. W. F. T., 3=9655  
 Pistunovich, V. I. Cyclotron instability of plasma in the installation "OGRA", 4=555  
 Pistunovich, V. I. and Shafranov, V. D. Cyclotron radiation by ions in plasma, 2=192  
 Pistunovich, V. I. See Bazhanova, A. E., 3=12202  
 Pistunovich, V. I. See Golovin, I. N., 2=7632  
 Pitaevskii, L. P. Superfluidity of liquid  $\text{He}^3$ , 0=7020  
 Pitaevskii, L. P. Properties of the spectrum of elementary excitations near the disintegration threshold of the excitations, 0=10816



- Pitaevskii, L.P. Attraction of small particles suspended in a liquid at large distances, 0=12113
- Pitaevskii, L.P. The form of the [energy] spectrum of elementary excitations in liquid helium II, 1=254
- Pitaevskii, L.P. Vortex lines in an imperfect Bose gas, 1=18696
- Pitaevskii, L.P. Electric forces in a transparent dispersive medium, 1=18745
- Pitaevskii, L.P. Effect of collisions on the disturbances around a body moving in a plasma, 4=506
- Pitaevskii, L.P. See Al'pert, Y. L., 4=2470
- Pitaevskii, L.P. See Dzyaloshinskii, I.E., 0=8641
- Pitaevskii, L.P. See Dzyaloshinskii, I.E., 0=10861
- Pitaevskii, L.P. See Dzyaloshinskii, I.E., 1=15706
- Pitaevskii, L.P. See Dzyaloshinskii, I.E., 2=6243
- Pitaevskii, L.P. See Gor'kov, L.P., 2=9473
- Pitaevskii, L.P. See Gor'kov, L.P., 3=196
- Pitaevskii, L.P. See Gor'kov, L.P., 3=5489
- Pitaevskii, L.P. See Gor'kov, L.P., 3=5569
- Pitaevskii, L.P. See Gurevich, A. V., 4=18798
- Pitarch, A. G. See Pérez, C. S. M., 4=8268
- Pitayevskii, L.P. Recombination of electrons in a monoatomic gas, 2=15890
- Pitayevskii, L.P. Recombination of electrons in a monoatomic gas, 3=5627
- Pitayevskii, L.P. and Kresin, V. Z. Disturbances produced by a body moving in a plasma, 1=16581
- Pitayevsky, L.P. See Ginzburg, V. L., 0=8892
- Pitayevskii, L. P. See Gurevich, A. V., 4=5607
- Pitcher, E., Buckingham, A. D. and Stone, F. G. A. Spectroscopic studies on organometallic compounds. V. Fluorine nuclear magnetic resonance spectra of some perfluoroalkyl and perfluoroacyl metal compounds, 2=2021
- Pitcher, H. H. W. The generalized heavy free gas thermalization operator, 3=22142
- Pitcher, H. H. W. The problem of reactivity and reaction-rate calculations for mixed graphite lattices, 3=22448
- Pitcher, H. H. W. See Bannerman, R. C., 4=30364
- Pither, C. M. The cusp caps of Venus, 2=13107
- Pither, C. M. The origin of the cytherean cusp caps, 3=18623
- Pithey, E. R. See Lord, P., 2=4300
- Pithey, E. R. See Lord, P., 4=13396
- Pitsch, W. The martensite transformation in thin films of iron alloys, 0=21209
- Pitsch, W. The martensite transformation in thin foils of iron-nitrogen alloys, 0=21210
- Pitsch, W. The separation of cementite in ansténite, 4=1989
- Pitsch, W. See Koritke, H., 4=15734
- Pitsch, W. See Krauss, G., 4=13517
- Pitt, C. H. and Henning, R. G. Pressure-induced growth of metal whiskers, 4=13552
- Pittelli, E. Tunnel emission into an insulating film with traps, 4=6910
- Pittelli, E. See Callen, H. B., 0=16152
- Pitteway, M. L. V. The reflexion of radio waves from a stratified ionosphere modified by weak irregularities, 0=7232
- Pitteway, M. L. V. The reflexion of radio waves from a stratified ionosphere modified by weak irregularities. II, 0=9221
- Pitteway, M. L. V. Reflexion levels and coupling regions in a horizontally stratified ionosphere, 0=19943
- Pitteway, M. L. V. and Cohen, R. A waveguide interpretation of "temperate-latitude spread F" on equatorial ionograms, 2=11065
- Pitteway, M. L. V. Wave-guide propagation inside elongated irregularities in the ionosphere, 3=7719
- Pitteway, M. L. V. Wide-angle scattering from irregularities in the troposphere or ionosphere, 3=13721
- Pitteway, M. L. V. The numerical calculation of radio wave-fields in the lower ionosphere, 3=16255
- Pitteway, M. L. V. and Hines, C. O. The viscous damping of atmospheric gravity waves, 4=7826
- Pittman, F. K. Nuclear power development in the United States, 1=884
- Pittman, C. W. See Schroeder, W., 2=11204
- Pittman, G. E. See Carr, W. N., 4=5861
- Pittman, G. E. See Carr, W. N., 4=16703
- Pittock, A. B. A twilight method of determining the vertical distribution of ozone, 1=11646
- Pittock, A. B. Determinations of the vertical distribution of ozone by twilight balloon photometry, 4=2185
- Pitts, A. E., Bronson, J. D., Belote, T. A. and Phillips, G. C. Evidence for sequential two-body decay in the  $C^{12}(d; p, n)C^{12}$  reaction, 4=3692
- Pitts, E. and Priestley, P. T. Constant sensitivity bridge for thermistor thermometers, 2=2968
- Pitts, E. and Willets, F. W. The determination of crystallite size from diffraction profiles using standard deviation as a measure of breadth, 2=4503
- Pitts, E. See Farnell, G. C., 2=602
- Pitts, E. See Herz, R. H., 4=12721
- Pitts, J. N., Jr, Sharp, J. H. and Chan, S. I. Primary process in the photolysis of nitrogen dioxide at 4047 Å and a spectroscopic-photochemical determination of the dissociation energy, 3=25833
- Pitts, J. N., Jr, Sharp, J. H. and Chan, S. I. Effects of wavelength and temperature on primary processes in the photolysis of nitrogen dioxide and a spectroscopic-photochemical determination of the dissociation energy, 4=22431
- Pitts, J. N., Jr. See Piette, L. H., 2=18476
- Pitts, J. W. Permeation rates of electrolytic hydrogen and deuterium through iron, 3=22815
- Pitts, J. W. and Moore, D. G. Development of high-temperature strain gauges, 1=14843
- Pitwell, L. R. Equations for working curves in emission spectroscopy, 2=19180
- Pitzer, K. S. and Clementi, E. Large molecules in carbon vapor, 0=509
- Pitzer, K. S. Solubility and the nature of bonding in fused alkali halide-metal systems, 2=17449
- Pitzer, K. S. and Strickler, S. J. Abnormalities in vibrational potential constants, 4=25608
- Pitzer, K. S. See Beckman, T. A., 2=1151
- Pitzer, K. S. See Clementi, E., 0=5960
- Pitzer, K. S. See Danon, F., 2=2677
- Pitzer, K. S. See Danon, F., 2=15643
- Pitzer, K. S. See Gerkin, R. E., 3=768
- Pitzer, K. S. See Gregor, L. V., 3=769
- Pitzer, K. S. See Sinanoğlu, O., 0=962
- Pitzer, K. S. See Sinanoğlu, O., 0=10370
- Pitzer, K. S. See Shelson, A., 3=22544
- Pitzer, R. M. and Hameka, H. F. Evaluation of the spin-spin interaction in benzene, 3=8290
- Pitzer, R. M., Kern, C. W. and Lipscomb, W. N. Evaluation of molecular integrals by solid spherical harmonic expansions, 2=18440
- Pitzer, R. M. and Lipscomb, W. N. Calculation of the barrier to internal rotation of ethane, 4=1293
- Pitzer, R. M. See Stevens, R. M., 3=8260
- Piuz, F. and Ghez, R. Displacement of rays in X-ray diffraction, 3=16062
- Piuz, F. See Ghez, R., 3=21271
- Piuz, F. See Ghez, R., 4=5121
- Pivavarov, L. Kh. See Koval'skii, A. E., 1=1396
- Pivovar, L. I. and Gordienko, V. I. Prebreakdown conduction between electrodes in ultra-high and high vacuum, 3=14561
- Pivovar, L. I., Novikov, M. Y. and Tubaev, V. M. Electron capture by helium ions in various gases in the 300-1500 keV energy range, 2=17792
- Pivovar, L. I., Novikov, M. I. and Tubaev, V. M. Electron capture by helium ions in various gases in the 300-1500 keV energy range, 3=5631
- Pivovar, L. I., Novikov, M. T. and Tubaev, V. M. Differential scattering cross section and charge state distribution of an argon-ion beam in single collisions with gas atoms at 250 keV-1400 keV, 4=25593
- Pivovar, L. I., Novikov, M. T. and Tubaev, V. M. The differential and integral cross-sections for the loss and capture of electrons by argon ions at 250-1400 keV, 4=16431
- Pivovar, L. I. and Tubaev, V. M. A compact electrostatic 2.5 MeV accelerator, 3=21909
- Pivovar, L. I., Tubaev, V. M. and Novikov, M. T. Compact 1.5 MeV electrostatic accelerator, 0=17054
- Pivovar, L. I., Tubaev, V. M. and Novikov, M. T. Dissociation of molecular hydrogen ions in collisions with gas molecules, 1=16266
- Pivovar, L. I., Tubaev, V. M. and Novikov, M. T. Electron loss and capture by 200-1500 keV helium ions in [various] gases, 2=22169
- Pivovar, L. I., Tubaev, V. M. and Novikov, M. T. Electron loss and capture by 200-1500 keV helium ions in [various] gases, 2=162
- Pivovarov, L. Kh., Yanshin, S. I., Semerchan, A. A. and Baskin, M. L. The effect of high pressure and temperature upon tungsten carbide, 4=22592



- Pivovarov, L.Kh. See Koval'skii, A.E., 3=16117  
 Pivovarov, S. P. See Firsov, E. P., 4=637  
 Pivovarov, V. G. Contribution of strong interactions to the photon Green function, 4=867  
 Pivovarov, V.M. Allowance for the effect of internal fields in calculation of Raman intensities, 1=2759  
 Pivovarov, V.M., Kir'yanova, L.A., Bobovich, Ya.S. and Tarkhov, G.N. Photoelectric recording of Raman spectra excited with the  $\lambda=5875$  A line from a helium lamp, 0=3619  
 Pivovarov, V. M. See Filippov, O. K., 4=24650  
 Pivovarov, V.M. See Kir'yanova, L.A., 3=1821  
 Pivovarova, N.B. Some remarks on low-energy  $\pi\pi$  scattering, 4=16941  
 Piwowski, T.R. Some semiconductive properties of dilute binary solid solutions of bismuth in tellurium and tellurium in bismuth, 0=4352  
 Piwonka, R. Luminescence of mixed crystals of calcium tungstate under X-ray excitation, 2=6597  
 Pixley, R. See Elwyn, A.J., 1=720  
 Pixley, R.E., Kane, J.V. and Wilkinson, D.H. Isotopic spin selection rules. XIII. The 6.92 MeV state of  $^{16}\text{O}$  revisited, 0=20352  
 Pixley, R.E., Kane, J.V. and Wilkinson, D.H. Rare E2 transition in  $\text{C}^{13}$ , 0=20406  
 Pixley, R.E., Szostak, R. and Gobbi, B. Excited state lifetime measurements using a pulsed beam accelerator and coincidence methods, 2=20501  
 Pixley, R.E. See Alburger, D.E., 0=17558  
 Pixley, R.E. See Alburger, D.E., 1=9830  
 Pixley, R.E. See Donovan, P.F., 1=10964  
 Pixley, R.E. See Gobbi, A., 4=22014  
 Pixley, R.E. See Gobbi, B., 2=20614  
 Pixley, R.E. See Gobbi, B., 2=5902  
 Pixley, R.E. See Gobbi, B., 4=9492  
 Pixley, R.E. See Gorodetzky, S., 4=17032  
 Pixley, R.E. See Kane, J.V., 0=17551  
 Pixley, R.E. See Kane, J.V., 0=20353  
 Pixley, R.E. See Kane, J.V., 0=20442  
 Pixley, R.E. See Miller, G.L., 1=13699  
 Pixley, R.E. See Wilkinson, D.H., 3=7986  
 Pizella, G. See Castagnoli, C., 0=17164  
 Pizells, G., McIlwain, C.E. and Van Allen, J.A. Reply to Piza, A.F.T. See Goldman, D., 2=16382  
 Pizer, H.I. The handling of data from nuclear experiments, 1=7175  
 Pizer, H.I. New pulse encoder, 2=5279  
 Pizer, H.I. A fast pulse encoder, 3=19152  
 Pizio, A.S. See Rybalka, V.V., 0=20896  
 Pizybylski, J. See Bor, J., 3=9625  
 Pizzarello, F.A. Preparation of solid solutions of GaP and GaAs by a gas phase reaction, 2=10921  
 Pizzarello, F. A. CdS thin-film formation by the method of Co-evaporation, 4=29183  
 Pizzella, G. On the inner Van Allen zone of the earth, 4=2243  
 Pizzella, G., Laughlin, C.D. and O'Brien, B.J. Note on the electron energy spectrum in the inner Van Allen belt, 2=24052  
 Pizzella, G., McIlwain, C.E. and Van Allen, J.A. Time variations of intensity in the earth's inner radiation zone, October 1959 through December 1960, 2=17206  
 Pizzella, G., McIlwain, C.E. and Van Allen, J.A. Reply to the discussion by W.N.Hess, 3=11460  
 Pizzella, G. See Ferro-Luzzi, M., 1=5722  
 Pizzella, G. See Forbush, S.E., 3=9116  
 Pizzella, G. See McIlwain, C.E., 3=18563  
 Pizzini, S. See Bertozzi, G., 2=13704  
 Pjerrou, G.M., Prowse, D.J., Schlein, P., Slater, W.E., Stork, D.H. and Ticho, H.K. Resonance in the  $(-\pi)$  system at 1.53 GeV, 2=22634  
 Pjerrou, G.M. See Cormany, D.D., 3=17347  
 Pjerrou, G.M. See Carmony, D.D., 4=25199  
 Pjerrou, G.M. See Goldhaber, S., 2=22635  
 Pjerrou, G.M. See Schlein, P.E., 3=24804  
 Placa, S.La. See La Placa, S.  
 Place, H. Rapid modulation of microwaves (S-band) on a coaxial line using ferrites, 2=1597  
 Place, H. Study of ferromagnetic relaxation by amplitude modulation of the microwave field, 4=10302  
 Place, R.L. See Fabian, B.N., 3=14836  
 Placidi, M. See Amman, F., 3=12267  
 Placidi, M. See Amman, F., 4=16582  
 Placious, R.C. See Motz, J.W., 4=3809  
 Placious, R.C. See Motz, J.W., 4=6502  
 Plagemann, H.H. Surface problems with semiconductor rectifiers, 0=9981  
 Plajner, Z., Malý, L., Eissa, N. and Benedek, A. Radioactive decay of  $\text{Os}^{191}$  and  $\text{Os}^{192\text{m}}$ , 3=10312  
 Plajner, Z., Malý, L. and Vobecký, M. The conversion electron spectra of  $\text{Lu}^{180}$  and  $\text{Lu}^{170}$ , 1=13737  
 Plajner, Z. See Malý, L., 4=25358  
 Plakhov, A.G. See Afonin, I.P., 3=19283  
 Plakhov, A.G. See Babykin, M.V., 0=3886  
 Plakhov, A.G. See Butslov, M.M., 2=19981  
 Plakhov, A. G. See Butslov, M. M., 4=21514  
 Plakhov, A.G. See Levin, G.L., 3=24361  
 Plakhov, A.G. See Zavoisky, E.K., 0=3893  
 Plakhtil, V.P. See Vasil'ev, D.M., 4=17744  
 Plakhtil, V. P. See Vasil'ev, D. M., 4=23210  
 Plakida, N.M. The spectrum of elementary excitations in a non-ideal Bose gas, 0=901  
 Plakida, N.M. Calculation of the electrical conductivity tensor, 3=8481  
 Plaksin, I.N., Belyakov, M. A. and Starchik, L. P. Possibility of a selective determination of some light elements by means of the  $(\alpha, n\gamma)$  and  $(\alpha, p\gamma)$  reaction yield variations, 4=2175  
 Plaksin, I.N., Deer, Yu.S. and Starchik, L. P. Method of preparation of low-activity Polonium  $\alpha$ -emitters, 2=20444  
 Plaksin, I. N., Malýsheva, N. G. and Starchik, L. P. The use of the bremsstrahlung from  $\beta$ -sources for inducing photonuclear reactions, 4=26772  
 Plaksin, I.N. and Shafeev, R.Sh. The effect of certain semiconductor surface properties on the reaction of xanthate with galena, 0=15953  
 Plaksin, I.N. and Starchik, L.P. Separation of minerals in a stream of ions produced by  $\alpha$ -radiation, 0=8457  
 Plaksina, K.V. See Atakhodzhaev, A.K., 0=3530  
 Planchais, M. See Lienard, P., 4=14305  
 Planchard, E., Meyer, R. and Bronner, C. Contribution to the study of the  $\alpha\gamma$  transition kinetics in Alnico 5 permanent magnet alloy, 4=23251  
 Plane, D.E. See Cundy, D.C., 2=5716  
 Plane, R. A. See Chantry, G.W., 0=4208  
 Plane, R.A. See Chantry, G.W., 0=16706  
 Plane, R.A. See Chantry, G.W., 0=17789  
 Plane, R.A. See Chantry, G.W., 1=7474  
 Plane, R.A. See Chantry, G.W., 1=17333  
 Plane, R.A. See Hester, R.E., 3=7211  
 Plane, R. A. See Hester, R. E., 4=8213  
 Plane, R.A. See Nixon, J., 3=5444  
 Planet, W. G. Spectroscopy applied to hypersonic atmospheric penetration, 4=13974  
 Planet, W.G.Jr. See Wentink, T.Jr., 1=8998  
 Planet, W.G.Jr. See Wentink, T.Jr., 1=8999  
 Plank, C.A. and Gerhard, E.R. Effect of equilibrium-line curvature on mass transfer calculations, 3=11751  
 Plank, V.G. Convection and refractive index inhomogeneities, 0=21321  
 Planker, K.J. and Kauer, E. Determination of the effective mass of current carriers in semiconductors from infrared absorption, 0=18014  
 Planner, C.W. An R. F. field stabilisation system for a linear accelerator, 4=11729  
 Plano, R., Prodell, A., Samios, N., Schwartz, M. and Steinberger, J. Parity of the neutral pion, 0=2570  
 Plano, R. See Alff, C., 3=4432  
 Plano, R. See Alff, C., 3=4433  
 Plano, R. See Eisler, F., 1=16889  
 Plano, R. See Gelfand, N., 4=9264  
 Plano, R. See Gelfand, N., 4=9266  
 Plano, R. See Samios, N.P., 2=13842  
 Plano, R.J. Momentum and asymmetry spectrum of  $\mu$ -meson decay, 0=15376  
 Plano, R.J. and Tycko, D.H. A method for the spatial reconstruction of bubble chamber tracks, 3=17137  
 Plano, R.J. See Colley, D., 3=2322  
 Plano, R. J. See Kirsch, L., 4=30269  
 Plano, R. J. See Nauenberg, U., 4=25198  
 Plansky, B. Secondary electron emission from aluminium foils in high energy beam monitors, 4=8827  
 Planta, C.van. See van Planta, C.  
 Plante, E.R. See Carrera, N. J., 4=24459  
 Plante, E.R. See Cater, E.D., 0=12095  
 Planter, J. P., Veyrie, P. and Gervat, A. Computation of the equation of state for hydrogen and methods of verification, 4=14206



- Plantevin, J. P. See Brin, A., 4=18795  
 Plantinga, G. H. The noise temperature of a plasma, 2=9596  
 Plantinga, G. H. See Hart, P. A. H., 3=4131  
 Plas, T. van der. See van der Plas, T.  
 Plaschke, G. Proposal to use a photoneutron start-up source for the triga reactor (and related types), 4=6430  
 Plashchinskaya, R. V. See Nekrashevich, I. G., 3=25845  
 Plasil, F. See Burnett, D. S., 4=19848  
 Plasil, F. See Cohen, S., 4=22211  
 Plaskett, H. H. Motions in the sun at the photospheric level.  
 VIII. Solar rotation and photospheric circulation, 0=18733  
 Plaskett, H. H. Limb darkening and solar rotation, 2=13125  
 Plaskett, J. S. and Schatz, P. N. On the Robinson and Price (Kramers-Kronig) method of interpreting reflection data taken through a transparent window, 3=9599  
 Plaskett, J. S. See Coleman, R. V., 4=10033  
 Plaskett, T. S. and Winegard, W. C. Cellular growth in tin alloys, 0=4587  
 Plaskett, T. S. and Winegard, W. C. Cell to dendrite transition in tin base alloys, 0=16338  
 Plass, G. See Giesch, M., 3=17243  
 Plass, G. N. The infrared radiation flux in the atmosphere, 0=8418  
 Plass, G. N. Selective radiators, 0=8718  
 Plass, G. N. Classical electrodynamic equations of motion with radiative reaction, 0=11016  
 Plass, G. N. Useful representations for measurements of spectral band absorption, 0=14818  
 Plass, G. N. Classical electrodynamic equations of motion with radiative reaction, 1=9669  
 Plass, G. N. Spectral band absorptance for atmospheric slant paths, 3=14339  
 Plass, G. N. Transmittance of carbon dioxide and water vapor over stratospheric slant paths, 4=23777  
 Plass, G. N. The influence of numerous low-intensity spectral lines on band absorptance, 4=24364  
 Plass, G. N. Mie scattering and absorption cross sections for aluminum oxide and magnesium oxide, 4=26175  
 Plass, G. N. and Stull, V. R. Carbon dioxide absorption for path length applicable to the atmosphere of Venus, 3=13865  
 Plass, G. N. See Stull, V. R., 0=2268  
 Plass, G. N. See Stull, V. R., 1=851  
 Plass, G. N. See Stull, V. R., 2=22978  
 Plass, G. N. See Stull, V. R., 4=11247  
 Plass, G. N. See Wyatt, P. J., 2=22939  
 Plass, G. N. See Wyatt, P. J., 4=11248  
 Plass, K. See Kuttruff, H., 2=2725  
 Plass, K.-G. Ultrasound measurements in metals in the molten state and during solidification, 4=174  
 Plassa, M. See Bray, A., 4=26502  
 Plastino, A. See Bosch, H., 3=19616  
 Plastino, A. See Bosch, H. E., 4=3569  
 Platas, O. See Silverman, J. N., 0=11481  
 Platas, O. See Silverman, J. N., 1=17286  
 Platas, O. R. Atomic electric field gradients of five-electron ions, 3=6343  
 Platé, N. A. See Kargin, V. A., 4=15842  
 Plateau, J. and Gurland, J. A mechanism for ductile fracture in metals, 3=11177  
 Plateau, J. See Crussard, C., 4=4636  
 Plateau, J. See Henry, G., 1=15146  
 Plateau, J. See Henry, G., 3=25798  
 Plateau, J. See Weinayb, E., 4=7666  
 Platikanowa, W. See Malinowski, J., 4=18440  
 Platikanowa, W. See Malinowski, J., 4=30542  
 Platkov, M. A. and Illarionov, S. V. Analytical calculation for a mechanical molecular beam selector, 3=15398  
 Platner, E. D. and Orr, J. R. Spark chamber performance in high intensity pulsed magnetic fields, 3=7751  
 Platner, E. D., Orr, J. R., Masek, G. E. and Williams, R. W. Experience with foil spark chambers in high pulsed magnetic fields, 3=19530  
 Platner, E. D. See Davis, H. F., 3=24757  
 Plato, G. One- and two-dimensional propagation of Alfvén waves in inhomogeneous magnetic fields, 4=19169  
 Platonenko, V. T. and Khokhlov, R. V. Interaction of waves in forced Raman scattering, 4=27338  
 Platonenko, V. T. and Khokhlov, R. V. The mechanism of a Raman laser, 4=16685  
 Platonov, A. K. See Enseev, T. M., 2=9119  
 Platonov, P. A. See Dubrovin, K. P., 2=23769  
 Platonov, P. A. See Pravdyuk, N. F., 2=23765  
 Platonov, V. M. See Ermakov, V. I., 2=17975  
 Platovskikh, Yu. N. Moderation of neutrons in a nonhomogeneous medium, 4=25110  
 Platt, A. See Palmer, R. G., 1=12233  
 Platt, J. R. Possible cyclic Doppler shifts from spiraling ions in astronomical spectra, 0=12287  
 Platt, J. R. On maximizing the information obtained from science examinations, written and oral, 1=2677  
 Platt, J. R. Electrochromism, a possible change of color producible in dyes by an electric field, 1=6004  
 Platter, S. See Lyons, L. A., 3=23978  
 Plattner, R., Huber, P., Poppelbaum, C. and Wagner, R. Nuclear temperatures of highly excited nuclei in the region of the magic nucleon numbers  $Z = 50$  and  $N = 82$ , 4=12126  
 Plattner, R. See Huber, P., 2=5925  
 Plattner, R. See Huber, P., 2=9867  
 Plattner, R. See Huber, P., 3=10131  
 Plattner, R. See Huber, P., 3=22395  
 Plattner, R. See Poppelbaum, C., 3=8104  
 Plattner, R. See Wagner, R., 2=7672  
 Platz, G. M. See Hersh, C. K., 0=14655  
 Platz, F. See Bohn, W. L., 4=18857  
 Platz, P. See Fucks, W., 3=1752  
 Platzman, G. W. The analytical dynamics of the spectral vorticity equation, 2=24018  
 Platzman, G. W. See Kasahara, A., 4=23745  
 Platzman, P. M. Ground-state energy of bound polarons, 2=10362  
 Platzman, P. M. and Buchsbaum, S. J. Effect of collisions on the Landau damping of plasma oscillations, 1=16355  
 Platzman, P. M. and Buchsbaum, S. J. Wave propagation along a magnetic field in a warm plasma, 3=1984  
 Platzman, P. M. and Buchsbaum, S. J. Transmission of electromagnetic waves through plasma slabs, 4=517  
 Platzman, P. M., Buchsbaum, S. J. and Tzoar, N. Light-off-light scattering in a plasma, 4=27532  
 Platzman, P. M. and Jacobs, K. C. Fermi-liquid effects in cyclotron resonance, 4=17412  
 Platzman, P. M. and Ozaki, H. T. Scattering of electromagnetic waves from an infinitely long magnetized cylindrical plasma, 0=17018  
 Platzman, P. M. and Solt, E. H. Microwave breakdown of air in nonuniform electric fields, 0=14997  
 Platzman, P. M. and Tzoar, N. Nonlinear interaction of light in a plasma, 4=29927  
 Platzman, P. M. See Feynman, R. P., 2=18557  
 Platzman, P. M. See Hellwarth, R. W., 3=2769  
 Platzman, P. M. See Iddings, C. K., 0=466  
 Platzman, P. M. See Iddings, C. K., 0=17263  
 Platzman, P. M. See McCumber, D. E., 4=509  
 Platzman, P. M. See McKenna, J., 3=9573  
 Platzman, R. L. Total ionization in gases by high-energy particles: an appraisal of our understanding, 1=16258  
 Platzman, R. L. Probability of ionization by the transfer of the energy of excited atoms to molecules, 1=16259  
 Platzman, R. L. Superexcited states of molecules, 3=4735  
 Platzman, R. L. Some remarks on the nature of ionization, ionization yields, and isotope effects in the ionization of molecules by various agencies, 3=19172  
 Platzman, R. L. See Durup, J., 2=12480  
 Platzman, R. L. See Jesse, W. P., 3=2675  
 Plauson, R. A. and Mallory, H. D. Extinction of gas-shock luminosity against transparent surfaces, 4=11295  
 Plauson, R. A. See Mallory, H. D., 3=8962  
 Plavin, I. K. See Zunde, B. Ja., 3=18023  
 Plavina, I. Z. See Levinson, I. B., 2=15756  
 Plavina, I. Z. See Levinson, I. B., 2=19733  
 Plavnik, G. M. and Rovinskii, B. M. Investigation of the sub-microscopic structure of slightly absorbing materials by a method of multiple small-angle scattering of X-rays, 1=2550  
 Plavov, V. A., Gaidukov, M. G. and Mel'nikova, V. V. Mechanism of plastic deformation during creep in alloys of aluminium with magnesium, 3=3226  
 Pleasonton, F. and Johnson, C. H. System for continuous generation and fast transfer of radioactive gases, 4=9433  
 Pleasonton, F. See Bienlein, J. K., 3=614  
 Pleasonton, F. See Carlson, T. A., 3=10182  
 Pleasonton, F. See Johnson, C. H., 4=3597  
 Pleasonton, F. See Snell, A. H., 0=4052  
 Plebanski, J. Electromagnetic waves in gravitational fields, 0=10568



- Plebański, J. On some applications of algebraical properties of skew tensors, 2=15990
- Plebański, J. Spherically symmetric worlds as embedded in a flat space, 3=1597
- Plebanski, J. Spherically symmetric worlds as embedded in a flat space, 4=2540
- Plebański, J. and Bazański, S. The general Fokker action principle and its application in general relativity theory, 0=6662
- Plebanski, J. and Ryten, J. Coordinate conditions, 1=15595
- Plebański, J. and Ryteń, J. Projection as observables, 2=2613
- Plebanski, J. See Bertotti, B., 1=1682
- Plebanski, J. See Fried, H. M., 1=5686
- Plebański, J. See Mielnik, B., 2=11259
- Plebanski, J. See Pellegrini, C., 3=23740
- Plebski, J. On algebraical properties of skew tensors, 2=15989
- Plechata, R. Elliptical polarisation at a three dimensionally loaded continuum, 4=14406
- Plechata, R. About azimuths of polarisation directions in a three dimensional continuum, 4=27340
- Plecmata, R. Stress determination from parameters of elliptically polarized light, 3=23813
- Plein, W. See Zell, W., 3=4769
- Pleiter, D. Spectral observations on a radio-frequency excited nitrogen jet, 3=22545
- Plendl, H. S. and Steigert, F. E. Low-lying energy levels in  $\text{Sc}^{41}$ , 0=4033
- Plendl, H. S. See Mehta, M. K., 4=3702
- Plendl, H. S. See Nelson, J. W., 2=1929
- Plendl, H. S. See Nelson, J. W., 2=10105
- Plendl, J. N. Center law of the lattice vibration spectra, 0=16050
- Plendl, J. N. Some new interrelations in the properties of solids based on anharmonic cohesive forces, 1=11156
- Plendl, J. N. and Gielisse, P. J. Hardness of nonmetallic solids on an atomic basis, 2=4384
- Plendl, J. N. and Gielisse, P. J. Infrared spectra of inorganic dielectric solids, 4=28349
- Plendl, J. N. See Jasperse, J. R., 4=30684
- Plenge, G. See Cremer, L., 1=211
- Plesch, R.  $\text{K}^{40}$  as calibration material for radiation measurement, 4=6257
- Plesch, R. The measurement of solid and liquid mixtures of radioactive substances, 4=19706
- Pleshakov, V. F. Determination of the parameters and phase shifts for low energy  $\pi\text{N}$ -scattering, 4=27885
- Pleshanov, A. S. Temperature variation in a free-molecular expansion into vacuum, 3=3828
- Pleshivtsev, N. V. Sputtering of copper by hydrogen ions possessing energies up to 50 keV, 0=9109
- Pleshivtsev, N. V. Measurement of current density in ion beams by means of cathode sputtering, 2=20045
- Pleshivtsev, N. V. See Yurasova, V. E., 0=10990
- Pleshko, M. P. See Khirmian, A. V., 2=12081
- Pleshko, M. P. See Khrimyan, A. V., 2=13924
- Pleshko, M. P. See Khrimyan, A. V., 3=6097
- Pleshko, M. P. See Khrimyan, A. V., 4=968
- Pleshkov, A. V. See Popov, L. E., 2=10909
- Pleshkov, A. V. See Popov, L. E., 2=15058
- Pleskov, Yu. V. Role of minority current carriers in the process of anodic dissolution of n-type Ge, 0=20895
- Pleskov, Yu. V. Electrochemical behaviour of gallium arsenide, 2=16754
- Pleskov, Yu. V. The nature of free carriers in reduction reactions on germanium cathode in aqueous solutions, 2=23966
- Pleskov, Yu. V. and Krotova, M. D. Surface conductance and photoeffects at the germanium-electrolyte interface, 3=10781
- Pleskov, Yu. V. See Krotova, M. D., 2=10474
- Pleskov, Yu. V. See Krotova, M. D., 4=7762
- Pleskov, Yu. V. See Tyagai, V. A., 2=19153
- Pleshkova, T. F. The  $\text{L}\alpha$  radiation field in planetary nebulae, 2=24155
- Plesner, I. W. Diffusion in a linear lattice, 0=15872
- Plesner, I. W. Statistical thermodynamics of spherical droplets, 4=14151
- Plesner, I. W. See Hill, T. L., 4=27087
- Pless, I. High energy physics applications of multiparameter analyzers, 4=21693
- Pless, I. See Guerriero, L., 0=19980
- Pless, I. A. See Bulos, F., 3=17130
- Pless, I. A. See Chretien, M., 2=22610
- Pless, I. A. See Chretien, M., 3=17129
- Pless, I. A. See Chrétien, M., 3=24787
- Pless, I. A. See Guerriero, L., 0=19981
- Plesset, M. S. and Hsieh, D. Y. Comments on the theory of rectified diffusion, 1=10507
- Plesset, M. S. and Hsieh Din-Yu. Theory of gas bubble dynamics in oscillating pressure fields, 1=133
- Plesset, M. S. and Hsieh Din-Yu. General analysis of the stability of superposed fluids, 4=29579
- Plesset, M. S. See Hickling, R., 4=8149
- Plesset, M. S. See Hsieh, Din-Yu, 1=4313
- Plesset, M. S. See Hsieh, Din-Yu, 1=11813
- Plesset, M. S. See Hsieh, D.-Y., 2=9277
- Plessner, K. W. and West, R. High-permittivity ceramics for capacitors, 1=7087
- Pletnev, V. D. and Temnyi, V. V. Interaction between the solar corpuscular stream and the outer geomagnetic field in the first stage of a magnetic storm, 4=2323
- Pletnev, V. D. See Ershkovich, A. I., 3=9110
- Pletneva, N. A. and Fedoseeva, N. P. The effect of temperature on the diffusion of mercury in zinc, 4=1521
- Pletnikov, A. A. See Ainutdanov, M. S., 4=6115
- Plettinger, H. A. See Marezio, M., 3=13467
- Plettinger, H. A. See Marezio, M., 3=18322
- Plettinger, H. A. See Marezio, M., 3=25724
- Plettinger, H. A. See Zachariasen, W. H., 3=13477
- Plettinger, H. A. See Zachariasen, W. H., 4=4598
- Pletyushkin, A. A. See Gorin, S. N., 4=13546
- Pleve, A. A. See Flerov, G. N., 4=6392
- Pleve, A. A. See Karamyan, A. S., 0=9650
- Pleve, A. A. See Karamyan, A. S., 1=19538
- Pleve, A. A. See Karamyan, A. S., 3=4674
- Pleve, A. A. See Polikanov, S. M., 2=16442
- Pleve, A. A. See Polikanov, S. M., 3=6315
- Pleve, A. A. See Polikanov, S. M., 3=24984
- Pliech, K. and Stranski, I. N. On the polymorphism of arsenic, 0=2815
- Pligin, Yu. S. See Kuz'min, A. A., 4=14817
- Pligin, Yu. S. See Kuz'min, A. A., 4=14817
- Pligin, Yu. S. See Vladimirovskii, V. V., 4=14839
- Pligin, Yu. S. See Vladimirovskii, V. V., 4=14840
- Pligin, Yu. S. See Vladimirovskii, V. V., 4=16600
- Plimmer, R. N. A. See Cook, G. E., 0=18877
- Plimpton, J. D. and Hammer, C. L. Large-angle pair production, 4=9181
- Plint, C. A. and Breig, M. L. Temperature dependence of light scattering in some alkali halides, 4=28712
- Plint, C. A. and Sibley, W. A. Light scattering by single crystals of potassium chloride, 3=920
- Plint, C. A. See Theimer, O., 0=11618
- Pliquett, F. The measurement of long-duration magnetic remanence aftereffect in ferrites, 1=6358
- Plishkin, Yu. M. On the shape of cracks in a microscopic model of a crystal, 0=18280
- Pliskin, W. A. and Conrad, E. E. Nondestructive determination of thickness and refractive index of transparent films, 4=13678
- Pliskin, W. A. and Conrad, E. E. A simple method for measuring the thickness and refractive index of transparent films without impairing them, 4=21004
- Pliskin, Yu. S. See Vasichev, B. N., 4=16867
- Plitz, H. See Dengel, O., 4=22775
- Pliva, J. Infrared spectra of isotopic nitrous oxides, 4=20069
- Plochocki, Z. See Kaliski, S., 2=21800
- Plochocki, Z. See Kaliski, S., 3=19420
- Ploetz, G. L. See Mistler, R. E., 4=17377
- Plokhikh, N. A. Solution of some problems in constant-current electrical prospecting, 3=3436
- Plomb, R. and Levett, W. J. M. Musical consonance and critical bandwidth, 4=15978
- Plomp, R. Hearing threshold for periodic tone pulses, 1=21120
- Plomp, R. Rate of decay of auditory sensation, 4=10966
- Plomp, R., Gravendeel, D. W. and Mimpem, A. M. Relation of hearing loss to noise spectrum, 3=21164
- Plonsky, R. Surface current measurements with an electric probe, 2=17734
- Plonus, M. A. Backscattering from a conducting cylinder with a surrounding shell, 1=373
- Plonus, M. A. Diffraction of a plane wave by a perfectly conducting sphere with a concentric shell, 2=7751
- Plonus, M. A. Application of selective mode coupling in the solution to biconical antennas, 4=3160
- Plotnaru, D. See Ivanov, E., 3=8098



- Plotninaru, D. See Ivanov, E., 4=22035  
 Plotninaru, D. See Martalogu, N., 1=7328  
 Plotninaru, D. See Martalogu, N., 2=5808  
 Plotninaru, D. See Martalogu, N., 2=5809  
 Plotnieks, J. See Saunders, M., 0=6276  
 Plotkin, H.H. See Guttwein, G.K., 1=104  
 Plotnikov, A.F., Tkachev, V.D. and Vavilov, V.S. Remanent impurity photoconductivity spectra of silicon single crystals, 3=23022  
 Plotnikov, A.F., Vavilov, V.S. and Kopylovskii, B.D. Apparatus for investigating spectra and kinetics of photoconduction in semiconducting crystals, 4=424  
 Plotnikov, A.F., Vavilov, V.S. and Smirnov, L.S. Kinetics of photoconductivity of neutron irradiated P-type silicon, 2=10536  
 Plotnikov, A.F., Vavilov, V.S. and Smirnov, L.S. Kinetics of photoconductivity of neutron irradiated P-type silicon, 2=8401  
 Plotnikov, A.F. See Akimchenko, I.P., 3=20409  
 Plotnikov, A.F. See Paramonova, R.A., 3=20410  
 Plotnikov, A.F. See Rzhano, A.V., 1=17496  
 Plotnikov, A.F. See Tkachev, V.D., 4=1687  
 Plotnikov, A.F. See Tkachev, V.D., 4=10135  
 Plotnikov, A.F. See Vavilov, V.S., 0=651  
 Plotnikov, A.F. See Vavilov, V.S., 2=651  
 Plotnikov, A.F. See Vavilov, V.S., 2=4068  
 Plotnikov, A.F. See Vavilov, V.S., 2=8396  
 Plotnikov, A.F. See Vavilov, V.S., 2=23365  
 Plotnikov, A.F. See Vavilov, V.S., 3=6590  
 Plotnikov, A.F. See Vavilov, V.S., 3=22725  
 Plotnikov, A.F. See Vavilov, V.S., 3=22764  
 Plotnikov, R.I. See Ab, E.A., 0=6427  
 Plotnikov, R.I. See Ab, E.A., 2=7875  
 Plotnikov, V.K. Choosing the shape of the poles in quadrupole lenses, 3=14671  
 Plotnikov, Yu.I. Temperature dependence of dark currents in anthracene, 3=15584  
 Plotnikov, Yu.I. and Matal'gina, Zh.I. Photo-e.m.f.'s in anthracene. I, 1=2423  
 Plotnikov, Yu. I. See Zamsha, O. I., 4=21000  
 Plotnikova, E. P. See Vinogradov, G. V., 4=23197  
 Plotnikova, M. V. See Mitrofanov, K. P., 4=15658  
 Ploughe, W.D. Elastic and inelastic scattering of alpha particles by  $N^{14}$ , 1=8775  
 Ploughe, W.D., Bleuler, E. and Tendin, D.J. Angular distributions of protons from the 19 MeV alpha-particle bombardment of  $Na^{23}$ ,  $Al^{27}$ , and  $Si^{28}$ , 2=497  
 Ploughe, W.D. See Humes, R.M., 3=12675  
 Ploughe, W.D. See Klingensmith, R. W., 4=22183  
 Pluchery, M. Contribution of crystallographic analysis using X-rays to the study of irradiation defects in graphite, 2=23844  
 Pluchery, M. and Pelissier, J. Electron diffraction by reflection on heavy metals. Influence of the state of the surface, 3=18403  
 Pluhař, Z. and Tolar, J. Transformation matrix for the isotropic harmonic oscillator eigenvectors in  $\{n_1, n_2, n_3\}$  and  $\{nlm\}$  representations, 4=24068  
 Pluhař, Z. and Úlehla, I. Perturbation theory for system of many-fermions starting from degenerate state, 4=14082  
 Plum, H. See Brun, E.A., 1=15919  
 Plumb, H. See Ambler, E., 0=19517  
 Plumb, H.H. See Cataland, G., 1=16185  
 Plumb, H.H. See Cataland, G., 2=17559  
 Plumb, H.E. See Cataland, G., 4=16308  
 Plumb, R.C. Analysis of elliptically polarized light, 0=14855  
 Plumb, R.C. Optical absorption in very thin dielectric films and its origin, 4=22830  
 Plumb, R.C. See Mertens, F.P., 3=14357  
 Plumb, R.C. See Mertens, F.P., 4=28660  
 Plumb, R.C. See Rook, H.L., 3=1364  
 Plumb, R.C. See Swaine, J.W., Jr., 2=15090  
 Plfmecke, H. See Gobrecht, H., 3=22951  
 Plumier, R. The effect of dimensions and coupling for circularly polarized magnetostatic modes in a small ferrite sphere, 1=2492  
 Plumier, R. Size effect for magnetostatic modes of the type  $(n, n, 0)$  in a ferrite cylinder, 1=11466  
 Plumier, R. Magnetostatic modes in a sphere and polarization current corrections, 2=10671  
 Plumier, R. Neutron diffraction study of the spinel  $MnV_2O_4$ , 3=5026  
 Plumier, R. Magnetostatic modes and shape effects in ferromagnetic resonance in a small ferrite sphere, 3=23211  
 Plumier, R. Neutron diffraction study of pile-up magnetic disorder in antiferromagnetic  $K_2NiF_4$ , 4=10301  
 Plumier, R. Neutron diffraction study of magnetic stacking faults in antiferromagnetic  $K_2NiF_4$ , 4=13275  
 Plumier, R. and Legrand, E. Magnetic structure of  $K_2NiF_4$ , 3=3138  
 Plumier, R. and Tardieu, A. Study of the spinel  $MgV_2O_4$  by neutron diffraction, 4=13597  
 Plumier, R. See Legrand, E., 2=12799  
 Plumier, R. See Legrand, E., 2=18916  
 Plummer, J.P. and Summerfield, G.C. Validity of the Fermi approximation in slow neutron scattering, 3=19640  
 Plumbtree, W. E. G. See Adcock, B. D., 4=12382  
 Plunkett, R. and Doolen, R.B. Reflection and transmission coefficients for stress waves in bars, 3=23964  
 Plunkett, S. See Mackenzie, K.R., 3=5754  
 Plusquellec, J., Veyssière, H., Azou, P. and Bastien, P. Determination of hydrogen diffusion parameters in iron and extra mild steel, 2=23204  
 Plust, H.G. See Gramberg, G., 3=17869  
 Pluta, P. R. Preliminary results of BWBR noise analysis, 4=19881  
 Pluta, P. R. See Brown, G.M., 3=4298  
 Pluvina, P. A comment on the preceding note, 0=15641  
 Pluvina, P. See Munsch, G., 1=6785  
 Pluvina, P. See Munsch, G., 2=12286  
 Pluvina, P. See Munsch, G., 4=22296  
 Pluym, G. See Giesch, M., 3=17243  
 Pluzhnikov, K.A. See Shuvalov, L.A., 3=13323  
 Plyasova, G.A. See Marchuk, G.I., 4=1123  
 Plyat, Sh.N. Solution of problems concerning nonstationary heat conduction of hollow cylinders by the Greenberg method (the method of finite integral transformations), 3=19041  
 Plyatsok, Z.A. See Levitskii, A.M., 2=19982  
 Plyavin', I.K. Kinetics of photo- and  $\gamma$ -luminescence in certain TI-activated alkali-halide crystals, 0=4431  
 Plyavin', I.K. and Trinkler, M.F. The kinetics of intracentre luminescence in the region of temperature quenching of the activator, 3=945  
 Plyavin', I.K. See Votol, I.K., 1=3865  
 Plyler, E.K. and Blaine, L.R. Transmittance of materials in the far infrared, 0=6167  
 Plyler, E.K., Danti, A., Blaine, L.R. and Tidwell, E.D. Vibration-rotation structure in absorption bands for the calibration of spectrometers from 2 to 16 microns, 0=6938  
 Plyler, E.K., Danti, A., Blaine, L.R. and Tidwell, E.D. Vibration-rotation structure in absorption bands for the calibration of spectrometers from 2 to 16 microns, 1=16075  
 Plyler, E.K., Hirschfeld, M.A. and Jaffe, J.H. Pressure induced shifts of infrared lines due to polar molecules, 3=8227  
 Plyler, E.K. and Thibault, R.J. Foreign gas broadening of the lines of hydrogen chloride and carbon monoxide, 3=173  
 Plyler, E.K. and Thibault, R.J. Self-broadening of carbon monoxide in the  $2\nu$  and  $3\nu$  bands, 3=19978  
 Plyler, E.K. and Tidwell, E.D. The rotational constants of hydrogen chloride, 0=15701  
 Plyler, E.K., Tidwell, E.D. and Benedict, W.S. Absorption bands of carbon dioxide from 2.8-4.2  $\mu$ , 2=20827  
 Plyler, E.K., Tidwell, E.D. and Blaine, L.R. Infrared absorption spectrum of methane from 2470 to 3200  $cm^{-1}$ , 0=15735  
 Plyler, E.K., Tidwell, E.D. and Maki, A.G. Infrared absorption spectrum of nitrous oxide ( $N_2O$ ) from 1830  $cm^{-1}$  to 2270  $cm^{-1}$ , 4=15350  
 Plyler, E.K., Tidwell, E.D. and Wiggins, T.A. Rotation-vibration constants of acetylene, 3=10531  
 Plyler, E.K., Yates, D.J.C. and Gebbie, H.A. Radiant energy from sources in the far infrared, 2=17685  
 Plyler, E.K. See Agar, D., 2=16525  
 Plyler, E.K. See Allen, H.C., Jr., 0=1513  
 Plyler, E.K. See Allen, H.C., Jr., 0=7761  
 Plyler, E.K. See Benedict, W.S., 0=4201  
 Plyler, E.K. See Blaine, L.R., 2=17617  
 Plyler, E.K. See James, T. C., 4=12444  
 Plyler, E.K. See Lafferty, W.J., 3=2637  
 Plyler, E.K. See Lafferty, W.J., 3=4766  
 Plyler, E.K. See Lafferty, W.J., 3=20007  
 Plyler, E.K. See Lafferty, W. J., 4=12478  
 Plyler, E.K. See Maki, A., 3=6406  
 Plyler, E.K. See Maki, A.G., 2=14252  
 Plyler, E.K. See Maki, A.G., 3=292  
 Plyler, E.K. See Maki, A.G., 3=19991  
 Plyler, E.K. See Maki, A. G., 4=20066



- Plyler, E.K. See Narahari Rao, K., 3=24019  
 Plyler, E.K. See Olson, W.B., 3=12855  
 Plyler, E.K. See Thibault, R.J., 3=12817  
 Plyler, E.K. See Thibault, R.J., 4=3874  
 Plyler, E.K. See Tidwell, E.D., 1=832  
 Plyler, E.K. See Tidwell, E.D., 2=14279  
 Plyler, E.K. See Wiggins, T.A., 1=17316  
 Plyugin, G.A. Methods of determining the position of the moon relative to the stars. 1=18030  
 Plyukhin, B.I. Laws of the temperature emission of the flame, 0=10810  
 Plyuta, V.E. See Grechikhin, L.I., 4=8792  
 Plyutto, A.A. Acceleration of positive ions in expansion of the plasma in a vacuum spark, 1=18789  
 Plyutto, A.A. and Kervalidze, K.N. Calculation of the radial motion of a plasma in an inductive pinch, 2=196  
 Plyutto, A.A., Ryzhkov, V.N. and Kapin, A.T. High speed plasma beams in vacuum arcs, 4=29935  
 Plyutto, A.A. See Murguliya, G.E., 2=20369  
 Plyutto, A.A. See Murguliya, G.E., 4=919  
 Plyutto, A.A. See Suladze, K.V., 4=8793  
 Pnevskii, E. See Gajewski, W., 4=28028  
 Pnevskii, T. See Gajewski, W., 4=28028  
 Pniewski, J. and Danyasz, M. A note on the  $\Delta$ He hyperfragments, 2=13975  
 Pniewski, J., Pniewski, T., Popov, S. and Zakrzewski, J. Two decays of mass seven hyperfragments and the possible biases in scanning for "hammer-like" hyperfragment decays in emulsion, 4=27950  
 Pniewski, J. See Danyasz, M., 3=22276  
 Pniewski, J. See Danyasz, M., 4=9364  
 Pniewski, J. See Danyasz, M., 4=27949  
 Pniewski, T. See Danyasz, M., 4=9364  
 Pniewski, T. See Fletcher, E.R., 3=10232  
 Pniewski, J. See Gajewski, W., 2=14099  
 Pniewski, J. See Gajewski, W., 2=20626  
 Pniewski, T. See Gajewski, W., 2=14099  
 Pniewski, T. See Gajewski, W., 2=20626  
 Pniewski, T. See Gajewski, W., 3=19853  
 Pniewski, T. See Pniewski, J., 4=27950  
 Po, C. Y. K. See Carter, G.W., 4=24798  
 Poaps, G.E. See Hay, D.R., 0=1218  
 Pobedinskaya, E.A. and Belov, N.V. Crystal structure of mordenite (Ptilolite)  $\text{Na}_8\text{Al}_6\text{Si}_6\text{O}_{36} \cdot 24\text{H}_2\text{O} = 8\text{NaAlSi}_3\text{O}_8 \cdot 3\text{H}_2\text{O}$ , 4=26674  
 Pobedonostev, L.A. See Nemilov, Yu.A., 4=3687  
 Pobegu, T. See Caillère, S., 2=17000  
 Pobell, F. See Wiedemann, W.H., 2=3817  
 Pobell, F. See Wiedemann, W.H., 4=16368  
 Poberaj, S. See Blinc, R., 2=2208  
 Poberaj, S. See Blinc, R., 3=13302  
 Poberezhskii, L. P. Measurement of velocity and electrical conductivity of an ionized gas stream, 4=29869  
 Poberovskaya, I.S. See Ioffe, V.A., 0=15942  
 Pobedonostsev, L.A. See Gustova, L.V., 3=22416  
 Pobedonostsev, L.A. See Nemilov, Yu.A., 3=2443  
 Poch, L. See Zimani, I., 1=15519  
 Pochoda, P. and Reeves, H. A revised solar model with a solar neutrino spectrum, 4=17998  
 Pochoda, P. and Schwarzschild, M. Variation of the gravitational constant and the evolution of the sun, 4=17997  
 Pochtarev, B.I. Attachment for the PRS instrument for investigating phosphors from the bombarded side, 2=16881  
 Pochtarev, B.I., Raspletin, K.K. and Fetisov, D.V. Instrument for determining the parameters of fluorescent screens, 2=16880  
 Pochtarev, B.I. See Fetisov, D.V., 3=1738  
 Pochtarev, B.I. See Kushnir, Yu.M., 3=2035  
 Pöcker, A. See Hellwege, K.H., 3=10944  
 Pócs, L. See Keszthelyi, L., 4=15170  
 Pócs, L. See Zimányi, J., 2=16426  
 Pócsik, G. On the integrals of motion of the generalized Dirac equation of Rayski, 0=6679  
 Pócsik, G. Meson-fermion PV-interaction in the Thirring model, 0=7290  
 Pócsik, G. Schwinger's equation for one-body propagator of a selfcoupled spinor field, 1=441  
 Pócsik, G. Propagators of a self-coupled spinor field in Edwards and Lieb's approximation, 1=10832  
 Pócsik, G. Many-body propagators of a self-coupled spinor field in Edwards-Lieb's approximation, 2=3247  
 Pócsik, G. Fermion self-masses and Lehmann's spectral representation, 4=9092  
 Pócsik, G. Fermion self-masses and Lehmann's spectral representation, 4=19404  
 Pócsik, G. Green's functions of vector theories, 4=24972  
 Pócsik, G. and Zawadowski, A. A field-theoretical method in the theory of superconductivity. II., 4=24484  
 Pócsik, G. See Zawadowski, A., 4=5510  
 Pócsik, G. See Zawadowski, A., 4=18533  
 Pócsa, E.F. A simple method for determination of the resolution of photographic films, 0=14860  
 Poddubnov, V.P. See Komar, A.P., 0=17619  
 Poddubnov, V.P. See Komar, A.P., 1=4855  
 Poddubnyi, I. Ya. and Grechanovskii, V.A. The variation of the sedimentation coefficient on the concentration in "ideal" solvents, 4=13747  
 Podd'yakov, V.N. See Pavlovskaya, V.S., 1=6540  
 Podgaetskii, V.M. and Chernets, A.N. Spectrophotometric study of the distribution of radiant energy in IFK-2000 and IFK-20000 flash lamps, 4=311  
 Podgaetskii, V.M., Chernets, A.N. and Korneeva, O.G. Some characteristics of a ruby laser with two reflecting prisms, 4=30097  
 Podgoretskii, M.I. See Zastavenko, L., 4=3773  
 Podgoretskii, M.I. Possibility of a new method for investigating the statistical behaviour of linear systems, 3=14040  
 Podgoretskii, M.I. Coherent interactions between high energy particles and nuclei, 3=22359  
 Podgoretskii, M.I. Resonance reflection of  $\gamma$ -rays from the surface of a crystal, 4=3970  
 Podgoretskii, M.I. A possible method of investigating hypernuclei, 4=27952  
 Podgoretskii, M.I. and Khrustalev, O.A. Interference effects in quantum transitions, 4=24073  
 Podgoretskii, M.I. and Roizen, I.I. Radiation from a nucleus in the presence of unexcited nuclei of the same type, 1=3392  
 Podgoretskii, M.I. and Stepanov, A.V. The Doppler width of emission and absorption lines, 1=18437  
 Podgoretskii, M.I. See Bannik, B.P., 0=7546  
 Podgoretskii, M.I. See Bannik, B.P., 2=3602  
 Podgoretskii, M.I. See Bannik, B.P., 3=2481  
 Podgoretskii, M.I. See Bannik, B.P., 4=16781  
 Podgoretskii, M.I. See Barit, I.Ya., 0=9523  
 Podgoretskii, M.I. See Birger, N.G., 2=3391  
 Podgoretskii, M.I. See Bogachev, N.P., 0=9354  
 Podgoretskii, M.I. See Bogachev, N.P., 0=11400  
 Podgoretskii, M.I. See Dzhanelidze, L.P., 1=19282  
 Podgoretskii, M.I. See Gol'danskii, V.I., 0=11332  
 Podgoretskii, M.I. See Gramenitskii, I.M., 0=1401  
 Podgoretskii, M.I. See Grishin, V.G., 0=13109  
 Podgoretskii, M.I. See Grishin, V.G., 4=3472  
 Podgoretskii, M.I. See Kopylov, G.I., 2=1670  
 Podgoretskii, M.I. See Kopylova, D.K., 0=9690  
 Podgoretskii, M.I. See Kopylova, D.K., 0=13003  
 Podgoretskii, M.I. See Kopylova, D.K., 3=24774  
 Podgoretskii, M.I. See Kopylova, D.K., 4=27842  
 Podgoretskii, M.I. See Lyubimov, V.B., 4=937  
 Podgoretskii, M.I. See Lyuboshits, V.L., 4=27903  
 Podgoretskii, M.I. See Ogievetskii, V.I., 3=2319  
 Podgoretskii, M.I. See Ogievetskii, V.I., 3=15031  
 Podgoretskii, M.I. See Okonov, E.O., 2=13876  
 Podgoretskii, M.I. See Okonov, E.O., 3=6073  
 Podgoretskii, M.I. See Van Gan-ghan [Wang Kang-ch'ang], 3=2302  
 Podgoretskii, M.I. See Van Shu-fen., 1=19182  
 Podgoretskii, M.J. See Vishky, T., 2=1684  
 Podgoretskii, M.J. See Vishky, T., 2=22512  
 Podgoretskii, M.I. See Zastavenko, L.G., 1=19599  
 Podgoretsky, M.I. See Lyubimov, V.B., 3=7901  
 Podgornaya, L.M. See Nagornaya, L.L., 4=16735  
 Podgornyi, I.M. and Sumarokov, V.N. The injection of plasmoids into a magnetic trap with a field which increases towards the periphery, 1=9590  
 Podgornyi, I.M. and Sumarokov, V.I. Plasma trapping in a radially increasing magnetic field, 3=12149  
 Podgornyi, I.M. and Sumarokov, V.N. Investigation of the behaviour of a plasma in a magnetic trap with an axial current (N system), 4=21528  
 Podgornyi, I.M. See Artsimovich, L.A., 0=5317  
 Podgornyi, I.M. See Koval'skii, N.G., 0=19650  
 Podgornyi, I.M. See Kovalskii, N.G., 3=12148  
 Podgornyi, I.M. See Lukyanov, S.Yu., 0=5540  
 Podgornyi, I.M. See Luk'yanov, S.Yu., 0=15009  
 Podgornyi, I.M. See Luk'yanov, S.Yu., 1=18884



- Podgornyi, I.M. See Luk'yanov, S.Yu., 2=9603  
 Podgornyi, I.M. See Luk'yanov, S.Yu., 2=15923  
 Podgornyi, I.M. See Pismenniy, V.D., 3=16931  
 Podgornyi, I.M. See Zemtsov, Yu. K., 4=18704  
 Podgurskaya, A.V. See Grigorov, N.L., 1=3265  
 Podgurski, H.H. and Davis, F.N. A precision McLeod gage for volumetric gas measurement, 1=15978  
 Podgurski, H.H. and Davis, F.N. Thermal transpiration at low pressure. The vapor pressure of xenon below 90-K, 2=1175  
 Podgurski, Ya. See Chernevski, M., 4=6437  
 Podgurski, Ya. See Podgorski, J.  
 Podkopaev, Yu.N. See Artamonova, K.P., 1=17063  
 Podkopaev, Yu.N. See Dzhelepov, B.S., 0=9602  
 Podkopaev, Yu.N. See Dzhelepov, B.S., 2=14026  
 Podkopaev, Yu. N. See Vitman, V.D., 4=22066  
 Podkuiko, T.S. See Sýrkin, L.N., 3=20614  
 Podlaha, M. On the basic laws of reaction kinetics, 1=15191  
 Podlaha, M. The reaction kinetic description of processes in an alkaline metal solution in liquid ammonia, 2=2447  
 Podlaseck, S. Liquid-nitrogen-cooled induction heat source for vacuum studies, 4=26496  
 Podlaseck, S. See Kramer, I.R., 3=13340  
 Podlesny, G.G. See Demirkhanov, R.A., 3=7522  
 Podlesnyi, G.G. See Alikhanov, S.G., 3=14592  
 Podlubnyi, L.I. On the multiple interaction in quantum field theory, 0=2494  
 Podlubnyi, L.I. The non-additivity of London-Van Der Waals forces, 0=11506  
 Podlubnyi, L. L. Production of molecular ions in slow atom collisions, 4=30397  
 Podmoshenskii, A.L. See Efremov, A.I., 2=19297  
 Podmoshenskii, A.L. See Efremov, A.I., 2=19298  
 Podmoshenskii, A.L. See Efremov, A.I., 3=9189  
 Podmoshenskii, I.V. and Shelemina, V.M. Determination of absorption of analytic spectral lines in an arc and in a spark, 0=3627  
 Podmoshenskii, I. V. See Gurevich, D. B., 4=14617  
 Podmoshenskii, I.V. See Kondrasheva, L.D., 1=2289  
 Podmoshenskii, I. V. See Ogurtsova, N. N., 4=19071  
 Podnar, P. See Blinc, R., 3=12868  
 Podol'ner, N.A. See Smazhevskaya, E.G., 2=14634  
 Podolsky, B. and Borman, G. The electromagnetic acceleration of a continuously flowing plasma, 1=16303  
 Podolsky, B. and Sherman, A. Isentropic one-dimensional magnetohydrodynamic channel flow, 1=16516  
 Podolsky, B. and Sheiman, A. Influence of tensor conductivity on end currents in crossed field M.H.D. channels with skewed electrodes, 2=9705  
 Podoshenskii, A.L. See Efremov, A.I., 3=9151  
 Podrovskii, V. L. See Patashinski, A. Z., 4=3347  
 Podurets, M.A. Collapse of a star with allowance for back pressure, 4=13032  
 Podurets, M. A. For n of the Einstein equations for spherical symmetrical motion of a continuous medium, 4=14038  
 Podurets, M. A. See Zel'dovich, Ya. B., 4=26900  
 Podushko, E. V. See Alekseev, A.G., 4=13534  
 Podvigalkin, P.M. The relationship between the photoelectric properties of an electrophotographic layer and the properties of a "longitudinal" photoresistor, 0=11728  
 Pod'yapol'skiĭ, G. S. Reflection and refraction at the boundary of two elastic media in the case of a non-rigid contact, 4=263  
 Poehler, T. O. and Abraham, D. Electric field excitation of electrons from shallow traps in CdSe thin-film triodes, 4=26087  
 Poehler, T.O. See Gilbert, G.B., 1=11590  
 Poeschel, R. L. See Knauer, W., 4=5797  
 Poyerlein, H. Low-frequency reflection in the ionosphere. I, 0=1219  
 Poyerlein, H. Low-frequency reflection in the ionosphere. II, 0=1220  
 Poyerlein, H. Propagation of electromagnetic waves in a plasma with strong magnetic field, 1=5598  
 Poyerlein, H. Resonance of the space between earth and ionosphere, 2=4631  
 Poyerlein, H. Sommerfeld-Runge law in three and four dimensions, 3=21  
 Poyerlein, H. Limit cases of electromagnetic waves in plasmas, 3=4132  
 Poyerlein, H. Space and time isotropy of wave propagation, 3=5332  
 Poyerlein, H. The plasma current density with a magnetic field, 3=24326  
 Poyerlein, H. The Sommerfeld-Runge law and geometric optics in four dimensions, 4=2806  
 Poffe, J.P. Utilization of secondary electrons to improve the extraction and focusing of a beam of Li<sup>+</sup> ions emanating from a solid source, 0=7169  
 Poffe, J. P. See Jacquinet, J., 4=18800  
 Poffe, J.P. See Waelbroeck, F., 3=12207  
 Poffé, N., Albouy, G., Bernas, R., Gusakov, M., Riou, M. and Teillac, J. (p, xn) reactions induced in gold by 155 MeV protons, 1=13804  
 Poffé, N., Albouy, G. and Gusakov, M. Use of the Orsay isotope separator for the study of spallation reactions, 3=12678  
 Poffé, N., Albouy, G., Gusakov, M. and Sarrouy, J.L. Excitation functions for (p, xn) reactions on gold between 40 and 155 MeV, 2=457  
 Poffé, N. See Albouy, G., 1=13686  
 Poffé, N. See Albouy, G., 2=1882  
 Poffé, N. See Albouy, G., 3=4642  
 Poffe, N. See Albouy, G., 3=12677  
 Poffé, N. See Albouy, G., 3=19852  
 Poffe, N. See Bellanger, L., 4=28002  
 Poffé, N. See Gusakov, M., 2=456  
 Poffé, N. See Guaskow, M., 2=1881  
 Poganski, S. See Haacke, G., 3=875  
 Pogany, G. A. See Holliday, L., 4=23198  
 Pogarskii, A.M. See Parfen'ev, R.V., 1=17623  
 Pogarskii, A.M. See Parfen'ev, R.V., 2=3990  
 Pogarskii, A.M. See Parfen'ev, R.V., 3=22953  
 Poggio, M.A. Interpretation of the fringe structure of a wave front reflected from a concave diffraction grating, 2=22059  
 Pogodaev, K.N. Temperature dependence of the electrical conductivity of diamonds, 0=15951  
 Pogodaev, K.N. and Vilutis, E.S. Temperature dependence of the X-ray luminescence and dark conductivity of Yakutsk diamonds, 2=23253  
 Pogodin, Yu. Ya., Suchkov, V.A. and Yanenko, N.N. Travelling wave equations of gas dynamics, 1=6880  
 Pogorelev, A.V. The elastic deformation of convex shells in the critical region, 1=5239  
 Pogorelov, A.V. On post-critical deformations of compressed cylindrical shells, 1=94  
 Pogorelov, A.V. Post-critical deformations of cylindrical shells under the action of external pressure, 1=15757  
 Pogorelov, A.V. Post-critical deformations of cylindrical shells under the action of external pressure, 1=18333  
 Pogorelov, A.V. Supercritical (Zakritcheshkie) deformation of cylindrical shells in torsion, 2=9218  
 Pogorelov, V.I. Radar echoes from the aurora, 0=798  
 Pogorelov, V.I. See Martel', F.E., 0=799  
 Pogorelova, T. V. See Vyrodov, V.M., 4=14554  
 Pogorel's'kiĭ, A. E. See Bartashev's'kiĭ, E. L., 4=7287  
 Pogoryelov, V. Yu. See Kondilenko, I. I., 2=18447  
 Pogorzelski, S. An asymptotic expansion of electric vector fields with complex phase function, 4=3099  
 Pogosyan, T.A. See Pogosyan, Ya.M., 4=17640  
 Pogosyan, Ya. M. [Magnetization] reversal of thin ferromagnetic films in the direction of difficult magnetization, 4=26328  
 Pogosyan, Ya.M., Egiyan, K.A. and Pogosyan, T.A. The effect of dispersion of the anisotropy direction on the behaviour of thin ferromagnetic films, 4=17640  
 Pogozhev, V.A. See Telesnin, R.V., 2=18898  
 Pogrebov, I.S. See Davidenko, V.A., 0=7576  
 Pogudina, R.V. See Polivanov, V.V., 3=1911  
 Pogudina, R.V. See Polivanov, V.V., 4=16540  
 Pogutse, O. Frequency shift during scattering of light in a relativistic plasma, 4=14668  
 Pohl, H.A. Nonuniform field effects in poorly conducting media, 0=10665  
 Pohl, H.A. Formation of liquid jets in nonuniform electric fields, 1=16240  
 Pohl, H.A. Nonuniform electric fields, 2=15861  
 Pohl, H. A. Semiconduction in polymers, 4=26068  
 Pohl, H. A., Bornmann, J. A. and Itoh, W. Studies of some semiconducting polymers, 4=22732  
 Pohl, M. A. and Engelhardt, E.H. Synthesis and characterization of some highly conjugated semiconducting polymers, 3=10837  
 Pohl, H.A., Rembaum, A. and Henry, A. Effects of high pressure on some organic semiconducting polymers, 3=852  
 Pohl, H.J. See Eckardt, A., 2=22254  
 Pohl, H.J. See Görlich, P., 0=3790  
 Pohl, H.J. See Görlich, P., 0=3791  
 Pohl, H.J. See Görlich, P., 2=5375  
 Pohl, H. J. See Görlich, P., 4=3033



- Pohl, H. J. See Görlich, P., 4=19094  
 Pohl, L. See Perkampus, H.H., 4=17611  
 Pohl, M. See Martin, H., 0=2760  
 Pohl, R. The diffusion of excess zinc in zinc oxide crystals. (Investigations concerning electrical conductivity), 0=569  
 Pohl, R.O. Influence of F centres on the lattice thermal conductivity in LiF, 0=11632  
 Pohl, R.O. Thermal conductivity and phonon resonance scattering, 2=20946  
 Pohl, R.O. The applicability of the Debye model to thermal conductivity, 4=6760  
 Pohl, R.O. Phonon-defect resonance interaction, 4=17382  
 Pohl, R.O. See Sproull, R.L., 3=22645  
 Pohl, R.O. See Walker, C.T., 3=22639  
 Pohl, R.W. Discovery of interference by Thomas Young, 0=14837  
 Pohlack, H. On some new problems of boundary optics of absorbing substances, 1=4470  
 Pohlack, H. On questions of chromaticity calculations with special reference to problems of the optics of thin films, 1=8246  
 Pohlack, H. Optics of thin films. A review of the present situation in theory and practice, 2=22041  
 Pohle, F. V. See Biot, M. A., 4=21214  
 Pohle, R. See Temkin, A., 3=8205  
 Pohle, R. See Temkin, A., 3=25067  
 Pohler, A. and Stöllner, H. A recording testmeter for refractory metal disks, 3=23490  
 Pohler, R. F. and Thompson, J. C. Electrical conductivity of concentrated sodium-ammonia solutions, 4=14183  
 Pöhlis, M. Measurements on loudspeakers, 2=15700  
 Pohlit, H. See Pohlit, W., 1=3196  
 Pohlit, W. and Pohlit, H. Radiation shielding measurements in mixed neutron fields with paraffin moderators, 1=3196  
 Pohlit, W. See Breuer, H., 2=7972  
 Pohlit, W. See Kretschko, J., 2=20026  
 Pohlman, R. Ultrasonic transmission in heated liquids, 1=8118  
 Pohlmann, G. and Ahrend, M. A simple method of evaluating electron microscope stereophotographs, 0=1945  
 Pohm, A. V., Read, A. A., Stewart, R. M., Jr and Schauer, R. F. Operation of magnetic film parametrons in the 100 to 500 Mc regions, 0=9184  
 Pohm, A. V. See Daughton, J. M., 1=7120  
 Pohn, H., Murray, B. C. and Brown, H. New applications of lunar shadow studies, 2=21700  
 Pohn, H. A. New measurements of steep lunar slopes, 4=7974  
 Pohoryelov, V. Ye. See Kondilenko, I. I., 4=24366  
 Pohoski, R. A method of measuring the fluorescence emission anisotropy of phosphors, 3=11900  
 Pohoski, R. Fluorescence and phosphorescence spectra of fluorescein in boric acid, 3=15714  
 Pohoski, R. See Grzywacz, J., 4=20502  
 Pohoski, R. See Kawski, A., 4=22937  
 Poiani, C. See Cernigoi, C., 0=17137  
 Poiani, G. and Reina, I. On large angle pair production and the limits of validity of electrodynamics, 0=2485  
 Poiani, G. See Caforio, A., 1=5780  
 Poiani, G. See Demanins, F., 2=3420  
 Poiani, G. See De Pretis, M., 0=9691  
 Poiani, G. See Malaroda, R., 3=19644  
 Poincelot, P. The exactness of the solution of a problem of diffraction or of propagation, 0=1204  
 Poincelot, P. Generalization of the condition at an edge, 0=15143  
 Poincelot, P. On the Lorentz condition, 1=3041  
 Poincelot, P. Generalization of the condition at edges, in the case of twisted curve, 1=5594  
 Poincelot, P. Generalization of the Lorentz condition, 3=24432  
 Poincelot, P. On the theory of the spherical electromagnetic radiator, 4=3133  
 Poincelot, P. On various expressions for electromagnetic energy, 4=654  
 Poincelot, P. The choice of potentials, 4=8900  
 Poincelot, P. On the choice of retarded potentials and the Lorentz condition, 4=8923  
 Poincelot, P. See Robin, L., 2=1591  
 Poincelot, P. See Robin, L., 4=5823  
 Poindexter, E. H. Overhauser effect in asphalt solutions, 0=3545  
 Poindexter, E. H. Paramagnetic relaxation in asphalt solutions, 2=2734  
 Poindexter, E. H. Double resonance and proton relaxation in asphalt solutions, 2=19582  
 Poindexter, E. H. Proton relaxation in deuterated solutions of asphalt, 4=5213  
 Poindexter, E. H. and Uebersfeld, J. Dynamic polarization in asphaltene solutions, 2=13353  
 Poindexter, E. H. and Uebersfeld, J. Dynamic polarization in asphaltene solutions, 2=19582  
 Poindexter, E. H. See Giardini, A. A., 4=20695  
 Poindexter, E. H. See Jeffries-Harris, M. J., 3=7221  
 Poindexter, H. Transition probabilities in a dipole-coupled system of protons and delocalized electrons, 4=1897  
 Poindexter, J. M. See Barnes, R. G., 4=3965  
 Poindexter, J. M. See Barnes, R. G., 4=30497  
 Poinsignon, J. See Autonès, P., 4=9028  
 Poinot, P., Gerbaux, X., Strimer, P. and Hadni, A. Grating spectrometer for the far infrared, study of barium titanate, quartz and liquid water, 2=21249  
 Point, J. J. and Franeau, J. Isotope effects in the interaction of  $\beta$ -rays with matter, 4=25063  
 Pointe, M. La. See La Pointe, M.  
 Pointon, A. J., Randell, A. G. and Subramanyam, K. N. Ferro-magnetic resonance linewidths of nickel ferrite, 4=7305  
 Pointu, P., Azou, P. and Bastien, P. Determination of the slip elements by an analysis of the asterisms of the Laue spots and the modes of deformation of beryllium at high temperatures, 1=1516  
 Pointu, P., Azou, P. and Bastien, P. Twinning of beryllium at a high temperature and recrystallization after twinning studied by an optical method and by X-rays, 2=2346  
 Pointu, P., Azou, P. and Bastien, P. Microscopic observation at high-temperature of the deformation of beryllium in the brittle state, 4=1930  
 Pointu, P. See Bastien, P., 2=4317  
 Pointu, P. See Bastien, P., 2=6836  
 Poirier, J. A., Bernstein, D. M. and Pine, J. Scattering of 200 MeV positrons by electrons, 0=3958  
 Poirier, J. A. and Pripstein, M. Test of isotopic spin conservation from an experiment limit on  $\sigma(d + d \rightarrow He^4 + \pi^0)$ , 1=9776  
 Poirier, J. A. and Pripstein, M. New limit for isotopic spin conservation in strong interactions from an experimental limit on  $\sigma(d + d \rightarrow He^4 + \pi^0)$ , 3=15046  
 Poirier, J. A. See Bowman, W. C., 2=18095  
 Poirier, J. A. See Hess, W. N., 2=17210  
 Poirier, J. A. See Hinrichs, C. K., 2=18142  
 Poirier, J. C. and DeLap, J. H. On the theory of ion pairs in solutions, 1=10511  
 Poirier, J. C. See Hoover, W. G., 2=21852  
 Poirier, J. C. See Hoover, W. G., 3=7145  
 Poirier, Y. and Robert, J. Experimental study of the setting up and of the decay of the steady motion of a cylindrical volume of conducting liquid rotating in a magnetic field, 1=4708  
 Poirier, Y. See Causse, R., 1=3044  
 Poirier, Y. See Causse, R., 2=7722  
 Poirier, Y. See Causse, R., 4=16635  
 Poirier, Y. See Causse, E., 0=11031  
 Poirier, Y. See Causse, E., 2=3140  
 Poirier, Y. See Causse, E., 3=2098  
 Poirier, Y. See Causse, E., 3=9916  
 Poirier, Y. See Causse, E., 3=12298  
 Poirier, Y. See Causse, E., 4=11769  
 Poirier, Y. See Causse, E., 4=14877  
 Poirier d'Angle d'Orsay, E. See Bonnemay, M., 3=8969  
 Poitrenaud, J. and Winter, J. M. Nuclear resonance in metallic silver, 4=13351  
 Poivilliers, J., Aurouet, C., Bougon, M. and Levi, M. Optics of liquid hydrogen bubble chambers, 3=4300  
 Pokalyakin, V. I. See Elinson, M. I., 1=17756  
 Pokalyakin, V. I. See Stepanov, G. V., 2=2182  
 Pokar, J. See Lauterjung, K. H., 3=14828  
 Pokatilov, E. P. The resonance of charge carriers produced by an ultrasonic wave, 0=9851  
 Pokatilov, E. P. Resonance absorption of high-frequency sound energy by semiconductor current carriers in a magnetic field, 0=11667  
 Pokatilov, E. P. Scattering of electrons on the acoustic modes of lattice vibrations in hexagonal crystals, 1=2376  
 Pokatilov, E. P. Scattering of electrons on the acoustic modes of lattice vibrations in hexagonal crystals, 1=4967  
 Pokhil, P. F. See Ilyukhin, V. S., 0=16776  
 Pokhil, P. F. See Zaitsev, V. M., 0=14728  
 Pokhozhaev, S. I. See Deribas, A. A., 3=118  
 Pokhozhaev, S. I. See Deribas, A. A., 3=5422  
 Pokhunkov, A. A. Mass-spectrometry investigations of the structural parameters of the earth's atmosphere at altitudes between 100 and 210 km, 2=8986



- Pokhunkov, A.A. Mass-spectrometry investigations of the structural parameters of the earth's atmosphere at altitudes between 100 and 200 km, 2=17152
- Pokhunkov, A.A. On the variation in the average molecular weight of air at night according to mass spectrometric measurements at 100-210 km, 3=3481
- Pokhunkov, A.A. On the variation in the average molecular weight of air at night according to mass-spectrometric measurements at 100-210 km, 3=21046
- Pokhunkov, A.A. Gravitational separation, composition and structural parameters of the night atmosphere at altitudes from 100 to 210 km, 3=25917
- Pokhunkov, A.A. Mass-spectrometric measurements of the distribution of  $\text{He}^+$ ,  $\text{N}^+$ ,  $\text{O}^+$ ,  $\text{NO}^+$ , and  $\text{O}_2^+$  ions in the earth's atmosphere up to a height of 430 km, 4=26839
- Pokorny, G.J. See Ayer, J.E., 1=15774
- Pokorski, R. G. See Anastasio, T.A., 4=2743
- Pokras, V.M. See Malkevich, M.S., 3=23568
- Pokrovskaya, S.V. See Rzhano, A.V., 1=14437
- Pokrovskaya, S.V. See Rzhano, A.V., 2=23330
- Pokrovskaya, V.B. See Pul'tsin, N.M., 3=20879
- Pokrovskaya-Soboleva, A.S. and Klyarfel'd, B.N. Applicability of the law of similarity to ignition of a gas discharge in hydrogen, 2=9539
- Pokrovskaya-Soboleva, A.S. and Klyarfel'd, B.N. Applicability of the law of similarity to ignition of a gas discharge in hydrogen, 3=5638
- Pokrovskii, N.L. Forms of surface tension isotherms and polytherms of metal solutions, 3=21340
- Pokrovskii, N. L., Evlanova, N. F. and Kirichenko, V. V. Effect of impurities on the polymorphous transformations in tin, 4=7515
- Pokrovskii, N.L. and Smirnova, T.G. Influence of traces of sodium and zinc on the structure and microhardness of tin, 3=3334
- Pokrovskii, N.L. and Smirnova, T.G. Simultaneous effect of zinc and sodium impurities on the microhardness and structure of a recrystallized surface layer of tin, 3=20760
- Pokrovskii, N. L. See Ibragimov, Kh. I., 4=21112
- Pokrovskii, V. See Levenberg, I., 3=15201
- Pokrovskii, V. See Zhen', De'-khov, 4=22136
- Pokrovskii, V.L. Threshold phenomena in superconductors, 1=16194
- Pokrovskii, V.L. Absorption of ultrasound in an anisotropic superconductor, 1=18202
- Pokrovskii, V.L. Thermodynamics of anisotropic superconductors, 1=18701
- Pokrovskii, V.L. and Dykhne, A.M. Decay of acoustic excitations in crystals, 1=3600
- Pokrovskii, V.L. and Khalatnikov, I.M. Superbarrier reflection of high-energy particles, 2=226
- Pokrovskii, V.L. and Khalatnikov, I.M. Superbarrier reflection of high-energy particles, 3=4210
- Pokrovskii, V.L. and Ryvkin, M.S. Effect of anisotropy on threshold phenomena in superconductors, 2=138
- Pokrovskii, V.L. and Ryvkin, M.S. Thermodynamics of anisotropic superconductors, 2=19813
- Pokrovskii, V.L. and Ryvkin, M.S. Threshold absorption of infrared waves in superconductors, 3=1898
- Pokrovskii, V.L. and Ryvkin, M.S. Effect of anisotropy on threshold phenomena in superconductors, 3=3944
- Pokrovskii, V.L. and Ryvkin, M.S. Thermodynamics of anisotropic superconductors, 3=7402
- Pokrovskii, V.L. and Savvinikh, S.K. Absorption of sound in superconducting alloys, 3=1899
- Pokrovskii, V.L. and Toponogov, V.A. Reconstruction of the energy gap in a superconductor by measurement of sound attenuation, 1=18703
- Pokrovskii, V.L., Ulinich, F.R. and Savvinikh, S.K. The theory of waveguides of variable cross-section, 0=1212
- Pokrovskii, V. L. See Bat'ev, E. G., 4=12607
- Pokrovskii, V. L. See Bat'ev, E. G., 4=27414
- Pokrovskii, V. L. See Bat'ev, E. G., 4=29822
- Pokrovskii, V.L. See Dykhne, A.M., 1=2013
- Pokrovskii, V. L. See Patashinskii, A. Z., 4=5969
- Pokrovskii, V. L. See Patashinskii, A. Z., 4=8076
- Pokrovskii, V.L. See Patashinskii, A. Z., 4=16312
- Pokrovskii, V.N. A simple derivation of the equation of state for polymer materials, 4=6682
- Pokrovskii, V.N. See Dalkhsuren, B., 3=8048
- Pokrovskii, V.N. See Kuznetsova, M. Ya., 3=6247
- Pokrovskii, V.N. See Zaitseva, N.G., 2=14001
- Pokrovskii, V.P. See Dalkhsuren, B., 2=14023
- Pokrovskii, V.V. See Kuznetsova, M. Ya., 2=16412
- Pokrovskii, V.V. See Stepanova, V.M., 1=4016
- Pokrovskii, Ya. E. and Dik, V.B. Apparatus for crystallizing silicon without using a crucible, 1=7849
- Pokrovskii, Ya. E., Kleshchevnikova, S.I. and Romyantseva, E.I. Some improvements in the method of preparing pure silicon by thermal decomposition of silane, 0=819
- Pokrovskii, Ya. E. and Svistunova, K.I. Investigation of recombination in silicon, alloyed with gallium, indium and antimony, 1=17706
- Pokrovskii, Ya. E. and Svistunova, K.I. Radiative electron capture by indium in silicon, 2=2157
- Pokrovskii, Ya. E. and Svistunova, K.I. Radiative electron capture by indium in silicon, 2=6458
- Pokrovskii, Ya. E. and Svistunova, K.I. Some features of radiative electron capture by indium and gallium atoms in silicon, 4=4169
- Pokrovskii, Ya. E. and Svistunova, K. I. Radiative capture of carriers by impurity atoms in silicon and germanium, 4=30540
- Pokrovskiy, Yu. I. See Pravdyuk, N.F., 2=18983
- Pokrovskiy, V. See Abdurazakov, A., 1=646
- Pokrovskiy, V. See Levenberg, I., 3=10351
- Pokrovskiy, V. See Levenberg, I., 4=15215
- Pokrovskiy, V. L. See Patashinskii, A. Z., 4=860
- Pokrovskiy, Y. E. and Svistunova, K. J. Recombination processes in silicon doped with Ga, In and Sb, 2=8397
- Pokusin, D.N. Electromagnetic waves in a rectangular waveguide with two ferrite plates, 3=12320
- Pol', E. Kh. See Gërlikh, P., 0=20142
- Polacco, E. See Battaglia, A., 0=5918
- Polacco, E. See Battaglia, A., 1=14019
- Polacco, E. See Battaglia, A., 3=21983
- Polacco, E. See Battaglia, A., 3=22562
- Polacco, E. See Iannuzzi, M., 4=13010
- Polacka, B. See Kawski, A., 2=9281
- Polacka, B. See Kawski, A., 2=12631
- Polacka, B. See Kawski, A., 2=19566
- Polacka, B. See Kawski, A., 3=15713
- Polacka, B. See Kawski, A., 3=21378
- Polacka, B. See Kawski, A., 3=25127
- Polacka, B. Measurement of the emission anisotropy of fluorescent solutions, 0=19394
- Polacka, B. Anomalous dependence of the emission anisotropy on the viscosity of the solution, 4=27178
- Polacka, B. See Glowacki, J., 0=2948
- Polacki, Z. On the dependence of radioluminescence efficiency on the average molecular weight of polystyrene scintillators, 3=23117
- Polacki, Z. Note on the increase in radioluminescence efficiency accompanying a decrease in average molecular weight of the polystyrene solvent, 4=27184
- Polacki, Z. See Andruszkiewicz, J., 1=16615
- Polacki, Z. See Grzywacz, J., 1=148
- Polacki, Z. See Kawski, A., 1=14645
- Polacki, Z. See Kawski, A., 2=9281
- Polak, E. J. The transition from hydrogen-burning to helium-burning in a star of 5 solar masses, 3=3594
- Polak, H. L. See Ythier, C., 0=15545
- Polák, J. and Mišek, K. Thermoelectric power of quenched platinum, 2=23486
- Polak, J. Influence of lattice imperfections on thermoelectric power of pure gold, 4=7086
- Polák, J. Change of absolute thermoelectric power of gold and platinum due to lattice defects, 4=20435
- Polák, J. See Mišek, K., 3=22893
- Polak, J. A. See Rawitscher, G. H., 4=22199
- Polak, L. S. See Aleksandrov, A. Yu., 3=15415
- Polak, L. S. See Aleksandrov, A. Yu., 3=17633
- Polak, L. S. See Aleksandrov, A. Yu., 4=28332
- Polak, L. S. See Andres, U. Ts., 4=5783
- Polak, L. S. See Morozov, E. M., 4=23109
- Poland, D. E., Green, J. W. and Margrave, J. L. Corrected optical pyrometer readings, 1=8257
- Poland, D. E. See Green, J. W., 0=14972
- Poland, D. E. See Green, J. W., 2=7561
- Polandov, I. N. Effect of hydrostatic pressure on the polymorphic transition point in the anti-ferroelectric  $\text{Pb}_2\text{MgWO}_8$ , 3=17945
- Polandov, I. N. The question of the dielectric properties of the polycrystalline solid solution  $\text{Ba}(\text{Ti}, \text{Sn})\text{O}_3$  at high pressures, 4=1662
- Polandov, I. N. See Leonidova, G. G., 3=17938



- Polandov, I.N. See Leonidova, G.G., 3=22994
- Polandov, I. N. See Leonidova, G. G., 4=18022
- Polansky, T.S., Donald, H.J. and Kinney, C.R. Structure of high-rank coals deduced from helium densities, 0=14058
- Polanyi, J.C. Energy distribution among reagents and products of atomic reactions, 0=3294
- Polanyi, J.C. Proposal for an infrared maser dependent on vibrational excitation, 1=8389
- Polanyi, J.C. and Sandowski, C.M. Reactions of sodium with active hydrogen, 2=15137
- Polanyi, J. C. Infrared chemiluminescence, 4=7747
- Polanyi, J.C. and Rosner, S.D. Energy distribution among products of exothermic reaction, 3=13593
- Polanyi, J.C. See Cashion, J.K., 1=11792
- Polanyi, J.C. See Charters, P.E., 0=19221
- Polanyi, J.C. See Getty, R.R., 2=6132
- Polanyi, J.C. See Karl, G., 3=10506
- Polanyi, J. C. See Nemeth, E. M., 4=23654
- Polanyi, M. Tacit knowing. Its bearing on some problems of philosophy, 3=7080
- Polanyi, M. L. and Hehir, R.M. New reflection oximeter, 0=8435
- Polanyi, M.L. and Hehir, R.M. In vivo oximeter with fast dynamic response, 3=3649
- Polanyi, T.G. and Watson, W.R. Gaseous optical maser with external mirrors, 3=9985
- Polanyi, T. G. and Watson, W. R. Reply to comments on "Gaseous optical maser with external mirror", 4=5849
- Polanyi, T. G. and Watson, W. R. Interferometric investigation of modes in optical gas masers, 4=14934
- Polanyi, T. G. See Bliven, C. M., 4=21595
- Polanyi, T. G. See Watson, W. R., 4=5847
- Polášek, J. Some problems in stray light measurement, 3=9581
- Polášek, J. Stray light in optical systems and its measurement, 4=309
- Polcarová, M. The effect of the vertical divergence of an X-ray beam on rocking curves of a mosaic crystal, 2=4505
- Polcarová, M. The study of the misorientation of mosaic blocks in the surface deformed Fe-Si single crystal by X-ray measurement, 2=6357
- Polcarová, M. and Lang, A.R. X-ray topographic studies of magnetic domain configurations and movements, 3=5011
- Polcarová, M. See Čáslavský, J., 4=26115
- Polchlopek, S.E. Attenuated total reflectance effects with different prisms, 4=5383
- Polder, D. and Baelde, A. Theory of noise of transistor-like devices, 3=13099
- Polder, D. and Penning, P. Anomalous transmission of X-rays in an elastically deformed non-isotropic crystal, 4=26195
- Polder, D. See Harten, H.U., 2=23261
- Polder, D. See Hooge, F. N., 4=30653
- Polder, D. See Penning, P., 2=10836
- Polenova, V. M. See Boiko, B. T., 4=20802
- Poleshuk, M. and Dowling, P.H. Microplasma breakdown in germanium, 3=25383
- Poletskii, V. E. See Timrot, D. L., 4=27353
- Poletti, G. See Fabri, G., 3=24709
- Poletti, G. See Felcher, G.P., 1=7253
- Poletti, G. See Felcher, G.P., 2=3670
- Poletti, G. See Giacchetti, G., 3=24748
- Poletti, M.J. and Gadsden, M. Observations of earth-potential gradients at the time of a high-altitude thermonuclear explosion, 3=11381
- Polev, I.M. See Amaglobeli, N.S., 0=9407
- Polev, N.M. See Kolotov, O.S., 4=16414
- Polevoi, R. M. Calculation of the efficiency of a cylindrical scintillator for broad divergent beams of gamma radiation, 3=2161
- Polevoi, R. M. and Pchelín, V.A. Measurement of beta-active specimens with an activity of  $5 \times 10^{-13}$  Curie, 2=9730
- Polevoi, R.M. See Baranov, S.A., 0=7479
- Polevoi, R.M. See Baranov, S.A., 2=16344
- Polezhaev, Yu. V. Use of experiments on varying-rate ablation to determine the thermal conductivity and other physical properties of vitreous heat-shield materials, 4=15437
- Polezhaev, Yu. V. The process of the establishment of the stationary state of melting of a viscous glassy material, 4=27371
- Polferov, E. A. See Danilov, V. I., 4=14792
- Poli, M. See Borchì, E., 4=2589
- Poliak, R.M. See Marcinkowski, M.J., 3=18080
- Poliak, R. M. See Marcinkowski, M. J., 4=10270
- Polian, G. See Lambert, G., 3=21034
- Policarpo, A.J.P.L., Phillips, W.R. and Lisle, J.C. The reaction  $C^{12}(C^{12}, \alpha)Ne^{20}$ , 1=19534
- Policarpo, A.J.P.L. See Marques, A., 2=18285
- Policec, A. See Rothenstein, B., 4=19160
- Polich, S.J. See Piper, W.W., 1=10238
- Polichar, R. See Bloom, S.D., 4=17090
- Polikanov, S. See Bzranova, G., 3=8140
- Polikanov, S.M. and Chuburkov, Yu.T. Formation of the  $Cd^{115m}$  isomer by fission of gold by heavy ions, 0=9711
- Polikanov, S.M., Druiin, V.A., Karnaukhov, V.A., Mikheev, V.L., Plevé, A.A., Skobelev, N.K., Subbotin, V.G., Ter-Akop'yan, G.M., and Fomichev, V.A. Spontaneous fission with an anomalously short period. I, 2=16442
- Polikanov, S.M., Druiin, V.A., Karnaukhov, V.A., Mikheev, V.L., Plevé, A.A., Skobelev, N.K., Subbotin, V.G., Ter-Akop'yan, G.M. and Fomichev, V.A. Spontaneous fission with an anomalously short period. I, 3=6315
- Polikanov, S.M., Vai Tun-sen [Wang T'ung-seng], Kekkh, Kh., Mikheev, V.L., Oganesyan, Yu. Ts., Plevé, A.A. and Fefilov, B.V. Formation of nuclei with an anomalous spontaneous fission period in reactions involving heavy ions, 3=24984
- Polikanov, S.M. See Bredel', V. V., 3=2166
- Polikanov, S.M. See Druiin, V.A., 0=9712
- Polikanov, S.M. See Flerov, G.N., 4=6392
- Polikanov, S.N. See Flevov, G.N., 0=7497
- Polikanov, V. S. See Gorshkov, V. G., 4=25542
- Polikarpov, V.I. See Aksenov, V.A., 3=4594
- Polikarpov, V.I. See Zhernobin, E.A., 4=3610
- Polikarpova, I. P. See Aganova, E. V., 4=13484
- Polinski, L.M. See Naphtali, L.M., 3=20936
- Polis, B.D. See Sever, R.J., 2=24222
- Polissar, M. J. and Rapaport, E. A mathematical pulsatile model of the human heart. Application to analysis of indicator curves, 3=3644
- Polisset, J.C. See Giralt, G., 1=7662
- Polítov, N. See Andronikashvili, E., 4=10352
- Polítov, N.G. The complex nature of the F-band in KCl crystals, 1=17575
- Politycki, A. Magnetic properties of electrolytically prepared Permalloy layers with uniaxial anisotropy, 2=14790
- Politycki, A. and Fuchs, E. Electrolytic preparation of films of iron of thickness 20 to 50 Å, 0=739
- Politycki, A. and Gotthard, H. Influence of preparation conditions on the magnetic properties of electrolytically produced layers of permalloy, 2=14793
- Politycki, A. See Fuchs, E., 2=8640
- Polivanov, K.M. and Frumkin, A.L. Thin magnetic films in present-day physics and technology, 2=20088
- Polivanov, K.M. and Frumkin, A.L. Differential susceptibility of thin magnetic films with uniform rotation of magnetization, 3=23170
- Polivanov, K. M. and Frumkin, A. L. Torsional vibration method of measuring the magnetic moment of thin magnetic films, 4=22944
- Polivanov, K.M., Rodichev, A.M. and Ignatchenko, V.A. The influence of the parameters of ferromagnetics on measurement of Barkhausen effect, 1=10147
- Polivanov, M. K. and Koruzhi, S.S. Spectral representations in the quasi-optical approach, 4=11932
- Polivanov, M.K. See Medvedev, B.V., 2=258
- Polivanov, M.K. See Medvedev, B.V., 2=22434
- Polivanov, M.K. See Medvedev, B.V., 3=563
- Polivanov, M. K. See Zav'yalov, O. I., 4=5971
- Polivanov, V.V., Il'in, V.V., Izyurov, A.V., Pogudina, R.V. and Pyatakov, N.I. A power pack for an electron microscope type UEMV-100, 4=16540
- Polivanov, V.V., Pogudina, R.V. and Il'in, V.V. Power supply for a microscope with a resolution of 5 Å, 3=1911
- Polivanov, V.V. See Stoianov, P.A., 2=1508
- Polk, C. and Fitch, F. Schumann resonances of the earth-ionosphere cavity — extremely low frequency reception at Kingston, R.I., 2=16066
- Polk, R.G. See Alford, W.L., 3=17441
- Polke, M. Space-charge limited photocurrents in thin films of hexagonal selenium, 4=20432
- Polke, M., Stuke, J. and Vinarický, E. Space-charge limited currents in hexagonal Se crystals, 4=1619
- Polke, M. See Lotthammer, R., 4=10133
- Polkinghorne, J.C. High-energy nuclear physics Conference, 0=19959
- Polkinghorne, J.C. Analyticity and unitarity, 2=7825
- Polkinghorne, J.C. Analyticity and unitarity. II, 2=22426
- Polkinghorne, J.C. Anomalous thresholds in unitary theories, 3=4311
- Polkinghorne, J.C. Complex angular momenta and unitarity in crossed channels, 3=5949



- Polkinghorne, J.C. High-energy behavior in perturbation theory, 3=12414
- Polkinghorne, J.C. Cancelling cuts in the Regge plane, 3=12428
- Polkinghorne, J.C. Singularities of Regge trajectories and asymptotes to Landau curves, 4=3353
- Polkinghorne, J.C. High-energy behavior in perturbation theory. II, 4=3357
- Polkinghorne, J.C. Production processes and moving Regge cuts, 4=9148
- Polkinghorne, J.C. The complete high-energy behavior of ladder diagrams in perturbation theory, 4=11948
- Polkinghorne, J.C. Fermion Regge trajectories in perturbation theory, 4=27877
- Polkinghorne, J.C. and Salam, A. On the possible existence of doubly strange heavy mesons, 0=15421
- Polkinghorne, J.C. and Screaton, G.R. The analytic properties of perturbation theory. I, 0=12878
- Polkinghorne, J.C. and Screaton, G.R. The analytic properties of perturbation theory. II, 0=12879
- Polkinghorne, J.C. and Taylor, J.C. Feinberg-Pais equation for the trace of ladder diagrams, 4=16816
- Polkinghorne, J.C. See Eden, R.J., 1=7213
- Polkinghorne, J.C. See Eden, R.J., 1=16696
- Polkinghorne, J.C. See Fairlie, D.B., 0=5643
- Polkinghorne, J.C. See Fairlie, D.B., 2=19424
- Polkinghorne, J.C. See Fairlie, D.B., 3=4351
- Polkinghorne, J.C. See Halliday, I. G., 4=845
- Polkinghorne, J.C. See Landshoff, P.V., 1=7212
- Poll, J.D. Determination of the quadrupole moment of  $N_2$  from induced absorption in the far infrared, 4=6574
- Poll, J.D. and Van Kranendonk, J. Theory of translational absorption in gases, 1=2789
- Poll, J.D. and Van Kranendonk, J. Theory of the phonon branches in the infrared spectrum of solid hydrogen, 2=6576
- Poll, J.W. See Kok, J.A., 4=5200
- Poll, J.W. See Kok, J.A., 4=5204
- Pollack, E., Robinson, E. J. and Bederson, B. Determination of the polarizability tensors of the magnetic substates of  $^3P_2$  metastable argon, 4=19948
- Pollack, E. See Salop, A., 2=534
- Pollack, G.L. and Broida, H.P. Vapor snakes in solid argon, 3=11224
- Pollack, G.L. and Broida, H.P. Spectroscopic absorption of NO in crystalline and liquid krypton, 3=15685
- Pollack, H. See DeNoyer, J., 3=13380
- Pollack, I. Message uncertainty and message reception, 0=811
- Pollack, I. Message repetition and message reception, 0=812
- Pollack, I. Temporal sampling parameters of interaural noise correlations, 0=14337
- Pollack, I. On the combination of intensity and frequency differences in auditory discrimination, 1=12717
- Pollack, I. Onset discrimination for white noise, 3=13956
- Pollack, I. Message probability and message reception, 4=23967
- Pollack, I. Neutralization of stimulus bias in auditory rating scales, 4=26988
- Pollack, I. and Boynton, J. Identification of elementary auditory displays: effect of unbalanced probabilities of occurrence, 4=4984
- Pollack, I., Rubenstein, H. and Decker, L. Analysis of incorrect responses to an unknown message set, 0=6509
- Pollack, I. and Trittipoe, W. Interaural noise correlations: examination of variables, 0=2052
- Pollack, I. See Rubenstein, H., 1=9216
- Pollack, J.B. and Fazio, G.G. Production of  $\pi$  mesons and gamma radiation in the galaxy by cosmic rays, 4=2383
- Pollack, M.A. and Whinnery, J.R. Noise transport in the crossed-field diode, 4=19109
- Pollack, M.A. See Fork, R.L., 4=24900
- Pollack, M.A. See Fork, R.L., 4=25541
- Pollack, M.A. See Hargrove, L.E., 4=24897
- Pollack, S.A. Application of space-group theory to the vibrational problem of di-tetramethyl ammonium uranium hexachloride, 3=8343
- Pollack, S.A. Multistage radiative transitions in  $CaF_2:Er^{3+}$ , 3=18027
- Pollack, S.A. Stimulated emission in  $CaF_2:Er^{3+}$ , 4=17555
- Pollack, S.A. Spectrum of trivalent erbium ion in the matrix of calcium fluoride, 4=20454
- Pollack, S.A. and Satten, R.A. Electron-optical phonon interaction for paramagnetic ions in crystalline fields, 2=6265
- Pollack, S.A. See Mackey, R.C., 3=21554
- Pollack, S.R. Schottky field emission through insulating layers, 3=9828
- Pollack, S.R. and Atkins, K.R. Specific heat of ferrites at liquid helium temperatures, 2=6283
- Pollack, S.R. and Morris, C.E. Electron tunneling through asymmetric films of thermally grown  $Al_2O_3$ , 4=20404
- Pollack, S.R. See Goldberg, N., 4=7025
- Pollack, S.R. See Kornreich, P., 3=14732
- Pollack, S.S., Robinson, W.H., Chiang, R. and Flory, P.J. X-ray diffraction of linear polyethylene crystallized at  $131^\circ C$ , 2=4504
- Pollak, H. Lattice parameter effect on the isomeric shift, 2=10305
- Pollak, H. Three nucleon configurations in  $Pb^{211}$  and  $Pb^{209}$ , 2=12115
- Pollak, H. The isomeric state of  $Po^{211}$ , 2=12141
- Pollak, H.  $Fe^{3+}$  ion lifetime in CoO deduced from the Auger and Mössbauer effects, 2=14356
- Pollak, H. The ground-state wave function of  $Bi^{210}$ , 4=30300
- Pollak, H., de Coster, M. and Amelinckx, S. Mössbauer effect in biotite, 3=4802
- Pollak, H., de Coster, M. and Amelinckx, S. Mössbauer effect with Fe-57 in graphite, 4=12586
- Pollak, H., de Coster, M. and Amelinckx, S. Mössbauer effect in amorphous substances, 4=15405
- Pollak, H. See Bouten, M., 2=390
- Pollak, H. See de Coster, M., 3=8341
- Pollak, H. See de Coster, M., 4=15404
- Pollak, H.O. See Lewis, J.A., 2=1094
- Pollak, M. Some aspects of non-steady-state conduction in bands and hopping processes, 3=10735
- Pollak, M. Approximations for the a.c. impurity hopping conduction, 4=10037
- Pollak, M. and Geballe, T.H. Low-frequency conductivity due to hopping processes in silicon, 1=10046
- Pollak, M. and Geballe, T.H. Incipient impurity conduction in silicon, 2=23356
- Pollak, M. and Watt, D.H. Magnetoresistance of P-type Si in the hopping region, 3=8511
- Pollak, M. See Keyes, R.W., 0=9977
- Pollak, P.I. See Kallmann, H., 1=6181
- Pollak, P.I. See McAleer, W.J., 2=10793
- Pollak, P.I. See Monchamp, R.R., 3=13404
- Pollak, V.L. Electron spin relaxation in metal-ammonia solutions, 1=5286
- Pollara, L.Z. and Freeman, A.J. Quantum chemistry and solid-state physics, 2=4520
- Pollard, B.R. See Mandl, F., 4=16932
- Pollard, G. and Nutting, J. The metallography of creep deformation in an aged Al - 4% Cu alloy, 4=28934
- Pollard, H.F. Wave propagation in solids employing a mechanical impulse method, 3=1747
- Pollard, H.F. Resonant behaviour of an acoustical transmission line, 3=14238
- Pollard, H.F. The mechanical impulse method for determining dynamic elastic moduli and internal friction of solids, 4=17711
- Pollard, H.F. See Caddy, R.S., 0=14761
- Pollard, H.F. See Caddy, R.S., 2=17561
- Pollard, J. See Devaud, J., 4=1486
- Pollard, J. See Hamilton, J.H., 3=2411
- Pollard, J.H. See Jones, R.V., 2=6635
- Pollard, J.P. See Axford, T.H., 4=21876
- Pollard, J.P. See Hines, K.C., 2=10118
- Pollard, J.P. See Keane, A., 2=12248
- Pollard, J.P. See McKay, M.H., 3=22147
- Pollard, N. See Rampy, R.E., 4=24402
- Pollehn, H. and Neuert, H. Measurement of the cross-section for some nuclear reactions using 14 MeV, by an activation method, 1=11018
- Pollehn, H. See Bormann, M., 0=13289
- Pollehn, H. See Bormann, M., 2=467
- Pollehn, H. See Bormann, M., 3=15210
- Pollet, J. See Desprez, R., 0=19396
- Pollet, J. See Desprez, R., 4=27342
- Pollin, I. Stagnation point Langmuir probe in a shock tube— theory and measurements, 4=29699
- Pollett, C.G. See Halmshaw, R., 1=15144
- Pollock, D.B. See Fried, D.L., 4=24386
- Pollock, D.D. Electrical properties of some binary terminal solid solutions of silver, 4=22685
- Pollock, H.C. See Goldman, L.M., 3=3972
- Pollock, H.C. See Goldman, L.M., 3=4144
- Pollock, H.C. See Goldman, L.M., 4=24679
- Pollock, H.C. See Gow, J.D., 0=7380



- Pollock, R.E. Resonant detection of light pressure by a torsion pendulum in air—an experiment for underclass laboratories, 4=5356
- Pollock, R.E. See Carver, T.R., 1=11075
- Pollock, R.E. See Schrank, G., 4=6333
- Pollunter, W. See Van Itterbeek, A., 0=10100
- Polly, F. See Thiessen, P.A., 4=1765
- Polly, P. Dead-time problem of anti-coincidence measurements. An anti-coincidence circuit with zero dead-time, 2=13525
- Polly, P. Transistorized single channel pulse height analyser, 2=19847
- Polly, P. Transistorized triple pulse generator, 2=19867
- Pollyul, Y.P. Connection of the spectral reproducibility with the process of the flow of [electrode] material into the plasma of an electric discharge, 2=17807
- Pollyul', Yu.P. Role of diffusion in the processes of the entry of substance into the discharge cloud, 3=1945
- Polmear, I.J. and Bainbridge, I.F. Fatigue deformation in the interior of aged ternary aluminium—magnesium—zinc alloys, 0=21240
- Polmear, I. J. and Sargent, K. R. Enhanced age-hardening in aluminium—magnesium alloys, 4=20696
- Polonis, D.H. See Kasen, M.B., 2=20998
- Polonis, D.H. See Kasen, M.B., 3=1353
- Polonis, D.H. See Kasen, M.B., 4=26583
- Polonsky, A.M. Calculation of magnetic moments, 3=2086
- Poloskin, B.P. See Anoshkin, V.A., 1=4616
- Poloskov, S.M. See Komissarov, O.D., 2=13118
- Polotnyuk, V.V. See Dakhtyar, I.Ya., 3=23159
- Polotnyuk, V.V. See Dekhtyar, I.Ya., 4=12747
- Polots'kii, I. G. and Morduk, M. S. Damping of elastic oscillations in Cu—Be and Cu—In alloys in phase transitions, 4=13403
- Polotskii, I.G. and Taborov, V.F. Influence of heat treatment and plastic deformation on ultrasonic absorption in copper single crystals, 2=16599
- Polotskii, L.G. See Benieva, T.Ya., 2=23735
- Polot'skiĭ, I.H., Khodov, Z.L. and Levin, H.I. Effect of oxygen impurities and alloying additions on the elastic properties and internal friction of chromium, 1=14853
- Polovikov, F.I. The effect of alternating electric fields on the formation of electrets, 0=635
- Polovikov, F.I. Permanent polarization of ebonite, 0=10022
- Polovikov, F.I. Influence of infrared irradiation on the electret state of naphthalene, 4=1669
- Polovikov, F.I. and Volchanskaya, V. V. Magnetic susceptibility of electrets, 4=10251
- Polovin, R.V. Contribution to the theory of simple magnetohydrodynamic waves, 0=19909
- Polovin, R.V. Motion of a piston in a conducting medium, 0=19912
- Polovin, R.V. The flow of a plasma into vacuum in the presence of a magnetic field, 1=4597
- Polovin, R.V. Shock waves in magnetohydrodynamics, 1=9680
- Polovin, R.V. The "evolutionality" conditions of stationary flows, 1=18444
- Polovin, R.V. The motion of shock waves along a magnetic field, 1=19012
- Polovin, R.V. Magnetohydrodynamic characteristics, 2=9702
- Polovin, R.V. Criteria for instability and gain, 2=15918
- Polovin, R.V. The "evolutionality" conditions of stationary flows, 2=21928
- Polovin, R.V. Two beam instability. Review, 4=590
- Polovin, R.V. Shock waves in magnetohydrodynamics, 4=3766
- Polovin, R.V. Collisionless shock waves in plasma, 4=5609
- Polovin, R.V. On kinetic instabilities in a magnetic field, 4=14724
- Polovin, R.V. Laminar theory of shock waves in plasma in the absence of collisions, 4=18833
- Polovin, R.V. and Cherkasova, K.P. Disintegration of non-evolutional shock waves, 2=11776
- Polovin, R.V. and Cherkasova, K.P. Disintegration of non-evolutional shock waves, 2=22317
- Polovin, R.V. and Cherkasova, K.P. Magnetohydrodynamic description of a plasma, 3=21783
- Polovin, R.V. and Demutskii, V.P. Hydromagnetic Rankine—Hugoniot relations, 2=1569
- Polovin, R.V. and Demutskii, V.P. Magnetohydrodynamic combustion, 2=1570
- Polovin, R.V. See Demutskii, V.P., 2=1576
- Polovin, R.V. and Demutskii, V.P. Magnetohydrodynamic combustion, 3=4262
- Polovin, R.V. and Lyubars'kii, H.Ya. The impossibility of rarefaction shock waves in magnetohydrodynamics, 1=12013
- Polovin, R.V. and Tsintsadze, N.L. Theory of longitudinal oscillations in an electron—ion beam, 0=9053
- Polovin, R.V. and Tsintsadze, N.L. Small oscillations of an electron beam, 0=10950
- Polovin, R.V. and Tsintsadze, N.L. Magnetohydrodynamic equations, 1=13083
- Polovin, R.V. See Akhiezer, I.A., 0=9163
- Polovin, R.V. See Akhiezer, A.I., 0=9164
- Polovin, R.V. See Akhiezer, A.I., 0=9165
- Polovin, R.V. See Akhiezer, I.A., 0=11028
- Polovin, R.V. See Akhiezer, A.I., 1=18818
- Polovin, R.V. See Akhiezer, A.Y., 1=13168
- Polovin, R.V. See Lyubarskii, G.Ya., 0=1190
- Polovin, R.V. See Lyubarskii, G.Ya., 0=2433
- Polovin, R.V. See Lyubarskii, G.Ya., 0=9177
- Polovin, R.V. See Lyubars'kii, H.Ya., 1=12012
- Polovnikova, L.A. See Krasnoperov, G.V., 3=3327
- Polovov, V.M. and Sumin, V.I. The effect of scattering mechanism on the Hall effect in dilute copper—base solid solutions, 4=17472
- Pol'skii, N.I. and Shvets, I.T. Self-similar solutions of the equation of a laminar boundary layer in magnetohydrodynamics, 1=7129
- Pol'skii, N.I. and Shvets, I.T. Self-similar solutions of the equation of a laminar boundary layer in magnetohydrodynamics, 1=10771
- Pol'skii, N.I. See Nazarchuk, M.M., 0=5209
- Pol'skii, V. G. Investigation of dynamic fatigue of photocathodes, 4=8816
- Pol'skii, V.G. See Berkovskii, A.G., 2=15946
- Pol'skii, Yu. E. A spiral resonator for an electron paramagnetic resonance spectrometer with high frequency modulation of the magnetic field, 4=24867
- Pol'skii, Yu.E. See Arkhangel'skaya, E.D., 3=18130
- Pol'skii, Yu. E. See Manenkov, A. A., 4=7328
- Pol'skii, Yu.E. See Vinokurov, V.M., 1=20205
- Pol'skii, Yu.E. See Vinokurov, V.M., 2=4252
- Pol'skii, Yu.E. See Vinokurov, V.M., 2=21360
- Pol'skii, Yu.E. See Vinokurov, V.M., 3=15943
- Pol'skii, Yu.E. See Vinokurov, V.M., 3=20855
- Pol'skii, Yu. E. See Vinokurov, V.M., 4=1876
- Pol'skii, Yu. E. See Vinokurov, V.M., 4=7327
- Polster, A. See Medveczky, L., 0=17166
- Poltavchenko, D.S. See Kholev, S.R., 1=18840
- Poltavtsev, N.S. See Karmykov, A. A., 4=29958
- Poltinnikov, S.A. See Subashiev, V.K., 0=13587
- Poltoratskii, V.I. See Arifov, U.A., 4=19127
- Poltz, H. See Fritz, W., 2=15571
- Polubarinov, I. V. See Kopylov, G. I., 4=19403
- Polubarinov, I. V. See Kaplyov, G. I., 4=19494
- Polubarinov, I.V. See Ogievetskii, V.I., 0=9301
- Polubarinov, I.V. See Ogievetskii, V.I., 1=19090
- Polubarinov, I.V. See Ogievetskii, V.I., 1=19155
- Polubarinov, I.V. See Ogievetskii, V.I., 2=7811
- Polubarinov, I.V. See Ogievetskii, V.I., 2=22387
- Polubarinov, I.V. See Ogievetskii, V.I., 3=14856
- Polubarinov, I.V. See Ogievetskii, V.I., 4=3273
- Polubarinov, I.V. See Ogievetskii, V.I., 4=3291
- Polubarinov, I. V. See Ogievetskii, V. I., 4=9117
- Polubarinov, I. V. See Ogievetskii, V. I., 4=9118
- Polubarinov, I. V. See Ogievetskii, V. I., 4=27743
- Poluektov, I., Presnyakov, L. and Sobel'man, I. Collisions accompanied by charged exchange, 4=27474
- Poluektov, I.A. See Vainshtein, L.A., 2=20735
- Polukarov, Yu.M. See Gorbunova, K.M., 0=16365
- Polukarov, Yu. M. See Smirnov, G. V., 4=20362
- Polukhin, P. I., Zhelezov, Yu. D., Vorontsov, V. K. and Grigoryan, G. G. Optically sensitive coatings for the study of plastic deformation in polycrystalline materials, 4=23101
- Polumordvinova, N.I. See Zinov, V.G., 0=20197
- Polupan, P.N. Spectrophotometry of the chromospheric limb flare of October 11, 1957, 1=18091
- Polvektov, N.S. and Grinzaid, S.E. Atomic-absorptive flame photometry, 4=2172
- Polvin, R. V. Applicability of the Sturrock criterion, 4=3128
- Polyachenko, A. L. The theory of nonstationary diffusion of thermal neutrons in a two-substance, infinite medium with a cylindrical dividing surface, 4=30229
- Polyachenko, V.L. See Kirzhnits, D.A., 4=16022
- Polyak, B.T. See Kagan, A.S., 0=8192



- Polyak, G.L. and Adrainov, V.N. The algebra of resolving fluxes in radiative transfer, 3=18760
- Polyak, G. L. and Adrianov, V. N. A new investigation method for radiative heat transfer, 4=29779
- Polyak, G.L. See Adrianov, V.N., 3=21608
- Polyak, G. L. See Adrianov, V. I., 4=24427
- Polyak, Yu. Ya. and Eleonskii, V. M. Effect of collisions on the excitation spectrum of a system of electrons, 4=2972
- Polyak, Yu. Ya. See Izvumov, Yu. A., 1=6391
- Polyak, Yu. Ya. See Vonsovskii, S.V., 0=13750
- Polyakov, A.A. See Yurova, L.N., 2=18127
- Polyakov, A.A. See Yurova, L.N., 4=12013
- Polyakov, A. M. Boundary energy of a Fermi gas in a potential well, 4=11118
- Polyakov, A.M. and Krotova, N.A. Investigation of the intensity of exo-electron emission during tearing and deformation of polymer films, 3=24330
- Polyakov, A.S. See Nakhutin, I.E., 1=19418
- Polyakov, A.S. See Ovechkin, V.V., 4=16858
- Polyakov, B. I. See Borzunov, N. A., 4=14691
- Polyakov, E.I. Experimental investigation of turbulent jets of axial symmetry, 1=4310
- Polyakov, L.M. See Garber, R.I., 0=11979
- Polyakov, L.M. See Garber, R.I., 0=13546
- Polyakov, L.M. See Garber, R.I., 0=16229
- Polyakov, L.M. See Garber, R.I., 1=10359
- Polyakov, L.M. See Garber, R.I., 1=12396
- Polyakov, L.M. See Garber, R.I., 3=6876
- Polyakov, L.M. See Geguzin, Ya. E., 1=17548
- Polyakov, L.M. See Kan, Ya. S., 2=17408
- Polyakov, L.M. See Kan, Ya. S., 2=19508
- Polyakov, V.P. See Men', A.N., 3=20616
- Polyakov, V.P. See Smolenskii, G.A., 3=5025
- Polyakov, Ya. M. See Rovinskii, R. E., 4=483
- Polyakov, Yu. A. and Mit'kina, E. A. A thin-film resistance thermometer, 2=19755
- Polyakov, Yu. N. See Volodin, V.P., 4=16392
- Polyakov, Z. I. See Borun, G.N., 4=14298
- Polyakova, A.L. Propagation of finite-amplitude [sound] waves in relaxing media, 1=4407
- Polyakova, A.L. A plane sound wave of finite amplitude in a moving medium, 1=15941
- Polyakova, A. L. Finite perturbations in relaxing media, 4=14281
- Polyakova, A. L. Nonlinear effects in a solid, 4=30744
- Polyakova, A.L., Soluyan, S.I. and Khokhlov, R.V. Propagation of finite disturbances in a relaxing medium, 2=21943
- Polyakova, G.N., Fogel', Ya. M. and Tsyu-Yu-Mei [Ch'iu-Yu-Mei]. Emission spectra of rarefied molecular gases excited by a mixed beam of protons and hydrogen atoms, 3=15338
- Polyakova, G.N. See Fogel', Ya. M., 1=18780
- Polyakova, G.N. See Shklyarevskii, I.N., 0=8805
- Polyakova, M.D. See Kudintseva, G.A., 0=1879
- Polyakova, T. P. See Melikhov, V. D., 4=10420
- Polyanskaya, V.A. The field of a pulse emitter in an underwater sound channel, 0=122
- Polykarov, Yu. M. See Alekseevskii, N.E., 0=10849
- Pomanskii, A.A. On some characteristics of extensive air showers, 2=3432
- Pomanskii, A.A. On some characteristics of extensive air showers, 3=2340
- Pomanskii, A.A. See Denisov, E.V., 1=16938
- Pomanskii, A.A. See Dovzhenko, O. I., 4=6012
- Pomanskii, A.A. See Nikol'skii, S.I., 1=19313
- Pomanskii, A.A. See Zatsepin, G.T., 0=9471
- Pomansky, A.A. See Danilova, T.V., 3=4497
- Pomansky, A.A. See Kalachyov, B.V., 1=2131
- Pomansky, A.A. See Nikolsky, S.I., 1=2138
- Pomanyuk, L. I. See Paderno, Yu. B., 4=3050
- Pomanyuk, N.A. See Zheludev, I.S., 3=13111
- Pomelas, E. See Ballini, R., 1=18738
- Pomelas, E. See Ballini, R., 2=2983
- Pomelas, E. See Ballini, R., 3=19157
- Pomelas, E. See Leroy, J.L., 4=17147
- Pomeranchuk, I. See Gribov, V., 4=6113
- Pomeranchuk, I.Ya. and Shmushkevich, I.M. On processes in the interaction of  $\gamma$ -quanta with unstable particles, 1=5883
- Pomeranchuk, I.Ya. See Akhiezer, A.I., 1=18323
- Pomeranchuk, I.Ya. See Akhiezer, A.I., 2=21851
- Pomeranchuk, I.Ya. See Akhiezer, A.I., 3=7863
- Pomeranchuk, I.Ya. See Berestetskii, V.B., 0=11143
- Pomeranchuk, I.Ya. See Berestetskii, V.B., 1=19116
- Pomeranchuk, I.Ya. See Borovikov, V.A., 1=16785
- Pomeranchuk, I.Ya. See Galanin, A.D., 0=7343
- Pomeranchuk, I.Ya. See Galanin, A.D., 0=9351
- Pomeranchuk, I.Ya. See Galanin, A.D., 0=17324
- Pomeranchuk, I.Ya. See Garibyan, G.M., 0=8573
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=16173
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=16179
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=16189
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=20264
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=20271
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=22446
- Pomeranchuk, I.Ya. See Gribov, V.N., 2=22451
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=2209
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=5960
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=5965
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=7811
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=17223
- Pomeranchuk, I.Ya. See Gribov, V.N., 3=14923
- Pomeranchuk, I. Ya. See Gribov, V. N., 4=19453
- Pomeranchuk, I. Ya. See Gribov, V. N., 4=21796
- Pomeranchuk, I.Ya. See Kobzarev, I. Yu., 1=16826
- Pomeranchuk, I.Ya. See Kobzarev, I. Yu., 2=22544
- Pomeranchuk, I.Ya. See Nikitin, Yu. P., 1=19478
- Pomeranchuk, I.Ya. See Nikitin, Yu. P., 2=22818
- Pomeranchuk, I.Ya. See Okun', L.B., 0=1307
- Pomeranchuk, Ya. I. See Berestetskii, V.B., 1=5665
- Pomerantz, A. See Sandström, A.E., 3=24819
- Pomerantz, J. The influence of the absorption of radiation in shock tube phenomena, 2=9307
- Pomerantz, M. Excitation of spin-wave resonance by micro-wave phonons, 2=2301
- Pomerantz, M. and Das, T.P. Theory of nuclear quadrupole interaction in beryllium metal, 0=11960
- Pomerantz, M., Freedman, J.F. and Suits, J.C. Ferromagnetic resonance in single-crystal nickel films, 2=12678
- Pomerantz, M., Keyes, R.W. and Seiden, P.E. Propagation of microwave phonons in germanium, 3=4811
- Pomerantz, M. See Das, T.P., 1=14207
- Pomerantz, M.A. and Agarwal, S.P. Spatial distribution of cosmic ray intensity and geomagnetic theory, 2=22683
- Pomerantz, M.A., Agarwal, S.P. and Potnis, V.R. Balloon flight investigations of primary cosmic rays during solar disturbances, 0=9480
- Pomerantz, M.A., Agarwal, S.P. and Potnis, V.R. Balloon flight investigations of primary cosmic rays during solar disturbances, 0=11248
- Pomerantz, M.A., Agarwal, S.P., Schwed, P. and Hanson, H. Satellite determination of heavy primary cosmic-ray spectrum, 1=8525
- Pomerantz, M.A., Duggal, S.P. and Nagashima, K. Solar-produced cosmic rays near the North and South poles, 1=9794
- Pomerantz, M.A., Duggal, S.P. and Nagashima, K. Solar diurnal variation of cosmic ray intensity, 2=12047
- Pomerantz, M.A. and Duggal, S.P. Anisotropy in solar particles incident on polar regions during July 1961, 2=16271
- Pomerantz, M.A. and Pontis, V.R. Solar-produced cosmic radiation near the geomagnetic pole on May 4th 1960, 1=2114
- Pomerantz, M.A., Potnis, V.R. and Agarwal, S.P. Cosmic ray investigation with an airborne neutron monitor, 0=11261
- Pomerantz, M.A., Potnis, V.R. and Agarwal, S.P. Cosmic ray investigations with an airborne neutron monitor, 0=15487
- Pomerantz, M.A., Potnis, V.R. and Sandström, A.E. The cosmic-ray equator and the earth's magnetic field, 1=13577
- Pomerantz, M.A., Sandström, A.E., Potnis, V.R. and Rose, D.C. Solar disturbances and the cosmic rays equator, 0=11260
- Pomerantz, M.A., Sandström, A.E., Potnis, V.R. and Rose, D.C. Solar disturbances and the cosmic ray equator, 0=20276
- Pomerantz, M.A., Shatas, R.A. and Schieve, W.C. Secondary electron emission of MgO crystals bombarded by relativistic electrons, 0=19729
- Pomerantz, M.A. and Witten, L. Satellite investigation of time variations of heavy nuclei in the primary cosmic radiation, 2=12061
- Pomerantz, M.A. See Bailey, D.K., 0=11275
- Pomerantz, M.A. See Coxell, H., 3=19717
- Pomerantz, M.A. See Duggal, S.P., 1=16947
- Pomerantz, M.A. See Duggal, S.P., 2=16266
- Pomerantz, M.A. See Duggal, S.P., 2=18219
- Pomerantz, M.A. See Nagashima, K., 1=9793
- Pomerantz, M.A. See Sandström, A.E., 3=618
- Pomerantz, M.A. See Schieve, W.C., 0=7944
- Pomerantz, M.A. See Schieve, W.C., 1=7627
- Pomerantz, M.A. See Schultz, A.A., 3=16979
- Pomerantz, M.A. See Schwed, P., 2=3424



- Pomerantz, M.A. See Wilson, B.G., 0=11274
- Pomeranz, K.B. Two theorems concerning the Laplace operator, 3=21192
- Pomeroy, C.D. Summarized Proceedings of a Conference on Stress Analysis — University College of North Staffordshire, April 1960, 1=2500
- Pomeroy, C.D. Conference on Dynamic Problems in Stress Analysis, Leeds, September, 1962, 3=13342
- Pomeroy, P. See Oliver, J., 0=14158
- Pomeroy, P.W. Long period seismic waves from large near-surface nuclear explosions, 3=13642
- Pomertsev, R.V. See Kobelev, L.Ya., 3=8482
- Pomey, J. Adiabatic plasticity phenomenon, 4=26478
- Pomilla, F.R. and Shapiro, J. The 2s-3s excitation of hydrogen atoms by electron impact, 4=25526
- Pomilla, F.R. See Fisher, L., 0=13404
- Pominov, I.S. Absorption spectra of neodymium chloride in alcohol-water solutions at low temperatures, 3=1691
- Pominov, I.S. Absorption spectra of alcohol-water solutions of neodymium chloride at low temperatures, 3=21374
- Pominov, I.S. and Makarova, E.K. Investigation of cobalt halide solutions in organic solvents at low temperatures using their absorption spectra, 4=29634
- Pommier, J. Auto oscillation sustained by transitions induced by means of an r.f. field parallel to the static field, 4=11815
- Pommier, J. Detector to observe many-quantum transitions induced by an alternating exciting field parallel to the static field, 4=30072
- Pommier, J. See Benoit, H., 3=13589
- Pommier, J. See Benoit, H., 3=17067
- Pomorski, L., Tys, J., Volkov, V.V. and Wilczynski, J. Some investigations on two-neutron transfer reactions in bombardment of isotopes  $Zr^{90}$ ,  $Zr^{92}$  and  $Zr^{94}$  with  $N^{15}$  ions, 4=22231
- Pomorski, L. See Flerov, G.N., 2=3629
- Pomorski, L. See Florov, G.N., 2=10146
- Pomorskii, L. See Flerov, G.N., 3=2501
- Pomorskii, L. See Volkov, V.V., 2=12226
- Pomorskii, L. See Volkov, V.V., 3=2502
- Pomorskii, L. See Volkov, V.V., 3=6302
- Pomorskii, L. See Volkov, V.V., 4=6383
- Pomortsev, R.V. and Tsidil'kovskii, I.M. Motion of conduction electrons in strong magnetic fields, 4=12670
- Pomortsev, R.V. See Kalashnikov, V.P., 4=20343
- Pomot, C. Structure of a high refractive index for surface waves, 3=7698
- Pompa, F., Albano, V., Bellon, P.L. and Scatturin, V. Crystallographic programs for the IBM 1620 electronic computer. V. Calculation of three-dimensional Fourier synthesis, 4=23373
- Pompa, F. See Albano, V., 4=2051
- Pompa, F. See Albano, V., 4=2052
- Pompa, F. See Albano, V., 4=23372
- Pompa, F. See Bellon, P.L., 3=23433
- Pompeia, P.A. See de Moraes, A., 1=15392
- Pompliano, L.A. See Sullivan, M.V., 3=23501
- Pomraning, G.C. On the linear extrapolation distance, 3=22449
- Pomraning, G.C. Variational boundary conditions for the spherical harmonics approximation to the neutron transport equation, 4=19529
- Pomraning, G.C. The Wigner-Seitz cell; a discussion and a simple calculational method, 4=19888
- Pomraning, G.C. On the validity of the constant-source assumption for the cell problem, 4=19889
- Pomraning, G.C. An improved free-surface boundary condition for the P-3 approximation, 4=22255
- Pomraning, G.C. On the energy averaging of the diffusion coefficient, 4=25461
- Pomraning, G.C. Reduction of transport theory to multigroup diffusion theory, 4=30230
- Pomraning, G.C. and Clark, M., Jr. The variational method applied to the monoenergetic Boltzmann equation, I, 3=18755
- Pomraning, G.C. and Clark, M., Jr. The variational method applied to the monoenergetic Boltzmann equation, II, 3=18756
- Pomraning, G.C. and Clark, M., Jr. A new asymptotic diffusion theory, 4=5107
- Pomraning, G.C. and Clark, M., Jr. Spatial expansion of the transport equation, 4=22253
- Pomraning, G.C. and Clark, M., Jr. Orthogonal polynomial angular expansion of the Boltzmann equation, 4=2602
- Ponce, A. Concerning an error in the method using Moiré fringes, 3=1829
- Poncelet, J. Experimental research in magnetohydrodynamics, 4=16421
- Poncet, H. See Meyer, Y., 4=30461
- Ponchel, B. See Gabillard, R., 2=16079
- Ponchel, B. See Gabillard, R., 3=24491
- Pond, H.L. See Champion, K.S.W., 2=11047
- Pond, S., Stewart, R.W. and Burling, R.W. Turbulence spectra in the wind over waves, 3=25880
- Pondrom, L. See Di Capua, E., 4=12027
- Pondrom, L.G. and Daughtry, J.W. Measurement of deuteron polarization produced by d- $\alpha$  scattering at 1.07 MeV, 1=3248
- Pondrom, L.G. and Strelzoff, A. Response of a large NaI:Tl crystal to high energy electrons, 3=14965
- Pondrom, L.G. See Engels, E., Jr., 3=7852
- Pong, W. Subharmonic oscillation in Melde's experiment, 0=6847
- Pong, W. and Marcaccio, W. Subharmonic oscillations in a piecewise linear system, 2=13390
- Pong, W. and Marcaccio, W. Nonlinearity of the middle ear as a possible source of subharmonics, 3=16445
- Pönitz, W. See Beckurts, K.H., 4=17169
- Ponomarenko, A.G. See Davidovskii, V.G., 4=27543
- Ponomarenko, A.G. See Dubovoi, L.V., 2=17846
- Ponomarenko, A.G. See Dobovoi, L.V., 3=7614
- Ponomarenko, A.G. See Kurtmullaev, R. Kh., 4=14684
- Ponomarenko, Yu.B. Excitation of ion-acoustic waves and heating of electrons in a plasma by an external electric field, 3=24281
- Ponomarenko, Yu.B. See Bedenov, A.A., 4=27138
- Ponomarenko, Yu.B. See Nedospasov, A.V., 4=18446
- Ponomarenko, Yu.B. See Nedospasov, A.V., 4=18736
- Ponomarev, A.A., Khlebnikov, G.I. and Gavrilov, K.A. A control method for the investigation of electrolytic deposition of alpha-radioactive isotopes, 4=17865
- Ponomarev, E.A. The propagation of low-frequency oscillations along the magnetic field in a viscous compressible plasma, 2=22238
- Ponomarev, V.N. Measuring the attenuation of an electromagnetic wave in a super-high frequency pulse discharge, 4=688
- Ponomarev, V.N. and Glukhikh, I.I. The problem of the determination of iron composition in magnetite ores based upon the magnitude of their magnetic susceptibility, 4=13778
- Ponomarev, V.N. See Bulkin, P.S., 0=5296
- Ponomarev, V.N. See Bulkin, P.S., 4=24607
- Ponomarev, Ya.G. See Brandt, N.B., 3=2079
- Ponomarev, Yu.F. Theory of magnetic modulators of the even harmonic type under load conditions, 3=4247
- Ponomarev, Yu.F. Theory of magnetic modulators of the even harmonic type. II. Modulators with longitudinal excitation, 3=17029
- Ponomarev, Yu.F. See Drozhzhina, V.I., 1=16479
- Ponomarev-Stepnoi, N.N. Zonal profiling of reactors, 2=18376
- Ponomarev-Stepnoi, N.N. and Glushkov, E.S. On the problem of the physical profiling of heat production in heterogeneous power reactors, 2=18377
- Ponomarev-Stepnoi, N.N. and Glushkov, E.S. Solutions of the reactor equations with account of the varying moderator density associated with physical profiling, 2=18378
- Ponomarev-Stepnoi, N.N. and Lomakin, S.S. Study of critical assemblies with Be moderator, 4=17230
- Ponosov, A.K. See Demidov, V.S., 2=18344
- Ponosov, A.K. See Demidov, V.S., 3=6059
- Ponosov, A.K. See Demidov, V.S., 3=24781
- Ponosov, A.K. See Demidov, V.S., 4=3444
- Ponosov, A.K. See Demidov, V.S., 4=19568
- Ponosov, A.K. See Volynskii, V. Kh., 2=20215
- Pons, L., Chevillon, J. and Steff, P. Superficial fracture during the grinding of sintered tungsten carbides, 3=5075
- Pons, L. See Corteville, J., 4=4491
- Pons, L. See Larbre, J., 2=19019
- Ponsan, M. See Blanc, D., 0=5444
- Ponslet, A. and Bariaux, D. Thermal etching of copper single crystals in vacuum, 4=17780
- Ponslet, A. See Art, A., 1=14950
- Ponsonby, J.E.B., Thomson, J.H. and Imrie, K.S. Radar observations of Venus and a determination of the astronomical unit, 1962, 4=29474
- Ponsonby, J.E.B. See Thomson, J.H., 1=10394
- Ponstein, J. Instability of rotating cylindrical jets, 0=6756
- Ponta, T. See Hulubei, H., 4=942
- Ponta, T. See Hulubei, H., 4=30257
- Pontarelli, D.A. See Kapany, N.S., 3=11897
- Pontarelli, D.A. See Kapany, N.S., 4=5370
- Pontarelli, D.A. See Long, C., 4=29743
- Pontarelli, D.A. See Olson, O.H., 3=16778



- Pontecorvo, B. Small probability of the  $X \mu \rightarrow e + \gamma$  and  $\mu \rightarrow e + e + e$  processes and neutral currents in weak interactions, 2=20257
- Pontecorvo, B. The small probability of the processes  $\mu \rightarrow e + \gamma$ ,  $\mu \rightarrow e + e + e$  and neutral currents in weak interactions, 3=14995
- Pontecorvo, B. The neutrino and its role in astrophysics, 3=24686
- Pontecorvo, B. The neutrino and its role in astrophysics, 4=30213
- Pontecorvo, B. and Chudakov, A.E. The neutrino and cosmic ray intensity at great depths, 3=14953
- Pontecorvo, B. See Falomkin, I.V., 2=20381
- Pontecorvo, B. See Ignatenko, A.E., 0=5370
- Pontecorvo, B. See Pontecorvo, B.
- Pontecorvo, B. See Veksler, V.I., 3=578
- Pontecorvo, B.M. See Dzhelepov, V.P., 0=15305
- Pontecorvo, B. [Pontecorvo]. Experiments using neutrino beams of mesonic origin, 1=16752
- Pontecorvo, B. [Pontecorvo, B.] and Smorodinskii, Ya. The neutrino and the density of matter in the universe, 1=19172
- Pontecorvo, [Pontecorvo], B. Electron and muon neutrinos, 0=7332
- Pontecorvo [Pontecorvo], B. The universal Fermi interaction and astrophysics, 0=12838
- Pontecorvo [Pontecorvo], B. On a new strange particle, 0=15457
- Pontecorvo, B. [Pontecorvo]. Present state of the physics of the neutrino, 4=879
- Pontecorvo [Pontecorvo], B. See Balats, M.Ya., 0=20567
- Pontecorvo, B. See Balatz, M.Ya., 1=4919
- Pontecorvo, B. See Falomkin, I.V., 3=7881
- Pontecorvo, B. See Kobzarev, I.Yu., 4=15033
- Pontecorvo, B. See Okun, L.B., 1=19221
- Pontecorvo, B. See Okun, L.B., 2=22553
- Pontecorvo, B. See Zaimidoroga, O.A., 2=3369
- Pontecorvo, B. See Zaimidoroga, O.A., 3=4417
- Pontecorvo, B. See Zaimidoroga, O.A., 3=7883
- Pontecorvo, B. See Zaimidoroga, O.A., 4=9322
- Pontecorvo, B. See Zinov, V.G., 0=13001
- Pontecorvo, B. See Zinov, V.G., 1=4804
- Pontecorvo, V. See Zaimidoroga, O.A., 4=3436
- Pontecorvo, V. See Zaimidoroga, O.A., 4=3437
- Pontinen, K. See Mueller, R.K., 4=19077
- Pontinen, R.E. and Sanders, T.M., Jr. New electron spin resonance spectrum in antimony-doped germanium, 1=1267
- Pontis, V.R. See Pomerantz, M.A., 1=2114
- Pontnau, J. See Sauzade, M., 4=24866
- Ponyatovskii, E.G. Melting point of potassium at pressures up to 30 000 kg/cm<sup>2</sup>, 0=15808
- Ponyatovskii, E.G. The P-T diagram of bismuth at pressures of up to 30 000 kg/cm<sup>2</sup>, 1=11581
- Ponyatovskii, E.G. Melting points of lithium and sodium at pressures up to 30 000 kg/cm<sup>2</sup>, 2=8179
- Ponyatovskii, E.G. The melting point of lithium and sodium at pressures of up to 30 000 kg/cm<sup>2</sup>, 2=23080
- Ponyatovskii, E.G. The question of the existence of a critical point on the curve of the isomorphous transformation of cerium, 4=4503
- Ponyatovskii, E.G. Phase transformations in a bismuth-tin alloy of equi-atomic composition under high hydrostatic pressures, 4=20697
- Ponyatovskii, E.G. See Ershova, T.P., 4=23238
- Ponyatovskii, E.G. See Litvin, D.F., 4=26349
- Ponyatovskii, E.G. See Shakhovskoi, G.P., 2=24235
- Ponyatovskii, E.G. See Zakharov, A.I., 4=26314
- Ponzano, G. On the E1-M1 interference term in low-energy photodisintegration, 4=3633
- Ponzano, G. On the nuclear direct photodisintegration, 4=15197
- Ponzano, G. See Molinari, A., 2=20587
- Pool, M. J. and Lundin, C. E. Heats of solution of the group III elements aluminium, gallium and indium in liquid tin at 750°K, 4=24175
- Pool, M.L. See Bhat, M.R., 2=20551
- Pool, M.L. See Claflin, A.B., 2=20569
- Pool, M.L. See Narasimhaiah, H., 1=3428
- Pool, M.L. See Wilson, R.G., 0=4059
- Pool, M.L. See Wilson, R.G., 0=5725
- Pool, M.L. See Wilson, R.G., 0=9569
- Pool, M.L. See Wilson, R.G., 0=13172
- Pool, M.L. See Wilson, R.G., 0=20391
- Pool, M.L. See Wilson, R.G., 0=20393
- Pool, M.L. See Wilson, T.G., 0=9570
- Pool, M.L. See Wilson, R.G., 1=649
- Pool, M.L. See Wilson, R.G., 1=652
- Pool, R. A.H., Saville, G., Herrington, T.M., Shields, B.D.C. and Staveley, L.A.K. Some excess thermodynamic functions for the liquid systems argon-oxygen, argon-nitrogen, nitrogen-oxygen, nitrogen-carbon monoxide, and argon-carbon monoxide, 3=132
- Pool, S.D. See Bloch, A., 3=14284
- Poole, C.P., Jr. A simple model for the Curie temperature of a small ferromagnetic particle, 3=20574
- Poole, C.P., Jr. A comparison of the Kubelka-Munk and melamed theories of optical reflection from powders, 4=21277
- Poole, C.P., Jr and Itzel, J.F., Jr. Optical reflection spectra of chromia-alumina, 4=7124
- Poole, C.P., Jr and Itzel, J.F., Jr. Electron spin resonance study of the antiferromagnetism of chromia alumina, 4=26350
- Poole, C.P., Jr. and MacIver, D.S. Optical measurement of the specific chromia area of chromia-alumina catalysts, 4=29174
- Poole, C.P., Jr. and O'Reilly, D.E. Apparatus for e.p.r. studies in the temperature interval 25° to 500°C, 1=10801
- Poole, C.P., Jr. See O'Reilly, D.E., 4=7342
- Poole, D.E., Parker, A.B. and Churchill, R.J. Measurement of the temperature decay of high current spark channels in air, 3=21739
- Poole, D.E. See Parker, A.B., 4=27503
- Poole, D.M. and Thomas, P.M. Quantitative electron-probe microanalysis, 2=10999
- Poole, D.M. Electron probe microanalysis, 3=13632
- Poole, D.M. See Hodkin, E.N., 4=23243
- Poole, L.M.G. Recent studies of meteors in the Soviet Union, 2=9067
- Poole, M.J. Measurement of neutron spectra in moderators and reactor lattices. I. Aqueous moderators, 0=7657
- Poole, M.J., Dean, G. and Howe, W. Pulsed beam deflection system for a linear electron accelerator, 0=19825
- Poole, M.J. and Rae, E.R. The Harwell neutron project, 0=9378
- Poole, M.J. See Barnard, E., 4=12016
- Poole, P.C. See Bray, A.D., 4=19617
- Poole, P.C. See McCusker, C.B.A., 1=2134
- Pooley, D. Free radicals in irradiated crystals, 2=12485
- Pooley, D. See McConnell, H.M., 2=16634
- Pooley, D. See Hall, T.P.P., 4=17473
- Poor, E.W., Jr. See Hegyi, I.J., 3=16072
- Poortman, F. See Ceulemans, H., 2=371
- Poortmans, F. See Ceulemans, H., 3=6012
- Poortmans, F. See Ceulemans, H., 4=17172
- Poots, G. Laminar natural convection flow in magneto-hydrodynamics, 2=5447
- Poots, G. An approximate treatment of a heat conduction problem involving a two-dimensional solidification front, 2=15785
- Poots, G. On the application of integral-methods to the solution of problems involving the solidification of liquids initially at fusion temperature, 2=15820
- Poots, G. and Sowerby, L. Axially symmetric stagnation point flow with heat transfer in magnetohydro-dynamics, 1=8375
- Poots, G. See Dennis, S.C.R., 0=6984
- Pop, I. See Chechernikov, V.I., 3=25508
- Pop, Iu. See Chechernikov, V.I., 4=17628
- Pop, Iuliu. See Chechernikov, V.I., 4=7255
- Pop, R. See Apostol, A., 3=24574
- Pop, V. See Mihul, C., 2=7221
- Pop, V. See Mihul, C., 2=9285
- Pope, A.L. See Barrington, E.P., 4=17214
- Pope, C.G. See Ash, R., 3=3823
- Pope, C.G. See Ash, R., 3=3824
- Pope, D.F.D. See Jones, D.A., 0=6263
- Pope, D.L. See Mitchell, T.P., 4=5279
- Pope, D. P., Vreeland, T., Jr. and Wood, D.S. Machine for producing square torsion pulses of microsecond duration [for dislocation velocity measurement], 4=30569
- Pope, J.H. Effect of latitude on the diurnal maximum of "dawn chorus", 0=10447
- Pope, J.H. An estimate of electron densities in the exosphere by means of nose whistlers, 1=15325
- Pope, J.H. Some comments on obtaining electron densities in the exosphere using nose whistlers, 2=891
- Pope, J.H. A correction to the exospheric electron density estimate using the nose whistlers of March 19, 1959, 2=9027



- Pope, J.H. A high-latitude investigation of the natural very-low frequency electromagnetic radiation known as chorus, 3=11413
- Pope, J.H. and Campbell, W.H. Observation of a unique v.l.f. emission, 1=1517
- Pope, J.H. See Murcray, W.B., 0=4791
- Pope, J.H. See Murcray, W.B., 1=15305
- Pope, J.H. See Westcott, E.M., 0=10448
- Pope, M. Surface ionization energies of organic compounds: phthalocyanines, 2=17793
- Pope, M. Electrostatic determination of photo-ionization potentials of solids and liquids, 2=22180
- Pope, M., Kallmann, H.P., Chen, A. and Gordon, P. Charge injection into organic crystals: influence of electrodes on dark- and photoconductivity, 2=14579
- Pope, M., Kallmann, H.P. and Magnante, P. Electro-luminescence in organic crystals, 3=18051
- Pope, M. See Kallmann, H., 0=4371
- Pope, M. See Kallmann, H., 0=9999
- Pope, M. See Kallmann, H., 0=10000
- Pope, M. See Kallmann, H., 1=1488
- Pope, M. See Kallmann, H.P., 2=14521
- Pope, M.D. See Ricks, R.S., 4=4030
- Pope, M.I. and Gregg, S.J. Electrical conductivity of vitrain during carbonization, 0=4323
- Pope, N.K. See Brockhouse, B.N., 0=937
- Pope, N.K. See Sakamoto, M., 3=127
- Pope, N.K. See Stewart, A.T., 1=954
- Pope, R.A., Freck, D.V. and Evans, W.W. Resonances in the  $K^{39}(p, \gamma)Ca^{40}$  reaction from 1.0 to 2.1 MeV, 1=9859
- Pope, R.A. See Hunt, S.E., 0=7557
- Pope, R.A. See Hunt, S.E., 1=690
- Pope, R.A. See Jordan, B., 2=7631
- Popko, L.A. See Sergienko, V.A., 3=24679
- Popel', S.I. See Tsarevskii, B.V., 3=11775
- Popescu, C. Use of the external beam of the U-210 cyclotron in three different directions, 3=21916
- Popescu, C. See Grigoriu, A., 1=5513
- Popescu, I. Kinetics of ions in gases, 0=3742
- Popescu, I. On resonant charge transfer in ionized dense gases, 1=18778
- Popescu, I. Mobility of positive ions in dense ionized gases, 2=22162
- Popescu, I. On resonant charge transfer in ionized dense gases, 3=7446
- Popescu, I. See Agirbiceanu, I., 2=6090
- Popescu, I. See Badareu, E., 4=21450
- Popescu, I. See Badareu, E., 0=7081
- Popescu, I. See Badareu, E., 0=19639
- Popescu, I. See Badareu, E., 2=1407
- Popescu, I. See Badareu, E., 4=29976
- Popescu, I. See Brandus, L., 3=24217
- Popescu, I. See Brandus, L., 4=5694
- Popescu, I. See Brandus, L., 4=11518
- Popescu, I. See Ciobanu, G., 4=11513
- Popescu, I. See Ciobanu, G., 4=8636
- Popescu, I. See Glodeanu, A., 3=20292
- Popescu, I. See Glodeanu, A., 3=22910
- Popescu, I. See Sanduloviciu, M., 3=19188
- Popescu, I.M. See Agirbiceanu, I.I., 4=3794
- Popescu, I.M. See Davidovici, M., 2=7412
- Popescu, I.M. See Davidovici, M., 2=17977
- Popescu, M. See Titeica, R., 2=8107
- Popescu Iovitsu, I. and Ionescu-Pallas [Ionescu-Pallas], N. Resonant charge-exchange and the kinetics of ions [in their own gas], 0=9000
- Popescu-Iovitzu, I. and Ionescu-Pallas, N.J. On resonant charge transfer for positive ions, 0=14977
- Popescu Khash, D. See Lungu, S.N., 2=6783
- Popescu, I. See Agarbichanu, I., 3=15287
- Popescu, I.M. See Davidovich, M., 3=5533
- Popescu, P. See Agirbichanu, I., 2=14220
- Popescu, K. See Birnbaum, M., 2=20300
- Popić, R.V. Proposal for a new method of reactor neutron flux distribution determination, 4=19910
- Popić, R.V., Stepančić, B.Z. and Aleksić, N.R. Search for  $Li^2(n, \alpha)H^4$  reaction with 14 MeV neutrons, 4=21964
- Popić, R.V. See Brajović, V.M., 0=20493
- Popil'skii, R. Ya., Pankratov, Yu. F. and Kofman, N. M. The formation of non-porous structures of polycrystalline corundum, 4=20788
- Popkov, G.K. See Matveev, V.V., 2=3076
- Popkov, K.K. See Bokacheva, L. P., 4=11962
- Popkov, K.K. See Broder, D. L., 4=9592
- Popkov, K.K. See Broder, D. L., 4=28087
- Popkov, V.I. See Bogdanova, N.B., 0=5282
- Popkov, V.I. See Bogdanova, N.B., 1=4575
- Popkov, V.I. See Bogdanova, N.B., 1=7033
- Popkov, V.I. See Levitov, V.I., 0=7100
- Popkov, Yu. A. See Éremenko, V. V., 4=7101
- Popkov, Yu. A. See Vlasenko, N.A., 0=11792
- Popkovich, A. V. See Malýshev, I. F., 4=14800
- Popkovich, A. V. See Malýshev, I. F., 4=14801
- Poplavko, Yu. M. Ferroelectric properties of barium titanate at centimetre wavelengths, 2=21216
- Poplavko, Yu. M. Exact measurement of the dielectric parameters of ferroelectric substances at super high frequencies, 3=2951
- Poplavko, Yu. M. Thermal characteristics of a ferroelectric ceramic with controlled microwave permittivity, 4=7044
- Poplavko, Yu. M. Permittivity dispersion of barium-titanate-type ferroelectrics, 4=30650
- Poplavko, Yu. M. See Mekrasov, M. M., 0=16019
- Poplavko, Yu. M. See Nekrasov, M. M., 2=14606
- Poplawsky, R. Electron microscopy of hard ferrite powders, 2=6867
- Poplawsky, R. See Chapman, F. W., 4=13247
- Poplawsky, R. See Schults, E. C., 3=9646
- Poplawsky, R. P. and Thomas, J. E., Jr. Floating zone crystals using an arc image furnace, 1=2529
- Pople, J. A. The Renner effect and spin-orbit coupling, 0=20612
- Pople, J. A. Molecular-orbital theory of diamagnetism. I. An approximate L.C.A.O. scheme, 2=16500
- Pople, J. A. Molecular-orbital theory of diamagnetism. II. Calculation of Pascal constants for some noncyclic molecules, 2=16501
- Pople, J. A. Reply to letter by H. F. Hameka, 5=8241
- Pople, J. A. Molecular orbital theory of diamagnetic polarization III. Anisotropic properties of the carbonite and nitrate ions, 3=10495
- Pople, J. A. The theory of chemical shifts, 3=15375
- Pople, J. A. The theory of carbon chemical shifts in N. M. R., 4=12518
- Pople, J. A. and Karasz, F. E. A theory of fusion of molecular crystals. I. The effects of hindered rotation, 2=8180
- Pople, J. A. and Santry, D. P. Molecular orbital theory of nuclear spin coupling constants, 4=25737
- Pople, J. A. and Schaefer, T. The analysis of complex nuclear magnetic resonance spectra. I. Systems with one pair of strongly coupled nuclei, 1=14094
- Pople, J. A. and Walmsley, S. H. Bond alternation defects in long polyene molecules, 2=6241
- Pople, J. A. and Walmsley, S. H. Electronic states of long polyenes with alternating bond lengths, 2=14344
- Pople, J. A. See Buckingham, A. D., 4=6650
- Pople, J. A. See Diehl, P., 1=14095
- Pople, J. A. See Karasz, F. E., 2=1309
- Pople, J. A. See Karplus, M., 3=17557
- Pople, J. A. See Marshall, T. W., 1=14102
- Pople, J. A. See Musgrave, M. J. P., 2=14873
- Pople, J. A. See Musgrave, M. J. P., 2=16580
- Popoff, K. On the thermodynamics of irreversible processes, 0=19528
- Poporelov, A. V. The elastic deformation of convex shells in the critical region, 0=19012
- Popov, A. B. See Van Nai-yan', 4=25406
- Popov, A. B. See Wang Nai-yen, 4=9537
- Popov, A. F. See Demirkhanov, R. A., 0=15043
- Popov, A. F. See Demirkhanov, R. A., 1=297
- Popov, A. I., Sorokin, P. V., Storizhko, V. E. and Taranov, A. Ya. Elastic proton scattering by  $Mg^{25}$  and  $Mg^{26}$ , 4=1069
- Popov, A. I. See Deineko, A. S., 2=16099
- Popov, A. I. See Ivanov, R. B., 2=17926
- Popov, A. I. See Sorokin, P. V., 1=19457
- Popov, A. I. See Sorokin, P. V., 3=2449
- Popov, A. I. See Sorokin, P. V., 3=4632
- Popov, A. I. See Sorokin, P. V., 4=1070
- Popov, A. I. See Valter, A. K., 3=17456
- Popov, A. I. See Val'ter, A. K., 3=22372
- Popov, A. I. See Zubritskii, L. A., 3=7748
- Popov, A. M. See Gitsu, D. V., 2=14590
- Popov, A. M. See Gitsu, D. V., 2=18755
- Popov, A. M. See Ivanov, G. A., 3=20323
- Popov, A. M. See Ivanov, G. A., 4=4139
- Popov, A. M. See Ivanov, G. A., 4=10042



- Popov, A. M. See Ivanov, G. A., 4=26034
- Popov, A. T. Equalization of longitudinal electron velocities in modulated beams, 4=8833
- Popov, A. V., Smirnov, P. V. and Shukeilo, I. A. Magnetic deflector, 3=17010
- Popov, B. The electrical conductivity of mica under strong electric fields, 1=7624
- Popov, B. E. The effect of ultrasonics on the structure of vacuum-deposited zinc and beryllium films, 1=1450
- Popov, B. E., Kovtun, S. F. and Amonenko, V. M. Modification of beryllium and chromium structure by means of ultrasonic irradiation during arc melting, 1=6545
- Popov, B. E. See Azhazha, V. M., 4=14556
- Popov, B. N. See Anikiev, Yu. G., 2=1497
- Popov, D. K. See Murin, A. N., 0=7604
- Popov, D. N. See Indenbaum, G. V., 2=12885
- Popov, D. N. See Indenbaum, G. V., 2=19043
- Popov, D. N. See Indenbaum, G. V., 3=23463
- Popov, E. I. Evaluating the accuracy of gravimeter measurement at sea, 2=19184
- Popov, E. I. Determination of the correction for the Eötvös effect during measurement of the gravity acceleration from flying aircraft, 2=21611
- Popov, E. I. The duration of observations with heavily damped gravity meters on a mobile base, 3=8998
- Popov, E. I. Results of experimental determinations of the acceleration of gravity in the air from an aircraft, 4=4737
- Popov, E. M. and Gribov, L. A. Calculation of the electro-optical parameters of some polyatomic molecules, 3=15366
- Popov, E. M. and Kagan, G. I. Vibrational spectra of vinyl alkyl ethers. Theoretical analysis, 2=16548
- Popov, E. M. and Shlyapochnikov, V. A. Electro-optical parameters of nitromethane, 4=3897
- Popov, E. M. and Shlyapochnikov, V. A. Analysis of the vibrational spectra of polynitroalkanes, 4=9760
- Popov, E. M. See Gribov, L. A., 3=25114
- Popov, E. M. See Roshchupkin, V. P., 4=6634
- Popov, F. D. See Lun'kin, Yu. P., 2=14336
- Popov, F. D. See Lun'kin, Yu. P., 4=30482
- Popov, G. See Djakov, E., 4=5587
- Popov, G. A. See Dubovskii, B. G., 4=12300
- Popov, G. A. See Dubovskii, B. G., 4=12316
- Popov, G. A. See Kartashov, N. P., 2=20531
- Popov, I. See Kamburov, C., 4=27984
- Popov, J. M. See Basov, N. G., 3=2863
- Popov, K. R. and Smirnov, L. V. A spectroscopic study of polyvinylene, 4=3951
- Popov, K. V. See Nechai, E. P., 1=6117
- Popov, L. E. and Aleksandrov, N. A. Some regular features of irregular deformation, 4=7379
- Popov, L. E., Bol'shakova, M. A. and Aleksandrov, N. A. On the connection between abrupt deformation and the anomalous rate dependence of deformation resistance, 3=23317
- Popov, L. E., Butkevich, L. M., Kozhemyakin, N. E. and Aleksandrov, N. A. The upper temperature limit of discontinuous flow in alloys of the solid-solution type, 4=23102
- Popov, L. E. and Karpov, G. I. Effect of the quenching temperature on establishment of the short-range order, 0=8271
- Popov, L. E., Karpov, G. I. and Panova, L. M. Spectrum of atomic defects participating in the process of the formation of short-range order in nickel-chromium alloys, 4=1998
- Popov, L. E., Karpov, G. I., Panova, L. M. and Pleshnov, A. V. Mechanism of the formation of the K-state in cold-worked nickel-chromium alloys, 2=10909
- Popov, L. E., Karpov, G. I., Panova, L. M. and Pleshnov, A. V. Mechanism of the formation of the K-state in cold-worked nickel-chromium alloys, 2=15058
- Popov, L. E. and Kozlov, E. V. Theory of hardening of ordered solid solutions, 4=26536
- Popov, L. E. and Sukhovarov, V. F. The temperature limit of discontinuous deformation of nickel, 4=20675
- Popov, L. E. See Kozlov, E. V., 4=4448
- Popov, L. E. See Sukhovarov, V. F., 4=13433
- Popov, L. Ye. See Kudryavtseva, L. A., 4=23283
- Popov, L. Ye. See Sukhovarov, V. F., 4=23284
- Popov, M. See Gribov, L. A., 2=22942
- Popov, M. I. See Andrejev, E. M., 2=3229
- Popov, M. I. See Andreev, E. M., 2=18041
- Popov, M. I. See Morozov, A. G., 2=3426
- Popov, M. M., Gagarinskii, Iu. V., Senin, M. D., Mikhailenko, I. P. and Morozov, Iu. M. The average beta energy and the decay constant of tritium, 0=13193
- Popov, N. A. Transfer of ignition energy from the discharge on breaking [contacts] to a gas mixture, 0=14979
- Popov, N. A. A determination of diurnal nutation from observations of bright zenith stars at poltava, 4=2390
- Popov, N. A. and Afanas'eva, E. A. Investigation of de-ionization with probes and by a photoelectric method, 0=10882
- Popov, N. A. See Strutinskii, V. M., 3=2355
- Popov, N. A. See Strutinsky, V. M., 4=9342
- Popov, N. G. See Fomin, V. G., 3=25693
- Popov, N. M. and Zviagin, B. B. Application of a 400 keV electron-diffraction apparatus to the study of single crystals, 1=4036
- Popov, N. P.  $\gamma$ -neutrino correlation in  $\mu$ -meson capture, 3=24758
- Popov, N. P. See Bukat, G. M., 4=19808
- Popov, N. P. See Bukhvostov, A. P., 4=19804
- Popov, N. P. See Dolginov, K. Z., 0=20387
- Popov, S. See Pniewski, J., 4=27950
- Popov, S. N. Investigation of the distribution of current density in the cross-section of an ion beam, 1=5503
- Popov, S. N. Investigation of the distribution of current density in the cross-section of an ion beam, 1=11981
- Popov, S. N. Role of the emission channel in an ion source, 2=17893
- Popov, S. N. A study of Ardenne's duoplasmatron, 2=20041
- Popov, S. N. Measurement of loss of ions in an ion-optical system, 2=20046
- Popov, S. N. See Egorov, V. A., 4=16551
- Popov, S. N. See Smolenskii, G. A., 0=629
- Popov, S. N. See Smolenskii, G. A., 0=16020
- Popov, S. N. See Smolenskii, G. A., 1=6195
- Popov, V. Electrical conductivity of some waxy dielectrics in the melting region, 4=1658
- Popov, V. A. Scattering of slow neutrons in antiferromagnetics, 1=20158
- Popov, V. A. Scattering of slow neutrons in antiferromagnetics, 2=6678
- Popov, V. A. See Voronel', A. V., 4=5480
- Popov, V. A. See Zimin, E. P., 2=17513
- Popov, V. A. See Zimin, E. P., 4=14568
- Popov, V. A. See Zimin, E. P., 4=17261
- Popov, V. A. See Zimin, E. P., 4=18250
- Popov, V. I. The angular distributions of elastically and inelastically scattered 2.9 MeV neutrons, 0=9675
- Popov, V. I. Collective levels and deformations of nuclei with  $N = 82$  to  $90$ , 3=8019
- Popov, V. I. Probabilities for E2 and E1 transitions from some excited states in  $Tb^{159}$ ,  $Ho^{165}$  and  $Tm^{169}$ , 3=12598
- Popov, V. I. Angle distribution of 3.1 MeV neutrons elastically scattered on Al, Si, K, Ca, and Th, 4=12236
- Popov, V. I. Simulation of elongated  $\gamma$ -ray sources, 4=3375
- Popov, V. I. Simulation of elongated  $\gamma$ -ray sources, 4=21819
- Popov, V. I. See Bakov, A. T., 2=20638
- Popov, V. I. See Bakov, A. T., 3=22409
- Popov, V. I. See Kovalev, E. E., 0=5445
- Popov, V. I. See Kovalev, E. E., 0=7488
- Popov, V. I. See Kovalev, E. E., 0=9591
- Popov, V. I. See Larichev, A. V., 2=22474
- Popov, V. I. See Nathan, O., 1=4833
- Popov, V. I. See Nefedov, V. V., 4=12133
- Popov, V. I. See Osanov, D. P., 2=1825
- Popov, V. I. See Ostavnov, P. S., 3=2470
- Popov, V. I. See Ostavnov, P. S., 4=9211
- Popov, V. M. See Marinesco, M., 1=2264
- Popov, V. N. See Makavetskias, R. A., 4=24265
- Popov, V. N. See Makavetskias, R. A., 4=29669
- Popov, V. O. Energy spectra of an antiferromagnet in a magnetic field, 2=4236
- Popov, V. O. See Bar'yakhtar, V. H., 2=12800
- Popov, V. P. See Velyukhanova, G. A., 4=1909
- Popov, V. S. Total cross-section of stripping and diffraction disintegration of fast deuterons on non-spherical nucleus, 0=1414
- Popov, V. S. Theory of the relativistic transformations of the wave-functions and density matrix of particles with spin, 0=11100
- Popov, V. S. Spin flip of a relativistic particle with a magnetic moment moving in an external field, 0=20054
- Popov, V. S. and Dolinskii, E. I. Regge poles and resonance nuclear reactions, 4=17109
- Popov, V. S. and Dolinskii, E. I. Group properties of the complex angular momentum, 4=19451
- Popov, V. S. See Blokhintsev, L. D., 2=18058
- Popov, V. S. See Blokhintsev, L. D., 3=5966



- Popov, V.S. See Blokhintsev, L.D., 3=8059  
 Popov, V.S. See Blokhintsev, L.D., 3=14867  
 Popov, V.S. See Blokhintsev, L.D., 3=15165  
 Popov, V.S. See Dolinskii, E.I., 4=30334  
 Popov, V.S. See Geshkenbein, B.V., 2=398  
 Popov, V.S. See Geshkenbein, B.V., 2=22763  
 Popov, V.S. See Zargar'yants, M.N., 3=2933  
 Popov, V.V. See Vereshchagin, L.F., 4=20996  
 Popov, Y.M. See Krokhin, O.N., 0=20885  
 Popov, Yu. See Loshkutov, Yu., 2=20244  
 Popov, Yu. See Loskutov, Yu., 3=7774  
 Popov, Yu. G. See Nasledov, D.N., 4=7069  
 Popov, Yu.M. Dependence of the light-sum stored at levels of various depth on the excitation intensity, 0=2958  
 Popov, Yu.M. The effect of fast electrons on the stored light-sum in cathodoluminescence, 0=10076  
 Popov, Yu.M. Characteristics of cathodoluminescence at high excitation densities, 3=3064  
 Popov, Yu.M. Energy distribution of carriers in semiconductors in the presence of sources of fast electrons, 3=17829  
 Popov, Yu.M. and Selivanenko, A.S. Luminescence of a free exciton in a molecular crystal, 1=3853  
 Popov, Yu.M. and Shabanskii, V.P. Effect of radiationless recombination on saturation in cathodoluminescence, 0=4460  
 Popov, Yu.M. See Bagaev, V.S., 4=3224  
 Popov, Yu.M. See Basov, N.G., 0=11046  
 Popov, Yu.M. See Basov, N.G., 1=1097  
 Popov, Yu.M. See Basov, N.G., 1=5013  
 Popov, Yu.M. See Basov, N.G., 1=9681  
 Popov, Yu.M. See Basov, N.G., 1=19848  
 Popov, Yu.M. See Basov, N.G., 2=645  
 Popov, Yu.M. See Krokhin, O.N., 2=23274  
 Popov, Yu.P. and Fenin, Yu.I. Analysis of averaged cross-sections for neutron capture, 3=17479  
 Popov, Yu.P. and Shapiro, F.L. The  $Cl^{35}(n,p)$  reaction and neutron resonance parameters of chlorine, 1=19489  
 Popov, Yu.P. and Shapiro, F.L. Energy dependence of the cross-sections for  $(n,\gamma)$  reactions of a number of odd Z nuclei, 2=14112  
 Popov, Yu.P. and Shapiro, F.L. The  $Cl^{35}(n,p)$  reaction and neutron resonance parameters of chlorine, 3=4655  
 Popov, Yu.P. and Shapiro, F.L. Energy dependence of the cross-sections for  $(n,\gamma)$  reactions of a number of odd Z nuclei, 3=6273  
 Popov, Yu.P. See Isakov, A.I., 0=15599  
 Popov, Yu.P. See Kapchigashev, S.P., 4=19795  
 Popov, Yu.P. See Kashukeev, N.T., 2=3594  
 Popov, Yu.P. See Kashukeev, N.T., 4=15224  
 Popov, Yu.P. See Konks, V.A., 4=12248  
 Popov, Yu.P. See Volkov, A.N., 4=16526  
 Popov, Yu.V. A phase detector using a mixer tube and phase modulation, 4=16391  
 Popov, Yu.V. and Adrianova, I.I. Diffractional light modulator with opposed ultrasonic radiators, 0=12494  
 Popov, Yu.V. See Adrianova, I.I., 1=2879  
 Popov, Yu.V. See Adrianova, I.I., 1=18612  
 Popov, Yu.V. See Adrianova, I.I., 1=18530  
 Popović, D., Raišić, N., Marković, H., Takač, S., Zdravković, Z. and Lolić, B. Measurement of  $M^2$  and  $k\infty$  for a heavy water-natural uranium assembly, 0=20520  
 Popović, D., Takač, S., Marković, H., Raišić, N., Zdravković, Z. and Radanović, Lj. Zero energy reactor "RB", 0=20519  
 Popović, D. See Raišić, N., 0=20521  
 Popović, D.D. See Raišić, N.M., 1=13903  
 Popović, D.R. See Bek-Uzarov, D.N., 1=13723  
 Popović, M. See Chang, C.T., 4=18829  
 Popovich, G. Thermoelectric and thermomagnetic properties of HgTe, 4=7087  
 Popovich, M., Ripeanu, S., Grabchev, B. and Vasiliu, V. On the total reflection of neutrons by cobalt mirrors, 4=6066  
 Popovici, A. Conformal separation of the spin states of a particle with maximum spin 2, 4=19399  
 Popovici, A., Hristev, A. and Popovici, J. Conformal theory in  $C_0$  of particles of maximum spin 1 and  $\frac{1}{2}$ , 4=9062  
 Popovici, C. See Badareu, E., 2=6883  
 Popovici, C. See Badareu, E., 2=21588  
 Popovici, C. See Kreijci, V., 3=4044  
 Popovici, C. See Krejčí, V., 3=7477  
 Popovici, J. See Popovici, A., 4=9062  
 Popow, J.M. See Basow, N.G., 3=4928  
 Popowa, M. See Hachenberg, O., 4=4946  
 Popowa, M. See Hachenberg, O., 4=4947  
 Popp, E.C. See Damm, C.C., 2=15912  
 Popp, E.C. See Hunt, A.L., 1=15974  
 Popp, E.C. See Hunt, A.L., 4=11265  
 Popp, G. Surface ionization and diffusion of potassium of tungsten, 4=23610  
 Poppa, H. Sputtering experiments inside the electron microscope, 3=451  
 Poppa, H. In-situ studies of epitaxial thin-film growth, 4=29071  
 Poppa, H. See Medved, D.B., 2=11724  
 Poppe, C.H. Evidence for an excited state of the alpha particle from d + t neutron spectra, 2=22661  
 Poppe, C.H., Holbrow, C.H. and Borchers, R.R. Neutrons from D + T and D + H, 3=6280  
 Poppe, C.H. See Borchers, R.R., 3=10341  
 Poppe, C.H. See Lefevre, H.W., 3=2327  
 Poppe, C.H. See Lefevre, H.W., 3=4413  
 Pöppel, W.G.L. See Varsavsky, C.M., 3=1526  
 Popova, A.A. See Belov, K.P., 0=11665  
 Popova, A.A. See Belov, K.P., 1=1253  
 Popova, A.A. See Manenkov, A.A., 3=20048  
 Popova, A.M. See Ivanter, I.G., 4=16813  
 Popova, A.M. See Komarov, V.V., 0=7425  
 Popova, A.M. See Komarov, V.V., 0=13222  
 Popova, A.M. See Komarov, V.V., 0=17332  
 Popova, A.M. See Komarov, V.V., 0=20244  
 Popova, A.M. See Komarov, V.V., 1=4834  
 Popova, A.M. See Komarov, V.V., 2=18309  
 Popova, A.M. See Komarov, V.V., 2=18343  
 Popova, A.M. See Komarov, V.V., 4=3494  
 Popova, A.M. See Komarov, V.V., 4=21956  
 Popova, A.M. See Komarov, V.V., 4=27914  
 Popova, A.M. See Vasil'ev, S.S., 0=9625  
 Popova, A.M. See Vasil'ev, S.S., 1=16464  
 Popova, A.M. See Vasil'ev, S.S., 2=3619  
 Popova, A.M. See Vasil'ev, S.S., 2=18324  
 Popova, A.M. See Vasil'ev, S.S., 3=2458  
 Popova, A.M. See Vasilyev, S.S., 3=2495  
 Popova, A.M. See Vasil'ev, S.S., 3=4671  
 Popova, A.M. See Vasilyev, S.S., 3=8091  
 Popova, A.M. See Vasil'ev, S.S., 3=10345  
 Popova, A.M. See Verdiev, I.A., 4=19440  
 Popova, A.S. See Timofeeva, V.A., 3=16033  
 Popova, E.A. See Goletskaya, A.D., 2=4079  
 Popova, E.A. See Goletskaya, A.D., 2=8449  
 Popova, E.A. See Kolomoets, N.V., 0=20948  
 Popova, E.G. See Nurmukhametov, R.N., 1=10114  
 Popova, G.S. See Chulanovskii, V.M., 4=4697  
 Popova, I.I. See Iveronova, V.I., 1=15059  
 Popova, K.B., Sintsov, V.N. and Faerman, G.P. Experimental application of the evaporograph for obtaining an infrared image of the moon, 4=13914  
 Popova, L. See Kasabov, I., 4=4560  
 Popova, L.A. See Mes'kin, V.S., 2=21093  
 Popova, L.G. See Do In Seb, 2=5640  
 Popova, L.G. See Do In Seb, 3=4393  
 Popova, L.T. See Kormer, S.B., 2=10747  
 Popova, M.D. The curvature of the paths of some meteors during their motion through the earth's atmosphere, 2=952  
 Popova, O.S. See Gorbunova, K.M., 0=16365  
 Popova, O.S. See Moiseev, V.P., 1=1413  
 Popova, S.V. See Itskevich, E.S., 4=10044  
 Popova, S.V. See Kabalkina, S.S., 4=10551  
 Popova, S.V. See Vereshchagin, L.F., 1=5001  
 Popova, S.V. See Vereshchagin, L.F., 1=11251  
 Popova, S.V. See Vereshchagin, L.F., 1=14356  
 Popova, S.V. See Vereshchagin, L.F., 1=17604  
 Popova, S.V. See Vereshchagin, L.F., 2=618  
 Popova, S.V. See Vereshchagin, L.F., 2=619  
 Popova, S.V. See Vereshchagin, L.F., 2=10435  
 Popova, S.V. See Vereshchagin, L.F., 3=2902  
 Popova, T.N. and Saschenko, N.M. Franck-Condon factors for some vibrational transitions in the fourth positive system of CO, 3=17571  
 Popova, T.P. See Yatsenko, A.F., 2=14619  
 Popova, T.V. The stability of filaments of gas-dust nebulae, 3=23698  
 Popova, V.M., Semashko, N.G. and Yagudina, F.R. Photoproduction of low-energy charged pions from complex nuclei, 0=9421  
 Popova, V.M. See Adamovich, M.I., 0=13046



- Popova, V.M. See Adamovich, M.I., 1=17084  
 Popova, V.M. See Adamovich, M.I., 2=304  
 Popova, V.M. See Adamovich, M.I., 2=5713  
 Popova, V.M. See Adamovich, M.I., 3=4428  
 Popova, V.M. See Gorzhevskaya, E.G., 0=15414  
 Popova, V.P. See Fedotov, L.N., 3=8634  
 Poppelbaum, C., Huber, P., Lewandowski, A., Plattner, R. and Wagner, R. Inelastic scattering of 14.7 MeV neutrons on  $U^{238}$ , 3=8104  
 Poppelbaum, C. See Huber, P., 2=5925  
 Poppelbaum, C. See Huber, P., 2=9867  
 Poppelbaum, C. See Huber, P., 3=10131  
 Poppelbaum, C. See Plattner, R., 4=12126  
 Poppelbaum, C. See Wagner, R., 2=7672  
 Poppelbaum, G. See Huber, P., 3=22395  
 Poppendiek, H.F. Turbulent liquid-metal heat transfer in channels, 0=14869  
 Poppendiek, H.F. and Palmer, L.D. Heat transfer in heterogeneous circulating-fuel reactors, 0=12513  
 Popper, B. and Reiner, M. Centripetal air-pump operated electromagnetically, 0=8686  
 Popper, D.M. On the adjustment of spectrographic elements of eclipsing binaries, 4=4865  
 Popper, P. and Ruddlesden, S.N. Double oxides with layer structures related to perovskite. II. Titanate structures, 4=23487  
 Poppellwell, D.S. The specific alpha activity and half-life of  $^{233}U$ , 2=5840  
 Poppellwell, J. and Tebble, R.S. Microwave adsorption in Gadolinium-Yttrium alloys, 3=15941  
 Poppoff, I.G. and Whitten, R.C. D-region ionization by solar X-rays, 3=3498  
 Poppoff, I.G. See Whitten, R.C., 1=20968  
 Poppoff, I.G. See Whitten, R.C., 2=15233  
 Poppoff, I.G. See Whitten, R.C., 4=23799  
 Popryadukhin, A.P. The behaviour of lines of force in the stellarator magnetic field in the presence of disturbances, 4=19067  
 Pops, H. Lattice parameters of the alpha phase in copper-zinc alloys, 4=20758  
 Pops, H. See Isaacs, L.L., 4=20771  
 Poquet, E. Structure and diamagnetic properties of pyrocarbons, 3=20949  
 Poquet, E. Variation at high temperature of the magnetic anisotropy of single-crystal graphite and of pyrocarbon, 4=4324  
 Poquet, E., Lumbroso, N., Hoarau, J., Marchand, A., Pacault, A. and Soule, D.E. Study of the diamagnetism of single crystals of graphite, 1=6254  
 Poquet, E. and Pacault, A. On the magnetism of carbons, 4=10240  
 Poquet, E. See Pacault, A., 2=12755  
 Poqtse, O.P. See Mikhailovskii, A.B., 4=21538  
 Porai-Koshits, E. and Andreyev, N.S. Low-angle X-ray scattering by sodium borosilicate glasses, 0=10320  
 Porai-Koshits, E.A. See Vaipolin, A.A., 0=21199  
 Porai-Koshits, E.A. See Vaipolin, A.A., 3=18363  
 Porai-Koshits, E.A. See Vaipolin, A.A., 3=18364  
 Porai-Koshits, E.A. See Vaipolin, A.A., 4=2135  
 Porai-Koshits, M.A. Use of computers for the analysis of crystal structures, 3=20831  
 Porai-Koshits, M.A. See Belov, N.V., 0=18286  
 Porai-Koshits, M.A. See Bokii, G.B., 1=15017  
 Porai-Koshits, M.A. See Bukovska, M., 1=4056  
 Porai-Koshits, M.A. See Levin, A.A., 0=12034  
 Porai-Koshits, M.A. See Mil'kova, L.P., 3=20847  
 Porai-Koshits, M.A. See Zorkii, P.M., 3=13391  
 Porat, D.I. and Ramavataram, K. The energy loss of helium and nitrogen ions in metals, 0=3814  
 Porat, D.I. and Ramavataram, K. A proposed method for measuring ranges of heavy ions in solids, 1=4667  
 Porat, D.I. and Ramavataram, K. Rate of energy loss and ranges of carbon and oxygen ions in solids, 1=4668  
 Porat, D.I. and Ramavataram, K. Differential energy loss and ranges of Ne, N and He ions, 2=1931  
 Porat, D.I. See Holcomb, L., 4=8875  
 Porat, D.I. See Ramavataram, K., 0=19039  
 Porbansky, E.M. Growth of high purity copper crystals, 4=29049  
 Porbansky, E.M. See Trumbore, F.A., 0=12080  
 Porbansky, E.M. See Trumbore, F.A., 0=21164  
 Porceddu, C. See Fuschini, E., 4=22051  
 Porembka, S.W. See Prus, L.G., 0=14057  
 Poretskii, L.B. See Gorbachev, V.M., 0=11445  
 Porfir'ev, V.A. See Troitskii, V.S., 4=26970  
 Porfir'ev, V.V. The law of rotation of a polytropic gas sphere, 0=19179  
 Porfir'ev, V.V. The equations of internal structure of a rotating star, 2=11141  
 Porfir'ev, V.V. Instability of rotation of stars. I, 3=9234  
 Porfir'ev, V.V. The pulsation of rotating stars, 4=2349  
 Porfir'ev, V.V. See Krasnozhenov, E.P., 1=18113  
 Porfir'eva, N.N. The electrical conductivity and the Hall effect in a polar semiconductor taking into account the scattering of current carriers on the optical and acoustical lattice vibrations and on impurity ions, 0=580  
 Porges, K.G. See De Volpi, A., 2=18013  
 Porges, K.G.A., Devolpi, A. and Larsen, R.N. Electronic design of an absolute counting system for  $Mn^{56}$ , 4=30322  
 Porges, K.G.A. and Klippert, T.E. A wide-range neutron detector and monitoring instrument, 1=13446  
 Porgess, P.V.K. and Wilman, H. The dependence of friction on surface roughness, 0=10277  
 Porgess, P.V.K. and Wilman, H. Surface re-orientation, friction and wear, in the unidirectional abrasion of graphite, 1=1352  
 Porile, N.T. Excitation functions for alpha-induced reactions on zinc-64, 0=444  
 Porile, N.T. Momentum imparted to complex nuclei in high-energy interactions, 0=17593  
 Porile, N.T. Excitation functions for inelastic scattering reactions of cadmium-111 and indium-115, 1=688  
 Porile, N.T. Simple nuclear reactions of  $Ga^{69}$  and  $Ga^{71}$  with high-energy protons, 2=5922  
 Porile, N.T. Study of the  $Al^{27}(\alpha, Be^7)Na^{24}$  reaction from threshold to 41 MeV, 2=16436  
 Porile, N.T. Simple nuclear reactions of indium with 30 and 2.9 GeV protons, 3=2460  
 Porile, N.T. Evaporation of alpha particles in the interaction of high-energy protons with  $AgBr$ , 4=25401  
 Porile, N.T. Ranges of low-energy gallium atoms in copper and zinc, 4=28505  
 Porile, N.T. and Church, L.B. Isobaric yield distributions in the interaction of 1.8 GeV protons with  $Zr^{96}$ ,  $Mo^{96}$ , and  $Ru^{86}$ , 4=9515  
 Porile, N.T. and Morrison, D.L. Reactions of  $Cu^{63}$  and  $Cu^{65}$  with alpha particles, 0=2669  
 Porile, N.T., Poskanzer, A.M. and Rho, M. Recoil studies of reactions of indium with medium energy protons and alpha particles, 2=22811  
 Porile, N.T. and Tanaka, S. Nuclear structure effects in high-energy (p, pn) reactions, 3=12679  
 Porile, N.T. and Tanaka, S. (p, pxn) reactions of  $Br^{79}$  and  $Br^{81}$  with 2.9-GeV protons, 4=1082  
 Porile, N.T. and Tanaka, S. Formation of sodium and potassium nuclides in the bombardment of light elements with 20-GeV protons, 4=22137  
 Porile, N.T., Tanaka, S., Amano, H., Furukawa, M., Iwata, S. and Yagi, M. Nuclear reactions of  $Ga^{69}$  and  $Ga^{71}$  with 13-56 MeV protons, 3=17474  
 Porile, N.T. See Cumming, J.B., 1=611  
 Porile, N.T. See Cumming, J.B., 1=8644  
 Porile, N.T. See Cumming, J.B., 4=22140  
 Porile, N.T. See Hudis, J., 3=4641  
 Poritsky, H. Helical fields, 0=1216  
 Poritsky, H. and Powell, R.A. Certain solutions of the heat conduction equation, 0=16910  
 Poritsky, H. Motion of a satellite around an oblate earth, 2=13189  
 Porneuf, A. Optical and electron microscopy of sintered uranium dioxide, 2=4518  
 Porod, G. See Kratky, O., 0=8190  
 Porod, G. See Mittelbach, P., 1=20772  
 Porod, G. See Mittelbach, P., 2=8937  
 Porod, G. See Mittelbach, P., 2=15169  
 Porogelov, V.E. See Kondilenko, L.I., 3=10486  
 Porok, J. See Blinc, R., 4=10350  
 Porokhin, A.G. See Solntsev, G.S., 0=5298  
 Poroshina, M.S. See Belov, I.P., 2=3218  
 Porowski, S., Duracz, A. and Zukotyński, S. The effect of hydrostatic pressure on the thermoelectric power in indium antimonide, 4=1699  
 Porowski, S. and Gałazka, R.R. Pressure phase transition of  $HgSe$ , 4=23278  
 Porozhnikova, G.N. and Kholuyanov, G.F. On the photoconductivity of the  $\alpha$ -modification of silicon carbide, 2=8441  
 Porozhnikova, G.N. and Kholuyanov, G.F. On the photoconductivity of the  $\alpha$ -modification of silicon carbide, 2=14585  
 Porreca, F. On the effects of quartz crystals irradiation by means of electrons, 2=10428



- Porreca, F. Contribution to improvement of the focusing in a microtron, 4=8873
- Porreca, F. See Carrelli, A., 1=5250
- Porreca, F. See Carrelli, A., 1=11355
- Porreca, F. See Carrelli, A., 2=9246
- Porreca, F. See Davies, G.R., 1=16467
- Porri, L. See Morero, D., 0=4677
- Porsche, H. Investigations on optical reflection interference filters in the near ultraviolet, 0=2248
- Porschen, W. See Bormann, H.J., 3=4691
- Porschen, W. See Jacquemin, J., 3=4692
- Porschen, W. See Krämer, H., 3=15261
- Porsev, G.D. See Borovikov, A.V., 2=20315
- Porsev, G.D. See Rusinov, L.I., 1=17059
- Porstendorfer, G. Observations of linear terrestrial polarization during the electromagnetic storm of 1 April 1960 at Conradsdorf/Freiberg and the problem of its application for geophysical investigation purposes in mountain building regions, 2=6905
- Port, E. The loudness of sound impulses of different duration, 0=4824
- Port, E. Loudness of single short sound pulses, 4=2483
- Port, E. Loudness perception and measurement of noise pulses, 4=2484
- Port, E. The loudness of single sound pulses, 4=15976
- Port, E. Loudness of pulsating noise signals in the diffuse sound field of a reverberation room, 4=21256
- Port, E. See Lübbcke, E., 4=14312
- Port, M. See Gorodetzky, S., 0=9587
- Port, M. See Gorodetzky, S., 0=19992
- Port, M. See Gorodetzky, S., 2=13520
- Port, M. See Gorodetzky, S., 2=22552
- Port, M. See Gorodetzky, S., 3=12584
- Port, M. See Gorodetzky, S., 4=17036
- Porta, P. See Cimino, A., 4=23500
- Porta, P. della. See della Porta, P.
- Porte, A.L., Gutowsky, H.S. and Boggs, J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. I.  $B-UO_2 \cdot 2H_2O$ , 2=10725
- Porte, A.L., Gutowsky, H.S. and Boggs, J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. II.  $\beta-UO_3 \cdot H_2O$ , 2=10726
- Porte, A.L., Gutowsky, H.S. and Boggs, J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. III.  $UO_4 \cdot 2H_2O$ , 3=3203
- Porte, A.L., Gutowsky, H.S. and Harris, G.M. Proton magnetic resonance study of crystalline potassium trisoxalato-rhodium (III) hydrate, 1=3952
- Porte, A.L. See Gutowsky, H.S., 1=14104
- Porteous, J.O. Relation between the height distribution of a rough surface and the reflectance at normal incidence, 4=8385
- Porteous, P. An apparatus for specimen changing in pumped liquid helium through an air-lock, 3=7397
- Porteous, P. See Harding, G.N., 1=9574
- Porteous, C.E. Cross-section probability distribution, 3=4346
- Porter, C.E. Statistics of atomic radiative transition probabilities, 3=4700
- Porter, C.E. Further remarks on energy level spacings, 3=7978
- Porter, C.E. Random matrix diagonalization — some numerical computations, 3=21201
- Porter, C.E. and Rosenzweig, N. Statistical properties of atomic and nuclear spectra, 0=17696
- Porter, C.E. See Auerbach, E.H., 4=22196
- Porter, C.E. See Baker, G.A., Jr., 0=911
- Porter, C.E. See Baker, G.A., Jr., 0=17470
- Porter, C.E. See Eisberg, R.M., 1=13530
- Porter, C.E. See Kahn, P.B., 4=5084
- Porter, C.E. See Krieger, T.J., 4=1056
- Porter, C.E. See Rosenzweig, N., 1=800
- Porter, C.E. See Rosenzweig, N., 1=11083
- Porter, C.E. See Ullah, N., 4=81
- Porter, C.E. See Ullah, N., 4=5053
- Porter, D.T. Self- and mutual-radiation impedance and beam patterns for flexural disks in a rigid plane, 4=21233
- Porter, F.T. See Freedman, M.S., 1=13399
- Porter, G. Mechanism of third-order recombination reactions, 3=6425
- Porter, G. and Smith, J.A. Mechanism of atom recombination, 0=5868
- Porter, G. and Stief, L.J. Viscosity dependence of unimolecular conversion from the triplet state, 3=3811
- Porter, G., Szabó, Z.G. and Townsend, M.G. The recombination of atoms. V. Iodine atom recombination in nitric oxide, 3=2668
- Porter, G. and West, P. Decay of the triplet state. II. Rate and mechanism in the gas phase, 4=22409
- Porter, G. and Wilkinson, F. Energy transfer from the triplet state, 1=17376
- Porter, G. and Wooding, E.R. Simple light source of about  $10\mu$  sec duration, 0=5158
- Porter, G. and Wooding, E.R. Nanosecond light sources, 1=12993
- Porter, G. and Wright, M.R. Intramolecular and intermolecular energy conversion involving change of multiplicity, 1=6058
- Porter, G. See Gover, T.A., 1=20735
- Porter, G. See Hilpern, J.W., 4=11198
- Porter, G. See Hoffman, M.Z., 2=15610
- Porter, G.B. Photo-oxidation of biacetyl, 0=14127
- Porter, G.B. and Connelly, B.T. Kinetics of excited molecules. II. Dissociation processes, 0=15683
- Porter, G.B. and Schläfer, H.L. Luminescence of chromium (III) complexes in rigid glass, 4=22920
- Porter, G.B. and Schläfer, H.L. Luminescence of transition metal compounds, 4=26249
- Porter, G.B. See Heicklen, J., 1=7917
- Porter, G.B. See Taylor, G.A., 2=6230
- Porter, J.F., Jr. Use of  $PrCl_3$  in a solid state infrared quantum counter, 1=6978
- Porter, J.F.Jr. Rapid scan infrared spectrograph with linear wavelength presentation, 1=10590
- Porter, J.F., Jr. Fluorescence excitation by the absorption of two consecutive photons, 2=4175
- Porter, J.F., Jr. See Pfeiffer, L.M., 4=13073
- Porter, J.G. The satellites of the planets, 0=12267
- Porter, J.H. See Vieth, W.R., 3=14103
- Porter, J.L. See Lamb, D.M., 4=29059
- Porter, J.T., II. See Dixon, J.M., 3=20376
- Porter, J.W. and Penner, S.S. Experimental determination of desorption rates and of heats of desorption, 4=7729
- Porter, L.F. and Rosenthal, P.C. Effect of applied tensile stress on phase transformations in steel, 0=16337
- Porter, N.A. The Dirac monopole as a constituent of primary cosmic radiation, 0=17439
- Porter, N.A. and Hill, D.A. Photography of extensive air showers in Cherenkov light, 2=20461
- Porter, N.A. See Bradley, E.F., 0=20266
- Porter, N.A. See Fruin, J., 4=21969
- Porter, N.A. See Hill, D.A., 1=16940
- Porter, N.A. See Jelley, J.V., 4=10795
- Porter, N.A. See White, J., 1=13389
- Porter, N.F. See Bradley, E.F., 1=2133
- Porter, R.A. Radial distribution functions from a linear integral equation, 4=21069
- Porter, R.A. and McMillan, W.G. Effect of compression on the decay rate of  $Tc^{99m}$  metal, 0=5718
- Porter, R.F. Mass spectra of vapors in the  $Al-AlF_3$  and  $Al-LiF-AlF_3$  systems, 0=18427
- Porter, R.F. Stabilities of gaseous molecules in the  $Pb-Se$  and  $Pb-Te$  systems, 1=4953
- Porter, R.F. Molecular association in sodium cyanide vapor, 1=10551
- Porter, R.F., Bidinosti, D.R. and Watterson, K.F. Mass spectro-metric study of the reactions of  $BF_3(g)$  with  $BCl_3(g)$  and  $B_2O_3(l)^*$ , 2=15127
- Porter, R.F. and Sholette, W.P. Stabilities of gaseous boroxine and its fluoro derivatives, 2=19140
- Porter, R.F. and Spencer, C.W. Stabilities of the gaseous molecules,  $BiSe$ ,  $BiTe$ , and  $SbTe$ , 0=5896
- Porter, R.F. and Zeller, E.E. Mass spectra of aluminum (III) halides and the heats of dissociation of  $Al_2F_6(g)$  and  $LiF \cdot AlF_3(g)$ , 0=16732
- Porter, R.F. See Bauer, S.H., 0=17854
- Porter, R.F. See Schoonmaker, R.C., 0=3566
- Porter, R.N. and Karplus, M. Potential energy surface for  $H_2$ , 4=12480
- Porter, R.N. See Karplus, M., 4=17857
- Porter, R.N. See Wall, F.T., 2=17078
- Porter, R.N. See Wall, F.T., 4=6660
- Porter, R.S., Cantow, M.J.R. and Johnson, J.F. Sonic degradation of polyisobutylene in solution, 4=7773
- Porter, R.S. and Johnson, J.F. Non-Newtonian viscosity of polymers, 1=18350
- Porter, R.S. and Johnson, J.F. Order and flow of liquid crystals: The nematic mesophase, 3=9441



- Porter, R.S. and Johnson, J.F. Order and flow of liquid crystals; The cholesteric mesophase, 3=9442
- Porter, R.W. and Anderson, T.P. On the accuracy of spectro-metric measurement of plasma temperature, 4=5633
- Porter, T.L. Band-spectrum analysis of mercury hydride, 2=22972
- Porter, T.L. and Davis, S.P. Isotope shift in the spectrum of mercury hydride, 2=22973
- Porter, T.L. and Davis, S.P. Hyperfine structure in the spectrum of mercury hydride, 3=6393
- Porter, W.S. The constitutions of uranus and neptune, 1=5255
- Porter, W.S. Hydrogen energy levels: perturbation caused by proton structure, 4=25479
- Porterfield, C.D. See van der Zwan, L., 4=11857
- Porterfield, W.W. See Dearman, H.H., 1=9058
- Porteus, J.O. Optimized method for correcting smearing aberrations: complex X-ray spectra, 2=7696
- Porteus, J.O. Low-energy electron scattering by many electron atoms, 4=25569
- Porteus, J.O. See Bennett, H.E., 1=4471
- Portevin, P.A. See Bastien, P., 2=12930
- Portis, A.M. Nuclear relaxation in magnetic materials, 3=1198
- Portis, A.M. Low-lying spin wave modes in ferromagnetic films, 3=11075
- Portis, A.M. The Berkeley Physics Laboratory, 4=18009
- Portis, A.M. and Gossard, A.C. Nuclear resonance in ferromagnetic cobalt, 0=10246
- Portis, A.M. and Kanomori, J. Magnetism and crystallography International Conference in Kyoto, 2=14762
- Portis, A.M. and Kanomori, J. Interpretation of n.m.r. spectra in ferromagnetic alloys, 2=14843
- Portis, A.M. and Teaney, D. Microwave Faraday rotation in anti-ferromagnetic MnF<sub>2</sub>, 0=3098
- Portis, A.M., Witt, G.L. and Heeger, A.J. Excitation of nuclear magnetic resonance modes in antiferromagnetic KMnF<sub>3</sub>, 3=15966
- Portis, A.M. See Apfel, J.H., 1=17800
- Portis, A.M. See De Gennes, P.G., 0=1821
- Portis, A.M. See Gossard, A.C., 2=785
- Portis, A.M. See Heeger, A.J., 1=12525
- Portis, A.M. See Heeger, A.J., 2=2305
- Portis, A.M. See Heeger, A.J., 3=25582
- Portis, A.M. See Lee, K., 4=1851
- Portis, A.M. See Nakamura, A., 4=13345
- Portis, A.M. See Snowden, D.P., 1=1080
- Portis, A.M. See Teaney, D.T., 0=16161
- Portis, A.M. See Teaney, D.T., 1=10803
- Portis, A.M. See Weger, M., 1=6421
- Portis, A.M. See Witt, G.L., 4=28903
- Portnoff-Porneuf, A. Cleavage of uranium dioxide, 1=20385
- Portnoff-Porneuf, A. Fractographic studies of sintered uranium dioxide, 1=20647
- Portnov, I.G. Exact solution of a freezing problem with an arbitrary temperature change along a fixed boundary, 2=13492
- Portnov, I.G. Exact solution of a freezing problem with an arbitrary temperature change along a fixed boundary, 2=17690
- Portnov, V.N. See Belyustin, A.V., 3=16034
- Portnova, S.I. See Lyubimov, V.B., 3=7901
- Portnova, S.I. See Lyubimov, V.B., 4=937
- Portnoy, W.M. See Handler, P., 0=2878
- Portnyagin, J.I. See Grabowski, J., 3=24977
- Porto, S.P.S. and Jannuzzi, N. New singlet transitions in the near infrared spectrum of molecular hydrogen, 4=6566
- Porto, S.P.S. and Lambert, C.A. Molecular constants of the ground state of H<sub>2</sub> derived from theoretical calculations, 2=18453
- Porto, S.P.S., Szulc, A., Neto, J.R.P. and Guimarães, W.O.N. Construction and performance of a high resolution grating spectrometer, 0=19415
- Porto, S.P.S., Szulc, A., Guimarães, W.O.N. and Neto, J.R.P. High-resolution grating spectrometer, 0=16859
- Porto, S.P.S. and Wood, D.L. Ruby optical maser as a Raman source, 2=5171
- Porto, S.P.S. and Wood, D.L. Ruby optical maser as a Raman source, 3=7347
- Porto, S.P.S. and Wood, D.L. Ruby optical maser as a Raman source, 4=14372
- Porto, S.P.S. and Yariv, A. Trigonal sites and 2.24 - micron coherent emission of U<sup>3+</sup> in CaF<sub>2</sub>, 2=16812
- Porto, S.P.S. See Archer, R.J., 3=20543
- Porto, S.P.S. See Ballman, A.A., 4=3215
- Porto, S.P.S. See Boyd, G.D., 2=14667
- Porto, S.P.S. See Jannuzzi, N., 0=15687
- Porto, S.P.S. See Kogelnik, H., 4=8437
- Porto, S.P.S. See Leite, R.C.C., 4=24210
- Porto, S.P.S. See Leite, R.C.C., 4=27179
- Porto, S.P.S. See Pearson, A.D., 4=24924
- Porto, S.P.S. See Pearson, A.D., 4=27711
- Porto, S.P.S. See Yariv, A., 2=18815
- Porubai, N.I. See Marfenko, S.V., 4=14803
- Porubai, N.I. See Vladimirovskii, V.V., 4=14804
- Poryatui, V.S. See V'yuhov, P.M., 2=22538
- Posakony, D.J. See Lawrence, R.S., 3=18526
- Pöschl, K. and Veith, W. Generalized Brillouin flows, 2=11708
- Póscik, G. Meson-fermion PV-interaction in the Thirring model. II, 1=429
- Pose, R. See Aderholz, M., 4=21914
- Pose, R. See Aderholz, M., 4=21919
- Pose, R. See Aderholz, M., 4=25151
- Pose, R. See Andrejev, E.M., 2=3229
- Pose, R. See Bartsch, J., 4=21920
- Posé, R. See Bartsch, J., 4=30264
- Pose, R. See Grote, C., 4=25166
- Posen, A. See McCrosky, R.E., 2=19289
- Posener, D.W. The shape of spectral lines: tables of the Voigt profile 0=5160
- $$\frac{a}{\pi} \int_{-\infty}^{\infty} \frac{e^{-y^2} dy}{a^2 + (v - y)^2}$$
- Posener, D.W. Hyperfine structure in the microwave spectrum of water. II. Effects of magnetic interactions, 0=20667
- Poser, C. and Ritschl, R. Intensity ratio in the mercury spectrum of low pressure discharge lamps, 1=18599
- Poser, C. and Ritschl, R. Ratios of intensities of mercury lines in low-pressure discharge lamps, 3=255
- Poser, H. See Becherer, G., 0=1798
- Poshkus, D.P. See Kiselev, A.V., 0=21296
- Poshkus, D.P. See Kiselev, A.V., 3=13572
- Poshkus, D.P. See Kiselev, A.V., 3=18398
- Poshkus, D.P. See Kiselev, A.V., 4=2132
- Poshusta, R.D. and Matsen, F.A. Potential curve of the metastable helium molecule, 4=1261
- Poshusta, R.D. See Browne, J.C., 2=12278
- Posik, L.N. The radiation field of a rectangular parallelepipedal self-absorbing source, 0=11329
- Poskacheeva, L.P. See Favorin, V.N., 0=10082
- Poskacheeva, L.P. See Kozina, G.S., 0=16111
- Poskanzer, A.M. Range of 1-3 MeV Ne<sup>22</sup> ions in Al and the analysis of some Na<sup>24</sup> recoil data, 3=4640
- Poskanzer, A.M., Cumming, J.B. and Wolfgang, R. Recoil study of the reaction Al<sup>27</sup>(p, 3pn)Na<sup>24</sup>, 3=4639
- Poskanzer, A.M. and Rensberg, L.P. C<sup>12</sup>(p, n)C<sup>11</sup> excitation function, 4=19809
- Poskanzer, A.M., Rensberg, L.P., Katcoff, S. and Cumming, J.B. C<sup>12</sup>(p, pn)C<sup>11</sup> cross section at 1.0 GeV, 4=12221
- Poskanzer, A.M. See Cumming, J.B., 1=11008
- Poskanzer, A.M. See Cumming, J.B., 2=18326
- Poskanzer, A.M. See Cumming, J.B., 3=6252
- Poskanzer, A.M. See Cumming, J.B., 4=15218
- Poskanzer, A.M. See Pate, B.D., 1=11016
- Poskanzer, A.M. See Porile, N.T., 2=22811
- Poskanzer, A.M. See Schwarzschild, A., 4=9444
- Posner, A.S., Mandelkern, L., Worthington, C.R. and Diorio, A.F. Low angle X-ray diffraction of fibrous polyethylene, 0=8251
- Posner, A.S. See Bienenstock, A., 0=14027
- Posner, A.S. See Mandelkern, L., 1=11605
- Posner, M., Snider, J.L., Bernstein, A.M. and Hamilton, D.R. Magnetic moment of N<sup>13</sup>, 1=16968
- Posniakov, P.G. See Yaroslavskii, M.I., 0=14713
- Pospelov, L.A. Nonlinear magnetoelastic waves, 4=22972
- Pospelov, Yu. A. and Kechin, V.V. Dependence of the electrical resistivity of graphite on the magnetic field, 4=26007
- Pospelov, Yu. A. See Arkhipov, R.G., 4=1562
- Pospelova, R.V. See Zazovskaya, I.A., 4=4648
- Pospergelis, M.M. See Mart'ynov, D.Ya., 2=946
- Pospyelov, L.A. Scattering of radio waves by a sum of scatterers, 2=5475
- Possagno, E. See Cacace, F., 1=15206
- Posselle, G. See Segard, N., 2=9347
- Posselle, G. See Segard, N., 2=11452
- Post, B. See Batt, A., 3=8834
- Post, B. See Binder, L., 0=8210
- Post, B. See Laplace, S., 1=17426
- Post, B. See La Placa, S., 2=10881
- Post, B. See La Placa, S., 4=7649



- Post, B. See Talley, C.P., 0=10310  
 Post, B. See Whuk, R.C., 4=26645  
 Post, B. See Young, R.A., 2=10310  
 Post, E.J. Meaning and interpretation of acoustic momentum and acoustic radiation stress, 0=10715  
 Post, E.J. Threshold and stability of a simplified model optical maser, 2=9386  
 Post, E.J. Radiation forces in inhomogeneous media, 4=8025  
 Post, G.I. See Goldman, A., 0=3269  
 Post, H.R. Many-particle systems. III. Determination of the ground state energy of a system of N particles interacting by attractive inverse square forces, 2=9204  
 Post, R.F. Equilibrium ambipolar potentials in a mirror machine, 1=10714  
 Post, R.F. Impurity radiation losses from a high temperature plasma, 1=18855  
 Post, R.F. Critical conditions for self-sustaining reactions in the mirror machine, 3=14601  
 Post, R.F., Ellis, R.E., Ford, F.C. and Rosenbluth, M.N. Stable confinement of high-temperature plasma, 0=7122  
 Post, R.F. and Perkins, W.A. Velocity-space plasma instabilities observed in a mirror machine, 1=7085  
 Post, R.F. See Damm, C.C., 2=15912  
 Post, R.F. See Damm, C.C., 3=16969  
 Post, R.F. See Nygard, J.C., 2=5403  
 Post, R.F. See Perkins, W.A., 4=5676  
 Post, W. See Altenpohl, D., 1=14964  
 Postma, A.J. and Terlouw, J.C. Calculations and measurements on an X-band microwave interferometer, 3=12313  
 Postma, B.J. See Mazur, P., 0=6798  
 Postma, H. DCX-1 instrumentation, 2=7627  
 Postma, H., Eversdijk Smulders, M.C. and Huiskamp, W.J. Beta emission from oriented  $^{160}\text{Tb}$  and  $^{168\text{m}}\text{Ho}$  nuclei, 1=8643  
 Postma, H., Haste, G.R. and Dunlap, J.L. Proton trapping in DCX-1 from Lorentz dissociation of  $\text{H}_2^+$ , 4=5687  
 Postma, H., Marshak, H., Sailor, V.L., Shore, F.J. and Reynolds, C.A. Transmission of polarized neutrons through samples of polarized  $\text{Ho}^{165}$  nuclei, 2=12207  
 Postma, H., Miedema, A.R. and Smulders, M.C. Eversdijk. Angular distribution and linear polarization of gamma rays from aligned  $^{168\text{m}}\text{Ho}$  nuclei, 0=15561  
 Postma, H., Miedema, A.R. and Steenland, M.J. The  $\beta$ -asymmetry of polarized  $^{52}\text{Mn}$  nuclei and the  $\gamma$ -anisotropy of aligned  $^{166}\text{Ho}$  nuclei, 0=9561  
 Postma, H., Shore, F.J. and Reynolds, C.A. Absolute determination of spins of neutron resonances in terbium-159 by a weighting factor method using polarized neutrons and a polarized Tb-target, 4=17069  
 Postma, H. and Wilson, R. Elastic scattering of 146 MeV polarized protons by deuterons, 1=3183  
 Postma, H. See Dunlap, J.L., 3=12196  
 Postma, H. See Marshak, H., 3=2468  
 Postma, H. See Miedema, A.R., 0=7038  
 Postma, H. See Miedema, A.R., 0=8966  
 Postma, H. See Miedema, A.R., 0=13738  
 Postma, H. See Sailor, V.L., 2=18511  
 Postma, N. See Barnett, C.F., 1=16349  
 Postnikov, V.S. and Zolotukhin, I.V. The effect of thermal cycling upon the internal friction and relative elongation of aluminium-zinc alloys, 4=13389  
 Postnikov, V.S. See Mal'tseva, G.K., 4=13399  
 Postnikov, V.S. See Mal'tseva, T.K., 4=26511  
 Postnikov, V.S. See Samoilo, A.Ya., 1=7815  
 Postohvard, H.I. See Pyskovats'kii, S.A., 2=19057  
 Potakhin, N.E. An electron-microscopy study of the fatigue-induced slip bands in copper and armco iron, 4=23139  
 Potakhin, N.E. and Terminusov, Yu.S. A microscopic study of the growth of slip bands in iron and magnesium during fatigue tests. II, 4=23175  
 Potakhin, N.E. and Terminusov, Yu.S. A microscope study of the formation of slip bands in copper during fatigue tests. I, 4=28941  
 Potakhova, G.I. See Nesterov, V.M., 3=15609  
 Potapenko, A.E. and Kostenko, P.P. The effect of an electrical field on a flame, 3=7373  
 Potapkov, N.A. The Hamiltonian for a uniaxial ferromagnetic, 2=21296  
 Potapkov, N.A. The Hamiltonian for a uniaxial ferromagnetic, 2=23640  
 Potapkov, N.A. Resonance in uniaxial ferromagnetics, 2=23693  
 Potapkov, N.A. Resonance in uniaxial ferromagnetics, 3=6736  
 Potapkov, N.A. Magnetic anisotropy of uniaxial ferromagnets, 4=4346  
 Potapkov, N.A. and Tyablikov, S.V. The theory of the s-d model, 1=3874  
 Potapov, A.V. See Sobolev, N.N., 0=973  
 Potapov, B.P. Low-power high-voltage convertor for photoelectric devices, 3=1909  
 Potapov, E.V. Optical properties of bismuth and antimony in the infrared spectral range at low temperatures, 4=28672  
 Potapov, E.V. See Gubkin, A.N., 3=15620  
 Potapov, L.I. See Daion, M.I., 2=17989  
 Potapov, L.I. See Dayon, M.I., 0=9457  
 Potapov, L.P. Cryostat for low-temperature X-ray investigations, 4=353  
 Potapov, L.P. Relationship between the specific heat and the thermal X-ray scattering factor, 4=1393  
 Potapov, L.P. A cryostat for low temperature X-ray studies, 4=15780  
 Potapov, L.P. A procedure for measuring the thermal X-ray scattering factor, 4=29078  
 Potapov, L.P. See Borisov, V.T., 4=9825  
 Potapov, V.I. See Potemkin, A.Ya., 0=2872  
 Potapov, V.I. See Potemkin, A.Ya., 1=987  
 Potapova, N.I. See Shapiro, B.S., 1=20911  
 Potapovich, A.K. See Korolkov, V.S., 4=24861  
 Potekhina, N.D. Calculation of relaxation processes of a phototriode at small illumination intensities, 0=4367  
 Potekhina, N.D. A contribution to the theory of luminescence of impure crystal phosphors, 0=16086  
 Potekhina, N.D. Theory of surface ionization, 4=26023  
 Potekhina, N.D. See R'vkin, S.M., 0=1628  
 Potekhina, N.D. See R'vkin, S.M., 0=15905  
 Potemkin, A.Ya. and Potapov, V.I. Studying the interaction between copper and antimony in germanium, 1=987  
 Potemkin, A.Ya., Potapov, V.I. and Petrov, D.A. The problem of studying the mobility of copper ions in germanium, 0=2872  
 Potemkin, A.Ya. See Dobrovenskii, V.V., 4=12909  
 Potemkin, V.V. and Vasil'ev, Yu.V. Investigation of the memory effect in ferrites, 1=20124  
 Potemkin, V.V. and Vasil'ev, Yu.V. Investigation of the memory effect in ferrites, 2=10669  
 Potemkin, V.V. See Zhigal'skii, G.P., 4=30719  
 Potenza, F. Design of a Lyman-alpha spectroheliograph for a satellite-Borne telescope, 4=10939  
 Potenza, G. See de Carvalho, H.G., 2=20688  
 Potenza, G. See de Carvalho, H.G., 3=8146  
 Potenza, G. See de Carvalho, H.G., 4=19844  
 Potenza, R., Ricamo, R. and Rubbino, A. (n,  $\alpha$ ) and (n, p) reaction in silicon at neutron energies up to 5.5 MeV, 3=10359  
 Potenza, R. and Rubbino, A. Fast neutron spectrometer, 4=12022  
 Potenza, R. and Rubbino, A. Spectrometers for fast neutrons from nuclear reactions and from collimated beams, 4=16915  
 Potenza, R. See Calvi, G., 3=6269  
 Potenza, R. See Cavallaro, S., 2=20509  
 Potetyunko, G.N. Nomogram from aligned points for the inter-relation between the angles of emission of the products in a nuclear reaction, 4=1062  
 Potetyunko, G.N. Nomograms for calculating the kinematic elements of nuclear reactions with emission of two particles, 4=22089  
 Potier, R., Cabala, R. and Valentin, J.P. Structure of layers of niobium oxides, 3=16129  
 Potier, R., Valentin, J. and Cabala, R. Suppression of secondary emission by the "method of cylinders", 3=7636  
 Potikevich, I.V., Havrishchak, I.V. and Rarenko, I.M. Magnetic susceptibility of the system  $\text{CdTe-HgTe}$ , 4=13108  
 Potnis, V.R. and Rao, G.N. Systematics of E2-M1 mixing ratios of  $2^+ \rightarrow 2^+$  transitions in even nuclei, 3=15096  
 Potnis, V.R. See Bornemeier, D.D., 4=19692  
 Potnis, V.R. See Nagashima, K., 1=9793  
 Potnis, V.R. See Pomerantz, M.A., 0=9480  
 Potnis, V.R. See Pomerantz, M.A., 0=11248  
 Potnis, V.R. See Pomerantz, M.A., 0=11260  
 Potnis, V.R. See Pomerantz, M.A., 0=11261  
 Potnis, V.R. See Pomerantz, M.A., 0=15487  
 Potnis, V.R. See Pomerantz, M.A., 0=20276  
 Potnis, V.R. See Pomerantz, M.A., 1=1357  
 Potnis, V.R. See Rao, G.N., 3=17414  
 Potoceanu, C. See Balea, E., 0=20270  
 Potoceanu, C. See Balea, E., 0=20307  
 Potoceanu, C. See Balea, E., 1=569  
 Potoceanu, C. See Balea, E., 1=570  
 Potoceanu, C. See Balea, E., 2=18325  
 Potoceanu, C. See Balea, E., 2=20479  
 Potoceanu, C. See Balea, O., 3=17134



- Potoceanu, C. See Fiuciuc, N., 1=535  
Potoceanu, C. See Hulubei, H., 4=942  
Potoceanu, C. See Hulubei, H., 4=30257  
Potsyus, V. Yu. See Stýro, B. I., 4=7863  
Pott, F. P. and Wagner, S. The selective measurement of neutron and photon doses with an ethylene dosimeter, 1=13234  
Pott, G. T. See Siekman, J. G., 0=9554  
Pottasch, S. The Nova outburst. I, 0=14448  
Pottasch, S. The Nova outburst. II. The radiative cooling of an expanding shell, 0=14449  
Pottasch, S. The Nova outburst. IV. The intensity of Hd, 0=14451  
Pottasch, S. The Nova outburst. V. The temperature and radius of the central exciting star and observation of elements other than hydrogen, 0=14452  
Pottasch, S. See Jefferies, J., 0=14450  
Pottasch, S. R. Use of the equation of hydrostatic equilibrium in determining the temperature distribution in the outer solar atmosphere, 0=6590  
Pottasch, S. R. Bright rims in diffuse nebulae, 0=10525  
Pottasch, S. R. The extent of H II regions, 0=18863  
Pottasch, S. R. Comments on some physical processes in diffuse nebulae, 1=33  
Pottasch, S. R. The effect of optical depth in the spectrum of helium (triplets) in nebulae, 2=15383  
Pottasch, S. R. The ultraviolet radiation from 0 stars in diffuse nebulae, 2=17296  
Pottasch, S. R. The lower solar corona: Interpretation of the ultraviolet spectrum, 3=13890  
Pottasch, S. R. The lower solar corona: the abundance of iron, 3=21112  
Pottasch, S. R. Dynamics of bright-rim structures, 4=10846  
Pottasch, S. R. A comparison of the chemical composition of the solar atmosphere with meteorites, 4=26952  
Pottasch, S. R. On the chemical composition of the solar corona, 4=29456  
Pottasch, S. R. and Thomas, R. N. Departures from the Saha equation under varying conditions of Lyman continuous opacity, 0=9763  
Pottasch, S. R. and Thomas, R. N. Thermodynamic structure of the outer solar atmosphere. VI. Effect of departures from the Saha equation on inferred properties of the low chromosphere, 0=14417  
Pottasch, S. R. and Varsavsky, C. M. The spectrum of RR Telescopii between May 1949 and August 1950, 0=14459  
Pottasch, S. R. See Burbidge, G. R., 4=7958  
Pottasch, S. R. See Courtès, G., 2=17298  
Pottel, R. and Wülfing, A. Measurement of the complex dielectric constant of glycerine containing water and of glycerine-gelatin gels at frequencies between 100 Mc/s and 15 Gc/s, 3=21391  
Potter, A. C. See Allen, C. H., 2=15711  
Potter, A. E. Jr. and Del Duca, B. S. Origin of the sodium airglow, 1=15299  
Potter, A. E., Jr. See Brandhorst, H. W., Jr., 4=22803  
Potter, A. E., Jr. See Schalla, R. L., 2=16696  
Potter, A. E., Jr. See Wong, E. L., 4=4693  
Potter, D. C. See Binnie, D. M., 3=10681  
Potter, D. C. See Binnie, D. M., 3=17153  
Potter, D. J. B. See McGlashan, M. L., 2=11415  
Potter, D. L. See Khan, J. M., 4=13046  
Potter, D. L. See Khan, J. M., 4=15586  
Potter, D. L. See Khan, J. M., 4=25505  
Potter, D. L. See Khan, J. M., 4=30385  
Potter, D. S. and Leedham, C. D. Likelihood detection of a signal obscured by first-order Markovian noise, 4=27077  
Potter, D. S. and Murphy, S. R. Solution of the wave equation in a medium with a particular velocity variation, 2=17553  
Potter, D. S. See Garrison, G. R., 0=2209  
Potter, H. I. and Streletsii, Y. S. A camera for the observation of the moon with the normal astrophotograph at the main astronomical observatory of the Academy of Sciences, USSR in Pulkovo, 1=10  
Potter, J. Quasi-free electron scattering in the impulse approximation, 3=19835  
Potter, J. G. See Douglas, A. E., 3=14348  
Potter, J. L., Arney, G. D., Jr, Kinslow, M. and Carden, W. H. Gasdynamic diagnosis of high-speed flows expanded from plasma states, 4=14677  
Potter, Kh. I. and Bystrov, N. F. A study of the figure of the moon from photographs obtained near topocentric full moon, 2=24088  
Potter, N. D. See Hildenbrand, D. L., 3=25809  
Potter, N. D. See Hildenbrand, D. L., 4=5461  
Potter, N. D. See Hildenbrand, D. L., 4=18498  
Potter, R. The transfer function of a steadily diverging reactor, 0=7669  
Potter, R. An X-ray single-crystal linear diffractometer, 2=17001  
Potter, R. A. See Harris, L. A., 2=17020  
Potter, R. F. Analytical determination of optical constants based on the polarized reflectance at a dielectric-conductor interface, 4=18412  
Potter, R. F. and Eisenman, W. L. Infrared photodetectors: A review of operational detectors, 2=22086  
Potter, R. F. and Kretschmar, G. G. Optical properties of evaporated InSb films, 1=10096  
Potter, R. F. and Kretschmar, G. G. Optical properties of InAs, Sb<sub>1-x</sub> layers prepared by thermal evaporation, 4=15592  
Potter, R. F. and Weider, M. H. Some galvanomagnetic and optical properties of Cu-doped InSb films, 4=22718  
Potter, R. F. See Piller, H., 2=23534  
Potter, R. F. See Stierwalt, D. L., 2=10582  
Potter, R. F. See Stierwalt, D. L., 3=10961  
Potter, R. J. Absorption measurements on a plastic scintillator, 1=7726  
Potter, R. J. Transmission properties of optical fibers, 1=12976  
Potter, R. J., Donath, E. and Tynan, R. Light-collecting properties of a perfect circular optical fiber, 3=5513  
Potter, R. J. and Hopkins, R. E. The optical coupling of a scintillation chamber to an image-intensifying tube, 1=2851  
Potter, R. J. See Christensen, R. L., 4=5385  
Potter, R. K. Use of spinning color disks in a study of chromatic induction, 3=13974  
Potter, R. L. Thermodynamic functions of some chlorine compounds, 0=964  
Potter, R. L. and Vanderkulk, W. Computation of the equilibrium composition of burnt gases, 0=10348  
Potter, R. L., Shores, R. G. and Dye, J. L. Attempts to find photoconductivity in dilute sodium-ammonia solutions, 2=2731  
Potter, R. M., Aven, M. and Kastner, J. Optical measurements on ZnS: Cu produced by neutron irradiation of ZnS, 3=13207  
Potter, R. M. See Addamiano, A., 3=25485  
Potter, W. D. See Armington, A. F., 4=15818  
Potters, M. L. See de Vroomen, A. R., 2=653  
Pottier, J. Configurations of high frequency electromagnetic fields and associated magnetostatic fields with a view to confinement of a plasma, 3=4141  
Pottier, J. See Mèrard, R., 3=4140  
Pottinger, R. C. See Medford, R. D., 0=19635  
Pottinger, R. C. See Medford, R. D., 3=1991  
Pottinger, R. C. See Wright, J. K., 1=18878  
Potts, B. C. The screening effect of the ionosphere, 3=5862  
Potts, R. B. See Montroll, E. W., 3=13239  
Potts, R. B. See Northcote, R. S., 4=11099  
Potts, R. B. See Northcote, R. S., 4=16053  
Potts, W. H. See Erley, D. S., 1=7923  
Potts, W. J. See Scherer, J. R., 0=7762  
Pottsepp, L. and v. Krzywoblocki, M. Z. On the application of the stability theory of differential systems to the stability of a missile, 0=4977  
Pottsepp, L. and v. Krzywoblocki, M. Z. On the application of the stability theory of differential systems to the stability of motion of a missile. II, 0=12395  
Potýkevých, I. V. Magnetic susceptibility of cadmium telluride [from room temperature to 800°K], 4=1800  
Potykevich, I. V. and Belyaev, O. N. Some optical properties of the ternary semiconducting compound CdIn<sub>2</sub>Te<sub>4</sub>, 4=7121  
Potykevich, I. V. and Cheyura, S. V. Electrical properties of the ternary semiconducting compound CdIn<sub>2</sub>Te<sub>4</sub>, 4=6949  
Potýlitsyn, P. M. See Yablonskii, S. V., 0=16513  
Pötzschke, M. See Schubert, K., 1=5099  
Pötzschke, M. See Schubert, K., 1=6528  
Pötzschke, M. See Schubert, K., 2=17016  
Pötzschke, J. E. See Spitznagel, E. L., Jr, 4=18133  
Poubeau, P., Braun, H. and Baumann, G. Apparatus for the semi-automatic measurement of the distribution of gaps and multiple scattering in corpuscular photography, 3=19536  
Pouget, R. See Bariand, P., 4=2075  
Pouillen, P. and Saurel, J. Variations with the degree of hydration of thermal anomalies at low temperature in crystals of cobalt nitrate, 2=18530  
Pouillen, P. and Saurel, J. Variation of a transformation temperature of crystals of cobalt nitrate associated with thermal cycles to low temperatures in sulphuric ether, 2=23094



- Pouillen, P. and Saurel, J. Observations on the transformations at low temperatures, of cobalt nitrate and zinc nitrate crystals, during successive thermal cycles, 4=10424
- Poulain, P. See Ecker, J., 2=2915
- Poularikas, A. and Fink, R.W. Absolute activation cross-sections for reactions of bismuth, copper, titanium, and aluminium with 14.8 MeV neutrons, 0=456
- Poularikas, A. See Bramlitt, E.T., 2=3597
- Poularikas, A.D. See Gardner, D.G., 2=14109
- Poularikas, A.D. See Kumabe, I., 0=7610
- Pouleau, J. Study and construction of a correction system for residual aberrations of a wide-aperture spherical mirror, 0=16818
- Poulet, H. On the dispersion of the natural rotatory power of complex ions of transition metals, 3=3271
- Poulet, H. and Mathieu, J.P. Fundamental frequencies of crystalline CdS, 4=17559
- Poulet, H. See Hadni, A., 1=9925
- Poulet, H. See Le Postollec, M., 4=15351
- Poulet, H. See Mathieu, J.P., 1=906
- Poulet, H. See Moncuit, C., 2=18817
- Poulet, H. See Zmerli, A., 0=18132
- Poulet, M. See Caverzasio, C., 4=19511
- Poulet, M. See Yuasa, T., 2=5540
- Poulet, M. See Yuasa, T., 4=19778
- Poulighen, J. and Segard, N. The production of a plane and progressive ultrasonic wave by a quartz transducer, 3=18912
- Poulighen, J. and Segard, N. Contribution to the production of a plane, progressive ultrasonic wave by a quartz transducer, 4=275
- Poulighen, J. and Segard, N. Infinite diffraction of a light wave orthogonal to a plane progressive ultrasonic wave. Calculation of spectral line intensities by a computer, 4=14386
- Poulighen, J. and Segard, N. Diffraction at infinity of a light wave orthogonal to a plane progressive ultrasonic wave: Calculation of the intensity of the spectrum lines by electronic calculator, 4=24393
- Poulighen, J. See Segard, N., 0=5181
- Poulighen, J. See Segard, N., 2=9347
- Poulighen, J. See Segard, N., 2=11452
- Poulighen, J. See Segard, N., 2=17645
- Poulighen, J. See Segard, N., 3=1777
- Poulighen, J. See Segard, N., 3=16705
- Poulighen, J. See Segard, N., 3=24056
- Poulighen, J. See Segard, N., 4=14385
- Poulighen, J. See Segard, N., 4=16250
- Poulis, J.A. Application of fluctuation theory to the static measurements of magnetic susceptibilities, 2=22293
- Poulis, J.A. and Derbyshire, W. Lengths of polymer chains in liquid sulphur, 3=14155
- Poulis, J.A. and Llewellyn, J.P. Signal to noise ratio in experiments combining resonance techniques and susceptibility balances, 3=24497
- Poulis, J.A., Massen, C.H. and van der Leeden, P. Magnetic measurements on pure  $\text{MnCO}_3$ , pure  $\text{MnO}$  and dissociating  $\text{MnCO}_3$ , 1=14677
- Poulis, J.A., Massen, C.H. and v.d. Leeden, P. Magnetic determination of the partial vapour pressure of diatomic sulphur in the saturated vapour, 2=7474
- Poulis, J.A., Massen, C.H. and v.d. Leeden, P. Magnetic susceptibility of liquid sulphur, 2=15616
- Poulis, J.A., Massen, C.H. and van der Leeden, P. High temperature magnetic susceptibility of  $\text{MnO}$ , 3=1015
- Poulis, J.A., Massen, C.H. and van der Leeden, P. Resonance data from static susceptibility measurements, 3=24487
- Poulis, J.A., Massen, C.H. and Weijs, A.G.L.M. Contribution of the protons to the magnetic susceptibility of water, 3=23907
- Poulis, J.A., Pelulessy, B., Massen, C.H. and Thomas, J.M. Longitudinal Knudsen forces, 4=18019
- Poulis, J.A. and Thomas, J.M. Disturbances arising from thermal transpiration in microbalance experiments, 3=9399
- Poulis, J.A. and Thomas, J.M. Sensitivity of analytical balances and relevance of fluctuation theory, 4=2505
- Poulis, J.A. See Massen, C.H., 4=16125
- Poulis, J.A. See Massen, C.H., 4=18020
- Poulis, J.A. See Thomas, J.M., 4=2506
- Poulis, J.A. See Weijs, A.G.L.M., 4=8889
- Poulis, N.J. and Gijsman, H.M. Phase transitions in anti-ferromagnetic  $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$ , 0=10250
- Poulis, N.J. and van der Lugt, W. The splitting of the n.m.r. lines in vivianite  $\text{Fe}_3(\text{PO}_4)_2 \cdot 8\text{H}_2\text{O}$ , 3=1206
- Poulis, N.J. See Burger, J.P., 1=14827
- Poulis, N.J. See David, R., 2=10323
- Poulis, N.J. See David, R., 3=14446
- Poulis, N.J. See David, R., 4=16341
- Poulis, N.J. See Gijsman, H.M., 0=16144
- Poulis, N.J. See Hass, W.P.A., 1=8137
- Poulis, N.J. See Hass, W.P.A., 2=780
- Poulis, N.J. See Hass, W.P.A., 3=23253
- Poulis, N.J. See Roest, R., 1=882
- Poulis, N.J. See Roest, R., 2=2019
- Poulis, N.J. See Swanenburg, T.J.B., 3=20672
- Poulis, N.J. See Van Agt, T.W.J., 4=15625
- Poulis, N.J. See van Agt, T.W.J., 4=17698
- Poulis, N.J. See van der Lugt, W., 0=6280
- Poulis, N.J. See van der Lugt, W., 0=10247
- Poulis, N.J. See van der Lugt, W., 1=1285
- Poulis, N.J. See van der Lugt, W., 1=7733
- Poulis, N.J. See van der Lugt, W., 1=20269
- Poulis, N.J. See van der Lugt, W., 2=6711
- Poulis, N.J. See Wittekoek, S., 4=22948
- Poulsen, N.B. See Bayly, J.G., 1=17178
- Poulsen, N.O.R. See Bjørnholm, S., 0=19843
- Poulsen, N.O.R. See Borggreen, J., 4=22223
- Poulsen, N.O.R. See Bryde, L., 2=14136
- Poulsen, N.O.R. See Lassen, N.O., 4=24752
- Poulson, R.E. Test methods in spectrophotometry: stray-light determination, 4=8423
- Poultney, S.K. and Waters, J.R. Observation of the focused ring of Cerenkov light from a single particle using an image intensifier system, 2=18098
- Poultney, S.K. See Reynolds, G.T., 3=17109
- Pound, G.M., Bitler, W.R. and Paxton, H.W. Theory of the self-diffusion coefficient in cubic metals, 1=11220
- Pound, G.M. See Armstrong, R.W., 1=980
- Pound, G.M. See Chakraverty, B.K., 4=23557
- Pound, G.M. See Durdaller, C.G., 4=15745
- Pound, G.M. See Lothe, J., 2=13488
- Pound, G.M. See Madonna, L.A., 2=1313
- Pound, G.M. See Mehl, R.F., 1=17502
- Pound, G.M. See Moazed, K.L., 4=15765
- Pound, G.M. See Rapp, R.A., 0=12003
- Pound, G.M. See Rapp, R.A., 1=4022
- Pound, R.V. Detection and measurement of small frequency shifts, 4=12596
- Pound, R.V. Recent developments in the measurement of small shifts, 4=12598
- Pound, R.V., Benedek, G.B. and Drever, R. Effect of hydrostatic compression on the energy of the 14.4 keV gamma-ray from  $\text{Fe}^{57}$  in iron, 2=5868
- Pound, R.V. and Freeman, R. Frequency control of an oscillator by nuclear magnetic resonance, 0=3868
- Pound, R.V. and Rebka, G.A., Jr. Gravitational red-shift in nuclear resonance, 0=36
- Pound, R.V. and Rebka, G.A., Jr. Resonant absorption of the 14.4 keV  $\gamma$ -ray from  $0.10 \mu\text{sec Fe}^{57}$ , 0=3947
- Pound, R.V. and Rebka, G.A., Jr. Apparent weight of photons, 0=10570
- Pound, R.V. and Rebka, G.A., Jr. Variation with temperature of the energy of recoil-free gamma rays from solids, 0=11313
- Pound, R.V. and Rebka, G.A., Jr. Attempts to detect resonance scattering in  $\text{Zn}^{67}$ ; the effect of zero-point vibrations, 0=11315
- Pound, R.V. See Freeman, R., 0=5431
- Pound, R.V. See Pound, R.V.
- Pound, R.V. See Sharnoff, M., 4=4402
- Pounder, E.R. See Smith, M., 0=6048
- Pounds, K.A. The soft X-ray absorption of aluminium and rocket measurements of solar radiation, 2=13127
- Pounds, K.A. and Bowen, P.J. A simple rocket-borne X-radiation monitor—its scope and results of an early flight, 2=9034
- Pounds, K.A. and Sanford, P.W. Rocket measurements of the sun's X-ray "Tail" with a simple photographic detector, 3=13894
- Pounds, K.A. and Willmore, A.P. Some early results from the X-ray spectrometer in satellite UK1, 3=16388
- Pounds, K.A. See Bowen, P.J., 4=29463
- Pounds, K.A. See Cooke, B.A., 2=12611
- Poupaud, J. See Marin, P., 0=5741
- Poupko, J.P. Sound velocity in liquid mixtures, 3=16622
- Pouradier, J. See Chateau, H., 2=10895
- Pouradier, J. See Chateau, H., 3=5102
- Pouradier, J. See Chateau, H., 4=17817
- Pourier, Y. See Crausse, E., 2=5451



- Pouring, A.A. See Wegener, P.P., 4=14462
- Poussot, R. See Mulot, P., 1=5955
- Poussot, R. See Mulot, P., 1=13907
- Poutcherov, N. See Caverzasio, C., 4=19511
- Pouyaud, P. See Boyleau, M., 4=4652
- Pouzet, P. See Bauer, A., 4=9748
- Povard, V.D. See Bortner, M.H., 0=1961
- Povh, B. See Hebbard, D.F., 0=4077
- Povh, B. See Horvat, P., 3=19773
- Povh, B. See Kregar, M., 2=22791
- Povh, B. See Kregar, M., 3=15179
- Povh, B. See Nikolic, M.M., 0=17591
- Povh, B. See Nordberg, M.E., 0=5692
- Povh, B. See Pelte, D., 4=15150
- Povh, B. See Pelte, D., 4=25299
- Povh, B. See Stierlin, U., 2=22781
- Povilonis, E.I. See Handelman, E.T., 4=15822
- Povitskii, V.A. and Tsarapaev, A.I. Possibility of constructing a microtron using a permanent magnet, 4=30004
- Povitskii, V.A. See Malyuchkov, O.T., 3=11121
- Povitskii, V.A. See Malyuchkov, O.T., 3=20678
- Povzner, A.Ya. See Lyubarskii, G.Ya., 0=7230
- Powdrill, B. See Chadwick, P., 4=24023
- Powell, A. Propagation of a pressure pulse in a compressible flow, 0=131
- Powell, A. On the aerodynamic noise of a rigid flat plate moving at zero incidence, 0=1011
- Powell, A. On the effect of missile motion on rocket noise, 0=10741
- Powell, A. Aerodynamic noise and the plane boundary, 0=14768
- Powell, A. Propagation of a pressure pulse in a compressible flow—coda, 0=16760
- Powell, A. Theory of sound propagation through ducts carrying high-speed flows, 1=1784
- Powell, A. Concerning the noise of turbulent jets, 1=1801
- Powell, A. On the edgetone, 1=8178
- Powell, A. Distortion of finite amplitude sound wave, 1=9447
- Powell, A. On aerodynamic sound from dilation and momentum fluctuations, 2=2815
- Powell, A. On the vortex action in edgetones, 2=5102
- Powell, A. Three-sound-pressures theorem, and its application, in aerodynamically generated sound, 2=17543
- Powell, A. Theory and experiment in aerodynamic noise, with a critique of research on jet flows in their relationship to sound. 2nd Symposium. Naval Hydrodynamics (Washington, D.C., 1958), 2=21968
- Powell, A. Noise measurement of a turbulent gasoline vapor flame, 3=11872
- Powell, A. More on noise produced by boundary-layer turbulence, 3=14290
- Powell, A. On sound radiation in terms of pressure independent of the sound speed, 3=18924
- Powell, A. On (aerodynamic) noise arising from the use of pressure quadrupoles, 3=18946
- Powell, A. Nature of the feedback mechanism in some fluid flows producing sound, 4=8321
- Powell, A. Theory of vortex sound, 4=8325
- Powell, A. On the estimation of the generalized force due to random pressure and on necessary modes, 4=18308
- Powell, A. On flow fields driving a contiguous acoustic field, 4=21073
- Powell, A. and Shulman, A. Effects of wire resonance on aeolian tones, 2=17544
- Powell, A. See Chanaud, R.C., 2=17424
- Powell, A. See Friedlander, M.M., 4=29709
- Powell, A.L.T. See Medford, R.D., 0=19635
- Powell, A.L.T. See Medford, R.D., 2=1450
- Powell, A.L.T. See Medford, R.D., 3=1991
- Powell, A.L.T. See Medford, R.D., 3=7277
- Powell, A.L.T. See Medford, R.D., 3=7582
- Powell, B. See Dunn, P.D., 4=5548
- Powell, B.W. See Bartke, J., 1=8513
- Powell, B.W. See Franck, J.V., 3=24561
- Powell, B.W. See Hough, P.V.C., 1=5618
- Powell, C.F. Experiments on cosmic radiation by means of artificial satellites, 0=13074
- Powell, C.F. "Cosmic radiation". The fifty-first Kelvin lecture, 0=17436
- Powell, C.F. Photographic tracking of elementary particles, 0=19988
- Powell, C.F. The development of the photographic method of recording tracks of nuclear particles, 1=7178
- Powell, C.F. Summary talk of jet sessions, 3=4543
- Powell, C.F. Lecture on future prospect, 3=4549
- Powell, C.J. The characteristic electron energy loss spectra of aluminium—magnesium and aluminium—copper alloys, 0=19763
- Powell, C.J. The origin of the characteristic electron energy losses in ten elements, 1=6100
- Powell, C.J. The origin of the characteristic electron energy losses in aluminium and magnesium, 1=9997
- Powell, C.J. and Swan, J.B. Origin of the characteristic electron energy losses in aluminium, 0=274
- Powell, C.J. and Swan, J.B. Origin of the characteristic electron energy losses in magnesium, 0=1273
- Powell, C.J. and Swan, J.B. Effect of oxidation on the characteristic loss spectra of aluminum and magnesium, 0=9880
- Powell, C.J. See Swanson, N., 3=22617
- Powell, D.W. Stress-dependent magnetization in some quartz-dolerites, 0=21041
- Powell, E.R. See Howard, R., 3=19441
- Powell, F.X. Secondary Raman effect, 4=3899
- Powell, F.X., Fletcher, O. and Lippincott, E.R. High intensity electrodeless sources for Raman spectroscopy, 3=7350
- Powell, F.X. and Lide, D.R., Jr. Microwave spectrum of the SO radical, 4=28203
- Powell, F.X. and Lippincott, E.R. Raman spectrum and structure of perchlorylfluoride, 0=17754
- Powell, G.W. and Braun, J.D. Diffusion in the gold-indium system, 4=22618
- Powell, G.W. See Rugb, V., 4=9980
- Powell, J.A. See Cressell, I.G., 0=21166
- Powell, J.M. See Kurnick, S.W., 0=1727
- Powell, M.J.D., Gabriel, J.R. and Johnston, D.F. Ground-state splitting for  $d^5$  S ions in a cubic field, 0=17913
- Powell, M.J.D. The volume internal to three intersecting hard spheres, 4=24092
- Powell, M.J.D. and Orbach, R. The crystalline field parameters for dysprosium ethyl sulphate, 2=552
- Powell, M.J.D. See Gabriel, J.R., 2=553
- Powell, M.J.D. See Leask, M.J., 4=26381
- Powell, M.J.D. See Leask, M.J.M., 3=8333
- Powell, P.G. The influence of recombination on the response of bromide and bromo-iodide emulsions, 4=11373
- Powell, P.G. and Farnell, G.C. The response of a pure bromide emulsion to exposure at low temperature, 3=9630
- Powell, P.G. See Farnell, G.C., 3=11944
- Powell, R. See Sears, G.W., 4=4555
- Powell, R.A. See Poritsky, H., 0=16910
- Powell, R.G. See Cole, J.N., 3=9569
- Powell, R.L. and Bunch, M.D. The thermal e.m.f. of several thermoelectric alloys, 0=1686
- Powell, R.L., Bunch, M.D. and Gibson, E.F. Low-temperature transport properties of commercial metals and alloys. III. Gold-cobalt, 0=7858
- Powell, R.L., Hall, W.J. and Roder, H.M. Low-temperature transport properties of commercial metals and alloys. II. Aluminums, 0=7857
- Powell, R.L., Hall, W.J. and Roder, H.M. Transport properties of dilute alloys of copper, 0=9863
- Powell, R.L., Harden, J.L. and Gibson, E.F. Low-temperature transport properties of commercial metals and alloys. IV. Reactor grade Be, No, and W, 0=11588
- Powell, R.L. See McDermott, P.S., 2=8479
- Powell, R.R. See Richardson, J.W., 2=6084
- Powell, R.R. See Richardson, J.W., 3=10435
- Powell, R.S. See Donn, B., 4=18427
- Powell, R.S. See Lawton, E.J., 0=16176
- Powell, R.S. See Lawton, E.J., 0=16177
- Powell, R.W. Preliminary measurements of the thermal conductivity and expansion of ice, 0=9869
- Powell, R.W. Criteria for the performance of infrared systems, 0=10810
- Powell, R.W. Thermal conductivity as a non-destructive testing technique, 1=10614
- Powell, R.W. The place of heat conduction in the theory, practice, and testing of bonds, 3=13984
- Powell, R.W. and Challoner, A.R. The thermal conductivity of water. An investigation of a reported anomaly, 0=19121
- Powell, R.W. and Tye, R.P. High alloy steels for use as a thermal conductivity standard, 0=6963
- Powell, R.W. and Tye, R.P. The promise of platinum as a high temperature thermal conductivity reference material, 3=25216
- Powell, R.W., Tye, R.P. and Jolliffe, B.W. Heat transfer at the interface of dissimilar materials: evidence of thermal-comparator experiments, 3=272



- Powell, R.W., Tye, R.P. and Woodman, M.J. Some electrical resistivity measurements on a series of iron-chromium alloys, 1=17607
- Powell, R.W., Woodman, M.J. and Tye, R.P. The thermal conductivity and electrical resistivity of indium, 2=23088
- Powell, R.W., Woodman, M.J. and Tye, R.P. Further measurements relating to the anisotropic thermal conductivity of gallium, 3=17671
- Powell, R.W. See Clark, W.T., 3=276
- Powell, W.B. The University of Birmingham radial ridge cyclotron, 4=5728
- Powell, W.B. See Cox, A.J., 3=5731
- Powell, W.M., Oswald, L., Griffin, G. and Swartz, F. Bright-field bubble chamber illumination using a beaded reflective screen, 4=5914
- Powell, W.M. See Agnew, L.E., Jr., 0=11172
- Powell, W.M. See Birge, R., 3=22192
- Powell, W.M. See Camerini, U., 2=22624
- Powell, W.M. See Ely, R.P., 2=5747
- Powell, W.M. See Ely, R.P., 2=18173
- Powell, W.M. See Ely, R.P., 2=22613
- Powell, W.M. See Ely, R.P., 3=19703
- Powell, W.M. See Fowler, W.B., 1=5788
- Powell, W.M. See Goldhaber, S., 1=4797
- Powell, W.M. See Good, R.H., 2=317
- Powell, W.M. See Good, R.H., 2=22628
- Powell, W.M. See Kernan, A., 4=12073
- Powell, W.M. See Lander, R.L., 0=383
- Powell, W.M. See Muller, F., 0=11220
- Power, B.A. Relationship between density of newly fallen snow and form of snow crystals, 2=13004
- Power, B.A., Summers, P.W. and D'Avignon, J. Snow crystal forms and riming effects as related to snowfall density and general storm conditions, 4=23750
- Power, B.D., Dennis, N.T.M. and de Csernatony, L. Some characteristics of unitarily designed ultra-high vacuum pumping groups based on diffusion pumps, 4=18263
- Power, D.V. See Hearst, J.R., 4=22782
- Power, E.A. and Saavedra, I. Scattering by a bounded non-linear singularity, 1=453
- Power, E.A. and Zienau, S. Coulomb gauge in non-relativistic quantum electro-dynamics and the shape of spectral lines, 0=20025
- Power, E.A. See Armstrong, B.H., 3=10444
- Power, E.A. See Griffith, T.C. (Conf. Rep.), 0=3926
- Power, E.A. See Lurié, D., 0=5593
- Power, E.B. See Barber, C.R., 4=24336
- Power, G. Theorem concerning anisotropic dielectrics, 0=7053
- Power, G. Extremum methods for certain electrical problems involving homogeneous anisotropic material, 0=7057
- Power, G. and Jackson, H.L.W. On problems associated with two-dimensional fields in homogeneous anisotropic media, 0=7054
- Power, G. and Jackson, H.L.W. Sphere and circle theorems involving surface discontinuities of potential, 0=12347
- Power, G. and Jackson, H.L.W. Use of Stokes' stream function for discontinuities of potential at a spherical boundary, 1=16146
- Power, G. and Jackson, H.L.W. The use of bounds in electrical problems involving anisotropic material, 2=17741
- Power, G. and Tunbridge, A. Two-dimensional flow of conducting liquid past a magnetized circular cylinder, 2=11763
- Power, G. and Walker, D. Some reciprocal relations in rotational magnetogasdynamic flow, 4=24818
- Power, M. See Thomas, D.G., 0=13679
- Powers, B.F. See Katz, J.L., 1=15860
- Powers, D., Bair, J.K., Ford, J.L.C., Jr and Willard, H.B. Elastic scattering of alpha particles by  $O^{18}$ , 4=22181
- Powers, D. and Whaling, W. Range of heavy ions in solids, 2=9645
- Powers, D.A. and Johansen, I.J.T. Electric strength of rutile single crystals, 1=11345
- Powers, G.F. Large scale demonstration of electrolytic conduction, 4=29222
- Powers, H.E.C. Sucrose crystallization, 3=8803
- Powers, J., Keedy, D.A. and Stein, R.S. Depolarization of scattered light by n-paraffin vapors and the additivity of bond polarization tensors, 1=12296
- Powers, J. See Keedy, D.A., 0=20971
- Powers, J. See Van Valkenburg, A., 3=23494
- Powers, J.C., Jr. See Kumamoto, J., 2=14664
- Powers, J.C., Jr. See Srinivasan, R., 3=23551
- Powers, J.K. See Lever, R.F., 1=2530
- Powers, R.S., Jr. See Curtiss, C.F., 4=20123
- Powers, W.D., Cohen, S.I. and Greene, N.D. Physical properties of molten reactor fuels and coolants, 4=6443
- Powers, W.E. and Patrick, R.M. Magnetic annular arc, 3=1954
- Powers, W.T. Nondestructive readout with a field-mesh image orthicon, 4=24342
- Powers, W.T. and Aikens, R.S. Image orthicon astronomy at the Dearborn Observatory, 3=9144
- Powles, J.G. A test of the theories of magnetic resonance and the study of liquids by this method, 1=10522
- Powles, J.G. Nuclear resonance effects in some molecular crystals having thermal transitions in the solid state, 2=783
- Powles, J.G. Nuclear spin one half lattice relaxation in mobile diamagnetic liquids, 3=23912
- Powles, J.G. and Cutler, D. Proton resonance relaxation times in mobile liquids, 0=8672
- Powles, J.G. and Green, D.K. A spin-rotation nuclear resonance relaxation effect for a large molecule, 3=6421
- Powles, J.G. and Hartland, A. Proton magnetic resonance in a series of dimethyl siloxane polymers. A specific long-chain effect? 0=10252
- Powles, J.G. and Hartland, A. Molecular motion in liquid n-octyl bromide by proton magnetic resonance, 0=14667
- Powles, J.G. and Hartland, A. The measurement of indirect (J) coupling between nuclei in liquids in magnetic resonance by the transient method, 1=5287
- Powles, J.G. and Hartland, A. The measurement of indirect coupling and chemical shift using spin echoes, 1=11192
- Powles, J.G. and Kail, J.A.E. Nuclear magnetic resonance absorption in *o*-butyl bromide as a crystal and as a supercooled liquid, 0=3139
- Powles, J.G. and Kail, J.A.E. Nuclear resonance and dielectric relaxation in crystals of some long-chain secondary alcohols, 0=13894
- Powles, J.G. and Luszczynski, K. Nuclear magnetic resonance in polyisobutylene, 0=7810
- Powles, J.G. and Mansfield, P. Double pulse nuclear resonance transients in solids, 2=23723
- Powles, J.G. and Mosley, M.H. A thermal motion effect in the electron spin resonance of a free radical in solution, 1=9407
- Powles, J.G. and Mosley, M.H. Exchange effects and anisotropy broadening of the hyperfine spin resonance spectrum of the biphenyl negative ion in solution, 1=15906
- Powles, J.G. and Neale, D.J. Molecular motion in liquid toluene by proton magnetic resonance relaxation, 1=9408
- Powles, J.G. and Neale, D.J. Multiple proton magnetic resonance relaxation in a number of molecular liquids, 1=15510
- Powles, J.G. and Smith, D.W.G. Proton spin relaxation in water, 4=21158
- Powles, J.G. and Strange, J.H. Temperature dependent J coupling and internal motion in acetaldehyde, 3=737
- Powles, J.G. and Strange, J.H. Measurement of J coupling using spin echo techniques, 3=14790
- Powles, J.G. and Strange, J.H. Zero time resolution nuclear magnetic resonance transients in solids, 3=19472
- Powles, J.G. and Strange, J.H. Transient nuclear magnetic resonance signals for liquids with exchanging nuclei, 4=29647
- Powles, J.G. See Cutler, D., 2=17488
- Powles, J.G. See Cutler, D., 3=18834
- Powles, J.G. See Cutler, D., 3=21414
- Powles, J.G. See Krynicki, K., 3=21408
- Powles, J.G. See Krynicki, K., 4=18220
- Powles, J.G. See Luszczynski, K., 0=5039
- Powles, J.G. See Luszczynski, K., 0=5430
- Powles, J.G. See Luszczynski, K., 0=6779
- Powles, J.G. See Mansfield, P., 3=14792
- Powles, J.G. See Mansfield, P., 3=23250
- Powlus, R.A. See Glicksman, M., 1=5023
- Powsner, E.R. Self-absorption of carbon-14 samples on thin paper planchets, 1=13672
- Poyen, J. See Berley, D., 2=22633
- Poyen, J. See Berley, D., 4=9281
- Poyen, J. See Boldt, E., 4=9276
- Poyen, J. See Bordes, G., 4=16967
- Poyen, J. See Duboc, J., 4=12060
- Poyet, M. On the choice of gravitational energy-momentum tensor in the flat space theory of gravitation, 3=16498
- Pöyhönen, J. Dilatometric investigation of  $NH_4Cl$  at  $183.1^\circ C$  and  $NH_4Br$  at  $137.2^\circ C$ , 0=16335
- Pöyhönen, J. and Ruuskanen, A. X-ray investigation of the transitions of  $CsCl$  at  $469^\circ C$ , 4=23257



- Pöyhönen, J. See Heckmann, P.H., 1=13692  
 Pöyhönen, J. See Hovi, V., 0=17899  
 Pöyhönen, J. See Mansikka, K., 3=6810  
 Poynter, R.L. Microwave spectrum, quadrupolar coupling constants, and dipole moment of chlorobenzene, 4=1288  
 Poynter, R.L. and Steffensen, G.R. Tunable, high stability, microwave oscillator, 3=7695  
 Poynter, R.L. See Beaudet, R.A., 4=28240  
 Požar, F. 1 Mc/s scaler using gas-filled cold cathode counting tube EZ 10, 3=354  
 Požar, F. See Navinšek, B., 3=9878  
 Pozdnev, V.P. An investigation of the electrical conductivity of liquid semiconductors of the  $As_2Se_3-As_2Te_3$  system using a contactless method, 2=17480  
 Pozdnev, V.P. An investigation of the electrical conductivity of liquid semiconductors of the  $As_2Se_3-As_2Te_3$  system using a contactless method, 2=19579  
 Pozdnev, V.P. Method of detection of crystallites in glasses that have electronic electrical conduction, 3=8921  
 Pozdnev, V.P. See Kolomiets, B.T., 0=12062  
 Pozdnyak, N. Z. and Akhmetzyanov, K. G. Heat conductivity and electrical conductivity of tantalum and niobium, 4=25869  
 Pozdnyak, S.I. See Kovalev, A.A., 2=13694  
 Pozdnyakov, A.A. See Lavrukina, A.K., 0=4095  
 Pozdnyakov, A.A. See Lavrukina, A.K., 2=1894  
 Pozdnyakov, O.F. See Regel', V.R., 3=18211  
 Pozdnyakov, P.G. See Vasin, I.G., 3=15625  
 Poze, Kh. See Govorov, A.M., 3=2182  
 Poze, Kh. See Nikanorov, V.I., 2=16196  
 Poze, Kh. See Nikanorov, V.I., 3=6006  
 Poze, R. See Andreev, E.M., 2=18041  
 Poze, R.A. See Kiselev, V.S., 0=2550  
 Pozern, V.I. See Velvukhanova, G.A., 2=14627  
 Pozern, V.I. See Velyukhanova, G.A., 4=1909  
 Pozern, V.I. See Zaitseva, V.I., 2=14626  
 Pozharitskii, G.K. Extension of the principle of Gauss to systems with dry (Coulomb) friction, 3=1647  
 Pozharitskii, G.K. The minimum problem of the stability of equilibrium of a solid body partially filled with a liquid, 4=5113  
 Pozhela, Yu.K. and Shilal'nikas, V.I. Emission of "hot" electrons from germanium, 2=20017  
 Pozhela, J.K. Repshas K.K. and Shilal'nikas, V.J. Hot current carriers in Ge and Si, 3=10791  
 Pozhela, Yu. J. See Banis, T. Ya., 4=1580  
 Pozhela, Yu.K. and Repshas, K.K. Some considerations on the determination of the thermo-e.m.f. caused by hot carriers, 4=1696  
 Pozhela, Yu.K. and Shilal'nikas, V.I. Emission of "hot" electrons from germanium, 3=2017  
 Pozhela, Yu.K. and Shilal'nikas, V.I. Emission of hot electrons from germanium, 3=24331  
 Pozhela, Yu.K. See Banis, T. Ya., 4=1579  
 Pozhela, Yu. K. See Banis, T. Ya., 4=22714  
 Pozhela, Yu.K. See Gashka, I.I., 0=4331  
 Pozhela, Yu. K. See Kal'venas, S. P., 4=740  
 Pozhela, Yu.K. See Kalvenas, S. P., 4=1581  
 Pozhela, Yu. K. See Kal'venas, S. P., 4=22713  
 Pozhunkov, A. A. Distribution of helium, nitrogen, and argon in the earth's atmosphere at altitudes of up to 430 km, 4=26807  
 Pozihun, K. A. See Demidov, K.K., 1=15201  
 Pozo Martinez, M. Theory of ferromagnetic films, 2=14782  
 Pozsgay, G. See Gergely, G., 0=2963  
 Pozsgay, G. See Hangos, I., 0=18149  
 Pozwolski, A. On a generalisation on the problem of determining unitary matrices, 1=17979  
 Pozwolski, A. Potential energy of an atmosphere in equilibrium in the gravitational field, 2=19197  
 Pozwolski, A. Action of a uniform field of force on a gas transient state. Isotopic separation, 3=7238  
 Pozwolski, A. Dielectric strength of the combustion gas of an air-propane flame, 4=16454  
 Pozzi, A. Circular jet of conductive fluids in the presence of a magnetic field, 2=9701  
 Pozzi, A. Motion of electrons in the ionosphere in the presence of an alternating modulated electric field, 3=6973  
 Pozzi, A. and Contursi, G. Importance of the Hall effect in ionospheric phenomena, 4=26841  
 Pozzi, J. P. and Thellier, E. A description of the improvements recently made to magnetometers of high sensitivity used in magnetic mineralogy and paleomagnetism, 4=3082  
 Pozzolo, V. and Zich, R. A simple demonstration of the formula for calculating the effect of small geometric perturbations on the resonant frequency of a cavity, 4=19210  
 Pracht, D.W. See Lam, D.J., 3=23141  
 Pracht, D.W. See Lam, D.J., 4=13119  
 Pracht, D.W. See Loomis, B.A., 4=12835  
 Pracht, D.W. See Van Ostenburg, D.O., 4=7357  
 Pracht, D.W. See Van Ostenburg, D.O., 4=26455  
 Pracka, I. See Niemyski, T., 3=11226  
 Pradal, F. and Colombie, N. Energy spectrum of a beam emitted by a high-frequency source operating as an electron source, 1=8354  
 Pradal, F. and Gout, C. Characteristic energy losses in a 20 keV electron beam transmitted by a composite film, 1=17492  
 Pradal, F. and Gout, C. Analysis of the energy losses of A 30 kV electron beam in lithium fluoride, chloride and bromide, 3=15478  
 Pradal, F. See Gout, C., 2=12411  
 Pradal, F. See Gout, C., 3=15478  
 Pradal, J. H. See Dietrich, K., 4=21933  
 Praddaude, H.C. A perturbation solution of the equation of motion for the density matrix, 3=17226  
 Pradel, F. and Gout, C. Characteristic energy losses of electrons in cadmium, tellurium and selenium, 1=14241  
 Pradel, J. See Brichard, J., 1=9821  
 Pradel, J. See Bricard, J., 2=2491  
 Pradel, J. See Bricard, J., 3=11416  
 Praderie, F. The influence of carbon on ionization in stellar atmospheres, 1=18114  
 Praderie, F. A calculation of the photoionisation cross-section of several states of neutral carbon, 4=18677  
 Praderie, F. Calculation of some photoionization cross-sections of neutral carbon, 4=25543  
 Pradhan, B.P. and Gupta, R.C. Dielectric constants of crystalline powders at microwave frequencies, 1=6191  
 Pradhan, B.P. and Gupta, R.C., 2=6513  
 Pradhan, B. P. and Gupta, R.C. Dielectric constants of mixtures, 4=12953  
 Pradhan, B.P. and Sharma, M.N. An investigation on dielectric properties of mixtures at radio frequencies, 1=17825  
 Pradhan, T. Causality and the dispersion formulas for waves in a plasma, 2=9604  
 Pradhan, T. Exact solution of a relativistic field theory, 2=16115  
 Pradhan, T. Exact solution of a relativistic quantum field theory, 3=14847  
 Pradhan, T. and Misra, P. Dielectric constant of a dense electron gas, 0=17020  
 Pradhan, T. and Tripathy, D.N. Electron capture by protons passing through hydrogen, 3=16908  
 Prados, J.W. See Hershey, D., 3=23872  
 Praestgaard, E. See Lebowitz, J. L., 4=18094  
 Prag, A.B. and Clark, K.C. Excitation mechanism for the nitrogen pink afterglow, 3=22486  
 Prag, A. B. and Clark, K. C. Estimated energy of the metastable sextet atom of nitrogen, 4=3795  
 Prag, A. B. and Clark, K. C. Measured oscillator strengths for the  $2p^4\ ^3P-2p^3\ ^3s\ ^3S^o$  transition in atomic oxygen, 4=12372  
 Prag, A.B. See Fairchild, C.E., 3=22485  
 Prager, I.A. See Shelkov, L.S., 0=3598  
 Prager, I.A. See Vavilov, Yu.N., 4=16724  
 Prager, R. See Eckardt, A., 2=22434  
 Prager, R. See Eckardt, A., 4=3064  
 Prager, R. See Eckardt, A., 4=8817  
 Prager, R. See Eckardt, A., 4=18652  
 Prager, S. Diffusion in inhomogeneous media, 0=14541  
 Prager, S. Viscous flow through porous media, 2=1111  
 Prager, S. Diffusion and viscous flow in concentrated suspensions, 3=8984  
 Prager, S. and Hirschfelder, J. O. Upper and lower bounds for ground-state second-order perturbation energy, 4=6452  
 Prager, S. See Brodowsky, H., 3=25159  
 Prager, S. See Salzberg, A.M., 3=18452  
 Prager, S. See Schrader, D.M., 2=22932  
 Prager, S. See Weissberg, H.L., 3=1670  
 Prager, S. See Woodbury, G., 3=11704  
 Prager, S. See Woodbury, G.W., Jr. 4=29539  
 Prager, W. Stress analysis in the plastic range, 0=16225  
 Prager, W. On higher rates of stress and deformation, 2=9217  
 Praglin, J. and Nichols, W.A. High-speed electrometers for rocket and satellite experiments, 0=14942  
 Pragout, J. See Batailler, G., 2=5265  
 Pragout, J. See Batailler, G., 4=17591  
 Prahallada Rao, B.S. See Krishna Murthy, P.V., 3=13634  
 Prakash, A. The crystal structure of 1,8-dihydroxy anthraquinone, 3=13491



- Prakash, A. See Cohen, B. L., 4=25261
- Prakash, J. Dynamic mechanical properties of high polymers and the importance of their study, 0=18250
- Prakash, P. Radiative correction to pion decay, 0=5581
- Prakash, P. On the decay  $\Sigma^0 \rightarrow \Lambda^0 + \gamma$  in the charge independent pion interaction, 2=7906
- Prakash, P. On the doublet theory of strong interactions, 3=17184
- Prakash, P. On baryon anomalous magnetic moment contribution to neutral PI meson decay, 3=17303
- Prakash, P. and Zimmerman, A.H. Effect of non-locality in Fermi interactions due to vector mesons on the decays  $\Sigma \rightarrow p + \gamma$  and  $\mu \rightarrow e + \nu + \bar{\nu}$ , 0=5611
- Prakash, P. and Zimmerman, A.H. Photon decay of hyperons, 1=13512
- Prakash, S. and Dhari Pandey, J. Relationships between ultrasonic velocity compressibilities and certain thermodynamic functions, 3=7395
- Prakash, S. and Ghosh, A.K. Ultrasonics and colloids, 3=6936
- Prakash, Satya and Prakash, Sheo. Kinetics of the decolorization of Congo red under ultrasonic radiation, 0=1966
- Prakash, S. and Tandon, J.N. On the reflection and refraction of magneto-hydrodynamic waves, 0=9162
- Prakash, Sheo. See Prakash, Satya, 0=1966
- Prakash, V. Effect of some impurities and reversion treatment on the age hardening behaviour of aluminium-copper alloys of high purity, 3=3332
- Prakash, Y., Steinberg, P.H., Chandler, D.A. and Prem, R.J. On the binding energies of mesic hypernuclei, 1=13636
- Prakash, Y. See Glasser, R.G., 1=9771
- Prakash, Y. See Goodhead, D. T., 4=25272
- Prakash, Y. See Ismail, A.Z.M., 2=18247
- Prakash, Y. See Ismail, A.Z.M., 3=10228
- Prakash, Y. See Ismail, A.Z.M., 3=22274
- Prakash, Y. See Ismail, A.Z.M., 4=3546
- Prakash, Y. See Ismail, A.Z.M., 4=25194
- Prakash, Y. See Kenyon, I.R., 4=9363
- Prakash, Y. See Key, A.W., 4=21992
- Pramila, G.C. See Gupta, R.K., 2=14061
- Pramila, G.C. See Jha, S., 1=5829
- Pramila, G.C. See Jha, S., 1=8637
- Pramila, G.C. See Jha, S., 1=13749
- Pramila, K.G.C. See Jha, S., 1=663
- Pramila, G.C. See Jha, S., 2=16373
- Pranch, A. On the dependence of the coefficient of friction on normal loads, 4=28928
- Pranch, A.S. See Ainbinder, S.B., 4=10369
- Prandl, W. Refinement of the garnet structure by neutron diffraction, 4=29092
- Prange, R.E. The moment of inertia of large superfluid fermion systems, 1=5692
- Prange, R.E. The moment of inertia of large systems at finite temperature, 2=2646
- Prange, R.E. The moment of inertia of superfluid Fermion systems of finite temperature, 2=2647
- Prange, R.E. Dielectric constant of a superconductor, 3=9676
- Prange, R.E. Tunneling from a many-particle point of view, 3=18733
- Prange, R.E. and Kadanoff, L.P. Transport theory for electron-phonon interactions in metals, 4=17389
- Prange, R.E. See Ferrell, R.A., 3=21659
- Prasad, A.N. Measurement of ionization and attachment coefficients in dry air in uniform fields and the mechanism of breakdown, 0=5270
- Prasad, A.N. and Craggs, J.D. Ionization and attachment coefficients. Measurement in humid air in uniform fields, and mechanism of breakdown, 0=14961
- Prasad, A.N. and Craggs, J.D. Measurement of Townsend's ionization coefficients and attachment coefficients in oxygen, 1=7026
- Prasad, A.N. and Craggs, J.D. Measurement of ionization and attachment coefficients in humid air in uniform fields and the mechanism of breakdown, 1=1891
- Prasad, A.N. See Barrault, M.R., 3=24299
- Prasad, A.N. See Barrault, M.R., 4=21524
- Prasad, B.B. See Prasad, B.N., 1=18472
- Prasad, B.N. Influence of directional irradiation on, and the absorption of light in the production of, Joshi effect in mercury vapour, 1=18473
- Prasad, B.N., Prasad, B.B. and Raja Rao, S. Co-occurrence of positive and negative Joshi effect in iodine vapour, 1=18472
- Prasad, C. On vibrations of spherical shells, 4=14239
- Prasad, J. Comparative studies of optical path difference measurement with Michelson and polarisation interferometers, 4=2849
- Prasad, K. See Prasad, S.S., 2=18457
- Prasad, K. See Prasad, S.S., 4=2940
- Prasad, K.D. Colour centres in pentahydrate crystal of sodium thiosulphate, 0=6049
- Prasad, K.G. See Joshi, M.C., 3=17422
- Prasad, K.G. See Joshi, M.C., 4=15169
- Prasad, K.G. See Thosar, B.V., 3=10299
- Prasad, K.V. See Thosar, B.V., 4=9382
- Prasad, K.K., Mahadevan, K. and Havemann, H.A. Flame speeds in oscillating gases in a tube, 1=16154
- Prasad, N.D. See Daniel, R.R., 2=18201
- Prasad, R. A ray-tracing scheme for triple mirrors, 4=29728
- Prasad, S. Corner-driven coupled square loop antennas, 0=1217
- Prasad, S. Radiation field of the corner-driven square loop antenna, 2=16055
- Prasad, S.S. On the variation of electronic transition moment  $R_0$  in CN violet band systems, 1=14063
- Prasad, S.S. Franck-Condon factors and re-centroids for the  $\alpha$ -system of TiO, 2=14253
- Prasad, S.S. Electronic transition moment variation in Schumann-Runge band system of O<sub>2</sub> molecule, 3=724
- Prasad, S.S. Determination of  $\Delta r_0$ , the difference between the equilibrium internuclear distances in the two electronic states of a diatomic molecule, from intensities of vibrational bands, 3=10501
- Prasad, S.S. Franck-Condon factors and r-centroids for the  $^3\Delta-^3\Delta$  system of VO and the  $\alpha$  system of TiO, 3=22551
- Prasad, S.S. Franck-Condon factors and r-centroids for  $^2\Delta-^2\Delta$  system of VO, 4=9730
- Prasad, S.S. and Prasad, K. Franck-Condon factors and r-centroids for the B-X system of MgO, 2=18457
- Prasad, S.S. and Prasad, K. Classical calculations for impact ionization cross sections, 4=2940
- Prasad Dubey, D. Some measurements on  $\tau$  mesons, 0=5599
- Prasada Rao, T.A. See Haranath, P.B.V., 1=8840
- Prasada Rao, T.A. and Tiruvenganna Rao, P. The emission band spectra of SbF and BiF, 2=14288
- Prasada Rao, T.A. and Tiruvenganna Rao, P. Rotational analysis of the visible band system of the BiF molecule, 2=20797
- Prasanna Kumar, A. See Kuchela, K.S., 3=24198
- Prask, H.J., Bichard, J.W., Funk, E.G., Jr. and Mihelich, J.W. The character of the 1315 keV state in Yb<sup>174</sup>, 2=3491
- Prask, H.J., Reidy, J.J., Funk, E.G., Jr. and Mihelich, J.W. The electron capture decay of Gd<sup>149</sup>, 2=20558
- Prask, H.J. See Funk, E.G., Jr., 3=6183
- Prask, H.J. See Schwerdtfeger, C.F., 2=14047
- Prasova, T.I. See Druzhinin, V.V., 3=10727
- Prat, M.T. and Gay, R. Definition of s, the degree of short-range order in a monoperiodic structure of a binary solid solution, 1=20615
- Prat, R. Influence of diffraction on the image structure for extended objects, 2=5148
- Prat, T. and Gay, R. Short-range order in Cu<sub>3</sub>Au-type solid solutions of composition A<sub>3</sub>B, 2=10920
- Prat, R. See Besnainou, S., 2=6156
- Prat, R. See Besnainou, S., 3=6405
- Pratap, R. Pressure compensated fields, 1=15384
- Pratelli, A.M. The dimensionless products characteristic of magnetofluid dynamics, 1=9674
- Pratelli, A.M. Wave-fronts in viscous and heat conducting gases, 4=8233
- Pratesi, R., Ronchi, L., Scheggi, A.M. and Toraldo di Francia, G. Radiation from a charged particle in uniform straight motion through a particular stratified medium, 4=3106
- Pratesi, R., Toraldo di Francia, G., Ronchi, L. and Scheggi, A.M. Radiation from a charged particle in uniform straight motion through a particular stratified medium, 2=22325
- Prather, J.L. Atomic energy levels in crystals, 1=14148
- Pratinidhi, K. See Pakswar, S., 3=20321
- Pratl, J. and Rieder, W. A.C. arc movement in a transverse magnetic field, 4=18779
- Prato, G.Da. and Putzolu, G. Radiative corrections to  $\pi^- \pi^0 + e^- + \bar{\nu}$  decay, 1=16838
- Prato, G.Da. See Cabibbo, N., 3=572
- Prato, G.Da. See Da Prato, G.
- Prats, F. On potential scattering of relativistic particles, 1=8436
- Prats, F. and Fano, U. Metastable levels in the continuum and the independent particle model, 4=24544
- Prats, F. See Cooper, J.W., 3=19928



- Prats, F. See Fano, U., 3=10210  
 Pratt, A.V. See Newkirk, H.L., 0=14476  
 Pratt, A.W. Analysis of error due to edge heat loss in measuring thermal conductivity by the hot plate method, 2=2904  
 Pratt, A.W. Heat transfer in porous material, 2=12939  
 Pratt, B. and Ben-Sira, M.Y. Resistivity calculations for semiconductor crystals grown by the Czochralski technique, 1=6145  
 Pratt, B. See Harnik, E., 3=15627  
 Pratt, B. See Peled, S., 3=10869  
 Pratt, G.W. Jr. Generalization of band theory to include self-energy corrections, 0=9884  
 Pratt, G.W., Jr. Necessity and experimental consistency of antiferromagnetic ground state without long-range order, 1=7773  
 Pratt, G.W., Jr. A generalized single-particle equation, 4=22277  
 Pratt, G.W., Jr. and Bailey, P.T. Theory of the magnetic and optical properties of  $\text{Cr}_2\text{O}_3$ , 3=25503  
 Pratt, G.W., Jr. and Coelho, R. Optical absorption of  $\text{CoO}$  and  $\text{MnO}$  above and below the Néel temperature, 0=1725  
 Pratt, G.W., Jr. and Puff, R.D. Application of thermodynamic Green's function formalism to ferromagnetism, 3=983  
 Pratt, G.W., Jr. See Izuyama, T., 3=15739  
 Pratt, G.W., Jr. See Johnson, L.E., 4=12693  
 Pratt, I.H. See Degenhart, H.J., 4=20809  
 Pratt, I.P. See Toth, L.E., 4=14508  
 Pratt, J.N. and Aldred, A.T. Torsion-effusion apparatus for the study of vapour pressures of alloys, 0=3678  
 Pratt, J.N. See Aldred, A.T., 0=13472  
 Pratt, J.N. See Aldred, A.T., 1=8111  
 Pratt, J.N. See Aldred, A.T., 3=9662  
 Pratt, J.N. See Aldred, A.T., 3=14422  
 Pratt, J.N. See Filby, J.D., 3=13522  
 Pratt, L. See Milner, R.S., 3=14186  
 Pratt, P.L., Chang, R. and Newey, C.W.A. Effect of divalent metal impurity distribution, quenching rate, and annealing temperature on flow stress in ionic crystals ( $\text{NaCl}$ ,  $\text{LiF}$ ), 4=4486  
 Pratt, P.L. See Brown, L.M., 3=16002  
 Pratt, P.L. See Bruneau, A.A., 3=5071  
 Pratt, P.L. See Davidge, R.W., 1=64.3  
 Pratt, P.L. See Davidge, R.W., 3=13011  
 Pratt, P.L. See Davidge, R.W., 4=30786  
 Pratt, P.L. See Guu, F., 4=26470  
 Pratt, P.L. See Kear, B.H., 0=15852  
 Pratt, P.L. See Kear, B.H., 0=20803  
 Pratt, R.G. and Ridley, B.K. The capture of hot electrons by gold centres in n-type germanium, 3=25343  
 Pratt, R.G. See Ridley, B.K., 3=20298  
 Pratt, R.H. Atomic photoelectric effect at high energies, 0=5892  
 Pratt, R.H. Photoeffect from the L shell, 0=15678  
 Pratt, R.H. Transfer of helicity in radiation and absorption of high-energy photons, 1=12073  
 Pratt, R.H., Levee, R.D., Pexton, R.L. and Aron, W. K-shell photoelectric cross sections from 200 keV to 2 MeV, 4=17254  
 Pratt, R.H., Levee, R.D., Pexton, R.L. and Aron, W. Polarization correlations in atomic photoeffect, 4=17255  
 Pratt, R.H. See Drell, S.D., 2=5573  
 Pratt, R.H. See Eckstein, S.G., 0=5576  
 Pratt, R.H. See Ginsberg, E.S., 3=15026  
 Pratt, R.H. See Ginsberg, E.S., 4=19758  
 Pratt, R.H. See Hostler, L., 3=18730  
 Pratt, R.H. See Jabbur, R.J., 3=4374  
 Pratt, R.H. See Jabbur, R.J., 4=11965  
 Pratt, W.W. A survey of gamma ray branching ratios, 2=3530  
 Pratt, W.W. and Cochran, R.G. Search for low-energy gamma rays in  $\text{O}^{16}$ , 0=4078  
 Pratt, W.W. and Cochran, R.G. Beta- and gamma-ray spectra of  $\text{Pd}^{111}$ , 0=11354  
 Pratt, W.W. See Thwaites, T.T., 2=391  
 Praus, O. See Pěchová, J., 4=30921  
 Prausnitz, J.M. See Anderson, R., 2=1304  
 Prausnitz, J.M. See Anderson, R., 3=25814  
 Prausnitz, J.M. See Blanks, R.F., 3=12853  
 Prausnitz, J.M. See Blanks, R.F., 4=14138  
 Prausnitz, J.M. See Cairns, E.J., 0=3307  
 Prausnitz, J.M. See Eckert, C.A., 3=24112  
 Prausnitz, J.M. See Hermesen, R.W., 1=8264  
 Prausnitz, J.M. See Myers, A.L., 2=11412  
 Prausnitz, J.M. See Sherwood, A.E., 4=24258  
 Prausnitz, J.M. See Sherwood, A.E., 4=24259  
 Pravdic, V. See Maricic, S., 3=2904  
 Pravdin, N.S. See Vernidub, I.I., 4=13790  
 Pravdivyi, N.M. See Korzh, I.A., 4=19786  
 Pravdun, N.S. See Vernidub, I.I., 3=8987  
 Pravdyi, M.M. See Korzh, I.O., 4=12230  
 Pravdyuk, N.F., Amaev, A.D., Platonov, P.A., Kuznetsov, N.V. and Golyanov, V.M. The effect of neutron irradiation on the properties of structural materials, 2=23765  
 Pravdyuk, N.F. and Golyanov, V.M. Examination of uranium fission with an electron microscope, 2=19131  
 Pravdyuk, N.F. and Golyanov, V.M. Electron microscope investigation of uranium fission, 3=8152  
 Pravdyuk, N.F., Kuznetsov, V.N. and Laletin, N.I. The isothermal irradiation of non-fissile materials in the R.F.T. reactor using a calorimeter, 4=1168  
 Pravdyuk, N.F., Nikolaenko, V.A., Karpuchin, V.I. and Kuznetsov, V.N. Investigation of diamond and silicon carbide as indicators of irradiation conditions, 2=18389  
 Pravdyuk, N.F., Pokrovskiy, Yu.I. and Vikhrov, V.I. The influence of neutron irradiation on the fatigue properties of magnesium as determined by internal friction measurements, 2=18983  
 Pravdyuk, N.F. See Dubrovin, K.P., 2=23769  
 Pravdyuk, N.F. See Konobeevskii, S.T., 0=10332  
 Praveczi, E. Free spin-wave theory normalised in respect of temperature, 4=1815  
 Praveczi, E. Definition and use of ferromagnon annihilation operations in the Bloch-Dyson theory of ferromagnons, 4=22961  
 Praveczi, E. Introduction of magnon annihilation operators to the Bloch-Dyson spin wave theory, 3=5002  
 Pray, A.R. See MacInnes, D.A., 0=21278  
 Prchal, K. See Schüller, H., 0=10891  
 Predazzi, E. Regge poles and nucleon form factors, 4=11982  
 Predazzi, E. and Regge, T. The maximum analyticity principle in the angular momentum, 2=11886  
 Predazzi, E., Regge, T. and Rossetti, C. High energy limit of scattering amplitudes, 2=21832  
 Predazzi, E. See Bertocchi, L., 3=7799  
 Predazzi, E. See Bertocchi, L., 4=15003  
 Predazzi, E. See Cornille, H., 4=21778  
 Predazzi, E. See De Alfaro, V., 0=2535  
 Predazzi, E. See De Alfaro, V., 4=3335  
 Predazzi, E. See De Alfaro, V., 4=5993  
 Predazzi, E. See De Alfaro, V., 4=9127  
 Predazzi, E. See Favella, L., 1=5697  
 Predazzi, E. See Freund, P.G.O., 1=15479  
 Predazzi, E. See Giffon, M., 4=30196  
 Predazzi, E. See Kita, H., 0=20175  
 Predazzi, E. See McMillan, M., 2=20323  
 Predel, B. Post-melting effect in pure metals, 3=3926  
 Predel, B. See Heumann, T., 0=6994  
 Predeleanu, M. Uniqueness of the solution of a system of equations of a class of substances having linear rheological properties, 3=8774  
 Predeleanu, M. See Teodorescu, P.P., 0=10621  
 Predvoditelev, A.S. Kinematics of statistical motions, 4=5233  
 Predvoditelev, A.A. Device for the investigation of creep in metals and the recording of the start of creep, 2=19001  
 Predvoditelev, A.A. Possible interactions of complete dislocations in hexagonal close-packed crystals, 3=20184  
 Predvoditelev, A.A., Bushuyeva, G.V. and Stepanova, V.M. Selective etching study of the dislocation structure in zinc crystals, 4=9968  
 Predvoditelev, A.A., Rozhanskii, V.N. and Stepanova, V.M. Dislocation structure produced in  $\text{NaCl}$  crystals deformed by a concentrated load, 3=20183  
 Predvoditelev, A.A., Spivak, G.V., Kotova, A.M., Yurasova, V.E. and Kushnir, F.F. Study of undecorated dislocations in zinc single crystals by means of ion bombardment, 4=1477  
 Predvoditelev, A.A., Tyapunina, N.A. and Bystrikov, A.S. An analysis of the spatial distribution of dislocations in cadmium, 1=3667  
 Predvoditelev, A.A. See Rozhanskii, V.N., 3=13409  
 Predvoditelev, A.A. See Rozhanskii, V.N., 4=1478  
 Predvoditelev, A.A. See Shvidkovsky, E.G., 3=23324  
 Predvoditelev, A.A. See Tyapunina, N.A., 4=6837  
 Predvoditelev, A.A. See Tyapunina, N.A., 4=9970  
 Predvoditelev, A.A. See Yurasova, V.E., 1=4017  
 Predvoditelev, A.S. Theory of adsorption wave. Relation between the exhaustion of the catalyst bed and the gas velocity and bed thickness, 0=3326



- Predvoditelev, A.S. Theory of adsorption wave. Relation between the concentration of exit gas and the time of exhaustion of the adsorbent, 0=3327
- Predvoditelev, A.S. The nature of the motion of heat in liquids, 2=5005
- Predvoditelev, A.S. The nature of heat motion in liquids. II, 2=9259
- Predvoditelev, A.S. The nature of heat motion in liquids. III, 2=9260
- Predvoditelev, A.S. On the problem of the equation of state of condensed media, 3=20116
- Predvoditelev, A.S. Critical phenomena in liquids and gases, 4=367
- Predvoditelev, A.S. Equation of state of helium, 4=2722
- Predvoditelev, A.S. [Ed.]. Physics of heat exchange and gas dynamics, 4=8230
- Predvoditelev, A.S. Equations of state for carbon monoxide and dioxide, 4=11229
- Predvoditelev, A.S. Conditions for regular motion of strong shock waves and detonations, 4=16175
- Predvoditelev, A.S. Equations of state for xenon and methane, 4=21175
- Predvoditelev, O.A. See Bazhenova, T.V., 4=16170
- Pregl, G. See Čopić, M., 4=19892
- Pregl, G. See Dulár, J., 0=5767
- Preibisz, Z., Pawlak, K. and Stryczniewicz, K. Contribution to the investigation of  $Tm^{168}$  decay scheme, 4=15191
- Preibisz, Z. and Zylicz, J. Possible four-quasiparticle excited state of  $Er^{168}$ , 4=22044
- Preibisz, Z. See Chojnacki, S., 2=1839
- Preibisz, Z. See Chojnacki, S., 4=30327
- Preibisz, Z. See Zylicz, J., 1=13720
- Preining, O. Some demonstration experiments with a loss-free waveguide, 4=5825
- Preining, O. See Ernst, F., 3=5207
- Preining, O. See Goetz, A., 2=4568
- Preining, O. See Goetz, A., 2=6897
- Preining, O. See Sedlacek, M., 3=25913
- Preinreich, G. See Weinzierl, P., 4=17105
- Preintki, J. See Meyer, P., 1=550
- Preis, H. and Esenwein, A. A calibration procedure in the quantitative X-ray fluorescence analysis of systems with several components, 0=4763
- Preis, H. See Esenwein, A., 0=4610
- Preisa, M. See Delyagin, N.N., 0=11389
- Preisendorfer, R.W. Generalized invariant imbedding relation, 1=9351
- Preisendorfer, R.W. See Duntley, S.Q., 3=6962
- Preisinger, A. Structure of stishovite, high-pressure  $SiO_2$ , 3=5108
- Preisler, E. See Haessner, F., 3=4699
- Preiss, I.L., Estrup, P.J. and Wolfgang, R. A new isotope: cadmium 103, 0=20394
- Preiss, I.L. and Fink, R.W. New isotopes of cobalt; activity cross-sections of nickel, cobalt, and zinc for 14.8 MeV neutrons, 0=7612
- Preiss, I.L., Strudler, P.M. and Wolfgang, R. Lanthanum isotopes in a possible new region of nuclear deformation, 3=8040
- Preiss, I.L. See D'Auria, J.M., 4=25342
- Preiss, I.L. See Kumabe, I., 0=7610
- Preiss, I.L. See Ladenbauer, I.M., 1=12223
- Preiss, I.L. See Ladenbauer-Bellis, I.M., 2=3627
- Preiss, K. and Grant, P.J. The optimization of a neutron scattering water content gauge for soils or concretes, 4=29243
- Preiss, L. See Anderson, C.E., 3=19888
- Preist, D.H. and Leidigh, W.J. A two-cavity extended interaction klystron yielding 65 per cent efficiency, 4=29978
- Preist, T.W. See Fowler, G.N., 1=5857
- Preist, T.W. See Islam, M.M., 4=9209
- Preiswerk, P. High-energy physics, 1=384
- Prelec, K. Proton energy spectra from a high-frequency ion source, 4=11721
- Prelec, K. Extraction systems of a high-frequency proton source, 4=11722
- Prelec, K. On some similarity rules for extraction systems of a high-frequency ion source, 4=21582
- Prelec, K. See Antolković, B., 0=19829
- Prelec, K. See Cheynier, B., 1=16434
- Preslesnik, A. See Blinc, R., 0=4537
- Prem, R.J. See Prakash, Y., 1=13636
- Prem, R.J. See Steinberg, P.H., 4=9367
- Premaswarup, D. See Narasimhamurthy, A., 3=15410
- Premaswarup, D. See Narasimhamurthy, A., 4=10319
- Premaswarup, D. See Syamalamba, K., 4=12508
- Prémilat, S. and Horn, P. Light scattering by graphite suspensions and the influence of a magnetic field, 4=30683
- Prendergast, K.H. The motion of gas streams in close binary systems, 0=14446
- Prendergast, K.H. The motion of gas in barred spiral galaxies, 4=10871
- Prendergast, K.H. and Burbidge, G.R. The persistence of spiral structure, 0=8508
- Prener, J.S. Physical chemistry of compound semiconductors, 2=4006
- Prener, J.S. and Kingsley, J.D. Preparation and optical transmission of cadmium fluoride crystals, 2=4128
- Prener, J.S. and Kingsley, J.D. Mechanism of the conversion of  $CdF_2$  from an insulator to a semiconductor, 3=8522
- Prener, J.S. and Weil, D.J. The luminescent center in self-activated ZnS phosphors, 0=2951
- Prener, J.S. and Williams, F.E. Effect of interstitial Li on the density of Si, 1=19767
- Prener, J.S. See Apple, E.F., 0=11781
- Prener, J.S. See Halsted, R.E., 2=23593
- Prener, J.S. See Kingsley, J.D., 2=10588
- Prener, J.S. See Kingsley, J.D., 2=14551
- Prentice, J.D., Bellamy, E.H. and Williams, W.S.C. The spin of the neutral pion, 0=5584
- Prentice, J.D. and McNeill, K.G. Measurement of the beta spectrum of  $I^{129}$  in an undergraduate laboratory, 2=1837
- Prentice, J.D. See Almqvist, E., 4=22224
- Prentice, J.D., Gebbie, N.W. and Caplan, H.S. The spins and parities of the 1.35 and 1.46 MeV levels of  $F^{19}$ , 4=12138
- Prentice, J.D. See Kuehner, J.A., 3=19889
- Prentice, J.D. See McNeill, K.G., 2=402
- Prentice, W.C.H. Aftereffects in perception, 3=1569
- Prentki, J. See Amati, D., 3=5929
- Prentki, J. See Amati, D., 4=30159
- Prentki, J. See Bell, J.S., 4=9272
- Prentki, J. See Bouchiat, C., 3=6064
- Prentki, J. See Bouchiat, C., 4=9105
- Prentki, J. See d'Espagnat, B., 2=11875
- Prentki, J. See d'Espagnat, B., 0=15391
- Prentki, J. See D'Espagnat, B., 1=434
- Prentki, J. See Meyer, P., 1=494
- Prentki, J. See Meyer, P., 1=5784
- Prentki, J. See Meyer, P., 1=8510
- Preobrazhenskii, A.Ya. and Stepanov, V.A. Graphite mold-furnace for growing single crystal, 2=21483
- Preobrazhenskii, A.Ya. See Vereschagin, L.F., 1=5090
- Preobrazhenskii, B.K. See Berlovich, E.E., 0=11303
- Preobrazhenskii, B.K. See Kaliamin, A.V., 0=11408
- Preobrazhenskii, B.K. See Kalyamin, A.V., 3=10348
- Preobrazhenskii, B.K. See Kel'man, V.M., 0=2648
- Preobrazhenskii, B.K. See Kel'man, V.M., 0=9588
- Preobrazhenskii, B.K. See Krizhanskii, L.M., 0=7634
- Preobrazhenskii, N.G. The functional description of the spectral line profiles in the Cowan-Dieke and Bartels theories, 0=3636
- Preobrazhenskii, N.G. On the absorption of light in a non-uniform plasma, 3=5674
- Preobrazhenskii, N.G. An extension of the limits of applicability of the self-absorption method, 3=19282
- Preobrazhenskii, N.G. Anomalous calibration curves for emission analysis, 3=25852
- Preobrazhenskii, N.G. Photometric width of spectrum lines as a measure of their intensity, 4=7797
- Preobrazhenskii, N.G. See Gorbacheva, N.S., 4=11610
- Prepost, R., Hughes, V.W. and Ziock, K. Observation of the hyperfine structure splitting of muonium by use of a static magnetic field, 1=3202
- Prepost, R. See Allaby, J.V., 4=11976
- Prepost, R. See Feher, G., 1=2074
- Prepost, R. See Hughes, V.W., 0=17365
- Prepost, R. See Ziock, K., 2=18169
- Prescott, C.Y. See Heusch, C.A., 4=25236
- Prescott, C.Y. See Heusch, C.A., 4=30111
- Prescott, J.R. Demonstration gyroscope, 3=11741
- Prescott, J.R. Photomultiplier single-electron statistics and the shape of the ideal scintillation line, 3=17102
- Prescott, J.R. and Lindquist, D.L. Simple light pulses for testin photomultipliers, 1=16188



- Prescott, J.R. and Rupaal, A.S. The specific fluorescence of plastic scintillator NE102, 1-7169
- Prescott, J.R. and Takhar, P.S. Resolution and line shape in scintillation counters, 2=17994
- Prescott, J.R. and Terentiuk, F. Independence of motion apparatus, 3=14083
- Prescott, J.R. See McDonnell, J.A., 0=20455
- Prescott, L.E. An aluminum foil oven, 2=11435
- Present, R.D. See Graben, H.W., 3=167
- Present, R.D. See Miller, R.V., 3=10508
- Presland, A.E.B. and Hedley, J.A. Thermal oxidation in natural graphite, 3=25821
- Presland, A.E.B. and Hutchinson, R.I. The nucleation of grain-boundary cavities in magnesium, 2=16998
- Presland, A.E.B. and Hutchinson, R.I. The nucleation of grain boundary cavities in magnesium, 3=17773
- Presland, A.E.B. and Hutchinson, R.I. The effect of substructure on the nucleation of grain-boundary cavities in magnesium, 4=23532
- Presland, A.E.B. See Menter, J.W., 2=23150
- Presland, A.E.B. See Pashley, D.W., 0=21212
- Presland, A.E.B. See Pashley, D.W., 1=20709
- Presland, A.E.B. See Pashley, D.W., 2=23195
- Presland, M.J., Marshall, R. and Franks, J. The effects of quenching on the structural, photo, and electroluminescent properties of ZnS: Cu phosphors, 4=15618
- Presland, M.J., Marshall, R. and Franks, J. Yellow and red emitting ZnS: Cu phosphors, 4=26250
- Presnell, R.I., Leadabrand, R.L., Peterson, A.M., Dyce, R.B., Schlobohm, J.C. and Berg, M.R. VHF and UHF radar observations of the aurora at College, Alaska, 0=10440
- Presnell, R.I. See James, J.C., 0=8408
- Presnell, R.I. See Leadabrand, R.L., 0=10442
- Presnell, R.I. See Leadabrand, R.L., 0=16526
- Presnell, R.I. See Leadabrand, R.L., 1=15556
- Presnov, V.A. Concerning the calculation of the width of the forbidden zone  $\Delta E$  in  $A^{III}B^V$  type semiconductors, 2=18672
- Presnov, V.A. Physicochemical nature of bonds between dissimilar materials, 4=10594
- Presnov, V.A., Izergin, A.P., Krivov, M.A., Vyatkin, A.P., Stroitelev, S.A., Mel'chenko, E.N., Malisova, E.V., Selivanova, V.A. and Grigor'eva, A.G. Investigation of gallium arsenide, 3=25364
- Presnov, V.A. and Lyuze, L.L. Effect of amine adsorption on the surface charge of germanium, 4=20364
- Presnov, V.A. and Sýnorov, V.F. Investigation of the surface electrical conductivity of germanium monocrystals, 0=15929
- Presnov, V.A. and Vyatkin, A.P. Wetting of germanium with indium and welded contacts between semiconductors and metals, 4=13672
- Presnov, V.A. See Kataev, G.A., 4=20399
- Presnyakov, A.A. and Chervyakova, V.V. The nature of the sudden drop in the plasticity of solid solutions, 1=10215
- Presnyakov, A.A. and Dautova, L.I. On anomalies in the properties of zinc, 0=13496
- Presnyakov, A.A. and Dautova, L.I. Some features of re-crystallization in ordering alloys, 4=1978
- Presnyakov, A.A., Dautova, L.I. and Dzhanbusinov, E.A. Crystal structures of copper-palladium solid solutions near the  $Cu_3Pd$  composition, 4=29108
- Presnyakov, A.A., Dautova, L.I. and Klyuchnikov, Yu.F. Electrical resistance anomalies in brasses and aluminium bronzes, 1=6125
- Presnyakov, A.A. See Kasymbikova, K.K., 4=13481
- Presnyakov, A.A. See Klyuchnikov, Yu.F., 4=17756
- Presnyakov, A.A. See Melikhov, V.D., 4=10420
- Presnyakov, A.A. See Starikova, G.V., 1=12584
- Presnyakov, A.A. See Starikova, G.V., 3=13533
- Presnyakov, L., Sobelman, I. and Vainshtein, L. On one model for the calculation of excitation cross sections for atoms, 4=25521
- Presnyakov, L. See Poluéktov, I., 4=27474
- Presnyakov, L. See Vainshtein, L., 3=707
- Presnyakova, G.M. See Mikhailov, G.S., 4=11717
- Presnyakova, H.M. See Mykhailov, H.S., 2=11542
- Presnyakova, H.M. See Mykhailov, H.S., 2=17518
- Presperin, V. See Bem, P., 4=22125
- Presperin, V. See Bem, P., 4=25098
- Presperin, V. See Kul'chitskii, L.A., 0=7598
- Presperin, V. See Kul'chitskii, L.A., 1=19437
- Presperin, V. and Kul'chitskii, L.A. Yield of fast photoneutrons from  $C^{13}$  and  $Al^{27}$ , 2=422
- Presperin, V. and Kul'chitskii, L.A. Yield of fast photoneutrons from  $C^{12}$  and  $Al^{27}$ , 2=22792
- Press, F., Buwalda, P. and Neugebauer, M. A lunar seismic experiment, 1=15422
- Press, F. and Harkrider, D. Propagation of acoustic-gravity waves in the atmosphere, 3=9061
- Press, F. See Harkrider, D.G., 3=18472
- Pressey, B.G. Signals from satellite 1958 $\delta$  2, 0=18
- Pressley, R.J. See Wolff, N.E., 3=25443
- Pressman, A.Ya. Outflow of rarefied gas from a point source into vacuum, 2=1173
- Pressman, J., Marmo, F.F. and Aschenbrand, L.M. Artificial electron clouds. IV. Thermal ionization study, night time cesium release at 101 km, 1=6611
- Pressman, J., Marmo, F.F. and Aschenbrand, L.M. Artificial electron clouds. VI. Low altitude study, release of cesium at 69, 82 and 91 km, 1=10324
- Pressman, J. See Marmo, F.F., 1=6608
- Pressman, J. See Marmo, F.F., 1=6609
- Pressman, J. See Marmo, F.F., 1=6610
- Pressman, J. See Marmo, F.F., 1=6612
- Pressman, J. See Marmo, F.F., 2=4688
- Pressman, W. and Keller, J.B. Equation of state and phase transition of the spherical lattice gas, 0=18997
- Presswood, B.A. Estimate of a parity non-conserving contribution to  $\pi^+$ -meson production by polarized protons, 2=3381
- Prestigiacomo, A.J. Amplitude contour display of sound spectrograms, 3=1779
- Preston, B.W. Computer for the conversion of tristimulus values to trichromatic coefficients, 1=4160
- Preston, D. See Farrow, G., 0=14052
- Preston, D. See Farrow, G., 0=14782
- Preston, D. See Farrow, G., 0=16289
- Preston, G.W. and Paczynski, B. Atmospheric phenomena in the RR Lyrae stars. I. The singly periodic variables, 4=29387
- Preston, G.W. See Kraft, R.P., 4=26914
- Preston, J. and Ashman, L.E. Temperature-regulated ignition source, 0=3682
- Preston, J. See Budworth, D.W., 1=1441
- Preston, J.S. Absolute measurement of light intensities, 0=6901
- Preston, J.S. Photometric standards and the unit of light, 2=19673
- Preston, J.S. Simple derivation of relative spectral power distribution from colour temperature, for tungsten radiation, 3=7322
- Preston, J.S. A radiometric method of perpetuating the unit of length 3=9317
- Preston, L.M. See Reay, N.W., 4=18393
- Preston, M.A., Armstrong, P.J. and Bhaduri, R.K. On the velocity-dependent nucleon-nuclear potential of Green, 2=22698
- Preston, M.A. and Bhaduri, R.K. Velocity-dependent nucleon-nucleon potentials and saturation in nuclear matter, 3=24830
- Preston, M.A. and Kiang, D. Calculations of reduced probability for E2 transitions in beta and gamma bands, 3=15097
- Preston, M.A. and Kiang, D. Predictions of the asymmetric rotator model and the gamma-vibration model for gamma-ray transition ratios, 4=3558
- Preston, M.A., Keech, G.H. and Pearson, J.M. Beta-decay theory and the spectrum of  $Rb^{87}$ , 0=13194
- Preston, M.A. See Bhaduri, R.K., 4=19631
- Preston, M.A. See de Miranda, A.F., 3=19802
- Preston, M.A. See Das Gupta, S., 4=9345
- Preston, M.A. See Pearson, J.M., 0=17530
- Preston, R.L., Martin, H.J., Jr and Sampson, M.B. Energy levels in  $Zr^{91}$  excited by the (d, p) reaction, 1=4877
- Preston, R.L., Sampson, M.B. and Martin, H.J. The  $Sr^{88}(d, p)Sr^{89}$  reaction, 4=12271
- Preston, R.L. See Martin, H.J., Jr, 2=3492
- Preston, R.S., Hanna, S.S. and Heberle, J. Mössbauer effect in metallic iron, 3=6457
- Preston, R.S. See Hanna, S.S., 0=5663
- Preston, R.S. See Hanna, S.S., 0=7463
- Preston, R.S. See Hanna, S.S., 0=11827
- Preston, R.S. See Hanna, S.S., 1=621
- Preston, R.S. See Hanna, S.S., 4=13190
- Preston, R.S. See Meyer-Schützmeister, L., 1=9023
- Preston, R.S. See Perlow, G.J., 0=7466
- Preston, W.M., Wilson, R. and Street, J.C. Small-angle proton scattering at 3 BeV, 0=9628
- Preston-Thomas, H., Turnbull, L.G., Green, E., Dauphinee, T.M. and Kalra, S.N. An absolute measurement of the acceleration due to gravity at Ottawa, 0=10628
- Preston-Thomas, H. See Dauphinee, T.M., 0=7003
- Preston-Thomas, H. See Dauphinee, T.M., 0=7004



- Prestrud, M. See Bellman, R., 1=15746  
 Prestwich, W.V., Fritze, K. and Kennett, T.J. Decay of  $^{88}\text{Sr}$ , 2=20570  
 Prestwich, W.V. and Kennett, T.J. Decay of  $^{92.5\text{ min}}\text{La}^{142}$ , 4=17097  
 Prestwich, W.V. See Fritze, K., 1=7335  
 Prestwich, W.V. See Fritze, K., 1=8656  
 Prestwood, R.J. and Bayhurst, B.P. (n,2n) excitation functions of several nuclei from 12.0 to 19.8 MeV, 1=3452  
 Prestwood, R.J. See Cowan, G.A., 3=15243  
 Preszler, I. See Kalló, D., 4=23636  
 Pretzel, F.E., Gritton, G.V., Rushing, C.C., Friauf, R.J., Lewis, W.B. and Waldstein, P. Properties of lithium hydride. IV. F-center formation at low temperatures, 2=14473  
 Pretzel, F.E., Lewis, W.B., Szklarz, E.G. and Vier, D.T. Properties of lithium hydride. V. Vacancy formation, cavitation, and lithium precipitation in irradiated lithium hydride, 2=21000  
 Pretzel, F.E. and Petty, R.L. Interstitial defects in LiH and NaCl irradiated at low temperatures, 1=11195  
 Pretzel, F.E. and Petty, R.L. X-ray study of interstitial defects in radiation-damaged alkali halides and LiH, 2=18572  
 Pretzel, F.E., Rupert, G.N., Mader, C.L., Storms, E.K., Gritton, G.V. and Rushing, C.C. Properties of lithium hydride. I. Single crystals, 1=7657  
 Pretzel, F.E. and Rushing, C.C. Properties of lithium hydride. II. Optical absorption by color centers, 1=17578  
 Pretzel, F.E. See Lewis, W.B., 1=19811  
 Pretzer, D., van Zyl, B. and Geballe, R. Lyman alpha production in proton-rare gas collisions, 3=16910  
 Pretzer, D., van Zyl, B. and Geballe, R. Cross sections for Lyman alpha emission resulting from proton and deuteron-rare gas collisions, 4=25519  
 Pretzer, D. See Dunn, G.H., 3=6366  
 Preudhomme, J. See Tarte, P., 3=13184  
 Preusch, H. See Fendler, H.G., 2=8041  
 Preuss, H. The present-day state of quantum chemistry, 1=858  
 Preuss, H. The significance of energy comparison for the accuracy of an approximate solution [of the Schrödinger equation], 1=18270  
 Preuss, H. Coulomb and exchange integrals in the method of molecular states, 1=19653  
 Preuss, H. The quality of the approximation solutions of Schrödinger's equation and the exactness of the expectation values and transition elements, 4=5058  
 Preuss, H. The method of atomic associations. II, 4=6539  
 Preuss, H. Calculation of adiabatic energy surfaces for molecules using the method of atomic associations, 4=15320  
 Preuss, H. See Bingel, W.A., 1=11105  
 Preuss, H. See Bingel, W.A., 2=14309  
 Preuss, H. See Bingel, W.A., 2=6217  
 Preusch, H. See Fendler, H.G., 3=17511  
 Preuss, H. See Hofacker, L., 1=17250  
 Preuss, H. See Schmidtke, H.H., 2=538  
 Preuss, H.H.W. The appearance of the crystallite boundaries in a new type of polyethylene cleavage surface, 3=13547  
 Preuss, L. See Bas, E.B., 0=15091  
 Preuss, L. See Bas, E.B., 4=597  
 Preuss, L. See Bas, E.B., 4=24745  
 Preuss, L.E. A vacuum distillation camera using radioactive metal source, 0=5358  
 Preuss, L.E. See Bugenis, C., 3=18406  
 Preuss, L.E. See Bugenis, C., 4=20741  
 Preuss, L.G. and Escarfail, J.P. Decomposition of spectral intensities into Gaussian curves, 1=18592  
 Prévé, J. and de Gaudemaris, G. Contribution to the study of the dosimetry of high fluxes of ionizing radiations, 0=15196  
 Prévé, J. See Klein, S., 3=5617  
 Prevo, P.R., Dahl, R.E. and Yoshikawa, H.H. Thermal and fast neutron detection by fission-track production in mica, 4=28091  
 Prévost, C. See Meléndez, E., 4=28235  
 Prevot, F., Hubert, P. and Gourdon, C. On the possibility of forming a thermonuclear plasma by injecting ions into a magnetic mirror configuration, 0=3762  
 Prevot, F. and le Quinto, R. Vacuum in the Saclay proton-synchrotron, 1=350  
 Prevot, F. See Armand, G., 0=2412  
 Prevot, F. See Bariaud, A., 4=19115  
 Prévot, F. See Becherer, R., 4=27498  
 Prevot, F. See Bineau, M., 0=19662  
 Prevot, F. See Bineau, M., 0=19663  
 Prevot, F. See Bottiglion, F., 3=7528  
 Prevot, F. See Bottiglion, F., 4=18996  
 Prevot, F. See Coutant, J., 3=7647  
 Prevot, F. See Fischhoff, E., 3=185  
 Prevot, F. See Gourdon, C., 3=12105  
 Prewitt, C.T. See Peacor, D.R., 2=12910  
 Preziosi, B. Finite-part integrals: a generalization of Hadamard's definition, 4=9045  
 Preziosi, B. See Caianiello, E.R., 1=5653  
 Preziosi, S. See Van Uitert, G., 1=11398  
 Preziosi, S., Soden, R.R. and Van Uitert, L.G. Large alkali metal and alkaline earth tungstate and molybdate crystals for resonance and emission studies, 2=14939  
 Preziosi, S. See Van Uitert, L.G., 2=22330  
 Priaroggia, P.G. Magnetic field problem with axial symmetry, 4=27605  
 Pribezentsev, V.I. See Azovskii, Yu.S., 4=5630  
 Pribičević, S. See Gal, O., 2=18372  
 Pribytkova, N.N. See Bakhshiev, N.G., 4=13679  
 Pribytkova, N.N. See Kiseleva, N.K., 1=19943  
 Price, A.H. The dielectric properties of some  $\alpha$ - $\omega$  dibromo alkanes, 1=12897  
 Price, A.H. See Corfield, M.G., 2=1161  
 Price, A.M. See Sutton, A.L., 2=23831  
 Price, A.T. Magnetic disturbance and the earth's main field, 3=9123  
 Price, A.T. Reply to Professor Chatterjee's comments, 3=13827  
 Price, A.T. Irreversible plastic deformation of pure iron during phase changes, 3=23471  
 Price, A.T. The noncyclic variation during quiet days, 4=13864  
 Price, A.T. A note on the interpretation of magnetic variations and magnetotelluric data, 4=26868  
 Price, A.T. and Ferris, G.A.J. A resonance property of the ionosphere due to its anisotropic conductivity, 3=9075  
 Price, A.T., Holl, H.A. and Greenough, A.F. The surface energy and self diffusion coefficient of solid iron above  $1350^{\circ}\text{C}$ , 4=9988  
 Price, A.T. and Wilkins, G.A. New methods for the analysis of geomagnetic fields and their application to the Sq field of 1932-3, 4=4822  
 Price, A.T. See Lawrie, J.A., 3=13836  
 Price, B.T. See Sanders, J.E., 0=7644  
 Price, C. See Allen, G., 4=7455  
 Price, C.D. See Morris, D.P., 2=10682  
 Price, C.D. See Morris, D.P., 3=25520  
 Price, C.D. See Morris, D.P., 4=4607  
 Price, C.D. See Morris, D.P., 4=4608  
 Price, C.E. Some oxygen effects in silver, 3=13363  
 Price, C.F. See Dickerman, P.J., 0=7119  
 Price, D. and Petrone, F.J. Detonation initiated by high-pressure gas loading of a solid explosive, 4=11298  
 Price, E.G. and Taylor, B. Temperature coefficient of electrical resistance of high-purity rhodium, 2=21096  
 Price, F.P. Growth habit of single polymer crystals, 0=8159  
 Price, F.P. Markoff chain model for growth of polymer single crystals, 1=20422  
 Price, F.P. Copolymerization mathematics and the description of stereoregular polymers, 2=2449  
 Price, F.P. See Cormia, R.L., 2=23823  
 Price, G. See Sastre, C., 0=13177  
 Price, G.A. Migration areas and effective delayed neutron fractions by critical experiments, 1=782  
 Price, G.A. Neutron temperature measurements with  $^{176}\text{Lu}$ , 1=7255  
 Price, G.A. A note on the measurement of the transport mean free path of thermal neutrons in graphite by a poison method, 4=19532  
 Price, G.H. Propagation of electromagnetic waves through a continuously varying stratified anisotropic medium, 4=24854  
 Price, J.C. See Kraus, D.L., 1=6814  
 Price, J.F. See Hains, F.D., 2=7175  
 Price, J.H. See Fuller, P.J.A., 2=8276  
 Price, J.H. See Fuller, P.J.A., 4=21225  
 Price, J.M., Kaihara, M. and Howerton, H.K. Influence of scattering on fluorescence spectra of dilute solutions obtained with the Aminco-Bowman spectrophotofluorometer, 2=17469  
 Price, L. See Fowler, E.C., 3=12496  
 Price, L.R. See Crawford, F.S., Jr., 4=9258  
 Price, M.R. See McGill, I.S., 1=7248  
 Price, N.H. See Hide, R., 2=19602  
 Price, O.R., Stork, D.E. and Ticho, H.K. Interactions of 125 MeV  $K^+$  mesons in nuclear emulsion, 0=15432



- Price, P.B. Pyramidal glide and the formation and climb of dislocation loops in nearly perfect zinc crystals, 0=20808
- Price, P.B. On the growth of cadmium crystals from the vapour, 0=21161
- Price, P.B. Twinning in cadmium dendrites, 0=21169
- Price, F.B. On microcreep in zinc whiskers, 1=1327
- Price, P.B. On dislocations loops formed in zinc crystals during low temperature pyramidal glide, 1=10003
- Price, P.B. Direct observations of ion damage in cadmium, 1=12389
- Price, P.B. Nonbasal glide in dislocation-free cadmium crystals. I. The (1011) [1210] system, 1=12595
- Price, P.B. Nonbasal glide in dislocation-free cadmium crystals. II. The (1122) [1123] system, 1=12596
- Price, P.B. Nucleation and growth of twins in dislocation-free zinc crystals, 1=14981
- Price, P.B., Fleischer, R.L., Walker, R.M. and Hubbard, E.L. Ternary fission of heavy compound nuclei, 4=22244
- Price, P.B. and Walker, R.M. Observations of charged particle tracks in solids, 3=2842
- Price, P.B. and Walker, R.M. Chemical etching of charged-particle tracks in solids, 3=2843
- Price, P.B. and Walker, R.M. A new track detector for heavy particle studies, 3=5907
- Price, P.B. and Walker, R.M. Observation of fossil particle tracks in natural micas, 3=6948
- Price, P.B. and Walker, R.M. A simple method of measuring low uranium concentrations in natural crystals, 3=21020
- Price, P.B. See Burnett, D.S., 4=19848
- Price, P.B. See Fleischer, R.L., 3=16468
- Price, P.B. See Fleischer, R.L., 3=22850
- Price, P.B. See Fleischer, R.L., 4=3260
- Price, P.B. See Fleischer, R.L., 4=9576
- Price, P.B. See Fleischer, R.L., 4=11866
- Price, P.B. See Kroupa, F., 1=3669
- Price, P.B. and Nadeau, J.S. Deformation of dislocation-free platelets of nickel bromide, 2=10749
- Price, P.B. and Walker, R.M. Electron microscope observation of a radiation-nucleated phase transformation in mica, 2=16977
- Price, P.B. and Walker, R.M. Electron microscope observation of etched tracks from spallation recoils in mica, 2=18051
- Price, P.B. See Walker, R.M., 3=17801
- Price, P.B. See Walker, R.M., 3=24752
- Price, P.H. Alternative method of correlating forced convection heat transfer data, 0=6985
- Price, P.J. Anisotropic conduction in solids near surfaces, 0=9926
- Price, P.J. Intervalley noise, 0=11676
- Price, P.J. Strain dependence of the acceptor binding energy in diamond-type semiconductors, 1=17665
- Price, P.J. Transmission of bloch waves through crystal interfaces, 3=10736
- Price, P.J. Theory of quadratic response functions, 3=15606
- Price, P.J. and Hartman, R.L. Intervalley scattering by donor ions in germanium, 4=28400
- Price, P.J. and Yi-Han Kao. Acoustic-mode mobilities for "split p-silicon", 1=17710
- Price, P.J. See Keyes, R.W., 1=3930
- Price, R., Reed, R. and Roberts, C.A. Perturbation theory for resonant cavities, 4=11787
- Price, R. See Cohen, B.L., 1=3398
- Price, R. See Pettengill, G., 1=10395
- Price, R. See Pettengill, G.H., 2=13174
- Price, R.B. See Rough, F.A., 1=13905
- Price, R.E. See Cohen, B.L., 0=9635
- Price, R.E. See Cohen, B.L., 0=13140
- Price, R.E. See Cohen, B.L., 0=17493
- Price, R.E. See Cohen, B.L., 1=3397
- Price, R.E. See Cohen, B.L., 1=4876
- Price, R.E. See Cohen, B.L., 1=8598
- Price, R.E. See Cohen, B.L., 1=11030
- Price, R.E. See Cohen, B.L., 2=1824
- Price, R.E. See Hamburger, E.W., 1=3456
- Price, R.H. See Gelezunas, V.L., 4=1522
- Price, R.J. and Kelly, A. The plastic deformation of age-hardened aluminium alloys, 3=3222
- Price, R.J. and Kelly, A. Deformation of age hardened crystals of copper-1.8 wt.% beryllium, 3=23315
- Price, R.J. and Kelly, A. Deformation of age-hardened aluminium alloy crystals. I. Plastic flow, 4=10370
- Price, R.J. and Kelly, A. Deformation of age-hardened aluminium alloy crystals. II. Fracture, 4=28932
- Price, R.M. See Cooper, B.F.C., 3=5281
- Price, R.M. See Sciamia, D.W., 3=11604
- Price, V.E. See Hitchcock, A., 0=7656
- Price, W.C., Harris, P.V., Beaven, G.H. and Johnson, E.A. Ultra-violet absorption spectra of the molecules  $H_2O$ ,  $HDO$  and  $D_2O$ , 1=852
- Price, W.C., Harris, P.V. and Passmore, T.R. The ionization and dissociation energies of molecules and radicals, 3=8303
- Price, W.C., Sherman, W.F. and Wilkinson, G.R. Infra-red studies of water adsorbed on alkali halides, 0=10375
- Price, W.C. and Wilkinson, G.R. The study of molecular motion in crystals by infrared spectroscopy, 2=699
- Price, W.E. See Harris, K.K., 2=7798
- Price, W.C. See Isaacs, L.D., 0=19418
- Price, W.J. Spectrum display comparator, 0=5159
- Price, W.L. Anomalous ionospheric reflection during solar eclipses, 0=14211
- Price, W.T. See Murray, R.L., 1=17211
- Pridantzev, A.I. See Novikov, I.I., 0=3526
- Priddle, S.H. See Johns, J.W.C., 4=6594
- Pridmore-Brown, D.C. Sound propagation in a temperature- and wind-stratified medium, 2=11456
- Pridmore-Brown, D.C. Reflection and refraction of magneto-acoustic waves at an interface, 3=19433
- Pribsch, J. Contribution to isotope separation by the hot-cold process, 2=6115
- Priem, M. Method for sealing thermocouple wire through fused silica for use at high temperatures, 2=7095
- Priese, J. Radioastronomical investigations of aerial properties of the 36 m Adlershof radio-telescope on the 53.67 cm wavelength, 3=25976
- Priess, S. See Frank, D., 4=11122
- Priest, J. and Caswell, H.L. Annealing of residual stress in silicon monoxide films, 2=838
- Priest, J., Caswell, H.L. and Budo, Y. Stress anisotropy in silicon oxide films, 3=11144
- Priest, J., Caswell, H.L., Budo, Y. Mechanical stresses in silicon oxide films, 3=11146
- Priest, J., Chiou, C. and Caswell, H.L. Characteristics of the annealing kinetics of tin films deposited at 88°K, 1=12663
- Priest, J. See Budo, Y., 3=13566
- Priest, J.H. See Arthur, G., 1=4507
- Priest, J.R. Apparatus for the measurement of stress in vacuum evaporated films, 2=2422
- Priest, J.R., Tendam, D.J. and Bleuler, E. Stripping effects in the reactions  $C^{12}(He^3, p)N^{14}$  and  $C^{12}(He^3, d)N^{13}$  at 13.9 MeV, 0=15579
- Priest, J.R., Tendam, D.J. and Bleuler, E. Angular distributions for  $C^{12}(\alpha, p)N^{15}$  at 16.1-19.0 MeV and  $F^{19}(\alpha, p)Ne^{22}$  at 18.9 MeV, 0=15582
- Priest, J.R. See Caswell, H.L., 4=4669
- Priester, W. Solar activity effect and diurnal variation in the upper atmosphere, 2=4620
- Priester, W. and Cattani, D. On the semiannual variation of geomagnetic activity and its relation to the solar corpuscular radiation, 2=15287
- Priester, W. and Martin, H.A. Solar and diurnal effects in the upper atmosphere deduced from observations of artificial earth satellites, 0=8374
- Priester, W. and Martin, H.A. Earth satellite observations and the upper atmosphere. Temperature inversion in the F1-layer, 1=2569
- Priester, W., Martin, H.A. and Kramp, K. Earth satellite observations and the upper atmosphere. Diurnal and seasonal density variations in the upper atmosphere, 1=2570
- Priester, W., Roemar, M. and Schmidt-Kaler, T. Apparent relation between solar activity and the 440 Mc/s radar distance of Venus, 3=5276
- Priester, W. See Harris, L., 3=9065
- Priester, W. See Harris, L., 4=7869
- Priester, W. See Harris, L., 2=24027
- Priester, W. See Martin, H.A., 0=12150
- Priestland, C. See Holland, L., 3=14229
- Priestley, E.F. New method for increasing the X-ray reflection power of lithium fluoride crystals, 0=8183
- Priestley, E.F. An efficient spectrograph for the study of X-ray spectra in the range of 0.7 Å, 4=27601
- Priestley, H. Can liberal arts colleges produce doctoral candidates, 2=17334
- Priestley, M.G. Magnetoresistance of copper silver and gold, 0=15893
- Priestley, M.G. The De Haas-Van Alphen effect in aluminium, 3=1121



- Priestley, M. G. An experimental study of the Fermi surface of magnesium, 4-6796
- Priestley, M. G., Falicov, L. M. and Weisz, G. Experimental and theoretical study of magnetic breakdown in magnesium, 3-20155
- Priestley, M. G. See Gold, A. V., 0-20765
- Priestley, P. T. See Pitts, E., 2-2968
- Priestley, P. T. A thermistor thermometer with digital display, 3-24090
- Priestly, C. H. B. Free convection in a wind, 2-17128
- Prieto, F. E. Parity nonconservation in hyperon decays, 0-4004
- Prieto, F. E. Equation of state of silver, 3-4828
- Prieto, F. E. and de Oyarzabal, G. S. Natural uranium light water lattices, 1-19560
- Prieto, F. E. and de Oyarzabal, G. S. Equation of state of solids, 3-22670
- Prieto, F. E. See Negrete, P., 4-9805
- Prieto, F. E. See Renero, C., 4-25848
- Prigogine, I. New aspects of classical mechanics, 0-4964
- Prigogine, I. On the motion of a charged particle, 1-9342
- Prigogine, I. Universal constants, time scales and self-interaction, 4-2525
- Prigogine, I. and Bak, T. A. Diffusion and chemical reaction in a one-dimensional condensed system, 0-3296
- Prigogine, I. and Balescu, R. Irreversible processes in gases. I. The diagram technique, 0-10614
- Prigogine, I. and Balescu, R. Irreversible processes in gases. II. The equations of evolution, 0-10615
- Prigogine, I. and Balescu, R. Irreversible processes in gases. III. Inhomogeneous systems, 1-8552
- Prigogine, I., Balescu, R., Henin, F. and Résibois, P. On the dynamical derivation of equilibrium statistical mechanics, 1-5205
- Prigogine, I., Balescu, R. and Krieger, I. M. On the decay of long-range correlations, 1-3553
- Prigogine, I. and de Gottal, P. Correlations in a non-isothermal plasma, 3-21767
- Prigogine, I. and Henin, F. On the general theory of the approach to equilibrium. I. Interacting normal modes, 0-16618
- Prigogine, I. and Henin, F. Radiation damping and equation of motion in classical electrodynamics, 2-9687
- Prigogine, I. and Henin, F. Motion of a relativistic charged particle, 2-20109
- Prigogine, I. and Henin, F. Motion of a relativistic charged particle. II, 3-14745
- Prigogine, I. and Leaf, B. On the field-matter interaction in classical electrodynamics. I, 0-19882
- Prigogine, I. and Leaf, B. On the field-matter interaction in classical electrodynamics, 1-18983
- Prigogine, I. and Ono, S. Quantum theory of Brownian motion, 0-8565
- Prigogine, I. and Ono, S. On the transport equation in quantum gases, 0-10617
- Prigogine, I. and Résibois, P. On the approach to equilibrium of quantum gases, 0-8687
- Prigogine, I. and Résibois, P. On the kinetics of the approach to equilibrium, 1-15745
- Prigogine, I., Résibois, P. and Severne, G. The general theory of transport processes and the correlation function method. II, 4-21058
- Prigogine, I. and Severne, G. On the validity of Onsager's reciprocity relations for strongly coupled systems, 4-96
- Prigogine, I. and Severne, G. The general theory of transport processes and the correlation function method, 4-97
- Prigogine, I. See Glansdorff, P., 2-5006
- Prigogine, I. See Glansdorff, P., 4-14471
- Prigogine, I. See Glansdorff, P., 4-3135
- Prigogine, I. See Résibois, P., 0-16612
- Prigogine, I. See Résibois, P., 2-2651
- Prigorovsky, N. I. Stress analysis on three-dimensional
- Prikhot'ko, A. F. and Fugol', I. Ya. Luminescence of stilbene crystals at 20°K, 0-4450
- Prikhot'ko, A. F. and Fugol', I. Ya. Luminescence of crystalline anthracene at  $T = 20.4^\circ\text{K}$ , 0-10057
- Prikhot'ko, A. F. See Brodin, M. S., 0-4409
- Prikhot'ko, A. F. See Brodin, M. S., 2-8475
- Prikhot'ko, A. F. See Broude, V. L., 1-3850
- Prikot'ho, A. F. See Broude, V. L., 3-22001
- Prikhot'ko, A. F. See Brodin, M. S., 0-4403
- Prikhozhenko, A. I. See Ivanova, A. V., 4-19925
- Prikot, N. F. See Afanas'ev, V. F., 4-10134
- Prilezhaev, D. S. See Anan'ev, Yu. A., 4-3230
- Prima, A. M. Vibrational spectra of silicates. III. Equations of vibrations of plane silicon-oxygen rings in silicates, 1-3828
- Prima, A. M. See Stepanov, B. I., 0-1499
- Primachenko, V. E., Litovchenko, V. G., Lyashenko, V. I. and Snitko, O. V. Investigation of fast and slow electron states on a real germanium surface, 2-6454
- Primachenko, V. E., Limovchenko, V. G., Lyashenko, V. I. and Snitko, O. V. Trapping of minority carriers at a silicon surface, 3-20415
- Primachenko, V. E. and Snitko, O. V. The role of the dielectric in investigating the effect of the field in semi-conductors, 1-12439
- Primak, W. A review of the gross structural effects of energetic atomic particles on vitreous and crystalline silica, 0-15877
- Primak, W. Large temperature range annealing, 0-18386
- Primak, W. Radiation induced cavities and exfoliation, 4-10008
- Primak, W. Radiation-induced stress relaxation in quartz and vitreous silica, 4-15507
- Primak, W. Finding white light fringes, 4-16247
- Primak, W., Dayal, Y. and Edwards, E. Ion bombardment of silicon, 3-10708
- Primak, W. and Edwards, E. Radiation-induced dilatations in vitreous silica, 3-4899
- Primak, W., Edwards, E., Keiffer, D. and Szymanski, H. Ionization expansion of compacted silica and the theory of radiation-induced dilatations in vitreous silica, 4-6889
- Primak, W., Szymanski, H. and Keiffer, D. Frequency factors for annealing fast-neutron induced density changes in vitreous silica, 1-7606
- Primak, W. and Wolfe, G. Gamma-ray induced expansion of lithium fluoride, 4-4099
- Primakoff, H. Theory of muon capture, 0-366
- Primakoff, H. Muon capture in hydrogen, 4-15083
- Primakoff, H. Weak interaction form factors in  $K \rightarrow \pi + (e \text{ or } \mu) + \nu$ , 4-21929
- Primakoff, H. Weak interaction form factors in  $\Sigma \rightarrow \Lambda + e + \nu$ , 4-21950
- Primakoff, H. and Rosen, S. P. A corrigendum to the article "double beta decay" by H. Primakoff and S. P. Rosen in reports on progress in physics, 1-13710
- Primakoff, H. See Andersen, C. M., 3-15024
- Primakoff, H. See Bernardes, N., 0-14921
- Primakoff, H. See Dennerly, P., 2-13747
- Primakoff, H. See Dennerly, P., 3-19694
- Primakoff, H. See Dennerly, P., 4-881
- Primakoff, H. See Dreitlein, J., 1-16878
- Primakoff, H. See Dreitlein, J., 2-5743
- Primakoff, H. See Dreitlein, J., 2-9881
- Primakoff, H. See Goulard, B., 4-9544
- Primakoff, H. See Goulard, B., 4-28016
- Primakoff, H. See Sher, A., 0-12378
- Primakoff, H. See Sher, A., 3-11718
- Primas, H. Quantum mechanical systems with a stochastic Hamiltonian, 1-8074
- Primas, H. A generalized perturbation theory for quantum mechanical many-body problems, 1-15702
- Primas, H. Generalized perturbation theory in operator form, 4-11077
- Primas, H., Arndt, R. and Ernst, R. The construction of high resolution nuclear resonance spectrographs. Ia - Ib, 0-7236
- Primas, H. See Banwell, C. N., 3-15381
- Primas, H. See Ernst, R., 3-14789
- Primas, H. See Ernst, R. R., 3-24498
- Primeau, D. B. See Hanna, G. C., 2-1902
- Primer, M. See Goldberg, M., 4-21909
- Primich, R. I. Microwave techniques for hypersonic ballistic ranges, 2-4880
- Primich, R. I. and Hayami, R. A. The application of the focussed Fabry-Perot resonator to plasma diagnostics, 4-24668
- Primich, R. I. See Zivanovic, S. V., 4-29923
- Prince, E. Structure of nickel chromite, 1-6519
- Prince, E. Sublattice magnetizations in lithium ferrite as a function of temperature, 4-13236
- Prince, E. Sublattice magnetizations in lithium ferrite as a function of temperature, 4-28840
- Prince, E. See Abrahams, S. C., 2-2389
- Prince, J. F., Collins, C. V. and Robertson, W. W. Spectra excited in an argon afterglow, 4-18725
- Princen, H. M. Shape of a fluid drop at a liquid-liquid interface, 3-11773
- Princen, L. H. and Clarenburg, L. A. Device for continuous isokinetic aerosol sampling, 3-21008



- Principi, P., Rossini, T. and Zetta, L. A 150 kV ion accelerator, 3=19386
- Principi, P. See Arecchi, F.T., 3=17152
- Principi, P. See Cavalleri, G., 4=8612
- Principi, P. See Cavalleri, G., 4=8613
- Principi, P. See Mangialajo, M., 1=10748
- Pringle, G.E. An apparatus for turning crystals cylindrical, 1=15036
- Pringle, G.E. The potential of a circular current, 1=16492
- Pringle, J.P.S. See Graham, R.L., 4=1536
- Pringle, J.P.S. See Heal, H.G., 1=17577
- Pringle, R.W. See Brooks, F.D., 1=3078
- Prins, C. See Michels, A., 2=5220
- Prins, J.A. On practical and atomic units, 2=7107
- Prins, J.A. and Tuinstra, F. Some new data on the structure of fibrous sulfur, 3=18371
- Prins, J.De. See De Prins, J.
- Prinzler, H. Electron and gas temperature in the positive column of the high current glow discharge at atmospheric pressure, 1=16284
- Prinzler, H. The identification of local emission regions of radio emission from the sun, 4=13965
- Prinzler, H. See Hachenberg, O., 4=4946
- Prinzler, H. See Hachenberg, O., 4=4947
- Priol, M., Siegnac, A. and Robin, S. Optical constants of thick evaporated copper layers, not exposed to air, in the far ultraviolet, 4=28676
- Priol, M. See Lemonnier, J.C., 4=7126
- Priol, M. See Lemonnier, J.C., 4=29756
- Priol, M. See Robin, S., 3=21556
- Priol, M. See Seignac, A., 4=28677
- Prior, A.C. The field-dependence of carrier mobility in silicon and germanium, 0=4346
- Prior, A.C. A reversed carrier transport effect in germanium, 1=1056
- Prior, A.C. Growth from the vapor of large single crystals of lead selenide of controlled composition, 1=6497
- Prior, A.C. Vacuum radiation furnace with precise control of temperature gradients for crystal growth by sublimation, 1=6984
- Prior, A.C. Some theoretical considerations on the longitudinal magnetic field induced oscillations in semiconductors [The oscillistor] and a tentative explanation, 1=11288
- Prior, A.C. See Coates, D.G., 2=8447
- Prior, A.C. See Harding, G.N., 1=9574
- Prior, A.C. See Kimmitt, M.F., 1=15944
- Prior, A.C. See Kimmitt, M.F., 2=8446
- Prior, J.R. and Champion, F.C. Electroluminescence in diamond, 3=964
- Prior, J.R. See Male, J.C., 0=16082
- Prior, O. On the alpha decay of strongly deformed odd-A nuclei, 0=419
- Prior, O. See Nilsson, S.G., 1=7313
- Priou, M. See Archambault, Y., 1=17260
- Pripas, H. See Ernst, R.R., 4=3200
- Pripstein, M. See Boldt, E., 4=9276
- Pripstein, M. See Duboc, J., 4=12060
- Pripstein, M. See Eberhard, P., 3=14931
- Pripstein, M. See Poirier, J.A., 1=9776
- Pripstein, M. See Poirier, J.A., 3=15046
- Priquer, M. Migration of protons in silica glass containing aluminium subjected to an electric field, 2=12461
- Priquer, M. See Cohen, S., 4=4306
- Priquer, M. See Cohen, S., 4=15499
- Priquer, M. See Garino Canina, V., 2=10410
- Pris, G.V. Transient process in a cylindrical conductor after an external magnetic field is switched off, I., 3=2082
- Pris, G.V. Determination of the parameters of ore inclusions from the transient process curve in the method of field establishment. II, 3=2083
- Priser, J.B. See Tift, W.G., 4=7993
- Prishivalko, A.P. Determination of the optical constants of absorbing materials from measurements of Stokes parameters for reflected light, 1=13001
- Prishivalko, A.P. Accuracy of determining optical constants of absorbing substances by reflection in an arrangement using a polarizer and analyzer, 2=5139
- Prishivalko, A.P. Study of light scattering from large highly absorbing spherical particles, 3=14370
- Prishivalko, A.P., Gusak, G.M. and Onichek, I.L. Tables of Fresnel's coefficients for absorbing media, 2=9365
- Pristupa, A.I. See Alfimov, M.V., 4=26526
- Pritchard, B.S. and Elliott, W.G. Two instruments for atmospheric optics measurements, 0=4783
- Pritchard, C. Vapor growth of twinned germanium platelets, 3=20781
- Pritchard, D.E. See Muller, N., 0=4224
- Pritchard, D.T. See Bascomb, C.L., 3=7167
- Pritchard, G.O. and Miller, G.H. Comparison of  $\text{CH}_3$  and  $\text{CF}_3$  hydrogen abstraction reactions, 1=20721
- Pritchard, G.O. See Miller, G.H., 0=3551
- Pritchard, G.O. See Miller, G.H., 3=9521
- Pritchard, H.O. Exponential correlation functions for two-electron atoms, 4=15269
- Pritchard, H.O. and Summer, F.H. Complete set expansions for molecular wave functions, 1=14066
- Pritchard, H.O. See Cole, T., 0=503
- Pritchard, H.O. See Goy, C.A., 4=12458
- Pritchard, H.O. See Gray, B.F., 4=3775
- Pritchard, H.O. See Hunter, G., 4=11232
- Pritchard, J. A simple surface potential method for the determination of small metal film areas, 2=15092
- Pritchard, J. Surface-potential study of the chemisorption of hydrogen and carbon monoxide on evaporated copper and gold films, 3=13602
- Pritchard, J. See Culver, R., 0=18452
- Pritchard, R.L. Mutual acoustic impedance between radiators in an infinite rigid plane, 0=12459
- Pritchard, R.M. Stabilized images on the retina, 2=15436
- Prits, A.K. Stationary states of open systems and the theory of colour vision, 2=17327
- Privalov, V.E. See Golant, V.E., 4=24608
- Privalova, V.E. See Nemilov, Yu.A., 0=15056
- Privorotskii, I.A. Anisotropy of absorption of ultrasound in superconductors, 2=9479
- Privorotskii, I.A. Anisotropy of absorption of ultrasound in superconductors, 3=5586
- Privorotskii, I.A. On the theory of the absorption of ultra-sound in superconductors, 3=14444
- Privorotskii, I.A. Possibility of superconductivity in antiferromagnetics, 3=16857
- Privorotskii, I.A. Pairs with a non-zero angular momentum in Fermi systems, 3=23797
- Privorotskii, I.A. Magnetic properties of superconductors with  $l \neq 0$  pairing. A theory of the Knight shift, 4=8560
- Privorotskii, I.A. See Kaner, E.A., 1=14172
- Privorotskii, I.A. See Peschanskii, V.G., 3=2722
- Prober, R. and Stewart, W.E. Transport phenomena in wedge flows: perturbation solutions for small mass transfer rates, 3=11752
- Prober, R. See Stewart, W.E., 3=5409
- Prober, R. See Stewart, W.E., 4=27115
- Probert, D. Phonon concept at high temperatures, 4=3980
- Probert, D. Heat transport in a stainless steel at very low temperatures, 4=22515
- Probert, S.D. and Thomas, T. Heat leaks through rarefied gases, 4=11389
- Probert, S.D., Thomas, T. and Warman, D. Cryostat for measurement of heat conduction under mechanical loads, 4=8487
- Probert, S.D. See Thomas, C.B., 4=27468
- Probert, W.H. See Arnett, R.W., 4=11432
- Probert-Jones, J.R. The radar equation in meteorology, 3=5192
- Probert-Jones, J.R. Surface waves associated with the back-scattering of microwave radiation by large ice spheres, 4=19230
- Probst, H.B. See Garlick, R.G., 4=30790
- Probst, R.F. and Fay, J.A. Comments on "Current-layer diffusion in a one-dimensional pinch", 3=14587
- Probst, R.F. See Ho Hung-Ta, 2=2743
- Probyn, B.A. See Siddall, G., 2=2120
- Proca, G. See Belbeoch, R., 1=16494
- Proca, G.A. See Bishop, G.R., 2=380
- Prochorov, A.M. See Askar'yan, G.A., 4=2895
- Prochukhan, V.D. See Goryunova, N.A., 0=10327
- Prochukhan, V.D. See Goryunova, N.A., 2=14548
- Prock, A. and McConkey, G. Inhomogeneous field method for the study of large polarizable particles, 0=3520
- Procopiu, S. and Viscrian, I. Magnetization intensities of electrolytic iron and steel wires in a longitudinal and circular alternating field. The circular Barkhausen effect, 4=13192
- Procter, A.N. Newtonian theory of axial elasticity. I-II, 0=693
- Procter, A.N. Newtonian theory of axial elasticity. III, 0=694



- Procter, N.M. and Greening, J.R. On the adequacy of half-value layer as a criterion of X-ray quality in the calibration of dosimeters, 0=9232
- Proctor, B.A. Strength of acid-etched glass rods, 0=18277
- Proctor, B.A. Fracture of glass, 4=13407
- Proctor, B.A. See Mallinder, F.P., 4=28979
- Proctor, B.A. See Morley, J.G., 3=8780
- Proctor, B.A. See Wilkinson, B., 3=11314
- Proctor, D.G. and Voelker, W.H. Photodisintegration of  $\text{Li}^6$ , 0=9659
- Proctor, D.G. See Heath, R.L., 0=11378
- Proctor, D.G. See Vegors, S.H., Jr., 4=3621
- Proctor, E.K. and Ablow, C.M. A variational method of synthesizing antenna power patterns, 4=3162
- Proctor, T.M. X-ray induced electrical polarization in glass, 0=2926
- Proctor, W.G. See Averbuch, P., 3=25588
- Procurier, R.W. See Faucher, G.A., 4=2217
- Prodell, A. See Bertanza, L., 2=13854
- Prodell, A. See Eisler, F., 1=16889
- Prodell, A. See Plano, R., 0=2570
- Prodell, A. See Samios, N.P., 2=13842
- Prodell, A.C. See Barnes, V.E., 4=16969
- Prodell, A.G. and Steinberger, J. A 170-litre heavy liquid bubble chamber, 3=5905
- Prod'homme, L. Influence of temperature on specific refractivity, 2=6543
- Prod'homme, L. A new approach to the thermal change in the refractive index of glasses, 2=10572
- Prod'homme, L. Physics of Solids. Birefringence induced by ionic migration in glass, 4=30682
- Prod'homme, M. Contribution to the study of the viscosity of glasses, 1=20349
- Prodi, V. See Alberigi-Quaranta, A., 2=5822
- Proebster, W.E. See Dietrich, W., 0=10157
- Proebster, W.E. See Dietrich, W., 0=11857
- Profio, A.E. and Eckard, J.D. Investigations of neutron moderation with a pulsed source, 4=25113
- Profio, A.E. See Beghian, L.E., 4=3676
- Pröger, H.J. Electron microscope study of diffraction gratings, 2=7398
- Prohammer, F.G. See Kimel, W.R., 0=15630
- Prohászka, J. Variation of the thermal expansion coefficient of cold-worked metals during annealing, 2=20938
- Prohászka, J. On a mechanism of dislocation formation during dendritic crystallization, 3=10657
- Prohászka, J. Reply to comment by Hamilton on the origin of dislocations in dendrites, 4=28459
- Prohofsky, E.W. Stimulated phonon emission by supersonic electrons and collective phonon propagations, 4=20181
- Prohofsky, E.W. and Krumhansl, J.A. Second-sound propagation in dielectric solids, 4=12620
- Prohofsky, E.W. See Damon, R.W., 4=30516
- Prohofsky, E.W. See Holloway, W.W., Jr., 3=23102
- Prohofsky, E.W. See Kroger, H., 4=3987
- Prohofsky, E.W. See Kroger, H., 4=26041
- Prohrushchenko, A.V. See Zhmud's'kii, O.Z., 2=18634
- Prois, Kh. See Rumsh, M.A., 2=13589
- Prois, Kh. See Rumsh, M.A., 2=17866
- Proisy, P. The effect of the curvature [of solar atmospheric layers] on the interpretation of the darkening of the solar disk, 0=4890
- Prokakis, T.J. See Macris, C.J., 3=5259
- Prokesh, A. See Gramenitskii, I.M., 4=28054
- Prokesh, A. See Ivanovskaya, I.A., 0=20222
- Prokesh, A. See Ivanovskaya, I.A., 1=19501
- Prokesh, A. See Ivanovskaya, I.A., 3=2484
- Prokesh, A. See Kuznetsov, E.V., 3=24796
- Prokhindeev, A.V. See Barchukov, A.I., 0=1227
- Prokhorenko, V.K. and Fisher, I.Z. Fluctuations of atomic structure in liquid helium, 0=12543
- Prokhorenko, V. Ya. See Dutchak, Ya. I., 4=8219
- Prokhorov, A.M. Quantum counters, 1=19066
- Prokhorov, A.M. Quantum counters, 3=4299
- Prokhorov, A.M. Amplification properties of a dielectric filament, 3=17071
- Prokhorov, A.M. and Fedorov, V.B. Antiferromagnetism of free radicals, 3=18117
- Prokhorov, A.M. and Fedorov, V.B. On the article "Antiferromagnetism of free radicals", 4=4390
- Prokhorov, A.M. and Fedorov, V.B. Paramagnetic relaxation in  $\text{K}_2(\text{Fe}, \text{Co})(\text{CN})_6$  at temperatures from 0.1 to 4.2°K, 4=26407
- Prokhorov, A.M. See Antonov-Romanovskii, V.V., 0=13713
- Prokhorov, A.M. See Barchukov, A.I., 4=682
- Prokhorov, A.M. See Bunkin, F.V., 4=16425
- Prokhorov, A.M. See Bunkin, F.V., 4=25746
- Prokhorov, A.M. See Emel'yanova, E.N., 3=25569
- Prokhorov, A.M. See Gasanov, E.M., 4=30730
- Prokhorov, A.M. See Gvaladze, T.V., 4=20468
- Prokhorov, A.M. See Kaitmazov, S.D., 0=502
- Prokhorov, A.M. See Kaitmazov, S.D., 0=13868
- Prokhorov, A.M. See Kaitmazov, S.D., 2=1611
- Prokhorov, A.M. See Kaitmazov, S.D., 3=20012
- Prokhorov, A.M. See Kaminskii, A.A., 4=15613
- Prokhorov, A.M. See Karlov, N.V., 3=19478
- Prokhorov, A.M. See Kask, N.E., 4=1884
- Prokhorov, A.M. See Kask, N.E., 4=1890
- Prokhorov, A.M. See Konyukhov, V.K., 2=14826
- Prokhorov, A.M. See Konyukhov, V.K., 2=18948
- Prokhorov, A.M. See Konyukhov, V.K., 3=19488
- Prokhorov, A.M. See Konyukhov, V.K., 4=5879
- Prokhorov, A.M. See Konyukhov, V.K., 4=16707
- Prokhorov, A.M. See Kornienko, L.S., 0=13873
- Prokhorov, A.M. See Kornienko, L.S., 2=768
- Prokhorov, A.M. See Kornienko, L.S., 2=6696
- Prokhorov, A.M. See Kornienko, L.S., 3=5039
- Prokhorov, A.M. See Kornienko, L.S., 4=26436
- Prokhorov, A.M. See Manenkov, A.A., 0=11940
- Prokhorov, A.M. See Manenkov, A.A., 2=771
- Prokhorov, A.M. See Manenkov, A.A., 2=6697
- Prokhorov, A.M. See Manenkov, A.A., 2=16935
- Prokhorov, A.M. See Manenkov, A.A., 2=18941
- Prokhorov, A.M. See Manenkov, A.A., 3=5042
- Prokhorov, A.M. See Manenkov, A.A., 3=6753
- Prokhorov, A.M. See Manenkov, A.A., 3=6757
- Prokhorov, A.M. See Manenkov, A.A., 4=26373
- Prokhorov, A.M. See Murina, T.M., 4=6617
- Prokhorov, A.M. See Pashinin, P.P., 1=14810
- Prokhorov, A.M. See Pashinin, P.P., 3=18134
- Prokhorov, A.M. See Pashinin, P.P., 3=18138
- Prokhorov, A.M. See Pashinin, P.P., 4=10323
- Prokhorov, A.M. See Pashinin, P.P., 4=26442
- Prokhorov, A.M. See Zverev, G.M., 0=1854
- Prokhorov, A.M. See Zverev, G.M., 0=8086
- Prokhorov, A.M. See Zverev, G.M., 0=21074
- Prokhorov, A.M. See Zverev, G.M., 1=1264
- Prokhorov, A.M. See Zverev, G.M., 1=3940
- Prokhorov, A.M. See Zverev, G.M., 1=20238
- Prokhorov, A.M. See Zverev, G.M., 2=18944
- Prokhorov, A.M. See Zverev, G.M., 3=1183
- Prokhorov, A.M. See Zverev, G.M., 3=15953
- Prokhorov, A.M. See Zverev, G.M., 3=24505
- Prokhorov, A.M. See Zverev, G.M., 4=3205
- Prokhorov, A.M. See Zverev, G.M., 4=26382
- Prokhorov, L.V. Contribution of space-like intervals in the S-matrix, 3=2219
- Prokhorov, L.V. Analytical properties of the forward scattering amplitude in nonlocal theory, 4=3348
- Prokhorov, L.V. See Braun, M.A., 1=16710
- Prokhorov, P.S. and Leonov, L.F. Investigation of long-range diffusion forces between water droplets and non-volatile particles, 1=11633
- Prokhorov, P.S. See Deryagin, B.V., 4=5463
- Prokhorov, P.S. See Deryagin, B.V., 4=16764
- Prokhorov, V.G. On the transformation from an ultrasonic to a visual image, 0=10735
- Prokhorov, V.G. See Andrianov, A.M., 1=9583
- Prokhorov, Yu.G. The problem of recording the energy losses of a plasma, 1=2877
- Prokhorov, Yu.G. See Artsimovich, L.A., 0=5320
- Prokhorova, L.I. See Kuz'minov, B.D., 0=9713
- Prokhorova, L.I. See Smirenkin, G.N., 0=11458
- Prokhovnik, S.J. The measurement of time in special relativity, 0=10575
- Prokhovnik, S.J. An interpretation of the Lorentz transformation co-ordinates, 1=1692
- Prokhovnik, S.J. The nature of light propagation, 1=15615
- Prokhovnik, S.J. A cosmological model of light propagation, 4=26880
- Prokhvatilov, V.G. See Verbitskaya, T.N., 0=16018
- Prokof'ev, A.M., Kabardin, O.F. and Kuddu, K.F. Investigation of the initial stages of a high-frequency discharge from a point in air at atmospheric pressure, 0=7102
- Prokof'ev, A.N. See Velyukhov, G.E., 0=1440
- Prokof'ev, A.N. See Velyukhov, G.E., 1=3451



- Prokof'ev, A. N. See Velyukov, G. E., 4=12009  
 Prokof'ev, I. A. See Donskoi, K. V., 3=24156  
 Prokof'ev, P. See Balodis, M., 4=27575  
 Prokof'ev, P. See Osis, N., 1=4650  
 Prokof'ev, V. A. Weak waves in an incompressible fluid taking radiation into account, 1=1733  
 Prokof'ev, V. A. Equation of relativistic hydrodynamics with radiation, 2=1566  
 Prokof'ev, V. A. Equation of relativistic hydrodynamics with radiation, 2=11767  
 Prokof'ev, V. K., Gurevich, D. B., Belousova, I. M. and Snigirev, Yu. A. The time required for establishment of thermodynamic equilibrium in the plasma of an arc discharge, 0=3749  
 Prokof'ev, V. K., Nagibina, I. M. and Petrova, G. P. Determination of the absolute values of the oscillator strengths from the spectral line widths, 0=15658  
 Prokof'ev, Yu. A. and Sosnovskii, A. N. Wire-construction gaseous-source counters, 2=5532  
 Prokof'ev, V. K. See Bruns, A. V., 2=19302  
 Prokof'ev, V. K. See Bruns, A. V., 2=19303  
 Prokof'ev, V. K. See Bruns, A. V., 3=23682  
 Prokof'ev, V. K. See Bruns, A. V., 3=23683  
 Prokof'ev, Yu. A. See Sosnovskii, A. N., 0=2546  
 Prokof'ev, Yu. A. See Sosnovskii, A. N., 0=12937  
 Prokof'eva, E. I. See Perfilov, N. A., 0=9244  
 Prokof'eva, I. A. See Ioffe, S. B., 0=2081  
 Prokof'eva, N. I. and Sverdlov, L. M. Calculation of absolute Raman intensities and depolarizations of methane and its isotopic forms in the gas phase, 4=9758  
 Prokof'eva, N. I. and Sverdlov, L. M. Calculation of electro-optical parameters and absolute intensities for the Raman spectra of gaseous ethane and hexadeuteroethane, 4=25702  
 Prokof'eva, N. I., Sverdlov, L. M. and Sushchinskii, M. M. Calculation of integrated intensities and depolarizations in the Raman spectra of cyclohexane and deuterocyclohexane, 4=12501  
 Prokof'eva, N. I. See Finkel', A. G., 4=6619  
 Prokof'eva, N. I. See Krainov, E. P., 4=30457  
 Prokof'eva, N. I. See Sverdlov, L. M., 4=15369  
 Prokof'ev, V. K. and Petrova, N. N. On the question of the presence of oxygen in the atmosphere of Venus, 3=16355  
 Prokofyeva, E. I. See Perfilov, N. A., 0=12736  
 Prokolenko, V. S. See Pasichnyk, M. V., 2=12186  
 Prokopalo, O. I. Methods of measuring a high-voltage polarization potential, 0=13659  
 Prokopalo, O. I. See Fesenko, E. G., 2=4359  
 Prokopenko, V. S. Distribution of the magnitudes of magnetization jumps in cylindrical iron films, 3=20599  
 Prokopenko, V. S. and Pucherov, N. N. Inelastic scattering of 6.9 MeV protons by chromium isotopes, 3=22373  
 Prokopenko, V. S. See Ivlev, V. F., 2=14783  
 Prokopenko, V. S. See Pasechnik, M. V., 1=19454  
 Prokopenko, V. S. See Val'ter, A. K., 2=443  
 Prokopenko, V. S. See Val'ter, A. K., 2=22805  
 Prokopenko, V. S. See Val'ter, A. K., 3=17457  
 Prokopenko, V. S. See Zaika, N. I., 0=7573  
 Prokopenko, V. S. See Zaika, N. I., 2=16297  
 Prokopets, G. A. See Nemets, O. F., 0=13235  
 Prokopets, G. A. See Nemets, O. F., 2=16296  
 Prokop'ev, E. P. See Gol'danskii, V. I., 4=28436  
 Prokopov, G. P. See Godunov, S. K., 4=14255  
 Prokopová, H. and Vaško, A. The transmissivity of arsenic glass in the 15 $\mu$  to 25 $\mu$  range, 0=6904  
 Prokopova, G. See Vashko, A., 2=18845  
 Prokopyuk, N. F. See Broude, V. L., 3=22001  
 Prokoshkin, Yu. D. Production of  $\pi$ -mesons in pd-collisions and internal nuclear motion of nucleons, 0=9425  
 Prokoshkin, Yu. D. and Tan Syao-Vei [T'ang Hsiao-Wei], Measurement of energy of electrons and gamma-quanta with a counter of low efficiency, 0=3957  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 0=11163  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 0=12934  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 1=5773  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=11973  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=11974  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=20383  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=20384  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=22587  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 2=22588  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=6030  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=6031  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=7884  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=12495  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=24754  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 3=24769  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 4=875  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 4=16949  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 4=25130  
 Prokoshkin, Yu. D. See Dunaitsev, A. F., 4=28027  
 Prokoshkin, Yu. D. See Lü Min [Lyni Min'], 3=15006  
 Prokoshkin, Yu. D. See Mal'tsev, V. M., 1=17103  
 Prokoshkin, Yu. D. See Marish, K. S., 4=19551  
 Prokoshkin, Yu. D. See Petrukhin, V. I., 3=12494  
 Prokoshkin, Yu. D. See Petrukhin, V. I., 4=9237  
 Prokoshkin, Yu. D. See Petrukhin, V. I., 4=22162  
 Prokoshkin, Yu. D. See Vasilevskii, I. M., 1=9660  
 Prokoshkin, Yu. D. See Vasilevskii, I. M., 1=19195  
 Prokoshkin, Yu. D. See Vasilevskii, I. M., 3=4388  
 Prokudin, S. D. See Breger, A. K., 0=5678  
 Prokudina, V. S. See Krassovsky, V. I., 0=4808  
 Prokunin, L. M. Method of determining efficiency of accelerating gaps, 4=16569  
 Pronenko, L. Z. and Rivin, A. N. Absorbent linings of glass staple fibre for an acoustic test chamber, 0=8759  
 Pronik, I. I. and Pronik, V. I. The distribution of early type stars in the galaxy, 3=11578  
 Pronik, V. I. Diffuse nebulae and early-type star models, 2=1000  
 Pronik, V. I. Maximum thermal radio emissions in the galaxy in the direction  $l = 353^\circ$ ,  $b = 0^\circ$ , 2=1013  
 Pronik, V. I. See Gershsberg, R. E., 0=18608  
 Pronina, I. H. See Mykhailov, H. S., 2=11542  
 Pronina, I. H. See Mikhailov, H. C., 3=21457  
 Pronina, M. P. See Nasledov, D. N., 0=16039  
 Pronina, M. P. See Nasledov, D. N., 0=16057  
 Pronyushkin, A. V. See Pelykh, A. N., 2=19510  
 Pronyushkin, A. V. See Pelykh, A. N., 3=14094  
 Prop, J. M. G. See Fortuin, J. M. H., 3=16570  
 Propastina, V. V. The influence of heat treatment on the shear modulus and the Curie point of the alloy Elinvar, 1=7812  
 Prophet, H. Heat of formation of methylene, 3=18438  
 Propin, R. Kh. Calculation of the probability of self-ionization in helium and lithium atoms, 0=15656  
 Propin, R. Kh. Calculation of the probability of autoionization in He<sup>+</sup> and Be<sup>+</sup> ions, 2=152  
 Propst, F. and Lüscher, E. Apparatus for the study of ejection of Auger electrons from solid surfaces, 3=14619  
 Propst, F. M. Energy distribution of electrons ejected from tungsten by He<sup>+</sup>, 3=4182  
 Propst, F. M. and Lüscher, E. Auger electron ejection from tungsten surfaces by low-energy ions, 4=3039  
 Propst, F. M. See Tibbetts, G., 4=7565  
 Pröpstl, A. and Wolf, H. C. Fluorescence spectrum of naphthalene crystals between 2° and 100°K, 3=25493  
 Pröpstl, A. and Wolf, H. C. Temperature dependence of the sensitized fluorescence of naphthalene crystals between 2° and 100°K, 4=1791  
 Prorol, J. Importance of symmetries in the calculation of the coulomb energy of He<sup>3</sup>, 3=17358  
 Prorol, J. See Munsch, G., 1=6785  
 Pros, Z. See Klima, K., 2=20924  
 Pros, Z. See Vanek, I., 3=3429  
 Prosdoci, A. and Deruytter, A. J. A precise determination of the thermal neutron absorption cross section of B<sup>10</sup> and natural boron by time of flight, 3=12694  
 Prosdoci, A. See Casini, G., 0=15623  
 Prosdoci, A. See Frayse, G., 4=17209  
 Prosen, E. J. See Kilday, M. V., 4=14452  
 Prosen, R. J., Gondō, Y. and Gran, B. E. Origin of biaxial anisotropy in poly-crystalline films, 4=13161  
 Prosen, R. J., Gran, B. E., Kivel, J., Searle, C. W. and Morrish, A. H. Effect of surface roughness on magnetic properties of films, 3=15840  
 Prosen, R. J., Holmen, J. O. and Gran, B. E. Rotatable anisotropy in thin permalloy films, 1=6321  
 Prosen, R. J., Holmen, J. O., Gran, B. E. and Cebulla, T. J. Stratification in thin permalloy films, 2=12674  
 Prosen, R. J., Holmen, J. O., Gran, B. E. and Cebulla, T. J. Influence of minor constituents in ferromagnetic films, 3=1074  
 Prosen, R. J. See Searle, C. W., 4=7304  
 Proshko, G. P. See Bagaev, V. S., 3=15679  
 Proshko, G. P. See Keldysh, L. V., 4=26191  
 Proshina, T. I. See Bochar, T. A., 4=5892  
 Proskura, A. I. See Gold'man, A. G., 3=18050  
 Proskura, A. I. See Gol'dman, A. G., 4=4290  
 Proskura, O. I. See Gol'dman, O. G., 2=18881



- Proskurnin, M.A. See Baberkin, A.S., 0=18441
- Prosperi, D. See Giannini, M., 1=2186
- Prosperi, D. See Giannini, M., 1=17039
- Prosperi, D. See Giannini, M., 2=378
- Prosperi, D. See Giannini, M., 2=5798
- Prosperi, D. See Giannini, M., 2=20549
- Prosperi, D. See Giannini, M., 2=22756
- Prosperi, D. See Giannini, M., 3=10355
- Prosperi, D. See Giannini, M., 3=15209
- Prosperi, D. See Giannini, M., 4=3680
- Prosperi, G.M. Ergodicity conditions in quantum mechanics and Van Hove's Hamiltonians, 2=11292
- Prosperi, G.M. On the uniqueness of the analytic continuation of the S matrix in angular momentum, 2=16161
- Prosperi, G.M. On the analytic continuation of the S-Matrix in angular momentum, 3=2205
- Prosperi, G.M. and Scotti, A. On the correspondence principle in quantum electrodynamics, 0=5472
- Prosperi, G.M. and Scotti, A. Ergodicity conditions in quantum mechanics, 0=12373
- Prosperi, G.M. and Scotti, A. An improved version of an ergodic theorem in quantum mechanics, 0=16598
- Prosperi, G.M. See Daneri, A., 2=17357
- Prosperi, G.M. See Lanz, L., 4=25041
- Prospero, J.M. See Graham, R.L., 2=10019
- Prospero, J.M. See Lewis, H.R., Jr., 4=17104
- Prosser, F. and Goodman, L. Theory of n.m.r. chemical shifts in conjugated fluorine compounds, 3=8299
- Prosser, F. See Christoffersen, R.E., 4=12481
- Prosser, F. See Shull, H., 4=25648
- Prosser, F. See Taft, R.W., 3=8300
- Prosser, F.P. and Blanchard, C.H. On the evaluation of two-center integrals, 2=8055
- Prosser, F.W., Jr., Krone, R.W. and Singh, J.J.  $C^{13}(p, \gamma)N^{14}$  reaction and the 9.17, 7.03, and 6.44 MeV states in  $N^{14}$ , 3=8094
- Prosser, F.W., Jr., Unruh, W.P., Wildenthal, B.H. and Krone, R.W. Gamma radiation from proton capture in  $Na^{23}$ , 2=3573
- Prosser, F.W., Jr. and Wilson, F.L. The possible existence of four new states in  $Be^8$ , 4=22007
- Prosser, F.W., Jr. See Harris, G.I., 4=25303
- Prosser, F.W., Jr. See Neher, D.R., 2=10102
- Prosser, F.W., Jr. See Wildenthal, B.H., 4=25429
- Prosser, J.M. See John, W., 2=16386
- Prosser, N.J.D. See Cuthbert, J., 4=21591
- Prosser, N.J.D. See Olsson, I.U., 2=10034
- Prosser, R.T. Relativistic potential scattering, 3=21247
- Prosser, R.T. Convergent perturbation expansions for certain wave operators, 4=18065
- Prosser, R.T. Segal's quantization procedure, 4=19345
- Prosser, V. The optical constants of single crystals of hexagonal selenium, 1=7696
- Prosser, V. Band structure of selenium from optical and photo-electric properties in visible spectral region, 2=23107
- Prosser, V. See Smith, S.D., 3=10823
- Prosvirin, V.I. The mechanism of oriented deformation of a metal on thermal cycling, 2=21424
- Prostějovský, J. See Šicha, M., 4=8645
- Prostějovský, J. See Šichá, M., 4=8646
- Prostějovský, J. See Studnicka, J., 3=9754
- Prosvirin, V. and Ozolin', Ya. Effect of initial stresses on impact ductility of certain plastics, 4=28919
- Prosz, J. See Kollár, G., 1=11608
- Prosz, J. See Kollár, G., 2=17695
- Prosz, J. See Kollár, G., 4=2896
- Prószynska, K. See Herczyńska, E., 4=4674
- Protas, I.R. See Denisuk, Yu.N., 3=24068
- Protas, J. A contribution to studies on the hydrated oxides of uranium, 0=4578
- Protas, J. The crystalline structure of curite, 4=7615
- Protas, J., Refat, C. and Warion, G. Crystallographic calculation programmes realised on the CAB 500 computer determination of crystallographic parameters by the method of least squares beginning with equatorial reflections, 4=20752
- Protasov, V.P. See Demidov, V.S., 2=18344
- Protasov, V.P. See Demidov, V.S., 3=6059
- Protasov, V.P. See Demidov, V.S., 3=24781
- Protass, I.R., Krakau, J.A. and Sidorenkova, P.T. A study of chemical sensitization of nuclear emulsions, 0=12745
- Protheroe, W.M. Stellar scintillation, 2=2486
- Protheroe, W.M. The motion and structure of stellar shadow-band patterns, 4=10708
- Protić, R.M. See Ševrač, I.F., 0=19797
- Protopapadakis, P.A. Mass-difference and strangeness effects in hyperon-nucleon scattering, 2=22643
- Protopapadakis, P.A. The hyperon-nucleon interaction, 4=21943
- Protopopov, A.N., Baranov, I.A. and Eismont, V.P. Angular anisotropy and energy characteristics of the fission process, 0=11454
- Protopopov, A.N., Baranov, I.A., Selitskii, Yu.A. and Eismont, V.P. Influence of nuclear shells on the distribution of the kinetic energy of fragments in fission by fast neutrons, 0=13304
- Protopopov, A.N. and Blinov, M.V. A determination of  $\nu$  for the 14.8 MeV neutron-induced fission of  $^{235}U$ , 0=11461
- Protopopov, A.N. and Eismont, V.P. On the angular distribution of the light and heavy fragments from the fission of  $^{238}U$  by 14 MeV neutrons, 0=11460
- Protopopov, A.N. and Blinov, M.V. The average number of neutrons emitted in the fission of  $^{235}U$  by 14.8 MeV neutrons, 1=742
- Protopopov, A.N. and Eismont, V.P. Dependence of the angular anisotropy of fission on the nuclear structure, 0=15606
- Protopopov, A.N., Kuznetsov, M.I. and Dermandzhiev, E.G. Th $^{232}$  fission induced by 14.9 MeV neutrons, 0=9702
- Protopopov, A.N., Seletskii, Iu.A. and Solov'ev, S.M. 14 MeV fission cross-section of  $^{232}Th$  and  $^{237}Np$ , 0=11459
- Protopopov, A.N., Tolmachev, G.M., Ushatski, V.N., Venediktova, R.V., Krisuk, I.T., Rodionova, L.P. and Yakovleva, G.V. Mass distribution of the fragments from the 14.6 MeV fission of  $U^{235}$ ,  $U^{238}$ , and  $Pu^{239}$ , 1=743
- Protopopov, A.N., Selitskii, Yu.A. and Solov'ev, S.M. Investigation of ultraviolet radiation converters in a gas scintillation counter, 2=1626
- Protopopov, A.N. See Baranov, I.A., 2=509
- Protopopov, A.N. See Baranov, I.A., 2=14154
- Protopopov, A.N. See Baranov, I.A., 2=22859
- Protopopov, A.N. See Blinov, M.V., 2=14149
- Protopopov, A.N. See Blinov, M.V., 3=6311
- Protopopov, A.N. See Blinov, M.V., 4=19851
- Protopopov, Kh.V., Arslanov, Kh.A., Butomo, S.V. and Timofeeva, T.V. New liquid scintillators, 1=4348
- Protopopov, Kh.V. See Kolenko, E.A., 0=3731
- Protopopov, A.N. See Blinov, M.V., 3=15242
- Protopopov, N.A. and Kul'gavchuk, V.M. Mechanism for interruption of current flow and production of shock waves in a metal heated by high-density current pulses, 2=5205
- Protopopov, N.A. and Kul'gavchuk, V.M. The pulse method of determining energy of sublimation of metals and alloys, 2=9457
- Protopopov, N.A. and Kul'gavchuk, V.M. The determination of energy of sublimation of the system Pd-H by the pulse method, 2=9458
- Protopopov, N.A. See Kul'gavchuk, V.M., 4=14558
- Protopopov, O.D. See Gofman, I.I., 0=15048
- Protopopov, O.O. Pulse electric conductivity in n-hexane, 4=8221
- Protschka, H. See Voithänder, J., 1=20189
- Protti, A.M. See Amato, I., 4=4654
- Protti, A.M. See Amato, I., 4=20790
- Proud, K.J. See Sethna, D.N., 1=20377
- Proud, J.M., Jr., Beyer, R.T. and Tamarkin, P. Reflection of sound from randomly rough surfaces, 0=8751
- Prouse, G. Periodic solutions of the Navier-Stokes equations, 4=27147
- Prout, E.G. See Nassimbeni, L.R., 3=13435
- Provalov, A.V., Tret'yakov, O.A. and Shestopalov, V.P. The experimental investigation of the diffraction of electromagnetic radiation by a double metal grating, 4=14890
- Prover, T. See Vaughan, W.E., 3=21389
- Proverbio, E. Determination of the right ascension and semi-diameter of the planet Mars, 0=18703
- Proverbio, E. Calculation of the orbits of long period double stars allowing for the law of areas, 2=4791
- Proverbio, E. Reduction theory for the diameters of the outer planets, 2=6988
- Proverbio, E. Comparison between atomic frequency standards, 3=7173
- Proverbio, E. Provisional astronomical latitude and longitude of the station at Mount Conero during the total solar eclipse of 15 February 1961, 3=9191
- Proverbio, E. Conditions for the determination of the micro-metric constant by means of [observations on] a pair of primary stars, 4=4846
- Provisor, H. Micrographical study of the diffusion of magnesium in cathode nickel, 1=3686



- Provornov, S.M. and Grebennikov, O.F. Camera RKS-1 for high-speed cinematography, 1=9496
- Provotorov, B.N. On magnetic resonance saturation in crystals, 2=4281
- Provotorov, B.N. Nuclear magnetic resonance in solids, 2=12830
- Provotorov, B.N. Quantum-statistical theory of cross-relaxation, 2=13267
- Provotorov, B.N. Theory of double magnetic resonance in solids, 2=23715
- Provotorov, B.N. On magnetic resonance saturation in crystals, 3=3191
- Provotorov, B.N. Quantum-statistical theory of cross-relaxation, 3=5372
- Provotorov, B.N. Double magnetic resonance in crystals, 3=20663
- Provotorov, B.N. Theory of magnetic resonance saturation in ionic crystals, 4=1865
- Provotorov, B.N. See Kozhushner, M.A., 4=10341
- Provotorov, B.N. See O'Khov, O.A., 3=23214
- Provotorov, B.N. See Ol'khov, O.A., 4=10303
- Prowse, D.J. Strangeness of the cascade hyperon  $\Xi^-$ , 0=7419
- Prowse, D.J. Question of the existence of strangeness 2 meson, 0=11188
- Prowse, D.J. An example of an  $N^{14}$  hyperfragment, 2=18246
- Prowse, D.J., Schlein, P.E., Stork, D.H., Taherzadeh, M. and Ticho, H.K. The isotopic spin of the  $\eta$ -meson, 4=25165
- Prowse, D.J., Stork, D.H., Taher-Zadeh, M. and Ticho, H.K. An examination of the reaction  $K^- + n \rightarrow \Lambda^0 + \pi^0$  at 765 MeV/c, 2=1722
- Prowse, D.J. See Bredin, D.J., 0=9447
- Prowse, D.J. See Deka, G.C., 1=5930
- Prowse, D.J. See Fisk, H.E., 1=3244
- Prowse, D.J. See Fisk, H.E., 2=1727
- Prowse, D.J. See Helmy, E., 1=9765
- Prowse, D.J. See Helmy, E., 2=16243
- Prowse, D.J. See Johnston, R.H.W., 0=12769
- Prowse, D.J. See  $K^-$ -Collaboration, 0=15430
- Prowse, D.J. See McCarthy, I.E., 0=11294
- Prowse, D.J. See McCarthy, I.E., 0=20507
- Prowse, D.J. See Melkanoff, M., 0=7416
- Prowse, D.J. See Melkanoff, M.A., 0=17417
- Prowse, D.J. See Nickols, N.A., 2=22716
- Prowse, D.J. See Pjerrou, G.M., 2=22634
- Prowse, D.J. See Smith, L.T., 2=22620
- Prowse, D.J. See Van Heerden, I.J., 0=7582
- Prowse, D.J. See Van Heerden, I.J., 1=2239
- Prowse, D.J. See Taher-Zadeh, M., 4=9288
- Prowse, D.J.J. See  $K^-$ -collaboration, 0=1308
- Prowse, W.A., Rowbotham, J.R. and Monk, P.G. Time lags associated with ultra-high frequency gas breakdown, 2=3024
- Prowse, W.A., Rowbotham, J.R. and Monk, P.G. Statistical and formative time lags in ultra-high frequency gas breakdown, 3=7491
- Prozorov, V.A. See Soboleva, N.S., 3=11606
- Prozorov, V.A. See Zakharenkov, V.F., 3=13933
- Prozorova, L.A. See Borovik-Romanov, A.S., 4=4397
- Prozorova, L.A. See Borovik-Romanov, A.S., 4=20578
- Prozorovskaya, N.V. See Vinogradov, G.V., 4=15695
- Prozorovskii, Yu.N. A high-speed time-base, 4=16409
- Prozorovskii, Yu.N. A pulse generator having a controlled delay time, 4=16415
- Prozumenshchikov, S.M. See Likhter, Ya.I., 2=7543
- Prud'homme, J.T., Okhuysen, P.L. and Morgan, I.L. Nonelastic scattering of fast neutrons, 0=9667
- Prud'homme, J.T. See Okhuysen, P.L., 0=2685
- Prudhomme, R.O. See Klarner, B., 4=193
- Prudkovskii, G.P. See Levin, G.E., 4=610
- Prudnikov, A.G. and Sagalovich, V.N. Statistical description of a turbulent stream, 2=19524
- Prudnikov, A.G. and Sagalovich, V.N. Statistical description of a turbulent stream, 3=1668
- Prudnikov, M.M. Spectral analysis of the Friedman-Keller equations of homogeneous turbulence, 3=18785
- Prue, J.E. See Guggenheim, E.A., 2=2039
- Prueitt, M.L. The excitation temperature of lightning, 3=13685
- Pruett, G.R. and Petritz, R.L. Detectivity and preamplifier considerations for indium antimonide photovoltaic detectors, 0=14883
- Pruett, J.R. Determination of the lifetime of the 0.559-MeV level of  $Se^{76}$  using nuclear resonance fluorescence, 3=10262
- Prugger, H. Determination of atomic concentration through absorption of resonance lines, 4=29238
- Prugger, H. and Ulmer, W. Measurement of rapidly changing oxygen content in gas mixtures by absorption spectroscopy in the Schumann region, 0=4755
- Prugne, P. The proton synchrotron "Saturne". Construction programme for hydrogen bubble chambers at the high-energy-particles division of the Nuclear Research Centre, Saclay, 0=2412
- Prugne, P., Marquet, M. and Bougon, M. The proton synchrotron "Saturne". Liquid hydrogen targets, 0=2412
- Prugovečki, E. Multiplicative symmetries in axiomatic quantum field theory, 4=16787
- Pruitt, J.S. and Domen, S.R. Determination of total X-ray beam energy with a calibrated ionization chamber, 2=2036
- Pruitt, J.S. and Domen, S.R. Calorimetric calibration of an ionization chamber for determination of X-ray total beam energy, 3=2151
- Prunier, C. See Bros, J.P., 4=14434
- Prunier, C. See Bros, J.P., 4=27366
- Pruppacher, H.R. Some relations between the supercooling and the structure of aqueous solutions, 4=157
- Pruppacher, H.R. The effect of an external electric field on the supercooling of water drops, 4=368
- Pruppacher, H.R. The effects of electric fields on cloud physical processes, 4=10720
- Pruppacher, H.R. and Neuburger, M. The effect of water soluble substances on the supercooling of water drops, 4=5456
- Prus, L.B., Byron, E.S., Von Plinsky, F.O. and Porembka, S.W. Enriched boron-titanium dispersions, 0=14057
- Prushchak, T.A. See Korolyuk, A.P., 3=2723
- Prushchak, T.A. See Korolyuk, A.P., 2=6264
- Pruschek, R. Effect of the temperature-dependent properties of matter on the temperature field in the coolant current at the core outlet, 3=2535
- Pruschek, R. Numerical calculation of the temperature field in the coolant flow leaving the core of the pebble-bed reactor, 3=22451
- Pruski, S. The generalized asymptotic series, 3=3704
- Pruski, S. On the use of generalized asymptotic series in deriving the asymptotic expansions for special functions, 3=9321
- Pruski, S. On the theory of helical waveguides. I. 3=14774
- Pruski, S. On an approximate second-order fermion density matrix, 4=8108
- Pruski, S. Approximate second-order fermion density matrix. Addendum, 4=29562
- Pruski, S. See Kossakowski, A., 4=19941
- Prussin, S. Generation and distribution of dislocations by solute diffusion, 1=14270
- Prupton, M. Observations of the magnetization reversal process in thin films of nickel-iron, using the Kerr magneto-optic effect, 0=13812
- Prupton, M. Cross-tie walls in thin permalloy films, 0=18191
- Prupton, M. The observation of domain structure in magnetic thin films by means of the Kerr magneto-optic effect, 0=21044
- Prupton, M. Stress and magnetic anisotropy in thin permalloy films, 2=10660
- Prupton, M. The structure and properties of ferromagnetic films, 4=22976
- Prupton, M. and Bradley, E.M. The induced magnetic anisotropy in evaporated films of nickel-iron alloys, 0=11838
- Prupton, M. and Leaver, K.D. On the effective mass of  $180^\circ$  domain walls in magnetic films, 4=1828
- Prupton, M. See Astwood, P., 3=11057
- Prupton, M. See Bradley, E.M., 0=11859
- Prupton, M. See Doyle, W.D., 3=15837
- Prupton, M. See Flanders, P.J., 3=15836
- Prupton, M. See Green, A., 3=24010
- Prupton, M. See Green, A., 4=13157
- Prupton, M. See Leaver, K.D., 2=12650
- Prupton, M. See Leaver, K.D., 3=23171
- Prütz, W. See Sommermeyer, K., 2=7222
- Pruzansky, S. Pattern-matching procedure for automatic talker recognition, 3=11624
- Pruzhinina, V.I. See Aleksandrov, V.V., 0=9972
- Pry, R.H. Development of metallurgical structures and magnetic properties in iron silicon alloys, 0=3272
- Pry, R.H., Kouvel, J.S. and Miksch, E.S. Exchange anisotropy in the system  $Mn_{(1-x)}Cr_xSb$ , 0=10125
- Pry, R.H. and Mitoff, S.P. Positive temperature coefficient of electrical resistivity in some  $ZnO-TiO_2-NiO$  ceramics, 3=13117
- Pry, R.H. See Fiedler, H.C., 0=3024



- Pryakhina, L.I., Snetkov, A.Ya. and Ryabtsev, L.A. X-ray diffraction investigation of multi-component solid solutions of nickel, 2=21531
- Pryamkova, I.A. See Spivak, G.V., 0=15063
- Pryamkova, I.A. See Spivak, G.V., 1=327
- Pryamkova, I.A. See Spivak, G.V., 3=2034
- Pryanikova, R. O. See Krichevskii, I.R., 4=24442
- Prvanýshnykov, M.P. See Hertsriken, S.D., 1=11226
- Pryce, M.H. The double resonance of cobalt ions in magnesium oxide. Appendix, 2=4278
- Pryce, M.H. See Eisenstein, J.C., 0=7768
- Pryce, M.H.L. Sign of  $g$  in magnetic resonance, and the sign of the quadrupole moment of  $Np^{237}$ , 0=403
- Pryce, M.H.L. [Ions of the transition elements. Optical and magnetic properties. Introductory paper]. Physical properties of transition ions, 0=20728
- Pryce, M.H.L. and Runciman, W.A. The absorption spectrum of vanadium corundum, 0=20991
- Pryce, M.H.L. See Foglio, M.E., 1=15974
- Pryce, M.H.L. Electronic structure of point defects in crystals, 2=3909
- Prýkhot'ko, A.F. and Soloviov, A.V. Absorption and luminescence of impurities in organic compound crystals at 20°K. I. Spectra of solutions of naphthalene in dibenzyl and diphenyl crystals, 1=11374
- Prýkhot'ko, A.F. and Soloviov, A.V. Absorption and luminescence of impurities in organic compound crystals at 20°K. II. Spectra of naphthalene solutions in crystals of certain uncondensed aromatic hydrocarbons, 1=11375
- Prýkhot'ko, A.F. See Baisa, D.F., 4=26458
- Prýkhot'ko, A.F. See Brodin, M.S., 1=11382
- Prymachenko, V.Ye. and Snitko, O.V. The effect of an external electric field on the condenser photo e.m.f. in germanium and silicon, 2=6498
- Pryor, A.W. The input stage of a transistor pulse amplifier, 1=1870
- Pryor, A.W. See Sabine, T.M., 1=19823
- Pryor, A.W. See Sabine, T.M., 3=8426
- Przhevuskii, A.K. See Kaplyanskii, A.A., 2=712
- Przhevuskii, A.K. See Kaplyanskii, A.A., 2=10578
- Przhevuskii, A.K. See Kaplyanskii, A.A., 2=14669
- Przhevuskii, A.K. See Kaplyanskii, A.A., 3=18025
- Przibram, K. On the wide distribution of a bluish fluorescence of organic origin, 0=6189
- Przibram, K. Do meteorites exist consisting predominantly of feldspar? 0=10499
- Przybylski, A. The effect of blanketing on the structure of the solar atmosphere, 0=18745
- Przybylski, A. On the mean absorption coefficient in the computation of model stellar atmospheres of solar type stars, 0=18852
- Przybylski, A. HD 101065 - A G0 star with high metal content, 1=9284
- Przyblyski, A. Gas-ionizing radiation of a discharge in  $N_2-O_2$  mixtures, 2=7570
- Przybylski, A. Investigation of the gas-ionizing radiation of a discharge. II, 2=17795
- Przyborski, W. See Chwaszczewska, J., 4=9015
- Psarev, V.I. Concerning the growth of crystals of intermetallic compounds in the Zn-Sb, Cd-Sb, and In-Sb alloy systems, 1=11543
- Psarev, V.I. See Kostur, N.L., 4=29045
- Psar'ov, V.I., Kostur, M.L. and Obstra, A.V. Separation of phases in alloys of the systems Cd-Sb and In-Sb by centrifuging the melt, 4=4543
- Pshechenkova, G. V. and Skovov, A. D. Temperature dependence of the magnetic saturation induction of alloys of the iron-cobalt system, 4=10274
- Pshenai-Severin, S.V. The coagulation of aerosol particles in an acoustic field under the influence of Oseen's hydrodynamic forces, 0=139
- Pshenichkin, P.A. Paramagnetism of Mn-Cu alloys above the melting point, 3=23906
- Pshenichkin, P.A. See Volkov, D.I., 2=8601
- Pshenichkin, P.A. See Volkov, D.I., 2=23634
- Pshenichkin, P.A. See Volkov, D.I., 3=3081
- Pshenichkin, P.A. See Volkov, D.I., 4=26269
- Pshenichnov, E.A. Tunnel effect on a double potential barrier, 2=17082
- Pshenichnov, E.A. On tunnelling through a system of identical potential barriers, 2=17356
- Pshenichnov, E.A. On tunnelling through a system of identical potential barriers, 2=21821
- Pshenichnov, E.A. and Sokolov, N.D. Quantum effects in a double potential well and spectroscopy of the hydrogen bond, 2=6212
- Pshitula, M.I. See Wang Nai-yen, 4=9537
- Pshona, S. See Chernevskii, M., 4=6437
- Pskovskii, Yu. P. Some systematic effects and the calibration of the extragalactic distance scale, 2=999
- Pskovskii, Y. P. The luminosity effect of radio galaxies, 2=24180
- Pskovskii, Y. P. The radio luminosity function of extra-galactic sources, 4=29488
- Pszona, S. See Pshona, S.
- Ptaik, M. See Gautron, R., 2=775
- Ptitsyn, A.R. The spatial-energy distribution of neutrons from a plane source in an infinite medium, 2=13814
- Ptitsyn, K.N. See Bartenev, L.S., 3=1914
- Ptitsyn, O.B. Hydrodynamics of polymer solutions. I. Diffusion and sedimentation of branched molecules, 0=8657
- Ptitsyn, O.B. Intramolecular interactions in polymer chains, 1=3578
- Ptitsyn, O.B. and Eizner, Yu.E. Hydrodynamic properties of semi-hard macro-molecules in solution, 2=11330
- Ptitsyn, O.B. See Gotlib, Yu. Ya., 2=8868
- Ptitsyn, O.B. Theory of polyelectrolyte solutions, 3=21346
- Ptitsyn, O.B. and Eizner, Yu.E. Hydrodynamics of polymer solutions. II. Hydrodynamic properties of macromolecules in active solvents, 0=12405
- Ptitsyn, O.B. See Birshtein, T.M., 0=9833
- Ptitsyn, O.B. See Birshtein, T.M., 0=9834
- Ptitsyn, O.B. See Birshtein, T.M., 3=21345
- Ptitsyn, O.B. See Gotlib, Yu. Ya., 2=10925
- Ptitsyn, O.B. See Vol'kenshtein, M.V., 0=17857
- Ptitsyn, O.B. See Vol'kenshtein, M.V., 1=18299
- Ptitsyn, S.V. See Aleksandrov, D.D., 0=12435
- Ptitsyna, E.A. See Zaidel', A.N., 1=5480
- Ptitsyna, E.A. See Zaidel', A.N., 1=9606
- Ptitsyna, E.A. See Zaidel', A.N., 3=24303
- Ptukha, T.P. Determination of the diffusion coefficient and the thermal conductivity of weak solutions of  $He^3$  in helium II, 0=19539
- Ptukha, T.P. Thermal conductivity and diffusion of weak  $He^3-He^4$  solutions in the temperature range from the  $\lambda$ -point to 0.6°K, 2=134
- Ptukha, T.P. Thermal conductivity and diffusion of weak  $He^3-He^4$  solutions on the temperature range from the  $\lambda$ -point to 0.6°K, 3=3939
- Ptushinskii, Yu.G. An oxide cathode with a nickel-tantalum alloy base, 1=10729
- Ptushinskii, Yu.G. Influence of adsorption on the resistance of thin metallic films. I. Dipole molecules, 2=621
- Ptushinskii, Yu.G. The influence of adsorption on the resistance of thin metallic films. II. Electropositive atoms, 3=13040
- Ptushinskii, Yu.G. and Chuikov, B.A. Interaction of a barium oxide molecular beam with an incandescent tungsten surface, 3=23541
- Ptushinskii, Yu.G. and Panchenko, O.A. Change in the electrical resistance of thin metal films during adsorption, 3=20271
- Ptushinskii, Yu.G. See Morgulis, N.D., 0=18448
- Ptushyn's'kii, Yu.H. and Chuikov, B.O. Certain peculiarities of the partial adsorption of residual gases in ultra high vacuum. II, 2=19121
- Ptushyn's'kii, Yu.H. and Lupan, Yu.A. Sign of the conductivity of powdered Ge films, 1=14452
- Ptushyn's'kii, Yu.H. See Medvedev, V.K., 2=9618
- Pu, R. See Mittleman, M.H., 2=11286
- Pu, C. Y. and Li, W. I. Variation of the structure in the outer radiation belt during the main phase of a magnetic storm, 4=30945
- Pu Fu-Cho. Method of approximate calculation of magnetization of isotropic antiferromagnetic substances, 0=11905
- Pu Fu-Cho [P'u Fu-Ch'uo]. An approximate method of calculating the ground state of an isotropic antiferromagnetic, 0=8064
- Pu Fu-Cho [P'u Fu-ch'uo]. Quantum mechanical derivation of formulae for antiferromagnetic resonance, 1=10176
- Pu Fu-cho and Cheng Chin-chi. Spin configuration of magnetic substances, 3=25499
- Pu Fu-cho and Cheng Chin-chi. Influence of the scattering between spin waves on ferromagnetic resonance absorption, 3=25555
- Pu Fu-cho and Cheng Chin-chi. The s-f interaction of rare-earth metals, 4=4016
- Pu Fu-cho [P'u Fu-ch'uo] and Mén Syan'-chzhen' [Mêng Hsiên-Chên]. The problem of the spin-wave spectrum, 3=15761



- Pu Fu-Cho [P'u Fu-Ch'o], Tyablikov, S.V. and Shiklov, T. [Siklós]. Retarded and advanced Green functions in the quantum theory of isotropic ferromagnetics, 1=1205
- Pu Fu-cho. See Chung Ching-Chi., 4=1859
- Pu Fu-cho. See Cheng Chin-chi., 4=28850
- Pu Fu-cho. See Mon Sian-chen, 3=18120
- P'u Fu-ch'o. See Pu Fu-Cho, 0=11905
- P'u Fu-Ch'uo. See Pu Fu-Cho, 0=8064
- P'u Fu-Ch'o. See Pu Fu-Cho, 1=1205
- P'u Fu-ch'o. See Pu Fu-cho, 1=10176
- P'u Fu-ch'o. See Pu Fu-cho, 3=15761
- Pu Fu-cho. See Tyablikov, S.V., 1=7778
- Pučálka, V. The measurement of critical thickness of aluminium films, 0=6389
- Pucel, R.A. Physical principles of the Esaki diode and some of its properties as a circuit element, 1=14491
- Pucel, R.A. Theory of the Esaki diode frequency converter, 2=10510
- Pucel, R. A. Pumping conditions for parametric gain with a nonlinear immittance element, 4=24517
- Puchalska, I.B. and Spain, R.J. Observation of the mechanisms of magnetic hysteresis in thin films, 2=10662
- Puchalska, I.B. and Spain, R.J. Interactions between magnetic (domain) walls in superposed thin layers, 2=12768
- Puchalska, I.B. and Spain, R.J. Thin film switching as observed by electron microscopy, 3=20597
- Puchalska, I.B. See Spain, R.J., 3=18085
- Puchalska, I.B. See Spain, R.J., 4=13160
- Pucherov, M.M. Angular distribution of elastically scattered [ 6.8 MeV ] protons, 1=13782
- Pucherov, M.M. The angular distribution of elastically scattered 6.8 MeV protons on nuclei with  $Z = 26 - 30$ , 1=13786
- Pucherov, M.M. See Pasichnyk, M.V., 2=12186
- Pucherov, M.M. See Val'ter, A.K., 1=19455
- Pucherov, N.N. See Nemets, O.F., 3=19880
- Pucherov, N.N. See Nemets, O.F., 4=3648
- Pucherov, N.N. See Pasechnik, M.V., 1=19454
- Pucherov, N.N. See Pasechnik, M.V., 2=16394
- Pucherov, N.N. See Prokopenko, V.S., 3=22373
- Pucherov, N.N. See Val'ter, A.K., 0=20450
- Pucherov, N.N. See Val'ter, A.K., 2=443
- Pucherov, N.N. See Val'ter, A.K., 2=22805
- Puchkin, B.I. See Gorodetskiy, A.F., 0=16198
- Puchkiv's'ka, A.D. See Krasnova, S.I., 2=19176
- Puchkov, B.I., Rakhshadt, A.G. and Rogel'berg, I.L. Influence of deformation and annealing on the anisotropy of the elastic limit in the alloy of copper with 7% aluminium, 3=11143
- Puchkov, B. I., Rakhshadt, A. G. and Rogel'berg, I. L. Specific features of hardening and softening of nickel caused by cold plastic deformation and annealing, 4=13431
- Puchkowskii, V.V. and Myakinin, E.G. Thermal breakdown of a two-layer dielectric, 3=8564
- Pucker, N. Theory of the ion beam in electrostatic fields taking space-charge into account, 0=277
- Pucker, N. Shift of the focal spot of a paraxial ion beam due to the effect of space charge in the region of the lens, 0=7168
- Pucker, N. Remarks on the Gaussian optics of the electrostatic single aperture lens, 2=20030
- Puckett, B. J. See Carter, D.H., 4=28075
- Puckett, B. J. See Carter, D.H., 4=28090
- Puckett, K. See Ferraro, J.R., 4=29755
- Pudovkin, M. and Korotin, I. Magnetic bay-form disturbances and their connection to the phenomena in the ionosphere, 2=15278
- Pudovkina, I. B. and Sedunov, Yu. S. Primary mechanism for charging an aerosol layer and subinversion stratocumulus clouds, 4=7846
- Pudovkina, Z.V. See Pyatenko, Yu.A., 1=15103
- Puechl, K.H. An approach to reactor physics using results of integral experiments, 2=5992
- Puechl, K.H. The potential of plutonium as a fuel in near-thermal converter reactors, 2=8047
- Puechl, K.H. The potential of plutonium as a fuel in near-thermal burner reactors, 2=8048
- Puente, H.A. An empirical logical foundation to classical thermodynamics, 2=1318
- Puett, D., Smith, K. J., Jr, Ciferri, A. and Kontos, E. G. Elasticity of block copolymers, 4=13395
- Puff, H. On the electron-phonon interaction, 1=9976
- Puff, H. Theory of photoelectron emission in metals. I. Calculation of the external energy angular distribution, 2=3074
- Puff, H. Theory of photoelectron emission in metals. II. Distribution of the photoelectrons, 2=3075
- Puff, H. Theory of secondary electron emission of metals on a free electron model, 3=4184
- Puff, H. Theory of secondary electron emission. The transport process. I. Formulation of the problem, 4=8829
- Puff, H. Theory of secondary electron emission. The transport process. II. Elementary scattering model, 4=14752
- Puff, H. Theory of secondary electron emission. The transport process. III. Space dependence of the excitation, 4=14753
- Puff, H. Photocurrent in a semiconductor with a barrier, 4=30654
- Puff, H. See Auth, J., 0=2910
- Puff, H. See Brauer, W., 3=7639
- Puff, H. See Juza, R., 0=671
- Puff, R.D. Ground-state properties of nuclear matter, 1=13613
- Puff, R.D. See Pratt, G.W., Jr, 3=983
- Puff, R.D. See Reynolds, J.C., 3=15081
- Pugachev, A. T. See Palatnik, L.S., 4=1928
- Pugachev, A. T. See Palatnik, L.S., 4=26696
- Pugachev, G.S. See Vitman, F.F., 1=16001
- Pugachev, N.S. See Matyushenko, N.N., 3=20839
- Pugachev, N.S. See Verkhorobin, L.F., 2=23205
- Pugachevich, P. P. and Lazarev, V. B. Surface phenomena in ternary metal solutions, 4=8184
- Pugachevich, P. P. and Yashkichev, V. I. Measurement of surface tension of liquid metals at high temperatures, 4=8188
- Pugachevich, P.P. See Lazarev, V.B., 19089
- Pugachevich, P. P. See Timofeevichev, O. A., 4=8189
- Pugachevich, P.P. See Zadumkin, S.N., 3=7194
- Pugachova, G.I. See Vavilov, Yu.N., 3=22239
- Pugh, D. Surface states on the (111) surface of diamond, 4=22542
- Pugh, D., Rhys-Roberts, C. and Tredgold, R.H. Unstable solutions and surface states, 2=18563
- Pugh, D. See Cohan, N.V., 3=20135
- Pugh, E.M. Conservative field in d.c. networks, 1=10660
- Pugh, E.M. See Bryan, G.M., 2=6729
- Pugh, E.M. See Dreesen, J.A., 0=20869
- Pugh, E.M. See Sanford, E.R., 1=14363
- Pugh, E. M. See Ehrlich, A. C., 4=10031
- Pugh, E.N. and Samuels, L.E. A metallographic investigation of the damaged layer in abraded germanium surfaces, 2=8759
- Pugh, E.N. and Samuels, L.E. Etching of abraded germanium surfaces with CP-4 reagent, 2=16973
- Pugh, E.N. and Samuels, L.E. Dislocation arrays produced in germanium by room-temperature deformation, 3=10669
- Pugh, E.N. and Samuels, L.E. Dislocation cracks in abraded germanium surfaces, 3=12981
- Pugh, E. N. and Samuels, L. E. Damaged layers in abraded {111} surfaces of InSb, 4=23159
- Pugh, E.N. See Haneman, D., 3=23382
- Pugh, E.W. and Argyle, B.E. Low-temperature pyromagnetic measurements on nickel, 1=6275
- Pugh, E.W. and Argyle, B.E. Pyromagnetic test of spin wave theory in metallic nickel, 2=12684
- Pugh, E.W., Boyd, E.L. and Freedman, J.F. Angle-of-incidence anisotropy in evaporated nickel-iron films, 0=10127
- Pugh, E.W., Matisoo, J., Speliotis, D.E. and Boyd, E.L. Magnetic anisotropy in evaporated iron films, 0=11868
- Pugh, E. W. See Argyle, B.E., 4=7274
- Pugh, E.W. See Ford, N.C., Jr, 0=3026
- Pugh, E.W. See Ryan, F.M., 0=2980
- Pugh, E.W. See Suits, J.C., 2=13631
- Pugh, H.G. and Riley, K.F. Binding-energies of proton states in light nuclei, 2=1774
- Pugh, H.G. See Darriulat, P., 4=15237
- Pugh, H.G. See Gooding, T.J., 0=17584
- Pugh, H.G. See Gooding, T.J., 1=395
- Pugh, H.G. See Gooding, T.J., 1=13411
- Pugh, H.G. See James, A.N., 3=12551
- Pugh, H.G. See Riley, K.F., 0=17585
- Pugh, H.L.I.D., Chang, S.S. and Hopkins, B.E. Tensile properties of a high-purity iron from  $-196^{\circ}\text{C}$  to  $200^{\circ}\text{C}$  at two rates of strain, 3=15991
- Pugh, H.L.I.D., Hodgson, G. and Gunn, D.A. Tensile strain measurement under high hydrostatic pressure using an optical method, 3=13343
- Pugh, H.L.D. and Lees, J. Synthesis and X-ray analysis of diamond, 1=20436
- Pugh, H. L. D. See Holliday, L., 4=23198
- Pugh, J.F. See Turtle, A.J., 2=24177
- Pugh, R. E. Finite formulation of quantum field theory, 4=791



- Pugh, S.F. Swelling in alpha uranium due to irradiation, 2=3674
- Puglisi, M. See Amman, F., 3=12267
- Puglisi, M. See Amman, F., 4=16582
- Pugmire, T. K. See Weber, H. E., 4=14615
- Puhl, D., Taranto, J. and Cohen, M. Discussion on "apparent enhancement of diffusion coefficients in plastically deformed metals", 4=20306
- Puig, J.R. and Dobó, J. Radiochemical grafting [of polymers] by irradiation at low temperatures, 1=20765
- Pujara, C.M. and Gatha, K.M. An investigation into the momentum distribution in light nuclei, 0=15503
- Pujol, T. See Blanc, D., 0=5444
- Pujol, Y. See Brochet, C., 3=3395
- Pujolle, M.J. Acoustic insulation of building structure, 0=14772
- Pujols, C. See Laffitte, E., 1=7723
- Pujols, C. See Laffitte, E., 2=4164
- Pujols, C. See Laffitte, E., 2=6630
- Pukh, V.P. See Vitman, F.F., 3=3229
- Pukh, V.P. See Vitman, F.F., 3=15984
- Pukh, V.P. See Vitman, F.F., 3=16004
- Pulacci, A. See Barabaschi, S., 2=8042
- Pulfer, R.F. See Dale, J.W.G., 1=13208
- Pulker, H. and Ritter, E. Optical properties of silicon evaporated films in the 5000-8000 Å region, 4=13056
- Pull, I. C. See Bell, V.J., 4=30333
- Pull, I.C. See Buckler, P.A.C., 3=10418
- Pull, I. C. See Francescon, S., 4=22258
- Pullan, B.R. A closed circuit television system providing automatic track-centring and track-following in cloud chamber photographs, 2=9753
- Pullar, J.D. See Cairnie, A.B., 0=5222
- Pullen, D.J., Litherland, A.E., Hinds, S. and Middleton, R. Be<sup>11</sup>: a shell model anomaly, 2=18232
- Pullen, D. J., Rook, J. R. and Middleton, R. Triton elastic scattering from light nuclei, 4=12256
- Pullen, D.J., Wilkinson, D.H. and Whitehead, A.B. Deuteron structure effects in low-Q stripping, 2=1918
- Pullen, D.J. See Hinds, S., 1=7343
- Pullen, D.J. See Hinds, S., 1=8581
- Pullen, D.J. See Hinds, S., 2=16430
- Pullen, D.J. See Macefield, B.E.F., 3=17495
- Pullen, D.J. See Middleton, R., 4=12259
- Pullen, D.J. See Middleton, R., 4=12260
- Pullen, D.J. See Middleton, R., 4=12261
- Pullia, A. See Vaciago, A., 1=20568
- Pullman, A. See Pullman, B., 0=17840
- Pullman, B. and Pullman, A. Some electronic aspects of biochemistry, 0=17840
- Puřtorak, J. Alloyed junction p-n-n<sup>+</sup> germanium diode, 2=23423
- Pul'tsin, N.M. and Pokrovskaya, V.B. Effect of heat treatment of the structure and hardness of the titanium-4% chromium alloy, 3=20879
- Pulvari, C.F. Ferrielectricity, 1=1139
- Pulver, E. F. See McKelvey, J. P., 4=29564
- Pun, W.M. See Spalding, D.B., 2=11322
- Pun, W.M. See Spalding, D.B., 2=15774
- Pundsack, A.L. Analysis of thin-film germanium epitaxially deposited onto calcium fluoride, 3=23416
- Pundt-Meyer, G. Covariant quantization of the electro-dynamic field for non-vanishing photon masses, 3=536
- Punetha, L.M. See Bappu, M.K.V., 3=16378
- Punetha, L.M. See Bhatnagar, A., 4=4916
- Pungor, E. Oscillometry, 4=13757
- Punhani, S.L. See Vachaspati, 3=24437
- Punhani, S.L. See Vachaspati, 4=14868
- Funkkinen, M. See Hovi, V., 4=20623
- Funkkinen, M. See Hovi, V., 4=23078
- Puolakka, H. See Kohonen, T., 2=11935
- Puotinen, D. and Newnham, R.E. The crystal structure of MoTe<sub>2</sub>, 2=8831
- Puotinen, D. A. Preparation of crystals of the alloy system Bi-Sb-Se-Te, 4=29042
- Pupezin, J., Ćirić, M. and Lazarević, D. The isotopic analysis of lithium on a mass spectrometer, 2=23985
- Pupezin, J.D. See Ćirić, M.M., 2=22924
- Pupke, H. and Wauschkun, G. Exo-electron emission after reversal of polarity in a counting tube, 0=3873
- Pupke, H. See Behlke, H., 2=1449
- Pupke, H. See Behlke, H., 4=5629
- Pupke, H. See Drost, H., 4=2958
- Pupke, H. See Drost, H., 3=4063
- Pupke, H. See Drost, H., 4=8847
- Pupke, H. See Drost, H., 4=8846
- Pupko, V.Ya. See Stavisskii, Yu.Ya., 0=12644
- Puppi, G. Fit to dispersion relation of pions-nucleon scattering, 0=7406
- Puppi, G. See Alitti, J., 2=16229
- Puppi, G. See Alitti, J., 2=18156
- Puppi, G. See Block, M.M., 0=17416
- Puppi, G. See Block, M.M., 1=13500
- Puppi, G. See Leitner, J., 1=16901
- Puranik, P.G. and Kumar, V. The charge transfer theory of the hydrogen bond. I, 3=25087
- Puranik, P.G. and Ramiah, K.V. The infrared and Raman spectroscopic studies of amides, 2=7218
- Puranik, P.G. and Ramiah, K.V. Raman and infrared spectra of amines. Toluidines and para-amino-acetophenone, 2=7219
- Puranik, P.G. and Rao, E.V. Potential constants and calculated thermodynamic properties of nitril fluoride and nitril chloride, 1=15981
- Puranik, P.G. and Sirdeshmukh, L. Structure of formamide and its force constants, 3=2648
- Purcell, E. Radioastronomy and communication through space, 4=20933
- Purcell, E.M. Nuclear spin relaxation and nuclear electric dipole moments, 0=5659
- Purcell, E.M., Collins, G.B., Fujii, T., Hornbostel, J. and Turkot, F. Search for the Dirac monopole with 30 BeV protons, 3=10069
- Purcell, J.D., Packer, D.M. and Tousey, R. Lyman-alpha photographs of the sun, 0=841
- Purcell, J.D. and Tousey, R. The profile of solar hydrogen-Lyman-α, 0=12277
- Purcell, J.D. and Tousey, R. Photography of the sun in Lyman-alpha and other wavelengths, 2=15343
- Purcell, J.D. and Tousey, R. The profile of solar Lyman-α, 2=15344
- Purcell, J.D. See Detwiler, C.R., 2=2480
- Purcell, J.D. See Detwiler, C.R., 2=15341
- Purcell, J.D. See Malitson, H.H., 1=2612
- Purcell, J.D. See Morton, D.C., 2=21663
- Purcell, J.R. and Keeler, R.N. Sensitive thermal conductivity gas analyzer, 0=8341
- Purcell, J.R. and Jacobs, R.B. Transverse magnetoresistance of high purity aluminium from 4 to 30°K, 4=12851
- Purcell, J.R. and Payne, E.G. High-field liquid H<sub>2</sub>-cooled aluminum-wound magnet, 3=21931
- Purcell, R. B., McGray, H., Parker, D., Boren, P. and Wiehelsen, M. Automatic film-badge reader improved, 4=5896
- Purchas, J.G. See Dunn, P.D., 2=19886
- Purdie, N. See Nancollas, G.H., 3=16040
- Purdy, C.M. See Roach, F.E., 0=14294
- Purdy, G. R., Weichert, D. H. and Kirkaldy, J. S. The growth of proeutectoid ferrite in ternary iron-carbon-manganese austenites, 4=30801
- Purdy, G.R. See Kirkaldy, J.S., 2=6363
- Purdy, G.R. See Kirkaldy, J.S., 2=6840
- Puri, B.R., Parkash, S. and Singh, D.D. Studies in properties of charcoal-silica mixed adsorbent systems, 2=15102
- Puri, D.D. See Srivastava, S.S., 0=7986
- Puri, O.P. Shellac wax electrets, 3=25410
- Puri, R. K. See Aditya, P. K., 4=27732
- Puri, S.M. See Duggal, V.P., 0=5569
- Puri, S.P. See Kent, D.W., 2=1903
- Purica, I. Predetermination of the behaviour of transient states of the 2000 kV reactor of the Bucurest Institute of Atomic Physics, 0=11468
- Purica, I. Predetermination of the behaviour of the transient states of the 2000 kW reactor of The Institute of Atomic Physics of the Academy of the Roumanian Peoples Republic, 0=20522
- Purica, I., Ștefănescu, R. and Sabau, M. On the spatial variation of the neutron spectrum in a heterogeneous reactor, moderated and cooled with natural water, 1=7413
- Purica, I. See Hulubei, H., 4=12319
- Purika, I. See Khulubei, Kh., 2=20716
- Purica, I. See Purika, I.
- Purica, I.I. On the theory of the pile oscillator method for determining the cross-sections of neutron-nucleus interaction, 3=25007
- Purika, I. Mean lifetime of prompt neutrons in the VVR-S reactor, 4=3749



- Purika, I., Roshesku, T., Sabeu, M., Fodor, G., Jeremiya, V., Dzhordzhesku, P., Karageorgiev, K. and Pavekesku, M. Subcritical assembly for studies in the field of reactor physics, 3=25011
- Purika [Purica], I., Roshesku [Roshescu], T., Sabéu [Sabau], M., Stoyan, D., Fodor, G. and Kiotan, K. Optimum utilization of internal thermal columns for producing radioactive isotopes of high specific activity, 4=1033
- Purika [Purica], I. See Bebesel [Bebesel], P., 2=8930
- Puris, T.E. See Zemskov, V.S., 3=20793
- Purkayastha, S. On Fermi theory and Sargent rule for  $\beta$ -decay, 0=17527
- Purkayastha, S. Derivation of the wave functions for  $j = 1 + \frac{1}{2}$ ,  $j = 1 - \frac{1}{2}$  states and for "O" spin using Kar's linear Hamiltonian, 0=17652
- Purkavastha, S. See Kar, K.C., 1=60
- Purkayastha, S. See Kar, K.C., 3=40
- Purkina, A. V. See Maklakov, L. A., 4=10203
- Purkis, H. J. Instruments for noise measurement, 4=18361
- Purl, O. T. See Frost, R. D., 2=20027
- Purl, S. M. and Geballe, T. H. Quantum transport in n-germanium, 3=4914
- Purlee, E. L. See Grunwald, E., 0=14118
- Purmal', A. P. See Kachanova, Zh. P., 1=5111
- Purnell, A. D. See Batchelor, R., 1=5734
- Purnhagen, T. G. Automatic plotting of spin-wave instability threshold data, 4=20571
- Purnhagen, T. G. and Lubelfeld, J. A computer approach to laser design, 4=24890
- Purnhagen, T. G. See Sethares, J. C., 4=13294
- Purohit, S. N. Neutron thermalization and diffusion in pulsed media, 2=5657
- Purohit, S. N. Time-dependent thermal-neutron energy spectra in a monatomic heavy gas, 2=5667
- Purohit, S. N. and Rajogopal, A. K. Scattering of thermal neutrons in the Doppler approximation, 2=18117
- Purrington, R. D. See Duncan, M. M., 4=15239
- Purser, K. H. A search for levels of  $^7\text{Li}$  between 9.0 and 9.55 MeV excitation, 0=5670
- Purser, K. H., Rose, P. H., Brooks, N. B., Bastide, R. P., Wittkower, A. B. Energy spreads from the dissociation of a molecular hydrogen ion beam, 4=12542
- Purser, K. H. and Titterton, E. W. The  $^{58}\text{Ni}(n,p)^{58}\text{Co}$ ,  $^{58}\text{Ni}(n,2n)^{57}\text{Ni}$ , and  $^{58}\text{Ni}(n,np)^{57}\text{Co}$  cross-sections at 14.1 MeV, 0=7613
- Purser, K. H. and Wildenthal, B. H. The  $B^{10}(d,\alpha)\text{Be}^8$  reaction and the 2.94 MeV state in  $\text{Be}^8$ , 3=19874
- Purser, K. H. See Glover, R. N., 1=8748
- Purser, K. H. See Glover, R. N., 2=3358
- Purser, W. F. C. and Synge, J. L. Water waves and Hamilton's method, 2=11341
- Pursey, D. L. Theoretical survey of  $\beta$ -decay and  $\gamma$ -decay, 0=9311
- Pursey, D. L. Irreducible presentations of the "unitary symmetry" group, 3=24597
- Pursey, D. L. A Foldy-Wouthuysen transformation for particles of arbitrary spin, 4=19358
- Pursey, D. L. See Fried, H. M., 2=264
- Pursey, D. L. See McCarthy, I. E., 1=7363
- Pursey, D. L. See McCarthy, I. E., 1=8675
- Pursey, H. A note on the Carr-Purcell method of measuring nuclear magnetic resonance relaxation times, 2=3185
- Pursey, H. An analysis of stagger-tuned pulse receiver systems with special reference to N. M. R. relaxation-time measurements, 4=27443
- Pursey, H. and Pyatt, E. C. Measurement of equivalent noise resistance of a noise thermometer amplifier, 0=5400
- Purt, G. The influence of rolling texture on the electron emission of cold pure metal cathodes, 0=7150
- Purt, G. The binary system  $\text{BaO}-\text{WO}_3$ , 4=2070
- Purushotham, G. Superposability and streamline pattern, 4=2631
- Purushotham, G. On spatial gas flows, 4=29664
- Purushotham, G. and Chari, R. V. On steady gas flows, 4=29653
- Pusacheva, E. V. See Grishanin, E. I., 4=17217
- Pusat, N. See Holmes, R., 3=6431
- Pusat, N. See Holmes, R., 4=24271
- Pusch, G. and Schnitger, H. Testing of type 2C39 disk-seal triodes in oscillator circuits, 0=4327
- Pusch, R. See Pepperhoff, W., 2=7351
- Pusch, W. M. Calibration of  $\gamma$ -detectors for air inspection in  $\mu\text{c}/\text{cm}^3$  using a point-shaped radiation source, 4=6256
- Pusch, W. M. Calibration of  $\gamma$ -detectors for measurement of the contamination of the soil surface using a point-shaped radiation source, 4=6258
- Pusch, W. M. Investigation of the specific release of fission products from fuel elements, 4=9608
- Püschel, R., Simon, L. and Herrmann, R. Loss of Na atoms in carrying out flame spectrophotometric analysis with turbulent  $\text{O}_2-\text{H}_2$  flames, 4=29242
- Püschel, W. The mean lifetime of charged  $\Sigma$ -hyperons and investigations on further properties of these particles, 1=3242
- Püschel, W., Tietge, J., Monti, D., Giacomelli, G. and Vignudelli, A. Q. Evidence for the radiative decay mode  $K^+ \rightarrow \pi^+ + \pi^+ + \pi^- + \gamma$ , 2=22616
- Püschel, W. See Beniston, M. J., 4=17006
- Püschel, W. See Cester, R., 2=3409
- Püschel, W. See Giacomelli, G., 3=10167
- Püschel, W. See Tietge, J., 2=18150
- Pusey, P. S., Lapworth, K. C. and Metherell, A. F. Determination of ion density and temperature of a water-stabilised arc from observations of the line profiles of the hydrogen lines  $H\beta$  and  $H\gamma$ , 3=21752
- Pushkar', V. N. The effect of heat treatment on the magnetic properties of films with hypercritical hysteresis loops, 4=13156
- Pushkarev, O. E. See Gubanov, A. I., 1=2364
- Pushkarev, O. E. See Gubanov, A. I., 2=3042
- Pushkarev, O. E. See Gubanov, A. I., 3=21959
- Pushkin, A. I. See Besugly, P. A., 4=15454
- Pushkin, A. I. See Bezuglyi, P. A., 2=8162
- Pushkin, A. I. Bezuglyi, N. A., 3=22685
- Pushkin, A. I. See Bezuglyi, P. A., 3=6469
- Pushkin, B. N. See Gryaznov, A. I., 4=627
- Pushkin, E. V. See Avakyan, R. O., 1=19391
- Pushkin, E. V. See Avakyan, R. O., 2=22764
- Pushkina, M. A. See Slutskii, M. E., 4=27442
- Pushkinskii, M. D. See Shakhovskoi, G. P., 4=148
- Pushkov, N. V. See Dolginov, S. Sh., 0=3340
- Pushkov, N. V. See Dolginov, S. Sh., 1=3306
- Pushkov, N. V. See Dolginov, S. Sh., 2=11082
- Pushkov, N. V. See Dolginov, S. Sh., 2=13063
- Pushkov, N. V. See Dolginov, S. Sh., 4=26925
- Pushtarik, V. A. See Kotov, V. I., 0=2408
- Pushtarik, V. A. See Kotov, V. I., 1=10/52
- Pushtarik, V. A. See Kotov, V. I., 2=1540
- Puskás, F. See Ursu, I., 2=23416
- Pusteria, M. See Ferrari, F., 1=10929
- Pusteria, M. See Ferrari, F., 1=10930
- Pusterla, M. See Costa, G., 1=13502
- Pusterla, M. See Ferrari, F., 0=15437
- Pusterla, M. See Ferrari, F., 3=7922
- Pusterla, M. See Ferrari, F., 4=25144
- Pusterla, M. See Galzenati, E., 2=7885
- Pustinger, J. V., Jr. See Nielsen, M. L., 4=9771
- Pustovalov, G. E. Energy levels and approximate wave-functions of mesic atoms, 0=11490
- Pustovalov, G. E. Calculation of the  $2p \rightarrow 1s$  transition energy in  $\mu$ -mesic atoms, 3=15315
- Pustövalov, G. E. and Krechko, M. S. Charge distribution in nuclei and energy levels of  $\mu$ -mesonic atoms, 1=3527
- Pustovoit, A. K. See Madedonskii, V. L., 3=14636
- Pustovoit, S. P. Transient thermal convection in a spherical cavity, 1=6975
- Pustovoit, V. I. Linear theories of gravitation, 0=10559
- Pustovoit, V. I. Conductivity of plasma media in the presence of a drift, 3=16939
- Pustovoit, V. I. The problem of ultrasound propagation in semiconductors, 4=9848
- Pustovoit, V. I. and Bautin, A. V. Gyroscope motion in gravitation theories, 4=18036
- Pustovoit, V. I. and Gertsenshtein, M. E. Gravitational radiation by a relativistic particle, 2=7116
- Pustovoit, V. I. and Gertsenshtein, M. E. Gravitational radiation by a relativistic particle, 3=5335
- Pustovoit, V. I. See Gertsenshtein, M. E., 3=1591
- Pustovoit, V. I. See Gertsenshtein, M. E., 3=1978
- Pustovoit, V. I. See Gertsenshtein, M. E., 3=22920
- Pustovoit, Yu. M. See Kirsanov, V. M., 4=14788
- Pustyl'nik, B. I. See Kalinkin, B. N., 3=15232
- Pustyl'nik, B. I. See Kalinkin, B. N., 4=19828
- Pustyl'nik, B. I. See Kalinkin, B. N., 4=22195
- Putcherov, N. N. See Pasetchnik, M. V., 1=8707
- Putcherov, N. N. See Val'ter, A. K., 1=8706
- Putley, E. H. Impurity photoconductivity in n-type InSb, 1=3791
- Putley, E. H. Impurity photoconductivity in n-type InSb, 2=8417



- Putley, E.H. The detection of sub-mm radiation, 4=14445  
 Putley, E.H. The ultimate sensitivity of sub-mm detectors, 4=14446  
 Putley, E.H. See Mitchell, W.H., 0=5241  
 Putlitz, G. Z. Determination of the electric nuclear quadrupole moment of the two odd stable barium isotopes  $Ba^{135}$  and  $Ba^{137}$ , 4=991  
 Putlitz, G. Zu. See Bucka, H., 2=348  
 Putnam, A.A. Vortex shedding from the end of a tube as a result of buoyancy effects, 2=9247  
 Putnam, L.H., Collins, H.D. and Oleson, N.L. Experimental evidence for beam-plasma interaction in a low-pressure argon discharge, 1=13081  
 Putnam, P. See Misner, C.W., 0=2099  
 Putnam, T.M. See Broley, J.E., Jr, 0=7423  
 Putner, T. Methods of cleaning glass by vapour degreasing and ultrasonically agitated solvents, 0=6529  
 Putner, T. See Catalan, L.A., 1=16097  
 Putner, T. See Holland, L., 0=5154  
 Putner, T. See Holland, L., 0=8783  
 Putner, T. See Holland, L., 2=838  
 Putner, T. See Steckelmacher, W., 1=4473  
 Putseiko, E. Photoelectric sensitivity of chlorophyll and its analogues in various states, 0=1676  
 Putseiko, E.K. Optical sensitization of the photo-effect at the contact between a semiconductor and an organic eye, 0=6131  
 Putseiko, E.K. The kinetics of photoconductivity of phthalocyanins, 0=20936  
 Putseiko, E.K. See Akimov, I.A., 2=23445  
 Putseiko, E.K. See Akimov, I.A., 3=2967  
 Putseiko, E.K. See Markevich, N.N., 3=17964  
 Putseiko, E.K. See Mýl'nikov, V.S., 2=16825  
 Putseiko, E.K. See Mýl'nikov, V.S., 2=18829  
 Putsykin, G. G., Pashkov, P. P. and Veytsel, M. Ya. Analysis of the process of directional crystallization in a "magnico" type alloy, 4=23344  
 Putt, G.D. See Sargood, D.G., 4=17040  
 Puttemans, J.P. See Résibois, P., 1=16188  
 Putten, J.D. van. See van Putten, J.D.  
 Puttick, K.E. Ductile fracture in metals, 0=21144  
 Puttick, K.E. The shear component of ductile fracture, 1=3994  
 Puttick, K.E. Crystallographic surface features on tin ingots, 3=18341  
 Puttick, K. E. Necking and fracture in aluminium crystals, 4=4457  
 Puttock, M.J. A simple device for the measurement of fringe displacement in a gauge interferometer, 2=22052  
 Putzei, I.M. The temperature and field dependences of the magnetic anisotropy energy of Invar, 2=8621  
 Putzeiko, E. See Terenin, A., 1=6060  
 Putzer, E.J. See Myers, O.E., 0=1225  
 Putzeys, J. V. See Duquesne, H., 4=12168  
 Putzolu, G. Radiative corrections to pion production in  $e^+e^-$  collisions, 1=12096  
 Putzolu, G. See Prato, G. Da., 1=16838  
 Putzolu, G. See Da Prato, G., 2=5628  
 Putzrath, F. L. See Martin, T. B., 4=13986  
 Puzanov, V.V. See Antonov, A.V., 3=4401  
 Puzei, I.M. The specific features of the temperature dependence of the energy of the magnetic anisotropy of crystals near the magnetically-isotropic state, 0=18182  
 Puzei, I.M. The temperature dependence of the magnetic anisotropy energy of iron-nickel [alloy] monocrystals, 2=8622  
 Puzei, I.M. The dependence of the anisotropy energy in invar on temperature and field, 2=23648  
 Puzei, I.M. Temperature dependence of the magnetic anisotropy energy of iron-nickel monocrystals, 2=23649  
 Puzey, I.M. Magnetic anisotropy of monocrystals of alloys Fe-Co-Ni, 3=1097  
 Puzei, I.M. Crystal and magnetoelastic anisotropy and its temperature dependence in iron-nickel single crystals, 3=18075  
 Puzei, I.M. New composition region of high-permeability alloys in the system Fe-Ni-Mo, 3=25538  
 Puzei, I.M. The influence of Cu, Si, Cr and Mo on the magnetic anisotropy and saturation induction of Ni-Fe monocrystals, 4=13197  
 Puzei, I.M. Magnetic anisotropy in single crystals of iron-cobalt-nickel alloys, 4=26308  
 Puzei, I.M. The dependence of the magnetic anisotropy constant of nickel upon the temperature and saturation magnetization intensity, 4=28821  
 Puzei, I. M. and Sabinin, P. G. An electromagnet for physico-chemical investigations, 4=14857  
 Puzei, I.M. See Goman'kov, V.I., 3=23478  
 Puzel, I.M. See Goman'kov, V.I., 4=1994  
 Puzey, I.M. See Lyashenko, B.G., 3=1355  
 Puzei, I.M. See Miryasov, N. Z., 4=30722  
 Puzikov, L.D. and Smorodinskii, Ya.A. Polarization tensors in the Born approximation, 0=12851  
 Puzikov, L.D. See Baz', A.I., 2=16174  
 Puzikov, L.D. See Baz', A.I., 3=5956  
 Puzynovich, Yu. T. See Dzhelepov, B.S., 2=14015  
 Pwu, Y. and Tai Tsun Wu. Higher order leptonic weak interactions, 4=11914  
 P'yankov, H.N. See Hobovych, M.D., 1=13130  
 P'yanov, I.I. See Izmailov, S.V., 2=447  
 P'yanov, I.I. See Izmailov, S.V., 2=22815  
 Pyaskovskaya-Fesenkova, E.V. Certain data on the polarization of light by the atmosphere, 0=12202  
 Pyaskovskaya-Fesenkova, E.V. Determination of the transparency coefficient of the atmosphere from the polarization of the light of the sky, 1=6509  
 Pyatakov, N.I. See Polivanov, V.V., 4=16540  
 Pyatenko, Yu.A. and Pudovkina, Z.V. Crystal structure of narsarsukite, 1=15103  
 Pyatenko, Yu.A. See Voronkov, A.A., 3=13474  
 Pyatetskii-Shapiro, I. I. See Ivanova, A.V., 4=19925  
 Pyatigorskii, G. M. The surface ionization on metals in an electric field, 4=29982  
 Pyatigorskii, G.M. See Chaikovskii, E. P., 4=15828  
 Pyatigorskii, G. M. See Chaikovskii, E. F., 4=27476  
 Pyatigorskii, G.M. See Pargamanik, L. E., 4=1199  
 Pyatniskii, L.N. and Tsukhanova, O.A. The calculation of the state of explosion products by the method of measuring parameters of shock waves, 2=19145  
 Pyatnitskii, L.N. The mechanism of flame acceleration during a passage from normal burning to a detonation, 2=21587  
 Pyatnitskii, L.N. The mechanism of flame acceleration during a passage from normal burning to a detonation, 3=3392  
 Pyatov, N. I. Gamma transitions in deformed nuclei with account of pairing correlations, 4=25277  
 Pyatov, N.I. See Lyu Yuian', 1=19359  
 Pyatov, N.I. See Lyu Yuian' [Ly Yang], 3=4561  
 Pyatov, N.I. See Zakhar'ev, B.N., 2=3521  
 Pyatov, N.I. See Zakhar'ev, B.N., 3=2399  
 Pyatt, E.C. See Pursey, H., 0=5400  
 Pyatt, K.D., Jr. See Breit, G., 0=11157  
 Pyatt, K.D. Jr. See Breit, G., 1=499  
 Pyatt, K.D., Jr. See Breit, G., 3=584  
 Pyazanov, G. V. See Shelyubskii, V. I., 4=26730  
 Pýbalka, V.V. and Pereverzyeva, A.V. Effect of heat treatment of Ge on its magneto-resistance, 2=12519  
 Pýchakhchý, L.D. Gaps in a rarefied plasma in the Chew, Goldberger and Low approximation, 2=7609  
 Pye, J.J. See Drew, B., 3=17792  
 Pyeskovats'kyi, S.A., Chernets, A.N., Postohvard, H.I., Sheyina, T.H. and Oliinýk, I.M. Growing lanthanum ethyl sulphate single crystals with gadolinium and cerium ethyl sulphate impurities and their physical properties, 2=19057  
 Pyka, M. The  $H_2$  bubble chamber used as a low-energy neutron spectrometer and the application of this technique to the determination of the Panofsky ratio, 2=9862  
 Pyka, M. See Cronin, J.W., 2=22489  
 Pyka, M. See Engels, E., 2=18048  
 Pyka, M.R. See Doede, J.H., 3=10162  
 Pykalov, A.P. See Kocharyan, N.M., 0=7441  
 Pylaeva, E.N. See Kripvakevich, P. I., 3=16093  
 Pyle, G.L. See Diamond, H., 0=17512  
 Pyle, G.L. See Fields, P.R., 0=13300  
 Pyle, I.C. The scattering of phonons by bound electrons in a semiconductor, 1=12429  
 Pyle, J. See Galasso, F., 3=13514  
 Pyle, J. See Galasso, F., 4=4597  
 Pyle, J. See Galasso, F., 4=4619  
 Pyle, R.V. See Allen, T.K., 1=284  
 Pyle, R.V. See Bajjal, J.S., 4=9682  
 Pyle, R.V. See Berkner, K.H., 4=11598  
 Pyle, R. V. See Berkner, K. H., 4=18676  
 Pyle, R. V. See Berkner, K. H., 4=25527  
 Pyle, R.V. See Diaz, J.A., 3=8145  
 Pyle, R.V. See Hubbard, E.L., 0=9647  
 Pyle, R.V. See Kaplan, S., 1=16267  
 Pyle, R.V. See Kaplan, S.N., 3=19176  
 Pyle, R.V. See Kaplan, S.N., 3=24213



- Pyle, R. V. See Paulikas, G. A., 2=7582  
 Pyle, T. Heats of solution in the noble metal solvents, 4=7469  
 Pyne, A. C. Study of a dark cloud of the great rift in Cygnus, 0=12322  
 Pyne, I. B. See Serrell, R., 2=15455  
 Pyper, D. M. See Bidelman, W. P., 4=26915  
 Pyper, J. W. and Long, F. A. Equilibrium in the deuterium exchange of acetylene and water, 4=30894  
 Pyrachevich, P. P. See Ibragimov, Kh. I., 4=21112  
 Pysh, E. S., Jortner, J. and Rice, S. A. Forbidden electronic transitions in  $\text{XeF}_2$  and  $\text{XeF}_4$ , 4=17298  
 Pȳshin, V. K. See Bagdasarov, Yu. E., 4=25456  
 Pyt'ev, Yu. P. On connection between classical and wave mechanics, 3=14026  
 Pyt'ev, Yu. P. Flow of charged particles in an electromagnetic field, 4=19128  
 Pȳt'eva, M. B. and Dubimina, E. M. Thermionic emission of a hollow cathode, 4=8803  
 Pȳt'eva, M. B., Spivak, G. V. and Dubinina, E. M. A high vacuum ion source, 4=14767  
 Pytkowski, S. See Krauze, W., 1=2797  
 Pytkowski, S. Ionization gauge head for very high vacuum measurements, 1=4387  
 Pytte, A. Pinch with a small rotation, 1=2971  
 Pytte, A. A note on perturbation theory in nearly periodic systems, 2=13243  
 Pytte, A. and Blanken, R. Effect of collisions on electron waves in a plasma in a magnetic field, 4=8753  
 Pytte, A. See Frieman, E., 1=11941  
 Pytte, A. See McKae, H. B., 4=14732  
 Pyun, C. W. and Fixman, M. Frictional coefficient of polymer molecules in solution, 4=27157  
 Pyun, C. W. and Ross, J. Composition dependence of non-equilibrium effects in gas-phase reactions, 4=23632  
 Pyzhov, N. M. See Zolototrubov, I. M., 0=17008  
 Pyzhov, N. M. See Zolototrubov, I. M., 1=4598



- Quade, C. R. The Zeeman effect in molecules, 4=28163  
 Quade, C. R., Brumage, W. H. and Lin, C. C. Magnetic susceptibilities of vanadium-doped corundum crystals, 4=1801  
 Quade, C. R. and Lin, C. C. Internal rotation in completely asymmetric molecules. I. A general theory and analysis of the microwave rotational spectrum of  $\text{CH}_3\text{DCOH}$ ,  $\text{CD}_2\text{HCOH}$ , and  $\text{CHCOCH}_3\text{D}$ , 3=3288  
 Quade, C. R. See Brumage, W. H., 3=20548  
 Quader, M. A. An X-ray study of silver-cadmium alloys, 1=15118  
 Quader, M. A. Anelastic measurement of diffusion in  $\alpha$ -AgCd alloys, 2=3945  
 Quader, M. A. Internal friction in Al-Cu alloy, 2=14872  
 Quader, M. A. Dislocation damping in  $\alpha$ -AgCd alloy, 2=15062  
 Quader, M. A. Zener relaxation in  $\alpha$ -AgCd alloys, 4=28981  
 Quader, M. A. See Dey, B. N., 3=25735  
 Quader, M. A. Internal friction in Au-Ni alloy, 3=1217  
 Quader, M. A. and Dey, B. N. Lattice expansion and Debye temperature of  $\alpha$ -phase Ag-Cd alloys, 2=12389  
 Quail, J. W. See Bacon, J., 3=17613  
 Quail, J. W. See Bacon, J., 4=9768  
 Quail, J. W. See Gillespie, R. J., 4=3911  
 Quan Dang Tran. See Dang Tran Quan.  
 Quang, H. K. See Kerman, A. K., 4=27935  
 Quaranta, A. A., Dore, U. and Pieraccini, F. On the determination of the mean life of  $\mu^+$  mesons in Ca and Pb, 0=1290  
 Quaranta, A. A. and Righini, B. Fast transistorized pulse height analyzer, 2=2970  
 Quaranta, A. A. and Righini, B. Single channel transistorized pulse height analyzer, 2=9504  
 Quarati, P. See Bosco, B., 4=25370  
 Quareni, G., Quareni Vignudelli, A., Gottstein, K., Laboragine, I. and Salandin, A. Search for leptonic and radiative decays of charged  $\Sigma$ -hyperons, 1=13518  
 Quareni, G., Vignudelli, A. Q., Dascola, G. and Mora, S. Experimental evidence for the decay mode  $\Sigma^+ \rightarrow p + \gamma$ , 0=7417  
 Quareni, G. See Giacomelli, G., 3=10167  
 Quareni, G. See Monti, D., 1=16879  
 Quareni-Vignudelli, A. See Giacomelli, G., 3=10167  
 Quareni Vignudelli, A. See Monti, D., 1=16879  
 Quareni Vignudelli, A. See Quareni, G., 1=13518  
 Quarumby, A. See Hatton, A. P., 3=274  
 Quarrell, A. G. See Sellars, C. M., 2=18999  
 Quarrell, A. G. See Wright, J. A., 2=10771  
 Quarrington, J. E. See Cochran, W., 1=17898  
 Quarrington, J. E. See Fray, S. J., 1=6212  
 Quarrington, J. E. See Fray, S. J., 3=18961  
 Quassiat, B. See Barbaro-Galtieri, A., 1=17102  
 Quassiat, B. See Bisi, V., 4=15105  
 Quassiat, B. See Bisi, V., 4=21928  
 Quassiat, B. See Bisi, V., 4=25195  
 Quassiat, B. See Chiesa, A. M., 1=8501  
 Quassiat, B. See Garelli, C. M., 0=2591  
 Quassiat, B. See Garelli, C. M., 0=13076  
 Quassiat, B. See Garelli, C. M., 0=15447  
 Quassiat, B. See Garelli, C. M., 0=20228  
 Quassiat, B. See Marzari-Chiesa, A., 3=19695  
 Quat Ti Nguyen. See Couderc, J. J., 0=4595  
 Quat Ti Nguyen. See Nguyen Quat Ti.  
 Quate, C. F. A simple approach to the attenuation of sound in semiconductors, 4=30515  
 Quate, C. F. See Blötekjaer, K., 4=20207  
 Quate, C. F. See Haydl, W. H., 4=29708  
 Quate, C. F. See Siegman, A. E., 4=24899  
 Quattropiani, A. Heat resistance by spin wave-spin wave scattering in a ferromagnetic, 3=10617  
 Quattropiani, A. and Baltensperger, W. Heat transport by spin-wave-spin-wave scattering in ferromagnetics, 2=6293  
 Quattropiani, A. See Cotti, P., 2=18513  
 Quattropiani, A. See Cotti, P., 3=10728  
 Quattropiani, A. See Witkowski, A., 4=20127  
 Quay, P. M. See Peterson, R. L., 4=8093  
 Quay, P. M. See Tisza, L., 4=2577  
 Quazi, A. H. Metal-semiconductor contact effects with particular reference to the Johnson-Rahbek effect, 4=12877  
 Quear, R. E. See Kronenberg, K. J., 3=20920  
 Quebert, J. L., Coste, M. and Marquez, L. Study of the 2-stage reaction:  $\text{Li}^0(\text{Li}^0, \alpha)\text{Be}^{8*}$ ,  $\text{Be}^{8*} = 2\alpha$ , 4=22218  
 Quebert, J. L. See Garin, A., 4=30358  
 Quebert, J. L. See Lemeille, C., 4=17203  
 Queen, N. M. Corrections to the impulse approximation for elastic nucleon-deuteron scattering, 4=25083  
 Queilli-Lefèvre, C. and Cagniard, L. Calculation of the geomagnetic dipole from "associated moments", 2=19256  
 Queirolo, G. T. See Ascoli, A., 4=22645  
 Queisser, H. J. Slip patterns on boron-doped silicon surfaces, 1=12597  
 Queisser, H. J. Forward characteristics and efficiencies of silicon solar cells, 2=9522  
 Queisser, H. J. Properties of twin boundaries in silicon, 3=11215  
 Queisser, H. J. Oxygen impurity atmospheres around dislocation in silicon, 3=22761  
 Queisser, H. J. Anomalous current characteristics of p-n junctions in silicon, 4=7007  
 Queisser, H. J., Finch, R. H. and Washburn, J. Stacking faults in epitaxial silicon, 2=10404  
 Queisser, H. J. and Goetzberger, A. Microplasma breakdown at stair-rod dislocations in silicon, 3=20351  
 Queisser, H. J. and Schwuttke, G. H. Crystal defects in silicon solar cells. I. X-ray observations, 4=7005  
 Queisser, H. J., Thomas, G. and Washburn, J. Crystal defects in silicon solar cells. II. Transmission electron microscopy, 4=7006  
 Queisser, H. J. See Finch, R. H., 3=10680  
 Queisser, H. J. See Shockley, W., 1=6170  
 Queisser, H. J. See Shockley, W., 4=10079  
 Queisser, H. J. See Washburn, J., 4=1500  
 Queisser, H. J. See Washburn, J., 4=22590  
 Quelle, F. W., Jr. Energy bands in semiconductors, 2=23269  
 Quemada, D. Landau damping of longitudinal waves obtained from the macroscopic equations of a plasma without collision, 4=2998  
 Quemada, D. Non-adiabatic character of slow longitudinal waves in a collisionless plasma where  $T_e = T_i$ . Landau damping obtained from the equations of moment, 4=19003  
 Quemada, D. See Delcroix, J. L., 0=2372  
 Quemada, D. See Delcroix, J. L., 0=3761  
 Quémada, D. See Delcroix, J. L., 2=1432  
 Quemada, D. See Delcroix, J. L., 3=12215  
 Quemerais, A. See Lemonnier, J. C., 4=29756  
 Quenby, J. J. and Thambyahpillai, T. Atmospheric temperature effects on the solar daily variation of cosmic ray intensity, 0=17444  
 Quenby, J. J. and Webber, W. R. Cosmic ray cut-off rigidities and the earth's magnetic field, 0=15492  
 Quenby, J. J. and Wenk, G. J. Cosmic ray threshold rigidities and the earth's magnetic field, 2=22681  
 Quenby, J. J., Wenk, G. J. and Bland, C. J. Cosmic ray threshold rigidities, 2=16252  
 Quenby, J. J. See Durney, A. C., 3=6967  
 Quenby, J. J. See Durney, A. C., 4=29354  
 Quenby, J. J. See Elliot, H., 1=3357  
 Quenby, J. J. See Webber, W. R., 0=20305  
 Quentin, G. See Malgrange, J. L., 4=4489  
 Quentin, G. See Malgrange, J. L., 4=10402  
 Quercia, I. F. Electronic apparatus for the measurement of dynamic magnetic fields, 0=19866  
 Quercia, I. F. See Alberigi, A., 0=20004  
 Quercia, I. F. See Alberigi-Quaranta, A., 0=20002  
 Quercia, I. F. See Fabri, G., 4=3393  
 Quercia, I. F. See Ghigo, G., 0=19848  
 Quercia, I. F. See Iaci, G., 2=13776  
 Quercigh, E. and Herz, A. J. Production of high magnetic fields by the use of an unconstrained mercury coil, 3=21935  
 Quercigh, E. See Gandolfi, E., 0=11326  
 Quercigh, E. See Jones, B. D., 1=8500  
 Quere, Y. Quenching of vacancies in silver, 0=17954  
 Quéré, Y. The mobility of lattice vacancies in silver, 1=14253  
 Quéré, Y. Interactions between quenched-in vacancies and impurities in metals and alloys, 3=8424  
 Quéré, Y. Interactions between quenched vacancies and oxygen in silver, 3=22747  
 Quéré, Y. Effects of weak radiation on uranium, 4=1534  
 Quéré, Y. Resistivity variations in uranium irradiated at low temperatures, 4=6932  
 Quéré, Y. and Doulat, J. Deformation under irradiation of uranium at low temperature, 1=10022  
 Quéré, Y. See Jousset, J. C., 3=20270  
 Querrou, M. and Le Montagner, S. Transient phenomena in the discharge of condensers with polar dielectrics, 4=22776  
 Quéru, P. See Carlino, L., 4=30133  
 Quertzoli, R., Salvini, G. and Silverman, A. The polarization of the proton from the process  $\gamma + p \rightarrow \pi^0$  in the region of the higher resonances, 1=5726



- Querzoli, R. and Silvestrini, V. On the quantum numbers of the  $\eta$  particle, 3=10164
- Querzoli, R. See Bacci, C., 2=2187
- Querzoli, R. See Bernardini, C., 0=2589
- Querzoli, R. See Bernardini, C., 2=7690
- Querzoli, R. See Bernardini, C., 3=17005
- Querzoli, R. See Duetsch, M., 2=22557
- Querzoli, R. See Mencuccini, C., 2=11976
- Querzoli, R. See Mencuccini, C., 2=22520
- Quesne, C. Excitation of three-phonon vibrational states by inelastic  $\alpha$ -particle scattering, 3=22286
- Quesne, C. and Willain, C. Exchange contribution in scattering of alpha-particles by light nuclei, 4=17192
- Quesne, C. and Willain, C. Exchange contribution to the elastic scattering of alpha particles by light nuclei, 4=25433
- Quesser, H. J. See Schwuttke, G. H., 2=10397
- Quetier, M. and Rappeneau, J. Energy stored by irradiated graphite. Variation of the energy as a function of successive annealings, 2=18573
- Quezel-Ambrunaz, S. and Mareschal, M. Lattice parameters of rare-earth chromites, 4=2088
- Quezel, G. See Cohen, J., 1=2470
- Quidort, J. See Barloutaud, R., 0=5661
- Quidort, J. See Barloutaud, R., 0=9536
- Quidort, J. See Barloutaud, R., 0=13145
- Quidort, J. See Gastebois, J., 2=487
- Quidort, J. See Gastebois, J., 2=3468
- Quiesser, H. J., Hubner, K., Shockley, W. Diffusion along small-angle grain boundaries in silicon, 1=11228
- Quigley, M. J. S. See Haslam, C. G. T., 4=20946
- Quigley, T. J. See Rouy, A. L., 3=16807
- Quilliet, A. Optical absorption of mercury telluride and selenide between 3 and 15 microns, 2=10608
- Quilliet, A., Rodot, H. and Rodot, M. Electrical and optical properties of high-purity HgTe, 3=10835
- Quimby, S. L. See Weisberg, L. R., 4=7488
- Quine, J. P., Tomiyasu, K. and Younger, C. Pulse modulation of gallium arsenide injection luminescent diode laser, 4=19306
- Quince, B. W. See Eisner, H. S., 1=11631
- Quinn, C. M. and Robert, M. W. Adsorption of carbon dioxide on nickel and the influence of adsorbed species on subsequent hydrogen chemisorption, 2=15103
- Quinn, C. M. and Roberts, M. W. Surface-potential measurements of nitrogen on tungsten, 4=11687
- Quinn, C. M. and Roberts, M. W. Nature of thin oxide films on metals as revealed by work function measurements, 4=19076
- Quinn, C. M. and Roberts, M. W. Chemisorption of oxygen and subsequent processes on metal films: work function measurements, 4=23657
- Quinn, D. J. and Budnick, J. I. Study of the superconducting transition temperature in dilute thallium solid solutions, 1=10642
- Quinn, D. J. See Miller, P. B., 4=18576
- Quinn, D. J. See Seraphim, D. P., 2=7494
- Quinn, D. J., III and Ittner, W. B., III. Resistance in a superconductor, 2=11562
- Quinn, E. See King-Hele, D. G., 4=30993
- Quinn, H. F. See Alexander, F. B., 4=12933
- Quinn, H. F. See Hamaker, R. W., 2=18720
- Quinn, J. J. Electron-phonon interaction in normal metals, 1=17408
- Quinn, J. J. Range of excited electrons in metals, 2=12403
- Quinn, J. J. The diamagnetic susceptibility of a quantum plasma, 5=19231
- Quinn, J. J. The range of hot electrons and holes in metals, 3=20146
- Quinn, J. J. Quantum oscillations in the absorption of helicon waves in solids, 4=9926
- Quinn, J. J. Theory of the parallel field magnetoacoustic effect, 4=12636
- Quinn, J. J. Properties of a quantum plasma in a uniform magnetic field, 4=20250
- Quinn, J. J. Conductivity tensor of an anisotropic quantum plasma in a uniform magnetic field, 4=22546
- Quinn, J. J. and Ferrell, R. A. Quasi-particle approach to interaction in an idealized metal, 1=9993
- Quinn, J. J. and Rodriguez, S. Magnetic field dependence of the velocity of sound in metals, 2=23058
- Quinn, J. J. and Rodriguez, S. Electrodynamical properties of a quantum plasma in a uniform magnetic field, 3=1129
- Quinn, J. J. and Rodriguez, S. Quantum effects in ultrasonic attenuation in metals in a magnetic field, 3=4816
- Quinn, J. J. and Rodriguez, S. Helicon-phonon interaction in metals, 4=12705
- Quinn, J. J. and Rodriguez, S. Helicon-phonon interaction in metals, 4=12707
- Quinn, J. J. and Rodriguez, S. Helicon-phonon interaction in metals, 4=12708
- Quinn, J. J. and Rodriguez, S. Electrodynamics of an electron gas in a uniform magnetic field, 4=17405
- Quinn, J. J. See Langenberg, D. N., 4=12631
- Quinn, J. M. F. and Bodin, H. A. B. A microwave study of the precursor effect, 4=18347
- Quinn, J. M. P. See Bodin, H. A. B., 3=12155
- Quinn, J. M. P. See Bodin, H. A. B., 3=12156
- Quinn, J. M. P. See Reynolds, J. A., 1=9585
- Quinn, R. G. and Smyth, C. P. Dielectric dispersion of a polar-nonpolar liquid mixture near the critical solution temperature, 4=5206
- Quinn, R. G. and Smyth, C. P. Dielectric properties of a binary mixture of polar liquids having a critical solution temperature, 4=29639
- Quinn, R. G. See McDuffie, G. E., Jr., 2=19574
- Quinn, T. F. J. Role of oxidation in the mild wear of steel, 2=4349
- Quinn, T. F. J. A topographical and crystallographic study of the surfaces of rubbed electrographite, 3=6807
- Quinn, T. F. J. The preferred orientations within a contact film formed by the repeated sliding of an electrographite brush on a copper ring, 4=17836
- Quinn, T. F. J. See Halliday, J. S., 0=18419
- Quinn, T. J. See Barber, C. R., 4=24336
- Quinn, T. J. See Casselton, R. E. W., 4=8496
- Quinn, T. P. See Nisbet, J. S., 3=13770
- Quinn, W. E. See Boyer, K., 0=13385
- Quinn, W. E. See Jahoda, F. C., 0=13386
- Quinn, W. E. See Jahoda, F. C., 4=24678
- Quinn, W. E. See Little, E. M., 1=10721
- Quinn, W. E. See Little, E. M., 2=5351
- Quinn, W. E. See Little, E. M., 3=12206
- Quinn, W. E. See Little, E. M., 3=19266
- Quinn, W. E. See Nagle, D. E., 0=462
- Quinn, W. E. See Nagle, D. E., 0=13387
- Quinton, A. R., Anderson, C. E. and Knox, W. J. Fluorescent response of cesium iodide crystals to heavy ions, 0=664
- Quinton, A. R., Britt, H. C., Knox, W. J. and Anderson, C. E. The fission of gold by oxygen nuclei, 0=17636
- Quinton, A. R. and Lawrence, G. P. The energy levels of  $Mg^{24}$ , 2=20518
- Quinton, A. R. See Anderson, C. E., 0=4104
- Quinton, A. R. See Anderson, C. E., 1=733
- Quinton, A. R. See Britt, H. C., 1=746
- Quinton, A. R. See Britt, H. C., 2=499
- Quinton, A. R. See Bromley, D. A., 1=19533
- Quinton, A. R. See Hubbard, E. L., 1=10749
- Quinton, A. R. See Knox, W. J., 1=734
- Quinton, A. R. See Seaman, G. G., 3=17500
- Quirk, J. P. See Millington, R. J., 2=6843
- Quirk, J. P. See Millington, R. J., 4=22608
- Quirk, T. W. and Spicer, B. M. The forward peaking of fast photoneutron angular distributions, 4=12199
- Quirk, T. W. See Allum, F. R., 4=19746
- Quiroz, R. S. Seasonal and latitudinal variations of air density in the mesosphere (30 to 80 kilometers), 1=20887
- Quisenberry, K. S. See Armstrong, J. C., 1=7399
- Quisenberry, K. S. See Blair, A. G., 1=7400
- Quisenberry, K. S. See Cohen, B. L., 0=9635
- Quisenberry, K. S. See Martin, J. P., 0=17604
- Quist, A. S. See Frank, H. S., 1=4326
- Quist, T. M., Rediker, R. H., Keyer, R. J., Krag, W. E., Lax, B., McWhorter, A. L. and Zeigler, H. J. Semiconductor maser of GaAs, 3=9971
- Quist, T. M. See Galeener, F. L., 3=20542
- Quist, T. M. See Keyes, R. J., 2=23393
- Quist, T. M. See Keyes, R. J., 4=14942
- Quist, T. M. See Rediker, R. H., 4=7011
- Quitmann, D. Measurement of the  $2P-1S$  transition energy in the muonic barium atom, 3=8218
- Quitmann, D., Engler, R., Hegel, U., Brix, P., Backenstoss, G., Goebel, K. and Stadler, B. Study of mu-mesonic X-rays: elements from sulphur to molybdenum, 4=15310
- Quitmann, D. See Brix, P., 2=14230
- Quittet, A. M. See Bousquet, C., 3=25660



- Quittet, A.M. See Lambert, M., 4=26694  
 Quittner, P. See Adam, A., 4=9524  
 Quittner, P. See Adam, A., 4=16910  
 Quitzsch, K., Hüttig, R., Vogel, H.-G., Gesemann, H.-J. and Geiseler, G. Improved apparatus for measuring precisely total vapour pressure above liquid mixtures, 4=5458  
 Quitzsch, K., Schaffernicht, H. and Geiseler, G. On a metal-block microcalorimeter, 4=2880  
 Quivy, M. See Boscher, J., 2=23818  
 Quivy, M. See Goldsztaub, S., 3=1262  
 Quivy, P. See Bouchez, R., 2=12133  
 Quivy, R. Precise determination of the  $\gamma$ -absorption coefficient, 3=19602  
 Quivy, R. and Franeau, J. Theoretical and experimental determination of the bremsstrahlung emitted by  $P^{32}$   $\beta$ -rays in Au, 1=13583  
 Qurashi, M.M. Use of the anti-symmetric component of the Patterson and Fourier functions for the solution of problems involving small atomic shifts from positions of super-symmetry, 3=13444  
 Qurashi, M. M. Possible existence of jumps in activation energy of flow in some molten metals within  $150^\circ$  of the freezing point, 4=155  
 Qurashi, M.M. Jumps in activation energy of flow and discrete cluster formation in molten metals within  $150^\circ\text{C}$  of the freezing point, 4=5137  
 Qurashi, M. M. Possible existence of discontinuities in the first and higher derivatives of the coefficient of dilatation of pure water, 4=21124  
 Qurashi, M.M. and Ahsanullah, A.K.M. Studies in the properties of heat insulating building materials. II. The thermal conductivity of binary mixtures with particular reference to cellular concrete, 0=19480  
 Qurashi, M.M. and Ahsanullah, A.K.M. Investigation of periodic discontinuities in the mutual potential energy of molecules of water and some polyhydric alcohols, 1=4324  
 Qurashi, M.M. and Ahsanullah, A.K.M. The relationship between viscosity and molecular structure. IV. Observation of energy-level structure in the intermolecular potential energy of activation for viscous flow of water, 1=15780  
 Qurashi, M.M., Ahsanullah, A.K.M. and Rizvi, S.H. Note on a fully dynamical variant of Lees' disc method for the rapid determination of the thermal conductivity of poor conductors, 1=18643  
 Qurashi, M.M. and Rizvi, S.H. An accurate rapid semi-dynamical method for the determination of thermal conductivities of poor conductors, 1=18642  
 Qurashi, M.M. See Ahsanullah, A.K.M., 2=15567  
 Qurashi, M. M. See Ahsanullah, A. K. M., 4=21125  
 Qurashi, M.M. See Chowdhry, A.M., 1=15781  
 Qurashi, M.M. See Rauf, A., 0=19045  
 Qureshi, I. H. See Ross, D. S., 4=117  
 Quynn, R.G. Internal volume in fibers, 3=13551  
 Qvist, B. See Brene, N., 1=5779  
 Qvist, B. See Brene, N., 2=7897  
 Qvist, B. See Dahlblom, T., 4=27938



- Raab, B. Power-producing shield for space reactors, 3=22454  
 Raab, B. See Beiser, A., 1=3048  
 Raab, D.H. Forward and backward masking between acoustic clicks, 1=4148  
 Raab, D.H. and Osman, E. Effect of temporal overlap on brightness matching of adjacent flashes, 2=24209  
 Raab, D.H. and Osman, E. Effect of masking noise on lateralization and loudness of clicks, 3=1555  
 Raab, D.H. and Osman, E. Magnitude estimation of the loudness of clicks, 3=3676  
 Raab, D.H., Osman, E. and Rich, E. Intensity discrimination, the "pedestal" effect, and "negative masking" with white-noise stimuli, 3=21159  
 Raab, D.H., Osman, E. and Rich, E. Effects of waveform correlation and signal duration on detection of noise bursts in continuous noise, 4=10960  
 Raab, D.H. See Osman, E., 4=10959  
 Raab, F. See Linnell, R.H., 2=10961  
 Raab, I. See Gröbner, W., 4=2472  
 Raab, J. See Rabenhorst, H., 0=627  
 Raab, W. On Riemannian spin space, 4=2537  
 Raal, F.A. A strong absorption system in Type I diamonds, 0=4417  
 Raal, F.A. Alleged formation of an intermediate diamond structure on heating diamond, 0=12037  
 Raal, F.A. See Mutch, R.E., 0=4357  
 Raalte, T.L. Van. See Van Raalte, T.L.  
 Raam, F. See Gronvold, F., 2=15041  
 Raay, H.B. van der. See van der Raay, H.B.  
 Rabani, J. On the two forms of hydrogen atoms in neutral solutions irradiated by X-rays, 2=12979  
 Rabani, J. and Stein, G. Yield and reactivity of electrons and H atoms in irradiated aqueous solutions, 3=3410  
 Rabani, J. See Jortner, J., 3=3405  
 Rabatin, J.G. and Card, C.S. Simple recording thermobalance for vacuum and pressure studies, 0=61  
 Rabaud, H. and Clastre, J. Crystal structure of 9-cyanoanthracene, 0=4657  
 Rabben, H.H. Type III solar bursts and their relation to eruptions, 0=2084  
 Rabben, H.H. The Freiburg radio spectrograph. Instrument and preliminary results, 1=18159  
 Rabben, H.H. Spectral observations of the solar radio phenomenon of 25 and 26 August 1959, 2=15400  
 Rabben, H.H. See Kiepenheuer, K.O., 0=2076  
 Rabben, H.H. See Peter, G., 4=18932  
 Rabbiner, N. Fluorescence of  $\text{Sm}^{3+}$  in  $\text{CaF}_2$ , 3=13203  
 Rabbiner, N. Fluorescence of  $\text{Dy}^{3+}$  in  $\text{CaF}_2$ , 3=25481  
 Rabbiner, N. See Theissing, H.H., 0=1829  
 Rabe, E. On the formation of rapidly rotating asteroids, 0=6571  
 Rabe, E. Determination and survey of periodic Trojan orbits in the restricted problem of three bodies, 1=18023  
 Rabe, E. Additional periodic trojan orbits and further studies of their stability features, 2=17252  
 Rabe, E. and Schanzle, A. Periodic librations about the triangular solutions of the restricted earth-moon problem and their orbital stabilities, 3=7021  
 Raben, I.A. See Nevill, G.E., Jr., 3=19048  
 Rabenau, A. See Ford, R.A., 3=20072  
 Rabenau, A. See Grimmeiss, H.G., 1=17717  
 Rabenau, A. See Grimmeiss, H.G., 1=17775  
 Rabenau, A. See Kauer, E., 0=4321  
 Rabenhorst, H. and Raab, J. Dielectric properties of semiconductors, 0=627  
 Rabesiaka, J. and Kovacs, A.J. Isothermal crystallization kinetics of polyethylene. III. Influence of the sample preparation, 1=20423  
 Rabets, V.L. See Geguzin, Ya. E., 4=1961  
 Rabie, A. See El-Nadi, M., 4=6370  
 Rabin, H. X-ray expansion and coloration of undoped and impurity-doped NaCl crystals, 0=2824  
 Rabin, H. Thermal production of F-aggregate centers in KCl, 3=4891  
 Rabin, H. X-ray generation of M centers in alkali halides, 3=22845  
 Rabin, H. and Klick, C.C. Formation of F centers at low and at room temperatures, 0=6052  
 Rabin, H. and Reich, M. F band in isotopically enriched  $\text{LiF}$ , 4=22633  
 Rabin, H. and Schulman, J.H. F-band structure in cesium bromide, 0=7894  
 Rabin, H. and Schulman, J.H. Color centers in CsCl-type alkali halides, 2=6384  
 Rabin, H. and Schulman, J.H., The F-center in CsCl and CsBr, 2=23217  
 Rabin, H. See Faraday, B.J., 1=14341  
 Rabin, H. See Hughes, F., 3=15676  
 Rabin, N.B., and Kolganova, E.D. Measurements of mass of single charged particles emitted by absorption of mesons in emulsion nuclei, 2=22579  
 Rabin, N.V. See Kolganova, E.D., 4=16217  
 Rabin, N.V. See Vaisenberg, A.O., 0=11198  
 Rabin, N.V. See Vaisenberg, A.O., 0=13016  
 Rabin, N.V. See Vaisenberg, A.O., 2=18042  
 Rabin'kin, A.G. See Gratsianov, Yu. A., 4=22981  
 Rabinovich, A.L. Connection equations for a plane stress state in oriented glass-plastics, 4=14096  
 Rabinovich, B.S., Dills, D.H., McLain, W.H. and Current, J.H. Unimolecular decomposition of chemically activated ethyl-d<sub>2</sub> radicals, 0=4711  
 Rabinovich, E.M. See Zel'dovich, Ya.B., 0=10608  
 Rabinovich, E.Ya. See Samolovich, A.G., 3=25500  
 Rabinovich, G.D. Methods for determination of optical characteristics of selectively absorbing semi transparent materials, 3=9598  
 Rabinovich, I.B. and Nikolaev, P.N. Isotope effect in the heat capacity of some deuterium compounds, 2=13324  
 Rabinovich, I.S. See Vekshinsky, S.A., 1=9426  
 Rabinovich, M.S. Theoretical aspects of the Soviet 10 GeV synchrotron, 0=7178  
 Rabinovich, M.S. and Iogansen, L.V. Coherent radiation of electrons in a synchrotron. III, 0=12662  
 Rabinovich, M.S. See Andryukhina, E.D., 0=16978  
 Rabinovich, M.S. See Askaryan, G.A., 1=10713  
 Rabinovich, M.S. See Askar'yan, G.A., 3=12174  
 Rabinovich, M.S. See Askar'yan, G.A., 4=18966  
 Rabinovich, M.S. See Danikin, I.S., 0=9126  
 Rabinovich, M.S. See Iogansen, L.V., 0=9124  
 Rabinovich, M.S. See Levin, M.L., 3=24295  
 Rabinovich, M.S. See Moroz, E.M., 0=9125  
 Rabinovich, M.S. See Moroz, E.M., 0=9128  
 Rabinovich, M.S. See Veksler, V.I., 0=5369  
 Rabinovich, S.G. and Tkachenko, A.N. A universal photocompensation amplifier, 2=19840  
 Rabinovich, V.A. An analysis of experimental thermal values and the equation of state for hydrogen, 2=17507  
 Rabinovich, V.A. Calculation of the thermodynamic properties of deuterium, 3=23929  
 Rabinovich, V.A. and Tsoiman, G.I. The equation of state and thermodynamic properties of liquid ammonia, 2=2707  
 Rabinovich, V.A. See Kazavichinskii, Ya.Z., 2=11411  
 Rabinovich, V.A. See Vasserman, A.A., 4=24263  
 Rabinovich, W. See Mason, S.G., 0=2165  
 Rabinovici, B. Tunnel diode decade counter, 3=5611  
 Rabinovitch, B.S. and Current, J.H. On the classical approximation in unimolecular reactions and mass spectra, 2=10241  
 Rabinovitch, B.S., Kubin, R.F. and Harrington, R.E. Unimolecular decomposition in nonequilibrium systems. sec-butyl and sec-butyl-d<sub>2</sub> radicals produced by chemical activation at different levels of vibrational excitation, 3=8965  
 Rabinovitch, B.S. and Pearson, M.J. Elementary rates of unimolecular decomposition in a homologous series, 4=30484  
 Rabinovitch, B.S. See Bradley, J.N., 2=23009  
 Rabinovitch, B.S. See Current, J.H., 3=11347  
 Rabinovitch, B.S. See Current, J.H., 3=16154  
 Rabinovitch, B.S. See Current, J.H., 4=10639  
 Rabinovitch, B.S. See Current, J.H., 4=22441  
 Rabinovitch, B.S. See Falconer, W.E., 3=20993  
 Rabinovitch, B.S. See Harrington, R.E., 0=8301  
 Rabinovitch, B.S. See Harrington, R.E., 0=17739  
 Rabinovitch, B.S. See Harrington, R.E., 0=21274  
 Rabinovitch, B.S. See Kohlmaier, G.H., 3=12878  
 Rabinovitch, B.S. See Kohlmaier, G.H., 3=12879  
 Rabinovitch, B.S. See Kohlmaier, G.H., 4=3929  
 Rabinovitch, B.S. See Kubin, R.F., 2=21586  
 Rabinovitch, B.S. See Schlag, E.W., 0=14101  
 Rabinovitch, B.S. See Setser, D.W., 1=20754  
 Rabinovitch, B.S. See Setser, D.W., 4=17324  
 Rabinovitch, B.S. See Setser, D.W., 4=26752  
 Rabinovitch, B.S. See Simons, J.W., 4=22432  
 Rabinovitch, B.S. See Simons, J.W., 4=25783  
 Rabinovitch, B.S. See Whitten, G.Z., 3=17556  
 Rabinovitch, K. and Perel, J. Dependence of the extended fine structure of the K-absorption edge in a Ge single crystal on the direction of polarization, 3=20500



- Rabinovitch, K. See Alexander, E., 4=4258
- Rabinovitch, M. Study of the permittivity of some dielectric powders and mixtures of powders in the 10 000 Mc/s band, 4=26093
- Rabinovitch, W. Exponential transfer and diffusion, 0=19470
- Rabinowicz, E. Influence of surface energy on friction and wear phenomena, 1=11524
- Rabinowicz, E. Resource letter F-1 on friction, 4=7397
- Rabinowitch, E. See Murty, N.R., 4=25782
- Rabinowitz, M. Vacuum calorimetry in exploding wire studies, 2=22082
- Rabinowitz, M. See Donaldson, E.E., 3=9759
- Rabinowitz, P., Jacobs, S. and Gould, G. Continuous optically pumped Cs laser, 2=20139
- Rabinowitz, P., Jacobs, S.F., Shultz, T. and Gould, G. Cube-corner Fabry-Perot interferometer, 2=7385
- Rabinowitz, P. and Weiss, G. Tables for the calculation of lattice sums, 0=21152
- Rabinowitz, P. See Dostrovsky, I., 0=13218
- Rabinowitz, P. See Gould, G., 4=18430
- Rabinowitz, P. See Jacobs, S., 2=6101
- Rabinowitz, P. See LaTourette, J. T., 4=30085
- Rabkin, L.I. and Novikova, Z.I. Concerning correlation between the electric and magnetic properties of Ni-Zn ferrites, 3=8684
- Rabkin, L.M. See Yatsenko, A.F., 2=14353
- Rabkin, L.M. See Yatsenko, A.F., 2=16824
- Rabkin, L.M. See Yatsenko, A.F., 2=18828
- Rabl, H. A resonance phenomenon in a magnetically annealed Perminvar ferrite, 0=680
- Rabl, H. See de Kienlin, A., 0=13822
- Rabot, R. See Emschwiller, G., 3=13165
- Rabotkin, V.L. Electroluminescence of ZnS:Cu:Pb micro-crystals, 3=20545
- Rabotkin, V.L. On the effect of the electroluminescent cell dielectric on the electroluminescence brightness, 4=1785
- Rabotkin, V.L. and Sokolov, V.A. "Anisotropy" of a luminance wave from a polarized electroluminescent cell, 0=16113
- Rabotkin, V.L. and Sokolov, V.A. Investigation of the electroluminescence of some phosphors with excitation by unipolar pulses, 2=14754
- Rabotkina, L.R. See Litvinova, P.S., 2=6646
- Rabotnikov, Yu.L. A study of the lattice vibrations of tellurium by the methods of group theory, 0=20737
- Rabotnikov, Yu.L. A study of the lattice vibrations of tellurium by the methods of group theory, 1=4964
- Rabotnov, N.S. See Davydov, A.S., 0=13119
- Rabotnov, N.S. See Davydov, A.S., 0=17476
- Rabotnov, N.S. See Usachev, L.N., 4=1116
- Raboy, S. and Traul, C.C. A note on the background in NaI scintillation counters, 1=19061
- Raboy, S. See Anderson, H.L., 4=3823
- Raboy, S. See Monahan, J.E., 1=8464
- Raboy, S. See Monahan, J.E., 1=12183
- Raboy, S. See Monahan, J.E., 2=18308
- Raboy, S. See Monahan, J.E., 3=6198
- Rabson, T.A. A small, linear, wide range nuclear radiation detector, 2=22358
- Rabson, T.A. Utilization of tunnel diodes in fast trigger circuits, 2=2977
- Rabson, T.A., Barfield, W.D., Bernard, D.L., Bonner, T.W. and Givens, W.W. Gamma radiations from excited states of  $\text{Ne}^{20}$ , 1=665
- Rabson, T.A., Bonner, T.W., Castillo-Bahena, R., Harlow, M.V., Jr, Haenni, H.P. and Ranken, W.A. Gamma-radiation from excited states of  $\text{F}^{18}$ ,  $\text{Na}^{22}$ , and  $\text{Ne}^{22}$ , 0=20414
- Rabson, T.A. See Mainsbridge, B., 4=3674
- Rabuzin, T. See Smiljanic, G., 0=4759
- Racah, G. Four dimensional orthogonal groups, 0=3912
- Racah, G. Theory of Lie groups, 0=3912
- Racah, G. Use of the Weizac in theoretical spectroscopy, 0=5165
- Racah, G. Vector coupling and rotations in the rare-earth spectra, 0=9773
- Racah, G. [Edited by]. Nuclear spectroscopy [proceedings of the International School of Physics "Enrico Fermi", Varenna, 1960; Course 15], 4=25244
- Racah, G. and Shadmi, Y. The configurations  $3d + 4s^n$  in the second spectra of the iron group, 0=4171
- Racah, G. and Shadmi, Y. Q correction in the spectra of the iron group, 0=13414
- Racah, G. and Spector, N. The configurations  $3d^n 4p$  in the second spectra of the iron group, 1=806
- Racchah, P. and Vallet, P. A new system of isotherms of solid wüstite, 3=5076
- Racchah, P. See Vallet, P., 4=26559
- Racchah, P. See Vallet, P., 4=26742
- Racette, J.H. See Hall, R.N., 0=13628
- Racette, J.H. See Hall, R.N., 1=7647
- Racette, J.H. See Hall, R.N., 1=17689
- Racette, J.H. See Hall, R.N., 4=12791
- Rachal, L.H. Fast response, low inertia vacuum furnace, 1=13019
- Rachal, L.H. See Sosin, A., 3=15489
- Rachinger, W.A. Creep processes in polycrystalline aluminium, 0=16216
- Rachinger, W.A. See Duggin, M.J., 4=17755
- Rachinger, W.A. See Duggin, M.J., 4=29008
- Rachinskaya, V.V. The hydraulic resistance of ion-exchange resins, 0=12067
- Rachkov, V.P. See Der-Shvarts, G.V., 3=2032
- Rachman, A. Analysis of the microwave spectrum of meta-fluoro-chloro-benzene, 3=4768
- Racine, C. The relativistic rotating mass problem, 4=5039
- Racine, J. See Menoud, C., 3=9992
- Rack, E.P. and Gordus, A.A. Effect of inert-gas moderators on the  $(n, \gamma)$  activated reaction of  $\text{I}^{128}$  with  $\text{CH}_4$ , 1=10298
- Rack, E.P. and Gordus, A.A. Reactions of high-energy, excited  $\text{I}^{128}$  ions with gaseous molecules, 2=4564
- Rack, E.P., Lang, C.E. and Voigt, A.F. Influence of structure of gaseous products from  $\text{C}^{11}$  recoil reactions in  $\text{C}_6$  hydrocarbons, 3=11359
- Rackham, T.W. See Kopal, Z., 4=23891
- Rackow, B. The spectrum of porphin-complexes as an example of a ring form of the Kuhn electron gas, 0=9814
- Rackow, B. The spectra of bacteriochlorophyll and -pheophytin as examples of a net form of Kuhn electron gas, 0=9815
- Raco, R.J. See Peskin, R.L., 3=23850
- Raczka, R. Evaluation of the phase space integral in the statistical treatment of multiple production with angular momentum conservation, 1=13319
- Raczka, R. Angular momentum wave function for three relativistic pions, 3=4348
- Rączka, R. A convenient representation for angular momentum wave function of three-pion system, 4=925
- Rączka, R. New formulation of the statistical theory of multiple particle production, 4=3305
- Rączka, R. Angular momentum wave function for n-pion system, 4=8099
- Rączka, R. and Werle, J. Angular correlations at the annihilation process  $\bar{N} + N \rightarrow \pi + \omega$  at rest, 4=6039
- Rączka, R. See Koba, Z., 0=17322
- Rączka, R. See Koba, Z., 0=17323
- Raczy, L., Constant, E. and Gabillard, R. Influence of traces of water on the dielectric behaviour of solid acetic acid, 1=17826
- Raczy, L., Constant, E. and Moriametz, M. Use of static and complex polarization for the study of intermolecular associations. Applications to several tertiary alcohols, 3=21396
- Raczy, L. See Constant, E., 2=2728
- Raczy, L. See Gabillard, R., 1=16242
- Raczy, L. See Moriametz, M., 4=29611
- Radak, B. and Marković, V. Isothermal calorimeter for reactor radiation dosimetry, 3=696
- Radak, B., Markovic, V. and Draganic, I. Radiation dosimetry of the reactor R.A. at Vinca. Measurements by isothermal calorimeter, 2=6000
- Radak, B.B. and Draganic, I.G. The "2kC"  $^{60}\text{Co}$  radiation unit of the Boris Kidrich Institute at Vincha, 2=18092
- Radanović, Lj. See Popović, D., 0=20519
- Radanovic, Lj. See Raišić, N., 0=20521
- Radaucan, S.I. Investigation of some complex semiconducting solid solutions and compounds on the basis of indium, 2=17053
- Radautsan, S.I. and Malkovich, B.E.-Sh. Some electrical properties of indium arseno-selenides, 2=10489
- Radautsan, S.I. See Berger, L.I., 4=1611
- Radautsan, S.I. See Goryunova, N.A., 0=1939
- Radautsan, S.I. See Goryunova, N.A., 0=9978
- Radautsan, S.I. See Nasledov, D.N., 0=16057
- Radchenko, I.V. Forty-five years of the X-ray study of liquids, 3=21303
- Radchenko, I.V. and Shapovalov, I.M. Peculiarities of the X-ray scattering intensity curves and of the curves of atom distribution in liquid metals (Review), 1=15840
- Radchenko, I.V. See Ljitynenko, H.V., 2=21898
- Radchenko, I.V. See Rýss, A.I., 4=21100



- Radchenko, I.V. See Shapovalov, I.M., 1=11748  
 Radchenko, M. Yu. and Tsvetkov, V.P. Atomic scattering and electronic density of carbonyl iron, 4=13591  
 Radchenko, R.V. See Galishev, V.S., 1=17874  
 Radchenko, V.P. See Burmistrov, V.R., 1=3419  
 Radchenko, Y.V. See Hulyvetz, N.Y., 4=7591  
 Radchik, A.S. and Evdokimov, V.D. Bauschinger's effect during frictional slip, 0=21111  
 Radchik, A.S. See Evdokimov, V.D., 0=4571  
 Radchik, V.S. See Evdokimov, V.D., 0=4571  
 Radchik, V.S. See Kobus, G.L., 2=4351  
 Radchik, V.S. See Kobus, G.L., 2=12872  
 Radcliffe, J.M. See Maradudin, A.A., 4=12577  
 Radcliffe, S.V., Kaufman, L. and Cohen, M. Comments on "Thermodynamics of the martensite transformation", 3=5122  
 Radcliffe, S.V. and Schatz, M. The effect of high pressure on the martensitic reaction in iron-carbon alloys, 2=8841  
 Radcliffe, S.V., Schatz, M. and Kulin, S.A. The effects of high pressure on the isothermal transformation of austenite in iron-carbon alloys, 3=11286  
 Radcliffe, S.V. and White, J.S. Two simple methods for spot welding wires, 1=21162  
 Radcliffe, S.V. See Tanner, L.E., 3=6866  
 Radczewski, O.E. and Schädle, J. A method of investigating ultra thin slices of minerals, 3=23533  
 Radd, F.J. and Crowder, L.H. Solid state rheological study of the mechanism of paraffin-detergent interactions in aqueous systems, 0=3158  
 Radd, F.J. and Oertle, D.H. Strength impairment mechanism of glass in aqueous systems, 0=18276  
 Radeka, V. A tunnel diode and common-base transistor complementary bistable, 3=14490  
 Radeka, V. Fast decimal counting with binary-decimal logic, 4=14974  
 Radeka, V. Fast analogue multipliers with field-effect transistors, 4=14975  
 Radell, J. and Harrah, L.A. Carbonyl stretching frequencies of some partially fluorinated esters, 5=8088  
 Radeloff, C. Determination of the six magnetostriction constants of iron, 4=28809  
 Radeloff, C. See Boersch, H., 1=16427  
 Radeloff, C. See Boersch, H., 2=4187  
 Radeloff, J. See Bodenstedt, E., 1=632  
 Radeloff, J. See Bodenstedt, E., 1=2160  
 Radeloff, J. See Bodenstedt, E., 1=8568  
 Radeloff, J. See Bodenstedt, E., 1=19410  
 Radeloff, J. See Bodenstedt, E., 2=12136  
 Radeloff, J. See Bodenstedt, E., 2=16300  
 Radeloff, J. See Bodenstedt, E., 3=2391  
 Radeloff, J. See Körner, H.J., 3=8013  
 Radelt, H. The temperature dependence of the absorption edge in CdS single crystals, 0=10039  
 Radelt, H. The real structure of cadmium sulphide crystals, 1=7574  
 Radelt, H. Becke lines in CdS crystals, 1=10008  
 Radelt, H. Temperature dependence of the magnetic susceptibility of single crystals of tellurium, 3=18063  
 Rademacher, H.J. The [subjective] loudness of noise from heavy vehicles, 1=215  
 Rademacher, H.J. and Venzke, G. The subjective and objective evaluations of the sound proofing of dividing walls and ceilings, 1=219  
 Rademacher, H.J. See Becker, G.W., 4=17741  
 Rademacher, K. See Hayess, E., 1=18797  
 Rademacher, K. See Hayess, E., 1=18807  
 Rademacher, K. See Hess, H., 1=18786  
 Rademacher, K. See Hess, H., 2=1405  
 Rademacher, K. See Hess, H., 3=16920  
 Rademacher, K. See Hess, H., 3=19225  
 Rademacher, K. See Hess, H., 3=21740  
 Rademacher, K. See Junge, C., 0=171  
 Rademacher, K. See Morgenroth, H., 1=18785  
 Rademacher, K. See Morgenroth, H., 1=18787  
 Rademacher, K. See Neumann, W., 0=1125  
 Rademacher, K. See Seliger, K., 2=9587  
 Rademacher, K. See Seliger, K., 3=19261  
 Radenac, A. and Hocheid, B. Determination of the thermal diffusivity of plutonium, 4=17443  
 Radenkovic, D. Limit theorems for a Coulomb material of non-standard dilatation, 1=20330  
 Rader, A. See Herbert, S., 4=9698  
 Rader, C. See Gold, B., 4=26986  
 Rader, C. See Mishkin, E., 1=16506  
 Rader, C. P. See Herbert, S., 4=9698  
 Radford, H.E. Paramagnetic resonance in the free hydroxyl radical, 0=2747  
 Radford, H.E. See Microwave Zeeman effect of free hydroxyl radicals, 1=7460  
 Radford, H.E. Microwave Zeeman effect of free hydroxyl radicals:  $\pi$  levels, 2=12335  
 Radford, H.E. Ten-kilocycle pound-type klystron stabilizer, 3=14765  
 Radford, H.E. Synthesis of diatomic radicals, 4=22433  
 Radford, H.E. and Broida, H.P. Rotational perturbations in CN. Zero field theory, optical Zeeman effect, and microwave transition probabilities, 2=22962  
 Radford, H.E. and Broida, H.P. Chemical and magnetic enhancement of perturbed lines in the violet spectrum of CN, 3=8253  
 Radford, H.E., Hughes, V.W. and Beltran-Lopez, V. Microwave Zeeman spectrum of atomic fluorine, 1=11067  
 Radford, H.E. and Linzer, M. Radio spectrum of SH, 3=19988  
 Radford, H.E. and Rice, F.O. Green and purple sulfur: electron-spin resonance studies, 0=16175  
 Radford, H.E. See Barger, R.L., 3=6390  
 Radford, L.E. Limit of stability of crystalline helium, 1=4529  
 Radford, L.E. See Hexner, P.E., 2=4521  
 Radha, T.K. and Thunga, R. Photon-electron correlations in double Compton scattering, 1=476  
 Radha, T.K. See Bhamathi, G., 2=1654  
 Radha, T.K. See Bhamathi, G., 2=5745  
 Radha, T.K. See Bhamathi, G., 2=13884  
 Radha, T.K. See Marshak, R.E., 4=5960  
 Radha, T.K. See Marshak, R.E., 4=19422  
 Radha, T.K. See Meister, N.T., 4=21965  
 Radha, T.K. See Meister, N.T., 4=25075  
 Radha, T.K. See Ramakrishnan, A., 1=16651  
 Radha, T.K. See Ramakrishnan, A., 1=13287  
 Radha, T.K. See Ramakrishnan, A., 2=5744  
 Radha, T.K. See Ramakrishnan, A., 2=13887  
 Radha, T.K. See Ramakrishnan, A., 2=13889  
 Radha, T.K. See Ramakrishnan, A., 2=22563  
 Radha, T.K. See Ramakrishnan, A., 2=29431  
 Radha, T.K. See Ramakrishnan, A., 3=610  
 Radha, T.S. Turnover in the forward characteristics of p-type germanium point contact diodes, 4=4182  
 Radha, T.S. and Suryan, G. Some observations on turnover in the reverse characteristics of germanium point contact diodes, 4=7013  
 Radha Menon, M. See Gopinathan, K.P., 4=3619  
 Radhakrishnan, V. and Roberts, J.A. Polarization and angular extent of the 960 Mc/sec radiation from Jupiter, 0=12254  
 Radhakrishna, H.C. See Bhargava, R.D., 4=105  
 Radhakrishna, H.C. See Bhargava, R.D., 4=106  
 Radhakrishna, H.C. See Bhargava, R.D., 4=8017  
 Radhakrishna, H.C. See Bhargava, R.D., 4=18131  
 Radhakrishna, L. Space-times associated with weighted mean Christoffel symbols, 3=16516  
 Radhakrishna, L. Some exact non-static cylindrically symmetric electrovac universes, 4=14017  
 Radhakrishna, L. See Misra, R., 3=472  
 Radhakrishna, L. See Roy, S.R., 3=23741  
 Radhakrishna, P. and Nielsen, M. Thermal conductivity of niobium-zirconium alloys at low temperatures, 4=4006  
 Radhakrishna Setty, D.L. See Dharmatti, S.S., 3=20676  
 Radhakrishnan, M. Potential constants of some  $XY_4$  type of silane compounds, 3=17588  
 Radhakrishnan, M. Thermodynamic properties of  $SF_4$  and  $SOF_4$ , 3=21445  
 Radhakrishnan, M. Urey-Bradley force field: Some  $XY_4$  type ions, 4=3842  
 Radhakrishnan, M. Urey-Bradley force field:  $XY_4$  type lead halides, 4=6597  
 Radhakrishnan, M. Force constants and thermodynamic properties of rhenium oxychloride and rhenium oxybromide, 4=6600  
 Radhakrishnan, M. Thermodynamic properties of carbon tetraiodide, 4=8247  
 Radhakrishnan, M. Potential constants of some  $XY_5$  type molecules, 4=9724  
 Radhakrishnan, M. Mean amplitude of vibration in some  $XY_4$  type ions, 4=15358  
 Radhakrishnan, M. Potential constants of some  $XY_4$  type molecules, 4=22339  
 Radhakrishnan, M. Potential constants of some  $XY_4$  type molecules and ions, 4=22340



- Radhakrishnan, M. See Venkateswarlu, K., 2=14247  
 Radhakrishnan, V. Self-absorption in the 21 cm radiation from galactic neutral hydrogen, 1=4219  
 Radhakrishnan, V. See Clark, B.G., 2=4851  
 Radhakrishnan, V. See Gupta, K.K., 4=388  
 Radhakrishnan, V. See Höglund, B., 1=47  
 Radhakrishnan, V. See Morris, D., 3=9277  
 Radhakrishnan, V. See Morris, D., 4=15949  
 Radhakrishnan, V. See Morris, D., 4=15961  
 Radhakrishnan, V. See Morris, D., 4=20952  
 Radhakrishnan, V. See Seielstad, G.A., 4=2468  
 Radhakrishnan, V. See Seielstad, G.A., 4=26971  
 Radicati, L.A. and Speiser, D. Global symmetries and selection rules for weak interactions, 2=11874  
 Radicati, L.A. See Fonda, L., 1=5675  
 Radicati, L.A. See Franzini, P., 4=3529  
 Radici, T. See Fiorentini, A., 1=21138  
 Radikov, D.N. An estimate of the effect of collisions of the second kind with CO molecules on the intensity of emission of N<sub>2</sub> bands in a glow discharge, 0=5994  
 Radin, P.D. See Senitzky, B., 0=1650  
 Radionava, E.A. See Avakyan, R.V., 3=18676  
 Radionova, E.A. Measuring the intensity of a brief sound signal at the first neutron level of the auditory system, 3=18677  
 Radkevich, I.A., Rezyaykov, N.S. and Sokolovskii, V.V. A diode amplitude-limiter, 4=16408  
 Radkevich, I.A., Sokolovskii, V.V. and Rezyaykov, N.S. A method of reducing background noise in a magnetic drum covering, 4=16621  
 Radkevich, I.A., Sokolovskii, V.V., Talyzin, A.N., Gol'din, L.L., Bysheva, G.K. and Goryachev, Yu.M. An instrument for measuring a magnetic field by means of permalloy pickups and its use in adjusting a proton synchrotron, 4=14836  
 Radkevich, I.A., Vladimirov, V.V. and Sokolovsky, V.V. The total neutron cross-sections of Pd, Os, Ir, Mo, In, I, Ta, Th, and U<sup>238</sup> in the resonance region, 0=5799  
 Radkevich, I.A. See Barmin, V.V., 4=14835  
 Radkevich, I.A. See Kulakov, F.M., 4=14823  
 Radkevich, I.A. See Luzin, V.N., 4=14828  
 Radkevich, I.A. See Luzin, V.N., 4=14829  
 Radkevich, I.A. See Sokolovsky, V.V., 0=7647  
 Radkevich, I.A. See Sokolovskii, V.V., 4=14838  
 Radkevich, I.A. See Sokolovskii, V.V., 4=16754  
 Radkevich, I.A. See Talyzin, A.N., 4=14827  
 Radkevich, I.A. See Vladimirov, V.V., 1=7406  
 Radkevich, I.A. See Vladimirov, V.V., 0=15595  
 Rädler, K.H. The influence of the magnetic field modulation on the nuclear polarization in the Overhauser effect, 1=7794  
 Rädler, K.H. Electromagnetic induction in rotating media, 4=16625  
 Rädler, K.H. The rotation of an electrically conducting sphere in a conducting medium under the influence of a lamellar magnetic field, 4=16626  
 Rädler, K.H. Analogy studies of two-dimensional problems of magnetohydrodynamics, 4=16632  
 Radler, K.H. See Steenbeck, M., 3=16932  
 Radley, D.E. Electrodes for convergent pierce-type electron guns, 4=3045  
 Radlova, L.D. The colour of the bright rays on the lunar surface, 1=18029  
 Radlova, L.N. and Shraronov, V.V. The colour discrimination threshold for visual observation of the moon's surface and the maximal colour differences of lunar objects, 0=8485  
 Radlow, J. Diffraction by a right-angled dielectric wedge, 4=27646  
 Radlow, J. and Ericson, W.B. Transverse magnetohydrodynamic flow past a semi-infinite plate, 3=2105  
 Radnik, J. See Langer, G., 2=4570  
 Radnik, J.L. See Langer, G., 1=7921  
 Rado, G.T. Report on ferromagnetic resonance at the 1960 conference on magnetism and magnetic materials, 1=6393  
 Rado, G.T. Mechanism of the magnetoelectric effect in an antiferromagnet, 1=14370  
 Rado, G.T. Simple derivation of the electron-nucleus contact hyperfine interaction, 2=22889  
 Rado, G.T. Statistical theory of magnetoelectric effects in antiferromagnetics, 3=4900  
 Rado, G.T. and Folen, V.J. Determination of molecular field coefficients in ferrimagnets, 0=1809  
 Rado, G.T. and Folen, V.J. Observation of the magnetically induced magnetoelectric effect and evidence for anti-ferromagnetic domains, 2=2124  
 Rado, G.T. and Folen, V.J. Magnetoelectric effects in antiferromagnetics, 2=12665  
 Rado, G.T. and Folen, V.J. Magnetoelectric effects in an antiferromagnet, 3=834  
 Rado, G.T. and Suhl, H. Magnetism. III. Spin arrangements and crystal structure, domains, and micromagnetics, 4=7206  
 Rado, G.T. and Suhl, H. Magnetism. Vol. 1. Magnetic ions in insulators, their interactions, resonances and optical properties, 4=20521  
 Rado, G.T. and Weertman, J.R. Spin-wave resonance in a ferromagnetic metal, 0=11615  
 Rado, G.T. See Folen, V.J., 1=14369  
 Rado, G.T. See Schnitzler, A.D., 0=11927  
 Rado, G.T. See Schnitzler, A.D., 2=12803  
 Rado, W.G. See Minck, R.W., 4=9704  
 Radojević, M.P. See Koićki, S.D., 3=6179  
 Radojević, V., Sobiczewski, A. and Szymanski, Z. Calculation of the rotation gamma-vibration interaction in the rare-earth nuclei, 3=2381  
 Radojčić, D. See Barnes, V.E., 4=16969  
 Radojčić, D. See Chadwick, G.B., 2=22522  
 Radojčić, D. See Chadwick, G.B., 3=10117  
 Radojčić, D. See Chadwick, G.B., 4=6135  
 Radojčić, D. See Dodd, P., 2=22508  
 Radojčić, D. See Goldsack, S.J., 2=9888  
 Radojčić, D. See Rushbrooke, J.G., 1=3221  
 Radok, J.R.M. Transcendental equation for the Schrodinger equation, 0=14509  
 Radoń, T. See Nikliborc, J., 3=8928  
 Radoslovich, E.W. See Mathieson, A.McL., 0=6362  
 Radoslovich, E.W. See Norrish, K., 3=461  
 Radoszewski, T. Characteristics of scintillation counters, 1=19058  
 Radoszewski, T. Carbon-14 and tritium measurements using liquid scintillation counter, 3=8022  
 Radstig, V.A. See Butyagin, P.Yu., 4=1885  
 Rădulescu, C. See Dragomirescu, D., 2=22369  
 Rădulescu, C. See Teutsch, H., 2=5694  
 Rădulescu, C. See Teutsch, H., 2=5695  
 Rădulescu, G. See Mihul, C., 2=9285  
 Raduletz, R. and Timotin, A. The rationalized system in electromagnetism and its interpretation possibilities, 3=5315  
 Radius, R.J. Magnetic field measurement using ultrasonics, 0=11010  
 Radushkevich, L.V. See Velichko, M.V., 4=14193  
 Radvanyi, P. and Génin, J. Deuterons and tritons emitted in the bombardment of carbon nuclei by 155 MeV protons, 1=13803  
 Radvanyi, P., Génin, J., Brissaud, I., Detraz, C., Benoist, P., Pasquier, R., Yoccoz, J. and d'Hulst. Emission of energetic deuterons and tritons and the existence of correlations in nuclei, 2=1892  
 Radvanyi, P., Génin, J. and Detraz, C. Separation of the final states of the residual nucleus in the pickup reaction C<sup>12</sup>(p, d)C<sup>11</sup> at 154 MeV, 2=3571  
 Radvanyi, P. See Bachelier, D., 4=12222  
 Radvanyi, P. See Bachelier, D., 4=19780  
 Radvanyi, P. See Bergamaschi, C., 1=16462  
 Radvanyi, P. See Génin, J., 2=453  
 Radvanyi, P. See Kowalski, L., 3=10400  
 Radvilavichus, Ch. V. See Balyavichus, M.Z., 4=21040  
 Radwan, M. Use of the autoradiography for structure investigations of alloys, 3=3318  
 Radyuk, G.A. See Zlobin, L.I., 2=17874  
 Radzievskii, G.B. See Khan-Magometova, Sh.D., 4=28751  
 Radzievskii, V.V. and Artem'ev, A.V. The influence of solar radiation pressure on the motion of artificial earth satellites, 2=24189  
 Radzimirski, J.T. See Browne, C.P., 0=17503  
 Rae, A.G.A. See Farago, P.S., 3=24691  
 Rae, A.I.M. and Barker, W.W. A correction to photometrically measured intensities to allow for  $\alpha_1, \alpha_2$  splitting, 2=10829  
 Rae, A.I.M. and Maslen, E.N. An analysis of possible methods for refining a noncentrosymmetric structure containing a partial centre of symmetry, 3=23434  
 Rae, D. Yield stress exerted on a body immersed in a Bingham fluid, 2=13307  
 Rae, D. The measurement of the coefficient of friction of some rocks during continuous rubbing, 3=20763  
 Rae, E.R. and Bowey, E.M. Gamma-ray yields from the resonant capture of slow neutrons, 0=5789



- Rae, E.R. and Firk, F.W.K. An application of magnetic tape recording to neutron time-of-flight spectroscopy, 0=17352
- Rae, E.R. See Cuninghame, J.G., 1=17169
- Rae, E.R. See Firk, F.W.K., 3=19655
- Rae, E.R. See Lynn, J.E., 0=5571
- Rae, E.R. See Moxon, M.C., 4=9164
- Rae, E.R. See Poole, M.J., 0=9378
- Raemer, H. Effect of underground induced polarization on e.l.f. propagation, 1=19039
- Raemer, H.R. On the extremely low frequency spectrum of earth-ionosphere cavity response to electrical storms, 1=20852
- Raemer, H.R. On the spectrum of terrestrial radio noise at extremely low frequencies, 2=6919
- Raemer, H.R. Radiation from linear electric or magnetic antennas surrounded by a spherical plasma shell, 2=13688
- Raes, A.C. Experiments in the measurement of [sound] insulation [of walls] in situ, 0=2220
- Raes, A.C. Static and dynamic transmission losses of partitions, 3=18954
- Raes, A.C. Transient sound transmission losses, 4=14309
- Raether, H. Electron avalanches and their development, 1=4553
- Raether, H. Energy loss spectrum of electrons in transmission and reflexion, 3=20151
- Raether, H. The effect of eigen space charge of an electron avalanche on its development, 4=18741
- Raether, H. See Creuzburg, M., 3=4857
- Raether, H. See Hartl, W., 1=6094
- Raether, H. See Kunz, C., 2=10365
- Raether, H. See Kunz, C., 4=9937
- Raether, H. See Lohff, J., 0=260
- Raether, H. See Pfaue, J., 0=239
- Raether, H. See Wagner, K.H., 3=12077
- Raether, H.A. Measurements on elastic and inelastic scattering intensities of electrons, 3=1302
- Raether, M. and Bitzer, D. Polarity coincidence detector for the measurement of very small signal-to-noise ratios, 4=24518
- Raether, M. See Chen, C.L., 3=4724
- Raether, S. Electron conductivity and grain structure of anodically formed aluminium oxide films, 0=4698
- Raetz, K. and Saur, E. Investigation of superconductivity in the system niobium-aluminium, 2=22120
- Raeva, I.S. See Bykov, S.B., 4=4194
- Raevskii, B.N., Romanov, L.R. and Shamov, V.P. A decade scaler with semiconductor triodes, 4=16756
- Rafalovich, E. See Dombrovska-Gavda, Kh., 4=4116
- Rafalovich, E. See Mazur, Yu., 4=4124
- Rafalowicz, E. See Rafalovich, E.
- Rafalowicz, J. A method of measuring the thermal conductivity of semiconductors in the helium II temperature rangemas applied to graphite, 4=30531
- Rafalowicz, J. and Sujak, B. Characteristics of standard carbon resistors at helium temperatures and their dependence on the measuring current intensity, 4=26005
- Rafalowicz, J. See Hofman, T., 1=11547
- Rafalowicz, J. See Hoffmann, T., 1=20447
- Rafalowicz, J. See Mazur, J., 1=14112
- Rafalowicz, J. See Mazur, J., 1=15005
- Rafalowicz, J. See Mazur, J., 2=14964
- Rafalski, P. Evaluation of albedo of neutrons for slab wall, 4=27861
- Rafal'ski, V. and Mints, S. The mechanism of cathode process in the preparation of thorium-zinc alloys in fused salts. III. electronic conductance in fused salts, 3=1394
- Rafalski, W. and Minc, S. Mechanism of the cathode process during the preparation of thorium-zinc alloys in molten salts. I. The  $\text{ThF}_4$  and  $\text{ThF}_4\text{-CaF}_2$  systems, 2=15149
- Rafalski, W. and Minc, S. Mechanism of the cathode process during the preparation of thorium-zinc alloys in molten salts. II. A study of  $\text{ZnF}_2$ , 2=15150
- Rafal'son, A.E. See Pavlenko, V.A., 1=4664
- Rafal'son, A.E. See Pavlenko, V.A., 4=16558
- Rafal'son, A.E. See Pavlenko, V.A., 4=26978
- Rafanelli, K. and Schiller, R. Classical motions of spin- $\frac{1}{2}$  particles, 4=21041
- Raff, L.M. See Karplus, M., 4=28290
- Raff, L.M. See Kuppermann, A., 3=4740
- Raff, L.M. See Kuppermann, A., 4=3829
- Raff, L.M. See Kuppermann, A., 4=6520
- Raff, S.J. See Brown, C.B., 4=7818
- Raffel, J.I. Operating characteristics of a thin film memory, 0=7190
- Raffel, J.I. Future developments in large magnetic film memories, 4=11750
- Raffel, J.I. See Anderson, A.H., 3=14730
- Raffle, J.F. Determination of absolute neutron flux by gold activation, 1=512
- Rafiqullah, A.K. Alpha decay of nonaxial nuclei, 2=18279
- Raga, F. See Manca, P., 4=17557
- Raghavacharyulu, I.V.V. Representation of space groups, 1=10244
- Raghavacharyulu, I.V.V. Normal modes of vibrations of crystals, 2=559
- Raghavacharyulu, I.V.V. and Shrestha, C.B. Irreducible representations of line groups, 1=13997
- Raghavacharyulu, I.V.V. and Shrestha, C.B. Irreducible representations of plane groups, 2=6128
- Raghavacharyulu, I.V.V. and Shrestha, C.B. Irreducible representations of spin double line groups, 3=2683
- Raghavan, K.S. See de Meester, P., 3=1367
- Raghavan, R., Rangaswamy, T.N. and Subramanian, A. Energy-momentum transfers in high-energy nuclear collisions, 4=9125
- Raghavan, R., Sreekantan, B.V., Subramanian, A. and Verma, S.D. Energy spectrum of nuclear active particles as determined by a total absorption spectrometer at 2.2 Kms, 3=4509
- Raghavan, R. See Lal, S., 3=4533
- Raghavan, R. See Lal, S., 3=17200
- Raghavan, R. See Naranan, S., 0=15467
- Raghavan, R.S. Circular polarization analysis of nuclear gamma-rays by resonance fluorescence, 4=17084
- Raghavan, R.S. and Steffen, R.M. Beta decay and spin of the  $\text{Pr}^{144}$  ground state, 3=19753
- Raghavan, R.S. See Jha, S., 1=5829
- Raghavan, R.S. See Singru, R.M., 4=3538
- Raghava Rao, R. and Ramachandra Rao, B. Horizontal drifts in the E-region at Waltair, 0=10420
- Raghava Rao, R. and Ramachandra Rao, B. Study of horizontal drifts in the E-region at Waltair, 1=20976
- Raghava Rao, R. and Ramachandra Rao, B. Height gradient of horizontal drifts in the E-region over Waltair, 2=896
- Raghava Rao, R. See Ramachandra Rao, B., 2=892
- Raghavan, K.S. See Kuhlmann-Wilsdorf, D., 2=19509
- Raghavan, R. See Lal, S., 2=9890
- Raghavan, R.S. See Gupta, R.K., 2=14061
- Raghavan, R. Srinivasa. See Srinivasa Raghavan, R.
- Raghavan, S. and Ramanathan, Y. The radiation error of Indian radiosondes, 3=16205
- Raghavacharyulu, I.V.V. and Bhavanacharyulu, I. Simplification in finding the allowable representations of space groups, 2=23833
- Raghavendra Rao, C. Proton magnetic resonance study of the structure of manganous sulphate tetrahydrate, 4=23456
- Raghavendra Rao, C. and Easwaran, K.R.K. The proton magnetic resonance study of the structure of  $\text{Na}_2\text{Zn}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$ , 4=10550
- Raghavendra Rao, C.S. Solar tidal effects in the  $\text{F}_2$ -region of ionosphere over Delhi, 0=6466
- Raghavendra Rao, C. See Chidambaram, R., 3=8740
- Raghavendra Rao, K. See Duggal, V.P., 1=19215
- Raghupathi Rao, C. Distribution of intensity among various ultrasonic diffraction orders, 2=1234
- Raghupathi Rao, C. Dependence of the intensity of the first-order diffraction on sound wavelength, 2=11457
- Raghupathi Rao, C. Dependence of angular width of high-frequency diffraction [of light] on sound wavelength, 3=11938
- Raghupathi Rao, C. Angular width of high-frequency diffraction in acetone, 3=21356
- Raghupathi Rao, C. Dependence of the intensity of the first order diffraction [of light] on the length of the sound field, 4=2851
- Raghupathy Sarma, V. See Ramachandran, G.N., 3=18304
- Raghupathy Sarma, V. See Srinivasan, R., 4=23370
- Ragle, J.L. Nuclear quadrupole coupling in chlorite iron, 0=4541
- Ragle, J.L. Anisotropy of nuclear magnetic resonance in vanadium pentoxide, 1=14825
- Ragle, J.L. Electron spin resonance study of partially reduced vanadium pentoxide, 3=15950
- Ragle, J.L. and Caron, A.P. Molecular motion in solid 1,2-dichloroethane, 4=22477
- Ragle, J.L. See Marram, E.P., 3=8745
- Ragone, D.V. and Zumwalt, L.R. Gaseous corrosion of graphite, 2=23956
- Ragozzino, E. See Carrelli, A., 4=24250
- Ragusa, S. See Ito, D., 1=13340
- Ragusa, S. See Itô, D., 2=9780



- Ragusa, S. See Katayama, Y., 1=3167  
 Raguzin, R.M. See Zhdanov, A.P., 1=3099  
 Rahlfs, P. Indicating thermometer testing, 3=24089  
 Rahm, D. See d'Andiau, C., 3=17328  
 Rahm, D.C. Rapid beam ejector for the cosmotron, 1=16468  
 Rahm, D.C. See Barnes, V.E., 4=16969  
 Rahm, D.C. See Louttit, R.I., 1=12127  
 Rahm, D.C. See Yamamoto, S.S., 4=16971  
 Rahman, A. Scattering of slow neutrons by molecules, 2=3763  
 Rahman, A. Intermediate scattering function in slow neutron scattering, 3=12682  
 Rahman, A. Triplet correlations in liquids, 4=24161  
 Rahman, A., Singwi, K.S. and Sjölander, A. Dynamics of atomic motions in liquids and cold neutron scattering, 1=6853  
 Rahman, A., Singwi, K.S. and Sjölander, A. Theory of slow neutron scattering by liquids, 2=11352  
 Rahman, A., Singwi, K.S. and Sjölander, A. Stochastic model of a liquid and cold neutron scattering; II, 2=11353  
 Rahman, A. See Khubchandani, P.G., 0=9783  
 Rahman, A. See Khubchandani, P.G., 1=19625  
 Rahman, F. and Ranjan, C. Electrical and magnetic properties of some low-conductivity ferro- and paramagnetic substances at microwave frequencies, 1=1201  
 Rahman, R. See Ali, M.I., 2=18177  
 Rahman Khan, M.Z. The radial distribution of the imaginary part of the nuclear optical potential at low energies, 3=12543  
 Rahmouni, O. See Dulieu, P., 3=10423  
 Rahn, A. Response capacity of corona spark counters, 3=12369  
 Rahn, R. See Dorain, P.B., 2=8671  
 Rai, D.K. Application of the WKB method to the diatomic molecules, 3=15324  
 Rai, D.K. and Tripathi, A.N. Potential energy curves and dissociation products of the  $K_2$  molecule, 4=15384  
 Rai, R. See Bose, A., 4=20520  
 Rai, R. See Jackson, L.C., 4=28307  
 Rai, R.K. Scattering of radio waves from the F region of the ionosphere, 4=29328  
 Raich, J.C. and Good, R.H., Jr. Discussion of quadrupole precession, 3=12561  
 Raich, J.C. and Good, R.H., Jr. Ortho-para transition in molecular hydrogen, 4=25647  
 Raichenko, A.I. A study of self-diffusion in powder mixtures using concentration distributions, 2=8242  
 Raichenko, A.I. Studying interdiffusion in powder mixtures by means of concentration distributions, 2=23894  
 Raichenko, A.I. Displacements of ions in an ionic crystal due to intrinsic [lattice] vibrations, 4=1360  
 Raichenko, A.I. and Fedorchenko, I.M. On calculations of electrical conductivity of two-component sintered materials, 1=10028  
 Raichenko, O.I. The determination of concentration distribution for alloys of heterogeneous metal powders, 1=15169  
 Rai Choudhury, S. See Mitra, A.N., 4=6120  
 Raievski, V. See Droulers, Y., 0=7364  
 Raievski, V. See Lacour, J., 1=2265  
 Raiford, M.T. and Crownfield, F.R., Jr. Microwave cavity measurement of the Faraday effect in a magneto-plasma, 4=18894  
 Raikhbaum, Ya.D. and Malykh, V.D. A spectroscopic study of diffusion of atoms in an electric arc, 1=2055  
 Raikhbaum, Ya.D. and Malykh, V.D. A possible cause of the "carrier" effect in spectral analysis, 2=864  
 Raiko, V.I. The laws of similarity for ion sources, 4=608  
 Raiko, V.I., Ioffe, M.S. and Zolotarev, V.S. Surface-ionization ion source for the separation of isotopes of alkali metals, 1=13975  
 Răileanu, V. See Iftime, P., 4=5774  
 Raily, J.W. and Scott, B.F. Height of waves in hydraulic models by the method of stereoscopy, 1=18381  
 Raimbault, P. See Sarazin, A., 1=5419  
 Raimon, S. The rigid-band model, 3=8391  
 Raimon, S. See Cooper, J.R.A., 0=15895  
 Raimon, S. See Cooper, J.R.A., 0=20726  
 Raimond, E. See Muller, C.A., 4=13968  
 Raimondi, D.L. See Clementi, E., 3=17521  
 Raimondi, D.L. See Clementi, E., 4=12377  
 Raina, N.N. See Evans, D., 1=19267  
 Raina, N.N. See Jones, B.D., 1=8500  
 Rainal, A.J. Sampling technique for generating Gaussian noise, 1=8297  
 Raines, G.E. See Townley, C.W., 2=4577  
 Raines, J.A. See Moncaster, M.E., 3=14829  
 Rainey, V.S. See Brugger, R.M., 4=30464  
 Rainey, V.S. See Pattenden, N.J., 0=20497  
 Rainwater, J. Generalization of the Abbe Sine law in geometric optics, 4=27287  
 Rainwater, J., Havens, W.W., Jr., Desjardins, J.S. and Rosen, J.L. Nevis synchrocyclotron slow neutron velocity spectrometer, 0=9381  
 Rainwater, J., Havens, W.W., Jr. and Garg, J.B. Synchrocyclotron 200-meter flight path neutron velocity spectrometer, 4=16914  
 Rainwater, J. See Desjardins, J.S., 1=700  
 Rainwater, J. See Edelstein, R.M., 1=7394  
 Rainwater, J. See Frati, W., 3=6370  
 Rainwater, J. See Rosen, J.L., 0=9685  
 Rainwater, J. See Garg, J.B., 4=19802  
 Rainwater, L.J. See Havens, W.W., Jr., 0=4138  
 Rainwater, L.J. See Melkonian, E., 0=13294  
 Rais, G.B. Fresnel's formulae for incidence of an ordinary wave on the twinning plane of a transparent uniaxial crystal, 0=3654  
 Rais, G.B. Distortion of the crystal lattice on the grain boundary of a mechanically twinned calcite crystal, 0=11999  
 Rais, G.B. and Bromberg, M.I. Vacuum thermal etching of twinned zinc monocrystals, 0=16286  
 Rais, M. A relation between the propagator and the solutions of an equation corresponding to support in time, 4=11019  
 Raisbeck, I.A. See Collin, H.L., 4=7847  
 Raisen, E. See Katz, S., 0=12603  
 Raiser, M.D., Strelkov, P.S. and Frank, A.G. The localization of a linear high-frequency current in a gas by means of a quadrupole magnetic field, 4=24646  
 Raišić, N., Popović, D., Takač, S., Marković, H., Martinc, R. and Radanović, Lj. Measurement of safety-rod effectiveness of the zero energy reactor "RB", 0=20521  
 Raišić, N. See Popović, D., 0=20519  
 Raišić, N. See Popović, D., 0=20520  
 Raišić, N.M., Popović, D.D., Takač, S.M. and Dordević, M.M. The experimental determination of the buckling in the bare heavy water natural uranium critical assembly "RB", 1=13903  
 Raith, H. See Boersch, H., 0=4490  
 Raith, H. See Boersch, H., 0=19438  
 Raith, H. See Boersch, H., 1=2479  
 Raith, H. See Boersch, H., 2=11499  
 Raith, W. On the determination of spin polarization by absorption measurements through optical pumping, 1=17274  
 Raith, W. Investigations on spin polarization of electron beams, 3=19332  
 Raith, W. and Schliepe, R. Polarization measurements on electron beams after transmission through magnetized iron foils, 3=2042  
 Raith, W. See Boersch, H., 0=4494  
 Raith, W. See Boersch, H., 1=10157  
 Raith, W. See Boersch, H., 1=12255  
 Raith, W. See Boersch, H., 2=20984  
 Raith, W. See Lemmerich, J., 2=14226  
 Raizer, M.D. Compression of an annular high-frequency discharge by a rising magnetic field, 4=8736  
 Raizer, M.D., Frank, A.G. and Kitaeva, V.F. Localization of a high-frequency induction discharge, 4=11548  
 Raizer, M.D. and Grebenshchikov, S.E. Localization of a high-frequency induction discharge, 0=14986  
 Raizer, M.D. See Andryukhina, E.D., 0=16978  
 Raizer, M.D. See Grebenshchikov, S.E., 1=4589  
 Raizer, M.D. See Grebenshchikov, S.E., 2=1577  
 Raizer, Yu.P. Condensation of a vapour cloud expanding into vacuum, 0=6996  
 Raizer, Yu.P. Simple method for computing the mean range of radiation in ionized gases at high temperatures, 0=10915  
 Raizer, Yu.P. Residual ionization of a gas expanding in vacuum, 0=14958  
 Raizer, Yu.P. A simple method of calculating the degree of ionization and thermodynamic functions of a multiply ionized ideal gas, 0=19606  
 Raizer, Yu.P. Motion in a non-uniform atmosphere caused by a short plane explosion, 4=11294  
 Raja Gopal, E.S. Motion and stability of vortices in a finite channel: application to liquid helium II, 4=5493  
 Raja Gopal, E.S. Vibrations of quantised vortices in liquid helium II, 4=21381



- Raja Gopal, E.S. Effect of the attenuation of the ultrasonic wave on the diffraction of light by it, 3=19019
- Raja Rao, K.S. Lunar daily variation of geomagnetic horizontal intensity at Alibag, 0=12136
- Raja Rao, K.S. On the seasonal variation in lunar and solar geomagnetic tides in the geomagnetic equatorial region, 1=15343
- Raja Rao, K.S. Solar daily geomagnetic variation in the low latitude region, 3=1480
- Raja Rao, K.S. A comparative study of the geomagnetic S and L fields in the low latitude region, 3=13829
- Raja Rao, K.S. Van Allen radiation belts, 4=2242
- Raja Rao, K.S. and Panduranga Rao, M. On the location of the ionospheric current system causing geomagnetic solar flare effects, 4=10776
- Raja Rao, K.S. and Thomas, C.T. Lunar and solar geomagnetic tides in the geomagnetic equatorial region. III. Geomagnetic tidal variations at Apia, 3=1479
- Raja Rao, K.S. See Rao, K.N., 4=20878
- Raja Rao, M., Wakao, N. and Smith, J.M. Diffusion and reaction rates in the ortho-hydrogen conversion, 4=25646
- Raja Rao, S. See Prasad, B.N., 1=18472
- Rajagopal, A.K. On the thermomagnetic effects of monovalent metals, 0=10139
- Rajagopal, A.K. Closed shell ion-ion interactions in calcium fluoride, 2=16588
- Rajagopal, A.K. A note on plasma oscillations in a magnetic field, 3=19292
- Rajagopal, A.K. A correction to 'a note on plasma oscillations in a magnetic field', 4=8759
- Rajagopal, A.K. and Srinivisan, R. Lattice vibrations and specific heat of zinc blende, 0=7847
- Rajagopal, A.K. and Srinivasan, R. Lattice dynamics of cubic Perovskite structures, in particular  $\text{SrTiO}_3$ , 2=16589
- Rajagopal, A.K. See Purohit, S.N., 2=18117
- Rajagopal, E.S. Taylor instability and the dripping of liquids from horizontal surfaces, 0=932
- Rajagopal, E.S. The role of initial stresses in lattice dynamics, 1=896
- Rajagopal, E.S. The rotational invariance condition in lattice dynamics, 1=897
- Rajagopal, E.S. The existence of interfacial couples in infinitesimal elasticity, 1=900
- Rajagopal, E.S. Particle size distributions in ultrasonic emulsification, 1=1493
- Rajagopal, E.S. Orientational misalignments in the determination of the elastic constants of cubic crystals, 1=6440
- Rajagopal, E.S. Energy distribution in the diffraction of light of arbitrary beam width by undamped and damped ultrasonic waves, 1=16108
- Rajagopal, E.S. Compressibility and sound velocity in two phase mixtures, 2=2828
- Rajagopal, E.S. On the exact theory of the elastic wave propagation in classical piezoelectric media, 2=15680
- Rajagopal, E.S. See Chandrasekharan, V., 1=17398
- Rajagopal, E.S. See Gopalan, K., 2=5281
- Rajagopal, E.S. See Krishnan, R.S., 0=4737
- Rajagopal, E.S. See Krishnan, R.S., 1=6442
- Rajagopal, E.S. See Krishnan, R.S., 1=14845
- Rajagopal, E.S. See Krishnan, R.S., 1=20289
- Rajagopal, E.S. See Viswanathan, R., 1=19727
- Rajagopal, E.S. See Viswanathan, R., 2=4305
- Rajagopal, E.S. See Viswanathan, R., 2=6268
- Rajagopal, V. Determination of reactor transfer functions by statistical correlation methods, 2=8032
- Rajagopal, V. Noise measurements on the 'Saxton' reactor, 4=19880
- Rajagopala Rao, P. An expression for minimum deviation of a small angled double prism, 2=5151
- Rajagopala Rao, P. and Subramanian, N. Effect of viscosity in the determination of surface tension by the drop-weight method, 0=19082
- Rajagopala Rao, P. See Sharda, B.L., 3=21520
- Rajagopala Rao, P. See Sharda, B.L., 4=28661
- Rajagopalan, K. Inelastic scattering of neutrons in solids and liquids — a symposium, 1=16797
- Rajagopalan, K. See Krishnan, K.G., 2=5325
- Rajagopalan, K. See Krishnan, K.G., 2=16485
- Rajagopalan, K.S. and Mathur, P.B. Correlation of standard electrode potential with atomic and ionic radii of metals, 1=1487
- Rajagopalan, K.S. See Fleischmann, M., 3=16170
- Rajagopalan, N.S. and Ghosh, S.K. Measurements of some electrical and thermoelectrical properties of antimony telluride films, 3=8514
- Rajagopalan, P.K. See Kesavamurthy, N., 3=23149
- Rajagopalan, S.R. and Indira, K.S. A specular reflectance attachment for unicam SP600 spectrophotometer, 4=21302
- Rajagopalan, S.R. See Raman, K., 4=23666
- Rajalakshmi, K.V. Urey-Bradley force field—planar  $\text{XY}_3$  molecules, 2=22934
- Rajalakshmi, K.V. Mean amplitudes of vibration: bent symmetrical  $\text{XY}_2$  molecules and groups, 4=30416
- Rajalakshmi, K.Y. See Venkateswarlu, K., 2=20825
- Rajalakshmi, K.V. See Venkateswarlu, K., 3=2626
- Rajalakshmi, K.V. See Venkateswarlu, K., 3=12797
- Rajalakshmi, K.V. See Venkateswarlu, K., 3=12799
- Rajalakshmi, K.V. See Venkateswarlu, K., 3=20004
- Rajalakshmi, K.V. See Venkateswarlu, K., 4=6527
- Rajalakshmi, K.V. See Venkateswarlu, K., 4=9734
- Rajalakshmi, K.V. See Venkateswarlu, K., 4=12503
- Rajan, N.S., Waterstrat, R.M. and Beck, P.A. Temperature-dependence of the electrical resistivity of B.C.C. Cr-Fe alloys, 0=7910
- Rajan, R. Electron spin resonance in copper (II) malonate, 2=21361
- Rajan, R. Absolute intensity of electron spin resonance absorption of cupric ammonium chloride single crystals, 3=1185
- Rajan, R. Electron spin resonance in cupric acid fluoride, 3=5038
- Rajan, R. Electron spin resonance in ethylene diamine copper (II) nitrate, 3=8706
- Rajan, R. Electron spin resonance in copper (II) mono-ethylenediamine chloride, 4=7323
- Rajan, R. and Reddy, T.R. Electron spin resonance in ethylene-diamine complexes of copper (II) sulfate, 4=4401
- Rajappa, N. See Viswanathan, K.S., 3=23671
- Rajappa, N.R. On the analogy between vibration and buckling phenomena of rectangular orthotropic plates, 3=16676
- Rajappa, N.R. Affine relations for vibration problems of isotropic and orthotropic plates, 3=23959
- Rajappa, N.R. On a relation between vibration of orthotropic plates and buckling of isotropic plates, 4=18314
- Rajappa, N.R. On the vibration of circular orthotropic plates under tension or compression, 4=24285
- Rajaraman, R. Three-nucleon clusters in nuclear matter, 3=4552
- Rajaraman, R. Three-body effect in nuclear matter to all orders of perturbation, 3=19748
- Rajasekaran, G. Scattering amplitudes on unphysical sheets and resonance poles, 4=21788
- Rajasekaran, G. and Biswas, S.N. A binding in hypernuclei by nonlocal interaction, 1=8570
- Rajasekaran, G. See Dalitz, R.H., 4=11924
- Rajasekaran, G. See Dalitz, R.H., 4=12122
- Rajasekharan, G. See Dalitz, R.H., 2=13974
- Rajchman, J.A. Magnetic memories — capabilities and limitations, 3=14729
- Rajdev, D. and Whitmore, D.H. Debye temperature for cadmium derived from low-temperature specific heat measurements, 3=2733
- Rajeswara Rao, N. and Ramanaiah, K.V. Change in the shape of a molecule during the formation of hydrogen bond, 4=28179
- Rajeswara Rao, N. and Ramanaiah, K.V. Effect of complex formation on the intensities of Raman lines, 4=28223
- Rajeswari, G.K. Laminar boundary layer on rotating sphere and spheroids in non-Newtonian fluids, 3=9409
- Rajeswari, G.K. and Rathna, S.L. Flow of a particular class of non-Newtonian visco-elastic and visco-inelastic fluids near a stagnation point, 2=11333
- Rajeswari, G.K. See Bhatnagar, P.L., 3=9425
- Rajeswari, G.K. See Bhatnagar, P.L., 3=16590
- Rajeswari, G.K. See Rathna, S.L., 2=4985
- Rajewsky, B. and Lang, D. Absolute measurement of average energy lost by very soft X-rays per ion pair in air, 1=10873
- Rajewsky, M.F. X-ray microanalysis of a radioactive particle with the aid of the electron microscope, 2=23989
- Rajewsky, M.F. Continued X-ray microanalysis of radioactive fallout particles during the year 1962, 4=7864
- Rajnak, K. Approximate excited eigenfunctions for  $\text{Pr}^{3+}$  and  $\text{Tm}^{3+}$ , 3=2572
- Rajnak, K. and Wybourne, B.G. Configuration interaction effects in  $f^n$  configurations, 4=1174
- Rajnak, K. and Wybourne, B.G. Electrostatically correlated spin-orbit interactions in  $fN$ -type configurations, 4=17239



- Rajnak, K. and Wybourne, B. G. Configuration interaction in crystal field theory, 4=25807
- Rajnak, S. See Dorn, J. E., 4=30751
- Rajopadhye, V. Y. Nuclear interactions of 5.7 BeV protons in photographic emulsion, 0=17331
- Rajopadhye, V. Y. Inelastic collisions of 6 BeV protons, 2=16192
- Raju, M. R. and Jnanananda, S. The absorption of beta radiation as a function of atomic number, 2=16186
- Raju, M. R. and Jnanananda, S. Determination of the end-point energy of beta emitters, 2=16346
- Raju, P. K. and Talwar, H. S. Radial pulsation of a cylinder in a magnetic field, 1=8383
- Raju, P. K. and Verma, Y. K. Reflection and refraction of hydromagnetic plane waves at the boundary of two compressible media, 0=12688
- Rakauskas, R. J. See Zvironaitė, S. A., 4=1218
- Rakavy, G. The angular distribution of  $\beta$  particles, 0=4046
- Rakavy, G. On the applicability of the transport approximation to the calculation of reactivity, 1=17210
- Rakavy, G. A note on the perturbation method in neutron transport theory, 2=41
- Rakavy, G. and Shalitin, D. Interaction and thermalization of ions in a hot plasma, 4=11642
- Rakavy, G. and Yeivin, Y. The transport approximation of the energy-dependent Boltzmann equation, 3=12463
- Rakavy, G. See Burde, J., 3=10266
- Rakavy, G. See Many, A., 2=14524
- Rakavy, G. See Nebenzahl, I., 3=7980
- Rakavy, M. See Burde, J., 1=19365
- Rakavy, M. See Burde, J., 2=1803
- Rakavy, M. See Burde, J., 2=16329
- Rakavy, M. See Burde, J., 2=22741
- Rakavy, M. See Burde, J., 3=10266
- Rakavy, M. See Ofer, S., 4=28777
- Rakcheev, A. D. A new spectrophotometric apparatus for the examination of micro-crystals, 0=8792
- Rakhimbabayev, Ya. R. See Borodin, A. V., 3=21831
- Rakhimbaev, B. G. See Azimov, S. A., 0=13157
- Rakhimbaev, B. G. See Azimov, S. A., 4=27948
- Rakhimov, R. R. See Arifov, U. A., 0=19805
- Rakhimov, R. R. See Arifov, U. A., 2=13591
- Rakhimov, R. R. See Arifov, U. A., 2=17876
- Rakhimov, R. R. See Arifov, U. A., 4=8824
- Rakhimov, R. R. See Arifov, U. A., 4=8825
- Rakhimova, I. Sh. See Yukhnovskiy, I. R., 1=13078
- Rakhman, B. M., Madorskii, A. Ya. and Obukhovskii, V. V. Some features of creep in steel, 1=6462
- Rakhmanova, E. P. See Kamenetskaya, D. S., 0=3173
- Rakhmanova, E. P. See Kamenetskaya, D. S., 3=21624
- Rakhmatulin, Kh. A. The propagation of elasto-plastic waves in complex loading, 1=16007
- Rakhshtadt, A. G. See Lozinskii, M. G., 4=23148
- Rakhshtadt, A. G. See Puchkov, B. I., 3=11143
- Rakhshtadt, A. G. See Puchkov, B. I., 4=13431
- Rakhshtadt, A. G. See Spektor, E. N., 4=20630
- Rakin, G. V. See Gusev, S. M., 3=17971
- Rakin, G. V. See Tovstyuk, K. D., 3=25358
- Rakin, V. G. and Buinov, N. N. The nature of etch figures in Al-Cu alloys, 1=4015
- Rakin, V. G. and Buinov, N. N. On the structure of slip patterns in metals, 1=10219
- Rakin, V. G. and Buinov, N. N. On the structural dependence of the strength of an aluminium-copper alloy, 4=17721
- Rakin, V. G. See Buinov, N. N., 4=26691
- Rakitin, D. F. See Devishev, M. I., 4=781
- Rakitin, S. P., Fomenko, V. S. and Paderno, V. N. Some results of the use of transition-metal carbides as thermionic emitters in electronic devices, 4=14743
- Rakivnenko, Yu. N., Skakun, E. A., Yatsenko, G. I. and Klyucharev, A. P. Multipolarity of isomeric transition in  $\text{Ce}^{138}$  nucleus, 4=22039
- Rakobol'skaya, I. V. Calculation of the fraction of high energy electrons and photons near the axis of a broad atmospheric shower, 2=333
- Rakobol'skaya, I. V. Calculation of the fraction of high energy electrons and photons near the axis of a broad atmospheric shower, 2=22680
- Rakobol'skaya, I. V. See Dovzhenko, O. I., 0=20265
- Rakobolskaia, I. V. See Dovzhenko, O. I., 1=2129
- Rakobol'skaya, I. V. See Ivanovskaya, I. A., 0=15476
- Rakos, M. Nuclear magnetic resonance of some oils, 3=23913
- Rakosch, K. D. Photoelectric observations of the spectral variations of the star 56 arietis, 4=2359
- Rakotoarijimy, D. See Herman, L., 1=14011
- Rakotoarijimy, D. See Herman, L., 1=14037
- Rakov, A. M. See Khrustalev, B. A., 4=16285
- Rakov, A. V. Temperature dependence of line width in the Raman spectra of crystalline substances, 2=703
- Rakov, A. V. Temperature dependence of the band width of infrared absorption spectra, 3=8286
- Rakov, A. V. See Bazhulin, P. A., 4=1717
- Rakov, A. V. See Bazhulin, P. A., 4=28727
- Rakovitskii, S. L. See Starodubtsev, S. V., 4=6244
- Rakovskii, E. E. See Lavrukhina, A. K., 1=17176
- Rakowski, A. The application of the autocorrelation method to the spectral analysis of sound records, 2=80
- Raleigh, D. O. Electronic conduction in Bi-Bi<sub>2</sub> melts. A theoretical model, 3=11806
- Raleigh, D. O. and Sommer, A. W. Thermodynamic significance of heat transport in interstitial solid solutions, 2=3932
- Rálek, M. See Gládek, L., 4=16402
- Ralph, B. and Brandon, D. G. A field ion microscope study of some Tungsten-Rhenium alloys, 3=18340
- Ralph, B. See Brandon, D. G., 3=17775
- Ralph, B. See Brandon, D. G., 3=22706
- Ralph, B. See Brandon, D. G., 4=23535
- Ralph, J. C. Electrical-conductivity measurements on caesium vapour and caesium-plus-inert-gas mixtures, 3=23939
- Ralph, J. C. Low voltage glow discharge in atmospheric pressure argon with small additions of caesium and potassium, 3=24241
- Ralph, J. E. Radiation induced changes in the cathodoluminescence spectra of natural diamonds, 1=1184
- Ralph, J. E. See Dean, P. J., 1=1183
- Ralph, J. E. See Halperin, A., 3=20238
- Ram, A. and Tamir, A. A capillary viscometer for non-Newtonian liquids, 4=21075
- Ram, B. and Downs, B. W.  $\Lambda$ -nucleon interactions at low and intermediate energies, 4=9292
- Ram, M. and Rosen, N. Investigation of the mass renormalization method in quantum field theory, 3=14849
- Ram, R. L. See Singh, B. N., 0=15171
- Rama. Condensation processes for the extraction of radioactivity from air, 0=5681
- Rama. Investigations of the radioisotopes Be<sup>7</sup>, P<sup>32</sup>, and S<sup>35</sup> in rain water, 1=13680
- Rama. Atmospheric circulation from observations of natural radioactivity, 3=25909
- Rama and Honda, M. Cosmic-ray-induced radioactivity in terrestrial materials, 2=2460
- Rama and Honda, M. Natural radioactivity in the atmosphere, 2=2493
- Rama. See Bhandari, N., 3=18499
- Rama. See Bhandari, N., 3=25902
- Rama. See Lal, D., 0=14321
- Rama Bao, B. A note on the crystal structure of anhydrous copper sulphate, 2=8833
- Rama, Koide, M. and Goldberg, E. D. Iron-55 from nuclear detonations, 1=17006
- Rama Murthy, P. and Patel, C. C. Crystal structure of zirconyl perchlorate dihydrate by X-ray powder diffraction method, 4=4632
- Rama Murthy, P. V. See Menon, M. G. K., 4=6164
- Rama Murthy, V. Isotopic anomalies of molybdenum in some iron meteorites, 2=11117
- Rama Murthy, V. and Urey, H. C. The time of formation of the solar system relative to nucleosynthesis, 2=15303
- Rama Rao, H. S. and Ramachandra Rao, B. Ultrasonic velocities in some binary mixtures of benzyl alcohol, 1=8116
- Rama Rao, E. S. and Ramachandra Rao, B. Ultrasonic absorption measurements in some pure liquids, 1=392
- Rama Rao, H. S. See Ramachandra Rao, B., 1=15870
- Rama Rao, J., Lakshminarayana, V. and Jnanananda, S. Effective atomic numbers of alloys and compounds, 2=4431
- Rama Rao, J., Lakshminarayana, V. and Jnanananda, S. Absolute pair cross-sections at 1.119 MeV, 3=12655
- Rama Rao, J., Lakshminarayana, V. and Jnanananda, S. Z-dependence of pair cross-section in the energy region 1 to 2 MeV, 4=888
- Rama Rao, J., Lakshminarayana, V. and Jnanananda, S. Effective atomic numbers of alloys for pair creation, 4=3392
- Rama Rao, J. See Seshagiri Rao, A., 4=3632
- Rama Rao, M. A low pressure expansion cloud chamber, 1=13239
- Rama Rao, M. An internal-counter-controlled low-pressure cloud chamber, 1=16627



- Rama Rao, M. An empirical relation for alpha disintegration energies for medium-heavy elements, 4=3591
- Rama Rao, P. and Anantharaman, T.R. A method for determining domain size and lattice strain in a deformed metal, 2=15107
- Rama Rao, P. and Anantharaman, T.R. The structure of nickel filings, 2=17014
- Rama Rao, P. and Anantharaman, T.R. Elastic anisotropy and lattice strain in deformed cobalt powder, 3=1231
- Rama Rao, P. and Anantharaman, T.R. Incidence of heavy deformation faulting in f.c.c. alloys, 3=8418
- Rama Rao, P. and Anantharaman, T.R. X-ray line-breadth analysis of growth and deformation faulting in hexagonal close-packed structures, 4=10568
- Rama Rao, P. and Krishnan, A.A. Determination of elastic moduli of sintered metal powder compacts using an ultrasonic method, 0=1841
- Rama Rao, P.N. See Kapoor, S.S., 3=17504
- Rama Rao, P.N. See Ramanna, R., 1=9889
- Rama Varma, K.T. See Rastogi, R.P., 0=4688
- Ramachandra Ayyar, R. See Ramachandran, G.N., 4=23365
- Ramachandra, K.V. On the wing of Rayleigh line due to carbon disulphide at different temperatures, 4=5182
- Ramachandra Rao, B. and Bhagiratha Rao, E. Study of horizontal drifts in the F1- and F2-regions of the ionosphere at Waltair (17°43'N, 83°18'E, mag. lat. 9°30'N), 0=6464
- Ramachandra Rao, B. and Raghava Rao, R. A new type of ionospheric drift recorder, 2=892
- Ramachandra Rao, B. and Rama Rao, H.S. Ultrasonic absorption in aqueous electrolyte solutions, 1=15870
- Ramachandra Rao, B. and Ramana, K.V.V. Variation in height of anisotropy and random drift velocity of the irregularities in the ionosphere, 1=12697
- Ramachandra Rao, B. and Ranga Rao, D. Balanced bridge thermocouple circuit for measurement of crystal currents, 3=3974
- Ramachandra Rao, B. and Satyanarayana Murty, J. Diffraction of light by very high frequency ultrasonic waves, 1=9485
- Ramachandra Rao, B. and Subbarao, K. A variable frequency interferometer for measurement of ultrasonic velocities in liquids, 0=16767
- Ramachandra Rao, B. See Abhirama Reddy, C., 2=11804
- Ramachandra Rao, B. See Balarama Rao, P., 3=13751
- Ramachandra Rao, B. See Balarama Rao, P., 3=16270
- Ramachandra Rao, B. See Balarama Rao, P., 4=13851
- Ramachandra Rao, B. See Balarama Rao, P., 4=17939
- Ramachandra Rao, B. See Balarama Rao, P., 4=20872
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=9199
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=15291
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=20927
- Ramachandra Rao, B. See Gibbons, J.J., 0=776
- Ramachandra Rao, B. See Gopala Rao, M.S.V., 0=14242
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=8393
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=10326
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=21009
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=21011
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 3=5217
- Ramachandra Rao, B. See Krishnamurthy, B.V., 3=2133
- Ramachandra Rao, B. See Krishnamurthy, B.V., 3=9087
- Ramachandra Rao, B. See Krishnamurthy, B.V., 3=13766
- Ramachandra Rao, B. See Krishnamurthy, B.V., 3=18540
- Ramachandra Rao, B. See Krishnamurthy, B.V., 3=18543
- Ramachandra Rao, B. See Mukunda Rao, M., 4=4813
- Ramachandra Rao, B. See Narayana Rao, G.L., 4=4812
- Ramachandra Rao, B. See Narayana Rao, G.L., 4=13853
- Ramachandra Rao, B. See Padmini, P.R.K.L., 0=19133
- Ramachandra Rao, B. See Padmini, P.R.K.L., 0=19134
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=87
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=12877
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=15869
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=18406
- Ramachandra Rao, B. See Padmini, P.R.K.L., 2=15589
- Ramachandra Rao, B. See Padmini, P.R.K.L., 3=7204
- Ramachandra Rao, B. See Padmini, P.R.K.L., 3=21357
- Ramachandra Rao, B. See Raghava Rao, R., 0=10420
- Ramachandra Rao, B. See Raghava Rao, R., 1=20976
- Ramachandra Rao, B. See Raghava Rao, R., 2=896
- Ramachandra Rao, B. See Ramana, K.V.V., 1=20938
- Ramachandra Rao, B. See Ramana, K.V.V., 2=11058
- Ramachandra Rao, B. See Rama Rao, H.S., 1=8116
- Ramachandra Rao, B. See Rama Rao, H.S., 1=9392
- Ramachandra Rao, B. See Reddy, C.A., 3=9079
- Ramachandra Rao, B. See Reddy, C.A., 4=742
- Ramachandra Rao, B. See Sanyasi Rao, A., 3=16274
- Ramachandra Rao, B. See Sanyasi Rao, A., 4=17949
- Ramachandra Rao, B. See Satyanarayana Murty, J., 0=2254
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 1=15871
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 2=19560
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 3=1684
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 3=11792
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 4=29625
- Ramachandra Rao, B. See Srirama Rao, M., 0=1985
- Ramachandra Rao, B. See Subba Rao, K., 0=10658
- Ramachandra Rao, D. and Venkateswarlu, P. Emission spectrum of SiF<sub>2</sub>. I. The band system in the region 2755-2179 Å, 2=6182
- Ramachandra Rao Pant, P. See Gopala Rao, M.S.V., 0=14242
- Ramachandra Rao Pant, P. See Gopal Rao, M.S.V., 1=10326
- Ramachandran, A. See Sreenivasan, K., 2=7421
- Ramachandran, E.G. and Dasarathy, C. Stability of retained austenite on ageing, 1=6537
- Ramachandran, E.G. and Dasarathy, C. Athermal stabilization of austenite, 1=6538
- Ramachandran, E.G. and Dasarathy, C. Hydrogen and austenite stabilization, 1=6539
- Ramachandran, G. and Devanathan, V. Nuclear polarization following photo-production of pions from nuclei. I., 4=6317
- Ramachandran, G. and Devanathan, V. Nuclear polarisation following photo-production of pions from nuclei. II., 4=12119
- Ramachandran, G. and Umerjee, R. K. Deuteron polarization following neutral pion photoproduction, 4=21963
- Ramachandran, G. See Devanathan, V., 1=5751
- Ramachandran, G. See Devanathan, V., 3=2430
- Ramachandran, G. See Devanathan, V., 3=12654
- Ramachandran, G. See Ramakrishnan, A., 1=8481
- Ramachandran, G. See Ramakrishnan, A., 1=15699
- Ramachandran, G.N. Analysis of the X-ray diffraction pattern of helical structures, 1=20494
- Ramachandran, G.N. A problem in probability related to the passage of light through a cloud of particles, 2=120
- Ramachandran, G.N. [Ed.]. Crystallography and crystal perfection, 4=20744
- Ramachandran, G.N. and Krishnamurthy, E.V. "Lilāvati" — a new analogue computer for solving linear simultaneous equations and related problems. I. General principles and design of model I, 0=8465
- Ramachandran, G.N. and Parthasarathy, R. Determination of space-groups using anomalous dispersion, 3=8826
- Ramachandran, G.N. and Parthasarathy, R. Anomalous extinction effects in X-ray reflection by crystals, 3=8828
- Ramachandran, G.N. and Ramachandra Ayyar, R. Fourier syntheses for feeding in isomorphous replacement and anomalous dispersion data, 4=23365
- Ramachandran, G.N. and Raman, S. Syntheses for the deconvolution of the Patterson function. I. General principles, 0=3214
- Ramachandran, G.N. and Srinivasan, R. An apparent paradox in crystal structure analysis, 1=9132
- Ramachandran, G.N. and Srinivasan, R. X-ray intensity statistics of a pair of related crystals, 4=20749
- Ramachandran, G.N., Srinivasan, R. and Raghupathy Sarma, V. Probability distribution connected with structure amplitudes of two related crystals. I. Probability distribution of the difference, 3=18304
- Ramachandran, G.N. See Parthasarathy, R., 3=13425
- Ramachandran, G.N. See Parthasarathy, R., 4=23380
- Ramachandran, G.N. See Raman, S., 3=1321
- Ramachandran, G.N. See Srinivasan, R., 4=23370
- Ramachandran, G.N. See Srinivasan, R., 4=26618
- Ramachandran, J. See Rao, C.N.R., 1=14009
- Ramachandran, P.N. and Salomon, R.E. High voltage photovoltaic effect at low temperatures, 3=15636
- Ramachandran, V. See Krishnan, A.A., 1=6522
- Ramakanth, J. Dislocation of the first order, 2=21011
- Ramakoteswara Rao, P. Isotope shifts in the uranium spectrum, 4=12379
- Ramakoteswara Rao, P. and Apparao, K.V.S.R. A new band system of CuBr molecule, 4=30428
- Ramakoteswara Rao, P., Asundi, R.K. and Brody, J.K. Structure of the band spectrum of CuCl molecule. II. Rotational structure of the F-X band system of Cu<sup>65</sup>Cl<sup>35</sup>, 2=10252
- Ramakoteswara Rao, P., Asundi, R.K. and Brody, J.K. Structure of the band spectrum of CuCl molecule. III. Rotational structure of the B and C systems of Cu<sup>65</sup>Cl<sup>35</sup>, 2=10253



- Ramakoteswara Rao, P. and Brody, J.K. Structure of the band spectrum of CuCl molecule. I. Additional knowledge in the coarse structure, 1=19638
- Ramakoteswara Rao, P., Brody, J.K. and Asundi, R.K. Structure of the band spectrum of CuCl molecule. IV. Rotational structure of the D and E systems of  $\text{Cu}^{65}\text{Cl}^{35}$ , 2=22964
- Ramakoteswara Rao, P. See Asundi, R.K., 2=1983
- Ramakrishna, B.S. See Ramaswamy, T.K., 2=9344
- Ramakrishna, J. Temperature dependence of the iodine pure quadrupole resonance frequency in methyl iodide, 2=10727
- Rama Krishna, J. Rotation of a sphere in a liquid: methods for the determining of the absolute viscosity of liquids, 3=23839
- Ramakrishna, J. Temperature dependence of chlorine pure quadrupole resonance frequency, 4=1313
- Ramakrishna, J. Temperature dependence of iodine pure quadrupole resonance frequency in iodic acid, 4=22426
- Ramakrishna, J. Rotational oscillations of a cylinder in a liquid: measurement of absolute viscosity of liquids, 4=24139
- Ramakrishna Rao, M. and Anantharaman, T.R. A replica technique for electron microscopic examination of copper-base alloys, 2=10958
- Ramakrishna Rao, V. See Ramamurty, S., 0=5956
- Ramakrishna Rao, M. See Ramesam, J., 2=12933
- Ramakrishna Rao, M. See Ramesam, J., 3=13542
- Ramakrishna Rao, U. See Dharmatti, S.S., 3=20676
- Rama Krishna Rao, V., Kaila, T.R., Mehta, K.R., Mathur, K.C. and Sarma, M.S.R.S. Infrared filters for the region 0.8-1.2 $\mu$ , 3=9604
- Ramakrishna Rao, V. See Kameswara Rao, K.V., 1=5342
- Ramakrishna, S. Pulse spread in proportional counters, 1=393
- Ramakrishna, S. Gas amplification in proportional counters, 1=13206
- Ramakrishna, S. See Bhagavantam, S., 1=18137
- Ramakrishna, S. See Krishnamurthi, M., 2=11151
- Ramakrishna, V., Pillai, P.K.C. and Katti, P.K. Effect of electric fields on the boiling points of liquids, 3=16839
- Ramakrishnan, A. and Balachandran, A.P. Partial wave dispersion relations for lambda-nucleon scattering, 2=13886
- Ramakrishnan, A., Balachandran, A.P. and Raman, K. Low energy  $K^+$ -nucleon scattering, 2=12002
- Ramakrishnan, A., Balachandran, A.P. and Ranganathan, N.R. Some remarks on the structure of elementary particle interactions, 1=16681
- Ramakrishnan, A., Balachandran, A.P., Ranganathan, N.R. and Deshpande, N.G. On an isobaric spin scheme for Leptons and the leptonic decays of strange particles, 1=13370
- Ramakrishnan, A., Bhamati, G. and Indumathi, S. A limiting process in quantum electrodynamics, 2=3244
- Ramakrishnan, A., Bhamathi, G., Indumathi, S., Radha, T.K. and Thunga, R. Some consequences of  $\text{spin}^2$  for  $\Xi$ , 2=5744
- Ramakrishnan, A., Devanathan, V. and Ramachandran, G. Elastic photoproduction of neutron pions from deuterium, 1=8481
- Ramakrishnan, A., Devanathan, V. and Venkatesan, K. On the scattering of pions by deuterons, 2=5725
- Ramakrishnan, A. and Radha, T.K. Correlation problems in evolutionary stochastic processes, 1=18287
- Ramakrishnan, A., Radha, T.K. and Thunga, R. On the decomposition of the Feynman propagator, 1=16651
- Ramakrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. On the  $Y^*$ -resonances, 2=13887
- Ramakrishnan, A., Radha, T.K. and Thunga, R. Possible resonances in  $\Xi$  p reactions, 2=13889
- Ramakrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. On the spin and parity of the  $Y^*$ -resonance, 2=20431
- Ramakrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. Photoproduction of pions on  $\Lambda$ -hyperons, 2=22563
- Ramakrishnan, A., Ramachandran, G. and Devanathan, V. A time-dependent approach to rearrangement collisions, 1=15699
- Ramakrishnan, A., Ranganathan, N.R. and Srinivasan, S.K. A note on the interaction between nucleon and anti-nucleon, 1=493
- Ramakrishnan, A., Ranganathan, N.R., Vasudevan, R. and Srinivasan, S.K. A note on dispersion relations, 0=7297
- Ramakrishnan, A. and Srinivasan, S.K. A note on cascade theory with ionisation loss, 0=2605
- Ramakrishnan, A. and Srinivasan, S.K. A note on electron photon showers, 1=9787
- Ramakrishnan, A., Srinivasan, S.K., Ranganathan, N.R. and Vasudevan, R. Multiple processes in electron-photon cascades, 0=2606
- Ramakrishnan, A., Srinivasan, S.K., Ranganathan, N.R. and Venkatesan, K. Photo-mesons from polarized nucleons, 1=526
- Ramakrishnan, A., Thunga, R., Radha, T.K., Bhamathi, G. and Indumathi, S. Dispersion analysis of  $\Xi$  production in  $\overline{K}N$  collisions, 3=610
- Ramakrishnan, D. See Agrawal, R.M., 2=21247
- Ramakrishnan, D. See Hoch, M., 4=28390
- Ramakrishnan, T.V. See Agrawala, V.K., 3=4398
- Ramamoorthy, P. Superposability of two axi-symmetric flows under axi-symmetric magnetic fields, 0=9172
- Ramamoorthy, P. Laminar boundary - layer equations at low magnetic Reynolds number, 3=4259
- Ramamoorthy, P. and Chakraborty, B.B. A note on force-free fields, 1=358
- Ramamoorthy, P. See Chakraborty, B.B., 0=7209
- Ramamorthy, P. Flow between two concentric rotating cylinders with a radial magnetic field, 2=1568
- Ramamurty, S. Predicted electronic shifts in fluorinated naphthalenes, 0=5957
- Ramamurty, S. Configurational interaction in molecular orbital theory as applied to indene, 0=5973
- Ramamurty, S., Jagannadha Rao, M. and Ramakrishna Rao, V. Analysis of the near ultraviolet absorption spectra of  $\alpha$  and  $\beta$ -fluoronaphthalenes, 0=5956
- Raman, C.V. Quantum theory and crystal physics, 0=2117
- Raman, C.V. The specific heats of crystals. I. General theory. II. The case of diamond. III. Analysis of the experimental data, 0=2790
- Raman, C.V. The specific heats of some metallic elements. I. Analysis of the experimental data, 0=2791
- Raman, C.V. The specific heats of some metallic elements. II. Approximate theoretical evaluation, 0=2792
- Raman, C.V. The specific heats of some metallic elements. III. The characteristic frequencies, 0=2793
- Raman, C.V. The specific heats of some metallic elements. IV. The residual spectrum, 0=2794
- Raman, C.V. The heat capacity of diamond between 0 and 1000°K, 0=2795
- Raman, C.V. The specific heats of crystals and the fallacy of the theories of Debye and Born, 0=2796
- Raman, C.V. Percussion figures in crystals, 0=3157
- Raman, C.V. The diamond, 0=3169
- Raman, C.V. The physics of crystals, 0=6001
- Raman, C.V. Huyghens' principle and the diffraction of light. I. Theoretical considerations, 1=258
- Raman, C.V. Caustics formed by diffraction and geometric theory of diffraction patterns, 1=239
- Raman, C.V. The perception of light and colour and the physiology of vision. I. The mechanism of perception, 1=21145
- Raman, C.V. The perception of light and colour and the physiology of vision. II. The visual pigments, 1=21146
- Raman, C.V. The perception of light and colour and the physiology of vision. III. The carotenoid pigment, 1=21147
- Raman, C.V. The perception of light and colour and the physiology of vision. IV. Ferrochrome and ferriheme, 1=21148
- Raman, C.V. The perception of light and colour and the physiology of vision. V. The colour triangle, 1=21149
- Raman, C.V. The perception of light and colour and the physiology of vision. VI. Defective colour vision, 1=21150
- Raman, C.V. The perception of light and colour and the physiology of vision. VII. General summary, 1=21151
- Raman, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. I. The results of experimental study, 2=6254
- Raman, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. II. Dynamical theory, 2=6255
- Raman, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. III. Comparison of theory and experiment, 2=6256
- Raman, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. IV. Evaluation of its specific heat, 2=6257
- Raman, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. I. The structure and its free vibrations, 2=6258
- Raman, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. II. Its infrared activity, 2=6259
- Raman, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. III. The spectrum of light scattering, 2=6260



- Raman, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. IV. Specific heat and spectral frequencies, 2=6261
- Raman, C.V. The infra-red absorption by diamond and its significance. I. Materials and methods, 2=8497
- Raman, C.V. The infra-red absorption by diamond and its significance. II. A general survey of the results, 2=8498
- Raman, C.V. The infra-red absorption by diamond and its significance. III. The perfect diamonds and their spectral behaviour, 2=8499
- Raman, C.V. The infra-red absorption by diamond and its significance. IV. The non-luminescent diamonds, 2=8500
- Raman, C.V. The infra-red absorption by diamond and its significance. V. The composite diamonds, 2=8501
- Raman, C.V. The infra-red absorption by diamond and its significance. VI. The free vibrations of the structure, 2=8502
- Raman, C.V. The infra-red absorption by diamond and its significance. VII. The characteristic frequencies, 2=8503
- Raman, C.V. The infra-red absorption by diamond and its significance. VIII. Dynamical theory, 2=8504
- Raman, C.V. The infra-red absorption by diamond and its significance. IX. The activity of the normal modes, 2=8505
- Raman, C.V. The infra-red absorption by diamond and its significance. X. Evaluation of the specific heat, 2=8506
- Raman, C.V. Optics in India: the spectroscopic behaviour of rock salt, 2=13425
- Raman, C.V. The vibration spectrum of lithium fluoride and the evaluation of its specific heat, 2=14373
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. I. Introduction, 3=754
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. II. The free modes of atomic vibration, 3=755
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. III. The interatomic forces, 3=756
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. IV. The equations of motion, 3=757
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. V. The evaluation of the frequencies, 3=758
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VI. The atomic vibration spectra, 3=759
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VII. Evaluation of the specific heats, 3=760
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VIII. Their infra-red activity, 3=761
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. IX. Spectral shifts in light scattering, 3=762
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. X. The lithium salts, 3=763
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. XI. The sodium salts, 3=764
- Raman, C.V. The specific heats of the alkali halides and their spectroscopic behaviour. XII. The potassium and rubidium salts, 3=765
- Raman, C.V. The role of the retina in vision, 3=1572
- Raman, C.V. Spectroscopic evaluation of the specific heats of potassium bromide, 3=12926
- Raman, C.V. The infrared behaviour of the alkali halides, 3=17994
- Raman, C.V. The infrared behaviour of diamond, 3=18003
- Raman, C.V. The dynamics of the fluorite structure and its infrared behaviour, 3=10939
- Raman, C.V. The dynamics of the fluorite structure and its infrared behaviour. II. The free modes of vibration, 3=10940
- Raman, C.V. The dynamics of the fluorite structure and its infra-red behaviour. III. Activity of the normal modes, 3=10941
- Raman, C.V. The dynamics of the fluorite structure and its infra-red behaviour. IV. The spectrophotometer records, 3=10942
- Raman, C.V. The infra-red behaviour of sodium fluoride, 3=10966
- Raman, C.V. The two species of fluorite, 3=15703
- Raman, C.V. Fluctuations of luminosity in visual fields, 4=20983
- Raman, C.V. and Pancharatnam, S. The optics of mirages, 1=1513
- Raman, K. Three-particle associated production in pion-nucleon collisions, 2=22575
- Raman, K. Regge poles in weak interactions, 4=25004
- Raman, K., Rajagopalan, S. R. and Siddiqi, M. I. A. Duplication of fine screw threads by electroforming, 4=23666
- Raman, K. See Marshak, R. E., 4=5960
- Raman, K. See Marshak, R. E., 4=19422
- Raman, K. See Ramakrishnan, A., 2=12002
- Raman, M. S., Kumar, R. and Datta, R. L. Electrolytic separation of deuterium; effect of temperature, 4=2159
- Raman, R. and McGlynn, S. P. Hole mobility in organic molecular crystals, 4=9888
- Raman, S. Syntheses for the deconvolution of the Patterson function. II. Detailed theory for non-centrosymmetric crystals, 0=3215
- Raman, S. Theory of the anomalous dispersion method of determining the structure and absolute configuration of non-centrosymmetric crystals, 1=1393
- Raman, S. Syntheses for the deconvolution of the Patterson function. III. Theory for centrosymmetric crystals, 2=6804
- Raman, S. Some aspects of minimum-function diagrams [for Patterson functions], 2=10852
- Raman, S. and Lipscomb, W. N. The Patterson approach to phase problem, 4=23369
- Raman, S. and Ramachandran, G. N. Structure of a new carbide of titanium, 3=1321
- Raman, S. and Saxena, S. C. Thermal diffusion column-shape factors for a gas composed of rigid spherical molecules, 2=17503
- Raman, S. See Bhattacharjee, S. K., 0=2646
- Raman, S. See Ramachandran, G. N., 0=3214
- Raman, S. See Saxena, S. C., 3=166
- Raman, V. C. The luminescence of fluor spar, 3=8616
- Ramana, K. V. V. and Ramachandra Rao, B. Investigation of ionospheric absorption on 5.65 Mc/s at Waltair, 1=20938
- Ramana, K. V. V. and Ramachandra Rao, B. Lunar daily variation of horizontal drifts in the ionosphere at Waltair, 2=11058
- Ramana Murthy, P. V. See Mistry, N. B., 0=17455
- Ramana Murthy, P. V. On the charge ratio of cosmic-ray muons at sea level, 4=9330
- Ramana Murthy, P. V. See Ashton, F., 4=970
- Ramana Murthy, P. V. See Miyake, S., 4=21974
- Ramana Murthy, P. V. See Miyake, S., 4=21975
- Ramana Rao, A. V. and Krishnan, A. A. The properties and sintering behaviour of carbon-reduced copper powders, 3=13552
- Ramana, Y. V. and Subrahmanyam, Y. Variation of Young's modulus in limestones, 3=15973
- Ramanadham, R. and Jaganmohana Rao, P. A recording thermistor radiometer, 3=11408
- Ramanadham, R., Mohana Rao, K. M. and Nagamuneswara Rao, K. Raindrop spectrum analysis, 2=15192
- Ramanadham, R. and Murty, A. V. S. A thermistor thermometer for field studies, 3=7376
- Ramanadham, R. and Nagamuneswara Rao, K. A simple inexpensive automatic camera for photographing at required intervals, 1=8249
- Ramanadham, R. and Nagamuneswara Rao, K. A thermistor rain thermometer, 3=13656
- Ramanadham, R. and Nagamuneswara Rao, K. An electronic anemometer, 3=16641
- Ramanadham, R., Reddy, B. M. and Alluraiah, A. A winter anomaly in the variation of total absorption at high frequencies reflected by the  $F_2$  layer of the
- Ramanadham, R. and Varadarajulu, R. Fluctuations in monthly mean sea level at Visakhapatnam as related to the dynamics of the atmosphere over Western Bay of Bengal, 4=29262
- Ramanaiah, K. V. See Rajeswara Rao, N., 4=28179
- Ramanaiah, K. V. See Rajeswara Rao, N., 4=28223
- Ramanaiah, P. See Chang, C. C., 1=11739
- Ramana Murthy, P. V., Sreekantan, B. V., Subramanian, A. and Verma, S. D. A total absorption spectrometer for measuring the energies of nuclear interacting particles of the cosmic radiation in the energy range of a few GeV to a few hundred GeV, 3=24813
- Ramana Murthy, P. V. See Menon, M. G. K., 3=19608
- Ramanamurthy, P. V. See Miyake, S., 2=12074
- Ramanamurthy, P. V. See Miyake, S., 2=12077
- Ramanamurthy, P. V. See Murthy, G. T., 1=3327
- Ramanamurthy, P. V. See Naranan, S., 0=15467



- Ramana Murty, B.V. and Srivastava, R.C. Some interesting precipitation field patterns as revealed by radar, 3=13870
- Ramana Murty, B.V. See Biswas, K.R., 3=13669
- Ramanathan, A.S. and Jayanthan, R. Distribution of sunspots in longitude, 3=11537
- Ramanathan, K. and Johannes, R. Luminosity and spectral studies of an MgO cold cathode, 3=20544
- Ramanathan, K.G. Faraday's law of induction and the force on a body due to change in its magnetization in an electric field, 2=22303
- Ramanathan, K.G. and Srinivasan, T.M. The atomic heats of gold, platinum and antimony at liquid helium temperatures, 1=3606
- Ramanathan, K.R. July 1959 events and associated phenomena, 2=887
- Ramanathan, K.R. Bi-annual variation of atmospheric ozone over the tropics, 4=4758
- Ramanathan, K.R. and Bhonsle, R.V. Cosmic radio noise absorption on 25 Mc/s and F scatter, 0=21366
- Ramanathan, K.R., Bhonsle, R.V. and Degaonkar, S.S. Effect of electron-ion collisions in the F region of the ionosphere on the absorption of cosmic radio noise at 25 Mc/s at Ahmedabad. Changes in absorption associated with magnetic storms, 1=20982
- Ramanathan, K.R. See Bhonsle, R.V., 1=6653
- Ramanathan, K.R. See Kotadia, K.M., 0=3346
- Ramanathan, S. See Patel, A.R., 3=807
- Ramanathan, S. See Patel, A.R., 3=1259
- Ramanathan, S. See Patel, A.R., 3=23381
- Ramanathan, S. See Patel, A.R., 3=25661
- Ramanathan, Y. See Raghavan, S., 3=16205
- Ramaniah, M.V. and Sugarman, N. Angular distribution of fragments from the fission of bismuth by 450-MeV protons, 0=9699
- Ramanna, R. Mass distribution in fission and the theory of random flights, 4=25449
- Ramanna, R., Chaudry, R., Kapoor, S.S., Mikke, K., Murthy, S.R.S. and Rama Rao, P.N. The angular correlation of prompt neutrons and fission fragments in thermal neutron fission of  $U^{235}$ , 1=8889
- Ramanna, R., Nair, K.G. and Kapoor, S.S. Emission of alpha particles in the fission process, 3=8144
- Ramanna, R. and Navalkar, M.P. On the determination of the slowing down length in ordinary water using a pulsed neutron source, 0=3975
- Ramanna, R. See Deniz, V.C., 0=9369
- Ramanna, R. See Iyengar, S.B.D., 0=9374
- Ramanna, R. See Iyengar, S.B.D., 0=9375
- Ramanna, R. See Kapoor, S.S., 3=17504
- Ramanna, R. See Kapoor, S.S., 4=9583
- Ramanna, R. See Nair, K.G., 1=13813
- Ramanujam, T. K. See Krishnamurthy, V. V. G., 4=27354
- Ramaradhy, J.M. and Freeman, G.R. Radiolysis of cyclohexane. III. Vapor phase, 1=91/6
- Ramasastri, C. Energy states associated with crystal defects in semi-conductors, 2=14515
- Ramasastri, C. and Murti, Y. V. G.S. Electrical conductivity of sodium bromate crystals, 4=7034
- Ramasastri, C. and Murti, Y. V. G.S. Optical absorption in irradiated sodium bromate crystals, 4=13058
- Ramasastri, C. See Sastry, S. B. S., 4=4083
- Ramaseshan, S. See Aravamudan, G., 4=30841
- Ramaseshan, S. See Manohar, H., 4=2071
- Ramaseshan, S. See Singh, A. K., 4=23401
- Ramaseshan, S. See Singh, A. K., 4=30840
- Ramaseshan, S. See Vaidya, S. N., 4=23383
- Ramaseshan, S. See Viswamitra, M.A., 0=8165
- Ramaseshan, S. See Viswamitra, M.A., 2=10337
- Ramaswami, B. See Kocks, U. F., 4=30764
- Ramaswami, B. See Schaefer, R., 4=26495
- Ramaswamy, K., Sathianandan, K. and Cleveland, F. F. Molecular constants of  $NSF_3$ , 2=20838
- Ramaswamy, K. See Sathianandan, K., 2=16541
- Ramaswamy, K. See Sathianandan, K., 4=25686
- Ramaswamy, K. See Venkateswarlu, K., 1=14032
- Ramaswamy, K. See Venkateswarlu, K., 1=15880
- Ramaswamy, K. See Venkateswarlu, K., 1=15881
- Ramaswamy, K. See Venkateswarlu, K., 4=14169
- Ramaswamy, K. See Venkateswarlu, K., 4=28354
- Ramaswamy, M.K. A reinvestigation of the decay of Na-22, 0=15547
- Ramaswamy, M.K. Nuclear structure effects in  $C^{13}$ , 0=17541
- Ramaswamy, M.K. L to K capture ratio in the decay of  $Ge^{66}$ , 1=2194
- Ramaswamy, M.K. K-conversion coefficients of E2 transitions, 1=9843
- Ramaswamy, M.K. Search for E0 transition in zinc-68, 1=17047
- Ramaswamy, M.K. Studies in K-capture positron branching ratios-Co<sup>58</sup>, 2=7948
- Ramaswamy, M.K. A determination of the mean L-fluorescence yield in thallium, 2=16844
- Ramaswamy, M.K. On the possible existence of a  $O^+$  first excited state in  $^{26}Mg$ , 2=22733
- Ramaswamy, M.K. On  $\Gamma$ -forbidden M1 transitions, 3=10239
- Ramaswamy, M.K. Spin of the 169 keV-level in titanium-47, 3=12587
- Ramaswamy, M.K. Search for a  $O^+$  excited state in  $Sr^{88}$ , 3=15108
- Ramaswamy, M.K. Lifetime of the 70 keV level in  $Sb^{121}$ , 3=17413
- Ramaswamy, M.K. Search for gamma-rays following the decay of 3-hour  $Tl^{208}$ , 3=17429
- Ramaswamy, M.K. Note on  $5^-$  levels in even-even nuclei, 3=22283
- Ramaswamy, M.K. Energy levels of  $Mg^{24}$  from the decay of  $Al^{28}$ , 3=22295
- Ramaswamy, M.K. Lifetime studies in tellurium-121, 3=22306
- Ramaswamy, M.K. Review of recent results on internal conversion, 3=24879
- Ramaswamy, M.K. Recent results in orbital capture, 4=15140
- Ramaswamy, M. K. and Bishara, B. A. Lifetime measurements in  $Sb^{121}$ , 4=19694
- Ramaswamy, M. K. and Brahmavar, S. M. Remarks on K-conversion coefficients of E2 transitions in rare-earth nuclei, 4=6212
- Ramaswamy, M.K. and Jastram, P.S. On the K-conversion coefficient of the 279 keV gamma ray in the decay of  $Hg^{203}$ , 0=7519
- Ramaswamy, M.K. and Jastram, P.S. Angular correlation of the 1.07-1.24 MeV gamma cascade in the decay of  $Ga^{67}$ , 0=11379
- Ramaswamy, M.K. and Jastram, P.S. Decay of  $Y^{88}$ , 0=20396
- Ramaswamy, M.K., Skeel, W. L., Hutchins, D. L. and Jastram, P.S. Directional and polarization correlation studies in the decay of 5-hour  $Sb^{118}$ , 1=2198
- Ramaswamy, M.K., Skeel, W. L., Hutchins, D. L. and Jastram, P.S. Nuclear levels of  $Sn^{118}$ , 1=8608
- Ramaswamy, M.K., Skeel, W. L. and Jastram, P.S. Decay of  $Ba^{133}$ , 0=13170
- Ramaswamy, M.K., Skeel, W. L. and Jastram, P.S. The decay energy of  $Ba^{133}$ , 0=20381
- Ramaswamy, M.K. See Brahmavar, S. M., 3=22316
- Ramaswamy, M.K. See Brahmavar, S. M., 3=22322
- Ramaswamy, M.K. See Brahmavar, S. M., 4=3555
- Ramaswamy, M.K. See Brahmavar, S. M., 4=3556
- Ramaswamy, M. K. See Brahmavar, S. M., 4=12124
- Ramaswamy, M.K. See Brahmavar, S. M., 4=15137
- Ramaswamy, M.K. See Brahmavar, S. M., 4=17009
- Ramaswamy, M. K. See Brahmavar, S. M., 4=21995
- Ramaswamy, M. K. See Swarnagowri, S., 4=25275
- Ramaswamy, M. K. See Swarnagowri, S., 4=25338
- Ramaswamy, M.K. See Vanderleeden, J. C., 2=7952
- Ramaswamy, M.K. See Venkatesha Murthy, A. S., 4=17089
- Ramaswamy, P. S. A relation between temperature coefficient of intermolecular free-length and boiling point, 4=27381
- Ramaswamy, S. See Saxena, S. C., 4=8249
- Ramaswamy, T. K. and Ramakrishna, B. S. Simple laboratory setup for obtaining sound spectrograms, 2=9344
- Ramavaram, K. Spectra of  $Ti^{51}$ ,  $Cr^{53}$ , and  $Fe^{56}$  and the unified model, 4=6226
- Ramavaram, K. and Porat, D. I. Measurement of surface density of thin foils, 0=19039
- Ramavaram, K. See Calvert, J. M., 2=10142
- Ramavaram, K. See Gale, N. H., 1=3460
- Ramavaram, K. See Gale, N. H., 1=5941
- Ramavaram, K. See Porat, D. I., 0=3814
- Ramavaram, K. See Porat, D. I., 1=4667
- Ramavaram, K. See Porat, D. I., 1=4668
- Ramavaram, K. See Porat, D. I., 2=1931
- Ramavaram, S. Shell model and the levels of  $Zr^{91}$ , 4=27970
- Ramavaram, S. See Forsyth, P. D., 0=5754
- Ramavaram, S. See Jaffe, A. A., 1=731
- Ramavaram, S. See Taylor, I. J., 0=11422
- Ramayya, A. V., Yoshizawa, Y. and Mitchell, A. C. G. Level scheme of  $I^{129}$ , 4=27973
- Ramayya, A. V. See Schwerdtfeger, C. F., 4=9403



- Ramazanov, K.A. Electrical properties of alloys of the system Bi-Sb in thin films, 1=19826
- Ramazanov, K.A. Electrical properties of alloys of the system Bi-Sb in thin films, 2=3986
- Ramazanov, P.E. Dielectric changes in ZnS:Cu:Fe phosphor during thermostimulation, 2=21283
- Ramazanov, P.E. and Nuvart'eva, V.V. Light sums stored in the ZnS: Cu, Al luminor, 3=3074
- Ramazanov, P.E. See Litvinova, P.S., 2=6646
- Ramazanov, P.E. See Vergunas, F.I., 1=14547
- Ramazashvili, R.R. and Rukhadze, A.A. Electromagnetic waves in magnetically active plasma in the region of large refractive indices, 3=14584
- Ramazashvili, R.R., Rukhadze, A.A. and Silin, V.P. Temperature equalization rate for charged particles in a plasma, 3=14604
- Ramazashvili, R.R. See Baikov, I.S., 4=11591
- Rambauskas, W. Distribution of narrow band spectral emission in the optical region over a vortex stabilized arc plasma, 4=18843
- Rambauskas, W. and Gruenzel, R.R. X-ray diffraction on whiskers grown from ferrous chloride in an argon atmosphere, 4=13551
- Ramberg, E.G. See Schlesinger, K., 2=15955
- Rambidi, N.G. See Akischin, P.A., 0=5992
- Rambidi, N.G. See Akishin, P.A., 0=14007
- Rambidi, N.G. See Akishin, P.A., 0=17855
- Rambidi, N.G. See Akishin, P.A., 2=22951
- Ramdas, A.K. and Fan, H.Y. Infrared absorption spectra of defects in irradiated silicon, 3=23076
- Ramdas, A.K., Lee, P.M. and Fisher, P. Splitting of donor levels in multi-valley semiconductors in the presence of external fields, 4=4127
- Ramdas, A.K. See Becker, W.M., 1=17733
- Ramdas, A.K. See Fan, H.Y., 23570
- Pameau, F. See Klapisch, R., 4=17130
- Ramel, A. See Thürkau, M., 3=23529
- Ramer, C.E., Narasimham, M.A., Reynolds, H.K. and Allred, J.C. Sputtering of polycrystalline copper and silver by 30-170 keV argon ions, 4=22644
- Ramesam, J., Ramakrishna Rao, M. and Anantharaman, T.R. Electron-metallographic studies of precipitation in an aluminium-zinc-magnesium alloy, 2=12933
- Ramesam, J., Ramakrishna Rao, M. and Anantharaman, T.R. The aging sequence in an aluminium-zinc-magnesium alloy, 3=13542
- Ramey, K.C. and Brey, W.S., Jr. Chemical shifts and temperature dependence of spin-spin coupling constants of fluoropropenes, 4=20107
- Ramey, K.C. See Brey, W.S., Jr., 4=3907
- Ramey, R.L. See Brownell, R.B., 4=29181
- Rami Reddy, G. See Arnika, H.J., 2=3190
- Ramiah, K.V. See Puranik, P.G., 2=7218
- Ramiah, K.V. See Puranik, P.G., 2=7219
- Ramirez de Arellano, M.E. See Moreno Moreno, A., 2=4616
- Ramler, W.J., Yntema, J.L. and Oselka, M. Energy degrading -focusing of cyclotron, 1=5514
- Ramler, W.J. See Benaroya, R., 2=3110
- Ramler, W.J. See Johnson, K., 2=9656
- Ramler, W.J. See Perlow, G.J., 1=7362
- Ramm, P. and Warren, F.W.G. Gravity-wave dispersion under wind shear in two model atmospheres, 4=2189
- Ramm, W.J. See Bomke, H.A., 0=8369
- Rammensee, H. and Zanker, V. Contribution on the connection between light absorption, decay time and absolute fluorescence quantum yield in organic dyestuff molecules, 0=11772
- Ramos, C. See Pastor, J., 2=15753
- Ramos, C. See Pastor, J., 2=17669
- Ramos, F. Orientation of the crystals constituting sodium chloride films condensed in vacuum at high velocities, 3=8799
- Ramos, F. Films of sodium chloride condensed in vacuo at various inclinations and indirectly, 3=13561
- Ramos, F. and Bru, L. Electron diffraction study of thin films of sodium fluoride, 3=25680
- Ramos, F. and Wilman, H. Electron diffraction study of thin films of sodium chloride condensed in vacuo, 2=15091
- Ramos, F. See Brú, L., 1=6512
- Rampacher, H. On the classical theory of the polarization of electron shells in weakly distorted ionic crystals, 3=12896
- Rampacher, H. The theory of the U-band, 4=4085
- Rampton, V.W. and Rowell, P.M. Apparent amplification of microwave ultrasonics in doped magnesium oxide, 4=6736
- Ramšák, V. See Cilensek, E., 0=12642
- Ramšák, V. See Cilensek, E., 0=15084
- Ramšák, V. See Cvelbar, F., 2=16181
- Ramšák, V. See Cvelbar, F., 3=10366
- Ramsay, D.A. See Ballik, E.A., 0=4215
- Ramsay, D.A. See Ballik, E.A., 3=8250
- Ramsay, D.A. See Ballik, E.A., 3=8251
- Ramsay, D.A. See Bancroft, J.L., 2=10257
- Ramsay, D.A. See Clement, M.J.Y., 1=2352
- Ramsay, D.A. See Dressler, K., 0=4214
- Ramsay, D.A. See Durie, R.A., 0=5947
- Ramsay, D.A. See Johns, J.W.C., 1=3572
- Ramsay, D.A. See Johns, J.W.C., 4=6594
- Ramsay, J.B. See Campbell, A.W., 1=7911
- Ramsay, J.V. On the transfer function of a non-uniform atmosphere, 0=19361
- Ramsay, J.V. The optical performance of windows with axial temperature gradients, 2=97
- Ramsay, J.V. A rapid-scanning Fabry-Perot interferometer with automatic parallelism control, 2=17643
- Ramsay, J.V. and Kobler, H. A stellar image monitor, 2=24073
- Ramsay, J.V. and Mugridge, E.G.V. Barium titanate ceramics for fine-movement control, 3=7418
- Ramsay, J.V. See Smartt, R.N., 4=24361
- Ramsay, W. p-p higher partial waves and the 3-meson model, 3=14981
- Ramsay, W. See Bryan, R.A., 3=22122
- Ramsay, W. See Finkelstein, R., 2=9774
- Ramsay, W. See Finkelstein, R., 3=10032
- Ramsden, D. See Watt, D.E., 2=5832
- Ramsden, D. See Wilson, H.W., 1=13870
- Ramsden, P. See Maycock, J., 3=5832
- Ramsden, S.A. and McLean, E.A. Optical refractivity of free electrons, 2=19980
- Ramsden, S.A. See Davies, W.E.R., 4=14670
- Ramsden, S.A. See Kolb, A.C., 3=12159
- Ramsden, S.A. See Kuhn, H.G., 0=16845
- Ramsen, S.A. See Hearn, A.G., 2=7620
- Ramsey, A.T. and Anderson, L.W. Spin relaxation in an optically oriented sodium vapor, 4=22314
- Ramsey, A.T. See Anderson, L.W., 2=1964
- Ramsey, A.T. See Anderson, L.W., 4=1230
- Ramsey, B., El-Bayoumi, M.A. and Kasha, M. Intramolecular charge-transfer bands observed in the spectra of some aryl boron compounds, 1=19641
- Ramsey, H.E. See Smith, S.F., 4=29466
- Ramsey, J.A. Exo-electron emission and the optical properties of oxide-coated metal surfaces, 0=9075
- Ramsey, J.B. See Cox, J.T., 4=22893
- Ramsey, J.B. See Inami, Y.H., 0=2770
- Ramsey, N.F. Resonances in successive oscillatory fields, 0=17861
- Ramsey, N.F. The atomic hydrogen maser, 3=12342
- Ramsey, N.F. See Baker, M.R., 1=2347
- Ramsey, N.F. See Baker, M.R., 4=12519
- Ramsey, N.F. See Brooks, R.A., 3=19974
- Ramsey, N.F. See Brooks, R.A., 4=30422
- Ramsey, N.F. See Cederberg, J.W., 4=22418
- Ramsey, N.F. See Chen, K.W., 4=9172
- Ramsey, N.F. See Crampton, S.B., 4=3777
- Ramsey, N.F. See Dunning, J.R., Jr., 3=19613
- Ramsey, N.F. See Fortson, E.N., 4=30374
- Ramsey, N.F. See Fox, R., 2=5905
- Ramsey, N.F. See Furry, W.H., 0=10600
- Ramsey, N.F. See Goldenberg, H.M., 0=19921
- Ramsey, N.F. See Goldenberg, H.M., 1=11082
- Ramsey, N.F. See Kleppner, D., 2=6102
- Ramsey, N.F. See Kleppner, D., 2=11785
- Ramsey, N.F. See Lawrence, T.R., 3=15337
- Ramsey, N.F. See Leavitt, J.A., 1=19661
- Ramsey, N.F. See Nelson, H.M., 1=7492
- Ramsey, R.C. Spectral irradiance from stars and planets, above the atmosphere, from 0.1 to 100.0 microns, 2=19270
- Ramsey, T.H., Jr., Steinfink, H. and Weiss, E.J. A study of neodymium substituted yttrium iron garnet, 2=21339
- Ramsey, T.H., Steinfink, H. and Weiss, E.J. Some thermoelectric properties of polycrystalline lanthanum telluride,  $\text{LaTe}_{1.7}$ - $\text{LaTe}_{2.0}$ , 4=4240
- Ramsey, T.H.Jr. See Abernethy, L.L., 1=6499
- Ramsey, W. See Mahanthappa, K., 3=10026
- Ramsey, W.H. On the densities of methane, metallic ammonium, water and neon at planetary pressures, 3=21100
- Ramsey, W.J., Sands, D.E. and Mead, S.W. Neutron diffraction by  $\text{Li}_2\text{MgPb}$ , 4=4610
- Ramsey, W.J. See Sands, D.E., 3=20841



- Ramsey, W. J. See Sands, D. E., 4=26641
- Ramseyer, H., Warwick, J. W. and Zirin, H. Connection of a loop prominence with a sunspot, 1=9277
- Ramstedt, C. F. See Zagorites, H. A., 4=17506
- Ramsteiner, F., Schüle, W. and Seeger, A. Investigation of atomic defects in deformed and quenched silver, 2=18570
- Ramsteiner, F. See Schüle, W., 1=14249
- Ramus, L. T. See Nosov, Yu. R., 3=22932
- Ranade, J. D. See Rao, P. S., 0=5952
- Ranaldi, M. See Ostapovich, P. L., 0=3186
- Ranby, P. W. and Hobbs, D. Y. Thorium phosphate phosphors, 3=20523
- Ranc, G. See Cassagnol, C., 0=19782
- Ranc, G. See Cassagnol, C., 0=20574
- Ranc, G. See Colombani, A., 4=14230
- Ranc, G. See Gratot, I., 0=5689
- Rançon, P. See Aubert, B., 2=18187
- Rançon, P. See Aubert, B., 2=22647
- Rançon, P. See Baglin, C., 1=9764
- Rançon, P. See Bellière, J., 3=24775
- Rançon, P. See Bellini, G., 2=22573
- Rançon, P. See Bellini, G., 3=7899
- Rançon, P. See Bloch, M., 2=1640
- Rançon, P. See Di Corato, M., 2=22627
- Rançon, P. See Fretter, W. B., 3=2301
- Rançon, P. See Rousset, A., 0=1099
- Rancourt, J. D. See Jeppesen, M. A., 4=4112
- Rand, M. H. [Ed.] The measurement and interpretation of diffraction line profiles, 2=23831
- Rand, M. H., Fox, A. C. and Street, R. S. Radiation self damage in plutonium compounds, 2=23172
- Rand, M. J. The adsorption of water vapour by porous glass, 2=15101
- Rand, M. J. Purity examination of silicon and germanium halides by long-path infrared spectrophotometry, 4=7792
- Rand, R. E. The analysis of continuous spectra using the matrix method, 3=2235
- Rand, R. E. A correction to "The analysis of continuous spectra using the matrix method", 4=3741
- Rand, R. E. See Davies, G. R., 1=16467
- Rand, R. E. See Hague, J. F., 4=9178
- Rand, R. E. See Jennings, R. E., 2=9501
- Rand, R. P. and Calvert, L. D. The crystal structure of  $\text{Ag}_3\text{Ca}_5$ , 2=10883
- Rand, S. Electrostatic field about an ion moving slowly in a plasma, 0=1186
- Rand, S. Wake of a satellite traversing the ionosphere, 0=9023
- Rand, S. Damping of the satellite wake in the ionosphere, 0=15129
- Rand, S. Plasma as a microwave amplifier, 1=10716
- Rand, S. Coefficient of dynamic friction for slow ions, 1=16274
- Rand, S. Erratum: Plasma as a microwave amplifier, 2=7608
- Rand, S. Absorption of radiation by the ionosphere, 3=3488
- Rand, S. Dynamic friction and ion wave radiation reaction in a plasma, 3=21762
- Rand, S. Quantum effects on the conductivity of a dense plasma, 4=8715
- Rand, S. Transfer of energy in a quantized plasma, 4=18804
- Rand, S. and Albin, F. Electron-ion relaxation times, 4=24630
- Randall, C. M. See Ban, N. T., 3=125
- Randall, D. and St. John, D. S. Xenon spatial oscillations, 3=4682
- Randall, J. Aspects of the life and work of James Clerk Maxwell, 2=21778
- Randall, J. D. and Walker, J. V. Nonperturbing foils—an experimental verification, 3=17290
- Randall, J. D. See Walker, J. V., 3=12461
- Randall, J. E. Biophysics in the medical curriculum, 1=4139
- Randall, J. J., Jr and Bernard, W. J. Some observations on the interfacial topographies of aluminum and its amorphous oxide, 4=15815
- Randall, K. E. and Ward, F. L. Diffusion of sound in small rooms, 0=16812
- Randall, R. H. A look at the "continental classroom", 0=4916
- Randall, R. L. and Griffin, C. W. Application of power spectra to reactor system analysis, 4=19863
- Randall, T. See Staveley, L. A. K., 0=21277
- Randell, A. G. See Pointon, A. J., 4=7305
- Rander, M. E. See Herlincourt, D., 3=10881
- Randi, P. See Cattani, D., 1=19320
- Randi, P. See Galli, M., 3=4481
- Randic, M. Out-of-plane CH vibrations in some poly-nuclear aromatic hydrocarbons, 0=17738
- Randić, M. Comment on the difference between the bond orders calculated by SCF MO and simple MO method, 1=7480
- Randić, M. C matrix for  $\text{XY}_3$ -- $\text{UW}_3$  and related molecules, 2=6135
- Randić, M. Ligand field splitting of d orbitals in eight coordinated complexes of dodecahedral structure, 2=14304
- Randić, M. Quadricovalent maximum overlap hybrid orbitals, 2=16496
- Randic, M. and Mills, I. M. G matrix for  $\text{XY}_3$ -- $\text{UW}_3$  and  $\text{WZXY}_3$  molecules, 0=5908
- Randolph, H. D. See Muschlitz, E. E., 2=9642
- Randolph, M. L. Application of analog computers to e.s.r. spectroscopy, 0=17124
- Randolph, M. L. See Kondo, S., 0=17136
- Randolph, P. D. Slow neutron scattering evidence for violating of the F-sum rule in liquid sodium, 3=5429
- Randolph, P. D. Slow neutron inelastic scattering from liquid sodium, 4=18176
- Randolph, P. D., Brugger, R. M., Strong, K. A. and Schmunk, R. E. Inelastic scattering of slow neutrons from methane, 1=15945
- Randolph, P. D. See Schmunk, R. E., 1=13827
- Randolph, P. D. See Schmunk, R. R., 3=747
- Randolph, P. D. See Strong, K. A., 2=3764
- Randone, G. See Fabri, G., 3=4380
- Randone, G. See Fabri, G., 3=10636
- Randone, G. See Fabri, G., 3=24709
- Randone, G. See Fabri, G., 4=21844
- Rands, J. B. and Bigg, P. H. Hydrometers and hydrometry, 2=7165
- Rane, S. R. See Chiplonkar, V. T., 2=17852
- Ranft, J. Long range chemical shifts in aceto-acetic ester and acetylacetone, 1=12309
- Ranft, J. The calculation of  $\text{C}^{13}$ -H and H-H nuclear spin coupling constants of ethane and ethylene using valence bond wave-functions, 1=17346
- Ranft, J. A calculation of the H-H and  $\text{C}^{13}$ -H coupling constants using V-B eigenfunctions, 2=14302
- Ranft, J. The dependence of H-C-H coupling constants on substituents, 3=720
- Ranft, J. Nuclear resonance spectra of isopropyl compounds. Spectra of types  $\text{A}^*\text{B}$  and  $\text{A}^*\text{BX}$ , 3=10542
- Ranft, J. The effect of substitution on the binding constant between  $\text{C}^{13}$  and H, 3=20001
- Ranft, J. The theory of high-resolution nuclear induction signals, 4=3201
- Ranft, J. The calculation of certain  $\text{C}^{13}$ -H coupling constants, 4=3844
- Rang, O. Calibrating transformation of the electron wave, 4=16536
- Rang, O. and Demny, J. A double object chamber for the study of double diffraction of electrons by two crystal lattices, 0=10966
- Ranga Rao, D. See Ramachandra Rao, B., 3=3974
- Rangan, L. K., Harris, G. I. and Seagondollar, L. W. Properties of the two states in  $\text{Ca}^{40}$  near 9.87 MeV, 2=20620
- Rangan, L. K. See Baglin, C., 4=3487
- Rangan, L. K. See Seagondollar, L. W., 0=17594
- Ranganathan, N. R. and Vasudevan, R. The stochastic problem of electron-photon cascades including polarization, 1=2038
- Ranganathan, N. R. See Balachandran, A. P., 0=17260
- Ranganathan, N. R. See Balachandran, A. P., 0=17412
- Ranganathan, N. R. See Balachandran, N. P., 1=9774
- Ranganathan, N. R. See Ramakrishnan, A., 0=2606
- Ranganathan, N. R. See Ramakrishnan, A., 0=7297
- Ranganathan, N. R. See Ramakrishnan, A., 1=493
- Ranganathan, N. R. See Ramakrishnan, A., 1=526
- Ranganathan, N. R. See Ramakrishnan, A., 1=13370
- Ranganathan, N. R. See Ramakrishnan, A., 1=16681
- Ranganathan, N. R. See Srinivasan, S. K., 0=2604
- Ranganathan, S. See Brandon, D. G., 4=5721
- Ranganathan, S. See Brandon, D. G., 4=23535
- Rangappa, K. S. Cryoscopic effect of separation and concentration of solutes, 1=18677
- Rangappa, K. S. Cryoscopic effect and the composition of earth, 3=23572
- Rangarajan, C. See Vohra, K. G., 3=13689
- Rangarajan, S. Variations in ozone associated with the oscillations of equatorial stratospheric wind, 4=23730
- Rangaswamy, S. Lunar control of noon critical frequencies of the F2-region, 4=4819
- Rangaswamy, S. and Kapasi, K. B. A study of equatorial spread-F, 4=13852



- Rangaswamy, T.N. See Chatterjee, B.K., 3=4508  
 Rangaswamy, T.N. See Chatterjee, B.K., 3=4510  
 Rangaswamy, T.N. See Raghavan, R., 4=9125  
 Range, W.H. See Ashmore, A., 2=18118  
 Ranger, K. B. On a class of boundary value problems for the biharmonic equation and the Stokes repeated operator equation, 4=27024  
 Rangra, A.K. See Rastogi, R.P., 3=296  
 Raniszewski, J. Model tests of a vibration-impact system, 3=23823  
 Ranjan, C. See Rahman, F., 1=1201  
 Rank, D.H. Precision measurement of the wavelengths of infrared absorption lines with diffraction gratings, 0=10767  
 Rank, D.H. Interferometric measurements of wavelengths of absorption lines in the near infrared, 0=16852  
 Rank, D.H. Precision infrared spectroscopy, 3=248  
 Rank, D.H., Birtley, W.B., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Precise measurements of some infrared bands of hydrogen chloride, 1=842  
 Rank, D.H., Birtley, W.B., Eastman, D.P. and Wiggins, T.A. Pressure-induced shifts of HCl lines due to foreign gases, 0=5926  
 Rank, D.H., Birtley, W.B., Eastman, D.P. and Wiggins, T.A. Pressure shifting of spectrum lines: some empirical generalisations, 0=5928  
 Rank, D.H., Eastman, D.P., Birtley, W.B., Skorinko, G. and Wiggins, T.A. Echelle-type spectrograph for the near infrared, 0=14819  
 Rank, D.H., Eastman, D.P., Birtley, W.B. and Wiggins, T.A. Perturbation of molecular rotation-vibration energy levels by rare gases, 0=15726  
 Rank, D.H., Eastman, D.P., Birtley, W.B. and Wiggins, T.A. Shapes and breadth of some molecular rotation-vibration band lines perturbed by rare gases, 0=15727  
 Rank, D.H., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Highly precise wavelengths in the infrared. II. HCN, N<sub>2</sub>O, and CO, 1=12985  
 Rank, D.H., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Rotational and vibrational constants of the HCl<sup>35</sup> and DCl<sup>35</sup> molecules, 2=3728  
 Rank, D.H., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Breadths and shifts of molecular band lines due to perturbation by foreign gases, 3=7244  
 Rank, D.H., Eastman, D.P., Skorinko, G. and Wiggins, T.A. Fine structure in the lines of the 2v<sub>3</sub> band of methane, 0=17751  
 Rank, D.H., Fink, U., Foltz, J. V. and Wiggins, T.A. Intensity measurements on spectra of gases of planetary interest — H<sub>2</sub>, H<sub>2</sub>O, and CO<sub>2</sub>, 4=25640  
 Rank, D.H., Gardner, E. F., Sitaram, P., Glickman, W. A. and Wiggins, T. A. Pressure induced shifts of molecular band lines, 4=22358  
 Rank, D. H. and Rao, B. S. Molecular constants of the ground state of I<sub>2</sub>, 4=22360  
 Rank, D.H., Rao, B.S., Sitaram, P., Slomba, A. F. and Wiggins, T.A. Quadrupole and induced dipole spectrum of molecular hydrogen, 2=20803  
 Rank, D.H., Rao, B.S., Slomba, A. F., Sitaram, P. and Wiggins, T.A. Fundamental band of the quadrupole spectrum of the hydrogen molecule, 2=20802  
 Rank, D.H., Rao, B.S. and Wiggins, T.A. Absorption spectra of hydrogen halide-rare-gas mixtures, 3=4747  
 Rank, D.H., Saksena, G. D., Skorinko, G., Eastman, D.P., Wiggins, T.A. and McCubbin, T. K., Jr. Five-meter vacuum spectrometer for the near infrared, 0=155  
 Rank, D.H., Sitaram, P., Glickman, W. A. and Wiggins, T.A. Gas-phase complexes in hydrogen chloride, 4=3858  
 Rank, D.H., Skorinko, G., Eastman, D.P., Saksena, G. D., McCubbin, T. K., Jr. and Wiggins, T.A. Hyperfine structures of some Hg I lines, 0=17710  
 Rank, D.H., Skorinko, G., Eastman, D.P. and Wiggins, T.A. Vibration-rotation spectra of HCN, 0=7756  
 Rank, D.H., Skorinko, G., Eastman, D.P. and Wiggins, T.A. Highly precise wavelengths in the infrared, 0=17745  
 Rank, D.H., Slomba, A. F., Gardner, E. F. and Wiggins, T.A. Abundance of N<sub>2</sub>O in the atmosphere, 2=17126  
 Rank, D.H. and Wiggins, T.A. Quadrupole spectrum of molecular hydrogen, 3=17576  
 Rank, D.H. and Wiggins, T.A. Collision narrowing of spectral lines. H<sub>2</sub> quadrupole spectrum, 4=3854  
 Rank, D. H. and Wiggins, T. A. Experimental measurements of spectral line profiles, 4=8427  
 Rank, D.H. See Fink, U., 4=17878  
 Rank, D. H. See Foltz, J. V., 4=9703  
 Ranken, W.A., Grover, G.M. and Salmi, E.W. Experimental investigations of the cesium plasma cell, 1=1912  
 Ranken, W.A. See Rabson, T.A., 0=20414  
 Rankin, M. See Barnett, C. F., 4=11526  
 Rankin, M. See Fowler, T.K., 3=1998  
 Rankin, M. O. The use of coincidence counting techniques for analyzing low level plutonium contamination on filters, 4=9429  
 Rankin, R.A. A crystal dislocation problem, 1=19783  
 Rankin, T. M. See Weske, J. R., 4=127  
 Rankowitz, S. See Chrien, R. E., 4=27870  
 Rannestad, A. and Wagner, P. E. Paramagnetic relaxation in dilute potassium ferricyanide, 3=25572  
 Rannev, M.V. See Ozerov, R.P., 3=16080  
 Rannev, N. B. and Ozerov, R. P. A neutron diffraction determination of the hydrogen atom positions and the structure of dicyandiamide, 4=23504  
 Ranninger, J. Direct observation of the Lorentz contraction, 1=9313  
 Ranninger, J. The collection and single particle excitations of a high density electron gas, 2=20976  
 Ranninger, J. and Thirring, W. Linear response functions for quantum mechanical system, 3=1628  
 Ranninger, J. See Baumann, K., 3=751  
 Ranon, U. Electron spin resonance of CaWO<sub>4</sub>:Nd<sup>3+</sup>, 4=15677  
 Ranon, U. and Low, W. Electron spin resonance of Er<sup>3+</sup> in CaF<sub>2</sub>, 4=4403  
 Ranon, U. and Volterra, V. Paramagnetic resonance of Yb<sup>3+</sup> in CaWO<sub>4</sub>, 4=20604  
 Ranon, U. and Yaniv, A. Charge compensation by interstitial F<sup>-</sup> ions in rare-earth doped SrF<sub>2</sub> and BaF<sub>2</sub>, 4=22460  
 Ranon, U. See Low, W., 4=26425  
 Ransil, B.J. Studies in molecular structure. I. Scope and summary of the diatomic molecule program, 0=17815  
 Ransil, B.J. Studies in molecular structure. II. LCAO-MOSCF wave functions for selected first-row diatomic molecules, 0=17816  
 Ransil, B.J. Studies in molecular structure. IV. Potential curve for the interaction of two helium atoms in single-configuration LCAO MO SCF approximation, 1=11110  
 Ransil, B.J. See Fraga, S., 1=6036  
 Ransil, B.J. See Fraga, S., 1=12300  
 Ransil, B.J. See Fraga, S., 2=2010  
 Ransil, B.J. See Fraga, S., 2=6196  
 Ransil, B.J. See Fraga, S., 2=20810  
 Ransil, B.J. See Krauss, M., 0=17796  
 Ransil, B.J. See McLean, A.D., 0=17802  
 Ransom, C. J. and Schlüter, H. Helical structures in r.f. plasmas, 4=19029  
 Ransom, L.D. See Topol, L.E., 3=11807  
 Ransone, M. A. See Northrop, J., 4=10692  
 Ranyuk, A.I. See Moloslavskii, V.K., 2=6553  
 Ranyuk, Yu.N. See Berezhnoi, Yu.A., 3=15235  
 Ranyuk, Yu.N. See Berezhnoi, Yu.A., 4=6380  
 Ranyuk, Yu.N. See Bolotin, L.I., 2=16439  
 Ranz, E. See Friese, H., 3=11946  
 Ranz, W.E. Some experiments on the dynamics of liquid films, 0=931  
 Ranz, W. E. and Dreier, W. M., Jr. Initial instability of a viscous fluid interface, 4=14125  
 Ranzetta, G.V.T. and Scott, V.D. Storage oscilloscope used in conjunction with the scanning electron probe microanalyser, 2=4500  
 Ranzetta, G. V. T. and Scott, V. D. The effect of thermal treatment on the metallographic structure of beryllium and dilute beryllium alloys, 4=7667  
 Ranzetta, G. V. T. and Scott, V. D. Electron-probe microanalysis of low atomic number elements, 4=13754  
 Ranzetta, G. V. T. and West, D. R. F. Kinetics of the  $\beta \rightarrow (\alpha + \gamma_2)$  transformation in certain binary and ternary aluminium bronzes, 4=4500  
 Ranzi, A. Minguzzi. See Minguzzi Ranzi, A.  
 Ranzi, I. Backscatter study of ionospheric irregularities by using a vertically split beam, 3=13726  
 Rao, A. See Petrakis, L., 4=1898  
 Rao, A. Bhaskara. See Bhaskara Rao, A.  
 Rao, A. K. Unsteady free convection from a vertical plate, 4=5421  
 Rao, A. Muralidhara. See Muralidhara Rao, A.  
 Rao, A.V. See Hyder, S.B., 3=14478  
 Rao, B.D. Nageswara. See Nageswara Rao, B.D.  
 Rao, B.N. Subba. See Subba Rao, B.N.



- Rao, B.R. General relativity and perihelion advance, 1=15648
- Rao, B.R. and Padmini, P.R.K.L. A relation between ultrasonic velocity and latent heat of vaporization, 0=16768
- Rao, B.R. See Narlikar, V.V., 0=2096
- Rao, B.R. See Narlikar, V.V., 0=2105
- Rao, B.Rama. See Rama Rao, B.
- Rao, B.Ramachandra. See Ramachandra Rao, B.
- Rao, B.S. See Rank, D.H., 1=842
- Rao, B.S. See Rank, D.H., 1=12985
- Rao, B.S. See Rank, D.H., 2=3728
- Rao, B.S. See Rank, D.H., 2=20802
- Rao, B.S. See Rank, D.H., 2=20803
- Rao, B.S. See Rank, D.H., 3=4747
- Rao, B.S. See Rank, D.H., 3=7244
- Rao, B.S. See Rank, D.H., 4=22360
- Rao, C.L. and Yaffe, L. Nuclear reactions induced in tantalum by protons of energy up to 84 MeV, 4=3658
- Rao, C.N.R., Goldman, G.K. and Ramachandran, J. Carbonyl stretching vibrations and electronic transitions due to nonbonding electrons in saturated ring ketones, 1=14009
- Rao, C.N.R., Turner, A. and Honin, J.M. Some observations concerning the effect of impurities on the anatase-rutile transition, 0=7895
- Rao, C.N.R. See Vratny, F., 2=6578
- Rao, C.N.R. See Yoganarasimhan, S.R., 1=4047
- Rao, C.R. Ultrasonic dispersion in acetone, 1=18405
- Rao, C.Raghupathi. See Raghupathi Rao, C.
- Rao, C.S.R. Study of the geomagnetic anomaly during sunspot maximum, 2=21654
- Rao, C.S.R. Some peculiarities in the diurnal variation of maximum ionization density of the F2 layer, 3=18545
- Rao, C.S.R. and Bhargava, J.C. M.U.F. factor and solar activity, 1=8394
- Rao, C.S.R. Sporadic-E and the equatorial electrojet, 4=17950
- Rao, C.V.S. and Mitra, S.N., Spread F and geomagnetic activity, 2=6947
- Rao, D.A.A.S.N. See Mani, G.S., 1=3450
- Rao, D.A.A.S.N. See Mani, G.S., 2=1794
- Rao, D.A.A.S.N. See Young, T.E., 0=2624
- Rao, D.Ramachandra. See Ramachandra Rao, D.
- Rao, D.V.G.L.Narasimha. See Narasimha Rao, D.V.G.L.
- Rao, E.V. See Puranik, P.G., 1=13981
- Rao, G.K. and Kamal, A.A. Azimuthal symmetry in the shower particles of 24 GeV proton jets, 3=4483
- Rao, G.K. See Kamal, A.A., 3=4484
- Rao, G.K. See Kamal, A.A., 4=19341
- Rao, G.N. Internal conversion coefficient measurements in  $^{141}\text{Pr}$  and  $^{54}\text{Cr}$ , 4=6232
- Rao, G.N. and Hans, H.S. Radioactivity decay of  $\text{Ce}^{143}(33\text{h})$ , 3=10297
- Rao, G.N. Potnis, V.R. and Hans, H.S. The energy levels of  $\text{I}^{129}$ , 3=17414
- Rao, G.N., Zebouni, N.H., Grenier, C. G. and Reynolds, J. M. Galvanomagnetic effects in antimony at liquid-helium temperatures, 4=9904
- Rao, G.N. See Hans, H.S., 3=17437
- Rao, G.N. See Potnis, V.R., 3=15096
- Rao, G.N.V. Method for obtaining minimum noise in a general purpose hot wire amplifier, 2=1176
- Rao, G. Sivasankara. See Sivasankara Rao, G.,
- Rao, J.K. See Pandey, S.N. 2=21802
- Rao J., Rama. See Rama Rao J.
- Rao, K.K. Electrical resistivity recovery in cold-worked 60 per cent silver-40 per cent palladium alloy, 2=23231
- Rao, K.K. and Nicholson, M.E. The solubility of carbon in cobalt-nickel alloys at  $1000^\circ\text{C}$ , 4=7470
- Rao, K.M.Mohana. See Mohana, Rao, K.M.
- Rao, K.N. and Raja Rao, K.S. Quiet day magnetic variations near the magnetic equator, 4=20878
- Rao, K.Nagamunswara. See Nagamunswara Rao, K.
- Rao, K.Narahari. See Narahari Rao, K.
- Rao, K.R. See Brockhouse, B.N., 3=743
- Rao, K.R. See Brockhouse, B.N., 3=2708
- Rao, K.R. See Brockhouse, B.N., 3=6467
- Rao, K.S.R. See Tawde, N.R., 4=3865
- Rao, K. Suryanarayana. See Suryanarayana Rao, K.
- Rao, K.V. On the dielectric loss and thermal bleaching of calcite irradiated by X-rays, 2=4085
- Rao, K.V. Dielectric changes and thermoluminescence of sodium chloride and lithium fluoride irradiated with X-rays, 3=8479
- Rao, K.V. and Bose, H.N. Thermoluminescence and dielectric loss of barium titanate ceramic under X-ray irradiation, 3=968
- Rao, K.V. and Sharma, J. Colour centres and thermal bleaching of sodium chloride and lithium fluoride, 2=16668
- Rao, K.V. and Sharma, J. Colour centres and thermal bleaching of sodium chloride and lithium fluoride, 2=16668
- Rao, K.V.Krishna. See Krishna Rao, K.V.
- Rao, K.V. Krishna. See Krishna Rao, K.V.
- Rao, K.V.Narasinga. See Narasinga Rao, K.V.
- Rao, M., Bhattacharya, H. and Khastgir, S.R. Electric field-changes during cloud-to-cloud discharges, 3=9049
- Rao, M. See Bhattacharya, H., 4=13804
- Rao, M. Srirama. See Srirama Rao, M.
- Rao, M.G.B. Movement of electrolytes by the combined action of alternating electric and magnetic fields, 2=5297
- Rao, M.K., Mazumdar, S.C. and Mitra, S.N. Investigation of ionospheric absorption at Delhi, 2=9718
- Rao, M.M. See Pegis, R.J., 4=8391
- Rao, M.N. A note on non-uniform rotation of non-Newtonian fluid filled in between two coaxial cylinder of infinite length, 3=110
- Rao, M.N. and Mehta, K.N. Optimum trajectories of a rocket for maximum range and minimum time, 3=11614
- Rao, M.N. and Mitra, A.P. Effect of vertical drifts on the nocturnal ionization of the lower ionosphere, 0=6450
- Rao, M.Narayana. See Narayana Rao, M.
- Rao, M.Ramakrishna. See Ramakrishna Rao, M.
- Rao, M.S. and Lokanadham, B. A typical Leonid meteor spectrum, 3=9184
- Rao, M.S. and Lokanadham, B. Wake spectrum of a leonid meteor, 3=16365
- Rao, M.S. See Botley, C. M., 4=29432
- Rao, M.V.K Appa. See Appa Rao, M.V.K.
- Rao, N.Kameswara. See Kameswara Rao, N.
- Rao, P.B. and Sreeramamurthy, K. Potential constants of hydroxylamine and hydroxylamine- $\text{d}_3$ , 3=4760
- Rao, P.R. and Gluck, G. Isotope shifts in the NdI spectrum, 4=12371
- Rao, P. Rama. See Rama Rao, P.
- Rao, P.Rajagopala. See Rajagopala Rao, P.
- Rao, P.S. and Ranade, J.D. Theoretical calculations of transition probabilities in the first negative ( $b^4\Sigma_g \rightarrow a^2\Pi_u$ ) bands of  $\text{O}_2^+$ , 0=5952
- Rao, P.S.P. Vibrational intensities of the  $\text{C}_2^+$  (first negative) bands, 5=8266
- Rao, P. S. R. A comparison of intensities of the  $\text{O}_2^+$  (first negative) bands excited in a hollow-cathode discharge and in the aurora, 4=22366
- Rao, P.Tiruvenganna. See Tiruvenganna Rao, P.
- Rao, R.D., Desai, H.S. and Gogate, D.V. A note on heat transfer and film boiling, 1=13007
- Rao, R.D. See Edkie, R.G., 2=5199
- Rao, R.Raghava. See Raghava Rao, R.
- Rao, R.V.G., Das, C.D., Keer, H.V. and Biswas, A.B. The heat capacities of potassium manganese trifluoride, 3=8365
- Rao, R. V. G., Das, C. D., Keer, H. V. and Biswas, A. B. Construction and calibration of an isothermal low temperature calorimeter, 4=21350
- Rao, R.V.G. and Keer, H.V. Repulsion constant of polar liquids, 3=3795
- Rao, R.V.G., Keer, H.V. and Das, C.D. Vapour pressure and intermolecular energy constants of liquids, 2=19538
- Rao, R.V.G. and Li, J.C.M. A relation between vapour pressure and compressibility coefficient of liquids, 0=6780
- Rao, R. V. G. and Subba Rao, V. V. Surface tension and compressibility, 4=141
- Rao, R. V. G. See Das, C. D., 4=22448
- Rao, S.K. Lakshmana. See Lakshmana Rao, S.K.
- Rao, Shankar, V.U. See Shankar Rao, V.U.
- Rao, S.Srinivasa. See Srinivasa Rao, S.
- Rao, S.S. and Anantharaman, T.R. Accurate evaluation of lattice parameters of  $\alpha$ -brasses, 3=25738
- Rao, S.Thyagaraja. See Thyagaraja Rao, S.
- Rao, S.V. Krishna. See Krishna Rao, K.V.
- Rao, T.A. Prasada. See Prasada Rao, T.
- Rao, T.Seshagiri. See Seshagiri, Rao, T.
- Rao, U.R. The separation of world-wide changes of isotropic intensity from the daily variation of cosmic rays, 3=19736
- Rao, U.R., McCracken, K.G. and Venkatesan, D. Asymptotic cones of acceptance and their use in the study of the daily variation of cosmic radiation, 3=10196



- Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. I. Comparison of daily variation of the intensity of cosmic rays incident from east and west, 1=13571
- Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. II. Time variations of east-west asymmetry, 1=13572
- Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. III. Interpretation of solar daily variation and changes of east-west asymmetry, 1=13573
- Rao, U.R. See Richard, K.F., 3=15057
- Rao, U.R. See Sarabhai, V., 1=3351
- Rao, U.R. See Sarabhai, V.A., 2=13904
- Rao, U.R. See Snyder, C.W., 4=13930
- Rao, V. See Möllenstedt, G., 1=20699
- Rao, V.M. and Curl, R.F., Jr. Microwave spectrum of vinyl formate, 4=22417
- Rao, V.M. See Curl, R.F., Jr., 4=6629
- Rao, V. Ramakrishna. See Ramakrishna Rao, V.
- Rao, V.S. and Kusch, P. Alkali-iron group-halogen complexes. Dissociation energies of  $KClFeCl_2$  and  $CsClFeCl_2$ , 1=6051
- Rao, V.S. and Schoonmaker, R.C. Velocity analysis of molecular beams generated from NaOH vapors, 1=2358
- Rao, V.S.R. Polymethyl methacrylate-dilute solution properties by viscosity and light scattering, 3=134
- Rao, V.S.R. See Varadaiah, V.V., 2=5017
- Rao, Y.P. Transequatorial exchange of angular momentum, 2=12997
- Rao, Y.V. See Kamal, A.A., 4=19341
- Rao Nagamunswara, K. See Ramanadham, R., 3=16641
- Rao Rajagopal, P. See Sharda, B.L., 3=242
- Rao Rama, K. See Dharmayya, S.S., 3=235
- Rao Ramakrishna, V., Mehta, K.R. and Joshi, B.C. A simple non-destructive method for the determination of the refractive indices of finished lenses, 3=236
- Raoult, G., Adamski, J., Cueille, J.P., Laval, C. and Roux, M.R. Obtainment of homogeneous magnetic fields, 2=11750
- Raoult, G. and Duchaux, A.M. A study of the electron paramagnetic resonance of  $Cu^{++}$  in copper sulphate magnetically diluted with magnesium sulphate, 1=14794
- Raoult, G., Duchaux, A.M. and Chenon, M.T. Electron paramagnetic resonance of nickel ions in an alumina monocrystal, 3=23232
- Raoult, G. and Fanguin, R. On a single cavity polarimeter for the 3 cm band, 1=3061
- Raoult, G., Fanguin, R. and Chabrier, A. Rotary magnetic polarization (Faraday rotation) in ferric and chromic paramagnetic salts at 100 000 Mc/s, 0=667
- Raoult, G., Fanguin, R. and Cornet, G. Propagation in coaxial guides and resonance in coaxial cavities (simplified method to obtain different modes and wavelengths), 3=24473
- Raoult, G., Parouty, J.C., Lacombat, M. and Duchaux, A.M. Electron paramagnetic resonance of the ion  $Cr^{++}$ , 3=25567
- Raoult, G. See Berthet, G., 0=681
- Raoult, G. See Cornet, G., 4=27658
- Rapacki, H. See Krasnicki, S., 3=1281
- Rapaport, E. See Polissar, M.J., 3=3644
- Rapaport, J. See González, L., 0=20495
- Rapaport, L.P. and Krylovetskii, A.G. Influence of pair correlations on two-gamma processes in nuclei, 4=3553
- Raper, O. See DeMore, W.B., 4=18200
- Raper, O.F. and DeMore, W.B. Reaction of electronically excited  $O_2$  with  $CO$ , 4=13734
- Raper, O.F. and DeMore, W.B. Reaction of  $O(^1D)$  with  $CO$ , 4=13735
- Raper, O.F. See Current, J.H., 0=10778
- Raper, O.F. See DeMore, W., 3=3408
- Rapier, P.M. A proposed test of the constancy of the velocity of light, 2=2612
- Rapier, P.M. See Ruderfer, M., 2=21805
- Rapkin, E. Liquid scintillation counting 1957-1963: A review, 4=11851
- Rapkin, E. and Gibbs, J.A. A system for continuous measurement of radioactivity in flowing streams, 2=14009
- Rapkin, E. and Gibbs, J.A. Polyethylene containers for liquid scintillation spectrometry, 3=14824
- Rapoport, I.D. Photographic method of detection of dense showers of charged particles, 0=1233
- Rapoport, I.D. A pulse amplitude integrator, 2=1360
- Rapoport, I.D. A hodoscope with a successive transmission of signals, 2=1740
- Rapoport, I.D. Recording of the amplitudes of pulses from a large number of counters, 3=3986
- Rapoport, I.D. A method of increasing the sensitivity of photographic recording of dense showers of charged particles, 4=16987
- Rapoport, I.D. and Goryunov, N.N. Transistorized hodoscope, 4=16749
- Rapoport, I.D. See Babayan, C.P., 1=3271
- Rapoport, I.D. See Goryunov, N.N., 3=1916
- Rapoport, I.D. See Grigorov, N.L., 0=9492
- Rapoport, I.D. See Grigorov, N.L., 2=5288
- Rapoport, I.D. See Grigorov, N.L., 2=19276
- Rapoport, I.D. See Grigorov, N.L., 3=9163
- Rapoport, I.D. See Grigorov, N.L., 4=6158
- Rapoport, I.D. See Murzin, V.S., 4=25884
- Rapoport, I.D. See Grigorov, N.L., 4=969
- Rapoport, L.P. Contribution to the theory of quantization of the magnetic flux in superconductors, 4=5512
- Rapoport, L.P. and Kadenskii, S.G. Distribution of the proton density in a nucleus with a given orbital momentum, 0=9519
- Rapoport, L.P. and Kadenskii, S.G. Superfluidity of nuclear matter, 1=13610
- Rapoport, L.P. and Krylovetskii, A.G. Quantum vortices in a fermion system, 3=16556
- Rapoport, L.P. and Krylovetskii, A.G. Generalized equations of superconductivity, 4=386
- Rapoport, V.L. Forms of adsorption of oxygen on titanium dioxide and its photoactivation, 4=23612
- Rapoport, V.O. See Getmantsev, G.G., 0=12708
- Rapp, D. Complete classical theory of vibrational energy exchange, 0=7816
- Rapp, D. Accidentally resonant asymmetric charge exchange in the protonosphere, 3=16242
- Rapp, D. Vibrational energy exchange in quantum and classical mechanics, 4=20132
- Rapp, D. Vibrational energy transfer in molecular collisions involving large transition probabilities, 4=25768
- Rapp, D. and Englander-Golden, P. Resonant and near-resonant vibrational-vibrational energy transfer between molecules in collisions, 4=9789
- Rapp, D. and Englander-Golden, P. Ionization of atoms and diatomic molecules by electron impact, 4=16432
- Rapp, D. and Englander-Golden, P. Erratum: resonant and near-resonant vibrational-vibrational energy transfer between molecules in collisions, 4=22443
- Rapp, D. and Englander-Golden, P. Ionization of atoms and diatomic molecules by electron impact. I. Studies of  $H_2$  with a total ionization apparatus, 4=24581
- Rapp, D. and Francis, W.E. Charge exchange between gaseous ions and atoms, 3=4026
- Rapp, D. and Johnston, H.S. Nitric oxide-fluorine dilute diffusion flame, 0=16374
- Rapp, D. and Ortenburger, I.B. Interchange of charge between gaseous molecules, 0=19623
- Rapp, D. and Sharp, T.E. Vibrational energy transfer in molecular collisions involving large transition probabilities, 3=17620
- Rapp, D. and Weston, R.E., Jr. Comment on the calculation of rate constants from transition-state theory, 2=19133
- Rapp, D. See Herschbach, D.R., 0=4184
- Rapp, D. See Hertzberg, M., 1=8313
- Rapp, D. See Turner, R.E., 1=17375
- Rapp, M. See Seeger, A., 3=18187
- Rapp, R.A. New techniques in the attainment of high vacua, 0=106
- Rapp, R.A., Hirth, J.P. and Pound, G.M. On the condensation coefficient in the growth of silver from the vapor phase, 0=12003
- Rapp, R.A., Hirth, J.P. and Pound, G.M. Condensation coefficients in the growth of cadmium and zinc from the vapor, 1=4022
- Rappaport, P. See Wysocki, J.J., 0=7967
- Rappaport, W. On the measurement of pitch distribution in German speech, 0=18529
- Rappe, E.F. See Pickup, E., 3=4302
- Rappeneau, J., Bocquet, M., Micaud, G. and Fillatre, A. Effects of irradiation on the physical properties of graphite, 4=20226
- Rappeneau, J. See Jouquet, G., 2=23766
- Rappeneau, J. See Quetier, M., 2=18573
- Rappeneau, Th. See Chauvineau, J.P., 4=23578
- Rapperport, E.J. and Smith, M.F. The constitution diagram tungsten-ruthenium, 4=15746



- Rapperport, E.J. See Pemsler, J.P., 4=15484
- Rappoport, R. The photovoltaic effect and its utilization, 0=2312
- Rappeneau, T. Study of the magnetization of thin nickel films, 0=6235
- Rapsey, A.N. Wide range recording anemometer, 0=4778
- Rapshtynskaya, E.A. Heat of evaporation of the components of binary azeotropic mixtures with a minimum boiling point, 3=21630
- Rarenko, I.M. See Potikevich, I.V., 4=13108
- Rarita, W. and Teplitz, V.L. Regge-pole model for high energy  $pp$  and  $p\bar{p}$  scattering, 4=16892
- Rarita, W. See Glauber, R., 0=17672
- Rarita, W. See Hadjioannou, F., 2=20339
- Rasba, E.I. Semiconductors with a loop of extrema, 2=23268
- Rasberry, S.D. See Mulligan, B.W., 4=15856
- Rasbirin, B.S. See Gross, E.F., 2=6571
- Rasche, G. Investigation of the statistical model of meson Theory, 2=13822
- Rasche, G. and Straumann, N. On the removal of the ghost state in the Lee model, 3=2194
- Rasche, G., Straumann, N. and Weiss, K. Numerical calculations and applications concerning the elimination of "ghost poles" in propagators, 4=798
- Rasche, G. See O'Raffaigh, L., 4=5057
- Rase, H. F. See Hall, J. W., 4=6841
- Rasetti, F. See Ascoli-Bartoli, U., 0=3778
- Rashba, E. See Kaganov, M., 3=24124
- Rashba, E.I. The energy band symmetry in wurtzite-type crystals. I. Band symmetry without taking into account the spin-orbit interaction, 0=1543
- Rashba, E.I. Effect of resonance excitation transfer in the theory of a large radius exciton, 0=11609
- Rashba, E.I. An experimental check of the possibility of introduction of a universal surface recombination velocity by investigation of kinetic photoelectric processes, 1=3740
- Rashba, E.I. Properties of semiconductors with an extremum loop. I. Cyclotron and "combinational" resonance in a magnetic field perpendicular to the plane of the loop, 2=16688
- Rashba, E.I. Analysis of the structure of exciton bands based on electron-vibrational spectra, 3=17992
- Rashba, E.I. Theory of impurity absorption near the exciton bands in isotopic substitution, 3=17993
- Rashba, E.I. Various cases of formation of toroidal iso-energetic surfaces in semiconductors, 4=12690
- Rashba, E.I. and Boiko, I.I. Properties of semiconductors with a [Brillouin zone] extremum loop. III. Behaviour in a magnetic field, parallel to the plane of the loop, 1=14403
- Rashba, E.I. and Gurgenshili, G.E. Contribution to the theory of the absorption edge in semiconductors, 2=21234
- Rashba, E.I. and Romanov, V.A. A photoelectric method of detecting inhomogeneity with depth of semiconductors, 1=5014
- Rashba, E.I. and Sheka, V.I. The energy band symmetry in wurtzite-type crystals. II. Band symmetry with allowance for spin interactions, 1=17441
- Rashba, E.I. and Sheka, V.I. The properties of semiconductors with extremal loops. IV. Angular dependence of combined resonance in strong magnetic fields, 1=19842
- Rashba, E.I. and Sheka, V.I. Combined resonance of band electrons in crystals having a zinc blende lattice, 2=2303
- Rashba, E.I. and Sheka, V.I. Combined resonance in n-type InSb, 2=2304
- Rashba, E.I. and Sheka, V.I. The properties of semiconductors with extremal loops, IV. Angular dependence of combined resonance in strong magnetic fields, 2=4003
- Rashba, E.I. and Sheka, V.I. Combination resonance at local centers of large radius, 4=30549
- Rashba, E.I. See Boiko, I.I., 0=11674
- Rashba, E.I. See Boiko, I.I., 1=14402
- Rashba, E.I. See Broude, V.L., 1=3850
- Rashba, E.I. See Broude, V.L., 2=2234
- Rashba, E.I. See Broude, V.L., 2=4157
- Rashba, E.I. See Broude, V.L., 2=10592
- Rashbass, C. New method for recording eye movements, 0=12226
- Rashevskaya, E.P. and Fistul', V.I. Effective mass of electrons in germanium highly doped with arsenic, 3=22930
- Rashevskaya, E.P. See Malakhov, V.V., 1=4777
- Rashevsky, N. General mathematical principles in biology, 3=3646
- Rashevsky, N. [Ed.] Physicomathematical aspects of Biology, 2=24196
- Rashevsky, N. [Ed.]. Physicomathematical aspects of biology, 3=13941
- Rashid, H. See Bransden, B.H., 1=8505
- Rashid, H. A. On the determination of the multipoles in pion photo-production by polarized photons, 4=25131
- Rashid, H. A. See Böhm, A., 4=21904
- Rashid, M.A. The reduction of the product of three 8-dimensional representations of  $U(3)$  and  $SU(3)$  into irreducible representations, 2=22412
- Rashid, M.A. and Syed, A.  $T_{ab}$  and  $T_{ba}^*$  as opposite boundary values, 3=12386
- Rashid, M.A. and Yamanaka, I.I. Generalization of mass formula in unitary symmetries, 3=24621
- Rashid, M.A. See Murtaza, G., 4=16970
- Rashkov, S. and Mircheva, V. Structure and predominant orientation of cobalt crystals with electrolytic depositing in presence of iodine ions, 4=29106
- Rashkovich, L.N. See Kvlivdize, V.I., 3=6767
- Rasigni, G. Changes in the optical properties of thin iron films in vacuum and air, 1=17863
- Rasigni, G. Variation of the optical properties of very thin films of iron as a function of wavelength, 2=4112
- Rasigni, G. A resonance phenomenon occurring in thin films of silver, 2=8476
- Rasigni, G. The development, under the influence of air, of a resonance phenomenon in thin films of silver, 2=8477
- Rasigni, G. Influence of the structure of thin silver films on resonance phenomena, 2=19111
- Rasigni, G. Resonance phenomenon occurring in thin films of gold, 2=23513
- Rasigni, G. Study of the absorption of light by metals in thin layers, 3=17991
- Rasigni, G. An anomalous absorption effect produced by certain metals when in the form of a thin film, 4=1715
- Rasigni, G. Study of light absorption by metals in thin films. I-II, 4=10151
- Rasigni, G., Belzons, M., Emeric, N. and Emeric, A. Investigation on the absorption of very thin layers of iron, nickel and cobalt as a function of wavelengths, 2=11488
- Rasigni, G. and Rivoira, R. Study in vacuum of optical properties of thin films alterable in air, 2=5176
- Rasigni, G. and Rouard, P. Experimental study of a resonance phenomenon occurring in thin films of silver, 2=16800
- Rasigni, G. and Rouard, P. On the variation with wavelength of the optical constants of thin metallic films, 3=10902
- Rasigni, G. See Payan, R., 2=12576
- Rasigni, G. See Payan, R., 4=22867
- Rasigni, G. See Rouard, P., 4=22866
- Rasiwala, M. See Bucka, H., 4=6203
- Raskin, Sh.Sh. and Sechkarev, A.V. Origin of some differences in the Raman spectra of acetamide and n-phenylenediamine in various phase states, 0=5948
- Raskin, Sh.Sh. See Pershina, E.V., 3=8591
- Raskin, Sh.Sh. See Pershina, E.V., 4=7100
- Raskin, V.F. See Shifrin, K.S., 1=16116
- Raskin, V.F. See Shifrin, K.S., 2=9407
- Raskina, E.M. See Voitenko, R.M., 1=7656
- Rasmussen, A.L. See Grimes, D.M., 0=11852
- Rasmussen, A.L. See Hoer, C.A., 3=14720
- Rasmussen, C. See Halim Kazi, A., 1=12128
- Rasmussen, C.E. See Bannenberg, J.G., 4=18922
- Rasmussen, C.G. An experimental investigation of the diffraction correction for a Rayleigh-disc, 4=21254
- Rasmussen, E. and Middelboe, V. Optical hyperfine structure of neon-21, 0=20553
- Rasmussen, G. Miniature pressure microphones, 4=14275
- Rasmussen, J.C. See Mang, H.J., 2=1832
- Rasmussen, J.E. See Lewis, E.A., 0=16484
- Rasmussen, J.E. See Lewis, E.A., 3=9946
- Rasmussen, J.G. Prediction of fatigue failure using ultrasonic surface waves, 2=12870
- Rasmussen, J.O. Alpha-decay barrier penetrabilities with an exponential nuclear potential: odd-mass nuclei, 0=1383
- Rasmussen, J.O. Theory of  $E0$  transitions of spheroidal nuclei, 0=20405
- Rasmussen, J.O. Simplified shell-model calculations of alpha-decay rate near  $Pb^{208}$ , 3=19806
- Rasmussen, J.O. and Chiao, L.W. Concerning the magnetic moments of deformed nuclei, 1=6554
- Rasmussen, J.O. See Asaro, F., 0=20372
- Rasmussen, J.O. See Bowman, H.R., 4=17208



- Rasmussen, J.O. See Chasman, R.R., 0=1384  
 Rasmussen, J.O. See Faler, K.T., 0=9605  
 Rasmussen, J.O. See Griffioen, R.D., 1=4843  
 Rasmussen, J.O. See Kim, Y.E., 3=24875  
 Rasmussen, J.O. See Kim, Y.E., 4=22049  
 Rasmussen, J.O. See Lovejoy, C.A., 1=10959  
 Rasmussen, J.O. See Macfarlane, R.D., 4=21982  
 Rasmussen, J.O. See Mang, H.J., 3=12617  
 Rasmussen, J.O. See Marshalek, E.R., 3=17396  
 Rasmussen, J.O. See Navarro, Q.O., 3=4608  
 Rasmussen, J.O. See Person, L.W., 2=20505  
 Rasmussen, J.O. See Rho, M., 4=27937  
 Rasmussen, J.O. See Shirley, D.A., 1=3587  
 Rasmussen, J.O. See Toth, K.S., 0=11343  
 Rasmussen, J.O. See Unik, J.P., 0=1377  
 Rasmussen, N.C. See Beghian, L.E., 3=17287  
 Rasmussen, N.C. See Kazi, A.H., 0=17283  
 Rasmussen, N.C. See Walters, T.J., 0=7535  
 Rasmussen, R.A. Resonance absorption in solid cyclohexane, 0=11572  
 Rasmussen, R.A. Low frequency wave filters employing thermistors, 0=12572  
 Rasmussen, R.A. Application of thermistors to measurements in moving fluids, 2=2689  
 Rasmussen, R.A. Resonance absorption in solid cyclohexane, 2=12376  
 Rasmussen, R.A. See Liebermann, L.N., 4=23716  
 Rasmussen, V.K., Metzger, F.R. and Swann, C.P. Mean life of the first excited state of  $\text{Na}^{23}$ , 0=5726  
 Rasmussen, V.K., Metzger, F.R. and Swann, C.P. Mean life of the 1.61-MeV level of  $\text{Mg}^{25}$ , 1=12161  
 Rasmussen, V.K. See Levesque, R.J.A., 4=3599  
 Rasmussen, V.K. See Metzger, F.R., 0=13139  
 Rasmussen, V.K. See Swann, C.P., 0=318  
 Rasmussen, V.K. See Swann, C.P., 1=664  
 Raso, D.J. Monte Carlo calculations on the reflection and transmission of scattered gamma rays, 4=16849  
 Raso, D.J. See Berger, M.J., 0=7318  
 Rasool, I. See Vassy, A., 0=14192  
 Rasool, I. See Vassy, A., 1=1505  
 Rasool, S.I. Effect of major meteoric showers on the densities of the upper atmosphere, 1=21015  
 Rasool, S.I. Cloud heights and high time cloud cover from Tiros radiation data, 4=23747  
 Rasor, N.S. Figure of merit for thermionic energy conversion, 0=7137  
 Rasor, N.S. and McClelland, J.D. Thermal property measurements at very high temperatures, 0=12531  
 Rasor, N.S. and McClelland, J.D. Thermal properties of graphite, molybdenum and tantalum to their destruction, 1=17416  
 Rasor, N.S. and Warner, C. Correlation of emission processes for adsorbed alkali films on metal surfaces, 4=27559  
 Raspletin, K.K. See Kushnir, Yu.M., 3=2035  
 Raspletin, K.K. See Pochtarev, B.I., 2=16880  
 Rass, R. See Broser, I., 2=8413  
 Rassman, G. and Henkel, O. Permanent magnetic properties of deformed Fe-Mn-Ti alloys, 1=10143  
 Rassman, G. and Henkel, O. Origin of the magnetic hardness of cold-worked Fe-Ni-Cr alloys, 2=2281  
 Rassman, G. and Henkel, O. The micromagnetics of cold worked Fe-Ni-Cr alloys, 2=12762  
 Rassman, G. and Wich, H. Influence of cold working and heat treatment on the electrical and magnetic properties of Fe-Al alloys, 1=10137  
 Rassmann, G. and Wich, H. The state and magnetic properties of an alloy with 50% Ni and 50% Fe, 1=6340  
 Rassow, J. Graphical procedure for the polarization-optical determination of the thickness and refractive index of arbitrarily thick, non-absorbing homogeneous films on glass, 2=15736  
 Rassow, J. Application of the standardized Vasicek procedure to nonabsorbing single evaporated films on glass substrates, 3=1825  
 Rassow, J. Testing the standardized Vašiček procedure for inhomogeneous nonabsorbing film on glass substrates, 3=1826  
 Rassow, J. New polarization optical extreme value method for determining the constants of weakly absorbing materials, 4=24378  
 Rassow, J. Graphical and pictorial demonstration of the variation of the polarization optical quantities with growing absorption and thickness of a homogeneous film on a dielectric substrate, 4=24379  
 Rassudova, G.N. and Gerasimov, F.M. Diffraction gratings for separation of spectral orders, 0=3647  
 Rassudova, G.N. and Gerasimov, F.M. Precision diffraction gratings for metrology, 2=5187  
 Rassudova, G.N. and Gerasimov, F.M. Use of reflecting diffraction gratings in interference systems for measuring linear shifts. I, 3=19015  
 Rassudova, G.N. and Gerasimov, F.M. Use of reflection diffraction gratings in interference systems for measuring linear shifts. II, 3=19016  
 Rassudova, G.N. and Gerasimov, F.M. State Optical Institute Echelle gratings, 3=24051  
 Rassushin, V.A. See Bogdanov, S.V., 2=18693  
 Rassushin, V.A. See Bogdanov, S.V., 4=10110  
 Rast, H.E., Jr. See Hadley, S.G., 3=23115  
 Rast, H.E., Jr. See Keller, R.A., 2=14510  
 Rastall, P. An approach to a theory of gravitation, 0=16567  
 Rastall, P. A solution of the Einstein field equations, 1=1685  
 Rastall, P. Mach's principle and scalar theories of gravitation, 1=4240  
 Rastall, P. Another form of quantum electrodynamics, 2=9764  
 Rastall, P. A simplified quantum electrodynamics, 2=20228  
 Rastall, P. A perturbation calculation for a "g-2" experiment, 2=22923  
 Rastall, P. Coulomb interaction in quantum electrodynamics, 3=5918  
 Rastall, P. Rotations and Lorentz transformations, 4=27042  
 Rastall, P. Quaternions in relativity, 4=29523  
 Rastin, B.C. See Bull, R.M., 2=11846  
 Rastin, B.C. See Bull, R.M., 2=11847  
 Rastin, B.C. See Bull, R.M., 2=13937  
 Rastin, B.C. See Bull, R.M., 4=21714  
 Rastogi, B.P. The dependence of breeding gain and power on the level of  $^{233}\text{U}$  in the blanket of a two-region homogeneous reactor, 0=7661  
 Rastogi, B.P. and Singh, R.S. Absorption on the 6.7 eV resonance of  $\text{U}^{238}$ , 2=7999  
 Rastogi, B.P. See Desai, R.C., 2=5998  
 Rastogi, N.C. Linear and antilinear transformations of the Dirac wave function for massless particles under conformal coordinate transformations, 4=14047  
 Rastogi, N.C. and Vachaspati. Solution of the Dirac equation for electromagnetic potentials, 0=20046  
 Rastogi, N.C. and Vachaspati. Effect of relativistic variation of electron mass on harmonics in the scattering of light by free electrons, 4=868  
 Rastogi, R.G. Geomagnetic influence on the F1- and F2-regions of the ionosphere — effect of solar activity, 0=6463  
 Rastogi, R.G. The diurnal development of the anomalous equatorial belt in the F2 region of the ionosphere, 0=8390  
 Rastogi, R.G. Abnormal features of the F2 region of the ionosphere at some southern high-latitude stations, 0=14251  
 Rastogi, R.G. Asymmetry between the F2 region of the ionosphere in the northern and southern hemispheres, 0=14253  
 Rastogi, R.G. A synoptic study of the F2-region of the ionosphere in the Asian zone, 0=21375  
 Rastogi, R.G. Lunar tide in the F2 layer of the ionosphere near the geomagnetic equator, 1=7938  
 Rastogi, R.G. The morphology of lunar semi-diurnal variation in  $f_oF_2$  near solar noon, 2=4650  
 Rastogi, R.G. Some effects of geomagnetic activity of the F2 region of the ionosphere over Leopoldville (4.4°S, 15.3°E), 2=4656  
 Rastogi, R.G. Thunderstorms and sporadic-E layer ionization over Ottawa, Canada, 2=17168  
 Rastogi, R.G. The effect of geomagnetic activity on the F2 region over Central Africa, 2=17173  
 Rastogi, R.G. Enhancement of the lunar tide in the noon critical frequency of the F2 layer over the magnetic equator, 3=1465  
 Rastogi, R.G. Longitudinal variation in the equatorial electrojet, 3=6999  
 Rastogi, R.G. A synoptic view of the lunar tide in the F2 region of the ionosphere, 3=16276  
 Rastogi, R.G. Longitudinal inequalities in the lunar tide and in sudden commencement in H near the magnetic equator, 3=25949  
 Rastogi, R.G. Lunar tidal variations in the equatorial electrojet current, 4=2239  
 Rastogi, R.G. Seasonal variation of the lunar tidal effects in the F2 layer of the ionosphere over Indian Stations, 4=2311  
 Rastogi, R.G. Large lunar tidal effects in  $F_oF_2$  pre-sunrise hours, 4=4818



- Rastogi, R. G. Lunar tides in the equatorial electrojet and in the ionosphere over the magnetic equator, 4=20875
- Rastogi, R. G. and Sanatani, S. Longitudinal effect in the equatorial F2-region of the ionosphere, 4=10766
- Rastogi, R. P. and Bassi, P. S. Heterogeneous nucleation, 3=11206
- Rastogi, R. P. and Blokhra, R. L. On the choice of phenomenological coefficients, 4=374
- Rastogi, R. P., Blokhra, R. L. and Singh, K. Electrical transport in presence of temperature gradient, 3=25829
- Rastogi, R. P. and Girdhar, H. L. Molecular interaction in saturated hydrocarbons, 2=6233
- Rastogi, R. P. and Girdhar, H. L. Statistical mechanics of associated mixtures, 2=21896
- Rastogi, R. P., Nigam, R. K. and Rangra, A. K. Molecular interaction in mixtures of chlorobenzene and bromobenzene, 3=296
- Rastogi, R. P., Nigam, R. K., Sharma, R. N. and Girdhar, H. L. Entropy of fusion of molecular complexes, 4=5450
- Rastogi, R. P., Nigam, R. K. and Singh, S. Excess free energies for condensed phases at the maximum and minimum melting-points, 0=19502
- Rastogi, R. P. and Rama Varma, K. T. Thermodynamic properties of binary alloys exhibiting miscibility in solid and liquid phases, 0=4688
- Rastogi, R. P. and Srivastava, R. C. Generalized theory of thermal transpiration and thermal diffusion based on the thermodynamics of irreversible processes, 0=7016
- Rastogi, R. P. and Srivastava, R. C. Entropy production in chemical reactions, 0=14098
- Rastogi, R. P. and Srivastava, R. C. Non-equilibrium thermodynamics of electro-kinetic phenomena, 1=8303
- Rastogi, R. P., Srivastava, R. C. and Blokhra, R. L. Heats of transfer of ions, 1=11624
- Rastoin, J. See Bok, J. 2=5686
- Rastoix, G. See Charbonnier, R. 0=2412
- Rastoix, G. See Chonez, A. 0=2412
- Rastoix, G. See Dagai, M. 0=2412
- Rastoix, G. See Gendreau, G. 1=16460
- Rastrepin, A. B. See Fogel', Ya. M. 0=9078
- Rastrup-Andersen, J. See Bak, B. 3=2640
- Rastrup-Andersen, J. See Bird, G. R. 4=22379
- Ratajczak, H. See Gontarz, R. 4=30714
- Ratajczak, H. See Szczeniowski, S. 3=1070
- Ratau, J. See Gelfand, N. 4=9264
- Ratau, J. See Gelfand, N. 4=9266
- Ratau, J. T. See Colley, D. C. 3=10149
- Ratcliffe, E. H. Thermal conductivities of fused and crystalline quartz, 0=7859
- Ratcliffe, E. H. Preliminary measurements to determine the effect of composition on the thermal conductivity of glass, 1=11168
- Ratcliffe, E. H. The thermal conductivity of ice. New data on the temperature coefficient, 2=23089
- Ratcliff, G. and Clifton, B. J. A brushless d. c. motor, 4=18658
- Ratcliff, G. and Griffiths, J. A linear d. c. motor, 4=18657
- Ratcliffe, J. A. Ionizations and drifts in the ionosphere, 0=12161
- Ratcliffe, J. A. The highest parts of the ionosphere, 1=4126
- Ratcliffe, J. A. Some aspects of ionosphere storms, 2=15319
- Ratcliffe, J. A. The experimental investigation of space, 3=11608
- Ratcliffe, J. A., Robbins, A. R. and Thomas, J. O. Movements in the quiet F-layer over Slough, 0=8384
- Ratcliffe, R. T. A magnetically coupled extensometer, 4=8007
- Ratcliffe, R. T. The location, measurement and assessment of shape of leaks by bubble emission, 4=10991
- Ratcliffe, S. and Hughes, J. E. The copper staining of p-n alloyed junction transistor sections, 1=6171
- Rathausky, B. Z. See Bocek, M. 3=6792
- Rathe, E. J. See Heckl, M. 4=2803
- Rathenau, G. S. See Veerman, J. 3=20581
- Rathenau, G. W. Increase of magnetic saturation induction of highly saturated iron, 3=6703
- Rathenau, G. W. See Bijvoet, J. 4=10029
- Rathenau, G. W. See Bindels, J. 1=6298
- Rathenau, G. W. See Bosman, A. J. 0=13786
- Rathenau, G. W. See Bosman, A. J. 1=6118
- Rathenau, G. W. See Bosman, A. J. 1=6546
- Rathenau, G. W. See de Jong, M. 2=8842
- Rathenau, G. W. See de Jong, M. 3=23472
- Rathenau, G. W. See de Vries, G. 0=13772
- Rathenau, G. W. See Gersdorf, R. 1=7759
- Rathenau, G. W. See Gersdorf, R. 3=1045
- Rathgeber, H. D. Mousetrap model of chain reactions, 3=5316
- Rathgeber, H. D., Wallace, C. S. and Winn, M. M. Electro-mechanical methods of recording the results of experiments on cosmic rays and their evaluation by electronic computer, 1=7292
- Rathgeber, H. D. See Campbell, M. J. 2=12079
- Rathgeber, H. D. See Campbell, M. J. 2=13935
- Rathgeber, H. D. See Campbell, M. J. 3=17372
- Rathgeber, H. D. See Murdoch, H. S. 0=3911
- Rathgeber, H. D. See Murdoch, H. S. 1=2120
- Rathgeber, M. H. See Bray, A. D. 4=19617
- Rathjens, G. W. Jr. Microwave investigation of cyclopentene, 2=14268
- Rathna, S. L. Superposability of steady axis-symmetrical flows in a non-Newtonian fluid, 1=15789
- Rathna, S. L. Couette and Poiseuille flow in non-Newtonian fluids, 1=15790
- Rathna, S. L. and Bhatnagar, P. L. Weissenberg and Merrington effects in non-Newtonian fluids, 4=136
- Rathna, S. L. and Rajeswari, G. K. Superposability in non-Newtonian fluids with variable viscosity and cross-viscosity coefficients, 2=4985
- Rathna, S. L. See Rajeswari, G. K. 2=11333
- Ratho, T. X-ray small angle measurements on 1% solution of haemoglobin corpuscular protein, 0=19115
- Ratho, T., Torasia, S. and Mohanty, J. C. X-ray method of determining the amplitude factors of organic liquids, 4=24167
- Rathur, M. A. J. The age of Po-Be neutrons in dowtherm-A, 4=15068
- Rathur, M. A. J. Age calculations using Fermi continuous slowing down model, 4=21874
- Rathur, M. A. J. and Grant, P. J. The age of Po-Be neutrons in water and in graphite, 4=6069
- Rathy, R. K. Unsteady flow of a conducting fluid between two plates under a transverse magnetic field, 4=5770
- Rathy, R. K. See Kapur, J. N. 4=5772
- Ratier, J. L. See Mustelier, J. P. 2=18626
- Ratinskaya, A. Remarks on the effective dynamic parameters of inhomogeneous media during propagation of sound waves, 1=2816
- Ratinskaya, I. A. On sound attenuation in emulsions, 3=14261
- Ratković, B. See Pešić, D. 3=16774
- Ratliff, F., Hartline, H. K. and Miller, W. H. Spatial and temporal aspects of retinal inhibitory interaction, 3=5295
- Ratliff, F. See Eisenberg, L. 0=12216
- Ratliff, F. See Riggs, L. A. 1=10355
- Ratliff, J. L., Maykuth, D. J., Ogden, H. R. and Jaffee, R. I. Tungsten sheet alloys with improved low-temperature ductility, 4=23220
- Ratnam, V. V. Long period afterglow of KCl:Ti phosphor under cathode-ray excitation, 0=21012
- Ratner, A. M. Luminescence of impurity centres. II, 0=11769
- Ratner, A. M. The temperature factor for scattering of X-ray beams in a rock salt crystal, 0=14018
- Ratner, A. M. Luminescence of impurity centres. IV, 1=14626
- Ratner, A. M. Mean light yield of scintillators, 2=3205
- Ratner, A. M. Oscillations of the radiation from a laser, 4=8974
- Ratner, A. M. Threshold pumping power of a Laser, 4=14931
- Ratner, A. M. and Geguzin, Ya. E. Investigation of the causes of the diffusion activity of crystalline solids with distortions. VI. The effective diffusion coefficient in polycrystals, 3=6530
- Ratner, A. M. and Rom-Krichevskaya, I. A. Theory of the energy resolution of a scintillation counter, 2=18003
- Ratner, A. M. and Zil'berman, G. E. Luminescence of impurity centres. I, 0=11768
- Ratner, A. M. and Zil'berman, G. E. Luminescence of impurity centres. III, 1=14625
- Ratner, B. S. Cross-section for photoproton emission from copper, 4=19754
- Ratner, A. M. and Zil'berman, G. E. Contribution to the theory of luminescence of activated phosphors, 2=14707
- Ratner, B. S. Yield of photoprotons from calcium, 4=22116
- Ratner, B. S. See Go Tsi-di, 1=17083
- Ratner, B. S. See Kuo Ch'i-Ti, 1=13773
- Ratner, B. S. See Linkova, N. V., 0=13263
- Ratner, E. S. The threshold sensitivity of radiation receivers, 0=19496
- Ratner, L. See Marcowitz, S. 2=11916
- Ratner, S. B. Mechanism of wear in polymers and a similarity criterion, 1=4002
- Ratner, S. B. Mechanism of wear in polymers and a similarity criterion, 1=10223



- Ratner, S.B. Similarity effect in wear [due to abrasion]. 2=19020
- Ratner, S.B. Similarity effect in wear [due to abrasion]. 2=23797
- Ratnikova, L.I. Some results obtained from a study of converted reflected waves in media with strong velocity differentiation, 3=21474
- Rattay, M. See Krumbiegel, J., 3=17117
- Rattayya, J. V. and Junger, M. C. Flow excitation of cylindrical shells and associated coincidence effects, 4=21217
- Rattayya, J. V. See Thompson, W., Jr., 4=27254
- Ratti, J.N. See Muschlitz, E.E., 2=9642
- Ratti, S. See Abate, E., 2=5920
- Ratti, S. See Bellini, G., 2=22573
- Ratti, S. See Block, M.M., 2=9883
- Ratti, S. See Bellini, G., 3=7899
- Ratti, S. See Bellini, G., 4=1097
- Ratti, S. See Bellini, G., 4=6114
- Ratti, S. See Block, M.M., 3=12508
- Ratti, S. See Block, M.M., 3=12570
- Ratti, S. See Fiorini, E., 0=15198
- Ratti, S. See Fiorini, F., 0=11171
- Ratti, S. See Fretter, W.B., 3=2301
- Ratti, S. See Gray, L., 3=15042
- Rattke, R. See Beilin, V.M., 4=1391
- Ratyński, W., Turkiewicz, J. and Zuprański, P. Potential scattering of neutrons in the resonance region, 1=2216
- Ratyński, W., Turkiewicz, J. and Zuprański, P. Potential scattering of neutrons for Fe, Co, Ni, Cu, Zn, Se, 1=2218
- Rätzsch, M. See Geiseler, G., 3=21603
- Rau, A. See Helmig, G., 3=25012
- Rau, F. Extension of the pulse-height spectrum observed with a scintillation spectrometer to the energy spectrum of  $\gamma$ -radiation, 4=11963
- Rau, F. and Wolf, G. H. A method for automatic compensation of dead-time losses, 4=27727
- Rau, F. E. W. Yield of prompt gamma radiation from the fission of uranium 235 by thermal neutrons, 4=1113
- Rau, G. See Lassen, L., 1=628
- Rau, H. See Stranski, I. N., 4=10464
- Rau, J. Relaxation phenomena in spin and harmonic oscillator systems, 3=7137
- Rau, J. See Sudarshan, E. C. G., 1=2699
- Rau, O. I. See Grinev, V. S., 2=6900
- Rau, R. C. Applicability of routine methods of crystallite size analysis, 4=10566
- Rau, R. C. Electron microscopy of sintered beryllia, 4=13643
- Rau, R. R. See Androulakis, J. G., 3=17125
- Rau, R. R. See Bertanza, L., 2=20424
- Rau, R. R. See Bertanza, L., 2=22652
- Rau, R. R. See Bertanza, L., 3=7935
- Rau, R. R. See Connolly, P. L., 3=17330
- Rau, R. R. See Louttit, R. I., 1=12127
- Raub, C. J. Superconductivity of ternary  $\beta$ -titanium alloys, 4=18614
- Raub, C. J. and Andersen, C. A. On the superconductivity of Ti- and Zr-Rh alloys, 3=21669
- Raub, C. J. and Hull, G. W., Jr. Superconductivity of solid solutions of Ti and Zr with Co, Rh, and Ir, 4=8575
- Raub, C. J., Zachariasen, W. H., Geballe, T. H. and Matthias, B. T. Superconductivity of some new Pt-metal compounds, 3=24148
- Raub, C. J. See Arrhenius, G., 4=5515
- Räuber, A. and Schneider, J. Paramagnetic resonance of  $\text{Fe}^{3+}$  ions in synthetic cubic ZnA crystals, 2=12825
- Räuber, A. and Schneider, J. Electron spin resonance of a luminescent centre in aluminium-activated cubic ZnS single crystals, 3=8717
- Rauber, A., Schneider, J. and Matossi, F. Investigations of paramagnetic centres in self-activated cubic ZnS single crystals, 2=21274
- Räuber, A. See Dischler, B., 4=28446
- Räuber, A. See Matossi, F., 4=1357
- Räuber, A. See Matossi, F., 4=1779
- Räuber, A. See Schneider, J., 1=20240
- Räuber, A. See Schneider, J., 4=1882
- Räuber, A. See Schneider, J., 4=1892
- Raubold, E. See Bondar, L., 4=944
- Raubold, E. See Dehne, H. C., 4=19518
- Raubold, E. See Escoubé, B., 3=19630
- Rauch, A. See Thouvenin, J., 3=830
- Rauch, C. J. Millimeter cyclotron resonance experiments in diamond, 1=14236
- Rauch, C. J. Millimetre cyclotron resonance in diamond, 3=10637
- Rauch, C. J., Stickler, J. J., Zeiger, H. J. and Heller, G. S. Millimeter cyclotron resonance in silicon, 0=6037
- Rauch, H. Application of equi-densitometry to the quantitative examination of smoke-plume photographs, 0=5191
- Räuchle, E. Use of a light-guide as an optical probe in the investigation of plasmas, 3=21808
- Rauert, W. See Moser, H., 3=1669
- Rauf, A. and Qurashi, M. M. The relationship between viscosity and molecular structure. III. Accurate measurements of the temperature dependence of the activation energy of viscous flow in ethylene glycol, 0=19045
- Rauh, E. G. and Thorn, R. J. Thermionic properties of uranium, 0=3786
- Rauh, E. G. See Ackermann, R. J., 2=2937
- Rauh, E. G. See Ackermann, R. J., 3=3930
- Rauh, E. G. See Ackermann, R. J., 4=12528
- Rauh, E. G. See Cater, E. D., 1=11863
- Rauls, W. See Hofmann, W., 2=19009
- Rault, M., Lecerf, A. and Villers, G. Preparation and ferrimagnetic properties of spinels of the composition  $\text{Mn}_{1-x}^{2+}\text{Cr}_{2x}^{3+}\text{Ti}_{1-x}^{4+}\text{O}_4$  for values of x between 0.5 and 1, 4=26339
- Rauhuzskiewicz, J. The observation of excitons in CdTe and CdSe in the reflection spectra, 3=20441
- Rauluszkiewicz, J. See Czan Czun Da, 3=915
- Rauhuzskiewicz, J. See Śniadower, L., 4=28401
- Raumann, G. The anisotropy of the shear moduli of drawn polyethylene, 2=14870
- Raumann, G. The anisotropy of the elastic constants of transversely isotropic polyethylene terephthalate, 4=1960
- Raumann, G. and Saunders, D. W. The anisotropy of Young's modulus in drawn polyethylene, 1=10275
- Rausa, G. Some properties of plasmas formed by reflection of electromagnetically driven shocks, 4=16476
- Rausch, J. R. See Alon, G. I., 4=9024
- Rausch, W. See Huster, E., 0=17310
- Rausch, W. V. and Bale, H. D. Small-angle X-ray scattering from hydrolyzed aluminum nitrate solutions, 4=21098
- Rausch, W. V. See Petschauer, R. J., 4=11754
- Rausell-Colom, J. A. Correction of small-angle X-ray diffraction intensities for the influence of beam height for specimens having preferred orientation of particles, 3=8935
- Raushenbakh, B. V. and Tokar, E. N. Some control problems in interplanetary space, 2=11202
- Raussen-Colom, J. A. and Norrish, K. Low-angle diffractometer for studying the swelling of clay minerals, 2=8805
- Rautian, S. G. and Sobel'man, I. I. Photo-dissociation of molecules as a method of obtaining a medium with the negative absorption coefficient, 2=10268
- Rautian, S. G. and Sobel'man, I. I. Line shape and dispersion within the absorption band when forced transitions are taken into account, 2=22341
- Rautenbach, W. L. A high temperature sputtering ion source for a laboratory isotope separator, 1=18949
- Rautenbach, W. L. Experimental verification of the space charge law ( $I = k(e/m)^{1/2} V^{3/2}$ ) for ion beams from a plasma ion source, 2=3087
- Rautenbach, W. L. and Lubbinge, K. A hooded arc cyclotron ion source with variable yield, 3=17008
- Rautenbach, W. L. See Frahn, W. E., 1=2303
- Rautenberg, T. H., Jr and Johnson, P. D. Light production in the aluminum-oxygen reaction, 0=8790
- Rautenberg, T. H., Jr and Johnson, P. D. Some characteristics of metal iodide-mercury arcs, 4=18785
- Rautenberg, T. H., Jr. See Johnson, P. D., 4=14597
- Rauth, A. M. See Schambra, P. E., 1=338
- Rautian, S. G. The echelette theory, 0=8806
- Rautian, S. G. Real spectral apparatus, 1=4464
- Rautian, S. G. and Sobelman, I. I. Negative absorption in metal vapours, 1=798
- Rautian, S. G. and Sobel'man, I. I. Negative absorption, 1=14017
- Rautian, S. G. and Sobel'man, I. I. Line shape and dispersion within the absorption band when forced transitions are taken into account, 1=19024
- Rautian, S. G. and Sobel'man, I. I. Photo-dissociation of molecules as a method of obtaining a medium with the negative absorption coefficient, 3=4787
- Rautian, S. G. and Sobel'man, I. I. Radiation emitted by atoms moving in the field of a standing wave, 3=25062
- Rautian, S. G. See Germogenova, T. A., 4=16040
- Rautian, S. G. See Kuznetsova, T. I., 3=14796
- Rautian, S. G. See Kuznetsova, T. I., 4=3214
- Rautian, S. G. See Vil'ner, L. D., 3=262
- Rauzin, Ya. R. On e. s. Yakovleva's article, 3=11148



- Ravanesi, R.M. See Wolff, J.R., 3=19144  
 Ravani, S. See Hälg, W., 4=6426  
 Ravatin, J. and Mesnard, G. A formalism concerning tables of functions, suitable for applications to mathematical physics, 4=21010  
 Ravatin, J. and Mesnard, G. Extension of the possibilities of the practical application of the method of mesomers by using graphs, 4=25617  
 Ravdel', M.P. and Faivilevich, G.A. Polygonisation in Mn-base alloys, 3=3315  
 Raven, K.D. See Mullin, J.W., 1=12623  
 Raven, K.D. See Mullin, J.W., 2=21489  
 Ravenhall, D.G.  $K^+ - p$  scattering; the phenomenology of a repulsive interaction, 3=17338  
 Ravenhall, D.G. See Calogero, F., 4=24074  
 Ravenhall, D.G. See Herman, R., 4=1068  
 Ravenhall, D.G. See Hetherington, J.H., 2=12214  
 Ravenhall, D.G. See Hill, R.D., 1=7284  
 Ravets, J.M. and Lamars, J.R. Flat flux by nonuniform moderation, 1=17194  
 Ravets, V.L. See Geguzin, Ya.E., 3=20209  
 Raviart, A. See Agrinier, B., 1=6948  
 Raviart, A. See Furst, M., 3=16629  
 Raviart, A. See Koehlin, Y., 3=10001  
 Raviart, A. See Koehlin, Y., 4=29638  
 Ravich, Yu.I. Theory of photomagnetic effects in semiconductors with complex energy bands, 1=1101  
 Ravich, Yu.I. The determination of the characteristic parameters of minority carriers in semiconductors from the measurement of the photoconductivity and photomagnetic effect, 1=14426  
 Ravich, Yu.I. The determination of the characteristic parameters of minority carriers in semiconductors from the measurement of the photoconductivity and photomagnetic effect, 1=17669  
 Ravich, Yu.I. A contribution to the theory of photomagnetic effect in strong magnetic fields, 2=23479  
 Ravich, Yu.I. A contribution to the theory of photomagnetic effect in strong magnetic fields, 3=6637  
 Ravich, Yu.I. Theory of the photomagnetic effect in p-n junctions, 3=17965  
 Ravich, Yu.I. Theory of the phototriode, 3=20419  
 Ravich, Yu.I. See Moizhes, B.Ya., 0=6112  
 Ravich, Yu.I. See Subashiev, V.K., 2=21167  
 Ravid, E. Determination of longitudinal shock wave profiles in a microwave Fabry-Perot interferometer, 3=21479  
 Ravier, J., Marguin, P. and Moussa, A. Low energy gamma-transitions and Auger electrons of the disintegration  $Mo^{99} \rightarrow Tc^{99}$ , 1=13740  
 Ravier, J. and Moussa, A. Low-energy excited levels of  $Tc^{99}$ , 1=13743  
 Ravitz, S.F. See LaForce, R.C., 1=7800  
 Ravitz, S. See La Force, R.C., 4=18464  
 Ravitz, S.F. See Force, R.C.La., 3=1200  
 Ravitz, S.F. See La Force, R.C., 3=18150  
 Ravitz, S.F. See Toth, L.E., 4=1860  
 Ravitz, S.F. See Toth, L.E., 4=12770  
 Ravlik, A.G. See Palatnik, L.S., 2=23800  
 Ravoux, J.P. See Doucet, Y., 0=3685  
 Raw, C.J.G. Second virial coefficient of boron trifluoride, 1=10543  
 Raw, C.J.G. and Kuenz, C. Approximate mean-square amplitudes of characteristic two-atom vibrations, 2=1980  
 Raw, C.J.G. and Tang, H. Viscosity and diffusion coefficients of gaseous sulfur hexafluoride-carbon tetrafluoride mixtures, 4=2725  
 Raw, C.J.G. See Hawksorth, W.A., 0=4723  
 Raw, C.J.G. See Hawksorth, W.A., 2=21936  
 Raw, C.J.G. See Mason, E.A., 4=20135  
 Raw, C.J.G. See Pereira, A.N.G., 3=21443  
 Rawcliffe, R.D., Meloy, G.E., Friedman, R.M. and Rogers, E.H. Measurement of vertical distribution of ozone from a polar orbiting satellite, 4=13780  
 Rawcliffe, R.D. See Friedman, R.M., 4=13816  
 Rawer, K. Study of the transparency of the ionospheric layer called sporadic-E, 0=8381  
 Rawer, K. Drift in the E-region, 0=12182  
 Rawer, K. True height and thickness of the E layer, 0=21353  
 Rawer, K. Irregularities and movements in the F-region, 0=21370  
 Rawer, K. Propagation problems with space radio communications, 2=17316  
 Rawer, K. Ionospheric irregularities and movements, 3=13743  
 Rawer, K. Summary: Irregularities and drifts, 3=13744  
 Rawer, K. and Taieb, C. Determination of electron density profiles in the ionosphere. (Case where effect of magnetic field is neglected), 0=21368  
 Rawer, K. and Taieb, C. Determination of electron density profiles in the ionosphere. (Case where effect of earth's magnetic field is taken into account), 0=21369  
 Rawer, K. See Aarons, J., 2=4618  
 Rawer, K. See Argence, E., 1=377  
 Rawer, K. See Argence, E., 3=16272  
 Rawer, K. See Argence, E., 4=13845  
 Rawer, K. See Bibl, K., 0=12165  
 Rawer, K. See Bibl, K., 0=15169  
 Rawer, K. See Bibl, K., 3=5879  
 Rawitscher, G.H. Scattering of  $\mu$  mesons from the nuclei of bromine and silver, 2=1906  
 Rawitscher, G.H. Non-relativistic limit of Coulomb scattering, 4=22086  
 Rawitscher, G.H. Approximate independence of optical-model elastic scattering calculations on the potential at small distances, 4=25431  
 Rawitscher, G.H. and Fischer, C.R. Comparison of the scattering of positrons and electrons from nuclear charge distributions, 1=8702  
 Rawitscher, G.H., McIntosh, J.S. and Polak, J.A. Heavy ion elastic scattering, 4=22199  
 Rawitscher, G.H. See Fischer, C.R., 4=25378  
 Rawitscher, G.H. See McIntosh, J.S., 4=19830  
 Rawlings, R. and Robinson, P.M. An internal friction peak due to slow moving dislocations in iron-nitrogen alloys, 0=16209  
 Rawlings, R. See Robinson, P.M., 0=21101  
 Rawlins, T.G.R. Effect of polarization on transmittance in combined prism-grating spectrophotometers, 4=16233  
 Rawlins, T.G.R. Measurement of the resistivity of epitaxial vapor grown films of silicon by an infrared technique, 4=28570  
 Rawson, E.G. See Hunten, D.M., 3=9104  
 Rawson, H. The theory of stresses in two-component glass to metal tube seals, 0=19006  
 Rawson, H. See Elyard, C.A., 0=21216  
 Ray, A.K. See Murgal, M.P., 0=8305  
 Ray, A.K. See Pal, Y., 3=19626  
 Ray, A.K. See Yash Pal, 3=8063  
 Ray, B. See Ballentyne, D.W.G., 1=9012  
 Ray, B. See Ballentyne, D.W.G., 3=11010  
 Ray, B. See Ballentyne, D.W.G., 4=10226  
 Ray, B. See Woolley, J.C., 0=12083  
 Ray, B. See Woolley, J.C., 1=7878  
 Ray, B. See Woolley, J.C., 1=20621  
 Ray, D. See Caspari, M.E., 1=9039  
 Ray, D.B. See Langenecker, J.A.M., 4=27560  
 Ray, D.C. Expansions for magnetization characterization for polycrystalline orthorhombic and cubic magnetite at low temperatures, 4=26312  
 Ray, D.K. Second-order effect of spin-orbit interaction on the paramagnetic resonance spectra of ions with a single 3d electron, 1=14788  
 Ray, D.K. On the electron paramagnetic resonance spectra of  $V^{3+}$  in corundum ( $Al_2O_3$ ), 1=20235  
 Ray, D.K. On the electron paramagnetic resonance line corresponding to a transition  $\Delta M = \pm 2$  for ions with effective spin  $s = 1$ , 2=763  
 Ray, D.K. Investigations into the origin of the crystalline electric field effects on rare earth ions. II. Contributions from the rare earth orbitals, 3=20054  
 Ray, D.K. and Rudra, P. Group theoretical method of deriving the potential of a vibrating system, 4=22335  
 Ray, D.K. See Ghatikar, M.N., 4=25808  
 Ray, D.K. See Hutchings, M.T., 3=10568  
 Ray, D.K. See Rosset, J., 2=21288  
 Ray, E.C. On the theory of protons trapped in the earth's magnetic field, 0=14269  
 Ray, E.C. Re-entrant cosmic-ray albedo, 2=22693  
 Ray, E.C. Theorems concerning the allowed cone of cosmic radiation, 3=15062  
 Ray, E.C. On the motion of charged particles in the geomagnetic field, 4=5753  
 Ray, E.C. and Kasper, J.E. Some theorems concerning the motion of an electrically charged particle in a dipole magnetic field, 3=473  
 Ray, E.C. See Sauer, H.H., 4=6152  
 Ray, J.A. See Barnett, C.F., 1=16349



- Ray, J.A. See Barnett, C.F., 2=15929  
 Ray, J.A. See Barnett, C.F., 4=11526  
 Ray, J.A. See Barnett, C.F., 4=25749  
 Ray, J.D. Fabrication of Pyrex spiral bourdon, 1=9362  
 Ray, J.D. Electric quadrupole contribution to chemical shifts in liquids induced by intramolecular hindered rotations, 4=24247  
 Ray, J.D. See Cox, J.R., Jr., 1=9168  
 Ray, J.H. See Krumbein, A.D., 2=16458  
 Ray, K. Dynamics of the vibration of bar excited by transverse impact of a load (experimental), 1=12934  
 Ray, L. Crystal structure of nor-harman: a preliminary report, 1=20570  
 Ray, M. Flow of a compressible fluid around a corner, 0=2153  
 Ray, M. Note on the variation of temperature due to small steady disturbances in a compressible [two-dimensional non-adiabatic] flow, 0=8612  
 Ray, M. Torque on a circular disc rotating in a liquid under the influence of a uniform magnetic field perpendicular to the disc, 1=16528  
 Ray, R.K. and Fan, H.Y. Impurity conduction in silicon, 1=3759  
 Ray, S. Effect of chemical treatment on the structure and properties of graphite, 0=20718  
 Ray, S. A 19 cm Debye-Scherrer camera for working between 400°K and 106°K, 4=27345  
 Ray, S. See Mitra, A.N., 3=12482  
 Ray, S. See Mitra, A.N., 4=21927  
 Ray, S.N. The physics of space research, 3=7053  
 Ray, T. Generalized spin-Hamiltonian for paramagnetic ions in crystals. I. General formalism and its application to cubic crystalline symmetry, 4=6694  
 Ray, T.C. See Hallam, H.E., 2=20788  
 Raybold, R.L. See Harman, G.G., 1=11308  
 Raybold, R.L. See Harman, G.G., 3=10799  
 Rayburn, L.A. Differential elastic scattering of 14-MeV neutrons by Zn, Sn, Sb, Pb and Bi, 0=4172  
 Rayburn, L.A. 14.4 MeV (n,2n) cross sections, 1=7382  
 Rayburn, L.A. (n,2n) reaction cross sections from 12 to 19.6 MeV, 3=12690  
 Rayces, J.L. Exact relation between wave aberration and ray aberration, 4=21278  
 Raychaudhuri, A. The isoelectronic series of semiconducting compounds with the zinc-blende structure, 1=1087  
 Raychaudhuri, A. A general deduction of two important relations in relativistic cosmology, 1=1630  
 Raychaudhuri, A.K. Static electromagnetic fields in general relativity, 1=4252  
 Raychaudhuri, A.K. and Banerji, S. Cosmological evolution with creation of matter, 4=10780  
 Raychaudhuri, A.K. and Sinha, S.K. On the variational calculation of the diamagnetic susceptibility and nuclear magnetic shielding in molecules, 4=20113  
 Raychaudhuri, A.K. and Som, M.M. Stationary cylindrically symmetric clusters of particles in general relativity, 2=11264  
 Raychaudhuri, A.K. See Ghatikar, M.N., 4=25808  
 Raychaudhuri, B.C. See Gupta, M.L., 3=21583  
 Rayfield, G.W. and Reif, F. Evidence for the creation and motion of quantized vortex rings in superfluid helium, 4=2909  
 Rayfield, G.W. See Birdsall, C.K., 3=5709  
 Rayl, M. See Cody, G.D., 4=16360  
 Rayl, M. See Hanak, J.J., 4=16359  
 Raymo, C.T., Brands, C.W. and Schwartz, B. Surface potential of silicon, 1=11303  
 Raymo, C.T. and Mayer, J.W. Transient response of p-n junction detectors, 1=13231  
 Raymond, F.H. Some comments on the integration of rotation about the centre of gravity in a simulator, 1=11730  
 Raymond, F.W. Nonacoustical method for measuring sensitivity of a piezoelectric hydrophone, 3=7292  
 Raymond, L. and Dorn, J.E. Recovery of creep-resistant substructures, 4=23122  
 Raymond, M.H. and Coffin, L.F., Jr. Geometric and hysteresis effects in strain-cycled aluminium, 3=20752  
 Raymond, M. See Crayton, N., 2=3472  
 Raymond, J.W. See Lomardi, J.R., 4=14167  
 Raymund, M. The binding energy difference between the hyper-nuclides  ${}^4\text{He}$  and  ${}^4\text{H}$ , 4=19644  
 Raymund, M. See Abdedo, D., 2=5791  
 Raymund, M. See Ammar, R.G., 3=10229  
 Raymund, M. See Beniston, M.J., 4=17006  
 Raymund, M. See Crayton, N., 2=22718  
 Raymund, M. See Davis, D.H., 2=18191  
 Raymund, M. See Davis, D.H., 3=6147  
 Raymund, M. See Davis, D.H., 3=10230  
 Raymund, M. See Davis, D.H., 4=5918  
 Raynal, J. Determination of deuteron polarization after a nuclear reaction, 1=13528  
 Raynal, J. - Scattering of polarized protons by a target of polarized protons, 2=3334  
 Raynal, J. Determination of phase-shifts by the scattering of polarized protons from a target of polarized protons, 2=290  
 Raynal, J. Optical model with tensorial potentials for the elastic scattering of intermediate energy deuterons, 3=10375  
 Raynal, J. Absence of tensor term in the optical model for the d-Ca elastic scattering at 22 MeV, 4=9549  
 Raynal, J. Analysis of 21.6 MeV deuteron elastic scattering by nickel using potential tensors, 4=19813  
 Raynal, J. See Beurtey, R., 1=13759  
 Raynal, J. See Olkowsky, J., 1=9855  
 Raynard, J. See Gautier, P., 2=11597  
 Rayne, J.A. Temperature dependence of the absorptivity of copper in the near infrared, 0=1719  
 Rayne, J.A. Elastic constants of palladium from 4.2-300°K, 0=11966  
 Rayne, J.A. Band structure of noble metal alloys: Optical absorption in Cu-Ge alloys at 4.2°K, 1=1156  
 Rayne, J.A. Optical properties of metals, 1=19938  
 Rayne, J.A. Magneto-acoustic oscillations in thallium, 2=23116  
 Rayne, J.A. High-frequency magnetoacoustic measurements in indium and lead, 3=6472  
 Rayne, J.A. Fermi surface of thallium from magneto-acoustic measurements, 3=20132  
 Rayne, J.A. Erratum; magneto-acoustic oscillations in thallium, 3=10629  
 Rayne, J.A. Low temperature heat capacity of  $\text{AuAl}_2$ ,  $\text{AuGa}_2$  and  $\text{AuIn}_2$ , 4=6743  
 Rayne, J.A. Fermi surface of tungsten from magneto-acoustic measurements, 4=9906  
 Rayne, J.A. High frequency magnetoacoustic measurements on indium and lead, 4=15456  
 Rayne, J.A. and Chandrasekhar, B.S. Elastic constants of  $\beta$  tin from 4.2°K to 300°K, 1=1293  
 Rayne, J.A. and Chandrasekhar, B.S. Elastic constants of iron from 4.2 to 300°K, 1=10203  
 Rayne, J.A. and Chandrasekhar, B.S. Fermi surface of indium from magnetoacoustic measurements, 2=10355  
 Rayne, J.A. and Sell, H. Magnetoacoustic oscillations in tungsten, 2=14376  
 Rayne, J.A. See Biondi, M.A., 0=1542  
 Rayne, J.A. See Blaugher, R.D., 4=18356  
 Rayne, J.A. See Brandt, G.B., 3=6492  
 Rayne, J.A. See Brandt, G.B., 4=7211  
 Rayne, J.A. See Brandt, G.B., 4=4325  
 Rayne, J.A. See Castle, J.G., Jr., 1=9995  
 Rayne, J.A. See Chandrasekhar, B.S., 1=2923  
 Rayne, J.A. See Chandrasekhar, B.S., 1=20295  
 Rayne, J.A. See Flinn, P.A., 1=11165  
 Rayne, J.A. See Flinn, P.A., 1=20294  
 Rayne, J.A. See Jones, C.K., 4=12627  
 Rayne, J.A. See Jones, C.K., 4=15423  
 Rayne, J.A. See Veal, B.W., 3=766  
 Rayne, J.A. See Veal, B.W., 3=17660  
 Rayne, J.A. See Veal, B.W., 4=1799  
 Rayne, J.A. See Veal, B.W., 4=3992  
 Rayne, J.A. See Veal, B.W., 4=25660  
 Rayner, C.B. Three remarks concerning a recent theorem, 0=871  
 Rayner, C.B. A simple form for the Ricci tensor under conditions of rigidity, 0=874  
 Rayner, C.B. A simplification of exterior Einstein equations for a group movement, 0=2109  
 Rayner, C.B. The concept of a rigid motion [in relativity], 0=6665  
 Rayner, C.B. Elasticity in general relativity, 3=7102  
 Rayner, G.H. and Ford, L.H. The effect of temperature on the stability of mica standards of capacitance, 4=11491  
 Rayner, J.H. See Gower, J.C., 0=8202  
 Rayner, M.J. See Oliver, D.J., 0=16950  
 Raynes, W.T., Buckingham, A.D. and Bernstein, H.J. Medium effects in proton magnetic resonance I. Gases, 2=16556  
 Raynor, G.V. See Cockayne, B., 1=20624  
 Raynor, G.V. See Evans, D.S., 0=10311  
 Raynor, G.V. See Evans, D.S., 1=20577



- Raynor, G.V. See Evans, D.S., 1=20578  
 Raynor, G.V. See Evans, D.S., 2=4475  
 Raynor, G.V. See Foley, J.H., 1=2538  
 Raynor, G.V. See Foley, J.H., 3=12986  
 Raynor, G.V. See Henderson, B., 2=12935  
 Raynor, G.V. See Henderson, B., 2=17037  
 Raynor, G.V. See Henderson, B., 2=21537  
 Raynor, G.V. See Henderson, B., 3=3313  
 Raynor, G.V. See Henderson, B., 3=8643  
 Raynor, G.V. See Henderson, B., 4=15626  
 Raynor, G.V. See Waber, J.T., 4=15796  
 Raynor, J.B. Thermodynamics of silver-bismuth alloys, 4=10437  
 Raynor, J.B. See Allday, W.J., 2=21885  
 Raynor, S. See Olmstead, W.E., 3=7056  
 Raynor, S. See Peralta, L.A., 4=14300  
 Rayrole, J. Some methods for the determination of the three components of the magnetic field in sunspots, 4=20926  
 Rayrole, J. See Charvin, P., 2=11481  
 Rayski, J. A six-dimensional Riemannian manifold, its applications to meso-electrodynamics, and a systematization of strongly interacting particles, 0=5475  
 Rayski, J. An attempt to geometrize mesoelectrodynamics, 0=15231  
 Rayski, J. On a possible relation between space and iso-space, 0=15256  
 Rayski, J. Interpretation of electrodynamics and baryon theory within a six dimensional manifold, 0=18937  
 Rayski, J. Conservation laws in general relativity, 1=9316  
 Rayski, J. Non-linear equations for spinor fields, 1=13285  
 Rayski, J. Conservation laws and Fern-equivalence in general relativity, 1=15628  
 Rayski, J. Relative parities of baryons, 2=5589  
 Rayski, J. Localization of energy and quantization of the gravitational field, 2=9151  
 Rayski, J. A note on quantization and interpretation of general theory of relativity, 3=14007  
 Rayski, J. Resonant states of nucleon and bilocal field theory, 4=15048  
 Rayski, T. Two kinds of neutrino, 3=12437  
 Rayudu, V. S. G. Formation cross sections of various radio-nuclides from Ni, Fe, Si, Mg, O, and C for protons of energies between 130 and 400 MeV, 4=25393  
 Rayudu, G. V. S. and Yaffe, L. Reactions produced on erbium by protons of energies between 6 and 87 MeV, 4=3660  
 Rayward, J. See Lacoste, R., 2=9490  
 Raz, B. See Jortner, J., 1=11128  
 Raz, B. See Schmidt, H. E., 4=4205  
 Raz, B. J. Collective and interparticle interactions in even-even nuclei. II. 3=10209  
 Raz, B. J., Zeidman, B. and Yntema, J. L. Analysis of the structure of nuclei from (d,t) reactions, 1=716  
 Raz, B. J. See Yntema, J. L., 0=5759  
 Raz, B. J. See Macfarlane, M. H., 2=1914  
 Raz, B. J. See Macfarlane, M. H., 2=16432  
 Raz, B. J. See Zeidman, B., 1=715  
 Raz, J. B. Collective quadrupole effects in light nuclei, 0=17552  
 Razavy, M. Calculation of the binding energy of nuclear matter by the method of reference spectrum, 3=12554  
 Razavy, M. The effect of the non-static forces in nuclear matter, 4=12100  
 Razavy, M., Field, G. and Levinger, J. S. Analytical solutions for velocity-dependent nuclear potentials, 2=3451  
 Razavy, M., Rojo, O. and Levinger, J. S. Velocity-dependent singlet potentials, 1=8539  
 Razavy, M. and Sprung, D. W. L. Reference spectrum method for the boundary-condition model of nuclear forces, 4=9338  
 Razavy, M. See Chan, H. H., 4=21780  
 Razavy, M. See Levinger, J. S., 0=12886  
 Razbash, R. Ya. See Bogdanov, S. V., 0=12076  
 Razbash, R. Ya. See Bogdanov, S. V., 2=4106  
 Razbash, R. Ya. See Bogdanov, S. V., 2=4107  
 Razbirin, B. S. See Bansi-Grillo [Bancie-Grillot], M., 0=1744  
 Razbirin, B. S. See Bansi-Grillo, M. J. Bancie-Grillot, 1=11396  
 Razbirin, B. S. See Gross, E. F., 0=16047  
 Razbirin, B. S. See Gross, E. F., 1=3842  
 Razbirin, B. S. See Gross, E. F., 2=4120  
 Razbirin, B. S. See Gross, E. F., 2=4138  
 Razbirin, B. S. See Gross, E. F., 2=8487  
 Razbirin, B. S. See Gross, E. F., 2=10597  
 Razbirin, B. S. See Gross, E. F., 2=12596  
 Razbirin, B. S. See Gross, E. F., 2=12616  
 Razbirin, B. S. See Gross, E. F., 2=14671  
 Razbirin, B. S. See Gross, E. F., 2=14715  
 Razbirin, B. S. See Gross, E. F., 3=8594  
 Razbirin, B. S. See Gross, E. F., 3=22688  
 Razbirin, B. S. See Gross, E. F., 4=17558  
 Razbirine, B. See Gross, E., 0=18123  
 Razbirine, B. S. See Bancie-Grillot, M., 0=11775  
 Razbitnaya, E. P. A particular case of the restricted three-body problem with variable masses, 2=937  
 Razdan, H. See Lockwood, J. A., 3=15063  
 Razdan, H. See Lockwood, J. A., 3=15064  
 Razdan, H. See Sarabhai, V., 1=3351  
 Razdan, K. N. Effect of the time of firing and flux content on the intensity of phosphorescence of barium sulphide-copper (borax) phosphors, 4=28720  
 Razdobarin, G. T. See Berezin, A. B., 4=8788  
 Razdobarin, G. T. See Malyshev, G. M., 3=24036  
 Razdobarin, G. T. See Malyshev, G. M., 4=314  
 Razdobarin, G. T. See Zaidel', A. N., 1=5481  
 Razdobarin, G. T. See Zaidel', A. N., 1=9607  
 Razgovorova, T. V. See Anufrieva, E. V., 0=4680  
 Razikov, K. Kh. See Berestnev, V. A., 1=20654  
 Razikov, K. Kh. See Berestnev, V. A., 2=4481  
 Razin, A. A. See Tarasova, L. V., 0=9006  
 Razin, V. A. Criticism of hypotheses on the metagalactic origin of cosmic rays, 2=20471  
 Razinskaya, I. N. and Rylov, E. E. Some problems of the time dependence of the strength of "organic glasses", 0=16234  
 Razlunas, V., Macur, G. J. and Katz, S. Emission spectrum and thermodynamic properties of gallium monoxide, 3=25093  
 Razmadze, A. K. See Trofimenko, A. P., 0=18037  
 Razmi, M. S. K. Single-pion production in  $\pi$ -N collisions and Regge poles, 4=12037  
 Razorenov, L. A. See Dragun, G. S., 2=17314  
 Razorenov, L. A. See Ginzburg, V. L., 2=15266  
 Razorenov, L. A. See Ginzburg, V. L., 2=19249  
 Razorenov, L. A. See Ginzburg, V. L., 3=9119  
 Razorenov, L. A. See Ginzburg, V. L., 4=6153  
 Razorenov, L. A. See Kurnosova, L. V., 2=7917  
 Razorenov, L. A. See Kurnosova, L. V., 2=9947  
 Razorenov, L. A. See Kurnosova, L. V., 2=9948  
 Razorenov, L. A. See Kurnosova, L. V., 2=11085  
 Razorenov, L. A. See Kurnosova, L. V., 2=12090  
 Razorenov, L. A. See Kurnosova, L. V., 2=16273  
 Razorenov, L. A. See Kurnosova, L. V., 2=20475  
 Razorenov, L. A. See Kurnosova, L. V., 2=21674  
 Razorenov, L. A. See Kurnosova, L. V., 3=2333  
 Razorenov, L. A. See Kurnosova, L. V., 3=2343  
 Razorenov, L. A. See Kurnosova, L. V., 3=22229  
 Razorenov, L. A. See Kurnosova, L. V., 3=22230  
 Razorenov, L. A. See Kurnosova, L. V., 4=6155  
 Razorenov, L. A. See Kurnosova, L. V., 4=15117  
 Razorenov, L. A. See Veprik, Ya. M., 2=19360  
 Razorenov, V. M. See Lyubov, B. Ya., 4=10412  
 Razorenova, I. F. See Bogomolov, C. S., 0=12743  
 Razorenova, I. F. See Bogomolov, C. S., 0=12744  
 Razumeeenko, M. V. See Brandt, N. B., 1=1191  
 Razumova, K. A. See Gorbunov, E. P., 4=8786  
 Razumova, K. A. See Ivanov, D. P., 3=12208  
 Razumova, T. K. See Arkhangel'skaya, V. A., 0=16829  
 Razumova, T. K. See Dubenskii, K. K., 4=13090  
 Razumova, T. K. See Kazachevskaya, T. V., 4=7880  
 Razumova, T. K. See Medvedev, V. S., 4=15879  
 Razumovskaya, A. I. See Vil'dgrube, G. S., 2=20019  
 Razumovskaya, L. P. See Bochkova, O. P., 2=11627  
 Razumovskaya, I. V. See Bartenev, G. M., 0=16233  
 Razumovskaya, I. V. See Bartenev, G. M., 1=8466  
 Razumovskaya, I. V. See Bartenev, G. M., 3=25642  
 Razumovskaya, L. P. Spectroscopic study of high-frequency discharges in argon, 3=15280  
 Razumovskaya, L. P. and Bochkova, O. P. Optical and electrical properties of "strong" and "weak" high-frequency discharges in neon, 1=2950  
 Razumovskaya, L. P. See Bochkova, O. P., 4=16442  
 Razumovskii, A. N. and Chaika, M. P. Measurement of isotopic shifts of the resonance line of barium, 2=18414  
 Razumovskii, A. N. See Zaidel', A. N., 1=15871  
 Razumtseva, G. P. See Rovinskii, R. E., 0=9011  
 Rea, D. G. On the theory of the resonance Raman effect, 0=15716  
 Rea, D. G. Effects of solvent on Raman band intensities, 0=15717  
 Rea, D. G. The effect of hydrogen bonding of the intensity of the CD Raman band of CDCl<sub>3</sub>, 1=6020  
 Rea, D. G. The darkening wave on Mars, 4=23896  
 Read, A. L. See Baker, W. F., 4=25093  
 Read, A. L. See Cocconi, G., 4=9193



- Read, A.A. See Daughton, J.M., 1=7120  
 Read, A.A. See Pohn, A.V., 0=9184  
 Read, A.L., Orear, J. and Bethel, H.A. Exact form for scattering amplitude in Regge pole theory, 4=3331  
 Read, A.L. See Baker, W.F., 2=20627  
 Read, A.H. An investigation of the diffusion of electromagnetic fields in a stationary conducting medium by means of equivalent networks, 3=506  
 Read, A.L. See Baker, W.F., 3=7854  
 Read, A.L. See Baker, W.F., 3=10169  
 Read, A.L. See Davis, D.G., 3=24730  
 Read, A.W. See Cottrell, T.L., 3=8313  
 Read, A.W. See Cottrell, T.L., 4=17289  
 Read, B.E. and Williams, G. Analysis of curves of loss factor against reciprocal temperature for dielectric and dynamic mechanical relaxation, 2=6511  
 Read, B.E. See Allen, G., 0=3160  
 Read, F.H. Electron impact spectroscopy. II. Vibronic interactions in excitation cross sections, 4=17274  
 Read, F.H. and Calvert, J.M. Pick-up reactions on a  $^9\text{Be}$  target, 1=3446  
 Read, F.H., Calvert, J.M. and Schork, G. Some  $\text{Be}^0(d, p)\text{Be}^{10}$  angular correlation measurements off the stripping peak, 1=5934  
 Read, F.H. and Calvert, J.M. The  $\text{O}^{16}(t, p)\text{O}^{18}$  reaction, 3=10392  
 Read, F.H. and Whiterod, G.L. Electron impact spectroscopy. I. The determination of the symmetry species of molecular excited states, 3=22531  
 Read, F.H. See Birks, J.B., 1=9402  
 Read, F.H. See Lisle, J.C., 3=24969  
 Read, F.H. See Phillips, W.R., 3=4211  
 Read, H.J. and Graham, A.H. The elastic modulus and internal friction of electrodeposited copper, 1=5079  
 Read, H.J. See Bush, G.W., 4=23181  
 Read, H.J. See Graham, A.H., 3=13450  
 Read, J.B.J., Ladenbauer-Bellis, I.M. and Wolfgang, R. Compound nucleus formation mechanisms in reaction of heavy ions with medium-mass elements, 2=20679  
 Read, J.E. See Allen, N.L., 3=7596  
 Read, M., Cornil, P. and Duchesne, J. Effect of electric field on nuclear quadrupole resonance lines, 4=1312  
 Read, M. See Depireux, J., 1=20277  
 Read, M. See Duchesne, J., 4=7358  
 Read, P.L. Ultralinear cathode follower, 0=16961  
 Read, P.L. and Katz, E. Ionic hall effect in sodium chloride, 1=1025  
 Read, R.B. Two-element interferometer for accurate position determinations at 960 Mc, 1=8017  
 Read, R.B. Accurate measurement of the declinations of radio sources, 3=23702  
 Read, S.F.J. Dynamic nuclear polarization in a perylene-iodine complex, 2=18965  
 Read, S.M. and Vanderslice, J.T. Potential energy curves for  $\text{C}_2$ , 2=14299  
 Read, S.M., Vanderslice, J.T. and Fenč, F. Potential curves for  $\text{BeH}^+$  and  $\text{CH}^+$ , 2=18451  
 Read, S.M. See Svirbely, W.J., 2=15580  
 Read, T.B. Probe measurements of the longitudinal field in the positive column of mercury rare-gas discharges, 3=7475  
 Read, T.B. Comparison of directional and total intensities of resonance radiation from a mercury rare-gas discharge, 3=12764  
 Read, T.B. Measurements of the resonance radiation from low-pressure mercury rare-gas discharges, 4=21475  
 Read, W.S. See Fried, D.L., 4=24386  
 Reade, R.F. and Martin, D.S., Jr. Diffusion of  $\text{Ag}^+$ ,  $\text{Cl}^-$  and  $\text{Cd}^{++}$  in silver chloride single crystals, 0=20842  
 Reader, A.V. See Davis, R.O., 4=17337  
 Reader, J. and Davis, S.P. Promethium 147 hyperfine structure under high resolution, 3=10463  
 Reader, J., Marquet, L.C. and Davis, S.P. Predisperser for high-resolution grating spectrographs, 3=24026  
 Reader, J., Meissner, K.W. and Andrew, K.L. Improved Cu II standard wavelengths in the vacuum ultraviolet, 0=4170  
 Readey, D.W. and Kingery, W.D. Plastic deformation of single crystal ice, 4=10381  
 Reading, D.H. See Chapman, K.R., 2=16433  
 Reading, D.H. See Martelli, G., 1=16770  
 Ready, J.F. Time coherence in ruby lasers, 2=23551  
 Ready, J.F. Correlations of output spikes from different portions of ruby laser, 3=9973  
 Ready, J.F. Development of plume of materials vaporized by giant pulse laser, 3=21627  
 Ready, J.F. See Lichtman, D., 3=19304  
 Reagan, D. Transverse compression waves in a stabilized discharge, 0=3769  
 Reagan, D.D. See Christofilos, N.C., 4=21604  
 Reagan, J.B. See Smith, R.V., 2=17995  
 Reagan, P.E., Carlsen, F.L. and Carroll, R.M. Fission-gas release from pyrolytic-carbon-coated fuel particles during irradiation, 4=17226  
 Reagan, P.N., Browne, J.C. and Matsen, F.A. New lower limit for the binding energy of the helium molecule ion, 3=723  
 Reagan, P.N., Browne, J.C. and Matsen, F.A. Dissociation energy of  $\text{He}_2^+(\Sigma^+)$ , 4=1320  
 Reale, A. See Backenstoss, G., 4=16939  
 Reale, A. See Berkelman, K., 1=7268  
 Reale, A. See Berkelman, K., 3=9913  
 Reale, A. See Cortellessa, G., 1=7264  
 Reale, A. See Cortellessa, G., 1=8479  
 Reale, A. See Cortellessa, G., 1=13409  
 Reale, A. See Cortellessa, G., 3=15003  
 Reale, C. Electrical resistivity by lattice vacancies in multivalent non-transition metals, 3=4903  
 Reale-Scafati, A. Diffusion in a linear cell system, 2=15575  
 Ream, J.T. and Varnes, R.P. Transient thermal behavior of experimental  $\text{UO}_2$  fuel elements in the sodium reactor experiment (SRE), 2=20726  
 Reamer, H.H. and Sage, B.H. High pressure manometer, 0=6821  
 Reames, D.V. Emission of charged particles in heavy ion interactions, 4=22229  
 Reames, J.P. Cleaning of slides for vacuum deposition, 0=110  
 Reams, W. See Alder, G., 0=14135  
 Reasbeck, P. See Fremlin, J.H., 3=19890  
 Reaves, R.R., Jr. See Thompson, B.A., 4=11249  
 Reay, N.W., Hintz, N.M. and Lee, L.L., Jr. Radiative capture above the giant resonance in  $\text{C}^{12}$ , 3=17464  
 Reay, N.W. and Preston, L.M. Flexible light pipes, 4=18393  
 Reay, N.W. See Gotow, K., 4=21608  
 Rebane, K. and Sil'd, O. Distribution of the quantum mechanical transition probabilities by method of moments, 2=22878  
 Rebane, K.K. On the relaxational processes in crystal phosphors with complex spectra of capture levels, 0=1743  
 Rebane, K.K. The relationship between the recombination luminescence and conductivity under non-isothermal conditions, 0=16076  
 Rebane, K.K. A theory of electronic-vibrational transitions in systems with many vibrational degrees of freedom, 1=14586  
 Rebane, K.K. A theory of the interaction of transitions in the electronic shell and nucleus of an impurity with crystal vibrations, 4=28345  
 Rebane, K.K. and Khizhnyakov, V.V. Theory of quasi-line electronic-vibrational spectra in crystals. II. Comparison of the Shpol'skii effect with the Mössbauer effect, 3=20077  
 Rebane, K.K. and Khizhnyakov, V.V. The theory of quasi-line electron-vibrational spectra in crystals. I. Theory of the Shpol'skii effect, 3=20456  
 Rebane, K.K. and Sil'd, O.I. A relationship between electron-vibrational absorption and luminescence bands, 1=2453  
 Rebane, K.K. and Sil'd, O.I. Calculation of the probability of electronic-vibrational transitions for an harmonic oscillator, 2=14293  
 Rebane, K.K. and Sil'd, O.I. Contribution to the theory of electronic vibrational transitions in crystals and molecules, 2=14706  
 Rebane, K.K. and Sil'd, O.I. Spectroscopic sum rules including consideration of induced emission, 3=7331  
 Rebane, K.K. See Kristoffel, N.N., 3=18018  
 Rebane, K.K. See Kristofel, N.N., 4=13008  
 Rebane, K.S.K. On deep trapping states in ZnS phosphors, 0=6197  
 Rebane, K.S.K. Variation of the steady state luminescence of ZnS phosphors with the excitation intensity, 2=16857  
 Rebane, K.S.K. The steady-state luminescence of ZnS phosphors. I, 2=16858  
 Rebane, K.S.K. The steady-state luminescence of ZnS phosphors. II. Electroluminescence and infrared quenching, 2=21273  
 Rebane, K.S.K. Steady state luminescence of ZnS phosphors. III, 3=20527  
 Rebane, K.S.K. and Sakarinen, E. The effect of temperature on infrared quenching, 0=16097  
 Rebane, L.A. Concentration and temperature quenching of luminescence in some silver activated alkali halide phosphors, 3=944



- Rebane, T.K. Choice of the initial single-electron wave-functions for the solution of self-consistent field equations with exchange, 0=1463
- Rebane, T.K. Variational principle for calculation of the correction to the electron energy in a molecule, quadratic with respect to the magnetic field strength, 0=13446
- Rebane, T.K. Calculation of the polarizability of conjugated molecules, with allowance for the electrostatic interactions of  $\pi$ -electrons, 0=20652
- Rebane, T.K. On the connection between the number of  $\pi$ -electrons and the character of the magnetic susceptibility of a class of aromatic molecules, 1=3558
- Rebane, V.N. See Levshin, V.L., 0=4461
- Rebbert, R.F. and Ausloos, P. Intramolecular rearrangements in the solid phase photolysis of 4-methyl-2-hexanone and secbutyl acetate, 2=23968
- Rebejko, I. See Pannetier, G., 4=3857
- Rebel, H., Schatz, G., and Bühring, W. Relative measurement of the electron polarization in  $\beta$ -decay:  $Tl^{204}$  and  $P^{32}$ , 4=30328
- Rebel, H. See Bühring, W., 4=21841
- Rebel, H. See Schatz, G., 4=12190
- Rebelo Simões, F. E. Smoothing of power spectra, 4=24010
- Reber, G. Radio interferometry at three kilometers altitude above the Pacific Ocean. I. Installation and ionosphere, 0=8482
- Reber, G. Radio interferometry at three kilometers altitude above the Pacific Ocean. II. Celestial sources, 0=8483
- Reber, H. See Kortum, G., 2=19553
- Reber, J.D. and Major, J.K. Optimum channel width for single channel analysis, 3=19513
- Reber, J.M. Potential distribution in a rectangular semiconductor bar for use with four-point probe measurements, 4=22698
- Reber, L. See Isoya, A., 3=683
- Reber, L.H. and Saladin, J. X. Polarization of protons from deuteron stripping reactions, 4=12265
- Reber, L.H. See Hamburger, E.W., 2=22842
- Reber, L.H. See Isoya, A., 1=19512
- Rebière, J. See Perroud, P., 3=16605
- Rebigan, F. See Cohen, J., 4=6264
- Rebinder, P.A. See Amelina, E.A., 3=8790
- Rebinder, P.A. See Goryunov, Yu.V., 0=1871
- Rebinder, P.A. See Goryunov, Yu.V., 0=6313
- Rebinder, P.A. See Goryunov, Yu.V., 4=10353
- Rebinder, P.A. See Ivanova, L.V., 1=14871
- Rebinder, P.A. See Ivanova, L.V., 1=20322
- Rebinder, P.A. See Khodakov, G.S., 0=12058
- Rebinder, P.A. See Kochanova, L.A., 0=16239
- Rebinder, P.A. See Kochanova, L.A., 1=6478
- Rebka, G.A., Jr. See Pound, R.V., 0=36
- Rebka, G.A., Jr. See Pound, R.V., 0=3947
- Rebka, G.A., Jr. See Pound, R.V., 0=10570
- Rebka, G.A., Jr. See Pound, R.V., 0=11313
- Rebka, G.A., Jr. See Pound, R.V., 0=11315
- Rebola, L., and Viano, G.A. Regge poles and elastic scattering of alpha particles by carbon, 3=8130
- Reboul, T.T. See Hendel, H.W., 2=7569
- Reboul, T.T. See Swartz, G.A., 1=305
- Reboul, T.T. See Swartz, G.A., 2=17838
- Reboux, J. See Galtier, F., 3=7590
- Rebuffé, L. Ammeters depending on the repulsion between parallel electric currents, 1=10649
- Rebut, P.B. See Laval, G., 4=5779
- Rebut, P.H. Motion of a particle, and equilibrium of a plasma in cylindrical geometry, 1=9561
- Rebut, P.H. Non-magnetohydrodynamic instabilities in plasmas of high current density, 2=17824
- Rebut, P.H. and Somon, J.P. The assumption of a scalar pressure in a collisionless plasma, 1=18851
- Rebut, P.H. and Torossian, A. Stable plasmas in an inverse pinch discharge, 3=1992
- Rebut, P.H. and Torossian, A. Stable plasmas in a discharge of the inverse pinch type, 3=21765
- Rebut, P.H. See Adam, J., 4=8741
- Rebut, P.H. See Cotsaftis, M., 3=12131
- Rechen, J.D. See Ruby, L., 0=15368
- Rechen, J.B. See Ruby, L., 2=13819
- Rechenberg, H. and Stierstadt, K. On the ferrimagnetism of copper ferrite, 4=28838
- Rechenmann, R. The particle latent image at high temperatures, 0=15214
- Rechenmann, R. Study of the action of temperatures between 20° and 110°C on the sensitivity of nuclear emulsions to different radiations, 1=13078
- Rechitskii, I.V. and Chudakov, V.M. Shape of the angular distribution of shower particles, 3=2341
- Rechtin, E. Optimum size of radio astronomy antennas, 4=30976
- Rechziegel, E. See Glanc, A., 4=7052
- Recker, K. and Liebertz, J. On the growth and optical spectral characteristics of pure and rare-earth-activated cadmium fluoride single crystals, 3=3003
- Recknagel, A. and Werner, D. Resolution of field emission microscopes, 4=5712
- Recknagel, E. Hyperfine splitting of the  $^2S_{1/2}$  ground state and the nuclear magnetic dipole moment of  $Au^{197}$ , 0=9518
- Recknagel, E. See Fricke, G., 0=9517
- Recknagel, E. See Schafer, E.U., 4=1872
- Recourt, A. and de Vries, G.H.F. An experimental apparatus for contact microradiography at 200-500V, 1=18967
- Redaelli, G. See Arecchi, F.T., 1=12038
- Redaelli, G. See Arecchi, F.T., 3=17152
- Redaelli, G. See Bolognesi, G.P., 4=10064
- Redaelli, G. See Bolognesi, G.P., 4=10064
- Redaelli, C. See Cavalleri, C., 2=22377
- Redaelli, G. See Cavalleri, C., 3=17156
- Redaelli, G. See Fabri, G., 4=24950
- Redaelli, G. See Gadda, F., 1=7165
- Redaelli, G. See Gatti, E., 0=5436
- Reddi, V. G. K. See Sah, C. T., 4=28588
- Redding, G.B. See Barnes, R.S., 0=20827
- Reddish, A. See Ferrari, R.L., 3=5850
- Reddish, V.C. On analysing the physical evolution of galaxies, 0=18822
- Reddish, V.C. Supernovae, 1=15522
- Reddish, V.C. Star formation and the age of the Galaxy, 2=13143
- Reddish, V.C. The rate of star formation as a function of gas density, 2=15362
- Reddish, V.C. Radio stars, 2=19353
- Reddish, V.C. Cosmology, 3=5236
- Reddish, V.C. See Allen, L.R., 3=7051
- Reddish, V.C. See Davies, R.D., 4=13971
- Reddoch, A.H. Nuclear quadrupole resonance in  $TiCl_4$ ,  $ThCl_4$ ,  $NbCl_5$ , and  $TaCl_5$ , 1=14839
- Reddoch, A.H. Anomalous effects in E.P.R. spectra of the azulene anion, 4=25724
- Reddoch, A.H. and Ritter, G.J. Nuclear magnetic resonance of  $Lu^{175}$ , 2=12834
- Reddy, Abhirama, C. The structure of  $E_2$  at a low latitude station as deduced from polarization observations, 4=2297
- Reddy, A. K. N. and Wilman, H. Electron-diffraction evidence of an outward growth tendency in electrolytic crystal growth, 4=4531
- Reddy, B.M. See Ramanadham, R., 2=17174
- Reddy, C.A. and Ramachandra Rao, B. The observed polarisation of high frequency radio waves at a low latitude station, 3=9079
- Reddy, C.A. A quantitative study of the limiting polarization of high-frequency radio waves, 4=744
- Reddy, C.A. Observation of Z-echo at Waltair, 4=4799
- Reddy, C.A. and Ramachandra Rao, B. Polarization of radio waves in relation to their fading, 4=742
- Reddy, C. Abhirama. Theoretical polarisations of high frequency radio waves at a low latitude station, 4=4798
- Reddy, C. Abhirama. See Abhirama Reddy, C.
- Reddy, G. Rami. See Rami Reddy, G.
- Reddy, G.S., Boozar, C.E. and Goldstein, J.H. Correlation of proton magnetic resonance shifts with group dipole moments in substituted ethylenes, 1=7485
- Reddy, G.S. and Goldstein, J.H. Constancy of the sums of spin-spin coupling constants in monosubstituted ethylenes, 1=17347
- Reddy, G.S. and Goldstein, J.H. The proton magnetic resonance spectra of  $H_2C = C^{13}H_2$  and  $H_2C = CHD$ , 2=16561
- Reddy, G.S. and Goldstein, J.H. Determination of the diamagnetic anisotropy effects of the C-C bond and C-halogen bonds in nuclear magnetic resonance spectroscopy, 3=17615
- Reddy, G.S. and Goldstein, J.H. Diamagnetic anisotropy effects of C=C and C=N bonds in nuclear magnetic resonance spectroscopy, 4=6648
- Reddy, G.S. See Goldstein, J.H., 2=13698
- Reddy, G.S. See Hobgood, R.T., 2=3782
- Reddy, G.S. See Whipple, E.B., 1=11124
- Reddy, J.M., Knox, K. and Robin, M. B. Crystal structure of  $HI_3 \cdot 2C_6H_5CONH_2$ : a model of the starch-iodine complex, 4=13619



- Reddy, K.C. and Subrahmanyam, S.V. Empirical formula for the excess compressibility of binary liquid mixtures, 2=15543
- Reddy, K.C., Subrahmanyam, S.V. and Bhimasenachar, J. Thermodynamics of binary liquid mixtures containing cyclohexane. I, 4=18191
- Reddy, P.J. Calculation of the Debye temperatures of crystals, 3=8369
- Reddy, P.J. Variation with temperature of the elastic compliances of corundum, 3=13327
- Reddy, P.J. and Bhimasenachar, J. Elastic moduli of gold and silver between  $-183^{\circ}$  to  $300^{\circ}\text{C}$ , 3=20688
- Reddy, P.J. and Subrahmanyam, S.V. Dependence on temperature of elastic moduli of tin, 0=6295
- Reddy, S.P. and Tiruvenganna Rao, P. The spectrum of iron monochloride in the visible, 0=5941
- Reddy, P.J. See Satyavati, T., 2=17459
- Reddy, S.P. See Krishna Rao, S.V., 2=10261
- Reddy, S. Paddi. See Paddi Reddy, S.
- Reddy, T.R. See Rajan, R., 4=4401
- Redei, L.B. Remarks on the quantum mechanical interpretation of the Stark effect in the hydrogen atom, 2=16470
- Rèdei, L.B. The electronic properties of tetrahedral inter-metallic compounds. II. Conduction band in diamond, 3=777
- Rèdei, L.B. The electronic properties of tetrahedral inter-metallic compounds. III. A many-electron model for calculating the electronic excited states in IV-IV compounds and III-V compounds with zinc-blende structure, 3=778
- Rèdei, L.B. Limits of error for the electron density, spin density and atomic form factor in quantum mechanical calculations, 3=10436
- Rèdei, L.B. See Coulson, C.A., 3=776
- Reder, F.H. and Bickart, C.J. Advantage of a cascaded-cavity  $\text{NH}_3$  maser over the single cavity maser, 0=19923
- Reder, F.H. and Winkler, G.M.R. Preliminary flight tests of an atomic clock in preparation of long-range clock synchronization experiments, 0=12344
- Redfearn, J. See Benjamin, P.W., 4=19327
- Redfearn, J. See Benjamin, P.W., 4=25469
- Redfearn, M.W. See Edmond, J.T., 3=10931
- Redfern, B. See Lewis, J.C., 3=21181
- Redfield, A.C. See Friedman, I., 3=25898
- Redfield, A.G. Spatial diffusion of spin energy, 0=1823
- Redfield, A.G. and Anderson, A.G. Nuclear spin-lattice relaxation time in superconducting aluminium, 0=8950
- Redfield, A.G. Statistical theory of spin resonance saturation, 3=5378
- Redfield, A.G. Pure nuclear electric quadrupole resonance in impure copper, 3=13318
- Redfield, A.G. and Blume, R.J. Nuclear magnetic resonance saturation in lithium, 3=8736
- Redfield, A.G. See Anderson, A.G., 0=3140
- Redfield, A.G. See Eisenstadt, M., 4=1895
- Redfield, A.G. See Hecht, R., 4=4427
- Redfield, A.G. See Masuda, Y., 2=2957
- Redfield, A.G. See Masuda, Y., 4=8565
- Redfield, D. Arc lamp intensity stabilizer, 1=6481
- Redfield, D. Theory for the photoemission from a space-charge region of a semiconductor, 2=2132
- Redfield, D. Work-function changes and photoemission from semiconductors, 3=4174
- Redfield, D. Electric fields of defects in solids, 3=12958
- Redfield, D. Effect of defect fields on the optical absorption edge, 3=13161
- Redfield, D. Model for junction luminescence, 4=7170
- Redfield, D. and Baum, R.L. Infrared Christiansen filter effect with boron nitride, 1=3616
- Redford, R.A. See Blake, A.R., 3=11648
- Redhardt, A. Compensation for fluctuations in source-frequency in electron resonance spectrometers, 1=9693
- Redhart, A. See Reitböck, H., 2=17947
- Redhead, D.L. See Lasher, D.R., 3=9840
- Redhead, P.A. The magnetron gauge: A cold-cathode vacuum gauge, 0=980
- Redhead, P.A. Thermal desorption of gases, 3=1391
- Redhead, P.A. Variations in the "X-ray limit" of hot-cathode gauges, 3=5470
- Redhead, P.A. Surface potential of nitrogen on tungsten, 3=12225
- Redhead, P.A. The effects of adsorbed oxygen on measurements with ionization gauges, 3=21462
- Redhead, P.A. Interaction of slow electrons with chemisorbed oxygen, 4=23658
- Redhead, P.A., Kornelsen, E.V. and Hobson, J.P. Ultrahigh vacuum in small glass systems, 3=3840
- Redhead, P.A. See Hayward, W.H., 4=18285
- Redhead, P.A. See Steinhilber, H.A., 3=180
- Redhead, R.A. Desorption of CO and  $\text{O}^+$  from polycrystalline Mo surfaces by slow electron impact, 4=23599
- Redheffer, R. The dependence of reflection on incidence angle, 0=5408
- Redi, O. and Stroke, H.H. Spin and nuclear moments of  $\text{Hg}^{203}$ , 4=15133
- Redies, M.F. See Craig, D.P., 1=8845
- Rediker, R.H. and Calawa, A.R. Magnetotunneling in lead telluride, 1=18893
- Rediker, R.H. and Quist, T.M. Properties of GaAs alloy diodes, 4=7011
- Rediker, R.H., Stopek, S. and Ward, J.H.R. Interface-alloy epitaxial heterojunctions, 4=28587
- Rediker, R.H. See Calawa, A.R., 0=18047
- Rediker, R.H. See Lowen, J., 0=2895
- Rediker, R.H. See McWhorter, A.L., 2=23315
- Rediker, R.H. See Melngailis, I., 2=14570
- Rediker, R.H. See Melngailis, I., 3=19494
- Rediker, R.H. See Phelan, R.J., 4=8990
- Rediker, R.H. See Phelan, R.J., Jr., 4=14946
- Rediker, R.H. See Quist, T.M., 3=9971
- Redin, R.D., Marks, G.W. and Antoniak, C.E. Symmetry limitations to polarization of polycrystalline ferroelectrics, 3=10876
- Redington, R.L. The infrared spectrum and barriers hindering internal rotation in  $\text{H}_2\text{S}_2$ ,  $\text{CF}_3\text{SH}$  and  $\text{CF}_3\text{SD}$ , 3=6401
- Redington, R.L. and Milligan, D.E. Infrared spectroscopic evidence for the rotation of the water molecule in solid argon, 3=2628
- Redington, R.L. and Milligan, D.E. Molecular rotation and ortho-para nuclear spin conversion of water suspended in solid Ar, Kr, and Xe, 4=1275
- Redington, R.L., Olson, W.B. and Cross, P.C. Studies of hydrogen peroxide: The infrared spectrum and the internal rotation problem, 2=6159
- Redington, R.W. Gain band-width product of photoconductors, 0=618
- Redington, R.W., Saum, G.A. and Van Heerden, P.J. Electrostatic optics for camera tubes, 0=3803
- Red'kin, V.P. See Panin, V.E., 4=15723
- Red'ko, T.P. See Penkin, N.P., 1=15953
- Redlich, M.G. Matrix elements of the n-p interaction and the odd-group model for a heavy nucleus, 2=16286
- Redlich, O. Generalized coordinates and forces, 2=15459
- Redlich, O. The molal volume of electrolytes, 4=167
- Redlich, O. and Kister, A.T. On the thermodynamics of solutions VII. Critical properties of mixtures, 2=21897
- Redlich, O. See Ackerman, F.J., 3=16844
- Redlich, R. Stability of thin metal foils levitated by a.c. fields, 2=5445
- Redman, J.K. See Blewitt, T.H., 1=20391
- Redman, J.K. See Coltman, R.R., Jr., 3=2847
- Redman, M.J. and Steward, E.G. Cobaltous oxide with the zinc blende wurtzite-type crystal structure, 2=19076
- Redman, M.J. See Smakula, A., 4=14347
- Redman, R.O. See Griffin, R.F., 0=18846
- Redmann, J.J. See Keck, P.H., 3=21534
- Redmann, J.J. See Keck, P.H., 3=22014
- Redmond, R.F. Intermediate coupling in the asymmetric rotator model, 3=17383
- Redmond, P.J. Some consequences for quantum electrodynamics of an essential singularity at  $\alpha = 0$ , 0=2486
- Redmond, P.J. Generalization of the Runge-Lenz vector in the presence of an electric field, 4=11763
- Redmond, P.J. and Uretsky, J.L. In-out formalism for non-relativistic quantum mechanics, 0=3452
- Redmond, R.F., Klingensmith, R.W. and Anno, J.N. Energy spectrum of fission fragments emitted from thin layers of uranium dioxide, 3=4678
- Redon, D., Mani, G.S., Delaunay-Olkowsky, J. and Williamson, C. Absolute photopeak efficiency for well type NaI(Tl) crystal, 4=16851
- Redondo, D.M., Machado, W.M. and Osada, J. Deuterons in the nuclear matter, 2=13965
- Redondo, D.M. See Osada, J., 3=19562
- Redozubov, D.V. Solution of linear problems of [the conduction of] heat with boundaries moving uniformly in a semi-infinite range, 0=16912
- Redozubov, D.V. Stefan's problem for a linear initial temperature distribution in a semi-infinite medium, 3=1868



- Redozubov, D.V. The solution of certain types of linear thermal problems in limited and semi-infinite regions with motion of the boundary according to the  $\beta\sqrt{t}$  law, 3=11974
- Redshaw, S.C. Use of an electrical analogue for the solution of a variety of torsion problems, 0=16654
- Redshaw, S.C. [Conf. Rep.]. Third International Conference on Analogue Computation, Opatija, September, 1961, 2=4914
- Redshaw, S.C. and Rushton, K.R. An electrical analogue solution for the stresses near a crack or hole in a flat plate, 0=19030
- Redshaw, S.C. and Rushton, K.R. Various electrical analogues, incorporating negative resistances, for the solution of problems in elasticity, 2=1089
- Redstone, R. and Rowland, M. C. High-temperature hydrogen isotope targets, 4=21855
- Redwood, M. Transient performance of a piezoelectric transducer, 1=8201
- Redwood, M. Piezoelectric generation of an electrical impulse, 1=16250
- Redwood, M. Determination of the parameters of a piezoelectric transducer from the decay of resonant vibrations, 2=17545
- Redwood, M. A study of waveforms in the generation and detection of short ultrasonic pulses, 4=273
- Ree, F.H. Thermodynamic functions at liquid-vapor transition range of the van der Waals, the Berthelot, and the Dieterici equations of state, 2=17392
- Ree, F.H. Electrical conductivities of lithium and helium gases, 3=11840
- Ree, F.H. and Hoover, W.G. On the signs of the hard sphere virial coefficients, 4=18090
- Ree, F.H. and Hoover, W.G. Reformulation of the virial series for classical fluids, 4=27210
- Ree, F.H. and Kidder, R.E. Analytic solution of the thermalization of a fast ion in a plasma, 3=19248
- Ree, T. See Fueno, T., 0=19617
- Ree, T. See Gabrysh, A.F., 0=17979
- Ree, T. See Kim, W.K., 0=4988
- Ree, T. See Kwun, Sook-II, 4=22413
- Ree, T. See Ree, T.S., 2=2445
- Ree, T. See Ree, T.S., 4=24158
- Ree, T. See Thomson, T.R., 4=8166
- Ree, T. See Yang, K., 1=12675
- Ree, T.A. See Gabrysh, A.F., 2=2102
- Ree, T.S., Ree, T. and Eyring, H. Comparison of various liquid theories with the significant structure theory, 4=24158
- Ree, T.S., Ree, T., Eyring, H. and Fueno, T. Activated complexes of fast bimolecular reactions, 2=2445
- Reeben, V.A. A.d.c. amplifier for measuring currents in the range  $10^{-6}$  to  $10^{-8}$  amperes, 4=420
- Reeben, V.A. See Kiis, V.I., 4=16231
- Reeber, M.D. Superconductivity of dilute indium-mercury alloys, 0=7032
- Reeber, M.D. Heat transfer to boiling helium, 3=9671
- Reece, B.L. See Cox, A.J., 3=5731
- Reece, I.H. See Hall, F.M., 4=14366
- Reed, B. Heat-transfer intensity from induction plasma flames and oxy-hydrogen flames, 3=21593
- Reed, B. See Weinreich, O.A., 0=5397
- Reed, B.S. See Biard, J.R., 4=24911
- Reed, C.E. and Scott, C.G. Surface states on single crystals of cadmium sulphide, 4=28421
- Reed, C.W. and Lipsett, F.R. Energy transfer in naphthalene-tetracene solid solutions, 4=1792
- Reed, E.L. See Papadakis, E.P., 1=7813
- Reed, F.W. 500 to 10000 V power supply with variable sweep rates, 3=24166
- Reed, G.W. Heavy elements in the Pantar meteorite, 4=2407
- Reed, J.C. See Riach, W., 3=3681
- Reed, J.W. and Harris, P.M. Neutron diffraction study of solid deuterioammonia, 1=20541
- Reed, K.B. See Warren, K.G., 4=13151
- Reed, L.D. See Cooke, I., 2=18001
- Reed, N.M. See Schamp, H.W., Jr., 0=3388
- Reed, R. See Hughes, G., 4=22599
- Reed, R. See Kelly, P.M., 1=20703
- Reed, R. See Price, R., 4=11787
- Reed, R.D. and Nodvik, J.S. Small-angle multiple scattering of fast charged particles using Molière screening, 4=21838
- Reed, R.D. See Henderson, D., 4=14134
- Reed, R.E., Sr. See Stiegler, J.O., 3=22780
- Reed, R.I. See Brown, J.J., 0=12800
- Reed, R.I. See Hill, H.C., 3=14684
- Reed, R.J. Evidence of geostrophic motion in the equatorial stratosphere, 2=21628
- Reed, R.J. and Rogers, D.G. The circulation of the tropical stratosphere in the years 1954-1960, 2=15183
- Reed, R.J., Wolfe, J.L. and Nishimoto, H. A spectral analysis of the energetics of the stratospheric sudden warming of early 1957, 3=25875
- Reed, S.A. and Crowley, P.R. Sedimentation of thorium oxide slurries at elevated temperatures, 0=12112
- Reed, S.G., Jr. N wave propagating into a stratified atmosphere, 0=6829
- Reed, S.G. and Herzfeld, C.M. Theory of flame propagation in solid nitrogen at low temperatures, 0=3681
- Reed, T.B. Determination of streaming velocity and the flow of heat and mass in high-current arcs, 0=19644
- Reed, T.B. Induction-coupled plasma torch, 1=7083
- Reed, T.B. Growth of refractory crystals using the induction plasma torch, 2=2365
- Reed, T.B. High power low-density induction plasmas, 4=5612
- Reed, T.B. and Gatos, H.C. Synthesis and superconducting properties of  $\text{Nb}_3\text{Sn}_2$  and  $\text{Nb}_3\text{Sn}_3$ , 2=19815
- Reed, T.B., Roddy, J.T. and Mariano, A.N. Vapor growth of tin oxide crystals, 2=8792
- Reed, T.B. See Banus, M.D., 2=17729
- Reed, T.B. See Strongin, M., 4=18567
- Reed, W.A. and Brenner, G.F. Topology of the Fermi surface of zinc from galvanomagnetic measurements, 3=12945
- Reed, W.A. and Fawcett, E. Fermi surface of nickel from galvanomagnetic measurements, 4=12694
- Reed, W.A. and Marcus, J.A. Topology of the Fermi surface of gallium, 2=12400
- Reed, W.A. and Marcus, J.A. Low-field galvanomagnetic coefficients of gallium, 3=13044
- Reed, W.A. See Fawcett, E., 3=4842
- Reed, W.A. See Fawcett, E., 3=25330
- Reed, W.A. See Fawcett, E., 4=17476
- Reed-Hill, R.E. and Buchanan, E.R. Zig-zag twins zirconium, 3=11214
- Reed-Hill, R.E. Twin intersections and Cahn's continuity conditions, 4=23305
- Reed-Hill, R.E., Slippy, W.A., Jr. and Buteau, L.J. Determination of alpha zirconium {1121} twinning elements using grain boundary rotations, 4=7531
- Reed-Hill, R.E., Smeal, C.R. and Lee, L. The examination of f.c.c. metals with polarized light, 4=30813
- Reed-Hill, R.E. See Martin, J.L., 4=22574
- Reeder, P.L. and Markowitz, S.S. Excitation function for the  $\text{C}^{12}(\pi, \pi^+ n)\text{C}^{11}$  reaction, 4=9547
- Reeger, E. Problems of the indirect adjustment of optical apparatus, 4=24349
- Reeh, H. Polarization potential for electrons in the field of an atom or atom core, 0=15649
- Reeh, H. and Schlieder, S. Observations on the unitary equivalence of Lorentz-invariant fields, 2=3239
- Reeh, H. and Schlieder, S. Reduction of the field operator algebra in the case of vacuum degeneracy, 2=22384
- Rees, A.I. See Griffiths, D.H., 1=1579
- Rees, B.L. See Bristow, J.R., 1=3673
- Rees, B.L. See Bristow, J.R., 3=17719
- Rees, D. See Hall, G.G., 2=9530
- Rees, D. See Hall, G.G., 2=16510
- Rees, D.B. See Dutton, J., 4=14576
- Rees, E.P. and Trevena, D.H. The behaviour of liquids in steel Berthelot tubes, 4=11167
- Rees, E.P. and Trevena, D.H. The propagation of pressure pulses in liquids, 4=21078
- Rees, J.A. Diffusion coefficients determined from sodium vapour trails, 2=7046
- Rees, J.A. and Jory, R.L. The diffusion of electrons in dry, carbon dioxide free air, 4=29873
- Rees, J.A. See Jarrett, A.H., 4=7877
- Rees, J.A. See Lowke, J.J., 4=8624
- Rees, J.M. See King-Hele, D.G., 3=3480
- Rees, J.M. See King-Hele, D.G., 3=13639
- Rees, J.M. See King-Hele, D.G., 4=2218
- Rees, J.M. See King-Hele, D.G., 4=4735
- Rees, J.R. See Chen, K.W., 4=27840
- Rees, J.R. See Dunning, J.R., Jr., 3=19613
- Rees, L.V.C. See Barrer, R.M., 3=6534
- Rees, L.V.C. See Barrer, R.M., 3=10685
- Rees, L.V.C. See Barrer, R.M., 4=30572
- Rees, M.H. Absolute photometry of the aurora. I. The ionized molecular nitrogen emission and the oxygen green line in the dark atmosphere, 0=6475



- Rees, M.H. Absolute photometry of the aurora -II. Molecular nitrogen emission in the sunlit atmosphere, 0=6476
- Rees, M.H. Excitation of high altitude red auroral arcs, 2=9016
- Rees, M.H. On the excitation of subvisual OI  $\lambda$ 6300-6364 arcs at middle latitudes, 2=11079
- Rees, M.H. The aurorally-associated Lyman- $\alpha$  radiation, 2=15259
- Rees, M.H. A method for determining the height and geographical position of an auroral arc from one observing station, 3=11449
- Rees, M. H. Auroral ionization and excitation by incident energetic electrons, 4=7888
- Rees, M. H. and Akasofu, S. J. On the association between subvisual red arcs and the Dst(H) decrease, 4=7943
- Rees, M.H., Belon, A.E. and Romick, G.J. The systematic behaviour of hydrogen emission in the aurora. I, 2=4675
- Rees, M.H. and Deehr, C.S. The aurora of 27 November 1959 at College, Alaska including observations of a high altitude red arc, 2=9015
- Rees, M.H. and Deehr, C.S. Twilight enhancement of atmospheric sodium emission at College, Alaska, 2=19229
- Rees, M.H. and Reid, G.C. The aurora, the radiation belt and the solar wind: a unifying hypothesis, 0=4813
- Rees, M.H. and Rense, W.A. Note on the cause of ionization in the F-region, 0=10421
- Rees, M.H. See Campbell, W.H., 1=15306
- Rees, M. H. See Deehr, C. S., 4=29312
- Rees, M.H. See McGill, L.R., 3=23633
- Rees, M.H. See Redi, G.C., 2=4676
- Rees, M.H. See Roach, F.E., 0=2034
- Rees, M.H. See Roach, F.E., 0=14291
- Reese, R.M. Mass spectrometry, 2=17903
- Reese, R.M. See Dibeler, V.H., 4=16440
- Reese, R.M. See Krauss, M., 0=7070
- Reese, W. and Steyerl, W.A., Jr. Properties of lead thermal switches at low temperatures, 2=2942
- Reese, W. See Anderson, A.C., 1=18691
- Reese, W. See Anderson, A.C., 2=17712
- Reese, W. See Anderson, A.C., 2=19800
- Reese, W. See Anderson, A.C., 3=12016
- Reese, W. See Anderson, A.C., 3=14437
- Reese, W. See Anderson, A.C., 4=6758
- Reese, W.E. See Turner, W.J., 0=6184
- Reese, W.E. See Turner, W.J., 1=2416
- Reese, W.E. See Turner, W.J., 1=17670
- Reese, W.E. See Turner, W.J., 2=16838
- Reese, W.E. See Turner, W.J., 2=23373
- Reese, W.E. See Turner, W.J., 4=13035
- Reesor, G.E. See Dagg, I.R., 3=21676
- Reeve, F.P. See Dugan, F.A., 2=16459
- Reeves, C.G. See Bottomley, G.A., 0=8698
- Reeves, C.M. Use of Gaussian functions in the calculation of wavefunctions for small molecules. I. Preliminary investigations, 3=19964
- Reeves, C.M. and Harrison, M.C. Use of Gaussian functions in the calculation of wavefunctions for small molecules. II. The ammonia molecule, 3=19965
- Reeves, E.M. Peak brightness temperatures and intensity measurements in a short duration spark source, 3=4053
- Reeves, E.M. and Nicholls, R.W. Measurements of rotational energy distributions in ionic collisions, 1=17307
- Reeves, E.M., Nicholls, R.W. and Bromley, D.A. Optical excitation of  $N_2$  by 0.5 to 1.5 MeV hydrogenic ions, 1=2311
- Reeves, E.M. and Parkinson, W.H. Spectral energy distribution and brightness temperatures in continuous flash sources, 3=4047
- Reeves, E.M. and Parkinson, W.H. Efficiencies of gold and platinum gratings in the vacuum ultraviolet, 3=16800
- Reeves, E.M. See Garton, W.R.S., 2=22897
- Reeves, E.M. See Nicholls, R.W., 0=5942
- Reeves, E.M. See Nicholls, R.W., 3=24018
- Reeves, E.M. See Parkinson, W.H., 1=16084
- Reeves, E.M. See Parkinson, W.H., 3=19999
- Reeves, H. Carbon, oxygen, and neon thermonuclear reaction rates, 2=14159
- Reeves, H. The influence of neutrino processes on late stages of stellar evolution, 4=2334
- Reeves, H. and Salpeter, E.E. Nuclear reactions in stars. IV. Buildup from carbon, 0=3424
- Reeves, H. See Pochoda, P., 4=17998
- Reeves, L. E., Scott, G. J. and Babb, S. E., Jr. Melting curves of pressure-transmitting fluids, 4=23998
- Reeves, L. W. Absolute correlation of nuclear spin-spin coupling constants with atomic number. II. Couplings  $J_{x-c-H}$  and  $J_{x-H}$ , 4=20099
- Reeves, L. W. Absolute correlations of nuclear spin-spin coupling constants with atomic number. III.  $J_{x-H}$  in isoelectronic series and the lighter elements, 4=20100
- Reeves, L.W. and Strømme, K.O. Studies of rates of conversion and populations of conformations in saturated ring compounds. III. NN' dimethyl piperazine, 1=9955
- Reeves, L.W. and Wells, E.J. Nuclear spin-spin coupling constants involving the group IV elements, 4=6643
- Reeves, L.W. See Gray, P., 0=17785
- Reeves, L. W. See Wells, E. J., 4=20101
- Reeves, R. B. and Robinson, D. W. Infrared spectrum of methylsilyl- $d_3$ -acetylene, 4=28246
- Reeves, R. B., Wilde, R. E. and Robinson, D. W. Infrared spectra of  $SiH_3C \equiv CH$  and  $SiD_3C \equiv CH$ , 4=12492
- Reeves, R.B. See Robinson, D.W., 3=4771
- Reeves, R.J. See Sanders, A.P., 1=1954
- Reeves, R. R., Harteck, P. and Chace, W. H. Chemiluminescent nitric oxide-oxygen-atom reaction at low pressures, 4=26744
- Reeves, R.R., Mannella, G. and Harteck, P. Formation of excited NO and  $N_2$  by wall catalysis, 0=6403
- Reeves, R.R., Mannella, G. and Harteck, P. Rate of recombination of oxygen atoms, 0=6405
- Reeves, R.R., Jr. See Albers, E.W., 3=12789
- Reeves, R. R. See Albers, E. W., 4=12470
- Reeves, R.R. See Mannella, G.G., 0=18428
- Reeves, R. R., Jr. See Harteck, P., 4=13738
- Reeves, T.V. See Zingery, W.L., 2=7713
- Reff, I. Rest mass of a free particle, 1=59
- Reffner, J.A. See Neubert, T.J., 2=14476
- Reformatsky, I.A. See Gorshkov, V.K., 0=7648
- Refsdal, I.N. See Holtsmark, T.W., 2=13452
- Refsdal, S. Generalization of Singer's formula for the general relativistic red shift to elliptic satellite orbits, 1=18219
- Refsdal, S. Rate difference between a clock in an artificial satellite and a clock on the earth, 2=17355
- Refsdal, S. The gravitational lens effect, 4=29520
- Refsdal, S. On the possibility of determining Hubble's parameter and the masses of galaxies from the gravitational lens effect, 4=30966
- Regal, H. See Parker, W., 4=17867
- Regee, T. and Viano, G.A. The interpolation problem in the theory of complex angular momentum, 2=21789
- Regel, A.R. Change in carrier mobility during the melting of metals and semiconductors, 3=21402
- Regel', A.R., Chudnovskii, F.A. and Shul'man, S.G. The influence of uniaxial plastic deformation upon the electrical properties of n-type Ge, 2=8331
- Regel', A.R., Chudnovskii, F.A. and Shul'man, S.G. The influence of uniaxial plastic deformation upon the electrical properties of n-type Ge, 2=14532
- Regel', A. R. and Patyanin, S. I. Electrokinetic effects in liquid mercury, 4=200
- Regel', A. R. and Tagiev, B. G. Temperature dependence of the effect of a strong electric field on polycrystalline strong selenium, 4=6985
- Regel, A.R. See Ablova, M.S., 2=16971
- Regel, A.R. See Ablova, M.S., 2=19023
- Regel', A.R. See Andreev, A.A., 1=4355
- Regel, A.R. See Averkin, A.A., 3=10832
- Regel', A.R. See In' Shi-daun', 2=2172
- Regel, A.R. See In' Shi-daun, 2=8284
- Regel', A.R. See In' Shu-duan, 2=14500
- Regel, A.R. See Ioffe, A.F., 1=6137
- Regel, A.R. See Komarov, G.V., 2=19893
- Regel', A.R. See Komarov, G.V., 3=25664
- Regel', A.R. See Lange, V.N., 1=1086
- Regel, A. R. See Patyanin, S. I., 4=24230
- Regel', A. R. See Zolyan, T. S., 4=10043
- Regel, A.R. See Zúze, A.P., 2=21917
- Regel', V.R. and Berezhkova, G.V. The relation of orientation to kinking limit for monocrystals, 0=13542
- Regel', V.R. and Dubov, G.A. Photoelectric birefringence meter, 2=1283
- Regel', V.R. and Govorkov, V.G. Plastic deformation of Zn monocrystals under conditions preventing basal slip. I. Deformation curves, 1=14879
- Regel', V.R. and Govorkov, V.G. A recording scanning micrometer, 2=1100



- Regel', V.R. and Leksovskii, A.M. The dependence of strength on time under static and alternating loads, 2=19007
- Regel', V.R., Muinov, T.M. and Pozdnyakov, O.F. Use of a mass-spectrometric method in the study of mechanical fracture of polymers, 3=18211
- Regel', V.R. and Stepanova, V.M. Experiments on the indication of dislocations in Zn single crystals by the etching method, 0=713
- Regel', V.R., Urusovskaya, A.A. and Kolomiichuk, V.N. Revealing the emergence of dislocations on the surface of a crystal by the etch method, 1=17539
- Regel', V.R. See Berezhkova, G.V., 2=6723
- Regel', V.R. See Govorkov, V.G., 1=14864
- Regel', V.R. See Govorkov, V.G., 1=20319
- Regel', V.R. See Govorkov, V.G., 4=14544
- Regel', V.R. See Stepanova, V.M., 1=4016
- Regelson, E. See Mutschlechner, J.P., 4=5178
- Regemorter, H. van. See van Regemorter, H.
- Regener, V.H. Solar diurnal variation of cosmic rays underground near the geomagnetic equator, 2=16274
- Regener, V.H. and Kenney, J.F. Time variations of cosmic-ray intensity underground at low altitude, 1=3349
- Regensburger, P.J. Voltage decay measurement of photo-excitation and trapping of carriers in selenium, 4=22804
- Regensburger, P.J. See Tung Li, H., 3=15613
- Regge, T. Introduction to complex orbital momenta, 0=4944
- Regge, T. General relativity without coordinates, 1=5191
- Regge, T. Bound states, shadow states and Mandelstam representation, 1=5677
- Regge, T. Recent progress in the theory of complex angular momentum, 4=19450
- Regge, T. See Bottino, A., 2=9798
- Regge, T. See De Alfaro, V., 1=12807
- Regge, T. See De Alfaro, V., 2=21825
- Regge, T. See De Alfaro, V., 3=5365
- Regge, T. See Fonda, L., 1=5675
- Regge, T. See Predazzi, E., 2=11886
- Regge, T. See Predazzi, E., 2=21832
- Reggia, F. See Tompkins, J.E., 0=9220
- Regier, A.A., Mayes, W.H. and Edge, P.M., Jr. Noise problems associated with launching large space vehicles, 3=16438
- Regier, R.B., Burgus, W.H., Tromp, R.L. and Sorensen, B.H. Ratio of asymmetric to symmetric fission of  $\text{Pu}^{239}$  and  $\text{Pu}^{241}$  as a function of neutron energy, 0=17634
- Regirer, S.A. A non-stationary problem of magneto-hydrodynamics for a half-plane, 0=1191
- Regirer, S.A. [Stationary] convective motion of a conducting fluid between parallel vertical plates in a magnetic field, 0=9175
- Regirer, S.A. Approximate theory of the flow of a viscous, incompressible liquid in tubes of permeable walls, 0=19056
- Regirer, S.A. The influence of thermal effects on the viscous resistance of a steady uniform liquid flow, 1=6831
- Regirer, S.A. On an exact solution of the equations of magnetohydrodynamics, 1=9671
- Regirer, S.A. Flow in a conducting fluid over a porous plate in the presence of a uniform magnetic field, 4=21641
- Regirer, S.A. See Vatazhin, A.B., 4=672
- Régis, M. Some observations on the growth of iron trichites, 4=4549
- Régis, R. See Jouty, R., 2=12960
- Régis, M. See Jouty, M.R., 4=7570
- Régis, R. See Jouty, M.R., 4=7570
- Régnier, A. Introduction to the dynamic study of diffusion processes, 0=6693
- Régnier, J. See Peureux, J.M., 3=16921
- Régnier, J. Classical calculation of the atomic polarizability of ethane, 3=20008
- Régnier, J.F. and Daum, A. Radioelectrical determination of the dielectric constant, atomic polarization, and electric moment, of ammonia, 3=3838
- Rego, G.B. On the definition of some electromagnetic quantities, 4=5749
- Regourd, M. Determination of the lattices of microscopic crystals. Application to the different forms of tricalcium silicate, 4=29100
- Regourd, M. See Yannaquis, N., 3=3301
- Rehfeld, S.J. Stability of emulsions to ultracentrifugation: discontinuity at the critical micelle concentration, 3=6937
- Rehmann, G. The propagation of light and matter waves in Lorentz systems and its geometrical interpretation, 0=12465
- Rehmann, G. Coordinate transformation and Huygens' principle, 0=19351
- Rehmann, W., Reiber, K. and Scharmann, A. Measuring luminescence decay times of CsI and CsI:TI after excitation with light and  $\alpha$ -particles, 4=7177
- Rehme, H. and Sachs, K. Comparison of [different] electron microscopic emission and reproduction images of steel surfaces due to target preparation, 2=6866
- Rehmet, M. See Boersch, H., 1=12255
- Rehn, V. Covalent-bond asymmetries from Zeeman-split n.q.r., 3=8744
- Rehn, V. and Dean, C. Side-band suppression for self-quenched superregenerative spectrometers, 0=5429
- Rehwald, W. Elementary introduction to the Bessel, Neumann and Hankel functions. Essential properties of the cylinder-functions, with numerous examples of applications in physics and technology, 0=14365
- Réi, D.K. Analysis of the electron paramagnetic resonance spectrum of  $\text{V}^{3+}$  in corundum ( $\alpha\text{-Al}_2\text{O}_3$ ), 1=20236
- Réi, D.K. Theory of covalent bonding in the salts of cobalt and an analysis of the electron paramagnetic resonance spectrum of  $\text{Co}^{++}$  in corundum, 1=20237
- Rei, D.K. The electron paramagnetic resonance spectrum of the  $\text{V}^{4+}$  ion in rutile ( $\text{TiO}_2$ ), 2=2300
- Rei, D.K. Analysis of the electron paramagnetic resonance spectrum of  $\text{V}^{3+}$  in corundum ( $\alpha\text{-Al}_2\text{O}_3$ ), 2=4250
- Rei, D.K. Theory of covalent bonding in the salts of cobalt and an analysis of the electron paramagnetic resonance spectrum of  $\text{Co}^{++}$  in corundum, 2=4251
- Rei, D.K. The electron paramagnetic resonance spectrum of the  $\text{V}^{4+}$  ion in rutile ( $\text{TiO}_2$ ), 2=6692
- Rei, D.K. Theoretical analysis of the g-factors on  $\text{Ti}^{3+}$  ion in several compounds, 2=18947
- Reibel, K. and Mann, A.K. Energy level parameters from nuclear resonance fluorescence at 7 MeV, 0=9526
- Reibel, K. See Dobbs, J.M., 2=11995
- Reibel, K. See Lande, K., 1=3102
- Reiber, K. See Rehmann, W., 4=7177
- Reich, A.D., Arai, T. and Madigan, J.R. Transient effects in Peltier coolers, 2=149
- Reich, A.D. and Madigan, J.R. Transient response of a thermocouple circuit under steady currents, 1=2902
- Reich, A.D. See Varga, B., 4=7089
- Reich, B. See Hakim, E.B., 4=17608
- Reich, C.W., Merrill, J.A. and Klema, E.D. Statistical considerations in the analysis of directional-correlation data, 3=19804
- Reich, C.W., Schuman, R.P. and Heath, R.L. 1.57-MeV state in  $\text{Mo}^{94}$ , 3=6168
- Reich, C.W. See Cline, J.E., 3=10269
- Reich, C.W. See Heath, R.L., 0=11378
- Reich, C.W. See Heath, R.L., 1=10974
- Reich, C.W. See Moore, M.S., 0=9704
- Reich, G. Investigations of titanium sheets for sputtering-ion pumps, 4=21191
- Reich, G. and Flecken, F. Analysis of partial pressures by means of Omegatron and Farvitron. Comparative view of the ranges of application, 1=18944
- Reich, G. See Meinke, C., 4=8275
- Reich, H. Design, construction and testing of a microtron, 1=1948
- Reich, H.A. Nuclear magnetic resonance in solid helium-3, 3=5574
- Reich, H.A. See Garin, R.L., 4=21388
- Reich, H.A. See Garwin, R.L., 0=1069
- Reich, H.J. Resolving closely neighbouring energy losses in noble gases by means of an (optical) emission analyser, 3=21880
- Reich, H.J. A 50 cm vacuum spectrograph for several concave grating arrangements and detection methods, 4=11341
- Reich, H.J. and Schmoranz, H. Vibrational terms of molecular hydrogen excited by fast electrons, 4=22357
- Reich, H.J. See Boersch, H., 1=9919
- Reich, I. Calculation of surface tensions of liquids from liquid density and vapor pressure, 0=5004
- Reich, M. See Rabin, H., 4=22633
- Reich, R. Characteristic Debye temperatures of gallium deduced from its variation of resistivity, 4=20217
- Reich, R. Variation of the resistivity of monocrystals of gallium of different purities at liquid helium temperatures, 4=17474
- Reich, R., Bonmarin, J. and Peyron, A. Variation with temperature of the ideal resistivity of single-crystal gallium and departures from Matthiessen's rule, 4=17475



- Reich, R. and Kinh, V. Q. Determination of the Debye temperature of tin and the variation as a function of temperature of the deviation from Mattheissen's rule, 4=1566
- Reich, R., Kinh, V. Q. and Bonmarin, J. Study of the resistivity of samples of beryllium of different purities as a function of temperature and determination of the Debye temperature for the metal, 4=1561
- Reich, R. and Montariol, F. Study of the segregation of silver in tin during the process of zone melting, 1=7852
- Reich, R. and Montariol, F. Conditions for the validity of electrical resistivity measurements on tin, 2=12490
- Reich, R. and Vu Quang Kinh. The variation of the ideal resistivity between 3.75 and 4.22°K and the determination of the residual resistivity at the absolute zero of specimens of tin of different purities, 3=8491
- Reich, R. See Montariol, F., 2=14487
- Reich, R. See Montariol, F., 2=18630
- Reich, W. C., Schumann, R. P., Berreth, J. R., Brice, M. K. and Heath, R. L. Radioactivity decay of  $\text{Pm}^{148\text{m}}$  and  $\text{Pm}^{148\text{m}}$ , 2=16369
- Reichardt, T. W. See Spinner, S., 0=13905
- Reichardt, H. and Ermschaus, R. Momentum and heat exchange in turbulent wakes behind rotating bodies, 2=15775
- Reichardt, H. and Kessler, T. The evaluation of the separation of optical wrung plates, 3=16798
- Reichardt, J. and Wetzstein, H. Measurement of aberrations of photographic objectives by means of the Twyman interferometer, 1=1813
- Reichardt, W. New developments in the field of loudness measurement, 0=14766
- Reichardt, W. Should acoustic power or acoustic pressure level be specified for machine noises? 2=2844
- Reichardt, W. Remarks on the work of W. Reichardt "Should the sound-power output or the sound pressure level be used for machinery noise", 3=7298
- Reichardt, W. and Lenk, A. The choice of sign for force and velocity in the case of their representation by equivalent electrical diagrams, 1=2722
- Reichardt, W. See Meyer, V., 4=8040
- Reiche, F. and Ludloff, H. F. Electromagnetic radiation in an atmosphere of arbitrary electric conductivity, 1=7155
- Reichel, A. Trends in the temperature dependence of effective resonance integrals, 2=20709
- Reichel, A. Approximate formulae for the calculation of effective resonance integrals in the statistical region, 3=692
- Reichel, A. The temperature dependence of effective resonance integrals, 4=1136
- Reichel, G. See Hühle, R., 1=19378
- Reichel, R. See Görlich, P., 0=3790
- Reichel, R. See Görlich, P., 0=3791
- Reichel, W. Contrast transfer function [CTF], a measure of image quality, and its application in conjunction with wavefront aberration to the design of optimized optical systems, 2=7331
- Reichel, W. See Schmidt, G., 1=4436
- Reichelt, W. and Owen, G. E. Gamma-ray correlations from the reaction  $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$ , 1=2232
- Reichelt, W. H. Cesium plasma diodes utilizing fission energy as an emitter heat source, 4=27464
- Reichenbach, H. and Dreizler, H. The effect of shock waves of [shock-tube] cross-section variations and of grids in shock tubes, 0=5085
- Reichenbach, H. See Jeanmaire, P., 4=271
- Reichenbaum, G. Improved semiconductor-to-copper soldered contact, 0=6129
- Reichenbaum, G. See Donovan, B., 0=7938
- Reichert, E. Angular distribution in the range 30°-155° of electrons elastically scattered by gold vapour with energies between 150 and 1900 eV, 3=12779
- Reichert, E. See Deichsel, H., 0=17033
- Reichert, G. See Herre, F., 3=18290
- Reichold, P. See Baumgartner, F., 1=20736
- Reichold, P. See Baumgartner, F., 2=1942
- Reichow, D. See Venzke, G., 0=19346
- Reid, A. F. Filament temperatures from geometry-independent electron emission functions, 3=14629
- Reid, A. F. and Half, A. H. Direct determination of density of solids, 2=7166
- Reid, A. F., Wilmhurst, R. E. and Wylie, A. W. High-temperature physical properties of carbide-iodide thorium, 3=23378
- Reid, A. M. Turbulence measurement using a glow discharge as an anemometer, 2=19591
- Reid, C. See Connor, T. M., 1=14081
- Reid, C. See Hochstrasser, R. M., 4=28749
- Reid, C. D. Nomographic-type slide rule for obtaining spectral blackbody radiation directly, 0=14879
- Reid, C. D. See Harrison, J. A., 0=4754
- Reid, C. E. Electronic energy of HF as a power series in the internuclear distance, 2=6184
- Reid, C. E. and Öhrn, Y. On the calculation of real wave functions in natural form for two-electron systems, 4=12333
- Reid, C. N. and Hahn, G. T. Discussion of "Comments on the yield point in iron", 4=23162
- Reid, C. N. and Owen, W. S. The thermal activation of yielding in low-carbon iron, 2=10743
- Reid, C. N. See Gilbert, A., 4=23135
- Reid, C. N. See Gilbert, A., 4=23136
- Reid, C. N. See Hahn, G. T., 3=1221
- Reid, F. J., Matson, L. K., Miller, J. F. and Himes, R. C. Electrical properties of selected rare earth compounds and alloys, 4=28566
- Reid, F. J., Matson, L. K., Miller, J. F. and Himes, R. C. Electrical conduction in rare-earth monoselenides and monotellurides and their alloys, 4=30614
- Reid, F. J. See Gorton, H. C., 1=7651
- Reid, F. J. See Miller, J. F., 0=4351
- Reid, G. C. A study of the enhanced ionization produced by solar protons during a polar cap absorption event, 2=4630
- Reid, G. C. The systematic behaviour of hydrogen emission in the aurora. II, 2=4676
- Reid, G. C. The electron density profile of the lower ionosphere during a polar cap absorption event, 2=13033
- Reid, G. C. Physical processes in the D region of the ionosphere, 4=23805
- Reid, G. C., Bailey, D. K. and Leinbach, H. On the height distribution of the ratio of negative ion and electron densities in the lowest ionosphere, 4=17937
- Reid, G. C. and Collins, C. Observations of abnormal v.h.f. radio wave absorption at medium and high latitudes, 0=5422
- Reid, G. C. and Leinbach, H. Low-energy cosmic-ray events associated with solar flares, 0=9479
- Reid, G. C. and Leinbach, H. Morphology and interpretation of the great polar cap absorption events of May and July, 1959, 3=5877
- Reid, G. C. See Axford, W. I., 2=21644
- Reid, G. C. See Axford, W. I., 3=17376
- Reid, G. C. See Basler, R. P., 0=14477
- Reid, G. C. See Leinbach, H., 2=886
- Reid, G. C. See Little, G. C., 2=17160
- Reid, G. C. See Rees, M. H., 0=4813
- Reid, G. W. See Firk, F. W. K., 0=17350
- Reid, J. H. An unusual flare of 1958 August 7, 0=840
- Reid, J. H. Distribution of sightline velocities in solar disk and limb phenomena, 0=8502
- Reid, J. H. An optical phenomenon associated with type IV solar radio emission, 4=26961
- Reid, J. H. See Elliott, I., 1=12752
- Reid, J. H. See Ellison, M. A., 0=18764
- Reid, J. H. See Ellison, M. A., 0=18765
- Reid, J. H. See Ellison, M. A., 1=7996
- Reid, J. H. See Ellison, M. A., 1=7997
- Reid, J. H. See Ellison, M. A., 1=15479
- Reid, J. H. See Ellison, M. A., 2=9962
- Reid, J. H. See Ellison, M. A., 2=24126
- Reid, J. M. and Lalovic, B. The high-energy photodisintegration of helium, nitrogen and neon, 1=675
- Reid, J. M. See Atkinson, J. R., 0=17286
- Reid, K. J. Diffusion and equilibrium in two-phase binary liquid systems, 2=9263
- Reid, L. E. See Foley, W. T., 3=21332
- Reid, R. A. See Nield, M. W., 4=7001
- Reid, R. C. and Valbert, J. R. Derivative compressibility factors, 3=11826
- Reid, R. C. See Botsaris, G., 4=10015
- Reid, R. J., Gopaulsingh, K., Page, D. E., Idnurm, M., McCusker, C. B. A., Malos, J., Millar, D. D. and Winterton, G. The differential electron density spectrum of air showers at high densities, 1=12138
- Reid, R. J., Gopaulsingh, K., Page, D. E., Idnurm, M., McCusker, C. B. A., Malos, J., Millar, D. D. and Winterton, G. The differential electron density spectrum of air showers at high densities, 3=4504
- Reid, R. J. See McCusker, C. B. A., 0=1331
- Reid, R. J. See McCusker, C. B. A., 1=2152



- Reid, W.E., Jr and Ogburn, F. The adhesion of electro-deposited nickel to chromium at elevated temperatures, 0=4699
- Reid, W.H. One-dimensional equilibrium spectra in isotropic turbulence, 0=3501
- Reid, W.H. The stability of non-dissipative Couette flow in the presence of an axial magnetic field, 0=9173
- Reid, W.H. The oscillations of a viscous liquid drop, 0=14611
- Reid, W.H. The effects of surface tension and viscosity on the stability of two superposed fluids, 1=15779
- Reid, W.H. and Harris, D.L. Streamlines in Bénard convection cells, 0=918
- Reid, W.H. See Sykes, J.B. (Transl.), 0=915
- Reid, W.M. See Hay, D.R., 2=3173
- Reid, W.P. Floating of a long square bar, 3=23837
- Reide, F. See Yuasa, T., 1=13241
- Reidel, O. Self-quenching Geiger counters containing mixtures of permanent gases, 0=15180
- Reidmeister, See Demeur, 4=19641
- Reidy, J. J., Funk, E. G. and Mihelich, J. W. Study of the decay of  $Tm^{158}$  to levels in  $Er^{158}$  using coincidence and directional correlation techniques, 4=9455
- Reidy, J. J. See Prask, H. J., 2=20558
- Reidy, W. P., Haymes, R. C. and Korff, S. A. A measurement of slow cosmic ray neutrons up to 200 kilometers, 2=9973
- Reidy, W. P. See Haymes, R. C., 2=13896
- Reier, M. The age of polonium-boron neutrons in water, 0=12982
- Reier, M. The diffusion length of thermal neutrons in poisoned water, 2=3349
- Reier, M. and de Juren, J. A. Diffusion length of thermal neutrons in water from 23°C to 244°C, 2=3348
- Reier, M., Obenshain, F. and Hellens, R. L. The age of polonium-beryllium neutrons in various metal-water mixtures, 0=12983
- Reier, M. See de Juren, J. A., 2=6549
- Reif, F. Superfluidity and "quasi-particles", 2=15837
- Reif, F. and Meyer, L. Study of superfluidity in liquid He by ion motion, 0=14913
- Reif, F. and Woolf, M. A. Energy gap in superconductors containing paramagnetic impurities, 3=3953
- Reif, F. See Donnelly, R. J., 3=1664
- Reif, F. See Rayfield, G. W., 4=2909
- Reif, F. See Meyer, L., 0=8902
- Reif, F. See Meyer, L., 0=16939
- Reif, F. See Meyer, L., 1=10634
- Reif, L. See Panish, M. B., 1=9506
- Reif, L. See Panish, M. B., 1=10626
- Reif, L. See Panish, M. B., 2=17694
- Reif, L. See Panish, M. B., 3=7390
- Reif, R. The effect of a non-axially symmetrical nuclear deformation on the S-wave neutron intensity function curve, 4=19632
- Reif, R. Anomalous parity states in mass 9 nuclei, 4=25288
- Reif, R. and Woolf, M. A. Effect of paramagnetic atoms on the energy gap of superconductors, 4=18574
- Reifenschweiler, O. Sealed-off neutron tube: the underlying research work, 2=9870
- Reifenschweiler, O. The sealed neutron tube, a new neutron source, 4=12024
- Reifenschweiler, O. Hydrogen pressure regulator with high absorption rate, 4=14232
- Reiffel, L. Pressure effects and configuration coordinate models of  $KCl(Tl)$ , 0=657
- Reiffel, L. Low energy X-rays from interplanetary space, 0=6550
- Reiffel, L. Observations on the general solar plasma instability, 0=6600
- Reiffel, L. Erosion of meteorites in space and the density of interplanetary gas, 0=10497
- Reiffel, L. and Kapany, N. S. Some considerations on luminescent fiber chambers and intensifier screens, 0=18150
- Reiffen, B. See Mack, C. L., Jr, 4=30052
- Reiger, S. H. Starlight scintillation and atmospheric turbulence, 3=23653
- Reignier, J. Definition of nuclear phase shifts by use of the experimental elastic scattering of charged particles, 2=16156
- Reignier, J. Phenomenological model of elastic  $\pi^+$ -proton scattering, 4=21906
- Reiher, L. See Ogle, K. N., 3=9306
- Reik, H. G. Derivation of Holstein's expression for the high temperature mobility of small polarons from Kubo's formula, 3=20145
- Reik, H. G. Optical properties of small polarons in the infrared, 4=22545
- Reik, H. G., Kauer, E. and Gerthsen, P. Optical properties of lanthanum cobaltite explained by small polaron theory, 4=13041
- Reik, H. G. and Risken, H. Distribution functions for hot electrons in many-valley semiconductors, 1=17667
- Reik, H. G. and Risken, H. Drift velocity and anisotropy of hot electrons in germanium, 2=14536
- Reik, H. G., Risken, H. and Finger, G. Theory of hot-electron effects in many-valley semiconductors in the region of high electric field, 1=1059
- Reikhrudel', E. M. and Smirnitckaya, G. B. Modern methods of obtaining ultrahigh vacuum, 4=27231
- Reikhrudel', E. M. See Boim, A. B., 2=9541
- Reikhrudel', E. M. See Boim, A. B., 4=11704
- Reikhrudel', E. M. See Kamoldinov, M. G., 1=19849
- Reikhrudel', E. M. See Kamoldinov, M. G., 2=4064
- Reikhrudel', E. M. See Smirnitckaya, G. V., 0=7092
- Reikhrudel', E. M. See Vasil'eva, M. N., 3=21871
- Reiling, G. H. Low-voltage mercury-alkali metal arc, 2=17802
- Reiling, G. H. Characteristics of mercury vapor-metallic iodide arc lamps, 4=14351
- Reiling, G. H. See Farrall, G. A., 1=11917
- Reilly, C. A. N.M.R. parameters in cis and trans 2-fluoro-3-chloro-propene-2, 2=20874
- Reilly, C. A. and Swalen, J. D. Nuclear magnetic resonance spectra of some simple epoxides, 0=11539
- Reilly, C. A. and Swalen, J. D. On the analysis of high-resolution N.M.R. spectra by iterative methods, 1=876
- Reilly, C. A. and Swalen, J. D. N.M.R. spectra of glycidaldehyde, 1=6045
- Reilly, C. A. and Swalen, J. D. Analysis of complex N.M.R. spectra; epichlorohydrin, 1=19662
- Reilly, C. A. See Anderson, W. A., 4=1315
- Reilly, C. A. See Freeman, R., 3=8302
- Reilly, C. A. See Hood, G. C., 0=3547
- Reilly, C. A. See Hruska, F., 4=24249
- Reilly, C. A. See Swalen, J. D., 1=11123
- Reilly, C. A. See Swalen, J. D., 2=16553
- Reilly, M. H. See Knox, R. S., 4=22453
- Reilly, M. L. See Furukawa, G. T., 4=12849
- Reilly, M. L. See Furukawa, G. T., 4=30517
- Reilly, M. L. See Furukawa, G. T., 4=30521
- Reilly, R. E. and Teichner, W. H. Effects of shape and degree of structure of the visual field on target detection and location, 2=7077
- Reimann, C. W. See Berry, R. S., 2=3697
- Reimann, C. W. See Berry, R. S., 3=2565
- Reimann, C. W. See Berry, R. S., 3=12759
- Reimann, H. A vacuum grating spectrometer for the far infrared, 1=2862
- Reimann, H. See Boldt, W., 1=4467
- Reimann, H. See Cap, F., 1=5487
- Reimann, R. Structure of the proton magnetic resonance line in DPPH at low temperatures, 2=4288
- Reimann, R. Autodyne spectrograph with frequency discrimination for measurement of the dispersion in magnetic resonance, 4=16676
- Reimann, R. See Görlich, P., 1=14329
- Reimann, R. See Görlich, P., 3=8593
- Reimann, R. See Hervé, J., 1=14829
- Reimann, W. H. See Wood, W. A., 4=23160
- Reimer, C. B. Simple gauge for obtaining preselected magnifications with the electron microscope, 3=4200
- Reimer, L. Measurement of temperature dependence of the ferromagnetic Hall effect on evaporated films of nickel for the determination of the Curie temperature, 0=673
- Reimer, L. On the decomposition of inorganic crystals in the electron microscope, 0=4705
- Reimer, L. Changes in organic crystals under the action of 60 kV electrons in the electron microscope, 1=2400
- Reimer, L. Electron optical investigation of domain boundaries in thin ferromagnetic films, 1=10154
- Reimer, L. Measurement of the dependence of image contrast in the electron microscope on atomic number, accelerating voltage and aperture, 2=8903
- Reimer, L. Alternating magnetization of thin layers (films), 2=16910
- Reimer, L. Variation of electron microscope image contrast at the amorphous-to-crystalline and liquid-to-crystalline transition, 2=22099



- Reimer, L. Domain wall movement in thin ferromagnetic layers, 3=23168
- Reimer, L. A permanent-magnet model for the understanding of magnetic hysteresis in thin films, 4=26298
- Reimer, L. and Christenhuss, R. A reversible temperature indicator in the form of an evaporated layer for estimating the temperature of an object in the electron microscope, 2=10956
- Reimer, L. and Christenhuss, R. Experimental contribution on the specimen temperature rise in the electron microscope, 3=6904
- Reimer, L., Christenhuss, R. and Ficker, J. Measurement of object temperature in the electron microscope using electron diffraction, 1=10741
- Reimer, L., Ficker, J., Pieper, T. and Wössner, E. Electron-optical investigation of domain structure in thin single- and polycrystalline nickel films, 3=18089
- Reimer, L. and Gadacz, H. Film thickness control by the electron microscopic oblique overshadowing method, 2=6851
- Reimer, L. and Hermann, W. Density and particle size determination on platinum-carbon films for oblique shadowing in the electron microscope, 2=23946
- Reimerov, L. I. Electron-relaxation processes in titanium dioxide, 0=9879
- Rein, G. C. See Stergis, C. G., 0=777
- Rein, G. C. See Stergis, C. G., 0=778
- Rein, R. and Ladik, J. Semiempirical SCF-LCAO-MO calculation of the electronic structure of the guanine-cytosine base pair: possible interpretation of the mutagenic effect of radiation, 4=20086
- Reina, F. Mayana. See Mayana Reina, F.
- Reina, I. See Poiani, G., 0=2485
- Reinberg, A. R. Electron spin resonance of boron in single-crystal BeO, 4=26378
- Reinberg, A. R. and Grossweiner, L. I. Low-temperature optical bleaching of F centers in KCl, 1=8915
- Reinberg, A. R. See Marshall, S. A., 0=11948
- Reinberg, A. R. See Marshall, S. A., 2=4263
- Reinberg, A. R. See Marshall, S. A., 3=1187
- Reinberg, A. R. See Marshall, S. A., 4=1878
- Reinbold, C. See Peterlin, A., 2=23801
- Reinbold, F. See Hausser, K. H., 2=23011
- Reincke, W. Coercive field strength of thin films of iron, 3=15810
- Reinen, D. See Yasumori, I., 4=7224
- Reiner, A. S. On the use of formal operator techniques in quantum statistical mechanics, 1=6796
- Reiner, A. S. Electric monopole transitions in collective nuclei, 1=17043
- Reiner, A. S. and Wilets, L. Effect of nuclear polarizability on isotope and isomer shifts, 2=20496
- Reiner, A. S. Calculation and application of the density propagator for a self-bound fermion system. I. Theory, 3=9369
- Reiner, A. S. Analytical properties and nonperturbative calculation of the optical potential for nuclear matter, 4=12099
- Reiner, A. S. See Bayman, B. F., 0=1364
- Reiner, A. S. See Dar, A., 3=22424
- Reiner, A. S. See Van Leeuwen, J. M. J., 1=8057
- Reiner, M. Cross stresses in the laminar flow of liquids, 0=10637
- Reiner, M. Plastic yielding in anelasticity, 1=14890
- Reiner, M. Cross-stresses in the laminar flow of gases in accordance with Maxwell's dynamical theory, 1=18441
- Reiner, M. and Blair, G. W. Scott. The flow of blood through narrow tubes, 0=4998
- Reiner, M. See Popper, B., 0=8686
- Reineri, M. T. See Favella, L., 2=9794
- Reinert, K. E. The microwave spectrum and planarity of nitrobenzene, 0=7771
- Reines, F. Neutrinos, old and new, 4=6017
- Reines, F., Cowan, C. L., Jr, Harrison, F. B., McGuide, A. D. and Kruse, H. W. Detection of the free antineutrino, 0=3955
- Reines, F. and Kropp, W. R., Jr. Limits on solar neutrino flux and elastic scattering, 4=21968
- Reines, F. See Giamati, C. C., 2=13785
- Reines, F. See Moe, M. K., 4=16736
- Reines, F. See Munsee, J. H., 3=19533
- Reinet, Ya. Yu, Tammet, Kh. F. and Val't, L. O. Methods of unipolar ionization of air by means of aero-ionizers, 0=1097
- Reinfelds, J. A derivation of the probability density for the Bethe-Salpeter equation, 2=16150
- Reingold, A. M. See Maskalick, N. J., 4=20812
- Reinhard, H. P. See Früngel, F., 4=5909
- Reinhard, P. See Schäfer, K., 3=20033
- Reinhardt, A. Neutron kinetics simulation with an R.C. network, 3=10406
- Reinhardt, E. C. See Rowland, R. A., 4=2058
- Reinhardt, G. C. and Whitehead, W. D. Angular distribution of fast photoneutrons, 2=7966
- Reinhardt, G. C. See Aull, L. B., 0=5777
- Reinhardt, H. See Liljenzin, J. O., 4=2143
- Reinhardt, H. See Lindner, R., 1=15208
- Reinhardt, J., Goldman, M., Mazeau, J., Bernard de Courville, J. Contribution to the study of the formation of breakdown in a gas, 4=18745
- Reinhardt, J. See Buchet, G., 2=19928
- Reinhardt, J. See Buchet, G., 3=4052
- Reinhardt, J. See Goldman, A., 4=18761
- Reinhardt, J. See Goldman, A., 4=8633
- Reinhardt, H. See Lindner, R., 0=16389
- Reinhardt, P. W. See Davies, F. J., 0=12723
- Reinhardt, R. G. See Barnett, C. F., 1=16349
- Reinhardt, R. G. See Barnett, C. F., 2=15929
- Reinharz, M. See Boato, G., 1=15211
- Reinharz, M. See Faissner, H., 3=17100
- Reinharz, M. See Faissner, H., 3=17141
- Reinharz, M. See Faissner, H., 3=21380
- Reinharz, M. See Faissner, H., 3=24690
- Reinharz, M. See Faissner, H., 4=30252
- Reinharz, M. See Fornaca, G., 1=16311
- Reinhold, C., Fischer, E. W. and Peterlin, A. Evaluation of small-angle X-ray scattering of polymers, 4=7660
- Reinhold, C. See Peterlin, A., 4=14140
- Reinhold, F. See Hausser, K. H., 2=9290
- Reinhold, G. On thermal diffusion column shape factors including the temperature dependence of the thermal diffusion factor, 4=5237
- Reinhold, G. and Vojta, G. On thermal-diffusion-column-shape factors for a gas of molecules with an inverse power potential, 3=165
- Reinhold, G., Seitz, J. and Minkner, R. Improved versions of the cascade generator, 0=12655
- Reinicke, B. See Gobrecht, H., 3=21001
- Reinitz, K. Elastic constants of CsBr, CsI, RbBr and RbI, 1=12583
- Reinitz, K. and Huntington, H. B. Unpinning of dislocations in rock salt by illumination in the visible, 2=10389
- Reinov, N. M. and Smirnov, A. P. The elasticity limits of tin and indium, 0=16214
- Reinov, N. M. and Smirnov, A. P. Determination of the elastic limit of metals at very low temperatures, 4=15685
- Reinov, N. M. See Bogoroditskii, N. P., 0=2918
- Reinov, N. M. See Gubanov, A. I., 0=7940
- Reinov, N. M. See Guts, Z. A., 3=19115
- Reinov, N. M. See Grigor'ev, A. D., 3=5148
- Reinov, N. M. See Kogan, A. V., 0=2652
- Reinov, N. M. See Kogan, A. V., 0=10857
- Reinov, N. M. See Kogan, A. V., 0=11299
- Reinov, N. M. See Kogan, A. V., 0=20787
- Reinov, N. M. See Kogan, A. V., 1=14155
- Reinov, N. M. See Kogan, A. V., 3=2417
- Reinov, N. M. See Kogan, A. V., 4=3994
- Reinov, N. M. See Kogan, A. V., 4=17331
- Reinov, N. M. See Kogan, A. V., 4=20157
- Reinov, N. M. See Kolchin, A. M., 2=142
- Reinov, N. M. See Kolchin, A. M., 3=3966
- Reinov, N. M. See Kolchin, A. M., 3=21666
- Reinov, N. M. See Krivko, N. I., 1=3638
- Reinov, N. M. See Mikhailov, Yu. G., 0=2290
- Reinsch, C. Measurement of the differential effective cross-section and the average logarithmic energy loss on the scattering of slow neutrons by water and ice, 1=16798
- Reinsch, C. and Springer, T. Measurement of the differential scattering cross-section and of the mean energy change in the scattering of slow neutrons in water and ice, 2=3346
- Reis, V. H. and Fenn, J. B. Separation of gas mixtures in supersonic jets, 4=5222
- Reisenfeld, W. See Karr, H., 3=12223
- Reiser, M. Ion capture and initial orbits in the isochronous cyclotron, Karlsruhe, 2=5417
- Reiser, M. Central orbit program for a variable energy multi-particle cyclotron, 3=5773
- Reisfeld, M. J. and Crosby, G. A. The near infrared absorption spectra of some pentavalent uranium fluorides. The  $^2F_{5/2} \rightarrow ^2F_{7/2}$  transition, 3=18011



- Reisfeld, M.J. See McInter, B.B., 0=14689
- Reisfeld, M.J. See McInter, B.B., 1=8157
- Reisfeld, R. and Glasner, A. Absorption and fluorescence spectra of  $\text{Eu}^{2+}$  in alkali halide crystals, 4=15611
- Reisfeld, R. See Glasner, A., 0=8001
- Reisfeld, R. See Glasner, A., 1=19806
- Reisfeld, R. See Glasner, A., 2=10412
- Reisman, A. and Berkenblit, M. Impurity incorporation into CdSe and equilibria in the system  $\text{CdSe}-\text{CdCl}_2$ , 3=13590
- Reisner, J.H. Neutralization of charge induced astigmatism in apertures, 3=19352
- Reiss, C. See Gubler, M., 2=7407
- Reiss, C. See Weill, G., 4=8173
- Reiss, E.L. and Locke, S. On the theory of plane stress, 2=2661
- Reiss, H. Role of thermodynamic activity in rate processes, 4=17851
- Reiss, H. and Anderman, A.I. Scattering of electrons by phonons and impurities in semiconductors, 1=8934
- Reiss, H., Frisch, H.L., Helfand, E. and Lebowitz, J.L. Aspects of the statistical thermodynamics of real fluids, 0=3507
- Reiss, H. and Helfand, E. Analytical solutions for some zone melting problems, 1=2528
- Reiss, H., Katz, J.L. and Kleppa, O.J. Theory of the heats of mixing in certain fused salts, 2=1137
- Reiss, H. and Mayer, S.W. Theory of its surface tension of molten salts, 1=374
- Reiss, H., Mayer, S.W. and Katz, J.L. Law of corresponding states for fused salts, 1=13026
- Reiss, H. See Cohen, E.R., 3=8946
- Reiss, H. See Helfand, E., 0=19095
- Reiss, H. See Lehrer, F.A., 2=14469
- Reiss, H.R. Absorption of light by light, 2=3298
- Reiss, H.R. A convergent perturbation on expansion in first-quantized electrodynamics, 2=16119
- Reiss, J.R. See Forman, R., 3=2026
- Reiss, K.H. The physical limitations of grids for the reduction of scattered X-radiation, 0=2523
- Reiss, K.H. On the mode of operation of moveable X-ray grids, 2=7699
- Reiss, R. Contribution to the study of the optical properties of cuprous halides at low temperatures, 0=10029
- Reiss, R. Absorption spectrum and pleochroism of amethyst from Madagascar, 2=18800
- Reiss, R. A note on the decoloration of samples of smoky quartz and malagasy lemon-colour quartz, 4=1742
- Reiss, R. and Nikitine, S. Observation of new exciton lines in the absorption spectra of cuprous chloride at  $4.2^\circ\text{K}$ , 0=11761
- Reiss, R. See Nikitine, S., 0=21000
- Reiss, R. See Nikitine, S., 1=1160
- Reiss, R. See Nikitine, S., 1=19960
- Reiss, R. See Nikitine, S., 3=2765
- Reiss, R. See Nikitine, S., 3=10934
- Reissig, R. The overall stability of forced frictional oscillations, 0=6846
- Reissland, J.A. See Leech, J.W., 4=17360
- Reissland, J.A. See Leech, J.W., 4=22502
- Reissner, E. On the solution of a class of problems in membrane theory of thin shells, 0=12389
- Reiswig, R.D. and Dickinson, J.M. The Osmium-iridium equilibrium diagram, 4=26563
- Reiswig, R.D. See Craig, P.P., 1=18713
- Reiswig, R.D. See Craig, P.P., 0=411
- Reiswig, R.R. See Nagle, D., 0=11312
- Reitan, A. Quasi-deuteron production by high-energy dipole  $\gamma$ -rays in  $^{16}\text{O}$ , 2=18314
- Reitan, A. Quasi-deuteron production by dipole  $\gamma$ -rays in  $^4\text{He}$ , 2=20441
- Reitan, A. The K-shell photoelectric effect in the forward and backward directions, 3=2588
- Reitan, A. Small angle elastic scattering of fast electrons by crystals, 3=13577
- Reitan, A. Quasi-deuteron production by  $\gamma$ -rays in  $^4\text{He}$ , 3=15052
- Reitböck, H. and Redhardt, A. A molecular amplifier for a working temperature of  $90^\circ\text{K}$ , 2=17947
- Reiter, E.R. Note on the eddy kinetic energy distribution in relation to the jet stream, 3=16210
- Reiter, H.J. See Gobrecht, H., 2=8374
- Reiter, O. See Blaha, J., 3=21016
- Reiter, R. The present state of atmospheric contamination by nuclear fission products, 2=11041
- Reiter, R.A., Romanowski, T.A., Sutton, R.B. and Chidley, B.G. Precise measurements of the mean lives of  $\mu^+$  and  $\mu^-$  mesons in carbon, 0=17370
- Reiter, R.A. See Bertram, W.J., Jr., 0=17371
- Reiter, R.A. See Findley, R.W., 1=18342
- Reitmann, D., Engelbrecht, C.A. and Smith, A.B. Scattering of fast neutrons from natural Zr and Nb, 4=6348
- Reitmann, D. See Smith, A.B., 4=22148
- Reitmayer, F.O. and Deeg, E.W. Optical and mechanical properties of bubble chamber windows, 4=5906
- Reitz, D. Proton hyperfine splittings and spin densities of pentaphenylcyclopentadienyl, 1=7487
- Reitz, D.C., Dravnieks, F. and Wertz, J.E. Carbon-13 hyperfine splittings in semiquinones, 1=7486
- Reitz, D.C., Hollahan, J.R., Dravnieks, F. and Wertz, J.E. Electron spin resonance studies of some quinone reactions, 1=12306
- Reitz, D.C. and Weissman, S.I. Spin exchange in biradicals, 0=17722
- Reitz, J.R. Peltier coefficient at high current levels, 1=14528
- Reitz, J.R. Magnetic breakdown in metals, 4=12684
- Reitz, J.R., Seitz, R.N. and Genberg, R.W. Closed-shell ion-ion interactions in calcium fluoride, 1=19710
- Reitz, J.R. See Joseph, A.S., 1=19737
- Reitz, J.R. See Lewis, H.W., 0=2311
- Reitz, J.R. See Lewis, H.W., 0=9040
- Reitz, J.R. See Stone, P.M., 3=25064
- Reitz, J.R. See Wood, V.E., 2=14405
- Reitz, R.A., Butler, W.A. and Brandenberger, J.R. F bands in KBr-KI mixed crystals, 3=4889
- Reitz, R.A. See Butler, W.A., 4=30697
- Reitzer, H. See Sackmann, L.A., 3=104
- Reitzner, B. See Abel, J.E., 3=18441
- Reiz, A. and Torgård, I. Evolution of stars without heavy elements, 2=9090
- Reizenstein, P. See Lindell, B., 4=19708
- Reizins, L. The computation and improvement of proper motions of stars by means of electronic computers, 2=24128
- Reizins, L. The computation and improvement of proper motions of stars by means of electronic computers, 3=3584
- Rejoan, A. See Glasner, A., 2=10412
- Rekalo, M.P. Polarization phenomena in the scattering of  $\pi$ -mesons on nucleons and the fermion Regge poles, 4=3457
- Rekalo, M.P. Threshold anomalies in the photoproduction of  $\pi$ -mesons on nucleons, 4=12031
- Rekalo, M.P. Photoproduction of strange particles at high energies, 4=12071
- Rekalo, M.P. Electroproduction of  $\pi$ -mesons and fermion Regge poles, 4=16931
- Rekalo, M.P. Weak interactions at high energies, 4=19420
- Rekalo, M.P., Gorshkov, V.G. and Frolov, G.V. Photoproduction of  $\pi$ -mesons on nucleons and fermion Regge poles, 4=3445
- Rekalo, M.P. See Gorshkov, V.G., 4=3368
- Rekalo, M.P. See Gorshkov, V.G., 4=27893
- Rekalo, M.P. See Volkov, D.V., 2=20382
- Rekov, A.I. See Aleksandrov, V.V., 0=9972
- Rekova, L.P. See Fogel', Ya.M., 3=14663
- Remaev, V.V., Gritsina, V.T. and Klyucharev, A.P. New short-period isomers  $\text{Nd}^{140m}$ ,  $\text{Pm}^{144m}$ ,  $\text{Eu}^{146m}$  and  $\text{Gd}^{158m}$ , 2=10018
- Remaev, V.V., Gritsina, V.T. and Klyucharev, A.P. New short-period isomers  $\text{Nd}^{140m}$ ,  $\text{Pm}^{144m}$ ,  $\text{Eu}^{148m}$  and  $\text{Gd}^{158m}$ , 3=6173
- Remaev, V.V., Korda, Yu.S., Klyucharev, A.P. and Smirnov, A.M. Decay of some millisecond isomers, 3=15134
- Remaev, V.V., Gritsina, V.T. and Korda, Yu.S. Two short-period isomers  $\text{Ir}^{107m}$  and  $\text{Ir}^{108m}$ , 3=24911
- Remaev, V.V. See Gritsina, V.T., 4=1072
- Remaev, V.V. See Korde, Yu.S., 4=874
- Remaev, V.V. See Morozov, A.M., 1=19353
- Remaev, V.V. See Morozov, A.M., 3=2457
- Remaut, G. Calculation of the charge on dislocations in NaCl, 2=14444
- Remaut, G., Deketelaere, A. and Dekeyser, W. Recovery of quench-hardened sodium chloride crystals, 2=23772
- Remaut, G., Delavignette, P., LaGasse, A. and Amelinckx, S. Observation of antiferromagnetic domains in cobaltous oxide by means of the electron microscope, 4=17667
- Remaut, G., Lagasse, A. and Amelinckx, S. The electron microscopic observation of mechanical twins in indium, 4=30809
- Remaut, G. and Vennik, J. Observations on an electrical effect obtained during deformation of sodium chloride crystals, 1=5043
- Remaut, G., Vennik, J. and Amelinckx, S. Further observations concerning electrical effects during cyclic stressing of alkali halide single crystals, 1=14933



- Remaut, G. See Amelinckx, S., 0=7917
- Remaut, G. See Vennik, J., 1=19778
- Rembaum, A. See Pohl, H.A., 3=852
- Rembser, J. See Müller, W., 0=19833
- Remde, H.F. Effect of cobalt oxide in porous nickel ferrites at very high frequency, 1=6370
- Reme, H. See Ambrosino, G., 2=27996
- Rème, H. See Blanc, D., 2=12202
- Rème, H. See Cambou, F., 4=19523
- Reme, H. See Cambou, F., 4=30927
- Remeika, J.P.  $\text{GeFeO}_3$ : A ferromagnetic-piezoelectric compound, 0=11825
- Remeika, J.P. See Blumberg, W.E., 4=26393
- Remeika, J.P. See Bozorth, R.M., 0=10176
- Remeika, J.P. See Comstock, R.L., 4=12630
- Remeika, J.P. See Dillon, J.F., Jr., 3=919
- Remeika, J.P. See Dillon, J.F., Jr., 3=11072
- Remeika, J.P. See Dillon, J.F., Jr., 3=15656
- Remeika, J.P. See Dillon, J.F., Jr., 3=23200
- Remeika, J.P. See Dillon, J.F., Jr., 3=23204
- Remeika, J.P. See Geller, S., 3=20620
- Remeika, J.P. See Geschwind, S., 1=7784
- Remeika, J.P. See Geschwind, S., 2=3811
- Remeika, J.P. See Geschwind, S., 2=14712
- Remeika, J.P. See Geschwind, S., 4=26236
- Remeika, J.P. See Gossard, A.C., 1=17950
- Remeika, J.P. See Gossard, A.C., 2=12685
- Remeika, J.P. See Gossard, A.C., 4=28891
- Remeika, J.P. See Miller, R.C., 2=12571
- Remeika, J.P. See Nelson, D.F., 4=11837
- Remeika, J.P. See Spencer, E.G., 4=26362
- Remeika, J.P. See Wertheim, G.K., 4=30501
- Remeika, J.P. See Wood, E.A., 3=8853
- Remiddi, E. See Corinaldesi, E., 4=9712
- Remizova, A.A. See Bartenev, G.M., 3=21324
- Remler, E.A. Scattering of Yang-Mills quanta, 4=11878
- Remley, W.R. Correlation of signals having a linear delay, 3=7289
- Remmelts, J. and Moch, R. The tearing of notched aluminium foils, 0=11984
- Remington, T.A. See Bottomley, G.A., 0=8699
- Rempel, R.C. See Bloom, A.L., 3=19495
- Rempp, P. See Benoit, H., 4=5179
- Rempp, P. See Gallot, Y., 3=11791
- Remsberg, L.P. and Miller, J.M. Study of (p,pn) reactions in medium weight nuclei at 370 MeV, 3=15197
- Remsberg, L.P. See Hudis, J., 3=4641
- Remsberg, L.P. See Poskanzer, A.M., 4=12221
- Remsberg, L.P. See Poskanzer, A.M., 4=19809
- Rémy, A. See Bauer, A., 4=9748
- Rémy, E. and Winter, K. Fast coincidence circuit with time analyser, 0=9249
- Remy, E. and Winter, K. A time-of-flight selector for fast neutrons, 0=9383
- Remy, E. See Grossmann-Doerth, U., 3=7569
- Remy, H. The unification of atomic weights and the new atomic weight tables, 2=20759
- Remy-Battiau, L. The spectrum of the polar aurora. II. Molecular identifications, 1=9203
- Rémy-Battiau, L. Behaviour of forbidden oxygen lines in comets. II. Relations with solar activity and excitation mechanisms, 2=17262
- Remy-Battiau, L. Mie scattering functions for spherical particles of refractive index  $m=1.25$ , 3=16804
- Remy-Battiau, L. Variations of the luminosity of the heads of comets, 4=29431
- Renard, C. Diurnal and cyclic variations of the intensity of natural radio noise of very low frequency, 1=10307
- Renard, C. Method of deducing the line of magnetic force taken by a whistler, 1=20849
- Renard, F.M. See Chadan, K., 3=7917
- Renard, F.M. See d'Espagnat, B., 4=5941
- Renard, F.M. See Le Bellac, M., 4=25203
- Renard, G.A. Internal bremsstrahlung and autoionisation lines of  $\text{Y}^{90}$  and  $\text{P}^{32}$  in low energy range, 0=2518
- Renard, J.P. See Benoit, H., 4=13342
- Renard, M. The critical magnetic field of rhenium down to  $0.3^\circ\text{K}$ , 0=12561
- Renard, M. See Doulat, J., 0=3706
- Renard, P. See Danysz, M., 3=22276
- Renard, P. See Danysz, M., 4=9364
- Renard, P. See Davis, D.H., 3=6147
- Renard, P. See Fletcher, E.R., 3=10232
- Renard, R.H. Total reflection: a new evaluation of the Goos-Hänchen shift, 4=29760
- Renau, J. A theory of spread F based on a scattering-screen model, 0=8404
- Renau, J. Theory of spread F based on aspect-sensitive backscattered echoes, 0=16449
- Renau, J. A study of observed spread F, 1=15295
- Renau, J. Scattering of electromagnetic waves from a non-degenerate ionized gas, 1=16585
- Renau, J. Theory of overhead nonblanketing sporadic E, 1=20977
- Renau, J. Discussion of a paper by D.S. Bugnolo, "Spread F and multiple scattering in the ionosphere", 1=21007
- Renau, J. The cross section for scattering of electromagnetic waves from an ionized gas in thermal nonequilibrium, 3=6975
- Renau, J. Notes on number density fluctuations and the scattering cross section for electromagnetic waves scattered from a thermal nonequilibrium plasma, 4=11627
- Renau, J., Camnitz, H. and Flood, W. The spectrum and the total intensity of electromagnetic waves scattered from an ionized gas in thermal equilibrium in the presence of a static quasi-uniform magnetic field, 1=19041
- Renaud, A., Schumacher, E., Hughes, B., Oeschger, H. and Mühlemann, C. Tritium variations in Greenland ice, 3=24887
- Renaud, C. and Tachon, J. Energy and mass spectra of ions of a plasma jet, 4=567
- Renaud, C. See Bariaud, A., 4=29956
- Renaud, M. Calculation of the transfer of radiation in X-ray fluorescence. The matrix effect. The transfer equation, 3=18016
- Renaud, M. The calculation of the radiation transfer in X-ray fluorescence, 4=9649
- Renaud, M. Calculation of the transfer of radiation in X-ray fluorescence. The effect of the matrix. The formal solution of the transfer equation and the calculation of the (mass) coefficients of emission, 4=4285
- Renaud, P. Hypothesis of calculability, 1=1681
- Renaud, P. Parametric increment of an experimental system, 2=1049
- Renaud, P. A class of abstract potential spaces representing experimental systems of the domain  $\Delta_2$ , 2=13242
- Renaud, P. and Baudoin, R. Evidence of a luminous emission in the cathode zone observed in transmitted light during electro-crystallization, 2=856
- Renaud, Y. See Bayle, P., 4=26741
- Renault, M. See Maréchal, A., 2=7342
- Renberg, P.U. See Hasselgren, D., 4=19671
- Renberg, P.U. See Tibell, G., 4=12215
- Rendina, J.F. All-metal vacuum ultraviolet lamp, 3=21533
- Rendondo Mena, V. The problem of definition and depth of field in photographic lenses with long focal length and using auxiliary lenses, 0=152
- Rene, M. and Vanderhaeghe, G. Mixtures of nuclear emulsions, 0=198
- Réné, M. and Vanderhaeghe, G. Properties of emulsion mixtures, 0=12765
- René, M. See Jones, B.D., 1=8500
- René, M. See K<sup>-</sup>-collaboration, 0=1308
- René, M. See K<sup>-</sup>-Collaboration, 0=15430
- Reneker, D. See Eckstein, Y., 0=16199
- Reneker, D.H. and Geil, P.H. Morphology of polymer single crystals, 0=18292
- Renero, C. and Prieto, F.E. Equation of state of copper, 4=25848
- Rengarajan, T.N. See Pal, Y., 2=303
- Rengarajan, T.N. See Pal, Y., 2=12192
- Rengarajan, T.N. See Pal, Y., 3=19626
- Renk, H. See Mościcki, W., 2=3191
- Renk, K.F. and Genzel, L. Interference filters and Fabry-Perot interferometers for the far infrared, 2=22051
- Renk, K.F. See Ulrich, R., 4=19212
- Renken, C.J. See Fisher, E.S., 2=4306
- Renken, C.J. See Fisher, E.S., 3=18936
- Renken, C.J. See Fisher, E.S., 4=26530
- Renken, J.H. Elastic scattering of deuterons by beryllium, 4=6367
- Renne, V.T. See Kozjreva, M.S., 0=16396
- Renner, H. See Eberhardt, W.H., 0=5932
- Renner, H. See Eberhardt, W.H., 1=14038
- Renner, T. Thermodynamic data and vapour pressure of the most important III-V compounds, 1=14177



- Renner, T. Oxygen pressure series and its application to semiconductor technology, 3=3391
- Rennert, J. See Kallmann, H., 2=9414
- Rennert, P. See Macke, W., 4=8070
- Rennert, P. See Macke, W., 4=13765
- Rennert, P. See Macke, W., 4=16041
- Rennie, A.E. and Nielsen, S. Controlling the habit of potassium cobalticyanide crystals, 0=6325
- Renninger, M. Measurements without disturbing the measured object, 0=8535
- Renninger, M. Increase of resolving power of double spectrometer with asymmetrical Bragg reflection from an ideal crystal, 2=4407
- Renninger, M. Lattice plane interferometry, 2=14979
- Renninger, M. "Frozen" and "reversible" lattice distortions, 2=16650
- Renninger, M. Scattering of monochromatic coherent light, 4=328
- Renninger, M. Net plane "interferometry" and applications, 4=22572
- Renninger, M. Double-diffractometric transmission topography?, 4=26631
- Renon, C. See Martinod, H., 2=6739
- Renon, J. See Anthony, A.M., 3=17901
- Renon, J. See Anthony, A.M., 4=25990
- Renouf, J.P., Fouilloux, P. and Bussière, P. About the self-diffusion coefficient in a solid measured by self-absorption of beta-rays in a probe of finite thickness, 3=20215
- Renouf, T.J. A comparison of the structures  $Zr_2Al_3$  and  $ZrAl_3$ , 2=10886
- Renouf, T.J. The measurement of volume diffusion by the method of autoradiography, 4=22609
- Renouf, T.J. See Wilson, C.G., 0=3223
- Renoux, A. A study of the charge carried by radioactive ions and their attachment to atmospheric aerosols, 3=9056
- Renoux, A. See Bricard, J., 1=3821
- Renoux, A. See Bricard, J., 2=2491
- Renoux, A. See Bricard, J., 3=11416
- Rense, W.A. Ultraviolet radiation physics in astronomy and geophysics, 3=9187
- Rense, W.A., Stuart, F.E. and Todd, E.P. A high resolution echelle spectrophotometer for the solar ultraviolet, 2=13123
- Rense, W.A. See Rees, M.H., 0=10421
- Rense, W.A. See Violett, T., 0=10508
- Rensen, J.G. See van Wieringen, J.S., 4=26440
- Renskii, I.S. and Stoyanov, P.A. Investigation of some types of photographic plates suitable for use in electron microscopy, 3=1840
- Renson, P. Charges, 0=15308
- Renson, P. Undiscovered particles. I, 1=4781
- Renson, P. Undiscovered particles. II, 1=4782
- Renson, P. On the classification of leptons, 2=1653
- Renson, P. Remarks on magnetic variables, 4=10815
- Renson, P. See Pirenne, J., 2=10332
- Renton, C.A. Amplitude modulation of light by reversed bias p-n junctions, 4=14325
- Renton, C.A. See Hobstetter, J.N., 2=6449
- Renton, J.J. See Baum, W.L., 3=25690
- Rentsch, M. Temperature dependence of the uniaxial anisotropy of Ni and Co films deposited electrolytically, 2=4227
- Rentschler, W. and Schreiber, H. Measurement of the artificial radioactivity of fallout and dust, 3=3476
- Rentzepis, P. See Harteck, P., 0=498
- Renucci, G.A. Description of a supply for an ionization gauge with logarithmic sensitivity, 1=16216
- Renucci, L., Langeron, J.P. and Lehr, P. The electrical conductivity of zone melted Zr at low temperature, 0=562
- Renz, A. See Aurich, F., 4=1603
- Renzler, G. See Amman, F., 4=16582
- Renzoni, R. See Gatti, E., 0=5436
- Repanai, A. See Nardelli, G., 0=9905
- Repnikova, M.K. See Bolshov, V.G., 0=7139
- Repper, C.J. See Lucovsky, G., 4=4299
- Reppich, B. See Ilschner, B., 4=4488
- Reppy, J. See Burnham, J., 0=16938
- Reppy, J.D., Depatie, D. and Lane, C.T. Helium II in rotation, 1=4528
- Reppy, J.D. and Depatie, D. Persistent currents in superfluid helium, 4=16325
- Reppy, J.D. See Depatie, D., 4=16323
- Repshas, K.K. See Banis, T.Ya., 4=1579
- Repshas, K.K. See Pozhela, J.K., 3=10791
- Repshas, K.K. See Pozhela, Yu.K., 4=1696
- Repucci, A. See Smakula, A., 2=3912
- Repucci, A. See Smakula, A., 3=10693
- Rérat, B. and Rérat, C. Theoretical Patterson diagrams in two-dimensional space: case of structures containing two atoms per asymmetric unit, 1=20513
- Rérat, B. and Rérat, C. Theoretical three-dimensional Patterson diagrams for structures containing two atoms per asymmetric unit (monoclinic and triclinic systems), 2=15006
- Rérat, B. See Laurent, A., 2=2380
- Rérat, C. See Laurent, A., 2=2380
- Rérat, C. See Rérat, B., 1=20513
- Rérat, C. See Rérat, B., 2=15006
- Rérat, C. Crystal structure of trimethylaminoxid hydrochloride, 0=6365
- Rérat, C. Crystal structure of piperidine hydrochloride, 0=6366
- Rérat, C. See Protas, J., 4=20752
- Reshetin, L.V. See Konstantinov, L.V., 3=17098
- Reshetikhin, Yu.N. See Gutkin, A.A., 4=18468
- Reshetnikov, A.M. The structure of thin films of antimony sulphide, 1=20666
- Reshetnikov, A.M. See Gromov, Yu.K., 2=20031
- Reshetin, L.V. See Borisov, A.A., 4=785
- Reshetova, L.M. See Karyev, V.M., 4=3233
- Reshetova, L.N. See Gritsina, V.T., 4=1072
- Reshina, I.I. See Mirlin, D.N., 4=10183
- Reshotko, E. Transition reversal and Tollmien-Schlichting instability, 3=9414
- Résibois, P. Formal theory of classical scattering, 0=15288
- Résibois, P. Approach to equilibrium in quantum systems, 1=1709
- Resibois, P. Three body collisions in quantum mechanics, 1=3344
- Résibois, P. On the approach to equilibrium in quantum systems, 1=15714
- Résibois, P. On the structure of the three-particle scattering operator in classical gases, 2=21850
- Resibois, P. Structure of the three-particle scattering operator in classical gases, 3=11827
- Résibois, P. New approach to irreversible transport phenomena in plasma dynamics, 3=19242
- Resibois, P. On the equivalence between two generalized master equations, 3=23791
- Résibois, P. Statistical mechanics of superfluidity, 4=14503
- Resibois, P. On the asymptotic form of the transport equation in dense homogeneous gases, 4=18239
- Résibois, P. and Dagonnier, R. On the theory of impurity resistance in quantum systems, 3=22885
- Résibois, P. and Dagonnier, R. On the hydrodynamics of a weakly interacting Fermi gas, 4=2596
- Résibois, P. and Dagonnier, R. On the theory of impurity resistance in quantum systems, 4=25988
- Resibois, P. and Davis, H.T. Transport equation of a Brownian particle in an external field, 4=21061
- Resibois, P. and Leaf, B. The independent perturbation solution of the Liouville equation, 0=18963
- Résibois, P. and Prigogine, I. Analytical invariants in N-body systems, 0=16612
- Résibois, P. and Prigogine, I. On the statistical theory of superfluidity, 2=2651
- Résibois, P. and Puttemans, J.P. On the discontinuity of relaxation times at the  $\lambda$  point, 1=16188
- Résibois, P. See Brocas, J., 2=1085
- Resibois, P. See Coekelbergs, R., 3=23544
- Résibois, P. See Davis, H.T., 4=21500
- Résibois, P. See Henin, F., 1=5210
- Resibois, P. See Prigogine, I., 0=8687
- Resibois, P. See Prigogine, I., 1=5205
- Resibois, P. See Prigogine, I., 1=15745
- Resibois, P. See Prigogine, I., 4=21058
- Resing, H.A. N.M.R. relaxation times in solid white phosphorus: diffusion and rotation, 3=5050
- Resing, H.A. and Nachtrieb, N.H. Self-diffusion of lead, thallium and bismuth in the solid lead-thallium system, 2=3941
- Resing, H.A., Thompson, J.K. and Krebs, J.J. Nuclear magnetic resonance relaxation times of water adsorbed on charcoal, 4=29193
- Resing, H.A. and Torrey, H.C. Nuclear spin relaxation by translational diffusion. III. Spin-spin relaxation, 3=20662
- Resler, E.L.Jr. Some remarks on hydromagnetic waves for finite conductivity, 1=5560



- Resler, E.L. Jr. and McCune, J.E. Some exact solutions in linearized magneto-aero dynamics for arbitrary magnetic Reynolds numbers, 1=5557
- Resler, E.L., Jr. See Lifshitz, A., 3=16160
- Resmini, F. See Luccio, A., 3=5738
- Resnick, R. and Seigle, L.L. The self-diffusion of alpha-uranium, 2=6376
- Restelli, G. See Bertolini, G., 1=2175
- Restelli, G. See Bertolini, G., 2=10026
- Restelli, G. See Bertolini, G., 4=27828
- Restelli, G. See Bertolini, G., 4=27830
- Restelli, G. See Capellani, F., 4=14968
- Restelli, G.B. See Bassi, P., 2=14111
- Restelli, G.B. See Bassi, P., 3=17480
- Restelli, G.M. See Benoit, R., 4=30282
- Rester, D.H., Moore, M.S., Durham, F.E. and Class, C.M. Internal conversion electrons from Coulomb excitation of heavy elements, 1=3425
- Rester, D.H. See Durham, F.E., 0=20398
- Rester, D.H. See Durham, D.E., 1=8661
- Rethmeier, B.C. See Cohen, E.G.D., 0=8647
- Rethmeier, J., Boersma, H.J. and Jonker, C.C. An improved circuit for pulse shape discrimination between neutrons and gamma rays, 2=5270
- Rethmeier, J., Jonker, C.C., Rodenburg, M., Hovenier, J.W. and v.d. Meulen, D.R. Differential cross-sections for D-T neutrons by time of flight methods, 3=6011
- Rethmeier, J., Jonker, C.C., Rodenburg, M., Hovenier, J. and van der Meulen, D. Inelastic scattering of 14.8 MeV neutrons from carbon and bismuth, 3=2464
- Rethmeier, J. and Van Der Meulen, D.R. Design of a cooling system for D-Ti and Ti-Ti targets, 4=9004
- Rettschnick, R.P.H. See Ketelaar, J.A.A., 2=3742
- Rettschnick, R.P.H. See Ketelaar, J.A.A., 3=9512
- Rettschnick, R.P.H. See Ketelaar, J.A.A., 4=9717
- Retz-Schmidt, T. and Weil, J.L. Excitation curves and angular distributions for  $N^{14}(d,n)O^{15}$ , 0=13241
- Retz-Schmidt, T.W. See Skorka, S.J., 3=22299
- Retz-Schmidt, T.W. See Skorka, S.J., 4=1006
- Reuber, C. See Broser, I., 4=26145
- Reucroft, P.J. On the nature of the electrode effects in the conductivity of anthracene monocrystals, 2=8295
- Reucroft, P.J., Rudyj, O.N. and Labes, M.M. Trap density and depth in p-chloranil crystals, 4=10101
- Reugg, H. See Freud, P.G.O., 2=22421
- Reuland, D.J., Ganguly, N.K. and Caretto, A.A., Jr.  $2\pi$ -differential recoil study of the  $Cu^{65}(p,pn)Cu^{64}$  reaction, 4=12226
- Reule, A. On the application of electrical image convertors as image amplifiers, 0=6913
- Reulos, R. Remarks concerning the article "Fundamental spinor representations of the general Lorentz group and inversions of space time and the universe", 0=18906
- Reulos, R. A reply to the remarks of R.Reulos; Complementary remark, 0=18907
- Reupert, W. See Witzmann, H., 2=6595
- Reus, N. See Savin, G., 0=21043
- Reuschel, A. Method for focal length determination in optical systems, 3=1802
- Reuschel, K. See Hoffmann, A., 0=11698
- Reuss, J. Asymmetry-effects in atom-molecule collisions. I, 4=25761
- Reuss, J. Asymmetry-effects in atom-molecule collisions. II, 4=25762
- Reuss, J., Toet, D.Z. and Van Eijnsbergen, B. Description of a 30 cm  $H_2$  bubble chamber, 2=11840
- Reuszer, J.H. and Fisher, P. An optical determination of the ground-state splittings of group V impurities in germanium, 4=28337
- Reut, A.A. See Ignatenko, A.E., 0=5370
- Reuter, B., Jaskowsky, J. and Riedel, E. Vanadium spinels as valency semiconductors, 0=4366
- Reuter, B. and Marx, G. Cadmium-vanadium spinel, 1=4054
- Reuter, B. and Sitte, K. A phenomenological model for high-energy interactions. II. The energy spectrum of the secondaries, 2=5631
- Reuter, G.E.H. and Stewartson, K. A nonexistence theorem in magneto-fluid dynamics, 1=12006
- Reuter, J.L. See Calcote, H.F., 3=7435
- Reuter, W. See Stevenson, M.J., 3=9588
- Reuth, E.C. van. See van Reuth, E.C.
- Reva, N.I. See Suprunenko, V.A., 2=15924
- Reva, N.I. See Suprunenko, V.A., 4=16477
- Revah, I. and Spizzichino, A. Study of wind shears in the lower ionosphere by radioelectric observation of meteor trails.
- II. Experimental results, 4=30946
- Revah, I., Spizzichino, A. and Cohen, M. Study of the altitude distribution of meteor echoes received by forward scattering, 4=13962
- Revah, I., Spizzichino, A. and Taieb, C. Study of wind shears in the lower ionosphere by radioelectric observation of meteor trails, 3=16277
- Revah, I. See Delcourt, J., 4=23797
- Révai, J. See Györgyi, G., 4=24488
- Revald, V.F. See Frish, S.E., 4=19977
- Revel, D. See Gaillard, J.M., 0=1298
- Revel, D. See Gard, F., 2=1715
- Revel, D. See Gard, F., 2=22513
- Revell, R.S.M. See Franks, A. (Conf. rep), 0=4678
- Reverchon, F. See Paulus, M., 1=20718
- Revesz, A. and Zaininger, K.H. Properties of  $SiO_2$  films on Si substrates, 4=23588
- Revesz, A.G. and Evans, R.J. The topography and growth mechanism of silicon overgrowths, 4=23357
- Revesz, A.G. and Zaininger, K.H. An amorphous modification of gallium-arsenic (V) oxide, 4=29184
- Revesz, A.G. See Zaininger, K.H., 4=18435
- Revesz, A.G. See Zaininger, K.H., 4=22858
- Revina, L.D. See Lavrukhina, A.K., 3=24940
- Revkevich, G.P. See Iveronova, V.I., 1=15059
- Revnov, B.I. and Shvaikovskaya, E.O. Static and impact deformation in muscovite, 0=13544
- Revo, A.L. Determination of the effect of a slight admixture of cadmium on the parameters of volume and grain-boundary diffusion of cadmium in copper, 2=6383
- Revo, A.L. Investigation of the effect of a small cadmium impurity on the parameters of volume and grain-boundary diffusion of cadmium in copper, 2=8240
- Revo, A.L. Investigation of the influence of small amounts of cadmium on the bulk and boundary diffusion constants of cadmium in copper, 2=12075
- Revo, A.L. See Gertsriken, S.D., 1=986
- Revo, A.L. See Hertsriken, S.D., 1=14299
- Revo, A.L. See Hertsriken, S.D., 2=6380
- Revo, A.L. See Hertsriken, S.D., 2=12451
- Revolinsky, E. and Beernsen, D. Electrical properties of the  $MoTe_2$ - $WTe_2$  and  $MoSe_2$ - $WSe_2$  systems, 4=22720
- Revolinsky, E., Lautenschlager, E.P. and Armitage, C.H. Layer structure superconductor, 4=27429
- Revutskii, E.I. See Bolotin, L.I., 1=8705
- Revutskii, E.I. See Bolotin, L.I., 2=16439
- Revutskii, E.I. See Bolotin, L.I., 2=17912
- Revuts'kii, Ye.I. See Bolotin, L.I., 2=5410
- Revuts'kii, Ye.I. See Bolotin, L.I., 2=5411
- Revutskiy, Ye.I. See Bolotin, L.I., 2=17911
- Revyakin, B.N. and Korobkov, I.I. Measurement of the surface temperature of niobium during oxidation, 4=23641
- Revzen, M. and Trainor, L.E.H. Analytic properties of the time Green functions in the statistical mechanics of many-body systems, 3=3765
- Revzen, M. See Kadanoff, L.P., 4=25911
- Revzin, L.S. See Krasnaya, A.R., 3=2013
- Revzin, L.S. See Nosenko, B.M., 2=23623
- Rewaj, T. On the effects of X-ray irradiation on transient phenomena in Rochelle salt, 2=23500
- Rewaj, T. Effect of the  $Cu^{++}$  ion on delayed phenomena in Rochelle salt, 3=25404
- Rewaj, T. Effect of X-ray irradiation on the shape of the dielectric hysteresis loop in triglycine sulfate, 4=26131
- Rexer, E. Preparation and properties of very pure metals, 4=20147
- Rexroad, H.N. and Gordy, W. Electron spin resonance of free radicals produced by gamma irradiation of various substances at 4.2°K, 2=3791
- Rexroad, H.N. See Yu Hak Hahn, 3=13304
- Rey, C. and Parker, S. Modular spark chambers, 3=17143
- Rey, C. See Anderson, H.L., 2=22830
- Rey, C. See Anderson, H.L., 4=9546
- Rey, C. See Bloomfield, P., 1=6066
- Rey, C. See Crewe, A.V., 0=9355
- Rey, C. See Parker, S., 4=9231
- Rey, C.A. Inner bremsstrahlung in muon decay, 4=27871
- Rey, L. See Soberman, R.K., 4=29283
- Rey, W. See Debot, R., 4=21320
- Reyenga, A.J. See Kloverstrom, F.A., 1=17255
- Reyerson, L.H., Solbakken, A. and Zuehlke, R.W. The magnetic susceptibility of small palladium crystals, 2=4208
- Reyes-Suter, P. and Suter, T. Determination of the  $3.3 \pm 0.2$  nsec half-life of the 103.2 keV level in  $Eu^{153}$ , 1=19366



- Reyes-Suter, P. and Suter, T. Determination of a 2.8 nsec half-life for the first excited state in  $\text{Au}^{195}$ , 2=1802
- Reyes-Suter, P. and Suter, T. Electromagnetic transition probabilities in odd-A mercury isotopes, 2=3484
- Reyes-Suter, P. See Scheuer, W., 4=22070
- Reyes-Suter, P. See Suter, T., 1=19369
- Reyes-Suter, P. See Suter, T., 1=19412
- Reyes-Suter, P. See Suter, T., 2=3528
- Reyes-Suter, P. See Suter, T., 2=3531
- Reyes-Suter, P. See Suter, T., 3=24898
- Reyn, H. W. See Boerboom, A. J. H., 4=8523
- Reynard, P. See Hertelendy, P., 4=29507
- Reynaud, J. See Croce, P., 4=23577
- Reynes, E. G. and Thodos, G. The viscosity of argon, krypton, and xenon in the dense gaseous region, 4=27214
- Reynolds, A. On the dynamics of turbulent vortical flow, 2=11338
- Reynolds, A. Forced oscillations in a rotating liquid. I, 3=9428
- Reynolds, A. Forced oscillations in a rotating liquid. II, 3=18792
- Reynolds, A. J. Energy transport due to turbulent mixing in the atmosphere, 1=20825
- Reynolds, C. A. See Burnham, J., 0=16938
- Reynolds, C. A. See Marshak, H., 3=2468
- Reynolds, C. A. See Postma, H., 2=12207
- Reynolds, C. A. See Postma, H., 4=17069
- Reynolds, C. A. See Sailor, V. L., 2=18511
- Reynolds, C. A. See Shore, F. J., 0=16958
- Reynolds, C. E. and Seay, G. E. Multiple shock wave structures in polycrystalline ferroelectrics, 1=11778
- Reynolds, C. E. and Seay, G. E. Two-wave shock structures in the ferro-electric ceramics barium titanate and lead zirconate titanate, 2=14641
- Reynolds, C. E. and Seely, L. B. Temperature of shocked argon and methane, 4=2774
- Reynolds, D. C. Temperature dependence of edge emission in cadmium sulfide, 0=10059
- Reynolds, D. C. and Czyzak, S. J. Dislocations in two types of CdS crystals, 0=1584
- Reynolds, D. C. and Litton, C. W. Edge emission and Zeeman effects in CdS, 4=4293
- Reynolds, D. C., Pedrotti, L. S. and Larson, O. W. Edge emission in zinc selenide single crystals, 1=17912
- Reynolds, D. C. and Pedrotti, L. S. Temperature shift of edge emission in cadmium sulfide crystals, 3=949
- Reynolds, D. C. See Czyzak, S. J., 2=2351
- Reynolds, D. C. See Litton, C. W., 2=4196
- Reynolds, D. C. See Litton, C. W., 4=12887
- Reynolds, D. C. See Park, Y. S., 4=7063
- Reynolds, D. C. See Pedrotti, F. L., 2=20956
- Reynolds, D. C. See Pedrotti, L. S., 0=16080
- Reynolds, D. C. See Pedrotti, L. S., 1=1176
- Reynolds, D. C. See Warschauer, D. M., 0=658
- Reynolds, D. C. See Warschauer, D. M., 0=16119
- Reynolds, F. L. Ionization of tungsten single-crystal surfaces, 3=24226
- Reynolds, G. C. A demountable inductive strain gauge, 1=20286
- Reynolds, G. S. and Stevens, S. S. Binaural summation of loudness, 0=18539
- Reynolds, G. T. Present status of scintillation chambers, 1=2002
- Reynolds, G. T., Scarl, D. B., Swanson, R. A., Waters, J. R. and Zdanis, R. A. Filament scintillation chamber experiments in weak interactions, 2=9733
- Reynolds, G. T., Scarl, D. B., Swanson, R. A., Waters, J. R. and Zdanis, R. A. Muon capture on carbon, 3=8122
- Reynolds, G. T., Swanson, R. A. and Scarl, D. B.  $\pi^+$  tracks in a filament scintillation chamber, 0=20178
- Reynolds, G. T. and Waters, J. R. Photoelectron detection efficiency of high-gain image intensifier systems used with scintillation chambers, 3=19326
- Reynolds, G. T., Waters, J. R. and Poultney, S. K. Cherenkov rings from single particles observed with a high-gain image intensifier system, 3=17109
- Reynolds, G. T. See Bowen, T., 0=17426
- Reynolds, G. T. See Bowen, T., 0=17427
- Reynolds, G. T. See Hendel, A. Z., 1=16924
- Reynolds, G. T. See Waters, J. R., 2=18012
- Reynolds, G. T. See Waters, J. R., 3=2179
- Reynolds, H. K. See Ramer, C. E., 4=22644
- Reynolds, H. L., Goldberg, E. and Kerlee, D. D. Elastic scattering of heavy ions by gold and bismuth, 0=17612
- Reynolds, H. L. See Kerlee, D. D., 2=18362
- Reynolds, J. and Sternstein, S. S. Effect of pressure on the infra-red spectra of some hydrogen-bonded solids, 4=22908
- Reynolds, J. See Lindmayer, J., 3=10709
- Reynolds, J. A. and Phillips, N. J. Magnetic field diffusion during the initial stages of the theta pinch, 3=7565
- Reynolds, J. A. and Quinn, J. M. P. The shock model of the
- Reynolds, J. A. See Bodin, H. A. B., 3=12155
- Reynolds, J. A. See Bodin, H. A. B., 3=12156
- Reynolds, J. A. See Goldman, L. M., 3=3972
- Reynolds, J. A. See Goldman, L. M., 3=4144
- Reynolds, J. B. See Christensen, R. L., 1=8566
- Reynolds, J. B. See Hurwitz, C., 4=22190
- Reynolds, J. C. Surface properties of ground-state nuclear matter, 3=15082
- Reynolds, J. C. and Puff, R. D. Volume properties of ground-state nuclear matter, 3=15081
- Reynolds, J. H. Determination of the age of the elements, 0=4041
- Reynolds, J. H. Isotopic composition of primordial xenon, 0=12272
- Reynolds, J. H. Isotopic composition of xenon from enstatite chondrites, 1=4918
- Reynolds, J. H. I-Xe dating of meteorites, 1=18058
- Reynolds, J. H. The age of the elements in the solar system, 2=15304
- Reynolds, J. H. See Jeffery, P. M., 1=18066
- Reynolds, J. H. See Pepin, R. O., 2=17267
- Reynolds, J. M., Bots, G. J. C. and Coremans, M. J. F. J. Some remarks on the extra heat capacity of a vessel containing liquid helium and a paramagnetic salt, 1=5387
- Reynolds, J. M., Good, B. J. and Schultis, W. J. The apparent mass of an object moving through liquid helium II, 0=8905
- Reynolds, J. M. See Ali, S. A., 0=9944
- Reynolds, J. M. See Balain, K. S., 0=13582
- Reynolds, J. M. See Bergeron, C. J., 0=13581
- Reynolds, J. M. See Grenier, C. G., 3=8492
- Reynolds, J. M. See Grenier, C. G., 3=25354
- Reynolds, J. M. See Rao, G. N., 4=9904
- Reynolds, J. T., Onley, D. S. and Biedenbarn, L. C. Some exact radial integrals for Dirac-Coulomb functions, 4=11933
- Reynolds, J. T. See Griffy, T. A., 3=665
- Reynolds, J. T. See Onley, D. S., 3=8081
- Reynolds, J. T. See Onley, D. S., 4=19757
- Reynolds, M. B. The diffusion of fission krypton from metallic uranium, 0=11645
- Reynolds, M. B. Fission gas behaviour in the uranium-aluminium system, 0=13371
- Reynolds, P. and Skarsgard, H. M. A plasma betatron, 1=9661
- Reynolds, P. See Aitken, K., 4=8740
- Reynolds, P. See Aitken, K. L., 4=11651
- Reynolds, P. H. See Ostic, R. G., 4=15860
- Reynolds, P. M. Spectral emissivity of 99.7% aluminium between 200 and 540°C, 1=4498
- Reynolds, P. M. Non-destructive method of gauging electrodeposited nickel layers, 1=12839
- Reynolds, P. M. Emissivity errors of infra-red pyrometers in relation to spectral response, 1=15152
- Reynolds, P. M. A review of multicolour pyrometry for temperatures below 1500°C, 4=16276
- Reynolds, R. A. and Tegart, W. J. M. The deformation of some pure irons by high-speed torsion over the temperature range 700-1250°C, 3=6857
- Reynolds, R. T. See DeMarcus, W. C., 3=16338
- Reynolds, S. A. and Leddicotte, G. W. Radioactive tracers in analytical chemistry, 4=7804
- Reynolds, S. A. and Mullins, W. T. Neutron flux perturbation in activation analysis, 4=7803
- Reynolds, S. A. See Wright, H. W., 0=13178
- Reynolds, S. E. and Brook, M. Thunderstorm electrification, 3=6957
- Reynolds, S. I. See Devins, J. C., 0=2300
- Reynolds, S. I. Measurement and influence of surface charges in high-voltage phenomena, 0=5254
- Reynolds, W. C. Turbulent heat transfer in a circular tube with variable circumferential heat flux, 3=19035
- Reynolds, W. F. See Campbell, A. N., 2=4438
- Reynolds, W. N. and Goggin, P. R. The annealing of electron irradiation damage in graphite, 0=20854
- Reynolds, W. N. and Thrower, P. A. The flux-level effect in radiation damage in graphite, 4=6898
- Reynolds, W. N. and Thrower, P. A. Enhanced nucleation of radiation damage in graphite, 4=20322
- Reynolds, W. N., Thrower, P. A. and Sheldon, B. E. Aggregation and dispersal of radiation damage in graphite, 1=14348
- Reynolds, W. N. See Bell, J. C., 2=1947



- Reynolds, W.M. See Goggin, P.R., 3=10615  
 Reynolds, W.N. See Goggin, P.R., 4=20760  
 Reynolds, W.N. See Thrower, P.A., 3=20194  
 Reynolds, W.N. See Thrower, P.A., 3=25651  
 Reyssat, M. See Carru, H., 1=8030  
 Reyssat, M. See Decaux, B., 3=9951  
 Reyssat, M. See Flambard, A., 0=15  
 Rez, I.S. Some aspects of the chemical crystallography of piezoelectrics, 1=4031  
 Rez, I.S. Piezoelectric polymers, 3=20392  
 Rez, I.S. See Fedulov, S.A., 3=13116  
 Rez, I.S. See Fedulov, S.A., 3=13481  
 Rez, I.S. See Gurevich, V.M., 0=13578  
 Rez, I.S. See Gurevich, V.M., 0=13658  
 Rez, I.S. See Gurevich, V.M., 1=1130  
 Rez, I.S. See Gurevich, V.M., 1=6194  
 Rez, I.S. See Gurevich, V.M., 2=668  
 Rez, I.S. See Gurevich, V.M., 2=16685  
 Rez, I.S. See Meleshina, V.A., 1=12613  
 Reza, F.M. A bound of the derivative of impedance functions, 1=18725  
 Rezaev, N.I. and Shchepanyak, K. An investigation of intermolecular interaction in solutions using Raman line contours, 4=25784  
 Řezanka, I. Stray fields of conical pole pieces, 0=7191  
 Řezanka, I. An induction coil for measuring a magnetic field, 3=21922  
 Řezanka, I. and Frána, J. Response of anthracene to  $\beta$ -rays, 1=20021  
 Rezanaka, I., Frána, J. and Adam, J. Conversion coefficient on K-shell of 88.3 keV transition in  $\text{Hf}^{178}$ , 1=19413  
 Rezanaka, I., Frána, J. and Adam, J. Bremsstrahlung spectrum in beta decay, 2=9824  
 Rezanaka, I., Frána, J., Maštálka, A. and Beneš, J. Hard gamma radiation in the decay of  $\text{Lu}^{176m}$ , 2=20566  
 Řezanka, I. See Frána, J., 1=17031  
 Řezanka, I. See Frána, J., 4=19720  
 Rezanov, A.I. Energy of an electron in a quasi-periodic field, 1=3616  
 Rezanov, A.I. and Masharov, S.I. The theory of the thermal capacity of weak substitutional solid solutions at low temperatures, 2=23070  
 Rezanov, A.I., Rybin, I.A. and Masharov, S.I. Low-temperature luminescence and afterglow of silica gels, 1=10117  
 Rezanov, A.I. See Masharov, S.I., 2=8270  
 Rezanov, A.I. See Masharov, S.I., 2=20991  
 Rezek, J. and Craig, G.B. Striations in melt grown zinc single crystals, 2=14451  
 Rezikyan, A.M. and Mnatsakanyan, K.G. Illumination system for bubble chambers and cloud chambers, 4=18767  
 Rezin, M. See Briskman, V., 0=6531  
 Rezlescu, N. Method of detection of low-energy beta-rays, 3=24704  
 Rezneck, S. The education of an American scientist: H.A. Rowland, 1848-1901, 0=856  
 Rezneck, S. An American physicist's year in Europe: Henry A. Rowland, 1875-1876, 3=3698  
 Reznik, F.Ya. Relations between the structure of the surface layer of pure liquids and their surface and bulk properties, 3=16600  
 Reznikov, B. A. Mechanism of the formation of an "anomalous" distribution of residual stresses during heat treatment of single crystals, 4=10358  
 Reznikov, B. A. Relaxation of residual stresses in the process of annealing single crystals of alkali halide compounds, 4=23173  
 Reznikova, I.I. See Viktorova, E.N., 1=12887  
 Reznikova, I. I. See Zelinskii, V.V., 2=14741  
 Reznikova, I.I. See Zhmyreva, I.A., 0=15739  
 Reznikova, I.I. See Zhmyreva, I.A., 2=15595  
 Reznikovskii, M.M. and Lukomskaya, A.I. The relationship between rupture and tearing of rubber, 0=1865  
 Rezukhina, T.N. See Kochetkova, N.M., 3=22659  
 Rézvantsé, R. See Barb, D., 4=7758  
 Rezvyakov, N.S. See Radkevich, I.A., 4=16621  
 Rezvyakov, N.S. See Radkevich, I.S., 4=16408  
 Rezvyakov, N.S. See Sokolovskii, V.V., 4=16754  
 Rezvyi, R.R. See Shalimova, K.V., 1=17793  
 Rhead, G.E. Surface self-diffusion and faceting on silver, 3=25292  
 Rhead, G.E. and McLean, M. Variation of surface energy with crystallographic orientation in silver, 4=15816  
 Rhead, G.E. and Mykura, H. Thermal etching of silver, 2=14934  
 Rhead, G.E. and Mykura, H. Thermal etching of silver in various atmospheres, 2=21470  
 Rhead, G.E. See Feinberg, R., 1=14516  
 Rhead, G.E. See Mykura, H., 3=14324  
 Rhee, K.H. See Crawford, V.A., 3=2627  
 Rhee, K.H. See Freeman, D.E., 4=6593  
 Rhee, Y.I. See Leitner, J., 1=12121  
 Rhein, W. J. Demonstration of penetration potential, 4=2503  
 Rheinboldt, W.C. and Menard, J.P. Mechanized conversion of colorimetric data to Munsell rennotations, 0=14858  
 Rheinhold, I. See Kleber, W., 1=10106  
 Rheinstein, J. Scattering of electromagnetic waves from dielectric coated conducting spheres, 4=24845  
 Rhinehammer, T. B., Etter, D. E., Selle, J. E. and Tucker, P. A. The cerium-copper system, 4=30800  
 Rhinehart, W. A. See Torgeson, D. R., 4=8965  
 Rhines, F. N. and Gould, R. W. The zirconium-iron system, 4=10442  
 Rhines, F. N. See De Hoff, R. T., 2=17058  
 Rho, M. See Macfarlane, R. D., 4=21982  
 Rho, J. R. See Silver, M., 3=20339  
 Rho, M. and Rasmussen, J. O. Comparisons of BCS nuclear wave functions with exact solutions, 4=27937  
 Rho, M. See Porile, N. T., 2=22811  
 Rhoads, F. A. See Lamb, W. R., 1=9432  
 Rhoads, H. U. and Weber, A. H. Improved technique for preparation of carbon substrates, 2=10940  
 Rhoads, H. U. See Esquivel, A. L., 2=17068  
 Rhode, J. I. and Johnson, O. E. A  $4\pi$  positron scintillation spectrometer, 3=7838  
 Rhode, J. I. and Johnson, O. E. Positron decay of  $\text{Co}^{58}$ , 3=19815  
 Rhode, J. I., Johnson, O. E. and Smith, W. G. Positron decay of  $\text{Y}^{88}$ , 3=6205  
 Rhode, J. I. See Robinson, E. L., 1=7556  
 Rhoderick, E. H. Superconducting computer elements, 0=8932  
 Rhoderick, E. H. Resistance transitions of thin superconducting films in magnetic fields, 2=11566  
 Rhoderick, E. H. Electrical properties of thin films, 4=22660  
 Rhoderick, E. H. and Wilson, E. M. Current distribution in thin superconducting films, 2=22117  
 Rhoderick, E. H. See Broom, R. F., 0=1082  
 Rhoderick, E. H. See Broom, R. F., 0=12504  
 Rhoderick, E. H. See Broom, R. F., 2=5244  
 Rhoderick, E. H. See Broom, R. F., 2=9487  
 Rhoderick, E. H. See Oliver, D. J., 0=16950  
 Rhodes, C. G. Etch pits in uranium monocarbide, 4=7535  
 Rhodes, C. G. See Hake, R. R., 4=16338  
 Rhodes, D. F., Stallwood, R. A. and Mott, W. E. Intensity of unscattered gamma rays inside cylindrical self-absorbing sources, 2=3302  
 Rhodes, D. N. See Coleby, B., 4=5732  
 Rhodes, E. and Ubbelohde, A. R. Melting and crystal structure: effects of thermal transformations of ionic crystals on their ultra-violet absorption, 0=10038  
 Rhodes, E. See Cleaver, B., 1=16175  
 Rhodes, E. See Cleaver, B., 2=16666  
 Rhodes, E. See Cleaver, B., 2=16822  
 Rhodes, E. See Cleaver, B., 4=5451  
 Rhodes, E. See Cleaver, B., 4=7509  
 Rhodes, E. See Frame, J. P., 0=13466  
 Rhodes, E. See Hazlewood, F. J., 4=7510  
 Rhodes, J. R. A simple formula for mass absorption coefficients near the K-absorption edge, 2=23578  
 Rhodes, J. R. See Cameron, J. F., 0=3953  
 Rhodes, J. R. See Cameron, J. F., 0=8290  
 Rhodes, J. R. See Cameron, J. F., 1=20786  
 Rhodes, J. R. See Cameron, J. F., 4=6014  
 Rhodes, M. B. and Stein, R. S. Light scattering study of the annealing of drawn polyethylene, 1=20641  
 Rhodes, M. B. See Stein, R. S., 0=21221  
 Rhodes, P., Rowlands, G. and Birchall, D. R. Magnetization energies and distributions in ferromagnetics, 3=1065  
 Rhodes, P. and Wohlfarth, E. P. The effective Curie-Weiss constant of ferromagnetic metals and alloys, 3=13243  
 Rhodes, P. See Hindley, N. K., 3=10600  
 Rhodes, P. See Moody, D. E., 4=8538  
 Rhodes, P. See Wohlfarth, E. P., 3=5004  
 Rhodes, P. See Wohlfarth, E. P., 3=8666  
 Rhodes, R. G. See Black, R. M., 4=18224



- Rhodes, R.S., Burgers, J.H. and Edelstein, A.S. Exchange-ordering and observation of forbidden spin resonance transitions in crystalline organic radicals, 1=11483
- Rhodes, R.S. See Anderson, M.E., 1=19668
- Rhodes, R.S. See Burgess, J.H., 2=12738
- Rhodes, W. Symmetry of helical polymers. Electronic states of double-stranded polynucleotides, 3=2682
- Rhodes, W. The symmetry and spectral properties of helical polynucleotides, 4=9799
- Rhodin, T.N. See Bachmann, L., 0=14046
- Rhodin, T.N. See Walton, D., 3=16842
- Rhude, H.V. See Horak, J.A., 2=3975
- Rhyne, J. See Legvold, S., 3=20550
- Rhys-Roberts, C. and Tredgold, R.H. A note on the theory of space-charge limited currents, 1=1121
- Rhys-Roberts, C. See Landsberg, P. T., 4=9890
- Rhys-Roberts, C. See Pugh, D., 2=18563
- Riabikov, S.V. Ionization measurement in a Wilson chamber by a photometric method, 1=19074
- Riabukhin, Iu.S. and Breger, A.Kh. A liquid loop as a radiation source, with particular reference to radiation chemistry. II, 1=13878
- Riach, W., Elliott, D.N. and Reed, J.C. Growth of loudness and its relationship to intensity discrimination under various levels of auditory fatigue, 3=3681
- Riach, W. See Elliott, D.N., 2=7062
- Riach, W.D., Elliott, D.N. and Frazier, L. Effect of repeated exposure to high-intensity sound, 4=23973
- Riad, F. See El Nadi, M., 4=9565
- Riaño, E. and Amoros, J.L. Technique of obtaining large single crystals of organic substances, 2=8794
- Rias-ur-Rahman See Peacock, T.E., 4=6622
- Riazantsev, Iu.S. See Novikov, S.S., 3=16710
- Riazantsev, Yu., S. Calculation of density variation which occurs during phase transformation in Stefan's problem, 3=1867
- Riazantsev, Yu.S. Calculation of density variation which occurs during phase transformation in Stefan's problem, 3=1867
- Riazuddin. Low-energy p-p scattering phase shifts and dispersion relations, 1=4795
- Riazuddin. The fourth-order contribution to self-energies of the baryons and their mass spectrum, 3=537
- Riazuddin. Electromagnetic violation of conservation of vector current, 4=15013
- Riazuddin. Violation of conservation of strangeness-charging current, 4=21774
- Riazuddin and Fayyazuddin.  $K^*$  and  $K^-3\pi$  decay, 2=9915
- Riazuddin and Fayyazuddin. Properties and effects of  $\eta$ -decays, 3=10165
- Riazuddin and Fayyazuddin. Three-meson model for p-p scattering and Regge poles, 4=901
- Riazuddin and Marshak, R.E. Note on possible existence of scalar and axial vector octets, 4=30163
- Riazuddin and Moravcsik, M.J. Vector mesons and the uniqueness of nucleon-nucleon scattering amplitudes, 3=17264
- Riazuddin and Zimmerman, A. H.  $K-3\pi$  decay and  $K_2^0-K_1^0$  mass difference on current-current picture, 4=27897
- Riazuddin, Zimmerman, A. H. and Fayyazuddin. Nonleptonic decay, 4=25186
- Riazuddin. See Fayyazuddin, 2=11994
- Ribarič, M. The three-stage radio frequency mass spectrometer, 0=12649
- Ribarič, M. and Herman, F. Transparency of a plane slab of non-multiplying material for time dependent non-homogeneous currents, 0=12967
- Ribarič, M. and Strnad, J. Albedo of non-stationary neutron currents, 0=12961
- Ribarič, M. and Strnad, J. Albedo of non-stationary two-group neutron currents, 0=12962
- Ribarič, M., Strnad, J. and Peterlin, A. The time dependent two-group neutron flux in a homogeneous reflector, 0=12963
- Ribarič, M. See Blinc, R., 3=15408
- Ribarič, M. See Peterlin, A., 0=12964
- Ribarič, M. See Peterlin, A., 0=12965
- Ribaud, G. Comments on two recent notes on the cooling of a black body radiating in space, 3=19060
- Ribault, M. See Barrat, J. P., 4=9639
- Ribbe, P.H. See Fleet, S.G., 3=20975
- Ribbens, W.B. A quasi-cascaded parametric amplifier, 2=11787
- Ribbens, W.B. Effect of electromagnetic propagation on the magnetostatic modes, 2=32312
- Ribco, L. See Nachman, M., 2=8931
- Ribe, F.L. See Baker, D.A., 2=1455
- Ribe, F.L. See Bearden, A.J., 1=8820
- Ribe, F.L. See Jahoda, F.C., 3=7581
- Ribe, F.L. See Jahoda, F.C., 3=16955
- Ribe, F.L. See Jahoda, F.C., 4=19963
- Ribe, F.L. See Jahoda, F.C., 4=24678
- Ribe, F.L. See Little, E.M., 1=10721
- Ribe, F.L. See Little, E.M., 3=12206
- Ribe, F.L. See Mjolsness, R.C., 1=10710
- Ribe, F.L. See Nagle, D.E., 0=13387
- Ribe, F.L. See Sawyer, G.A., 3=7503
- Ribe, F.L. See Sawyer, G.A., 3=24296
- Ribeiro, S. C. and Murphy, P. V. Electrical effects of the irradiation of rhombic sulphur, 4=7036
- Ribeiro, S.C. See Murphy, P.V., 3=17923
- Ribeiro, S.C. See Murphy, P.V., 3=17947
- Ribeiro, S.C. See Murphy, P.V., 4=1668
- Ribin, A.N. Anechoic sound measuring chamber, 2=84
- Ribin, A.M. Anechoic sound measuring chamber, 2=7310
- Ribin, S.N. See Arzumanov, A.A., 2=7686
- Ribin, S.N. See Arzumanov, A.A., 2=20076
- Ribko, L. See Maxim, I., 2=18761
- Ribner, H.S. Energy flux from an acoustic source contained in a moving fluid element and its relation to jet noise, 0=16782
- Ribner, H.S. On spectra and directivity of jet noise, 3=11873
- Ribnikar, S.V. Equilibrium constants for boron isotope exchange reactions, 0=17675
- Ribnikar, S.V. and Knežević, Z.V. Note on the feasibility of the boron fluoride monohydrate process of boron isotope separation, 0=20573
- Ribnikar, S.V. See Bigeleisen, J., 1=16171
- Ribnikar, S.V. See Bigeleisen, J., 3=8247
- Ribon, P., Coin, A., Michaudon, A. and Nifenecker, H. Study of the characteristics of 54 avp photomultipliers in the light of their use in the detection of radiative-capture
- Ribon, P., Dimitrijevic, Z., Michaudon, A. and Wagner, P. Time of flight study of the neutron resonances in  $Rh^{103}$  between 4 eV and 10 keV, 2=462
- Ribon, P. and Michaudon, A. Determination of "s" and "p" neutron strength functions of  $Rh^{103}$ , 4=17168
- Ribon, P., Michaudon, A. and Dimitrijevic, Z. Study of the distribution of spacing and small neutron widths of the level of rhodium 104 obtained by the interaction of slow neutrons with rhodium 103, 2=12143
- Ribon, P. See Le Pipec, C., 3=4801
- Ribon, P. See Michaudon, A., 2=463
- Ribon, P. See Michaudon, A., 3=6259
- Ribon, P. See Michaudon, A., 4=17077
- Ribon, P. See Michaudon, A., 4=25327
- Ribound, P. V. and Muan, A. Effect of  $Cr_2O_3$  on melting relations of iron oxide at low oxygen pressures, 4=14453
- Ribrag, M. See Genin, R., 1=15906
- Ribrag, M. See Genin, R., 2=547
- Ribrag, M. See Genin, R., 3=12467
- Ribrag, M. See Gewin, R., 0=20504
- Rica, M.H. and Good, R.H., Jr. Stark effect in hydrogen, 2=6089
- Ricabarra, D. See Arcipiani, B., 3=8166
- Ricabarra, G.H. See Arcipiani, B., 3=8166
- Ricamo, R. See Agodi, A., 2=12178
- Ricamo, R. See Calvi, G., 3=6269
- Ricamo, R. See Calvi, G., 4=6354
- Ricamo, R. See Cuzzocrea, P., 0=15601
- Ricamo, R. See Cuzzocrea, P., 1=5925
- Ricamo, R. See Milone, C., 2=480
- Ricamo, R. See Notarrigo, S., 2=5690
- Ricamo, R. See Potenza, R., 3=10359
- Ricard, A. Post-luminescence of atomic beams of hydrogen which forms an impurity in rare gases, 4=29920
- Ricard, J. See Brown, M.V., 1=1795
- Ricateau, P. The ionized medium in magnetohydrodynamic conversion, 4=16418
- Ricateau, P. and Zettwoog, P. M. H. D. conversion in inhomogeneous flow, 4=18664
- Ricateau, P. See Belna, R., 0=2412
- Ricateau, P. See Bineau, M., 0=19662
- Ricateau, P. See Bineau, M., 0=19663
- Ricateau, P. See Clement, M., 4=18788
- Ricca, F. and della Porta, P. Carbon monoxide sorption by barium films, 2=844
- Ricca, F. See Nasini, A., 1=18493



- Ricci, F.P. Quantum effect on the radial distribution function of liquids, 0=14623
- Ricci, F.P. See Caglioti, G., 1=20470
- Ricci, F.P. See Cini-Castagnoli, G., 1=10510
- Ricci, F.P. See Antonini, B., 4=28794
- Ricci, F.P. See Caglioti, G., 0=18335
- Ricci, F.P. See Caglioti, G., 2=9868
- Ricci, F.P. See Caglioti, G., 2=11348
- Ricci, F.P. See Caglioti, G., 2=14969
- Ricci, F.P. See Caglioti, G., 3=126
- Ricci, F.P. See Caglioti, G., 3=1279
- Ricci, F.P. See Castagnoli, G.C., 0=16653
- Ricci, F.P. See Cini-Castagnoli, G., 0=3514
- Ricci, F.P. See Cini-Castagnoli, G., 0=14635
- Ricci, F.P. See Paoletti, A., 4=16918
- Ricci, R. See Wettermark, G., 3=25836
- Ricci, R.A., Chilos, G., Varcaccio, G., Vingiani, G.B. and Van Lieshout, R. The gamma ray spectra of  $^{65}\text{Ni}$  and  $^{65}\text{Zn}$ ; characteristics of the lower excited states of  $^{65}\text{Cu}$ , 0=17560
- Ricci, R.A., Girgis, R.K. and van Lieshout, R. Disintegration of  $^{86}\text{Ge}$ , 1=5412
- Ricci, R.A., Jean, M. and Van Lieshout, R. Effects of pairing and quadrupole forces on the branching ratios from the higher excited states in spherical even-even nuclei, 3=2371
- Ricci, R.A., Monaro, S. and van Lieshout, R. On the decay of  $\text{Ru}^{108}$ , 0=11385
- Ricci, R.A., van Lieshout, R. and van den Bold, H.J. Scintillation spectrometry study of the  $^{73}\text{Se}$  isomeric pair, 1=8642
- Ricci, R.A., van Lieshout, R., Vingiani, G.B., Monaro, S. and van Noolen, B. Levels in  $^{150}\text{Sm}$  from the decay of  $^{150}\text{Eu}$ , 2=1400
- Ricci, R.A. See Chilos, G., 1=8657
- Ricci, R.A. See Chilos, G., 1=13751
- Ricci, R.A. See Chilos, G., 3=2386
- Ricci, R.A. See Chilos, G., 3=7992
- Ricci, R.A. See Chilos, G., 4=19703
- Ricci, R.A. See Girgis, R.K., 0=4065
- Ricci, R.A. See Girgis, R.K., 0=4066
- Ricci, R.A. See Girgis, R.K., 0=4068
- Ricci, R.A. See Girgis, R.K., 0=4072
- Ricci, R.A. See Jacmart, J.C., 4=15203
- Ricci, R.A. See Monaro, S., 2=1840
- Ricci, R.A. See Ruhla, C., 4=22135
- Ricci, R.A. See van Lieshout, R., 0=15533
- Ricci, R.A. See van Lieshout, R., 1=13641
- Ricci, R.A. See Vingiani, G.B., 2=10079
- Ricci, R.A. See Ythier, C., 0=15545
- Riccia, J.Della. Band structure of II-IV compounds, 3=2752
- Rice, A.F. Thermal conductivities of tantalum-niobium single crystals, 4=15438
- Rice, D.W. and Forsyth, P.A. Variations in meteoric radio signal decay rates, 3=13924
- Rice, E.A. Concentric bipolar oxygen sensitive microelectrode, 1=12683
- Rice, E.A. and Shinabarger, E.W. Studies on the endolymphatic d.c. potential of the guinea pig's cochlea, 1=11664
- Rice, F.O. See Radford, H.E., 0=16175
- Rice, G. See Dunn, P.D., 2=19886
- Rice, G. See Dunn, P.D., 4=5548
- Rice, J.A. See West, F.G., 3=14722
- Rice, J.T. See Deresiewicz, H., 2=17536
- Rice, J.T. See Deresiewicz, H., 4=11284
- Rice, L. See Feuerstein, S., 4=20672
- Rice, L.B., Bolen, L.N. and Whitehead, W.D. Neutron photo-production cross sections of lanthanum and praseodymium, 4=17117
- Rice, M. A simple spring gun: experiments; demonstrations, 3=5399
- Rice, M.H. Capacitor technique for measuring the velocity of a plane conducting surface, 1=6815
- Rice, M.H. See Taylor, J.W., 3=9540
- Rice, O.K. Gas of hard nonattracting spheres, 0=954
- Rice, O.K. Note on the equation of state for hard spheres, 0=8562
- Rice, O.K. The thermodynamics of nonuniform systems, and the interfacial tension near a critical point, 2=1115
- Rice, O.K. Non-equilibrium effects in the dissociation of diatomic molecules by a third body, 3=12869
- Rice, O.K. and MacQueen, J.T. The effect of an impurity on the phase transition in a binary liquid system. II, 2=15579
- Rice, P.L. See Pappas, C.F., 1=5596
- Rice, S.A. On the dilational viscosity of simple dense fluids, 0=65
- Rice, S.A. Some further remarks on the coefficient of self-diffusion in simple dense fluids, 0=19107
- Rice, S.A. An acoustic continuum model of molecular friction in simple dense fluids, 1=18390
- Rice, S.A. Kinetic theory of ideal ionic melts, 2=15570
- Rice, S.A. A conjecture concerning the electric conductance of metal-molten salt mixtures, 2=15613
- Rice, S.A. and Alnatt, A.R. Approximate theory of transport in simple dense fluid mixtures, 1=4329
- Rice, S.A. and Alnatt, A.R. On the kinetic theory of dense fluids. VI. Singlet distribution function for rigid spheres with an attractive potential, 1=10445
- Rice, S.A. and Frisch, H.L. Dynamical theory of diffusion in crystals. IV. Some aspects of the introduction of irreversibility, 0=7862
- Rice, S.A. and Kirkwood, J.G. On an approximate theory of transport in dense media, 0=904
- Rice, S.A., Kirkwood, J.G. and Harris, R.A. On the kinetic theory of dense fluids. VIII. Some comments on the formal computation of the non-equilibrium distribution function of a fluid, 1=18391
- Rice, S.A. See Alnatt, A.R., 1=10446
- Rice, S.A. See Alnatt, A.R., 0=13497
- Rice, S.A. See Berne, B., 4=11174
- Rice, S.A. See Berne, B., 4=11175
- Rice, S.A. See Choi, S., 2=14580
- Rice, S.A. See Choi, S.I., 3=8568
- Rice, S.A. See Corneliusen, R., 3=11790
- Rice, S.A. See Davis, H.T., 2=1116
- Rice, S.A. See Davis, H.T., 2=21895
- Rice, S.A. See Davis, H.T., 3=317
- Rice, S.A. See Davis, H.T., 3=1677
- Rice, S.A. See Davis, H.T., 3=1678
- Rice, S.A. See Davis, H.T., 4=24198
- Rice, S.A. See Gray, P., 4=21115
- Rice, S.A. See Harris, R.A., 0=3469
- Rice, S.A. See Harris, R.A., 0=18967
- Rice, S.A. See Harris, R.A., 0=18968
- Rice, S.A. See Helfand, E., 0=14543
- Rice, S.A. See Ikenberry, L.D., 4=169
- Rice, S.A. See Jortner, J., 3=20000
- Rice, S.A. See Jortner, J., 4=9880
- Rice, S.A. See Jortner, J., 4=18517
- Rice, S.A. See Katz, J.I., 4=1430
- Rice, S.A. See Katz, J.L., 4=6805
- Rice, S.A. See Lawson, A.W., 0=4304
- Rice, S.A. See Lowry, B.A., 4=14076
- Rice, S.A. See Lowry, B.A., 4=21108
- Rice, S.A. See Manley, O.P., 0=4305
- Rice, S.A. See Meyer, L., 2=15832
- Rice, S.A. See Meyer, L., 4=14491
- Rice, S.A. See Naghizadeh, J., 2=13328
- Rice, S.A. See Pysh, E.S., 4=17298
- Rice, S.A. See Vala, M.T., Jr., 4=3948
- Rice, S.A. See Yamakawa, H., 3=14158
- Rice, S.A. See Zimm, B.H., 1=14138
- Rice, W. Diffusion of impurities during epitaxy, 4=25960
- Rice-Evans, P. On the lifetime of the odd parity level in  $^{144}\text{Nd}$ , 4=6233
- Rich, E. See Raab, D.H., 3=21159
- Rich, E. See Raab, D.H., 4=10960
- Rich, J.A. Resistance heating in the arc cathode spot zone, 1=10687
- Rich, J.A. Stationary and running striations in a radio frequency discharge, 3=4165
- Rich, J.A. See Lapp, M., 3=19241
- Rich, J.B., Walters, G.P. and Barnes, R.S. The mechanical properties of some highly irradiated beryllium, 2=4338
- Rich, M. Resonant gamma absorption near crystal surfaces, 3=25171
- Rich, M. and Griffin, J.J. Statistical behaviour of finite isolated superfluids, 3=19743
- Rich, M. See Griffin, J.J., 0=1354
- Rich, M. See Griffin, J.J., 0=9504
- Richard, N.A. See Austin, A.E., 1=11224
- Rich, T.A. See Keefe, D., 0=7073
- Richard C. See Citron, A., 2=20658
- Richard, D. Analytic study of the energy loss of charged particles in a plasma, 4=11584
- Richard, H. See Labrousse, Y., 4=30916
- Richard, J. Experimental study of the optical properties of thin films of gold in the near infrared, 2=14656
- Richard, J. Study of the optical properties of thin films of silver, 2=18798



- Richard, J. Experimental study of the properties of thin films of aluminium in the visible and near i.r., 2=23538
- Richard, J. Experimental study of the optical properties of thin films of germanium in the visible and infrared, 3=10953
- Richard, J. Study of the optical properties of certain thin films of metals in the visible and infrared, 4=7093
- Richard, J. An interpretation of the anomalous optical properties of thin metal films, 4=7094
- Richard, J. Abnormal optical properties of certain thin metallic films, 4=22832
- Richard, J. and Roux, D. A study of the optical properties of thin films in the near infrared, 3=13147
- Richard, J. and Varenne, S. Experimental study of the optical properties of thin copper films in the visible and the near infrared, 3=17996
- Richard, J. and Wesolowska, C. Experimental study of the optical properties of thin layers of indium in the near ultra-violet and the visible, 4=28692
- Richard, J. See Rouard, P., 4=22866
- Richard, J. See Wesolowska, C., 4=13034
- Richard, J. See Wesolowska, C., 4=17564
- Richard, J. C. See Boutry, G. A., 4=11697
- Richard, K. F., Rao, U. R. and Smith, W. B. Transistorized automatic data recording for cosmic-ray detectors, 3=15057
- Richard, M. Investigations at high pressures on barium titanate ceramics, 2=2669
- Richard, M. Silicon evaporation in vacuo, 3=20927
- Richard, M., Eyraud, L., Fétiveau, M. and Rivière, R. Influence of grain size on the ferro-paramagnetic transition of barium titanate, 3=8792
- Richard, M. See Eyraud, L., 3=6816
- Richard, M. See Eyraud, L., 3=20769
- Richard, M. See Roux, A., 4=15439
- Richard, M. See Roux, A., 4=18473
- Richard, M. J. Faraday effect ellipsometer, 4=16087
- Richard, M. J. See Wesolowska, C., 4=30680
- Richard, N. A. See Austin, A. E., 3=2824
- Richards, A. E. See Carter, D. H., 4=28075
- Richards, B. and Wolf, E. Electromagnetic diffraction in optical systems. II. Structure of the image field in an aplanatic system, 0=8787
- Richards, B. P. An X-ray powder camera attachment for preferred orientation investigations, 4=30839
- Richards, B. P. See Kellett, E. A., 4=28377
- Richards, C. N. See Salanave, L. E., 2=17140
- Richards, E. J. Vibrations: Their effects and analysis, 0=8727
- Richards, E. W. T., Atherton, N. J. and Steers, E. B. M. Further observations of the near infrared emission spectra of uranium and plutonium, 4=1217
- Richards, E. W. T., Ridgeley, A., Atherton, N. J. and Wise, H. S. Nuclear spin protoactinium-231 from hyperfine splitting, 2=3460
- Richards, E. W. T. See Bovey, L., 3=698
- Richards, G. L. See Garwood, R. D., 1=15130
- Richards, H. L. and Muschlitz, E. E., Jr. Angular dependence of the scattering of metastable helium atoms in helium and neon, 4=25588
- Richards, H. T. See Salisbury, S. R., 2=13991
- Richards, I. R. See Mawdsley, J., 1=9304
- Richards, J. C. S. Simple apparatus for measuring dielectric constants and losses from 10 c/s to 50 kc/s, 0=3719
- Richards, J. C. S. See Jones, R. V., 0=5150
- Richards, J. D. Materials selection criteria for thermoelectric power generation, 4=27462
- Richards, J. D. See Davies, P. W., 2=16962
- Richards, J. L. Growth of gallium arsenide by horizontal zone melting, 0=8166
- Richards, J. L. and Crocker, A. J. Etch pits in gallium arsenide, 0=11623
- Richards, J. L., Hart, P. B. and Gallone, L. M. Epitaxy of compound semiconductors by flash evaporation, 4=7571
- Richards, J. L. See Lever, R. F., 1=2530
- Richards, J. L. See Müller, E. K., 4=15726
- Richards, J. M. The penetration of interfaces by cylindrical thermals, 3=21036
- Richards, J. M. Comparisons between calculated thermal motions and experiments, 4=2191
- Richards, J. M. and Geisow, J. C. H. A velocity controlled electrolytic tank field plotter, 4=8583
- Richards, J. R. Vernier scale arrangement for the measurement of peak heights on mass spectrometer charts, 0=16662
- Richards, J. R. Age of the earth's crust and lead model ages, 2=21616
- Richards, L. E. and Strauss, S. W. The density of solutions of nickel in liquid bismuth at 800°C, 4=14137
- Richards, L. E. See Strauss, S. W., 1=18388
- Richards, L. E. See Strauss, S. W., 2=7204
- Richards, L. E. See Strauss, S. W., 2=5004
- Richards, L. M. See Wild, R. L., 1=5107
- Richards, L. W. See Kistiakowsky, G. B., 2=12963
- Richards, M. G. See Beal, B. T., 4=14480
- Richards, M. G. See Beal, B. T., 4=18522
- Richards, M. J. See Sorsby, A., 2=13226
- Richards, M. S. See Dell, H. A., 1=101
- Richards, P. L. Anisotropy of the superconducting energy gap in pure and impure tin, 2=5243
- Richards, P. L. Magnetic field dependence of the surface impedance of superconducting tin at 3 kMc/sec, 2=11565
- Richards, P. L. Far-infrared magnetic resonance in  $\text{CoF}_2$ ,  $\text{NiF}_2$ ,  $\text{KNiF}_3$ , and  $\text{YbIG}$ , 3=15930
- Richards, P. L. Antiferromagnetic resonance in  $\text{CoF}_2\text{NiF}_2$ , and  $\text{MnCO}_3$ , 4=13302
- Richards, P. L. and Tinkham, M. Far-infrared energy gap measurements in bulk superconducting In, Sn, Hg, Ta, V, Pb, and Nb, 0=14933
- Richards, P. L. See Ginsberg, D. M., 0=1083
- Richards, P. M. Relaxation of longitudinal and transverse components of nuclear magnetization in liquids, 3=23914
- Richards, P. M. Finite temperature equilibrium properties of liquid  $\text{He}^3$  in Fermi liquid theory, 4=5494
- Richards, P. M. and Shaw, H. J. Observation on space-average harmonic component of magnetization due to spin waves in ferrites, 2=16924
- Richards, P. M. and Shaw, H. J. Influence of spin waves upon harmonic generation in ferrites, 4=7310
- Richards, P. M. See Beal, B. T., 4=18522
- Richards, R. E. Nuclear resonance in paramagnetic solutions, 3=21413
- Richards, R. E. and Schaefer, T. Motional narrowing and line shapes in some ammonium salts, 2=4291
- Richards, R. E. and White, J. W. Nuclear electron double resonance at 12 500 gauss, 4=24244
- Richards, R. E. and White, J. W. Apparatus for nuclear-electron double resonance at 12 500 gauss, 4=24872
- Richards, R. E. and Yorke, B. A. Nuclear resonance spectra of electrolyte solutions, 3=14185
- Richards, R. E. See Craig, R. A., 4=3916
- Richards, R. E. See Craig, R. A., 4=3917
- Richards, R. E. See Evans, B. A., 0=15108
- Richards, R. E. See Freeman, R., 1=154
- Richards, R. E. See Freeman, R., 1=155
- Richards, R. E. See Gasser, R. P. H., 1=156
- Richards, R. E. See Herbison-Evans, D., 4=20104
- Richards, R. E. See Leane, J. B., 0=3866
- Richards, R. E. See Howarth, O. W., 4=25263
- Richards, S. M. See Kasper, J. S., 4=23471
- Richards, S. R. See Bockris, J. O' M., 4=27167
- Richards, T. H. Analogy between the slow motion of a viscous fluid and the extension and flexure of plates: a geometric demonstration by means of moiré fringes, 0=8603
- Richards, T. L. Thermal motion in cubic metal crystals, 4=1361
- Richards, T. L. and Derricott, R. T. The crystal geometry of the tensile deformation of cube-texture nickel, 4=26521
- Richards, T. L. The significance of the strain ellipsoid in the case of large plastic strain, 4=4443
- Richards, W. C. See Law, J. M., 2=11598
- Richards, W. G. and Barrow, R. F. The calculation of potential curves for diatomic molecules from experimental data, 4=20015
- Richards, W. G. and Barrow, R. F. Potential energy curve for the ground state of the iodine molecule, 4=20050
- Richards, W. C. Measurement with the AC-Baker interference microscope, 4=29742
- Richardson, A. C. B. Low scatter high current gas target for d-d neutrons, 0=20155
- Richardson, A. C. B. and Costrell, L. Use of transistors in Van de Graaff source leak controls, 4=3065
- Richardson, A. C. B. See Schwartz, R. B., 4=29847
- Richardson, A. C. B. See Spiegel, V., Jr., 2=5671
- Richardson, B. See Medford, R. D., 3=1991
- Richardson, B. M. and Strehlow, R. A. Gaseous desorption at low pressures and liquid nitrogen temperatures, 4=18276



- Richardson, C. See Pevsner, A., 2=5719
- Richardson, C.B. Temperature dependence of the Zeeman effect in the nuclear quadrupole resonance in chloranil, 3=8743
- Richardson, C.R. See Barnes, V.E., 4=16969
- Richardson, D.A. See Barker, R.S., 0=16074
- Richardson, D.A. See Barker, R.S., 1=6119
- Richardson, D.A. See Barker, R.S., 1=17886
- Richardson, E.G. The transmission of sound through a wake, 1=198
- Richardson, E.G. See Brown, A.E., 0=19131
- Richardson, E.G. See Eden, H.F., 1=15873
- Richardson, E.G., Jr. See Hudson, E.D., 3=5752
- Richardson, E.H. See Brodersen, S., 1=7456
- Richardson, E.H. See Owen, T., 4=23894
- Richardson, F.M. and Beatty, K.O. Patterns in turbulent flow in the wall-adjacent regions, 0=928
- Richardson, H. See Stearn, J.L., 0=14370
- Richardson, H. O. W. Computation of beta-ray line shape and luminosity in spheroidal field and other magnetic lens spectrometers, 4=30216
- Richardson, H.O.W. See Michelson, D., 3=9875
- Richardson, J. A. See Wray, F. J., 4=29497
- Richardson, J.F. and Vick, F.A. Evaporation and diffusion rate measurements on cathodes of sintered nickel containing alkaline-earth oxides, 0=7132
- Richardson, J.H. and Schneidmiller, R. F. New technique for measurement of electron diffraction patterns of polycrystalline materials, 4=26688
- Richardson, J.M. and Brinkley, S.R., Jr. Cell method in grand canonical ensemble, 0=19097
- Richardson, J.M. See Gallet, R.M., 0=10916
- Richardson, J.M. See Ward, G.D., 3=21980
- Richardson, J.R. Preliminary considerations on meson cyclotrons, 3=5781
- Richardson, J.R. Design criteria for a 700 MeV cyclotron to accelerate negative hydrogen ions, 4=8879
- Richardson, J.R., Willax, H. and Jones, W.B. Note on a spill beam from the 88-inch cyclotron, 3=5733
- Richardson, J.R. See Bloom, S.D., 4=17090
- Richardson, J.R. See Boom, R.W., 0=1409
- Richardson, J.R. See Catura, R.C., 2=10033
- Richardson, J.R. See Clark, D.J., 2=9662
- Richardson, J.R. See Clark, D.J., 2=9677
- Richardson, J.R. See Clark, D.J., 2=20077
- Richardson, J.R. See Clark, D.J., 3=5730
- Richardson, J.R. See Jacobi, T.H., 0=5699
- Richardson, J.R. See Schweizer, F., 2=16374
- Richardson, J. T. Magnetic properties of  $\text{Ni}_2\text{O}_3 \cdot \text{H}_2\text{O}$ , 4=4333
- Richardson, J. T. Cationic distribution in cobalt spinels, 4=13231
- Richardson, J.T. and Beauxis, J.O. Automatic magnetic susceptibility apparatus, 3=21924
- Richardson, J.T. See Milligan, W.O., 3=18104
- Richardson, J.W. Improved molecular orbital wave functions and nuclear quadrupole coupling in  $\text{CO}$ ,  $\text{N}_2$  and  $\text{Li}_2$ , 0=17817
- Richardson, J.W. Double- $\zeta$  SCF MO calculation of the ground and some excited states of  $\text{N}_2$ , 1=19655
- Richardson, J.W., Nieuwpoort, W.C., Powell, R.R. and Edgell, W.F. Approximate radial functions for first-row transition-metal atoms and ions. I. Inner-shell, 3d and 4s atomic orbitals, 2=6084
- Richardson, J. W. and Pack, A. K. Partitioning of Hamiltonians and molecular energies, 4=30417
- Richardson, J.W., Powell, R.R. and Nieuwpoort, W.C. Approximate radial functions for first-row transition-metal atoms and ions. II. 4p and 4d atomic orbitals, 3=10435
- Richardson, M.J. Molecular weights of amorphous polymers by electron microscopy, 3=20039
- Richardson, M.T. See Southern, A.L., 3=9877
- Richardson, P.D. A swinging thermometer, 3=14405
- Richardson, P. D. Comments on viscous damping in oscillating liquid columns, 4=138
- Richardson, P.D. See Kestin, J., 3=11968
- Richardson, R.C. See Rorer, D.C., 3=12029
- Richardson, R. E. Alignment of a logarithmic amplifier-detector, 4=11496
- Richardson, R.W. A restricted class of exact eigenstates of the pairing-force Hamiltonian, 3=7962
- Richardson, R.W. Application to the exact theory of the pairing model to some even isotopes of lead, 3=19751
- Richardson, R. W. and Sherman, N. Exact eigenstates of the pairing-force Hamiltonian, 4=15130
- Richardson, R. W. and Sherman, N. Pairing models of  $\text{Pb}^{208}$ ,  $\text{Pb}^{204}$  and  $\text{Pb}^{202}$ , 4=15131
- Richardson, W.H. See Tyler, J.E., 0=8766
- Richartz, M. On the measurement of skylight polarizations, 0=6483
- Riche, T. See Lucenet, G., 3=19614
- Richer, I. Basic limits on the properties of field-effect transistors, 4=4190
- Richer, I. and Middlebrook, R. D. Power-law nature of field-effect transistor experimental characteristics, 4=15552
- Richer, I. See Middlebrook, R. D., 4=4191
- Richer, N.B. The nature of comets, 3=13868
- Richert, R. A contribution to fast-coincidence techniques and a study of the probabilities of E2 transitions in some light nuclei, 2=14039
- Richert, R. See Gorodetsky, S., 0=15540
- Richert, R. See Gorodetsky, S., 0=17557
- Richert, R. See Gorodetsky, S., 1=613
- Richert, R. See Gorodetsky, S., 1=16985
- Richert, R. See Gorodetsky, S., 1=17038
- Richert, R. See Gorodetsky, S., 1=1880
- Richert, R. See Gorodetsky, S., 1=16226
- Richert, R. See Gorodetsky, S., 2=365
- Richert, R. See Gorodetsky, S., 2=382
- Richert, R. See Gorodetsky, S., 2=12174
- Richert, S. See Berkelman, K., 3=7914
- Richert, S. See McDaniel, B.D., 0=5616
- Richert, S. See McLeod, D., 2=5709
- Richey, C.R. See Lloyd, R.C., 0=12958
- Richey, F. Radar contrast patterns of airport runways, 2=1596
- Richey, F. See Duntley, S.Q., 3=6962
- Richey, F. See Mayer, H. L., 4=20974
- Richez, E.J. See Gnaedinger, R.J., Jr., 2=21175
- Richez, J. A trace following device, 3=19529
- Richie, W. C. See Collins, J. L., 4=24318
- Richman, D. Dissociation pressures of GaAs, GaP and InP and the nature of III-V melts, 3=25815
- Richman, I. Vibronic spectra of  $\text{SrF}_2 : \text{Sm}^{2+}$  and  $\text{BaF}_2 : \text{Sm}^{2+}$ , 4=13085
- Richman, I., Satten, R. A. and Wong, E. Y. Lattice vibrations at  $\text{LaCl}_3$  and  $\text{LaBr}_3$  from vibronic spectra, 4=1365
- Richman, I., Satten, R. A. and Wong, E. Y. Erratum: Lattice vibrations of  $\text{LaCl}_3$  and  $\text{LaBr}_3$  from vibronic spectra, 4=20195
- Richman, I. and Wong, E.Y. Absorption spectrum of  $\text{Nd}^{3+}$  in  $\text{LaBr}_3$ , 3=3009
- Richman, I. See Wong, E.Y., 1=6209
- Richman, I. See Wong, E.Y., 2=10595
- Richman, I. See Wong, E.Y., 3=3014
- Richmond, C.N. See Leifer, L., 2=99
- Richmond, I.J. Solid state devices, 0=2871
- Richmond, J.C. Relation of emittance to other optical properties, 3=25432
- Richmond, J.C. and Harrison, W.N. Total hemispherical emittance of coated and uncoated inconel and types 321 and 430 stainless steel, 3=289
- Richmond, J.H. Transmission through inhomogeneous plane layers, 2=16028
- Richman, M.H., Cohen, M. and Wilsdorf, H.G.F. Experimental evidence for martensitic embryos, 0=21208
- Richman, M.H., Thomas, D.A. and Cohen, M. The role of austenitizing temperature in the nucleation of pearlite, 0=18393
- Richman, R. H. and Conard, G. P., II. Mechanical twinning in Fe-5 wt. % Be, 4=10455
- Richmond, C.R. See Ott, D.G., 0=3889
- Richmond, R. See Bannerman, R. C., 4=30364
- Richmond, R. See Sanders, J.E., 0=7644
- Richter, A. See Von Brentano, P., 4=17134
- Richter, B. Low-mass anomaly in photoproduction of pion pairs, 3=10151
- Richter, B. See Allaby, J. V., 4=11976
- Richter, E. Theory of force-free magnetic fields, 0=12689
- Richter, E. Statement of Kraichnan's theory for isotropic hydromagnetic turbulence, 2=17940
- Richter, E. Energy spectrum of isotropic hydromagnetic turbulence, 3=17042
- Richter, E. A procedure for the calculation of the position of the fermi level in semiconductors with the help of an electronic digital computer, 3=20293
- Richter, E. See Böhm, K.H., 0=783



- Richter, E. See Böhm, K.H., 0=14467  
 Richter, E. See Böttger, O., 2=23368  
 Richter, E. See Böttger, O., 2=23369  
 Richter, E.F. See Baumgärtel, K., 4=7400  
 Richter, F.W. and Wiegand, D. Measurement of the lifetime of the 87 keV level of  $Dy^{160}$ , 2=20513  
 Richter, F.W. See Kamke, D., 3=21729  
 Richter, F.W. See Severiens, J.C., 0=5688  
 Richter, G. Inducible scattering centres in InSb, 2=12531  
 Richter, G. Interpretation of the photo-magneto-electric effect in InSb single crystals, 4=20430  
 Richter, G. Theory of the stationary photomagnetolectric effect in InSb, 4=22799  
 Richter, G., Biel, W. and Bagge, E. Measurement of the transmission of a palladium target for neutrons in the energy range from 1.5 to 10 eV, 3=19859  
 Richter, G. and Dzong, T.K. Determination of the diffusion constant, the drift mobility and the lifetime of minority charge carriers in semi-conductors from distance-time measurements, 2=2148  
 Richter, G. and Schwind, A.E. On the linewidth of nuclear resonance of extended samples in an inhomogeneous magnetic field, 4=750  
 Richter, G. See Paul, H., 4=21265  
 Richter, H. The complex structure of solid amorphous and melted bismuth, 3=16123  
 Richter, H. Atomic order in amorphous solids and in mono-atomic molten metals, 4=2134  
 Richter, H. and Breitling, G. The structure of monatomic molten metals by a new method of analysis, 1=12863  
 Richter, H. and Breitling, G. The evaluation of scattering diagrams of monatomic molten metals, 2=17439  
 Richter, H. and Breitling, G. The question of crystal growth from metallic melts, 3=18253  
 Richter, H. and Rukwied, A. Characteristic energy losses of fast electrons during irradiation of amorphous and crystalline As and Ge films, 1=9998  
 Richter, H. and Schneider, R. Temperature dependence of the conductivity of amorphous germanium evaporated layers, 0=2882  
 Richter, H. See Breitling, G., 3=9438  
 Richter, H. See Breitling, G., 4=18177  
 Richter, H. See Brözel, R., 2=15566  
 Richter, H. See Brözel, R., 2=17335  
 Richter, H. See Brözel, R., 2=17436  
 Richter, H. See Dietrich, I., 3=14460  
 Richter, H. See Leonhardt, R., 2=837  
 Richter, J. Ancillary apparatus for the direct recording of intensity curves with a microphotometer, 0=4844  
 Richter, J. On the oscillator strengths of multiplets of neutral nitrogen, 1=12252  
 Richter, J. Diffusion processes in arcs, 2=5319  
 Richter, J. and Lorenz, W. Comparative radiochemical and electrochemical study of ion adsorption on platinum, 2=15105  
 Richter, J. See Niesel, W., 4=18404  
 Richter, K. Carrier multiplication of an avalanche with intrinsic space charge, 0=2349  
 Richter, K. The probability of streamer channel formation from a large electron avalanche, 0=7103  
 Richter, K. See Dickel, G., 4=20000  
 Richter, K. See Lendvay, E., 3=4989  
 Richter, K. See Lendvay, E., 3=10997  
 Richter, M. Investigations of the generalized albedo problem, 1=2267  
 Richter, M. The flux density of thermal neutrons in the vicinity of the edge of a scattering medium, 1=9855  
 Richter, M. See Guldenpenning, J., 4=605  
 Richter, N. Photometric observations of the Arend-Roland comet by means of interference filters in the light of typical comet emissions, and the determination of polarization in the comet head and tail, 2=9066  
 Richter, N.B. The photometric properties of interplanetary matter, 3=3542  
 Richter, R.M. Measurements of backscattering from the sea surface, 4=23717  
 Richter, R.M. See Allison, R.W., Jr., 2=1533  
 Richter, W. and Wahn, G. Determination of the thermal conductivity of metals by the cylinder method at normal and medium temperatures, 4=344  
 Richter, W. See Klebe, J., 2=7322  
 Richtmyer, R.D. See Lüst, R., 1=10707  
 Rickard, C. See Fortescue, P., 0=5820  
 Rickard, E.F. See Forster, C.F., 3=15715  
 Rickards, G.A. See Harris, J.E., 2=19098  
 Rickards, C.J. Nuclear spectra of  $F^{20}$ ,  $O^{17}$ , and  $O^{16}$  from (d, p), (d,  $\alpha$ ) and (p,  $\alpha$ ) reactions in  $F^{19}$ , using incident energies of 1.8 MeV, 1=9875  
 Rickards, G.K. and Williamson, G.K. Instrumental constants in Philips EM 200 microscope, 4=11712  
 Rickards, J. See López, M.E.O., 4=12266  
 Rickards, J. See Perry, R.R., 3=22378  
 Rickayzen, G. Collective excitations in the theory of superconductivity, 0=230  
 Rickayzen, G. See Bardeen, J., 0=10838  
 Rickayzen, G. See Evans, W.A.B., 4=8563  
 Rickel, A.M. See Albers, W.A., 2=21138  
 Ricker, C.W., Fry, D.N., Mann, E.R. and Hanauer, S.H. Investigation of negative reactivity measurement by neutron fluctuation analysis, 4=19865  
 Ricker, T. See Bross, H., 1=17620  
 Rickert, H. and Wagner, C. Stationary states and stationary transport processes in silver sulphide in a temperature gradient, 4=9990  
 Rickert, H. See Birks, N., 3=13587  
 Rickertson, B.W.A. See Coy, J.D.C., 4=11261  
 Rickett, R. See Mayer, L., 2=6788  
 Rickett, R. See Mayer, L., 3=25790  
 Rickey, B. See Knight, W.L., 4=19805  
 Rickey, M.E. and Smythe, R. The acceleration and extraction of negative hydrogen ions in the c.u. cyclotron, 3=5736  
 Rickey, M.E. See Bardin, B.M., 4=21600  
 Rickey, M.E. See Lind, D.A., 3=5735  
 Rickey, M.E. See Lind, D.A., 3=5749  
 Rickey, M.E. See Sheer, R., 4=19784  
 Rickmenspoel, R. and van Patter, D.M. The decay of  $Br^{78}$ , 1=8630  
 Ricks, R.S. and Pope, M.D. Observation of microplasmas in GaP, 4=4030  
 Rickson, K.O., Hall, C.B. and McConnell, J.D.C. A high temperature single-crystal X-ray camera, 3=20813  
 Riddell, R.J., Jr. See Cohen, S., 0=13434  
 Riddell, R.J., Jr. See Cohen, S., 0=13458  
 Riddell, R.J., Jr. See Cohen, S., 0=13459  
 Riddiford, A.C. See Elliott, G.E.P., 3=1672  
 Riddiford, A.W. and Krumhansl, J.A. A model for a diffusive magnetothermoelectric generator, 4=5546  
 Riddiford, L. and Williams, A. The interaction of 970 MeV protons with helium, 0=20139  
 Riddiford, L. See Barnes, V.E., 2=285  
 Riddiford, L. See Barrow, C., 3=14692  
 Riddiford, L. See Batson, A.P., 0=1279  
 Riddiford, L. See Batson, A.P., 0=9356  
 Riddiford, L. See Bugg, D.V., 4=15055  
 Riddiford, L. See Dodd, W.P., 2=5542  
 Riddiford, L. See Dowell, J.D., 0=1280  
 Riddiford, L. See Goldsack, S.J., 2=9888  
 Riddiford, L. See Homer, R.J., 4=16933  
 Riddiford, L. See Rushbrooke, J.G., 4=30227  
 Rideal, E. and Sweett, F. The chemisorption of hydrogen on nickel, 1=1480  
 Rideau, G. A soluble model in quantum field theory: the Wentzel model, 1=18259  
 Ridel, E.A. On the exchange coefficient in the lowest layers of the atmosphere, 0=2021  
 Ridel, K. See Gorshkov, V.G., 4=6269  
 Ridel, R.J., Jr. See Lepore, J.V., 3=22077  
 Rident, M.S. See Marshall, W., 4=20513  
 Rider, B.F., Peterson, J.P., Jr. and Ruiz, C.P. The mass spectrometric determination of the  $Cs^{137}$  half-life, 3=12631  
 Rider, J.G. and Brooks, J.H.H. The relationship between hardness and electrical resistivity changes induced by cold work in copper, nickel, and aluminium, 3=13373  
 Rider, J.G. and Roney, P.L. The densities of lead-indium alloys, 3=25731  
 Rider, J.G. See Harlow, R.G., 3=7258  
 Rider, N.E. A system for recording and integrating physical measurements, 1=11890  
 Rider, N.E. and Bradley, E.F. Digitization and integration of reflecting galvanometer deflections, 2=2964  
 Rider, N.E., Philip, J.R. and Bradley, E.F. The horizontal transport of heat and moisture—A micrometeorological study, 4=4753  
 Ridge, M.J. and Surkevicius, H. Nucleation of gypsum crystals, 4=20730  
 Ridge, M.J. See Bright, J.E., 1=7843  
 Ridge, M.J. See Molony, B., 4=7670



- Ridge, M.J. See Ogilvie, G.J., 0=3815
- Ridgeley, A. See Richards, E.W.T., 2=3460
- Ridgley, D.H. See Huber, E.E., Jr., 3=15735
- Ridgley, D.H. See Huber, E.E., Jr., 4=28819
- Ridgway, S.L., Clark, G.L. and York, C.M. Time-resolved spectroscopy of ruby laser emissions, 3=14335
- Ridley, B.K. The effect of an electric field on the decay of excess carriers in semiconductors, 0=9956
- Ridley, B.K. Specific negative resistance in solids, 4=6906
- Ridley, B.K. and Pratt, R.G. A bulk differential negative resistance due to electron tunnelling through an impurity potential barrier, 3=20298
- Ridley, B.K. and Watkins, T.B. The possibility of negative resistance effects in semiconductors, 1=14414
- Ridley, B.K. and Watkins, T.B. The dependence of capture rate on electric field and the possibility of negative resistance in semiconductors, 2=628
- Ridley, B.K. and Watkins, T.B. Negative resistance and high electric field capture rates in semiconductors, 2=8332
- Ridley, B.K. See Caffyn, J.E., 1=3694
- Ridley, B.K. See Pratt, R.G., 3=25343
- Ridley, B.W. The measurement of electron-neutrino angular correlations, 0=9315
- Ridley, B.W. The electron-neutrino angular correlation in beta-decay of helium 6, 1=13711
- Ridley, B.W. A large aperture detector for slow positive ions, 2=9741
- Ridley, B.W. See Cavanagh, P.E., 4=9514
- Ridley, E.C. Self-consistent fields without exchange for  $\text{Pr}^{3+}$  and  $\text{Tm}^{3+}$ , 0=5848
- Ridley, H.B. The phoenicid meteor shower of 1956 December 5, 3=3556
- Ridley, J.D. and Cockayne, B. An afterheater for use with high-temperature vertical crystal pullers, 4=30814
- Ridley, N. Lattice spacings and densities of some tin solid solutions, 4=7646
- Ridley, R.G. and Silver, D.E.P. Mass spectrometer for the isotopic analysis of lithium, 1=3023
- Ridley, R.G. See Fenner, N.C., 4=11725
- Ridley, R.G. See Isaacs, L.D., 0=19418
- Ridout, M.S. See Johnson, C.E., 1=10135
- Ridout, M.S. See Johnson, C.E., 3=25521
- Ridout, M.S. See Johnson, C.E., 4=12559
- Ridyard, H.W. Comparison of the ionized shock layer about two- and three-dimensional blunt shapes at hypersonic speeds, 2=4878
- Riebling, E.F. Improved counterbalanced sphere viscometer for use to 1750°C, 3=14116
- Riebling, E.F. Structure of molten oxides. I. Viscosity of  $\text{GeO}_2$  and binary germanates containing  $\text{Li}_2\text{O}$ ,  $\text{Na}_2\text{O}$ ,  $\text{K}_2\text{O}$ , and  $\text{Rb}_2\text{O}$ , 4=162
- Riebling, E.F. Structure of molten oxides. II. A density study of binary germanates containing  $\text{Li}_2\text{O}$ ,  $\text{Na}_2\text{O}$ ,  $\text{K}_2\text{O}$ , and  $\text{Rb}_2\text{O}$ , 4=24163
- Riebling, E.F. Structure of molten oxides in the system:  $0.25 \text{ Na}_2\text{O} \cdot (0.75-x) \text{ GeO}_2 \cdot x \text{ SiO}_2$ , 4=24164
- Riebling, E.F. and Erickson, C.E. Molten salt system gallium moniodide-gallium triiodide. I. Densities and electrical conductances, 3=18827
- Reich, H.A. See Garwin, R.L., 0=1085
- Reich, H.E. See Garwin, R.L., 0=8882
- Reich, H.J. See Boersch, H., 0=2400
- Riech, V. The excitation function of the reaction  $\text{Li}^7(p, \gamma)\text{Be}^8$  between 1 and 3 MeV, 4=1075
- Riech, V. See Breuer, G., 1=3448
- Rieck, G.D. The effect of temperature and deformation on the recrystallization of doped tungsten wires, 2=6834
- Rieck, G.D. and Bruning, H.A.C.M. Subcrystals in large vapour-grown crystals of tungsten, 0=18301
- Rieck, G.D. and Bruning, H.A.C.M. Thermal diffusion of oxygen and nitrogen in zirconium, 1=14326
- Rieck, J. Flash-tube lighting in scientific cinematography, 1=9495
- Riecke, W.D. Distortion and resolution of diffraction patterns obtained by Le Poole's technique, 1=18928
- Riecke, W.D. The exactness of agreement between selected and diffracting areas in Le Poole's selected-area diffraction technique, 1=18932
- Riecke, W.D. Imaging properties of the pre-field of a magnetic objective lens of the Glaser bell-shaped field type, 2=9633
- Riecke, W.D. Narrow-beam electron diffraction with a three-stage condenser and a final condenser stage with long focal length, 2=11719
- Riecke, W.D. New method for the production of electron diffraction patterns of extremely small, selected areas of electron microscope transmission specimens, 2=12952
- Riecke, W.D. Small-area electron diffraction on orientable specimens with simultaneous observation of the specimen image and diffraction pattern, 2=17077
- Riecke, W.D. A condenser system for a strong objective lens, 3=19361
- Riecke, W.D. and Sakaki, Y. Investigation of the reciprocal lattice of single crystals by means of Kikuchi patterns, 0=725
- Riecke, W.D. and Stöcklein, F. An object chamber with universal movement of the specimen stage for electron diffraction experiments, 0=3289
- Riecker, R.E. New shear apparatus for temperatures of 1000°C and pressures of 50 kilobars, 4=23986
- Rieckhoff, K.E. and Griffiths, D.J. Optical Faraday rotation studies of paramagnetic resonance in neodymium ethylsulphate, 3=8714
- Rieckhoff, K.E. and Griffiths, D.J. Spin-lattice and cross-relaxation effects in neodymium ethylsulphate at liquid He temperatures, 4=17681
- Rieckhoff, K.E. and Weissbach, R. X-band resonant cavity for optical studies at liquid helium temperatures, 3=5884
- Rieckhoff, K.E. See Daniels, J.M., 0=10232
- Rieckhoff, K.E. See Peticolas, W.L., 3=11002
- Rieckhoff, K.E. See Peticolas, W.L., 4=5193
- Rieckmann, P. Absorption of ultrasound in water: measurement procedure and results, 3=21361
- Riedel, C. See Hehl, K., 4=6310
- Riedel, E. See Reuter, B., 0=4366
- Riedel, E.P. and Spence, R.D. The possible antiferromagnetic symmetry groups of azurite, 1=7772
- Riedel, G. Preparation of nuclear track emulsions for electron microscopy, 0=3904
- Riedel, H. Propagation of slow electric waves in a plasma cable closely approximating a plasma waveguide, in the presence of a longitudinal magnetic field, 2=7764
- Riedel, H. See Asselmeyer, F., 0=1901
- Riedel, H.J. See Herrmann, G., 0=5679
- Riedel, O. Co-acting of classical Doppler shift and time dilation, 2=17353
- Rieder, G. Internal stresses in infinite, laminated, anisotropic elastic media, with special reference to Weiss domains in laminated plates, 0=8046
- Rieder, G. A contribution of dislocations to the initial susceptibility in a soft magnetic material, 0=18179
- Rieder, G. The coercivity of plastically deformed nickel single crystals, 1=2475
- Rieder, G. Iteration procedure and operator equations in elasticity theory, 4=108
- Rieder, W. and Jussila, J. A.C. arc reignition in a transverse magnetic field, 3=4079
- Rieder, W. See Prati, J., 4=18779
- Riederman, N.H. See Banks, E., 1=6350
- Riedl, A. See Fränz, K., 2=20155
- Riedl, H.R. Free-carrier absorption in p-type PbTe, 2=16839
- Riedl, H.R. and Schoolar, R.B. Dispersion of the refractive index near the fundamental absorption edge in PbS, 3=25436
- Riedl, H.R. See Dixon, J.R., 3=10907
- Riedler, W., Egeland, A., Lindquist, R. and Pedersen, A. Effects of nuclear explosions on very-low-frequency and low-frequency propagation, 4=3188
- Riedler, W. See Keppler, E., 4=20854
- Rief, H. The fast effect in uranium and beryllium systems, 2=6014
- Riegel, C.A. See Gates, W.L., 4=23734
- Rieger, C.J. and Carpenter, F.G. Light scattering by commercial sugar solutions, 0=6951
- Rieger, F. See Macke, W., 4=13765
- Rieger, H. The dependence of the reversible susceptibility of single nickel crystals on the magnetizing field and the crystal orientation, 3=20572
- Rieger, H. Deformation and temperature dependence of initial susceptibility of nickel single crystals, 4=22996
- Rieger, H., Kronmüller, H. and Seeger, A. Investigation changes in magnetic properties of deformed, and of neutron-irradiated, nickel single crystals, 2=10652
- Rieger, H., Seeger, A. and Kronmüller, H. Work-hardening behaviour of neutron-irradiated metals. I. Ferromagnetic studies of nickel single crystals, 4=10394
- Rieger, H. and Seiler, K. Precipitation of copper in silicon, 1=10274



- Rieger, H. See Kronmüller, H., 2=14898  
 Rieger, H. See Seeger, A., 4=13145  
 Rieger, P.H. and Fraenkel, G.K. Spin-density distribution in nitrile anion radicals, 3=6428  
 Rieger, P.H. and Fraenkel, G.K. Electron spin resonance spectra of carbonyl anion radicals, 3=6429  
 Rieger, P.H. and Fraenkel, G.K. Analysis of the electron spin resonance spectra of aromatic nitrosubstituted anion radicals, 3=22593  
 Rieger, P.H. See Bernal, I., 2=23007  
 Rieger, P.H. See Freed, J.H., 3=4776  
 Riegler, A. and Wagner, J. Study of the suitability of interferometric photometry for evaluation of spectral photographs, 4=14357  
 Riehl, C. Reactions of the type Cs(p,p,xn), 2=7986  
 Riehl, C. See Gusakov, M., 2=456  
 Riehl, H. Some relations between wind and thermal structure of steady state hurricanes, 3=25881  
 Riehl, J. J. See Lehn, J. M., 4=28262  
 Riehl, N. Conduction mechanisms in organic and protonic semiconductors, 4=28578  
 Riehl, N. and Sizmann, R. Production of extremely high concentrations of lattice defects by irradiation of solid bodies in reactors, 0=1610  
 Riehl, N. and Sizmann, R. Effects of high energy radiation on phosphors. I, 2=4166  
 Riehl, N., Sizmann, R. and Stadler, O. J. Effect of  $\alpha$ -particles on zinc and sulphide phosphors, 1=11409  
 Riehl, N. and Thoma, P. Investigation in the region of low temperatures of very shallow electron traps, 3=8429  
 Riehl, N. See Blinks, H., 1=17914  
 Riehl, N. See Blinks, H., 4=25929  
 Riehl, N. See Dengel, O., 3=22816  
 Riehl, N. See Dengel, O., 4=22775  
 Riehl, N. See Doll, R., 4=28085  
 Riehl, N. See Knobloch, J., 3=6678  
 Riehs, P. and Warhanek, H. Decay scheme of  $\text{Ru}^{95}$ , 3=19818  
 Rieke, F. F. and Allison, R. Fluorescence spectra and lifetimes of some rare-earth compounds, 3=8628  
 Rieke, F. F., DeVaux, L. H. and Tuzzolino, A. J. Single-crystal infrared detectors based upon intrinsic absorption, 0=8840  
 Rieker, J. Sunset and sunrise in the ionosphere: effects on the propagation of long waves, 3=14784  
 Rieker, R. Spectacle lenses with a refractive power gradient, 1=4435  
 Rieker, R. The influence of construction errors on the performance of beam signal lamps, 2=7348  
 Rieker, R. and Minkwitz, G. Non-rotationally symmetrical aspherics, 2=5142  
 Rieker, R. and Minkwitz, G. Non-rotationally symmetric aspherics, 2=21994  
 Rieker, R. See Hertz, J. H., 4=19267  
 Rieks'tyn'sh, E. Ya. See Shteins, K. A., 2=948  
 Riel, G. K. and Irons, H. Circuits to operate a scintillation spectrometer probe with single conduction cable, 2=9510  
 Riel, G. K. and Simons, D. G. Underwater cosmic ray measurements, 2=12095  
 Riemann, M. Some problems in the construction of a vacuum spectrograph, 1=2863  
 Riemann, M. On ionization equilibria and intensities of spectral line in thermal multicomponent plasmas, 2=1419  
 Riemann, M. The measurement of relative and absolute optical transition probabilities of CuI in the wall-stabilized light arc, 4=25498  
 Riemann, M. A stabilized arc for solution spectral analysis, 4=13752  
 Riemann, M. and Gall, I. On the blackening behaviour of background affected spectral lines on spectral plates, 3=7543  
 Riemens, J. See Koedam, M., 3=19218  
 Riemersma, H. Calculation of the current and field distribution and the magnetization curves for high-field, superconducting materials in the form of sheet, 4=22942  
 Riemersma, H., Fox, R. E. and Lange, W. J. Photomultiplier ionization gauge, 1=15977  
 Riemersma, H., Hulm, J. K. and Chandrasekhar, B. S. Superconducting solenoids for producing high magnetic fields, 4=16619  
 Riemersma, H., Hulm, J. K., Venturino, A. J. and Chandrasekhar, B. S. A variable composition, high field superconducting solenoid, 3=3971  
 Riemersma, H. See Babcock, R., 3=3970  
 Riemersma, H. See Chandrasekhar, B. S., 4=16363  
 Riemersma, H. See Hulm, J. K., 4=19158  
 Rienen, F. See Faissner, H., 3=17141  
 Rienitz, J. New interference microscopes, 2=100  
 Rienitz, J. Effect of partially transparent films on the efficiency of two-beam interferometers, 2=19720  
 Rienitz, J. New interference microscopes, 2=22055  
 Rienitz, J., Minor, U. and Urbach, E. A new transmitted light interference microscope, 3=16752  
 Rienitz, J. See Lau, E., 1=2850  
 Riepe, G. and Hahn, B. Investigation of the mechanism of bubble formation in freon-12 and propane by alpha-ray recoil, 2=2697  
 Ries, G. See Kunkis, A., 4=13801  
 Ries, H. E., Jr. Monomolecular films, 2=15093  
 Ries, H. E., Jr. and Walker, D. C. Films of mixed horizontally and vertically oriented compounds, 2=2424  
 Ries, H. E., Jr. See Walker, D. C., 3=8931  
 Ries, R. and Satterthwaite, C. B. Another liquid helium level indicator, 4=18519  
 Ries, R. R., Damerow, R. A. and Johnson, W. H., Jr. Atomic masses from gallium to molybdenum, 4=3532  
 Ries, R. R. See Damerow, R. A., 4=3533  
 Riesch, G. Measurement of the multiplication factor  $k_{\infty}$  of a water- $\text{UO}_2$  lattice, 4=3761  
 Rieseberg, H. See Krebs, K., 0=13197  
 Rieseberg, H. See Matt, E., 4=19715  
 Rieseberg, H. See Spehl, H., 4=15168  
 Riesel, H. Thermodynamic state functions of steam for machine computation, 2=13368  
 Riesenfeld, H. A group of reflecting microscope objectives with different central obstruction ratios, 1=1810  
 Riesenfeld, H. Aberration correction of a monochromat u.v. [microscope] objective at different wavelengths, 3=1793  
 Riesenfeld, W. See Karr, H., 3=12223  
 Riesenfeld, W. B. See Mjolsness, R. C., 1=10710  
 Riesenfeld, W. B. See Nagle, D. E., 0=462  
 Riesenfeld, W. B. See Nagle, D. E., 0=13387  
 Riess, F. See Rose, H. J., 1=5867  
 Riess, F. See Rose, H. J., 2=20519  
 Riess, F. See Rose, H. J., 3=17399  
 Riess, F. See Rose, H. J., 4=17025  
 Riess, F. See Trost, W., 4=22012  
 Riessler, W. Crystal dislocations and the growth of etch pits, 1=974  
 Riessler, W. and Kleinhenz, K. Electron-optical observations on germanium after plastic deformation and cathodic sputtering, 2=10959  
 Reisz, R. P. High speed semiconductor photodiodes, 2=23482  
 Riesz, R. P. and Bjorling, C. G. Sample preparation for transmission electron microscopy of germanium, 1=12672  
 Riet, R. Van. See Van Riet, R.  
 Rietjens, L. H. T., Bilaniuk, O. M. and Macfarlane, M. H.  $\text{Ti}^{48}_{48}(\text{d}, \text{p})\text{Ti}^{47,49}$  reactions and the  $1f_{7/2}^n$  and  $1f_{7/2}^{n-1}2p$  configurations, 0=17605  
 Rietjens, L. H. T. and Braams, C. M. Detection of heavy particles in thermonuclear reaction experiments, 0=17639  
 Rietjens, L. H. T. See van der Laan, P. C. T., 3=12171  
 Rietjens, L. H. Th. See Terlouw, J. C., 4=11597  
 Rietveld, A. O. and van Itterbeek, A. Viscosity of gas mixtures, 0=8675  
 Rietveld, A. O., van Itterbeek, A. and Velds, C. A. Viscosity of binary mixtures of hydrogen isotopes and mixtures of He and Ne, 0=6820  
 Rietveld, H. M. See Clews, C. J. B., 2=827  
 Rieu, M. A metallic air-admittance valve, 1=2801  
 Riezler, W. A nuclear reaction of the  $(\alpha, \alpha + 3n)$  type, 0=7584  
 Riezler, W. and Kern, W. An electro-filter for the removal of radioactive aerosols, 0=2631  
 Riezler, W. and Schepers, H. Ionization and energy loss of  $\alpha$ -particles in various gases, 2=150  
 Rigal, G. See Bernière, G., 3=1520  
 Rigamonti, A. See Bonera, G., 0=16718  
 Rigamonti, A. See Bonera, G., 1=6580  
 Rigamonti, A. See Bonera, G., 1=12900  
 Rigamonti, A. See Bonera, G., 2=4544  
 Rigamonti, A. See Bonera, G., 2=23960  
 Rigamonti, A. See Bonera, G., 3=23545  
 Rigamonti, A. See Bonera, G., 4=206  
 Rigamonti, A. See Bonera, G., 4=2709  
 Rigamonti, A. See Bonera, G., 4=8225  
 Riganti, V. See Curti, R., 0=4662  
 Rigatti, G. See Favero, P., 2=16551  
 Rigatti, G. See Giacometti, G., 0=15752  
 Rigatti, G. See Giacometti, G., 2=8115  
 Rigaux, C. Study of the band structure of tellurium log transport phenomena, 2=16628



- Rigaux, C. Study of the electronic band structure of tellurium by means of transport phenomena, 1=17448
- Rigby, B.J. Power law for creep, 0=11975
- Rigby, E. B. See Allport, J. J., 4=3019
- Rigby, L. J. The interactions of nitrogen and carbon monoxide on polycrystalline tungsten, 4=23607
- Rigby, M. and Smith, E. B. Virial expansion for mixtures of hard-sphere molecules, 4=5125
- Rigby, M. See O'Keefe, T. W., 0=5578
- Rigden, J. D.  $\alpha$  and  $\beta$  bands in sodium chloride, 1=3839
- Rigden, J. D. and White, A. D. Optical maser action in iodine and mercury discharges, 4=765
- Rigden, J. D. See Gordon, E. L., 4=19293
- Rigden, J. D. See Mitchell, E. W. J., 0=20989
- Rigden, J. D. See White, A. D., 3=17087
- Rigden, J. D. See White, A. D., 3=19497
- Rigden, J. S. and Butcher, S. S. Microwave spectrum of methyl hypochlorite, 4=20090
- Rigden, J. S., Hopkins, R. C. and Baldeschwieler, J. D. Absence of  $B^{10}$ - $B^{11}$  coupling in  $B_4H_{10}$ , 2=2020
- Rigert, J. A. See Bedo, D. E., 1=1944
- Rigg, S. See Atkinson, J. R., 2=10425
- Riggleman, B. M. and Drickamer, H. G. Temperature coefficient of resistance of iodine and selenium at high pressure, 2=21156
- Riggleman, B. M. and Drickamer, H. G. Effect of pressure on the low-energy absorption peak of several phthalocyanines, 1=17889
- Riggleman, B. M. and Drickamer, H. G. Approach to the metallic state as obtained from optical and electrical measurements, 3=17812
- Riggleman, B. M. See Samara, G. A., 2=22988
- Riggs, B. A. A consideration of diffusion in strained systems, 4=28474
- Riggs, B. A. and Demer, L. J. Discussion on "Discontinuous plastic flow in Al-Mg alloys" by P. R. Sperry, 3=25634
- Riggs, F. B. Jr. Vacuum sealing of gold wire leads to a differential thermopile, 1=10556
- Riggs, F. B. Jr. Preparation of bend crystals for monochromatizing X-rays, 2=23837
- Riggs, F. B. Jr. See Peterton, C. W., 3=9393
- Riggs, L. A. and Niehl, E. W. Eye movements recorded during convergence and divergence, 0=14347
- Riggs, L. A., Ratliff, F. and Keesey, U. T. Appearance of Mach bands with a motionless retinal image, 1=10355
- Riggs, L. A. See Keesey, U. T., 2=15431
- Riggs, L. A. See Krauskopf, J., 0=8448
- Riggs, L. P. See Bean, B. R., 0=4821
- Riggs, L. P. See Bean, B. R., 0=15155
- Riggs, R. D. See Arns, R. G., 0=5733
- Righini, B. On a tunnel diode fast discriminator, 4=30119
- Righini, B. See Alberigi-Quaranta, A., 2=5822
- Righini, B. See Alberigi-Quaranta, A., 3=16893
- Righini, B. See Busuoli, G., 3=17236
- Righini, B. See Cevolani, M., 0=15596
- Righini, B. See Cevolani, M., 1=16445
- Righini, B. See Quaranta, A. A., 2=2970
- Righini, B. See Quaranta, A. A., 2=9504
- Righini, G. East-west asymmetry of the solar prominences according to the observations carried out at the Arcetri astrophysical observatory from 1933 to 1960, 2=13130
- Righini, G. Silar radioastronomy in Italy, 2=13169
- Righini, G. Isotopes in the solar atmosphere, 4=2417
- Righini, G. Measurement of solar X-rays by means of satellites, 4=29495
- Righini, G. See Deutsch, A. J., 4=26955
- Righini, G. See Russo, D., 2=7005
- Righini, G. See Russo, D., 2=7006
- Righini, G. See Tagliaferri, G., 2=6920
- Righini, G. See Tagliaferri, G., 2=9077
- Righini, G. U. See Bordonne-Sacerdote, C., 4=26991
- Righini, G. V. A pitch extractor of the voice, 4=4966
- Righter, U. See Suhrmann, R., 4=7727
- Rigina, I. V. and Godnev, I. N. The theory of the use of dependent coordinates in the problem of molecular vibrations, 0=15691
- Rigney, D. S. See Mostov, P. M., 1=11933
- Rigopoulos, R. See Harting, D., 0=368
- Rigopoulos, R. See Harting, D., 0=15419
- Rigrod, W. W. Power flow and stored energy in thin electron beams, 0=12636
- Rigrod, W. W. Isolation of axi-symmetrical optical resonator modes, 3=9974
- Rigrod, W. W. Gain saturation and output power of optical masers, 3=22018
- Rigrod, W. W., Kogelnik, H., Brangaccio, D. J. and Herriott, D. R. Gaseous optical maser with external concave mirrors, 2=7346
- Rigrod, W. W., Kogelnik, H., Brangaccio, D. J. and Herriott, D. R. Gaseous optical maser with external concave mirrors, 3=7318
- Rigrod, W. W. and Rustako, A. J. Jr. Diffraction studies with plane parallel maser interferometer, 3=9614
- Rigrod, W. W. See Boyd, G. D., 4=5848
- Rigsby, G. P. Crystal orientation in glacier and in experimentally deformed ice, 0=21155
- Rigutti, G. See Noci, G., 0=18756
- Rigutti, M. Rotational analysis of the bands (0,0) and (1,0) of the red system of CN, 0=20618
- Rigutti, M. Rotational and vibrational analysis of the  $A^2\Pi$  and  $X^2\Sigma$  states of the CN molecule, 3=2611
- Rigutti, M. and Drago-Chiuderi, F. The (2-0) and (3-1) bands of the CN red system: rotational analysis and comparison with the solar spectrum, 3=21107
- Rigutti, M. and Falciani, R. The spectrum of the solar corona at the eclipse of 20 July, 1963, 4=29459
- Rigutti, M. and Russo, D. The spectrum of a quiescent protuberance observed in the solar eclipse of 15 February 1961, 1=15481
- Rigutti, M. and Russo, D. Spectrum of the solar corona at the eclipse of February 15, 1961, 2=4783
- Rigutti, M. and Russo, D. The spectrum of the inner corona observed at the total solar eclipse of 1961, February 15, 3=18636
- Rigutti, M. and Russo, D. The spectrum of a quiescent prominence observed at the total solar eclipse of 1961, February 15, 4=10909
- Rigutti, M. See Drago, F., 1=18584
- Rigutti, M. See Noci, G., 1=18096
- Rigutti, M. See Noci, G., 3=9223
- Rihani, G. D. See Kathavate, Y. V., 3=19220
- Riihimaa, J. J. Voltage-tuned swept-frequency receiver, 1=8021
- Riihimaa, J. J. Sweep-frequency observations of solar radio bursts on 30 to 20 Mc/s, 4=4948
- Riihimaa, J. J. High-resolution spectral observations of Jupiter's decametric radio emission, 4=23938
- Riihimaa, J. See Tuominen, J., 0=18671
- Riihimaa, J. See Tuominen, J., 0=18672
- Riis, E. The stability of Couette-flow in non-stratified and stratified viscous fluids, 2=21878
- Rijks, H. J. Stabilizing a scintillation spectrometer by means of a low frequency modulated light source, 2=5609
- Rik, G. R. See Volkov, G. A., 2=274
- Rik, G. R. See Volkov, G. A., 2=7848
- Rikenglaz, L. E. The unstable states of a Knudsen plasma, 4=24713
- Rikenglaz, L. E. See Kaganov, M. I., 2=11707
- Rikenglaz, L. E. See Kucherov, R. Ya., 0=8847
- Rikenglaz, L. E. See Kucherov, R. Ya., 0=10691
- Rikenglaz, L. E. See Kucherov, R. Ya., 0=14889
- Rikenglaz, L. E. See Kucherov, R. Ya., 3=14427
- Rikenglaz, L. E. See Kucherov, R. Ya., 3=14511
- Rikhvitskii, S. V. See Vysochanskii, M., 2=19860
- Rikitake, T. Electromagnetic induction in a hemi-spherical ocean by  $S_q$ , 0=14173
- Rikitake, T. The effect of the ocean on rapid geomagnetic changes, 1=21099
- Rikitake, T. Geomagnetic bays in Turkey. II. A theory on current systems of geomagnetic bays, 2=17223
- Rikitake, T. Supplement to paper "S<sub>q</sub> and ocean", 2=21619
- Rikitake, T. Dynamics of spherical eddies in the earth's core, 3=13646
- Rikitake, T. Electromagnetic induction in a perfectly conducting plate with a circular hole, 4=30027
- Rikitake, T., Uyeda, S., Yukutake, T., Tanaoka, I. and Nakagawa, E. Preliminary report on the effect of the solar eclipse on April 19, 1958 on the geomagnetic field, 0=18471
- Rikitake, T. and Yukutake, T. A theory of s.f.e. current systems, 2=9043
- Rikitake, T. See Nagata, T., 2=19260
- Rikitake, T. See Nagata, T., 3=25944
- Rikmenspoel, R. Microscopic chamber for simultaneous measurement of motility and respiration of spermatozoa, 4=13983
- Rikmenspoel, R. Electronic analyzer for measuring velocities and the concentration of spermatozoa, 4=13984
- Rikmenspoel, R. The sensitivity and accuracy of dual-wave-length spectrophotometers, 4=14360
- Rikmenspoel, R. See van Patter, D. M., 1=19459



- Riley, B. Smooth power control for high current furnaces, 1=16164
- Riley, B. A method for accurate melting point determination at high temperatures, 4=24433
- Riley, B.J. See Beacom, S.E., 0=14125
- Riley, B.R. See Vittitoe, C.N., 4=21899
- Riley, C. and Linder, B. Cross sections and isomer ratios for the isomeric pair  $Y^{90g}$  and  $Y^{90m}$  in the  $Rb^{87}(\alpha, n)$  and  $Y^{89}(d, p)$  reactions, 4=17197
- Riley, C., Ueno, K. and Linder, B. Cross sections and isomer ratios for the  $K^{41}(\alpha, n)Sc^{44m, 44g}$  reaction, 4=28065
- Riley, E.C. See Jackson, J.E., 2=7063
- Riley, K.F.  $C^{12}(p, 2p)B^{11}$  in the impulse approximation, 0=4091
- Riley, K.F., Pugh, H.G. and Gooding, T.J. Quasi-elastic scattering of 153 MeV protons by p-state protons in  $C^{12}$ . II. Theoretical, 0=17585
- Riley, K.F. See Diddens, A.N., 3=22183
- Riley, K.F. See Diddens, A.N., 4=6133
- Riley, K.F. See Pugh, H.G., 2=1774
- Riley, K.K. See Kycia, T.F., 3=22184
- Riley, L.D. See Bortfeld, D.P., 4=24932
- Riley, N. A magneto-hydrodynamic Stokes flow, 1=13164
- Riley, N. A note on three-dimensional boundary layers, 3=9415
- Riley, N. Note on the weak interaction region in a hypersonic flow, 4=216
- Riley, P.J., Braben, D.W. and Neilson, G.C. The 5.11 and 5.16 MeV levels of  $B^{10}$ , 3=24860
- Riley, P.J. See Braben, D.W., 3=15100
- Riley, P.J. See Griffiths, G.M., 1=17151
- Riley, R.J. See Alexander, F.B., 4=12933
- Riley, W.A. See Fabian, B.N., 3=14836
- Riley, W.F. See Durelli, A.J., 1=10458
- Rilling, M.E. See Watson, C.S., 4=10967
- Rimai, L. and Bierig, R.W. Effect of the  $Fe^{3+}-Tm^{3+}$  exchange interactions on the paramagnetic resonance and relaxation of iron impurities in the thulium garnets, 4=20593
- Rimai, L., Bierig, R.W. and Silverman, B.D. Population inversion and microwave-stimulated emission in the electron paramagnetic resonance spectrum of ruby after rapid reversal of the magnetic field, 4=27705
- Rimai, L. and Bloembergen, N. Nuclear magnetic resonance in alkali alloy systems, NaK and NaRb, 0=14665
- Rimai, L. and de Mars, G.A. Electron paramagnetic resonance of trivalent gadolinium in the yttrium gallium and yttrium aluminum garnets, 2=12714
- Rimai, L. and de Mars, G.A. Electron paramagnetic resonance of trivalent gadolinium ions in strontium and barium titanates, 2=18945
- Rimai, L. and de Mars, G.A. Electron paramagnetic resonance of some rare earth impurities in strontium titanate, 4=26441
- Rimai, L., Deutsch, T. and Silverman, B.D. Effect of temperature and pressure on the electron paramagnetic resonance spectra of substitutional impurities in cubic  $SrTiO_3$ , 4=10325
- Rimai, L., Statz, H., Weber, M.J., de Mars, G.A. and Koster, G.F. Paramagnetic resonance of exchange coupled  $Cr^{3+}$  pairs in ruby, 0=6269
- Rimai, L. See Statz, H., 1=6419
- Rimai, L. See Statz, H., 3=3167
- Rimek, D.M. See Pearson, W.B., 0=20861
- Rimet, G. An apparatus for the measurement of magnetization between 2 and 1200°K, 1=16488
- Rimet, G. See Barnier, Y., 1=14695
- Rimet, G. See Barnier, Y., 1=14699
- Rimet, G. See Barnier, Y., 1=20069
- Rimet, G. See Brugel, L., 3=19398
- Rimet, G. See Cohen, J., 1=2470
- Rimet, G. See Develley, G., 4=8895
- Rimet, G. See Néel, L., 0=10128
- Rimet, G. See Pauthenet, R., 0=675
- Rimet, G. See Pauthenet, R., 0=4479
- Rimet, G. See Pauthenet, R., 3=1141
- Rimini, A. See Alzetta, R., 3=22137
- Rimini, A. See Fonda, L., 4=9073
- Rimini, A. See Ghirardi, G.C., 3=10041
- Rimini, A. See Ghirardi, G.C., 4=18063
- Rimini, A. See Grianti, F., 4=21709
- Rimmer, D.E. See Greenwood, G.W., 0=9903
- Rimmer, D.E. See Hull, D., 0=21142
- Rimmer, M.P. and Dexter, D.L. Optical constants of germanium in the region 0-10 eV, 0=7990
- Rimmer, R. See Barker, R.S., 0=16074
- Rimmer, R. See Barker, R.S., 1=17886
- Rimmrott, M. See Simonsohn, G., 2=23915
- Rimondi, O. See Alberigi-Quaranta, A., 2=5822
- Rimondi, O. See Busuoli, G., 3=17236
- Rimondi, O. See Cervellati, A., 3=9054
- Rimondi, O. See Cervellati, A., 3=9059
- Rimpault, M. Partial-wave analysis of the reaction:  $\pi^- + p \rightarrow K^0 + \Lambda^0$ , 4=9241
- Rimpault, M. See Gourdin, M., 1=16911
- Rimpault, M. See Gourdin, M., 2=12011
- Rimskii-Korsakov, A.A. and Lozhkin, O.V. Identification of particles in nuclear emulsions by means of the scale method, 4=16780
- Rimskii-Korsakov, A.A. and Smirnov, V.V. Investigation of the angular distribution of photoelectrons ejected by  $Cs^{137}$   $\gamma$ -rays from targets with various Z values, 2=7646
- Rimskii-Korsakov, A.A. and Smirnov, V.V. Investigation of the angular distribution of photoelectrons ejected by  $Cs^{137}$   $\gamma$ -rays from targets with various Z values, 3=5694
- Rimskii-Korsakov, A.A. and Smirnov, V.V. Variation in the angular distribution of photoelectrons as a function of the gamma-ray energy, 4=3808
- Rimskii-Korsakov, A.A. See Aglintsev, K.K., 3=8204
- Rimskii-Korsakov, A.A. See Lozhkin, O.V., 0=20434
- Rimskii-Korsakov, A.A. See Lozhkin, O.V., 2=328
- Rimskii-Korsakov, A.A. See Lozhkin, O.V., 3=4475
- Rimsky, A. Statistical estimation of the agreement between hypothesis and experiment in the course of determination of an atomic structure. Physical significance. Criterion of the completion of refinement, 1=5095
- Rimsky, A. See Authier, A., 4=1488
- Rimsky, A. See Bariand, P., 4=2075
- Rimsky, A. See Curien, H., 2=2386
- Rimus, A.I. and Manenkov, A.A. Splitting of the paramagnetic resonance lines of  $Cr^{3+}$  ions in ruby in an external electric field, 4=26387
- Rinaldi, R. Optical properties of organic absorbing thin films relative to their structure, 4=1702
- Rinaldi, R. Study of the optical properties of thin organic absorbent films in relation to their structure, 4=4241
- Rinaldi, R. Study of the optical properties of thin organic absorbing films in relation to their structure. II-III, 4=10200
- Rinaldo, J.D. See Jain, P.L., 4=19550
- Rinander, G.A. See Eriksson, T.A., 3=12568
- Rinander, G.A. See Eriksson, K.E., 4=9234
- Rinaudo, G. See Bisi, V., 4=15105
- Rinaudo, G. See Bisi, V., 4=21928
- Rinaudo, G. See Bisi, V., 4=25195
- Rinaudo, G. See Cester, R., 2=3409
- Rinaudo, G. See Chiesa, A.M., 1=8501
- Rinaudo, G. See Garelli, C.M., 2=5737
- Rinaudo, G. See Marzari-Chiesa, A., 3=7848
- Rinaudo, G. See Marzari-Chiesa, A., 3=19695
- Rinck, E. and Delabrouille, R.C. Supercooling of tin. Influence of the purity of the metal, 4=16295
- Rincón, A. Transistorized one-channel amplitude analyser, 4=21706
- Rincón, A. See Tanarro, A., 2=11585
- Rinderer, L. and Saur, E. Critical current densities in superconducting Nb-Sn diffusion films in constant magnetic fields up to 90 koersted, 4=412
- Rinderer, L. and Saur, E. Structure of Nb-Sn diffusion layers and their critical currents in fields up to 90kOe, 4=8571
- Rinderer, L., Saur, E. and Wurm, J. Structure and superconductive properties of Nb-Sn diffusion layers, 3=19118
- Rinderer, L. and Schultz, H. Quenching of metals in liquid helium II—a new method, 4=14475
- Rinderer, L. and Wurm, J. Quenching characteristics of surface-coated Nb-Sn wires, 4=16458
- Rinderer, L., Wurm, J., Züllig, W. and de Beer, Z. Microregion investigations on superconducting Nb-Sn diffusion specimens, 4=27430
- Rinderer, L. See Ruefenacht, J., 4=16379
- Rinderer, L. See Rüfenacht, J., 4=30046
- Rindfleisch, C. See Carmony, D.D., 4=16953
- Rindler, W. Hyperbolic motion in curved space time, 0=16579
- Rindler, W. Remarks of Schrödinger's model of de Sitter space, 0=18930
- Rindler, W. Length contraction paradox, 1=8044
- Rindler, W. and Sciamia, D.W. Radiation pressure on a rapidly moving surface, 1=12960
- Rindner, W. Resistance of elastically deformed shallow p-n junctions, 2=18714
- Rindner, W. and Braun, I. On the effects of elastic and plastic deformation of P-N junctions in semiconductors, 3=10844



- Rindner, W. and Braun, I. Resistance of elastically deformed shallow p-n junctions. II, 3=17902
- Rindner, W. and Ellis, R.C., Jr. Electrolytic etching of germanium in water, 2=19046
- Rindner, W. and Lavine, J.M. Scribe-plating and -etching, 1=14956
- Rindner, W. and Lavine, J.M. Trace-plating — a new semiconductor-device fabrication technique, 2=16749
- Rindner, W. and Nelson, R. Piezo-junctions: elements of a new class of semiconductor devices, 3=2940
- Rindner, W. and Schmid, A. P. The B. N. R. diode, a current-controlled negative-resistance device, 4=20389
- Rindner, W. and Trampusch, R.F. Plastic deformation of germanium and below room temperature, 3=11155
- Rindner, W. See Bernard, W., 4=22749
- Rindner, W. See Trampusch, R.F., 3=22792
- Rindone, G. E. See Stewart, D. R., 4=22516
- Rinehart, E.A., Kleen, R.H. and Lin, C.C. Measurement of the widths of microwave spectral lines, 1=5603
- Rinehart, E. A. and Legan, R. L. Microwave power leveler for K band, 4=8928
- Rinehart, E.A. and Lin, C.C. Sensitive triple modulation method for measuring widths of microwave spectral lines, 1=9692
- Rinehart, E.A. See St. John, R.M., 3=2575
- Rinehart, J.S. Determination of Poisson's ratio dynamically, 2=14867
- Rinehart, J.S. and Auberger, M. Author's reply to the preceding discussion, 2=20925
- Rinehart, J.S. and McClain, W.C. Experimental determination of stresses generated by an electric detonator, 0=19260
- Rinehart, J.S. Underground cavities subjected to intense ground shocks, 3=16194
- Rinehart, J.S. See Auberger, M., 1=1786
- Rinehart, J.S. See Auberger, M., 1=2822
- Rinehart, J.S. See Maurer, W.C., 0=11990
- Riney, J. See Ashcraft, T.L., 3=7419
- Riney, J.S. and Gardiner, W.C., Jr. Pulse generator system for fast-reaction experiments using a time-of-flight mass spectrometer, 4=17855
- Riney, J.S., Schmid, G.M. and Hackerman, N. Single pulse method for measurement of electrical double layer parameters, 1=9172
- Riney, T.D. Residual thermoelastic stresses in bonded silicon wafers, 1=5085
- Rinfret, A.P. See Dowell, L.G., 1=6515
- Rinfret, M. See Sicotte, Y., 2=17462
- Ring, J., Beer, R. and Hewison, V. Reflecting multilayers, 0=16883
- Ring, J., Clarke, D., James, J. F., Daehler, M. and Mack, J. E. Profile of the H $\beta$  line in the spectrum of zodiacal light, 4=23903
- Ring, J. and Selby, M. J. A high resolution mock interferometer for astronomical spectrometry in the near infrared, 4=29362
- Ring, J. and Woolf, N.J. The use of the Fabry-Perot interferometer in astronomy, 0=16516
- Ring, J. See Barnes, S.W., 0=3986
- Ring, J. See Beer, R., 2=7383
- Ring, J. See Geake, J.E., 0=18584
- Ring, J. See Grainger, J.F., 2=17177
- Ring, J. See Grainger, J.F., 3=9148
- Ring, J. See Miller, D., 0=3990
- Ring, J. G. and Grossweiner, L. I. Occurrence of new colour centre absorptions in KCl, 4=25973
- Ring, J.W. See Dennev, D.J., 3=23898
- Ring, M.A. and Koski, W.S. B<sup>11</sup> quadrupole coupling constants in trimethoxyboroxine and N-trimethylborazole, 1=17348
- Ring, T. See Gore, W.G., 3=19154
- Ringessen, J. See Nikitine, S., 3=2765
- Ringessen, J. See Nikitine, S., 3=8405
- Ringessen, J. See Nikitine, S., 3=10932
- Ringessen, J. See Nikitine, S., 3=10934
- Ringessen, J. See Nikitine, S., 4=30437
- Ringessen, J. See Vacek, K., 1=20010
- Ringessen, J. See Vacek, K., 3=4959
- Ringh, R. See Andersson, G., 1=13738
- Ringhiopol, I. Calculation of the trajectories of charged particles in the field of a magnetic prism, 4=11707
- Ringhiopol, I. Stabilizing of the current in a magnetic lens, 4=11709
- Ringhofer, K. and Urban, P. Complex energy and complex angular momentum in the presence of non-central potentials, 4=2550
- Ringler, H. Radial potential distribution in high-current carbon arcs, 3=4084
- Ringler, H. See Mahn, C., 4=18783
- Ringnes, T.S. Secular variations of short-lived sunspots, 1=18078
- Ringnes, T.S. Secular variations in short-lived sunspots, 3=9193
- Ringnes, T.S. Secular variations of intermittent and revival sunspot groups, 4=4904
- Ringnes, T.S. Secular variations of sunspots with lifetimes from two to eight days, 4=23916
- Ringnes, T.S. and Jensen, E. On the relation between magnetic fields and areas of sunspots in the interval 1917-56, 2=2536
- Ringo, G.R. See Burgv. M.T., 1=500
- Ringo, G.R. See Egger, C., 0=12999
- Ringo, G.R. See Meadows, J.W., 4=15061
- Ringo, G.R. See Nasuhoglu, R., 0=3523
- Ringpfeil, H. and Fritzsche, I. Proof of crystal orientation, particularly in ferromagnetic alloys, by etch figures and powder figures, 4=7526
- Ringpfeil, H., Wiesinger, D. and Fischer, K. The preparation of single crystals, particularly magnetic and high-melting-point metals and alloys, 4=7537
- Ringström, U. The emission spectrum of silver deuteride, 2=6175
- Ringström, U. Absorption spectrum of gold hydride in the ultra violet, 4=1260
- Ringström, U. The absorption spectra of gold hydride and gold deuteride in the far ultraviolet, 4=30431
- Ringuelet-Kaswaller, A. E. Shell stars and rotationally unstable Be stars, 4=20894
- Ringwood, A. E. and Seabrook, M. High-pressure phase transformations in germanate pyroxenes and related compounds, 4=4509
- Ringwood, A.E. See Kaufman, L., 2=2399
- Ringwood, A.E. See Tarte, P., 2=12603
- Rink, J.P. Shock-tube determination of dissociation rates of hydrogen, 2=1183
- Rink, J.P. Relative efficiencies of inert third bodies in dissociating oxygen, 2=10981
- Rink, J.P. Dissociation rates of deuterium, 2=12345
- Rink, J.P., Knight, H. T. and Duff, R. E. Shock tube determination of dissociation rates of oxygen, 1=10295
- Rink, J.P. See Knight, H.T., 1=11131
- Rinkevics, M. See Palilla, F. C., 4=1764
- Rinn, F.H. See Honrath-Barkhausen, M., 2=11926
- Rinn, F. H. See Kolbe, W., 4=6010
- Rinzivillo, R. See de Carvalho, H.G., 1=8800
- Rinzivillo, R. See de Carvalho, H.G., 2=20688
- Rinzivillo, R. See de Carvalho, H.G., 3=8146
- Rinzivillo, R. See de Carvalho, H. G., 4=19844
- Rinzivillo, R. See de Carvalho, H. G., 4=19846
- Rinzivillo, R. See Castagnoli, C., 0=15591
- Rinzivillo, R. See Cortini, G., 0=1430
- Rinzivillo, R. See Emma, V., 0=1431
- Rinzivillo, R. See Emma, V., 0=5774
- Rio, C. Sánchez del. See Sánchez del Rio, C.
- Riollet, J.F. Measurement of small differences of the refractive index of a thin film deposited on a base of similar material, 3=24007
- Riopel, A. See Le Bot, J., 2=4088
- Riopelle, A.J. See Fletcher, J.L., 0=6507
- Riopelle, A.J. See Loeb, M., 0=8442
- Riou, M. See Bergamaschi, C., 1=16462
- Riou, M. See Garron, J.P., 1=13783
- Riou, M. See Garron, J.P., 2=455
- Riou, M. See Garron, J.P., 2=1893
- Riou, M. See Garron, J.P., 2=1895
- Riou, M. See Garron, J.P., 2=20625
- Riou, M. See Hornyak, W. J., 4=19770
- Riou, M. See Jacmart, J. C., 4=15202
- Riou, M. See Jacmart, J. C., 4=15203
- Riou, M. See Poffé, N., 1=13804
- Riou, M. See Ruhla, C., 2=20617
- Riou, M. See Ruhla, C., 4=1080
- Riou, M. See Ruhla, C., 4=22135
- Ripamonti, A. See Damiani, A., 3=3295
- Ripamonti, A. See Damiani, A., 3=18300
- Ripamonti, A. See Damiani, A., 4=10498
- Ripamonti, A. See Damiani, A., 4=13571
- Ripamonti, A. See De Santis, P., 3=3351
- Ripamonti, A. See De Santis, P., 4=3945
- Ripamonti, A. See Dickens, P.G., 2=3726



- Ripeanu, S. The variation of the anisotropic coercive force with temperature of heat treatment of nickel laminations, 1=6315
- Ripeanu, S. See Bally, D., 2=7995
- Ripeanu, S. See Bally, D., 2=20352
- Ripeanu, S. See Călușaru, A., 3=23509
- Ripeanu, S. See Popovich, M., 4=6066
- Ripeanu, S. See Rîpyanu, S.
- Ripka, G. The non-locality of the optical potential, 3=12544
- Ripoche, J. Flash lamps operating by explosion of metal wires, 1=16092
- Ripper, V. See Fitzgerald, A. G., 4=12830
- Rippon, S. E. An assessment of Cherenkov detectors as fission product monitors in water cooled reactors, 3=12738
- Rippon, S. E. Cherenkov detectors for the measurement of reactor power, 3=12739
- Ripps, H., Kaplan, I. T. and Siegel, I. M. Effect of contrast on c.f.f. and apparent brightness, 1=12722
- Ripps, H. and Weale, R. A. On seeing red, 4=13995
- Riquelme, J. See Alvia, G., 0=12729
- Risak, V. Experimental research into a voltage regulator with self stabilization, 4=239
- Risbourg, A. See Bled, J., 3=2122
- Risbourg, A. See Lebrun, A., 1=10796
- Risbourg, A. See Lebrun, A., 3=22984
- Risch, K. Auger spectrum of the  $L_{III}$  shell of bismuth, 0=9574
- Rischbieter, F. See Kuttruff, H., 2=5114
- Rischbieter, F. See Meyer, E., 3=5499
- Riseberg, L. See Bryngdahl, O., 4=23978
- Riseman, J. See Flur, B. L., 4=13676
- Riser, H. See Hendricks, J. B., 3=12914
- Rishbeth, H. Radio emission from the Vela-Puppis region, 0=4864
- Rishbeth, H. The ionosphere of Jupiter, 0=8472
- Rishbeth, H. Diffusion of ionization in the sunrise F-layer, 1=20991
- Rishbeth, H. Atmospheric composition and the F layer of the ionosphere, 2=15245
- Rishbeth, H. Further analogue studies of the ionospheric F layer, 3=5219
- Rishbeth, H. Ionospheric storms and the morphology of magnetic disturbances, 3=23609
- Rishbeth, H. and Barron, D. W. Equilibrium electron distributions in the ionospheric F2-layer, 0=16453
- Rishbeth, H. and Garriott, O. K. The theory of ionospheric storms, 3=13761
- Rishbeth, H. and Garriott, O. K. Relationship between simultaneous geomagnetic and ionospheric oscillations, 4=17954
- Rishbeth, H., Lyon, A. J. and Pearl, M. Diffusion in the equatorial F layer, 4=2304
- Rishbeth, H. and Setty, C. S. G. K. The F-layer at sunrise, 1=20990
- Rishbeth, H. See Briggs, B. H., 1=20996
- Rishbeth, H. See Garriott, O. K., 4=2312
- Rishbeth, H. See Lyon, A. J., 2=4654
- Rishkov, N. See Gelfreich, G., 0=18636
- Risi, M. See Busch, G., 3=11038
- Risi, M. See Müller, J., 0=19553
- Risk, C. G. See Engelhardt, A. G., 4=27228
- Risken, H. Calculation of laser modes in an active Perot-Fabry interferometer, 4=27679
- Risken, H. and Meyer, H. J. G. Contribution of lattice scattering between nonequivalent valleys to free-carrier infrared absorption in semiconductors, 1=11282
- Risken, H. See Riek, H. G., 2=14536
- Risken, H. See Reik, H. G., 1=1059
- Risken, H. See Reik, H. G., 1=17667
- Risler, J. C. and Hardy, R. Relation between the frequency and the luminous efficiency of the fluorescent tube, 1=2873
- Risley, A. S. and Bussey, H. E. Ferromagnetic resonance relaxation, wide spin-wave coverage by ellipsoids, 4=13281
- Risley, A. S. and Kaufman, I. Efficient frequency doubling from ferrites at the 100-watt level, 2=13681
- Risley, A. S. See Douthett, D. D., 1=14751
- Risley, A. S. See Douthett, D. D., 2=9710
- Rispoli, B. Activities of the coordinating centre for electronics of C.N.R.N. [National Committee for Nuclear Research], 0=3870
- Rispoli, B. See Beneventano, M., 0=17285
- Rispoli, B. See Beneventano, M., 1=13227
- Rispoli, B. See Bologna, G., 2=5610
- Rispoli, B. See Diambrini, G., 0=15099
- Rispoli, B. See Diambrini, G., 1=5524
- Risser, J. R. See Belote, T. A., 1=7327
- Risser, J. R. See Kashy, E., 0=7474
- Risser, J. R. See Kashy, E., 1=7324
- Risser, J. R. See Kuan, Hsin-Min, 4=15209
- Risser, J. R. See Kuan, Hsin-Min, 4=15240
- Risser, J. R. See Phillips, G. C., 4=22142
- Risset, J. C. See Bishop, G. R., 2=10087
- Rissmann, S. and Vosahlo, H. Light modulation and image production by means of electro-optical crystals, 1=8223
- Ristau, O. See Schoffa, G., 1=4735
- Ristau, O. See Schoffa, G., 0=11837
- Riste, T. Critical magnetic scattering of neutrons in magnetite, 1=20117
- Riste, T. Some experiments on magnetic inelastic scattering of neutrons, 3=1116
- Riste, T. and Tenzer, L. A neutron diffraction study of the temperature variation of the spontaneous sublattice magnetization of ferrites and the Néel theory of ferrimagnetism, 1=20121
- Riste, T. and Wanic, A. A neutron diffraction study of spin fluctuations in  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 1=20118
- Riste, T. See Goedkoop, J. A., 0=8065
- Riste, T. See McReynolds, A. W., 0=13806
- Ristić, M. M. See Živanović, B., 3=6777
- Ristić, S. and Drašković, R. The use of the radioactive indicators in the study of the beryl crystal lattice, 0=21191
- Ristinen, R. A., Bartlett, A. A. and Kraushaar, J. J. A study of the decay of  $V^{48}$ , 3=19812
- Ristinen, R. A. See Bartlett, A. A., 3=4378
- Ristinen, R. A. See Kliwer, J. K., 4=9400
- Ristinen, R. A. See Wilson, R. R., 2=7929
- Ritchie, G. L. D. See Malcolm, G. N., 2=15821
- Ritchie, R. H. On surface plasma oscillations in metal foils, 3=22690
- Ritchie, R. H., Ashley, J. C. and Emerson, L. C. Optical bremsstrahlung and transition radiation from irradiated media, 4=25913
- Ritchie, R. H., Cheka, J. S. and Birkhoff, R. D. The spherical condenser as a high transmission particle spectrometer. I. Point source, 1=1919
- Ritchie, R. H. and Eldridge, H. B. Thermal neutron flux depression by absorbing foils, 1=16809
- Ritchie, R. H. and Eldridge, H. B. Optical emission from irradiated foils. I, 2=14751
- Ritchie, R. H. See Ashley, J. C., 4=26231
- Ritchie, R. H. See Birkhoff, R. D., 1=18947
- Ritchie, R. H. See Dalton, G. R., 2=9859
- Ritchie, R. K. and Lew, H. Infrared spectra of NaF and KF, 4=9727
- Ritchie, R. K. and Walsh, A. D. The 1650-1350 Å absorption spectrum of nitrogen dioxide, 2=12334
- Ritchie, R. K., Walsh, A. D. and Warsop, P. A. The 2491 Å transition of nitrogen dioxide. I. Rotational analysis, 2=6147
- Ritland, G. D. See Pashos, T. J., 1=11054
- Ritow, H. The role of space charge in gas breakthrough between equal parallel plane electrodes below the Paschen PD minimum, 0=9004
- Ritow, H. Emission fields, work functions, ionization potentials and normal cathode falls of potential - empirical relations, 2=15896
- Ritow, H. A field emission interpretation of glow discharge, 3=373
- Ritschel, H. and Schmidt, G. Electronic conductivity and disorder phenomena in yellow lead (II) oxide with substitutional cation impurities. I. Conductivity variations, 3=13075
- Ritschel, H. and Schmidt, G. Electronic conductivity and disorder phenomena in yellow lead (II) oxide with substitutional cation impurities. II. Variation of activation energy. Changes of colour, 3=13076
- Ritschl, R. and Röseler, A. Infrared absorption of germanium and silicon single crystals, 1=19994
- Ritschl, R. and Röseler, A. The i.r. absorption of doped Ge and Si single crystals, 3=935
- Ritschl, R. See Poser, C., 1=18599
- Ritschl, R. See Poser, C., 3=255
- Ritsema, A. R. See Scholte, J. G. J., 3=1413
- Ritsma, R. J. Existence region of the tonal residue. I, 2=24205
- Ritsma, R. J. Existence region of the tonal residue. II, 3=21165
- Ritsma, R. J. The domain of existence of the tonal residue, 4=15977
- Ritsma, R. J. See Schouten, J. F., 3=3670
- Ritson, D. M. See Allaby, J. V., 4=11976
- Ritson, D. M. See Boyarski, A. M., 3=6065
- Ritson, D. M. See Coward, D. H., 3=22094
- Ritson, D. M. See Fazio, G. G., 0=2613
- Ritson, D. M. See Hill, D. A., 1=4747
- Rittenberg, A. See Alexander, G., 3=7924



- Rittenberg, A. See Kalbfleisch, G.R., 3=17349  
 Rittenberg, A. See Kalbfleisch, G.R., 4=27891  
 Ritter, E. Knowledge of the SiO and Si<sub>2</sub>O<sub>3</sub> phase in thin films, 2=8884  
 Ritter, E. See Pulker, H., 4=13056  
 Ritter, G.J. Hyperfine structure and nuclear moments of Lu<sup>175</sup>, 2=9993  
 Ritter, G.J. Ground-state hyperfine structure and nuclear magnetic moment of thulium-169, 3=6355  
 Ritter, G. J. Hyperfine structure of the level of 2<sup>2</sup>P<sub>1/2</sub> of Lithium 7, 4=28126  
 Ritter, G.J. See Reddoch, A.H., 2=12834  
 Ritter, J.C. and Smith, W.G. Decay of At<sup>212</sup>; the Bi<sup>209</sup> ( $\alpha$ , N)At<sup>212</sup> reaction, 3=2419  
 Ritter, J. E., Jr and Cooper, A.R., Jr. The fracture strength of commercial soda-lime-silica glass from - 100 to 700°C, 4=4465  
 Ritter, R.C., Stelson, P.H., McGowan, F.K. and Robinson, R.L. Coulomb excitation with Ne<sup>90</sup> ions, 3=6297  
 Ritter, R.C. See Huang, W.F., 3=15226  
 Ritter, R.C. See van der Zwan, L., 4=11857  
 Ritter, Z. and Pauncz, R. Approximate analytical wave functions for the 1 s ns <sup>4</sup>S states of He and He-like ions, 0=15642  
 Ritter, Z.W., Pauncz, R. and Appel, K. Approximate analytical wave functions for the 1 s ns <sup>4</sup>S<sub>1/2</sub> states of Li and Li-like ions, 1=12243  
 Rittner, E.S. On the theory of the close-spaced impregnated cathode thermionic converter, 0=10943  
 Rittner, E.S. Comments on "the limits of the small signal theory of transistors", 2=18721  
 Rittner, E.S. Comment on "theoretical bound on the thermoelectric figure of merit from irreversible thermodynamics", 2=19891  
 Rittner, E.S. and Levi, R. Role of carburization in the suppression of emission from barium-activated tungsten and molybdenum surfaces, 2=15943  
 Rittner, E.S. and Milch, A. On contact ionization in thermionic converters, 2=3010  
 Rittner, E.S. and Neumark, G.F. Theoretical bound on the thermoelectric figure of merit of two-band semiconductors, 3=17967  
 Rittershaus, E. See Jørgensen, C. K., 4=20462  
 Ritus, V.I. Angular and polarization analyses of reactions of the type a + b → a' + b' + c', 0=9297  
 Ritus, V.I. Relativistically covariant spin structure of the S-matrix, 0=20069  
 Ritus, V.I. Transformations of the inhomogeneous Lorentz group and the relativistic kinematics of polarized states, 1=15596  
 Ritus, V.I. Photoproduction of neutrinos on electrons and the neutrino radiation from stars, 2=273  
 Ritus, V.I. Photoproduction of neutrinos on electrons and the neutrino radiation from stars, 3=577  
 Ritus, V.I. See Nikishov, A.I., 4=16796  
 Ritus, V. I. See Nikishov, A. I., 4=19369  
 Ritz, V.H. Design of free-air ionization chambers for the soft X-ray region (20-100 kV), 0=5442  
 Ritz, V.H. Standard free-air chamber for the measurement of low energy X-rays (20 to 100 kilovolts-constant-potential, 0=7243  
 Ritz, V.H. F-center production efficiencies at liquid-helium temperature, 4=12810  
 Ritz, V.H. and Attix, F.H. An ionization chamber for kilocurie source calibrations, 2=17987  
 Ritz, V.H. See Klick, C.C., 3=22835  
 Ritz, M. See Emendörfer, D., 1=13893  
 Ritzl, F., Janz, I. and Höschler, G. Measurement of weak  $\beta$ -rays by means of a liquid scintillation spectrometer, 4=25334  
 Riveros, H. See Fernández, A., 4=29056  
 Rives, J.E. and Meyer, H. Density of liquid helium-3 between 0.045 and 1.3°K, 1=18690  
 Rivet, E. See Cerny, J., 4=9560  
 Rivet, E. See Harvey, B.G., 3=4566  
 Rivet, E.J.M. See Harvey, B.G., 4=17201  
 Rivet, P. See d'Andlau, C., 3=17328  
 Rivet, P. See Astier, A., 2=22614  
 Rivet, P. See Awunor-Renner, E.R.T., 0=15497  
 Rivet, P. See Ghesquiere, C., 4=19575  
 Rival, J.L. Dielectric behaviour of pulverized nickel oxide at radio frequencies, 3=13107  
 Rivier, D. The phenomenology of the Hall effect in unsaturated ferromagnetics at low temperatures, 2=23247  
 Rivier, D. and Huguenin, R. Residual Hall resistivity in ferromagnetics at low temperatures, 4=20324  
 Rivier, D. See Berger, L., 3=8489  
 Rivier, D. See Dubois, J., 2=6421  
 Rivier, D. See Huguenin, R., 2=6420  
 Rivier, D. See Wu, Ta-You, 2=2641  
 Riviere, A.C. and Sweetman, D.R. Dissociation of H<sub>2</sub><sup>+</sup> and He<sup>+</sup> by electric fields, 1=2947  
 Riviere, A.C. and Sweetman, D.R. A search for vibrational energy effects in the dissociation of H<sub>2</sub><sup>+</sup> ions by hydrogen gas, 2=2026  
 Riviere, A.C. and Sweetman, D.R. The dissociation of molecular ions by strong electric fields, 3=7436  
 Riviere, A.C. and Sweetman, D.R. Energy resolution of CsI(Tl) scintillation counter for 12.5 to 100 keV protons, 4=6053  
 Riviere, A.C. and Sweetman, D.R. The ionisation of excited hydrogen atoms by strong electric fields, 4=11530  
 Riviere, A.C. and Sweetman, D.R. Formation of hydrogen atoms in excited states by electron capture, 4=25528  
 Rivière, A.C. See Julian, F.A., 2=17907  
 Rivière, J.C. The work function of uranium, 2=17858  
 Rivière, J.C. The work function of thorium, 2=17859  
 Riviere, J.C. A fluid-free stainless steel ultra-high vacuum system for surface physics measurements, 3=23945  
 Rivière, J.C. and Allinson, J.D. Gas evolution during baking of sputter-ion pumps, 4=18274  
 Riviere, J.C. and Allinson, J.D. Gas evolution during baking of sputter-ion pumps, 4=21193  
 Rivière, J.C. See Hopkins, B.J., 3=9825  
 Rivière, J.P. and Haymann, P. Determination of the orientation of the micro-etch figures by refraction of electrons, 4=30865  
 Rivière, F. See Richard, M., 3=8792  
 Rivin, A.N. and Cherpak, V.A. Method for measuring and calculating the diffraction coefficient of [condenser] microphones, 0=6889  
 Rivin, A.N. and Cherpak, V.A. Pressure calibration of measuring microphones by the reciprocity method, 1=16037  
 Rivin, A.N. See Klimov, B.M., 3=16717  
 Rivin, A.N. See Pronenko, L.Z., 0=8759  
 Riviere, G. and Dupeyrat, R. Measurement of the amplification coefficient for a fluorescence line of iodine vapour, excited by the  $\lambda = 5461$  Å line of mercury, 3=12769  
 Rivkin, S.L. The density of heavy water, 2=4998  
 Rivkin, S.L. and Akhundov, T.S. Experimental determination of the specific volume of heavy water at high temperatures and pressures, 4=2657  
 Rivkin, S.L. and Akhundov, T.S. Determination of the critical parameters of ordinary and heavy water, 4=29813  
 Rivkin, S.L. and Egorov, B.N. Specific heat of heavy water, 2=5000  
 Rivkin, V.I. See Smazhevskaya, E.G., 2=14635  
 Rivkind, A.I. Relaxation of deuterium nuclei in paramagnetic solutions, 0=2179  
 Rivlin, L.A. Negative resonance absorption of light in a stable medium, 4=29759  
 Rivlin, R.S. Constraints on flow invariants due to incompressibility, 4=2625  
 Rivlin, R.S. See Green, A.E., 4=24114  
 Rivlin, R.S. See Hayes, M., 2=15679  
 Rivlin, R.S. See Pipkin, A.C., 0=16964  
 Rivlin, R.S. See Pipkin, A.C., 1=5006  
 Rivlin, R.S. See Pipkin, A.C., 1=10662  
 Rivlin, R.S. See Pipkin, A.C., 2=2995  
 Rivlin, R.S. See Pipkin, A.C., 2=9515  
 Rivlin, R.S. See Toupin, R.A., 0=6044  
 Rivlin, V.G., Hume-Rothery, W. and Ryder, B. The constitution and structure of gold-cadmium alloys, 3=6855  
 Rivlin, V.G. See Hanson, C.G., 4=29024  
 Rivoir, L. See Smith, P., 2=10896  
 Rivoira, R. See Barras, H., 2=23917  
 Rivoira, R. See Barras, H., 3=3358  
 Rivoira, R. See Rassigni, G., 2=5176  
 Rivoire, G. and Dupeyrat, R. Stimulated Raman effect, 3=14373  
 Rivoire, G. Quantum study of the stimulation of Stokes and anti-Stokes lines in Raman scattering, 4=24882  
 Rivoire, G. Generation of harmonics and excitation by a coherent source in stimulated Raman effect, 4=24883  
 Rixon, J. See Martin, W.H., 0=5223  
 Rizaev, Kh. See Kopylova, D.K., 3=24774  
 Rizaev, Kh. See Kopylova, D.K., 4=27842  
 Rizdvyanets'kii, D.R. Ordering of ferromagnetic alloys with a crystal structure of the type Fe<sub>3</sub>Al, 4=17759  
 Rizdvyanetski, D.R. Interrelation of ordering and magnetization phenomena of ferromagnetic alloys with a hexagonal close-packed lattice, 4=22965



- Rizdvyanetskii, D.R. See Danilenko, V.M., 4=15634  
 Rizd'yanetskii, D.P. See Danilenko, V.M., 4=29000  
 Rzhikhov, V.I. See Geichenko, V.V., 4=13467  
 Riznichenko, Yu.V. and Shamina, O.G. Modeling of longitudinal waves in the earth's upper mantle, 3=21026  
 Riznichenko, Yu.V. See Vanek, I., 2=19187  
 Rizvi, S.H. See Qurashi, M.M., 1=18642  
 Rizvi, S.H. See Qurashi, M.M., 1=18643  
 Rizzuto, C. See Boato, G., 3=19105  
 Rizzuto, C. See Boato, G., 4=18566  
 Roa, D.J. The Fermi surfaces of copper, silver and gold. II. Calculation of the Fermi surfaces, 3=2763  
 Roach, F.E. The intensity of [O I] 5577 in the subauroral region as a function of magnetic activity, 0=14292  
 Roach, F.E. Variations of [O I] 5577 A emission in the upper atmosphere, 1=21017  
 Roach, F.E. Mid-latitude auroras, 2=15257  
 Roach, F.E. The aurora and trapped electrons, 3=13800  
 Roach, F.E., Barbier, D. and Duncan, R.A. Observation of 6300 A arc in France, the United States and Australia, 3=11454  
 Roach, F.E., Barbier, D. and Weill, G. Auroral observations made in an aeroplane, 2=17181  
 Roach, F.E., McCauley, J.W., Marovich, E. and Purdy, C.M. A comparative study of absolute zenith intensities of [O I] 5577, 0=14294  
 Roach, F.E. and Marovich, E. A monochromatic low-latitude aurora, 0=3358  
 Roach, F.E. and Marovich, E. Aurora of October 22/23, 1958 at Rapid City, South Dakota, 0=12197  
 Roach, F.E. and Megill, L.R. Integrated starlight over the sky, 1=2575  
 Roach, F.E., Megill, L.R., Rees, M.H. and Marovich, E. The height of nightglow 5577, 0=2034  
 Roach, F.E., Moore, J.G., Bruner, E.C. Jr., Cronin, H. and Silverman, S.M. The height of maximum luminosity in an auroral arc, 1=15310  
 Roach, F.E. and Rees, M.H. The absolute zenith intensity of [O I] 5577 at College, Alaska, 0=14291  
 Roach, F.E. and Roach, J.R. Stable 6300 A auroral arcs in mid-latitudes, 3=23632  
 Roach, F.E., Tandberg-Hanssen, E. and Megill, L.R. The characteristic size of airglow cells, 0=2026  
 Roach, F.E., Tandberg-Hanssen, E. and Megill, L.R. Movements of airglow cells, 0=2027  
 Roach, F.E. See Barbier, D., 2=15247  
 Roach, F.E. See King, G.A.M., 1=6631  
 Roach, F.E. See McCauley, J.W., 0=14293  
 Roach, F.E. See O'Brien, B.J., 1=15308  
 Roach, F.E. See Tandberg-Hanssen, E., 0=3359  
 Roach, F.E. See Tohmatsu, T., 2=17184  
 Roach, K.E. See Levine, M.M., 1=13436  
 Roach, K.E. See Whemeyer, D.B., 2=3658  
 Roach, J.R. Effects of radio wave propagation through mid-latitude 6300 A auroral arcs, 3=19460  
 Roach, J.R. See Roach, F.E., 3=23632  
 Roach, P.R. See Lounasmaa, O.V., 3=771  
 Roach, W.H. Computational survey of idealized fast breeder reactors, 1=17220  
 Roach, W.R., Wheatley, J.C. and Mota de Victoria, A.C. Electrical lead seals for cryogenic applications, 4=18506  
 Roach, W.R. See Black, W.C., Jr., 4=18503  
 Roach, W.T. The absorption of solar radiation by water vapour and carbon dioxide in a cloudless atmosphere, 2=2482  
 Roach, W.T. Some aircraft observations of fluxes of solar radiation in the atmosphere, 2=2483  
 Roach, W.T. See Briggs, J., 3=21035  
 Roaf, D. See Hopkins, H.W.K., 2=5541  
 Roaf, D.J. See Hume-Rothery, W., 1=4061  
 Roake, W.E. See Bates, J.L., 2=12235  
 Roalsvig, J.P., Gupta, I.C. and Haslam, R.N.H. Photoneutron reactions in  $C^{12}$  and  $O^{16}$ , 1=8697  
 Roalsvig, J.P., Haslam, R.N.H. and Bergsteinsson, J.L. A note of the reaction  $Zn^{64}(\gamma, n)Zn^{63}$ , 0=5778  
 Roalsvig, J.P. See Greenberg, L.H., 4=19751  
 Rob, L. On charge asymmetry of mesons created in proton-neutron interactions, 4=27841  
 Rob, L. and Korbel, Z. Protonic decay of a  $\Sigma^+$  hyperon with an associated electron pair, 0=5613  
 Rob, L. See Gramenitskii, I.M., 1=10820  
 Rob, L. See Korbel, Z., 0=2628  
 Rob, L. See Vishky, T., 2=1684  
 Rob, L. See Vishky, L., 2=22512  
 Robaschik, D. Determination of some geometrical quantities for the Schwarzschild field, 4=21026  
 Robaschik, D. Perturbation calculations in gravitational theory, 4=21028  
 Robaye, G. Study of long counters by the Monte-Carlo method, 2=7869  
 Robaye, G. See Baudinet-Robinet, Y., 4=17158  
 Robb, J.A. See Gebbie, H.A., 4=21682  
 Robb, J.C. Lehlre, R.S., 2=20053  
 Robb, W. See Smit, J. van R., 0=4719  
 Robbe-Bourget, M.P. See Thach Lan, T., 4=23566  
 Robben, F. Nonequilibrium ionization in a magnetohydrodynamic generator, 3=4263  
 Robben, F., Kunkel, W.B. and Talbot, L. Spectroscopic study of electron recombination with monatomic ions in a helium plasma, 4=5565  
 Robben, F., Monson, P.R. and Allport, J.J. Correlation of experimental results for the vibrational relaxation of nitric oxide, 0=17735  
 Robben, F. See Monson, P.R., 2=2769  
 Robbin, J. See Robin-Kandare, S., 4=7119  
 Robbins, A. See Croom, S., 0=6465  
 Robbins, A. See Croom, S., 0=16425  
 Robbins, A. See Thomas, J.O., 0=2014  
 Robbins, A.B. and Greenlees, G.W. Polarization of 9 MeV protons elastically scattered from magnesium, 0=11411  
 Robbins, A.B., Grotowski, K.A. and Greenlees, G.W. Polarization of 9.4 MeV protons elastically scattered from copper, 2=1875  
 Robbins, A.B., Grotowski, K.A. and Greenlees, G.W. Polarization of 9.4-MeV protons elastically scattered from copper, 3=12661  
 Robbins, A.B. See Greenlees, G.W., 4=9495  
 Robbins, A.B. See Hoare, D., 1=9851  
 Robbins, A.R. and Thomas, J.O. The disturbed F-layer over Slough, 0=8385  
 Robbins, A.R. See Ratcliffe, J.A., 0=8384  
 Robbins, C. See Fang, P.H., 1=8972  
 Robbins, C.R. and Levin, E.M. Tetragermanates of strontium, lead, and barium of formula type  $AB_4O_9$ , 1=15096  
 Robbins, C.R. See Fang, P.H., 2=12569  
 Robbins, E.J. See Leckenby, R.E., 4=25794  
 Robbins, H. Junction delineation in silicon, 2=10507  
 Robbins, H. and Schwartz, B. Chemical etching of silicon. II. The system  $HF$ ,  $HNO_3$ ,  $H_2O$  and  $HC_2H_3O_2$ , 0=4600  
 Robbins, H. See Schwartz, B., 4=15751  
 Robbins, M. and Banks, E. Effect of fluoride-compensated  $Co^{2+}$  on the anisotropy of  $BaFe_{12}O_{19}$ , 3=15877  
 Robbins, M., Lerner, S. and Banks, E. Some effects of charge-compensating ions on cation site preferences in complex oxides, 3=18222  
 Robbins, M. and White, J.G. Magnetic properties of epsilon-iron nitride, 4=26311  
 Robbins, M. See Banks, E., 3=1013  
 Robbins, M.L. and La Mer, V.K. The effect of the spreading solvent on the properties of monolayers, 0=10371  
 Robbins, M.S. Demonstration of nodal patterns in vibrating plates, 4=2755  
 Robbins, P.A. See Mendelsohn, L.I., 4=13185  
 Robbins, R.F., Ohori, Y. and Weitzel, D.H. Linear thermal expansion of elastomers in the range  $300^\circ$  to  $76^\circ K$ , 4=12653  
 Robbins, R.F. See Scott, L.E., 0=7039  
 Robbins, R.F. See Weitzel, D.H., 1=5312  
 Robbrecht, G., Jacobs, E. and Iserentant, C. The expansion coefficient of copper, 2=12390  
 Robbrecht, G., Jacobs, E. and Iserentant, C. The thermal dilatation of a mixed nickel-zinc ferrite, 2=12391  
 Robbrecht, G.G. Ferrimagnetic resonance in rare-earth garnets, 2=4242  
 Robbrecht, G.G. and Doclo, R.J. Magnetic transformations in antiferromagnetic iron sesquioxide, 3=5029  
 Robbrecht, G.G. See Iserentant, C.M., 4=28857  
 Robbrecht, G.G. See Verhaeghe, J.L., 0=7853  
 Robbrecht, G.G. See Verhaeghe, J.L., 2=19494  
 Robe, H. Study of the equatorial orbit of an artificial satellite assuming an ellipsoidal earth with three unequal [equatorial] axes, 0=4908  
 Robe, H. Effects of the equatorial asymmetry of the earth on the orbit of an artificial satellite, 1=18216  
 Robe, H. Note on the oscillations of Jean's spheroid, 4=26891  
 Robens, E., Robens, G. and Sandstede, G. Measurement of sorption, vaporization and decomposition of materials used in vacuum technology by means of an electromagnetic microbalance, 4=5253  
 Robens, E. See Krupp, H., 4=5260  
 Robens, G. See Robens, E., 4=5253



- Roberge, J.P. and Sailor, V.L. Parameters of the  $\text{Lu}^{176}$  neutron resonance at 0.142 eV, 1=17126
- Roberson, J.A. and Grosskreutz, J.C. Fatigue of copper-zinc alloys at 100°K, 3=20750
- Roberson, N.R. See Funsten, H.O., 4=15204
- Robert, A. and Guillemet, E. New scattered light method in three-dimensional photoelasticity, 4=16258
- Robert, A. See Galatry, L., 4=7886
- Robert, C. Influence of an applied field on the nuclear resonance of  $\text{Fe}^{57}$  in the local field of yttrium iron garnet, 1=7804
- Robert, C. Nuclear magnetic resonance of  $\text{Fe}^{57}$  in the local field of yttrium iron garnet, 1=7805
- Robert, C. Experimental verification of the variation of relaxation time in a direct process, 4=28882
- Robert, C. and Hartmann-Boutron, F. Anisotropy of the nuclear resonance frequency in yttrium iron garnet, 3=3205
- Robert, C. and Winter, J.M. Observation of the nuclear resonance of  $\text{Fe}^{57}$  in natural metallic iron in the absence of an external field, 0=13892
- Robert, C. and Winter, J.M. Study of the nuclear resonance of  $\text{Fe}^{57}$  in the local field of metallic iron, 1=11495
- Robert, C. and Winter, J.M. Experimental study of the nuclear relaxation of  $\text{Fe}^{57}$  in yttrium garnet, 2=6705
- Robert, C. and Winter, J.M. Relaxation of  $\text{Fe}^{57}$  nuclei in yttrium iron garnet, 3=23252
- Robert, C. and Winter, J.M. Nuclear resonance in ferromagnetic substances, 4=28889
- Robert, C. See Boutron, F., 1=20263
- Robert, E. See le Grives, E., 4=14735
- Robert, G. See Autones, P., 4=9031
- Robert, J. Calorimetric measurement of the half-life of  $\text{Y}^{90}$ , 0=17520
- Robert, J. Determination of the half-life of  $\text{Au}^{198}$  by a calorimeter, 1=13687
- Robert, J. See Causse, R., 2=11332
- Robert, J. See Lecoin, M., 3=10078
- Robert, J. See Poirier, Y., 1=4708
- Robert, M. See Boutry, G.A., 1=14476
- Robert, M. See Desvignes, F., 1=14477
- Robert, P.O. The extreme smallness of the maximum permissible intake of radionuclides makes present radiation detectors useless, 0=7251
- Robert, P.O. Proposal of an expression of the relative danger or risk (H) of a radioisotope and of the danger or risk corresponding to a radioactivity (r) emitted by the radioisotope, 0=13162
- Roberti, D.M., Kalman, O.F. and Smyth, C.P. Microwave absorption and molecular structure in liquids. XXX. The anomalous dielectric relaxation of diphenyl ether and some similar molecules, 0=16700
- Roberts, A. Čerenkov detector accurately measuring velocity and direction over a wide range, 0=9236
- Roberts, A. Development of the spark chamber: a review, 1=9699
- Roberts, A. Note on the problem of automatic scanning of spark chamber photographs, 1=10826
- Roberts, A. A new type of Čerenkov detector for the accurate measurement of particle velocity and direction, 1=16617
- Roberts, A. See Burleson, G.R., 1=16631
- Roberts, A. See Burleson, G.R., 2=9755
- Roberts, A. See Burleson, G.R., 3=17145
- Roberts, A. See Burleson, G.R., 3=17146
- Roberts, A. See Burleson, G.R., 3=17149
- Roberts, A. See Chadwick, G.B., 0=15350
- Roberts, A.C. See Adams, M.A., 0=16231
- Roberts, A.C. See Higgins, P.R.B., 2=613
- Roberts, A.C. See Higgins, P.R.B., 3=17803
- Roberts, A.C. See Westmacott, K.H., 3=6520
- Roberts, A.C. See Westmacott, K.H., 3=17706
- Roberts, A.P. Weak-binding approximation in a one-dimensional liquid chain 3=9325
- Roberts, A.P. and Makinson, R.E.B. Electron eigenstates in a one-dimensional liquid, 2=9258
- Roberts, A.P. See Makinson, R.E.B., 0=19094
- Roberts, A.P. See Makinson, R.E.B., 2=5003
- Roberts, A.R.V. See Hayes, R.E., 2=15661
- Roberts, A.R.V. See Hayes, R.E., 2=17521
- Roberts, B.W. Magnetoacoustic oscillations and the Fermi surface in aluminum, 0=15810
- Roberts, B.W. Ultrasonic cyclotron resonance in gallium, 1=11186
- Roberts, B.W. See Ellis, W.P., 3=24043
- Roberts, B.W. See Gilman, J.J., 1=11501
- Roberts, C. and Buchsbaum, S.J. Motion of a charged particle in a constant magnetic field and a transverse electromagnetic wave propagating along the field, 4=24800
- Roberts, C.A., Sisco, W.B. and Fiskin, J.M. Theory of equilibrium electron and particle densities behind normal and oblique hypersonic shock waves in air, 0=16775
- Roberts, C.A. See Palmer, A.J., 4=14157
- Roberts, C.A. See Price, R., 4=11787
- Roberts, C.S. Inelastic scattering from a diatomic molecule: rotational excitation upon collision between  $\text{He}$  and  $\text{H}_2$  and  $\text{H}_2$  and  $\text{H}_2$ , 3=17623
- Roberts, C.S. See Longaker, P.R., 4=8932
- Roberts, D.C. See Wilson, G.W., 3=7678
- Roberts, D.E. See Mandelkern, L., 1=11605
- Roberts, D.H., Townsend, P. and Wilson, B.L.H. Electron tunnelling devices. I, 2=8375
- Roberts, D.H. See Lee, D.E., 0=19499
- Roberts, D.L. A-C ionization chambers are simple and reliable, 1=12032
- Roberts, D.L. The characteristics of an RC6 ionisation chamber with a low polarising voltage for the compensating volume, 3=22031
- Roberts, D.L. See Marshall, F.R., 3=5890
- Roberts, E. Some observations of gas bubble formation in irradiated boron steels, 2=23224
- Roberts, E. and Honeycombe, R.W.K. Movement of point defects during fatigue of aluminium crystals, 0=21121
- Roberts, E. and Honeycombe, R.W.K. Fatigue of aluminium single crystals, 3=11139
- Roberts, E. See Partridge, P.G., 4=1955
- Roberts, E.A. See Fessler, H., 1=1721
- Roberts, E.M. Exact integral relationship in quantum mechanics: application to the variational method, 3=1616
- Roberts, E.M., Foster, M.R. and Selig, F.F. On the theory of spin-orbit and hyperfine interactions in molecules. Application to the hydrogen molecule-ion, 2=10804
- Roberts, E.M., Koski, W.S. and Caughey, W.S. Electron spin resonance of some vanadyl porphyrins, 1=4948
- Roberts, F.E. Impurity concentrations in the regrown region of In-Ge alloyed junctions, 2=12536
- Roberts, F.P. See Sheppard, J.C., 4=1805
- Roberts, F.P. See Wilson, A.S., 3=18311
- Roberts, G. and Derbyshire, W. Universal crystal mount for electron paramagnetic resonance measurements, 2=1614
- Roberts, G. and Hughes, J.L. A simple device for rotating and oscillating a polycrystalline specimen when taking a back-reflection, X-ray photograph, 3=20814
- Roberts, G.C. See Giedd, G.R., 1=16439
- Roberts, G.E. Parametric solution of the equations of the Schwarzschild two-reflector optical system, 4=27298
- Roberts, G.G. and Tredgold, R.H. On the metal-semiconductor contact, 2=23442
- Roberts, G.G. and Tredgold, R.H. Space charge injection into impurity semiconductors, 4=6939
- Roberts, G.J. and Roberts, J.P. Influence of thermal history on the solubility and diffusion of "water" in silica glass, 4=15493
- Roberts, H.J. See Hyde, F.J., 2=4055
- Roberts, H.J. See Hyde, F.J., 2=6480
- Roberts, H.R. See Carleton, F.J., 1=20777
- Roberts, J. Estimation of dynamic modulus and dynamic yield stress for "Perspex", 1=12582
- Roberts, J. Dynamic yield stress of "Perspex", 2=21431
- Roberts, J. Elastic modulus of polymers from resonant flexure of clamped disks, 4=20678
- Roberts, J. See Eldred, R.A., 4=30055
- Roberts, J.A. Solar radio bursts of spectral type II, 0=4853
- Roberts, J.A. Some aspects of type II bursts, 1=2654
- Roberts, J.A. Radio emission from the planets, 3=23708
- Roberts, J.A. and Stanley, G.J. Radio emission from Jupiter at a wavelength of 31 centimetres, 0=6553
- Roberts, J.A. See Bylander, E.G., 0=16969
- Roberts, J.A. See Giovannelli, R.G., 0=4900
- Roberts, J.A. See Giovannelli, R.G., 1=2655
- Roberts, J.A. See Harris, D.E., 1=4222
- Roberts, J.A. See Hatt, B.A., 1=4062
- Roberts, J.A. See Kundu, M.R., 1=2657
- Roberts, J.A. See Radhakrishnan, V., 0=12254
- Roberts, J.A. See Twiss, R.Q., 0=5316
- Roberts, J.A. See Young, C.W., 1=2656
- Roberts, J.D. See Lambert, J.B., 4=30479



- Roberts, J.E. See Bing, G.F., 1=11953  
 Roberts, J.E. See Harris, G.M., 0=17007  
 Roberts, J.H. See Ammar, R.G., 3=10229  
 Roberts, J.H. See Crayton, N., 2=3472  
 Roberts, J.H. See Crayton, N., 2=22718  
 Roberts, J.H. See Se Hee Ahn, 0=15603  
 Roberts, J.H. See Smith, A.B., 1=13872  
 Roberts, J.H.A. See Starkey, T.V., 1=15792  
 Roberts, J.M. and Brown, N. Low frequency internal friction in zinc single crystals, 2=21406  
 Roberts, J.M. and Brown, N. Nonelastic strain recovery in zinc single crystals, 3=8776  
 Roberts, J.M. and Hartman, D.E. Theory of dislocation hysteresis with application to damping measurements in magnesium single crystals, 3=23306  
 Roberts, J. M. and Hartman, D. E. The temperature dependence of the micro-yield points in prestrained magnesium single crystals, 4=30780  
 Roberts, J. M. See Barnett, D. M., 4=7382  
 Roberts, J. M. See Hartman, D. E., 4=7369  
 Roberts, J. P. and Moulson, A. J., 2=6378  
 Roberts, J. P. See Drury, T., 4=4078  
 Roberts, J. P. See Roberts, G. J., 4=15493  
 Roberts, J. P. See Thompson, D. S., 0=8119  
 Roberts, K. V. End loss in the linear  $\phi$ -pinch, 1=10720  
 Roberts, K. V., Hertweck, F. and Roberts, S. J. Thetatron, a two-dimensional magnetohydrodynamic computer programme. I. General discussion, 4=2993  
 Roberts, K. V. and Taylor, J. B. Magnetohydrodynamic equations for finite Larmor radius, 2=17942  
 Roberts, K. V. See Ashby, D. E. T. F., 1=16335  
 Roberts, K. V. See Hain, K., 1=2973  
 Roberts, K. V. See Taylor, J. B., 2=19970  
 Roberts, L. D. and Thomson, J. O. Solid state and nuclear results from a Mössbauer-type study of  $\text{Au}^{197}$ , 3=6458  
 Roberts, L. D. and Thomson, J. O. A study of the magnetic properties of gold in alloys with iron, cobalt and nickel at 4°K by the recoil-less radiation method, 4=20158  
 Roberts, L. D., Walter, F. J., Dabbs, J. W. T., Parker, G. W. and Thomson, J. O. Fission fragments from oriented  $\text{U}^{235}$  and  $\text{U}^{238}$ , 1=8791  
 Roberts, L. D. See Boom, R. W., 3=19409  
 Roberts, L. D. See Boom, R. W., 3=21670  
 Roberts, L. D. See Dabbs, J. W. T., 0=11341  
 Roberts, L. D. See Hanauer, S. H., 2=393  
 Roberts, L. D. See Walter, F. J., 0=12725  
 Roberts, L. D. See Walter, F. J., 1=3089  
 Roberts, L. M. See Lock, J. M., 3=340  
 Roberts, L. M. See Lock, J. M., 3=16877  
 Roberts, M. B. See Foreman, H., 1=19377  
 Roberts, M. E. See Feinberg, R., 2=9551  
 Roberts, M. E. See Feinberg, R., 3=4077  
 Roberts, M. E. See Feinberg, R., 3=4078  
 Roberts, M. E. See Feinberg, R., 3=19223  
 Roberts, M. E. See Feinberg, R., 3=24287  
 Roberts, M. E. See Feinberg, R., 4=19036  
 Roberts, M. J. Energy moments and cross sections for a Gaussian potential, 3=24657  
 Roberts, M. J. Negative energy moments and low energy approximations to phase shifts, 4=18042  
 Roberts, M. J. See Percival, I. C., 3=24634  
 Roberts, M. S. A search for neutral atomic hydrogen in globular clusters, 0=10484  
 Roberts, M. S. Dust and gas in globular clusters, 0=18814  
 Roberts, M. S. The galactic distribution of the Wolf-Rayet stars, 2=7026  
 Roberts, M. S. A study of neutral hydrogen in IC 10, 2=21741  
 Roberts, M. S. The neutral hydrogen content of late-type spiral galaxies, 2=21742  
 Roberts, M. S. and Hugenin, G. B. The radiation belt of Jupiter, 3=21130  
 Roberts, M. W. The interaction of krypton, oxygen and hydrogen with iron films, 1=1482  
 Roberts, M. W. Probability of gas adsorption on metal films. I. Carbon monoxide and nitrogen on molybdenum, 3=16146  
 Roberts, M. W. See Quinn, C. M., 2=15103  
 Roberts, M. W. See Quinn, C. M., 4=11687  
 Roberts, M. W. See Quinn, C. M., 4=19076  
 Roberts, M. W. See Quinn, C. M., 4=23657  
 Roberts, M. W. See Thomas, K., 1=4080  
 Roberts, P. H. Propagation of induced fields through the core, 0=5390  
 Roberts, P. H. On Bourret's hypothesis concerning turbulent diffusion, 1=18462  
 Roberts, P. H. On the superpotential and supermatrix of a heterogeneous ellipsoid, 3=1595  
 Roberts, P. H. The effect of a vertical magnetic field on Rayleigh-Taylor instability, 3=9914  
 Roberts, P. H. On highly rotating polytropes. I, 3=16577  
 Roberts, P. H. On highly rotating polytropes. II, 4=2633  
 Roberts, P. H. The stability of hydromagnetic Couette flow, 4=24814  
 Roberts, P. H. and Boardman, A. D. The effect of a vertical magnetic field on the propagation of gravity waves along the plane surface of a semi-infinite viscous, electrically conducting fluid, 2=13661  
 Roberts, P. H. and Lowes, F. J. Earth currents of deep internal origin, 1=20803  
 Roberts, P. H. and Scott, S. Truncation errors in the spherical harmonic analysis of the geomagnetic field and the problem of downward extrapolation, 4=23811  
 Roberts, P. H. and Stewartson, K. On the stability of a Maclaurin spheroid of small viscosity, 3=14117  
 Roberts, P. H. and Tatsumi, T. The decay of magnetohydrodynamic turbulence, 1=7136  
 Roberts, P. H. and Ursell, H. D. Random walk on a sphere and on a Riemannian manifold, 1=2710  
 Roberts, P. H. See Chandrasekhar, S., 4=4733  
 Roberts, P. H. See Hide, R., 1=5552  
 Roberts, P. H. See Hurley, M., 4=29366  
 Roberts, R. See Hargreaves, J. K., 2=16070  
 Roberts, R. D. See Donahue, D. J., 4=12232  
 Roberts, R. W. Adsorption and decomposition of hydrocarbons on clean metal films, 3=20939  
 Roberts, R. W., Auld, B. A. and Schell, R. R. Magnetodynamic mode ferrite amplifier, 2=13680  
 Roberts, R. W., Burgess, J. H. and Tenney, H. D. Cross relaxation and concentration effects in ruby, 1=3941  
 Roberts, R. W. Generation of clean surfaces in high vacuum, 3=23499  
 Roberts, R. W., McElligott, P. E. and Kilgore, B. F. Formation of silicon whiskers, 4=10481  
 Roberts, R. W. See Kilgore, B. F., 3=8926  
 Roberts, R. W. and McElligott, P. E. Design and construction of a modulated molecular beam mass spectrometer, 4=19132  
 Roberts, R. W. See Barry, D., 1=11544  
 Roberts, R. W. See Greene, E. F., 0=6409  
 Roberts, R. W. See McElligott, P. E., 4=6668  
 Roberts, R. W., Jr. See Masters, J. I., 0=3069  
 Roberts, S. Optical properties of copper, 0=11753  
 Roberts, S. Interaction energy between a helium atom and a hydrogen molecule, 3=17622  
 Roberts, S. and Coon, D. D. Far-infrared properties of quartz and sapphire, 2=18791  
 Roberts, S. J. See Ashby, D. E. T. F., 1=16335  
 Roberts, S. J. See Hain, K., 1=2973  
 Roberts, S. J. See Laing, E. W., 1=9588  
 Roberts, S. J. See Roberts, K. V., 4=2993  
 Roberts, T. D. and Burch, D. S. Total secondary emission coefficient of gold black, 4=27566  
 Roberts, T. P. and Sydoriak, S. G. Sound velocity, phase separation, and lambda transitions of  $\text{He}^3$ - $\text{He}^4$  mixtures, 1=256  
 Roberts, T. R. See Sydoriak, S. G., 0=8889  
 Roberts, T. R. See Sydoriak, S. G., 0=10822  
 Roberts, T. R. See Sydoriak, S. G., 4=16303  
 Roberts, V. See Harding, G. N., 1=5574  
 Roberts, V. See Harding, G. N., 3=7594  
 Roberts, V. See Harding, G. N., 4=8699  
 Roberts, W. K. See Pallance, J. O., 4=11264  
 Roberts, W. K. See Liu, D. C., 2=22494  
 Roberts, W. K. See Liu, D. C., 3=17254  
 Roberts, W. K. See Liu, D. C., 4=4031  
 Roberts, W. N. Martensitic transformations in cold worked Hadfield steel, 4=17760  
 Roberts, W. O. and Zirin, H. Recent progress in solar physics, 0=14407  
 Roberts, W. O. See Macdonald, N. J., 0=14187  
 Roberts, W. T. See Dillamore, I. L., 4=12769  
 Roberts, W. T. See Dillamore, I. L., 4=13637  
 Roberts, W. T. See Dillamore, I. L., 4=13638  
 Robertson, A. G. See Haydon, S. C., 1=11808  
 Robertson, A. G. See Haydon, S. C., 3=4007  
 Robertson, A. G. See Haydon, S. C., 3=21701



- Robertson, A.J.B., Viney, B.W. and Warrington, M. The production of positive ions by field ionization at the surface of a thin wire, 3=12067
- Robertson, A.J.B. See Bassett, D.W., 0=7824
- Robertson, A.J.B. See Dawson, P.H., 3=13605
- Robertson, C.S. Magnetic bays at Macquarie Island, 1=1586
- Robertson, D.S. and Elliott, D. Magnetic losses in cores of various shapes, 0=19878
- Robertson, D.S., Wadsworth, B.F. and Brown, S.E. Accurate high-speed voltage comparator, 0=2296
- Robertson, D.S. See Cockayne, B., 4=23573
- Robertson, D.S. See Cockayne, B., 4=30817
- Robertson, D.W. See Stuckey, C.W., 4=30997
- Robertson, G.D. See Baily, N.A., 4=30010
- Robertson, H.H. See Bransden, B.H., 0=9352
- Robertson, H.M., McNamara, J.E. and Warner, R.M., Jr. A note on silicon oxide film thickness measurement, 2=21863
- Robertson, H.S. See Hakeem, M.A., 1=288
- Robertson, H.S. Suppression of helical instabilities in plasma by high magnetic fields, 4=27555
- Robertson, H.S. and Hakeem, M.A. Moving striations in glow discharge plasmas, 3=4164
- Robertson, I.S. See Finlayson, D.M., 1=1162
- Robertson, I.S. See Finlayson, D.M., 1=20168
- Robertson, J.A.L., Ross, A.M., Notley, M.J.F. and MacEwan, J.R. Temperature distribution in  $\text{UO}_2$  fuel elements, 3=10432
- Robertson, J.C., Lynch, J.G. and Jack, W. The luminescence of  $\text{CsBr:Tl}$  and  $\text{CsI:Tl}$  as a function of temperature, 2=2257
- Robertson, J.C. The  $(n, p)$ ,  $(n, d)$  and  $(n, \alpha)$  reactions induced by fast neutrons in  $\text{CsI (Tl)}$  scintillation crystals, 4=9539
- Robertson, J.C. and Lynch, J.G. The luminescent decay of various crystals for particles of different ionization density, 1=9009
- Robertson, J.C. See Axton, E. J., 4=12025
- Robertson, J.H. X-ray diffraction by single crystals at low temperatures: a cryostat for use with liquid hydrogen, 0=8184
- Robertson, J.H. Dry nitrogen gas: simple laboratory production, 4=4996
- Robertson, J.M. Origins and historical development of X-ray analysis, 3=25682
- Robertson, K.A. See McInnes, B., 0=18505
- Robertson, L.P., White, B.L. and Erdman, K.L. Beam heating effects in gas targets, 2=3338
- Robertson, L.P. See Craddock, M.K., 3=22131
- Robertson, L.P. See Erdman, K.L., 4=5491
- Robertson, L.P. See Erdman, K.L., 4=14224
- Robertson, L.P. See Griffiths, G.M., 2=9848
- Robertson, L.P. See Warren, J.B., 4=3496
- Robertson, L.P. See White, B.L., 3=4208
- Robertson, R.E. See Martin, S., 4=13731
- Robertson, W.A. Paleomagnetism of some Mesozoic intrusives and tuffs from Eastern Australia, 3=18581
- Robertson, W.A. See Irving, E., 3=18578
- Robertson, W.A. See Irving, E., 3=18582
- Robertson, W.D. See Breedis, J.F., 2=23870
- Robertson, W.D. See Breedis, J.F., 3=20883
- Robertson, W.D. See Dew-Hughes, D., 0=18264
- Robertson, W.D. See Dew-Hughes, D., 0=18265
- Robertson, W.D. See Freedman, J.F., 1=5283
- Robertson, W.D. See Gell, M., 4=10384
- Robertson, W.D. See Goldman, A. J., 4=20709
- Robertson, W.D. See Tetelman, A.S., 3=13379
- Robertson, W.H. Precise observations of minor planets at Sydney Observatory during 1959 and 1960, 2=15312
- Robertson, W.M. Faceting of copper surfaces at  $1000^\circ\text{C}$ , 4=10459
- Robertson, W.M. and Montgomery, D.J. Elastic modulus of isotopically-concentrated lithium, 0=4553
- Robertson, W.M. and Shewmon, P.G. Crystallography of impurity adsorption on copper surfaces, 4=4671
- Robertson, W.W. Comparison of the effects of high pressure and low temperature on the absorption spectra of some condensed-ring aromatics, 0=15733
- Robertson, W.W. and King, A.D., Jr. Calculation of pressure shifts of optical absorption spectra from solvent data, 1=8125
- Robertson, W.W. and King, A.D., Jr. Method for distinguishing between over-lapping transitions in electronic absorption spectra with application to azulene, 1=11763
- Robertson, W.W., King, A.D., Jr. and Weigang, O.E., Jr. Determination of excited-state dipole moments of azulene, 1=12331
- Robertson, W.W. See Benton, E.E., 2=22894
- Robertson, W.W. See Collins, C.B., 4=11533
- Robertson, W.W. See Collins, C.B., 4=12385
- Robertson, W.W. See Collins, C.B., 4=18727
- Robertson, W.W. See Collins, C.B., 4=18728
- Robertson, W.W. See Collins, C.B., 4=24612
- Robertson, W.W. See King, A.D., Jr., 3=304
- Robertson, W.W. See King, A.D., Jr., 4=6633
- Robertson, W.W. See Niles, F.E., 4=20049
- Robertson, W.W. See Niles, F.E., 4=22298
- Robertson, W.W. See Prince, J.F., 4=18725
- Robey, D.H. On the nature of comets and some new ideas relating to their origin, 4=13923
- Robie, R.A. See Peselnick, L., 2=21390
- Robie, R.A. See Peselnick, L., 3=23278
- Robiette, A.G. See Ebsworth, E.A.V., 4=17315
- Robin, J. Experimental study at very high pressures of the perturbation of the visible and ultraviolet absorption spectrum of oxygen, of nitric oxide and of the resonance lines of certain metals, 0=1533
- Robin, J. The effect of high argon pressures on the resonance emission of the potassium spectrum and the satellite bands in the neighbourhood of the K, Rb and Cs lines, 0=5882
- Robin, J. Influence of pressure on properties of semi-conductors, 1=7630
- Robin, J., Dewasnes, P. and Mabboux, C. Dynamic determination of the thermal conductivity of carbon dioxide at different temperatures, 0=14684
- Robin, J. and Robin-Kandare, S. Perturbation of the absorption spectrum of the alkali metals caused by absorbed hydrogen, 3=5443
- Robin, J. See Jeric, S., 3=11318
- Robin, J. See Merdy, H., 4=1754
- Robin, J. See Merdy, H., 4=22897
- Robin, J. See Robin-Kandare, S., 3=2995
- Robin, J. See Robin-Kandare, S., 4=1724
- Robin, J. See Robin-Kandare, S., 4=7161
- Robin, J. See Robin-Kandare, S., 4=10164
- Robin, J. See Robin-Kandare, S., 4=22849
- Robin, J. See Weitkamp, C., 0=5888
- Robin, L. The spherical functions of Legendre and spheroidal functions, Volume III, 0=4836
- Robin, L. Spheroidal electromagnetic radiator, 2=1580
- Robin, L. and Poincelot, P. The spherical electromagnetic radiator, 2=1591
- Robin, L. Diffraction of a cylindrical electromagnetic wave by a perfectly conducting parabolic cylinder. The case of horizontal polarization, 3=4271
- Robin, L. Diffraction of cylindrical electromagnetic wave by a perfectly conducting parabolic cylinder, the case of vertical polarization, 3=9932
- Robin, L. and Poincelot, P. Spherical and spheroidal electromagnetic radiators, 4=5823
- Robin, M. See Carré, J.C., 1=13823
- Robin, M.B. Optical spectra of benzamide-triiodide ion complexes: a model of the starch-iodine complex, 4=22338
- Robin, M.B. and Simpson, W.R. Assignment of electronic transitions in azo dye prototypes, 2=6186
- Robin, M.B. See Reddy, J.M., 4=13619
- Robin, S. and Robin, St. Direct determination of the optical constants of sodium and potassium in the ultra-violet, 0=16034
- Robin, S. and Robin, St. Measurement of transmission and reflecting power of alkali metals in the far ultra-violet, 0=18117
- Robin, S., Robin, S.T., Priol, M. and Rupin, J. A powerful, windowless source of simple construction for the far ultraviolet, 3=21556
- Robin, S. See Lemonnier, J.C., 4=7126
- Robin, S. See Lemonnier, J.C., 4=29756
- Robin, S. See Morlais, M., 4=11346
- Robin, S. See Priol, M., 4=28676
- Robin, S. See Rupin, J.M., 4=22311
- Robin, S. See Savary, A., 4=30884
- Robin, S. See Seignac, A., 4=28677
- Robin, St. See Robin, S., 0=16034
- Robin, St. See Robin, S., 0=18117
- Robin, S.T. See Robin, S., 3=21556
- Robin, V.A. Investigation of the mechanism of boiling a mixture of aluminum bromide and chloride, and a mixture of antimony bromide and chloride, 0=10807
- Robin-Kandare, S. Absorption and reflectivity of several semiconductors in the general and the vacuum ultraviolet, 0=8004



- Robin-Kandare, S. Absorption spectra of selenium and tellurium in the ultraviolet. Interpretation of results with aid of a reduced energy-band scheme, 1=7709
- Robin-Kandare, S., Damany, M.H. and Tertian, L. Structure and reflecting power of silicon films obtained by vacuum evaporation, 0=19423
- Robin-Kandare, S. and Robin, J. The optical properties of semiconductors between the middle and extreme ultraviolet, 3=2995
- Robin-Kandare, S., Robin, J. and de Chelle, F. The reflecting power and photoelectric emission of monocrystals of hexagonal cadmium sulphide, 4=1724
- Robin-Kandare, S., Robin, J. and de Chelle, F. Reflecting power and photoelectric emission of single crystals of hexagonal zinc sulphide, 4=7161
- Robin-Kandare, S., Robbin, J. and Kandare, S. Reflecting power and photoelectric emission of cadmium in the vacuum ultraviolet, 4=7119
- Robin-Kandare, S., Robin, J. and Kandare, S. The optical and photoelectric properties of thin films and single crystals of cadmium, 4=22849
- Robin-Kandare, S., Robin, J., Kandare, S. and Jerič, S. Absorption and reflective power of thin films of cadmium, unexposed to air, in the ultraviolet and the vacuum ultraviolet, 4=10164
- Robin-Kandare, S. See Jeric, S., 3=11318
- Robin-Kandare, S. See Merdy, H., 4=1754
- Robin-Kandare, S. See Merdy, H., 4=22897
- Robin-Kandare, S. See Robin, J., 3=5443
- Robins, E.J. See Bishop, J., 1=5986
- Robins, A.B. See Butler, J.A.V., 0=7822
- Robins, D.A. See Mackay, C.A., 4=23690
- Robins, D.A. See Smart, R.F., 2=2401
- Robins, J.L. Characteristic electron energy loss spectra of the noble metals and their neighbours, 2=2073
- Robins, J.L. and Best, P.E. Characteristic electron energy loss spectra of some alkali metals and alkaline earths, 2=3888
- Robins, J.L. Characteristic electron energy loss spectra of a number of solid elements, 2=3890
- Robins, J.L. Mass peaks from adsorbed gases in a single-focusing mass spectrometer, 3=24388
- Robins, J.L. and Swan, J.B. Characteristic electron energy loss spectra of the transition metals, Ti to Cu, 1=6101
- Robins, J.L. See Best, P.E., 1=8997
- Robins, R.G. Growth habit of electrodeposited uranium dioxide single crystals, 1=20431
- Robins, R.G. Uranium dioxide single crystals in electro-deposition, 2=4385
- Robins, R.G. Twinning, slip and cleavage in  $U_3O_8$ , 2=12883
- Robins, R.G. The precipitation of uranium metal in uranium dioxide in single crystals, 3=13591
- Robins, R.G., Wilks, R.S. and Bradbury, B.T. The crystal habit of uranium dioxide, 2=14941
- Robinson, A., Osborn, J.E. and Hsiao, C.C. Effect of orientation on strength of a model solid, 0=16235
- Robinson, B.B. Relativistic universes with shear, 2=4720
- Robinson, B.B. and Bernstein, I.B. A variational description of transport phenomena in a plasma, 2=13556
- Robinson, B.B. See Shkarofsky, I.P., 3=7508
- Robinson, B.J. Diurnal variation of the electron distribution in the ionospheric E-layer, 0=16442
- Robinson, B.J. On some disturbances in the E-region, 1=4122
- Robinson, B.J. Development of parametric amplifiers for radio astronomy, 4=4927
- Robinson, B.J., van Damme, K.J. and Koehler, J.A. 21 cm absorption of the radiation from 3C273, 4=4957
- Robinson, B.J., van Damme, K.J. and Koehler, J.A. Neutral hydrogen in the Virgo cluster, 4=13972
- Robinson, B.J. See Bülgel, B., 0=9193
- Robinson, B.J. See Bülgel, B., 0=17095
- Robinson, B.J. See Bülgel, B., 1=6414
- Robinson, B.J. See Bolton, J.G., 4=20949
- Robinson, B.L. Collisions of relativistic particles, 1=11708
- Robinson, B.J. See Gardner, F.F., 4=30986
- Robinson, B.L. Precision determination of the energy of the gamma ray of potassium-40, 4=17049
- Robinson, B.L. and Fink, R.W. Recent experimental results on orbital electron capture, 0=5707
- Robinson, B.L. See Shera, E.B., 4=9026
- Robinson, C.A. and McNab, I.R. Viscosity of partially ionized gaseous cesium, 4=24562
- Robinson, C.C. Electromagnetic theory of the Kerr and the Faraday effects for oblique incidence, 4=29776
- Robinson, C.J. See Duff, M.J.B., 4=14989
- Robinson, C.S., Baum, P.M., Criegee, L. and McKinley, J.M. Determination of the  $\rho, \gamma, \pi$  coupling constant from  $\pi^+$  photoproduction, 3=4421
- Robinson, C.V. Gas counting of tritium, 4=10682
- Robinson, D. Heavy particle temperature measurements in a nitrogen plasma by a spectroscopic method, 4=14676
- Robinson, D. and Nicholls, R.W. Intensity measurements on the  $CO^+$  comet tail, and the  $BO \alpha$  and  $\beta$  molecular band systems, 0=15750
- Robinson, D. and Nicholls, R.W. Intensity measurements on overlapped molecular bands, 2=3733
- Robinson, D.E. and Jeffress, L.A. Effect of varying the interaural noise correlation on the detectability of tonal signals, 4=10961
- Robinson, D.E. See Jeffress, L.A., 3=3677
- Robinson, D.K. See Bacon, T.C., 4=21854
- Robinson, D.K. See Fickinger, W.J., 1=19193
- Robinson, D.K. See Fickinger, W.J., 2=9838
- Robinson, D.K. See Fickinger, W.J., 2=22505
- Robinson, D.K. See Fickinger, W.J., 3=19692
- Robinson, D.K. See Lokanathan, S., 0=7484
- Robinson, D.K. See Munir, B.A., 1=5756
- Robinson, D.K. See Pickup, E., 1=19255
- Robinson, D.K. See Pickup, E., 2=5720
- Robinson, D.K. See Pickup, E., 2=9839
- Robinson, D.K. See Pickup, E., 2=22571
- Robinson, D.K. See Pickup, E., 2=22576
- Robinson, D.K. See Salant, E.O., 1=16848
- Robinson, D.K. See Wilkinson, D.H., 0=418
- Robinson, D.L. See Frank, G.R., Jr., 1=12650
- Robinson, D.W. The subjective loudness scale, 0=14763
- Robinson, D.W. Multiple Coulomb excitations of vibrational nuclei, 1=13645
- Robinson, D.W. A note on k-commutative matrices, 2=3
- Robinson, D.W. Statistical aspects of the relation between binaural and monaural thresholds, 2=2580
- Robinson, D.W. Zero-mass representations of the inhomogeneous Lorentz group, 2=11257
- Robinson, D.W. Support of a field in momentum space, 3=48
- Robinson, D.W. Multiple Coulomb excitations of deformed nuclei, 3=12574
- Robinson, D.W. The electronic spectrum of  $BF$ , 4=6557
- Robinson, D.W. Spectra of matrix-isolated water in the "pure rotation" region, 4=6595
- Robinson, D.W. Recent advances in subjective measurement of noise, 4=10955
- Robinson, D.W. On a soluble model of relativistic field theory, 4=19363
- Robinson, D.W., Bowsher, J.M. and Copeland, W.C. On judging the noise from aircraft in flight, 4=4973
- Robinson, D.W. and McQuarrie, D.A. Far infrared spectra of some symmetric top molecules, 0=4194
- Robinson, D.W. and Reeves, R.B. Infrared spectrum of methylsilylacetylene, 3=4771
- Robinson, D.W. and Whittle, L.S. The loudness of directional sound fields, 1=8202
- Robinson, D.W. and Whittle, L.S. The loudness of octave-bands of noise, 4=11315
- Robinson, D.W., Whittle, L.S. and Bowsher, J.M. The loudness of diffuse sound fields, 2=7306
- Robinson, D.W. See Aronson, J.R., 0=20635
- Robinson, D.W. See Bowsher, J.M., 2=7070
- Robinson, D.W. See Bowsher, J.M., 4=20973
- Robinson, D.W. See Eggers, D.F., Jr., 1=17318
- Robinson, D.W. See Lafferty, W.J., 2=4150
- Robinson, D.W. See Reeves, R.B., 4=12492
- Robinson, D.W. See Reeves, R.B., 4=28246
- Robinson, D.W. See Whittle, L.S., 1=9228
- Robinson, D.Z. Methods of background description and their utility, 0=14884
- Robinson, D.Z. See McDaniel, G.W., 2=15726
- Robinson, E.A. Characteristic vibrational frequencies of oxygen compounds of phosphorus and chlorine: correlation of symmetric and asymmetric stretching frequencies of PO and ClO bonds, 3=12838
- Robinson, E.A. Characteristic vibrational frequencies of oxygen compounds of silicon, phosphorus, and chlorine: correlation of stretching frequencies and force constants with bond lengths and bond orders, 4=9697
- Robinson, E.A. Bonding in the sulphite ion, 4=28231
- Robinson, E.A. and Lister, M.W. A linear relationship between bond orders and stretching force constants, 4=9696
- Robinson, E.A. See Gillespie, R.J., 2=1154



- Robinson, E. J. See Pollack, E., 4=19948
- Robinson, E. L. and Johnson, O. E. Decay of  $\text{Si}^{26}$ , 0=20417
- Robinson, E. L. and Johnson, O. E. New isotope,  $\text{Al}^{30}$ , 1=12168
- Robinson, E. L., Lucas, B. T. and Johnson, O. E. Decay of  $\text{Na}^{28}$ , 1=7347
- Robinson, E. L., Rhode, J. I. and Johnson, O. E. Decay of a new isotope,  $\text{S}^{30}$ , 1=7336
- Robinson, F. N. H. Nuclear resonance absorption circuit. I. Sensitivity considerations. II. Practical design, 0=3867
- Robinson, F. N. H. Nuclear cooling by rotation, 3=14432
- Robinson, F. N. H. Frequency modulated N. M. R. oscillator without amplitude modulation, 4=5836
- Robinson, F. N. H. and Franklin, R. N. The transverse electric noise from an electron beam, 1=11971
- Robinson, G. Anisotropy in polycrystalline nickel-iron thin films in the composition range 40-100% nickel, 3=1069
- Robinson, G. Torque measurements of uniaxial anisotropy in thin films of nickel-iron in the composition range 80%-100% nickel, 3=15814
- Robinson, G. M. See Skibitzke, H. E., 1=15830
- Robinson, G. W. Discrete sites in liquids, 1=15842
- Robinson, G. W. Spectra and energy transfer phenomena in crystalline rare gas solvents, 1=17313
- Robinson, G. W. and Frosch, R. P. Theory of electronic energy relaxation in the solid phase, 3=2748
- Robinson, G. W. and Frosch, R. P. Electronic excitation transfer and relaxation, 3=10619
- Robinson, G. W. See DiGiorgio, V. E., 0=5922
- Robinson, G. W. See El-Sayed, M. A., 1=12292
- Robinson, G. W. See El-Sayed, M. A., 2=12630
- Robinson, G. W. See Frosch, R. P., 4=25657
- Robinson, G. W. See Kwok, J., 2=17464
- Robinson, G. W. See McCarty, M., Jr., 0=20661
- Robinson, G. W. See Nieman, G. C., 3=3058
- Robinson, G. W. See Nieman, G. C., 3=25492
- Robinson, G. W. See Sternlicht, H., 3=10981
- Robinson, G. W. See Wright, M. R., 0=18141
- Robinson, H. See Lee, T. D., 4=3519
- Robinson, H. A. Translation project on Soviet Lecture demonstrations in physics, 4=5003
- Robinson, H. G. See Beltran-Lopez, V., 1=11068
- Robinson, H. G. See Hughes, V. W., 0=10561
- Robinson, I. A solution of the Maxwell-Einstein equations, 0=37
- Robinson, I. Null electromagnetic fields, 1=7126
- Robinson, I. and Schild, A. Generalization of a theorem by Goldberg and Sachs, 3=14016
- Robinson, I. and Trautman, A. Spherical gravitational waves, 0=10567
- Robinson, I. and Trautman, A. Some spherical gravitational waves in general relativity, 2=2620
- Robinson, I. See Bergmann, P. G., 2=13248
- Robinson, I. See Bondi, H., 0=8547
- Robinson, J. See Bassani, F., 2=20957
- Robinson, J. C. Cryostat design permitting localized temperature control from 20° to 870°K, 4=24419
- Robinson, J. C. See Bragg, R. H., 4=20781
- Robinson, J. D. See Higdon, W. T., 3=1403
- Robinson, J. D. See Martz, D. E., 4=3066
- Robinson, J. E., Bassani, F., Knox, R. S. and Schrieffer, J. R. Screening correction to the Slater exchange potential, 2=23110
- Robinson, J. E. and Rodriguez, S. Ionized impurity scattering in degenerate many-valley semiconductors, 4=25881
- Robinson, J. E. See Singwi, K. S., 4=21119
- Robinson, J. M. Concise method for forming two-center integrals of operators, 0=17793
- Robinson, J. M., Stuart, J. D. and Matsen, F. A. Electronic structure of  $\text{LiH}$ . V. A radially correlated wave function, 0=7787
- Robinson, K. See Bartholomew, G. A., 0=2632
- Robinson, K. See Holcomb, L., 4=8875
- Robinson, L. B. Elastic scattering of low-energy electrons by the Thomas-Fermi atom, 0=7713
- Robinson, L. B. Frequency shifts in the hyperfine spectra of alkalis caused by foreign gases, 0=7723
- Robinson, L. B. Effect of Compton scatterings by air molecules on the sharpness of a beam of gamma rays, 2=13761
- Robinson, L. B. Theoretical elastic collision frequency between electrons and neutral atoms in a cesium plasma, 2=19991
- Robinson, L. B. and Beaty, R. C. Onsager phenomenological coefficients for a weakly ionized cesium plasma, 4=5593
- Robinson, L. B., Milstein, F. and Jayaraman, A. Effect of pressure on the Curie temperature of rare-earth metals. I. Gadolinium, 4=13183
- Robinson, L. B. See Alexander, T. K., 2=949
- Robinson, L. B. See Alexander, T. K., 2=17751
- Robinson, L. B. See Vahldiek, F. W., 4=10443
- Robinson, L. C. Use of electron paramagnetic resonance for the exploration of radio-frequency field patterns in microwave structures, 3=14775
- Robinson, L. C. A means of determining plasma density distribution, 4=14674
- Robinson, L. C. Microwave interferometer for studying rapidly fluctuating plasmas, 4=18920
- Robinson, L. C. Modulated reflection plasma interferometer, 4=30050
- Robinson, L. C. and Sharp, L. E. Microwave interferometry for plasma studies, 4=525
- Robinson, L. C. See Brennan, M. H., 4=27521
- Robinson, L. J. Observations of the rotation of Saturn, 2=9063
- Robinson, M. A history of the electric wind, 2=11630
- Robinson, M. L. A. See Bagguley, D. M. S., 4=1447
- Robinson, M. S. and Rumpel, W. F. Fluorescent-type ultraviolet radiation detector, 3=18974
- Robinson, M. T. Deduction of ion ranges in solids from collection experiments, 3=5721
- Robinson, M. T. and Krause, J. F. The yields of the chemical elements in thermal neutron fission of U-235, 0=13299
- Robinson, M. T., Krause, J. F., Green, F. P. and Weekes, D. F. Electronic analog simulation of an in-pile circulating fuel loop, 0=13363
- Robinson, M. T. and Oen, O. S. The channeling of energetic atoms in crystal lattices, 3=22879
- Robinson, M. T. and Oen, O. S. Computer studies of the slowing down of energetic atoms in crystals, 4=6891
- Robinson, M. T., Oen, O. S. and Holmes, D. K. Fast neutron energy spectra in graphite-moderated reactors, 2=6039
- Robinson, M. T., Southern, A. L. and Willis, W. R. Diffusion of deuterium in deuterium-irradiated copper, 0=13559
- Robinson, M. T. See Lehmann, C., 4=12818
- Robinson, M. T. See Oen, O. S., 3=10571
- Robinson, M. T. See Oen, O. S., 3=13019
- Robinson, M. T. See Oen, O. S., 4=25977
- Robinson, N. W. All-metal bakeable taps for high vacuum, 0=981
- Robinson, N. W. Modern valve pumping, 3=181
- Robinson, P. D. H<sub>2</sub>: A problem in perturbation theory, 2=2008
- Robinson, P. D. The effects of degeneracy on the inelastic scattering of electrons and protons by hydrogen atoms, 3=4721
- Robinson, P. D. On the nonorthogonality of generalized momentum eigenfunctions in quantum mechanics, 3=11696
- Robinson, P. D. Electron correlation in the ground state of helium, 4=3779
- Robinson, P. D. and Hirschfelder, J. O. Virial theorem and its generalizations in scattering theory, 3=7127
- Robinson, P. D. and Hirschfelder, J. O. Generalized momentum operators in quantum mechanics, 3=11 3<sup>7</sup>
- Robinson, P. D. See Epstein, S. T., 3=7128
- Robinson, P. M. and Rawlings, R. The influence of solute atoms on the damping due to dislocations in iron alloys, 0=21101
- Robinson, P. M. See Rawlings, R., 0=16209
- Robinson, R. A. See McCool, W. J., 2=3644
- Robinson, R. J. and Brophy, J. J. Fluctuations, neutral transport, and the photoconductive processes in CdS, 1=10057
- Robinson, R. J. See Brophy, J. J., 0=4369
- Robinson, R. J. See Brophy, J. J., 0=9991
- Robinson, R. J. See Brophy, J. J., 0=13608
- Robinson, R. J. See Brophy, J. J., 2=23375
- Robinson, R. J. See Hilton, A. R. Jr., 1=6007
- Robinson, R. L., Eichler, E. and Johnson, N. R. Decay of  $\text{I}^{132}$ , 1=9847
- Robinson, R. L., Johnson, N. R. and Eichler, E. Decay of  $\text{Cs}^{132}$ , 2=22767
- Robinson, R. L., Johnson, N. R. and O'Kelley, G. D. Gamma-gamma angular correlation in  $\text{V}^{51}$ , 4=1017
- Robinson, R. L., McGowan, F. K. and Smith, W. G. Decays of  $\text{Rh}^{106}$  and  $\text{Ag}^{106}$ , 0=15563
- Robinson, R. L., McGowan, F. K. and Stelson, P. H. Coulomb excitation of levels in  $\text{Se}^7$ , 2=5970
- Robinson, R. L., McGowan, F. K. and Stelson, P. H. Coulomb excitation of  $\text{Cu}^{63}$  and  $\text{Cu}^{65}$ , 4=17055
- Robinson, R. L. See Eichler, E., 2=16321
- Robinson, R. L. See Ford, J. L. C., Jr., 4=25389
- Robinson, R. L. See Ritter, R. C., 3=6297
- Robinson, R. O. Some matrix calculations on the Ising model, 2=18506
- Robinson, R. R. See Bell, R. B., 3=5447
- Robinson, S. M. Computing wind profile parameters, 2=17138



- Robinson, S.M. See Iczkowski, R.P., 3=18851
- Robinson, T.K. and Beams, J.W. Radio telemetering from magnetically suspended rotors, 3=7374
- Robinson, W. A. See Narath, A., 4=14918
- Robinson, W.A. See O'Sullivan, W.J., 1=20163
- Robinson, W.A. See O'Sullivan, W.J., 3=20680
- Robinson, W.A. See Simmons, W.W., 2=18954
- Robinson, W.H. See Banerjee, B.R., 2=12703
- Robinson, W. H. See Durdaller, C. G., 4=15745
- Robinson, W.H. See Levinstein, H.J., 3=806
- Robinson, W. H. See Levinstein, H. J., 4=26527
- Robinson, W.H. See Pollack, S.S., 2=4504
- Robinson, W. J. See Levy, H., 4=24028
- Robinson, W.K. and Friedberg, S.A. Specific heats of  $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$  and  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$  between  $1.4^\circ$  and  $20^\circ\text{K}$ , 0=4266
- Robkin, M.A. and Clark, M., Jr. Integral reactor theory: orthogonality and importance, 1=17215
- Robley, R. Photometry of the Zodiacal light, 1=4196
- Robley, R. Photometry of the zodiacal light and counter-glow, 3=11529
- Robley, R. The dusk and nocturnal emission of the lines 6300-6364 Å of O I in the upper atmosphere, 1=15300
- Roblin, G. Study and construction of a device for measuring the reflection coefficients of microscopic objects, 4=5374
- Roblin, M.J., Goodrich, R.S. and Ansell, G.S. Grain boundary sliding in metals, 3=17774
- Robone, R. See Blake, B., 2=22773
- Robotti, A.C. and Oggero, M. Research on the electric arc as plasma generator. Note I, 2=11635
- Robotti, A.C. and Oggero, M. Experimental research on electric propulsion. I. Research on the stabilization of an electric arc by a magnetic field for astronautical use, 3=407
- Robotti, A.C. and Oggero, M. Experimental research on electric propulsion. II. Experimental research on a plasma jet with vortex-type stabilization for propulsion, 3=408
- Robotti, A.C. and Oggero, M. Experimental research on electric propulsion. III. Experimental research on a plasma jet with an arc stabilized in an axial magnetic field as a propelling unit for astronautical uses, 3=409
- Robouch, B. Remarks on possible simplifications in the calculation of the vector potential in magnetostatics, 2=15984
- Roboz, P. Investigation of gas adsorption by tungsten tips by means of a field emission microscope, 3=13568
- Robrieux, B. and Carlan, A. Optical properties of thin films of calcium, 4=26182
- Robrieux, B. See Carlan, A., 4=28674
- Robrieux, B. See Gonella, J.R., 2=8882
- Robson, A.E. and Hancox, R. Choice of materials and problems of design of heavy-current toroidal discharge tubes, 0=5305
- Robson, A.E. See Laing, E.W., 1=9660
- Robson, B.A. Scattering of high energy [220 MeV] polarized nucleons by complex nuclei, 0=5738
- Robson, B.A. Scattering of high-energy polarized deuterons by carbon, 1=5931
- Robson, B.A. The spin-orbit interaction in the scattering of 147-220 MeV nucleons by light nuclei, 2=7974
- Robson, B.A. and Robson, D. Spin-orbit effects in the inelastic scattering of 12 MeV neutrons in carbon, 1=2217
- Robson, B. A. and Weigold, E. Reactions induced by low energy deuteron bombardment of  $\text{B}^{11}$ , 4=3691
- Robson, B.A. See Bradford, E., 1=11004
- Robson, B.A. See Bradford, E., 2=5901
- Robson, B. A. See Brinkley, T. A., 4=25409
- Robson, B.A. See Hebbard, D.F., 3=13995
- Robson, B.A. See Learner, A., 0=6685
- Robson, B.A. See Perlman, H.S., 0=5542
- Robson, D. Polarization in (d,p) reactions, 1=2229
- Robson, D. Spin-orbit effects in the stripping reaction involving polarized particles, 1=2230
- Robson, D. The distorted wave theory of heavy particle stripping, 2=18310
- Robson, D. On the origin of heavy particle stripping, 2=22779
- Robson, D. See Shute, G.G., 3=635
- Robson, D. Numerical methods in the distorted wave theory of heavy particle stripping, 3=15168
- Robson, D. and Touthoofd, W. Analysis of overlapping resonances in proton-carbon scattering, 3=24928
- Robson, D. "Polology" and stripping angular correlations, 4=17110
- Robson, D. See Baxter, A.M., 4=17124
- Robson, D. See Fox, J.D., 4=17057
- Robson, D. See Robson, B.A., 1=2217
- Robson, E.M. The vacuum use of molecular sieves and other desiccants, 2=5085
- Robson, H. E. and Gilles, P. W. The high temperature vaporization properties of boron carbide and the heat of sublimation of boron<sup>1</sup>, 4=24455
- Rocard, J.M. Diffusion of caesium through a hot wall of tantalum, 2=11705
- Robson, J.M. See Clark, M.A., 0=11174
- Robson, J.M. See Clark, M.A., 1=2058
- Robson, J.M. See Clark, M.A., 1=2062
- Robson, J.M. See Slinn, W.G., 3=12686
- Rocard, J.M. and Paxton, G.W. Relaxation oscillations in a plasma diode, 1=11969
- Rocard, Y. See Ecollan, J., 0=14303
- Rocard, Y. See Ecollan, J., 3=11380
- Rocard, Y. See Ferrieu, J., 2=5991
- Rocca, E. See Boella, G., 3=22222
- Rocchiccioli, C. Study of pyrosulphites and pyroselenites by infrared absorption spectroscopy, 0=11526
- Rocchiccioli, C. Infrared spectra of some hydroxylammonium salts and their deuterated homologues, 2=540
- Rocchiccioli, C. The study, by thermogravimetry and infrared spectrographic absorption, of alkaline permanganates and manganates, 3=16161
- Rocchiccioli, C. Infrared absorption spectra of the sulphates of nickel cobalt, zinc and magnesium, 4=22880
- Rocco, A.G. De. See De Rocco, A.G.
- Rocco, G. G. and Broecker, W.S. The vertical distribution of cesium 137 and strontium 90 in the oceans, 4=2183
- Roch, J. Measurement of the susceptibilities of various vanadium oxides and their temperature variation, 0=10101
- Roch, J. Paramagnetic electron resonance and its application to the study of some physicochemical phenomena, 1=20200
- Roch, J. See Bonnet, D., 4=20349
- Roch, J. See Gautron, R., 2=775
- Roche, C. Quantization of the field in the linear approximation in the Jordan-Thiry theory, 0=12363
- Roche, C. Hamilton's equations in general relativity, 4=24036
- Roche, F. and Mériel, P. A programme for refining crystal structures on an electronic computer, 0=4623
- Roche, J. The Barkhausen effect in spinel ferrites, 4=1841
- Rocher, E. Behaviour of a semiconductor p-n transition for high current densities, 2=16744
- Rocher, J. See Servant, R., 3=23236
- Rocher, Y.A. The effect of non-magnetic impurities of substitution on magnetic couplings in metals: application to electric resistivities, 1=14729
- Rocher, Y.A. Crystal structure of the rare earths, 2=15016
- Rocher, Y.A. The electronic structure of the rare earth metals, 2=23105
- Rocher, Y.A. Use of virtual bound states in rare earth metals, 3=2756
- Rocher, Y.A. and Friedel, J. Phenomenological aspects of some physical properties of plutonium and of  $\theta$ -plutonium-aluminium solid solutions, 1=20622
- Rocher, Y.A. and Friedel, J. Electronic structure of liquid transition metals and of certain complex phases, 2=7197
- Rocherolles, R. Pumping of tubes on a double pumping unit, 1=4395
- Rochesku [Roşescu], T. and Sabău [Sabău], M. Distribution of neutron and  $\gamma$ -ray fluxes in the VVR-S reactor of the IAF (Institute of Atomic Physics) in Bucharest (Bucharest), 2=8043
- Rochester, G.D. The use of the neon flash tube as a detector of ionising particles, 1=7163
- Rochester, G.D. A note on the band spectra of BiF and SbF, 1=19632
- Rochester, G.D. Cosmic rays and meteorology, 3=9022
- Rochester, G. K. and Smith, K. F. The spins and moments of  $\text{Ag}^{108}$  and  $\text{Cu}^{66}$ , 4=15132
- Rochester, G. K. and Smith, K. F. An atomic beam magnetic resonance apparatus for short-lived isotopes, 4=30297
- Rochester, G.K. See Fernando, P.C.B., 1=2294
- Rochester, G.K. See Fernando, P.C.B., 1=3388
- Rochester, M.G. Geomagnetic westward drift and irregularities in the earth's rotation, 1=7950
- Rochester, M.G. Geomagnetic core-mantle coupling, 3=9124
- Rochester, N. See Gelertner, H.L., 0=2129
- Rochev, V. Ya. See Gol'danskii, V. I., 4=25717
- Rochow, T.G., Botty, M.C. and Thomas, A.M. Chemical and industrial applications of electron microscopy, 3=20961
- Rock, I. and Kaufman, L. The moon illusion. II, 2=21768
- Rock, I. See Kaufman, L., 2=27167



- Rock, I. See Kaufman, L., 3=1570
- Rock, N. H. See Clunie, D. M., 4=24385
- Rocker, W. See Geissler, K. K., 4=21614
- Rockey, K. S. and Skolnik, W. Measurements on the diffusion length of thermal neutrons in water from 25 to 296°C, 1=16801
- Rockhold, C. T. See Alvarez, R. A., 0=9252
- Rockmore, D. M. and Turner, R. E. Diffusion of heavy impurities in solids, 3=22804
- Rockmore, R. M. Effects of particle-particle interaction on the moment of inertia of many-fermion systems, 0=2131
- Rockmore, R. M. Moment of inertia of superfluid many-fermion systems, 0=12375
- Rockmore, R. M. Inertial moment of large many-fermion systems with repulsive interactions, 1=76
- Rockmore, R. M. Nuclear paramagnetic susceptibility of low-temperature He<sup>3</sup> and the flow properties of superfluid systems of fermions, 1=5392
- Rockmore, R. M. Rigidity of the inertial moment of large interacting many-fermion systems in perturbation theory, 1=15738
- Rockmore, R. M. Spin susceptibility of normal fermion systems, 2=7147
- Rockmore, R. M. Sampson-Seitz procedures and the static responses of normal fermion systems, 3=5387
- Rockmore, R. M. A reduction formalism for potential scattering, 3=5939
- Rockmore, R. M. On the singularities of the scattering amplitude in a simple field-theoretic model, 3=14912
- Rockmore, R. M. Some equivalent approaches to the self-consistent bound state of strongly interacting particles, 4=3304
- Rockmore, R. M. See Frank, W. M., 0=7418
- Rockmore, R. M. See Sawada, K., 0=4014
- Rockwood, C. C. and Strauss, M. G. Three-parameter multi-channel recorder-analyzer system, 2=1364
- Rockwell, T. H. and Lawther, J. M. Theoretical and experimental results on active vibration dampers, 4=27240
- Rockwood, C. C. and McGinnis, G. A. Low cost digital tape store, 4=21012
- Roclawski-Conjeaud, M. See Szteinszneider, D., 0=9677
- Rocquet, P. See Jegaden, G., 2=21429
- Rodak, M. I. The speed of inversion of Zeeman split levels, 1=10586
- Rodak, M. I. Effect of magnetic resonance saturation on cross relaxation, 4=4423
- Rodbard, S. and Mohr, R. Device for indirect registration of the calibrated arterial upstroke in man, 1=12704
- Rodbell, D. S. Ferromagnetic resonance of iron whisker crystals, 0=3114
- Rodbell, D. S. Microwave magnetic field near a conducting perturbation, 0=3833
- Rodbell, D. S. Possibility of exchange magnetostriction yielding negative thermal expansion in solid He<sup>3</sup>, 1=11872
- Rodbell, D. S. Temperature dependence of the magnetocrystalline anisotropy of face-centered cubic cobalt, 2=12664
- Rodbell, D. S. The temperature dependence of the magnetocrystalline anisotropy of face-centered cubic cobalt, 3=1038
- Rodbell, D. S. High field magnetization of gadolinium metal, 4=4357
- Rodbell, D. S. and Bean, C. P. Some magnetic first-order transitions, 2=12641
- Rodbell, D. S., Jacobs, I. S., Owen, J. and Harris, E. A. Biquadratic exchange and behaviour of some antiferromagnetic substances, 3=20628
- Rodbell, D. S. and Lawrence, P. E. Metamagnetic behavior of manganese arsenide, 0=11798
- Rodbell, D. S. and Owen, J. Sublattice magnetization and lattice distortions in MnO and NiO, 4=13271
- Rodbell, D. S. See Bean, C. P., 0=13809
- Rodbell, D. S. See Bean, C. P., 2=8618
- Rodbell, D. S. See Bean, C. P., 3=1002
- Rodbell, D. S. See De Blois, R. W., 3=13226
- Rodbell, D. S. See De Blois, R. W., 3=15753
- Rodbell, D. S. See Moore, T. W., 4=13286
- Rodbell, D. S. See Street, R., 1=1280
- Rødberg, H. See Elgarøy, Ø., 4=4951
- Rodberg, L. S. Relation between angular distribution and polarization in the optical model, 0=5734
- Rodberg, L. S. Pion production and the pion-pion interaction, 0=9419
- Rodberg, L. S. The optical model and inelastic scattering, 0=11288
- Rodberg, L. S. The interaction radius in direct reactions, 1=3433
- Rodberg, L. S. Calculable model for compound nucleus-direct interaction interference, 1=17069
- Rodberg, L. S. The magnitude of exchange effects in (d,p) reactions, 3=24965
- Rodberg, L. S. and Teplitz, V. L. Approximate calculation of nuclear binding energy, 0=20322
- Rodberg, L. S. and Thaler, R. M. Analysis of the scattering of K<sup>+</sup> mesons in emulsion, 0=11224
- Rodberg, L. S. See Day, T. B., 0=17418
- Rodberg, L. S. See Day, T. B., 1=10858
- Rodberg, L. S. See Karplus, R., 0=380
- Rodberg, L. S. See Kerman, A. K., 4=9470
- Rodd, F. Some comments on entropy and information, 4=18080
- Rodda, J. L., Griffin, J. E. and Stewart, M. G. A transistorized time-amplitude converter for sub-nanosecond lifetime measurement, 3=19149
- Rodda, J. L. and Stewart, M. G. Positron mean lives in scandium, yttrium, and the rare-earth metals, 3=17695
- Rodden, W. P. and Whittier, J. S. Damping of shaker-excited beams calculated solely from displacement amplitude measurements, 2=9332
- Rodden, W. P. and Whittier, J. S. Authors' reply to "comments on 'damping of shaker-excited beams calculated solely from displacement amplitude measurements'", 2=17532
- Roddick, R. D. See Edwards, D. K., 1=16053
- Roddier, F. See Blamont, J. E., 2=11125
- Roddier, F. See Blamont, J., 4=18000
- Roddy, J. T. See Reed, T. B., 2=8792
- Rode, A. See Barjon, R., 2=9866
- Rode, A. See Barjon, R., 2=18329
- Rode, A. See Barjon, R., 4=16916
- Rode, V. E., Gerrmann, R. and Korolev, L. M. Investigation of the dependence of the saturation magnetization of Gd on temperature, 4=22964
- Rode, V. E. and Herrmann, R. Investigation of the magnetization of iron, cobalt and nickel at low temperatures, 4=20545
- Rode, V. E., Vedyayev, A. V. and Krainov, B. N. Behaviour of magnetization of a copper-cadmium ferrite in pulsed fields up to 200 kOe, 3=20617
- Rode, V. E. and Vedyayev, A. V. Investigation of the magnetization of a ferrite garnet in strongly pulsed magnetic fields, 4=4373
- Rode, V. E. See Cecernikov, V. I., 0=13757
- Rodeanu, E. I. See Gheorghiu, O. C., 4=5828
- Rodeback, G. W. See Zink, J. W., 2=3649
- Rödel, W. Sodium-24 produced by cosmic radiation, 4=20852
- Roden, R. B. Electromagnetic core-mantle coupling, 3=13823
- Rodenberg, R. The ratio of the effective cross-sections for the (e,n) and (γ,n) processes, 0=2672
- Rodenberg, R. Interaction of electrons with lattice vibrations in homopolar crystals: acoustic Bremsstrahlung from an accelerated electron, 1=2374
- Rodenberg, R. Ratio of the differential (e,N) to the total (γ,N) effective cross-section, 1=8701
- Rodenberg, R. Two-quanta-exchange in the ratio of the total (e,N)-to-the total (γ,N)-cross-section, 1=19174
- Rodenberg, R. Inelastic positron scattering by nuclei, 2=5895
- Rodenberg, R. Symmetry behaviour in the influence of a finite nuclear boundary on (e,N) and (ē,N) transition processes, 2=7830
- Rodenberg, R. Contributions of the many-quantum exchange terms to the Coulomb correction in the ratio of the total (e,N) to the total (γ,N) effective cross-section, 2=9785
- Rodenberg, R. Introduction of form factors in elastic and inelastic electron-nucleus scattering, 2=20599
- Rodenberg, R. Relative behaviour of the cross-sections for inelastic electron and inelastic positron scattering by the atomic nucleus, 2=20601
- Rodenberg, R. Influence of finite nuclear size on the inelastic scattering of electrons and positrons by the atomic nucleus, 2=22800
- Rodenberg, R. Two photon exchange in electron-proton scattering, 3=17247
- Rodenberg, R. Cross-section for E0 transitions induced by inelastic electron and positron scattering on nuclei, 3=17454
- Rodenburg, M. See Rethmeier, J., 3=2464
- Rodenburg, M. See Rethmeier, J., 3=6011
- Rodenbusch, H. and Herrmann, G. Method for determination of the half-lives of short-lived gaseous radioisotopes. The half-lives of thoron (Rn<sup>220</sup>) and actinon (Rn<sup>218</sup>), 1=19382



- Roder, H.M., Diller, D.E., Weber, L.A. and Goodwin, R.D.  
The orthobaric densities of parahydrogen derived heats of vaporization, and critical constants, 3=14424
- Roder, H.M. See Goodwin, R.D., 2=7191
- Roder, H.M. See Goodwin, R.D., 3=14146
- Roder, H.M. See Goodwin, R.D., 3=14418
- Roder, H.M. See Goodwin, R.D., 4=14146
- Roder, H.M. See Powell, R.L., 0=7857
- Roder, H.M. See Powell, R.L., 0=9863
- Roder, H.M. See Weber, L.A., 2=15805
- Roder, O. The formation of crystal lattices in titanates deposited by vacuum evaporation, 1=2526
- Roder, O. Measurement of absolute oscillator strengths of some Fe I and Fe II lines, 2=14198
- Roder, O. and Stampa, A. Photoelectric determination of the line profiles of thermally excited He I lines, 4=19947
- Roder, O. See Böttcher, W., 4=3780
- Rodewald, H.J. See Shams el Din, A.M., 1=1351
- Rodewald, N. See Davis, J.A., 4=5487
- Rodewald, N.C., Davis, J.A. and Kurata, F. Dew and bubble isotherm calculational method for binary system phase and volumetric behavior, 4=14454
- Rodgers, A.L. On the momentum spectrum of cosmic-ray muons at sea level, 2=334
- Rodgers, A.L. See Holmes, J.E.R., 1=16922
- Rodgers, A.L. See Holmes, J.E.R., 1=16945
- Rodgers, A.P. See Davis, L.W., 4=27277
- Rodgers, C.D. See Walshaw, C.D., 3=11393
- Rodgers, M.F. See Allcock, G.McK., 2=6917
- Rodgers, J.M. See Warrington, D.H., 3=5400
- Rodhe, B. The effect of turbulence on fog formation, 2=8967
- Rodichev, A.M. Contribution to the theory of high field magnetization reversal in thin films, 2=21324
- Rodichev, A.M. Influence of nonuniformity of magnetization upon the process of pulse magnetic reversal, 4=13155
- Rodichev, A.M. and Ignatchenko, V.A. Dynamics of Barkhausen discontinuities, 1=10146
- Rodichev, A.M. and Rumanov, E.N. Contribution to the theory of high-field switching of thin ferromagnetic films, 3=15825
- Rodichev, A.M. See Kirenski, L.V., 2=741
- Rodichev, A.M. See Polivanov, K.M., 1=10147
- Rodichev, A.M. See Salanskii, N.M., 2=8626
- Rodichev, A.M. See Salanskii, N.M., 2=16905
- Rodichev, A.M. See Salanskii, N.M., 2=21307
- Rodichev, G.M. and Kim, P.D. Investigation of the duration of Barkhausen jumps in an iron film, 2=21323
- Rodichev, G.M. See Kim, P.D., 3=11080
- Rodichev, V.I. Twisted space and nonlinear field equations, 1=19109
- Rodichev, V.I. Twisted space and nonlinear field equations, 3=4332
- Rodichev, A.M. See Salanskii, N.M., 4=13198
- Rodicheva, E.N. See Strukov, B.A., 4=30649
- Rodigin, N.M. The pulse magnetization of permanent magnets, 0=5376
- Rodigin, N.M. Kinetics of reactive diffusion in a binary system, 2=8236
- Rodigin, N.M. Kinetics of reaction diffusion in a binary system, 2=23950
- Rodigin, N.M. and Korobeinikova, I.E. On the problem of the application of eddy currents for selective measurement of parameters of ferromagnetic films, 4=17642
- Rodigin, N.M. See Korobeinikova, I.E., 3=9902
- Rodigin, N.M. See Korobeinikova, I.Ye., 4=11743
- Rodimov, B.N. Stereotron with "skiff" focusing, 2=13621
- Rodin, A.M. and Surenyants, V.V. The coefficient of diffusion of helium in titanium, 1=10011
- Rodin, A.M., Vorob'ev, S.P. and Rodina, A.A. Measurement of the quantity of deuterium absorbed by cathodes in gas discharges, 2=1413
- Rodin, A.M. See Koval'skii, G.A., 4=17266
- Rodin, G.M. See Lebedev, S.V., 0=9010
- Rodin, G.M. See Sobolev, N.N., 0=8852
- Rodin, G.M. See Sobolev, N.N., 0=8853
- Rodin, G.M. See Sobolev, N.N., 0=8854
- Rodin, M. and Surenyants, V.V. A high-voltage heavy-current vacuum discharge tube vir-100, 4=16456
- Rodina, A.A. See Rodin, A.M., 2=1413
- Rodionov, K.P. See Frolov, A.P., 2=21459
- Rodionov, B.U. See Dolgoshein, B., 4=27731
- Rodionov, K.P. The effect of hydrostatic pressure on the thermal conductivity of insulators, 1=6078
- Rodionov, K.P. See Bul'chev, D.K., 4=23146
- Rodionov, K.P. See Ekhlakov, A.D., 1=3365
- Rodionov, K.P. See Frolov, A.P., 3=3252
- Rodinov, K.P. See Frolov, A.P., 3=20815
- Rodionov, K.P. See Grazhdankina, N.P., 1=17619
- Rodionov, K.P. See Grazhdankina, N.P., 3=18116
- Rodionov, K.P. See Ryabinin, Yu.N., 1=8883
- Rodionov, S.F. See Bol'shakova, L.G., 0=788
- Rodionov, S.F. See Osherovich, A.L., 3=23655
- Rodionov, S.N. An experimental test of the behaviour of charged particles in an adiabatic trap, 1=9591
- Rodionov, U.F. See Baranov, S.A., 0=7479
- Rodionov, Yu.F. See Baranov, S.A., 2=3490
- Rodionov, Yu.F. See Baranov, S.A., 2=3500
- Rodionov, Yu.F. See Baranov, S.A., 2=3501
- Rodionov, Yu.F. See Baranov, S.A., 2=16344
- Rodionov, Yu.F. See Baranov, S.A., 3=2420
- Rodionov, Yu.F. See Baranov, S.A., 3=4581
- Rodionov, Yu.F. See Baranov, S.A., 3=4605
- Rodionova, L.P. See Protopopov, A.N., 1=743
- Rod'kina, N.I. See Boiko, B.T., 3=9440
- Rodman, J.P. A dual-channel pulse-counting astronomical spectrophotometer, 3=9145
- Rodman, J.P. and Smith, H.J. Tests of photomultipliers for astronomical pulse-counting applications, 3=9146
- Rodnikova, I.V. See Kel'man, V.M., 3=453
- Rodnikova, I.V. See Kel'man, V.M., 3=4209
- Rodnikova, I.V. See Kel'man, V.M., 4=3060
- Rodnyanskii, I.M. See Galinker, I.S., 4=21126
- Rodocanachi, P. and Haymann, P. A new method for differential measurement of the yield from ionic pulverization, 4=27582
- Rodot, H. Study of the properties of the system AgSbTe<sub>2</sub>-PbTe, 0=2902
- Rodot, H. Solid solutions of binary and ternary semiconductor compounds, 3=876
- Rodot, H. Study of phase equilibrium in mercury telluride, 4=13497
- Rodot, H. Study of the thermodynamic equilibria in mercury telluride and its solid solutions with cadmium telluride, 4=28998
- Rodot, H. and Henoc, J. The solid-state diffusion between different semiconductor materials, 3=17786
- Rodot, H., Rodot, M. and Triboulet, R. Interpretation of the intrinsic electrical properties of the semi-metal HgTe, 4=4163
- Rodot, H. and Triboulet, R. Preparation and properties of mercury telluride of controlled purity, 2=8367
- Rodot, H. and Weill, M.G. The temperature variation of the thermoelectric properties of Bi<sub>2</sub>Te<sub>3</sub>-Sb<sub>2</sub>Te<sub>3</sub>. Solid solutions, 1=17810
- Rodot, H. See Quilliet, A., 3=10835
- Rodot, H. See Rodot, M., 0=7868
- Rodot, H. See Rodot, M., 1=17753
- Rodot, M. Calculation of transport effects for an almost energy independent relaxation time. Case of indium antimonide, 0=7941
- Rodot, M. Properties of the semiconductor InSb, 0=13614
- Rodot, M. "Ambielectronic" thermomagnetic effects and the mechanism of electronic relaxation in the III-V compounds, 1=14387
- Rodot, M. Scattering mechanisms and effective mass of charge carriers in semiconductors. Application to indium antimonide and mercury telluride, 1=17743
- Rodot, M. Thermoelectric effects and their applications, 2=23488
- Rodot, M. Dispersion mechanism and effective mass in HgTe and HgSe, 3=870
- Rodot, M. Effective mass of charge carriers in semiconductors, 4=6779
- Rodot, M. and Rodot, H. Band structures and scattering mechanisms in monocrystalline mercury selenide and mercury telluride, 0=7868
- Rodot, M., Rodot, H. and Triboulet, R. Some properties of HgSe-HgTe solid solutions, 1=17753
- Rodot, M. See Leroux-Hugon, P., 2=16613
- Rodot, M. See Quilliet, A., 3=10835
- Rodot, M. See Rodot, H., 4=4163
- Rodot, M. See Srinivasan, S.A., 4=26033
- Rodot, M. See Verié, C., 3=1925
- Rodrigue, G.P. Magnetic materials for millimeter wave applications, 4=19187
- Rodrigue, G.P., Meyer, H. and Jones, R.V. Resonance measurements in magnetic garnets, 0=11931



- Rodrigue, G.P., Pippin, J.E. and Wallace, M.E. Hexagonal ferrites for use to X- to V-band frequencies, 2=14804
- Rodrigues, E. and De Oliveira E Souza, J.B. An automatic nuclear quadrupole resonance spectrometer, 3=19469
- Rodrigues, R.M., West, H.I., Jr and Ronchetto, J.J. Jr. Linearizing the bottom channels of the 256-channel pulse height analyser, 0=17180
- Rodrigues, R.M. See Pechacek, R.E., 4=9165
- Rodriguez, A.Garcia. See Garcia Rodriguez, A.
- Rodriguez, C. and Coll, J. A. Deformation mechanisms of  $\beta$ -uranium single crystals, 4=20688
- Rodriguez, G. See Kittl, P., 3=23534
- Rodriguez, S. Electrodynamics of charge carriers of negative effective mass in crystals, 0=544
- Rodriguez, S. Linear antiferromagnetic chain, 0=3106
- Rodriguez, S. Velocity of sound in metals in a uniform magnetic field, 3=4820
- Rodriguez, S. Influence of the spin of the electron on the quantum magnetoacoustic effect in metals, 3=15429
- Rodriguez, S. Modification of the velocity of sound in metals by an applied magnetic field, 3=15432
- Rodriguez, S. Oscillations of the Knight shift, 3=20675
- Rodriguez, S. Oscillations of the velocity of sound in metals in a magnetic field, 4=1386
- Rodriguez, S. and Tharmalingam, K. Absorption of phonons by an electron gas, 2=23057
- Rodriguez, S. See Ascarelli, G., 1=19856
- Rodriguez, S. See Ascarelli, G., 2=8310
- Rodriguez, S. See Ascarelli, G., 2=16701
- Rodriguez, S. See Langenberg, D.N., 4=12631
- Rodriguez, S. See Quinn, J.J., 2=23058
- Rodriguez, S. See Quinn, J.J., 3=4129
- Rodriguez, S. See Quinn, J.J., 3=4816
- Rodriguez, S. See Quinn, J.J., 4=12705
- Rodriguez, S. See Quinn, J.J., 4=12707
- Rodriguez, S. See Quinn, J.J., 4=12708
- Rodriguez, S. See Quinn, J.J., 4=17405
- Rodriguez, S. See Robinson, J.E., 4=25881
- Rodriguez, S. See Ruijgrok, T.W., 0=13842
- Rodriguez, S.E. and Pings, C.J. Cell for X-ray diffraction studies of absorbing liquids, 3=7669
- Rodríguez Máiques, E., Morales Villasevil, A. and Núñez-Lagos, R. Construction and set up of a  $4\pi$  flow counter, 1=16620
- Rodriguez Mayquez, E. See Alvarez Rivas, J.L., 4=9603
- Roe, B. See Benson, G., 4=25155
- Roe, B.P. and Ozaki, S. Direct pair production by muons, 0=2531
- Roe, B.P., Sinclair, D., Brown, J.L., Glaser, D.A., Kadyk, J.A. and Trilling, G.H. New determination of the  $K^-$ -decay branching ratios, 2=3399
- Roe, B.P. See Brown, J.L., 2=5730
- Roe, B.P. See Brown, J.L., 2=20417
- Roe, B.P. See Brown, J.L., 3=12500
- Roe, B.P. See Lee, Y.Y., 4=19576
- Roe, B.P. See Pak, W., 1=3375
- Roe, D.W. See Graybeal, J.D., 3=4772
- Roe, G.M. See Hughes, R.F., 0=3621
- Roe, R. J. and Krigbaum, W.R. The contribution of internal energy to the elastic force of natural rubber, 4=4485
- Roe, R.-J. and Krigbaum, W.R. Description of crystallite orientation in polycrystalline materials having fiber texture, 4=23304
- Roe, R. J. and Krigbaum, W.R. Orientation distribution function of statistical segments in deformed polymer networks, 4=23616
- Roe, R.J., Smith, K.J. Jr. and Krigbaum, W.R. Equilibrium degrees of crystallization predicted for "single pass" and folded chain crystallite models, 1=20406
- Roe, R. J. See Krigbaum, W.R., 4=29031
- Roe, W.C. See Corner, W.D., 3=1143
- Roebber, J.L. Photolysis of the phenoxy radical in a nitrogen matrix, 3=3403
- Roeckl, E. See Peterlin, A., 3=11232
- Roeder, R. C. and McVittie, G. C. The luminosity function of extragalactic radio sources, 4=7957
- Roeder, S.B.W. See Vaughan, W.E., 3=21389
- Roederer, J.G., Manzano, J.R. and Santochi, O.R. On the superposition of cosmic ray modulation effects during the July 1959 storms, 1=19309
- Roederer, J.G., Manzano, J.R., Santochi, O.R., Nerurkar, N., Troncoso, O., Palmeira, R.A.R. and Schwachheim, G. Cosmic ray phenomena during the November 1960 solar disturbances, 1=13587
- Roederer, J.G., Santochi, O.R., Anderson, J.C., Cardoso, J.M. and Manzano, J.R. Preliminary report on cosmic ray intensity during magnetic storms in July 1959, 0=20283
- Roederer, J.G., Santochi, O.R., Anderson, J.C., Cardoso, J.M. and Manzano, J.R. Analysis of cosmic ray intensity time-dependence recorded at Mina Aguilar during July 1959, 0=20284
- Roederer, J.G. See Ghielmetti, H., 0=13093
- Roederer, J.G. See Manzano, J.R., 0=20285
- Roederer, J.G. See Santochi, O.R., 0=20287
- Roehling, D.J. See Pidd, R.W., 0=1139
- Roellig, L.O. and Giese, C. Solubility of helium in liquid hydrogen, 2=17451
- Roellig, L.O. and Glaser, D.A. Elastic  $\pi$ -p and p-p scattering at 1.23 BeV/c, 0=2580
- Roellig, L.O. See Denton, E.H., 3=9453
- Roels, J. See Deprit, A., 3=5231
- Roemer, E. Astrometric observations and orbits of comets, 1=18046
- Roemer, E. Activity in comets at large heliocentric distance, 3=9183
- Roemar, M. See Priester, W., 3=5276
- Roepstorff, G. See Stichel, P., 3=12502
- Roesch, L. and Willens, R.H. Influence of preferred orientation on the Hall effect in titanium, 3=22906
- Roesch, W.C. See Rossi, H.H., 2=16339
- Roesler, F.L. Mapping of high-quality optical flats without reflection coating, 2=9379
- Roesler, F.L., Fan, C.Y. and Chamberlain, J.W. Interpretation of rotational temperatures of auroral  $N_2^+$  bands. I. Proton impact at intermediate energies, 0=1494
- Roesler, F.L. and DeNoyer, L. Differential motion of excited He<sup>+</sup> ions in a hollow cathode plasma, 4=18812
- Roesler, F.L. and Mack, J.E. Behavior of the He II 3s, p, d-4s, p, d, f line complex in a hollow cathode plasma, 4=22299
- Roesler, F.L. See Mack, J.E., 3=24020
- Roesler, H. See Bauer, H.J., 4=28285
- Roesler, H. See Kneser, H.O., 1=180
- Roesler, P. See Perny, G., 3=16139
- Roesler, P. See Perny, G., 4=23572
- Roesmer, J. See Sugihara, T.T., 1=3471
- Roess, D. Exfocal pumping of optical masers in elliptical mirrors, 4=11831
- Roessler, B. and Bolling, G.F. Simple specimen holder for low temperature X-ray diffraction studies, 4=20755
- Roessler, B., Novick, D.T. and Bever, M.B. Annealing of the ordered and disordered alloy Cu<sub>3</sub>Au after cold work, 4=7485
- Roessler, F. and Horlacher, L. Optical properties of magnesium oxide particles, 3=924
- Roest, G. J. See Van Baarle, C., 4=10144
- Roest, R. and Poulis, N.J. The spin-spin relaxation time of diphenyl picryl hydrazyl in weak fields, 1=882
- Roest, R., Poulis, N.J. and Horsman, G. Electron spin resonance of two benzidine complexes in weak fields, 2=2019
- Roether, W. See Ehhalt, D., 3=25892
- Roether, W. See Ehhalt, D., 3=25901
- Roether, W. See Israel, G., 3=25896
- Roether, W. See Noack, C., 2=5282
- Roethig, D.T. See Meyerott, A.J., 4=19465
- Roetling, P.G. and Ganley, W.P. Observations on the dynamic frequency response of fiber bundles, 2=2868
- Roetling, P.G., Ganley, W.P. and Klaiber, G.S. The decay of  $Pb^{212}$ , 1=2197
- Roetschi, H. New type of loop tracer for ferroelectrics, 2=9513
- Roetschi, H. See Fatuzzo, E., 2=4093
- Roetschi, H. See Fatuzzo, E., 2=21214
- Roetschi, H. See Nitsche, R., 4=26114
- Roev, L.M. Wide absorption bands in the infrared spectra of adsorbed molecules, 1=840
- Roev, L.M. Wide absorption bands on the infrared spectra of adsorbed molecules, 1=6011
- Roever, W.L. and Vining, T.F. Propagation of elastic wave motion from an impulsive source along a fluid/solid interface. I. Experimental pressure response, 0=19262
- Rofe, B. Mesospheric density and winds determined by the fall-ring sphere method at Woomera, 2=21623
- Roffe, S. A jig for the orientation of small crystals, 4=29028
- Rogachev, A.A. and Chechurin, S.N. The field effect and the photoconductivity of lead sulphide layers, 2=18750
- Rogachev, A.A. and Chechurin, S.N. The field effect and the photoconductivity of lead sulphide layers, 2=23467



- Rogachev, A.A. and Rývkin, S.M. Temperature dependence of the cross-section for radiative recombination in germanium, 2=21162
- Rogachev, A.A. and Rývkin, S.M. Temperature dependence of the cross-section for radiative recombination in germanium, 3=2932
- Rogachev, A.A. See Asnin, V.M., 3=20539
- Rogachev, A.A. See Dobrego, V.P., 1=17853
- Rogachev, A.A. See Nasledov, D.N., 2=21160
- Rogachev, A.A. See Nasledov, D.N., 3=17990
- Rogachev, A.A. See Paritskii, L.G., 1=17796
- Rogachev, I.M. See D'yakov, B.B., 3=10468
- Rogaczewski, J. See Skaliński, T., 1=13936
- Rogaczewski, J. See Skaliński, T., 3=706
- Rogala, T. See Bowness, C., 2=19704
- Rogallo, V.L. and Savage, H.F. Two-component microbalance for measuring the forces on ion-bombarded surfaces, 3=23829
- Rogalska, Z. Cryostat for experiments in the temperature range from  $-130^{\circ}\text{C}$  to  $-190^{\circ}\text{C}$  with an arrangement for the prevention of frost formation, 3=7380
- Rogalska, Z. Slow neutron scattering by molecules of liquid methane, 3=14142
- Roganov, V.S. See Evseev, V.S., 1=19499
- Roganov, V.S. See Evseev, V.S., 2=7872
- Roganov, V.S. See Evseev, V.S., 2=22832
- Roganov, V.S. See Evseev, V.S., 4=3684
- Roganov, W.S. See Yeffseyev, W.S., 1=12035
- Roganov, W.S. See Yeffseyev, W.S., 2=14122
- Rogel'berg, I. L. See Gil'dengorn, I. S., 4=23642
- Rogel'berg, I. L. See Puchkov, B. I., 4=13431
- Rogenhagen, H. and Simon, K.H. An experimental investigation of the amplitude distribution of electrical noise, 0=19717
- Roger, F. S. Measurements of the equivalent slab thickness of the daytime ionosphere, 4=20866
- Roger, R. S. Measurements of large irregularities in the total electron content of the daytime ionosphere, 4=20867
- Roger, R.S. and Thomson, J.H. Faraday effect in the transmissions from fast spinning satellites, 0=12340
- Roger, R.S. See Arons, J., 2=4618
- Roger, R.S. See Thomson, J.H., 1=10394
- Rogers, C. B. See Bullen, F. P., 4=13397
- Rogers, C. B. See Mabie, H. H., 4=14237
- Rogers, C. C., Schindler, J. K. and Schultz, F. V. The scattering of a plane electromagnetic wave by a finite cone, 4=700
- Rogers, C. E. See Frisch, H. L., 4=18116
- Rogers, C.L. and Watson, R.B. Determination of sound absorption coefficients using a pulse technique, 1=1791
- Rogers, D. See Menyuk, N., 2=12671
- Rogers, D. B., Goodenough, J. B. and Wold, A. Electrical conductivity in the spinel system  $\text{Co}_{1-x}\text{Li}_x\text{V}_2\text{O}_6$ , 4=12891
- Rogers, D. B. See Arnett, R. J., 4=15407
- Rogers, D. B. See Kunnmann, W., 4=15840
- Rogers, D.G. See Reed, R. J., 2=15183
- Rogers, D.H. An extension of a theory of mechanical damping due to dislocation, 2=8707
- Rogers, D.H. See Hutchison, T.S., 2=8708
- Rogers, D.H. See Hutchison, T.S., 2=21017
- Rogers, E.C. The 50 c/s critical currents of superconductors, 3=21661
- Rogers, E.H., Chamberlain, O., Foote, J.J., Steiner, H.M., Wiegand, C. and Ypsilantis, T. 310 MeV  $\text{PI}^+-p$  polarization and cross-section experiments, 1=16876
- Rogers, E. H. See Abashian, A., 4=6097
- Rogers, E.H. See Booth, N.E., 1=7262
- Rogers, E.H. See Foote, J.H., 0=5590
- Rogers, E.H. See Foote, J.H., 1=7279
- Rogers, E.H. See Foote, J.H., 1=7280
- Rogers, E.H. See Rawcliffe, R. D., 4=13780
- Rogers, E.J. Integrator for small pulsed and direct currents, 3=19138
- Rogers, E. J. Method for comparing small A.C. voltages in the presence of large D.C. components, 4=14990
- Rogers, E.M. Physics summer Institute in Pakistan, 1=12789
- Rogers, E.S. Experimental tunnel-diode electromechanical transducer elements and their use in tunnel-diode microphones, 2=17546
- Rogers, E.S. Multichannel threshold audio-noise-reduction circuit, 3=9289
- Rogers, E.W.E. See Pain, H. J., 2=13358
- Rogers, F. See McCann, J. D., 4=17456
- Rogers, G.F.C. and Mayhew, Y.R. Evaluation of bulk velocity and temperature for turbulent flow in tubes, 1=15799
- Rogers, G.L. Diffraction microscopy and the ionosphere, 0=757
- Rogers, G.L. An experimental verification of diffraction microscopy, using radio waves, 0=758
- Rogers, G.L. On a theorem of Hanbury-Brown and Twiss concerning coherence conditions in optics, 2=13431
- Rogers, G.L. The process of image formation as the re-transformation of the partial coherence pattern of the object, 3=9582
- Rogers, G.L. Calculations of intermediate Fourier images of a finite line grating on a digital computer, with an application to an unusual case, 3=24053
- Rogers, G. L. Calculations of hexagonal diffraction patterns of interest in insect vision, 4=20993
- Rogers, G.T. and Edgerton, H.E. Enhanced afterglow in neon by removal of electrical excitation, 2=19908
- Rogers, G.T. See Makin, S.M., 0=3594
- Rogers, H.C. The mechanism of crack propagation in ductile metals, 0=18279
- Rogers, H.H. Transistorized electrometer voltmeter, 3=12045
- Rogers, I.W. See Burnham, J. U., 3=14837
- Rogers, J. See Boehm, F., 2=14057
- Rogers, J. See Boehm, F., 3=12599
- Rogers, J. See Manning, G., 1=2163
- Rogers, J.D. and Boehm, F. Evidence for a large  $B_1$  contribution in the first-forbidden beta decay of  $\text{Rb}^{86}$ , 1=4032
- Rogers, J.D. and Williams, D. Nitrosyl chloride structure, 1=11133
- Rogers, J.D., Steyert, W.A. and Pellam, J.R. Effects of K-capture dealignment and ionic couplings on low-temperature nuclear alignment, 3=17433
- Rogers, J.D. See Boehm, F., 3=22331
- Rogers, J.D. See De Boer, J., 3=7970
- Rogers, J.D. See Manning, G., 0=7472
- Rogers, J.L. See Baldwin, J.A., Jr., 0=2423
- Rogers, J.L. See Henry, W.G., 0=13731
- Rogers, J. S., Adler, J. G. and Woods, S. B. Apparatus for measuring characteristics of superconducting tunnel junctions, 4=8578
- Rogers, J.S. See Adler, J.G., 3=24143
- Rogers, J. S. See Fenton, E. W., 4=6919
- Rogers, J. T. and Bond, C. D. Polarization of neutrons from the  $\text{D}(d, n)\text{He}^3$  reaction below 200 keV, 4=19604
- Rogers, J.V. See Brown, H.A., 0=5437
- Rogers, J.W. See Allen, W.A., 0=12394
- Rogers, J.W. See Allen, W.A., 1=5293
- Rogers, J.W. See Mayfield, E.B., 0=8741
- Rogers, K.C. See Brucker, G.J., 1=5402
- Rogers, K. C. See Huber, H. J., 4=21518
- Rogers, K.C. See Lukasik, S. J., 4=8874
- Rogers, K. T. See Bell, R. L., 4=24922
- Rogers, K.W. The variation in outgassing rate with the time of exposure and pumping, 4=18275
- Rogers, L. A. Kinetics of electroluminescent deterioration in some ZnS phosphors, 4=26252
- Rogers, L.A. See Cook, M.A., 3=23311
- Rogers, M.D. and Adam, J. Ejection of atoms from uranium by fission fragments, 2=20691
- Rogers, M.D. See Adam, J., 0=3225
- Rogers, M.D. See Adam, J., 2=6326
- Rogers, M.G. See Barrer, J.A., 3=5418
- Rogers, M.H. See Lance, G.N., 2=4990
- Rogers, M. T. and Whiffen, D. H. Electron spin resonance of irradiated crystals of sodium perfluorosuccinate, 4=20601
- Rogers, M.T. See Coulson, C.A., 1=12332
- Rogers, M. T. See Kuska, H. A., 4=12512
- Rogers, M.T. See Narasimhan, P.T., 0=2745
- Rogers, M.T. See Narasimhan, P.T., 0=4226
- Rogers, M.T. See Narasimhan, P.T., 0=4228
- Rogers, M.T. See Narasimhan, P.T., 0=17783
- Rogers, M.T. See Narasimhan, P.T., 1=6047
- Rogers, P.C. and Gordon, G.E. Decay of  $\text{Sc}^{44m}$  and the levels of  $\text{Ca}^{42}$ , 3=10257
- Rogers, P.C. and Stokes, R.H. A search for  $\text{H}^4$ , protons from  $\text{H}^3(d, p)$ , 4=15110
- Rogers, R.H. The development of the boundary layer in supersonic shear flow, 3=21298
- Rogers, R.M. and Kantor, R.H. Frequency shift magnetometer, 2=1553
- Rogers, R.N. and Pake, G.E. Paramagnetic relaxation in solutions of  $\text{VO}^{++}$ , 0=19167
- Rogers, R.R. Radar measurement of velocities of meteorological scatterers, 3=16206
- Rogers, R.R. and Pilie, R.J. Radar measurements of drop size distribution, 3=18508



- Rogers, S.J. See Berman, R., 4=18526  
 Rogers, T.E. See Swinehart, J.H., 3=8944  
 Rogers, T.G. and Pipkin, A.C. Asymmetric relaxation and compliance matrices in linear viscoelasticity, 4=8130  
 Rogers, W.A. and Biondi, M.A. Studies of the mechanism of electron-ion recombination. II, 4=18693  
 Rogers, W.A. See Kasner, W.H., 2=3008  
 Rogerson, B.J. See Spitzer, L., 2=13201  
 Rogerson, J.B., Spitzer, L. and Bahng, J.D. A high-dispersion photoelectric spectrophotometer, 0=10761  
 Rogerson, J.B. See Osterbrock, D.E., 1=15518  
 Rogerson, J.B., Jr. The solar limb intensity profile, 0=10510  
 Rogerson, J.B., Jr. On photospheric faculae, 1=15477  
 Rogerson, J.B., Jr. See Gaustad, J.E., 1=15474  
 Rogge, W.H., Yarger, F.I. and Dickey, F.P. Emission spectrum of the OH radical in an oxyacetylene flame in the 1.5- $\mu$  region, 0=15730  
 Roggen, A. van. See van Roggen, A.  
 Roggenbuck, A. See Bodendstedt, E., 2=12136  
 Roggenbuck, A. See Bodendstedt, E., 2=16300  
 Roginskaya, Y.E., Venetsev, Y.N. and Zhdanov, G.S. Coexistence of antiferromagnetic and special dielectric properties in the  $\text{BiFeO}_3$ - $\text{LaFeO}_3$ , 4=4214  
 Roginskii, S.Z. On the origin of the pre-sorptive effect and certain other anomalies in the catalytic oxidation of CO on oxide semiconductors, 0=10345  
 Roginskii, S.Z. Defects and impurities in semiconductors and their role in chemical transformations, 4=20792  
 Roginskii, S.Z. and Khait, Yu.L. The origin of the compensation effect in chemical kinetics, 0=10346  
 Roginskii, S.Z. and Khait, Yu.L. The theory of the compensation effect in diffusion processes in solids, 4=9981  
 Roginskii, S.Z. See Enikeev, E.Kh., 0=11710  
 Roginskii, S.Z. See Kushnerev, M.Ya., 1=14357  
 Roginsky, C.Z. See Enikeev, E.Kh., 2=22240  
 Roginsky, V.I. See Marinov, M.S., 4=9080  
 Roglic, V. Some calculations with a phenomenological nuclear potential, 2=3288  
 Rogova, N.A. See Mukharev, L.A., 2=22156  
 Rogowski, F. Electron diffraction studies of thin silicon layers, 0=12039  
 Rogowski, F. Investigations on the constancy of the CC, CO and CN distances in free molecules, 3=6387  
 Rogowski, F. See Aziz, N.E.A., 3=12790  
 Rogowski, F. New scattering chamber for electron diffraction studies on gases and vapours, 4=5713  
 Rogozhkin, I.V. See Znonov, N.V., 2=18384  
 Rogozinski, A. The proton synchrotron "Saturne". 16 litre propane bubble chamber, 0=2412  
 Rogozinski, A. See Alitti, J., 2=16229  
 Rogozinski, A. See Alitti, J., 2=18156  
 Rogozinski, A. See Berthelot, A., 1=19281  
 Rogozinski, A. See Daudin, A., 4=30260  
 Rogozinskii, V.G. A method of admitting ballast gas into a VN-6 vacuum pump, 2=17517  
 Rogula, D. See Kaliski, S., 2=21800  
 Rogula, D. See Kaliski, S., 3=19420  
 Rogula, D.R. See Kaliski, S., 2=7279  
 Rogulski, W. Ignition of gas mixtures by electric discharges between a heated and a cold electrode: application in break-flash apparatus for intrinsic safety testing, 2=19922  
 Roh, P. See Hübel, H., 0=5534  
 Rohan, P., Anderson, L.L. and Cooke, D.J. Effect of the U.S. high-altitude nuclear explosion on radio wave propagation, 3=12324  
 Rohan, P., Anderson, L.L. and Cooke, D.J. Sudden changes in amplitude and phase of the very-low-frequency signal from station G.B.R. at Salisbury, South Australia, 3=14780  
 Rohatgi, K.K. The fluorescence lifetimes of fluorescein anion, 2=7225  
 Rohatgi, V.K. Electronic and ionic current at the cathode of a hollow-cathode discharge, 1=11916  
 Rohde, H.J. See Dziesiaty, J., 3=783  
 Röhler, R. Measurements of the contrast transmission functions of animal eyes, 1=21152  
 Röhler, R. Study of the contrast transfer function [C.T.F.] of the dioptric components of the eye, 2=7074  
 Röhler, R. Evaluation of the discrimination and contrast thresholds for small objects from the optical imaging properties of the media of the eye, 2=24220  
 Röhler, R. Measurements of the contrast transfer function of animal eyes, 2=24232  
 Röhler, R. Measurement of the contrast transmission function with square wave gratings and other periodic light distributions, 3=268  
 Röhler, R. Imaging properties of the media of the eye, 3=9303  
 Röhler, R. and Buchmann, F. The distribution of spatial frequencies in photographic images, 1=18636  
 Röhler, R. and Wittmann, F. The influence on contrast transmission functions of apodization, 1=18567  
 Röhler, R. See Buchmann, F., 0=20111  
 Röhler, R. See Wittmann, F., 2=13440  
 Röhler, R. See Wittman, V., 2=17663  
 Rohlf, K. Determination of the hydrogen density of interstellar gas by resolution of the 21cm profile into single components, 4=20947  
 Rohlin, J. An interferometer for precision angle measurements, 3=24046  
 Rohlin, J. and Lodding, A. Self diffusion in molten potassium, 3=16610  
 Rohloff, E. The tone of the violin, 4=14295  
 Röhm, H. See Bergmann, W.H., 3=17128  
 Rohmann, W. and Schubert, M. Irreducible errors in the recording of spectra, 1=4457  
 Rohmann, W. and Schubert, M. Measurement of the depolarization of Raman lines, 3=732  
 Rohmann, W. See Gase, R., 4=12510  
 Rohozifski, G. See Dabrowski, J., 3=6231  
 Rohrbach, C. Resistance strain gauges — accuracy obtainable with gauge bodies made of synthetic materials and metals, 0=6287  
 Rohrbach, F. and Rosselet, P. Determination of the energy of a charged particle by using simultaneously magnetic curvature and multiple Coulomb scattering, 2=3220  
 Rohrbach, F. See Germain, C., 4=18751  
 Rohrbach, J.H. See Pine, C., 0=81  
 Rohrbough, S.F. Determination of the mixing ratios of water vapour and carbon dioxide in the stratosphere, 3=1429  
 Rohrer, H. Volume changes in hard superconductors, 0=8956  
 Rohrer, H. Pressure dependence of the critical [magnetic] field in indium single crystals, 0=19563  
 Rohrer, H. Pressure and volume effects in superconductivity, 1=258  
 Rohrer, H. See Andres, K., 2=3848  
 Rohrer, H. See Andres, K., 2=7507  
 Rohrer, H. See Dubeck, L., 3=12032  
 Rohrer, H. See Dubeck, L., 4=18572  
 Rohrer, H. See Olsen, J.L., 1=5398  
 Rohrer, R.H. See Dratz, A.F., 2=4888  
 Rohrer, R.H. See Newson, H.W., 1=13652  
 Rohringer, G. Numerical design of axially symmetric electrostatic ion accelerators, 3=12266  
 Rohrlieh, F. Self-energy and stability of the classical electron, 0=17301  
 Rohrlieh, F. The equations of motion of classical charges, 1=7185  
 Rohrlieh, F. The definition of electromagnetic radiation, 1=19014  
 Rohrlieh, F. The classical description of charged particles, 2=9807  
 Rohrlieh, F. Functional differential calculus of operators, 4=11868  
 Rohrlieh, F. Solution of the classical electromagnetic self-energy problem, 4=21631  
 Rohrlieh, F. and Pecker, C. Highly ionized atoms: the configurations,  $s^2p^n$  ( $n = 1, 2, 4, 5$ ), 4=6457  
 Rohrlieh, F. See Edie, J.W., 2=5298  
 Rohrlieh, F. See Fulton, T., 0=10552  
 Rohrlieh, F. See Pecker, C., 2=15336  
 Rohrlieh, F. See Pecker, C., 2=15342  
 Rohrlieh, F. The principle of equivalence, 3=16497  
 Rohrlieh, F. See Fulton, T., 3=1586  
 Rohrlieh, F. See Fulton, T., 3=5317  
 Rohrlieh, F. See Khanna, F.C., 3=24585  
 Roi, N.A. See Isakovich, M.A., 2=13119  
 Roig, A. See Lifson, S., 1=9961  
 Roife, I.M. Circuit for stabilizing the flat part of a pulse from a pulse transformer at voltages up to 1 megavolt, 4=16576  
 Roife, I.M. See Boiko, S.N., 4=14805  
 Roife, I.M. See Zeitlenok, G.A., 4=16590  
 Roig, A. See Krigbaum, W.R., 0=16694  
 Roig, A. See Kurata, M., 0=15791  
 Roig, J. Thermal sweeping of Fabry-Perot rings, 0=16876  
 Roikh, I.L., Koltunova, L.N., Belitskaya, S.G. and Bolotich, I.P. A photographic, optical and gravimetric study of atmospheric corrosion of vacuum-deposited zinc condensates, 4=26748



- Roinishvili, N.N. Analysis of the distributions of transverse momenta of  $\pi$ -mesons and strange particles, 1=19235
- Roinishvili, N.N. See Andronikashvili, E.L., 1=574
- Roinishvili, N.N. See Manjavidze, Z.Sh., 1=3303
- Roinishvili, N.H. See Manjavidze, Z.Sh., 2=18223
- Roinishvili, N.N. Analysis of the distribution of transverse momenta of  $\pi$ -mesons and strange particles, 2=22566
- Roinishvili, N.N. See Mandzhavidze, Z.Sh., 4=956
- Roinishvili, V.N. See Chikovani, G.E., 4=3263
- Roinishvili, V.N. See Chikovani, G.E., 4=14991
- Roinishvili, V.N. See Chikovani, G.E., 4=19340
- Roinishvili, V.N. See Mikhailov, V.A., 1=13265
- Roinishvili, V.N. See Mikhailov, V.A., 4=5915
- Roisen, I.I. and Chernavskii, D.S. Interference between the amplitudes of inelastic processes, 2=9878
- Roisen, I.I. and Chernavskii, D.S. Interference between the amplitudes of inelastic processes, 3=6021
- Roitburd, A.L. Some peculiarities of the growth of crystals in condensed systems, 3=16032
- Roitburd, A.L. The theory of the growth of an ideal crystal, 3=20784
- Roitburd, A.L. See Lyubov, B.Ya., 0=13940
- Roitenberg, Ya.N. Motion of gyroscopic compass under the influence of ordinary forces, 0=19034
- Roitenberg, Ya.N. Motion of gyroscopic compass under the influence of ordinary forces, 1=5243
- Roiter, B.D. See Paladino, A.E., 4=10168
- Roitsin, A.B. The paramagnetic resonance of foreign atoms in crystals of NaCl type, 0=18219
- Roitsin, A.B. Atomic vibrations in an imperfect lattice and the spin-lattice relaxation time, 2=2045
- Roitsin, A.B. Role of electrical field in paramagnetic resonance, 3=18126
- Roitsin, A.B. The role of electric fields in paramagnetic resonance, 3=20639
- Roitsin, A.B. The role of diamagnetism in paramagnetic resonance, 3=23221
- Roitsin, A.B. Microwave analogues of the Faraday, Cotton-Mouton and Kerr effects in semiconductors, 4=10157
- Roitsin, A.B. Local symmetry of electron centres in semiconductors, 4=12742
- Roitsin, A.B. See Deigen, M.F., 0=8087
- Roitsin, A.B. See Deigen, M.F., 1=20246
- Roitsin, A.B. See Deigen, M.F., 2=8665
- Roitsin, A.B. See Deigen, M.F., 4=25268
- Roitsina, O.V. See Kremenchuk's'kii, L.S., 3=21610
- Roitsyn, A.B. Theory of spin-lattice relaxation of local electron centres in crystals. I, 2=8195
- Roitsyn, A.B. Theory of spin-lattice relaxation of local electron centres in crystals. II, 2=8196
- Roitsyn, O.B. See Deihen, M.F., 1=14815
- Roizen, I.I. and Chernavskii, D.S. The relation between various methods for describing the interaction of high-energy particles, 4=827
- Roizen, I.I. and Chernavsky, D.S. Intersection of vacuum pole trajectories, 4=16835
- Roizen, I.I. See Chernavsky, D.S., 3=12540
- Roizen, I.I. See Podgoretskii, M.I., 1=3392
- Roizen, L.I. and Gannus, V.K. Automatic device for the supply of liquid nitrogen, 2=17707
- Roizen, S. See Fuchshuber, R., 0=16007
- Roizen, S. See Fuchshuber, R., 1=14536
- Roizen, S. See Giacomo, P., 4=21308
- Roizen, S. See Guillien, R., 4=4206
- Roizen-Dossier, B. See Fousse, H., 4=22840
- Roizen-Dossier, B. See Giacomo, P., 4=21308
- Roizen-Dossier, B. See Jacquinet, P., 4=304
- Roizen-Dossier, B. See Jacquinet, P., 4=18388
- Roizin, N.M., Mostovlyanskii, N.S. and Strod, R.K. Thermal conductivity of indium, 3=17668
- Roizin, N.M., Mostovlyanskii, N.S. and Strod, R.K. Heat conductivity of indium, 4=22514
- Rojkovsky, D.A. Statistical study of globules projected on stellar clouds, 0=10515
- Rojo, O. and Levinger, J.S. Integrated cross section for a velocity-dependent potential, 1=15526
- Rojo, O. and Simmons, L.M. Velocity-dependent nuclear potentials for singlet-even states, 2=3452
- Rojo, O. See Levinger, J.S., 0=12886
- Rojo, O. See Razavy, M., 1=8539
- Rokakh, O.G. See Kir'yashkina, Z.I., 4=22709
- Rokakh, O.G. See Kir'yashkina, Z.I., 4=26147
- Rokakh, O.H. See Kir'yashkina, Z.I., 4=22708
- Rokhlín, L.L. The effect of cold plastic deformation upon the decomposition of a supersaturated solid solution of neodymium in magnesium, 4=10435
- Rokitjansky, I.I., Senko, P.K., Mansurov, S.M., Kalinin, J.K. and Fonarev, G.A. The coast effect in the variations of the earth's electromagnetic field, 4=26869
- Rokityanskii, I.I. Distribution of rapid periodic micropulsations as a function of amplitude, 4=2324
- Rokityanskii, I.I. The shore effect in variations of the earth's electromagnetic field, 4=23814
- Rokityanskii, V.R. See Klepikov, N.P., 1=19260
- Rokityanskii, V.R. See Klepikov, N.P., 2=22590
- Rokotyan, V.E. See Kadomtsev, B.B., 0=19676
- Rokotyan, V.E. See Kadomtsev, B.B., 1=5458
- Rokityanskii, I.I. On noise registered with rapid earth-current fluctuations, 3=23578
- Rol, P.K., Fluit, J.M. and Kistemaker, J. Sputtering of copper by bombardment with ions of 5-25 keV, 1=8363
- Rol, P.K., Fluit, J.M. and Kistemaker, J. Theoretical aspects of cathode sputtering in the energy range of 5-25 keV, 1=11987
- Rol, P.K. and Rothe, E.W. Velocity dependence of the total cross-section for atom-atom scattering at thermal energies, 3=15306
- Rol, P.K. See Fluit, J.M., 3=10705
- Rol, P.K. See Rothe, E.W., 2=10222
- Rol, P.K. See Rothe, E.W., 3=711
- Rol, P.K. See Rothe, E.W., 3=15305
- Rol, P.K. See Rothe, E.W., 4=6531
- Rol, P.K. See Rothe, E.W., 4=25595
- Rol, P.K. See Snoek, C., 4=13071
- Rol, P.K. See Trujillo, S.M., 2=20888
- Roland, G. See Delbouille, L., 4=2424
- Roland, G. See Gebbie, H.A., 1=16078
- Roland, G. See Gebbie, H.A., 2=13108
- Rolando, M. and Sarra, M. A function of the flow singularities in transonic streams around doubly symmetrical airfoils, 4=21168
- Rolfe, J. and Lipsett, F.R. Digest of literature on dielectrics. Conduction phenomena in solid dielectrics, 0=2300
- Rolfe, J., Lipsett, F.R. and King, W.J. Optical absorption and fluorescence of oxygen in alkali halide crystals, 1=11363
- Rolfe, J. Infrared and ultraviolet absorption bands in KBr crystals containing hydroxide ion impurity, 4=4266
- Rolfe, J. Low-temperature emission spectrum of  $O_2^-$  in alkali halides, 4=17605
- Rolfe, W. See Hagg, E.L., 3=7714
- Rolik, G.P. See Medved, D.B., 4=10077
- Roll, P.G., Newman, E. and Steigert, F.E.  $O^{16} + O^{18}$  elastic scattering, 2=5973
- Roll, P.G. and Steigert, F.E. Production of heavy fragments in the reaction  $O^{16} + O^{16}$ , 2=5974
- Roll, P.G. and Steigert, F.E. Characteristics of heavy ion tracks in nuclear emulsions, 0=11073
- Roll, P.G., Krotkov, R. and Dicke, R.H. The equivalence of inertia and passive gravitational mass, 4=14027
- Roll, P.G. and Steigert, F.E. Energy loss of heavy ions in nickel, oxygen, and nuclear emulsion, 0=17051
- Roll, P.G. and Steigert, F.E. Effective charge of heavy ions in various media, 0=19624
- Roll, P.G. See Newman, E., 1=9886
- Rolland, C. See De Bouard, X., 4=19669
- Rolland, C. See Tatischeff, B., 4=12212
- Rolland, C. See Tatischeff, B., 4=19764
- Rolland, P. Instabilities [of plasmas] and waves growing in space, 4=5672
- Rolland, P. New analytic method for the treatment of instabilities and growing waves in space, 4=19037
- Rolland, P. See Lepechinsky, D., 2=24032
- Rolland, P. See Lepechinsky, D., 4=10755
- Rolland, W.W. See Bevington, P.R., 0=2476
- Rolland, W.W. See Bevington, P.R., 1=2212
- Rollefson, A.A. Givens, W.W., 3=15102
- Rollefson, A.A. See Givens, W.W., 3=24862
- Rollefson, A.A. See Given, W.W., 3=24863
- Rollet, G. See Cabannes, F., 2=22231
- Rollet, J.S. and Higgs, L.A. Correction of spectroscopic line profiles for instrumental broadening by a Fourier analysis method, 2=2877
- Rollett, J.S. and Sparks, R.A. The correlation of intersecting layers of X-ray intensity data, 0=10299
- Rollett, J.S. See Hodgson, L.I., 3=13443
- Rollier, M.A. See Faucitano, A., 4=25119
- Röllig, H.E. See Körber, W.G., 2=23983



- Röllig, K. See Schäfer, F.P., 4=17589
- Rollin, B.V. Detection of millimetre and sub-millimetre wave radiation by free carrier absorption in a semi-conductor, 1=12455
- Rollin, B.V. A phase sensitive detector for long integration time, 4=14550
- Rollin, B.V. and Rowell, J.M. Hot carriers in germanium, 1=6150
- Rollin, B.V. and Russell, J.P. Impurity conduction in copper doped germanium, 3=10789
- Rollin, B.V. and Russell, J.P. The current noise spectrum of copper-doped germanium at 20°K, 3=10790
- Rollin, B.V. See Kinch, M.A., 3=25385
- Rollin, B.V. See Peskett, G.D., 3=22946
- Rollinger, C.N. and Sunderland, J.E. The performance of a convectively cooled thermoelement used for power generation, 2=11609
- Rollinger, C.N. and Sunderland, J.E. The performance of a thermoelectric heat pump with surface heat transfer, 3=8575
- Rollins, F.R., Jr. Use of graphite whiskers in a study of the atmosphere dependence of graphite friction, 1=12612
- Rollins, F.R., Jr. Interaction of ultrasonic waves in solid media, 3=25191
- Rollins, F.R., Jr. Visualization of traveling ultrasonic wave packets, 3=11868
- Rollins, F.R., Jr. See Bryant, P.J., 0=3181
- Rollins, F.R., Jr. See Waldow, P., 3=18888
- Rollins, R.W. See Silcox, J., 3=19099
- Rollins, R.W. See Silcox, J., 4=21391
- Rollins, R.W. See Walton, D., 3=16842
- Rollinson, W. See Baker, W.P., 3=16899
- Rollman, G.B. See Onley, J.W., 3=11642
- Rollnik, H. Operator gauge transformations in quantum electrodynamics, 1=2010
- Rollnik, H., Stech, B. and Nunnemann, E. Quantum electrodynamics and asymptotic conditions, 0=17221
- Rollnik, H. See Gorge, V., 3=7777
- Rollnik, H. See Grawert, G., 0=321
- Rollnick, W.B. 2P→1S transitions in muonic Tl, Pb, and Bi, 4=3822
- Rolph, P.M. See Burcham, W.E., 1=13194
- Rolph, P.M. See Greenlees, G.W., 0=5746
- Rolph, P.M. See Greenlees, G.W., 4=9495
- Rolsten, R.F., Hunt, H.H. and Meyer, K.H. Deformation and wave structure produced by high-velocity impact, 4=20668
- Rolsten, R.F. and Schmitt, R.A. Hypervelocity impact of radioactive projectiles into stainless steel and aluminum, 3=25646
- Rolsten, R.F. and Wellnitz, J.N. Air-cavity explosive charge for accelerating discrete particles, 3=23824
- Rolsten, R.F., Wellnitz, J.N. and Hunt, H.H. An example of hole diameter in thin plates due to hypervelocity impact, 4=11135
- Rom, F.E., Lietzke, A.F. and Johnson, P.G. Nuclear rockets for unmanned missions, 3=16434
- Rom-Krichevskaya, I.A. See Bakradze, R.V., 3=3262
- Rom-Krichevskaya, I.A. See Bakradze, R.V., 4=1496
- Rom-Krichevskaya, I.A. See Ratner, A.M., 2=18003
- Romain, J. Differential invariants of a Maxwell field, 1=1697
- Romain, J. Differential invariants of connection in non-Riemannian space only, 3=5319
- Romain, J.E. Time measurements in accelerated frames of reference, 3=18712
- Romain, J.E. A geometrical approach to relativistic paradoxes, 3=21219
- Romain, J.E. Lorentz transformation in the undergraduate curriculum, 4=5028
- Romain, J.E. On some misconceptions about relativistic co-ordinate transformations, 4=5032
- Romain, J.E. The nature of light propagation, 4=8039
- Romain, J.E. Remarks on a coordinate transformation to an accelerated frame of reference, 4=14034
- Romain, J.E. Rigidity criteria for one-dimensional translations, 4=14035
- Romain, J.E. Proper time and rigidity in accelerated frames of reference, 4=29524
- Romain, M.Y. See Marchais, J.C., 0=2412
- Roman, I. The kernel function in the surface potential for a horizontally stratified earth, 3=16196
- Roman, N.G. Vehicles and plans, 0=14371
- Roman, N.G. Space applications of television, 4=4959
- Roman, N.G. See Yaplee, B.S., 0=18618
- Roman, O.V. See Lenel, F.V., 4=7689
- Roman, P. Decomposition of  $3 \times 3$  matrices, 0=4835
- Roman, P. A scalar representation of electromagnetic fields. III, 0=7200
- Roman, P. On the steady-state theory of cosmology, 0=18601
- Roman, P. Correlation theory of stationary electromagnetic fields. III. The presence of random sources, 1=13155
- Roman, P. On the gauge invariant theory of elementary particle interactions, 1=19112
- Roman, P. Correlation theory of stationary electromagnetic fields. IV. Second order conservation laws, 2=3133
- Roman, P. A remarkable connection between Kemmer algebras and unitary groups, 4=19384
- Roman, P. A new phenomenological supermultiplet structure of elementary particles, 4=27759
- Roman, P. and Marathay, A.S. Analyticity and phase retrieval, 4=8021
- Roman, P. and Wolf, E. Correlation theory of stationary electro-magnetic fields. I. The basic field equations, 0=19880
- Roman, P. and Wolf, E. Correlation theory of stationary electromagnetic fields. II. Conservation laws, 0=19881
- Roman, P. See Herrera, J.C., 4=30147
- Roman, P. See Parrent, G.B., Jr., 0=12675
- Roman, W.C. Some observations on the forward and retrograde motion of electric arcs in transverse magnetic fields, 4=18775
- Románá, A. and Cardis, J.O. Geomagnetic rapid variations during IGY and IGC, 2=13084
- Romanchuk, P.R. On the nature of the east-west asymmetry of solar activity, 2=959
- Romanchuk, P.R. The visibility of sunspots on the solar disk and the east-west asymmetry of solar activity, 2=21712
- Romanchuk, P.R. The visibility of spots on the solar disk and the east-west asymmetry of solar activity, 2=24113
- Romanchuk, P.R. The visibility of spots on the solar disk and the East-West asymmetry of solar activity, 3=3569
- Romanchuk, P.R. and Kudanova, T.P. The east-west asymmetry of spot-formation activity of the sun, 0=18736
- Romanchuk, P.R. The formation of sunspots and solar magnetic fields, 4=2432
- Romand, J. Vacuum ultraviolet emission spectra and instrumentation, 4=11343
- Romand, J. and Balloffet, G. Utilization of gliding sparks for spectrochemical analysis in the far ultraviolet. Possibility of detection and determination of phosphorus in copper and in the alloys of aluminium, 0=6428
- Romand, J. and Vodar, B. A vacuum monochromator for far ultraviolet, 1=16082
- Romand, J. and Vodar, B. Grazing incidence monochromator with concave grating for the far ultraviolet, 3=3881
- Romand, J. See Balloffet, G., 0=16397
- Romand, J. See Balloffet, G., 1=16089
- Romand, J. See Damany-Astoin, N., 2=14286
- Romand, J. See Fabre, D., 0=7994
- Romand, J. See Fabre, D., 1=12994
- Romand, J. See Fabre, D., 2=7377
- Romand, J. See Fabre, D., 4=13004
- Romand, J. See Fabre, D., 4=22820
- Romand, J. See Lotte, B., 3=24249
- Romand, J. See Vodar, B., 2=22030
- Romanenko, E.V. Experimental study of acoustic streaming in water, 0=19306
- Romanenko, E.V. Distortion of the finite-amplitude [acoustic] waveform on propagation in a relaxing medium, 1=5324
- Romanenko, E.V. Width of a sawtooth wavefront, 1=16020
- Romanenko, E.V. Sawtooth [sound] waves in electrolytes, 1=18517
- Romanenko, E.V. See Golyamina, I.P., 2=2310
- Romanenko, P.F. See Kostyshin, M.T., 2=23520
- Romanenko, P.F. See Kostishin, M.T., 4=17553
- Romanenko, P.F. See Kostyshyn, M.T., 4=7109
- Romanenko, P.N. and Kharchenko, V.N. Effect of a mass cross-flow on resistance and heat transfer in the turbulent flow of a compressible gas, 3=23919
- Romanenko, P.N. and Leont'yev, A.I. The resistance law for a turbulent boundary layer formed at a wall in the diffusion flow region, 3=14100
- Romanenko, V.F. See Vlasenko, N.A., 4=28722
- Romanenko, V.N. [Impurity] concentration distribution in a zone-levelled ingot, 0=10288
- Romanenko, V.N. Induction heater for melting pure materials which is enclosed in a quartz tube, 2=22083



- Romanenko, V.N. The effect of the concentration dependence of the segregation coefficient on redistribution of the components of a binary system during directional solidification, 0=14062
- Romanenko, V.N. and Ivanov-Omskii, V.I. The thermodynamics of solid solutions of some semiconducting systems, 0=4685
- Romanenko, V.N. and Tuchkevich, V.M. Preparation of homogeneous materials by the method of zone equilibrium, 3=25676
- Romanenko, V.N. See Korol'kov, V.I., 4=7556
- Romanet, R. See Braillon, B., 1=9953
- Romanets', R.G., Nemchenko, A.M. and Bobyl', V.G. The red edge of photoconductivity of ether solutions, 2=17482
- Romani, G.N. See Borovskii, I.B., 3=10973
- Romani, J.D. and Bugard, P. Recent tests on the action of noises on the endocrine system, 0=6501
- Romani, J.D. See Bugard, P., 0=6502
- Romanisio, F. See Galotto, C.P., 1=10893
- Romankevich, V.N. See Geikhsman, D.S., 0=1675
- Romanko, G.D. See Kushtan, V.I., 2=22380
- Romanko, H.D. See Lomsadze, Yu.M., 4=11874
- Romano, A. See Abbattista, N., 2=5951
- Romano, A. See Alitti, J., 2=16229
- Romano, A. See Alitti, J., 2=18156
- Romano, A. See Bidán, U., 2=11988
- Romano, A. See Daudin, A., 4=6125
- Romano, A. See Daudin, A., 4=30260
- Romano, A. See Mongelli, S., 3=6276
- Romano, G. Classical formula for colour temperature, 1=2635
- Romanos, J. See Köhler, W., 4=3430
- Romanov, A.A. and Kochegarov, V.G. The viscosity of binary iron-silicon alloys in the low silicon-concentration range, 4=16094
- Romanov, A.M. Excited levels of  $\text{Si}^{30}$ , 1=16994
- Romanov, A.M., Myakinin, E.V. and Konstantinova, M.P. Excited levels of  $\text{Ne}^{22}$ , 2=374
- Romanov, A.M., Myakinin, E.V. and Konstantinova, M.P. Excited levels of  $\text{Ne}^{22}$ , 2=22737
- Romanov, A.M., Myakinin, E.V. and Konstantinova, M.P. Levels excited in the  $\text{F}^{19}(\alpha, p)\text{Ne}^{22}$  reactions, 3=10387
- Romanov, A.M. See Bel'skii, S.A., 4=3014
- Romanov, A.M. See Konstantinova, M.P., 2=492
- Romanov, A.M. See Konstantinova, M.P., 2=22852
- Romanov, A.M. See Konstantinova, M.P., 3=2500
- Romanov, E.P. See Demchuk, I.G., 4=20738
- Romanov, E.P. See Volkenshtein, N.V., 4=22677
- Romanov, G. See Hristov, V., 4=21880
- Romanov, G.A. See Blinova, N.I., 3=8642
- Romanov, L.R. See Raevskii, B.N., 4=16756
- Romanov, O.V. and Konorov, P.P. Some phenomena observed on anodic etching of germanium, 3=16027
- Romanov, O.V. See Konorov, P.P., 0=20897
- Romanov, O.V. See Konorov, P.P., 2=21135
- Romanov, O.V. See Konorov, P.P., 3=2899
- Romanov, O.V. See Konorov, P.P., 4=6959
- Romanov, V.A., Iodko, M.G. and Tuchkevich, V.V. Long-lived lutetium isotopes, 0=13211
- Romanov, V.A. The limited usefulness of the idea of a universal constant of surface recombination in an investigation of the kinetics of photoelectric processes, 1=12460
- Romanov, V.A. Investigation of the effect of an external electrical field upon the kinetics of photoelectric processes in semiconductors, 2=21185
- Romanov, V.A. High-intensity light-modulator with a Kerr cell, 2=22065
- Romanov, V.A. and Serbinov, A.N. A high-frequency ion source for an electrostatic generator, 3=24375
- Romanov, V.A., Zhad'ko, I.P. and Koshel', O.M. Some peculiarities of the photoconductivity of PbS films, 4=12990
- Romanov, V.A. See Iodko, M.G., 0=13212
- Romanov, V.A. See Iodko, M.G., 2=16367
- Romanov, V.A. See Kel'man, V.M., 0=2648
- Romanov, V.A. See Kel'man, V.M., 0=9588
- Romanov, V.A. See Rashba, É.I., 1=5014
- Romanov, V.A. See Tuchkevich, V.V., 2=16366
- Romanov, V.E. Calculation of a cross-section of the free-free transition of an electron in the field of a neutral hydrogen atom, 2=18405
- Romanov, V.N. See Bogorodskii, V.V., 3=16720
- Romanov, Yu.A. Decay of a plasmon at absolute zero, 1=3648
- Romanov, Yu.A. Plasma oscillations in a solid in the presence of a p-n junction, 4=6808
- Romanov, Yu.A. and Chernavskii, D.S. Multiple production of jet particles in peripheral collisions, 0=12922
- Romanov, Yu.A. and Filippov, G.F. The interaction of fast electron beams with longitudinal plasma waves, 1=16353
- Romanov, Yu.F. See Dmitriev, V.M., 0=20515
- Romanov, Yu.F. See Dmitriev, V.N., 1=3475
- Romanov, Yu.F. See Dmitriev, V.N., 4=1118
- Romanov, Yu.F. See Dmitriev, V.N., 4=3716
- Romanov, Yu.F. See Dmitriev, V.N., 4=6396
- Romanov, Yu.F. See Dmitriev, V.N., 4=16729
- Romanov, Yu.F. See Gorodyskii, V.A., 2=1829
- Romanov, Yu.F. See Perfilov, N.A., 1=8798
- Romanov, Yu.I. See Kerimov, B.K., 4=21836
- Romanova, A.V. and Kuchak, G.M. X-ray investigation of fused intermetallic compounds of the indium-bismuth system, 4=21099
- Romanova, A.V. and Lashko, A.S. Short-range order in liquid alloys of In-Pb and In-Sn, 3=21308
- Romanova, E.M. See Bokii, G.B., 3=18328
- Romanova, G.F. and Stepko, I.I. Gas evolution from the surface of silicon, 4=20796
- Romanova, H.P. See Stepko, I.I., 2=8875
- Romanova, L.M. Solution of the radiation-transfer equation for the case when the scattering indicatrix differs greatly from the spherical, I, 3=7696
- Romanova, L.M. Application of Kellogg's method for calculating the intensity of radiation in the interior of a scattering and absorbing medium, 3=12314
- Romanova, L.M. Solution of the radiative transfer equation for the case of a highly nonspherical scattering index, II, 3=14368
- Romanova, L.M. Radiation field in plane layers of a turbid medium with highly anisotropic scattering, 3=14369
- Romanova, N.G. Absorption and luminescence spectra of lead molybdate single crystals, 3=20479
- Romanova, N.G. See Baksakov, B.I., 3=20479
- Romanova, O.V. See Lashko, O.S., 1=12861
- Romanova, T.A. The introduction of hydrogen and deuterium into an emulsion, 1=4750
- Romanova, T.A. Dilution of NIKFI-R emulsions with gelatin, 1=19080
- Romanova, T.A. and Chikil'dina, L.D. Effective introduction of uranium salts into nuclear emulsions sensitive to minimum ionization, 3=24570
- Romanova, T.A. See Belovitskii, G.E., 0=9709
- Romanovskaya, K.M. See Ouvreva, V.M., 0=12749
- Romanovskaya, O.S. See Rozhdestvenskaya, M.V., 1=20440
- Romanovskaya, O.S. See Rozhdestvenskaya, M.V., 2=4381
- Romanovskii, E.A. See Vasil'ev, S.S., 3=6237
- Romanovskii, E.A. Excitation of rotational states of non-axial nuclei in  $\alpha$ -particle scattering, 0=9643
- Romanovskii, E.A. Excitation of nuclear vibrational and rotational states in the scattering of charged particles, 0=11394
- Romanovskii, E.A. See Edakova, V.A., 0=13242
- Romanovskii, E.A. See Vasil'ev, S.S., 2=437
- Romanovskii, E.A. See Vasil'ev, S.S., 2=441
- Romanovskii, E.A. See Vasil'ev, S.S., 2=10096
- Romanovskii, E.A. See Vasil'ev, S.S., 2=22807
- Romanovskii, E.A. See Vasil'ev, S.S., 4=3651
- Romanovskii, E.A. See Vasil'ev, S.S., 4=12137
- Romanovskii, M.K. See Antropov, G.M., 1=7061
- Romanovskii, M.K. See Brevnov, N.N., 3=14602
- Romanovskii, V.A. and Tarasov, V.V. The specific heats of the trisulphides of arsenic, antimony and bismuth in relation to their structural and physico-chemical properties, 0=13490
- Romanovskii, V.A. and Tarasov, V.V. The low temperature specific heat and the entropy at 298.1°K of the sulphides of the fifth group of Mendeleev's periodic table, 0=13491
- Romanovskii, V.A. See Nakhodkin, N.G., 2=22266
- Romanovskii, V.A. See Nakhodkin, N.G., 3=2781
- Romanovskii, V.A. Nakhodkin, N.G., 3=20153
- Romanovskii, V.O. See Nakhodkin, M.H., 1=13123
- Romanow, W.J. See Brady, G.W., 0=5983
- Romanow, W.J. See Wernick, J.H., 2=735
- Romanowski, T.A. See Bertram, W.J., Jr., 0=17371
- Romanowski, T.A. See Burleson, G.R., 1=16631
- Romanowski, T.A. See Burleson, G.R., 2=9755
- Romanowski, T.A. See Burleson, G.R., 3=17145
- Romanowski, T.A. See Burleson, G.R., 3=17146
- Romanowski, T.A. See Burleson, G.R., 3=17149
- Romanowski, T.A. See Eckhause, M., 2=13837
- Romanowski, T.A. See Findley, R.W., 1=18342
- Romanowski, T.A. See Kellman, S., 3=4441
- Romanowski, T.A. See Kunze, J.F., 0=5589



- Romanowski, T.A. See Reiter, R.A., 0=17370
- Romans, W.E. See Bonte, F.J., 3=21147
- Romantseva, A.S. See Barkov, L.M., 3=6080
- Romantseva, A.S. See Varfolomeev, A.A., 0=355
- Romantseva, A.S. See Varfolomeev, A.A., 0=7324
- Romantseva, A.S. See Varfolomeev, A.A., 1=2139
- Romanyak, L.I. See Gabovich, M.D., 4=19064
- Romanychev, V.S. Volatility of semiconductor material in a gaseous medium (T/E), 4=29808
- Romanyuk, A.K. See Akhmanov, S.A., 2=22147
- Romanyuk, L.I. See Gabovich, M.D., 1=5470
- Romanyuk, L.I. See Gabovich, M.D., 1=11947
- Romanyuk, L.I. See Gabovich, M.D., 2=182
- Romanyuk, L.I. See Gabovych, M.D., 2=9602
- Romanyuk, L. Y. See Gabovych, M.D., 4=2988
- Romanyuk, N.A. and Zheludev, I.S. Slow polarization processes in Rochelle salt examined by means of observations on the domain structure, 1=3805
- Romanyuk, N.A. and Zheludev, I.S. Polarization of Rochelle salt under the action of single square electrical pulses, 1=17836
- Romanyuk, N.A. See Sil'vestrova, I.M., 1=12476
- Romanyuk, N.A. See Vishnevskii, V.N., 0=16863
- Romanyuk, N.A. See Zheludev, I.S., 0=13664
- Romashkin, Yu. See Shestopalov, L.M., 1=3689
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. I. Review of work, 1=3981
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. II. General functional relations, 1=3982
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. III. Possible nature of the phenomenon, 1=3983
- Romashkin, Yu.P. and Shestopalov, L.M. Investigation of diffusion through boundaries arising in the process of creep in copper, 1=3980
- Romashko, E.A. See Ermakov, V.S., 3=10411
- Romashko, N.D. See Demirkhanov, R.A., 2=22188
- Rombakh, V.P. The absorption edge in oxides of alkaline-earth metals, 1=3836
- Romberg, E.B. See Zingery, W.L., 4=27606
- Romberg, F.E. An inverted-pendulum seismometer element for horizontal motion, 3=11378
- Romberg, F.E. Analytical expressions for transients in seismometer-galvanometer systems, 3=18474
- Rome, J. See Swarup, G., 3=16424
- Rome, J.M. See Mathewson, D.S., 3=3624
- Rome, J.M. See Mathewson, D.S., 3=3625
- Rome, J.M. See Mathewson, D.S., 3=25986
- Rome, M., Fleck, H.G. and Hines, D.C. The quadrant multiplier phototube, a new star-tracker sensor, 4=21563
- Romeis, H. and Royen, P. Relation between X-ray line broadening of aluminium powders and the warm hardness of compacts prepared from them, 1=20644
- Rörmelt, G. and Geist, D. The magnetic electron susceptibility of InAs, InSb and GaAs, 2=8600
- Rörmelt, G., Geist, D. and Schlabit, W. The temperature behavior of the magnetic susceptibility of InAs and InSb, 0=1772
- Romer, A. Functional dependence: three introductory experiments, 1=12792
- Römer, G. Electronic problems in the control of an earth's field proton generator for variations in the field strength, 4=3202
- Römer, H. The measurement of very small refractive index differences in absorbing liquids, 3=11899
- Römer, H. and v.Fragstein, C. Determination of absorption coefficient and refractive index of colloidal gold, 1=9393
- Romer, M. Terrestrial exosphere at heights of 1000-1700 km, 1=20894
- Römer, M. A model of the exosphere in the height range 1000-1700 km calculated from the path changes of the satellite Echo 1, 2=6931
- Romer, R.H. Nuclear spin relaxation in liquid He<sup>3</sup>, 0=1068
- Romer, R.H. Nuclear spin relaxation in liquid He<sup>3</sup>, 0=7022
- Romer, R.H. Fermi-Dirac spin degeneracy in <sup>3</sup>He vapour, 4=14204
- Romer, R.H. See Dempsey, C.W., 4=9850
- Romer, W. and Morawski, T. The absorption cross section for light of the silver grains in photographic deposits, 3=21576
- Romero, R. See Escobar, I., 0=15485
- Romestain, R. and Margerie, J. Structure of the F-centre excited state in NaCl, NaBr and KCl, 4=17449
- Romestain, R. See Margerie, J., 4=25971
- Romick, G.J. and Elvey, C.T. Variations in the intensity of the hydrogen emission line H $\delta$  during auroral activity, 0=2038
- Romick, G.J. See Rees, M.H., 2=4675
- Romig, M.F. Steady state solutions of the radiofrequency discharge with flow, 0=3755
- Romig, M.F. The motion of electrons in a radiofrequency field, 4=18939
- Romilly, N. Transmission of sound through a stretched ideal membrane, 4=21242
- Romita, R. See Guerreschi, L., 3=23369
- Rommel, G. See Gendreau, G., 1=16460
- Rommel, G. See Marchais, J.C., 0=2412
- Rommel, H.J. See Groth, W., 4=23676
- Romney, C. Amplitudes of seismic body waves from underground nuclear explosions, 0=10385
- Romo, L.A. Adsorption selectivity and electrostatic fields of rutile powders, 2=2433
- Rompe, R. Breakdown in solid dielectrics, 1=14564
- Rompe, R. and Schnürer, E. Detection of gamma-radiation with pre-excited CdS cells, 4=9160
- Rompe, R., Ullrich, S. and Wolff, H. Electron interactions in low-pressure plasma regions, 2=1422
- Rompe, R., Ullrich, S. and Wolff, H. Electron behaviour in low pressure plasmas, 3=7500
- Rompe, R. See Böer, K.W., 0=6086
- Rompe, R. See Böer, K.W., 2=1421
- Rompe, R. See Junge, C., 0=171
- Rompe, R. See Neumann, W., 0=1125
- Ron, A. Generalized dielectric function for classical many-body systems, 3=16549
- Ron, A. Kinetic equations for electrons and phonons, 3=25249
- Ron, A. Frequency-dependent relaxation time of electron-phonon systems, 3=25250
- Ron, A. Scattering of electromagnetic waves by an electron-phonon system, 4=4247
- Ron, A. Dynamics of degenerate electron gas in a magnetic field, 4=13058
- Ron, A. Quantum kinetic equations for electrons in a periodic system, 4=20251
- Ron, A., Dawson, J. and Oberman, C. Influence of collisions on scattering of electromagnetic waves by plasma fluctuations, 4=560
- Ron, A., Folman, M. and Schnepf, O. Electronic spectrum of adsorbed benzene, 2=15100
- Ron, A. and Hornig, D.F. Overtone frequency and double excitation in the hydrogen chloride crystal, 4=7136
- Ron, A. and Kalman, G. Interaction of a test particle with a plasma, 1=5440
- Ron, A. and Kalman, G. Velocity-dependent correlations in the statistical distribution of the electric microfield in a plasma, 1=11926
- Ron, A. and Schnepf, O. Electronic spectrum of 2,2'-para-cyclophane, 3=4773
- Ron, A., and Tzoar, N. Interaction of electromagnetic waves with quantum and classical plasmas, 3=16941
- Ron, A. and Tzoar, N. High-frequency conductivity of degenerate semiconductors, 3=25337
- Ron, A. and Tzoar, N. Absorption of electromagnetic waves in quantum and classical plasmas, 4=11621
- Ron, A. and Tzoar, N. Frequency-dependent relaxation time of electron-phonon systems. II. Effects of finite lifetime of the phonons, 4=12676
- Ron, A. See Guernsey, R., 4=21499
- Ron, A. See Kalman, G., 2=3027
- Ron, A. See Kimel, S., 4=22456
- Ron, A. See Oberman, C., 3=7606
- Ron, A. See Oberman, C., 3=14580
- Rona, T.P. and Feldman, C.L. Optimization of frame rates for high-speed photography, 0=2262
- Ronat, E.E. See Chretien, M., 2=22610
- Ronat, E.E. See Chretien, M., 3=24787
- Ronay, M. Nonhomogeneous straining and fracture mechanism in filled elastomer, 4=13438
- Ronca, L.B. See Zeller, E.J., 3=13649
- Ronchetto, J.J., Jr. See Rodrigues, R.M., 0=17180
- Ronchi, L. Problems of vision in a p.p.i. radar field, 0=18567
- Ronchi, L. Quantitative aspects of the blur-to-sharp transition, 3=11632
- Ronchi, L. and Adachi, I. On the sharpness of defocused contours, 3=1563
- Ronchi, L., Bittini, M. and Adachi, I. Subjective sharpness of a contour as a function of luminance and contrast, 3=16463



- Ronchi, L. and Bottai, G. Visual effects produced by a stimulus consisting of a number of black line segments viewed on a bright background, 3=11630
- Ronchi, L. and Ercoles, A.M. Adaptational effects at photopic and mesopic luminances as a function of contrast, 2=15430
- Ronchi, L. and Mori, G.F. Technical notes on the use of the tachistoscopic field meter, 2=15429
- Ronchi, L., Russo, V. and Toraldo di Francia, G. Stepped cylindrical antennas for radio astronomy, 1=8020
- Ronchi, L., Russo, V., Toraldo di Francia, G. and Zaccagnini, G. Scattering of evanescent waves by cylindrical structures, 2=3169
- Ronchi, L. See Bittini, M., 0=8449
- Ronchi, L. See Carrara, N., 2=11163
- Ronchi, L. See Pratesi, R., 2=22325
- Ronchi, L. See Pratesi, R., 4=3106
- Ronchi, L. R. and Abetti, G. Psycho-physiological effects in visual astronomical observations—The planet Mars, 4=15931
- Ronchi, V. Does the telescope enlarge or approach?, 0=19383
- Ronchi, V. Critical examination of the fundamentals of optics, 1=1802
- Ronchi, V. Optics, physics and optical physics, 1=2835
- Ronchi, V. Resolving power of calculated and detected images, 1=12978
- Ronchi, V. Forty years of history of a grating interferometer, 4=18414
- Ronchi, V. The precision of optical measurements in relation to the energy flux, 4=18379
- Roncin, J.Y., Chandrasekharan, V. and Damany, N. Absorption spectra between 1070 and 1400 Å of solid xenon and krypton in the pure state and in matrices at low temperature, 4=17584
- Roncin, J. Y., Chandrasekharan, V., Damany, N. and Vodar, M. B. Absorption spectrum, between 1150 and 1550 Å, of xenon trapped in argon and krypton matrices at low temperature, 4=7160
- Roncin, J.Y. and Damany-Astoin, N. Absorption spectrum, between 1650 and 2600 Å, of mercury trapped in the matrices of isopentane and of argon at 20 K, 3=17528
- Rondet, R. See Berthet, C., 1=12311
- Rondio, J. and Wilhelmi, Z. On some possibilities of determining the spin of a "negative level", 3=12571
- Ronen, Y. and Zakai, M. The maximum likelihood estimator for a phase comparison angle measuring system, 4=18078
- Roney, P.L. See Rider, J.G., 3=25731
- Ronkin, Zh.M. See Vil'dgrube, G.S., 3=9586
- Ronkin, Zh.M. See Vil'dgrube, G.S., 3=9837
- Ronkin, Zh.M. See Vil'dgrube, G.S., 3=14639
- Rongen, H. J. M. See Van Den Berg, G. J., 4=27425
- Röncke, G. Radioactive collector for atmospheric electricity soundings, 4=17899
- Ronne, B., Huson, R., Mussett, P., Viellet, J. J., Bingham, H. H., Dickinson, M., Diebold, R., Koch, W., Leith, D. W. G. and Nikolić, M. An unsuccessful search for fractionally charged particles with mass  $\lesssim 2.2$  GeV, 4=19458
- Ronne, B. See Jauneau, L., 3=12511
- Ronne, B. See Jauneau, L., 3=19708
- Ronne, B.E., Carlson, P.J. and Danielsson, O. Annihilation of 1.3 GeV antiprotons in complex nuclei, 2=9850
- Ronne, B.E. and Danielsson, O. Interaction of 2 GeV negative  $\pi$ -mesons with emulsion nuclei, 2=13849
- Ronne, B.E. See Ekspong, A.G., 1=5728
- Ronne, B.E. See Frisk, A., 2=1711
- Rönquist, A. See Fischmeister, H.F., 0=18361
- Ronotowski, T. See Baranowski, B., 4=21072
- Rood, H.P.C. and Tolhoek, H.A. Radiative muon capture in complex nuclei, 3=24961
- Rood, H.P.C. See Luyten, J.R., 3=10371
- Rood, H.P.C. See van Klinken, J., 2=20546
- Roodenbeke, A. t'Kent de. See t'Kent de Roodenbeke, A.
- Roof, R.B., Jr. Reply to comments on "determination of atomic scattering factors", 0=12027
- Roof, R.B., Jr. An experimental determination of the characteristic temperature for  $\text{PuO}_2$ , 0=17898
- Roof, R.B., Jr. Experimental atomic scattering factors and anomalous dispersion corrections for Th, U, and Pu, 2=15010
- Roof, R.B., Jr. Anomalous dispersion correction for molybdenum, 3=6833
- Roof, R.B., Jr., Arnold, G.P. and Gschneidner, K.A., Jr. Nuclear coherent scattering amplitudes for thorium, uranium and plutonium, 2=10832
- Roof, R. B., Jr., Cromer, D. T. and Larson, A. C. The crystal structure of uranyl dihydroxide,  $\text{UO}_2(\text{OH})_2$ , 4=23498
- Roof, R. B., Jr. See Cromer, D. T., 4=26669
- Roof, R. B., Jr. See Larson, A. C., 4=23495
- Roof, R.B., Jr and Kempter, C.P. New orthorhombic phase in the Ru—B and Os—B systems, 2=23866
- Roof, R.B., Jr. See Cromer, D.T., 0=3222
- Roof, R. B., Jr. See Cromer, D. T., 4=13608
- Roof, R. B., Jr. See Larson, A. C., 4=4620
- Rook, H.L. and Plumb, R.C. The tungsten content of aluminium films evaporated from tungsten heaters, 3=1364
- Rook, J.R. Polarisation of protons elastically scattered by  $\text{Li}^7$  near the 441 keV resonance, 1=19456
- Rook, J.R. The importance of a two stage decay mode of  $\text{K}^-$  mesic atoms, 1=19614
- Rook, J.R. See Bodmer, A.R., 2=9980
- Rook, J. R. The structure of  $\text{Li}^6$  and  $\text{Ca}^{42}$  from the (t, p) reaction, 4=25426
- Rook, J.R. The decay of  $\text{K}^-$  mesic atoms, 3=6369
- Rook, J.R. Distorted-wave analysis of deuteron induced reactions in  $\text{O}^{16}$ , 3=10381
- Rook, J.R. Cascade calculation for  $\text{K}^-$  mesic atoms, 3=17546
- Rook, J.R. and Goldfarb, L.J.B. The use of polarised deuterons to study the D + D reactions, 1=16914
- Rook, J.R. and Hodgson, P.E. Distorted-wave analysis of (d, p<sub>y</sub>) reactions, 2=3605
- Rook, J.R. and Hodgson, P.E. Optical model and distorted wave analysis of ( $\text{He}^3$ , t) reactions, 4=17198
- Rook, J. R. and Mitra, D. Theoretical study of (t, p) reactions, 4=12257
- Rook, J.R. See Bodmer, A.R., 1=19447
- Rook, J. R. See Daly, P. J., 4=28033
- Rook, J.R. See Hodgson, P.E., 3=669
- Rook, J. R. See Niewodniczański, H., 4=25421
- Rook, J. R. See Pullen, D. J., 4=12256
- Rook, J. R. See Stamp, A. P., 4=19769
- Rooke, G.A. Plasmon satellites of soft X-ray emission spectra, 3=8607
- Rooksby, H.P. Intermetallic phases in commercial beryllium, 3=11290
- Rooksby, H.P. and White, E.A.D. The structures of 1:1 compounds of rare earth oxides with niobia and tantalum, 3=25726
- Rooksby, H. P. and White, E. A. D. Rare-earth niobates and tantalates of defect fluorite- and weberite-type structures, 4=20763
- Rooksby, H. P. See Gillam, E., 4=23422
- Roos, B. A ligand field treatment of the zirconium—oxygen crystal, 4=9807
- Roos, B.W. and Sangren, W.C. Spectral theory of Dirac's radial relativistic wave equation, 2=22396
- Roos, B.W. and Sangren, W. Codes for reactor computations, 3=17508
- Roos, B.W. and Sangren, W.C. Expansions associated with a pair of singular first-order differential equations, 3=21237
- Roos, B.W. See Garrison, J.D., 2=5988
- Roos, C.E. and Peterson, V. Z. Photodissociation of complex nuclei at energies between the mesonic threshold and 1150 MeV, 2=428
- Roos, C. E. and Peterson, V. Z. Sigma photoproduction from  $\text{CH}_2$ , 4=27904
- Roos, C.E. See Betterton, J.O., Jr., 1=9513
- Roos, C.E. See Holladay, W.G., 2=13753
- Roos, M. On the Fermi age of neutrons in iron and stainless steel, 0=7369
- Roos, M. Approximate gamma ray flux calculations outside a reactor core, 0=13362
- Roos, M. Low-energy  $\text{K}^-$ -nucleon scattering and odd ( $\Sigma\Lambda$ ) parity, 2=3404
- Roos, M. Optimal  $\text{K}^-$ -p scattering conditions for resolving Dalitz' (a+) and (a-) solutions, 2=13880
- Roos, M. Reinterpretation of the  $\xi$  events, 3=10153
- Roos, M. Tables of elementary particles and resonant states, 3=19591
- Roos, M. Tables of elementary particles and resonant states, November 1963, 4=9149
- Roos, M. Data on elementary particles and resonant states, November 1963, 4=15032
- Roos, M. See Brooks, N. B., 4=450
- Roos, O. von. See von Roos, O.
- Roosbroeck, V. van. See van Roosbroeck, W.
- Roosen, J. and de Feiter, L.D. Details of the relation between type IV outbursts and s.c.-geomagnetic storms, 2=15277



- Roosen, J. See de Feiter, L.D., 0=4898  
 Roosen, J. See de Feiter, L.D., 1=10341  
 Roósz, J. See Cornides, I., 0=19779  
 Root, C.D. See Lieb, D.P., 2=14568  
 Root, G.N. See Baker, E.B., 3=12333  
 Root, J.S. and Rowland, F.S. Energy losses in nonreacting collisions of energetic recoil atoms: failure of the elastic collision model for tritium reactions in  $\text{CH}_4 - \text{D}_2$ , 3=18460  
 Root, R.C. See Zimmerman, J.E., 1=10636  
 Rooth, C.G.H. See Woodcock, A.H., 3=16218  
 Roothaan, C.C.J. Self-consistent field theory for open shells of electronic systems, 0=17807  
 Roothaan, C.C.J. and Kelly, P.S. Accurate analytical self-consistent field functions for atoms. III. The  $1s^2 2s^2 2p^4$  states of nitrogen and oxygen and their ions, 3=19942  
 Roothaan, C.C.J., Sachs, L.M. and Weiss, A.W. Analytical self-consistent field functions for the atomic configurations  $1s^2, 1s^2 2s$  and  $1s^2 2s^2$ , 0=17808  
 Roothaan, C.C.J. and Weiss, A.W. Correlated orbitals for the ground state of helium-like systems, 0=17810  
 Roothaan, C.C.J. See Clementi, E., 2=22888  
 Roothaan, C.C.J. See Kolos, W., 0=17806  
 Roothaan, C.C.J. See Kolos, W., 0=17811  
 Roothaan, C.C.J. See Kolos, W., 0=17813  
 Rootsart, W.J.M., Van Reijen, L.L. and Sachtler, W.M.H. Dependence on specific crystallographic surface features of adsorption on transition metals. Investigation with a field electron microscope, 3=3369  
 Rootsart, W.J.M. See Burgers, W.G., 0=11992  
 Rooymans, C.J.M. A new compound in the  $\text{Na}_2\text{O}-\text{Fe}_2\text{O}_3$  system, 2=23852  
 Rooymans, C.J.M. Structure of the high pressure phase of  $\text{CdS}$ ,  $\text{CdSe}$  and  $\text{InSb}$ , 3=20834  
 Roper, G.C. See Coulter, L.V., 3=8284  
 Roper, H. and Bryden, J.G. A combination recording sorption balance and extensometer, 4=10617  
 Roper, L.D. Evidence for a  $P_{11}$  pion-nucleon resonance at 556 MeV, 4=19571  
 Roper, N.J. See Merrill, R.G., 4=7909  
 Roper, R.G. and Elford, W.G. Seasonal variation of turbulence in the upper atmosphere, 3=13693  
 Roper, S.G., Jr. See Heckman, F.A., 3=19357  
 Ropké, A. See Perrot, M., 4=2937  
 Röpke, H. and Spehl, H. Production of a beam of neutral hydrogen atoms, 3=2585  
 Röpke, H. See Spehl, H., 2=6110  
 Ropp, R.C. Tin-activated magnesium barium pyrophosphate phosphors, 2=8577  
 Ropp, R.C. Manganese-activated cadmium pyrophosphate phosphors, 2=18858  
 Ropp, R.C. A study of cadmium chlorophosphate phosphor, 3=13200  
 Ropp, R.C. Spectral properties of rare earth oxide phosphors, 4=22922  
 Ropp, R.C. Copper-activated alkaline-earth phosphate phosphors, 4=26239  
 Ropp, G.A., Melton, C.E. and Rudolph, P.S. Mass spectrometric test for an intermediate in a photochemical reaction involving chlorine, 1=7918  
 Ropp, R.C. and Mooney, R.W. Tin-activated alkaline-earth pyrophosphate phosphors, 0=2955  
 Roppert, J. See Heine, S., 2=17008  
 Röppischer, H. and Winkler, H. Prior sensitization of manganese-activated zinc cadmium sulphide by electric fields and infrared radiation, 3=10994  
 Röppischer, H. See Winkler, H., 1=3863  
 Röppischer, H. See Winkler, H., 1=20015  
 Roquefort, H. See Engelmann, J.J., 1=8399  
 Roques, P.E. Flare activity on YZ Canis Minoris, 1=8003  
 Roquet, J., Schlich, R. and Selzer, E. World-wide disturbances of short duration in the geomagnetic field observed in France at the time of the high-level nuclear explosion on 9 July 1962, 2=24063  
 Roquet, J., Schlich, R. and Selzer, E. Quasi-simultaneous reception in France, at Kerguelen and in Adelie Land of the perturbation of the earth's magnetic field produced by the nuclear explosion in space on 9 July 1962, 3=3517  
 Roquet, J., Schlich, R. and Selzer, E. Evidence of two distinct synchronous world impetuses for the magnetic effects of the nuclear high-altitude detonation of July 9, 1962, 3=25961  
 Roquette, B.C. and Futrell, J.H. Flash photolysis of azoethane, 2=19156  
 Roquette, B.C. and Wijnen, M.H.J. Recombination and disproportionation reactions of monochloroethyl and trichloromethyl radicals, 3=8974  
 Rorer, D.C., Meyer, H. and Richardson, R.C. Specific heat of aluminum near its superconductive transition point, 3=12029  
 Rorex, J.E. and Frost, W.O. Telemetry considerations for large space vehicles, 2=24192  
 Rork, G.D. See Chanin, L.M., 4=5555  
 Rork, G.D. See Chanin, L.M., 4=8618  
 Rork, G.D. See Chanin, L.M., 4=21462  
 Rork, G.D. See Chanin, L.M., 4=24587  
 Rorschach, H.E. See Bloch, F., 3=1891  
 Rorschach, H.E. See Low, F.J., 0=19541  
 Rorschach, H.E., Jr. Nuclear relaxation in solids by diffusion to paramagnetic impurities, 4=10342  
 Rorschach, H.E., Jr. and Schwettman, H.A. The competition between the exclusion principle and exchange in liquid  $\text{He}^3$ , 4=14481  
 Rorschach, H.E., Jr. See Coffey, D.L., 4=389  
 Rorschach, H.E., Jr. See Laing, R.A., 1=6592  
 Rorschach, H.E., Jr. See Smith, T.L., 4=18606  
 Ros, N.C.J. An analysis of critical simultaneous gas/liquid flow through a restriction and its application to flowmetering, 0=14604  
 Rosa, G. See Brovetto, P., 2=9826  
 Rosa, R.J. Experimental magnetohydrodynamic power generator, 0=9182  
 Rosa, R.J. Physical principles of magnetohydrodynamic power generation, 1=3052  
 Rosa, R.J. Hall and ion-slip effects in a nonuniform gas, 2=19625  
 Rosa, R.J. See Kantrowitz, A.R., 2=11607  
 Rosanova, A.M. See Neagu, D., 1=10922  
 Rosatelli, C. See Gelato, G., 2=11153  
 Rosati, S. See Barsella, B., 1=13634  
 Rosati, S. See Lovitch, L., 3=10223  
 Rösch, H. See Allmann, R., 4=26677  
 Rösch, J. Observations of the solar photosphere. I. A technique for photographic observations (23 cm objective), 0=14412  
 Rösch, J. Observations on the solar photosphere. II. Counts and photographic photometry of granules in the spectral domain 5900-6000 Å, 0=14413  
 Rösch, J. The systematization of observations of the monochromatic solar corona, 3=16387  
 Rösch, J. A way of using the radial speeds of the two components of a binary system, 4=4847  
 Rösch, J. and Hugon, M. Temporal development of photospheric granulation, 0=837  
 Rösch, J. See Bellier, M., 3=18612  
 Rösch, J. See Boussuge, C., 4=23839  
 Rösch, J. See Camichel, H., 2=21702  
 Rösch, S. On the colours of very thin plates. A contribution to ultra-microtomy, 0=2249  
 Rösch, S. Sequences of Nörrenberg and Newton colours, 4=24391  
 Rosciszewski, J. Magnetohydrodynamic flow through ducts of variable cross section, 1=9675  
 Rosciszewski, J. Wave diagrams for shock tubes with the diaphragm near the divergent cross-sectional area, 2=2760  
 Rosciszewski, J. Analogy between the Rayleigh problem and flow behind the shock wave in magnetohydrodynamics, 2=20126  
 Rosciszewski, J., and Oppenheim, A.K. Shock interaction with an electromagnetic field, 3=16945  
 Rosciszewski, J. See Bryson, A.E., 2=5456  
 Roscoe, J. See Agahigian, H., 4=9770  
 Roscoe, O.S. See Blevis, B.C., 3=21068  
 Roscoe, R. The end correction for rotation viscometers, 2=15540  
 Roscoe, R. An empirical constitutive equation for elasto-viscous liquids, 4=27142  
 Rose, A. Photovoltaic effect derived from the Carnot cycle, 0=16968  
 Rose, A. Lifetimes of free electrons and holes in solids, 0=20892  
 Rose, A. Photoconductivity in perspective, 2=10522  
 Rose, A. Photoconductivity: a probe for the defect structure of solids, 2=23443  
 Rose, A. Comparative anatomy of models for double injection of electrons and holes into solids, 4=28515



- Rose, A. and Bube, R.H. The role of space-charge currents in light amplifiers, 0=3795
- Rose, A. See Lampert, M.A., 1=1036
- Rose, A. See Lampert, M.A., 2=23228
- Rose, A.J. and Blandin, J. X-ray emission spectrography. I. A bent crystal spectrometer, 1=16471
- Rose, A.M. See Booker, G.R., 0=4625
- Rose, B. See Barnes, S.W., 0=3986
- Rose, B. See Bird, L., 0=11166
- Rose, B. See Birds, L., 1=13412
- Rose, B. See Bird, L., 3=12456
- Rose, B. See Edwards, D.N., 1=2026
- Rose, B. See Hanna, R.C., 0=7622
- Rose, B. See Jarvis, O.N., 3=12457
- Rose, B. See Jarvis, O.N., 4=11993
- Rose, B. See Jarvis, O.N., 4=19510
- Rose, B.P. See Lee, Y.Y., 4=15098
- Rose, D. See Fortescue, P., 0=5820
- Rose, D.A. Water movement in porous materials. I. Isothermal vapour transfer, 3=11819
- Rose, D.A. Water movement in porous materials. II. The separation of the components of water movement, 3=20922
- Rose, D.C. The sudden increase in cosmic ray intensity of May 4, 1960, 0=20286
- Rose, D.C. A polar cap absorption rocket experiment, 1=20950
- Rose, D.C. and Lapointe, S.M. Asymmetry in the recovery from a very deep Forbush-type decrease in cosmic-ray intensity, 1=3371
- Rose, D.C. See Carmichael, H., 1=3363
- Rose, D.C. See Katzman, J., 2=22686
- Rose, D.C. See Lapointe, S.M., 1=8529
- Rose, D.C. See Lapointe, S.M., 2=16270
- Rose, D.C. See McDiarmid, I.B., 0=9485
- Rose, D.C. See McDiarmid, I.B., 2=4641
- Rose, D.C. See McDiarmid, I.B., 3=23635
- Rose, D.C. See Pomerantz, M.A., 0=11260
- Rose, D.C. See Pomerantz, M.A., 0=20276
- Rose, D.C. See Wilson, B.G., 0=11274
- Rose, D.C. See Wilson, B.G., 2=12099
- Rose, D.J. Mobility of hydrogen and deuterium positive ions in their parent gases, 0=8994
- Rose, D.J. and Esterling, R.J. Calculation of distributions in one-dimensional plasma sheaths, 3=406
- Rose, D.J. See Lidsky, L.M., 2=17794
- Rose, D.J. See Lidsky, L.M., 4=5743
- Rose, D.J. See Wingerson, R.C., 4=29995
- Rose, D.J. See Yoshikawa, S., 2=7602
- Rose, F. See Bowers, R., 1=19837
- Rose, F.E., Taylor, M.T. and Bowers, R. Low-frequency magneto-plasma resonances in sodium, 2=18559
- Rose, F.K. See Ohnysty, B., 4=30525
- Rose, F.L. See Millman, G.H., 3=11596
- Rose, F.P. Owner's viewpoint in residential acoustical control, 4=18366
- Rose, F.W.G. A comparison of the theory of impact ionization with measurements on silicon p-n junctions, 0=596
- Rose, F.W.G. Statistics in semiconductors with negative temperatures, 3=17839
- Rose, F.W.G. On the use of a negative temperature in mass-action law equations for electronic transitions, 4=22526
- Rose, G., Oksman, J. and Kataja, E. Round-the-world sound waves produced by the nuclear explosion on October 30, 1961, and their effect on the ionosphere at Sodankyla, 2=6927
- Rose, G. See Dieminger, W., 3=1461
- Rose, G. See Oksman, J., 4=23804
- Rose, G.D. See Thomassen, L., 4=7478
- Rose, G.V.M. See Barrow, R.F., 4=20061
- Rose, H. Effective capture cross-sections in the fast reactor Zephyr, 0=5784
- Rose, H. and Smith, R.D. Relayed neutron investigations with the Zephyr fast reactor. II. The delayed neutrons arising from fast fission in  $U^{235}$ ,  $U^{233}$ ,  $U^{238}$ ,  $Pu^{239}$ , and  $Th^{232}$ , 0=5811
- Rose, H. See Cooper, W.A., 1=19566
- Rose, H. See Fischer, H., 4=8497
- Rose, H.J. The decay modes of the 9.17-MeV excited state in  $N^{14}$ , 0=17562
- Rose, H.J., Riess, F. and Trost, W. Ground-state gamma-transitions from states at 10.09 and 10.24 MeV in  $N^{14}$  and reinvestigation of the 9.17 and 10.43 MeV gamma-ray distributions, 1=5867
- Rose, H.J., Riess, F. and Trost, W. The 10.43 MeV state in  $N^{14}$ , 4=17025
- Rose, H.J., Trost, W. and Riess, F. The gamma decay in  $N^{14}$  decay of the 10.22 MeV state. In  $N^{14}$ , 3=17399
- Rose, H.J. See Trost, W., 4=22012
- Rose, H.J., Jr. See Adler, I., 2=10996
- Rose, J.E. See Shonka, F.R., 4=24523
- Rose, J.H., Uihlein, F., Riess, F. and Trost, W. Polarization measurements on the  $5.83 \rightarrow 5.10$  MeV gamma transition in  $N^{14}$ , 2=20519
- Rose, J.W. See Le Fevre, E.L., 4=16298
- Rose, K. Microwave induced carrier multiplication in indium antimonide, 2=8365
- Rose, K. See Sherrill, M.D., 4=21429
- Rose, K.M. and Jeffery, J.W. Errors arising from the photographic recording of X-ray intensities, 4=7587
- Rose, K.M. See Jeffery, J.W., 4=23386
- Rose, M.A. See Hobbs, G.D., 3=21770
- Rose, M.E. Method for producing aligned deuterons, 0=1321
- Rose, M.E. Properties of the irreducible angular momentum tensors, 2=15448
- Rose, M.E. Internal pairs from aligned nuclei, 3=19807
- Rose, M.E. [Ed.]. Proceedings of the Eastern Theoretical Physics Conference, 4=21719
- Rose, M.E. and Carovillano, R.L. Coherence effects in resonance fluorescence, 1=8810
- Rose, M.E. and Good, R.H., Jr. Angular distribution of recoils from mu-meson capture, 0=7400
- Rose, M.E. and Good, R.H., Jr. Uniqueness of the electron polarization operator, 1=19098
- Rose, M.E. and Morita, M. Formal consequences of conservation of angular momentum projections, 4=11087
- Rose, M.E., Perrin, R. and Foldy, L.L. Beta-gamma emission through virtual states, 3=2402
- Rose, M.E. and Tang, C.N. Eigenvalues and eigenvectors of a symmetric matrix of 6j symbols, 2=4912
- Rose, M.E. and Weigert, L.J. Orientation effects in nuclear excitation by inelastic electron scattering, 4=25290
- Rose, M.E. See Becker, R.L., 0=423
- Rose, M.E. See Bhalla, C.P., 0=20380
- Rose, M.E. See Bhalla, C.P., 3=646
- Rose, M.E. See Biedenharn, L.C., 4=15142
- Rose, M.E. See Eisenberg, J.M., 3=19837
- Rose, M.E. See Felsner, G., 1=636
- Rose, M.E. See Felsner, G., 1=12259
- Rose, M.E. See Good, R.H., Jr., 0=2643
- Rose, M.E. See Good, R.H., Jr., 2=16122
- Rose, M.E. See Kennedy, H.P., 4=17085
- Rose, M.E. See Mann, R.A., 1=518
- Rose, M.E. See Wegener, H.H.F., 4=15135
- Rose, M.E. See Weigert, L.J., 3=7116
- Rose, M.E. See Weigert, L.J., 4=15200
- Rose, M.H. Drag on an object in nearly-free molecular flow, 4=29660
- Rose, P.H. The three-stage tandem accelerator, 2=5400
- Rose, P.H., Bastide, R.P. and Wittkower, A.B. High current positive hydrogen ion source with mass analysis, 1=9644
- Rose, P.H., Bastide, R.P., Wittkower, A.B., Webb, D.L., Goldie, C.H. and Shaw, J. Injection of fast neutral beams into the three-stage tandem accelerator, 0=19830
- Rose, P.H., Bastide, R.P., Brooks, N.B., Airey, J. and Wittkower, A.B. Description of a device used to measure ion beam emittance, 4=29988
- Rose, P.H., Wittkower, A.B., Bastide, R.P. and Gale, A.J. Formation of helium ion beams by the injection of a neutral helium beam into a tandem accelerator, 1=9645
- Rose, P.H., Wittkower, A.B., Bastide, R.P. and Galejs, A. Quantitative measurements of ion beam properties, 2=5387
- Rose, P.H., Wittkower, A.B., Brooks, N.B., Bastide, R.P. and Legros, M. Bunching of a beam of 20 keV neutral hydrogen atoms, 4=30399
- Rose, P.H. See Brooks, N.B., 4=450
- Rose, P.H. See Brooks, N.B., 4=21581
- Rose, P.H. See Brooks, N.B., 4=29987
- Rose, P.H. See Camm, J.C., 3=16702
- Rose, P.H. See Galejs, A., 4=19101
- Rose, P.H. See Purser, K.H., 4=12542
- Rose, P.H. See Van de Graaff, R.J., 3=9884
- Rose, P.H. See Wittkower, A.B., 2=11723
- Rose, P.H. See Wittkower, A.B., 3=9870
- Rose, P.H. See Wittkower, A.B., 4=8869
- Rose, R.M. and Wulff, J. A ductile, high-field, high-current ternary superconducting alloy, 2=17728
- Rose, R.M. See Cline, H.E., 3=14457
- Rose, W. Fluid-fluid interfaces in steady motion, 1=15824



- Rose, W. and Heins, R.W. Moving interfaces and contact angle rate-dependency, 2=9249
- Rose, W. See Channapragada, R., 1=15823
- Rose, W.K., Bologna, J.M. and Sloanaker, R.M. Linear polarization of the 3200-Mc/sec radiation from Saturn, 4=23940
- Rose-Innes, A.C. Refrigeration of a superconducting memory for a computer, 0=5240
- Rose-Innes, A.C. and Serin, B. Superconductivity of superimposed metals, 1=18722
- Rose-Innes, A.C. and Taylor, G.M. Experiments on the angular momentum of a supercurrent and the possibility of a supercurrent gyroscope, 1=5401
- Rose-Innes, A.C. See Calverley, A., 0=7027
- Rose-Innes, A.C. See Heaton, J.W., 3=17021
- Rose-Innes, A.C. See Heaton, J.W., 4=18605
- Rose-Innes, A.C. See Heaton, J.W., 4=21428
- Rose-Innes, A.C. See Hilsun, C., 1=17671
- Roseberry, F.W. Equipment and method for photoelectric determination of image contrast suitable for using square wave targets, 0=6908
- Rosebrook, D.D. See Brinen, J.S., 4=8216
- Röseler, A. See Ritschl, R., 1=19994
- Röseler, A. See Ritschl, R., 3=935
- Röseler, C. Decoupled array of two Fabry-Perot interferometers, 4=18419
- Rosell, F.A. Prism scanner, 0=8780
- Rosen, A., Burton, M.S. and Smith, G.V. Recrystallization of high-purity iron, 4=15761
- Rosen, A., Coleman, P.J., Jr and Sonett, C.P. Ionizing radiation detected by Pioneer II, 1=7295
- Rosen, A. and Farley, T.A. Characteristics of the Van Allen radiation zones as measured by the scintillation counter on Explorer VI, 1=21070
- Rosen, A., Mote, J.D. and Dorn, J.E. Mechanism for thermally activated prismatic slip in Ag<sub>3</sub>-Al, 4=30783
- Rosen, A., Sonett, C.P., Coleman, P.J., Jr and McIlwain, C.E. Ionizing radiation at altitudes of 3500 to 36000 Kilometers. Pioneer I, 0=9490
- Rosen, A. See Farley, T.A., 1=15334
- Rosen, B. New investigations on the C<sub>2</sub> spectrum at 4050 Å, 1=18050
- Rosen, B. Relativistic Coulomb scattering, 3=12656
- Rosen, B. See Dubois, I., 4=6601
- Rosén, B. See Dyring, E., 1=10947
- Rosen, B. See Gausset, L., 4=6613
- Rosen, B. See Herzberg, G., 2=14284
- Rosen, B. See Monfils, A., 4=12327
- Rosen, C.L. Null-point torsion effusion apparatus, 0=14892
- Rosen, C.L. See Veleckis, E., 2=6822
- Rosen, G. Burning rates of solid propellants, 0=3314
- Rosen, G. Generalization of the laminar flame action principle for Arrhenius-type rate functions, 0=6401
- Rosen, G. Entropy production and pressure waves, 0=8639
- Rosen, G. Exact solutions for the one-dimensional viscous flow of a perfect gas, 0=8681
- Rosen, G. Poincaré's epistemological sum, 0=14486
- Rosen, G. Turbulence theory and functional integration. I, 0=14592
- Rosen, G. Turbulence theory and functional integration. II, 0=14593
- Rosen, G. Structure of leptons and mesons, 1=443
- Rosen, G. Symmetries of the Einstein-Maxwell equations, 2=11271
- Rosen, G. Method for the removal of free electrons in a plasma, 2=15933
- Rosen, G. Stability of the graviton against radiative decay, 3=29
- Rosen, G. Approximate evaluation of Feynman functional integrals, 4=57
- Rosen, G. Radiative reaction and a possible theory for the muon, 4=19539
- Rosen, J. See Bleser, E., 2=16218
- Rosen, J. See Bleser, E., 2=18504
- Rosen, J. See LeCroy, W., 1=5520
- Rosen, J.L., Anderson, E.W., Bleser, E.J., Lederman, L.M., Meyer, S.L., Rothberg, J.E. and Wang, I.-T. Muon capture in neon, 4=6365
- Rosen, J.L., Desjardins, J.S., Rainwater, J. and Havens, W.W., Jr. Slow neutron resonance spectroscopy. I. U<sup>238</sup>, 0=9685
- Rosen, J.L. See Bleser, E.J., 4=6675
- Rosen, J.L. See Desjardins, J.S., 1=700
- Rosen, J.L. See Havens, W.W., Jr, 0=4138
- Rosen, J.L. See Meyer, S.L., 4=6089
- Rosen, J.L. See Rainwater, J., 0=9381
- Rosen, J.L. See Rothberg, J.E., 4=6090
- Rosen, J.S., Whiton, J.C. and Hill, C.W. A mathematical method of analysis for predicting the performance of an anti-Compton gamma ray spectrometer, 1=9741
- Rosen, L. Polarization in the elastic and inelastic scattering of nucleons, 1=8703
- Rosen, L. and Brolley, J.E., Jr. Elastic scattering of polarized 10 MeV protons by He<sup>3</sup>, 1=16920
- Rosen, L., Brolley, J.E., Jr, Gursky, M.L. and Stewart, L. Elastic scattering of 8 MeV polarized protons, 1=17092
- Rosen, L., Brolley, J.E., Jr and Stewart, L. Elastic scattering of polarized 10 MeV protons by complex nuclei, 1=3440
- Rosen, L., Darriulat, P., Faraggi, H. and Garin, A. Elastic scattering of polarized protons by C<sup>12</sup>, 2=16400
- Rosen, L. and Leland, W.T. Elastic scattering of 14.5 MeV polarized protons by pairs of isotopes and isobars, 2=14085
- Rosen, L. and Stewart, L. Neutron-induced disintegration of Li<sup>6</sup> and Li<sup>7</sup>, 2=12008
- Rosen, L. and Stewart, L. Isotopic, isotonic and shell closure effects on the large-angle scattering of polarized protons, 3=15186
- Rosen, L. See Armstrong, A.H., 0=15212
- Rosen, L. See Armstrong, A.H., 0=20500
- Rosen, L. See Armstrong, A.H., 1=15335
- Rosen, L. See Armstrong, A.H., 4=17142
- Rosen, L. See Barloutaud, R., 1=13527
- Rosen, L. See Brolley, J.E., Jr, 0=7423
- Rosen, L. See Gammel, J.L., 1=8521
- Rosen, L. See Hautecler, S., 0=11529
- Rosen, L. See Stewart, L., 0=15461
- Rosen, L. See Stewart, L., 3=611
- Rosen, M. Semi-classical scattering from a complex nuclear potential, 2=11890
- Rosen, M. A three-dimensional W.K.B. approximation for the Dirac equation, 4=30151
- Rosen, M.H. and Orr, C., Jr. The photophoretic force, 4=11320
- Rosen, N. Field of a particle in uniform motion and uniform acceleration, 2=7131
- Rosen, N. Quantum geometry, 2=19420
- Rosen, N. Flat-space metric in general relativity theory, 3=14015
- Rosen, N. Identical motion in quantum and classical mechanics, 4=18061
- Rosen, N. The relation between classical and quantum mechanics, 4=27058
- Rosen, N. and Singer, P. The photon as a composite particle, 0=3944
- Rosen, N. and Tauber, G.E. Wave propagation in a closed expanding universe, 1=4235
- Rosen, N. and Yaakobi, D. A particle at rest in a static axially symmetric gravitational field, 2=7119
- Rosen, N. See Erez, G., 0=3439
- Rosen, N. See Peres, A., 0=35
- Rosen, N. See Peres, A., 0=8539
- Rosen, N. See Peres, A., 0=12350
- Rosen, N. See Peres, A., 1=5186
- Rosen, N. See Peres, A., 4=27057
- Rosen, N. See Ram, M., 3=14849
- Rosen, P. Scattering of electromagnetic waves by longitudinal plasma waves, 0=11053
- Rosen, P. Generation of the third harmonic by an electromagnetic signal in a plasma, 1=4623
- Rosen, P. See Dupont, K.C., 3=9424
- Rosen, P. See Eisenberg, L., 3=5605
- Rosen, S., Nevitt, M.V. and Barker, J.J. The U-Pu-C ternary phase diagram below 50 atomic percent carbon, 3=25747
- Rosen, S., Nevitt, M.V. and Mitchell, A.W. Metallographic and X-ray observations of Pu-C alloys, 4=7508
- Rosen, S., Nevitt, M.V. and Mitchell, A.W. The uranium monocarbide-plutonium monocarbide system, 3=25748
- Rosen, S.P. On the electron coincidence spectrum in double beta decay, 0=5696
- Rosen, S.P. The "Catalytic" and "Photo" decay modes of the muon, 0=13007
- Rosen, S.P. Neutrinos emitted in  $\beta$ -decay and  $\mu$  capture, 0=15328
- Rosen, S.P.  $\Delta I = \frac{1}{2}$  rule in  $\Sigma$  decay: a problem of sign, 1=10934
- Rosen, S.P. Theory of nonleptonic hyperon decay, 2=20425
- Rosen, S.P. Electromagnetic and weak interactions in the unitary symmetry scheme, 3=22074
- Rosen, S.P. Unitary symmetry and the transformation  $\eta \rightarrow \pi^0$ , 4=6121



- Rosen, S.P. Some properties of triangular representations of SU (3), 4=11887
- Rosen, S.P. Unitary symmetry and weak interactions, 4=19415
- Rosen, S.P. Unitary symmetry and weak interactions. II. SU(3) transformation properties, 4=27794
- Rosen, S.P. See Barton, G., 2=13867
- Rosen, S.P. See Barton, G., 3=12501
- Rosen, S.P. See Primakoff, H., 1=13710
- Rosenau, M.D., Jr. Practical aspects of aerial photographic targets, 3=18968
- Rosenau, M.D., Jr. The probability distribution of camera resolution, 4=8466
- Rosenbaum, F.J. and Coleman, P.D. Cerenkov radiation in anisotropic ferrites, 4=19188
- Rosenbaum, F.W. See Bühler, S.E., 3=15501
- Rosenbaum, H.S. Non-basal slip and twin accommodation in zinc crystals, 1=14904
- Rosenbaum, H.S. and Saffren, M.M. Dislocation etch pits on the basal plane of zinc crystals, 1=14288
- Rosenbaum, H.S. and Turnbull, D. Metallographic investigation of precipitation of silicon from aluminum, 0=16350
- Rosenbaum, H.S., Turnbull, D. and Alessandrini, E.I. On the orientation of silicon precipitating from an Al-rich solid solution, 0=21227
- Rosenbaum, H.S. See Turnbull, D., 0=16347
- Rosenbaum, J.H. The response of an elastic plate submerged in a liquid half-space to explosive sound, 4=21215
- Rosenbaum, J.H. See Biot, M.A., 1=2818
- Rosenbaum, M. See Aamodt, R., 2=11947
- Rosenbaum, S.D. and Loro, A. Explanation of ultra high current gain in silicon transistors, 4=4192
- Rosenberg, A. See Odell, A., 4=26753
- Rosenberg, A. H. and Wolfgang, R. Kinetic theory analysis of the reaction of hot hydrogen atoms with propane, butane, and butene-1, 4=30395
- Rosenberg, A.J. Activity coefficients of electrons and holes at high concentrations, 0=15914
- Rosenberg, A. J., Grierson, R., Woolley, J. C. and Nikolic, P. Solid solutions of CdTe and InTe in PbTe and SnTe. I. Crystal chemistry, 4=23262
- Rosenberg, A.J. and Harman, T.C.  $\text{Cd}_3\text{As}_2$  — a noncubic semiconductor with unusually high electron mobility, 0=603
- Rosenberg, A.J. and Strauss, A.J. Solid solutions of  $\text{In}_2\text{Te}_3$  in  $\text{Sb}_2\text{Te}_3$  and  $\text{Bi}_2\text{Te}_3$ , 1=20620
- Rosenberg, A.J. See Griffiths, L. B., 4=9000
- Rosenberg, A.J. See Strauss, A.J., 1=17725
- Rosenberg, B. Photoconduction activation energies in cis-trans isomers of  $\beta$ -carotene, 1=3787
- Rosenberg, B. The effect of oxygen adsorption on photo- and semiconduction of  $\beta$ -carotene, 1=6180
- Rosenberg, B. Photoconduction in a hindered cis-isomer of  $\beta$ -carotene and its relation to a theory of the visual receptor process, 1=8965
- Rosenberg, B. Electrical conductivity of proteins. II. Semiconduction in crystalline bovine hemoglobin, 2=6473
- Rosenberg, B. Electrical conductivity of proteins, 2=8301
- Rosenberg, B. Some comments on the photoconductivity of organic molecular crystals and the triplet state, 3=4952
- Rosenberg, B. and Camiscoli, J.F. Photo- and semiconduction in crystalline chlorophylls a and b, 1=14513
- Rosenberg, B., Heck, R. J. and Aziz, K. Color responses in an organic photoconductive cell, 4=28653
- Rosenberg, C., Gage, D.S., Caldwell, R.S. and Hanson, G.H. Charge-control equivalent circuit for predicting transient radiation effects in transistors, 4=17507
- Rosenberg, D. Term analysis of trivalent erbium in various oxide modifications. I. Modification A:  $(\text{Er}, \text{La})_2\text{O}_3$ , 2=10605
- Rosenberg, D. and Wehner, G.K. Sputtering yields for low energy  $\text{He}^+$ ,  $\text{Kr}^+$ , and  $\text{Xe}^+$  ion bombardment, 2=11726
- Rosenberg, D. See Wehner, G.K., 0=1174
- Rosenberg, D. See Wehner, G.K., 1=7109
- Rosenberg, D. See Wehner, G.K., 4=7975
- Rosenberg, D.L. See Wehner, G.K., 3=23667
- Rosenberg, G.A. Experimental investigation of unsteady flow of visco-plastic liquids, 0=4993
- Rosenberg, G.S. and Youngdahl, C.K. A simplified dynamic model for the vibration frequencies and critical coolant flow velocities for reactor parallel plate fuel assemblies, 4=324
- Rosenberg, G.V. Light characteristics of thick layers of a scattering medium with low specific absorption, 4=324
- Rosenberg, H.M. The measurement of mechanical properties of metals at low temperatures, 0=19577
- Rosenberg, H.M. and Sujak, B. On the scattering of phonons by spins at low temperatures. Experimental, 1=3612
- Rosenberg, H.M. See Hull, D., 0=1850
- Rosenberg, H.M. See Hull, D., 0=16215
- Rosenberg, H.M. See Lewis, M.F., 2=18913
- Rosenberg, H.M. See Lewis, M.F., 4=23035
- Rosenberg, H.M. See Lomer, J.N., 0=1579
- Rosenberg, H.M. See Lomer, J.N., 0=9865
- Rosenberg, H.M. See Lomer, J.N., 0=20801
- Rosenberg, H.M. See MacCrone, R.K., 0=18283
- Rosenberg, H.M. See Morton, I.P., 2=16618
- Rosenberg, H.M. See Morton, I.P., 4=17385
- Rosenberg, H.M. See Phillips, T.G., 4=7306
- Rosenberg, H.M. See Phillips, T.G., 4=15664
- Rosenberg, I., Spruch, I. and O'Malley, T.F. Upper bounds on electron-atomic hydrogen scattering lengths, 0=13405
- Rosenberg, J.L. Application of the space group to the molecular orbital treatment of crystalline iodine, 4=17335
- Rosenberg, L. Dispersion-theoretic impulse approximation for potential scattering, 3=5951
- Rosenberg, L. Electromagnetic interactions of neutrinos, 3=10085
- Rosenberg, L. Unitary impulse approximation, 3=19565
- Rosenberg, L. On the inelastic deuteron form factor, 3=19712
- Rosenberg, L. Distorted-wave Born expansions, 4=19432
- Rosenberg, L. Approximation techniques in three-body scattering theory, 4=25027
- Rosenberg, L. and Spruch, L. Bounds on scattering phase shifts: Static central potentials, 0=17252
- Rosenberg, L. and Spruch, L., Bounds on scattering phase shifts for compound systems, 1=4265
- Rosenberg, L. and Spruch, L. Minimum principle for multi-channel scattering, 2=4938
- Rosenberg, L., Spruch, L. and O'Malley, T.F. Upper bounds on scattering lengths when composite bound states exist, 0=9288
- Rosenberg, L. See Kalikstein, K., 4=9197
- Rosenberg, L. See O'Malley, T.F., 2=6075
- Rosenberg, L. See Spruch, L., 0=2496
- Rosenberg, L. See Spruch, L., 0=4167
- Rosenberg, L. See Spruch, L., 0=5863
- Rosenberg, L. See Spruch, L., 0=17341
- Rosenberg, L. See Spruch, L., 1=455
- Rosenberg, L. See Spruch, L., 1=2706
- Rosenberg, L. See O'Malley, T.F., 1=10852
- Rosenberg, L.D. Generation and study of ultrasonic vibrations of very great intensity, 2=13400
- Rosenberg, L. D. Some phenomena existing in intense ultrasonic fields, 4=8353
- Rosenberg, M. Variation with thickness of the coercive field of thin laminations and of fine magnetic powders, 1=6316
- Rosenberg, M., Nicolau, P., Mănăilă, R. and Păușescu, P. Study of electrical properties and crystal structures in the system  $(\text{CuO})_x(\text{Mn}_2\text{O}_3)_{1-x}$ , 3=8521
- Rosenberg, M. and Nicolae, I. On the magnetic susceptibility of  $\text{Zn}_x\text{Mn}_{3-x}\text{O}_4$  and  $\text{Cd}_x\text{Mn}_{3-x}\text{O}_4$  systems, 4=26345
- Rosenberg, M. and Nicolau, P. Electrical properties and cation migration in  $\text{MgMn}_2\text{O}_4$ , 4=26052
- Rosenberg, M., Nicolau, P. and Bunget, I. On some peculiarities of the conduction process in the  $\text{Fe}_x\text{Mn}_{3-x}\text{O}_4$  system, 4=17491
- Rosenberg, M., Nicolau, P. and Bunget, I. On the anomaly of the electrical resistivity in manganese ferrite single crystals near the Curie point, 4=17492
- Rosenberg, M., Nicolau, P., Manaila, R. and Păușescu, P. Preparation, electrical conductivity and tetragonal distortion of some manganite-systems, 4=15555
- Rosenberg, M., Nicolau, P., Nicolae, I., Tănăsioiu, C., Mihalcu, M., Bărbulescu, A., Cohn, Z. and Schöninger, P. Thermistor research in Roumania, 2=10519
- Rosenberg, M., Tanasoiu, C. and Rusu, C. Modifications of the domain structure of barium ferrite single crystals under the influence of a magnetic field, 4=26333
- Rosenberg, M., Tănăsioiu, C. and Rusu, C. The domain structure of  $\text{Zn}_{2-x}\text{Co}_x\text{Z}$  single crystals, 4=30717
- Rosenberg, M. See Rozenberg, M.
- Rosenberg, N.W., Golomb, D. and Allen, E.F., Jr. Chemiluminescent techniques for studying nighttime winds in the upper atmosphere, 3=25918
- Rosenberg, N.W., Golomb, D. and Allen, E.F., Jr. Chemiluminescence of trimethyl aluminium released into the upper atmosphere, 4=7876
- Rosenberg, N.W., Hamilton, W.M. and Lovell, D.J. Rocket exhaust radiation measurements in the upper atmosphere, 2=8982
- Rosenberg, N.W. See Edwards, H.D., 3=21045
- Rosenberg, R., Rubinstein, C. B. and Herriott, D. R. Resonant optical Faraday rotator, 4=29775



- Rosenberg, R.I. See Wu, T.-Y., 2=9313
- Rosenberg, R.L. and Ta-You Wu. Kinetic equation describing irreversible processes in ionized gases. II, 3=18847
- Rosenberg, R. L. and Wu, Ta-You. Relaxation time and solution of Guernsey-Balescu equation for homogeneous plasmas, 4=14630
- Rosenberg, R.L. See Wu Ta-You, 0=11492
- Rosenberg, R.L. See Wu, T.Y., 3=170
- Rosenberg, R. M. On normal mode vibrations, 4=27239
- Rosenberg, V.M. and Shalimova, A.V. The influence of substructure on the creep of single crystal ferrosilicon, 3=18192
- Rosenberg, W.J. See Fernie, J.D., 1=4184
- Rosenberg, W.J. See Fernie, J.D., 2=4819
- Rosenberger, D. Term analysis of trivalent erbium in various oxide modifications. II. The modifications C and B<sub>1</sub>: (Er, Y)<sub>2</sub>O<sub>3</sub> and (Er, Gd)<sub>2</sub>O<sub>3</sub>, 2=10606
- Rosenberger, D. Gas lasers, 4=14925
- Rosenberger, D. Oscillation of three 3p-2s transitions in a He-Ne laser, 4=16697
- Rosenberger, D. Behaviour and reciprocal action of the 0.63  $\mu$ m- and 3.39  $\mu$ m-oscillations in a helium-neon laser with small mirror-separation, 4=16700
- Rosenberger, D. See Grau, G., 4=3211
- Rosenberger, D. See Grau, G., 4=14327
- Rosenberger, U. See Low, W., 0=3132
- Rosenberger, U. See Low, W., 2=10696
- Rosenblatt, F. See Block, H.D., 2=13207
- Rosenblatt, G.M. Interpretation of Knudsen vapor-pressure measurements on porous solids, 3=24118
- Rosenblatt, G.M. Harmonic-oscillator thermodynamic functions for P<sub>4</sub>, 4=1241
- Rosenblatt, G.M. and Birchenall, C.E. Vapor pressure of antimony by the torsion-effusion method, 1=13023
- Rosenblatt, G.M. See Brewer, L., 3=5514
- Rosenblatt, G.M. See Brewer, L., 3=11838
- Rosenblatt, J. Optimum target orientation in nuclear reaction experiments, 0=9611
- Rosenblatt, J. Three-dimensional space charge flow, 0=15065
- Rosenblatt, J. Design of alternating gradient quadrupole lenses, 0=19751
- Rosenblatt, J. and Slobodrian, R.J. The magnetic deflector of the Buenos Aires 180-cm synchrocyclotron beam, 0=15101
- Rosenblatt, J. See Greenlees, G.W., 4=9495
- Rosenblatt, J.R. See Nimeroff, I., 2=5136
- Rosenblatt, J.R. See Nimeroff, I., 2=15439
- Rosenblatt, M. Some nonlinear problems arising in the study of random processes, 4=27079
- Rosenblith, W.A. See Geisler, C.D., 2=4901
- Rosenblum, B. and Cardona, M. Observation of surface superconductivity above the thermodynamic critical field in type I superconductors, 4=21409
- Rosenblum, B. and Cardona, M. Evidence for normal regions at low temperatures in the superconducting mixed state, 4=24500
- Rosenblum, B. and Duncan, R.C., Jr. Some quantum aspects of cyclotron resonance of negative masses, 2=23132
- Rosenblum, B. See Duncan, R.C., Jr., 2=4022
- Rosenblum, S., Valadares, M. and Milsted, J. The transmutation  $\text{Am}^{241} \rightarrow \text{Np}^{237}$ , 0=4045
- Rosenblum, B. See Cardona, M., 3=7537
- Rosenblum, B. See Cardona, M., 4=14521
- Rosenblum, B. See Cardona, M., 4=16351
- Rosenblum, B. See Gittleman, J.I., 4=16371
- Rosenblum, B. See Michel, R.E., 1=17491
- Rosenblum, B. See Michel, R.E., 3=2893
- Rosenblum, E. S., Autler, S. H. and Gooen, K. N. The dependence of the upper critical field of niobium on temperature and resistivity, 4=18590
- Rosenblum, E.S. See Autler, S.H., 3=19114
- Rosenbluth, M.N. Long-wavelength beam instability, 1=301
- Rosenbluth, M.N. Controlled nuclear fusion research, September 1961: Review of theoretical results, 3=15252
- Rosenbluth, M.N., Krall, N.A. and Rostoker, N. Finite Larmor radius stabilization of "weakly" unstable confined plasmas, 3=12151
- Rosenbluth, M.N., Pearlstein, L.D. and Stuart, G.W. Collective electron instability in a bounded region, 3=21763
- Rosenbluth, M.N. and Rostoker, N. Scattering of electro-magnetic waves by a nonequilibrium plasma, 2=17837
- Rosenbluth, M.N. and Simon, A. Necessary and sufficient condition for the stability of plane parallel inviscid flow, 4=16078
- Rosenbluth, M.N. and Stuart, G.W. Relativistic virial theorem [of plasmoid], 3=24291
- Rosenbluth, M.N. See Bernstein, I.B., 0=7118
- Rosenbluth, M.N. See Bludman, S.A., 0=17004
- Rosenbluth, M.N. See Drummond, W.E., 0=3773
- Rosenbluth, M.N. See Drummond, W.E., 1=11938
- Rosenbluth, M.N. See Drummond, W.E., 3=5652
- Rosenbluth, M.N. See Drummond, W.E., 3=9786
- Rosenbluth, M.N. See Frieman, E.A., 2=5358
- Rosenbluth, M.N. See Furth, H.P., 3=12177
- Rosenbluth, M.N. See Furth, H.P., 4=21521
- Rosenbluth, M.N. See Gerjuoy, E., 1=2972
- Rosenbluth, M.N. See Krall, N.A., 1=2984
- Rosenbluth, M.N. See Krall, N.A., 3=1988
- Rosenbluth, M.N. See Krall, N.A., 3=9816
- Rosenbluth, M.N. See Krall, N.A., 4=24685
- Rosenbluth, M.N. See Post, R.F., 0=7122
- Rosenbluth, M.N. See Rostoker, N., 0=3774
- Rosenbluth, M.N. See Rostoker, N., 1=9546
- Rosenbluth, M.N. See Simon, A., 4=5614
- Rosenbluth, M.N. See Watson, K.M., 0=17003
- Rosenbrock, H.H. The approach to a stable steady state far from equilibrium, 2=21840
- Rosenbruch, K. J. See Hanszen, K. J., 4=14762
- Rosenbruch, K.J. See Rosenhauer, K., 0=1028
- Rosenbruch, K.J. See Rosenhauer, K., 0=19373
- Rosenbruch, K.J. See Rosenhauer, K., 0=19406
- Rosenbruch, K.J. See Rosenhauer, K., 3=11891
- Rosenbruch, K.-J. See Rosenhauer, K., 3=14319
- Rosendahl, F. See Kaiser, H., 0=5164
- Rosendahl, G.R. General relation between object and image space in plane-mirror optics, 0=3603
- Rosendahl, G.R. General relation between object and inverted image space in plane-mirror optics, 0=14792
- Rosendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. I. Ray tracing formulas for the meridional plane, 1=2842
- Rosendahl, G.R. Discussion of the concept of aplanatism, 2=1252
- Rosendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. II. A discussion of aberrations, 2=7339
- Rosendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. III. Some applications, 2=7340
- Rosendahl, G.R. Basic theory of infrared optical systems without and with auxiliary lenses, 4=14340
- Rosendorff, S. Upper limit for the intrinsic electric dipole moment of the proton and neutrino, 0=15345
- Rosendorff, S. and Tani, S. High-energy potential scattering, 3=561
- Rosendorff, S. and Tani, S. New series for phase shift in potential scattering, 3=16537
- Rosendorff, S. See Lynch, G.R., 0=9388
- Rosendorff, T. See Aly, H. H., 4=6048
- Rosenfeld, A. and Goldstein, A. Systems for generating one-dimensional patterns, 4=23976
- Rosenfeld, A.H. Current performance of the Alvarez-Group data processing system, 3=19518
- Rosenfeld, A.H., Carmony, D.D. and Van de Walle, R.T. Search for  $\rho$ -meson decay into  $\eta + \pi$ , 2=18172
- Rosenfeld, A.H. and Snyder, J.N. Digital-computer analysis of data from bubble chambers: kinematic analysis of complete events, 2=7801
- Rosenfeld, A.H. See Alston, M. H., 4=21944
- Rosenfeld, A.H. See Alvarez, L.W., 3=15039
- Rosenfeld, A.H. See Bastien, P., 1=12104
- Rosenfeld, A.H. See Bastien, P.L., 2=22608
- Rosenfeld, A.H. See Berge, J.P., 1=10952
- Rosenfeld, A.H. See Button, J., 2=13802
- Rosenfeld, A.H. See Byers, N., 2=12008
- Rosenfeld, A.H. See Carmony, D.D., 2=22609
- Rosenfeld, A.H. See Ferro-Luzzi, M., 2=5728
- Rosenfeld, A.H. See Glashow, S.L., 3=15040
- Rosenfeld, A.H. See Humphrey, W.E., 1=12121
- Rosenfeld, A.H. See Leitner, J., 0=384
- Rosenfeld, A.H. See Luzzi-Ferro, M., 3=15043
- Rosenfeld, A.H. See Maglić, B.C., 1=16840
- Rosenfeld, A.H. See Stevenson, M.L., 2=22606
- Rosenfeld, J. L. J. Analysis of calculations on some oxygen hydrides, 4=9731



- Rosenfeld, L. Nuclear orientation, 0=7442  
 Rosenfeld, L. On the isolated and adiabatic susceptibilities, 1=8069  
 Rosenfeld, L. Introductory considerations on elementary constituents and their interactions, 1=8429  
 Rosenfeld, L. Oriented nuclei, 1=8646  
 Rosenfeld, L. Foundations of quantum theory and complementarity, 1=10418  
 Rosenfeld, L. Theory of nuclear reactions. II. The foundation of the optical model, 1=17066  
 Rosenfeld, L. The epistemological conflict between Einstein and Bohr, 3=1608  
 Rosenfeld, L. On quantization of fields, 3=7120  
 Rosenfeld, L. See Humblet, J., 1=17065  
 Rosenfeld, A.R. 250°C internal friction peak in iron, 3=8756  
 Rosenfeld, A.R. The significance of  $\sigma_i$ , the friction-stress contribution to the yield point of b.c.c. metals, 3=8765  
 Rosenfeld, A.R. Recovery of cold worked body-centred cubic metal, 4=10362  
 Rosenfeld, A.R. and Averbach, B.L. Initial stages of plastic deformation in copper and aluminum, 1=3971  
 Rosenfeld, A.R. and Averbach, B.L. Non-elastic unloading of copper and aluminum, 2=8706  
 Rosenfeld, A.R., Averbach, B.L. and Cohen, M. Twinning occurrence in iron single crystals, 4=4529  
 Rosenfeld, A.R. and Owen, W.S. The stable unstable plastic-flow transition temperature in annealed tantalum, 3=11163  
 Rosenfeld, A.R. and Owen, W.S. The strain-aging of a dilute tantalum-oxygen alloy, 4=7460  
 Rosenfeld, A.R. See Averbach, B.L., 3=11152  
 Rosenfeld, A.R. See Barrand, P., 3=23300  
 Rosenfeld, A.R. See Stringer, J., 4=4495  
 Rosenfeld, A.R. See Wagner, W.J., Jr., 2=10761  
 Rosengarten, G. See Low, W., 4=20463  
 Rosengarten, G. See Low, W., 4=25827  
 Rosengren, K. Method for maintaining and measuring constant power dissipation to a calorimeter circuit over a wide temperature interval, 2=9441  
 Rosenhauer, E. Variosystem with optical balance, 4=8395  
 Rosenhauer, K. Measuring the contrast transfer function [CTF] of optical systems, 1=1811  
 Rosenhauer, K. Results of some measurements on binoculars, including the contrast transfer function [CTF], 2=101  
 Rosenhauer, K. and Rosenbruch, K.J. Determination of the contrast transfer function from the image of an edge, 0=1028  
 Rosenhauer, K. and Rosenbruch, K.J. The optical image defects and the transmission function, 0=19373  
 Rosenhauer, K. and Rosenbruch, K.J. Measuring the transmission phase by means of the grating test method, 0=19406  
 Rosenhauer, K., Rosenbruch, K.J., and E.Lau. Optimum aberration correction of optical systems, 3=14319  
 Rosenhauer, K., Rosenbruch, K.J. and Siems, H. Determination of the contrast transfer function of an optical system by an analogue computer, 3=11891  
 Rosenman, I. Magneto-electric and thermoelectric properties of solid solutions of selenium-tellurium, 3=22952  
 Rosenson, L. See Bulos, F., 3=17130  
 Rosenson, L. See Chretien, M., 2=22610  
 Rosenson, L. See Chretien, M., 3=17129  
 Rosenson, L. See Chretien, M., 3=24787  
 Rosenson, L. See Guerriero, L., 0=19981  
 Rosenstein, A. See Faucitano, A., 4=25119  
 Rosenstein, R.D. and Schor, R. Superlattice Madelung energy of idealized ordered cubic perovskites, 3=20046  
 Rosenstock, H.B. Nature of vibrational modes in ionic crystals, 1=2371  
 Rosenstock, H.B. Atomic forces and thermal effects in solids, 1=11159  
 Rosenstock, H.B. Infrared absorption by one-dimensional ionic lattices, 1=19992  
 Rosenstock, H.B. Specific heat of a particle in a box, 2=1075  
 Rosenstock, H.B. Anomalous specific heat of disordered solids, 2=14377  
 Rosenstock, H.B. Sum rule for lattice vibrations; application to forces in diamond structures, 3=8349  
 Rosenstock, H.B. Alpha and gamma bands in alkali halides, 3=20467  
 Rosenstock, H.B. A theorem on vibrational specific heats, 4=1394  
 Rosenstock, H.B. and Klick, C.C. Vibrational modes near impurities, 0=13486  
 Rosenstock, H.B. and McGill, R.E. Vibrational modes of disordered linear chains, 2=3825  
 Rosenstock, H.B. and McGill, R.E. Vibrational modes of disordered linear chains, 3=22638  
 Rosenstock, H.B. and Maradudin, A.A. On certain combinatorial problems, 2=11246  
 Rosenstock, H.M. On the classical approximation in the statistical theory of mass spectra, 1=12323  
 Rosenstock, H.M., Deibeler, V.H. and Harilee, F.N. Initial preparation and metastable transitions in mass spectra, 4=13706  
 Rosenstock, H.M. See Dibeler, V.H., 3=25148  
 Rosenstock, H.M. See Dibeler, V.H., 4=6653  
 Rosenstock, H.M. See Vestal, M.L., 1=20728  
 Rosenthal, A.H. Regenerative circulatory multiple-beam interferometry for the study of light-propagation effects, 2=19667  
 Rosenthal, E.J. Physical optics of coherent radiation systems, 2=9396  
 Rosenthal, I.J. See Yemelyanov, A.A., 1=2121  
 Rosenthal, I.L. On the role of complex nuclei in the origin of development of extensive air showers, 2=20459  
 Rosental, I.L. See Baldin, A.M., 4=12193  
 Rosental, I.L. See Emelyanov, A.A., 3=4544  
 Rosenthal, I.L. See Gerasimova, N.M., 3=4494  
 Rosenthal, I.L. See Nikishov, A.I., 1=3268  
 Rosenthal, J. See Bird, G.R., 4=22379  
 Rosenthal, J. See Esterowitz, L., 4=17294  
 Rosenthal, J.E. Physical optics of coherent radiation systems, 2=9396  
 Rosenthal, J.E. See Bramley, A., 4=20403  
 Rosenthal, L.A. Thermal response of bridgewires used in electroexplosive devices, 1=13061  
 Rosenthal, M.W. An experimental study of transient boiling, 0=12535  
 Rosenthal, O.M. See Berezin, F.N., 3=21687  
 Rosenthal, P.C. See Porter, L.F., 0=16337  
 Rosenwasser, H. See Krause, B., 0=18358  
 Rosenzweig, N. Anomalous statistics of partial radiation widths, 4=3585  
 Rosenzweig, N. Statistical mechanics of equally likely quantum systems, 4=17007  
 Rosenzweig, N. and Porter, C.E. "Repulsion of energy levels" in complex atomic spectra, 1=800  
 Rosenzweig, N. and Porter, C.E. Dispersion of gyromagnetic ratios in complex spectra, 1=11083  
 Rosenzweig, N. See Porter, C.E., 0=17696  
 Rosenzweig, W. Binding effect corrections in the energy-loss distribution functions for charged particles passing through thin absorbers, 0=1261  
 Rosenzweig, W., Smits, F.M. and Brown, W.L. Energy dependence of proton irradiation damage in silicon, 4=28447  
 Roser, F.X. and Cullen, T.L. Sodium iodide crystal dosimeters for use in surveys of regions of high background radiation, 3=2170  
 Roser, W.R. and Thomas, G. Slide rule method for indexing electron diffraction patterns, 4=23407  
 Roşescu, T. and Sabău, M. Distribution of neutron flux and gamma radiation in the V.V.R.-S. nuclear reactor, 2=7056  
 Rosescu, T. and Sabău, M. Extension of some experimental possibilities of the VVR-S reactor, 2=20720  
 Roşescu, T. and Sabău, M. The determination of the variations of reactivity at the VVR-S reactor, 3=25020  
 Rosescu, T. and Sabău, M. The effects of reflectors at the VVR-S reactor, 4=1160  
 Roşescu, T. See Filip, A., 2=6057  
 Rosescu, T. See Hulubei, H., 4=12319  
 Roşescu, T. See Roshesku, T., 2=6049  
 Roşescu, T. See Sabău, M., 2=6045  
 Roşescu, T. See Sabău, M., 2=6058  
 Rosette, K.H. and Hoffman, R.W. Temperature dependence of magnetization in thin nickel films, 3=15821  
 Rosetti, C. See De Alfaro, V., 4=3335  
 Roshal', G.Ya. See Malyshev, I.F., 4=14800  
 Roshchina, G.P. and Ishchenko, E.D. Applying the method of light scattering to the investigation of fluctuations in some non-electrolyte solutions, 3=21365  
 Roshchina, G.P. and Kaurova, A.S. Investigation of fluctuations in non-aqueous solutions of electrolytes by means of light scattering, 4=24174  
 Roshchina, G.P. See Golubovskii, N.Ya., 4=24215  
 Roshchina, G.P. See Ishchenko, E.D., 4=11177  
 Roshchina, G.P. See Ishchenko, E.D., 4=11178



- Roshchina, L.I. and Melik-Gaikazyan, I.Ya. Effect of dislocations on the distribution of the copper impurity in NaCl crystals, 3=15513
- Roshchupkin, V.P. and Popov, E.M. Calculation of electro-optical parameters and analysis of absorption band intensities in the infrared spectra of complex molecules. Nitrile compounds, 4=6634
- Roshchyna, H.P. and Ischenko, E.D. Investigation of the ultrasonic velocity in, and compressibility of, certain non-aqueous solutions of electrolytes, 1=11759
- Roshchyna, H.P. and Kramarenko, A.V. Relation of Rayleigh scattering of light to the parameters characterizing the microstructure of a solution, 3=21364
- Roshesku, T.  $\gamma$ -energy release by thermal neutrons from the products of  $U^{235}$  fission in the case of the periodic operation of a nuclear reactor, 1=19572
- Roshesku, T. See Filip, A., 2=6049
- Roshesku, T. See Khulubei, Kh., 2=20716
- Roshesku, T. See Purika, I., 3=25011
- Roshesku [Roshescu], T. See Purika [Purica], I., 4=1033
- Roshko, A. On flow duration in low-pressure shock tubes, 1=165
- Roshko, A. and Baganoff, D. A novel device for bursting shock-tube diaphragms, 2=1186
- Roshko, A. See Liepmann, H.W., 2=15632
- Roshon, D.D., Jr. Microprobe for measuring magnetic fields, 2=7705
- Roshon, D.D., Jr. Selected area X-ray diffraction studies of surface damage in sliding on single-crystal copper, 4=15706
- Roshon, D.D., Jr. See Kostyshyn, B., 0=8047
- Rosi, F.D., Abeles, B. and Jensen, R.V. Materials for thermoelectric refrigeration, 0=2915
- Rosi, F.D. and Abrahams, M.S. Porosity in plastically deformed single crystals, 1=20386
- Rosi, F.D., Hockings, E.F. and Lindenblad, N.E. Semiconducting materials for thermoelectric power generation, 1=8967
- Rosi, F.D., Meyerhofer, D. and Jensen, R.V. Properties of p-type GaAs prepared by copper diffusion, 0=11711
- Rosi, F.D. See Abrahams, M.S., 0=2897
- Rosi, F.D. See Blanc, J., 2=23384
- Rosier, L. See Avignon, P., 2=482
- Rosin, G.S. Dynamic characteristics of soundproofing and vibration insulating materials, 4=28912
- Rosin, G.S. See Zaborov, V.I., 1=18540
- Rosin, S. Optical system for large telescopes, 1=4445
- Rosin, S. Some comments on Dr. Buchdahl's paper XI, 3=1796
- Rosin, S. Illumination of the slit source of the Hough-Powell digitizer, 4=5371
- Rosin, S. Illumination of 80 in. bubble chamber, 4=5907
- Rosin, S. Corrected cassegrain system, 4=16220
- Rosina, M. See Dular, J., 0=5767
- Rosina, M. See Mihailović, M.V., 3=8075
- Rosino, L. and Mammano, A. A year of photographic observations of artificial satellites at the astrophysical observatory of Asiago, 2=11171
- Rosinski, J. and Pierrard, J.M. On Bowen's hypothesis, 3=6958
- Rosinski, J. and Pierrard, J.M. Condensation products of meteor vapors and their connection with noctilucent clouds and rainfall anomalies, 4=10714
- Rosinski, J. and Snow, R.H. Secondary particulate matter from meteor vapors, 2=9011
- Rosinski, J., Werle, D. and Nagamoto, C.T. Coagulation and scavenging of radioactive aerosols, 3=8985
- Rosinski, J. See Lieberman, A., 3=8986
- Roskovec, V. See Zitka, B., 4=17662
- Rösler, H. See Ewald, H., 4=28078
- Rösler, M. Theory of the electrical resistance of ferromagnetic metals at low temperatures, 4=22666
- Rosler, R.S. See Bankoff, S.G., 3=3790
- Rösler, U. and Elbinger, G. Free and forced growth orientation during the growth of ferrite single crystals, 1=1374
- Rösler, U. See Andrá, W., 2=10657
- Rösler, U. See Elbinger, G., 1=6494
- Rösler, V. Thin ferromagnetic films. VI. (9). Application in static storage elements and in switching networks, 3=23175
- Roslik, S.F. See Elpidinskii, A.V., 4=1032
- Rosman, H. and Braier, A. An upper limit of electrical and magnetic induction in media with electromagnetic heredity [memory], 1=354
- Rosner, B., Kalish, R. and Loebenstein, M. A new type of internal pair spectrometer, 3=14966
- Rosner, B. See Goldring, G., 2=16326
- Rosner, B. See Kaplan, N., 3=80J2
- Rosner, C.H., Benz, M.G. and Martin, D.L. "Coil simulation" testing of niobium-tin wire samples, 3=19408
- Rosner, C.H. and Schadler, H.W. Relating measurements on short superconducting wires to solenoid performance, 3=19407
- Rosner, C.H. See Martin, D.L., 4=3092
- Rosner, C.H. See Martin, D.L., 4=11746
- Rosner, C.H. See Swartz, P.S., 2=15857
- Rosner, D.E. and Allendorf, H.D. Kinetics of high-temperature oxidation of molybdenum by dissociated oxygen, 4=26743
- Rosner, L.G. See Edgecumbe, J., 4=24501
- Rosner, S.D. See Polanyi, J.C., 3=13593
- Rosnitskii, O.V. Investigation of the effect of creep of non-symmetrical hysteresis loops, 3=8688
- Rosolowski, J.H. Anisotropic diffusion of silver and indium tracers in zinc single crystals, 2=2101
- Ross, A.M. See Robertson, J.A.L., 3=10432
- Ross, A.W. and ter Haar, D. On the influence of volume effects on order-disorder transitions, 0=6386
- Ross, C.W. Effect of thermal neutron irradiation on thermocouples and resistance thermometers, 3=3915
- Ross, D. Toroidal ruby lasers, 3=14807
- Röss, D. A ruby laser with a high mode selection, 3=24527
- Röss, D. Investigation of laser action on rough-finish rubies, 4=11836
- Röss, D. Wave equations for lasers with external mirrors and for lasers with non-uniform inversion, 4=21668
- Röss, D. Regular relaxation oscillations in short ruby lasers of the plane Fabry-Perot type, 4=27706
- Röss, D. See Hantsche, H., 4=3220
- Röss, D. See Kulenkampff, H., 1=9745
- Ross, D.A. See Morris, A.C., Jr., 4=22052
- Ross, D.B. See Belrose, J.S., 1=16589
- Ross, D.B. See Belrose, J.S., 2=11801
- Ross, D.S. and Qureshi, I.H. Boundary value problems in two-dimensional elasticity by conducting paper analogue, 4=117
- Ross, D.S. See Joss, E.J., 1=5117
- Röss, E. The temperature-dependence of the isoperm effect in manganese-zinc ferrite, 2=23684
- Röss, E. and Kornetzki, M. The influence of hydrostatic pressure on the various magnetization curves of manganese-zinc ferrites, 3=13277
- Röss, E. and Moser, E. The temperature dependence of the initial permeability of high permeability manganese-zinc ferrites, 1=14741
- Röss, E. See Kornetzki, M., 0=18204
- Röss, E. See Kornetzki, M., 4=28861
- Ross, G.G. See Auffray, J.P., 2=16465
- Ross, G.S. and Dixon, H.D. Automatic precise recording of temperature, 1=1844
- Ross, H.H. Liquid scintillation counting of  $C^{14}$  using a balanced quenching technique, 4=19716
- Ross, H.H. and Yerick, R.E. Quantitative interpretation of color quenching in liquid scintillator systems, 3=21381
- Ross, H.H. See Gardner, R.P., 3=3781
- Ross, I.G. See Bennett, J.M., 0=9784
- Ross, J. and Mazur, P. Some deductions from a formal statistical mechanical theory of chemical kinetics, 1=11616
- Ross, J. See Ackerman, M., 4=28289
- Ross, J. See Barua, A.K., 4=24264
- Ross, J. See Beck, D., 3=6914
- Ross, J. See Choi, S.-I., 0=18969
- Ross, J. See Choi, S.-I., 2=19440
- Ross, J. See Choi, Sang-il, 4=20124
- Ross, J. See Flynn, G.P., 3=7223
- Ross, J. See Greene, E.F., 0=6409
- Ross, J. See Pyun, C.W., 4=23632
- Ross, J.S. Isotope shift in  $\lambda 5556$  Å of ytterbium I, 3=8196
- Ross, J.S. and Murakawa, K. Nuclear quadrupole moment of  $Yb^{173}$ , 3=2364
- Ross, J.S. and Murakawa, K. Nuclear moments of  $Yb^{173}$ , 4=19639
- Ross, J.S. See Hines, A.P., 2=16482
- Ross, J.W. and Crangle, J. Magnetization of cubic laves phase compounds of rare earths with cobalt, 4=7285
- Ross, J.W. See Abernethy, L.L., 1=6499
- Ross, K.J. See Hopkins, B.J., 3=19294
- Ross, K.J. See Hopkins, B.J., 4=6931
- Ross, K.J. See Hopkins, B.J., 4=14745
- Ross, K.J. See Hopkins, B.J., 2=7637
- Ross, M. Method for measurement of coupling constants, 3=24594
- Ross, M. Position of resonance poles near the threshold of a channel, 4=9138



- Ross, M. and Hildebrand, J. H. Diffusion of hydrogen, deuterium, nitrogen, argon, methane, and carbon tetrafluoride in carbon tetrachloride, 4=18189
- Ross, M. and Shaw, G.  $\Lambda$  II resonance and possible determination of the KYN parities, 1=9770
- Ross, M. and Steele, A. Monolayer adsorption of helium on argon, 1=20681
- Ross, M. and Steele, A. Multilayer adsorption of helium on argon, 1=20682
- Ross, M. See Kotani, T., 0=13056
- Ross, M. See Kotani, T., 0=15544
- Ross, M. See Steele, W. A., 0=14624
- Ross, M. See Steele, W. A., 1=20680
- Ross, M. See Wong Wen-Nong, 0=371
- Ross, M. A. S. See Salgueiro, L., 1=9845
- Ross, M. H.  $\xi$ - $\eta$  degeneracy, 2=13866
- Ross, M. H. and Shaw, G. L. Test of global symmetry in K<sup>-</sup>-p reactions, 0=1310
- Ross, M. H. and Shaw, G. L. Scattering length and effective range theory for multichannel processes, 0=11106
- Ross, M. H. and Shaw, G. L. Multichannel effective range theory, 1=12055
- Ross, M. H. and Shaw, G. L. Effective range analysis of s-wave K<sup>-</sup>p reactions, 2=11893
- Ross, M. H. and Shaw, G. L. Unitarity and form factors in the production process  $\pi + N \rightarrow \rho + N$ , 4=25137
- Ross, M. H. See Shaw, G. L., 2=321
- Ross, M. H. See Shaw, G. L., 2=11892
- Ross, P. A. See Barrow, R. F., 4=20061
- Ross, R. A. The effect of an explosion in a compressible fluid under gravity, 1=18380
- Ross, R. G. See Weaver, C. F., 3=18261
- Ross, R. L. See Gaulé, G. K., 4=14525
- Ross, R. R. See Byers, N., 2=12008
- Ross, R. R. See Davey, P. G., 4=27302
- Ross, R. R. See Humphrey, W. E., 2=18181
- Ross, R. R. See Kalbfleisch, G. R., 4=27891
- Ross, S., Saelens, J. K. and Olivier, J. P. On physical adsorption. XVIII. Limiting isosteric heats of adsorption of gases on graphitized carbon by the chromatographic method, 2=15096
- Ross, S. See Machin, W. D., 2=4498
- Ross, S. See Olivier, J. P., 2=4497
- Ross, V. F. See Bray, P. J., 1=12568
- Ross, W. J. The determination of ionospheric electron content from satellite Doppler measurements. I. Method of analysis, 1=15258
- Ross, W. J. The determination of ionospheric electron content with satellite Doppler measurements. II. Experimental results, 1=15259
- Ross, W. J. and Blumle, L. J. The distribution of ionization about the magnetic equator, 3=13710
- Ross, W. J. See Blumle, L. J., 2=13024
- Ross, W. J. See Debarber, J. P., 3=13714
- Rossel, J. See Besson, H., 2=14508
- Rossel, J. See Chollet, L., 1=949
- Rossel, J. See Chollet, L., 3=2768
- Rossel, J. See Gibbs, W. R., 2=20633
- Rossel, J. See Gibbs, W. R., 3=2423
- Rossel, J. See Grüebler, W., 2=1922
- Rossel, J. See Grüebler, W., 2=10137
- Rossel, J. See Grüebler, W., 3=2385
- Rossel, J. See Grüebler, W., 3=2486
- Rossel, J. See Jeannet, E., 4=3671
- Rossel, J. See Urech, S., 2=3592
- Rosselet, P. A 150 kG transverse field pulsed magnet, 3=21933
- Rosselet, P. See Piron, C., 1=5716
- Rosselet, P. See Rohrbach, F., 2=3220
- Rosser, W. G. V. Electromagnetism as a second-order effect. I. The definition of the ampere, 0=3835
- Rosser, W. G. V. Velocity of light emitted by a moving source, 1=11697
- Rosser, W. G. V. Second-order electric field due to a conduction current, 2=13530
- Rosser, W. G. V. Electromagnetism as a second order effect. III. The Biot-Savart Law, 2=22301
- Rosser, W. G. V. Changes in the structure of the outer radiation zone associated with the magnetic storm of September 30, 1961, 3=21069
- Rosser, W. G. V. Interpretation of the displacement current, 4=3098
- Rosser, W. G. V., O'Brien, B. J., Van Allen, J. A., Frank, L. A. and Laughlin, C. D. Electrons in the earth's outer radiation zone, 3=9115
- Rosser, W. G. V. See Jakeways, R., 0=7512
- Rosset, J. and Ray, D. K. Magnetic susceptibility of ruthenium-yttrium oxide (Ru<sub>2</sub>O<sub>3</sub>. Y<sub>2</sub>O<sub>3</sub>) powder, 2=21288
- Rosset, J. See Ayant, Y., 2=16622
- Rosset, J. See Ayant, Y., 3=15760
- Rosset, J. See Ayant, Y., 4=30481
- Rossetti, C. On the photodisintegration of three-particle nuclei, 0=7426
- Rossetti, C. See De Alfaro, V., 1=5676
- Rossetti, C. See De Alfaro, V., 1=12130
- Rossetti, C. See De Alfaro, V., 2=21825
- Rossetti, C. See De Alfaro, V., 3=5365
- Rossetti, C. See De Alfaro, V., 4=5993
- Rossetti, C. See De Alfaro, V., 4=9127
- Rossetti, C. See Predazzi, E., 2=21832
- Rossetti, P. See Lumbroso, H., 0=6799
- Rossi, A. and Walther, H. The utilization of the Avogadro RS1 reactor at the Sorin Nuclear Research Centre, 4=19854
- Rossi, A. See Ullman, J. D., 1=722v
- Rossi, B. M.I.T. air shower program, 1=3281
- Rossi, B. Results and prospects of scientific research in space, 1=18213
- Rossi, B. Radiation belt—results of the direct measurements of interplanetary plasma and magnetic field by
- Rossi, B. Lecture on future prospect, 3=4548
- Rossi, B. Results and prospects in space research, 4=10932
- Rossi, B. See Bonetti, A., 3=25993
- Rossi, B. See Bridge, H. S., 1=15583
- Rossi, B. See Bridge, H. S., 2=12055
- Rossi, B. See Giacconi, R., 1=8
- Rossi, B. See Linsley, J., 1=10944
- Rossi, B. See Linsley, J., 2=20458
- Rossi, B. B. See Clark, G. W., 1=7237
- Rossi, B. B. See Giacconi, R., 3=7941
- Rossi, B. B. See Gursky, H., 4=12085
- Rossi, B. B. See Linsley, J., 2=13930
- Rossi, C. and Bianchi, E. Diffusion of small molecules, 1=10509
- Rossi, C. See Dellepiane, G., 4=9797
- Rossi, C. See Dellepiane, G., 4=28291
- Rossi, C. See Magnasco, V., 0=20697
- Rossi, C. E. See Jehle, H., 4=24019
- Rossi, G. The role of emission spectroscopy in the nuclear field, 0=3336
- Rossi, G. See Hainski, Z., 4=7794
- Rossi, G. See Kind, A., 3=10408
- Rossi, G. See Kind, A., 3=15259
- Rossi, H. H. and Roesch, W. C. Field equations in dosimetry, 2=16339
- Rossi, J. See Erman, P., 4=12363
- Rossi, J. See Erman, P., 4=12366
- Rossi, J. See Uhler, J., 3=14669
- Rossi, V. See Baroni, G., 0=15357
- Rossikhin, V. S. and Tsikora, I. L. Mechanism of weakening the CN bands (Violet System) in an arc, 2=14281
- Rossikhin, V. S. See Lyutiy, A. I., 3=23542
- Rossikhin, V. S. See Lyutiy, A. I., 3=23543
- Rossikhin, V. S. See Zhitkevich, V. F., 3=19925
- Rossikhin, V. S. See Zhitkevich, V. F., 4=9658
- Rossin, A. D. Radiation damage in steel: considerations involving the effect of neutron spectra, 2=6397
- Rossin, R., Bersan, J. and Urbain, G. Viscosity of molten silica and mixed phases belonging to the SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> system, 4=16096
- Rossin, R. See Urbain, G., 3=5424
- Rossing, T. D. Resonance linewidth and anisotropy variation in thin films, 3=13257
- Rossing, T. D. Spin-wave resonance in thin films at oblique angles, 3=15920
- Rossing, T. D. See Oakland, L. J., 0=3831
- Rossing, T. D. See Wigen, P. E., 2=23695
- Rossington, D. R. See Holden, S. J., 4=23605
- Rossini, T. See Colli, L., 1=561
- Rossini, T. See Principi, P., 3=19386
- Rossiter, J. R. On the application of relaxation methods to oceanic tides, 0=8632
- Rössle, E. See Andersson-Lindström, G., 3=19867
- Rössle, E. See Andersson-Lindström, G., 4=28045
- Rössler, C. Determination of the antimony distribution in germanium single crystals by means of Sb<sup>124</sup>, 2=21139
- Rössler, F. The temperature distribution in soot flames, 0=1059
- Rössler, F. Temperature measurements of a sooty flame, 0=19515



- Rössler, F. Temperature measurement of a combination of a flame with a high-frequency torch, 3=3913
- Rössler, F. and Vassy, E. Sunlight, scattered by the earth's atmosphere measured from a Veronique rocket: the vertical distribution of aerosols, 2=11023
- Rössler, F. and Vollrath, K. Apparatus for the measurement of diffuse skylight from a rocket, 2=24020
- Rossmann, K. Modulation transfer function of radiographic systems using fluorescent screens, 2=17668
- Rossmann, K. Recording of X-ray quantum fluctuations in radiographs, 2=19739
- Rossmann, K., Lubberts, G. and Cleare, H. M. Measurement of the line spread-function of radiographic systems containing fluorescent screens, 4=11379
- Rossmann, M. G. The accurate determination of the position and shape of heavy-atom replacement groups in proteins, 0=8249
- Rossmann, M. G. and Blow, D. M. The detection of sub-units within the crystallographic asymmetric unit, 2=10851
- Rossmann, M. G. and Blow, D. M. Determination of phases by the conditions of non-crystallographic symmetry, 3=8831
- Rossmann, M. G., Blow, D. M., Harding, M. M. and Collier, E. The relative positions of independent molecules within the same asymmetric unit, 4=23360
- Rossmann, M. G. See Blow, D. M., 2=10849
- Rossmann, M. G. See Blow, D. M., 3=3290
- Rossol, F. C. Subsidiary resonance in the coincidence region in yttrium iron garnet, 1=2493
- Rossow, V. J. On Rayleigh's problem in magnetohydrodynamics, 0=11024
- Rossow, V. J. On flow through direct-current electro-magnetic pumps, 1=5572
- Rossteutscher, W. See Leonhardt, R., 2=837
- Rossteutscher, W. See Schubert, K., 1=6528
- Rossteutscher, W. See Schubert, K., 2=17016
- Rossum, L. van. See van Rossum, L.
- Rossykhin, V. S. See Lyutyi, A. I., 2=17679
- Rost, E. Analysis of the inelastic scattering of alpha particles. II, 3=6295
- Rost, E. and Austern, N. Inelastic diffraction scattering, 0=20426
- Rost, E. See Austern, N., 0=7377
- Rost, E. See Austern, N., 3=661
- Rost, E. See Bassel, R. H., 3=6294
- Rost, E. See Funsten, H. O., 4=15204
- Rost, E. See Gronvold, F., 2=10880
- Rost, E. See Legg, J. C., 4=19781
- Rost, E. See Sheer, R., 4=19784
- Rostagni, G. See Malesani, G., 3=7278
- Rostas, F., Bhattacharya, A. K. and Cahn, J. H. Measurements of electronic thermal conductivity in magnetoplasmas, 3=5668
- Rostas, J. See Horani, M., 4=12474
- Rostoker, N. Fluctuations of a plasma. I, 1=18900
- Rostoker, N. Superposition of dressed test particles, 4=16460
- Rostoker, N. Test particle method in kinetic theory of a plasma, 4=16461
- Rostoker, N. and Kolb, A. C. Fission of a hot plasma, 1=18827
- Rostoker, N. and Kolb, A. C. Rotation of plasmas in  $\theta$  pinches, 2=19968
- Rostoker, N. and Rosenbluth, M. N. Test particles in a completely ionized plasma, 0=3774
- Rostoker, N. and Rosenbluth, M. N. Fokker-Planck equation for a plasma with a constant magnetic field, 1=9546
- Rostoker, N. and Simon, A. Fokker-Planck coefficients for a plasma including cyclotron radiation, 3=12109
- Rostoker, N. See Ichimaru, S., 2=11683
- Rostoker, N. See Rosenbluth, M. N., 2=17837
- Rostoker, N. See Rosenbluth, M. N., 3=12151
- Rostoker, W. See Nichols, H., 4=17723
- Rostokinskii, V. V. See Tolkachnik, S. V., 2=12851
- Rostokinskii, V. V. See Tolkachnik, S. V., 2=18990
- Rostomyan, B. O. See Grigorov, N. L., 4=969
- Rostovskii, V. S. Electric monopole transitions in the theory of non-axial nuclei, 1=3416
- Rostovskii, V. S. Relative probabilities of  $\alpha$ -decay to rotational levels of non-axial even-even nuclei, 1=19384
- Rostovskii, V. S. Relative probabilities of  $\alpha$ -decay to rotational levels on non-axial even-even nuclei, 3=4587
- Rostovskii, V. S. See Davydov, A. S., 0=11318
- Rostovsky, V. S. See Davydov, A. S., 1=16973
- Rostovtsev, N. M. The effect of cavitation on ultrasonic machining of solids, 0=3390
- Rostovtsev, N. M. and Epifanov, G. I. The influence of the mechanical properties of a solid on the rate of ultrasonic machining, 1=9241
- Rostovtsev, N. M. and Epifanov, G. I. The influence of the mechanical properties of a solid on the rate of ultrasonic machining, 1=10358
- Rostron, R. W. Production of metastable Hg atoms by charge exchange, 4=25596
- Rostuntseva, A. I. See Aleksandrov, K. S., 3=20690
- Roswell, A. E. See Nowick, A. S., 0=18387
- Rüsz, E. See Kornetzki, M., 1=7764
- Rüsz, E. See Kornetzki, M., 1=7767
- Roszinski, H., Dautel, R. and Zeil, W. Infrared spectroscopic investigations on the co-ordination compounds of  $AlH_3$  and  $AlD_3$  in the solid and gaseous states. VI. Communication on molecular physical investigations on the knowledge of coordination bonds, 4=3869
- Rot, A. The basic equations of non-relativistic wave mechanics, 0=16600
- Rot, A. Analogy between classical quantum mechanics, 3=3741
- Rota, A. See Bassi, P., 2=1111
- Rota, A. See Bassi, P., 3=17480
- Rota, A. See Bertolini, G., 2=10026
- Rota, A. See Cappellani, F., 1=17015
- Rotanova, N. M. The definition of conductivity and the values of non-conductive layer of the earth by the data of  $D_{st}$  variations, 4=30920
- Rotaru, M., Valeriu, A. and Weiner, M. Graphs for the interpretation of some e.p.r. spectra, 4=30071
- Rotaru, M. See Baccenco, A., 4=4417
- Rotaru, M. See Weiner, M., 4=4432
- Rotblat, J. See Aguilar, J., 0=7583
- Rotblat, J. See Bredin, D. J., 0=9447
- Rotblat, J. See Sen Gupta, H. M., 3=2492
- Rotblat, J. See Sen Gupta, H. M., 4=12277
- Rote, D. R. See Gerson, R., 4=4215
- Rotenberg, A. Calculation of exact eigenfunctions of spin and orbital angular momentum using the projection operator method, 3=22467
- Rotenberg, A., Lapidus, A. and Wetherell, E. A Monte Carlo calculation of thermal utilization, 0=15615
- Rotenberg, A. See Lüst, R., 1=10707
- Rotenberg, A. See Percus, J. K., 2=21828
- Rotenberg, B. A. The effect of pressure on piezoelectric properties of barium titanate, 0=11748
- Rotenberg, B. A. See Adrianova, I. I., 1=18530
- Rotenberg, B. A. See Mikhailov, P. S., 2=14613
- Rotenberg, M. Application of Sturmian functions to the Schroedinger three-body problem: Elastic  $e^-H$  scattering, 2=20267
- Rotenberg, M. Continuation and optimization of the Born expansion in nonrelativistic quantum theory, 3=11699
- Rotenberg, M. See Brueckner, K. A., 1=589
- Rotenberg, M. See Frieman, E., 1=5563
- Rotenberg, M. See Lawson, R. D., 0=17510
- Rotenberg, M. A. See Bonnor, W. B., 2=1053
- Roth, A. Relativity and the clock paradox, 2=15468
- Roth, B. Theory of electron capture in  $H^+-H$  collisions, 4=12405
- Roth, B. and Wildermuth, K. Reduced widths in  $O^{18}$  and gamma-transition probabilities in  $F^{19}$ , 0=20354
- Roth, C. and Sharp, R. T. Distortion of the triton core in the hypernucleus  $\Lambda H^4$ , 2=22714
- Roth, D. See Engels, E., 2=18048
- Roth, D. See Klages, E., 0=2171
- Roth, E. See Facy, L., 3=25885
- Roth, E. See Merliyat, L., 4=29277
- Roth, E. A., Margerum, E. A. and Amick, J. A. Evaporation of silicon and germanium by r.f. levitation, 2=23914
- Roth, E. G. and Bigeleisen, J. Vapor pressures of the neon isotopes, 0=8700
- Roth, G. Electron diffraction examination of liquids, 3=21305
- Roth, G. Electron diffraction examination of liquids. II. Aromatic substances, 4=2649
- Roth, G. Electron diffraction examination of liquids. III. Water, 4=2650
- Roth, E. See Bigeleisen, J., 1=10628
- Roth, H., Bernard, W., Zeldes, P. and Schmid, A. P. Voltage-annealing of radiation damage in tunnel diodes, 3=10860
- Roth, H. and Straub, W. D. Very low offset Hall probe, 2=18727
- Roth, H., Straub, W. D., Bernard, W. and Mulhern, J. E., Jr. Empirical characterization of low-temperature magneto-resistance effects in heavily doped Ge and Si, 4=6972



- Roth, H. See Bernard, W., 3=20357  
 Roth, H. See Bernard, W., 4=1431  
 Roth, H. See Bernard, W., 4=22749  
 Roth, H. See Bernard, W., 4=28561  
 Roth, H.A. and Schile, R. D. Simplification of the Bartell-Churchill relations for the polarimetric determination of the absorption spectra of thin films, 4=313  
 Roth, J. Measured temperatures of strong shock waves in argon, 4=18326  
 Roth, J. Initiation of lead azide by high-intensity light, 4=30898  
 Roth, J.R. Nonadiabatic motion of a charged particle in an axisymmetric magnetic barrier, 4=16629  
 Roth, K.W. See Ellvett, C., 1=18064  
 Roth, L.M. g factor and donor spin-lattice relaxation for electrons in germanium and silicon, 0=11613  
 Roth, L.M. Theory of Bloch electrons in a magnetic field, 2=14401  
 Roth, L.M. Spin-lattice interaction for electrons in semiconductors, 2=23709  
 Roth, L.M. Theory of the Faraday effect in solids, 4=7104  
 Roth, L.M. See Argyres, P.N., 0=11652  
 Roth, L.M. See Kleiner, W.H., 4=11462  
 Roth, L.M. See Zwerdling, S., 0=7933  
 Roth, R. See Cronin, J.W., 2=22489  
 Roth, R.F. See Bowen, T., 2=18182  
 Roth, R.S., Wadsley, A. D. and Gatehouse, B. M. Composition of the phases in the systems  $\text{NbO}_2$ - $\text{Nb}_2\text{O}_5$  and  $\text{TiO}_2$ - $\text{Nb}_2\text{O}_5$ , 4=26659  
 Roth, R.S. and Waring, J.L. Phase equilibrium relations in the binary system bismuth sesquioxide-niobium, 3=6813  
 Roth, R.S. See Fang, P.H., 0=11900  
 Roth, R.S. See Levin, E. M., 4=23252  
 Roth, R.S. See Levin, E. M., 4=23253  
 Roth, R.S. See Pao-Hsien Fang, 2=666  
 Roth, R.S. See Waring, J. L., 4=26666  
 Roth, S.J. Investigation of cathode uniformity and transit time spread of multiplier phototubes, 1=2994  
 Roth, W. Reply to "luminosity of shock waves in xenon", 0=15729  
 Roth, W. Shock tube study of vibrational relaxation in the  $\text{A}^2\Sigma^+$  state of NO, 1=5997  
 Roth, W. Dependence of vibrational relaxation time on the vibrational quantum number. Experimental verification for no ( $\text{A}^2\Sigma^+$ ) behind shock waves, 1=12274  
 Roth, W. Comments on "Luminosity behind shock waves in xenon", 1=15938  
 Roth, W. Duration of hot flow in a one-inch-diameter shock tube, 2=19600  
 Roth, W. Charge transfer cross-section for electronically excited  $\text{N}_2^+$  with O atoms at low-energy, 2=22173  
 Roth, W. The pressure dependence of non-equilibrium  $\text{N}_2^+$ -first negative band intensity behind shock waves, 3=4756  
 Roth, W.C. See White, J.G., 0=721  
 Roth, W.L. On the nature of defects in the magnetic structure of wüstite, 0=3094  
 Roth, W.L. Defects in the crystal and magnetic structures of ferrous oxide, 0=20790  
 Roth, W.L. Neutron and optical studies of domains in NiO, 0=21063  
 Roth, W. L. The magnetic structure of  $\text{Co}_3\text{O}_4$ , 4=13263  
 Roth, W. L. Magnetic properties of normal spinels with only A-A interactions, 4=28836  
 Roth, W. L. and Luborsky, F. E. Magnetic exchange anisotropy in mixtures of barium, strontium, or lead ferrite with potassium ferrite, 4=13230  
 Roth, W.L. and Slack, G.A. Antiferromagnetic structure and domains in single crystal NiO, 0=11917  
 Roth, W.L. See Street, R., 1=1280  
 Rothberg, G.M. Binding energies of alkali halide molecules, 1=11088  
 Rothberg, J. See Bleser, E., 2=16218  
 Rothberg, J. See Bleser, E., 2=18504  
 Rothberg, J. See Meyer, S. L., 4=6089  
 Rothberg, J. E., Anderson, E. W., Bleser, E. J., Lederman, L. M., Meyer, S. L., Rosen, J. L. and Wang, I-T. Muon capture in hydrogen, 4=6090  
 Rothberg, J. E. See Bleser, E. J., 4=6675  
 Rothberg, M. See Weingarten, I.R., 1=5020  
 Rothchild, S. [Ed.]. Advances in tracer methodology. Vol. 1, 4=7779  
 Rothe, E.D. See Frost, K.J., 2=18096  
 Rothe, E.W. and Bernstein, R.B. Total collision cross sections for the interaction of atomic beams of alkali metals with gases, 0=4162  
 Rothe, E.W., Marino, L.L., Neynaber, R.H., Rol, P.K. and Trujillo, S.M. Scattering of thermal rare gas beams by argon. Influence of the long-range dispersion forces, 2=10222  
 Rothe, E.W., Marino, L.L., Neynaber, R.H. and Trujillo, S.M. Electron impact ionization of atomic hydrogen and atomic oxygen, 2=3001  
 Rothe, E. W., Neynaber, R. H., Scott, B. W., Trujillo, S. M. and Rol, P. K. Substantiation of a method for obtaining interatomic potential energy parameters, 4=6531  
 Rothe, E.W., Rol, P.K. and Bernstein, R.B. Interaction potentials from the velocity dependence of total atom-atom scattering cross sections, 3=15305  
 Rothe, E. W., Rol, P. K., Neynaber, R. H. and Trujillo, S. M. Interaction potentials from the velocity dependence of total atom-atom scattering cross sections, 4=25595  
 Rothe, E.W., Rol, P.K., Trujillo, S.M. and Neynaber, R.H. Velocity dependence of the total cross section for the scattering of Li and K by Xe, 3=711  
 Rothe, E.W. See Neynaber, R.H., 1=11079  
 Rothe, E.W. See Neynaber, R.H., 1=17279  
 Rothe, E.W. See Neynaber, R.H., 3=8207  
 Rothe, E. W. See Neynaber, R. H., 4=25567  
 Rothe, E.W. See Rol, P.K., 3=15306  
 Rothe, E.W. See Smith, A.C.H., 2=22174  
 Rothe, E.W. See Trujillo, S.M., 2=20888  
 Rothe, E.W. See Schumacher, H., 0=15795  
 Rothe, H. See Manger, H., 4=8973  
 Rothe, O. See Pfeifer, H., 1=2928  
 Rothem, T., Metzger, F.R. and Swann, C.P. Lifetimes of the 668 keV and 961 keV excited states in  $\text{Cu}^{63}$ , 1=5876  
 Rothenstein, B. The distribution function for the activation fields of ferromagnetic domains, 0=6230  
 Rothenstein, B. The relaxation of ferromagnetic domain walls, 0=8052  
 Rothenstein, B. A magnetomechanical method for the study of the kinetics of magnetization processes, 0=11873  
 Rothenstein, B. The magnetic remanence due to Bloch wall motion and the kinetics of demagnetization, 0=13801  
 Rotheinstein, B. Experimental investigation of the distribution law of ferromagnetic domains based on the criterion of coercivity, 1=10150  
 Rothenstein, B. and Hrianca, J. The transfer of energy from a longitudinal a.c. magnetic field to a torsion pendulum with a ferromagnetic suspension, 1=18980  
 Rothenstein, B. and Hrianca, J. Stress induced amplitude dependence of internal friction in Fe-Ni alloys, 1=20312  
 Rothenstein, B. and Hrianca, J. New aspects of energy transfer from an alternating magnetic field to a pendulum with ferromagnetic suspension, 3=19403  
 Rothenstein, B. and Poliece, A. Electromagnetic aspect of the energy addition phenomenon of a longitudinal alternating magnetic field to a torsion pendulum with ferromagnetic suspension, 4=19160  
 Rothenstein, W. Collision probabilities and resonance integrals for lattices, 1=13879  
 Rothenstein, W. Some Monte Carlo and analytical results for resonance capture in lattices, 1=17203  
 Rothenstein, W. and Chernick, J. Resonance capture of neutrons in non-heavy absorbers, 1=16806  
 Rothenstein, W. and Helholtz, J. The Dancoff correction in gap geometry, 3=6337  
 Rother, H. The theory of diffusion waves. I. Moving striations in low pressure discharges, 0=248  
 Rother, H. On the mechanism of diffusion-limited field instabilities in semiconductors at high fields, 0=4325  
 Rother, H. Field instabilities in gases, due to diffusion, below the static breakdown field strength, 0=5276  
 Rother, H. Theory of diffusion waves. II. Application conditions in low pressure discharges, 0=7080  
 Rother, H. Variations of the direction of magnetization, wall spacing and coercive force in thin films, 2=12779  
 Rother, H. Magnetic properties of ferromagnetic films. I. Stochastic theory of magnetization fine structure, 2=14788  
 Rother, H. Magnetic properties of ferromagnetic films. II. Theory of domain splitting, 2=14789  
 Rother, H. Magnetic properties of ferromagnetic films. III. The wave theory of the coercive force, 2=21329  
 Rother, H. Mass separation and pinch effects in h.f. plasmas, 3=24294  
 Rother, H. Calculation of the magnetization ripple in ferromagnetic thin films, 4=22974  
 Rother, H. See Boer, K.W., 2=1421



- Rother, R. Velocity distribution of electrons making inelastic collisions, 4=1226
- Rother, W. Methods of spectrographic determination of high plasma temperatures, 0=19687
- Rotherham, L. Materials problems of nuclear power—historical, 2=20696
- Rothhardt, L. On dynamic equations of state for liquids with special reference to very viscous materials, 1=9383
- Rothhardt, L. The influence of the cathode region boundary on the voltage and current density of a glow discharge, 1=18803
- Rothhardt, L. Investigation of glow discharges with cathode regions with and without edges. II, 2=169
- Rothhardt, L. Investigations of glow discharges with cathode zones, with and without edges. II. Dynamics, 2=7580
- Rothhardt, L. The nature of the so-called normal cathode fall in glow discharges, 3=4056
- Rothhardt, L. Modern methods of plasma physics for energy conversion, 3=5618
- Rothhardt, L. A new form of inductive plasma gun, 3=21809
- Rothhardt, L. On the influence of external short-circuit rings on cylindrically converging magneto-hydrodynamic shock waves, 4=16171
- Rothhardt, L. On magnetohydrodynamic generators of Hall type, 4=18668
- Rothhardt, L. and Ullrich, W. Discussion of the viscosity of mixtures of liquids, 0=8600
- Rothleder, S.D. See Lidsky, L.M., 2=17794
- Rothleitner, J. Exact solutions of the low equation, 4=9141
- Rothleitner, J. and Stech, B. Is the nucleon a bound state? 4=30221
- Rothleitner, J. See Krüger, L., 1=1702
- Rothleitner, J. See Krüger, L., 2=1973
- Rothman, A.B. and Ward, C.E.W. Effective resonance integral of thorium metal, 2=7998
- Rothman, H. Probing the positive column of a low-current discharge in neon, 1=4581
- Rothman, H.S., Guthart, H. and Morita, T. Spectral distribution of charged particles in a turbulent plasma, 4=8672
- Rothman, M.A. Things that go faster than light, 2=15460
- Rothman, M.A. See Hooke, W.M., 3=5683
- Rothman, M.A. See Hooke, W.M., 4=8781
- Rothman, M.A. See Hooke, W.M., 4=19005
- Rothman, M.A. See Nath, N., 0=4121
- Rothman, M.A. See Nath, N., 0=5798
- Rothman, M.A. See Van Patter, D.M., 3=2466
- Rothman, S.J. The diffusion of gold in gamma uranium, 2=2094
- Rothman, S.J. Diffusion in uranium, its alloys, and compounds, 3=8454
- Rothman, S.J., Gray, J., Jr., Hughes, J.P. and Harkness, A.L. Self-diffusion in beta uranium, 2=3948
- Rothman, S.J., Hines, J.J., Gray, J., Jr. and Harkness, A.L. Anisotropy of self-diffusion in alpha-uranium, 2=14467
- Rothman, S.J., Peterson, N.K. and Moore, S.A. The diffusion of iron chromium in beta uranium, 3=10691
- Rothrock, B.D. See Young, T.R., 3=14356
- Rothschild, S. The coactivator emission of ZnD and (Zn,Cd)S phosphors, 3=10998
- Rothschild, S. See Collin, R.E., 4=5820
- Rothschild, S. See Collin, R.E., 4=5821
- Rothschild, W.G. Pure rotational absorption spectrum of hydrogen fluoride vapor between 22 and 250  $\mu$ , 4=9711
- Rothschild, W.G. and Dailey, B.P. Microwave spectrum of bromocyclobutane, 2=14266
- Rothstein, J. Self-supporting heating element, 0=7000
- Rothstein, J. Isosceles total internal reflectors as optical elements, 4=2812
- Rothwarf, A. and Cohen, M. Rate of capture of electrons injected into superconducting lead, 3=14450
- Rothwarf, F. and Muldrew, L. Electrical resistivity and X-ray diffraction study of the beta AgCd—AuCd system, 2=17040
- Rothwarf, F. and Steinberg, J. A variable sensitivity gas thermometer for use at low temperatures, 0=1060
- Rothwell, E. Oxide resistor furnace for high-temperature operation, 1=6983
- Rothwell, E. The release of Kr<sup>85</sup> from irradiated uranium dioxide on post-irradiation annealing, 2=12234
- Rothwell, E. A precise determination of the viscosity of liquid tin, lead, bismuth, and aluminium by an absolute method, 2=15542
- Rothwell, E. High temperature substoichiometry in uranium dioxide, 2=21534
- Rothwell, P. Charged particles in the earth's magnetic field and the ionospheric F2 layer, 2=15236
- Rothwell, P. Diffusion of ions between F-layers at magnetic conjugate points, 3=13765
- Rothwell, P. and McIlwain, C. Satellite observations of solar cosmic rays, 0=1323
- Rothwell, P. and McIlwain, C.E. Magnetic storms and the Van Allen radiation belts — observations from satellite 1958e (Explorer IV), 0=14264
- Rothwell, P. and McIlwain, C. Satellite observations of solar cosmic rays, 1=3305
- Rothwell, P., Wager, J.H. and Sayers, J. Effect of the Johnston Island high-altitude nuclear explosion of the ionization density in the topside ionosphere, 3=18524
- Rothwell, P. See Sayers, J., 3=9092
- Rothwell, P. See Sayers, J., 3=18546
- Rothwell, W.S. New small-angle X-ray scattering calculation, 4=878
- Rothwell, W.S. Etch pits in BaTiO<sub>3</sub> single crystals, 4=30565
- Rothwell, W.S. See Greenler, R.G., 0=10262
- Rothwell, W.S. See Neiman, A.S., 4=7433
- Rotman, W. and Turner, R.F. Wide-angle microwave lens for line source applications, 4=5807
- Rotondi, E. See Corazza, M.L., 3=12368
- Rotondi, E. See Ladu, M., 3=24749
- Rotondi, E. See Ladu, M., 4=19535
- Rotsey, W.B. See Young, A.G., 1=20354
- Rott, L.A. The theory of melting, 2=17687
- Rott, L.A. A contribution to the statistical theory of condensed systems, 3=21314
- Rott, L.A. A contribution to the statistical theory of multicomponent systems, 4=21070
- Rott, L.A. Diffusion in a critical fluid-vapour region, 4=21181
- Rott, L.A. See Krichevskii, I.R., 1=12811
- Rott, N. On the viscous core of a line vortex. I, 1=1729
- Rott, N. On the viscous core of a line vortex. II, 1=1730
- Rott, N. Note of the inversion of the Boltzmann equation, 4=16059
- Rotter, I. On the variation of nuclear deformation with rotation, 3=17394
- Rotter, I. See Bernhard, 1=9707
- Rotter, R. and Klapukh, M. Development of the first automatic X-ray spectrograph in Czechoslovakia, 2=17111
- Rotter, W. Delayed photoneutrons in the beryllium reactor BR 02, 4=3753
- Rottersman, M. See Huber, F., 3=4929
- Rottmann, H.R. A precision chopper disk, 4=8399
- Roturier, J., Phan Khac Ham, Buret, M. and Petit, G.Y. Scattering of 14 MeV neutrons by C<sup>12</sup>: Excitation of 4.43, 7.66, 9.6 and 10.1 MeV states, 4=17145
- Rotz, F.B. New test of the velocity of light postulate, 4=8365
- Rouais, J.C. See Eyraud, C., 4=25954
- Rouard, P., Rasigni, G. and Richard, J. Abnormal absorption occurring in certain metals deposited as thin films, 4=22866
- Rouard, P. See Bousquet, P., 1=14569
- Rouard, P. See Rasigni, G., 2=16800
- Rouard, P. See Rasigni, G., 3=10902
- Rouault, M. See Tavad, C., 4=6522
- Roubeau, P. See Abragam, A., 3=2263
- Roubínek, F. On the effect of nitrogen on the exo-electron emission of germanium, 1=16358
- Roubínek, F. See Láznicka, M., 3=2012
- Roubique, C.J. See Crichlow, W.Q., 0=8429
- Roubique, C.J. See Spaulding, A.D., 3=5858
- Roucaýrol, J.C. and Taillandier, P. Detection of  $\beta$ -activities on a thin chromatogram layer with a scintillator in the form of a gel, 3=24705
- Rouche, N. Transducers and their equivalent electric circuits; application to microphones, 0=5091
- Rouditskaya, I.A. See Bogomolov, C.S., 0=12743
- Rouditskaya, I.A. See Bogomolov, C.S., 0=12744
- Roufs, J.A.J. Perception lag as a function of stimulus luminance, 3=13971
- Rough, F. See Smith, C.A., 1=5953
- Rough, F.A. and Dickerson, R.F. Uranium monocarbide — fuel of the future, 0=20524
- Rough, F.A., Hare, A.W., Price, R.B. and Alfant, S. Irradiation of uranium monocarbide, 1=13905
- Rough, F.A. See Hare, A.W., 2=6065
- Roughton, J.E. Simple device for use with platform weighbridges in the accurate determination of burning rates, 0=6723
- Rougier, P. See Courtel, R., 4=13393
- Rougoor, G.W. and Oort, J.H. Neutral hydrogen in the central part of the galactic system, 1=18014



- Rougoor, G.W. and Oort, J.H. Distribution and motion of interstellar hydrogen in the galactic system with particular reference to the region within 3 kilo-parsec of the center, 0=8509
- Rougoor, G.W. See Oort, J.H., 0=18658
- Rouhaninejad, H. See Michel, L., 1=7287
- Rouleau, W.T. See Hornbeck, R.W., 4=5131
- Rouleau, W.T. See Minkler, W.S., 1=18650
- Roulette, R.E. See Barton, G.W., Jr., 0=19867
- Roult, G. See Bertaut, E.F., 2=12662
- Roult, G. See Bertaut, E.F., 3=3320
- Roult, G. See Bertaut, E.F., 3=15856
- Roult, G. See Bertaut, E.F., 4=13267
- Roult, G. See Bertaut, E.F., 4=28800
- Roult, G. See Broquetas Colominas, C., 4=29116
- Roult, G. See Murasik, A., 4=28842
- Round, G.F. Determination of fluid saturation in porous media by a radio-frequency method, 0=19083
- Round, G.F. and Newton, R. Random packing of equal spheres on a plane surface, 4=72
- Round, V. See Walker, J.K., 3=14688
- Rountree, J.C. Deviation from equilibrium and abundances in solar and stellar photospheres. IV. The case of ionized titanium, 1=15451
- Roure, J. and Garnier, J. L. An electronic pendulum for measuring [ultrasonic] radiation pressure in liquids, 4=21253
- Rourke, F.M., Sheffield, J.C. and White, F.A. Crystal "doping" by ion bombardment, 1=11196
- Rourke, F.M. See White, F.A., 1=9920
- Rourke, F.M. See White, F.A., 2=22925
- Rourke, F.M. See White, F.A., 3=14683
- Rourke, G.F. Small-scale polar-cap absorption and related geomagnetic effect, 1=20942
- Rouse, A.G. Momentum experiment for the laboratory, 1=12834
- Rouse, C.A. Ionization equilibrium equation of state, 1=16253
- Rouse, C.A. Ionization equilibrium equation of state. II. Mixtures, 2=13367
- Rouse, C.A. Ionization-equilibrium equation of state. III. Results with Debye-Hückel corrections and Planck's partition function, 3=3589
- Rouse, C.A. Ionization-equilibrium equation of state. IV. Dense plasmas and liquid metals, 3=3590
- Rouse, C.A. Ionization equilibrium equation of state. V. Twenty-two element mixtures at stellar temperatures and densities, 3=16401
- Rouse, C.A. A note on the maximum bound principal quantum number, 4=11573
- Rouse, C.A. Ionization equilibrium at high densities, 4=13881
- Rouse, C.A. See Hefferlin, F., 4=11633
- Rouse, G. See Akerlof, C.W., 4=25206
- Rouse, G. See Berkelman, K., 3=14958
- Rouse, G. See Berkelman, K., 3=24673
- Rouse, J.L. See Caro, D.E., 2=3114
- Roush, M. L., Figuera, A. S. and Hornyak, W. F. Fast neutron isochronous flight path spectrometry, 4=6082
- Roush, M. L. See Hornyak, W. F., 4=12135
- Rouskov [Ruskov], T. and Betev, B. On "delayed" pulses in halogen counters, 1=386
- Rousseau, C. See Dossin, F., 3=13871
- Rousseau, C. See Dossin, F., 3=13871
- Rousseau, J. See Autonès, P., 4=9028
- Rousseau, M. See Dumont, R., 1=12751
- Rousseau, M. See Neves e Castro, M., 0=14805
- Rousseau, Y., Strausz, O. P. and Gunning, H. E. Electrophilic character of the Hg  $6(^3P_1)$  atom and the mechanism of electronic energy transfer in mercury photosensitization, 3=25053
- Rousseau, Y., Woodall, G. N. C. and Gunning, H. E. Large deuterium isotope effect in the reaction of propane with Hg  $6(^3P_1)$  atoms, 3=8973
- Rousseau, Y. See Bellas, M. G., 4=25539
- Russel, J. Propagation of interatomic shocks in solids, 2=6400
- Russel, J. Measurement of the long-range order parameter in  $\beta$ -brass by neutron diffraction, 2=15049
- Russel, J. See Apter, J., 0=19996
- Russel, P. See Achari, R., 4=17184
- Russelot, M. M. See Le Floch, G., 4=13760
- Russelot, M. M. See Le Montagner, S., 1=11337
- Russelot, R. H. Analogue solution of the problem of cathode polarisation, 0=1960
- Russet, A., Lagarrigue, A., Musset, P., Rançon, P. and Sauteron, X. Relativistic increase of ionization in xenon, 0=1099
- Russet, A. See Aubert, B., 2=18187
- Russet, A. See Aubert, B., 2=22647
- Russet, A. See Baglin, C., 1=9764
- Russet, A. See Baglin, C., 4=3487
- Russet, A. See Bellière, J., 3=24775
- Russet, A. See Bellière, P., 4=3493
- Russet, A. See Bellini, G., 2=22573
- Russet, A. See Bellini, G., 3=7899
- Russet, A. See Bloch, M., 2=1640
- Russet, A. See Cadas, J. P., 2=12592
- Russet, A. See Courpron, C., 0=11774
- Russet, A. See Darmon, J., 3=4456
- Russet, A. See Di Corato, M., 2=22627
- Russet, A. See Dupuy, F., 4=30700
- Russet, A. See Fretter, W. B., 3=2301
- Russet, A. See Jauneau, L., 3=12511
- Russet, A. See Jauneau, L., 3=19708
- Russet, A. See Lloret, A., 4=12036
- Russet, A. See Patty, M., 3=17299
- Russet, A. See Veillet, J. J., 3=10163
- Russet, A. See Veillet, J. J., 3=17313
- Russet, Y. On the mechanism of retarded fluorescence due to impurities in crystals of aromatic molecules near room temperature, 4=22936
- Russet, Y. See Lochet, R., 3=21553
- Roustan, J. See Devienne, F. M., 2=12355
- Roustan, J. C. See Devienne, F. M., 4=11700
- Rout, V. M. and Jones, W. M.  $\text{Li}^0(\text{d}, \text{p})\text{Li}^{7*}$  reaction at 2 MeV bombarding energy, 2=22843
- Rout, V. M., Jones, W. M., Firth, K., Petrie, D. P. R. and Barnard, A. C. L. A magnetic spectrograph for angular distribution measurements, 2=5535
- Rout, V. M., Jones, W. M. and Waters, D. G. Angular distributions for a range of Q-values in  $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15*}$ , 2=16427
- Rout, V. M., Jones, W. M. and Water, D. G. Angular distributions for a range of Q-values in the reaction  $\text{F}^{19}(\text{d}, \text{p})\text{F}^{20}$ , 3=22419
- Rout, V. M. See Jones, W. M., 1=13849
- Roux, A., Richard, M., Eyraud, L. and Elston, J. Measurement of the Wigner energy of BeO, 4=15439
- Roux, A., Richard, M., Eyraud, L. and Elston, J. Calorimetry at high temperature. Application to the determination of recovery energy of neutron-irradiated BeO, 4=18473
- Roux, D. See Cottier, J. M., 1=13447
- Roux, D. See Denis, P., 1=17132
- Roux, D. See Richard, J., 3=13147
- Roux, E. Le. See Le Roux, E.
- Roux, G. See Blanc, A., 1=7532
- Roux, H. See Ozias, Y., 2=5819
- Roux, J. Application of the photodielectric effect to the study of electron traps, 0=626
- Roux, J. Long-period decay of the photoconductivity and the photodielectric effect in zinc oxide, 1=11327
- Roux, J. Application of the DK effect to the understanding of deep trapping states, 2=6591
- Roux, J. Photoconductivity and photodielectric effect observed in zinc oxide, 3=23023
- Roux, J. Support of a magnetic analyser in a position adjustable in three dimensions, 4=620
- Roux, J. See Curie, C., 4=27141
- Roux, M. and Cornille, M. Analysis of recent theoretical and experimental work on the diffraction of X-rays and electrons in the case of atoms and small molecules, 2=21495
- Roux, M., Cornille, M. and Burnelle, L. Study of the electron density distribution in the simpler hydrocarbons, 2=20849
- Roux, M. See Bratoz, S., 0=17836
- Roux, M. See Tavard, C., 3=8220
- Roux, M. See Tavard, C., 4=6522
- Roux, M. See Takeda, S., 1=13093
- Roux, M. See Takeda, S., 1=15932
- Roux, M. R. See Goldstein, L., 4=19019
- Roux, M. R. See Raoult, G., 2=11750
- Roux, R. See Consoli, T., 3=14589
- Roux, R. See Consoli, T., 3=14590
- Rouy, A. L., Carroll, B. and Quigley, T. J. The problem of determining the optical rotation of highly scattering solutions, 3=16807
- Rouze, M. See Brochet, C., 3=3395
- Rouze, S. R. and Grube, W. L. Observations on the movement of grain boundaries by thermionic emission microscopy, 3=18360



- Rouze, S.R. See Hill, R.F., 2=11691  
 Rouze, S.R. See Nutting, J., 3=23482  
 Rovel, J. See Orr, R.L., 3=1352  
 Rovera, S. See Bollini, D., 2=20069  
 Rovidarcht, J.A. See Terol, S., 3=13214  
 Rovinskii, A.E. A liquid helium level indicator, 2=7487  
 Rovinskii, A.E. Liquid helium level indicator, 2=19793  
 Rovinskii, B.M. and Kostyukova, E.P. A simple method of precise determination of the lattice constants of polycrystalline substances without the use of standards, 0=13978  
 Rovinskii, B.M. and Kostyukova, E.P. Some applications of the graphoanalytical method for the determination of lattice parameters, 4=7582  
 Rovinskii, B.M. and Lyuttsau, V.G. Dependence of the relaxation stability of metals and alloys on the binding forces and lattice defects, and the correlation of the relaxation stability with hardness, 2=8713  
 Rovinskii, B.M. and Lyuttsau, V.G. Dependence of relaxation stability of metals and alloys on binding forces and lattice distortions and the correlation between relaxation stability and hardness, 2=23744  
 Rovinskii, B.M. and Lyuttsau, G.V. Distortion relaxation in the lattice of cold deformed metals, 3=3288  
 Rovinskii, B.M. and Lyuttsau, V.G. Hardness relaxation of cold-deformed metals and the dependence of hardness of lattice distortion, 3=11187  
 Rovinskii, B.M. and Rybakova, L.M. The time-dependence of resistance to deformation in active tension, 1=1337  
 Rovinskii, B.M. and Rybakova, L.M. The effect of preliminary thermal cycling and plastic deformation of strength and time-to-rupture characteristics on metals, 1=1338  
 Rovinskii, B.M. and Rybakova, L.M. A study of the relationship between the mechanical properties and structural characteristics of a metal, 4=23138  
 Rovinskii, B.M. See Kostyukova, E.P., 3=20942  
 Rovinskii, B.M. See Lyuttsau, V.G., 4=20780  
 Rovinskii, B.M. See Plavnik, G.M., 1=2550  
 Rovinskii, R.E. Electrical characteristics of a high-pressure xenon arc, 3=24262  
 Rovinskii, R.E. and Polyakov, Ya.M. On the question of the disintegration of electrodes in a high-current discharge, 4=483  
 Rovinskii, R.E. and Razumtseva, G.P. The degree of transparency of a discharge in xenon at very high pressures, 0=9011  
 Row, R.V. On the electromagnetic resonant frequencies of the earth ionosphere cavity, 3=7718  
 Row, R.V. See Galejs, J., 4=15885  
 Row, R.V. See Galejs, J., 4=16668  
 Row, R.V. See Mentzoni, M.H., 3=17578  
 Row, R.V. See Mentzoni, M.H., 4=14904  
 Rowan, D. and Stevenson, W. A three-channel low-background counting unit, 1=19054  
 Rowbotham, J.R. See Prowse, W.A., 2=3024  
 Rowbotham, J.R. See Prowse, W.A., 3=7491  
 Rowe, A.H. See Mortlock, A.J., 0=20846  
 Rowe, D.J., Clegg, A.B., Salmon, G.L. and Fisher, P.S. The  $^{18}\text{O}(p, p')$  reaction at 150 MeV, 3=2451  
 Rowe, D.J., Clegg, A.B., Salmon, G.L. and Newton, D. Inelastic scattering of 150 MeV protons from  $^{40}\text{Ca}$ , 2=1873  
 Rowe, D.J., Clegg, A.B., Salmon, G.L. and Newton, D. The  $^{40}\text{Ca}(p, p)$  reaction at 150 MeV, 3=10342  
 Rowe, D.J., Salmon, G.L. and Clegg, A.B. Finite geometry corrections for angular correlation measurements, 2=5503  
 Rowe, D.J., Salmon, G.L., Clegg, A.B. and Newton, D. Gamma-rays from inelastic scattering of high energy protons from carbon, 2=1872  
 Rowe, D.J., Salmon, G.L., Clegg, A.B. and Newton, D. Distorted wave effects and the impulse approximation in the inelastic scattering of 147 MeV protons from  $^{12}\text{C}$ , 4=22124  
 Rowe, D.J. See Austin, S.M., 2=1870  
 Rowe, D.J. See Newton, D., 4=19765  
 Rowe, D.J. See Salmon, G.L., 2=3565  
 Rowe, E.G.P. Exact equivalence of three scalar theories of three scalar particles, 3=22059  
 Rowe, E.G.P. Bound-state conditions, 4=21744  
 Rowe, E.M. See Kerst, D.W., 0=19837  
 Rowe, E.M. See Cole, F.T., 4=14793  
 Rowe, G.H. See Gregory, D.P., 4=7444  
 Rowe, G.W. See Golden, J., 0=6322  
 Rowe, G.W. See Golden, J., 0=18285  
 Rowe, G.W. and Smart, E.F. The importance of oxygen in dry machining of metal on a lathe, 4=10990  
 Rowe, J.E. Multidimensional nonlinear theory of microwave interaction, 4=16481  
 Rowe, J.E. and Lee, R.Y. Energy mismatch and cutoff waves in a two-dimensional space-charge flow, 2=1589  
 Rowe, J.E. See Wadhwa, R.P., 4=8839  
 Rowe, J.E. See Wadhwa, R.P., 4=19099  
 Rowe, J.E. See Wen, C.P., 4=19110  
 Rowe, J.M. See Alderman, P.R.H., 0=8235  
 Rowe, J.M. See Owston, P.G., 0=8236  
 Rowe, J.M. See Owston, P.G., 0=8237  
 Rowe, J.N. See Gloersen, P., 4=19068  
 Rowe, M.W. and Van Dilla, M.A. On the radioactivity of the Bruderheim chondrite, 2=2530  
 Rowe, P.C. See Craig, R.M., 3=8085  
 Rowe, P.C. See Greenlees, G.W., 0=9641  
 Rowe, P.C. See Greenlees, G.W., 1=8774  
 Rowe, P.W. The stress-dilatancy relation for static equilibrium of an assembly of particles in contact, 3=1363  
 Rowell, J.C. See Phillips, W.D., 0=16715  
 Rowell, J.M. Magnetic field dependence of the Josephson tunnel current, 4=5506  
 Rowell, J.M. Tunneling between superconductors, 4=21417  
 Rowell, J.M., Anderson, P.W. and Thomas, D.E. Image of the phonon spectrum in the tunneling characteristic between superconductors, 3=24146  
 Rowell, J.M., Chynoweth, A.G. and Phillips, J.C. Multiphonon effects in tunnelling between metals and superconductors, 3=326  
 Rowell, J.M. See Anderson, P.W., 3=14462  
 Rowell, J.M. See Rollin, B.V., 1=6150  
 Rowell, J.M. See Smith, G.E., 4=28399  
 Rowell, P.H. Microwave ultrasonics, 3=6470  
 Rowell, P.M. The thermal conductivity of some superconductors, 0=8938  
 Rowell, P.M. See Calverley, A., 2=6292  
 Rowell, P.M. See Rampton, V.W., 4=6736  
 Rowell, R.L. See de Bethune, A.J., 4=7685  
 Rowell, R.L. See Gucker, F.T., 1=11844  
 Rowen, J.H., Eggers, F.G. and Strauss, W. Generation of microwave electromagnetic radiation in magnetic materials, 1=5577  
 Rowland, F.S. See Breckenridge, W., 4=7776  
 Rowland, F.S. See Fireman, E.L., 2=4614  
 Rowland, F.S. See Lee, E.K.C., 2=4562  
 Rowland, F.S. See Lee, J.K., 0=10347  
 Rowland, F.S. See Root, J.W., 3=18460  
 Rowland, G. Resonance absorption and non-uniform temperature distributions, 2=18132  
 Rowland, M.C. See Redstone, R., 4=21855  
 Rowland, R.A., Reinhardt, E.C. and Brooks, C.S. Adsorption cell for X-ray diffraction measurements on clays, 4=2058  
 Rowland, R.L. and Nachtrieb, N.H. Self-diffusion of palladium in silver-palladium alloys, 4=9994  
 Rowland, T.J. Nuclear magnetic resonance in copper alloys. Electron distribution around solute atoms, 0=13890  
 Rowland, T.J. Knight shift in silver base solid solutions, 2=4286  
 Rowland, T.J. Nuclear magnetic resonance in metals, 2=8681  
 Rowland, T.J. and Borsa, F. Solute Knight shifts in Cu and Ag base solid solutions, 4=17692  
 Rowland, T.J. See Hughes, D.G., 4=15678  
 Rowland, T.J. See Van Ostenburg, D.O., 4=26455  
 Rowland, W.R. See Sprangenberg, W.G., 0=16727  
 Rowland, W.R. See Sprangenberg, W.G., 1=10481  
 Rowlands, G. The method of images and the solution of certain partial differential equations, 0=4837  
 Rowlands, G. Solid angle calculations, 1=15387  
 Rowlands, G. A numerical study of the fast neutron spectrum in homogeneous media, 1=19211  
 Rowlands, G. Flux adjoints for slowing down problem in infinite media, 1=19562  
 Rowlands, G. The application of the variational method to neutron transport theory, 2=2654  
 Rowlands, G. See Carter, C., 2=3350  
 Rowlands, G. See Rhodes, P., 3=1065  
 Rowlands, J.L., Maclean, A. and Bentley, P.G. The analysis of random fluctuations by a digital method using TIMTAPE and DEUCE, 3=14  
 Rowlands, J.R. The electron spin resonance spectrum of  $\text{NH}(\text{SO}_3^-)$  in  $\gamma$ -irradiated potassium sulphamate, 3=6417  
 Rowlands, J.R. See Chantry, G.W., 2=16565  
 Rowlands, J.R. See Horsfield, A., 2=16566



- Rowlands, J.R. See Lin, W.C., 1=14797
- Rowlands, R.O. Energy-detection model for monaural auditory detection, 3=13958
- Rowlands, R.O. See Brown, J.L., Jr, 0=1006
- Rowlatt, A.L. See Pillow, M.E., 0=9812
- Rowles, J.B. See Vincent, C.H., 0=19864
- Rowles, J.B. See Vincent, C.H., 3=16890
- Rowles, J.B. See Vincent, C.H., 4=22269
- Rowley, J.J. Phase shift studies in ferrite-dielectric loaded coaxial lines at 2200 Mc/s, 1=5589
- Rowley, W.R.C. and Hamon, J. Some measurements of asym-
- Rowley, W.R.C. and Wilson, D.C. Wavelength stabilisation of an optical maser, 4=16693
- Rowley, W.R.C. See Littlefield, T.A., 4=6467
- Rowlinson, J.S. Dipole interactions in fluids and fluid mixture, 0=935
- Rowlinson, J.S. A test of the Lennard-Jones potential for nitrogen and methane, 1=15847
- Rowlinson, J.S. The rate of molecular collisions in gases composed of "soft" molecules, 1=19467
- Rowlinson, J.S. Limits of the third virial coefficient at low and high temperatures for a Lennard-Jones potential, 3=7239
- Rowlinson, J.S. Limits of the fourth virial coefficient at low and high temperatures for a Lennard-Jones potential, 3=18848
- Rowlinson, J.S. The triplet distribution function in a fluid of hard spheres, 3=21435
- Rowlinson, J.S. An equation of state of gases at high temperatures and densities, 4=11230
- Rowlinson, J.S. The fifth virial coefficient of a fluid of hard spheres, 4=18091
- Rowlinson, J.S. The use of the isotopic separation factor between liquid and vapour for the study of intermolecular potential and virial functions, 4=20133
- Rowlinson, J.S. The virial expansion in two dimensions, 4=24093
- Rowlinson, J.S. See Brown, W.B., 0=20696
- Rowlinson, J.S. See Buckle, E.R., 4=16088
- Rowlinson, J.S. See Jones, I.W., 4=369
- Rowlinson, J.S. See Lebowitz, J.L., 4=24090
- Rowlinson, J.S. See Stubble, D., 2=5009
- Rowse, A.A. See Blitz, J., 4=26487
- Rowson, B. High resolution observations with a tracking radio interferometer, 2=9357
- Rowson, B. See Allen, L.R., 1=1662
- Rowson, B. See Allen, L.R., 3=7051
- Rowson, B. See Anderson, B., 2=21739
- Rowson, B. See Elgaroy, O., 3=3616
- Rowson, C.H. See Cooper, R., 3=13125
- Roxburgh, I.W. Steady meridian circulation in rotating magnetic stars, 3=21115
- Roxburgh, I.W. On stellar rotation. I. The rotation of upper main-sequence stars, 4=29368
- Roxburgh, I.W. See Mestel, L., 3=3585
- Roy, A. New interpretation techniques for telluric and some direct current fields, 3=16197
- Roy, A.K. Supersonic flow past a convex corner, 0=19186
- Roy, A.K. Estimation of the critical viscous sub-layer in shock wave boundary layer interaction, 1=10533
- Roy, A.K. Estimation of the characteristic velocity for the propagation of the disturbance up-stream in shock wave boundary layer interaction problems, 1=15935
- Roy, A.K. International conference on cloud physics, 2=11021
- Roy, A.K. Rain stimulation experiments by present contemplated techniques of cloud nucleation, 3=13676
- Roy, A.K. See Murty, B.V.R., 3=5201
- Roy, A.K. See Srivastava, R.C., 3=3464
- Roy, A.P. See Iyengar, P.K., 2=8660
- Roy, A.P. See Iyengar, P.K., 3=1111
- Roy, B., Sandell, P.K. and Choudhury, A.K. Investigations into the low energy gamma ray background and its variations, 1=13679
- Roy, B.B.B. See Shastry, S., 4=30324
- Roy, B.N. See Sinha, S.P., 2=14258
- Roy, C.L. Electronic energy states of diatomic amorphous substance, 4=17387
- Roy, C.L. and Abidi, S.T.H. On X-ray non-diagram lines, 3=23084
- Roy, C.L. See Laskar, A.L., 4=12753
- Roy, D. Resistance on a circular cylinder due to any number of vortices lying in two rows, 0=16679
- Roy, D. Resistance of a circular cylinder due to a pair of vortices moving symmetrically, 0=19073
- Roy, D. Non-steady periodic boundary layer, 2=11325
- Roy, D.J. Le. See Le Roy, D.J.
- Roy, D.M. and Roy, R. Controlled massively defective crystalline solutions with the fluorite structure, 5=25921
- Roy, D.M. See Datta, R.K., 4=23615
- Roy, G.M. See Oberly, W.N., 4=6408
- Roy, J.C. On the production of  $\text{Be}^7$ ,  $\text{Mg}^{28}$ , and  $\text{Ni}^{66}$  in the slow neutron fission of  $\text{U}^{235}$ , 1=3472
- Roy, J.C. Radioactive decay of  $\text{W}^{188}$ , 2=16340
- Roy, J.C., Bresesti, M. and Hawton, J.J. On the production of  $\text{Be}^7$  in the N.R.X. reactor by the  $\text{B}^{10}(\text{p}, \alpha)\text{Be}^7$ ,  $\text{Li}^7(\text{p}, n)\text{Be}^7$ , and  $\text{Li}^6(\text{d}, n)\text{Be}^7$  reactions, 0=20438
- Roy, J.C. and Hawton, J.J. The  $\text{B}^{10}(\alpha, n)\text{N}^{13}$  and  $\text{B}^{10}(\text{t}, 2n)\text{C}^{11}$  reactions in a nuclear reactor, 1=19529
- Roy, J.C. See Bresesti, M., 0=5723
- Roy, J.C. See Millar, C.H., 0=426
- Roy, J.F. Intrinsic equations for turbulent incompressible flows, 3=115
- Roy, J.F. Transverse distribution of the static pressure in the divergent limiting turbulent layer, 3=117
- Roy, J.K. Singlet-triplet transition in parachlorotoluene, 0=16099
- Roy, J.K. Singlet-triplet absorption in halogen substituted toluenes, 1=14053
- Roy, J.K. and El-Sayed, M.A. Donor-acceptor relative orientation for maximum triplet-triplet energy transfer, 4=22931
- Roy, J.K. See Sirkar, S.C., 1=14054
- Roy, J.L. Response of an astatic magnetometer to a cylindrical rock specimen, 3=12287
- Roy, J.L. Magnetic observations in Eastern Canada during the eclipse of July 20, 1963, 4=26875
- Roy, K.K. See Sen Gupta, R.L., 1=5745
- Roy, L.P. Influence of temperature on the electrolytic separation factor of hydrogen isotopes, 2=19149
- Roy, M. Condensed thermodynamic theory of linear elasticity, 0=4542
- Roy, M. On the concepts of flow and production of entropy and on Fourier's law, 0=4952
- Roy, M. Slightly irreversible transformations and the Onsager relations. Thermal exchanges and passive resistances, 0=4953
- Roy, M. and Legendre, R. On the definition and on some applications of the "dynalpy" tensor, 3=14102
- Roy, M.K. See Le Couteur, K.J., 4=12347
- Roy, M.K. See Kumar, K., 3=15074
- Roy, N. See Meyer, E., 3=4266
- Roy, P., Orr, R.L. and Hultgren, R. The thermodynamics of bismuth-lead alloys, 2=2402
- Roy, P. See Bizot, J.C., 4=9171
- Roy, P.H. See Isabelle, D.B., 3=17112
- Roy, P.K. K-meson-nucleon scattering and relativistic dispersion relations, 1=3235
- Roy, P.K. On relativistic dispersion relations, 2=22439
- Roy, P.R. Determination of  $\alpha$ -aluminium solid solubility limits in the aluminium-uranium and aluminium-plutonium systems, 4=13460
- Roy, R. and Cohen, H.M. Effects of high pressure on glass: A possible piezometer for the 100-kilobar region, 1=12658
- Roy, R. See Bates, C.H., 3=3254
- Roy, R. See Bogardus, E.H., 4=23099
- Roy, R. See Myers, M.B., 3=16469
- Roy, R. See Roy, D.M., 4=25921
- Roy, R. See Short, J., 4=6831
- Roy, R. See Short, J.M., 4=20692
- Roy, R. See Stubican, V.S., 3=18225
- Roy, R. See White, W.B., 4=29214
- Roy, R.B. See Horne, G.T., 3=11156
- Roy, R.R. Energy partition of pair electrons produced in platinum by 5-90 MeV X-rays, 4=21842
- Roy, R.R., Blanchard, C.H., Webb, E.H., Sandhu, H.S. and Mohanty, R.C. Multiplet production by X-rays, 2=5893
- Roy, R.R. See Cooperman, E.L., 4=1114
- Roy, R.R. See Cresswell, M.W., 2=5943
- Roy, R.R. See Griesacker, P.B., 4=9421
- Roy, R.R. See Khare, L.R., 2=3196
- Roy, R.R. See Kurey, T.J., Jr., 3=19821
- Roy, R.R. See Mohanty, R.C., 1=16763
- Roy, R.R. See Sandhu, H.S., 2=3322
- Roy, R.R. See Strong, I.B., 3=17248
- Roy, S.B. Ultraviolet absorption spectra of solutions of pyridine in different solvents and at different temperatures, 0=6804
- Roy, S.B. See Sirkar, S.C., 1=18417



- Roy, S. Dutta. See Dutta Roy, S.
- Roy, S. K. See Eliezer, C. J., 2=12281
- Roy, S. K. See Nag, B. R., 3=19454
- Roy, S. K. See Nag, B. R., 4=4160
- Roy, S. K. See Nag, B. R., 4=17483
- Roy, S. R. A relativistic analogue of a simple Newtonian result, 0=6645
- Roy, S. R. A relativistic analogue of a simple Newtonian result. II, 1=15624
- Roy, S. R. and Radhakrishna, L. Self-conjugate gravitational fields. I, 3=23741
- Roy, S. R. See Tiwari, R., 2=21815
- Roy, S. R. See Tiwari, R., 3=1602
- Roy, S. R. See Tiwari, R., 3=3738
- Roy, T. A note on the radiative corrections to Compton scattering, 0=7317
- Roy, T. C. Bound states in quantum electrodynamics, 0=7275
- Roy, T. C. Cepheid variation, 0=12318
- Roy, T. C. Bound states in quantum electrodynamics, 0=20030
- Roy, T. C. A note on the calculation of the density of
- Royan, J. See Hall, E. O., 0=720
- Royce, B. S. H., Sharma, J., Smoluchowski, R. and Euwema, R. N. Point defect formation in alkali halides, 3=22730
- Royce, B. S. H. and Smoluchowski, R. Effect of plastic deformation on the low-temperature ionic conductivity of potassium chloride, 1=8929
- Royce, B. S. H. See Dean, P. J., 0=7918
- Royce, E. B. and Bloembergen, N. Linear electric shifts in the paramagnetic resonance of  $Al_2O_3:Cr$  and  $MgO:Cr$ , 3=25568
- Royce, E. B. See Bloembergen, N., 4=26384
- Roychoudhury, A. See Sinha, S. K., 3=8732
- Royen, P. and Sterzel, W. X-ray studies of the recrystallization of ground aluminum, copper and nickel powders. I. Evaluation of back-reflection photographs, 4=10575
- Royen, P., Tolksdorf, W., Granzer, F. and Schuster, H. Electron-microscopic verification of the X-ray-graphic mean particle size of fine-grained  $MgO$  smoke by reflex-form analysis, 4=30911
- Royen, P. and Trömel, M. X-ray and electron microscopic study of magnesium oxide of various origins, 4=10583
- Royen, P. and Trömel, M. Evaluation of the X-ray line broadening of magnesium oxide samples by different methods, 4=10584
- Royen, P. See Romeis, H., 1=20644
- Royen, V. The existence of a bound hyperon-nucleon system with isobars, 3=17340
- Roys, P. A. and Shure, K. Production cross section of  $N^{16}$  and  $N^{17}$ , 0=13278
- Roys, P. A. See East, L. V., 1=7009
- Roys, P. A. See East, L. V., 1=15698
- Roys, P. A. See Shure, K., 0=12993
- Royzen, I. I. See Chernavsky, D. S., 3=19571
- Rozanov, A. N. See Bichkov, Yu. F., 0=8105
- Rozanov, A. N. See Bichkov, Yu. F., 0=8274
- Rozanov, A. N. See Bichkov, Yu. F., 4=23281
- Rozanov, E. I. See Danilov, V. I., 4=14792
- Rozanov, O. K. See Ilyukhin, V. S., 0=16776
- Rozanova, A. M. See Anikina, M. Kh., 2=7898
- Rozanova, A. M. See Anikina, M. Kh., 3=6071
- Rozanova, A. M. See Anikina, M. Kh., 4=3477
- Rozanova, A. M. See Nyagu, D. V., 1=19261
- Rozanova, A. M. See Nyagu, D. V., 2=10131
- Rozanova, A. M. See Nyagu, D. V., 3=4451
- Rozanova, A. M. See Nyagu, D. V., 3=6280
- Rozanova, L. M. See Okonov, E. O., 0=20223
- Rozanova, N. B. and Kozlova, M. V. The flight of macroparticles of a substance on disruptive discharge in vacuo, 0=1108
- Rozanova, N. B. Vacuum breakdown initiated by macroparticles, 4=8651
- Roze, L. The flexure of the horizontal axis of a transit instrument, 1=9
- Rozelberg, I. L. See Novikov, I. I., 1=9108
- Rozen, S. and Altman, E. A simple transistorized fast a.c. discriminator, 3=5613
- Rozen, S. and Etzion, M. A transistorized fast coincidence circuit for use with slow scintillators, 3=5614
- Rozen [Rozenstein], S. Pile up rejection circuits, 2=2982
- Rozenberg, G. D. See Charnyi, I. A., 1=11774
- Rozenberg, G. V. Optical conditions within a weakly absorbing scattering medium and certain possibilities in spectroscopy, 0=1044
- Rozenberg, G. V. Optical conditions inside a medium with Rayleigh scattering, 0=8809
- Rozenberg, G. V. Absorption spectroscopy of dispersed materials, 1=2858
- Rozenberg, G. V. Limits of Bouguer's law applicability and the reversion effects of anomalous and "selective" transparency of the atmosphere, 3=3466
- Rozenberg, G. V. Investigation of the atmosphere of Venus by optical methods, 3=18621
- Rozenberg, G. V. Twilight phenomena, their nature, and use for atmospheric research, 4=10743
- Rozenberg, G. V. See Germogenova, O. A., 3=17054
- Rozenberg, G. V. See Kondrat'ev, K. Ya., 1=2563
- Rozenberg, G. V. See Malkevich, M. S., 4=29267
- Rozenberg, L. D. See Belle, T. S., 3=14267
- Rozenberg, L. D. and Éknadiosyants, O. K. Kinetics of ultrasonic fog formation, 1=6578
- Rozenberg, L. D. and Sirot'yuk, M. G. Apparatus for the generation of focused ultrasonics of high intensity, 0=999
- Rozenberg, L. D. and Sirot'yuk, M. G. Radiation of sound in a liquid with cavitation present, 1=18509
- Rozenberg, L. D. and Sirot'yuk, M. G. A focusing radiator for the generation of superhigh intensity ultrasound at 1 Mc/s, 4=277
- Rozenberg, L. D. See Bechchuk, A. S., 1=10489
- Rozenberg, L. D. See Kanevskii, I. N., 4=27260
- Rozenberg, L. D. See Naugol'nykh, K. A., 1=4403
- Rozenberg, M., Rosenberg, M., and Rypyanu, S., [Ripeanu, S.]. Temperature dependence of the coercive force in nickel and nickel-iron alloys in various conditions of heat treatment, 2=737
- Rozenberg, M. and Ténésouy, K. Study of the structure of ferromagnetic domains in barium ferrite single crystals, 4=4375
- Rozenberg, M. and Ténésouy, K. Structure of the domains of spontaneous magnetization in single crystals of barium ferrite, 4=10288
- Rozenberg, N. Yu. See Avet'kov, V. G., 1=3800
- Rozenberg, V. M. Measurement of the size and degree of misorientation of subgrains formed during creep on the surface and in the interior of a test piece, 1=1323
- Rozenberg, V. M. Slow deformation of single crystals of an iron-nickel solid solution at elevated temperatures, 1=10212
- Rozenberg, V. M. The effect of microstructure on creep of nickel, 2=8736
- Rozenberg, V. M. The influence of substructure on creep in nickel, 2=21433
- Rozenberg, V. M. Nature of the part of deformation which occurs during creep in nickel, and is not revealed microstructurally, 3=18194
- Rozenberg, V. M. Study of creep in nickel single crystals, 3=20716
- Rozenberg, V. M. Influence of temperature and stresses on the elementary components of deformation in nickel creep, 4=23182
- Rozenberg, V. M. and Epshtein, I. A. Investigation of the displacement of the grain boundaries in creep, 0=13912
- Rozenberg, V. M. See Gorelik, S. S., 1=10007
- Rozenberg, V. M. See Kugayenko, O. N., 4=23170
- Rozenberg, V. M. See Nosova, G. I., 0=6312
- Rozenberg, V. M. See Voloshina, L. A., 2=21434
- Rozenberg, V. M. See Voloshina, L. A., 3=2814
- Rozenberg, V. M. See Voloshina, L. A., 3=11161
- Rozenberg, Ya. I. See Mizezhnikov, G. S., 3=6740
- Rozenblat, M. A. and Rozental', Yu. D. Optimal law of cyclic magnetization of ferromagnetic cores with rectangular hysteresis loops from the point of view of minimum loss, 4=10260
- Rozenblat, M. G. See Stauér, E. V., 0=10084
- Rozenblyum, E. A. See Genkin, G. M., 4=7296
- Rozenblyum, N. D. Use of the photogrammetric method in determining the spatial coordinates of points on a meteor trajectory, 0=18707
- Rozenblyum, N. D. See Kononovich, A. A., 4=21448
- Rozenblyum, N. D. See Mittel'man, M. G., 2=12156
- Rozendal, D. B. See Hsiao, C. C., 1=14909
- Rozenfel'd, A. M. The effect of the thickness of the focusing electrode on the optical properties of an electrostatic immersion objective, 0=10962
- Rozenfel'd, A. M. and Zaitsev, P. V. Magnetic objective lens for an emission electron microscope, 3=2036
- Rozenfeld, B. See Wesolowski, J., 4=28433
- Rozenfel'd, L. A. See Tsvetaeva, N. E., 0=11353
- Rozenfel'd, L. B. and Makarov, A. I. Ion-optical technique for preparing small diameter apertures, 3=3695
- Rozenfel'd, L. B. See Der-Shvarts, G. V., 3=2038



- Rozenshtein, L.D. and Vartanyan, A.T. Investigation of surface recombination in layers of organic dyes by photoconductivity, 1=3783
- Rozenshtein, L.D. See Vartanyan, A.T., 0=13619
- Rozenshtein, L.D. See Vartanyan, A.T., 1=14388
- Rozenshtein, L.D. See Vartanyan, A.T., 3=958
- Rozenshtok, Yu. L. See Kaganov, M. A., 3=9635
- Rozenstein, S. An anti-coincidence circuit for randomly delayed pulses, 1=1874
- Rozenstein, S. See Rozen, S.
- Rozental', I. L. See Birger, N. G., 4=9116
- Rozental', I. L. See Birger, N. G., 4=30181
- Rozental', I. L. See Gerasimova, N. M., 1=16923
- Rozental', I. L. See Gerasimova, N. M., 2=22667
- Rozental', I. L. See Kotov, Yu. D., 3=15059
- Rozental', I. L. See Maksimenko, V. M., 1=3150
- Rozental', I. L. See Petrukhin, A. A., 3=24822
- Rozental', Yu. D. See Rozenblat, M. A., 4=10260
- Rozenthal', I. L. See Emel'yanov, A. A., 0=5528
- Rozentsveig, L. N. and Azbel, M. Ya. Obtaining a polarized hydrogen target, 1=671
- Rozentsveig, L. N. See Lyubarskii, G. Ya., 2=5398
- Rozhanovskaya, L. P. See Mikhail'chenko, G. A., 3=4295
- Rozhanskii, V. N. The mechanism of formation of embryonic cracks during plastic deformation of crystals, 0=688
- Rozhanskii, V. N. On phase precipitation of surface-active additions on crystal lattice defects in metals, 0=8269
- Rozhanskii, V. N. The question of formation conditions and development of cracks in crystals, 1=1344
- Rozhanskii, V. N. and Berezhkova, G. V. Electron microscopic study of the real structure of corundum whiskers, 4=26646
- Rozhanskii, V. N. and Indenbom, V. L. Accumulations of dislocations in crystals containing impurities, 1=11200
- Rozhanskii, V. N. and Indenbom, V. L. Accumulations of dislocations in crystals containing impurities, 1=12381
- Rozhanskii, V. N., Parvova, E. V., Stepanova, V. M. and Predvoditelev, A. A. Study of the kinetics of selective etching and polishing of NaCl crystals, 3=13409
- Rozhanskii, V. N., Stepanova, V. M., Parvova, E. V. and Predvoditelev, A. A. The nature of dislocation jumps in crystals, 4=1478
- Rozhanskii, V. N. See Berezhkova, G. V., 4=10482
- Rozhanskii, V. N. See Dekartova, N. V., 2=2316
- Rozhanskii, V. N. See Dekartova, N. V., 2=8697
- Rozhanskii, V. N. See Dekartova, N. V., 2=21569
- Rozhanskii, V. N. See Lider, V. V., 3=20518
- Rozhanskii, V. N. See Predvoditelev, A. A., 3=20183
- Rozhdestvenskaya, M. V. The question of investigating single crystals in the system  $\text{MgO}-\text{MnO}-\text{Fe}_2\text{O}_3$ , synthesized by the Verneuil method, 1=20441
- Rozhdestvenskaya, M. V. The question of investigating single crystals in the system  $\text{MgO}-\text{MnO}-\text{Fe}_2\text{O}_3$ , synthesized by the Verneuil method, 2=4382
- Rozhdestvenskaya, M. V., Romanovskaya, O. S. and Yur'eva, E. K. Synthesis and some properties of single crystal MgAl ferrites, 1=20440
- Rozhdestvenskaya, M. V., Romanovskaya, O. S. and Yur'eva, E. K. Synthesis and some properties of single crystal MgAl ferrites, 2=4381
- Rozhdestvenskaya, N. B. and Vuks, M. F. Experimental determination of the absolute intensity of light scattering in pure liquids, 4=24211
- Rozhdestvenskaya, N. B. See Vuks, M. F., 3=7208
- Rozhdestvenskii, B. V. See Alekseev, A. G., 4=14825
- Rozhdestvenskii, B. V. See Strel'tsov, N. S., 4=14796
- Rozhdestvenskii, M. N. See Atakhodzhaev, A. K., 4=25694
- Rozhentseva, S. A. See Naer, V. A., 1=11903
- Rozhentseva, S. A. See Naer, V. A., 1=12467
- Rozhin, E. N. See Dzhelepov, B. S., 4=6242
- Rozhin, F. V. See Ivanov-Shits, K. M., 1=2817
- Rozhkov, A. M. See Kozlov, V. F., 3=21705
- Rozhkov, V. V. and Fomyn, P. Y. Renormalization group method in quantum electrodynamics, 4=3279
- Rozhkova, L. P. See Kuznetsov, V. D., 0=4569
- Rozhkovskii, D. A. A rapid method of determining the integral brightness of an extended object, 2=924
- Rozhkovskii, D. A. A Universal comparator for stellar photography, 2=931
- Rozics, J. D. and Johnson, W. R. Exact calculation of bremsstrahlung from polarized electrons, 4=21837
- Rozics, J. D. See Johnson, W. R., 2=22475
- Rozin, L. A. An approximate method for the integration of equations of a nonstationary laminar boundary layer in an incompressible fluid, 1=2771
- Rozis-Saulgeot, A. M. The role of absorption lines in photoelectric wide pass-band photometry, 0=14440
- Rozis-Saulgeot, A. M. The influence of resolving power on the determination of the continuous background in a stellar spectrum, 1=15503
- Rozis-Saulgeot, A. M. The influence of resolving power on the determination of a stellar spectrophotometric gradient, 1=15504
- Rozis-Saulgeot, A. M. Determination of the continuous background of stars of type G, 2=19330
- Rozis-Saulgeot, A. M. Spectrophotometric gradient of G stars, 3=1528
- Rozis-Saulgeot, A. M. Determination of the continuum intensity of stars of advanced spectral type, 3=9239
- Rozkoš, M., Smrčka, M. and Jakubček, O. ( $\gamma, p$ ) reaction on cadmium and tin, 0=13256
- Rozkoš, M. and Vintr, Z. A contribution to direct processes in the  $\text{Co}^{59}(\text{p}, n)$  reaction for  $E_D \sim 6.5$  MeV, 3=12667
- Rozkwitalski, Z. See Klugmann, E., 4=26318
- Rozman, I. M. On the damage done to plastic scintillators by ionizing radiations. II, 0=663
- Rozman, I. M. The mechanism of scintillations in organic substances. I, 0=16107
- Rozman, I. M. On the possible role of temperature quenching in scintillation of organic substances, 2=14739
- Rozman, I. M. Dependence of radioluminescence yield on the energy of particles, 3=2609
- Rozman, I. M. and Kilin, S. F. Luminescence of plastic scintillators, 1=2462
- Rozman, I. M. See Andreevshchev, E. A., 0=16098
- Rozman, I. M. See Andreevshchev, E. A., 2=23610
- Rozman, I. M. See Baroni, E. E., 2=19689
- Rozman, I. M. See Baroni, E. E., 2=21278
- Rozman, I. M. See Demin, A. G., 4=6246
- Rozman, I. M. See Demin, A. G., 4=12153
- Rozman, I. M. See Kilin, S. F., 2=7224
- Rozman, I. M. See Kilin, S. F., 3=24420
- Rozman, I. M. See Kilin, S. F., 4=16525
- Rozman, I. M. See Kilin, S. F., 4=24221
- Rozman, I. M. See Kilin, S. F., 4=28748
- Rozman, I. M. See Kovyrzina, K. A., 2=15609
- Rozman, I. M. See Kulakova, A. F., 0=10077
- Rozman, I. M. See Maksimov, M. Z., 2=23586
- Rozman, I. M. See Murguliy, G. E., 4=919
- Rozman, I. M. See Viktorov, D. V., 4=16734
- Rozman, R. See Bonch-Bruevich, V. L., 4=6937
- Rozneritsa, Ya. A. See Burdiiyan, I. I., 2=2196
- Rozov, S. P. See Baikov, V. I., 2=17627
- Rózsa, P. See Jánosy, L., 1=13253
- Rózsa, P. See Litzman, O., 2=6251
- Rozsival, M. See Gemperle, A., 2=21041
- Rozsnyai, B. Self-consistent nuclear model, 2=345
- Rozwadowski, M. Effect of pH on the fluorescence of fluorescein solutions, 2=2724
- Rozwadowski, M. See Bauer, R., 0=3538
- Rozwadowski, M. See Bauer, R., 1=18623
- Rozwadowski, M. See Łozykowski, H., 1=1189
- Rschevkin, S. N. The design of resonant sound absorbers and their application for regulation of reverberation and sound absorption [in auditoria], 0=1015
- Rschevkin, S. N. See Ivanov-Schitz, K. M., 4=5314
- Rscior, C., Suciu, M. and Vasiluta, I. Spectral molecular analysis by Raman scattering of light, 4=10673
- Rubakov, V. P. See Artemov, K. P., 4=3698
- Ruamps, J. Production and study of the optical spectra of diatomic metal molecules [ $\text{Cu}_2$ ,  $\text{Ag}_2$ ,  $\text{Au}_2$ ,  $\text{MgAu}$ ,  $\text{AlAu}$ ] and contribution to the theoretical calculation of intensities, 0=5925
- Ruamps, J. Calculation of the overlap integrals of the wave functions of two different harmonic oscillators. Application to the intensities in diatomic molecular spectra. I, 2=6150
- Ruan, J., Yoshizawa, Y. and Koh, Y. Search for weak gamma-rays of  $^{47}\text{V}$ , 2=5854
- Ruan, J., Yoshizawa, Y. and Koh, Y. Study of the cadmium isotopes. V. Beta- and gamma-ray spectroscopy of  $\text{In}^{112}$ , 2=18255
- Ruan, J. See Inoue, H., 3=650
- Ruan, J. See Mizobuchi, A., 1=11014
- Ruan, J. See Yamabe, S., 1=12191



- Ruane, T.F. Measuring effective delayed-neutron fractions, 3=19904
- Ruane, T.F. and Storm, M.L. Epithermal hafnium parameters for the calculation of control rod worth in thermal reactors, 0=13378
- Rubalcava, H.E. See Carroll, P.K., 0=1530
- Rubalcava, H.E. See Carroll, P.K., 1=2315
- Rubanov, A.S. and Stepanov, B.I. The entropy of the distribution of dynamical variables, 1=18327
- Rubanov, A.S. and Stepanov, B.I. The entropy of the distribution of dynamical variables, 2=7148
- Rubanov, A.S. See Stepanov, B.I., 0=3674
- Rubanov, V.S. The migration and transfer of energy in a two-component mixture, 3=13196
- Rubanova, G.M. See Martsinovskaya, E.G., 2=11701
- Rubanova, G.M. See Martsinovskaya, E.G., 2=13592
- Rubbia, C. Muon capture in nuclei, 2=1907
- Rubbia, C. Recent experiments with the C.E.R.N. synchrocyclotron, 4=16928
- Rubbia, C. See Blair, I.M., 4=30265
- Rubbia, C. See Conforto, G., 2=22831
- Rubbia, C. See Conforto, G., 3=4795
- Rubbia, C. See Conforto, G., 3=15216
- Rubbia, C. See Conforto, G., 4=28296
- Rubbia, C. See Conversi, M., 1=7260
- Rubbia, C. See Conversi, M., 1=7261
- Rubbia, C. See Conversi, M., 1=7395
- Rubbia, C. See Conversi, M., 1=8474
- Rubbia, C. See Conversi, M., 2=13834
- Rubbia, C. See Depommier, P., 3=594
- Rubbia, C. See Depommier, P., 3=22161
- Rubbia, C. See Depommier, P., 4=9236
- Rubbino, A. See Calvi, G., 3=2485
- Rubbino, A. See Calvi, G., 4=6354
- Rubbino, A. See Cavallaro, S., 2=20509
- Rubbino, A. See Cavallaro, S., 3=22408
- Rubbino, A. See Cuzzocrea, P., 4=25411
- Rubbino, A. See Emma, V., 0=11435
- Rubbino, A. See Emma, V., 0=1431
- Rubbino, A. See Emma, V., 0=17616
- Rubbino, A. See Emma, V., 2=423
- Rubbino, A. See Notarrigo, S., 2=5690
- Rubbino, A. See Potenza, R., 3=10359
- Rubbino, A. See Potenza, R., 4=12022
- Rubbino, A. See Potenza, R., 4=16915
- Rubbra, F.T. and Cowling, T.G. The loss of mass by stars, 2=2539
- Rubchinskii, S.M. See Burshtein, E.L., 3=7666
- Rubchinskii, S.M., Batskikh, G.I., Vasil'ev, A.A., Vodop'yanov, F.A., Gutner, B.M., Kuz'min, A.A., Kuz'min, V.F., Lebedev-Drasin, Yu.M. and Uvarov, V.A. Electronic systems of 7 BeV proton synchrotron, 4=14797
- Rubchinskii, S.M. See Burshtein, E.L., 2=5412
- Rubchinskii, S.M. See Burshtein, E.L., 2=9660
- Rubchinskii, S.M. See Burshtein, E.L., 2=17913
- Rubchinskii, S.M. See Kuz'min, V.F., 4=14814
- Rubchinskii, S.M. See Vladimirovskii, V.V., 2=20081
- Rubchinskii, S.M. See Vladimirovskii, V.V., 3=12275
- Rubchinskii, S.M. See Vladimirovskii, V.V., 4=14794
- Rubchinskii, S.M. See Zel'dovich, M.P., 1=4689
- Rubchinsky, S.M. See Veksler, V.I., 0=5369
- Rubega, R.A. See Ankerman, P.W., 0=6879
- Ruben, G.V. Boundary conditions for stellar surface models, 4=10825
- Ruben, H. See Zalkin, A., 3=8851
- Ruben, H. See Zalkin, A., 4=13596
- Ruben, P.L. Aberrations arising from decentrations and tilts, 4=8382
- Ruben, R.J., Fisch, U. and Hudson, W. Properties of the eighth nerve action potential, 2=7069
- Rubens, S.M. and Olmen, R.W. Domain structure and dispersion of the preferred axis in ferromagnetic films, 3=15812
- Ruben, S.M. See Olmen, R.W., 2=12654
- Rubens, S.M. See Toman, C.H., 4=20539
- Rubenstein, C. Lubrication of polymers, 1=12610
- Rubenstein, H. and Pollack, I. Descent of the median: reply to Gerstman and Bricker, 1=9216
- Rubenstein, H. See Brown, C.R., 1=4147
- Rubenstein, H. See Pollack, I., 0=6509
- Rubenstein, M. and Banks, E. Color centers in cadmium fluoride, 0=2823
- Rubenstein, R. See Homer, R.J., 0=17334
- Rubia, J. De La. See De La Rubia, J.
- Rubin, A.G. Further considerations of the stability of thin metal foils levitated by a.c. fields, 2=17930
- Rubin, A.G. and Levine, M.A. Betatron potential wells, 3=2066
- Rubin, A.G. See Levine, M.A., 3=4090
- Rubin, B. See Okamoto, Y., 4=26064
- Rubin, D. Constant acceleration transducer employing negative feedback for use in "Mössbauer experiments", 3=5600
- Rubin, E. See Lebowitz, J.L., 3=23772
- Rubin, E.L. Phase transitions in two-component systems, 0=8649
- Rubin, E.R. See Webster, J.C., 3=16453
- Rubin, H. Auditory facilitation following stimulation at low intensities, 0=12220
- Rubin, H. See Westwood, A.R.C., 2=14936
- Rubin, J.J. See Johnson, L.F., 4=7180
- Rubin, K., Perel, J. and Bederson, B. Measurement of the total, differential, and exchange cross-sections for the scattering of low-energy electrons by potassium, 0=4166
- Rubin, K. See Bederson, B., 0=15672
- Rubin, L.G. See Chaudhuri, A.R., 2=21033
- Rubin, L.G. See Chaudhuri, A.R., 3=10660
- Rubin, L.G. See Holland, M.G., 2=19745
- Rubin, L.G. See Zdanuk, E.J., 1=16438
- Rubin, M.B. See Kurland, R.J., 4=22422
- Rubin, N.B. On the "polyliquid" hydrodynamic equations of the first approximation for a gas of relativistic charged particles, 4=18107
- Rubin, N.B. See Kazanskii, G.S., 3=19387
- Rubin, N.B. See Kolomenskii, A.A., 0=10998
- Rubin, R.J. Statistical dynamics of simple cubic lattices. Model for the study of Brownian motion, 0=17876
- Rubin, R.J. Statistical dynamics of simple cubic lattices. Model for the study of Brownian motion. II, 1=6786
- Rubin, R.J. Momentum autocorrelation functions and energy transport in harmonic crystals containing isotopic defects, 3=20076
- Rubin, R.J. Numerical computation of time-dependent properties of isotopically disordered one-dimensional harmonic crystal lattices, 3=22636
- Rubin, R.J. Classical model for the study of isotope effects in energy exchange and particle exchange reactions, 4=12538
- Rubin, R.J. Contribution to the theory of Brownian motion, 4=29538
- Rubin, R.J. and Shuler, K.E. On the dissociation of polyatomic molecules, 0=15682
- Rubin, R.J. and Zwanzig, R. A lattice with an unusual frequency spectrum, 2=560
- Rubin, R.J. See Herman, R., 0=11543
- Rubin, R.J. See Mazur, J., 0=3303
- Rubin, R.J. See Mazur, J., 4=3995
- Rubin, S. Surface analysis by charged particle spectroscopy, 0=18457
- Rubin, S.B. and Tsytovich, V.N. Nonlinear energy losses by a charge in a plasma, 4=14648
- Rubin, T., Johnston, H.L. and Altman, H.W. The thermal expansion of potassium chloride, 2=16610
- Rubin, T. See White, D., 1=1766
- Rubin, V.C. Structure and evolution of the galactic system, 1=8010
- Rubin, V.C. and Burley, J. Kinematic studies of early-type stars. II. The velocity field within 2 kiloparsecs of the sun, 4=17981
- Rubin, V.C., Burley, J., Kiasatpoor, A., Klock, B., Pease, G., Rutscheid, E. and Smith, C. Kinematic studies of early-type stars. I. Photometric survey, space motions, and comparison with radio observations, 2=24151
- Rubin, V.C. See Kiess, C.C., 1=4904
- Rubin, W.L. and DiFranco, J.V. Analytic representation of wide-band radio frequency signals, 3=14761
- Rubina, N.P. See Shal'nev, K.K., 4=14116
- Rubinchik, S.M. See Banashek, E.I., 4=16280
- Rubinov, A.N. See Kravtsov, L.A., 2=22944
- Rubinov, V.M. and Kizel, V.A. Optical properties of concentrated solutions, melts and films of dyes. II, 4=11200
- Rubinov, V.M. See Kizel, V.A., 0=3529
- Rubinow, S.I. Scattering from a penetrable sphere at short wavelengths, 1=16113
- Rubinow, S.I. Forward and backward scattering from a penetrable sphere at short wave-lengths, 4=704
- Rubinow, S.I. and Keller, J.B. Shift of the shadow boundary and scattering cross section of an opaque object, 1=6949



- Rubinow, S.I. and Keller, J.B. Asymptotic solution of the Dirac equation, 3=23765
- Rubinow, S.I. See Keller, J.B., 0=3455
- Rubinow, S.I. See Keller, J.B., 3=17053
- Rubinowicz, A. A not hitherto considered case in which Kirchhoff's formulation for the approximate description of diffraction phenomena fails, 0=6944
- Rubinowicz, A. An experimental method for distinguishing the different forms of multipole radiation in the X-ray spectrum. I. Generalization of the reciprocity theorem for electromagnetic multipole sources, 0=19887
- Rubinowicz, A. Rearranged and two-parameter eigenvalue problems, which can be solved with the help of the polynomial method, 1=4259
- Rubinowicz, A. Phase changes at the focal point, 1=16058
- Rubinowicz, A. Boundary-value problems in the range of scalar fields defined in an isotropic and homogeneous space by fundamental laws, 2=1044
- Rubinowicz, A. Reciprocity theorem and Babinet's principle in Kirchhoff's theory of diffraction, 2=5185
- Rubinowicz, A. The diffracted wave for an arbitrary incident light wave, 2=11498
- Rubinowicz, A. Uniqueness proof for the electromagnetic boundary value problem, 2=13673
- Rubinowicz, A. Simple derivation of the Miyamoto-Wolf formula for the vector potential associated with a solution of the Helmholtz equation, 2=17580
- Rubinowicz, A. Boundary value problems in the region of linear scalar fields defined from elementary principles in isotropic and homogeneous spaces, 2=19387
- Rubinowicz, A. Geometric derivation of the Miyamoto-Wolf formula for the vector potential associated with a solution of the Helmholtz equation, 3=1785
- Rubinowicz, A. A source-free tensor field and its tensor potential, coupled with an electromagnetic field, 3=5817
- Rubinowicz, A. Diffraction wave in case of an arbitrary incident field in the electromagnetic Kirchhoff theory, 4=695
- Rubinowicz, A. Is the assignment of electric or magnetic multipole radiation justified? 4=24821
- Rubins, R.S. On the paramagnetic resonance spectrum of divalent iron in zinc fluorsilicate, 2=16932
- Rubins, R.S. and Low, W. On the paramagnetic resonance spectra of some rare earth and iron group impurities in strontium titanate, 4=26417
- Rubins, R.S. See Baker, J.M., 2=4257
- Rubins, R.S. See Bleaney, B., 1=3928
- Rubins, R.S. See Drumheller, J.E., 4=10327
- Rubins, R.S. See Kirkpatrick, E.S., 4=23047
- Rubins, R.S. See Low, W., 3=3181
- Rubins, R.S. See Low, W., 3=25576
- Rubins, R.S. See Low, W., 4=26405
- Rubinshtein, A.M. and Slinkin, A.A. Magnetic properties of  $\text{Cr}_2\text{O}_3\text{-Al}_2\text{O}_3$  catalysts, 0=11805
- Rubinshtein, B.E. See Gendeleev, S.Sh., 4=7311
- Rubinshtein, E.N. and Fistul', V.I. Panoramic delayless analyser for multi-component gas mixtures (PGA-1), 1=20780
- Rubinshtein, L.I. Forced convection [of heat] in a plane layer in [a system of] axial symmetry, 1=4494
- Rubinshtein, L.I. On a contact heat convection problem, 1=4495
- Rubinshtein, L.I. On a contact heat convection problem, 1=10619
- Rubinshtein, L.I. Heating and melting of a solid due to friction, 2=12875
- Rubinshtein, L.I. A version of Stefan's problem, 2=15801
- Rubinshtein, L.I. Heating and melting of a solid due to friction, 2=16974
- Rubinshtein, L.I. A version of Stefan's problem, 2=19771
- Rubinshtein, R. See Chapman, K.R., 2=16433
- Rubinshtein, R.N. See Kozlovskaya, V.M., 2=9452
- Robinson, W. Measurement of the Pb M photon intensity in  $\text{Po}^{210}$  decay—a further gross inadequacy of the theory, 3=15156
- Rubinstein, C.B., Berger, S.B., Van Uitert, L.G. and Bonner, W.A. Faraday rotation of rare-earth (III) borate glasses, 4=26217
- Rubinstein, C.B. See Berger, S.B., 4=10187
- Rubinstein, C.B. See Berger, S.B., 4=22851
- Rubinstein, C.B. See Rosenberg, R., 4=29775
- Rubinstein, H., Fuller, H.W. and Hale, M.E. Observation of Néel walls in thin films, 0=8053
- Rubinstein, H. and Spain, R.J. Cross-tie walls in thin films, 0=11854
- Rubinstein, H. See Fuller, H.W., 0=3050
- Rubinstein, H. See Fuller, H.W., 1=6326
- Rubinstein, H. See Spain, R.J., 1=6327
- Rubinstein, H.R. See Diu, B., 3=15025
- Rubinstein, H.R. See Diu, B., 4=9246
- Rubinstein, H.R. See Diu, B., 4=9274
- Rubinstein, H.R. See Diu, B., 4=15010
- Rubinstein, H.R. See Diu, B., 4=16951
- Rubinstein, H.R. See Diu, B., 4=19497
- Rubinstein, J. See Finkelstein, D., 4=26800
- Rubinstein, M. See Cabezas, A., 1=2159
- Rubinstein, M. See Jackson, R.F., 4=1906
- Rubinstein, M.F. See Hurty, W.C., 4=29684
- Rubinstein, R. See Baker, W.F., 4=25093
- Rubinstein, R. See Cocconi, G., 4=9193
- Rubinstein, R. See Dowell, J.D., 1=5724
- Rubinstein, R. See Hutchinson, G.W., 1=1881
- Rubinstein, R. See Martelli, G., 1=16770
- Rubinstein, R. See Segar, A.M., 0=5575
- Rublev, S.V. The approximate solution of the transfer equation for a plane gray photosphere taking account of the blanketing effect, 1=18000
- Rublev, S.V. Profiles of emission lines formed in moving stellar envelopes. I, 2=993
- Rublev, S.V. Quantitative interpretation of emission-line profiles in Wolf-Rayet spectra, 3=23695
- Rublev, S.V. Emission profiles formed in moving stellar envelopes. II, 4=4859
- Rublev, S.V. Determination of the temperature of Wolf-Rayet stars envelopes, 4=13888
- Rublev, S.V. The temperatures of "nuclei" of Wolf-Rayet stars determined from the He II emission spectrum, 4=23847
- Rubtsov, A.S. See Nozdrev, V.F., 2=1145
- Rubtsov, A.S. See Nozdrev, V.F., 2=7209
- Rubtsov, K.S. See Ostrovskii, E.K., 4=8870
- Rubtsov, K.S. See Zykov, A.I., 4=8871
- Rubtsov, N.A. Non-stationary radiative interaction of grey bodies, 4=5412
- Rubtsov, V.I., Smorodin, Yu.A. and Tolkachev, B.V. Mean free path of  $10^{12}$  eV nucleons in carbon, 3=24715
- Rubtsov, V.I. See Baradzei, L.T., 1=3291
- Rubtsov, V.I. See Baradzei, L.T., 3=4538
- Rubtsov, V.K. See Bogolyubov, G.V., 3=5309
- Rubtsov, V.K. See Erofeev, V.I., 1=4231
- Rubtsov, V.K. See Leonas, V.B., 4=17326
- Rubtsov, V.K. See Miryasov, N.Z., 2=1559
- Rubtsov, V.N. See Baradzei, L.T., 3=19725
- Ruby, L. and Crawford, R.B. Anisotropy factors for the determination of total neutron yield from the  $\text{D(d, n)He}^3$  and  $\text{T(d, n)He}^4$  reactions, 4=9308
- Ruby, L. and Rechen, J.B. An efficient counting system for the detection of neutrons from low-yield pulsed neutron sources, 0=15368
- Ruby, L. and Rechen, J.B. A fast-neutron activation detector for 14 MeV pulsed neutron sources, 2=13819
- Ruby, R.H., Benoît, H. and Jeffries, C.D. Paramagnetic resonances below  $1^\circ\text{K}$ : Spin-lattice relaxation of  $\text{Ce}^{3+}$  and  $\text{Nd}^{3+}$  in lanthanum magnesium nitrate, 2=14839
- Ruby, R.H. See Benoît, H., 4=24864
- Ruby, S. See Hazoni, Y., 3=4807
- Ruby, S. See Maradudin, A.A., 2=10301
- Ruby, S.L. and Bolef, D.I. Acoustically modulated  $\gamma$  rays from  $\text{Fe}^{57}$ , 0=17883
- Ruby, S.L., Epstein, L.M. and Sun, K.H. Mössbauer effect in ferrocyanide, 0=9524
- Ruby, S.L., Hazoni, Y. and Pasternak, M. Lifetimes of the low-energy M1 transitions in  $\text{La}^{137}$  and  $\text{Kr}^{83}$ , 3=6172
- Ruby, S.L. and Hicks, J.M. Line shape in Mössbauer Spectroscopy, 2=3471
- Ruby, S.L. and Shirane, G. Magnetic anomaly in  $\text{FeTiO}_3\text{-}\alpha\text{-Fe}_2\text{O}_3$  system by Mössbauer effect, 1=11455
- Ruby, S.L. See Cox, D.E., 4=4394
- Ruby, S.L. See Flinn, P.A., 1=14687
- Ruby, S.L. See Flinn, P.A., 4=12564
- Ruby, S.L. See Maradudin, A.A., 4=12611
- Ruby, S.L. See Shirane, G., 2=6663
- Ruby, S.L. See Shirane, G., 2=10299
- Ruby, S.L. See Shirane, G., 3=997
- Ruby, S.L. See Shirane, G., 3=3133
- Ruch, E. The theory of  $\pi$ -electron systems, 1=19646
- Ruch, F. A microspectrograph for absorption measurements in ultraviolet light, 1=18598
- Rüchardt, H. See Carson, J.W., 0=11630



- Ruck, H., Kouris, M. and Manley, R. St. J. Influence of protective paper on X-ray diffraction photographs, 0=12014
- Ruckenstein, E. On the mechanism of turbulent mass transfer in the immediate vicinity of a wall, 0=16678
- Ruckenstein, E. On the transport of heat or of matter in the turbulent region, 1=1836
- Ruckenstein, E. Vaporization of a thin film of liquid in high vacuum, 1=5377
- Ruckenstein, E. Influence of the transfer of heat upon the transfer of mass in the case of the rectification of binary mixtures, 1=10448
- Ruckenstein, E. Transport equations for average values of temperature or concentration, 1=15747
- Ruckenstein, E. Correction to the subject matter of a previous note ["Influence of the transfer of heat upon the transfer of mass in the case of the rectification of binary mixtures"], 1=18316
- Ruckenstein, E. Equations for the average values of temperatures and concentrations, 1=13353
- Ruckenstein, E. About drop-wise or film condensation on a surface, 2=1129
- Ruckenstein, E. Transport equations for average values of temperatures or concentration, 2=9264
- Ruckenstein, E. Mass or heat transfer coefficient equations, 2=19471
- Ruckenstein, E. On the stability of the homogeneous structure of a fluidized layer, 2=19517
- Ruckenstein, E. About film boiling heat transfer from a horizontal surface, 3=1849
- Ruckenstein, E. A physical model for nucleate boiling heat transfer from a horizontal surface, 3=1869
- Ruckenstein, E. About the stability of the homogeneous structure of turbulent layers, 3=3787
- Ruckenstein, E. On turbulent mass transfer in the vicinity of a solid or fluid boundary, 3=3791
- Ruckenstein, E. Mechanism of transfer of heat or mass between a fluid and an assembly of particles, 3=3906
- Ruckenstein, E. A physical model for nucleate boiling heat transfer, 4=11416
- Ruckenstein, E. Heat transfer from a horizontal surface in the zone of transition boiling, 4=24443
- Ruckenstein, E. On transition boiling heat transfer from a horizontal surface, 4=29784
- Ruckenstein, E., Shorr, V. and Suciu, G. Heat transfer between a liquid-fluidized bed and the container wall, 1=251
- Ruckenstein, E. and Teoreanu, I. Remarks on the mixing in a fixed or fluidized bed, 3=18786
- Ruckenstein, E. See Friedländer, E., 1=488
- Rucker, S. M. See Wall, F. T., 0=4181
- Ruckpaul, K. See Krumbiegel, J., 3=5534
- Rud', N. A. The kinetic equation of a system of charged particles, 4=5093
- Rud', Yu. V. See Goryunova, N. A., 4=30629
- Rudakov, L. I. Magnetic trap with rotating stoppers (mirrors), 0=17002
- Rudakov, L. I. Magnetic trap with rotating stoppers (mirrors), 1=4620
- Rudakov, L. I. Influence of the viscosity of a plasma in a magnetic field on plasma stability, 4=3009
- Rudakov, L. I. and Sagdeev, R. Z. Oscillations of an inhomogeneous plasma in a magnetic field, 0=9056
- Rudakov, L. I. and Sagdeev, R. Z. High-frequency heating of a plasma, 1=7058
- Rudakov, L. I. and Sagdeev, R. Z. A quasi-hydrodynamic description of a rarefied plasma in a magnetic field, 1=7062
- Rudakov, L. I. and Sagdeev, R. Z. On the instability of an inhomogeneous rarefied plasma in a strong magnetic field, 1=16328
- Rudakov, L. I. and Sagdeev, R. Z. Microscopic instabilities of spatially inhomogeneous plasma in a magnetic field, 3=12125
- Rudakov, L. I. See Babykin, M. V., 3=1987
- Rudakov, L. I. See Babykin, M. V., 3=16948
- Rudakov, L. I. See Babykin, M. V., 3=16985
- Rudakov, L. I. See Babykin, M. V., 4=8779
- Rudakov, L. I. See Babykin, M. V., 4=16464
- Rudakov, L. I. See Galeev, A. A., 4=3012
- Rudakov, L. I. See Mikhailovskii, A. B., 3=24314
- Rudakov, S. N. See Lyamshev, L. M., 0=1001
- Rudakov, S. N. See Lyamshev, L. M., 1=18508
- Rudakov, S. N. See Lyamshev, L. M., 2=7285
- Rudakov, V. A. Some results of 1956-1960 rocket measurements of the electron density in the ionosphere up to heights of 200 km, 2=19215
- Rudakov, V. A. Some results of 1959-60 rocket measurements of the electron density in the ionosphere up to heights of 200 km, 3=23610
- Rudakov, V. A. See Gringauz, K. I., 0=21350
- Rudakov, V. A. See Gringauz, K. I., 2=8998
- Rudakov, V. A. See Gringauz, K. I., 2=8999
- Rudakov, V. A. See Gringauz, K. I., 2=17153
- Rudakov, V. N. and Bogorodskii, V. V. Measuring the thickness of glaciers by electromagnetic methods, 0=12130
- Rudakov, V. P. Beta-gamma angular correlation in the decay of  $\text{La}^{140}$  and  $\text{Vc}^{141}$ , 2=14028
- Rudakov, V. P. See Brill', O. D., 4=19605
- Rudakov, V. P. See Goldsberg, V. Z., 4=30354
- Rudakov, V. P. See Matveev, O. A., 4=21701
- Rudashevskii, E. G. Antiferromagnetic resonance in  $\text{CoCO}_3$ , 4=13305
- Rudberg, E. and Hulthén, L. Report from the conference of the Swedish National Committee for Physics in 1959, 0=12345
- Rudberg, E. and Hulthén, L. Report from the Conference of the Swedish National Committee for Physics in 1961, 2=19361
- Rudberg, E. and Hulthén, L. Report from the Conference of the Swedish National Committee for Physics in 1963, 4=24001
- Rudd, De F. P. and Widom, B. Critical solution phenomenon in two-component liquid systems. The system water-ethylene glycol mon-isobutyl ether, 1=2754
- Rudd, D. W., Vose, D. W. and Johnson, S. The permeability of niobium to hydrogen, 2=10411
- Rudd, J. F. and Andrews, R. D. Photoelastic properties of polystyrene in the glassy state. III. Styrene derivatives and copolymers, 0=8257
- Rudd, M. E. and Jorgensen, T., Jr. Energy and angular distribution of electrons ejected from hydrogen and helium gas by protons, 3=19177
- Rudder, C. L. Interference fringes produced by laser optics, 4=27686
- Rudder, C. L. See Hayler, D. A., 3=12138
- Ruddlesden, S. N. See Popper, P., 4=23487
- Ruddock, K. A. See Ward, S. H., 2=15983
- Rudduck, R. C. and Walter, C. H. Luneberg lenses for space communications, 2=13695
- Rudduck, R. C. and Walter, C. H. A general analysis of geodesic Luneberg lenses, 2=22343
- Rudee, M. L. and Huggins, R. A. The temperature and composition dependence of the segregation of interstitial impurity atoms to dislocations, 4=17427
- Rudee, M. L. and Huggins, R. A. The effect of hydrogen on the stacking fault probability in copper, 4=20284
- Rüdel, R. See Bock, R., 3=19879
- Rudenko, A. A. A coincidence circuit with low resolving time, 2=1352
- Rudenko, A. A. Anticoincidence circuit with nanosecond resolution, 3=14499
- Rudenko, N. S. and Tsvetkov, V. I. An investigation of the pulsed electrical strength of some liquids, 4=27188
- Rudenko, N. S. See Bogoyavlenskii, I. V., 0=9749
- Rudenko, N. S. See Grigor'ev, V. N., 1=18438
- Rudenko, N. S. See Grigor'ev, V. N., 3=21343
- Rudenko, N. S. See Grigor'ev, V. N., 4=27164
- Rudenko, T. I. See Fomin, V. V., 0=4735
- Rudenko, V. N. See Braginskii, V. B., 2=19391
- Rudenko, V. N. See Braginskii, V. B., 3=7100
- Rudenok, M. I. See Berlaga, R. Ya., 1=10284
- Rudenok, M. I. See Berlaga, R. Ya., 1=11607
- Rudenok, M. I. See Berlaga, R. Ya., 3=3356
- Rudenok, M. I. See Berlaga, R. Ya., 4=7700
- Ruderfer, M. First-order terrestrial ether drift experiment using the Mössbauer radiation, 0=18918
- Ruderfer, M. Relativity: blessing or blindfold? 1=4246
- Ruderfer, M. First-order terrestrial ether drift using the Mössbauer radiation, 2=1055
- Ruderfer, M. Second-order constancy of the one-way velocity of light, 3=5344
- Ruderfer, M. and Rapier, P. M. A proposed test of the constancy of the velocity of light, 2=21805
- Ruderman, H. See Gomez, R., 0=17363
- Ruderman, M. See Bernstein, J., 4=3382
- Ruderman, M. A. X-ray yields from  $\mu$ -mesonic atoms, 0=13422
- Ruderman, M. A. Upper limits for coupling constants in field theories, 2=16170
- Ruderman, M. A. See Adams, J. B., 3=7824
- Ruderman, M. A. See Cornwall, J. M., 3=2215
- Ruderman, M. A. See Drell, S. D., 3=11418
- Ruderman, M. A. See Werthamer, N. R., 1=10878



- Rudge, M.R.H. Detachment from the negative hydrogen ion by electron or positron impact, 4=15302
- Rudge, M.R.H. and Seaton, M.J. The threshold law for ionizing collisions, 4=17260
- Rudge, M.R.H. See Burgess, A., 3=14519
- Rudge, M.R.H. See Geltman, S., 3=12073
- Rudham, R. See Barr, L.W., 1=14323
- Rudham, R. See Morrison, J.A., 0=1604
- Rüdiger, K. See Lang, W., 4=24371
- Rüdiger, O. and Winkelmann, A. Thermal conductivity in the tungsten carbide-cobalt system, 1=925
- Rudik, A.P. Nature of the amplitude singularities in quantum field theory, 1=19148
- Rudik, A.P. Nature of the amplitude singularities in quantum field theory, 3=4352
- Rudik, A. P. and Simonov, Yu. A. New method for investigation of Feynman diagram singularities, 4=5951
- Rudik, A.P. See Geshkenbein, B.V., 0=5702
- Rudik, A.P. See Geshkenbein, B.V., 1=4846
- Rudik, A.P. See Gribov, V.N., 2=20264
- Rudik, A.P. See Gribov, V.N., 3=5960
- Rudik, A.P. See Kobzarev, I.Y., 0=20238
- Rudik, A.P. See Kolkunov, V.A., 0=12876
- Rudik, A.P. See Kolkunov, V.A., 1=2089
- Rudik, A.P. See Okun, L.B., 0=7276
- Rudik, A.P. See Okun', L.B., 0=20240
- Rudik, A.P. See Okun', L.B., 1=3226
- Rudik, A.P. See Patashinskii, A.Z., 1=13345
- Rudik, K.I. See Arabadzhi, V.I., 3=21503
- Rudin, A. See Bagley, E. B., 4=27151
- Rudin, H., Striebel, H.R., Baumgartner, E., Brown, L. and Huber, P. A source of polarized deuterons and determination of the polarization by means of the (d,T) reaction, 1=7288
- Rudin, H. See Baumgartner, E., 0=17431
- Rudin, M. Reply to the comments by F. A. Williams, 4=18138
- Rudinger, G. Passage of shock waves through ducts of variable cross section, 0=10726
- Rudinger, G. Effect of boundary-layer growth in a shock tube on shock reflection from a closed end, 2=1188
- Rudinger, G. Some properties of shock relaxation in gas flows carrying small particles, 4=18338
- Rudisill, J.E. See Doyle, W.D., 1=14723
- Rudisill, J.E. See Doyle, W.D., 2=12677
- Rudisill, J.E. See Doyle, W.D., 3=1071
- Rudisill, J.E. See Francombe, M.H., 3=15655
- Rudkin, R.L., Jenkins, R.J. and Parker, W.J. Thermal diffusivity measurements on metals at high temperatures, 2=2906
- Rudkin, R.L. See Gibbons, M.G., 1=9187
- Rudkjøbing, M. The relativistic periastron motion of DI Her, 0=18802
- Rudkjøbing, M. The continuous absorption coefficient of ionized hydrogen at radio wave lengths, 0=20592
- Rudkjøbing, M. On the possible existence of a polarisation effect connected with the center-limb effect in the solar spectrum, 1=22
- Rudkjøbing, M. Gaunt factors for free-free transitions in hydrogen, 1=19582
- Rudkjøbing, M. See Andrews, A.D., 2=9085
- Rudkjøbing, M. See Bærentzen, J., 4=15920
- Rud'ko, B.F. See Bel'ti, M.U., 2=15599
- Rud'ko, B.F. See Bel'vi, M.U., 2=21912
- Rud'ko, B.F. See Bilyi, M.U., 2=7220
- Rud'ko, S.M. See Gorban', I.S., 2=18836
- Rud'ko, S.M. See Horban', I.S., 4=7066
- Rudko, S.N. See Gorban', I.S., 2=6601
- Rud'ko, S.N. See Gorban', I.S., 2=10615
- Rud'ko, S.N. See Gorban', I.S., 2=14718
- Rudko, S.N. See Gorban', I.S., 2=23587
- Rud'ko, S.N. See Gorban', I.S., 3=20485
- Rud'ko, Yu.S. See Muchnik, V.M., 3=11397
- Rudloff, W. Absolute density curves of mass spectrographic photo-materials for positive ions, 2=9653
- Rudloff, W. Absolute characteristic curves of mass-spectrographic photo materials for positive ions, 2=19735
- Rudloff, W. An automatic range changing switch for a potentiometer recorder, 3=21680
- Rudloff, W. See Brandt, W.W., 4=15830
- Rudman, P.S. Long-range order in Fe rich Fe-Al alloys. I. A Zeroth approximation calculation of order with application to the phase diagram, 0=16348
- Rudman, P.S. An X-ray diffraction method for the determination of composition distribution in inhomogeneous binary solid solutions, 1=20618
- Rudman, P.S. Inhomogeneous ordering due to excess vacancies: an order-strengthening mechanism, 2=8848
- Rudman, P.S. Automatic diffractometric determination of single crystal orientation and perfection, 2=21463
- Rudman, P.S. Short range order strengthening in a long range ordered phase, 3=6797
- Rudman, P.S. A new role for vacancies in solid solutions, 3=8916
- Rudman, P.S. Local order X-ray diffuse scattering at small angles, 4=29079
- Rudman, P.S. See Erez, G., 1=20592
- Rudman, P.S. See Fisher, B., 1=11225
- Rudman, P.S. See Kidron, A., 3=25744
- Rudman, R. Sintering of evaporated films of sodium chloride, 3=25777
- Rudnev, N.I., Suprunenko, V.A., Volkov, E.D. and Sukhomlin, E.A. The operation of controlled spark discharges with parallel connection and in a "short" circuit, 2=17797
- Rudnev, N.I. See Suprunenko, V.A., 2=9593
- Rudnev, N.I. See Suprunenko, V.A., 2=15924
- Rudnev, N.I. See Suprunenko, V.A., 4=16477
- Rudnevskii, N.K. On the possibility of control of non-uniformity of entry of alloys into the gaseous cloud of an arc by using the spectrum of the basic alloy component, 0=2344
- Rudnevskii, N.K., Golitsyn, G.I., Obukhova, E.S. and Barinov, V.M. Investigation of the entry of some copper-base alloys into the discharge of a rectified arc, 3=24255
- Rudnevskii, N.K. and Kalinin, Yu.S. Influence of "third" elements on the line intensity in spectroscopic analysis of some copper base alloys, 3=25840
- Rudnick, I. and Shapiro, K.A. Fourth sound in He II, 3=1886
- Rudnick, I. See Brewster, J. L., 4=2924
- Rudnick, I. See Finch, R. D., 4=18520
- Rudnick, I. See Leonard, R. W., 4=14311
- Rudnick, I. See Levy, M., 2=11232
- Rudnick, I. See Levy, M., 3=3858
- Rudnick, I. See Levy, M., 4=2922
- Rudnick, I. See Levy, M., 4=6729
- Rudnick, I. See Levy, M., 4=16355
- Rudnick, I. See Shapiro, K. A., 4=5492
- Rudnick, I. See Stern, R., 3=12040
- Rudnick, I. See Stern, R., 4=27272
- Rudnick, I. See Zemanek, J., Jr., 1=16002
- Rudnick, P. Small signal detection in the DIMUS array, 0=14778
- Rudnick, P. Likelihood detection of small signals in stationary noise, 1=2721
- Rudnicki, K. See Zwicky, F., 3=13912
- Rudoi, Yu. G. Temperature dependence of the magnetization of a uniaxial antiferromagnet, 4=1848
- Rudoi, Yu.G. See Klepikov, N.P., 1=19260
- Rudoi, Yu.G. See Klepikov, N.P., 2=22590
- Rudolf, N. de M. Optical combination of two sources avoiding multiple images, 4=21287
- Rudolph, H.D. A high-resolution Stark-effect microwave spectrometer, 2=5494
- Rudolph, H.D. Centrifugal correction to the rotation spectrum of a molecule, investigated for (CH<sub>3</sub>)<sub>2</sub>S, 2=14257
- Rudolph, H.D., Dreizler, H. and Maier, W. The microwave spectrum of methanol between 9 and 16 kMc/s, obtained with a carcinotron as radiation source, 0=9807
- Rudolph, H.D., Dreizler, H. and Maier, W. Microwave spectrum, structure and internal rotation barrier of dimethyl sulphide, 0=20627
- Rudolph, H.D. See Dreizler, H., 0=513
- Rudolph, H.D. See Dreizler, H., 1=3539
- Rudolph, H.D. See Dreizler, H., 1=9691
- Rudolph, H.D. See Dreizler, H., 3=2644
- Rudolph, J. On the problem of the absorption of halide phosphors, 4=1733
- Rudolph, P.S. and Lind, S.C. Alpha radiolysis of CO with and without Xe, 0=12108
- Rudolph, P.S. and Lind, S.C. Kinetics of the alpha radiolysis of carbon monoxide, 0=16384
- Rudolph, P.S. and Lind, S.C. Energy transfer from carbon dioxide in the radiation induced synthesis of water, 4=23678
- Rudolph, P.S., Lind, S.C. and Melton, C.E. Ionic complexes of Xe and C<sub>2</sub>H<sub>2</sub> produced by the radiolysis of these gases, 2=6893
- Rudolph, P.S. and Melton, C.E. Ion-molecule charge transfer reactions in the alpha radiolysis of various hydrocarbons in a mass spectrometer, 0=4734
- Rudolph, P.S. See Melton, C.E., 0=3740
- Rudolph, P.S. See Melton, C.E., 0=8321



- Rudolph, P.S. See Melton, C.E., 0-21291
- Rudolph, P.S. See Ropp, G.A., 1-7918
- Rudolph, W. and Gersch, H.U. Measurement of the binding energy of the deuteron, 2-22654
- Rudolph, W. See Gersch, H.U., 4-15045
- Rudolph, W. See Gersch, H.U., 4-22154
- Rudomanov, P.G. See Brainina, Z.Z., 1-15149
- Rüdorff, W. and Bebel, D. Structure and magnetism of ternary copper<sup>2+</sup> fluorides, 2-23853
- Rüdorff, W. See Babel, D., 4-17812
- Rüdorff, W. See Gelinek, J., 4-17815
- Rudra, P. See Ray, D.K., 4-22335
- Rudstam, G. On the range of spallation products, 1-7379
- Rudstam, G., Bruninx, E. and Pappas, A.C. Spallation of copper with 24 GeV protons, 2-14097
- Rudstam, G. and Pappas, A.C. Mass and charge distribution in high-energy induced fission, 1-5946
- Rudstam, G., Sundell, S. and Andersson, G. The fringing field focusing radio-isotope separator at CERN. II. Performance, 4-30402
- Rudstam, G., Svanheden, A. and Pappas, A.C. New delayed-neutron precursors, 1-5854
- Rudstam, G. See Andersson, G., 1-2202
- Rudstam, G. See Andersson, G., 4-30401
- Rudstam, G. See Bruninx, E., 2-5824
- Rudstam, G. See Pappas, A.C., 1-4882
- Rudstam, S.G. Measuring detector dead time accurately, 2-3219
- Rudy, E. Thermodynamics of phase transitions in ternary systems, 2-17044
- Rudy, E. and Benesovsky, F. On the electrical conductivity of hard carbides and carbide mixed crystals at high melting point, 0-17995
- Rudy, E. See Rudy, E., 2-17034
- Rudy, E., Rudy, E. and Benesovsky, F. Investigations on the system vanadium-molybdenum-carbon, 2-17034
- Rudyj, O. N. See Reucroft, P. J., 4-10101
- Rudzikas, Z. B. See Dagis, R. S., 4-19929
- Rudzikas, Z. B. See Dagis, R. S., 4-22282
- Rudzikas, Z. B. See Vizbaraitė, J. I., 4-1180
- Rudzikas, Z. B. See Vizbaraitė, Ya. I., 4-2363
- Rudzki, J. E. and Holt, E. H. Ten-kilogauss, air-cooled magnet for plasma research, 4-3089
- Rue, R. E. De La. See De La Rue, R. E.
- Rueben, B. G. and Friedman, L. Isotopic hydrogen-ion-molecule reactions, 3-2677
- Rueda, F. On the charge flow during plastic deformation in rocksalt, 3-8767
- Rueda, F. and Dekeyser, W. Charge effects during inhomogeneous deformation of rocksalt, 1-7629
- Rueda, F. and Dekeyser, W. Charged dislocations in ionic crystals, 1-14275
- Rueda, F. and Dekeyser, W. Charged dislocations in pure and doped rocksalt single crystals, 3-8435
- Rueda, F. and Dekeyser, W. The electrical effects of plastic deformation in ionic crystals, 4-22754
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. I. General analysis in the tight-binding formulation, 1-9940
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. II. Augmented tight-binding formulation, 1-9941
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. III. Topological matrix as generatrix of bond orders, 1-9942
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. IV. Integral formulas, 1-9943
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. VI. Theoretical evaluation of energy contributions, 1-9945
- Ruedenberg, K. The physical nature of the chemical bond, 2-22931
- Ruedenberg, K. and Layton, E. M., Jr. Quantum mechanics of mobile electrons in conjugated bond systems. V. Empirical determination of integrals between carbon atomic orbitals from experimental data on benzene, 1-9944
- Ruedenberg, K. See Edmiston, C., 4-12433
- Ruedenberg, K. See Edmiston, C., 4-30446
- Ruedl, E. Homogeneous and heterogeneous evaporated films in antimony, 0-18414
- Ruedl, E. and Amelinckx, S. The direct observation of radiation damage in platinum, 2-22767
- Ruedl, E. and Amelinckx, S. Electron microscopic observation of dislocation networks and radiation damage in  $\alpha$ -uranium, 4-4059
- Ruedl, E. and Amelinckx, S. Comments on "Electron microscopic observation of dislocation networks and radiation damage in alpha uranium", 4-12762
- Ruedl, E. and Bradley, R. C. Vaporization of impurities in copper, including those introduced by ion bombardment, 2-18576
- Ruedl, E., Delavignette, P. and Amelinckx, S. Fission fragment damage to platinum, 2-612
- Ruedl, E., Delavignette, P. and Amelinckx, S. Electron microscopic study of dislocations and fission damage in platinum foils, 2-16661
- Ruedl, E., Delavignette, P. and Amelinckx, S. Evidence for focusing collisions in irradiated platinum, 1-11246
- Ruedl, E., Delavignette, P. and Amelinckx, S. Electron-microscope study of irradiated platinum, 3-8437
- Ruedl, E., Delavignette, P. and Amelinckx, S. Radiation effects in platinum, 3-17701
- Ruedl, E. See Bradley, R. C., 2-7675
- Ruedl, E. See Bradley, R., 3-4203
- Ruefenacht, J. and Rinderer, L. Superconducting cavities at 280 Mc/s, 4-16379
- Ruef, F. W. and Dorsey, W. W. A missile technique for the study of detonation waves, 2-9305
- Ruegg, H. Symmetries of strong interactions and electromagnetic form factors, 2-11857
- Ruegg, H. and Treiman, S. B. Some implications of higher symmetries, 4-818
- Ruegg, H. and Treiman, S. B. A model of weak interactions, 4-3320
- Ruegg, H. See Freund, P. G. O., 2-18144
- Ruegg, H. See Petermann, A., 0-12870
- Ruegg, H. See Stueckelberg, E. C. G., 2-2629
- Ruei, K. H. Lagrangian solutions of the equations of motion in fluid mechanics by integrating certain types of nonlinear ordinary differential equations, 3-11753
- Ruei, K. H. See Barut, A. O., 1-3133
- Ruei, K. H. See Barut, A. O., 1-4772
- Ruei, K. H. See Barut, A. O., 1-7218
- Ruei, K. H. See Barut, A. O., 2-7886
- Ruel, M. and Brennan, J. G. Partial and total capture probabilities of negative muons by C<sup>12</sup>, 3-6278
- Ruelle, D. Connection between Wightman functions and Green functions in p-space, 1-12040
- Ruelle, D. Domain of holomorphy of the three-point function, 2-2586
- Ruelle, D. On the asymptotic condition in quantum field theory, 2-16107
- Ruelle, D. Classical statistical mechanics of a system of particles, 3-11708
- Ruelle, D. Correlation functions of classical gases, 4-2582
- Ruelle, D. Statistical mechanics of quantum systems of particles, 4-5082
- Ruelle, D. Cluster property of the correlation functions of classical gases, 4-21171
- Ruelle, D. See Araki, H., 2-16108
- Ruelle, D. See Hepp, K., 2-7141
- Ruelle-Lardinois, J. Nuclear physics applications of the properties of reaction cross-sections in the neighbourhood of their singularities, 2-18312
- Ruelle-Lardinois, J. Study of the cross-section of a direct nuclear reaction in the vicinity of its singularities, 3-15163
- Ruess, A. D. See Bethke, G. W., 3-16943
- Ruess, A. D. See Bethke, G. W., 3-16944
- Ruess, A. D. See Bethke, G. W., 4-29919
- Ruetschi, P. See Lewis, G. P., 2-23964
- Rüfenacht, J. and Rinderer, L. Superconducting resonators for metre wavelengths, 4-30046
- Rüfenacht, J., Weill, R., Gailloud, M. and Lagorsse, J. A device for the determination of the multiple scattering of fast charged particles in nuclear photographic emulsions, 0-12787
- Rufener, F. Note on the variation of the spectral sensitivity of a Lallemand photomultiplier with applied voltage, 3-19315
- Rufener, F. Technique and reduction of measurements in a new system of stellar photometry, 4-26905
- Ruff, A. W., Jr. Dislocations and chemical etch pits in copper, 3-2807
- Ruff, A. W., Jr. Dislocation loops in deformed copper, 3-17750
- Ruff, A. W., Jr. Open-probe thermocouple control of radio-frequency heating, 4-21344
- Ruff, A. W., Jr. Morphology of thermally evaporated zinc cleavage surfaces, 4-29179
- Ruff, A. W., Jr. and Kushner, L. M. Observations on dislocation loops in deformed copper, 4-28469



- Ruff, I. See London, J., 0=10393
- Ruffa, A.R. Theory of the electronic polarizabilities of ions in crystals: application to the alkali halide crystals, 3=12909
- Ruffa, A.R. Theory of the electronic susceptibilities of stoichiometric rutile ( $\text{TiO}_2$ ), 4=13123
- Ruffa, A.R. and Griffing, V. A quantum mechanical study of the hydrogen bimolecular exchange reaction, 2=8905
- Ruffer, J. See Hñl, H., 3=23746
- Ruffle, M. P. A monte carlo programme for high energy neutron spectrum estimation, 4=30359
- Rufián, E. See Artacho, E., 4=21883
- Rufov, J. H. See Enikeev, E. Kh., 2=22240
- Ruge, I. Release of avalanche discharges in silicon P-N barrier layers on particle irradiation, 4=12932
- Ruge, I. and Conradt, R. Charge-carrier-free energy transfer between two p-n junctions in a silicon crystal, 4=4181
- Ruge, I. and Keil, G. Microplasmas in silicon p-n junctions as detectors for gamma radiation, 3=14946
- Ruge, I. and Keil, G. Mutual interaction between microplasmas in silicon p-n junctions, 4=4179
- Ruge, I. and Schön, R. W. Determination of the electron "Schubweg" in uncoloured alkali-halide crystals by  $\beta$ -excited conductivity, 2=12395
- Ruge, I. See Vidal, C. R., 2=20195
- Ruge, I. See Vidal, C. R., 4=11858
- Rugge, H. F. and Pyle, R. V. Instability of an alternating-current positive column, 4=18734
- Rugge, H. F. See Berkner, K. H., 4=11598
- Rugge, H. R. and Vik, O. T.  $\pi$ - $\pi$  elastic scattering at 310 MeV: Differential cross-section and recoil-proton polarization, 3=10158
- Rugh, V. and Powell, G. W. Concerning the determination of intrinsic diffusion coefficients in binary systems, 4=9980
- Rugheimer, J. H. and Hubbard, P. S. Nuclear magnetic relaxation and diffusion in liquid  $\text{CH}_4$ ,  $\text{CF}_4$ , and mixtures of  $\text{CH}_4$  and  $\text{CF}_4$  with argon, 3=21412
- Ruh, A. See Gobbi, A., 4=22014
- Ruhl, H. D. See Bartz, A. M., 3=24027
- Rühl, K. H. See Emschermann, H. H., 1=11720
- Rühl, W. On the influence of adsorbed gases on the superconductivity of thin thallium film, 0=5239
- Rühl, W. Effect of adsorbed gases on the superconductivity and normal electrical conductivity of thin Tl films, 0=16953
- Rühl, W. Pair-production cross-sections for photons bombarding protons at high energies, 2=20288
- Rühl, W. Effect of adsorbed oxygen on the superconductivity and normal electrical conductivity of thin metal films, 3=16872
- Rühl, W. Pair production on protons at high energies, 3=17256
- Rühl, W. Oxidation of metals at very low temperatures, 4=7754
- Rühl, W. Pair production and electromagnetic meson decay, 4=15080
- Ruhla, C., Riou, M., Garron, J. P., Jacmart, J. C. and Massonnet, L. study of the reactions (p, pd) on  $\text{Li}^6$  and  $\text{Li}^7$ , 2=20617
- Ruhla, C., Riou, M., Gusakov, M., Jacmart, J. C., Liu, M. and Valentin, L. Study of the reactions  $\text{Li}^6$  (p, pd) and (p,  $\alpha$ ) and  $\text{Be}^9$  (p,  $\alpha$ ) at 155 MeV, 4=1080
- Ruhla, C., Riou, M., Ricci, R. A., Arditi, M., Dobre, H., Jacmart, J. C., Liu, M. and Valentin, L. Study of the (p, 2p) reactions at 150 MeV on  $\text{Ca}^{40}$ ,  $\text{Sc}^{45}$ ,  $\text{Ti}^{46}$  and  $\text{V}^{51}$ , 4=22135
- Ruhla, C. See Garron, J. P., 1=13783
- Ruhla, C. See Garron, J. P., 2=455
- Ruhla, C. See Garron, J. P., 2=1893
- Ruhla, C. See Garron, J. P., 2=1895
- Ruhla, C. See Garron, J. P., 2=20625
- Ruhla, C. See Hornyak, W. J., 4=19770
- Ruhla, C. See Jacmart, J. C., 4=15202
- Ruhla, C. See Jacmart, J. C., 4=15203
- Rühle, M. See Chik, K. P., 3=17707
- Rühle, M. See Seeger, A., 3=20164
- Rühle, M. See Seeger, A., 4=4591
- Ruhnke, L. H. Electrical conductivity of air on the Greenland ice cap, 3=1449
- Ruigh, W. L. See Ottar, B., 2=15078
- Ruijgrok, T. W. Exactly renormalizable model in quantum field theory. III. Renormalization in the case of two V-particles, 0=5480
- Ruijgrok, T. W. An exactly renormalisable model of quantum fields, 0=7267
- Ruijgrok, T. W. The S-matrix for systems with bound states, 2=5582
- Ruijgrok, T. W. On the theory of ferromagnetism, 2=21299
- Ruijgrok, T. W. On the quasi-elastic magnetic scattering of slow neutrons, 3=19642
- Ruijgrok, T. W. and Rodriguez, S. Linear antiferromagnetic chain, 0=13842
- Ruijgrok, T. W. and van Kampen, N. G. The Aharonov-Bohm effect, 3=24582
- Ruijgrok, T. W. See Falk, D. S., 0=17269
- Ruijgrok, T. W. See Falk, H., 1=20151
- Ruijgrok, T. W. See Henley, E. M., 1=8557
- Ruimonte, F. G. See Smith, P., 1=6517
- Ruina, J. P. See Hicks, B. L., 0=12700
- Ruiz, A. See Catalá, J., 4=3400
- Ruiz, C. See Rider, B. F., 3=12631
- Ruiz Gonzalez, J. M. See Gonzalez Ibeas, J., 1=5242
- Ruka, R. See Weissbart, J., 1=9301
- Rukenshtein, E. Transmission of heat or matter in the turbulent regime, 0=3669
- Rukhadze, A. A. Elastic scattering of high-energy particles by deuterons, 0=1320
- Rukhadze, A. A. Interaction of a charged-particle beam with a plasma, 3=21792
- Rukhadze, A. A. and Silin, V. P. The magnetic susceptibility of a relativistic electron gas, 0=13726
- Rukhadze, A. A. and Silin, V. P. Line shape of cyclotron resonance absorption in a plasma, 3=2003
- Rukhadze, A. A. and Silin, V. P. The problem of the energy losses of fast non-relativistic electrons in metals, 3=4855
- Rukhadze, A. A. and Silin, V. P. Electrodynamics of media with spatial dispersion, 3=17033
- Rukhadze, A. A. and Silin, V. P. Linear electromagnetic phenomena in a plasma, 3=21769
- Rukhadze, A. A. See Agranovich, V. M., 0=16041
- Rukhadze, A. A. See Bakanov, S. P., 2=9251
- Rukhadze, A. A. See Bogdankevich, L. S., 2=22212
- Rukhadze, A. A. See Bogdankevich, L. S., 3=16940
- Rukhadze, A. A. See Bogdankevich, L. S., 4=27553
- Rukhadze, A. A. See Bolotovskii, B. M., 0=9155
- Rukhadze, A. A. See Ginzburg, V. L., 2=2067
- Rukhadze, A. A. See Ginzburg, V. L., 2=14414
- Rukhadze, A. A. See Grebenshchikov, S. E., 2=1577
- Rukhadze, A. A. See Kononov, B. P., 2=1453
- Rukhadze, A. A. See Kovrizhnykh, L. M., 0=12625
- Rukhadze, A. A. See Kovrizhnikh, L. M., 4=545
- Rukhadze, A. A. See Kovrizhnykh, L. M., 3=19288
- Rukhadze, A. A. See Kuleshov, V. F., 4=19010
- Rukhadze, A. A. See Lovetskii, E. E., 2=5337
- Rukhadze, A. A. See Lovetskii, E. E., 3=4126
- Rukhadze, A. A. See Lovetskii, E. E., 4=8763
- Rukhadze, A. A. See Lovetskii, E. E., 4=8764
- Rukhadze, A. A. See Makhankov, V. G., 3=21788
- Rukhadze, A. A. See Ramazashvili, R. R., 3=14584
- Rukhadze, A. A. See Ramazashvili, R. R., 3=14604
- Rukman, G. I. See Braginskii, V. B., 1=55
- Rukman, G. I. See Braginskii, V. B., 1=18245
- Rukman, G. I. See Braginskii, V. B., 2=19391
- Rukman, G. I. See Braginskii, V. B., 2=21803
- Rukman, G. I. See Braginskii, V. B., 3=7100
- Rukolaine, G. V. See Sokolovskii, V. V., 4=16754
- Rukwied, A. See Richter, H., 1=9998
- Ruland, W. X-ray determination of crystallinity and diffuse disorder scattering, 2=10949
- Ruland, W. Fourier transform methods for the slit-height correction in small-angle scattering, 4=10500
- Rule, E. and Perls, T. A. Hand-held calibrator for pressure-measuring systems, 0=8757
- Rule, E., Suellentrop, F. J. and Perls, T. A. Second-order instrumentation systems with frequency-dependent stiffness and damping, 0=115
- Rule, E., Suellentrop, F. J. and Perls, T. A. Vibration sensitivity of condenser microphones, 0=14750
- Rule, E., Suellentrop, F. J. and Perls, T. A. Capacitive accelerometers with optimum frequency-response characteristics, 1=2813
- Rule, E. See Chalupnik, J. D., 1=12950
- Rule, R. See Chalupnik, J. D., 1=4417
- Rulea, G. Equivalence between transmission lines and waveguides, 3=2128
- Rulev, A. V. See Samoilovich, D. M., 2=1643
- Rulli, J. E. See Aronson, S., 1=17641
- Rumanov, E. N. and Fesenko, E. G. An exchange model of a ferroelectric, 2=6519
- Rumanov, E. N. See Rodichev, V. M., 3=15825



- Rumanova, I.M. Normal and bounded generalized electron-density projections with the original phase, 0=12033
- Rumanova, I.M. Generalized bounded electron density projections in structure analysis, 0=13995
- Rumanova, I.M. Symmetries of the weighted electron-density projections for crystals falling in the groups of lowest symmetry, 1=4034
- Rumanova, I.M. Formulae for modulated electron density projections for plane oblique-angled and rectangular black-white groups having a centre of symmetry (antisymmetry), 1=15063
- Rumanova, I.M. Formulae for weighted electron-density projections for two-dimensional oblique and rectangular black-and-white groups lacking centres of symmetry of antisymmetry, 2=4402
- Rumanova, I.M. Obtaining formulae for the structure factor from formulae for suspended projections of foreign density, 2=6808
- Rumanova, I.M. and Ashirov, A. Determination of the crystal structure of hydroboracite  $\text{CaMg}[\text{B}_3\text{O}_4(\text{OH})_2] \cdot 3\text{H}_2\text{O}$ , 4=23429
- Rumanova, I.M. and Belov, N.V. False symmetry of lawsonite, 1=11570
- Rumanova, I.M. and Malitskaya, G.I. Revision of the structure of astrakhanite by weighted phase projection methods, 0=14034
- Rumanova, I.M. and Nikolaeva, T.V. Crystal structure of orthite, 1=15101
- Rumanova, I.M. and Volodina, G.F. The unit cell and space group of kainosite (cenosite)  $[\text{Ca}_2\text{Y}_2(\text{Si}_4\text{O}_{12})(\text{CO}_3)_2\text{H}_2\text{O}]$ , 3=13473
- Rumanova, I.M. and Znamenskaya, M.N. The crystal structure of anapaite, 1=15105
- Rumanova, I.M. See Ashirov, A., 2=12917
- Rumanova, I.M. See Ashirov, A., 2=19082
- Rumanova, I.M. See Ashirov, A., 3=8861
- Rumanova, I.M. See Volodina, G.F., 3=18326
- Rumer, G. Curvature waves in general relativity theory, 3=1601
- Rumer, Y. See Landau, A., 3=11659
- Rumer, Yu.B. Action as a space coordinate. X, 0=10553
- Rumer, Yu.B. A simple model in the theory of superconductivity, 0=10835
- Rumer, Yu.B. Negative and limiting temperatures, 1=4518
- Rumer, Yu.B. Invariant formulation of the gravitational wave field theory, 2=9159
- Rumer, Yu.B. Invariant formulation of the gravitational wave field theory, 3=5337
- Rumer, Yu.B. Thermodynamic averages for an infinite plane ionic lattice, 4=27083
- Rumer, Yu.B. See Dykhne, A.M., 3=21252
- Rumfeldt, R. C. and Armstrong, D. A. Evidence for thermal hydrogen atoms and other reactive species in irradiated liquid hydrogen halides, 4=23680
- Rumi, B. See Allen, J.E., 3=12169
- Rumi, G.C. The  $\text{D}_1$ ,  $\text{D}_2$  layers and the absorption of radio waves, 1=15272
- Rumi, G.C. Preliminary results of experiment Luxembourg, 3=6977
- Rumiantsev, V.V. On the stability of motion of gyrostats, 2=15522
- Rumiantsev, V.V. The stability of motion of certain types of gyrostats, 2=17397
- Rumiantsev, V.V. On systems with friction, 3=1648
- Rummel, R. E. See Martin, T. W., 4=615
- Rummel, R. L. See Lewis, H. W., 0=2476
- Rummel, W. See Hellwege, K. H., 2=16893
- Rump, B. Preparation of the surface of a thermionic cathode prior to examination by electron diffraction, 0=3788
- Rumpel, W. F. See Robinson, M. S., 3=18974
- Rumphorst, R. F. See Ammerlaan, C. A. J., 3=17115
- Rumpold, K. See Hick, H., 4=9162
- Rumsch, M. A. and Shchemelev, V. N. Determination of the Auger effect yields from the K-shells of chlorine and potassium using the discontinuities of the X-ray photoeffect quantum yield of a massive KCl cathode, 3=14633
- Rumsh, M. A., Shchemelev, V. N. and Prois, Kh. The question of the mechanism of the external photoeffect from massive photocathodes under the action of X-rays, 2=17866
- Rumsh, M. A. and Zimkina, T. M. Interpreting electron diffraction patterns from complex textured films, 2=4491
- Rumsh, M. A. See Lukirskii, A. P., 2=20085
- Rumscheidt, F. D. and Mason, S. G. Break-up of stationary liquid threads, 2=11344
- Rumsey, J. C. V. Interpretation of ultrasonic echo amplitude, 1=1793
- Rumsey, N. J. A "sky lens" for an auroral spectrograph, 1=6633
- Rumsey, N. J. An economical prism system for fast spectrographs, 2=22039
- Rumsey, V. H. Propagation over a sheet of sinusoidal wires and its application to frequency independent antennas, 4=728
- Rumsh, M. A. and Shchemelev, V. N. Determination of the fluorescence yield by measuring the X-ray photoeffect on a massive cathode, 2=14704
- Rumsh, M. A., Lukirskii, A. P., Karpovich, I. A. and Shchemelev, V. N. A vacuum X-ray monochromator for determining the absolute efficiency of radiation receivers, 4=16606
- Rumsh, M. A., Lukirskii, A. P. and Shchemelev, V. N. The photoelectric effect in metallic cathodes in the wavelength range 1.39 to 13.3 Å, 1=4634
- Rumsh, M. A., Lukirskii, A. P. and Shchemelev, V. N. The photoelectric effect in metallic cathodes in the wavelength range 1.39 to 13.3 Å, 1=10730
- Rumsh, M. A., Lukirskii, A. P. and Shchemelev, V. N. Concerning the use of secondary-emission multipliers for investigating soft X-ray spectra, 3=5802
- Rumsh, M. A., Novik, F. T. and Zimkina, T. M. The structural features of monocrystalline layers of CdTe, 3=20944
- Rumsh, M. A. and Shchemelev, V. N. Determination of the fluorescence yield by measuring the X-ray photoeffect on a massive cathode, 3=6663
- Rumsh, M. A. and Shchemelev, V. N. Dependence of the quantum yield of the X-ray photoeffect in a bulk cathode on the X-ray polarization, 3=14630
- Rumsh, M. A. and Shchemelev, V. N. Role of secondary-emission phenomena in the X-ray photoeffect of metal cathodes, 3=19310
- Rumsh, M. A., Shchemelev, V. N. and Lukirskii, A. P. Quantum sensitivity of photographic materials to X-radiation with wavelengths from 1.54 to 113 Å, 3=3902
- Rumsh, M. A., Shchemelev, V. N. and Prois, Kh. The question of the mechanism of the external photoeffect from massive photocathodes under the action of X-rays, 2=13589
- Rumsh, M. A., Shuvalov, Yu. N. and Smirnov, L. A. The influence of illumination on the intensity of the X-ray reflections from a crystal of CdS, 0=12041
- Rumsh, M. A. See Lukirskii, A. P., 1=3029
- Rumsh, M. A. See Lukirskii, A. P., 1=13109
- Rumsh, M. A. See Lukirskii, L. P., 1=2990
- Rumsh, M. A. See Novik, F. T., 4=10531
- Rumsh, M. A. See Shchemelev, V. N., 3=19309
- Rumsh, M. A. See Shchemelev, V. N., 3=19311
- Rumsh, M. A. See Shchemelev, V. N., 3=19323
- Rumsh, M. A. See Smirnov, L. A., 0=12040
- Rumtantssev, I. A. See Genkin, Ya. E., 2=15974
- Rumyantsev, A. P. Calculation of the thickness of the films resulting from vaporization in a vacuum, 2=2423
- Rumyantsev, B. N. A contribution to the theory of Cauchy-Poisson waves at sloping banks, 1=4314
- Rumyantsev, B. N. A contribution to the theory of Cauchy-Poisson waves at sloping banks, 1=10487
- Rumyantsev, B. N. See Lebedev, V. N., 4=15965
- Rumyantsev, G. Ya. Boundary conditions in the spherical harmonic method, 2=9209
- Rumyantsev, G. Ya. Calculation of the diffusion of neutrons in periodic lattices, 4=909
- Rumyantsev, G. Ya. Boundary conditions for solving Boltzmann's equation in periodic lattices, 4=9591
- Rumyantsev, I. A. and Korsunskii, M. I. Investigation of the L-spectra of Zn in the Cu-Zn alloys, 0=13421
- Rumyantsev, I. A. See Genkin, Ya. E., 3=4238
- Rumyantsev, S. V., Dobromyslov, V. A., Shtan', A. S. and Kulish, E. E. Radiation characteristics of  $\text{Sm}^{145}$  and enriched  $\text{Se}^{75}$  gamma-sources, 4=9411
- Rumyantsev, V. L. See Dzhelepov, B. S., 2=14064
- Rumyantsev, V. V. Many-phonon corrections to the kinetic equation, 3=15454
- Rumyantsev, V. V. See Zeitlenok, G. A., 0=9114
- Rumyantseva, A. V. See Grigor'ev, A. D., 3=5148
- Rumyantseva, A. V. See Kolchin, A. M., 2=142
- Rumyantseva, A. V. See Kolchin, A. M., 3=3966
- Rumyantseva, E. I. See Pokrovskii, Ya. E., 0=819
- Rumyantseva, V. P. See Barmin, V. V., 1=19273
- Runciman, I. G. See Mallon, H. D., 0=13667
- Runciman, W. A. Electrostatic energy matrices of the  $f^7$  configuration, 2=8112
- Runciman, W. A. and Stager, C. V. Zeeman and uniaxial stress spectra of  $\text{CaF}_2(\text{Eu}^{2+})$ , 3=10943
- Runciman, W. A., Stager, C. V. and Crozier, M. H. Additive color centers in calcium fluoride, 4=4081



- Runciman, W.A. and Syme, R.W.G. The optical absorption of divalent chromium in  $\text{CrCl}_2 \cdot 4\text{H}_2\text{O}$  and  $\text{CrSO}_4 \cdot 7\text{H}_2\text{O}$ , 3=23066
- Runciman, W.A. and Wybourne, B.G. Spectra of trivalent praseodymium and thulium ions, 0=5886
- Runciman, W.A. See Crozier, M.H., 1=17891
- Runciman, W.A. See Jones, G.D., 1=3846
- Runciman, W.A. See Lys, J.E.A., 1=2455
- Runciman, W.A. See Macfarlane, R.M., 3=936
- Runciman, W.A. See Pryce, M.H.L., 0=20991
- Runciman, W.A. and Schroeder, K.A. The spin-orbit interaction in  $d^3$  complexes, 2=3814
- Runciman, W.A. and Stager, C.V. Effect of uniaxial stress on the spectrum  $\text{CaF}_2$  ( $\text{Sm}^{2+}$ ), 2=18830
- Runcorn, S.K. On the theory of the geomagnetic secular variation, 0=4775
- Runcorn, S.K. On the hypothesis that the mean geomagnetic field for parts of geological time has been that of a geocentric axial multipole, 0=6433
- Runcorn, S.K. Statistical methods in rock magnetism, 0=21306
- Runcorn, S.K. Towards a theory of continental drift, 2=6902
- Runcorn, S.K. Convection in the moon, 3=5238
- Runcorn, S.K. Convection currents in the earth's mantle, 3=9009
- Runcorn, S.K. Measurements of planetary electric currents, 4=23707
- Rund, H. Dynamics of particles with internal "spin", 1=440
- Rund, H. Note on the Lagrangian formalism in relativistic mechanics, 2=11273
- Rundle, H.N. Ionization of a static interplanetary gas and expected emission lines from this gas, 1=5129
- Rundle, H.N., Hunten, D.M. and Chamberlain, J.W. Resonance scattering by atmospheric sodium. VII. Measurement of the vertical distribution in twilight, 0=14287
- Rundle, H.N. See Blackwell, D.E., 0=8411
- Rundle, H.N. See Blackwell, D.E., 1=1553
- Rundle, R.E. On the probable structure of  $\text{XeF}_4$  and  $\text{XeF}_2$ , 3=15356
- Rundle, R.E. On symmetrical O—H—O hydrogen bonds, 4=28175
- Rundle, R.E. See Atoji, M., 0=6361
- Rundle, R.E. See Dahl, L.F., 3=13489
- Rundle, R.E. See Tracy, J.W., 2=15023
- Rundle, R.E. See Vossos, P.H., 0=12047
- Rundle, R.E. See Vossos, P.H., 3=25719
- Rundle, R.E. See Willett, R.D., 3=18314
- Rundle, R.E. See Willett, R.D., 4=13615
- Rundo, J. See Dolphin, G.W., 2=13203
- Rundqvist, S. An X-ray investigation of the nickel-boron system. The crystal structures of orthorhombic and monoclinic  $\text{Ni}_4\text{B}_3$ , 0=18346
- Rundqvist, S. Binary transition metal phosphides, 3=13453
- Rundqvist, S. and Jellinek, F. The structures of  $\text{Ni}_2\text{Si}_2\text{B}$ ,  $\text{Fe}_2\text{P}$  and some related phases, 0=18360
- Rundqvist, S. and Larsson, E. The crystal structure of  $\text{Ni}_{12}\text{P}_5$ , 0=18347
- Runge, E.F., Forgacs, R.L. and Bryan, F.R. Time-intensity characteristics of a single-discharge emission source, 3=5522
- Runge, K. See Hauser, U., 2=1843
- Runge, R.J. Approximate solutions of the modified Bloch equations for low magnetic fields, 3=6744
- Runibowicz, A. Diffracted waves of various fields in the case of arbitrary incident waves, 3=21209
- Runk, R.B., Stull, J. L. and Anderson, O. L. A laboratory linear analog for lattice dynamics, 4=6698
- Runnels, L. K. Nuclear spin-lattice relaxation in three-spin molecules, 4=15380
- Runnels, L. K. See Onsager, L., 4=4074
- Runolfsson, Ö. See Gräff, G., 4=3867
- Runyan, W.R. See Allen, C.C., 1=10651
- Runyan, W.R. See Nolle, A.W., 3=23987
- Runyon, R. S. See Furr, A. K., 4=28092
- Ruoff, A.L. and Balluffi, R.W. Strain-enhanced diffusion in metals. II. Dislocation and grain boundary short-circuiting models, 3=22802
- Ruoff, A.L. and Balluffi, R.W. On strain-enhanced diffusion in metals. III. Interpretation of recent experiments, 4=1523
- Ruoff, A.L. See Balluffi, R.W., 3=8447
- Ruoff, A.L. See Balluffi, R.W., 3=15505
- Ruoff, A.L. See Butcher, B.M., 1=14894
- Ruoff, A.L. See Cornish, R.F., 1=10305
- Ruoff, A.L. See Li, Che-Yu, 1=14209
- Rupaal, A.S. See Prescott, J.R., 1=7169
- Rupert, A. See Moushegian, G., 4=10972
- Rupert, G.N. See Pretzel, F.E., 1=7667
- Rupert, G. N. Apparatus for observing phase transitions of incandescent materials, 4=2872
- Rupin, J. See Robin, S., 3=21556
- Rupin, J. M. and Robin, S. A emission study of the resonance line from xenon at 1469-6A and the satellite bands induced in its vicinity by the pressure of foreign gases, 4=22311
- Rupp, E. See Jánossy, L., 2=9972
- Rupp, L.W., Jr. See Walsh, W.M., Jr., 2=12820
- Rupp, L. W., Jr. See Walsh, W. M., Jr., 4=25791
- Rupp, W. See Sizmann, R., 2=4361
- Ruppel, H.M. See Breit, G., 1=1118
- Ruppel, H.M. See Breit, G., 1=4807
- Ruppel, H.M. See Breit, G., 1=7217
- Ruppel, H.M. See Breit, G., 1=19181
- Ruppel, H.M. See Breit, G., 2=20330
- Ruppel, H.M. See Breit, G., 3=584
- Ruppel, H.M. See Hull, M.H., 1=8461
- Ruppel, H.M. See Hull, M.H., Jr., 2=18121
- Ruppel, H.M. See Hull, M.H., Jr., 3=585
- Ruppel, H.M. See Lassila, K.E., 2=11895
- Ruppel, W. Spectroscopy of trapping centres in insulators by means of majority carrier injection, 1=7587
- Ruppel, W. Electron injection and extraction in CdS crystals, 2=8411
- Ruppel, W. Ohmic contact photovoltage in CdS, 2=8435
- Ruppel, W. The modulation of space-charge-limited currents in CdS, 3=862
- Ruppel, W. A comparison of photovoltages in ZnS and CdS, 3=25421
- Ruppel, W. Photopotential in photoconductors. I. General expression, 4=22793
- Ruppel, W. Photopotential in photoconductors. II. Special cases, 4=22794
- Ruppel, W. and Smith, R.W. A CdS analog diode and triode, 0=2892
- Ruppel, W. See Cardona, M., 0=18027
- Ruppel, W. See Fatuzzo, E., 2=21214
- Ruppel, W. See Hurst, H. G., 4=22761
- Ruppel, W.B. The question of dark-emission of photoelectrons, 3=9836
- Ruppel, W. B. See Fischer, H., 4=11558
- Ruppel, W. B. See Fischer, H., 4=21491
- Ruppli, C. and Sabatier, G. Analysis of solutions with the help of the characteristic X-ray absorption edges of the elements, 4=26771
- Rupprecht, A. See Forsen, S., 1=7161
- Rupprecht, A. See Forslind, E., 1=13909
- Rupprecht, G. Cross-sections of midgap surface states in silicon by pulsed field effect experiment, 1=1067
- Rupprecht, G. The capture of holes in deep-lying acceptor levels in gold-doped germanium, 2=8419
- Rupprecht, G. Photon-phonon interaction in the near infrared, 4=22835
- Rupprecht, G. Capture cross-section of surface and bulk states in semiconductors by pulsed field effect technique, 2=23285
- Rupprecht, G. and Bell, R.O. Microwave losses in strontium titanate above the phase transition, 2=8468
- Rupprecht, G. and Bell, R. O. Dielectric constant in paraelectric perovskites, 4=26121
- Rupprecht, G., Bell, R.O. and Silverman, B.D. Nonlinearity and microwave losses in cubic strontium-titanate, 1=11342
- Rupprecht, G., Ginsberg, D.M. and Leslie, J.D. Pyrolytic graphite transmission polarizer for infrared radiation, 2=13462
- Rupprecht, G. and Klein, C.A. Energy levels in neutron-irradiated n-type silicon, 0=1656
- Rupprecht, G. See Griffiths, L. B., 4=9000
- Rupprecht, G. See Perry, C. H., 4=26184
- Rupprecht, H. Interpretation of the anisotropy of the resistance change of n-conducting InSb, 1=14471
- Rupprecht, H. and LeMay, C. Z. Diffusion of Zn into GaAs under the presence of excess arsenic vapor, 4=22615
- Rupprecht, H., Weber, R. and Weiss, H. The galvanomagnetic properties of InSb single crystals doped with Te, 0=20918
- Rupprecht, H. See Ainslie, N., 4=7183
- Rupprecht, H. See Bogner, G., 2=8309
- Rupprecht, H. See Hoffmann, A., 0=11698
- Rupprecht, H. See Pilkuhn, M., 4=5877
- Rupprecht, H. See Pilkuhn, M. H., 4=22613
- Rupprecht, H. See Pilkuhn, M. H., 4=24919



- Rupprecht, J. Photoelectric properties of anodically produced titanium and niobium oxide layers, 0=9998
- Rupprecht, J. Structure-borne sound propagation in building elements made from homogeneous and heterogeneous building materials, 0=14723
- Rupprecht, J.  $\text{Bi}_2\text{Te}_3\text{-Sb}_2\text{Te}_3$  alloys with added tellurium and selenium, 3=913
- Rupprecht, J. Thermoelectric properties of a p-type and an n-type  $\text{Bi}_2\text{Te}_3$  alloy in the temperature range 100° to 300°K, 4=10141
- Rupprecht, J. See Fleischmann, H., 4=4239
- Rusakov, L.Z. See Kachkacheva, M.M., 2=14618
- Rusakov, S.V. See Belousov, A.S., 0=7311
- Rusakov, S.V. See Belousov, A.S., 2=3382
- Rusakov, S.V. See Belousov, A.S., 3=2436
- Rusakov, S.V. See Belousov, A.S., 3=4427
- Rusakov, S.V. See Belousov, A.S., 3=24555
- Rusakov, S.V. See Belousov, A.S., 3=24766
- Rusakov, T.A. See Petrov, D.A., 3=6823
- Rusakov, V.A. See Anikina, M.Kh., 2=7898
- Rusakov, V.A. See Anikina, M.Kh., 3=6071
- Rusakov, V.A. See Anikina, M.Kh., 4=3477
- Rusakov, V.A. See Anikina, M.Kh., 4=12056
- Rusakov, V.A. See Ivanov, V.G., 0=11450
- Rusakov, V.A. See Neagu, D., 1=10922
- Rusakov, V.A. See Nyagu, D.V., 1=19261
- Rusakov, V.A. See Nyagu, D.V., 2=10131
- Rusakov, V.A. See Nyagu, D.V., 3=4451
- Rusakov, V.A. See Nyagu, D.V., 3=6280
- Rusakov, V.A. See Okonov, E.O., 0=20223
- Rusakov, V.A. See Petrov, N.I., 0=11451
- Rusakova, L.Z. See Komissarov, O.D., 2=13118
- Rusanov, V.D., Patrushev, B.I., Kovan, I.A., Garkusha, V.I. and Frank-Kamenetskii, D.A. Investigation of magnetoacoustic resonance in a plasma with aid of double electric probes, 1=18858
- Rusanov, V.D. See Akhmatov, A.P., 1=4628
- Rusanov, V.D. See Bartov, A.V., 4=8778
- Rusanov, V.D. See Borodin, A.V., 2=22223
- Rusanov, V.D. See Borodin, A.V., 1=18886
- Rusanov, V.D. See Kovan, I.A., 2=19953
- Rusanov, V.D. See Kovan, I.A., 3=7544
- Rusanov, V.D. See Patrushev, B.I., 1=18905
- Rusanov, V.D. See Zavoiskii, E.K., 2=3063
- Rusbridge, M.G., Jones, H.W., Lees, D.J., Saunders, P.A.H. and Witalis, E.A. Regular oscillations in a toroidal discharge, 1=9633
- Rusbridge, M.G., Lees, D.J. and Saunders, P.A.H. Electric and magnetic field fluctuations in high-current toroidal discharges, 4=8774
- Rusbridge, M.G. See Lees, D.J., 1=9611
- Rusby, J.S.M. Measurements of the total acoustic radiation impedance of rigid pistons in an array, 0=10731
- Rusby, J.S.M. Investigation of a mutual radiation impedance anomaly between sound projectors mounted in an array, 4=21238
- Rusch, W.V.T. See Macmillan, R.S., 0=2003
- Rusch, W.V.T. Radiation from an axially slotted cylinder with a radially inhomogeneous plasma coating, 4=8942
- Ruscher, Ch. and Dechant, J. Light scattering in fibre preparations, 3=16127
- Ruscior, C. See Mihul, S., 2=9285
- Ruscior, C. Verification of the general theory of relativity in the laboratory, 2=11258
- Rusert, R.B. See Butler, W.A., 4=30697
- Ruseva, E. See Budurov, S., 4=26610
- Rush, C. J. New technique for designing fast rise transistor pulse amplifiers, 4=8594
- Rush, D. G. See Hunter, G., 4=11232
- Rush, J.J., Safford, G.J., Taylor, T.I. and Havens, W.W., Jr. The effect of rotational freedom in several ammonium salts and dimethyl acetylene on the inelastic scattering of slow neutrons, 3=6010
- Rush, J.J., Taylor, T.I. and Havens, W.W. Jr. Proton motions in ammonium halides by slow neutron cross-section measurements, 1=2308
- Rush, J.J., Taylor, T.I. and Havens, W.W., Jr. Proton motions in solids by slow neutron scattering cross sections, 2=6249
- Rush, J.J., Taylor, T.I. and Havens, W.W., Jr. Rotational freedom of ammonium ions and methyl groups by cross-section measurements with slow neutrons, 2=18460
- Rush, J.J. See Sang Up Choi, 0=14133
- Rush, S. Methods of measuring the resistivities of anisotropic conducting media in situ, 3=343
- Rushbrooke, G.S. On the hyper-chain approximation in the theory of classical fluids, 0=16685
- Rushbrooke, G.S. On the Percus-Yevick virial coefficients for a hard-sphere gas, 3=11723
- Rushbrooke, G.S. On the thermodynamics of the critical region for the Ising problem, 3=23777
- Rushbrooke, G.S. On the theory of randomly dilute Ising and Heisenberg ferromagnetics, 4=26278
- Rushbrooke, G.S. and Eve, J. On noncrossing lattice polygons, 0=2771
- Rushbrooke, G.S. and Eve, J. High-temperature Ising partition function and related noncrossing polygons for the simple-cubic lattice, 2=4954
- Rushbrooke, G.S. and Hutchinson, P. On the internal consistency of the hyperchain approximation in the theory of classical fluids, 1=12868
- Rushbrooke, G.S. and Morgan, D.J. On the magnetically dilute Heisenberg and Ising ferromagnetics, 1=14681
- Rushbrooke, G.S. and Scoins, H.I. Cluster sums for the Ising model, 2=4953
- Rushbrooke, G.S. and Wood, P.J. On the high temperature staggered susceptibility of Heisenberg model antiferromagnetics, 3=20624
- Rushbrooke, G.S. See Baker, G.A., Jr., 4=28788
- Rushbrooke, G.S. See Elliott, R.J., 1=1200
- Rushbrooke, G.S. See Hutchinson, P., 3=18845
- Rushbrooke, G.S. See Morgan, D.J., 2=731
- Rushbrooke, G.S. See Morgan, D.J., 3=20567
- Rushbrooke, J. G., Bugg, D. V., Oxley, A. J., Zoll, J. A., Jobs, M., Kinson, J., Riddiford, L. and Tallini, B. Neutron-proton interactions in the energy range 290 to 970 MeV, 4=30227
- Rushbrooke, J.G. and Radojčić, D. Search for resonance in  $\pi - \pi$  interaction in  $\pi - N$  scattering at 0.96 BeV, 1=3221
- Rushbrooke, J. G. See Bugg, D. V., 4=15055
- Rushing, C.C. See Pretzel, F.E., 1=7687
- Rushing, C.C. See Pretzel, F.E., 1=17578
- Rushing, C.C. See Pretzel, F.E., 2=14473
- Rushing, S.S. and Gebhart, J.E. Pressure vessel valve, 2=21776
- Rushton, E. Dielectric properties of ammonium dihydrogen phosphate at very high frequencies, 1=17823
- Rushton, K.R. See Chan, K.S., 4=27351
- Rushton, K.R. See Redshaw, S.C., 0=19030
- Rushton, K.R. See Redshaw, S.C., 2=1089
- Rushton, S. See Bates, L.F., 2=21327
- Rushton, W.A.H. The eye, the brain and Land's two-colour projections, 1=9235
- Rushton, W.A.H. Increment threshold and dark adaptation, 3=5298
- Rushton, W.A.H. Interpretation of retinal densitometry, 4=13996
- Rushton, W. A. H. and Baker, H. D. Red/green sensitivity in normal vision, 4=26996
- Rushworth, F.A. Nuclear magnetic resonance and diffusion in solids, 2=8683
- Rushworth, F. A. See Hoch, M. J. R., 4=20611
- Rusi, A. and Ionescu, S. Thermal recovery after neutron irradiation of several Ni complexes, 3=8472
- Rusi, A. See Constantinescu, M., 3=18453
- Rusin, D.A. and Tatevskii, V.M. Spectroscopy with time sweep, 2=1271
- Rusinov, A. I. and Shapoval, E. A. Nonlinear effects in the electrodynamics of superconductors, 4=27416
- Rusinov, A. I. See Gorkov, L. P., 4=20530
- Rusinov, L.A. See Tolstoi, N.A., 1=20016
- Rusinov, L.I. Nuclear isomerism, 2=7927
- Rusinov, L.I., Andreev, Yu.N., Golenetskii, S.V., Kislov, M.I. and Filimonov, Yu.I. Alpha decay of the  $\text{Be}^{210\text{m}}$  isomer, 1=17015
- Rusinov, L.I., Aptekar, R.L., Gvozdev, V.S., Sakharov, S.L. and Khazov, Yu.L. The level scheme of  $\text{Eu}^{153}$ , 1=13733
- Rusinov, L.I., Borovikov, A.V., Gvozdev, V.S., Porsev, G.D., Sakharov, S.L. and Khazov, Yu.L. The decay scheme of  $\text{Dy}^{168}$ , 1=17059
- Rusinov, L.I. and Varshalovich, D.A. Electromagnetic transitions in isomeric nuclei, 1=633
- Rusinov, L.I. See Golenetskii, S.V., 0=2633
- Rusinov, L.I. See Golenetskii, S.V., 0=11339
- Rusinov, L.I. See Gvozdev, V.S., 2=16335
- Rusinov, L.I. See Karamyan, A.S., 0=11335
- Rusinov, L.I. See Konoplev, K. A., 4=1156
- Rusinov, L.I. See Lobashev, V.M., 0=13200
- Rusinov, L.I. See Lobashov, V.M., 1=13727
- Rusjan, B. Analytical treatment of simple unsteady-state heat problems, 1=2898



- Rusk, J.R. and Gordy, W. Millimeter wave molecular beam spectroscopy: alkali, bromides and iodides, 2=18449
- Ruska, E. What is the theoretical resolution limit of the electron microscope and when will it be reached? 3=19347
- Ruske, W. The mutual influence of thin nickel layers in Ni-Cu multiple layer systems with potential induced uniaxial anisotropy, 2=736
- Ruske, W. Ni-Cu diffusion in electrolytically prepared thin Ni films, 2=6373
- Ruske, W. Demagnetization of thin polycrystalline nickel electrolytic layers under the effect of stress induced uniaxial anisotropy. I. Theory of wall shift field strength on the basis of a model of deformation anisotropy, 4=30713
- Rus'kin, V.I.  $\pi^-$ -p interaction 1.4 BeV, 0=9403
- Rus'kin, V.I. and Chernavskii, D.S. Application of the pole method for analysis of the experimental data on  $\pi$ -p interactions, 1=19249
- Rus'kin, V.I. and Chernavskii, D.S. Application of the pole methods for analysis of the experimental data on  $\pi$ -p interactions, 2=22584
- Ruskin, V.I. and Usik, P.A. On the significance of strange particles in Fermi's statistical theory, 0=13070
- Rus'kin, V.I. See Usik, P.A., 1=16868
- Rus'kin, V.I. See Vinitskii, A.Kh., 3=15009
- Rus'kin, V.I. See Vinitskii, A.Kh., 3=24773
- Ruskol, E.L. The origin of the moon. I. Formation of a swarm of bodies around the earth, 2=943
- Ruskol, E.L. Origin of the enhanced density of interplanetary dust in the earth's neighbourhood, 3=3540
- Ruskol, E.L. Origin on the moon. II. The formation of the moon in the circumterrestrial swarm of satellites, 3=16330
- Ruskol, E.L. Origin of the enhanced density of interplanetary dust in the earth's neighbourhood, 3=21089
- Ruskol, E.L. The tidal evolution of the earth-moon system, 3=21092
- Ruskol, E.L. and Safronov, V.S. Origin of rapidly rotating asteroids, 1=18043
- Ruskov, T. and Zhelazkov, I. The effect of a uniform magnetic field on the working of Geiger-Müller counters, 1=387
- Ruskov, T. See Alfimenkov, V.P., 2=14357
- Ruskov, T. See Alfimenkov, V.P., 2=14358
- Ruskov, T. See Alfimenkov, V.P., 3=3460
- Ruskov, T. See Alfimenkov, V.P., 3=6459
- Ruskov, T. See Alfimenkov, V.P., 4=17068
- Ruskov, T. See Michalec, R., 2=18304
- Rusova, S.G. See Pak, N.G., 4=22978
- Ruspantini, W. Recent infrared techniques, 4=8364
- Russ, M.J. Surface conduction in group II-VI semi-insulators, 3=17900
- Russanov, V.D. See Borodin, A.V., 3=21831
- Russek, A. Effect of target gas temperature on the scattering cross section, 1=471
- Russek, A. Ionization produced by high-energy atomic collisions, 4=1229
- Russek, A., Sherman, C.H. and Flinchbaugh, D.E. Simple, analytic, atomic wave functions, 2=10197
- Russek, A. See Bulman, J.B., 1=7024
- Russek, A. See Fenton, D.G., 2=18443
- Russek, A. See Kelly, R.E., 0=15146
- Russek, A. See Moses, H.A., 4=28121
- Russek, A. See Ziemba, F.P., 0=474
- Russell, A.M. Electron trajectories in a field emission microscope, 2=7668
- Russell, A.M. Paramagnetic term of the susceptibility and its shift with isotope in LiF, 2=18455
- Russell, A.M. Direct measurement of the energy of electrons obtained from the surface of silicon by field emission, 3=4176
- Russell, A.M. Field emission spectrometer, 3=5691
- Russell, A.M. and Hewitt, R.R. A physics building for the University of California, Riverside, 3=13993
- Russell, A.M. and Litov, E. Observation of the band gap in the energy distribution of electrons obtained from silicon by field emission, 3=8509
- Russell, A.M. and Torchia, D.A. Harmonic analysis in systems using phase sensitive detectors, 2=9143
- Russell, A.M. See Nieto, M.M., 4=13554
- Russell, B. Repeated yielding in tin bronze alloys, 3=23327
- Russell, B. and Vela, P. Strain ageing of copper-tin alpha solid solutions, 3=23346
- Russell, B. See Wilson, D.V., 0=16220
- Russell, B. See Wilson, D.V., 0=16345
- Russell, B. See Wilson, D.V., 1=3988
- Russell, D.A. Orifice plates in a shock tube, 2=11407
- Russell, D.C. and Schofield, F.H. A theory of the filament temperature distribution of the tungsten vacuum-lamp with special reference to optical pyrometry, 1=8233
- Russell, D.R. See Padday, J.F., 1=6847
- Russell, E.R. See De Maine, P.A.D., 1=18348
- Russell, F.M. A proposal for increasing the beam output from a synchrocyclotron, 1=9659
- Russell, F.M. Non-synchronous acceleration of ions in cyclotrons, 1=16456
- Russell, F.M. A fixed-frequency, fixed-field, high-energy accelerator, 3=24411
- Russell, F.M. Phase focusing for isochronous cyclotrons, 4=11731
- Russell, F.M. See Lawson, J.D., 1=9664
- Russell, F.M. See Livingston, R.S., 3=5779
- Russell, G.A. See Strom, E.T., 4=30472
- Russell, G.R. See Byron, S., 4=19058
- Russell, H.G. See Hilton, H.H., 1=15762
- Russell, J. See Bertozzi, W., 3=12513
- Russell, J. See Lindenbaum, S.J., 3=17106
- Russell, J.A. A time-resolved spectrum of the terminal burst of a Perseid meteor, 0=6576
- Russell, J.A. Molecular nitrogen in the spectra of two Perseid meteors, 1=4195
- Russell, J.E. Regarding the reaction  $K + p \rightarrow \Lambda^0 + 2\pi$ , 0=15429
- Russell, J.E. Nonradiative E2 transitions in  $\mu$  mesonic atoms, 2=16495
- Russell, J.E. Note on the Born series, 3=2210
- Russell, J.E. and Shaw, G.L. Collisional de-excitation of ( $\pi^-$ , p) atoms, 0=11488
- Russell, J.E. See Moore, M.S., 4=28074
- Russell, J.J. See Baker, W.F., 2=20627
- Russell, J.J. See Foley, K.J., 3=17323
- Russell, J.J. See Foley, K.J., 3=19688
- Russell, J.J. See Foley, K.J., 4=9194
- Russell, J.J. See Foley, K., 4=9202
- Russell, J.J. See Lindenbaum, S.J., 1=16789
- Russell, J.J. See Lindenbaum, S.J., 2=1713
- Russell, J.J. See Luckey, P.D., 0=373
- Russell, J.L.Jr. Relative worth of control materials, 1=11053
- Russell, J.L.Jr. See Carelis, E., 4=1126
- Russell, J.L., Jr. See Johnston, H.F., 0=13377
- Russell, J.L.Jr. See Pashos, T.J., 1=11054
- Russell, J.P. See Rollin, B.V., 3=10789
- Russell, J.P. See Rollin, B.V., 3=10790
- Russell, L.E., Harrison, J.D.L. and Brett, N.H. Perovskite-type compounds based on plutonium, 1=15097
- Russell, M.E. See McQuarrie, D.A., 4=23629
- Russell, P.C. See Cooke, B.A., 2=12611
- Russell, P.C. See Hunt, N.A., 0=4982
- Russell, R.D. and Kollar, F. Transistorized power supplies for a mass spectrometer, 0=10987
- Russell, R.D., Ostic, R.G. and Stacey, J.S. A hybrid electrometer preamplifier, 4=21437
- Russell, R.D. See Allard, J.L., 4=435
- Russell, R.D. See Kollar, F., 1=10648
- Russell, R.D. See Ostic, R.G., 4=15860
- Russell, S. See Knecht, R.W., 2=11053
- Russell, S. See Knecht, R.W., 2=15231
- Russell, T.L., Wood, D.S. and Clark, D.S. The influence of grain size on the yield phenomenon in steel, 2=2325
- Russo, A.L. See Hurle, I.R., 4=18232
- Russo, D. and Righini, G. The physical conditions of the solar flare of July 3, 1957, 2=7005
- Russo, D. and Righini, G. Photometric study of solar flares on 3rd July 1957, 2=7006
- Russo, D. See Rigutti, M., 1=15481
- Russo, D. See Rigutti, M., 2=4783
- Russo, D. See Rigutti, M., 3=18636
- Russo, D. See Rigutti, M., 4=10909
- Russo, G.  $\Sigma \rightarrow \Lambda + e + \nu$  decay up to first order in the Q-value, 4=6140
- Russo, G. See Chahoud, J., 4=9305
- Russo, V. See Ronchi, L., 1=8020
- Russo, V. See Ronchi, L., 2=3169
- Russo-Manduchi, M.T. See Belletti, S., 2=18284
- Russo-Manduchi, M.T. See Drigo, L., 4=19766
- Russo-Manduchi, M.T. See Manduchi, C., 0=17533
- Russo-Manduchi, M.T. See Manduchi, C., 2=3201
- Russo-Manduchi, M.T. See Manduchi, C., 3=8036
- Russo-Manduchi, M.T. See Manduchi, C., 4=19513
- Russo-Manduchi, M.T. See Manduchi, C., 4=19727



- Russo-Manduchi, M. T. See Manduchi, C., 4=19767
- Russo-Manduchi, M. T. See Manduchi, C., 4=25351
- Rust, H.H. Acoustic transmitters and receivers particularly for liquids. I, 0=12458
- Rust, H.H. Acoustic measurement and transmission techniques in water, ground and air. I, 2=19660
- Rustad, B.M. See Gould, F.T., 1=16812
- Rustad, B.M. See Safford, G.J., 2=7866
- Rustad, B.M. See Safford, G.J., 0=9705
- Rustad, B.M. See Safford, G.J., 0=15597
- Rustad, B.M. See Safford, G.J., 1=709
- Rustad, B.M. See Vise, J. B., 4=6150
- Rustad, B.M. See Wajima, J.T., 1=8465
- Rustako, A.J., Jr. See Rigrod, W.W., 3=9614
- Rustamov, A.G., Samokhvalov, A.A. and Fakidov, I.G. Electrical properties of nickel-zinc ferrites, 3=20336
- Rustamov, A.G. See Samokhvalov, A.A., 3=17894
- Rustgi, M.L. and Levinger, J.S. Magnetic dipole sum rules for photodisintegration of the deuteron, 0=11236
- Rustgi, M.L. Note on the two-nucleon stripping process, 1=9881
- Rustgi, M.L. Isotope shift in axially asymmetric nuclei, 1=13648
- Rustgi, M.L. Alpha-deuteron model of the  $\text{Li}^6$  nucleus and the  $\text{Be}^9(\text{Li}^6, \alpha)\text{B}^{11}$  reaction, 1=17156
- Rustgi, M.L. and Mukherjee, S.N. Photodisintegration of helium, 3=6095
- Rustgi, M.L. and Mukherjee, S.N. Octupole deformation in even-even medium mass nuclei, 3=24859
- Rustgi, M.L., Shukla, M.M. and Tripathi, A.N. Calculation of atomic scattering factors for the helium atom by means of the six-term Hylleraas wave function, 3=25703
- Rustgi, M.L. and Tiwari, P. Nuclear magnetic shielding constants and X-ray atomic scattering factors for two-, three-, and four-electron systems by means of analytic Hartree-Fock wavefunctions, 4=3800
- Rustgi, M.L., Zernik, W., Breit, G. and Andrews, D.J. Cross section and polarization in the photodisintegration of the deuteron, 1=553
- Rustgi, M.L. See Mathur, V.S., 2=20439
- Rustgi, M.L. See Tiwari, P., 4=10499
- Rustgi, M.L. See Zickendraht, W., 2=324
- Rustgi, M.L. See Zickendraht, W., 2=1730
- Rustgi, O. P. Absorption cross sections of argon and methane between 600 and 170 Å, 4=15272
- Rustgi, O. P., Fisher, E. I. and Fuller, C. H. Absorption cross sections and f values of krypton and xenon in their ionization continuum, 4=19958
- Rustgi, O.P., Nodvik, J.S. and Weissler, G.L. Optical constants of germanium in the region 0-27 eV, 1=8978
- Rustgi, O.P., Walker, W.C. and Weissler, G.L. Optical properties of Sb, Te, and Ti films in the vacuum ultraviolet, 1=19940
- Rustgi, O.P. See Davis, R.J., 2=11198
- Rustgi, O.P. See Trikha, S.K., 0=8861
- Rusu, C. See Dévényi, A., 4=10449
- Rusu, C. See Rosenberg, M., 4=26333
- Rusu, C. See Rosenberg, M., 4=30717
- Rusu, G. I. See Jeverdan, G.T., 4=997
- Rusu, G. I. See Jeverdan, G.T., 4=998
- Ruta-Wala, K. See Murasik, A., 1=20119
- Ruta-Wala, K. See Murasik, A., 3=3127
- Rutan, R. See Androulakis, J.G., 3=17125
- Rutenberg, A.C. Xenon fluorides: fluorine-19 nuclear magnetic resonance spectra, 3=17617
- Rutgaizer, Yu.S. See Gall', L.N., 2=20043
- Rutgers, A.J. Ratio of nucleon mass and electron mass, 0=5553
- Rutgers, A.J. Spiral structure of the galaxy, 1=1656
- Rutgers, A.J. and Hendriks, Y. Ionic hydration, 3=5435
- Rutgers, R. Packing of spheres, 2=8867
- Ruth, J. M. and Philippe, R. J. Multiplicity of the solution of the vibrational force-constant problem, 4=28165
- Ruth, J.M. See Philippe, R.J., 4=6630
- Ruth, R.P., Marinace, J.C. and Dunlap, W.C., Jr. Vapor-deposited single-crystal germanium, 0=11693
- Ruth, V. Some surface effects occurring during interdiffusion in the system silver-gold, 4=10603
- Ruth, V., Winterbottom, W. L. and Hirth, J. P. The angular dependence of a molecular beam produced with a Knudsen cell, 4=3937
- Ruthberg, S. Telescope for measurement of optic angle of mica, 1=10584
- Ruthberg, S. Thermal behavior of muscovite sheet mica, 4=10181
- Ruthberg, S., Barnes, M.W. and Noyce, R.H. Alteration of the muscovite absorption spectrum of KBr pellet preparation, 3=10958
- Ruthberg, S., Barnes, M.W. and Noyce, R.H. Correlation of muscovite sheet mica on the basis of color, apparent optic angle, and absorption spectrum, 3=25463
- Ruthberg, S. and Frenkel, L. Dielectric behavior of the film formed on mica cleaved in moist air, 4=21149
- Rutherford, J.A. See Fite, W.L., 3=5642
- Rutherford, J.A. See Fite, W.L., 3=21707
- Rutherford, J.M., Jr. See Simon, F.T., 4=7562
- Rutherford, P.H. and Frieman, E.A. Two-particle correlation function for an unstable plasma, 3=21766
- Rutherford, P. See Frieman, E., 3=21827
- Rutherford, P. See Frieman, E., 4=21494
- Rutherford, R. See Hirschfelder, J.O., 1=10527
- Rutherford, S. L. Sputter-ion pumps for low pressure operation, 4=18266
- Rutherglen, J.G. Asymmetry in scattering of 90-140 MeV polarized protons from nuclear emulsion material, 1=687
- Rutherglen, J.G. and Paterson, J.M. Accuracy of track location in spark chambers. I, 1=9702
- Rutherglen, J.G. and Paterson, J.M. Accuracy of track location in spark chambers. II, 1=9703
- Rutherglen, J.G. and Paterson, J.M. The use of closed circuit television in the selection of spark chamber events, 2=9758
- Rutherglen, J.G. and Walker, J.K. The photoproduction of charged pions from deuterium, 1=3208
- Rutherglen, J.G. and Walker, J.K. A scintillation counter system for the detection of positive and negative pions, 1=5772
- Rutherglen, J.G. See Patrick, B. H., 4=21892
- Rutherglen, J.G. See Walker, J.K., 3=4423
- Rutkevich, B.H. See Glasov, O.A., 1=5486
- Rutkevich, B.H. See Glasov, O.A., 1=11958
- Rutkevich, B.N. Instability of two electron beams in a magnetic field, 2=3083
- Rutkevich, B.N. See Fedorchenko, V.D., 0=9154
- Rutkevich, B.N. See Fedorchenko, V.D., 3=9823
- Rutkevich, B.N. See Fedorchenko, V.D., 4=18991
- Rutkevich, B.N. See Fedorchenko, V.D., 4=18992
- Rutkevich, B.N. See Sinel'nikov, K.D., 0=10954
- Rutkevich, B.N. See Sinel'nikov, K.D., 0=10955
- Rutkevich, I. Ya., Golovnya, V. Ya., Val'ter, A.K. and Klyucharev, A.P. Angular distribution of protons, elastically scattered by isotopes of nickel, copper and cobalt at energy 5.45 MeV, 0=7563
- Rutkevich, N. Ya. See Berezhnoi, Yu.A., 3=15235
- Rutkevich, N. Ya. See Berezhnoi, Yu.A., 4=6380
- Rutkevitch, N. Ya. See Bolotin, L.I., 1=8705
- Rutkevich, N. Ya. See Bolotin, L.I., 2=16439
- Rutkevich, N. Ya. See Klyucharev, A.P., 0=7556
- Rutkevich, N. Ya. See Klyucharev, A.P., 3=2450
- Rutkevich, N. Ya. See Klyucharev, A.P., 4=1071
- Rutkevich, N. Ya. See Shumilov, S.N., 4=6381
- Rutkowski, W. See Gauk, W., 4=19918
- Rutilant, F. The observatory in Santiago, 0=12236
- Rutner, Ya. F. See Kval'vasser, V.I., 4=27519
- Rutowski, R.W. and Bershadner, D. Shock tube studies of radiative transport in an argon plasma, 4=16466
- Rutsch, W. See Bieri, R.H., 3=12675
- Rutscheidt, E. See Rubin, V.C., 2=24151
- Rutscher, A. and Wojaczek, K. Influence of the form of the primary perturbation on the formation of the striation wave in low-pressure gas discharges, 3=19193
- Rutscher, A. and Wojaczek, K. Working conditions for oscillation free low pressure gas discharges. II. Range of existence of the positive column without running striations, 4=16451
- Rutscher, A. See Pfau, S., 0=5291
- Rutscher, A. See Pfau, S., 1=4577
- Rutscher, A. See Wojaczek, K., 4=24603
- Rutschmann, J. See Page, H.J., 1=7864
- Rutshtein, T.G. See Gorbacheva, N.A., 2=14713
- Rutskii, I. N. Generalized formula for the calculation of thermistor voltage-current characteristics, 4=12948
- Rutz, R.F. Transistor-like device using optical coupling between diffused p-n junctions in GaAs, 3=13096
- Ruuge, E.K. See Teplov, I.B., 1=19468
- Ruuskanen, A. See Pöyhönen, J., 4=23257
- Ruvinskii, M.A. Elastic scattering of nonlocalized Mott excitons on dislocations, 3=20141
- Ruy, N. See Nisimura, K., 4=15056



- Ruyssen, R., Lauwers, A. and Joos, P. Contribution to anti-foaming action, 2=15168
- Ruyssen, R. See Lauwers, R.R., 0=4747
- Ruytoor, M. See Septier, A., 0=3804
- Ruytoor, M. See Septier, A., 0=5352
- Ruyven, L.J. van. See van Ruyven, L.J.
- Ruzer, L.S. Gamma control on the inhalation of radon, 3=5285
- Ruzevich, Z.S. Fluorescence and absorption spectra of azulene in frozen crystalline solutions, 4=10229
- Ruzhadze, A.A. Electromagnetic waves in interpenetrating plasmas, 2=15919
- Ruzicka, D.J. See Kofstad, P., 3=12957
- Ruzička, J. Heat transfer to boiling nitrogen, 0=1050
- Ružička, T. See Novák, M., 2=7574
- Ruzin, B.N. See Bresler, P.I., 0=19214
- Ruzin, B.N. See Bresler, P.I., 0=19215
- Ruzin, M.I. Effect of the horizontal temperature gradient on the planetary boundary layer of the atmosphere, 3=23583
- Rvachov, V.P., Vashchenko, V.I. and Berdnikov, V.F. The measurements of the energy of optical radiation by selective receivers, 3=21535
- Ryabchikov, L.M. See Amonenko, V.M., 4=14466
- Ryabchikov, L.N. Mass spectrometric investigation of the degassing of molybdenum, tungsten and niobium on heating them in vacuum, 4=22620
- Ryabchikov, L.N. Determination of the diffusion coefficients of hydrogen and CO in nickel by means of a mass spectrometer, 4=22622
- Ryabchikov, L.N. and Tikhinskii, G.F. A mass-spectrometric study of sublimation of beryllium chloride, 1=5378
- Ryabchikov, L.N. See Amonenko, V.M., 0=3677
- Ryabchikova, T.S. See Shigorin, D.N., 3=15383
- Ryabenko, G.A. See Brandt, N.B., 0=10090
- Ryabikov, S.V. See Devishev, M.I., 4=781
- Ryabikov, S.V. See Dobrotin, N.A., 2=13786
- Ryabikov, S.V. See Grigorov, N.L., 1=5801
- Ryabinin, A.G. and Khozhainov, A.I. Steady-state laminar flow of an electrically conducting fluid in a rectangular tube under the action of ponderomotive forces, 2=22320
- Ryabinin, A.G. and Khozhainov, A.I. Turbulent flow of an electrically conducting liquid in tubes of rectangular cross-section under the influence of electrodynamic ponderomotive forces, 3=21957
- Ryabinin, M.N. The longitudinal magnetoresistance of semi-conductors of the n-germanium type in the quantum limit, 1=12416
- Ryabinin, M.N. The longitudinal magnetoresistance of semiconductors of thin n-germanium type in the quantum limit, 1=17616
- Ryabinin, Yu.N. The question of the origin of increased plasticity under the influence of high hydrostatic pressure, 0=1857
- Ryabinin, Yu.N. Influence of pressure on some properties of solid bodies, 0=13495
- Ryabinin, Yu.N. On the problem of the equation of state of solids under ultra-high pressures, 0=17866
- Ryabinin, Yu.N., Bereshev, B.I. and Demyashkevich, B.P. Variation in the mechanical properties of iron deformed by high pressure hydro-extrusion, 3=1215
- Ryabinin, Yu.N. and Livshits, L.D. A piston piezometer with quasi-hydrostatic support for pressures up to 100 000 kg/cm<sup>2</sup>, 0=10459
- Ryabinin, Yu.N., Livshits, L.D. and Vereshchagin, L.F. Plasticity of some alloys under high (hydrostatic) pressures, 0=1856
- Ryabinin, Yu.N., Rodionov, K.P. and Alekseev, E.S. Determination of some physical properties of heavily compressed metals, 1=8883
- Ryabinin, Yu.N., Vereshchagin, L.F., Balashov, D.B. and Livshits, L.D. Apparatus for the mechanical investigation of metals under pressures up to 30 000 kg/cm<sup>2</sup>, 1=6685
- Ryabinin, Yu.N. See Bul'chev, D.K., 4=23146
- Ryabinin, Yu.N. See Livshits, L.D., 1=10220
- Ryabinin, Yu.N. See Livshits, L.D., 4=13445
- Ryabinin, Yu.N. See Vereshchagin, L.F., 1=5090
- Ryabinin, Yu.N. See Vereshchagin, L.F., 4=20995
- Ryabinkin, L.N. See Aleksandrov, K.S., 2=16949
- Ryabinkin, L.N. See Aleksandrov, K.S., 2=18987
- Ryabinkin, Yu.S. Electric field in the base of a junction transistor at low injection levels, 0=15979
- Ryabinkina, L.I. See Drokin, A.I., 4=4383
- Ryabinkina, L.I. See Drokin, A.I., 4=26338
- Ryabko, P.V. See Savchenko, M.A., 4=22490
- Ryaboŭ, V.Z. See Alekseev, A.S., 4=26779
- Ryaboshapka, K.P. and Tikhonov, L.V. Effects of deformation and characteristic broadening of X-ray interference lines. I. The case of elastic isotropy, 2=8724
- Ryaboshapka, K.P. and Tikhonov, L.V. Deformation effects in cold-deformed metals which are related to characteristic dislocations, and the broadening of X-ray diffraction lines. I. The case of elastic isotropism, 2=21026
- Ryaboshapka, K.P. and Tikhonov, L.V. Deformation effects due to the presence of typical dislocations in elastically anisotropic metals with cubic symmetry, 2=21027
- Ryaboshapka, K.P. See Krivoglaз, M.A., 4=10507
- Ryaboshapka, K.P. See Krivoglaз, M.A., 4=13564
- Ryabov, A.P. See Borisov, V.S., 4=14832
- Ryabov, R.A. See Gel'd, P.V., 4=20297
- Ryabov, V.D. See Samoilovich, D.M., 2=1643
- Ryabtsev, L.A. See Pryakhina, L.I., 2=21531
- Ryabtsova, G.P. See Blum, A.I., 0=624
- Ryabukhin, Yu.S. See Terent'ev, B.M., 2=5600
- Ryabukhin, Yu.S. See El'tekov, V.A., 3=4405
- Ryabukhin, Yu.S. See Terent'ev, B.M., 4=870
- Ryabukhin, Yu.S. See Trusova, V.P., 4=9016
- Ryabushko, A.P. Central-symmetric Einstein space and the Birkhoff theorem, 4=27049
- Ryadov, V.Y., Furashov, N.I. and Sharonov, G.A. Measurements of the moon's thermal radiation in the infrared, 4=13915
- Ryadov, V.Y. See Averkov, S.I., 4=26893
- Ryadov, V.Ya. See Averkov, S.I., 3=24032
- Ryáenov, E.V. Constructions of the exact solutions of the equations of one-dimensional gas dynamics in the presence of discontinuities, 1=6882
- Ryan, A. See Sweeney, E.J., 0=3382
- Ryan, B.F. See Macklin, W.C., 3=3928
- Ryan, C. A doublet scheme for the leptons, 2=20249
- Ryan, C. A note on muon parity, 3=6027
- Ryan, C. and Sudarshan, E.C.G. Representations of parafermi rings, 3=23788
- Ryan, C. See Marshak, R.E., 4=5960
- Ryan, C. See Marshak, R.E., 4=19422
- Ryan, C. See O'Raifeartaigh, L., 3=11693
- Ryan, D. See Ball, M., 1=6365
- Ryan, D. See Boakes, D., 0=4516
- Ryan, F.M. Rotating sample method for measuring the Hall mobility, 2=5249
- Ryan, F.M., Greenberg, I.N., Carter, F.L. and Miller, R.C. Thermoelectric properties of some cerium sulfide semiconductors from 4° to 1300°K, 2=8451
- Ryan, F.M., Pugh, E.W. and Smoluchowski, R. Superparamagnetism, nonrandomness, and irradiation effects in Cu-Ni alloys, 0=2980
- Ryan, F.M. and Subbarao, E.C. The Hall effect in semiconducting barium titanate, 3=8515
- Ryan, G. See Ziemba, F.P., 2=18016
- Ryan, J.A. Effect of damping and vibration detector position in resonance measurements, 0=5075
- Ryan, J.A. The case against thermal fracturing at the lunar surface, 2=19281
- Ryan, J.F. See Batzer, T.H., 4=18296
- Ryan, J.L. and Jørgensen, C.K. Electron transfer and 5f → 6f transitions in uranium (IV), neptunium (IV), plutonium (IV) hexahalides, 4=5186
- Ryan, J.R. See Smoot, T.W., 4=23296
- Ryan, J.W. Branching ratios of reactions of  $\pi^-$  mesons stopped in hydrogen and deuterium, 3=15013
- Ryan, J.W. Measurement of the nn singlet S-state scattering length, 4=25104
- Ryan, K.R., Sieck, L.W. and Futrell, J.H. Ion-molecule reactions in methanol and ethanol, 4=23623
- Ryan, R.M. and Miller, R.C. The effect of uniaxial strain on the threshold current and output of GaAs lasers, 4=8986
- Ryan, R.P., Lutsch, A.G. and Beyer, R.T. Measurement of the distortion of finite ultrasonic waves in liquids by a pulse method, 2=2848
- Ryan, R.P. See Eby, R.K., 0=2196
- Ryan, T.G. See Soberman, R.K., 4=29283
- Ryan, W.D. Radio star scintillation near the auroral zone, 4=15948
- Ryan, W.D. and Harrower, G.A. An apparent solar periodicity in radio star scintillation, 0=12210
- Ryasanov, M.I. Change of probability of fast meson decay caused by Coulomb scattering in dense media, 1=3199
- Ryason, P.R. Proposed direct test of the uncertainty principle, 0=46



- Ryason, P.R. Raman band intensities in binary liquid solutions, 2=17465
- Ryason, P.R. See Doty, W.R., 1=6915
- Ryason, P.R. See Hirsch, E., 4=17858
- Ryazonov, A.N. The possibility of use of amplitude-phase objectives for resolution of two non-monochromatic sources of light, 0=16866
- Ryazonov, A.N. The possibility of resolution of two light sources with strongly differing intensities, 0=8776
- Ryazonov, A.N. Enhancement of the resolving power of telescopic systems in respect of two point-like sources of light, greatly differing in intensity, 3=3873
- Ryazonov, E.V. See Korobeinikov, V.P., 1=15912
- Ryazonov, G.V. A space-time approach to quantum field theory, 3=14848
- Ryazonov, M.I. On processes involving transfer of momentum to a medium, 0=12875
- Ryazonov, M.I. Decay of ultrahigh energy particles in condensed matter, 3=22095
- Ryazonov, M.I. Raman radiation in uniform motion of a charge in a homogeneous medium, 3=24058
- Ryazonov, M.I. Photon emission by a fast particle interacting with elementary excitations in matter, 4=3367
- Ryazonov, M.I. See Kalashnikov, N.P., 4=2938
- Ryazonov, O.M. The conditions and methods of resolving two light sources of greatly differing intensity, 1=12967
- Ryazonova, E.F., Fadeeva, M.S. and Pavlina, T.S. Correlation between the absorption and luminescence spectra of some organic compounds, 2=14749
- Ryazantsev, Yu.S. See Novikov, S.S., 1=11854
- Ryazantsev, Yu.S. See Novikov, S.S., 1=18664
- Ryba, E. See Kejriwal, P.K., 4=4630
- Rybak, E.N. See Durasova, Yu.A., 3=23826
- Rybak, P.M. Frequency dependence of the permeability of ferrites in different magnetic states, 4=10290
- Rybak, S.A. Sound transmission through a periodically inhomogeneous plate in a liquid, 2=21973
- Rybak, S.A. and Tartakovskii, B.D. The impedances of dissipative layered plates executing symmetric or anti-symmetric vibrations, 2=15672
- Rybak, S.A. and Tartakovskii, B.D. A case of total acoustic insulation in the transmission of sound through a layer-symmetric wall, 2=15688
- Rybak, S.A. and Tartakovskii, B.D. Applications of transformation matrices to the theory of plane waves in a layered elastic system, 2=21964
- Rybak, S.A. and Tartakovskii, B.D. On the vibrations of thin plates, 4=256
- Rybak, V.M. See Sandulova, A.V., 4=10401
- Rybak, V.M. See Sandulova, H.V., 2=21060
- Rybakov, B.V., Sidorov, V.A. and Vlasov, N.A. Breakup of deuterons on H, D, He<sup>3</sup> and He<sup>4</sup>, 1=5791
- Rybakov, B.V. See Bogdanov, G.F., 0=7551
- Rybakov, B.V. See Brill', O.D., 4=19605
- Rybakov, B.V. See Gulyamov, M., 4=1007
- Rybakov, B.V. See Kurashov, A.A., 1=514
- Rybakov, B.V. See Pandratov, V.M., 3=10395
- Rybakov, B.V. See Vlasov, N.A., 1=4798
- Rybakov, Ju.P. Certain thermodynamic relations in field theory, 4=68
- Rybakov, V.N. and Mal'tseva, N.S. Study of the (p, p $\pi^+$ ) reaction on In<sup>115</sup>, 4=22141
- Rybakov, V.N. See Kuznetsova, M.Ya., 2=16412
- Rybakov, V.N. See Kuznetsova, M.Ya., 3=6247
- Rybakov, V.N. See Mal'tseva, N.S., 4=6341
- Rybakov, V.N. See Sorokin, A.A., 2=14066
- Rybakov, V.N. See Van Chuan'-peng., 4=1079
- Rybakov, V.V. Thermodynamic properties of water vapour at high temperatures, 4=16147
- Rybakova, G.I., Koval'chuk, D.S. and Morozov, V.P. The force constants and interaction constants of pyramidal hydrides, 0=20600
- Rybakova, G.I., Naugol'nikov, B.I. and Morozov, V.P. Partial frequencies of pyramidal hydrides and deuterides of C<sub>3v</sub> symmetry, 1=2321
- Rybakova, H.I. See Morozov, V.P., 2=18446
- Rybakova, I.M. and Ermol'chik, S.Z. Development of porosity in copper during cyclic heat treatment, 1=14911
- Rybakova, L.M. and Nikitina, I.I. A study of the time dependence of strength of copper-aluminium and nickel-aluminium alloys, 4=28933
- Rybakova, L.M. and Yermol'chik, S.Z. Substructure of copper annealed at various temperatures, 4=23525
- Rybakova, L.M. See Rovinskii, B.M., 1=1337
- Rybakova, L.M. See Rovinskii, B.M., 1=1338
- Rybakova, L.M. See Rovinskii, B.M., 4=23138
- Rybalka, V.V. and Kymovs'ka, A.I. Effect of the trapping levels on the relaxation of non-equilibrium conductivity in Ge with Cu and Ni impurities, 2=8344
- Rybalka, V.V. and Pizio, A.S. Recombination of electrons and holes on copper and nickel atoms in high-resistance germanium, 0=20896
- Rybalka, V.V. See Pashkovskii, M.V., 2=23405
- Rybalka, V.V. See Pashkovskii, M.V., 3=6600
- Rybalka, V.V. See Pashkovskii, M.V., 4=16279
- Rybalko, B.F. See Rybalko, F.P., 1=10213
- Rybalko, F.P. Micro- and macroplasticity and failure of polycrystals, 1=12591
- Rybalko, F.P., Bainov, M.A. and Katanov, L.M. Preparation of undeformed single crystals of a predetermined shape and with a specified degree of surface purity, 1=10251
- Rybalko, F.P., Klinskikh, N.A. and Volkov, S.D. Linear approximation in the theory of elasticity of polycrystals, 3=20684
- Rybalko, F.P., Nesterov, A.F. and Rybalko, B.F. Distribution of non-homogeneities of plastic deformation. IV. Oriented work-hardening and its dependence on the deformation temperature, 1=10213
- Rybalko, F.P. See Asaturov, A.A., 4=26491
- Rybalko, V.S. See Danilov, V.I., 1=344
- Rybarska, V. See Pavlikovskii, A., 3=2377
- Rybchinskii, R.E. See Gringauz, K.I., 0=14381
- Rybchinskii, R.E. See Gringauz, K.I., 2=9070
- Rybchinskii, R.E. See Gringauz, K.I., 2=15301
- Rybchinsky, R.E. See Gringauz, K.I., 4=7982
- Rybchinsky, R.E. See Gringauz, K.I., 4=13931
- Rybicka, M. See Bozek, E., 2=10013
- Rybicka, M. See Bozek, E., 2=20557
- Rybicka, M. See Bozek, E., 3=24905
- Rybicka, M. See Bozek, E., 4=1049
- Rybicki, K. Meson production in central collisions of heavy primaries of the cosmic radiation, 3=19739
- Rybicki, K. Central nucleus-nucleus collisions, 4=27925
- Rybin, I.A. See Rezanov, A.I., 1=10117
- Rybin, R.A. Critical thermal load in the boiling in tubes of liquids saturated [with steam], 3=3929
- Rybin, S.N. See Arzumanov, A.A., 2=13619
- Rybin, S.N. See Arzumanov, A.A., 3=9888
- Rybin, S.N. See Kondrashev, L.F., 4=16163
- Rybin, S.N. See Mescherov, R.A., 1=16455
- Rybka, V., Yoseli, M. and Aoki, M. Diffusion of silver in gallium arsenide, 3=13002
- Rybner, J. See Jespersen, M., 4=26856
- Rybucki, K. See Bartke, J., 1=13550
- Rychev, A.S. See Lavrenikov, V.D., 3=2169
- Rychlewski, J. See Komljenović, S., 4=5118
- Rydeck, O.E.H. Electromagnetic nonlinear interaction and reflection from a plane ionized medium, 4=27665
- Rydeck, O.E.H. Dynamic nonlinear electromagnetic wave propagation and harmonic radiation in magnetoionic media, 4=27666
- Rydeck, O.E.H. and Askne, J. Whistler mode and ionized stream interactions, 4=27667
- Rydeberg, J. See Forsén, S., 1=392
- Ryde, H. Search for the two-photon decay of the 1<sup>1</sup>76 MeV 0<sup>+</sup> level in Zr<sup>90</sup>, 3=2387
- Ryde, H., Persson, L. and Oelsner-Ryde, K. Levels in Tb<sup>159</sup> populated in the decay of Dy<sup>159</sup>, 3=2414
- Ryde, H., Persson, L. and Oelsner-Ryde, K. The electron capture decay of Er<sup>158</sup>, 3=2415
- Ryde, H., Persson, L. and Oelsner-Ryde, K. Atomic excitation accompanying the electron-capture decay of Er<sup>158</sup>, 4=3614
- Ryde, H. and Sujkowski, Z. Determination of the relative intensities of the gamma rays from the decay of Ta<sup>182</sup> by the external conversion method, 1=19421
- Ryde, H., Thieberger, P. and Alväger, T. Two-photon de-excitation of the 0<sup>+</sup> level in Zr<sup>90</sup>, 1=13732
- Ryde, H. See Alväger, T., 0=11373
- Ryde, H. See Alväger, T., 1=5853
- Ryde, H. See Alväger, T., 2=12175
- Ryde, H. See Persson, L., 2=10068
- Ryde, H. See Persson, L., 3=19823
- Ryde, H. See Persson, L., 3=22342
- Ryde, H. See Thieberger, P., 2=9815
- Ryde, H. See Thieberger, P., 2=11827
- Rydell, N., Ambrosini, G. and Schmidt, H. Analogue computer studies of the Halden boiling water reactor, 0=4143



- Rydén, O. Temperature transients of the outlet water of a fuel element in a  $D_2O$ -cooled reactor, 3=4697
- Rydén, O. and Bergqvist, C.A. A new xenon predictor for high-flux reactors, 3=4696
- Ryder, B. See Rivlin, V.G., 3=6855
- Ryder, D.A. See Forsyth, P.J.E., 0=21168
- Ryder-Smith, S.C., Guile, A.E. and Barrington, A.E. Direct measurement of  $J_1^2$ , dt by a method based on the Hall effect, 0=8980
- Rydgren, B. See Öhman, Y., 4=2884
- Rydnik, V.I. and Yavorskii, B.M. Neutralization of slow ions and the de-activation of metastable atoms near the surface of metals, 2=19902
- Rydnik, V.I. and Yavorskii, B.M. Neutralization of slow ions and the deactivation of metastable atoms near the surface of metals, 3=1936
- Rydnik, V.I. and Yavorskii, B.M. Elementary processes close to surfaces in a gas discharge, 4=8642
- Rydzewski, J.R. Experimental method of investigating stresses in buttress dams, 0=4972
- Ryjkova, I.V. See Jdanov, A.P., 0=12738
- Rykalin, V.I. See Dunaitsev, A.F., 2=11973
- Rykalin, V.I. See Dunaitsev, A.F., 2=11974
- Rykalin, V.I. See Dunaitsev, A.F., 2=20383
- Rykalin, V.I. See Dunaitsev, A.F., 2=20384
- Rykalin, V.I. See Dunaitsev, A.F., 2=22587
- Rykalin, V.I. See Dunaitsev, A.F., 2=22588
- Rykalin, V.I. See Dunaitsev, A.F., 3=6030
- Rykalin, V.I. See Dunaitsev, A.F., 3=6031
- Rykalin, V.I. See Dunaitsev, A.F., 3=7884
- Rykalin, V.I. See Dunaitsev, A.F., 3=12495
- Rykalin, V.I. See Dunaitsev, A.F., 3=24754
- Rykalin, V.I. See Dunaitsev, A.F., 4=25130
- Rykalin, V.I. See Vasilevskii, I.M., 1=19195
- Rykalin, V.I. See Vasilevskii, I.M., 3=4388
- Rykov, G.V. See Zvolinskii, N.V., 3=23968
- Ryl, R. and Cunningham, J.G. Selected area replication for electron microscopy, 4=7665
- Ryle, M. The nature of the cosmic radio sources, 0=10481
- Ryle, M. Radio astronomy and cosmology, 1=15523
- Ryle, M. The problem of confusion in surveys of sources, 1=18134
- Ryle, M. The nature of the radio sources, 2=2570
- Ryle, M. The new Cambridge radio telescope, 2=15395
- Ryle, M. and Clarke, R.W. An examination of the steady-state model in the light of some recent observations of radio sources, 1=10368
- Ryle, M. and Hewish, A. The synthesis of large radio telescopes, 0=18685
- Ryle, M. and Neville, A.C. A radio survey of the North Polar region with a 4.5 minute of arc pencil-beam system, 3=9276
- Ryle, M. and Sandage, A. The optical identification of three new radio objects of the 3C 48 class, 4=15926
- Ryle, M. See Elsmore, B., 0=830
- Ryle, M. See Scott, P.F., 1=12784
- Ryle, M. See Scott, P.F., 1=15564
- Ryley, D.J. Experimental determination of the atomising efficiency of a high-speed spinning disk atomiser, 0=6754
- Ryley, D.J. Analysis of a polydisperse aqueous spray from a high-speed spinning disk atomizer, 0=6755
- Ryley, D.J. Review: The thermodynamic and mechanical interaction of water globules and steam in the wet steam turbine, 3=297
- Ryley, D.J. and Wood, M.R. The construction and operating characteristics of a new vibrating capillary atomizer, 3=13981
- Ryley, J.E. and Gambling, W.A. A current-stabilized d.c. supply rated at 30 A kW using semiconductor components, 3=7413
- Ryll-Nardzewski, J. See Kacprowski, J., 4=16000
- Rýlov, E.E. See Razinskaya, I.N., 0=16234
- Rýlov, V.S. Separation of potassium isotopes by evaporation of KCl, 2=6114
- Rýlov, V.S. See Konstantinov, B.P., 0=7709
- Rylov, Yu. Relative gravitational field and conservation laws in general relativity, 4=11049
- Rýlov, Yu.A. The singularity of the Schwarzschild solution of the gravitation equations, 2=11
- Rýlov, Yu.A. Relative localization of gravitational field, 2=19395
- Rýlov, Yu.A. Relative localization of gravitational field, 3=1590
- Rýlov, Yu.A. The singularity of the Schwarzschild solution of the gravitation equations, 3=3723
- Rymashevskii, G.A. See Livshits, B.G., 3=5114
- Rymashevskii, G.A. See Livshitz, B.G., 4=1982
- Rymer, T.B. (Conf. rep.). Summarized proceedings of a conference on Solid State Memory and Switching Devices—London, September, 1958, 0=7188
- Rymer, T.B. The Physical Society's Exhibition — London, 1960, 0=8534
- Rymer, T.B. The lattice constants of small crystals, 0=21182
- Rymer, T.B. and Fayers, F.J. The intensity profiles of electron diffraction lines, 0=272
- Rýmko, N.B., Tulinov, V.F. and Charakhch'yan, A.N. A case of a sharp increase in cosmic-ray intensity in the stratosphere, 0=11279
- Rýmov, S.M. The relative running time of a non-stationary chance process, 0=905
- Rýndin, G.M. See Bilen'kii, S.M., 0=7349
- Ryndin, R.M. See Azhgirei, L.S., 0=5742
- Rýndin, R.M. See Azhgirei, L.S., 0=13231
- Rýndin, R.M. See Bilen'kii, S.M., 1=19175
- Ryndin, R.M. See Bilen'kii, S.M., 3=17309
- Rýndin, R.M. See Bilen'kii, S.M., 3=22195
- Rýndin, R.M. See Bilen'kii, S.M., 0=2596
- Rýndin, R.M. See Bilen'kii, S.M., 0=12855
- Rýndin, R.M. See Bilen'kii, S.M., 0=12938
- Rýndin, R.M. See Bilen'kii, S.M., 4=5952
- Rýndin, R.M. See Bilen'kii, S.M., 4=16948
- Ryndin, R.M. See Bilenky, S.M., 4=3362
- Ryndin, R.M. See Jacobsohn, B.A., 1=3231
- Ryndin, R.M. See Jacobsohn, B.A., 1=8565
- Rýndina, É. Z. See Kushniruk, V.F., 4=9325
- Ryndych, N.A. See Golýk, O.Z., 1=12871
- Rynn, N. On the periodic coupling of propagating structures, 0=5415
- Rynn, N. Current-induced effects in an alkali-metal plasma, 2=13563
- Rynn, N. Measurement of the thermoelectric power of a fully ionized, low-temperature plasma, 3=19277
- Rynn, N. Improved quiescent plasma source, 4=8789
- Rynn, N. Transport properties of a fully-ionized, low-temperature plasma, 4=11587
- Rynn, N. Macroscopic transport properties of a fully-ionized alkali-metal plasma, 4=11593
- Rynn, N. Classical and enhanced diffusion in cesium and potassium plasmas, 4=27514
- Rynn, N. and D'Angelo, N. Device for generating a low temperature, highly ionized cesium plasma, 1=2981
- Rynn, N. See D'Angelo, N., 1=4600
- Rynn, N. See D'Angelo, N., 1=16322
- Rynn, N. See Hinnov, E., 4=8708
- Rýpyanu, S. See Rozenberg, M., 2=737
- Rys, F. See Lombard, R., 2=10051
- Rys, F. A two-dimensional classical configuration model, 4=5079
- Ryskin, A.I., Khilko, G.I., Maksakov, B.I. and Dubenskii, K.K. Absorption spectrum of the  $Mn^{2+}$  ion in ZnS monocrystals, 4=22875
- Ryskin, A.I., Tolstoi, N.A. and Khil'ko, G.I. Flash-like rise of luminescence IV. The effect of the wavelength of the exciting light, 4=28742
- Rýskin, A.I. See Tolstoi, N.A., 0=16079
- Ryskin, A.I. See Tolstoi, N.A., 1=20017
- Ryskin, A.I. See Tolstoi, N.A., 3=15711
- Rýskin, A.Ya. See Zakharchenya, B.P., 2=10599
- Ryskin, A.Ya. See Zakharchenya, B.P., 3=17983
- Rýskin, A.Ya. See Zakharchenya, B.P., 3=18026
- Ryskin, A.Ya. See Zakharchenya, B.P., 4=26183
- Rýskin, Ya.I. See Stavitskaya, G.P., 2=541
- Ryskin, Ya.I. OH stretching vibrations in the presence of strong hydrogen bonds, 2=23050
- Ryskina, S.I. See Meiklyar, P.V., 3=9631
- Rýss, A.I. and Radchenko, I.V. X-ray investigation of aqueous solutions of tetrafluoroboric acid and some of its salts, 4=21100
- Rysselberghe, P. Van. See Van Rysselberghe, P.
- Rytel, M. On a method of evaluation of the anharmonicity of polyatomic molecules, 1=13988
- Rytel, M. Potential function of the ethylene molecule, 3=4767
- Rytel, M. Force constants of fluorinated ethylene molecules, 4=30459
- Rytel, M. See Kuflewicz, A., 3=9277
- Ryten', J. The gravitational radiation of a system of moving bodies, 4=29



- Ryteń, J. The Fokker action principle and the gravitational radiation, 4=8045
- Ryten, J. See Plebanski, J., 1=15595
- Rytén, J. See Plebański, J., 2=2613
- Ryter, C. Direct measurement of the electron density at the nucleus in metallic lithium at liquid helium temperature, 0=16170
- Ryter, C. Measurement of the electron density at the position of the nucleus in metallic sodium, 3=15947
- Ryter, C. Direct measurement of the electron density at nuclei sites in metallic lithium, 4=28874
- Ryter, C. See Gueron, M., 0=1836
- Rytov, S.M. See Gringauz, K.I., 1=6644
- Rytov, S.M. See Gringauz, K.I., 1=10338
- Rytova, N.S. See Galkin, G.N., 1=2409
- Rytova, N.S. See Galkin, G.N., 1=6152
- Rytz, A. Absolute determination of some alpha-particle energies, 0=13183
- Rytz, A. Determination of the alpha particle energies from radium-223 and its decay products, 0=17525
- Rytz, A. Absolute determination of the energy of important naturally-occurring alpha-particles, 1=12164
- Rytz, A., Staub, H.H. and Winkler, H. Absolute precision determination of several resonance and threshold energies and the alpha particle energy of  $\text{Po}^{210}$ , 2=5914
- Rytz, A., Staub, H.H., Winkler, H. and Zamboni, F. Precision determination of the mass difference of  $^{27}\text{Al}$ - $\text{Mg}^{24}$  from the reactions  $\text{Mg}^{24}(\alpha, \gamma)\text{Si}^{28}$  and  $\text{Al}^{27}(\text{p}, \gamma)\text{Si}^{28}$ , 3=10219
- Rytz, A., Staub, H.H., Winkler, H. and Zamboni, F. A precision determination of the mass difference of  $^{27}\text{Al}$  and  $^{24}\text{Mg}$  from the reactions  $^{24}\text{Mg}(\alpha, \gamma)^{28}\text{Si}$  and  $^{27}\text{Al}(\text{p}, \gamma)^{28}\text{Si}$ , 3=24836
- Rytz, A., Staub, H., Winkler, H. and Zych, W. Recent precision determinations of resonance, threshold and natural  $\alpha$ -particle energies, 1=19461
- Rytz, A., Staub, H.H., Winkler, H. and Zych, W. Absolute precision determination of several resonance and threshold energies and the  $\alpha$ -particle energy of  $\text{Po}^{210}$ . II, 2=22808
- Rytz, A., Winkler, H., Zamboni, F. and Zych, W. Absolute measurement of the  $\text{F}^{19}(\text{p}, \text{n})\text{Ne}^{19}$  reaction threshold at 4.2 MeV, 2=5911
- Ryu, N. Multiple Rayleigh scattering, 1=16111
- Ryu, N., Hasai, H., Fujinaga, A., Imamura, G. and Nishi, M. A high frequency Cockcroft-Walton accelerator, 2=17905
- Ryu, N. See Nisimura, K., 3=24720
- Ryu, N. See Sanada, J., 1=8457
- Ryukhin, Yu.A. See Chikhladze, V.L., 3=2408
- Ryukhin, Yu.A. See Khulelidze, D.E., 3=24902
- Ryukhin, Ya.A. See Vartanov, N.A., 1=19398
- Ryukhin, Yu.A. See Vartanov, N.A., 2=22761
- Ryukhin, Yu.A. See Vartanov, N.A., 3=2247
- Ryutov, D.D. See Fanchenko, S.D., 4=16493
- Ryuzhov, O.S. Flows in the region of the transition surface in a laval nozzle, 1=6839
- Ryuzan, O. Current-voltage characteristics of plastically deformed germanium p-n junctions, 2=2184
- Ryuzan, O. Activation energy of acceptors introduced into germanium by plastic twisting, 2=4018
- Ryves, T.B. Use of a liquid scintillator counter for beta particles, 0=9341
- Ryves, T.B. The absorption of neutrons by a neutron source surrounded by a spherical cavity in a weak boron solution, 4=19519
- Ryves, T.B. and Scott, M.C. Measurements of subcritical reactivities in BEPO by a source-jerk technique, 2=20700
- Ryves, T.B. and Scott, M.C. Measurement of the reactivity absorption of the BEPO shut-off rods by a source-jerk technique, 2=20701
- Ryves, T.B. and Scott, M.C. Subcritical reactivity measurement by a source-jerk method, 3=8153
- Ryves, T.B. See Axton, E.J., 3=17119
- Ryvkin, M.S. A rectangular waveguide of variable cross-section, 0=1213
- Ryvkin, M.S. See Pokrovskii, V.L., 2=138
- Ryvkin, M.S. See Pokrovskii, V.L., 2=19813
- Ryvkin, M.S. See Pokrovskii, V.L., 3=1898
- Ryvkin, M.S. See Pokrovskii, V.L., 3=3944
- Ryvkin, M.S. See Pokrovskii, V.L., 3=7402
- Ryvkin, S.M. The true lifetime and possible mechanism of inelastic scattering of current carriers in semiconductors, 1=1031
- Ryvkin, S.M. The true lifetime and the possible mechanism of inelastic scattering of carriers in semiconductors, 1=6140
- Ryvkin, S.M. Kinetics of impurity photoconductivity, 2=10523
- Ryvkin, S.M., Dobrego, V.P., Konovalenko, B.M. and Yaroshetskii, I.D. Induced impurity breakdown in compensated germanium and current oscillations related with it, 2=23339
- Ryvkin, S.M., Dobrego, V.P., Konovalenko, B.M. and Yaroshetskii, I.D. Induced impurity breakdown in compensated germanium and current oscillations related with it, 3=6583
- Ryvkin, S.M., Grinberg, A.A., Ivanov, Yu.L., Novikov, S.R. and Potekhina, N.D. Investigation of the diffusion of minority carriers in a magnetic field, 0=15905
- Ryvkin, S.M., Ivanov, Yu.L., Grinberg, A.A., Novikov, S.R. and Potekhina, N.D. A new longitudinal magneto-concentration effect and its use in determining the relation between the concentrations of heavy and light holes, 0=1628
- Ryvkin, S.M. and Khansevarov, R.Yu. The spectrum of infrared quenching of photoconductivity in  $\text{CdS}$ - $\text{CdSe}$  solid solutions, 1=6177
- Ryvkin, S.M., Khansevarov, R.Yu. and Yaroshetskii, I.D. Investigation of the impurity photoconductivity of germanium irradiated with gamma rays, 1=19905
- Ryvkin, S.M. Khansevarov, R.Yu. and Yaroshetskii, I.D. Investigation of the impurity photoconductivity of germanium irradiated with gamma rays, 2=8436
- Ryvkin, S.M. and Konovalenko, B.M. Dependence of the induced conductivity in cadmium sulphide on the energy of exciting electrons, 0=11708
- Ryvkin, S.M., Konopleva, R.F., Maslova, L.V., Matveev, O.A., Strokan, N.B., Tarkhin, D.V. and Khozov, G.V. Low-inertia germanium photodiodes, 0=20900
- Ryvkin, S.M., Konopleva, R.F., Mastova, L.V., Matveev, O.A., Strokan, N.B., Tarkhin, D.V. and Khozov, G.V. Low-inertia germanium photodiodes, 1=6166
- Ryvkin, S.M., Matveev, O.A., Strokan, N.B. and Khusainov, A.Kh. A germanium semiconductor  $\gamma$ -counter with radiation defects, 4=30209
- Ryvkin, S.M., Paritskii, L.G., Khansevarov, R.Yu. and Yaroshetskii, I.D. Investigation of the kinetics of impurity photoconductivity as a method of determining the parameters of local levels, 1=12456
- Ryvkin, S.M. and Yaroshetskii, I.D. The effect of trapping levels on the relaxation of non-equilibrium photoconductivity in germanium irradiated with  $\gamma$ -rays, 1=7670
- Ryvkin, S.M. See Arkad'eva, E.N., 2=21125
- Ryvkin, S.M. See Arkadyeva, E.N., 2=23453
- Ryvkin, S.M. See Arkad'eva, E.N., 3=2878
- Ryvkin, S.M. See Afanas'ev, V.F., 4=10134
- Ryvkin, S.M. See Arkad'eva, E.N., 0=6134
- Ryvkin, S.M. See Arkad'eva, E.N., 0=6135
- Ryvkin, S.M. See Arkad'eva, E.N., 0=15985
- Ryvkin, S.M. See Arkad'eva, E.N., 0=18061
- Ryvkin, S.M. See Arkad'eva, E.N., 1=19904
- Ryvkin, S.M. See Arkad'eva, E.N., 2=4063
- Ryvkin, S.M. See Berkovskii, F.M., 0=20899
- Ryvkin, S.M. See Berkovskii, F.M., 1=12450
- Ryvkin, S.M. See Berkovskii, F.M., 2=8381
- Ryvkin, S.M. See Berkovskii, F.M., 2=10503
- Ryvkin, S.M. See Berkovskii, F.M., 2=18742
- Ryvkin, S.M. See Berkovskii, F.M., 2=18743
- Ryvkin, S.M. See Berkovskii, F.M., 4=1683
- Ryvkin, S.M. See Berkovskii, F.M., 4=1692
- Ryvkin, S.M. See Berkovskii, F.M., 4=1693
- Ryvkin, S.M. See Bitovskii, N.A., 0=4339
- Ryvkin, S.M. See Dobrego, V.P., 1=17852
- Ryvkin, S.M. See Dobrego, V.P., 2=16755
- Ryvkin, S.M. See Grinberg, A.A., 0=18060
- Ryvkin, S.M. See Grinberg, A.A., 1=10063
- Ryvkin, S.M. See Grinberg, A.A., 1=19912
- Ryvkin, S.M. See Grinberg, A.A., 2=4073
- Ryvkin, S.M. See Ivanov, Yu.L., 2=21193
- Ryvkin, S.M. See Ivanov, Yu.L., 3=2968
- Ryvkin, S.M. See Ivanov, Yu.L., 4=26134
- Ryvkin, S.M. See Kazarinov, N.M., 2=16094
- Ryvkin, S.M. See Kitovskii, N.A., 3=20294
- Ryvkin, S.M. See Konopleva, R.F., 0=15875
- Ryvkin, S.M. See Konopleva, R.F., 0=15925
- Ryvkin, S.M. See Konopleva, R.F., 4=1433
- Ryvkin, S.M. See Konovalenko, B.M., 2=18578
- Ryvkin, S.M. See Konovalenko, B.M., 4=1539
- Ryvkin, S.M. See Mashovets, T.V., 1=6148
- Ryvkin, S.M. See Maslova, L.V., 4=11855
- Ryvkin, S.M. See Matveev, O.A., 4=21700
- Ryvkin, S.M. See Matveev, O.A., 4=21831
- Ryvkin, S.M. See Mekhtiev, R.F., 3=20412
- Ryvkin, S.M. See Nasledov, D.N., 2=21160
- Ryvkin, S.M. See Nasledov, D.N., 3=17990



- Ryvkin, S.M. See Paritskii, L.G., 0=18067  
 Ryvkin, S.M. See Paritskii, L.G., 1=17796  
 Ryvkin, S.M. See Paritskii, L.G., 1=19896  
 Ryvkin, S.M. See Paritskii, L.G., 2=4057  
 Ryvkin, S.M. See Rogachev, A.A., 2=21162  
 Ryvkin, S.M. See Rogachev, A.A., 3=2932  
 Ryvkin, S.M. See Vitovskii, N.A., 1=14259  
 Ryvkin, S.M. See Vitovskii, N.A., 2=18028  
 Ryvkin, S.M. See Vitovskii, N.A., 2=21145  
 Ryvkin, S.M. See Vitovskii, N.A., 3=20316  
 Ryvkin, S.M. See Vitovskii, N.A., 4=1538  
 Ryvkin, S.M. See Vitovskii, N.A., 4=25984  
 Ryvkin, S.M. See Zibuts, Yu.A., 4=10067  
 Ryvkin, V.B. See Ermakov, V.S., 3=10411  
 Ryzhanov, S.G. Asymmetric fission of heavy nuclei, 0=7631  
 Ryzhanov, S.G. Alpha-decay of  $RdAc$  according to the collective model and the spin of the  $AcX$  nucleus, 0=11344  
 Ryzhanov, S.G. Internal rotation in heavy nuclei, 3=24877  
 Ryzhanov, S.G. Theory of the asymmetric fission of nuclei, 4=12284  
 Ryzhenko, B.N. See Pashinkin, A.S., 1=4006  
 Ryzhenkov, A.P. See Aleksandrov, K.S., 4=1957  
 Ryzhikov, B.D. See Levshin, V.L., 0=4455  
 Ryzhikov, B.D. See Levshin, V.L., 2=718  
 Ryzhikov, B.D. See Levshin, V.L., 2=18868  
 Ryzhikov, B.D. See Levshin, V.L., 3=954  
 Ryzhkov, D.L. See Kogarko, S.M., 1=18665  
 Ryzhkov, M.V., Bronzov, O.O. and Stepanov, A.P. A nuclear magnetometer, 4=17956  
 Ryzhkov, V.A. and Fedushin, B.T. Temperature dependence of the electroluminescence of  $ZnS: Cu, Cl$  single crystals, 3=11013  
 Ryzhkov, V.N. See Plyutto, A.A., 4=29935  
 Ryzhmanov, Yu.M. See Kozyrev, B.M., 4=15377  
 Ryzhov, N.M. See Zolototrubov, I.M., 2=3046  
 Ryzhov, N.M. See Zolototrubov, I.M., 4=14737  
 Ryzhov, O.S. Gas flow through a laval tube, 1=12908  
 Ryzhov, O.S. The energy of sound waves, 3=16707  
 Ryzhov, O.S. Shock wave formation in Laval nozzles, 4=8309  
 Ryzhov, O.S. and Khristianovich, S.A. Nonlinear reflection of weak shock waves, 1=8155  
 Ryzhov, O.S. and Shefter, G.M. Approximate representation of a particular class of (patterns of) unsteady nearsonic flow, 0=6826  
 Ryzhov, O.S. and Shefter, G.M. On unsteady gas flows in Laval nozzles, 0=14676  
 Ryzhov, O.S. and Shefter, G.M. Energy of acoustic waves propagating in moving media, 4=280  
 Ryzhov, O.S. and Shmyglevskii, Yu.D. On a certain property of transonic gas flows, 3=158  
 Ryzhov, O.S. See Zaidel', R.M., 1=16138  
 Ryzhov, V.A. Protection of ionization manometer cathodes, 3=5472  
 Ryzhov, V.B. See Kozlov, P.V., 4=17742  
 Ryzhova, T.V. See Aleksandrov, K.S., 2=4304  
 Ryzhova, T.V. See Aleksandrov, K.S., 3=20690  
 Ryzhova, T.V. See Aleksandrov, K.S., 4=20682  
 Ryzko, H. Transition from multiple-avalanche to single-avalanche mechanism in the breakdown of air in a homogeneous field, 4=21487  
 Ryzko, H. and Müller-Hillebrand, D. The influence of chemical products left by spark in the air on the impulse breakdown voltage of enclosed air gap, 3=4100  
 Rzad, S. See Claes, P., 4=27568  
 Rzaev, R.A. See Ternov, I.M., 4=11967  
 Rzanov, A.V. Novototskij-Vlasov, J.F., Neizvestnyi, I.G., Galkina, T.I. and Pokrovskaya, S.V. A study of the surface properties of germanium, 2=23330  
 Ržany, H. and Sciesiński, J. Scattering of slow neutrons by liquid  $H_2S$ , 3=14141  
 Ržany, H. See Budzanowski, A., 0=5912  
 Ržany, H. See Janik, J.A., 2=292  
 Ržany, H. See Janik, J.A., 3=14140  
 Ržany, H. See Tubbs, N., 3=4733  
 Rzeszot, T. Angular distribution of neutrons scattered from an experimental channel of a reactor, 1=19569  
 Rzeszot, T. and Warda, E. Neutron spectrum temperature distribution measurements in the VVR-S reactor core, 3=25017  
 Rzeszot, T. and Warda, E. Investigation of the influence of a scattering sample on neutron temperature distribution in the WWR-S reactor core, 4=12314  
 Rzeszot, T., Warda, E., Markovic, H. and Takač, S. Graphite exponential assembly, 4=1158  
 Rzeszot, T. and Weiss, Z. Neutron spectrum temperature measurements by means of boron-glass filters, 2=1949  
 Rzeszot, T. See Czerniewski, M., 4=1154  
 Rzeszot, T. See Ogrzewalski, Z., 4=9216  
 Rzeszutko, M. See Budzanowski, A., 4=9558  
 Rževkin, S.N. Resonant sound-absorbers, 0=5121  
 Rzewuski, H. The effect of reactor fast neutrons on semi-conductors, 2=2149  
 Rzewuski, J. On inversions of space and time, 0=4938  
 Rzewuski, J. Differential equations in the spinor space, 0=12348  
 Rzewuski, J. Geometrical interpretation of conservation laws in the spinor space, 1=442  
 Rzewuski, J. One-particle Green's function in the spinor space, 1=18263  
 Rzewuski, J. Two-particle Green's function in the spinor space, 1=18264  
 Rzewuski, J. See Mozrzyms, J., 1=18265  
 Rzewuski, J. Quantum field theory without operators, 3=19538  
 Rzewuski, J. On functional formulation of the S-matrix theory, 4=27820  
 Rzhanov, A.V. On the correlation between the capture cross-section ratio and the energy levels of the surface recombination centres in germanium, 0=1638  
 Rzhanov, A.V. The applicability of the stationary photo-conductivity method for studying the dependence of the rate of surface recombination on the surface potential, 1=1032  
 Rzhanov, A.V. Surface charge variations on germanium induced by heating in vacuum, 2=2141  
 Rzhanov, A.V. Recombination statistics for the capture of charge carriers by the excited states of a recombination centre, 2=10457  
 Rzhanov, A.V. Problem of the theory of surface recombination in semiconductors, 2=10458  
 Rzhanov, A.V. Recombination statistics for the capture of charge carriers by the excited states of a recombination centre, 2=14516  
 Rzhanov, A.V. Problem of the theory of surface recombination in semiconductors, 2=14517  
 Rzhanov, A.V. Surface recombination and capture by a continuous spectrum of surface levels, 2=18662  
 Rzhanov, A.V. Surface recombination and capture by a continuous spectrum of surface levels, 2=23290  
 Rzhanov, A.V. On the energy spectrum and the effective cross sections of the surface states of germanium, 3=10779  
 Rzhanov, A.V. Investigation of some electron processes on a real surface of germanium, 4=20363  
 Rzhanov, A.V. and Arkhipova, I.A. Surface recombination in germanium at high injection levels, 2=10465  
 Rzhanov, A.V. and Arkhipova, I.A. Recombination at the surface of germanium which adsorbed a large amount of water, 2=18676  
 Rzhanov, A.V. and Arkhipova, I.A. Recombination at the surface of germanium which adsorbed a large amount of water, 2=23337  
 Rzhanov, A.V. and Neizvestnyi, I.G. The effect of the adsorption of molecules on germanium on the parameters of surface recombination centres, 2=8329  
 Rzhanov, A.V. and Neizvestnyi, I.G. The effect of the adsorption of molecules on germanium on the parameters of surface recombination centres, 2=10466  
 Rzhanov, A.V., Novototski-Vlasov, Yu.F. and Neizvestnyi, I.G. The nature of surface recombination centres in germanium, 0=2874  
 Rzhanov, A.V., Novototskii-Vlasov, Yu.F., Neizvestnyi, I.G., Pokrovskaya, S.V. and Galkina, T.I. The nature of the surface recombination centres in germanium, 1=14437  
 Rzhanov, A.V., Pavlov, N.M. and Selezneva, M.A. The temperature dependence of the parameters of the surface recombination centres in germanium, 1=14438  
 Rzhanov, A.V. and Plotnikov, A.F. The surface levels on germanium derived from photoconductivity data in the infrared spectral region, 1=17496  
 Rzhanov, A.V. See Guro, G.M., 3=22911  
 Rzhanov, A.V. See Paramonova, R.A., 2=21137  
 Rzhanov, A.V. See Paramonova, R.A., 3=6582  
 Rzhazanka, I., Frana, Ya., Adam, I. and Peker, L. On the rotational nature of the 3.7-hour isomeric state of  $Lu^{176}$ , 3=8010  
 Rzhiga, O.N. See Kotel'nikov, V.A., 2=11174  
 Rzhiga, O.N. See Kotel'nikov, V.A., 3=9272  
 Rzhiga, O.N. See Kotel'nikov, V.A., 4=2459







